

American Communication Systems

Discover the Power of Communications™

<http://www.ameradio.com>



2021

OTTO®

TWO-WAY RADIO COMMUNICATION ACCESSORIES

SPEAKER MICROPHONES

HEADSETS


SURVEILLANCE KITS

HOW TO USE THIS BOOK

Step 1: Find radio manufacturer listed on the Index page.

ICOM.....
KENWOOD.....
MOTOROLA.....
RELM/BK.....
VERTEX.....

Step 2: Locate radio manufacturer's tab in Pricelist.



Step 3: Find radio model listed on the manufacturer's alpha listing page, with the corresponding OTTO connector.

MOTOROLA	
RADIO	OTTO CONNECT
APX4000	MF
APX6000/APX6000XE	MF
APX7000/APX7000XE	MF
BPR40	MG

Step 4: Refer to connector page listed, and find all OTTO accessories available for your two-way radio.





TABLE OF CONTENTS


RADIO ACCESSORY PRODUCTS	PAGE
SURVEILLANCE KITS.....	4
PROFESSIONAL	
WIRELESS ACCESSORIES	
SURVEILLANCE ACCESSORIES	
SPEAKER MICROPHONES.....	5
PROFESSIONAL	
COMMERCIAL	
LISTEN ONLY ACCESSORIES	
HEADSETS.....	6
PROFESSIONAL	
COMMERCIAL LIGHTWEIGHT	
TACTICAL HEADSETS.....	7
REMOTE PTT OPTIONS	
TACTICAL THROAT MICROPHONE SYSTEMS	
NOIZEBARRIER® PRODUCTS.....	8
OTTO CONNECT WIRELESS INTERCOM.....	9
CONNECTORS BY RADIO.....	10
ADAPTERS BY RADIO.....	13
PRICE PAGES	
LISTEN-ONLY ACCESSORIES FOR SPEAKER MICROPHONES/	
REMOTE PTT ACCESSORIES FOR HEADSETS.....	14
ADDITIONAL OTTO ACCESSORIES/OTTO LOC.....	15
OTTO REPLACEMENT PARTS.....	17
ACTIVE HEARING PROTECTION.....	21
OTTO CONNECT.....	23
BLUETOOTH® REVO NC2™ SPEAKER MICROPHONE.....	24
RADIO MANUFACTURER	
BK TECHNOLOGIES.....	25
EF JOHNSON.....	27
HARRIS.....	30
HYTERA.....	35
ICOM.....	40
KENWOOD.....	44
MOTOROLA.....	51
VERTEX.....	67
INT'L AIRBUS.....	70
INT'L MOTOROLA TETRA.....	72
INT'L SEPURA.....	77
CONDITIONS OF SALE.....	79
WARRANTY/REPLACEMENT PARTS.....	80
RETURN PROCEDURE/REPAIR SERVICE.....	81
GENERAL CONDITIONS OF SALE.....	82

Color Legend: ■ Professional ■ Commercial ■ Tactical ■ IS/ATEX-S (Intrinsically Safe)


Surveillance and Covert Kits




Professional Wireless Accessories




Surveillance Accessories



Professional Speaker Microphones



OTTO 500™




**Bluetooth®
Revo NC2™**



Storm™



Evolution™



Revo NC2™

Commercial Speaker Microphones



Profile™




Revo NC1™

Listen Only Accessories



Dual Earphone



Ear Hanger



**Earphone Kit
with Acoustic Tube**

Professional Headsets



Classic™
Over-the-Head



Classic™
Behind-the-Head



ClearTrak™
Over-the-Head



ClearTrak™
Behind-the-Head



Hurricane II™



H3™



Ranger™

Commercial Lightweight Headsets




Lightweight Premium




Breeze™

Tactical Headsets/Throat Mics



NoizeBarrier® Full Cup TAC



Tactical Throat
Microphone System



Tactical II™



Tactical III™

Remote PTT Options



80mm PTT



Flat PTT
with Velcro™ Strap



Ring PTT



2.5mm Pigtail

NoizeBarrier® Products




NoizeBarrier® Micro



NoizeBarrier® TAC


Available in 3 colors:




BK
BLACK



FD
FLAT DARK EARTH



OD
OLIVE DRAB
GREEN




NoizeBarrier® Range SA

Micro W/Comms Kits



**NoizeBarrier® Micro Comms Kit -
Single Acoustic Tube**



**NoizeBarrier® Micro Comms Kit -
Single Acoustic Tube with Micro**



**NoizeBarrier® Micro Comms Kit -
Dual Acoustic Tube with Micro**




**Replacement
Eartip**

OTTO Connect Wireless Intercom



Compatible Headsets



Move
Freely



All Weather
Usability



Industry
Leading
Range



Clear
Communication
in
High Noise



8 Simultaneous
Talkers
and Unlimited
Listeners
per Group



Quick &
Flexible
Set-up



Full-Duplex
(VOX not
Required),
Fully
Conversational



Hands-Free




Portable &
Durable



No Base
Station

[TABLE OF CONTENTS](#)

CONNECTORS

BK TECH.	 BA (p22)	 BB (p26)			
EF JOHNSON	 JC (p28)	 JD (p28)	 MA (p29) MUST BE USED WITH ADAPTER V1-10842	 REQUIRED ADAPTER V1-10842 (p29)	 KB, KC (p48)
HARRIS	 EC (p31)	 ED (p31)	 EJ (p32)	 ER (p33)	 HD (p34)
HYTERA	 HS (p36)	 HY (p37)	 HX (p37)	 MG (p38)	 MM (p39)
ICOM	 CF (p41)	 CH (p41)	 CM (p42)	 CS (p43)	



KA (p46)



KB (p48)



KD (p50)



3T (p55)



MA (p56)



MD (p57)
6PIN HIROSE



ME (p58)



MF (p59)



MG (p61)



MJ (p63)



ML (p64)



MM (p65)



MR (p66)



SL (p64)



MO (p73)
SIDE CONNECTOR



MJ (p73)



MF (p74)



MR (p76)



VD (p68)



VJ (p69)



VK (p69)

CONNECTORS

AIRBUS



NH (p71)



AB (p71)

SEPURA



ST (p78)
ASSEMBLED CONNECTOR

ADAPTERS

OTTO ADAPTERS ADD VERSATILITY

When moving from one radio platform to another, the user can use the same OTTO accessories.

Attaches to Kenwood
TK480 series (KB)
to use TK250 series
accessories (KA)



V1-10894

KENWOOD

Attaches to TRBO/APX
series radios (MF) to use
3.5 threaded connector
accessories (3T)



V1-11019

Attaches to TRBO/APX
series radios (MF) to
use 6 pin Hirose HT600
series accessories (MD)



V1-11034

MOTOROLA

The adapters listed below do not change radio platforms, but are required to use with some OTTO accessories for the following radio platforms:

EFJ 5100 (JC)
(p29)



V1-10842

KENWOOD TK480(KB)
(p48)



V1-10430

MOTOROLA (3T)
(p56)



V1-10335

ACCESSORIES FOR OTTO SPEAKER MICS AND HEADSETS

EARPHONE WITH ACOUSTIC TUBE

PART NUMBER	DESCRIPTION	2.5MM	3.5MM	RIGHT ANGLE	STRAIGHT	
V1-11148	Earphone Kit, dual listen only with SureFire™ earplugs, 2.5mm rt. angle plug	X				
V1-11149	Earphone Kit, dual listen only with SureFire™ earplugs, 3.5mm rt. angle plug		X			
V1-10432	Earphone Kit, listen only 2.5mm rt. angle plug	X		X		
V1-10432-S	Earphone Kit, listen only 2.5mm rt. angle plug	X		X		
V1-10282	Earphone Kit, listen only 2.5mm straight Plug	X			X	
V1-10291	Earphone Kit, 30 inch listen only 2.5mm straight plug	X			X	
V1-10305	Earphone Kit, listen only 3.5mm straight plug		X		X	
V1-10305-S	Earphone Kit, listen only 3.5mm straight plug		X		X	
V1-10433	Earphone Kit, listen only 3.5mm rt. angle plug		X	X		
V1-10433-S	Earphone Kit, listen only 3.5mm rt. angle plug		X	X		
V1-10434	Earphone Kit, 48 inch listen only 2.5mm rt. angle plug, black	X		X		
V1-10436	Earphone Kit, 48 inch, listen only 3.5mm rt. angle plug, black		X	X		
V1-10437	Earphone Kit, 48 inch, listen only 3.5mm rt. angle plug, beige		X	X		
V1-10463	Earphone Kit, 12 inch, listen only 3.5mm straight plug		X		X	
V1-10750	Earphone Kit, listen only for Genesis, 6 Pin Hirose	6 Pin Hirose Only				
V1-11432	Earphone Kit, listen only 2.5mm rt. angle SureFire™ plug	X		X		
V1-11433	Earphone Kit, listen only 3.5mm rt. angle SureFire™ plug		X	X		

EAR HANGER OPTION

PART NUMBER	DESCRIPTION	2.5MM	3.5MM	RIGHT ANGLE	STRAIGHT	
V1-EH22R131	Earphone Kit, listen only 2.5mm rt. angle plug	X		X		
V1-EH23R131	Earphone Kit, listen only 3.5mm rt. angle plug		X	X		

DUAL EARPHONE KIT

PART NUMBER	DESCRIPTION	2.5MM	3.5MM	RIGHT ANGLE	STRAIGHT	
VR10001	Dual Earphone Kit, listen only 3.5mm straight plug, noise attenuating plugs		X		X	
VR10002	Dual Earphone Kit, listen only 2.5mm straight plug, noise attenuating plugs	X			X	

REMOTE PTT ACCESSORIES FOR VARIOUS HEADSETS WITH 2.5MM EARPHONE JACK

PART NUMBER	DESCRIPTION	
V1-10513	Ring PTT, 60 inches 2.5mm rt. angle plug	
V1-10513-S	Ring PTT, 60 inches 2.5mm rt. angle plug	
V1-11554	Flat PTT with velcro strap, 60 inches 2.5mm rt. angle plug	
V1-10519	80mm Round Body PTT, coiled cord 2.5mm rt. angle plug	

ALL INTRINSICALLY SAFE APPROVED PRODUCTS ARE INDICATED "IN RED."

Don't see it here? Check our website: www.otto-comm.com

ADDITIONAL OTTO ACCESSORIES

PROFESSIONAL WIRELESS ACCESSORIES FOR USE WITH PROFESSIONAL SURVEILLANCE KITS

PART NUMBER	DESCRIPTION
C101114	Wax Trap (15) and Installation Tool (replacement part for Wireless Ear Receiver)
819021	Batteries (4) for Wireless Ear Receiver
V1-10610	Conventional Wireless Ear Receiver (to be used with Flat Pack Inductor or Neckloop), beige
V1-10611	Squelch Wireless Ear Receiver Kit (to be used with Flat Pack Inductor or Neckloop), beige
V1-10666	Standard 28" High Efficiency Neckloop, beige
V1-10603	Standard 49" High Efficiency Neckloop, beige
V1-11106	Standard 49" Universal High Efficiency Neckloop, beige

OTTO LOC

1. Choose your Ear Piece option

OTTO LOC INTERCHANGEABLE EAR PIECE OPTIONS

(EAR PIECE ONLY - REQUIRES OTTO LOC ONE OR TWO WIRE SURVEILLANCE KITS)

	OTTO P/N	DESCRIPTION
EAR PIECE	E1-QC2NC132	Ear Bud with foam cover
	E1-QC2NC133	Ear Loop with adjustable ear bud
	E1-QC2NC134	Adjustable Ear Hanger M/L
	E1-QC2NC135	Adjustable Ear Hanger L/XL
	E1-QC2NC138	Swivel Ear Piece with rotating earphone
	E1-QC2NC137	Acoustic Tube with Quick Disconnect

Don't see it here? Check our website: www.otto-comm.com

2. Choose your Wire Kit option

OTTO LOC One or Two Wire kit Options. One of twenty different radio connector versions.

OTTO LOC ONE WIRE SURVEILLANCE KIT-DIGITAL RADIO COMPATIBLE WITH IN-LINE ERGONOMIC PTT (WIRE KIT ONLY - REQUIRES INTERCHANGEABLE EAR PIECE SOLD SEPARATELY)						
		PART NUMBER	RADIO MFG.	RADIO MODEL	CODE	
ONE WIRE KITS	1 - 2 PIN RADIOS	E1-1W2CC131	ICOM	F3GS/F4GT	CC	
		E1-1W2CH131	ICOM	IP100H	CH	
		E1-1W2CS131	ICOM	F3021/4021, F1000/F2000	CS	
		E1-1W2HS131	HYTERA	All 2 pin Hytera radios with screw holddown	HS	
		E1-1W2KA131	KENWOOD	TK250	KA	
		E1-1W2KD131	KENWOOD	PKT Series	KD	
		E1-1W2MG131	MOTOROLA	CP 200D	MG	
		E1-1W2ML131	MOTOROLA	CLP Series	ML	
		E1-1W2SL131	MOTOROLA	SL Series	SL	
		E1-1W2VD131	VERTEX	VX230	VD	
	MULTI-PIN RADIOS	E1-1W2HY131	HYTERA	PD770	HY	
		E1-1W2HX131	HYTERA	PD6XX Series	HX	
		E1-1W2CM131	ICOM	F4161	CM	
		E1-1W2CF131	ICOM	F3260/F4260/F9011/F9021/F3262/ F4262,F3261/F4261, F9011,F3261,F4261,F3262, F4262, F3400D	CF	
		E1-1W2KB131	KENWOOD	TK480	KB	
		E1-1W2MA131	MOTOROLA	HT1000/XTS	MA	
		E1-1W2MF131	MOTOROLA	MOTO TRBO/APX	MF	
		E1-1W2MJ131	MOTOROLA	HT750	MJ	
		E1-1W2ST131	SEPURA	STP8000	ST	
		E1-1W2VJ131	VERTEX	VX820	VJ	
		E1-1W2MR131	MOTOROLA	XPR 3300/3500 Series, DP2400, DP2600, DP3441, APX3000/8000, DP2000,DP2400, DP2600, DP 3441 MTP3100/3150/3200/3250/3500/ 3550	MR	
OTTO LOC TWO WIRE SURVEILLANCE KIT - DIGITAL RADIO COMPATIBLE WITH ERGONOMIC PTT (WIRE KIT ONLY - REQUIRES INTERCHANGEABLE EAR PIECE SOLD SEPARATELY)						
		PART NUMBER	RADIO MFG.	RADIO MODEL	CODE	
TWO WIRE KITS	1 - 2 PIN RADIOS	E1-2W2KA131	KENWOOD	TK250	KA	
		E1-2W2MG131	MOTOROLA	CP 200D	MG	
		E1-2W2VD131	VERTEX	VX230	VD	
	MULTI-PIN RADIOS	E1-2W2HY131	HYTERA	PD770	HY	
		E1-2W2CM131	ICOM	F4101	CM	
		E1-2W2KB131	KENWOOD	TK480	KB	
		E1-2W2MA131	MOTOROLA	HT1000/XTS	MA	
		E1-2W2MJ131	MOTOROLA	HT750	MJ	
		E1-2W2MF131	MOTOROLA	TRBO/APX	MF	
		E1-2W2ST131	SEPURA	STP8000	ST	
		E1-2W2VJ131	VERTEX	VX820	VJ	
		E1-2W2MR131	MOTOROLA	XPR 3300/3500 Series, DP2400, DP2600, DP3441, APX3000/8000, DP2000,DP2400, DP2600, DP 3441 MTP3100/3150/3200/3250/3500/ 3550	MR	

OTTO REPLACEMENT CABLES

PART NUMBER	DESCRIPTION	
REPLACEMENT CABLES FOR EARPHONE KITS		
V3-10096	Cable, coiled cord, earphone 2.5mm str. plug	
V3-10107	Cable, coiled cord, earphone 2.5mm rt. angle plug	
V3-10097	Cable, coiled cord, earphone 3.5mm str. plug	
V3-10108	Cable, coiled cord, earphone 3.5mm rt. angle plug	
REPLACEMENT CABLES FOR SPEAKER MICROPHONES		
V3-10039	Cable, coiled cord assembly, Motorola GP300 Series	
V3-10043	Cable, coiled cord assembly, Motorola HT1000 Series	
V3-10061	Cable, coiled cord assembly, Prism	
V3-10082	Cable, coiled cord assembly, Kenwood TK480 Series	
V3-10198	Cable, coiled cord assembly, Harris 7100 Series	
V3-10346	Cable, coiled cord assembly, ICOM F50/F60/F30/F40	
V3-10485	Cable, coiled cord assembly Storm standard with Emergency, Harris Jaguar	
V3-10532	Cable, coiled cord assembly Storm with Emergency button, Harris P5300 Series	
REPLACEMENT CABLES FOR HEADSETS		
V3-10079	Cable, 12 inch, Kenwood TK250	
V3-10637	Cable, 26 inch, Motorola XPR6300/6350/6500	
REPLACEMENT PARTS FOR NOISE CANCELING HEAVY DUTY HEADSETS		
C807422	Hygiene Kit - ear seal cushions, foam speaker covers and cloth covers (2 per package)	
C760004	Adjustable head strap (1 per package)	
C819022	Adjustable head strap Profile headset (1 per package)	
C807420	Hygiene Kit - windscreens and o-rings (5 per package)	
C816020	Boom mic assembly	
C816028	Mic element with o-Ring and windscreen - standard (approx. 3dB)	
C101922*	Mic element with o-ring and windscreen - extreme high noise (approx. 19 dB)	
*THE EXTREME HIGH NOISE MIC IS AVAILABLE AS A REPLACEMENT ITEM <u>ONLY</u> FOR THESE HEADSETS - IT IS NOT AN UPGRADE OPTION AND THE OLD MIC IS NON-RETURNABLE.		

Don't see it here? Check our website: www.otto-comm.com

OTTO REPLACEMENT PARTS

PART NUMBER	DESCRIPTION	
REPLACEMENT PARTS FOR HURRICANE HEADSETS		
C807417	Hygiene Kit - windscreen and o-ring (5 per package)	
C101519	NoisEz(sm) ear tips (2 per package), black	
C101519-8	NoisEz(sm) ear tips (2 per package), gray	
C102279-05	Clothing clip (5 per package)	
C100569	Silicone regular eartips (10 per package)	
C806573-LM	Flexible Open Ear Insert, left ear medium	
C806573-RM	Flexible Open Ear Insert, right ear medium	
C102318	SureFire™ replacement and upgrade kit for Hurricane, small	
C102191	SureFire™ replacement and upgrade kit for Hurricane, medium	
C102192	SureFire™ replacement and upgrade kit for Hurricane, large	
REPLACEMENT PARTS FOR PROFILE HEADSET		
C807429	Ear seal and foam speaker covers for Profile headset, (2 per package)	
C740231	Adjustable headband for Profile headset (1 per package)	
REPLACEMENT PARTS FOR RANGER HEADSET		
C807417	Hygiene Kit - windscreen and o-ring (5 per package)	
REPLACEMENT PARTS FOR PREMIUM HEADSETS		
C807420	Hygiene Kit, windscreen and o-rings (5 per package)	
C807606	Ear seal (2 per package)	
REPLACEMENT PARTS FOR BREEZE HEADSETS		
C102279-05	Clothing clip (5 per package)	
C807417	Hygiene Kit - windscreen and o-ring (5 per package)	
REPLACEMENT PARTS FOR PROFESSIONAL THROAT MICROPHONE		
V1-10691	Throat Microphone, quick disconnect acoustic tube with 6 pin Hirose	
C760595	Throat Microphone, replaceable strap	

OTTO REPLACEMENT PARTS

PART NUMBER	DESCRIPTION	
TRANSITION MODULE KIT FOR PROFESSIONAL SURVEILLANCE KITS		
C100768	Case housings with clothing clip, strain reliefs, push-to-talk, generic PCB and wiring instructions	
REPLACEMENT BELT CLIPS FOR 80MM PTT, STORM, REVO		
C101381	Belt clip assembly for Storm, Low Profile and 80mm PTT	
C102085	Belt clip assembly for Revo NC1 & NC2™	
REPLACEMENT PARTS FOR ACOUSTIC TUBES, CABLES AND EARPHONES		
C101199	Quick Disconnect acoustic tube and silicone ear tip (1 per package)	
C101199-05	Quick Disconnect acoustic tube and silicone eartip (5 per package)	
C101199-50	Quick Disconnect acoustic tube and silicone ear tip (50 package)	
C102237	Quick Disconnect extra long acoustic tube and silicone ear tip	
C101115-2	Black, Dynamic earphone only	
C101115-19	Beige, Dynamic earphone only	
C101219-2	Black, Quick Disconnect, with dynamic earphone and acoustic tube adapter, silicone ear tip	
C101219-19	Beige, Quick Disconnect, with dynamic earphone and acoustic tube adapter, silicone ear tip	
C101045	Dual ear acoustic tube	
RUBBER EARTIPS		
C100569	Silicone regular ear tips (10 per package)	
C101206	Silicone regular ear tips (25 per package)	
C101207	Silicone regular ear tips (100 per package)	
FLEXIBLE OPEN EAR INSERTS		
C806573-LS	Left ear, small	
C806573-LM	Left ear, medium (Recommended size - fits most people)	
C806573-LL	Left ear, large	
C806573-RS	Right ear, small	
C806573-RM	Right ear, medium (Recommended size - fits most people)	
C806573-RL	Right ear, large	
NOISE ATTENUATING KITS (NRR 25DB)		
C100733	Replacement Noise Attenuating Plugs (one foam ear tube plug and one foam earplug for above)	
C807010-1K	Replacement Noise Attenuating Plugs (Bag of 1000 foam plugs with black tube)	
C807010-5K	Replacement Noise Attenuating Plugs (Bag of 5000 foam plugs with black tube)	

Don't see it here? Check our website: www.otto-comm.com

OTTO REPLACEMENT PARTS

PART NUMBER	DESCRIPTION	
SUREFIRE REPLACEMENT PARTS		
C102243	Earphone replacement with upgrade kit with SureFire™ coupler and earpieces, acoustic tube	
C102209	Replacement SureFire™ earpieces with noise reducing filters and tether, medium	
C102218	Replacement acoustic tube with SureFire™ Coupler kit	
REPLACEMENT EARPHONES FOR PROFESSIONAL SURVEILLANCE KITS		
C101219-2	Quick Disconnect, with dynamic earphone and acoustic tube adapter, silicone ear tip, black	
C101219-19	Quick Disconnect, with dynamic earphone and acoustic tube adapter, silicone ear tip, beige	
C101199	Quick Disconnect acoustic tube and silicone ear tip (1 per package)	
C101199-50	Quick Disconnect acoustic tube and silicone ear tip (50 per package)	
C101115-2	Dynamic earphone only, black	
C101115-19	Dynamic earphone only, beige	
TRANSITION MODULE KIT FOR PROFESSIONAL SURVEILLANCE KITS		
C100769	Kit includes case housing with clothing clip, strain relief's, generic pcb and wiring instructions	
REPLACEMENT CABLES FOR EARPHONE KITS		
V3-10096	2.5mm straight plug, coiled cord (30" extended length),with over molded pins, black	
V3-10107	2.5mm right angle plug, coiled cord (30" extended length),with over molded pins, black	
V3-10097	3.5mm straight plug, coiled cord (30' extended length), with over molded pins, black	
V3-10108	3.5mm right angle plug, coiled cord (30" extended length), with over molded pins, black	
REPLACEMENT PARTS FOR SURVEILLANCE KITS		
C102241	Silicone ear tip for OTTO LOC Ear Hanger E1-QC2NC135, (10 package)	
REPLACEMENT PARTS FOR EARLOOP WITH EARBUD		
C801601-10	Earbud Foam Covers (10 per package)	

ACTIVE HEARING PROTECTION

PART NUMBER	DESCRIPTION	
NOIZEBARRIER® ACTIVE HEARING PROTECTION		
V4-11029	High Definition Electronic Earplugs	
NOIZEBARRIER® COMMS KITS <i>FOR USE WITH THE NOIZEBARRIER® MICRO AND SURVEILLANCE OR EARPHONE KITS (SOLD SEPARATELY)</i>		
C102624-2	Enhanced Dual Ear Comms Kit-includes Transducer Acoustic tubes, 4 eartips	
C102638	Single Ear Comms Kit-includes Acoustic tube, 2 eartips	
C102621-2	Enhanced Single Ear Comms Kit-includes Transducer, 2 eartips	
C102622-06	Replacement Comms Ear tips	
NOIZEBARRIER® ACTIVE HEARING PROTECTION		
V4-11072BK	Range SA Headset - Black	
V4-11072OD	Range SA Headset - Olive Drab Green	
V4-11072FD	Range SA Headset - Flat Dark Earth	
V3-10744	Right Angle coiled cord, 3.5mm plug, listen only downlead for Range SA Headset to Speaker Mic	
V3-10746	Right Angle coiled cord, 2.5mm plug, listen only downlead for Range SA Headset to Speaker Mic	
V4-11032EFD	TAC OTH Flat Dark Earth, Single Com, Left Hardwired to Nexus TP120, Comply Seals, Bag, 2 AAA	
V4-11032EBK	TAC OTH Black, Single Com, Left Hardwired to Nexus TP120, Comply Seals, Bag, 2 AAA	
V4-11032EOD	TAC OTH Olive Drab Green, Single Com, Left Hardwired to Nexus TP120, Comply Seals, Bag, 2 AAA	
V4-11033EFD	TAC OTH Flat Dark Earth, Dual Com, Left/Right Hardwired to two Nexus TP120, REQUIRES 2 PTTS Comply Seals, Bag, 2 AAA	
V4-11033EBK	TAC OTH Black, Dual Com, Left/Right Hardwired to two Nexus TP120, REQUIRES 2 PTTS Comply Seals, Bag, 2 AAA	
V4-11033EOD	TAC OTH Olive Drab Green, Dual Com, Left/Right Hardwired to two Nexus TP120, REQUIRES 2 PTTS Comply Seals, Bag, 2 AAA	
C102359FD	HELMET MOUNT Flat Dark Earth,TAC, OPS CORE (1 pair)	
C102359BK	HELMET MOUNT Black, TAC, OPS CORE (1 pair)	
C102359OD	HELMET MOUNT Olive Drab Green, TAC, OPS CORE (1 pair)	
C102365FD	HELMET MOUNT Flat Dark Earth, TAC, TEAM WENDY (1 pair)	
C102365BK	HELMET MOUNT Black, TAC, TEAM WENDY (1 pair)	
C102365OD	HELMET MOUNT Olive Drab Green, TAC, TEAM WENDY (1 pair)	
<i>THE ABOVE TAC HEADSETS COME WITH NATO WIRING, EU WIRING AVAILABLE UPON REQUEST PLEASE SEE CUSTOMER SERVICE.</i>		
NOIZEBARRIER® PTTS FOR USE WITH ABOVE TAC HEADSETS		
V3-10861	PTT, NEXUS QUICK DISCONNECT, MOTOROLA APX 7000	
V3-10856	PTT, NEXUS QUICK DISCONNECT, ICOM F9011	
V3-10859	PTT, NEXUS QUICK DISCONNECT, ICOM	
V3-10860	PTT, NEXUS QUICK DISCONNECT, MOTOROLA XTS5000	
V3-10882	PTT, NEXUS QUICK DISCONNECT, AIRBUS	
V3-10936	PTT, NEXUS QUICK DISCONNECT, Moto MR	
V3-10937	PTT, NEXUS QUICK DISCONNECT, Moto MJ	
V3-10938	PTT, NEXUS QUICK DISCONNECT, Kenwood KB	
V3-10939	PTT, NEXUS QUICK DISCONNECT, SRH	
V3-10941	PTT, NEXUS QUICK DISCONNECT, Sepura ST	
V3-10948	PTT, NEXUS QUICK DISCONNECT, Harris Unity (HD)	
V3-10951	PTT, NEXUS QUICK DISCONNECT, Harris XG75	
V3-10952	PTT, NEXUS QUICK DISCONNECT, Airbus THR9i	
V3-10956	PTT, NEXUS QUICK DISCONNECT, Kenwood KA	

Don't see it here? Check our website: www.otto-comm.com

ACTIVE HEARING PROTECTION

PART NUMBER	DESCRIPTION	
NOIZEBARRIER® REPLACEMENT PRODUCTS		
C807550	Gray foam ear tips, (10 per package)	
C807551	Frost, 3 flanged ear tips - Long stem (10 per package)	
C807552	Clear Large 3-flanged ear tips - Medium stem (10 per package)	
C807531	EAR SEAL, FOAM/GEL, ANNULAR SNAP, STD SIZE	
C760607	HEADSET BAG, DRAWSTRING, LG	
C807504	EAR SEAL, FOAM, COMPLY, ANNULAR SNAP, THIN	
C807485	EAR SEAL, FOAM, COMPLY, ANNULAR SNAP, THICK	
C807404	EAR SEAL, FOAM/GEL, ANNULAR SNAP, THIN	
C102574	TAC, OTH HEADBAND ASSY	
C816751	TAC MIC BOOM ASSY, DYNAMIC	
C816781	TAC MIC BOOM ASSY, ELECTRET	

OTTO CONNECT WIRELESS INTERCOM

PART NUMBER	DESCRIPTION	
200 SERIES INTERCOM		
CT-00210	Connect 210, 1 Channel Intercom, eight talk slots	
CT-00260	Connect 260, 6 Channel Crew Intercom, Multigroup capable	
CT-00265	Connect 265, 6 Channel Supervisor Intercom, Multigroup capable, Priority feature	
200 SERIES CHEST RIG SYSTEMS		
V6-10038	OTTO Connect 6-Channel Chest Rig System	
V6-10039	OTTO Connect Single Channel Chest Rig System	
200 SERIES HEADSETS		
V1-11545	Throat Mic Assembly, OTTO Connect	
V4-10943	Connect, Heavy-Duty Headset, Dual-Cup	
V4-10944	Connect, Heavy-Duty Headset, Single-Cup	
V4-10985	Connect, Profile Headset	
V4-10986	Connect, Hurricane II Headset	
V4-11102BK	NoizeBarrier® TAC Headset, OTTO Connect, Black	
V4-11102FD	NoizeBarrier® TAC Headset, OTTO Connect, Flat Dark Earth	
V4-11102OD	NoizeBarrier® TAC Headset, OTTO Connect, Olive Drab Green	
V4-NR2MV2	Connect, Ranger Headset	
200 SERIES FUSION (LINKS INTERCOM TO CELL PHONE OR TWO-WAY RADIO)		
V3-10851	Fusion 200F, OTTO Connect Fusion module (requires either cell phone or radio cable) Single User	
V3-10852	Fusion 210C, Cell Phone Cable with 3.5mm plug	
V3-10878	Fusion 210RMF, Two-way radio Cable for XPR / APX Motorola radio	
V3-10877	Fusion 210RER, Two-way radio Cable for P7300 Harris radio	
V3-10883	Fusion Two-Way Radio Cable for Kenwood Multi-pin Radios	
V3-10927	Fusion Two-Way Radio Cable for Motorola XPR / APX Radios with Inline 80mm PTT	
200 SERIES ACCESSORIES		
C102191	SureFire™ Earpieces with Acoustic Coupler Upgrade Kit	
C405062-2	Rubber Overmold for OTTO Connect 200 Series Intercom (w/side holes)	
C760540	Wall-Charger (w/4 USB-A slots)	
C760538	USB Charging Cable, 60-inches (USB-A to USB-Mini)	
200 SERIES CASES		
C102334	Water Resistant, Hardshell, Heavy-Duty Rolling Case with Handle for up to eight Connect Intercom systems	
C760585	Hardshell Business Case with Handle for a 3 unit Connect Intercom System	

Don't see it here? Check our website: www.otto-comm.com

REVO NC2™ BLUETOOTH® SPEAKER MICROPHONE




Bluetooth enabled radios including: Harris/EF Johnson, Kenwood, Icom, BK Technologies
Smartphones and tablets using iOS and Android
Applications including: ESChat, VIA, BeOn, Boundless, Zello, WAVE

3 YR	2 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
PROFESSIONAL SPEAKER MICROPHONES					
	X*	X	V2-R2BT53133-A*	Revo NC2 Bluetooth with 3.5mm earphone jack	
	X*		V2-R2BT53133-A-US*	Revo NC2 Bluetooth with 3.5mm earphone jack, USA Flag	
	X*		V2-R2BT53133-A-US-B*	Revo NC2 Bluetooth with 3.5mm earphone jack, USA Flag-Blue Line	
	X*		V2-R2BT53133-A-US-R*	Revo NC2 Bluetooth with 3.5mm earphone jack, USA Flag-Red Line	
	X*	X	V2-R2BT13133-A*	Revo NC2 Bluetooth with 2.5mm earphone jack	
	X*		V2-R2BT13133-A-US*	Revo NC2 Bluetooth with 2.5mm earphone jack,USA Flag	
	X*		V2-R2BT13133-A-US-B*	Revo NC2 Bluetooth with 2.5mm earphone jack,USA Flag-Blue Line	
	X*		V2-R2BT13133-A-US-R*	Revo NC2 Bluetooth with 2.5mm earphone jack,USA Flag-Red Line	
	X*	X	V6-10040*	Revo NC2 Bluetooth with 3.5mm earphone jack and earphone kit	
	X*	X	V6-10041*	Revo NC2 Bluetooth with 2.5mm earphone jack and earphone kit	
EARPHONE WITH ACOUSTIC TUBE FOR BLUETOOTH SPEAKER MICROPHONE					
X		X	V1-11550	Earphone 2.5mm with 32ohm transducer	
X		X	V1-11551	Earphone 3.5mm with 32ohm transducer	
*WARRANTED FOR TWO YEARS EXCLUDING THE BATTERY. THE BATTERY IS WARRANTED FOR ONE YEAR.					

BK Technologies

RADIO	CONNECTOR	PAGE #
DPH	BA	26
EPH	BA	26
EPI	BA	26
EPU	BA	26
EPV	BA	26
GPH	BA	26
LPH	BA	26
LPU	BA	26
LPX	BA	26
150 KNG	BB	26



Don't see it here? Check our website: www.otto-comm.com

BK Technologies

DPH / EPH / EPI / EPU / EPV / GPH / LPH / LPU / LPX



3 YR	2 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
BA					
PROFESSIONAL SPEAKER MICROPHONES					
X			V2-S2BA11111	Storm with coiled cord, volume control and 2.5mm earphone jack	
PROFESSIONAL HEADSETS					
X		X	V4-10015	Classic Behind-the-head, dual speaker, heavy duty with standard PTT	
WIRELESS ACCESSORIES FOR PROFESSIONAL SURVEILLANCE KITS AVAILABLE ON PAGE 15.					

P150 KNG



3 YR	2 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
BB					
PROFESSIONAL SPEAKER MICROPHONES					
X			V2-G4BB211	OTTO 500 with Fire-Tuff™ coiled cable	
X			V2-R2BB5112-US	Revo NC2 Noise Canceling with coiled cable, 3.5mm earphone jack, USA Flag	
X			V2-R2BB5112-US-B	Revo NC2 Noise Canceling with coiled cable, 3.5mm earphone jack, USA Flag-Blue Line	
X			V2-R2BB5112-US-R	Revo NC2 Noise Canceling with coiled cable, 3.5mm earphone jack, USA Flag-Red Line	
X		X	V2-R2BB5112	Revo NC2 Noise Canceling with coiled cable, 3.5mm earphone jack	
X			V2-R2BB5212	Revo NC2 Noise Canceling with coiled cord, 3.5mm earphone jack, emergency button	
X			V2-R2BB5212-US	Revo NC2 Noise Canceling with coiled cord, 3.5mm earphone jack, emergency button, USA Flag	
X			V2-R2BB5212-US-B	Revo NC2 Noise Canceling with coiled cord, 3.5mm earphone jack, emergency button, USA Flag-Blue Line	
X			V2-R2BB5212-US-R	Revo NC2 Noise Canceling with coiled cord, 3.5mm earphone jack, emergency button, USA Flag-Red Line	
X			V2-S2BB52111	Storm with coiled cord, volume control, 3.5mm earphone jack, emergency button	
PROFESSIONAL HEADSETS					
X			V4-10902	Profile Headset w/pigtail and modular connector (requires cable)	
X			V3-10894	Modular coiled cable for Profile headset, in-line PTT	

RADIO	CONNECTOR	PAGE #
ASCEND	JC, MA	28, 29
51SL	JC, MA	28, 29
51 SL ES	JC, MA	28, 29
5100	JC, MA	28, 29
5100ES	JC, MA	28, 29
VP400	JD, MA	28, 29
VP600	JD, MA	28, 29
VP900	JD, MA	28, 29
VP5000	KB, KC	48
VP6000	KB, KC	48



EF Johnson




ASCEND ES/ 51SL/ 51SL ES/ 5100/5100ES

3 YR	2 YR	1 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
JC						
PROFESSIONAL SPEAKER MICROPHONE (NO ADAPTER REQUIRED)						
X			X	V2-S2JC1111	Storm with coiled cord, volume control, 2.5mm earphone jack	



VIKING VP400/600/900

3 YR	2 YR	1 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
JD						
PROFESSIONAL SPEAKER MICROPHONES (NO ADAPTER REQUIRED)						
X			X	V2-S2JD5211	Storm with coiled cord, emergency button, 3.5mm earphone jack	
X				V2-R2JD5112	Revo NC2 Noise Canceling with coiled cord, 3.5mm earphone jack	
X				V2-G4JD221	OTTO 500 with Fire-Tuff™ coiled cord, emergency button	
TACTICAL HEADSETS						
		X		V4-11058BK	NoizeBarrier® Tac, over the head, black, single com, rugged single PTT	



**VIKING VP 400/D41VP600/VP900
ASCEND ES/51SL/51SL ES/5100/5100ES**



3 YR	2 YR	1 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
MA						
PROFESSIONAL SURVEILLANCE KITS (REQUIRES ADAPTER V1-10842)						
X			X	V1-10842	Adapter required with use of below kits and headsets	
X			X	V1-10172	2 Wire Kit, black	
X				V1-10171	2 Wire Kit, beige	
X				V1-10337	2 Wire Kit, heavy duty cable, black	
X				V1-10170	3 Wire Mini Lapel Microphone Kit, black	
PROFESSIONAL HEADSETS (REQUIRES ADAPTER V1-10842)						
X				V4-10902	Profile Headset with pigtail and modular connector (requires cable)	
				V3-10846	Modular coiled cable for Profile headset, in-line PTT	
X				V4-10145	Classic over-the-head, dual speaker, heavy duty with standard PTT	
X				V4-10002	Classic behind-the-head, dual speaker, heavy duty, with standard PTT	
* REMOTE PTT ACCESSORIES USED WITH 2.5MM PIGTAIL JACK CAN BE FOUND ON PAGE 14.						
WIRELESS ACCESSORIES FOR PROFESSIONAL SURVEILLANCE KITS AVAILABLE ON PAGE 15.						

Don't see it here? Check our website: www.otto-comm.com

Harris

RADIO	CONNECTOR	PAGE #
JAGUAR 700P	EJ	32
LPE200	ED	31
MRK	EC	31
P5200	EJ	32
P5300	ER	33
P5350	ER	33
P5370	ER	33
P5400	ER	33
P5450	ER	33
P5470	ER	33
P5500	ER	33
P5550	ER	33
P5570	ER	33
P7100	EJ	32
P7200	EJ	32
P7230	EJ	32
P7250	EJ	32
P7270	EJ	32
P7300	ER	33
P7370	ER	33
P7350	ER	33
XG15	ER	33
XG25	ER	33
XG75	ER	33
XL-100	HD	34
X-185	HD	34
XL-200	HD	34



Harris

MRK



3 YR	2 YR	1 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
EC						
PROFESSIONAL SURVEILLANCE KITS						
X				V1-10220	3 Wire Mini Lapel Microphone Kit, heavy duty cable, black	
PROFESSIONAL HEADSETS						
X			X	V4-10006	Classic behind-the-head, dual speaker, heavy duty with standard PTT	
WIRELESS ACCESSORIES FOR PROFESSIONAL SURVEILLANCE KITS AVAILABLE ON PAGE 15.						

PRISM/LPE 200



3 YR	2 YR	1 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
ED						
PROFESSIONAL SURVEILLANCE KITS						
X				V1-10372	3 Wire Mini Lapel Microphone Kit, heavy duty cable, black	
PROFESSIONAL SPEAKER MICROPHONES						
X			X	V2-10069	Evolution with coiled cord, volume control, emergency button, 2.5mm earphone jack	
X			X	V2-S2ED12111	Storm with coiled cord, volume control, emergency button, 2.5mm earphone jack	
PROFESSIONAL HEADSETS						
X				V4-10092	Classic over-the-head, dual speaker, heavy duty, with standard PTT	
WIRELESS ACCESSORIES FOR PROFESSIONAL SURVEILLANCE KITS AVAILABLE ON PAGE 15.						

Don't see it here? Check our website: www.otto-comm.com

Harris

700P Series
JAGUAR700P/P5200/P7100/P7130/P7150/P7170/
P5100/P5130/P5150/P7100/P7200/P7230/P7250/ P7270



3 YR	2 YR	1 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
EJ						
PROFESSIONAL SURVEILLANCE KITS						
X			X	V1-10523	2 Wire Kit, heavy duty cable, black	
PROFESSIONAL SPEAKER MICROPHONES						
X			X	V2-10154	Evolution with coiled cord, volume control, 2.5mm earphone jack, emergency button	
X				V2-10155	Evolution with 25 inch straight coaxial cord, volume control, 2.5mm earphone jack, emergency button	
X			X	V2-10156	Evolution with coaxial cord, volume control, 2.5mm earphone jack, antenna connector, emergency button	
X				V2-S2EJ12111	Storm with coiled cord, volume control, 2.5mm earphone jack, emergency button	
x				V2-S2EJ12211	Storm with coiled coaxial cord, 2.5mm earphone jack, emergency button	
PROFESSIONAL HEADSETS						
X			X	V4-10316	Classic over-the-head, dual speaker, heavy duty with standard PTT	
X				V4-10379	ClearTrak, behind-the-head, dual speaker extreme noise with earcup PTT	
WIRELESS ACCESSORIES FOR PROFESSIONAL SURVEILLANCE KITS AVAILABLE ON PAGE 15.						



**P5300/5350/5370/P 5400/5450/5470/P5500/5550/5570/P7300
SERIES 7370/7350/XG75/XG25/XG15**

3 YR	2 YR	1 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
ER						
PROFESSIONAL SURVEILLANCE KITS						
X			X	V1-10880	2 Wire Kit, black	
X			X	V1-10882	3 Wire Mini Lapel Microphone Kit, heavy duty cable, black	
PROFESSIONAL SPEAKER MICROPHONES						
X				V2-G4ER221	OTTO 500 Fire with Fire-Tuff™ emergency button	
X				V2-R2ER5212	Revo NC2 Noise Canceling with coiled cord, 3.5mm earphone jack, emergency button	
X				V2-R2ER1212-US	Revo NC2 Noise Canceling with coiled cord, 2.5mm earphone jack, emergency button, USA Flag	
X				V2-R2ER1212-US-B	Revo NC2 Noise Canceling with coiled cord, 2.5mm earphone jack, emergency button, USA Flag-Blue Line	
X				V2-R2ER1212-US-R	Revo NC2 Noise Canceling with coiled cord, 2.5mm earphone jack, emergency button, USA Flag-Red Line	
X				V2-R2ER1212	Revo NC2 Noise Canceling with coiled cord, 2.5mm earphone jack, emergency button	
X				V2-10465	Evolution with coiled coaxial cord with antenna, emergency button, volume control and 2.5mm earphone jack	
X				V2-10438	Evolution with coiled cord, volume control, emergency button, 2.5mm earphone jack	
X				V2-10517	Evolution with straight coaxial cord, with antenna, emergency button, volume control	
X				V2-G3ER321	Genesis II with coiled cord, emergency button, accessory jack	
X				V2-S2ER12311	Storm with straight coaxial cord, antenna connector, volume control, 2.5mm earphone jack, emergency button	
X			X	V2-S2ER12111	Storm with coiled cord, volume control, 2.5mm earphone jack, emergency button	
X				V2-S2ER12211	Storm with coiled coaxial cord, antenna connector, volume control, 2.5 mm earphone jack, emergency button	
X				V2-S2ER12111-S	Storm with coiled cord, volume control, 2.5mm earphone jack, emergency button - IS/ATEX Approved	
X			X	V2-S2ER12121	Storm with coiled cord, volume control, 2.5mm earphone jack, emergency button, noise canceling microphone	
PROFESSIONAL HEADSETS						
X				V4-10902	Profile Headset with pigtail and modular connector (requires cable)	
X				V3-10830	Modular coiled cable for Profile headset, in-line PTT	
X			X	V4-10591	Classic behind-the-head, dual speaker, heavy duty with standard PTT	
COMMERCIAL HEADSETS						
X	X			V4-BA2ER1	Breeze, lightweight, behind-the-head, single speaker with standard PTT	
TACTICAL THROAT MICROPHONE SYSTEMS						
X				V1-T12ER137	Tactical Throat Microphone, with acoustic tube and 80mm PTT	
TACTICAL HEADSETS						
X			X	V4-11055BK	NoizeBarrier® TAC, over the head, black, single com, rugged single PTT	
ALL INTRINSICALLY SAFE APPROVED PRODUCTS ARE INDICATED "IN RED" AND IS/ATEX IN DESCRIPTION. NOTE: ALL IS/ATEX APPROVED RADIO ACCESSORIES HAVE BEEN DEEMED SAFE FOR USE WITH AN IS/ATEX APPROVED RADIO WITH SUITABLE RATING AND ENTITY PARAMETERS.						

Don't see it here? Check our website: www.otto-comm.com

Harris



XL-100/XL-185/XL-200

3 YR	2 YR	1 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
HD						
PROFESSIONAL SURVEILLANCE KITS						
X				V1-11547	2 Wire Kit, black	
PROFESSIONAL SPEAKER MICROPHONES						
X				V2-G4HD221	OTTO 500 Fire with Fire-Tuff™ emergency button	
X				V2-R2HD1212	Revo NC2 Noise Canceling with coiled cord, 2.5mm earphone jack, emergency button	
X				V2-R2HD1212-US	Revo NC2 Noise Canceling with coiled cord, 2.5mm earphone jack, emergency button, USA Flag	
X				V2-R2HD1212-US-B	Revo NC2 Noise Canceling with coiled cord, 2.5mm earphone jack, emergency button, USA Flag-Blue Line	
X				V2-R2HD1212-US-R	Revo NC2 Noise Canceling with coiled cord, 2.5mm earphone jack, emergency button, USA Flag-Red Line	
X				V2-S2HD12111	Storm with coiled cord, volume control, 2.5mm earphone jack, emergency button	
PROFESSIONAL HEADSETS						
X				V4-11104	Classic behind-the-head, dual speaker, heavy duty with standard PTT	

RADIO	CONNECTOR	PAGE #
PD502/562	MG	38
PD602	HX	37
PD606	HX	37
PD700	HY	37
PD70XG	HY	37
PD770	HY	37
PD78X	HY	37
PD88XT	HY	37
POWER446	HS	36
TC-10P	MM	39
TC500	MG	38
TC508	HS	36
TC518	HS	36
TC580	HS	36
TC600	MG	38
TC610	HS	36
TC610P	MM	39
TC618	HS	36
TC620	HS	36
TC626	HS	36
TC700	HS	36
TC700 Ex PLUS	MG	38
TC700P	MM	39
TC780M	MM	39
TC880GM	MM	39
TX446S	HS	36



Don't see it here? Check our website: www.otto-comm.com

Hytera

TC700/TC610/618/620/626/518/580
TC446S, TC508, POWER446



3 YR	2 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
HS					
COMMERCIAL SPEAKER MICROPHONES					
	X		E2-RE2HS5111	Revo NC1™ Noise Canceling with coiled cord, 3.5mm earphone jack	
COMMERCIAL SURVEILLANCE KITS					
	X		E1-1W2HS131	OTTO LOC 1 Wire Kit and in-line PTT and Mic (requires earpiece, see page 15), black	
	X		E1-EA2HS131	1 Wire Monitoring Kit with in-line PTT and Mic, with quick disconnect acoustic tube, black	
	X		E1-ER2HS131	Fixed Ear Hanger with in-line PTT and Mic, black	

American Communication Systems

Discover the Power of Communications™

<http://www.ameradio.com>



Hytera



PD770/ PD70XG / PD88XT / PD700

3 YR	2 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
HY					
COMMERCIAL SURVEILLANCE KITS					
	X	X	E1-1W2HY131	OTTO LOC 1 wire kit with in-line PTT and Mic (requires earpiece, see page 15), black	
	X		E1-2W2HY131	OTTO LOC 2 wire kit with in-line PTT and Mic (requires earpiece, see page 15), black	
	X		E1-EA2HY131	1 Wire Monitoring Kit with in-line PTT and Mic, with quick disconnect acoustic tube, black	
	X		E1-ER2HY131	Fixed Ear Hanger with in-line PTT and Mic, black	
PROFESSIONAL SPEAKER MICROPHONES					
X			V2-R2HY5212	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, emergency button	
COMMERCIAL SPEAKER MICROPHONES					
	X		E2-RE2HY5111	Revo NC1™ Noise Canceling with coiled cord, 3.5mm earphone jack	
PROFESSIONAL HEADSETS					
X			V4-10902	Profile Headset with pigtail and modular connector (requires cable)	
			V3-10864	Modular coiled cable for Profile Headset, in-line PTT	
X			V4-HS2HY1	H3 with SureFire™ filters, lightweight, dual speaker, behind-the-head with mini-PTT	
X			V4-HN2HY1	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head with standard PTT	
COMMERCIAL HEADSETS					
	X		V4-BA2HY5	Breeze, lightweight, behind-the-head, single speaker, with mini PTT	



PD606/PD602

3 YR	2 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
HX					
COMMERCIAL SURVEILLANCE KITS					
	X		E1-1W2HX131	OTTO LOC 1 Wire Kit with in-line PTT and Mic (requires earpiece, see page 15), black	
	X		E1-EA2HX131	1 Wire Monitoring Kit with in-line PTT and Mic, with quick disconnect acoustic tube, black	

Don't see it here? Check our website: www.otto-comm.com

Hytera

**POWER446 /TC-446S /TC-500 /TC508 /TC518 /TC580
TC600 /TC610 /TC620 / TC700 /TC700 Ex PLUS
PD502 /562**



3 YR	2 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
MG					
PROFESSIONAL SURVEILLANCE KITS					
X			V1-10175	2 Wire Kit, beige	
X			V1-10176	2 Wire Kit, black	
X			V1-10284	3 Wire Mini Lapel Microphone Kit, black	
COMMERCIAL SURVEILLANCE KITS					
	X		E1-1W2MG131	OTTO LOC 1 Wire Kit and in-line PTT and Mic (requires earpiece, see page 15), black	
	X		E1-2W2MG131	OTTO LOC 2 wire kit with in-line PTT and Mic (requires earpiece, see page 15), black	
	X		E1-EA2MS131	1 Wire Monitoring Kit with in-line PTT and Mic, with quick disconnect acoustic tube, black	
	X		E1-EB2MS131	Earbud with in-line PTT and Mic, black	
	X	X	E1-ER2MS131	Fixed Ear Hanger with in-line PTT and Mic, black	
	X	X	E1-ET2MS131	Adjustable Rotating Ear Hanger with in-line PTT and Mic, black	
PROFESSIONAL SPEAKER MICROPHONES					
X		X	V2-10026	Evolution with coiled cord, volume control, 2.5mm earphone jack	
X			V2-S2MG11111	Storm with coiled cord, volume control, 2.5mm earphone jack	
X			V2-R2MG5112	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack	
COMMERCIAL SPEAKER MICROPHONES					
	X		E2-RE2MG5111	Revo NC1™ Noise Canceling with coiled cord, 3.5mm earphone jack	
PROFESSIONAL HEADSETS					
X			V4-10902	Profile headset with pigtail and modular connector (requires cable)	
			V3-10785	Modular coiled cable for Profile headset in-line PTT	
X			V4-10047	ClearTrak, behind-the-head, dual speaker with earcup PTT	
X			V4-10390	ClearTrak over-the-head, dual speaker with earcup PTT	
X		X	V4-10146	Classic over-the-head, dual speaker, heavy duty, with standard PTT	
X			V4-10003	Classic behind-the-head, dual speaker, heavy duty, with standard PTT	
X			V4-HN2MG2	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with no PTT and NoisEz™ ear tips	
X			V4-HN2MG5	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with mini PTT and NoisEz™ ear tips	
X			*V4-HN2MG3B	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with standard PTT and 2.5mm pigtail for optional remote PTT and NoisEz™ ear tips	
COMMERCIAL HEADSETS					
	X		V4-BA2MG2	Breeze, lightweight, behind-the-head, single speaker, no PTT	
	X	X	V4-BA2MG5	Breeze, lightweight, behind-the-head, single speaker, with mini PTT	
	X		V4-BA2MG1	Breeze, lightweight, behind-the-head, single speaker with standard PTT	
	X		V4-SP2MG5	Lightweight Premium dual ear with swivel ear cup, mini PTT, noise canceling microphone	
	X		V4-DP2MG5	Lightweight Premium single ear, mini PTT, noise canceling boom microphone	
TACTICAL THROAT MICROPHONE					
X			V1-T12MG137	Tactical Throat Microphone, with acoustic tube and 80mm PTT	

WIRELESS ACCESSORIES FOR PROFESSIONAL SURVEILLANCE KITS AVAILABLE ON PAGE 15.

*FOR REMOTE PTT ACCESSORIES USED WITH 2.5MM PIGTAIL JACK SEE PAGE 14

Hytera



**POWER446 / TC-446S / TC-500 / TC508 / TC518 / TC580 /
TC600 / TC610 / TC620 / TC700 / TC700 Ex PLUS / PD502 / 562**


3 YR	2 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
MM					
PROFESSIONAL SURVEILLANCE KITS					
X		X	V1-10778	2 Wire Kit, black	
WIRELESS ACCESSORIES FOR PROFESSIONAL SURVEILLANCE KITS AVAILABLE ON PAGE 15.					

Don't see it here? Check our website: www.otto-comm.com

Icom

RADIO	CONNECTOR	PAGE #
F11	CS	43
F11S	CS	43
F14	CS	43
F14S	CS	43
F21	CS	43
F21S	CS	43
F24	CS	43
F24S	CS	43
F30GT/GS	CM	42
F31G	CM	42
F31GS	CM	42
F33GS	CS	43
F33GT	CS	43
F40G	CM	42
F40GT/GS	CM	42
F41G	CM	42
F43GS	CS	43
F43GT	CS	43
F43TR	CS	43
F50	CM	42
F50V	CM	42
F51	CM	42
F52D	CF	41
F62D	CF	41
F60	CM	42
F61	CM	42
F62D	CF	41
F70	CM	42
F70DT/T/ DS/S	CM	42
F80	CM	42
F80DT/T/ DS/S	CM	42
F1000	CS	43
F2000	CS	43
F3001	CS	43

RADIO	CONNECTOR	PAGE #
F3011	CS	43
F3003	CS	43
F3021	CS	43
F3061S	CM	42
F3101	CS	43
F3161	CM	42
F3162	CM	42
F3230D	CS	43
F3260	CF	41
F3261	CF	41
F3262	CF	41
F3400D	CF	41
F4001	CS	43
F4003	CS	43
F4011	CS	43
F4021	CS	43
F4026DR	CS	43
F4061S	CM	42
F4101	CS	43
F4161	CM	42
F4162	CM	42
F4230D	CS	43
F4261	CF	41
F4262	CF	41
F4029SDR	CS	43
F4360	CF	41
F4400	CF	41
F4400D	CF	41
F7010	CF	41
F7020	CF	41
F9011	CF	41
F9021	CF	41
IP100H	CH	41
JC-V80/ V80E	CM	42



CF



CH




CM




CS

**F3260/3261/3262/F4260/4261/F4262/F4360/F9021
F9011/F3400D/F4400D/F52D/F62D/F7010/7020**



3 YR	2 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
CF					
PROFESSIONAL SURVEILLANCE KITS					
X		X	V1-10938	2 Wire Kit, black	
X			V1-10940	3 Wire Mini Lapel Microphone Kit Black, heavy duty cable, black	
COMMERCIAL SURVEILLANCE KITS					
	X		E1-1W2CF131	OTTO LOC 1 Wire Kit with in-line PTT and Mic (requires earpiece, see page 15), black	
PROFESSIONAL SPEAKER MICROPHONES					
X			V2-G4CF221	OTTO 500 Fire with Fire-Tuff™ coiled cord, emergency button	
X			V2-R2CF5212	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, emergency button	
X		X	V2-S2CF11111	Storm with coiled cord, volume control, 2.5mm earphone jack	
TACTICAL THROAT MICROPHONE					
X			V1-T12CF137	Tactical Throat Microphone with acoustic tube & 80mm PTT	
WIRELESS ACCESSORIES FOR PROFESSIONAL SURVEILLANCE KITS AVAILABLE ON PAGE 15.					

IP100H



3 YR	2 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
CH					
PROFESSIONAL HEADSETS					
X			V4-HN2CH3B	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with standard PTT and 2.5mm pigtail for remote PTT and NoisEz™ ear tips	
X			V4-11090	Classic over-the-head dual speaker heavy duty with standard PTT	
COMMERCIAL SURVEILLANCE KITS					
	X		E1-1W2CH131	OTTO LOC 1 Wire Kit with in-line PTT and Mic (requires earpiece, see page 15), black	
*FOR REMOTE PTT ACCESSORIES USED WITH 2.5MM PIGTAIL JACK SEE PAGE 14					

Don't see it here? Check our website: www.otto-comm.com

**F30G/F30GT/GS, F40GT/GS, F41G/F31G/F31GS/F40G/F50/F50V/F51/
F60/F61/F70/F70DT/T/DS/S, F80/F80DT/T/DS/S,
F3061/F3161/F4161/F3162/F4061S/JC-V80/V80E**



3 YR	2 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
CM					
PROFESSIONAL SURVEILLANCE KITS					
X		X	V1-10822	2 Wire Kit, heavy duty cable, black	
COMMERCIAL SURVEILLANCE KITS					
	X		E1-1W2CM131	OTTO LOC 1 Wire Kit with in-line PTT and Mic (requires earpiece, see page 15), black	
	X		E1-2W2CM131	OTTO LOC 2 Wire Kit with in-line PTT and Mic (requires earpiece, see page 15), black	
PROFESSIONAL SPEAKER MICROPHONES					
X			V2-R2CM5112	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack	
X		X	V2-10314	Evolution with coiled cord, volume control and 2.5mm earphone jack	
X			V2-10162-S	Evolution with coiled cord, volume control and 2.5mm earphone jack (F30GT/GS, F40GT/GS, F41G, F31G Only) -IS/ATEX Approved	
X			V2-10278	Evolution with coiled cord, volume control, emergency button, 2.5mm earphone jack (F51/F61 Only)	
X			V2-S2CM11111	Storm with coiled cord, volume control, 2.5mm earphone jack	
X			V2-S2CM11121-S	Storm with coiled cord, noise canceling, volume control 2.5mm earphone jack IS/ATEX approved	
PROFESSIONAL HEADSETS					
X			*V4-HN2CM3B	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with standard PTT and 2.5mm pigtail for remote PTT and NoiseZ™ ear tips	
X		X	V4-10515	Classic over-the-head dual speaker heavy duty with standard PTT	
X		X	V4-10516	Classic behind-the-head, dual speaker, heavy duty with standard PTT	
COMMERCIAL HEADSETS					
	X	X	V4-BA2CM1	Breeze, lightweight, behind-the-head, single speaker with standard PTT	
TACTICAL THROAT MICROPHONES					
X			V1-T12CM137	Tactical Throat Microphone, with acoustic tube, 80mm PTT	
TACTICAL HEADSETS					
X			V4-10531	Tactical II™ with soft earcup, boom microphone, black Velcro™ head strap and elastic band with body PTT	
ALL INTRINSICALLY SAFE APPROVED PRODUCTS ARE INDICATED "IN RED" AND IS/ATEX IN DESCRIPTION. NOTE: ALL IS/ATEX APPROVED RADIO ACCESSORIES HAVE BEEN DEEMED SAFE FOR USE WITH AN IS/ATEX APPROVED RADIO WITH SUITABLE RATING AND ENTITY PARAMETERS.					
*FOR REMOTE PTT ACCESSORIES USED WITH 2.5MM PIGTAIL JACK SEE PAGE 14					

**F11/F11S/F12/F14S/F21/F21S/F24/F24S/F33GS/F33GT/F43GS/F32300D/
F42300D/F43GT/F43TR/F3003/F4003/F4029DR/F43GS/F43GT/F43TR/
F1000/F2000/ F3021/F4021/F4029SDR/F3001/F4001/F3011/F4011
F3021/F3101/F4101**



3 YR	2 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
CS					
PROFESSIONAL SURVEILLANCE KITS					
X		X	V1-10756	2 Wire Kit, black	
COMMERCIAL SURVEILLANCE KITS					
	X	X	E1-1W2CS131	OTTO LOC 1 Wire Kit with in-line PTT and Mic (requires earpiece) (F1000/F2000 ONLY), black	
	X		E1-2W2CS131	OTTO LOC 2 Wire Kit in-line PTT and Mic (requires earpiece) (F1000/F2000 ONLY), black	
	X		E1-EL2CS131	Earloop with Earbud, in-line PTT and Mic, black	
	X		E1-ET2CS131	Adjustable Rotating Ear Hanger with in-line PTT and Mic (F1000/F2000 ONLY), black	
	X		E1-EP2CS131	Swivel Earpiece in-line PTT and Mic	
PROFESSIONAL SPEAKER MICROPHONES					
X			V2-R2CS5112	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, no emergency button	
X		X	V2-10288	Evolution with coiled cord, volume control, 2.5mm earphone jack	
COMMERCIAL SPEAKER MICROPHONES					
	X	X	E2-RE2CS5111	Revo NC1™ Noise Canceling with coiled cord, 3.5mm earphone jack (F1000/F2000 ONLY)	
	X		V2-L2CS11	Low Profile with coiled cord, 2.5mm earphone jack	
PROFESSIONAL HEADSETS					
X			V4-10902	Profile headset with pigtail and modular connector (requires cable)	
X			V3-10848	Modular coiled cable for Profile headset in-line PTT	
X			*V4-HN2CS3B	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with standard PTT and 2.5mm pigtail for remote PTT & NoisEz™ ear tips	
X			*V4-NR2CS3B	Ranger, single speaker, behind-the-head, standard PTT and 2.5mm pigtail for remote PTT	
X			V4-10480	Classic over-the-head, dual speaker, heavy duty with standard PTT	
X		X	V4-10481	Classic behind-the-head, dual speaker, heavy duty with standard PTT	
X			V4-10731	ClearTrak behind-the-head dual speaker extreme noise with earcup PTT	
COMMERCIAL HEADSETS					
	X		V4-SP2CS5	Lightweight Premium single ear, mini PTT, noise canceling boom microphone	
*FOR REMOTE PTT ACCESSORIES USED WITH 2.5MM PIGTAIL JACK SEE PAGE 14					

Don't see it here? Check our website: www.otto-comm.com

Kenwood

RADIO	CONNECTOR	PAGE #
Free Talk XLS	KA	46-47
NX220	KA	46-47
NX240V	KA	46-47
NX320	KA	46-47
NX340U	KA	46-47
NX420	KA	46-47
PKT Series	KD	50
Pro Talk XLS	KA	46-47
TK208	KA	46-47
TK220	KA	46-47
TK240	KA	46-47
TK240D	KA	46-47
TK248	KA	46-47
TK250	KA	46-47
TK259	KA	46-47
TK260	KA	46-47
TK260G	KA	46-47
TK270G	KA	46-47
TK272G	KA	46-47
TK308	KA	46-47
TK320	KA	46-47
TK340	KA	46-47
TK340D	KA	46-47
TK348	KA	46-47
TK350	KA	46-47
TK353	KA	46-47
TK359	KA	46-47
TK360	KA	46-47
TK360G	KA	46-47
TK370	KA	46-47
TK370G	KA	46-47
TK372G	KA	46-47
TK373	KA	46-47
TK373G	KA	46-47
TK430	KA	46-47
TK431	KA	46-47
TK2100	KA	46-47
TK2102	KA	46-47

RADIO	CONNECTOR	PAGE #
TK2130	KA	46-47
TK2130 ProTalk XLS	KA	46-47
TK2160	KA	46-47
TK2170	KA	46-47
TK2200	KA	46-47
TK2202	KA	46-47
TK2212	KA	46-47
TK2300	KA	46-47
TK2302	KA	46-47
TK2312	KA	46-47
TK2360	KA	46-47
TK2400	KA	46-47
TK2400VP	KA	46-47
TK2402V	KA	46-47
TK2402	KA	46-47
TK3100	KA	46-47
TK3101	KA	46-47
TK3101 Free Talk	KA	46-47
TK3102	KA	46-47
TK3102 Pro Talk	KA	46-47
TK3130 (ProTalk XLS)	KA	46-47
TK3131	KA	46-47
TK 3131 (Free Talk XLS)	KA	46-47
TK3160	KA	46-47
TK3170	KA	46-47
TK3173	KA	46-47
TK3200	KA	46-47
TK3201	KA	46-47
TK3202	KA	46-47
TK3212	KA	46-47
TK3230	KA	46-47
TK3300	KA	46-47
TK3302	KA	46-47
TK3312	KA	46-47

RADIO	CONNECTOR	PAGE #
TK3230	KA	46-47
TK3350	KA	46-47
TK3360	KA	46-47
TK3400	KA	46-47
TK3400UP	KA	46-47
TK3402U	KA	46-47
XL 2102	KA	46-47
XL 3102 Pro Talk	KA	46-47
NX200	KB	48-49
NX210	KB	48-49
NX300	KB	48-49
NX410	KB	48-49
NX5200	KB	48-49
NX5300	KB	48-49
NX5400	KB	48-49
TK190	KB	48-49
TK280	KB	48-49
TK290	KB	48-49
TK380	KB	48-49
TK385	KB	48-49
TK390	KB	48-49
TK480	KB	48-49
TK481	KB	48-49
TK2140	KB	48-49
TK2180	KB	48-49
TK3140	KB	48-49
TK3148	KB	48-49
TK3180	KB	48-49
TK5210	KB	48-49
TK5220	KB	48-49
TK5310	KB	48-49
TK5320	KB	48-49
TK5400	KB	48-49
NEXEDGE Series	KB	48-49
VP5000	KB, KC	48-49
VP6000	KB, KC	48-49

Kenwood



3 YR	2 YR	1 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
KENWOOD ADAPTERS						
	X			 V1-10894	Attaches to Kenwood TK480 series (KB) to use TK250 series accessories (KA)	

Don't see it here? Check our website: www.otto-comm.com

Kenwood

**FREE TALK XLS/ NX240V/ 340U/ NX420/ PRO TALK XLS/ TK208/ 308/ TK2100/ 3100/
TK3102 /2160 3160/3101/TK2170/3170/3173/TK220/320/TK240 340/TK240D/340D/
T248/TK250/350/353/TK348 TK248/TK430/431/TK2200/3200/TK2202/3202/TK3212/
TK2130/TK2212/TK2300/TK2312/3101 FREE TALK TK2400 /TK2302 /3302 /**



**NX220 /320 TK3312 /TK259 359 /TK272G /372G /TK3100 TK3130 (PRO TALK XLS) TK3173 /
TK2360 /TK3230 TK3360 /TK3131 /TK3201 TK3300 /TK3350 /TK260G /360G /TK270G 370G/TK373G/XL2102/3102/
PRO TALK/ TK2400VP 3400UP TK2402V /3402U /TK260 /TK360 TK370 TK373 TK2130/(PRO TALK XLS)/TK3131 (FREETALK XLS)
NX420 /TK220 /TK2102 /TK2402V TK3203 TK2402/XL3112/PROTALK/TK3102 TK32030/TK3400**

3 YR	2 YR	1 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
KA						
PROFESSIONAL SURVEILLANCE KITS						
X				V1-10269	1 Wire Earphone Kit (Receive only no transmit), black	
X			X	V1-10267	2 Wire Kit, black	
X				V1-10266	2 Wire Kit, beige	
COMMERCIAL SURVEILLANCE KITS						
	X		X	E1-1W2KA131	OTTO LOC 1 Wire Kit and in-line PTT and Mic (requires earpiece, see page 15), black	
	X			E1-2W2KA131	OTTO LOC 2 Wire Kit and in-line PTT and Mic (requires earpiece, see page 15), black	
	X			E1-EA2KA131	1 Wire Monitoring Kit with in-line PTT and Mic, with quick disconnect acoustic tube, black	
	X			E1-EB2KA131	Earbud with in-line PTT and Mic, black	
	X			E1-EL2KA131	Earloop with Earbud, in-line PTT and Mic, black	
	X		X	E1-ER2KA131	Fixed Ear Hanger with in-line PTT and Mic, black	
	X			E1-ET2KA131	Adjustable Rotating Ear Hanger with in-line PTT and Mic, black	
PROFESSIONAL SPEAKER MICROPHONES						
X				V2-R2KA5112	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack	
X				V2-10030	Evolution with coiled cord, volume control and 2.5mm earphone jack	
X				V2-10030-S	Evolution with coiled cord, volume control and 2.5mm earphone jack - IS/ATEX Approved	
X				V2-S2KA11111	Storm with coiled cord, volume control and 2.5mm earphone jack	
COMMERCIAL SPEAKER MICROPHONES						
	X			V2-L2KA11	Low Profile with coiled cord, 2.5mm earphone jack	
	X		X	E2-RE2KA5111	Revo NC1 Noise Canceling with coiled cord, 3.5mm earphone jack	
ALL INTRINSICALLY SAFE APPROVED PRODUCTS ARE INDICATED "IN RED" AND IS/ATEX IN DESCRIPTION. NOTE: ALL IS/ATEX APPROVED RADIO ACCESSORIES HAVE BEEN DEEMED SAFE FOR USE WITH AN IS/ATEX APPROVED RADIO WITH SUITABLE RATING AND ENTITY PARAMETERS.						

Kenwood



KENWOOD

FREE TALK XLS/ NX240V/ 340U/ NX420/ PRO TALK XLS/ TK208/ 308/ TK2100/ 3100/ TK3102 /2160 3160/3101/TK2170/3170/3173/TK220/320/TK240 340/TK240D/340D/ T248/TK250/350/353/TK348 TK248/TK430/431/TK2200/3200/TK2202/3202/TK3212/ TK2130/TK2212/TK2300/TK2312/3101 FREE TALK TK2400 /TK2302 /3302 / NX220 /320 TK3312 /TK259 359 /TK272G /372G /TK3100 TK3130 (PRO TALK XLS) TK3173 / TK2360 /TK3230 TK3360 /TK3131 /TK3201 TK3300 /TK3350 /TK260G /360G /TK270G 370G/TK373G/XL2102/3102/ PRO TALK/ TK2400VP 3400UP TK2402V /3402U /TK260 /TK360 TK370 TK373 TK2130/(PRO TALK XLS)/TK3131 (FREETALK XLS) NX420 /TK220 /TK2102 /TK2402V TK3203 TK2402/XL3112/PROTALK/TK3102 TK32030/TK3400

3 YR	2 YR	1 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
KA						
PROFESSIONAL HEADSETS						
X				V4-10902	Profile headset with pigtail and modular connector (requires cable)	
				V3-10783	Modular cable for Profile headset, in-line PTT	
X				V4-HS2KA5	H3 with SureFire™ filters, lightweight, dual speaker, behind-the-head with mini PTT	
X				V4-HN2KA5	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with Mini PTT and NoisEz™ eartips	
X				V4-NR2KA1	Ranger, single speaker, behind-the-head with standard PTT	
X			X	V4-10018	Classic Over-the-head, dual speaker, heavy duty with standard PTT	
X			X	V4-10019	Classic behind-the-head dual speaker, heavy duty with standard PTT	
X				V4-10413	ClearTrak, over-the-head, dual speaker extreme noise with earcup PTT	
X			X	V4-10025	ClearTrak, behind-the-head, dual speaker extreme noise with earcup PTT	
COMMERCIAL HEADSETS						
X				V4-DP2KA5	Lightweight Premium dual ear with swivel ear cup, mini PTT, noise canceling microphone	
X				V4-SP2KA5	Lightweight Premium single ear, mini PTT, noise canceling boom microphone	
	X			V4-BA2KA2	Breeze, lightweight, behind-the-head, single speaker, no PTT	
	X			V4-BA2KA5	Breeze, lightweight, behind-the-head, single speaker with mini PTT	
	X			*V4-BA2KA3B	Breeze, lightweight, behind-the-head, single speaker with standard PTT and 2.5mm pigtail for optional remote PTT	
	X			V4-BA2KA1	Breeze, lightweight, behind-the-head, single speaker with standard PTT	
TACTICAL THROAT MICROPHONE SYSTEMS						
X				V1-T12KA137	Tactical Throat Microphone, with acoustic tube and 80mm PTT	
ALL INTRINSICALLY SAFE APPROVED PRODUCTS ARE INDICATED "IN RED" AND IS/ATEX IN DESCRIPTION. NOTE: ALL IS/ATEX APPROVED RADIO ACCESSORIES HAVE BEEN DEEMED SAFE FOR USE WITH AN IS/ATEX APPROVED RADIO WITH SUITABLE RATING AND ENTITY PARAMETERS.						

*FOR REMOTE PTT ACCESSORIES USED WITH 2.5MM PIGTAIL JACK SEE PAGE 14.

Don't see it here? Check our website: www.otto-comm.com



KB
ASSEMBLED CONNECTOR

Kenwood

**NX200/NX300/NX210/NX410/NX5200/5300/5400/TK190/TK280/380/
TK290/390/TK480/481/TK2140/3140/TK2180/3180/TK5310/TK5400/5210/
TK5220/TK5320/TK3148/385/VP5000/VP6000/TK5310/TK5400/
NEXEDGE SERIES**



ADAPTER V1-10430

3 YR	2 YR	1 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
KB						
PROFESSIONAL SURVEILLANCE KITS						
X				V1-10430	Adapter with 2.5mm jack for use with 1 Wire Earphone Kits	
X				V1-10247	1 Wire Earphone Kit, 2.5mm jack, 48" cable (Receive only no transmit) adapter required , black	
X				V1-10695	2 Wire Kit, black	
X				V1-11020	2 Wire Kit (For NX-200/NX-300 Digital Radios Only), black	
X				V1-10354	2 Wire Kit, beige	
COMMERCIAL SURVEILLANCE KITS						
	X			E1-1W2KB131	OTTO LOC 1 Wire Kit and in-line PTT and Mic (requires earpiece, see page 15), black	
	X			E1-2W2KB131	OTTO LOC 2 Wire Kit with in-line PTT and Mic (requires earpiece, see page 15), black	
PROFESSIONAL SPEAKER MICROPHONES						
X				V2-G4KC221-S	OTTO 500 Fire with Fire-Tuff™ coiled cord, emergency button	
X				V2-R2KB5112-US	Revo NC2 Noise Canceling with coiled cord, 3.5mm earphone jack, USA Flag	
X				V2-R2KB5112-US-B	Revo NC2 Noise Canceling with coiled cord, 3.5mm earphone jack, USA Flag-Blue Line	
X				V2-R2KB5112-US-R	Revo NC2 Noise Canceling with coiled cord, 3.5mm earphone jack, USA Flag-Red Line	
X				V2-R2KB5112	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack	
X				V2-R2KB5212-US	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, emergency button, USA Flag	
X				V2-R2KB5212-US-B	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, emergency button, USA Flag-Blue Line	
X				V2-R2KB5212-US-R	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, emergency button, USA Flag-Red Line	
X				V2-R2KB5212	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, emergency button	
X				V2-10068	Evolution with coiled cord, volume control, 2.5mm earphone jack	
X				V2-10068-S	Evolution with coiled cord, volume control, 2.5mm earphone jack -IS/ATEX Approved	
X				V2-G2KB321	Genesis II with coiled cable, emergency button, accessory jack	
X				V2-S2KC12111-S	Storm with coiled cord, volume control, 2.5mm earphone jack and emergency button (TK2140/3140, 2180/3180, VP6000 radios only) - IS/ATEX Approved	
X			X	V2-S2KB11111	Storm with coiled cord, volume control, 2.5mm earphone jack	
COMMERCIAL SPEAKER MICROPHONES						
	X			E2-RE2KB5111	Revo NC1™ Noise Canceling with coiled cord, 3.5mm earphone jack	

ALL INTRINSICALLY SAFE APPROVED PRODUCTS ARE INDICATED "IN RED" AND IS/ATEX IN DESCRIPTION.

NOTE: ALL IS/ATEX APPROVED RADIO ACCESSORIES HAVE BEEN DEEMED SAFE FOR USE WITH AN IS/ATEX APPROVED RADIO WITH SUITABLE RATING AND ENTITY PARAMETERS.

WIRELESS ACCESSORIES FOR PROFESSIONAL SURVEILLANCE KITS AVAILABLE ON PAGE 15.

Kenwood

**NX200/NX300/NX210/NX410/NX5200/5300/5400/TK190/TK280/380
/TK290/390/TK480/481/TK2140/3140/TK2180/3180/TK5310/TK5400/5210/
TK5220/TK5320/TK3148/385/VP5000/VP6000/TK5310/TK5400/
NEXEDGE SERIES**



KENWOOD

3 YR	2 YR	1 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
KB						
PROFESSIONAL HEADSETS						
X				V4-10902	Profile headset with pigtail and modular connector (requires cable)	
X				V3-10784	Modular coiled cable for Profile headset, in-line PTT	
X				V4-HS2KB1	H3 with SureFire™ filters, lightweight, dual speaker, behind-the-head with standard PTT	
X				V4-HN2KB1	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with standard PTT and NoisEz™ eartips	
X				*V4-HN2KB3B	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with standard PTT and 2.5mm pigtail for optional remote PTT and NoisEz™ eartips	
X				V4-10080	Classic over-the-head, dual speaker, heavy duty with standard PTT	
X			X	V4-10081	Classic behind-the-head, dual speaker, heavy duty with standard PTT	
X				V4-10081-S	Classic behind-the-head, dual speaker, heavy duty with standard PTT -IS/ATEX Approved	
X				V4-10415	ClearTrak over-the-head, dual speaker extreme noise with Earcup PTT	
X			X	V4-10388	ClearTrak behind-the-head, dual speaker extreme noise with Earcup PTT	
COMMERCIAL HEADSETS						
X				V4-DP2KB5	Lightweight Premium dual ear with swivel ear cup, mini PTT, noise canceling microphone	
X				V4-SP2KB5	Lightweight Premium single ear, mini PTT, noise canceling boom microphone	
	X			V4-BA2KB1	Breeze, lightweight, behind-the-head, single speaker with standard PTT	
TACTICAL THROAT MICROPHONE SYSTEMS						
X				V1-T12KB137	Tactical Throat Microphone, with acoustic tube and 80mm PTT	
X			X	V1-T12KB117	Tactical Throat Microphone, with acoustic tube, 80mm PTT and Ring PTT	
TACTICAL HEADSETS						
		X		V4-11056BK	NoizeBarrier® TAC, over the head, black, single com, rugged single PTT	
X			X	V4-10688	Tactical II Headset, with soft earcup, boom microphone, black Velcro™ head strap and elastic band with body PTT	
X				V4-10833	Tactical III Headset, combined speaker and boom microphone, Velcro™ pouch with black over-the-head strap and elastic band with standard PTT and standard 2.5mm pigtail for remote PTT	
ALL INTRINSICALLY SAFE APPROVED PRODUCTS ARE INDICATED "IN RED" AND IS/ATEX IN DESCRIPTION. NOTE: ALL IS/ATEX APPROVED RADIO ACCESSORIES HAVE BEEN DEEMED SAFE FOR USE WITH AN IS/ATEX APPROVED RADIO WITH SUITABLE RATING AND ENTITY PARAMETERS.						
*FOR REMOTE PTT ACCESSORIES USED WITH 2.5MM PIGTAIL JACK SEE PAGE 14.						

Don't see it here? Check our website: www.otto-comm.com

Kenwood



PKT Series

3 YR	2 YR	1 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
KD						
COMMERCIAL SURVEILLANCE KITS						
	X			E1-1W2KD131	OTTO LOC 1 Wire Kit and in-line PTT and Mic (requires earpiece, see page 15), black	
REFER TO THE KENWOOD ADAPTER PAGE FOR CHANGING RADIOS/ACCESSORIES						

Motorola Radio Listing

RADIO	CONNECTOR	PAGE #
APX1000	MF	59
APX3000	MR	66
APX4000	MF	59-60
APX6000/APX6000XE	MF	59-60
APX7000/APX7000XE	MF	59-60
APX8000	MR	66
ASTRO/SABER	MD	57
BC10	MG	61-62
BC120	MG	61-62
BC130	MG	61-62
BPR40	MG	61-62
CLP Series	ML	64
CLS1110	ME	58
CLS1410	ME	58
CLS446	MG	61-62
CP040	MG	61-62
CP100	ME	58
CP125	MG	61-62
CP140	MG	61-62
CP150	MG	61-62
CP160	MG	61-62
CP180	MG	61-62
CP185	MG	61-62
CP200	MG	61-62
CP88	MG	61-62
CT150	MG	61-62
CT250	MG	61-62
CT450	MG	61-62
CT450LS	MG	61-62
DP2000	MR	66
DP2400	MR	66
DP2600	MR	66
DP3400/DP3401	MF	59-60
DP3441	MR	66
DP3600/DP3601	MF	59-60
DP4000	MF	59-60
DP4400/4401	MF	59-60
DP4600/4601	MF	59-60
DP4800/4801	MF	59-60
DTR2350	ME	58
DTR2450	ME	58
DTR24XX	MG	61-62
DTR500	ME	58
DTR550	ME	58
DTR650	ME	58
Elite7150	MM	65
Elite9150	MM	65
EMTX950	MJ	63
EP450	MG	61-62
EX500	MM	65

RADIO	CONNECTOR	PAGE #
EX560	MM	65
EX560XLS	MM	65
EX600	MM	65
GL200	MM	65
GL2000	MM	65
GP1200	MA	56
GP1200	3T, MA	55, 56
GP1280	MJ	63
GP140	MJ	63
GP2000	ME	58
GP240	MJ	63
GP280	MJ	63
GP300	MG	61-62
GP308	MG	61-62
GP3188	MG	61-62
GP320	MJ	63
GP328	MJ	63
GP328Plus	MM	65
GP329	MJ	63
GP338	MJ	63
GP338Plus	MM	65
GP339	MJ	63
GP340	MJ	63
GP344	MM	65
GP360	MJ	63
GP380	MJ	63
GP388	MM	65
GP640	MJ	63
GP650	MJ	63
GP68	MG	61-62
GP680	MJ	63
GP88	MG	61-62
GP900	3T, MA	55, 56
GP9000	3T, MA	55, 56
GTI	ME	58
GTX	MG	61-62
HT1000	3T, MA	55, 56
HT1000 Series	MA	55
HT1250/HT1250LS	MJ	63
HT1550/HT1500XLS	MJ	63
HT600	MD	57
HT750	MJ	63
JT1000	MA	56
LTS2000	MG	61-62
MRP3500/3550	MR	66
MT1000	MD	57
MT1500	3T, MA	55, 56
MT2000	3T, MA	55, 56
MTH500	MG	61-62

Motorola Radio Listing

RADIO	CONNECTOR	PAGE #
MTP 3100/3150	MR	66
MTP3200/3250	MR	66
MTP3500	MR	66
MTP3550	MR	66
MTP6550	MF	59
MTP6750	MF	59
MTP700/MTP750	MJ	63
MTP8505	MF	59
MTP950	MJ	63
MTS2000	MA	56
MTS2000	3T, MA	55, 56
MTX Classic	MD	57
MTX1000	3T, MA	55, 56
MTX1500	MJ	63
MTX4550	MJ	63
MTX800	MD	57
MTX8000	3T, MA	55, 56
MTX8250/MTX8250LS	MJ	63
MTX838	3T, MA	55, 56
MTX850MTX850LS	MJ	63
MTX900	MD, MJ	57, 63
MTX9000	3T, MA	55, 56
MTX9250	MJ	63
MTX960	MJ	63
MTX-LS	3T, MA	55, 56
NTN5213	MD	57
NTN5664	MD	57
P040	MG	61
P080	MG	61
P110	MG	61
P1225	MG	61
P1225LS	MG	61
P200	MD	57
P2000	MG	61
PMR446	ME	58
PR1500	3T, MA	55, 56
PR400	MG	61
PR860	MJ	63
PRO1150	ME	58
PRO2150	MG	61
PRO3150	MG	61
PRO400	ME	58
PRO5150	MM	65
PRO5150 elite	MM	65
PRO5350	MJ	63
PRO5450	MJ	63
PRO5550	MJ	63
PRO5750	MJ	63
PRO7150	MJ	63

RADIO	CONNECTOR	PAGE #
PRO7150	MM	65
PRO7350	MJ	63
PRO7450	MJ	63
PRO7550	MJ	63
PRO7750	MJ	63
PRO9150	MJ	63
PTX700	MJ	63
PTX760	MJ	63
RDO4160	ME	58
RDU 2020/2080	ME	58
RDU 4100/4600	ME	58
RDV 5100	ME	58
RDV2020/2080	ME	58
SL300	SL	64
SL4000	SL	64
SL4010	SL	64
SL7000	SL	64
SL7500	SL	64
SL7550	SL	64
SP10	ME	58
SP21	ME	58
SP50	MG	61
VL130	MG	61
VL50	ME	58
VX1100	ME	58
XPR3300	MR	66
XPR3500	MR	66
XPR6100	MF	59
XPR6350	MF	59
XPR6380	MF	59
XPR6550	MF	59
XPR6580	MF	59
XPR7350	MF	59
XPR7550	MF	59
XTN446	MG	61
XTN500	ME	58
XTN600	ME	58
XTNi	MG	61
XTNiD	MG	61
XTS1500	3T, MA	55, 56
XTS2500	3T, MA	55, 56
XTS3000	3T, MA	55, 56
XTS3500	3T, MA	55, 56
XTS5000	3T, MA	55, 56
XU1100	ME	58
XU2100	ME	58
XU2600	ME	58
XV1100	ME	58
XV2100	ME	58

Motorola Connectors



MD
6 PIN HIROSE



MF



MM



3T



MG



MR



MA



MJ



ME



ML



SL

Don't see it here? Check our website: www.otto-comm.com

Motorola Adapters

We can help you use your existing accessories with your new radio,
just by adding an adapter!

3 YR	2 YR	1 YR	BEST MOVER	PART NUMBER	DESCRIPTION
MOTOROLA ADAPTERS					
X			X	 V1-11019	Attaches to TRBO/APX series radios (MF) to use 3.5 threaded connector accessories (3T)
X				 V1-11034	Attaches to TRBO/APX series radios (MF) to use 6 pin Hirose accessories (MD)
X				 V1-11091	Attaches to TRBO/APX series radios (MF) to use 12 pin Hirose connector series accessories
X			X	 V1-11097	Attaches to TRBO/APX series radios (MF) to use GP300 accessories (MG)



ADAPTER
V1-10335

Motorola

(Requires Adapter V1-10335)

GP900/GP1200/GP9000/PR1500/HT1000/MT1500/ MT2000/MTS2000/
MTX8000/MTX838/MTX1000/ MTX9000/MTX-LS /XTS1500 /XTS2500 /
XTS3000 /XTS3500 /XTS5000




3T
3.5MM THREADED PLUG
(REQUIRES ADAPTER)

3 YR	2 YR	1 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
3T						
PROFESSIONAL SURVEILLANCE KITS (REQUIRES ADAPTER V1-10335)						
X				V1-10335	Adapter required for use with surveillance kits shown below	
X			X	V1-10698	1 Wire Earphone Kit, 36 inches (Receive only no transmit), black	
X				V1-10174	1 Wire Earphone Kit, 48 inches (Receive only no transmit), black	
X				V1-10171	2 Wire Kit, beige	
X			X	V1-10172	2 Wire Kit, black	
X				V1-10337	2 Wire Kit, heavy duty cable, black	
X				V1-10170	3 Wire Mini Lapel Microphone Kit, black	
PROFESSIONAL HEADSETS (REQUIRES ADAPTER V1-10335)						
X				V1-10335	Adapter for use of Headsets listed below	
X				*V4-HN2MA3B	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with standard PTT and 2.5mm pigtail for remote PTT and NoisEz™ ear tips	
X			X	V4-10145	Classic over-the-head, dual speaker heavy duty with standard PTT	
X				V4-10002	Classic behind-the-head, dual speaker heavy duty with standard PTT	
*FOR REMOTE PTT ACCESSORIES USED WITH 2.5MM PIGTAIL JACK CAN BE FOUND ON PAGE 14.						

Don't see it here? Check our website: www.otto-comm.com

Motorola

**GP900/GP1200/GP9000/PR1500/HT1000/MT1500/MT2000/MTS2000/
MTX8000/MTX838/MTX1000/MTX9000/MTX-LS /XTS1500 /XTS2500 /
XTS3000 /XTS3500 /XTS5000**



3 YR	2 YR	1 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
MA						
COMMERCIAL SURVEILLANCE KITS						
	X		X	E1-1W2MA131	OTTO LOC 1 Wire Kit and in-line PTT and Mic (requires earpiece, see page 15), black	
	X			E1-2W2MA131	OTTO LOC 2 Wire Kit with in-line PTT and Mic (requires earpiece, see page 15), black	
PROFESSIONAL SPEAKER MICROPHONES (NO ADAPTER REQUIRED)						
X				V2-R2MX5312	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, digital emergency button (XTS1500, XTS2500, XTS3000, XTS3500 and XTS5000 only)	
X			X	V2-10031	Evolution with coiled cord, volume control and 2.5mm earphone jack	
X				V2-10031-S	Evolution with coiled cord, volume control and 2.5mm earphone jack-IS/ATEX Approved	
PROFESSIONAL HEADSETS						
X				V4-10902	Profile headset with pigtail and modular connector (requires cable)	
				V3-10846	Modular coiled cable for Profile headset, in-line PTT	
ALL INTRINSICALLY SAFE APPROVED PRODUCTS ARE INDICATED "IN RED" AND IS/ATEX IN DESCRIPTION. NOTE: ALL IS/ATEX APPROVED RADIO ACCESSORIES HAVE BEEN DEEMED SAFE FOR USE WITH AN IS/ATEX APPROVED RADIO WITH SUITABLE RATING AND ENTITY PARAMETERS.						
WIRELESS ACCESSORIES FOR PROFESSIONAL SURVEILLANCE KITS AVAILABLE ON PAGE 15.						

Motorola

ASTRO/SABER SERIES HT600/MT1000/MTX800/MTX CLASSIC/MTX900

These OTTO accessories can only be used with the Motorola adapters listed below.




MOTOROLA

3 YR	2 YR	1 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
MD						
ADAPTERS FOR 6 PIN ACCESSORIES						
X				V1-11034	Adapter for TRBO/APX Series with 6 pin Hirose jack	
PROFESSIONAL SURVEILLANCE KITS						
X			X	V1-10166	2 Wire Kit, black	
X				V1-10165	2 Wire Kit, beige	
X				V1-10163	3 Wire Mini Lapel Microphone Kit, beige	
PROFESSIONAL HEADSETS						
X				V4-10148	Classic over-the-head, dual speaker, heavy duty with standard PTT	

Don't see it here? Check our website: www.otto-comm.com

Motorola

**CLS1110/CLS1410/CP100/DTR2350/DTR2450 DTR500/DTR550/DTR650/
GP2000/GTI/PMR446 PRO1150/PRO400/RDU2020/2080/ RDV5100 /
SP10 /SP21/VL50/VX1100/XTN500/XTN600 /XU1100 /
XU2100 /XU2600 /XV1100 /XV2100**



3 YR	2 YR	1 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
ME						
PROFESSIONAL SURVEILLANCE KITS						
X				V1-10182	1 Wire Earphone Kit (Receive only no transmit), black	
X			X	V1-10180	2 Wire Kit, black	
COMMERCIAL SURVEILLANCE KITS						
	X		X	E1-EA2MS131	1 Wire Monitoring Kit with in-line PTT and Mic, with quick disconnect acoustic tube, black	
	X		X	E1-ER2MS131	Fixed Ear Hanger in-line PTT and mic, black	
	X			E1-EB2MS131	Earbud with in-line PTT and Mic, black	
	X			E1-ET2MS131	Adjustable Rotating Ear Hanger with in-line microphone with mini PTT, black	
PROFESSIONAL HEADSETS						
X				V4-10147	Classic over-the-head, dual speaker, heavy duty, with standard PTT	
COMMERCIAL HEADSETS						
	X			V4-BA2ME1	Breeze, lightweight, behind-the-head, single speaker with standard PTT	
COMMERCIAL SPEAKER MICROPHONES						
	X			V2-L2ME11	Low Profile with coiled cord, 2.5mm earphone jack	

Motorola

APX1000/APX3000/APX4000/APX6000/APX6000XE/APX7000/APX7000XE/APX8000/
DP3400/DP3401 /DP3600/DP3601/DP4400/4401/DP4600/4601/
DP4800/4801/XPR6100/MTP850S/MTP6550/ MTP6750/
XPR6350 /XPR6380 /XPR6550 /XPR6580 /XPR7350/ XPR7550



3 YR	2 YR	1 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
MF						
PROFESSIONAL SURVEILLANCE KITS						
X			X	V1-11046	2 Wire Kit, black	
X				V1-11048	2 Wire Kit, beige	
X				V1-10945	3 Wire Mini Lapel Microphone Kit, heavy duty cable, black	
X				V1-11539	3 Wire Mini Lapel with Flat PTT Microphone Kit, black	
COMMERCIAL SURVEILLANCE KITS						
	X		X	E1-1W2MF131	OTTO LOC 1 Wire Kit and in-line PTT and Mic (requires earpiece, see page 15), black	
	X			E1-2W2MF131	OTTO LOC 2 Wire Kit in-line PTT and Mic (requires earpiece, see page 15), black	
PROFESSIONAL SPEAKER MICROPHONES						
X				V2-G4MF211	OTTO 500 with Fire-Tuff™ cable	
X				V2-R2MF5112-US	Revo NC2 Noise Canceling with coiled cord, 3.5mm earphone jack, USA Flag	
X				V2-R2MF5112-US-B	Revo NC2 Noise Canceling with coiled cord, 3.5mm earphone jack, USA Flag-Blue Line	
X				V2-R2MF5112-US-R	Revo NC2 Noise Canceling with coiled cord, 3.5mm earphone jack, USA Flag-Red Line	
X				V2-R2MF5112	Revo NC2 Noise Canceling with coiled cord, 3.5mm earphone jack	
X				V2-S2MF11111	Storm with coiled cord, volume control and 2.5mm earphone jack	
X			X	V2-S2MF11111-S	Storm with coiled cord, volume control and 2.5mm earphone jack (IS/Atex approved)	
ALL INTRINSICALLY SAFE APPROVED PRODUCTS ARE INDICATED "IN RED" AND IS/ATEX IN DESCRIPTION. NOTE: ALL IS/ATEX APPROVED RADIO ACCESSORIES HAVE BEEN DEEMED SAFE FOR USE WITH AN IS/ATEX APPROVED RADIO WITH SUITABLE RATING AND ENTITY PARAMETERS.						

Don't see it here? Check our website: www.otto-comm.com

Motorola

**APX1000/APX3000/APX4000/APX6000/APX6000XE/APX7000/APX7000XE/APX8000/
DP3400/DP3401 /DP3600/DP3601/DP4400/4401/DP4600/4601/
DP4800/4801/XPR6100/MTP850S/MTP6550/ MTP6750/
XPR6350 /XPR6380 /XPR6550 /XPR6580 /XPR7350/ XPR7550**



3 YR	2 YR	1 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
MF						
PROFESSIONAL HEADSETS						
X				V4-10902	Profile headset with pigtail and modular connector (requires cable)	
				V3-10786	Modular coiled cable for Profile headset, in-line PTT	
X				*V4-HS2MF3B	H3 with SureFire™ filters, lightweight dual speaker, behind-the-head with standard PTT and 2.5mm pigtail for optional remote PTT	
X				*V4-HN2MF3B	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with standard PTT and 2.5mm pigtail for remote PTT and NoiseEz™ ear tips	
X			X	V4-10693	Classic over-the-head, dual speaker, heavy duty, with standard PTT	
X				V4-10694-S	Behind-the-head, dual speaker, heavy duty with standard PTT -IS/ATEX Approved	
X			X	V4-10785	ClearTrak behind-the-head, dual speaker, extreme noise with earcup PTT	
COMMERCIAL HEADSETS						
	X			V4-DP2MF5	Lightweight Premium dual ear with swivel ear cup, mini PTT, noise canceling microphone	
	X			V4-SP2MF5	Lightweight Premium single ear, mini PTT, noise canceling boom microphone	
	X		X	V4-BA2MF1	Breeze, lightweight, behind-the-head, single speaker with standard PTT	
TACTICAL THROAT MICROPHONE SYSTEMS						
X				V1-T12MF117	Tactical Throat Microphone, with acoustic tube and 80mm PTT and remote ring PTT	
TACTICAL HEADSETS						
X			X	V4-10787	Tactical II Headset, with soft earcup, boom microphone, black Velcro™ head strap and elastic band with Body PTT	
X				V4-10973	Tactical III , over-the-head nylon strap, boom microphone, ruggedized PTT	
		X		V4-11054BK	NoiseBarrier TAC, over the head, black, single com, rugged single PTT	
ALL INTRINSICALLY SAFE APPROVED PRODUCTS ARE INDICATED "IN RED" AND IS/ATEX IN DESCRIPTION. NOTE: ALL IS/ATEX APPROVED RADIO ACCESSORIES HAVE BEEN DEEMED SAFE FOR USE WITH AN IS/ATEX APPROVED RADIO WITH SUITABLE RATING AND ENTITY PARAMETERS.						
*FOR REMOTE PTT ACCESSORIES USED WITH 2.5MM PIGTAIL JACK SEE PAGE 14.						

Motorola

BC120/110/130/BPR40/CLS446/CP040/CP88/CP125/CP140/CP150/
CP160/CP180/CP185/CP200/CT150 CT250/CT450/CT450LS/DTR24XX/EP450/
GP68/GP88/GP300/GP308/GP3188/LTS2000/MTH500/P040/P080 P110/P1225/P1225LS/
P2000/PR400/PRO2150 PRO3150/SP50/VL130/XTN446/XTNi/XTNiD



3 YR	2 YR	1 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
MG						
PROFESSIONAL SURVEILLANCE KITS						
X			X	V1-10176	2 Wire Kit, black	
X				V1-10175	2 Wire Kit, beige	
X				V1-10338	2 Wire Kit, heavy duty cable, black	
X				V1-10284	3 Wire Mini Lapel Microphone Kit, black	
COMMERCIAL SURVEILLANCE KITS						
	X			E1-1W2MG131	OTTO LOC 1 Wire Kit and in-line PTT and Mic (requires earpiece, see page 15), black	
	X			E1-2W2MG131	OTTO LOC 2 Wire Kit with in-line PTT and Mic (requires earpiece, see page 15), black	
	X		X	E1-EA2MS131	1 Wire Earphone Kit with in-line PTT and Mic, with quick disconnect acoustic tube, black	
	X			E1-EB2MS131	Earbud with in-line PTT and Mic, black	
	X			E1-EL2MS131	Earloop with Earbud, in-line PTT and Mic, black	
	X		X	E1-ER2MS131	Fixed Ear Hanger with in-line PTT and Mic, black	
	X			E1-ET2MS131	Adjustable Rotating Ear Hanger with in-line PTT and Mic, black	
	X			E1-EP2MS131	Swivel Earpiece with in-line PTT and Mic, black	
PROFESSIONAL SPEAKER MICROPHONES						
X				V2-R2MG5112	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack	
X			X	V2-10026	Evolution with coiled cord, volume control, 2.5mm earphone jack	
X				V2-S2MG11111	Storm with coiled cord, volume control, 2.5mm earphone jack	
COMMERCIAL SPEAKER MICROPHONES						
	X			V2-L2MG11	Low Profile with coiled cord, 2.5mm earphone jack	
	X		X	E2-RE2MG5111	Revo NC1 Noise Canceling with coiled cord, 3.5mm earphone jack	

Don't see it here? Check our website: www.otto-comm.com

Motorola

**BC120/110/130/BPR40/CLS446/CP040/CP88/CP125/CP140/CP150/
CP160/CP180/CP185/CP200/CT150 CT250/CT450/CT450LS/DTR24XX/EP450/
GP68/GP88/GP300/GP308/GP3188/LTS2000/MTH500/P040/P080 P110/P1225/P1225LS/
P2000/PR400/PRO2150 PRO3150/SP50/VL130/XTN446/XTNi/XTNiD**



3 YR	2 YR	1 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
MG						
PROFESSIONAL HEADSETS						
X				V4-10902	Profile headset with pigtail and modular connector (requires cable)	
				V3-10785	Modular coiled cable for Profile headset in-line PTT	
X			X	V4-10047	ClearTrak, behind-the-head, dual speaker with earcup PTT	
X				V4-10390	ClearTrak over-the-head, dual speaker with earcup PTT	
X				V4-10146	Classic over the head, dual speaker, heavy duty with standard PTT	
X				V4-10003	Classic behind the head, dual speaker, heavy duty with standard PTT	
X				V4-HN2MG2	Hurricane II, lightweight, dual speaker, 29dB noise reduction, behind-the-head, with no PTT and NoisEz™ ear tips	
X				V4-HN2MG5	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with Mini PTT and NoisEz™ ear tips	
X			X	*V4-HN2MG3B	Hurricane II, lightweight, dual speaker, 29dB noise reduction with standard PTT and 2.5mm pigtail for optional remote PTT	
COMMERCIAL HEADSETS						
X				V4-DP2MG5	Lightweight Premium dual ear with swivel ear cup, mini PTT, noise canceling microphone	
X				V4-SP2MG5	Lightweight Premium single ear, mini PTT, noise canceling boom microphone	
	X		X	V4-BA2MG2	Breeze, lightweight, behind-the-head, single speaker, no PTT	
	X		X	V4-BA2MG5	Breeze, lightweight, behind-the-head, single speaker, mini PTT	
	X			V4-BA2MG1	Breeze, lightweight, behind-the-head, single speaker, with standard PTT	
TACTICAL THROAT MICROPHONE SYSTEMS						
X				V1-T12MG137	Tactical Throat Microphone, with acoustic tube and 80mm PTT	
* REMOTE PTT ACCESSORIES USED WITH 2.5MM PIGTAIL JACK CAN BE FOUND ON PAGE 14.						

Motorola

GP140/GP240/GP280/GP320/GP328/GP329/GP338/ GP339/GP340/GP360/GP380/GP640/
GP650/GP680/ GP1280/DP4000/HT750/HT1250/HT1250LS/HT1550/ HT1500XLS/MTP700/
MTP750/MTX838/MTX850/ MTX850LS/MTX900/MTX950/MTX960/MTX1500/ MTX4550/
MTX8250/MTX8250LS/MTX9250/PR860/ PRO5350 /PRO5450 /PRO5550 /
PRO5750 /PRO7150 PRO7350 /PRO7450 /PRO7550 /PRO7750 /PRO9150/ PTX700/PTX760



3 YR	2 YR	1 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
MJ						
PROFESSIONAL SURVEILLANCE KITS						
X			X	V1-10669	2 Wire Kit, black	
X				V1-10670	2 Wire Kit, beige	
PROFESSIONAL HEADSETS						
X				V4-10902	Profile headset with pigtail and modular connector (requires cable)	
				V3-10894	Modular coiled cable for Profile headset, in-line PTT	
X			X	V4-10431	Classic behind-the-head, dual speaker, heavy duty with standard PTT	
X				V4-10431-S	Classic behind-the-head, dual speaker, heavy duty with standard PTT -IS/ATEX APPROVED	
PROFESSIONAL SPEAKER MICROPHONES						
X				V2-G4MJ211	OTTO 500 with Fire-Tuff™ coiled cable	
X			X	V2-10228-S	Evolution with coiled cord, volume control and 2.5mm earphone jack - IS/ATEX APPROVED	
ALL INTRINSICALLY SAFE APPROVED PRODUCTS ARE INDICATED "IN RED" AND IS/ATEX IN DESCRIPTION. NOTE: ALL IS/ATEX APPROVED RADIO ACCESSORIES HAVE BEEN DEEMED SAFE FOR USE WITH AN IS/ATEX APPROVED RADIO WITH SUITABLE RATING AND ENTITY PARAMETERS.						

Don't see it here? Check our website: www.otto-comm.com

Motorola



CLP Series

3 YR	2 YR	1 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
ML						
COMMERCIAL SURVEILLANCE KITS						
	X		X	E1-1W2ML131	OTTO LOC 1 Wire Kit and in-line PTT and Mic (requires earpiece, see page 15), black	



SL300, SL7000, SL7500, SL7550, SL4000, SL4010

3 YR	2 YR	1 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
SL						
COMMERCIAL SURVEILLANCE KITS						
	X			E1-1W2SL131	OTTO LOC 1 Wire Kit and in-line PTT and Mic (requires earpiece, see page 15), black	

Motorola

**EX500/EX560/EX600/GL200/GL2000/GP328PLUS
GP338PLUS/GP344/GP388/PRO5150ELITE/PRO7150
ELITE7150/ELITE9150**



3 YR	2 YR	1 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
MM						
PROFESSIONAL SURVEILLANCE KITS						
X			X	V1-10778	2 Wire Kit, black	

Don't see it here? Check our website: www.otto-comm.com

Motorola

**XPR 3300/3500 Series, DP3441, APX3000/8000, DP2000,DP2400, DP2600,
DP 3441MTP3100/3150/3200/3250/3500/3550**



3 YR	2 YR	1 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
MR						
PROFESSIONAL SURVEILLANCE KITS						
X				V1-11552	3 Wire Kit, black	
COMMERCIAL SURVEILLANCE KITS						
	X			E1-1W2MR131	OTTO LOC 1 Wire Kit and in-line PTT and Mic (requires earpiece, see page 15), black	
	X			E1-2W2MR131	OTTO LOC 2 Wire Kit with in-line PTT and Mic (requires earpiece, see page 15), black	
	X		X	E1-EA2MR131	1 Wire Earphone Kit with in-line PTT and Mic, with quick disconnect acoustic tube, black	
	X			E1-10014	2 Wire Kit, black	
	X			E1-ET2MR131	Adjustable Rotating Ear Hanger with in-line PTT and Mic, black	
COMMERCIAL SPEAKER MICROPHONE						
				V2-R2MR5112	Revo NC2 Noise Canceling with coiled cord, 3.5mm earphone jack	
	X			E2-RE2MR5111	Revo NC1 Noise Canceling with coiled cord, 3.5mm earphone jack	
PROFESSIONAL HEADSETS						
X				V4-10902	Profile with pigtail and modular connector (requires cable)	
				V3-10819	Modular coiled cable for Profile headset, in-line PTT	
X				*V4-HN2MR3B	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with standard PTT and 2.5mm pigtail for remote PTT & NoisEz™ ear tips	
X				*V4-HS2MR3B	H3 with SureFire™ noise reducing filters, lightweight, dual speaker, behind-the-head with standard PTT and 2.5mm pigtail for remote PTT	
*FOR REMOTE PTT ACCESSORIES USED WITH 2.5MM PIGTAIL JACK SEE PAGE 14.						

Vertex/Motorola

RADIO	CONNECTOR	PAGE #
EVX531	VD	68
EVX534	VD	68
EVX539	VD	68
FT60-R	VD	68
V4-450	VD	68
V4-451	VD	68
VX131	VD	68
VX160	VD	68
VX180	VD	68
VX210	VD	68
VX-210A	VD	68
VX230	VD	68
VX231	VD	68
VX260	VD	68
VX320	VD	68
VX321	VD	68
VX350	VD	68
VX351	VD	68
VX354	VD	68
VX400	VD	68
VX410	VD	68
VX414	VD	68
VX417	VD	68
VX420	VD	68
VX420A LTR	VD	68
VX424	VD	68
VX454	VD	68
VX459	VD	68
VX539	VD	68
VX820	VJ	69
VX821	VJ	69
VX824	VJ	69
VX829	VJ	69
VX920	VJ	69
VX921	VJ	69
VX924	VJ	69
VX929	VJ	69
VXD720	VJ	69
EVX-S24	VK	69



Don't see it here? Check our website: www.otto-comm.com


Vertex/Motorola

**FT60R/VX131/VX160/VX180/VX210/VX210A/VX260 SERIES/VX230/VX231/
VX414/VX320/VX321/VX350/VX351/VX354/VX410/VX417/VX420/
VX420A LTR/VX424/VX400/VX450/VX451/VX454/VX459/ EVX531/534/539**



3 YR	2 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
VD					
PROFESSIONAL SURVEILLANCE KITS					
X		X	V1-10617	2 Wire Kit, black	
X			V1-10727	2 Wire Kit, beige	
X			V1-10618	3 Wire Mini Lapel Microphone Kit, heavy duty cable, black	
PROFESSIONAL SPEAKER MICROPHONES					
X		X	V2-R2VD5112	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack	
X			V2-10169	Evolution with coiled cord, volume control, 2.5mm earphone jack	
X			V2-S2VD11111	Storm with coiled cord, volume control, 2.5mm earphone jack	
PROFESSIONAL HEADSETS					
X		X	V4-HN2VD5	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with mini PTT and NoisEz™ ear tips	
X			V4-10405	Classic behind-the-head, dual speaker, heavy duty with standard PTT	
X			V4-10406	ClearTrak, behind-the-head, dual speaker, extreme noise with earcup PTT	
X			V4-10902	Profile with pigtail and modular connector (requires cable)	
X			V3-10908	Modular coiled cable for Profile headset, in-line PTT	
COMMERCIAL SURVEILLANCE KITS					
	X	X	E1-1W2VD131	OTTO LOC 1 Wire Kit and in-line PTT and Mic (requires earpiece, see page 15), black	
	X		E1-2W2VD131	OTTO LOC 2 Wire Kit with in-line PTT and Mic (requires earpiece, see page 15), black	
	X		E1-EL2VD131	Earloop with Earbud, in-line PTT and Mic, black	
COMMERCIAL SPEAKER MICROPHONES					
	X		V2-L2VD11	Low Profile with coiled cord, 2.5mm earphone jack	
	X	X	E2-RE2VD5111	Revo NC1™ Noise Canceling with coiled cord, 3.5mm earphone	
COMMERCIAL HEADSETS					
	X		V4-BA2VD1	Breeze, lightweight, behind-the-head, single speaker with standard PTT	

Vertex/Motorola



VX820/VX821/VX824/VX829/VX920/VX921/VX924/VX929/VXD720

3 YR	2 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
VJ					
PROFESSIONAL SURVEILLANCE KITS					
X			V1-10815	2 Wire Kit, black	
COMMERCIAL SURVEILLANCE KITS					
	X	X	E1-1W2VJ131	OTTO LOC 1 Wire Kit and in-line PTT and Mic (requires earpiece, see page 15), black	
PROFESSIONAL SPEAKER MICROPHONES					
X			V2-10318	Evolution with coiled cord, volume control and 2.5mm earphone jack	
X			V2-S2VJ11111	Storm with coiled cord, volume control with 2.5mm earphone jack	
PROFESSIONAL HEADSETS					
X			V4-10519	Classic over-the-head, dual speaker, heavy duty with standard PTT	
X			V4-10775	ClearTrak, behind-the-head, dual speaker, heavy duty with standard PTT	



EVX-S24

3 YR	2 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
VX					
COMMERCIAL SURVEILLANCE KITS					
	X	X	E1-EC2VK131	2 Wire Earphone Kit with in-line PTT and Mic, with quick disconnect acoustic tube black	

Don't see it here? Check our website: www.otto-comm.com

Airbus

RADIO	CONNECTOR	PAGE #
THR800	NH	71
THR880i	NH	71
THR9	AB	71



Airbus

THR800/THR880i



3 YR	2 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
NH					
PROFESSIONAL SURVEILLANCE KITS					
X		X	V1-10845	2 Wire Kit, heavy duty cable, black	
X			V1-11088	2 Wire Kit, heavy duty cable, beige	
PROFESSIONAL SPEAKER MICROPHONES					
X			V2-10340	Evolution with coiled cord, volume control, 3.5mm earphone jack	



THR9

3 YR	2 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
AB					
PROFESSIONAL SPEAKER MICROPHONES					
X			V2-R2AB5112	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, digital emergency button	
PROFESSIONAL HEADSETS					
X			V4-11080	Classic over-the-head, dual speaker heavy duty, with standard PTT	
X			*V4-HN2AB1	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with standard PTT and NoisEz™ ear tips	
X			V4-HS2AB1	H3 with SureFire™ filters, lightweight, dual speaker, behind-the-head with standard PTT	
COMMERCIAL HEADSETS					
	X		V4-BA2AB1	Breeze, lightweight, behind-the-head, single speaker with standard PTT	
TACTICAL HEADSETS					
X			V4-11081	Tactical II™ with soft earcup, boom microphone, black Velcro™ head strap and elastic band with Body PTT	

*FOR REMOTE PTT ACCESSORIES USED WITH 2.5MM PIGTAIL JACK SEE PAGE 14.

Don't see it here? Check our website: www.otto-comm.com

Motorola Tetra

RADIO	CONNECTOR	PAGE #
DP2400	MR	76
DP2600	MR	76
MTH650	MO	73
MTH700	MO	73
MTH800	MO	73
MTH850	MO	73
MTP3100	MR	76
MTP3150	MR	76
MTP3200	MR	76
MTP3250	MR	76
MTP3500	MR	76
MTP3550	MR	76
MTP850	MO	73
MTP850EX	MJ	73
MTP850S	MF	74-75
XPR3300/3500 Series	MR	76



MO
SIDE
CONNECTOR



MJ



MF



MR

Motorola Tetra

MTH650/MTH700/MTH800/MTH850/MTP850



3 YR	2 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
MO					
PROFESSIONAL SURVEILLANCE KITS					
X			V1-10891	1 Wire Earphone Kit, with 5" coil cord acoustic tube	
X		X	V1-10804	2 Wire Kit, heavy duty cable with side connector, black	
X			V1-10803	2 Wire Kit, heavy duty cable with side connector, beige	
X			V1-10942	3 Wire Mini Lapel with Flat PTT Microphone Kit, black	
COMMERCIAL SURVEILLANCE KITS					
	X		E1-2W2M0131	OTTO LOC 2 Wire Kit with in-line PTT and Mic (requires earpiece, see page 15), black	
WIRELESS ACCESSORIES FOR PROFESSIONAL SURVEILLANCE KITS AVAILABLE ON PAGE 15.					



MTP850EX

3 YR	2 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
MJ					
PROFESSIONAL SPEAKER MICROPHONES					
	X		V2-10375-S	Evolution with coiled cord, volume control, 3.5mm earphone jack with MTP850EX only IS/ATEX Approved (MJ Connector)	
ALL INTRINSICALLY SAFE APPROVED PRODUCTS ARE INDICATED "IN RED" AND IS/ATEX IN DESCRIPTION. NOTE: ALL IS/ATEX APPROVED RADIO ACCESSORIES HAVE BEEN DEEMED SAFE FOR USE WITH AN IS/ATEX APPROVED RADIO WITH SUITABLE RATING AND ENTITY PARAMETERS.					

Don't see it here? Check our website: www.otto-comm.com

Motorola Tetra



MTP850EX

3 YR	2 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
MF					
PROFESSIONAL SURVEILLANCE KITS					
X		X	V1-11046	2 Wire Kit, black	
X			V1-11048	2 Wire Kit, beige	
COMMERCIAL SURVEILLANCE KITS					
	X		E1-1W2MF131	OTTO LOC 1 Wire Kit and in-line PTT and Mic (requires earpiece, see page 15), black	
	X		E1-2W2MF131	OTTO LOC 2 Wire Kit with in-line PTT and Mic (requires earpiece, see page 15), black	
PROFESSIONAL SPEAKER MICROPHONES					
X			V2-G4MF211	OTTO 500 with Fire-Tuff™ coiled cable	
X			V2-R2MF5112	Revo NC2 Noise Canceling with coiled cord, 3.5mm earphone jack	
X		X	V2-S2MF11111	Storm with coiled cord, volume control and 2.5mm earphone jack	
X			V2-S2MF11111-S	Storm with coiled cord, volume control and 2.5mm earphone jack	
COMMERCIAL SPEAKER MICROPHONES					
	X		E2-RE2MF5111	Revo NC1™ Noise Canceling with coiled cord, 3.5mm earphone jack	
ALL INTRINSICALLY SAFE APPROVED PRODUCTS ARE INDICATED "IN RED" AND IS/ATEX IN DESCRIPTION. NOTE: ALL IS/ATEX APPROVED RADIO ACCESSORIES HAVE BEEN DEEMED SAFE FOR USE WITH AN IS/ATEX APPROVED RADIO WITH SUITABLE RATING AND ENTITY PARAMETERS.					
WIRELESS ACCESSORIES FOR PROFESSIONAL SURVEILLANCE KITS AVAILABLE ON PAGE 15.					

Motorola Tetra

MTP8505



INT'L MOTOROLA TETRA

3 YR	2 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
MF					
PROFESSIONAL HEADSETS					
X			V4-10902	Profile with pigtail and modular connector (requires cable)	
			V3-10786	Modular coiled cable for Profile headset, in-line PTT	
X			V4-HS2MF3B	H3 with SureFire™ filters, lightweight dual speaker, behind-the-head with standard PTT and 2.5mm pigtail for optional remote PTT	
X			*V4-HN2MF3B	Hurricane II, lightweight, dual speaker, 29dB reduction, behind-the-head, with standard PTT and 2.5mm pigtail for remote PTT and NoisEz™ ear tips	
X			V4-10693	Classic over-the-head, dual speaker, heavy duty, with standard PTT	
X			V4-10694-S	Classic behind-the-head, dual speaker, heavy duty with standard PTT -IS/ATEX Approved	
X		X	V4-10785	ClearTrak, behind-the-head, dual speaker, heavy duty, extreme noise canceling, PTT on earcup	
COMMERCIAL HEADSETS					
X			V4-SP2MF5	Lightweight Premium dual ear with swivel ear cup, mini PTT, noise canceling microphone	
X			V4-DP2MF5	Lightweight Premium single ear, mini PTT, noise canceling boom microphone	
X			V4-BA2MF1	Breeze, lightweight, behind-the-head, single speaker with standard PTT	
TACTICAL THROAT MICROPHONE SYSTEMS					
X			V1-T12MF117	Tactical Throat Microphone, with acoustic tube and 80mm PTT and ring PTT	
ALL INTRINSICALLY SAFE APPROVED PRODUCTS ARE INDICATED "IN RED" AND IS/ATEX IN DESCRIPTION. NOTE: ALL IS/ATEX APPROVED RADIO ACCESSORIES HAVE BEEN DEEMED SAFE FOR USE WITH AN IS/ATEX APPROVED RADIO WITH SUITABLE RATING AND ENTITY PARAMETERS.					
*FOR REMOTE PTT ACCESSORIES USED WITH 2.5MM PIGTAIL JACK SEE PAGE 14.					
REFER TO THE MOTOROLA ADAPTER PAGE FOR CHANGING RADIOS/ACCESSORIES.					

Don't see it here? Check our website: www.otto-comm.com

Motorola Tetra

**XPR3300/3500 SERIES DP2400 DP2600/
MTP3100/3150/3200/3250 3500/3550**



3 YR	2 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
MR					
PROFESSIONAL SURVEILLANCE KITS					
X			V1-11552	3 Wire Kit, black	
COMMERCIAL SURVEILLANCE KITS					
	X		E1-1W2MR131	OTTO LOC 1 Wire Kit and in-line PTT and Mic (requires earpiece, see page 15), black	
	X		E1-2W2MR131	OTTO LOC 2 Wire Kit with in-line PTT and Mic (requires earpiece, see page 15), black	
	X	X	E1-EA2MR131	1 Wire Earphone Kit with in-line PTT and Mic, with quick disconnect acoustic tube	
	X	X	E1-ET2MR131	1 Wire Earphone Kit with rotating ear hanger, in-line PTT & Mic	
	X		E1-10014	2 Wire Kit, black	
COMMERCIAL SPEAKER MICROPHONES					
	X		E2-RE2MR5111	Revo NC1™ Noise Canceling with coiled cord, 3.5mm earphone jack	
PROFESSIONAL HEADSETS					
X			V4-10902	Profile Headset w/pigtail and modular connector (requires cable)	
			V3-10819	Modular coiled cable for Profile headset, in-line PTT	
WIRELESS ACCESSORIES FOR PROFESSIONAL SURVEILLANCE KITS AVAILABLE ON PAGE 15.					
REFER TO THE MOTOROLA ADAPTER PAGE FOR CHANGING RADIOS/ACCESSORIES.					

Sepura

RADIO	CONNECTOR	PAGE #
STP8000	ST	78
STP9000	ST	78
STP9100	ST	78
STP9200	ST	78
SC2020	ST	78
SC2024	ST	78



Don't see it here? Check our website: www.otto-comm.com

Sepura

STP8000 /STP9000 /STP9100
STP9200 /SC2020 /SC2024



3 YR	2 YR	BEST MOVER	PART NUMBER	DESCRIPTION	
ST					
PROFESSIONAL SURVEILLANCE KITS					
X		X	V1-10974	2 Wire Kit, heavy duty cable, black	
X			V1-11546	3 Wire Kit, black	
COMMERCIAL SURVEILLANCE KITS					
	X		E1-1W2ST131	OTTO LOC 1 Wire Kit and in-line PTT and Mic (requires earpiece, see page 15), black	
	X		E1-2W2ST131	OTTO LOC 2 Wire Kit with in-line PTT and Mic (requires earpiece, see page 15), black	
PROFESSIONAL SPEAKER MICROPHONES					
X			V2-R2ST5212	Revo NC2™ Noise Canceling with coiled cord, 3.5mm earphone jack, emergency button	
X		X	V2-10373	Evolution with coiled cord, volume control, 3.5mm earphone jack, emergency button	
PROFESSIONAL HEADSETS					
X			V4-10902	Profile with pigtail and modular connector (requires cable)	
X			V3-10863	Modular coiled cable for Profile headset, in-line PTT	
X			V4-HS2ST1	H3 with SureFire™ filters, lightweight, dual speaker, behind-the-head with standard PTT	
WIRELESS ACCESSORIES FOR PROFESSIONAL SURVEILLANCE KITS AVAILABLE ON PAGE 15.					

WARRANTY

OTTO makes the following warranty to purchasers of OTTO's products who buy direct from OTTO and from OTTO's authorized distributors. OTTO warrants that it's products will meet the nominal performance criteria stated in OTTO's printed publications and proposals and will be free from defects in material and workmanship. See warranty chart below and accessories listings on radio pages for specific product warranties. If a warranty claim is properly submitted, OTTO will inspect the OTTO product at OTTO's factory and will repair or replace, at OTTO's sole option, the product if defective. To properly submit a warranty claim the Purchaser must obtain OTTO's prior written authorization, must bear all costs of disassembly, and prepay all expenses of shipping the product to OTTO's factory, and must agree to pay all expenses for returning the product from OTTO's factory and reassembly. This warranty voided if any repair or replacement is made or attempted on any OTTO product by anyone other than authorized OTTO personnel at OTTO's factory without prior written consent, if the product has been altered by the customer, or if there has been any misuse or misapplication of the OTTO product, OTTO's only liability under its warranty is as stated above. OTTO makes no warranty (1) to anyone who purchases or acquires any OTTO product from any source other than OTTO or its authorized distributors, (2) to anyone who purchases, acquires or uses any other manufacturer's product in which any OTTO product is a component, (3) or any other manufacturer's products as a component in any OTTO product. OTTO shall not be liable for any incidental or consequential damage caused by the nonconformance of any OTTO product with this warranty.

THERE ARE NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE. (This warranty information is printed on the reverse side of OTTO's order acknowledgements)

PRODUCTS COVERED	LENGTH OF COVERAGE
Misc. Replacement Parts, Ear Insert, Eartube, Earplug, Eartip, Elbows, Acoustic Tube, Quick Disconnect Acoustic Tube Adapter, Earphone, Connector Cable, Cable Assemblies for Headsets and Remote Speaker Mics.	No Warranty
NoizeBarrier® Micro, NoizeBarrier® TAC and NoizeBarrier® Range SA, Bluetooth® Revo NC2™ battery.	12 Month Warranty
OTTO Connect intercom belt packs	18 Month Warranty
OTTO Adapters, Commercial Surveillance Kits, Listen Only, Commercial Speaker Microphones, Commercial Lightweight Headsets, Bluetooth® Revo NC2™ (excluding battery).	24 Month Warranty
OTTO Professional Surveillance Kits, Wireless Accessories, Professional Speaker Microphones, Professional Headsets, Throat Microphone, Tactical Headsets.	36 Month Warranty

Need to fix or replace your existing accessories?

We offer certain replacement parts for speaker mics, headsets, acoustic tubes, cables, and earphones.

For all your replacement parts, call OTTO Customer Service at +1-888-234-6886 (OTTO)

WE CAN HELP



Designed, Manufactured and Engineered in the U.S.A. for Over 60 Years.

www.otto-comm.com

Toll-free +1-888-234-6886

Direct +1-847-428-7171

Put Your Trust in OTTO Excellence

OTTO two-way communications accessories set the standard for clear communications, reliable performance and exceptional durability when it matters most. Built to exacting specifications to ensure flawless performance in a wide range of conditions, our products are the top choice of military forces, law enforcement agencies, public safety organizations, industrial, retail and commercial customers worldwide.

Proudly designed, engineered and manufactured in the U.S.A., OTTO products are put to the test every day by people who depend on crystal clear communications to do their jobs. Whether you need heavy-duty to lightweight headsets, rugged to low-profile speaker microphones, surveillance kits or intercom systems, you can trust OTTO for all your two-way communications accessories needs.

American Communication Systems

Discover the Power of Communications™

<http://www.ameradio.com>

