


Curb Boxes



- ❑ LARGE FOOT SURFACE - transmits load into the ground beneath the curb valve, rather than to the curb valve itself.
- ❑ CAST IRON - box is furnished with a cast iron lid and brass pentagon plug.
- ❑ SPRING-LOADED UPPER PART - telescopes into the base to allow for grade adjustment within the range given in the dimensional charts.
- ❑ OPTIONAL FOOT PIECES - provides a firm base for the curb valve and helps to prevent the curb valve from moving when the valve is operated.

MUELLER® CURB BOXES - IMPROVED EXTENSION TYPE WITH ARCH PATTERN BASE



Improved extension type curb box with arch pattern base - for 1/2" through 2" curb valves

The arch extends around the curb valve and has a large foot surface to transmit loads into the ground beneath the curb valve, rather than to the curb valve itself. The box is cast iron and is furnished with a cast iron lid and brass pentagon plug. The upper part of the box is spring loaded and telescopes into the base to allow for grade adjustment within the range given in the dimensions charts. Stationary rods (Stainless Steel optional), shut-off rods and pentagon keys are optional and are ordered separately.



Foot piece
(valve not included)

Optional foot pieces

Optional foot pieces provide a firm base for the curb valve and helps to prevent the curb valve from moving when the valve is operated. This is especially important when a plastic service line is used.

Box Selection

Curb valve and size	Box		Optional foot piece
	Catalog number	Inside diameter	
300™ Ball			
3/4"	H-10385	1-1/4"	H-10396
	H-10316	2"	H-10391
1"	H-10385	1-1/4"	H-10397
	H-10316	2"	H-10401**
1-1/2"	H-10386	1-1/4"	H-10400
	H-10336	2"	-
2"	H-10336	2"	-
Mark II®			
3/4"	H-10385	1-1/4"	H-10396
	H-10316	2"	H-10391
1"	H-10385	1-1/4"	H-10397
	H-10316	2"	H-10401**
1-1/4"	H-10336	2"	-
1-1/2"	H-10386	1-1/4"	H-10400
	H-10336	2"	-
2"	H-10336	2"	-
ORISEAL III®			
3/4"	H-10385	1-1/4"	H-10396
	H-10316	2"	H-10391
1"	H-10385	1-1/4"	H-10397
	H-10316	2"	H-10401**
ORISEAL®			
3/4"	H-10385	1-1/4"	H-10396
1"	H-10385	1-1/4"	H-10397
1-1/2"	H-10336	1-1/4"	H-10400
2"	H-10336	1-1/4"	H-10400

** Foot piece not useable with valves having IPS PE 110® Compression connections.

MUELLER® CURB BOXES - IMPROVED EXTENSION TYPE WITH ARCH PATTERN BASE



10.3

Shaded area indicates change Rev. 4-14

Dimensions and Optional Stationary Rod

H-10385 and H-10386 curb boxes

Curb box catalog number	Box length extended		Box length fully retracted		Weight		Optional stationary rod	
	in.	mm	in.	mm	lbs.	kg	Part number	Length (in.)
H-10385 1-1/4" upper section	24	610	17.75	450.8	13.8	6.2	84774	12-3/4
	30	762	20.50	520.7	14.8	6.7	84346	15
	36	914	26.50	673.1	16.0	7.3	84275	21
	42	1067	32.50	825.5	17.0	7.7	84233	27
	48	1219	38.50	977.9	18.3	8.3	84245	33
	54	1372	44.50	1130.3	19.3	8.7	84247	39
	60	1524	50.50	1287.7	20.3	9.2	84154	45
	66	1676	56.50	1435.1	21.5	9.8	84261	51
	72	1829	62.50	1587.5	22.8	10.3	84341	57
	78	1981	68.50	1739.9	24.0	10.9	84297	63
	84	2134	74.50	1892.3	25.0	11.3	84152	69
	90	2286	80.50	2044.7	26.0	11.8	88703	75
	96	2438	86.50	2197.1	27.0	12.2	84274	81
H-10386 1-1/4" upper section	24	610	21.00	533.0	18.5	8.4	580558	14
	30	762	21.00	533.0	19.8	9.0	580559	16
	36	914	26.50	673.1	21.0	9.5	580560	18
	42	1067	32.50	825.5	22.0	10.0	580561	24
	48	1219	38.50	977.9	23.3	10.5	580562	30
	54	1372	44.50	1130.3	24.3	11.0	580553	36
	60	1524	50.50	1287.7	25.5	11.6	580554	42
	66	1676	56.50	1435.1	26.5	12.0	580555	48
	72	1829	62.50	1587.5	27.8	12.6	580566	54
	78	1981	68.50	1739.9	29.0	13.2	580648	60
	84	2134	74.50	1892.3	30.0	13.6	580649	66
	90	2286	80.50	2044.7	31.0	14.1	580650	72
	96	2438	86.50	2197.1	32.0	14.5	580859	78

H-10316 and H-10336 curb boxes

Curb box catalog number	Box length extended		Box length fully retracted		Weight	
	in.	mm	in.	mm	lbs.	kg
H-10316 2" upper section	24	610	19.50	495.3	15.3	6.9
	30	762	21.00	533.0	16.0	7.3
	36	914	27.00	686.0	16.8	7.6
	42	1067	33.00	838.0	17.5	7.9
	48	1219	39.00	991.0	18.3	8.3
	54	1372	45.00	1143.0	19.0	8.6
	60	1524	51.00	1295.0	19.8	9.0
	66	1676	57.00	1448.0	20.3	9.2
	72	1829	63.00	1600.0	21.3	9.6
	78	1981	69.00	1753.0	22.0	10.0
	84	2134	75.00	1905.0	22.8	10.3
	90	2286	81.00	2057.0	23.5	10.7
	96	2438	87.00	2210.0	24.3	11.0
H-10336 2" upper section	24	610	21.25	539.8	18.0	8.2
	30	762	21.25	539.8	18.8	8.5
	36	914	27.00	686.0	19.5	8.8
	42	1067	33.00	838.0	20.3	9.2
	48	1219	39.00	991.0	21.0	9.5
	54	1372	45.00	1143.0	21.8	9.9
	60	1524	51.00	1295.0	22.5	10.2
	66	1676	57.00	1448.0	23.3	10.5
	72	1829	63.00	1600.0	24.0	10.9
	78	1981	69.00	1753.0	24.8	11.2
	84	2134	75.00	1905.0	25.5	11.6
	90	2286	81.00	2057.0	26.3	11.9
	96	2438	87.00	2210.0	27.0	12.2

Extra lids and plugs

Lids are cast iron with an integrally cast brass bushing which allows for easy removal of pentagon plug.

Curb Box Catalog number	Lid with plug part number	Plug only part number	
		Cast Iron	Brass
H-10316	89981	59478	63684
H-10336	89981	59478	63684
H-10385	89375	58039	63670
H-10386	89375	58039	63670



TO ORDER BOXES SPECIFY EXTENDED LENGTH, SIZE OF MINNEAPOLIS THREAD AND CATALOG NUMBER

MUELLER® CURB BOXES - EXTENSION TYPE WITH ARCH PATTERN BASE

Rev. 9-09 Shaded area indicates changes



Extension type curb box with arch pattern base-for 1/2" through 2" curb valves

The arched base rests on top of the valve and extends down around the valve head to help exclude dirt and debris. The box is cast iron and is furnished with a cast iron lid and brass pentagon plug (the H-10314 is furnished with a one piece lid that requires a spanner wrench to remove – wrench ordered separately). The upper part of the box is spring loaded and telescopes into the base to allow for grade adjustment within the range given in the dimension charts. Stationery rods, shut-off rods, and pentagon keys are optional and are ordered separately.

Box Selection

Curb valve and size	Box	
	Catalog number	Inside diameter
300™ Ball		
3/4"	H-10306	1-1/4"
	H-10308	1-1/2"
	H-10314	1"
	H-10334	1"
1"	H-10306	1-1/4"
	H-10308	1-1/2"
	H-10314	1"
	H-10334	1"
1-1/2"	H-10310	2"
Mark II®		
3/4"	H-10306	1-1/4"
	H-10308	1-1/2"
1"	H-10306	1-1/4"
	H-10308	1-1/2"
1-1/4"	H-10310	2"
	H-10314**	1"
	H-10334**	1"
1-1/2"	H-10310	2"
2"	H-10310	2"
ORISEAL III®		
3/4"	H-10306	1-1/4"
	H-10308	1-1/2"
	H-10314**	1"
	H-10334**	1"
1"	H-10306	1-1/4"
	H-10308	1-1/2"
	H-10314**	1"
	H-10334**	1"
Inverted key curb valve		
3/4"	H-10306	1-1/4"
	H-10308	1-1/2"
	H-10314**	1"
	H-10334**	1"
1"	H-10306	1-1/4"
	H-10308	1-1/2"
	H-10314**	1"
	H-10334**	1"

**The H-10314 and H-10334 boxes are the same except the H-10314 is furnished with a one piece lid, the H10334 has a combination lid and pentagon plug.

TO ORDER BOXES SPECIFY EXTENDED LENGTH, SIZE OF MINNEAPOLIS THREAD AND CATALOG NUMBER

MUELLER® CURB BOXES - EXTENSION TYPE WITH ARCH PATTERN BASE



10.5

Shaded area indicates change Rev. 9-09

Dimensions and Optional Stationary Rod

H-10306 and H-10308 curb boxes

Curb box catalog number	Box length extended		Box length fully retracted		Weight		Optional stationary rod	
	in.	mm	in.	mm	lbs.	kg	Part number	Length (in.)
H-10306 1-1/4" upper section	24	610	18.00	457.0	12.0	5.4	84774	12-3/4
	30	762	18.00	457.0	14.0	6.4	84346	15
	36	914	24.00	610.0	15.0	6.8	84275	21
	42	1067	30.00	762.0	16.0	7.3	84233	27
	48	1219	36.00	914.0	17.0	7.7	84245	33
	54	1372	42.00	1067.0	18.0	8.2	84247	39
	60	1524	46.00	1219.0	19.0	8.6	84154	45
	66	1676	54.00	1372.0	20.0	9.1	84261	51
	72	1829	60.00	1524.0	22.0	10.0	84341	57
	78	1981	66.00	1676.0	23.0	10.4	84297	63
	84	2134	72.00	1829.0	24.0	10.9	84152	69
	90	2286	78.00	1981.0	25.0	11.3	88703	75
H-10308 1-1/2" upper section	96	2438	84.00	2143.0	26.0	11.8	84274	81
	24	610	20.44	519.2	13.0	5.9	-	14
	30	762	20.44	519.2	15.0	6.8	84742	16
	36	914	24.00	610.0	16.0	7.3	84256	18
	42	1067	30.00	762.0	17.0	7.7	84326	24
	48	1219	36.00	914.0	18.0	8.2	84305	30
	54	1372	42.00	1067.0	20.0	9.1	84338	36
	60	1524	46.00	1219.0	21.0	9.5	84353	42
	66	1676	54.00	1372.0	22.0	10.0	88702	48
	72	1829	60.00	1524.0	23.0	10.4	84255	54
	78	1981	66.00	1676.0	25.0	11.3	83299	60
	84	2134	72.00	1829.0	26.0	11.8	80643	66
	90	2286	78.00	1981.0	27.0	12.2	84832	72
	96	2438	84.00	2143.0	28.0	12.7	88139	78

H-10306 and H-10308 curb boxes

Curb box catalog number	Box length extended		Box length fully retracted		Weight		Optional stationary rod	
	in.	mm	in.	mm	lbs.	kg	Part number	Length (in.)
H-10310 2" upper section	24	610	21.44	544.5	21.0	9.5	-	-
	30	762	21.44	544.5	23.0	10.4	84146	15
	36	914	24.00	610.0	25.0	11.3	84162	21
	42	1067	30.00	762.0	27.0	12.2	84147	27
	48	1219	36.00	914.0	28.0	12.7	84176	33
	54	1372	42.00	1067.0	30.0	13.6	84139	39
	60	1524	46.00	1219.0	32.0	14.5	84140	45
	66	1676	54.00	1372.0	34.0	15.4	84128	51
	72	1829	60.00	1524.0	35.0	15.9	84143	57
	78	1981	66.00	1676.0	37.0	16.8	84222	63
	84	2134	72.00	1829.0	39.0	17.7	84169	69
	90	2286	78.00	1981.0	41.0	18.6	-	75
H-10314 and H-10334 1" upper section	96	2438	84.00	2143.0	43.0	19.5	-	81
	24	610	18.00	457.0	9.5	4.3	82875	11.25
	30	762	18.00	457.0	10.0	4.5	82892	16.75
	36	914	24.00	610.0	11.0	5.0	82862	21.0
	42	1067	30.00	762.0	12.0	5.4	82863	27.0
	48	1219	36.00	914.0	14.0	6.4	82864	33.0
	54	1372	42.00	1067.0	15.0	6.8	82865	39.0
	60	1524	46.00	1219.0	16.0	7.3	82866	45.0
	66	1676	54.00	1372.0	17.0	7.7	82867	51.0
	72	1829	60.00	1524.0	18.0	8.2	82868	57.0
	78	1981	66.00	1676.0	19.0	8.6	82869	63.0
	84	2134	72.00	1829.0	20.0	9.1	82870	69.0
	90	2286	78.00	1981.0	21.0	9.5	82871	75.0

Extra lids and plug

Lids are cast iron with an integrally cast brass bushing which allows for easy removal of pentagon plug.



Lid with Plug



Plug only



One piece lid

Curb Box Catalog number	One piece lid part number	Lid with brass pentagon plug - part number	Lid with brass bushing and cast iron plug	Plug only part number	
				Cast Iron	Brass
H-10306	-	89369	89375	58039	63670
H-10086	-	581642	89980	58116	63683
H-10310	89982	681714	89981	59478	63684
H-10314	-	-	-	-	-
H-10334	-	89376	89376	-	36571

* Stationary rods are supplied with H-10314 and H-10334 only. Stationary rods are optional with all other boxes shown on this page and must be ordered separately.

** The H-10314 and H-10334 boxes are the same except the H-10314 is furnished with a one piece lid, the H-10334 has a combination lid and pentagon plug.

TO ORDER BOXES SPECIFY EXTENDED LENGTH, SIZE OF MINNEAPOLIS THREAD AND CATALOG NUMBER

MUELLER® CURB BOXES - EXTENSION TYPE WITH MINNEAPOLIS PATTERN BASE

Rev. 9-09 Shaded area indicates changes



Extension type curb box with Minneapolis pattern base - for 1/2" through 2" curb valves

The base is tapped to attach to the threaded top of the Minneapolis pattern curb valves. This arrangement helps to prevent frost heave from separating the box from the valve, and excludes dirt and debris. The box is cast iron and is furnished with a cast iron lid and pentagon plug (the H-10312 is furnished with a one piece lid that requires a spanner wrench to remove –wrench ordered separately). The upper part of the box is spring loaded and telescopes into the base to allow for grade adjustments within the range given in the dimension charts. Stationary rods, shut-off rods, and pentagon keys are optional and are ordered separately.

Box Selection

Curb valve and size	Box		
	Catalog number	Inside diameter	Base tapping
300" Ball			
3/4"	H-10300	1-1/4"	1-1/2"
	H-10302	1-1/2"	2-1/2" (1-1/2" bushing)
	H-10312**	1"	1-1/2"
	H-10332**	1"	1-1/2"
	H-10300-99008	1-1/4"	2" (1-1/2" bushing)
	H-10302-99004	1-1/2"	2" (1-1/2" bushing)
1"	H-10300	1-1/4"	1-1/2"
	H-10302	1-1/2"	2-1/2" (1-1/2" bushing)
	H-10312**	1"	1-1/2"
	H-10332**	1"	1-1/2"
	H-10300-99008	1-1/4"	2" (1-1/2" bushing)
	H-10302-99004	1-1/2"	2" (1-1/2" bushing)
1-1/2"	H-10300-99002	1-1/4"	2"
	H-10302-99005	1-1/2"	2"
	H-10302-99007	1-1/2"	2-1/2" (2" bushing)
	H-10312-99000	1"	2"
	H-10332-99000	1"	2"
2"	H-10300-99002	1-1/4"	2"
	H-10302-99005	1-1/2"	2"
	H-10302-99007	1-1/2"	2-1/2" (2" bushing)
	H-10312-99000	1"	2"
	H-10332-99000	1"	2"
Mark II®			
3/4"	H-10300	1-1/4"	1-1/2"
	H-10302	1-1/2"	2-1/2" (1-1/2" bushing)
	H-10312**	1"	1-1/2"
	H-10332**	1"	1-1/2"
	H-10300-99008	1-1/4"	2" (1-1/2" bushing)
	H-10302-99004	1-1/2"	2" (1-1/2" bushing)
1"	H-10302-99002	1-1/4"	2"
	H-10302-99005	1-1/2"	2"
	H-10312-99000	1"	2"
	H-10332-99000	1"	2"
1-1/4"	H-10302-99006	1-1/2"	2-1/2"
	H-10304	2"	2-1/2"
	H-10388	1-1/4"	2-1/2"
1-1/2"	H-10304-99000	2"	3"
	H-10304-99007	2"	3-1/2" (3" bushing)
2"	H-10304-99002	2"	3-1/2"
ORISEAL®			
3/4"	H-10300-99002	1-1/4"	2"
	H-10302-99005	1-1/2"	2"
	H-10312-99000	1"	2"
1"	H-10332-99000	1"	2"
	H-10302-99006	1-1/2"	2-1/2"
	H-10344	2"	2-1/2"
	H-10388	1-1/4"	2-1/2"

** The H-10312 and H-10332 are the same except that the H-10312 has a one piece lid and the H-10332 has a combination lid and pentagon plug.

TO ORDER BOXES SPECIFY EXTENDED LENGTH, SIZE OF MINNEAPOLIS THREAD AND CATALOG NUMBER

MUELLER® CURB BOXES - EXTENSION TYPE WITH MINNEAPOLIS PATTERN BASE



10.7

Shaded area indicates change Rev. 4-14

Dimensions and Optional Stationary Rod

H-10300, H-10302, and H-10304 curb boxes

Curb box catalog number	Box length extended		Box length fully retracted		Weight		Optional stationary rod	
	in.	mm	in.	mm	lbs.	kg	Part number	Length (in.)
H-10300 1-1/4" upper section	24	610	18.00	457.0	12.0	5.4	84774	12-3/4
	30	762	18.00	457.0	14.0	6.4	84346	15
	36	914	24.00	610.0	15.0	6.8	84275	21
	42	1067	30.00	762.0	16.0	7.3	84233	27
	48	1219	36.00	914.0	17.0	7.7	84245	33
	54	1372	42.00	1067.0	18.0	8.2	84247	39
	60	1524	46.00	1219.0	19.0	8.6	84154	45
	66	1676	54.00	1372.0	20.0	9.1	84261	51
	72	1829	60.00	1524.0	22.0	10.0	84341	57
	78	1981	66.00	1676.0	23.0	10.4	84297	63
	84	2134	72.00	1829.0	24.0	10.9	84152	69
	90	2286	78.00	1981.0	25.0	11.3	88703	75
H-10302 1-1/2" upper section	96	2438	84.00	2143.0	26.0	11.8	84274	81
	24	610	21.44	544.5	13.0	5.9	-	-
	30	762	21.44	544.5	15.0	6.8	84742	15
	36	914	24.00	610.0	16.0	7.3	84256	21
	42	1067	30.00	762.0	17.0	7.7	84326	27
	48	1219	36.00	914.0	18.0	8.2	84305	33
	54	1372	42.00	1067.0	20.0	9.1	84338	39
	60	1524	46.00	1219.0	21.0	9.5	84353	45
	66	1676	54.00	1372.0	22.0	10.0	88702	51
	72	1829	60.00	1524.0	23.0	10.4	84255	57
	78	1981	66.00	1676.0	25.0	11.3	83299	63
	84	2134	72.00	1829.0	26.0	11.8	80643	69
H-10304 1-1/2" upper section	90	2286	78.00	1981.0	27.0	12.2	84832	75
	96	2438	84.00	2143.0	28.0	12.7	88139	81
	24	610	21.44	544.5	21.0	9.5	-	-
	30	762	21.44	544.5	23.0	10.4	84146	15
	36	914	24.00	610.0	25.0	11.3	84162	21
	42	1067	30.00	762.0	27.0	12.2	84147	27
	48	1219	36.00	914.0	28.0	12.7	84176	33
	54	1372	42.00	1067.0	30.0	13.6	84139	39
	60	1524	46.00	1219.0	32.0	14.5	84140	45
	66	1676	54.00	1372.0	34.0	15.4	84128	51
	72	1829	60.00	1524.0	35.0	15.9	84143	57
	78	1981	66.00	1676.0	37.0	16.8	84222	63
	84	2134	72.00	1829.0	39.0	17.7	84169	69
	90	2286	78.00	1981.0	41.0	18.6	-	-
	96	2438	84.00	2143.0	43.0	19.5	-	-

H-10306 and H-10308 curb boxes

Curb box catalog number	Box length extended		Box length fully retracted		Weight		Optional stationary rod	
	in.	mm	in.	mm	lbs.	kg	Part number	Length (in.)
H-10312** and 10322** 1" upper section	24	610	18.00	457.0	9.5	4.3	84525	11.25
	30	762	18.00	457.0	10.0	4.5	82892	16.75
	36	914	24.00	610.0	11.0	5.0	82862	21.00
	42	1067	30.00	762.0	12.0	5.4	82863	27.00
	48	1219	36.00	914.0	14.0	6.4	82864	33.00
	54	1372	42.00	1067.0	15.0	6.8	82865	39.00
	60	1524	46.00	1219.0	16.0	7.3	82866	45.00
	66	1676	54.00	1372.0	17.0	7.7	82867	51.00
	72	1829	60.00	1524.0	18.0	8.2	82868	57.00
	78	1981	66.00	1676.0	19.0	8.6	82869	63.00
	84	2134	72.00	1829.0	20.0	9.1	82870	69.00
	90	2286	78.00	1981.0	21.0	9.5	82871	75.00
H-10388 1-1/4" upper section	96	2438	84.00	2143.0	22.0	10.0	82872	81.00
	24	610	18.00	457.0	9.5	4.3	82875	11.25
	30	762	18.00	457.0	10.0	4.5	82892	16.75
	36	914	26.50	673.1	14.5	6.6	84275	21.00
	42	1067	32.50	825.5	15.5	7.0	84233	27.00
	48	1219	38.50	977.9	16.5	7.5	84245	33.00
	54	1372	44.50	1130.3	17.5	7.9	84247	39.00
	60	1524	50.50	1282.7	18.5	8.4	84154	45.00
	66	1676	56.50	1435.1	19.5	8.8	84261	51.00
	72	1829	62.50	1587.5	21.5	9.8	84341	57.00
	78	1981	68.50	1739.9	22.5	10.2	84297	63.00
	84	2134	74.50	1892.3	23.5	10.7	84152	69.00
	90	2286	80.50	2044.7	24.5	11.1	88703	75.00

Extra lids and plug



Lid with Plug



Plug only



One piece lid

Curb box catalog number	One piece lid part number	Quantity per carton	Lid with plug part number	Quantity per carton	Plug part number only
H-10300	-	-	89375	10	58039
H-10302	-	-	89980	10	58116
H-10304	-	-	89991	10	59478
H-10312	89982***	10	-	-	-
H-10332	-	-	89376	10	36571

Optional Reducing

Bushing part number	Bushing size	Minneapolis thread size
H-10343	2"x1-1/2"	2"
	2-1/2"x1-1/2"	2-1/2"
	2-1/2"x2"	2-1/2"
	3-1/2"x3"	3-1/2"



***Standard marking is "WATER" – or specify optional "FIRE" or "SEWER"

*Stationary rods are supplied with H-10312 and H-10332 only. Stationary rods are optional with all other boxes within these pages and must be ordered separately.

** The H-10312 and H-10332 are the same except that the H-10312 has a one piece lid and the H-10332 has a combination lid and pentagon plug.

TO ORDER BOXES SPECIFY EXTENDED LENGTH, SIZE OF MINNEAPOLIS THREAD AND CATALOG NUMBER


Rev. 9-15 Shaded area indicates changes

**H-10321 Shut-off rod****Lengths: 2', 3', 4', 5', 6', 7', 8', 10', and 12'**

For use with all Buffalo type boxes and the following curb boxes: H-10300, H-10302, H-10304, H-10306, H-10308, H-10310, H- 10316, H-10336, H-10385, H- 10386, H-10387, H-10388 will fit stops and valves to 2" in size. One end is flattened like a chisel and the other end is pointed for digging ice or dirt away from lid of box. Made of steel.

**H-10322 Curb box key****Lengths: 2', 3', 4', 5' and 6'**

Designed especially for use with H-10312, H-10314, H-10332, and H-10334 Curb boxes. One end of the crossbar handle has a curved point for digging ice or dirt away from lid of box. Other end has a spanner wrench for removing lids from the H-10312 or H-10314 boxes. Made of steel.

**H-10330 Clean-out auger for 2-1/2"****Buffalo boxes****Lengths: 4', 5' and 6'****H -10331 Clean-out auger for 3"**
Buffalo boxes

Used to open clogged Buffalo type curb boxes quickly and easily. Eliminates digging up box to reach the curb stop. One end of the handle is pointed for digging ice or dirt away from lid of box. Rod and crossbar handle are made of steel and auger spiral is made of malleable iron.

**H-10356 Combination key****Lengths: 18", 27", 36", and 48"**

For use with Buffalo type curb boxes to remove screw in lid and operate stationary shut-off rods. Will not fit tee head of curb valves or stops.

**H-10323 Pentagon key - Ductile iron**

Used for operating the screws of MUELLER and Buffalo type curb boxes or repair lids. One end is pointed for digging ice or dirt away from lid of box. Other end is a hammer head. Fits standard water works pentagon.

MUELLER® CURB BOXES - OPTIONAL EQUIPMENT



VALVE &
HYDRANT

10.9

Shaded area indicates change Rev. 9-09

Repair Lids



H-10373



H-10373

H-10373 Repair lid for new style Buffalo type curb boxes

Size: 2-1/2"



H-10374



H-10373

H-10374 Repair lid for old style Buffalo type curb boxes

Sizes: 2-1/2", 3


The sizes (size of lid) refer to the Buffalo box size at the base, not the upper section. Both types of repair lids are heavily constructed of gray iron, have a stainless steel standard pentagon screw*, and the word "WATER" in raised letters.

Size of lid	Minimum diameter	Maximum diameter
2-1/2"	2-13/16"	3-3/4"
3"	3-3/8"	4-1/8"

Note: When the top section of the box is broken off completely, whether old or new style, always use the old style (H-10374) repair lid.

** Repair lids only.*

Curb Box Sleeve



Curb Box Sleeve Installed

H-10342 curb boxes having a 1" upper section.

This cast iron curb box sleeve provides a convenient method of setting a curb box in cement. It prevents cement from adhering to the lid, a condition which could make it difficult or even impossible to remove the lid. To install the sleeve, the lid is first removed from the box, the sleeve is slipped over the upper section, and the lid is replaced. The sliding upper section of the curb box is raised or lowered, along with the sleeve, to the level of the concrete as it is poured.

Curb box adapter



H-10344 Curb box adapter
Sizes: 2-1/2"x2", 3"x2", 3"x2-1/2", 3-1/2"x2", 3-1/2"x2-1/2"

Sizes	2-1/2"x2"	3"x2"	3"x2-1/2"	3-1/2"x2"	3-1/2"x2-1/2"
Size of male Minneapolis thread	2"	2"	2-1/2"	2"	2-1/2"
Size of female Minneapolis thread	2-1/2"	3"	3"	3-1/2"	3-1/2"

This cast iron curb box adapter allows a Minneapolis pattern curb box to be used on 1-1/4", 1-1/2", and 2" Minneapolis pattern curb valves and stops. The adapter will add 5" to the length of the box. These adapters are not recommended for boxes with 1" upper section.

Standard pentagon screw



This screw is used in Buffalo type curb box lids, is made of red brass, and has a standard pentagon head.
H-10324 Standard pentagon screw

10.10



VALVE &
HYDRANT

MUELLER® CURB BOXES

Rev. 9-15 Shaded area indicates changes



**VALVE &
HYDRANT**

www.uspvh.com
support@uspvh.com
