



# SCIENTIFIC PRODUCTS

Your Partner in Research and Manufacturing





# WELCOME TO MEDLINE

Founded in 1966, Medline's roots date back to 1910 when A.L. Mills, the great-grandfather of the current CEO and President, started sewing butcher's aprons in Chicago. He was soon approached by nuns from a nearby hospital and offered to help them make surgeon gowns and uniforms.

Since then, Medline has grown into the largest privately held manufacturer and distributor of health care supplies in the United States. Headquartered in Mundelein, IL, the company continues expanding its product line and reach.

Today, Medline provides more than 350,000 different products to life science and research institutions, pharmaceutical and medical device manufacturers, healthcare providers, animal health markets, career colleges, retail outlets and contract OEM partners.

While Medline has produced hundreds of catalogs in our history, we're pleased to introduce our first catalog specifically for the life science and pharmaceutical communities, with a focus on research, laboratory and manufacturing activities. However, we're not "just" a catalog company. Our nationwide team of specially trained representatives stands ready to call on your facility and help you with whatever supply needs you have.

Until we meet you face-to-face,

**CALL** | Medline Scientific 1-877-540-1289

**VISIT** | [www.medline.com/science](http://www.medline.com/science)

**MEET** | [ScientificService@medline.com](mailto:ScientificService@medline.com)



# CONTENTS

Apparel	4-11
Autoclave Supplies	12-14
Bags	15-17
Balances	18-19
Baths	20
Beakers	21-22
Blood Collection	23-24
Bottles	25-32
Carboys	33
Centrifuges	33-36
Controlled Environment/Cleanroom	37-39
Cryogenics	40-42
Cylinders	43
Desiccators	44-47
Dishes	48-50
Facilities	51-57
Film and Bench Paper	58
Flasks	59-61
Funnels	61
Gloves	62-66
Histology	67-70
Hot Plate/Stirrer	70
Microbiology Supplies	71
Microwell Plates	72
Microscopy	73-75
Needles and Syringes	76-77
Pipettes	78-85
Racks	86-87
Refrigerators/Freezers	88
Safety	89-97
Sample Preparation	98-100
Shaker/Mixer	101
Spatulas	102
Stirrers	103-106
Surgery and Dissection	107-115
Thermometry	116-118
Timers	119
Tubes	120-128
Test Tube Caps/Transport Tubes	128
Vials	129
Chemicals	130-134
Item Number Index	135-144
Alphabetical Index	145-149
Trademarks	150-151



### Medline Protective Sleeve Covers

- Microporous sleeves are made from white, microporous breathable laminate material which is impervious per ASTM F1670.
- For additional protection, Prevention Plus sleeves are made from an impervious and breathable material consisting of a hybrid film laminated between two layers of bi-component spunbond material. This results in impervious yet breathable protection.
- Covers are 20" and are made with elastic bands at both ends for wrist to upper arm coverage and a snug fit.

Item No.	Description	Pkg
NON18SLEEVE1	Microporous Breathable Sleeve Cover, White	200/cs
NON18P2SLEEVE	Prevention Plus Sleeve Cover, Blue	200/cs



### DuPont® IsoClean™ Sterile Sleeves

*Made of Tyvek® flashspun polyethylene*

- Feature bound seams, covered elastic wrist and bicep and are in white.
- Universal sizing with 6" wrist opening, 11" bicep opening and 18" length.
- Antistat treated during processing, these sleeves are Gamma sterilized and packaged in an ISO class 5 cleanroom.
- Individually packaged in an opaque bag and placed in double transparent poly liners.

Item No.	Description	Pkg
DUCIC501BWH00	18" Tyvek® Isoclean Sterile Sleeve	100/BX

Looking for Cleanroom/  
Controlled Environment  
Supplies?

SEE  
PAGES  
37-40

## Alpha ProTech Disposable Coveralls: Superior protection without sacrificing comfort

### ComforTech® Critical Cover® Coveralls

- Excellent barrier to fluids and particulates
- Low particle count/high filtration efficiency
- Static dissipative
- Suitable for use in Critical/Controlled environments
- Elastic wrist and ankle
- Available with attached hood and boots

Item No.	Description	Pkg
ALPCVJ40222	White, Medium	25/cs
ALPCVJ40223	White, Large	25/cs
ALPCVJ40224	White, X-Large	25/cs
ALPCVJ40225	White, XX-Large	25/cs
ALPCVJ40226	White, XXX-Large	25/cs
ALPCVJ40227	White, 4X-Large	25/cs
ALPCVJ40228	White, 5X-Large	25/cs



Looking for bouffant caps and shoe covers?

SEE  
PAGES  
94-97

## Disposable Coveralls: Match the protection and fit requirements you need

### Microporous Breathable Coveralls

- Made from impervious microporous breathable laminate material
- Zipper front with elastic wrists and ankles
- Comfortable for extended periods
- Available in white

Item No.	Description	Pkg
NONCV700L	Large	5/bg, 5 bgs/cs, 25/cs
NONCV700XL	X-Large	5/bg, 5 bgs/cs, 25/cs
NONCV700XXL	XX-Large	5/bg, 5 bgs/cs, 25/cs
NONCV700XXXL	XXX-Large	5/bg, 5 bgs/cs, 25/cs

### Prevention Plus Coveralls

- Traditional collar with elastic wrists and ankles
- Zippered front
- Impervious and breathable material of a hybrid film laminated between two layers of bi-component spunbond material
- Available in blue

Item No.	Description	Pkg
NONCVP2L	Large	5/bg, 5 bgs/cs, 25/cs
NONCVP2XL	X-Large	5/bg, 5 bgs/cs, 25/cs
NONCVP2XXL	XX-Large	5/bg, 5 bgs/cs, 25/cs
NONCVP2XXXL	XXX-Large	5/bg, 5 bgs/cs, 25/cs
NONCVP2XXXXL	XXXX-Large	5/bg, 5 bgs/cs, 25/cs




NONCV700L



NONCVP2L

Medline offers 4 different gown fabrics, which gives your facility the most choice. Medline gowns provide a wide cut in the chest and sleeves. The extra room makes them more comfortable. The long neck closure also allows for more adjustability in the chest area. All Medline gowns are latex-free. Medline gowns are color-coded by protection levels on the package insert, neck binding and gown pass card.



### Eclipse® Gowns

*Made of the latest SMS technologies, Eclipse gowns offer outstanding softness and enhanced breathability*

- Sterile, SMS gown with AAMI level 2 protection
- This lightweight fabric has great moisture evaporation, leaving the wearer cool and dry

Item No.	Description	Pkg
DYNJP2005	Small (41", 104cm)	30/cs
DYNJP2001	Large (43", 109 cm)	30/cs
DYNJP2002	X Large (47", 119 cm)	30/cs
DYNJP2003	XX Large (49", 124 cm)	18/cs
DYNJP2004	3XL (50", 127 cm)	18/cs
DYNJP2009	4XL (49", 124cm)	18/cs



### Eclipse Poly-Reinforced Gown

*Ideal for high-fluid cases*

- Sterile, SMS gown with AAMI level 4 protection
- Poly reinforced in the chest and sleeve of the gown, offering maximum protection in those areas


Item No.	Description	Pkg
DYNJP2201	Large (43", 109cm)	30/cs
DYNJP2202	X-Large (47", 119cm)	30/cs
DYNJP2203	XX-Large (49", 124cm)	18/cs
DYNJP2207	Impervious Sleeve Large	30/cs
DYNJP2208	Impervious Sleeve X-Large	30/cs
DYNJP2209	Impervious Sleeve XX-Large	18/cs



## Sirus® Gowns

- Sterile, SMS gown with AAMI level 3 protection
- Made of the most advanced SMS fabric available
- Five fabric layers provide excellent protection against fluids and pathogens

Item No.	Description	Pkg
DYNJP2001S	Large	20/cs
DYNJP2002S	X-Large	20/cs
DYNJP2003S	XX-Large	18/cs
DYNJP2004S	3X-Large	30/cs
DYNJP2005S	Small	18/cs
DYNJP2009S	4-XLarge	18/cs




## Aurora™ Gowns

*Premium fabric, combines both high performance with exceptional breathability*

- Aurora surgical gowns combine both exceptional barrier performance and superb breathability
- Sterile, SMS gown with AAMI level 3 protection
- The fabric's high hydrostatic head protects the wearer and its extreme breathability leaves the wearer feeling cool and unrestricted during procedures.

Item No.	Description	Pkg
DYNJP2701	Large	30/cs
DYNJP2702	X-Large	30/cs
DYNJP2703	XX-Large	18/cs
DYNJP2715	Small	30/cs



## Prevention Plus Gowns

*Prevention Plus gowns are completely impervious gowns, offering 360 degrees of protection.*

- Highest level of all-over protection, front-to-back, cuff-to-hem, by utilizing a breathable microporous technology to prevent fluid transmission
- With a microporous technology, Prevention Plus surgical gowns offer a superb combination of comfort and protection
- Meets ASTM test for viral penetration (ASTM F1671) and ASTM test for blood penetration (ASTM F1670)

Item No.	Description	Pkg
DYNJP2306P	Large	24/cs
DYNJP2307P	X-Large	24/cs
DYNJP2308P	XX-Large	22/cs
DYNJP2301P	X-Long and Large	24/cs
DYNJP2302P	X-Long and X-Large	24/cs
DYNJP2303P	X-Long and XX-Large	22/cs





### Polypropylene Isolation Gowns

Made from lightweight, fluid-repelling polypropylene. They are generously sized for full coverage and flexibility, and designed with classic neck and waist ties with elastic wrists.

Item No.	Size	Color	Pkg
CRI4000	Regular/ Large	Yellow	10/bag, 5 bags/case, 50/case
CRI4001	X-Large	Yellow	10/bag, 5 bags/case, 50/case
CRI4000B	Regular/ Large	Blue	10/bag, 5 bags/case, 50/case
CRI4001G	X-Large	Green	10/bag, 5 bags/case, 50/case



### Polyethylene Thumbs Up® Gowns

These thumb loop style gowns are made from blue impervious polyethylene material. The gown is impervious per ASTM F1670 test method. The gowns are designed with an apron-style neck which enables gown to be placed on and off quickly and thumb loop-style wrists to keep sleeves from sliding. Gowns are individually folded and wrapped in a dispenser box.

Item No.	Size	Color	Pkg
CRI5000	Regular/ Large	Blue	1/bag, 15 each/box, 5 bx/case, 75/case
CRI5001	X-Large	Blue	1/bag, 15 each/box, 5 bx/case, 75/case



### Prevention Plus Gowns

These gowns are made from a breathable material which is impervious per ASTM F1671 test method. The gowns feature a hook-and-loop neck closure for easy on and off and are in blue with knit cuffs.

Item No.	Size	Pkg
NON27457M	Medium	10/bag, 3 bags/case, 30/case
NON27457	Regular/ Large	10/bag, 3 bags/case, 30/case
NON27457XL	X-Large	10/bag, 3 bags/case, 30/case
NON27457XXL	XX-Large	10/bag, 3 bags/case, 30/case





**Polyethylene-Coated Polypropylene ‘Open Back’ Gowns**

Offer high fluid protection that keeps you comfortable longer. These gowns are made from blue polyethylene-coated polypropylene material and generously sized for full coverage and flexibility. The design features an over-the-head style neck and choice of knit cuffs or thumb loop wrists. Impervious per ASTM F1670 test method.

Item No.	Size	Wrist	Pkg
NON27279OH	Regular/Large	Knit	10/bag, 5 bags/case, 50/case
NON27279OHXL	X-Large	Knit	10/bag, 5 bags/case, 50/case
NON27279OHTL	Regular/Large	Thumb Loop	10/bag, 5 bags/case, 50/case
NON27279OHTLX	X-Large	Thumb Loop	10/bag, 5 bags/case, 50/case

**Microporous Gowns**

High level fluid protection in a breathable material and is impervious per ASTM F1670 test method. The apron-style neck enables gown to be placed on and off quickly. Thumb loop style wrists keep sleeves from sliding up. The gowns are packaged individually folded and in a dispenser box.

Item No.	Size	Pkg
NONTH350	Regular/Large	1 each/bag, 8 each/box, 5 bx/case, 40/case
NONTH400	X-Large	1 each/bag, 8 each/box, 5 bx/case, 40/case



NONSW480XL



NONSW100S



NONSW1750M

## Medline Disposable Lab Coats

*Disposable lab coats protect and help prevent cross-contamination.*

- Lab coats are sized to fit just below the knee and are available in fluid-resistant, multi-layer nonwoven polypropylene or impervious microporous breathable materials.
- The coat design features knit cuffs, three reinforced pockets, back vent and convenient loop for hanging.
- Lab coats are available with traditional or knit collar.
- Zipper front lab coats feature zipper closure to prevent accidental opening of the coat from subjects or movement.
- Snap front lab coats have five snaps for easy wear and removal.

Item No.	Size	Pkg
<b>Zipper Front Lab Coat , Traditional Collar</b>		
NONSW480M	Medium	10/bag, 3 bags/case, 30/case
NONSW480L	Large	10/bag, 3 bags/case, 30/case
NONSW480XL	X-Large	10/bag, 3 bags/case, 30/case
NONSW480XXL	XX-Large	10/bag, 3 bags/case, 30/case
NONSW480XXXL	XXX-Large	10/bag, 3 bags/case, 30/case
<b>Snap Front Lab Coat , Traditional Collar</b>		
NONSW100S	Small	10/bag, 3 bags/case, 30/case
NONSW100M	Medium	10/bag, 3 bags/case, 30/case
NONSW100L	Large	10/bag, 3 bags/case, 30/case
NONSW100XL	X-Large	10/bag, 3 bags/case, 30/case
NONSW100XXL	XX-Large	10/bag, 3 bags/case, 30/case
NONSW100XXXL	XXX-Large	10/bag, 3 bags/case, 30/case
<b>Anti-Static Zipper Front Lab Coat , Knit Collar</b>		
NONSW1750M	Medium	10/bag, 3 bags/case, 30/case
NONSW1750L	Large	10/bag, 3 bags/case, 30/case
NONSW1750XL	X-Large	10/bag, 3 bags/case, 30/case
NONSW1750XXL	XX-Large	10/bag, 3 bags/case, 30/case
NONSW1750XXXL	XXX-Large	10/bag, 3 bags/case, 30/case



**Staff-Length, Unisex Lab Coats**

*Protection that continues to look good even after a long day*

- 80% polyester/20% cotton poplin fabric is easy to care for and resists wrinkles.
- 39" length, button-front styling, two lower pockets, one chest pocket with pencil slot and side vent openings for easy access to pant pockets.
- Contact us for our custom embroidery services.

Item No.	Pkg
MDT12WHT**	1/ea

\*\*Add size code 32E to 60E for sizes 32 to 60

**Unisex Knee-Length Lab Coat**

*41" length for added protection for your clothes against reagents, splashes or spills*

- These lab coats are made from a blend of 80% polyester/20% cotton poplin. It is easy to care for and wrinkle-resistant.
- Button-front styling, lapel collar, left breast pocket, two lower pockets, plain back and side slash openings for easy access for pant pockets.
- Contact us for our custom embroidery services.

Item No.	Pkg
83044QHW**	1/ea


\*\*Add size code XS (X-Small), S (Small), M (Medium), L (Large), XL (X-Large), XXL (2X-Large), XXXL (3X-Large).

**AngelStat® Unisex Reversible Scrub Top and Pants**

*55% cotton/45% polyester blend gets softer the more it's washed*

- **Style 610** Reversible unisex V-neck scrub top has a color-coded neck bias. Includes a left breast pocket inside and out, and set-in sleeves.
- **Style 600** Classic fit scrub pants with a back pocket are generously-sized. Four-panel construction and doublestitched seams. 31" inseam.

How to put together an item number:



**Sizes**

XS	Extra Small
S	Small
M	Medium
L	Large
XL	Extra Large
XXL	2X-Large
XXXL	3X-Large
4XL	4X-Large
5XL	5X-Large

Not all sizes available in all colors.

**Colors**

NCC	Charcoal
NTQ	White
NTZ	Misty
NGT	Light Grey
NNT	Navy
NRP	Regal Purple
NHT	Sapphire
NTH	Ciel
NBT	Peacock
NHG	Hunter
NJT	Emerald
NTJ	Jade
NTR	Raspberry

**Color Coding**

-CM	Medline
-CA	Angelica





### Bel-Art Clavies® Biohazard Autoclave Gloves

Soft, pliant, all-cotton terry cloth gloves are superb for handling hot objects out of the autoclave or oven, or for other heat protection in the lab.

- Clavies are heat-resistant up to 232°C (450°F) and can replace hazardous asbestos gloves.
- Gloves provide wrist and forearm protection with bright orange color for high visibility.
- Machine washable.

Item No.	Description	Pkg
BRT132010000	13"	12 pr/cs
BRT32010001CS	18-½"	12 pr/cs
BRT132010001	18-½"	1 pr



### Sterilization Indicators

*Sterilization indicator confirms sterile parameters have been achieved.*

- Steam indicator strips change from blue to black and not reversible. Use for gravity and vacuum cycles.
- Steam integrator strips measure the time, temperature and presence of steam in steam sterilizers with an irreversible and distinctive color change from purple to green.
- Bowie Dick packs detect air leaks in a pre-vacuum steam sterilizer at 270°F (132°C) at a minimum 3.5-minute exposure. Irreversible indication from blue to black.

Item No.	Description	Pkg
MDS200100	Steam Indicator Strip	250/bx
MDS200600	Steam Integrator Strip	250/pk
MDS200400	Bowie Dick Test Pack	30/cs

### Autoclave Tape

*Seal bags, bottles, packs or wraps with this adhesive tape.*



- Visually indicates that pack has been exposed to the steam sterilization cycle.
- Shows an irreversible and distinctive color change from beige to black.

Item No.	Description	Pkg
MDS200836	1" x 60 yd (2.5 cm x 55m), Beige	36/cs
MDS200846	1" x 60 yd (2.5 cm x 55m), Blue	36/cs
MDS200848	¾" x 60 yd (2.5 cm x 55m), Beige	48/cs
MDS200211	Tape Dispenser	1/ea



### Odo-Clave® Deodorant Pads

*Neutralize autoclave odors*

- Easy to use - simply unwrap small pad and place in each bag prior to autoclaving.
- Heat activated, convenient small pads are 32mm (1-¼") square.
- Packed 10 pads per bag, 10 bags per box.

Item No.	Description	Pkg
BRT131980000	Clove	100/bx, 10 bxs/cs
BRT131980001	Cherry	100/bx, 10 bxs/cs
BRT131980002	Pine	100/bx, 10 bxs/cs
BRT131980003	Lemon	100/bx, 10 bxs/cs
BRT131990000	Triple Strength, Clove	100//bx, 10 bxs/cs

## Self-Sealing Pouches

*Sterilization pouches usable in steam and ethylene*

- Easy fold feature for secure and repeatable sealing
- Strong durable paper
- Pouches are perforated
- Multi-language artwork

Item No.	Description	Pkg
MPOP3X5	3.5"x5.25"	2000/cs
MPOP3X5Z	3.5"x5.25"	200/bx
MPOP3X9	3.5"x9"	2000/cs
MPOP3X9Z	3.5"x9"	200/bx
MPOP5X10	5.25"x10"	2000/cs
MPOP5X10Z	5.25"x10"	200/bx
MPOP7X13	7.5"x13"	1000/cs
MPOP7X13Z	7.5"x13"	200/bx
MPP100550GS	5"x15"	1000/cs
MPP100550GSZ	5"x15"	200/bx
MPP100555GS	12"x15"	1000/cs
MPP100555GSZ	12"x15"	200/bx
MPP100558GS	12"x18"	1000/cs
MPP100558GSZ	12"x18"	200/bx
MPP100546GS	8"x16"	1000/cs
MPP100546GSZ	8"x16"	200/bx
MPP100565GS	3.5"x22"	1000/cs
MPP100565GSZ	3.5"x22"	200/bx



## Medi-Wrap

*Most versatile wrap handles  
all but the heaviest applications*


- Cellulose-based with a small percentage of polyester for added strength
- Perfect for general purpose-sterilization

Item No.	Description	Pkg
NON290118	Paper Wrap, 18"x18"	500/cs
NON290124	Paper Wrap, 24"x24"	500/cs
NON290130	Paper Wrap, 30"x30"	250/cs
NON290136	Paper Wrap, 36"x36"	250/cs
NON290145	Paper Wrap, 45"x45"	250/cs



Looking for  
Autoclaveable bags?

SEE  
PAGE  
15



**Gemini Wrap**

*Strong SMS material is tear and puncture resistant*

- Very soft and easy to fold, works well with a variety of item sizes
- 100% polypropylene material provides excellent barrier protection against fluids and particulates
- Choose heavier weight wraps when using wraps for larger items and heavier instruments

Item No.	Size	Pkg
<b>Lightweight</b>		
GEM1112	12" x 12"	1000/cs
GEM1115	15" x 15"	1000/cs
GEM1118	18" x 18"	1000/cs
GEM1120	20" x 20"	1000/cs
GEM1124	24" x 24"	500/cs
GEM1130	30" x 30"	300/cs
GEM1136	36" x 36"	300/cs
GEM1140	40" x 40"	250/cs
GEM1145	45" x 45"	250/cs
GEM1148	48" x 48"	250/cs
GEM1154	54" x 54"	100/cs

Item No.	Size	Pkg
<b>Regular</b>		
GEM2112	12" x 12"	1000/cs
GEM2115	15" x 15"	1000/cs
GEM2118	18" x 18"	1000/cs
GEM2120	20" x 20"	500/cs
GEM2124	24" x 24"	500/cs
GEM2130	30" x 30"	300/cs
GEM2136	36" x 36"	300/cs
GEM2140	40" x 40"	250/cs
GEM2148	48" x 48"	100/cs
GEM2154	54" x 54"	100/cs

Item No.	Size	Pkg
<b>Medium</b>		
GEM3118	18" x 18"	600/cs
GEM3120	20" x 20"	250/cs
GEM3124	24" x 24"	250/cs
GEM3130	30" x 30"	200/cs
GEM3136	36" x 36"	150/cs
GEM3140	40" x 40"	150/cs
GEM3145	45" x 45"	100/cs
GEM3148	48" x 48"	50/cs
GEM3154	54" x 54"	50/cs
GEM3172	54" x 72"	50/cs

Item No.	Size	Pkg
<b>Heavyweight</b>		
GEM4115	15" x 15"	600/cs
GEM4118	18" x 18"	600/cs
GEM4124	24" x 24"	250/cs
GEM4130	30" x 30"	250/cs
GEM4136	36" x 36"	150/cs
GEM4145	45" x 45"	100/cs
GEM4148	48" x 48"	50/cs
GEM4154	54" x 54"	50/cs
GEM4172	54" x 72"	50/cs

Item No.	Size	Pkg
<b>Super Heavyweight</b>		
GEM5136	36" x 36"	144/cs
GEM5140	40" x 40"	96/cs
GEM5145	45" x 45"	96/cs
GEM5148	48" x 48"	48/cs
GEM5154	54" x 54"	48/cs
GEM5172	54" x 72"	48/cs



## Autoclavable Bags and Holders

*Autoclavable bags come in a variety of colors and sizes to match your application, and biohazard bags include a sterilization indicator patch.*

- Clavies® bags are durable .05mm thick PP bags. These transparent bags are steam autoclavable at 135°C (275°F).
- Standard Biohazard bags are 1.5 mil thick and are made from virgin-grade polypropylene. These bags feature a pre-printed sterilization indicator patch, which darkens when bag is autoclaved. These red-colored bags are labeled with the standard biohazard warning symbol and precautionary protocols in four languages: English, French, German and Spanish. Bags can be autoclaved at 135°C (275°F).
- Super Strength biohazard disposal bags offer maximum protection against dangerous tears and leaks. The orange-red bags display the standard biohazard warning symbol and precautionary procedures in four languages; English, French, German and Spanish. Durable, extra heavy-duty bags are 2 mil thick blended polymer, autoclavable to 121° C (250° F) and feature a sterilization indicator patch that darkens when autoclaved.
- Sturdy wire holder keeps bags open while a separate hooked ring that rests over the top keeps them securely in place. Made from bright biohazard orange colored epoxy-coated wire.



Item No.	Description	Pkg
<b>Clavies® Autoclave Bags</b>		
BRT131820810	PP, 8"x10", 100/box	10 boxes/case
BRT131820812	PP, 8"x12", 100/box	10 boxes/case
BRT131820815	PP, 8"x15", 100/box	10 boxes/case
BRT131821010	PP, 10"x10", 100/box	10 boxes/case
BRT131821012	PP, 10"x12", 100/box	10 boxes/case
BRT131821015	PP, 10"x15", 100/box	10 boxes/case
BRT1851224CS	PP, 12"x24", 100/box	10 boxes/case
BRT1852436CS	PP, 24"x36", 100/box	10 boxes/case

<b>Biohazard Disposal Bags</b>		
BRT131641419	PP, WR, 14"x19"	200/bx
BRT131641923	PP, WR, 19"x23"	200/bx
BRT131642535	PP, WR, 25"x35"	200/bx
BRT131643138	PP, WR, 31"x38"	200/bx
BRT131643848	PP, WR, 38"x48"	100/bx

<b>Super Biohazard Disposal Bags</b>		
BRT131651419	PP, WR, 14"x19"	200/bx
BRT131651923	PP, WR, 19"x23"	200/bx
BRT131652535	PP, WR, 25"x35"	200/bx
BRT131653138	PP, WR, 31"x38"	200/bx

<b>Bag Holders</b>		
BRT131870000	7.3" dia x 20.5" H (18.5 cm x 52 cm), fits bag size 12" x 24" (30 x 61 cm)	1/ea
BRT131880000	14.6" dia x 23.5" H (37 cm x 60 cm), fits bag size 24" x 30" (61 x 76 cm)	1/ea
BRT131890000	14.6" dia x 29.5" H (37 cm x 75 cm), fits bag size 24" x 36" (61 x 91 cm)	1/ea





## Recloseable/Freezer Bags

*Ideal for clean and convenient storage.*

- Features a white block for clear labeling
- Made of durable 2 mil low-density, polyethylene plastic
- Available in a variety of sizes

Item No.	Description	Pkg
NONZIP35	3"x5", 2mil	1000/cs
NONZIP35Z	3"x5", 2mil	100/pk
NONZIP48	4"x8", 2mil	1000/cs
NONZIP48Z	4"x8", 2mil	100/bx
NONZIP58	5"x8", 2mil	1000/cs
NONZIP58H	5"x8", 2mil	1/ea
NONZIP58Z	5"x8", 2mil	100/pk
NONZIP69	6"x9", 2mil	1000/cs
NONZIP69H	6"x9", 2mil	1/ea
NONZIP69Z	6"x9", 2mil	100/pk
NONZIP810	8"x10", 2mil	1000/cs
NONZIP810Z	8"x10", 2mil	100/pk
NONZIP912	9"x12", 2mil	1000/cs
NONZIP912H	9"x12", 2mil	1/ea
NONZIP912Z	9"x12", 2mil	100/pk
NONZIP1215	12"x15", 2mil	1000/cs
NONZIP1215Z	12"x15", 2mil	100/bg



## Whirl-Pak® Sample Bags

*Saves space over other sample containers*

- By whirling or tightly folding the tab over three times, the Whirl-Pak® bag becomes a leakproof container.
- Bags handle temperatures up to 180 °F (82 °C), and can be frozen to any temperature, even liquid nitrogen - careful handling required after freezing.
- All bags are sterilized after manufacturing.
- Write-on version features a strip making sample identification easier and more convenient. The paper-like finish virtually eliminates ink smearing, and provides a surface that will accept a variety of writing instruments (e.g., pen, pencil, felt-tipped marker)

Item No.	Description	Pkg
NSCB00679WA	3"W x 7-¼" L, 4 oz.	500/BX
NSCB01009WA	3" W x 5" L, 2 oz.	500/BX
NSCB01062WA	Write-On, 3" W x 7-¼", 4oz.	500/BX



## Medline Bags and Liners

*Color, size and thickness for all your needs*

All Medline liners have a Star Seal/X-Seal bottom, which is the strongest part of the bag. Our seal stands up to almost anything. Here is a list of our most popular liners. If you can't find the bag you need, please check with your Medline Sales Representative or call 1-800-MEDLINE.

Item No.	Description	Pkg
<b>High and Low-Density Black Liners</b>		
NONHCR3710B	Black, 30" x 37", 30 gal, 10 mic	500/cs
NONTGG39XH	Black, 33" x 40", 33 gal, 1.39 mil	100/cs
NONTGG46XXH	Black, 40" x 46", 45 gal, 1.8 mil	100/cs
NON022231	Black, 40" x 46", 47 gal, .65 mil	100/cs
NONTGG58XHR	Black, 38" x 58" 60 gal, 1.35 mil	100/cs

<b>High and Low-Density Clear Liners</b>		
NON022225C	Clear, 33" x 39" 33 gal, .45 mil	250/cs
NONCHD40MC	Clear, 33" x 40", 33 gal, 10 mic	500/cs
NONCHD60HC	Clear, 36" x 58", 55 gal, 13 mic	200/cs
NONHCR62XC	Clear, 38" x 58", 60 gal, 17 mic	200/cs
NONPXC46X	Clear, 40" x 46", 45 gal, 1.0 mil	125/cs
NONCRPXC46XH	Clear, 40" x 46", 45 gal, 1.35 mil	100/cs

<b>Low-Density Red Biohazard Liners</b>		
NON152426	Red, 24" x 26", 10 gal, 1.5 mil	200/cs
NON153044	Red, 30" x 44", 30 gal, 1.5 mil	100/cs
NON203143	Red, 31" x 43", 33 gal, 2.0 mil	100/cs
NONHXR50	Red, 37" x 50", 45 gal, 1.2 mil	100/cs
NON204046	Red, 40" x 46", 45 gal, 2.0 mil	100/cs
NON1013604	Red, 40" x 46" 45 gal, 3.0 mil	50/cs
NON151212	Red, Ziplock, 12" x 12", 2.0 mil	1000/cs

### The X-SEAL design



- Improvement over traditional flat-sealed or gusseted bags, because it has no weak spots along the bottom seal where leaks could occur.
- Conforms easily to your container, distributing refuse evenly around the bag for maximum carrying capacity.





## A&D GF-Series Precision Balances

*User friendly, fast response, and superb accuracy*

- Super Hybrid Sensor (SHS) technology provides ultra fast responses, as quick as 1 second
- Modular sensor construction for lower ongoing maintenance and repair costs
- External calibration
- GLP/GMP/ISO compliant output of date, time, user-assigned balance ID, balance serial number and calibration data to computer or printer
- RS-232 standard serial interface; data memory function; 40 sets of weighing data with 20 sets of unit weight for counting mode
- Compact footprint for easy placement anywhere 210 x 317x 86 mm (8.27" x 12.48" x 3.39")
- Pan dimensions 128 x 128 mm (5.04" x 5.04") for 200 to 1000-g models, 165 x 165 mm (6.5" x 6.5") for 1200 to 4000-g models
- Splash resistant keyboard, easy-to-read fluorescent display and convenient front bubble leveling
- Standard underhook, ideal for density determination and weighing magnetic substances
- Units of measure include decimal ounce, Troy ounce, pennyweight, carat, momme, grain unit, pound and pound/ounce. Number of samples in Counting mode are 10, 25, 50 or 100 pieces.
- Operating temperature 5-40 °C (41 to 104 °F), non-condensing relative humidity 85% or less
- Sensitivity drift +/- 2ppm / °C



Item No.	Max./Min. weighing capacity	Repeatability (Std. deviation)	Linearity	Stabilization time (appx.)	Counting Mode Min. Unit Mass
AZDGF200	210g / 0.001g	0.001g	+/- .002g	1 second	0.001g
AZDGF300	310g / 0.001g	0.001g	+/- .002g	1 second	0.001g
AZDGF400	410g / 0.001g	0.001g	+/- .002g	1 second	0.001g
AZDGF600	610g / 0.001g	0.001g	+/- .003g	1 second	0.001g
AZDGF800	810g / 0.001g	0.001g	+/- .003g	1.5 seconds	0.001g
AZDGF1000	1100g / 0.001g	0.001g	+/- .003g	1.5 seconds	0.001g
AZDGF1200	1210g / 0.01g	0.01g	+/- .002g	1 second	0.01g
AZDGF2000	2100g / 0.01g	0.01g	+/- .002g	1 second	0.01g
AZDGF3000	3100g / 0.01g	0.01g	+/- .002g	1 second	0.01g
AZDGF4000	4100g / 0.01g	0.01g	+/- .002g	1 second	0.01g

## A&D Gemini™ Series Analytical Balance

*Internal calibration, large breeze break and compact footprint*

- Full Digital Calibration simplifies calibration by eliminating the need to continuously load and unload calibration weights to adjust Zero and Span
- Internal calibration with built-in, motor-driven calibration mass
- GLP/GMP/GCP/ISO compliant balance management. Outputs date, time, user-assigned balance ID, balance serial number and calibration data
- RS-232 bi-directional interface for use with PC, printer or remote display
- Data memory function stores 200 pieces of weigh data
- Time and date function complies with GLP and interval weighing within the data memory function
- Underhook capability for density measurement and weighing large or magnetic materials
- Compact footprint for easy placement anywhere 249 x 330 x 327 mm (9.80" x 12.99" x 12.87")
- Breeze break dimensions 178 x 160 x 233 mm (7.01" x 6.5" x 9.17")
- Pan diameter 85 mm (3.34")
- Units of measure include decimal ounce, Troy ounce, pennyweight, carat, momme, grain unit, pound and pound/ounce
- Operating temperature 5-40 °C (41 to 104 °F), non-condensing relative humidity 85% or less
- Sensitivity drift +/- 2ppm / °C
- Includes AC adapter, manual and reference card



Capacity/Resolution		AZDGR120	AZDGR200	AZDGR300	AZDGR202
Gram	(g)	120 x 0.0001	210 x 0.0001	310 x 0.0001	210 x 0.0001 / 42 x 0.00001
	(mg)	120000 x 0.1	210000 x 0.1	310000 x 0.1	210000 x 0.1 / 42000 x 0.01
Decimal Ounce (oz)		4.2 x 0.00001	7.4 x 0.00001	10 x 0.00001	7.4 x 0.00001 / 1.4 x 0.000001
Troy Ounce (ozt)		3.8 x 0.00001	6.7 x 0.00001	9.9 x 0.00001	6.7 x 0.00001 / 1.3 x 0.000001
Pennyweight (dwt)		77 x 0.0001	135 x 0.0001	199 x 0.0001	135 x 0.0001 / 27 x 0.00001
Carat (ct)		600 x 0.001	1050 x 0.001	1550 x 0.001	1050 x 0.001 / 210 x 0.0001
Momme (mom)		32 x 0.0001	56 x 0.0001	82 x 0.0001	56 x 0.0001 / 11 x 0.00001
Grain Unit (GN)		1851 x 0.002	3240 x 0.002	4784 x 0.002	3240 x 0.002 / 648 x 0.0002
Tola (t)		10 x 0.00001	18 x 0.00001	26 x 0.00001	18 x 0.00001 / 3.6 x 0.000001
Tael (TL)		3.1 x 0.00001	5.5 x 0.00001	8.2 x 0.00001	5.5 x 0.00001 / 1.1 x 0.000001
Percentage Min Div		0.01%	0.01%	0.01%	0.01%
Counting Min Weight		0.1 mg	0.1 mg	0.1 mg	0.1 mg
Linearity		±0.0002 g	±0.0002 g	±0.0002 g	±0.0002 / ±0.00003 g
Repeatability/Std Dev		0.0001 g	0.0001 g	0.0001 g	0.0001 / 0.00002 g
Stabilization Time		3.5 seconds	3.5 seconds	3.5 seconds	3.5 / 8 seconds
Sensitivity Drift (10°C-30°C)		±2ppm / °C (10°C ~ 30°C / 50°F ~ 86°F)	±2ppm / °C (10°C ~ 30°C / 50°F ~ 86°F)	±2ppm / °C (10°C ~ 30°C / 50°F ~ 86°F)	±2ppm / °C (10°C ~ 30°C / 50°F ~ 86°F)

## 6L Mini-Water Bath

*Compact design keeps samples warm and benchtop space maximized*

- Temperature range ambient +5° to 100° C
- Stainless steel gable cover and seamless chamber.
- Pilot light indicates heating from 550W heating power.
- Exterior dimensions: 14"W x 11"D x 13"H (36 x 28 x 32 cm)
- Interior dimensions: 12.6"W x 6.7" D x 6.9" H (32 x 17 x 18 cm)

Item No.	Description	Pkg
DLS510	Water Bath, 6L, 120V	1/ea



## Vikem® Vinyl-Coated Lead Rings

*Stabilize labware in water baths without worrying about damage*

- Vikem® Vinyl-Coated Lead Rings are available in a range of sizes to fit Erlenmeyer-style flasks and cylinders.
- The non-slip Vikem® surface seats securely around the neck of the flask to prevent floating and reduce breakage and spilling.
- The cushioned surface is chemically resistant and will not scratch glass labware.
- Sold in packs of 1.



### Lead Rings

Item No.	Description	Outer Diameter	Inner Diameter	Fits
BRT183070003	Vinyl Coated, Lead, .36lb	2" (51mm)	0.74" (19mm)	5 to 10 mL cylinders
BRT183070005	Vinyl Coated, Lead, 0.5lb	3" (76mm)	1.7" (43mm)	125 to 500 mL flasks
BRT183070010	Vinyl Coated, Lead, 1lb	3.5" (89mm)	2.0" (51mm)	250 to 1000 mL flasks
BRT183070015	Vinyl Coated, Lead, 1.5lb	4" (102mm)	2.2" (56mm)	500 to 2000 mL flasks
BRT183070020	Vinyl Coated, Lead, 2lb	4.5" (114mm)	2.8" (71mm)	1 to 4L flasks

### C-Shaped Lead Rings

Open rings are C-shaped to fit neatly around filtering flasks.

Item No.	Description	Outer Diameter	Inner Diameter	Fits
BRT183080500	Vinyl Coated, Lead, Open, .5lb	2.9" (74mm)	1.9" (48mm)	125-500 mL flasks
BRT183081000	Vinyl Coated, Lead, Open, 1lb	3.4" (86mm)	2.2" (56mm)	250-1000 mL flasks
BRT183082000	Vinyl Coated, Lead, Open, 1.5lb	3.8" (97mm)	2.4" (61mm)	500-2000 mL flasks
BRT183084000	Vinyl Coated, Lead, Open, 2lb	4.5" (114mm)	3" (76mm)	1000-4000 mL flasks

### Lead Ring Holder

Convenient storage of lead rings, fits rings with ID of 0.7" (17.8mm) or larger.

Item No.	Description
BRT183071000	Scienceware Flask Ring Holder



## Kimax® Low-Form Griffin Beakers

*Kimax beakers have uniform walls throughout and are made of KIMAX KG-33 glass*

- Thick, slightly flared, beaded top, with a spout designed to have excellent pouring characteristics.
- All sizes have a durable matte finish marking area for use with an ordinary pencil.
- An easy-to-read white graduated scale is provided on all sizes from 20 to 4000 mL for measuring and/or mixing liquids where a high level of accuracy is not required.
- Designed from ASTM Specification E960, Type I requirements.
- CSF1408001 is ideal for start-up requirements and customers who need a variety of beaker sizes, but have limited lab space or glassware needs. The pack consists of five beakers (one each) in sizes of 50 mL, 100 mL, 250 mL, 600 mL and 1000 mL.



Item Number	Capacity	Graduations (mL)	Subdivisions (mL)	Approx OD (mm)	Approx Height (mm)	Inner Pack	Pkg
CSF1400010	10 mL			25	34	12/pk	48/cs
CSF1400020	20 mL	5 to 15	5	32	41	12/pk	48/cs
CSF1400050	50 mL	10 to 40	10	42	53	12/pk	48/cs
CSF14000100	100 mL	20 to 80	10	50	70	12/pk	48/cs
CSF14000250	250 mL	25 to 200	25	77	106	12/pk	48/cs
CSF14000400	400 mL	50 to 325	25	77	106	12/pk	48/cs
CSF14000600	600 mL	50 to 500	50	88	122	6/pk	36/cs
CSF140001000	1 L	100 to 1000	50	107	145	6/pk	24/cs
CSF140001500	1.5L	200 to 1400	100	120	165	4/pk	16/cs
CSF140002000	2 L	200 to 2000	100	130	190	4/pk	8/cs
CSF1408001	Starter Pack - One each of 50 mL, 100 mL, 250 mL, 600 mL and 1L beakers.						

## Tri-Corner Beakers

These tri-corner plastic beakers range from 50 mL to 1000 mL. They are unbreakable and can be used with commonly used acids, solvents and alkalis. They are autoclavable and reusable, yet inexpensive enough to be disposable. All six sizes are graduated in mL.

- Polypropylene (PP)
- Three dripless pouring spouts
- Molded graduation marks
- Heavy duty style

Item No.	Size	Pkg
DLS3630	50 mL	100/CS
DLS3631	100 mL	100/CS
DLS3632	250 mL	100/CS
DLS3633	400 mL	100/CS
DLS3634	800 mL	100/CS
DLS3635	1000 mL	100/CS



## Polypropylene and Polymethylpentene Low-Form Griffin Beakers

*Tapered pour spout facilitates liquid transfer without dripping*

- Beakers are autoclavable at 121°C for 20 minutes and can withstand repeated autoclaving.
- Choose from printed or molded graduations and polypropylene (PP) or polymethylpentene (PMP) material.
- Translucent polypropylene withstands up to 135°C.
- Crystal clear polymethylpentene is shatter-resistant and withstands up to 180°C for short periods of time.

Item No.	Material	Graduations	Size	Pkg
DLS601801	PP	Molded	25 mL	20 ea/cs
DLS601802	PP	Molded	50 mL	20 ea/cs
DLS601803	PP	Molded	100 mL	12 ea/cs
DLS601805	PP	Molded	250 mL	16 ea/cs
DLS601806	PP	Molded	500 mL	12 ea/cs
DLS601808	PP	Molded	1L	4 ea/cs
DLS601809	PP	Molded	2L	4 ea/cs
DLS600811	PP	Molded	3L	2 ea/cs
DLS600812	PP	Molded	5L	2 ea/cs
DLS601821	PP	Printed	25 mL	20 ea/cs
DLS601822	PP	Printed	50 mL	20 ea/cs
DLS601823	PP	Printed	100 mL	12 ea/cs
DLS601824	PP	Printed	250 mL	16 ea/cs
DLS601825	PP	Printed	500 mL	12 ea/cs
DLS601826	PP	Printed	1L	4 ea/cs
DLS601827	PP	Printed	2L	4 ea/cs
DLS600818	PP	Printed	3L	2 ea/cs
DLS600819	PP	Printed	5L	2 ea/cs
DLS601541	PMP	Molded	25 mL	20 ea/cs
DLS601542	PMP	Molded	50 mL	20 ea/cs
DLS601543	PMP	Molded	100 mL	12 ea/cs
DLS601545	PMP	Molded	250 mL	16 ea/cs
DLS601546	PMP	Molded	500 mL	12 ea/cs
DLS601548	PMP	Molded	1 L	4 ea/cs
DLS601549	PMP	Molded	2 L	4 ea/cs
DLS601330	PMP	Molded	3 L	2 ea/cs
DLS601331	PMP	Molded	5 L	2 ea/cs
DLS601720	PMP	Printed	25 mL	20 ea/cs
DLS601721	PMP	Printed	50 mL	20 ea/cs
DLS601722	PMP	Printed	100 mL	12 ea/cs
DLS601723	PMP	Printed	250 mL	16 ea/cs
DLS601724	PMP	Printed	500 mL	12 ea/cs
DLS601725	PMP	Printed	1 L	4 ea/cs
DLS601726	PMP	Printed	2 L	4 ea/cs
DLS601727	PMP	Printed	3 L	2 ea/cs
DLS601728	PMP	Printed	5 L	2 ea/cs



### Micro-Hematocrit Glass Capillary Tubes

Our glass capillary tubes are designed for both safe blood collection as well as accurate micro-hematocrit determinations. Precision molded to provide excellent sample retention during centrifugation. Fill rapidly without affecting specimen integrity.

#### Technical Information

- **ID:** 1.15 mm +/- 0.05 mm
- **OD:** 1.5 mm +/- 0.05 mm
- **Length:** 75 mm +/- 1 mm
- **Volume:** 75 µL

#### Types of Tubes

- **Untreated:** Blue Tip
- **Sodium Heparinized:** Red Tip

Item #	Description	Pkg
DLS51602	Glass capillary tube, untreated, blue tip	1000/cs
DLS51613	Glass capillary tube, sodium heparinized, red tip	1000/cs



DLS51602



DLS51613

### Micro-Hematocrit Plastic Capillary Tubes

Our plastic micro-hematocrit capillary tubes are completely unbreakable. They eliminate the risk of injury and contamination associated with glass tubes due to breakage. Plastic micro-hematocrit capillary tubes comply with FDA, NIOSCH, CDC and OSHA safety recommendations. Latex free.


#### Technical Information

- **ID:** 0.90 mm +/- 0.05 mm
- **OD:** 1.60 mm +/- 0.05 mm
- **Length:** 75 mm +/- 0.5 mm
- **Volume:** 45 µL

#### Types of Tubes

- **Untreated:** Blue Tip
- **Sodium Heparinized:** Red Tip
- **Ammonium Heparinized:** Green Tip

Item #	Description	Pkg
DLS51684	Plastic capillary tube, ammonium heparinized, green tip	1000/cs
DLS51680	Plastic capillary tube, untreated, blue tip	1000/cs
DLS51601	24-place specimen holding tray with clay capillary tube sealant	1000/cs



DLS51684



DLS51601





**BD Vacutainer® Tubes and Microtainer® Microtubes**

*Blood collection tubes from the recognized leader in blood collection*

- The Microtainer® is designed for improved capillary blood collection and automated processing.
- A small sampling of products are shown. Contact us if there is a BD tube you need that is not listed.

Box Item No.	Box Qty	Case Item No.	Case Qty	Material	Sterile	Additive	Type	Tube Dimensions	Volume	Closure Color
B-D363080Z	100	B-D363080	1000	Plastic	Yes	Buffered sodium citrate (equiv. To 3.2% sodium citrate) .109M	Citrate	13x75mm	1.8 mL	Light Blue
B-D366668Z	100	B-D366668	1000	Plastic	Yes	Clot activator and silicone coated interior	Serum	13x75mm	3 mL	Red
B-D367983Z	100	B-D367983	1000	Plastic	Yes	Clot activator and polymer gel	Serum	13x75mm	3.5 mL	Gold
B-D366430Z	100	B-D366430	1000	Glass	Yes	Silicone Coated	Serum	16x100mm	10 mL	Red
B-D367841Z	100	B-D367841	1000	Plastic	Yes	K <sub>2</sub> EDTA (spray-dried), 3.6mg	Whole Blood	13x75mm	2 mL	Lavender
B-D367856Z	100	B-D367856	1000	Plastic	Yes	K <sub>2</sub> EDTA, 5.4mg	Whole Blood	13x75mm	3 mL	Lavender
B-D366450Z	100	B-D366450	1000	Glass	Yes	K <sub>3</sub> EDTA 15% solution, 0.081 mL, 12.15 mg	Whole Blood	13x100mm	7 mL	Lavender
B-D363706Z	50	B-D363706	200	Plastic	No	K <sub>2</sub> EDTA , 1.0 mg	Micro-tainer MAP	13x75mm	250 to 500µL	Lavender

**BD Vacutainer® Blood Collection Set and Needle**

*Blood collection with safety in mind*

- The BD Vacutainer® Safety-Lok® Blood Collection Set is simple, easy to use, and is safety engineered. The safety mechanism can be activated immediately after the blood draw and helps protect against needlestick injury. This set includes a 23g, 0.75" needle, light blue wings, 7" tubing and luer.
- The BD Vacutainer® Eclipse™ Blood Collection Needle offers a simple, effective way to collect blood and help reduce the possibility of accidental needlesticks with one-handed activation technique. The B-D368607Z is a 21g, 1.25" needle with a green shield.



Item #	Description	Pkg
B-D367292Z	BD Vacutainer® Safety-Lok® Blood Collection Set, 23g, 0.75"	50/bx
B-D368607Z	BD Vacutainer® Eclipse™ Needle, 21g, 1.25"	48/bx

### Wide-Mouth LDPE Tamper-Evident Square Bottles (Rigid)

The square shape allows the bottles to be tightly and neatly packaged side by side. These bottles are ideal for transport and long-term storage. Confidential notes can be stored inside the bottle in the space between the plug and the screw cap.

**Bottle** = Low Density Polyethylene (LDPE)

**Cap** = Polypropylene (PP)

- Graduated
- Dual-cap feature; each bottle includes a screw cap and plug insert, providing a completely leak-resistant seal
- Tagging points for use with optional wire security ties
- Food grade

Item #	Description	Pkg
DLS600608	25 mL (0.8 oz)	100/cs
DLS600609	50 mL (1.5 oz)	100/cs
DLS600610	100 mL (3 oz)	100/cs
DLS600611	250 mL (8 oz)	50/cs
DLS600612	500 mL (16 oz)	25/cs
DLS600613	1000 mL (32 oz)	20/cs
DLS600614	2000 mL (64 oz)	20/cs



DLS6006 Series

### Wide-Mouth LDPE Tamper-Evident Round Bottles (Extra Flexible)

These economy laboratory bottles are extremely flexible and feature a wide-mouth opening for easy filling and emptying of liquids and powders. These bottles are ideal for transport and long-term storage. Confidential notes can be stored inside the bottle in the space between the plug and the screw cap.

**Bottle** = Low Density Polyethylene (LDPE)

**Cap** = Polypropylene (PP)

- Graduated
- Dual-cap feature; each bottle includes a screw cap and plug insert, providing a completely leak-resistant seal
- Tagging points for use with optional wire security ties
- Food grade

Item No.	Description	Pkg
DLS600408	50 mL (1.5 oz)	100/cs
DLS600409	100 mL (3 oz)	100/cs
DLS600410	250 mL (8 oz)	50/cs
DLS600411	500 mL (16 oz)	20/cs
DLS600412	1000 mL (32 oz)	20/cs
DLS600413	2000 mL (64 oz)	20/cs



DLS6004 Series



### Wide-Mouth LDPE Round Bottles

#### *Exceptional leak-resistance for shipping*

- The deep-threaded neck allows the screw cap to seal on tight for exceptional leak resistance.
- These LDPE bottles are flexible and feature a wide-mouth opening for easy filling and emptying.
- Bottles are graduated and approved for use with food products.

**Bottle** = Low Density Polyethylene (LDPE)

**Cap** = Polypropylene (PP)

Item #	Description	Pkg
DLS601608	50 mL (1.5 oz)	100/cs
DLS601610	100 mL (3 oz)	100/cs
DLS601612	250 mL (8 oz)	50/cs
DLS601614	500 mL (16 oz)	25/cs
DLS601616	1000 mL (32 oz)	17/cs
DLS601618	2000 mL (64 oz)	15/cs



### Wide Mouth Round Bottles (Rigid)

These rupture-resistant bottles are extremely rigid and feature a wide-mouth opening for easy filling and emptying of liquids and powders. The deep threaded neck allows the screw cap to seal on tight, offering exceptional leak-resistance especially during shipping.

**Bottle and Cap** = Polypropylene (PP)

- Completely rigid and rupture-resistant
- Graduated
- Deep threaded neck for excellent leak-resistance
- Food grade
- Autoclavable at 121°C
- Do not autoclave with caps on

Item No.	Description	Pkg
DLS601621	50 mL (1.5 oz)	100/cs
DLS601623	100 mL (3 oz)	100/cs
DLS601625	250 mL (8 oz)	50/cs
DLS601627	500 mL (16 oz)	25/cs
DLS601629	1000 mL (32 oz)	17/cs
DLS601631	2L (64 oz)	15/cs

## Narrow-Neck Polypropylene Bottles

*Rupture-resistant polypropylene (PP) bottles feature a narrow neck for easier emptying*

- Tagging points on the bottle shoulder and cap can be secured using wire security tags to ensure a tamper-resistant closure.
- Molded graduation marks for volume determinations.
- Bottle and cap are both polypropylene(PP) material.
- Autoclavable at 121°C.



Item No.	Capacity:	Height:	Outer Diameter:	Inner Diameter:	Graduation Intervals:	Pkg
DLS601595	50 mL (1.5 oz)	92mm	38mm	13mm	10 mL	100/cs
DLS601597	100 mL (3 oz)	108mm	48mm	13mm	20 mL	100/cs
DLS601599	250 mL (8 oz)	150mm	60mm	19mm	25 mL	50/cs
DLS601601	500 mL (16 oz)	182mm	75mm	19mm	100 mL	25/cs
DLS601603	1L (32 oz)	224mm	95mm	23mm	100 mL	20/cs

## Narrow-Mouth Low-Density Polyethylene Bottles

*A separate insert sealing plug provides additional leak resistance, making these bottles ideal for transport and long-term storage.*

- Bottle made from Low-Density Polyethylene (LDPE) and easy-grip cap from polypropylene (PP).
- Graduated design with tagging points on the bottle and cap. Tagging points can be secured using wire security tags to ensure a tamper-resistant closure.



Item No.	Capacity:	Height:	Outer Diameter:	Inner Diameter:	Graduation Intervals:	Pkg
DLS600317	50 mL (1.5 oz)	76.5mm	39mm	18.5mm	10 mL	100/cs
DLS600319	100 mL (3 oz)	115mm	46mm	18.5mm	20 mL	100/cs
DLS600323	250 mL (8 oz)	137mm	60mm	23mm	25 mL	50/cs
DLS600324	500 mL (16 oz)	165mm	74mm	23mm	50 mL	25/cs
DLS600325	1L (32 oz)	213mm	93mm	34.5mm	100 mL	20/cs
DLS600326	2L (64 oz)	273mm	116mm	34.5mm	100 mL	20/cs





QORGLC01151

### Qorpak® Boston Round Bottles

*Made from high-grade borosilicate glass*

- Bottles feature round body, rounded shoulders and narrow screw neck opening.
- Choose from clear for maximum visibility or amber for light-sensitive materials. Amber glass bottles protects contents from UV rays, absorbing nearly all radiation <450 nm.
- Bottles include green thermoset F217 and PTFE caps. Larger bulk pack options available. Contact your Medline representative for more information.

Item Number	Color	Size	Neck Finish	Dimensions	Pkg
QORGLC01904	Amber	60 mL (2oz)	20-400	39mm OD x 94mm H	24/pk
QORGLC01926	Amber	120 mL (4oz)	22-400	48mm OD x 112mm H	24/pk
QORGLC01947	Amber	240 mL (8oz)	24-400	60mm OD x 138mm H	24/pk
QORGLC01977	Amber	480 mL (16oz)	28-400	75mm OD x 168mm H	12/pk
QORGLC02004	Amber	960 mL (32oz)	33-400	94mm OD x 210mm H	12/pk
QORGLC01099	Clear	60 mL (2oz)	20-400	39mm OD x 94mm H	24/pk
QORGLC01123	Clear	120 mL (4oz)	22-400	48mm OD x 112mm H	24/pk
QORGLC01151	Clear	240 mL (8oz)	24-400	60mm OD x 138mm H	24/pk
QORGLC01185	Clear	480 mL (16oz)	28-400	75mm OD x 168mm H	12/pk
QORGLC01217	Clear	960 mL (32oz)	33-400	94mm OD x 210mm H	12/pk

QORGLC01947

QORGLC01504



### Qorpak® Bottle Beakers

*Medium round, clear, graduated bottles are ideal for use with biological and pathological specimens*

- Mix, measure and store in the same container.
- Molded graduation in mL and ounces.
- Designed with a slight shoulder for easy pouring and handling.
- Bottles include green thermoset F217 and PTFE caps.
- Larger bulk pack options available. Contact your Medline representative for more information.

Item Number	Size	Neck Finish	Dimensions	Pkg
QORGLC01450	30 mL (1oz)	33-400	34mm OD x 68mm H	48/pk
QORGLC01472	60 mL (2oz)	38-400	42mm OD x 83mm H	48/pk
QORGLC01504	120 mL (4oz)	48-400	51mm OD x 102mm H	24/pk
QORGLC01532	240 mL (8oz)	58-400	62mm OD x 127mm H	24/pk
QORGLC01560	480 mL (16oz)	70-400	76mm OD x 145mm H	24/pk

## Pre-Cleaned Containers for Product Integrity and Compliance

Whether you are looking for particle free packaging, or specific analyte removal with certification, Medline can provide the right pre-cleaned packaging for your application. Please feel free to contact your sales representative for further details.



## Qorpak® Media Bottles

*Manufactured from borosilicate 3.3 glass*

- Bottles are autoclavable and withstand temperatures from -70 to 500°C.
- Bottle design has large permanent, white enamel graduations with white ID box, drip-free sealing ring and blue PP (GL45) sealing cap.
- **Starter pack includes ten media bottles:** two 100 mL, three 250 mL, three 500 mL and two 1L bottles

Item Number	Size	Neck Finish	Dimensions	Pkg
QOR235259	50 mL	GL32	46mm OD x 88mm H	10/cs
QOR235260	100 mL	GL45	56mm OD x 100mm H	10/cs
QOR235261	250 mL	GL45	70mm OD x 138mm H	10/cs
QOR235262	500 mL	GL45	86mm OD x 176mm H	10/cs
QOR235263	1L	GL45	86mm OD x 176mm H	10/cs
QOR235265	2L	GL45	136mm OD x 262mm H	5/cs
QOR235267	Starter Pack: two 100 mL, three 250 mL, three 500 mL and two 1L bottles			1 ea



QORGLC02190

## Qorpak Wide-Mouth Amber Packers

*Ideal for storing light-sensitive solid and liquid reagents*

- Amber glass provides protection for light-sensitive products.
- Wide-opening makes bottles easy to fill and empty.

Item Number	Size	Neck Finish	Dimensions	Pkg
QORGLC09083	15mL (.50oz)	28-400	31mm OD x 50mm H	48/cs
QORGLC02081	30 mL (1oz)	28-400	37mm OD x 65mm H	24/cs
QORGLC02096	60 mL (2oz)	33-400	44mm OD x 75mm H	24/cs
QORGLC02190	120 mL (4oz)	38-400	54mm OD x 95mm H	24/cs
QORGLC02118	250 mL (8.5oz)	45-400	65mm OD x 119mm H	24/cs
QORGLC02135	500 mL (17oz)	53-400	81mm OD x 146mm H	12/cs
QORGLC02161	950 mL (32 oz)	53-400	99mm OD x 178mm H	12/cs
QORGLC05924	1250 mL (42oz)	70-400	106mm OD x 191mm H	6/cs
QORGLC05941	2.5L (84oz)	70-400	140mm OD x 239mm H	12/cs

Need Serological  
Pipettors?

SEE  
PAGES  
82-83



### TriForest Polycarbonate Media Bottles

*Lexan® polycarbonate (PC) is ideal for steam sterilization of all biologicals, liquids, reagents, media, buffers and aqueous solutions*

- Bottles withstand repeated autoclaving, and are optimal for all microbial culture media production and preparation of terminally sterile fluids.
- Manufactured in a Class 10K cleanroom in an ISO 9001 compliant facility with virgin Lexan® polycarbonate resin that is durable, chemically inert, non-leaching, and clear.
- Bottles are provided non sterile with standard blue autoclavable caps engaged in a multibarrier elastomer packaging.

Item No.	Design	Volume	Pkg
TFERPC0300	Round	300 mL	96/cs
TFERPC0500	Round	500 mL	72/cs
TFERPC1000	Round	1000 mL	48/cs
TFEBPC0030	Square	30 mL	288/cs
TFEBPC0060	Square	60 mL	192/cs
TFEBPC0125	Square	125 mL	144/cs
TFEBPC0250	Square	250 mL	96/cs
TFEBPC0500	Square	500 mL	72/cs
TFEBPC1000	Square	1000 mL	48/cs
TFEBPC2000	Square	2000 mL	24/cs

## Four-Color Wide-Mouth Wash Bottles

### 4-Color, Right-to-Know, Safety-Labeled, Wide-Mouth Wash Bottles

- Wide 2" (50.8mm) opening makes for easy refilling.
- Choose from pre-printed bottles with the chemical name and formula, NFPA Section 704 four-color diamond, health hazards, CAS number and suggested PPE.
- Leak-proof, LDPE bottles with color-coded PP closures
- Translucent with the exception of sodium hypochlorite (white LDPE).
- **Assortment pack includes one each:** acetone, bleach, distilled water, ethanol, isopropanol, and label your own (LYOB).



Item No.	Volume	Chemical Label	Pkg
BRT117160001	500 mL	Acetone	4/bag
BRT117160002	500 mL	Dichloromethane	4/bag
BRT117160003	500 mL	Deionized Water	4/bag
BRT117160004	500 mL	Distilled Water	4/bag
BRT117160007	500 mL	Ethyl Acetate	4/bag
BRT117160008	500 mL	Isopropanol	4/bag
BRT117160009	500 mL	Label-Your-Own (LYOB)	4/bag
BRT117160010	500 mL	Machine Oil	4/bag
BRT117160011	500 mL	Methanol	4/bag
BRT117160012	500 mL	Methyl-Ethyl Ketone	4/bag
BRT117160013	500 mL	Saline Solution	4/bag
BRT117160014	500 mL	Soap	4/bag
BRT117160015	500 mL	Sodium Hypochlorit	4/bag
BRT117160016	500 mL	Toluene	4/bag
BRT117160017	500 mL	Water	4/bag
BRT117160019	500 mL	Ethanol	4/bag
BRT117160020	500 mL	Ethanol, 70%	4/bag
BRT117160050	500 mL	Assortment Pack	6/bag
BRT117320001	1L	Acetone	4/bag
BRT117320004	1L	Distilled Water	4/bag
BRT117320008	1L	Isopropanol	4/bag
BRT117320009	1L	Label-Your-Own (LYOB)	4/bag
BRT117320011	1L	Methanol	4/bag
BRT117320015	1L	Sodium Hypochlorit	4/bag
BRT117320019	1L	Ethanol	4/bag



## Four-Color, Vented Wide-Mouth Wash Bottles

*Safety vent feature prevents spontaneous drips from pressure build-up and allows for upright or inverted dispensing*

- Wide 2" (53mm) opening makes for easy refilling.
- Choose from pre-printed bottles with the chemical name and formula, NFPA Section 704 four-color diamond, health hazards, CAS number and suggested PPE.
- Leak-proof, LDPE bottles with color-coded PP closures
- Translucent with the exception of sodium hypochlorite (white LDPE).
- Assortment pack includes one each: acetone, bleach, distilled water, ethanol, isopropanol, and label your own (LYOB).



Item No.	Volume	Chemical Label	Pkg
BRT118080001	250 mL	Acetone	4/bag
BRT118080004	250 mL	Distilled Water	4/bag
BRT118080008	250 mL	Isopropanol	4/bag
BRT118080009	250 mL	Label-Your-Own (LYOB)	4/bag
BRT118080011	250 mL	Methanol	4/bag
BRT118080015	250 mL	Sodium Hypochlorite	4/bag
BRT118080019	250 mL	Ethanol	4/bag
BRT118080050	250 mL	Assortment Pack	6/bag
BRT118160001	500 mL	Acetone	4/bag
BRT118160004	500 mL	Distilled Water	4/bag
BRT118160007	500 mL	Methyl Acetate	4/bag
BRT118160008	500 mL	Isopropanol	4/bag
BRT118160009	500 mL	Label-Your-Own (LYOB)	4/bag
BRT118160011	500 mL	Methanol	4/bag
BRT118160012	500 mL	Methyl-Ethyl Ketone	4/bag
BRT118160015	500 mL	Sodium Hypochlorite	4/bag
BRT118160019	500 mL	Methanol	4/bag
BRT118320001	1 L	Acetone	2/bag
BRT118320004	1 L	Distilled Water	2/bag
BRT118320008	1 L	Isopropanol	2/bag
BRT118320009	1 L	Label-Your-Own (LYOB)	2/bag
BRT118320011	1 L	Methanol	2/bag
BRT118320012	1 L	Methyl-Ethyl Ketone	2/bag
BRT118320015	1 L	Sodium Hypochlorite	2/bag
BRT118320019	1 L	Ethanol	2/bag
BRT118160050	500 mL	Assortment Pack	6/bag



Vented design prevents drips

## Mini Centrifuge

*Perfect for quick spin-downs of small samples*

- The motor provides a super quiet, vibration-free operation and quickly accelerates to a maximum speed of 6,600 rpm (2,200 rcf) and stops within seconds.
- It comes standard with a six-place angle rotor for 1.5 mL to 2 mL microcentrifuge tubes, six tube adapters for 0.5 mL tubes and a separate rotor for sixteen 0.2 mL PCR tubes or two 8-tube PCR strips. Each rotor can be easily interchanged by the user in a matter of seconds.
- The crystal clear lid allows the operator to safely observe samples. A special safety shutoff system cuts the motor as soon as the lid is opened.
- 2,000 x g RCF with the round rotor and 2,200 x g RCF with the strip rotor.
- Footprint measures 5" x 5.4" x 3.9" and operates from 4 to 50°C. All items sold individually.



Item No.	Description
DLS545B	Mini-Centrifuge w/2 Rotors, Blue, 115V
DLS545B230	Mini-Centrifuge w/2 Rotors, Blue, 230V
DLS545R	Mini-Centrifuge w/2 Rotors, Red, 115V
DLS545R230	Mini-Centrifuge w/2 Rotors, Red, 230V
DLS545RND	Extra Round Rotor, 6x1.5 mL or 2 mL Tubes
DLS545ADP	Extra Tube Adapters, 0.5 mL Tubes
DLS545STP	Extra Strip Rotor

## Polypropylene Carboys

*Heavy-duty carboy has handles for carrying and is resistant to a wide range of chemicals.*

- Carboys are available with or without spigot. Single-handed spigot allows for easy controlled dispensing.
- USP Class VI-certified, FDA-grade polypropylene carboy is autoclave-safe at 121°C (250°F).
- 83mm cap seals with a built-in thermo-plastic elastomer washer
- Two large handles for transport or pouring. Sold individually.

Item No.	Description	Volume
BRT107940025	Carboy, PP	2.5 Gallon
BRT107940050	Carboy, PP	5 Gallon
BRT118460025	Carboy w/Spigot, PP	2.5 Gallon
BRT118460050	Carboy w/Spigot, PP	5 Gallon
BRT911846005	Carboy Replacement Spigot	—





EPP428



EPP467

## Eppendorf® 5418 and 5418R Centrifuges

*These 18-place microcentrifuges are the ideal entry-level models for simple, daily applications*

- Their speed of up to 16,873 x g allows for standard clinical and molecular biology applications.
- OptiBowl® concept for particularly quiet operation with separate Short Spin key for short centrifugation.
- Refrigerated model 5418R features a temperature range from 0 to 40°C and maintains 4°C at constant speed. ECO mode saves up to 47% of energy use.
- Condensation discharge prevents the accumulation of water in the chamber and reduces the risk of corrosion.
- Centrifuges include EPP564 rotor.

Item No.	Description	Pkg
EPP428	5418 Centrifuge, 120V	1/ea
EPP429	5418 Centrifuge, 230V	1/ea
EPP467	5418R Refrigerated Centrifuge, 120V	1/ea
EPP466	5418R Refrigerated Centrifuge, 230V	1/ea
EPP564	Rotor 18 x 1.5/2.0 mL w/Quicklock, Aerosol-tight Lid	1/ea
EPP631	Adapter, 0.2 mL PCR tubes For 1.5/2 mL Rotor, Set of 6	6 ea/cs
EPP630	Adapter, 0.4 mL For 1.5/2 mL Rotor, Set of 6	6 ea/cs
EPP629	Adapter, 0.5 mL PCR and BD Microtainers for 1.5/2 mL Rotor, set of 6	6 ea/cs

Item No.	EPP428	EPP429	EPP467	EPP466
Eppendorf® model	5418		5418R	
RPM	100–14,000 rpm (in 100 rpm steps)		100–14,000 rpm (in 100 rpm steps)	
Acceleration time	16s		13s	
Braking time from max. speed	18s		13s	
SOFT braking function	No		No	
Timer with continuous run function	30 s to 9:59 h		30 s to 99 min.	
Dimensions (W x D x H)	21 x 30 x 21 cm		30 x 46 x 25 cm	
Height with lid open	43 cm		52 cm	
Temperature Control Range	—		0 °C to +40 °C	
Power	120V	230V	120V	230V

## Eppendorf® 5424 and 5424R Centrifuges

*24-place capacity and speed up to 21,130xg make these centrifuges a laboratory standard*

- Ergonomically designed and perfectly equipped for all modern molecular biology applications.
- Choose between the rotary knob version for fast parameter selection or keypad version for easy cleaning.
- Refrigerated model 5424R features state-of-the-art cooling technology to cool down to 4°C in only 8 minutes, a temperature range from 0 to 40°C and maintains 4°C at constant speed.
- ECO shut off mode on model 5424R turns off cooling after 8 hours of non-use, saving energy and extending compressor life.
- Centrifuges include EPP566 rotor.



EPP468



EPP483

Item No.	Description	Pkg
EPP468	5424 Centrifuge, Knob, 24 x 1.5/2.0mL, 120V	1/ea
EPP469	5424 Centrifuge, Knob, 24 x 1.5/2.0mL, 230V	1/ea
EPP471	5424 Centrifuge, Keypad, 24 x 1.5/2.0mL, 120V	1/ea
EPP473	5424 Centrifuge, Keypad, 24 x 1.5/2.0mL, 230V	1/ea
EPP487	5424R Refrigerated Centrifuge, Knob, 24 x 1.5/2.0mL, 120V	1/ea
EPP486	5424R Refrigerated Centrifuge, Knob, 24 x 1.5/2.0mL, 230V	1/ea
EPP483	5424R Refrigerated Centrifuge, Keypad, 24 x 1.5/2.0mL, 120V	1/ea
EPP482	5424R Refrigerated Centrifuge, Keypad, 24 x 1.5/2.0mL, 230V	1/ea
EPP566	Rotor, 24 x 1.5/2.0mL, with Aerosol-Tight Lid	1/ea
EPP567	Rotor, 24 x 1.5/2.0mL, with Aerosol-Tight, PTFE-Coated Lid	1/ea
EPP568	Rotor, 18x1.5/2 mL Spin Column Kit	1/ea
EPP569	Rotor, Four 8-Strip PCR Tube	1/ea
EPP631	Adapter, 0.2 mL PCR tubes for 1.5/2 mL Rotor, Set of 6	6 ea/cs
EPP630	Adapter, 0.4 mL for 1.5/2 mL Rotor, Set of 6	6 ea/cs
EPP629	Adapter 0.5 mL PCR and BD Microtainers for 1.5/2 mL Rotor, Set of 6	6 ea/cs

Item No.	EPP468	EPP469	EPP471	EPP473	EPP487	EPP486	EPP483	EPP482
<b>Eppendorf® model</b>	5424				5424R			
<b>Controller</b>	Knob		Keypad		Knob		Keypad	
<b>Max. RCF</b>	20,238 x g				21,130 x g			
<b>RPM</b>	100–14,680 rpm (in 50 rpm steps)				100–15,000 rpm (in 50 rpm steps)			
<b>Acceleration time to max. speed</b>	16s				16s			
<b>Braking time from max. speed</b>	18s				18s			
<b>SOFT braking function</b>	Yes				Yes			
<b>Timer with continuous run function</b>	30 s to 9:59 h				30 s to 9:59 h			
<b>Dimensions (W x D x H)</b>	24 x 32 x 23 cm				29 x 48 x 26 cm			
<b>Height with lid open</b>	44 cm				51 cm			
<b>Temperature Control Range</b>	—				+10 °C to +40 °C			
<b>Power</b>	120V	230V	120V	230V	120V	230V	120V	230V



## Eppendorf® 5804 and 5804R Centrifuges

*Highly versatile for medium to high-throughput labs.*

- High centrifugation speeds--up to 20,800 x g — for excellent separation.
- A variety of rotor and adapter selections to accommodate all your needs, including deepwell plates and swingbuckets. (If you need a version not listed, contact us for more information).
- Outstanding software control guarantees high time accuracy ( $\pm 2$  s in 5 min), speed (1%) and temperature ( $\pm 2^\circ\text{C}$  at  $6^\circ\text{C}$ )
- Refrigerated model 5804R features a temperature range from  $-9$  to  $40^\circ\text{C}$  and maintains  $4^\circ\text{C}$  at constant speed.
- Centrifuges include EPP584 rotor with buckets for 0.2 to 100 mL tubes. (Purchase adapters separately for sizes other than 100 mL.)
- EPP584 rotor is ideal for cell culture, bacteria and blood samples with a speed up to 4,500 x g.
- EPP607 rotor with aerosol-tight lid works well for DNA, RNA and protein purification with a speed up to 16,640 x g.
- EPP582 rotor with aerosol-tight lid is for safe centrifugation of hazardous samples and purified biological samples with a speed up to 20,800 x g.
- EPP591 rotor works with plates up to 89mm loading height with a speed up to 2,250 x g. Rotor and buckets are autoclavable (20 minutes at  $121^\circ\text{C}$ ).



Looking for centrifuge tubes?

SEE PAGE  
120-122

Item No.	Description	Pkg
EPP523	5804 Centrifuge with 4 x 100mL Rotor, 120V	1/ea
EPP498	5804R Refrigerated Centrifuge with 4 x 100mL Rotor, 120V	1/ea
EPP584	Rotor w/Four 100 mL Buckets, A-4-44	1/ea
EPP607	Rotor, Fixed, Six 50 mL Conical Tubes w/Aerosol-Tight Quicklock Lid, FA-45-6-30	1/ea
EPP582	Rotor, Fixed, Thirty 1.5/2.0 mL Tubes w/Aerosol-Tight Lid, FA-45-30-11	1/ea
EPP591	Rotor w/Two Deepwell Plate Buckets, A-2-DWP	1/ea
EPP655	Adapter for 15 mL Conical Tubes, for use with EPP584 Rotor	2/cs
EPP660	Adapter for 50 mL Conical Tubes, for use with EPP584 Rotor	2/cs
EPP652	Adapter for 13 mL Blood Tubes, for use with EPP584 Rotor	2/cs
EPP797	Adapter for 15 mL Conical Tubes, for use with EPP607 Rotor	7/cs

Item No.	EPP523	EPP498
<b>Eppendorf® model</b>	5804	5804R
<b>Max. RCF</b>	20,913 x g	
<b>RPM</b>	14,000	
<b>Capacity (Rotor and adapter dependent)</b>		
Maximum	4 x 250 mL	
Conical Tubes	40 x 15 mL / 160 x 50 mL	
Blood Collection Tubes	56 x 13 mm / 52 x 16 mm	
Plates	10 x MPT / 2 x DWP	
<b>SOFT braking function</b>	Yes	
<b>Timer with continuous run function</b>	1 to 99 min	
<b>Dimensions (W x D x H)</b>	47 x 50 x 34 cm	63 x 50 x 34 cm
<b>Height with lid open</b>	74 cm	
<b>Temperature Control Range</b>	—	$-9^\circ\text{C}$ to $+40^\circ\text{C}$
<b>Power</b>	120V	



**Nitritex BioClean Ultimate™ Sterile Gloves**

*Excellent cytotoxic protection with exceptional grip*

- Sterile, anti-static and compatible with ISO Class 4 cleanroom requirements
- Polychloroprene material, non-latex, powder-free and textured for improved grip
- Hand specific 12" length for coverage beyond the wrist
- Gamma irradiated and packed in 20 bags of 10 pairs (200 pairs per carton)

Item No.	Size	Pkg
NITBUPS6	6	200/cs
NITBUPS65	6.5	200/cs
NITBUPS7	7	200/cs
NITBUPS75	7.5	200/cs
NITBUPS8	8	200/cs
NITBUPS85	8.5	200/cs
NITBUPS9	9	200/cs

**Nitritex BioClean Fusion™ Sterile Gloves**

*Excellent grip, double-donnable & feels like latex*

- Sterile, anti-static and compatible with ISO Class 4 cleanroom requirements
- Polychloroprene material, non-latex, powder-free and textured for excellent grip
- Ambidextrous 12" length for coverage beyond the wrist
- Beaded cuff enables easy donning and improved stability on the arm
- Easily double-donned, eliminating the need to stock different gloves in the cleanroom
- Gamma irradiated and packed in 20 bags of 10 pairs (200 pairs per carton)

Item No.	Size	Pkg
NITSBFAP5055	5-5.5	200/cs
NITSBFAP6065	6-6.5	200/cs
NITSBFAP7075	7-7.5	200/cs
NITSBFAP8085	8-8.5	200/cs
NITSBFAP9090	9.0	200/cs

**Nitritex BioClean N-Plus™ Sterile Gloves**

*Elbow length nitrile gloves for extra protection*

- Sterile, anti-static and compatible with ISO Class 4 cleanroom requirements
- Nitrile material, non-latex, powder-free and textured for improved grip
- Hand specific 16" length for coverage up to the elbow for extra protection
- Eliminate need for sleeve cover in most instances
- Gamma irradiated and packed in 20 bags of 10 pairs (200 pairs per carton)

Item No.	Size	Pkg
NITBNPS60	6.0	200/cs
NITBNPS65	6.5	200/cs
NITBNPS70	7.0	200/cs
NITBNPS75	7.5	200/cs
NITBNPS80	8.0	200/cs
NITBNPS85	8.5	200/cs
NITBNPS90	9.0	200/cs
NITBNPS100	10.0	200/cs

**Nitritex BioClean Advance™ Sterile Gloves**

*Anatomically shaped and double-donnable*

- Sterile and compatible with ISO Class 4 cleanroom requirements
- Latex material, powder-free and textured for excellent grip
- Hand specific 12" length for coverage beyond the wrist
- Beaded cuff enables easy donning and improved stability on the arm
- Easily double-donned, eliminating the need to stock different gloves in the cleanroom
- Gamma irradiated and packed in 20 bags of 10 pairs (200 pairs per carton)

Item No.	Size	Pkg
NITBASL60	6.0	200/cs
NITBASL65	6.5	200/cs
NITBASL70	7.0	200/cs
NITBASL75	7.5	200/cs
NITBASL80	8.0	200/cs
NITBASL85	8.5	200/cs
NITBASL90	9.0	200/cs
NITBASL100	10.0	200/cs





## Berkshire CHOICE® WIPERS

*The CHOICE® Family of products is designed to provide the best value in higher levels of contamination control in critical processing applications*

- Excellent for spill control in processing areas where absorbency is of the greatest importance
- Ideal for cleaning medical devices and related products
- Can be used for applying and removing cleaning and disinfecting solutions
- Print - used for stencil and other print roll cleaning applications
- Steam autoclavable for aseptic environments

Item No.	Description	Dimensions	Pkg
BKCHSS1212	CHOICE® SuperSorb Double Knit 2-ply, Sealed Edge, Laundered	12"x12" sheet (30x30cm)	75 sheets/pk, 12 pks/cs
BKCH80910	CHOICE® 800 100% Knit Polyester, Knife Cut	9"x9" sheet (23x23cm)	150 sheets/pk, 10 pks/cs
BKCH70914	CHOICE® 700 100% Knit Polyester, Sealed Edge	9"x9" sheet (23x23cm)	150 sheets/pk, 14 pks/cs



## Berkshire MICROSEAL® WIPERS

*MicroSeal® VP and MicroSeal SuperSorb® Lite are one of the highest absorbency polyester knit wipers available on the market*

- Its unique design provides texture and extra durability when cleaning stubborn residues.
- It is an excellent wiper for applications where high concentrations of liquid are in use as well as cleaning and wiping rough surfaces.
- MicroSeal® wipers are 100% continuous filament knit polyester with ultrasonic sealed edges.
- Compatible with most cleaning and disinfecting solutions, both applying and removing.

Item No.	Description	Pkg
BKCSVP121214	MICROSEAL® VP, 12"x12" sheet (30cm x 30cm)	75 sheets/pk, 14 pks/cs
BKCMSVP09098	MICROSEAL® VP, 9"x9" sheet (23cm x 23cm)	150 sheets/pk, 8 pks/cs
BKCSLT121216	MICROSEAL SUPERSORB® LITE, 12"x12" sheet (30cm x 30cm)	50 sheets/pk, 16 pks/cs
BKCSLT090914	MICROSEAL SUPERSORB® LITE, 9"x9" sheet (23 x 23cm)	100 sheets/pk, 14 pks/cs



### Berkshire DURX® WIPERS

*General cleaning of contamination in controlled areas and equipment*

- Excellent spill control and wet wiping
- Economic high volume cleaning and wipe-downs
- Designed specifically for applications in the preparation and controlled zones supporting critical and /or sterile production processes to reduce overall contamination and minimize costs.
- Nonwoven polyester/cellulose blend - Very absorbent with low fibers, no surfactants or binders
- Dry wipers are double bagged for room to room movement
- Sterile and Pre-wetted options are convenient to use.
- Safe - reduces handling of hazardous liquids
- Autoclavable

Item No.	Description	Dimensions	Pkg
BKCGW67ST25	GAMMA WIPE® 67	12"x12" sheet (30x30cm)	100 sheets/pk, 25 pks/cs
BKC100000124	SATPAX® 1000 STERILE, 70% IPA/30% DI H2O	9"x9" sheet (23x23cm)	30 sheets/pk, 24 pks/cs
BKC100000112	SATPAX® 1000 Canister, 70% IPA/30% DI H2O	6"x9" sheet (15x23cm)	100 sheets/canister, 12 canisters/cs
BKC670181810	DURX® 670	18"x18" sheet (46x46cm)	150 sheets/pk, 10 pks/cs
BKC670121220	DURX® 670	12"x12" sheet (30x30cm)	150 sheets/pk, 20 pks/cs
BKC670090920	DURX® 670	9"x9" sheet (23x23cm)	300 sheets/pk, 20 pks/cs
BKC670040410	DURX® 670	4"x4" sheet (10x10cm)	300 sheets/pk, 40 pks/cs
BKC570121210	DURX® 570	12"x12" sheet (30x30cm)	150 sheets/pk, 10 pks/cs
BKC570090920	DURX® 570	9"x9" sheet (23x23cm)	300 sheets/pk, 20 pks/cs

### Berkshire ECOCLEAN® 60 WIPERS


*EcoClean® 60 can be used in critical pharmaceutical, medical device, and electronics applications where absorbency and softness are required*

- Biodegradable & renewable - Made from 100% natural fiber that does not contain binders or additives
- Highly absorbent and durable - great as a work surface material or wipedowns
- Extremely soft - gentle on surfaces
- Heat resistant - perfect for hot surface wipedowns
- Resists build up of static charge

Item No.	Dimensions	Pkg
BKCECW601212	12"x12" sheet (30x30cm)	150 sheets/pack, 20 packs/cs
BKCECW6009152	9"x15" sheet (23x38cm)	250 sheets/roll, 2 rolls/cs







Looking for shoe  
and boot covers?

SEE  
PAGES  
95-97

## Sticky Mats

*Remove and trap unwanted dirt, dust and debris from shoes*

- Consistent adhesive coverage ensures maximum performance of each layer.
- QC test data and reports available for each shipment or case.
- Also available in Blue and Gray.

Item No.	Description	Pkg
EVSPM183634W	18"x36", white	30 numbered sheets / pad, 4 pads per case
EVSPM184534W	18"x45", white	30 numbered sheets / pad, 4 pads per case
EVSPM243634W	24"x36", white	30 numbered sheets / pad, 4 pads per case



## Waterproof Elbow Length Cryo-Gloves®

*Protect yourself when working with cryogenic samples and solutions such as liquid nitrogen*


- Waterproof cryogenic gloves are designed to keep you dry and to wick moisture away from your hands for comfortable wear even during extended use.
- Multi-layered construction allows for a maximum level of thermal protection, flexibility, and dexterity.
- Approximately 17¼" to 19¼" (440-485mm) in length to keep the hand to elbow protected.
- **Caution:** Not intended for immersion in liquid nitrogen or other cryogenic liquids.

Item No.	Size	Pkg
TPSEBXLPR	X-Large (11)	2/pr
TPSEBXLWP	X-Large (11)	10/cs
TPSEBLPR	Large (10)	2/pr
TPSEBLWP	Large (10)	10/cs
TPSEBMPR	Medium (9)	2/pr
TPSEBMWP	Medium (9)	10/cs

## Cardboard Storage Boxes

*Economical boxes for long-term storage of cryogenic vials*

- Fit neatly into stainless steel freezer rack systems.
- Liquid-resistant outer coating keeps samples organized.
- Compatible with temperatures ranging from -196°C to +121°C.




Item No.	Vial Size	Largest Tube Size	Number of Places	Pkg
DLS3090	1 mL/2 mL	2"H x 15mm dia	64 (8x8)	96/cs
DLS3091	1 mL/2 mL	2"H x 13mm dia	81 (9x9)	96/cs
DLS3092	1 mL/2 mL	2"H x 12mm dia	100 (10x10)	96/cs
DLS3094	3 mL/4 mL	2"H x 15mm dia	64 (8x8)	48/cs
DLS3095	3 mL/4 mL	2"H x 13mm dia	81 (9x9)	48/cs
DLS3096	3 mL/4 mL	3"H x 12mm dia	100 (10x10)	48/cs
DLS3098	15 mL	15 mL	49 (7x7)	36/cs
DLS3099	50 mL	50 mL	16 ( 4x4)	48/cs
DLS30991	50 mL	50 mL	16 ( 4x4)	1/ea

## BioBOX81 Tube Storage Boxes

*These storage boxes are designed to withstand temperatures of -169°C to +121°C.*

- Polycarbonate (PC)
- Temperature range: -169°C to +121°C
- Transparent lid for convenient viewing of contents
- The lid is printed with numbers for easy sample identification
- Lid has two angled corners to ensure the correct alignment of the numbers
- Autoclavable at +121°C, 15 psig (1 bar) for 20 minutes
- Fits in stainless steel storage racks
- A plastic tube picker is supplied with each storage box



DLS3042W

DLS3040B

Item No.	Description	Pkg
DLS3040B	81-place for 1 mL and 2 mL tubes, blue frame	5/cs
DLS3042W	81-place for 3-, 4- and 5-mL tubes, white frame	5/cs

## Cryogenic Tubes

CryoClear™ tubes are designed for the cryogenic storage and transport of cells, blood, serum, and other biological fluids at temperatures as low as -196°C. Each tube has a unique printed barcode to eliminate the need for labels during storage and printed graduation marks for exact measurements. Available in both free-standing and round bottom designs.

### Key Features

- CryoClear™ screw caps are co-molded with a thermoplastic elastomer layer and are 95kPa certified to provide a 100% leak-proof seal. This proprietary molding process eliminates the risk of contamination associated with brands that use separate silicone O-rings.
- Certified by an independent laboratory to be free of human DNA, DNase, RNase, Prion and ATP
- Manufactured, assembled and packaged in a Class 7 (Class 10,000) cleanroom in accordance with FDA, GMP and ISO Quality Guidelines (ISO 13485:2004, ISO 14644 and ISO 14698)

### Material

- **Tube:** Medical polypropylene (PP)
- **Cap:** Medical polyethylene (PE) co-molded with a thermoplastic elastomer (TPE) layer

### Technical

- **Sterility:** Beta radiation
- **Autoclavable:** recommended at +121°C, 15 psig (1 bar) for 20 minutes
- **Temperature range:** -196°C to +121°C
- For use in the gas phase of liquid nitrogen
- **WARNING:** Do not use CryoClear tubes in the liquid phase of liquid nitrogen.



DLS3001



DLS3004

Item #	Volume	Dimensions (L x W)	Style	Pkg
DLS3001	1 mL	42.7 mm x 12.5 mm	Self Standing	1000 ea/cs
DLS3002	2 mL	48.0 mm x 12.5 mm	Self Standing	1000 ea/cs
DLS3003	2 mL	47.0 mm x 12.5 mm	Round Bottom	1000 ea/cs
DLS3004	3 mL	75.1 mm x 12.5 mm	Round Bottom	1000 ea/cs
DLS3005	4 mL	76.1 mm x 12.5 mm	Self Standing	1000 ea/cs
DLS3006	5 mL	89.3 mm x 12.5 mm	Round Bottom	1000 ea/cs
DLS3008	5 mL	90.4 mm x 12.5 mm	Self Standing	1000 ea/cs
DLS3010	1 mL	40.1 mm x 12.5 mm	Self Standing	500 ea/cs
DLS3011	2 mL	44.5 mm x 12.5 mm	Round Bottom	500 ea/cs
DLS3012	2 mL	45.5 mm x 12.5 mm	Self Standing	1000 ea/cs
DLS3013	3 mL	69.3 mm x 12.5 mm	Self Standing	500 ea/cs
DLS3014	4 mL	73.9 mm x 12.5 mm	Self Standing	1000 ea/cs
DLS3015	5 mL	88.1 mm x 12.5 mm	Self Standing	500 ea/cs

## Kimax® Graduated TD Cylinders

*KIMAX cylinders are calibrated to deliver*

- Scale is durable white ceramic enamel.
- SAFE-GARD bumpers are supplied with sizes 25 through 2000 mL.
- The 10 mL size has an enlarged funnel-shaped top for ease of filling.
- The 10 and 25 mL sizes are comparatively short to provide increased stability.
- Designed from ASTM Specification E1272, Style 1, Class B requirements.
- CSF2002401 is a starter pack consisting of 5 cylinders (one each) in sizes of 10, 25, 50, 100 and 250 mL. Ideal for start-up requirements and customers who need a variety of cylinders, but have limited lab space or glassware needs.



Item Number	Capacity	Graduated Interval (mL)	Subdivision (mL)	Tolerance (mL)	Approx. Ht (mm)	Bumper Size	Inner Pack	Pkg
CSF2002410	10mL	1 to 10	0.2	±0.1	135	N/A	4/pk	24/cs
CSF2002425	25mL	3 to 25	0.5	±0.3	140	2	4/pk	24/cs
CSF2002450	50mL	3 to 50	1	±0.4	190	3	4/pk	24/cs
CSF20024100	100mL	5 to 100	1	±0.6	255	4	4/pk	24/cs
CSF20024250	250mL	10 to 250	2	±1.4	330	6	2/pk	12/cs
CSF20024500	500mL	25 to 500	5	±2.6	375	7	1/pk	8/cs
CSF200241000	1L	50 to 1000	10	±5.0	460	8	1/pk	4/cs
CSF200242000	2L	100 to 2000	20	±10.0	520	9	1/pk	4/cs
CSF2002401	Starter Pack - Contains one each of 10, 25, 50, 100 and 250 mL graduated cylinders							

## Plastic Graduated Cylinders

*Ideal for the safe and accurate measurement of all types of liquids*

The non-wetting interior surface eliminates concave menisci, providing more accurate measurements. The wide pentagonal shaped base makes the cylinder stable and roll-resistant. The heavy-duty plastic withstands repeated autoclaving.

- Choose from translucent Polypropylene (PP) or crystal clear Polymethylpentene (PMP)
- Available with either molded graduations or easy-to-read blue printed graduations
- Wide opening and tapered pour spout
- Graduated in milliliters (mL)
- Chemically resistant to most acids, bases and many common solvents
- Autoclavable at 121°C for 20 minutes
- Food grade



Description	Polypropylene Molded Graduations		Polypropylene Printed Graduations		Polymethylpentene Molded Graduations	
	Item No.	Pkg	Item No.	Pkg	Item No.	Pkg
10 mL	DLS601075	50/cs	DLS602560	10/cs	DLS601570	10 ea/cs
25 mL	DLS601077	30/cs	DLS602561	30/cs	DLS601571	30 ea/cs
50 mL	DLS601078	30/cs	DLS602562	30/cs	DLS601572	30 ea/cs
100 mL	DLS601079	30/cs	DLS602563	30/cs	DLS601573	30 ea/cs
250 mL	DLS601080	12/cs	DLS602564	12/cs	DLS601574	12 ea/cs
500 mL	DLS601081	12/cs	DLS602565	12/cs	DLS6015751	1/ea
1L	DLS601082	6/cs	DLS602566	6/cs	DLS601576	6 ea/cs
2L	DLS601094	6/cs	DLS602567	2/cs	DLS601577	2 ea/cs





## Dry-Keeper™ Desiccator Cabinets

*Clear-view, cabinet-style desiccators in polystyrene or acrylic*

These desiccators feature adjustable ventilated shelving to help ensure airflow around specimens. Doors feature a foam rubber gasket and latches to assure a tight seal.



Item No.	BRT420530000	BRT420530001	BRT420560001	BRT420580001	BRT420580003	BRT420561003
Shelves	None	2 adjustable shelves/ 4 positions	3 adjustable shelves/ 15 positions	2 adjustable shelves	2 adjustable shelves	2 adjustable shelves
Desiccant	Removable desiccant tray (includes jar of silica gel)	Removable desiccant tray	Removable desiccant tray	Removable desiccant tray	Automatic desiccant regeneration	Automatic desiccant regeneration
Special Feature	Stackable up to 5; door slides under cabinet	Stackable up to 5; door slides under cabinet	Two-metal latches for closing	Two-metal latches for closing	4.5 hr absorption and 30 min regeneration of desiccant. 30-40% RH	4.5 hr absorption and 30 min regeneration of desiccant. 30-40% RH
Hydrometer	No	No	Door-mounted	Door-mounted	Door-mounted	Door-mounted
Volume	0.14 cubic feet	0.35 cubic feet	2.01 cubic feet	2.08 cubic feet	2.01 cubic feet	2.08 cubic feet
Material	Polystyrene	Tinted Polystyrene	Acrylic	Acrylic	Acrylic	Acrylic
Dimensions	8.25"L x 7"W x 6.75"H (21 L x 18 W x 17 H cm)	10"L x 10"W x 10"H (25 L x 25 W x 25 H cm)	12.5"L x 15.5"W x 20"H (32 L x 39 W x 51 H cm)	15.5"L x 19.625" W x 13.75"H (39 L x 50 W x 33H cm)	24.25"L x 15.5"W x 13.75"H (61.6 L x 39.37 W x 32.93 H cm)	12.5"L x 15.5"W x 24.5H (31.75 L x 39.97 W x 61.6 H cm)

### Vacuum Desiccators

*Small footprint, top performance - desiccators hold a full vacuum at room temperature for 24 hours and will remain airtight even if not under vacuum*

Jar-type desiccators feature a polypropylene stopcock with PTFE plug that accepts 0.25" ID tubing. Vivid red handle controls airflow and provides a quick visual cue for open/closed orientation. Flat top domes maximize interior space. Neoprene O-ring seals tightly down to 0°C. All models include a 1/8" thick perforated plate.



Clear Polycarbonate Tops and Bottoms for All-Angle Viewing



Clear Polycarbonate with White Polypropylene Bottoms

Size	140 mm		190 mm		230 mm	
Item No.	BRT420100000	BRT420120000	BRT420200000	BRT420220000	BRT420250000	BRT420270000
<b>Material</b>						
Bottom	White Polypropylene	Clear Polycarbonate	White Polypropylene	Clear Polycarbonate	White Polypropylene	Clear Polycarbonate
Top	Clear Polycarbonate					
<b>Dimensions</b>						
Flange OD	17.1 cm (6.75")		23 cm (9.0")		27.3 cm (10.74")	
ID	15 cm (5.8")		19.7 cm (7.75")		24 cm (9.4")	
Plate	14 cm (5.5")		19 cm (7.48")		23 cm (9.0")	
Above Plate	12.1 cm (4.7")		15.7 cm (6.1")		19.7 cm (7.75")	
Overall Height	20.6 cm (8.1")		26 cm (10.2")		31.1 cm (12.24")	

## Secador® Techni-Dome 360

The Secador® Techni-Dome 360 vacuum desiccator is the largest in its class. It is ideal for contamination-free, dust-free desiccation, storage and degassing. For example, it is effective for drying, cooling and degassing humidity-sensitive salt cells used in IR spectrometers, thin-layer chromatography plates, and sensitive electronics.

- 65 liters (4000 cu. in.) volume
- Space for multiple trays, racks, plates and instruments
- Holds items up to 45cm (18") tall or wide
- Two detachable polypropylene shelves, 365mm (14.37") and 225mm (8.85") in diameter
- Top and bottom can be locked together with tamper-evident seals or locks
- Weighs roughly 5 kg (11 lbs) and can be transported by molded-in handles
- Safety locator pins in the top and bottom halves prevent the halves from displacing when one side is lifted

### Item No.

BRT420290000



## Desiccant

*Variety of sizes and types to support proper humidity conditions*

- BRT42045-series have a disc shape which are easy-to handle with Natrasorb® T1 indicating silica gel beads. Beads change to pink when moist and are contained in a durable, polyester felt bag with a perforated Mylar® cover.
- BRT420460000 Desi Can® is a reusable desiccant canister. Silica gel effectively absorbs moisture through perforations in the aluminum case. One canister maintains humidity in 3 cubic feet of space. Monitor window changes to pink when saturated.
- BRT42048-series are clear PS dishes which allows instant visual inspection of silica gel, which changes to pink when saturated. Each cartridge is individually sealed and sold in packs of 6.



Item No.	Description	Pkg
BRT420450160	Cartridge, Desiccant, 160 mm, 175g, 11.4 cm Diameter	1/ea
BRT420450200	Cartridge, Desiccant, 200 mm, 650g, 19.7 cm Diameter	1/ea
BRT420450250	Cartridge, Desiccant, 250 mm, 1135g, 23.8 cm Diameter	1/ea
BRT420460000	Desi-Can™ Reusable Desiccant Canister, 2" L X 4" W X 0.5" H (5.1cm L x 10.2cm W x 1.3cm H)	1/ea
BRT420480065	Cartridge, Desiccant, Disposable, 65 mm, 16g, 6.5cm Diameter	6/bx
BRT420480100	Cartridge, Desiccant, Disposable, 100 mm, 38g, 10cm Diameter	6/bx





BRT420741115

BRT420710006

BRT420721115

BRT420731000

## Secador® Gas-Ported Desiccator Cabinets

*Wide range of sizes for those who require controlled, gas-purged desiccation*

All models include gas ports for ¼" ID tubing; patented door seal design; tab latches and security loops for padlocks or tamper-evident seals; perforated shelves to facilitate air circulation; and closeable valves to use desiccator cabinets with standard desiccants.

Secador 1.0 to 4.0 cabinets are made of Durastar® co-polyester which blocks 99% of UV light and is resistant to staining, crazing and chemical attack. Amber color units also block over 50% of visible light.

Autodesiccators include a door-mounted dial hygrometer. Preset electronically controlled desiccant regeneration eliminates the need to monitor desiccant. Relative humidity reduction to roughly 25% is accomplished in about 8 hrs.

- **Mini desiccator is made of clear PS for easy viewing.**  
Dimensions: door opening: 9.3"W x 5"H (23.6 W x 12.7 H cm) Overall dimensions: 13.3"W x 10"D X 8.5"H (33.8W x 25.4D x 21.6H cm) Internal volume: 0.35 cu. ft.
- **Model 1.0** has one fixed shelf, an internal volume of 0.74 cu ft and height of 8.4" (21.3 cm).
- **Model 2.0** has two adjustable shelves, an internal volume of 1.16 cu ft and height of 12.4" (31.4 cm).
- **Model 3.0** has three adjustable shelves, an internal volume of 1.55 cu ft and height of 16.4" (41.7 cm).
- **Model 4.0** has three adjustable shelves, an internal volume of 1.87 cu ft and height of 20.4" (51.8 cm).

Item No.	Model	Profile	Autodesiccator	Color
BRT420751002	Mini	Horizontal	N	Clear
BRT420710000	1	Horizontal	N	Clear
BRT420710006	1	Horizontal	N	Clear with Blue End Caps
BRT420721000	2	Vertical	N	Clear
BRT420721115	2	Vertical	Y	Clear
BRT420731000	3	Vertical	N	Clear
BRT420731115	3	Vertical	Y	Clear
BRT420740000	4	Horizontal	N	Clear
BRT420740115	4	Horizontal	Y	Clear
BRT420740116	4	Horizontal	Y	Clear with Blue End Caps
BRT420741000	4	Vertical	N	Clear
BRT420741006	4	Vertical	N	Clear with Blue End Caps
BRT420741008	4	Vertical	N	Amber
BRT420741115	4	Vertical	Y	Clear
BRT420741116	4	Vertical	Y	Clear with Blue End Caps
BRT420741117	4	Vertical	Y	Blue with Clear Door
BRT420741118	4	Vertical	Y	Amber



## Simport Sterile Polystyrene Petri Dishes

*Economical, optically clear dishes are precision-molded from biomedical grade polystyrene so cultures are clearly visible without distortion. Dishes are packaged in heavy-wall polyethylene sleeves and 500/cs.*

Item No.	Description	Features
SMPD2107	100 x 20 mm	For unimpaired observation of specimen growth with raised straight ridge around top for stable stacking.
SMPD2107WL	100 x 20 mm, Venting Ribs	Three venting ribs into the underside of the lid to prevent condensation build-up.
SMPD2108	100 x 20 mm, Deeper Fill, Venting	Used for fungal cultures, plant propagation. This dish has three venting ribs into the underside of the lid to prevent condensation build-up.
SMPD2108R	100 x 20 mm, Deeper Fill, Non-Venting	Used for fungal cultures, plant propagation. Non-vented lid has a raised straight ridge around top for stable stacking.
SMPD21013	60 x 15 mm, Venting Ribs	For small culture quantities and unimpaired observation of specimen growth. Three venting ribs prevent condensation, and raised straight ridge around the top for stacking.
SMPD21014	50 x 9 mm	Box-type dish for culturing of mycobacteria, aerosol testing, membrane filter and immunodiffusion techniques. Tight lid prevents sample dehydration.
SMPD21015	35 x 10 mm, Venting Ribs	For small culture quantities and unimpaired observation of specimen growth. Three venting ribs prevent condensation, and raised straight ridge around the top for stacking.
SMPD21016	100 x 100 x 15 mm with Grid	For phage typing, susceptibility testing, plate counts, and probe assays. Each 13 mm grid is marked numerically in one direction and alphabetically in the other. This dish has four venting ribs into the underside of the lid to prevent condensation build-up.
SMPD21017	10 x 10 mm Gridded, Contact Plate	Numbered and lettered squares to facilitate counting and to locate colonies. The SMPD21017D is designed with a convex bottom in order to save on culture medium.
SMPD21017D	10 x 10 mm Gridded, Contact Plate, Convex Bottom	
SMPD21018A	50 x 9 mm Rimmed without Pad	Accommodates 47 mm diameter membrane filters. These dishes are stackable and have squared off edges on both the top and bottom which provide convenient grips for one handed opening. The snug fitting top ensures that neither the absorbent pad nor the agar media will dry out during incubation. A frosted area on top of lid permits labeling.  SMPD21018B has absorbent pads that are ideal for culturing micro-organisms on either agar or broth based media.
SMPD21018B	50 x 9 mm Rimmed with Pad	

Note: SMPD2107 through SMPD21015 are not recommended for tissue culture applications.




SMPD2107



SMPD21018B



SMPD21016



SMPD21017D



DLS3620, DLS3621, DLS3622

## Polystyrene, Anti-Static Pour Boats

These safe, contaminant-free, biologically inert, economical containers are specially made to facilitate dispensing of powdered and liquid materials. The molded material is thicker than conventional weighing dishes. Non-reactive with most substances and suitable for weighing static affected materials. Will withstand temperatures up to 80°C.

Item No.	Description	Pkg
DLS3620	Small, 20 mL, 41 x 41 x 8 mm	250/cs
DLS3621	Medium, 100 mL, 89 x 89 x 25 mm	250/cs
DLS3622	Large, 330 mL, 140 x 140 x 25 mm	250/cs
DLS3623	Small, 20 mL, 80 x 41 x 8 mm	250/cs
DLS3624	Medium, 140 mL, 133 x 76 x 25 mm	250/cs
DLS3625	Large, 270 mL, 197 x 121 x 25 mm	250/cs



DLS3623, DLS3624, DLS3625

Looking for spatulas?

SEE  
PAGE  
102



## Hexagonal Polystyrene Anti-Static Weighing Dishes

Produced from a special grade of polystyrene to resist diluted acids, aqueous solutions, alcohols and bases. Can withstand temperatures up to 80°C. Non-reactive with most substances and suitable for weighing static affected samples. The molded hexagonal design provides greater balance, protection and safety. Excellent for handling solids or liquids during weighing. They can easily be bent into pouring spouts to provide accurate transfers with minimal sample loss.

Item No.	Description	Pkg
DLS3615	20 mL	500/cs
DLS3616	50 mL	500/cs
DLS3617	200 mL	500/cs
DLS3618	350 mL	500/cs

### Medcell Alkaline Batteries

*Combines performance with savings*

- Designed to last and provide maximum performance in high-tech devices
- Mercury-free alkaline batteries
- Packaged for professional use

Item No.	Description	Pkg
MPHB9V	9V	72/cs
MPHB9VZ	9V	12/bx
MPHBAA	1.5V, AA	144/cs
MPHBAAZ	1.5V, AA	24/bx
MPHBAAA	1.5V, AAA	144/cs
MPHBAAAZ	1.5V, AAA	24/bx
MPHBCZ	1.5V, C	12/bx
MPHBDZ	1.5V, D	12/bx



### Heavy-Duty Utility Carts

Sturdy structural foam construction won't rust, dent, chip or peel. Rounded corners protect walls and furniture. Lightweight and maneuverable. Large 4" (10.2 cm) non-marking swivel casters.

Item No.	Description	Pkg
RUB9T6600BLA	Utility Cart 2-shelf	1/ea



### Service Cart

Versatile, durable cart performs a wide variety of services. Easy-to-clean smooth surfaces. User-friendly handles. 3 Shelf Cart, 24" W x 18" D

Item No.	Description	Pkg
EVSSTC111BLK	Black	1/ea
EVSSTC111GRY	Gray	1/ea



**greensmart™ Paper Products**

*Made from 100% renewable sources*

- Toilet paper and hand towels are soft and durable at an affordable price.
- Facial tissues are made from recycled paper.
- Premium toilet seat covers are half-fold to fit all popular seat cover dispensers, made from quick-dissolving tissue and 100% biodegradable.



NON26805

NON26800



NON245277



NON26899



NON26810



NON26820



NON26835

Item No.	Description	Pkg
<b>Toilet Paper</b>		
NON27800	Standard roll, 2-ply, 100% recycled, 500 sheets/roll	96 rolls/cs
NON26800	Standard roll, 2-ply, 4.5" x 3.8", 500 sheets/roll	96 rolls/cs
NON28800	Deluxe roll, 2-ply, 400 sheets/roll	96 rolls/cs
NON28900	Deluxe, 2-ply, 4x4", 75 sheets/roll, inner 4 pack	96 rolls/cs
NON26801	Standard roll, 1-ply, 1000 sheets	96 rolls/cs
NON26805	Jumbo roll, 2-ply, 3.8" x 1000'	8 rolls/cs

<b>Facial Tissue</b>		
NON243277	2-ply, 8" x 8.3", 90 sheets/bx	30 bx/cs
NON243276	2-ply, 6" x 8", 60 sheets/bx	72 bx/cs
NON243275	2-ply, 5.7" x 7", 40 sheets/bx	200 bx/cs

<b>Toilet Seat Cover</b>		
NON26899	Toilet Seat Cover	5000/cs

Item No.	Description	Color	Pkg
<b>Multi-Fold Towels</b>			
NON26810	Standard, 9.125" x 9.5" sheet size	White	250/pk, 16pk/cs
NON26813	Deluxe, 9.125" x 9.5" sheet size	White	250/pk, 16pk/cs
NON25815	Deluxe, 9.125" x 9.5" sheet size	Natural	250/pk, 16pk/cs

<b>C-fold Towels</b>			
NON26820	Paper Towels. White, C-fold	White	150/pk, 10pk/cs

<b>Roll Towels</b>			
NON26871	Deluxe Roll, 10" x 425'	White	6/cs
NON26872	Standard Roll, 10" x 800'	White	6/cs
NON25825	Standard Roll, 7.875" x 350'	Natural	6/cs
NONPBM350	Standard Roll, 7.87" x 350'	White	6/cs
NONPBM800B	Standard Roll, 7.875" x 800'	White	6/cs
NONPBM800N	Standard Roll, 7.875" x 800'	Natural	6/cs
NON26835	Perforated Roll. 85 sheets/roll	White	30/cs

<b>Center-pull Towels</b>			
NON26830	8.25" x 12" 600 sheet/rl	White	6/cs



KCP05701



KCP05600



K-C05007



K-C41025



KCP35421

## Wypall® Wipers

*Wypall Wipers come in a variety of sizes and features for the task at hand.*

- L30 Wipers are ideal for light duty cleanup, easily removing liquids.
- L40 Wipers are value-priced, general purpose wipers featuring DRC technology for absorbing liquids and oils, yet extremely cloth-like.
- X60 Wipers are the standard, general-purpose wipers. These wipers bring the absorbing power of HYDROKNIT\* technology to a lighter weight wiper. Reinforced for extra scrubbing and cleaning power.
- X70 Wipers are reusable, general-purpose wipers that also feature the HYDROKNIT technology and stay stronger longer.
- X80 Wipers are the toughest wipers and feature the HYDROKNIT technology. The ideal choice for the toughest jobs, and will leave no residue.

Item No.	Series	Wipe Size	Dispensing	Inner Pack	Pkg
K-C47022	L20	12.5 x 13 in.	Quarter-folded	68/pk	12/cs
K-C03086	L30	10 x 10.8 in.	Pop-Up®	120/bx	10/cs
K-C05841	L30	12.4 x 13.3 in.	Jumbo Roll	950/roll	1/cs
KCP05812	L30	12.5 x 13 in.	Quarter-folded	90/pk	12/cs
KCP08541	L30	12.4 x 13.3 in.	Jumbo Roll	950/roll	1/cs
K-C05007	L40	12.5 x 13.4 in.	Jumbo Roll	750/roll	1/cs
K-C05790	L40	16.4 x 9.8 in.	Pop-Up	100/pk	9/cs
KCP05600	L40	12.5 x 13 in.	Quarter-folded	56/pk	12/cs
KCP05701	L40	12.5 x 13 in.	Quarter-folded	56/pk	18/cs
KCP05796	L40	10 x 13.2 in.	Center-pull Roll	200/roll	2/cs
K-C34865CS	X60	12.5 x 12 in.	Quarter-folded	76/pk	12/cs
KCP35411	X60	9.8 x 13.4 in.	Roll	130/roll	12/cs
KCP35421	X60	19.6 x 13.4 in.	Roll	130/roll	6/cs
K-C41600	X70	12.5 x 13.4 in.	Jumbo Roll	870/roll	1/cs
K-C41025	X80	12.5 x 13.4 in.	Jumbo Roll	475/roll	1/cs

## Kimwipes® Delicate Task Wipers

*Ideal for laboratory cleaning, surface/parts cleaning, instrument cleaning and lens cleaning*

- Kimwipes are light-duty wipes that can handle a variety of delicate tasks.
- Unique pop-up dispensing reduces lint and static charge, controls usage and reduces waste.
- Three different wiper sizes available.

Item No.	Description	Pkg
K-C34155CS2	4.4" x 8.4"	60 boxes/cs
K-C34155Z	4.4" x 8.4"	280 sheets/bx
KCP34133	11.8" x 11.8"	15 boxes/cs
K-C34256	14.7" x 16.6"	15 boxes/cs
K-C34256Z	14.7" x 16.6"	140 sheets/bx



## Medline Delicate Task Wiper

*Delicate task wiper at a lower price*

- Low-linting microscoff lens wipe
- Appropriate for cleaning delicate surfaces such as lens, slides, glassware and instruments
- Packaged in a convenient pop-up box for ease of use

Item No.	Description	Pkg
NONLAB48	4" x 8"	60 boxes/cs
NONLAB48Z	4" x 8"	280 sheet/bx

Looking for Wash Bottles?

SEE  
PAGES  
31-32

### Sterillium® Hand Sanitizer and Surgical Scrub

Avoid skin contaminants from interfering with research without damaging your skin

#### Sterillium Comfort Gel® Hand Sanitizer

Effective against a broad range of pathogens within 15 seconds.<sup>1</sup> Sanitizes with 85% ethyl alcohol w/w formulation while improving skin hydration 14% after two weeks compared to untreated skin.<sup>2</sup>

Item No.	Description	Pkg
MSC097062	1000 mL	8 ea/cs
MSC097063	475 mL Pump	20 ea/cs
MSC097065	50 mL bottle	42 ea/cs
LX10PUSH	Manual Dispenser	1 ea

<sup>1</sup>Independent Skin Care Study / Skin Hydration. Data on file.

<sup>2</sup>Data on file.



MSC097065



MSC097063



MSC097062  
LX10PUSH

#### Sterillium® Rub: Surgical Hand Scrub

Waterless surgical scrub provides a rapid and comprehensive kill of transient and resident skin flora, with a 85% w/w ethyl alcohol formula. Meets FDA requirements for immediate, persistent and cumulative efficacy. Formulated with a proprietary blend of emollients for exceptional skin tolerability.

Item No.	Description	Pkg
MSC097058	1000 mL	8 ea/cs
MSC097057	50 mL	50 ea/cs
LXT10AUTO	Auto Dispenser	1 ea



MSC097057



MSC097058  
LXT10AUTO

### Skintegritty® Foaming Hand Soap

- Rich feeling foam for quick and effective cleaning
- 0.5% triclosan active antibacterial ingredient

Item No.	Description	Pkg
KUT68941MED	1000ml	6 ea/cs
KUT68917MED	Pump Bottle, 1.7 oz	24/cs
MSC9941GRA	Manual Dispenser	1 ea



KUT68941MED

MSC9941GRA

KUT68917MED





MDS88000B9

## Medline Detergents

*A variety of detergents - optimized for different contaminants  
- to make short work of dirty labware*

### Medline Enzymatic Detergents

Ideal for cleaning without the need for a presoak and can be used for manual cleaning, in automatic washers and with ultrasonic machines. The Single-Enzymatic formula removes protein. The Dual-Enzymatic detergent is highly effective at disintegrating protein deposits, starch and carbohydrates.

Item No.	Description	Pkg
MDS88000B9	Dual Enzymatic Detergent, 1 gal bottle	4/cs
MDS88000B91	Single Enzymatic Detergent, 1 gal bottle	4/cs

### Medline Alka-Wash

A low-suds, moderate pH detergent. Alka-Wash can be used for manual cleaning, in automatic washers and with ultrasonic machines, effectively removing blood and tissue from surgical instruments, dissection supplies, glassware and plasticware.

Item No.	Description	Pkg
MDS88000AW1	Alka Wash Detergent, 1 gal bottle	4/cs



MDS88000AW1

### Foam PreSoak Spray

The spray rapidly digests proteins and fats and provides cleaning action for up to 12 hours. As it is a pre-cleaner, rinse or flush item prior to further cleaning.

Item No.	Description	Pkg
MDS8800FOAM	Foam PreSoak Spray, 24 Oz Spray	15/cs



MDS8840032

MDS8840128

## Meritz® Plus Disinfectant/Decontaminant

*One step cleaner, disinfectant and deodorizer*

- A general disinfectant for equipment or immersion soak of surgical/dissection instruments prior to further cleaning.
- Bactericidal, fungicidal, virucidal (including HIV-1) and tuberculocidal.
- No mixing, measuring or rinsing needed.

Item No.	Description	Pkg
MDS8840032	Meritz Germicidal Spray, 32 Oz	12/cs
MDS8840128	Meritz Germicidal Spray, 1 Gal	4/cs

## Cleaning Brushes

*Effectively removes debris from glassware, plasticware, metals and rubber material*

Item No.	Brush Diameter	Length of Bristle Area	End-to-End Length	Pkg
MDSBR3020	0.062	0.5" (1.27 cm)	6" (15.2 cm)	2/pkg
MDSBR3100	0.062	0.5" (1.27 cm)	18" (45.7 cm)	2/pkg
MDSBR3110	0.070	0.5" (1.27 cm)	18" (45.7 cm)	2/pkg
MDSBR3125	0.070	0.5" (1.27 cm)	24" (60.1 cm)	2/pkg
MDSBR3113	0.079	0.5" (1.27 cm)	6" (15.2 cm)	2/pkg
MDSBR3114	0.079	0.75" (1.9 cm)	12" (30.5 cm)	2/pkg
MDSBR3115	0.080	1" (2.54 cm)	24" (60.1 cm)	2/pkg
MDSBR3120	0.087	0.5" (1.27 cm)	18" (45.7 cm)	2/pkg
MDSBR3130	0.105	1" (2.54 cm)	18" (45.7 cm)	2/pkg
MDSBR3137	0.118	2.75" (7 cm)	12" (30.5 cm)	2/pkg
MDSBR3140	0.125	2" (5.1 cm)	18" (45.7 cm)	2/pkg
MDSBR3142	0.144	0.75" (1.9 cm)	8" (20.3 cm)	2/pkg
MDSBR3143	0.158	0.75" (1.9 cm)	8" (20.3 cm)	2/pkg
MDSBR3144	0.197	3" (7.6 cm)	16" (40.6 cm)	2/pkg
MDSBR3145	0.200	2" (5.1 cm)	24" (60.1 cm)	2/pkg
MDSBR3150	0.250	2" (5.1 cm)	18" (45.7 cm)	2/pkg
MDSBR3153	0.276	3" (7.6 cm)	16" (40.6 cm)	2/pkg
MDSBR3155	0.312	3" (7.6 cm)	24" (60.1 cm)	2/pkg
MDSBR3170	0.375	1.5" (1.27 cm)	6" (15.2 cm)	2/pkg
MDSBR3173	0.393	3" (7.6 cm)	16" (40.6 cm)	2/pkg
MDSBR3175	0.440	3" (7.6 cm)	24" (60.1 cm)	2/pkg



## Instrument Cleaning Brushes

- Use during manual instrument cleaning to gently but effectively remove debris from hard-to-reach areas.
- Choose from nylon or stainless steel bristles.

Item Number	Description	Pkg
MDS88BRUSH	7" Brush/Nylon Bristles	3/ea
MDS88BRUSHSS	7" Brush/Stainless Steel Bristles	3/ea



MDS88BRUSH



### Parafilm® M Sealing Film

*Molds easily to cover a variety of labware including test tubes, beakers, flasks, vials and petri dishes*

- Versatile, moisture-resistant thermoplastic material
- Self-sealing film minimizes moisture loss and provides barrier protection for samples

Item No.	Description	Pkg
HSFHS234526A	2" x 250'	1 ea
HSFHS234526ACS	2" x 250'	24/bx
HSFHS234526B	4" x 125'	1 ea
HSFHS234526BCS	4" x 125'	24/bx
HSFHS234526C	4" x 250'	1 ea
HSFHS234526CCS	4" x 250'	24/bx



### Bel-Art Labmat™ Bench Liner Sheets

*Labmat™ Bench Liner speeds clean-up and safeguards work surfaces from stains, spills and wear.*

- The highly absorbent upper surface traps up to 420 mL/m<sup>2</sup> of water, dyes, corrosive chemicals or radioactive solutions.
- Flexible polyethylene film backing is non-skid and prevents soak-through of most solutions.
- Simply roll up and discard after contamination.
- Safety Orange for biohazard designated use.
- Available in cut-sheets with standard use or roll for the safety orange Labmat.

Item No.	Description	Pkg
BRT246750020	Labmat Sheets, White, 20" x 24" (50.8 x 61cm)	100/bx
BRT246750000	Labmat Liner, 20" x 50' (50.8cm x 15.2m)	1 roll
BRT246751000	Labmat Liner, Orange, Biohazard, 20" x 50' (50.8cm x 15.2m)	1 roll

### Absorbent Laboratory Countertop Paper

*Air laid with a poly back for absorbance without leak-through*

Item No.	Description	Pkg
NON01220P	12" x 20" Sheets	600/cs
NON01820	18" x 20" Sheets	400/cs

### Utility Scissors

*Size paper and film easily with these scissors*

- Guide at tip lifts paper from surface for easier cutting.

Item No.	Description	Pkg
MDS10750	Plastic-Handle, 7.5"	12/bx
MDS10750H	Plastic-Handle, 7.5"	1/ea





## Kimax® Narrow-Mouth Erlenmeyer Flasks

*KIMAX Flask rims are reinforced and tooled with a rounded finish, containing more glass to give them maximum mechanical strength*

- Body is thick walled with a long tapered outside contour to minimize chipping.
- Durable white ceramic enamel scales to indicate approximate volumes at various levels, useful in measuring and mixing solutions where a high degree of accuracy is not necessary.
- Designed from ASTM Specification E1404, Type I, Class 1 requirements.
- CSF265201 is ideal for start-up requirements and customers who need a variety of Erlenmeyer's but have limited lab space and glassware needs. This starter pack consists of five flasks one each of the following sizes: 50, 125, 250, 500 and 1000 mL.

Item No.	Capacity (mL)	Graduations (mL)	Subdivisions (mL)	Rubber Stopper Size	Approx. Width (mm)	Approx Height (mm)	Inner Pack	Pkg
CSF2650050	50	20 to 50	10	1	50	78	12/pk	48/cs
CSF26500125	125	50 to 125	25	5	66	108	12/pk	48/cs
CSF26500250	250	50 to 225	25	6	82	130	12/pk	48/cs
CSF26500500	500	100 to 500	50	7	102	174	6/pk	36/cs
CSF265001000	1000	250 to 1000	50	9	128	213	6/pk	24/cs
CSF265002000	2000	600 to 2000	100	10	161	275	4/pk	8/cs
CSF265201	Starter Pack - Contains one each of 50, 125, 250, 500 and 1000 mL flasks							





Flat Base

Baffled Base

## TriForest Polycarbonate Erlenmeyer Shaker Flasks

*Optically clear, the flasks are certified pyrogen free and DNase-/RNase- free*

- Disposable or reusable - manufactured with virgin, optically clear, non leaching LEXAN®; resin that retains clarity after gamma radiation.
- Ideal for cell cultures, microbial cultures, plants, media preparation and storage.
- Patented DuoCAP® allows sterile air exchange or a leak-proof seal, allowing for the same vessel to be used for aerobic/anaerobic culture.
- Flasks are re-autoclavable, reusable, individually packed in EZ-Tear bags, and sterile to SAL 10<sup>-6</sup>.
- Available with a flat or a baffled base. Choose baffled base flasks when increased levels of oxygenation add mixing are required.

Item No.	Capacity	Base	Pkg
TFEFPC0125S	125mL	Flat	144/cs
TFEFPC0250S	250mL	Flat	72/cs
TFEFPC0500S	500mL	Flat	48/cs
TFEFPC1000S	1L	Flat	24/cs
TFEFPC2000S	2L	Flat	24/cs
TFEFPC3000S	3L	Flat	12/cs
TFEFBC0125S	125mL	Baffled	144/cs
TFEFBC0250S	250mL	Baffled	72/cs
TFEFBC0500S	500mL	Baffled	48/cs
TFEFBC1000S	1L	Baffled	24/cs
TFEFBC2000S	2L	Baffled	24/cs
TFEFBC3000S	3L	Baffled	12/cs

## Kimble Class A Volumetric Flask

*KIMAX flask with a single graduation ring blasted on the neck*

- Flasks are calibrated to contain and are designed from ASTM Specification E288, Class A unserialized requirements.
- A ground glass stopper is supplied and there are marking spots on all sizes.

Item No.	Capacity	Pkg
CSF2801410	10mL	12/cs
CSF2801425	25mL	12/cs
CSF2801450	50mL	12/cs
CSF28014100	100mL	12/cs
CSF28014250	250mL	12/cs
CSF28014500	500mL	12/cs
CSF280142000	2L	4/cs



## Disposable Funnels

These economical, disposable funnels are available in either transparent polystyrene or translucent polypropylene. They are lightweight, have reinforced rims and inside fluting. They are tapered at a 60° angle.

- Polypropylene funnels tolerate most strong acids, alkalis and organic solvents
- Polypropylene funnels are autoclavable; heat resistant up to 121°C
- Polystyrene funnels are suitable for aqueous solutions, weak acids and alkalis
- Packaging: 25/sleeve, 4 sleeves/box
- Stem opening 4.3 mm



Item#	Funnel Size	Material	Top ID	Height	Stem Length	Filter Paper Size	Unit
DLS8301	55 mm	Polystyrene (PS)	55 mm	69 mm	25 mm	11 cm	100/cs
DLS8303	55 mm	Polypropylene (PP)	55 mm	69 mm	25 mm	11 cm	100/cs
DLS8302	65 mm	Polystyrene (PS)	65 mm	78 mm	30 mm	12.5 cm	100/cs
DLS8304	65 mm	Polypropylene (PP)	65 mm	78 mm	30 mm	12.5 cm	100/cs



### Medline Professional™ Nitrile Exam Gloves with Aloe

*Thick glove that soothes the hands*

- Contains an inner coating of freeze dried aloe vera.
- Exceptional protection against harsh chemicals.
- All-over texturing for better grip on small or large items, wet or dry.
- Available in standard 9" with 5.9 mil fingertip and 5.5 mil palm thicknesses or extended 12" cuff length with 7.5 fingertip and 6.7 mil palm thicknesses.



Item No.	Size	Cuff Length	Pkg
PRO31760	X-Small	9"	100/box, 10 boxes/cs
PRO31761	Small	9"	100/box, 10 boxes/cs
PRO31762	Medium	9"	100/box, 10 boxes/cs
PRO31763	Large	9"	100/box, 10 boxes/cs
PRO31764	X-Large	9"	100/box, 10 boxes/cs
PRO31771	Small	12"	50/box, 10 boxes/cs
PRO31772	Medium	12"	50/box, 10 boxes/cs
PRO31773	Large	12"	50/box, 10 boxes/cs
PRO31774	X-Large	12"	50/box, 10 boxes/cs

### *A combination of sensitivity and protection*

- Created to feel like you aren't wearing gloves at all.
- High-tactile design with lightly textured fingertips.
- 3.6 mil fingertip and 2.8 palm thicknesses.



Item No.	Size	Pkg
PRO31780	X-Small	200/box, 10 boxes/cs
PRO31781	Small	200/box, 10 boxes/cs
PRO31782	Medium	200/box, 10 boxes/cs
PRO31783	Large	200/box, 10 boxes/cs
PRO31784	X-Large	180/box, 10 boxes/cs

## Medline Professional™ Nitrile Exam Gloves

### *Combination of durability and comfort*

- Thick glove that is comfortable to wear for hours on end.
- Textured fingertips for an enhanced grip to use with vials or tubes.
- 5.1 mil fingertip and 4mil palm thicknesses.

Item No.	Size	Pkg
PRO31750	X-Small	100/box, 10 boxes/cs
PRO31751	Small	100/box, 10 boxes/cs
PRO31752	Medium	100/box, 10 boxes/cs
PRO31753	Large	100/box, 10 boxes/cs
PRO31754	X-Large	100/box, 10 boxes/cs



## Medline Professional™ Latex Exam Gloves

### *Provides exceptional tactile sensitivity*

- Unmatched elasticity and sensitivity from latex.
- Low-protein-level latex helps reduce latex sensitivity to wearers.
- Textured all over for better grip on glassware and cold samples.
- 6.7 mil fingertip and 6.3 mil palm thicknesses.

Item No.	Size	Pkg
PRO31790	X-Small	100/box, 10 boxes/cs
PRO31791	Small	100/box, 10 boxes/cs
PRO31792	Medium	100/box, 10 boxes/cs
PRO31793	Large	100/box, 10 boxes/cs
PRO31794	X-Large	90/box, 10 boxes/cs



## Wire Glove Box Holders

### *These glove box holders are a great organizational tool*

- Free up space on benches or counters.
- White coated wire glove box holders come in single, double, triple, and quadruple glove box quantities.
- Wire holders allow for easy viewing of sizes of gloves.
- Wire holders are made of durable materials to last for years.

Item No.	Size	Pkg
MDS192094B	Horizontal, Double	6/cs
MDS191094	Horizontal, Single	10/cs
MDS193094	Horizontal, Triple	10/cs
MDS194094B	Horizontal, Quad	6/cs
MDS192094V	Vertical, Double	6/cs
MDS193094V	Vertical, Triple	6/cs







**Signature Glide®  
Surgical Gloves**

*Glide finish exterior provides exceptional control and tactile sensitivity*



- Signature Glide surgical gloves are sterile, made from latex, powder-free and offer a smooth surface with 10.2 mil thickness.
- Reinforced cuff to help reduce cuff-roll down and tearing.
- Anatomical former design replicates the natural hand shape to reduce hand fatigue.
- Translucent color provides contrast when double gloving.

Item No.	Size	Pkg
MSG8855	5.5	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG8860	6.0	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG8865	6.5	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG8870	7.0	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG8875	7.5	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG8880	8.0	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG8885	8.5	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG8890	9.0	200 pr/cs, 50 pr/bx, 4 bx/cs

**Triumph®  
Surgical Gloves**

*Instead of potentially harmful powder as a donning agent, Triumph Surgical Gloves utilize a synthetic polymer coating for effortless dry/damp donning*



- Triumph surgical gloves are sterile, made from latex, powder-free and feature a smooth surface, 9.4 mil thickness and white color.
- Ideal for general surgery.

Item No.	Size	Pkg
MSG2255	5.5	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG2260	6.0	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG2265	6.5	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG2270	7.0	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG2275	7.5	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG2280	8.0	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG2285	8.5	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG2290	9.0	200 pr/cs, 50 pr/bx, 4 bx/cs

**Triumph® Ortho with  
Aloe Surgical Gloves**

*Thick and durable for enhanced protection*



- Triumph Ortho with Aloe surgical gloves are sterile, made from latex, powder-free, lightly textured and brown with 13 mil thickness.
- Aloetouch technology moisturizes skin during use.
- Ideal for use during procedures where sharp bone fragments may be present or rugged, durable surgical instruments are in use.

Item No.	Size	Pkg
MSG2660	6.0	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG2665	6.5	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG2670	7.0	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG2675	7.5	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG2680	8.0	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG2685	8.5	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG2690	9.0	200 pr/cs, 50 pr/bx, 4 bx/cs

## SensiCare® Micro Surgical Gloves

*Glove design offers a high level of tactile sensitivity*

- Sterile, latex-free (Polyisoprene), powder-free, white and have a smooth surface and 8.7 mil thickness.
- Ideal for neurosurgery, cardiovascular surgery and small animal procedures.




Item No.	Size	Pkg
MSG1655	5.5	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG1660	6.0	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG1665	6.5	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG1670	7.0	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG1675	7.5	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG1680	8.0	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG1685	8.5	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG1690	9.0	200 pr/cs, 50 pr/bx, 4 bx/cs

## SensiCare® with Aloe Surgical Gloves

*SensiCare revolutionized the medical glove industry as the first synthetic Polyisoprene surgical glove*

- Offers the fit, feel, comfort and performance of traditional latex gloves without the harmful latex proteins.
- Sterile, latex-free (Polyisoprene), powder-free, smooth, 9.8 mil thick and white.
- technology moisturizes skin during use.
- Ideal for general surgery.



Item No.	Size	Pkg
MSG1055	5.5	100 pr/cs, 25 pr/bx, 4 bx/cs
MSG1060	6.0	100 pr/cs, 25 pr/bx, 4 bx/cs
MSG1065	6.5	100 pr/cs, 25 pr/bx, 4 bx/cs
MSG1070	7.0	100 pr/cs, 25 pr/bx, 4 bx/cs
MSG1075	7.5	100 pr/cs, 25 pr/bx, 4 bx/cs
MSG1080	8.0	100 pr/cs, 25 pr/bx, 4 bx/cs
MSG1085	8.5	100 pr/cs, 25 pr/bx, 4 bx/cs
MSG1090	9.0	100 pr/cs, 25 pr/bx, 4 bx/cs

## Neolon® 2G Surgical Gloves

*The new polychloroprene formulation is softer, more elastic and comfortable than traditional polychloroprene gloves*

- Neolon 2G surgical gloves are sterile, latex-free (Polychloroprene), powder-free, brown and lightly textured with 9.1 mil thickness.
- ARC (anti-roll cuff) is designed to reduce cuff roll-down that is common with most powder-free gloves.
- The inner polymer coating allows for easy donning both with damp and dry hands.
- Brown/tan color reduces glare during procedures.
- Ideal for general surgery and users with skin sensitivities.



Item No.	Size	Pkg
MSG6055	5.5	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG6060	6.0	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG6065	6.5	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG6070	7.0	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG6075	7.5	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG6080	8.0	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG6085	8.5	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG6090	9.0	200 pr/cs, 50 pr/bx, 4 bx/cs

## Tradition™ Surgical Gloves

*Tradition™ powdered latex gloves are an ideal combination of tactile sensitivity, comfort and durability*

- Tradition surgical gloves are sterile, powdered latex and feature a smooth surface, 8.7 mil thickness and white color.
- Their anatomical shape makes them fit better, especially for in-between sizes.
- Curved fingers reduce hand fatigue while the beaded cuffs prevent roll-back and make gloves easy to put on.
- Ideal for general surgery.



Item No.	Size	Pkg
MSG4055	5.5	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG4060	6.0	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG4065	6.5	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG4070	7.0	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG4075	7.5	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG4080	8.0	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG4085	8.5	200 pr/cs, 50 pr/bx, 4 bx/cs
MSG4090	9.0	200 pr/cs, 50 pr/bx, 4 bx/cs



### PVC Jersey-lined Glove

*PVC exterior resists oil, grease, acids and solvents, and also provides moderate abrasion resistance*

- Jersey lining offers cushioning and moderate insulation.
- Rough grip finished for improved handling of wet or cold samples.

Item No.	Size	Pkg
WCHJ1017RF	10"	12/pk
WCHJ1027RF	12"	12/pk
WCHJ1047RF	14"	12/pk
WCHJ1087RF	18"	12/pk



### 100% Cotton Lisle Gloves

*Great as a glove liner or for surface protection*

- Protect sensitive equipment and products from hand oils, fingerprints and abrasion
- Snug fit for excellent dexterity
- Reversible for a better protection and comfort

Item No.	Size	Pkg
WCH70514Z	14"	12/pk
WCH705	9", Large	12/pk
WCH705XL	9", X-Large	12/pk



### Pro Series™ Safety Orange Gloves

*Reflective piping makes hands easy to spot*

- Features high visibility orange 4-way stretch spandex back, synthetic leather palm, neoprene padded knuckles with reflective piping, terry cloth thumb, heavy duty lycra fourchettes and reinforced thumb saddle.
- Adjustable hook and loop design with neoprene wrist result in the perfect fit and feel.

Item No.	Size	Pkg
WCH86525MPK	Medium	3/pk
WCH86525LPK	Large	3/pk
WCH86525XLPK	X-Large	3/pk



### Cut-Resistant Zone Defense® Gloves

*ANSI 3-rated gloves provide cut-resistance and comfort*

- Zone Defense™ Bright Green HPPE shell with black Nitrile palm coat for easy visibility.
- Gloves are made from HPPE fiber, which is 10 times stronger than steel and 40% stronger than blended fabric.
- Knit wrist, machine washable, antibacterial, silicone free
- EN 388=4543; ANSI 3 1120 gms

Item No.	Size	Pkg
WCH705CGNFM	Medium	12/pk
WCH705CGNFL	Large	12/pk
WCH705CGNFXL	X-Large	12/pk
WCH705CGNF2X	2X-Large	12/pk

## Biopsy Pads

- Holds biopsies in place
- Helps prevent loss during processing
- Made of specially processed foam to ensure optimum solvent flow

Item #	Description	Units
SMPM4761	For use with cassettes, 30.2 mm x 25.4 mm x 2 mm	1000/pk, 10,000/cs
SMPM4762	For use with small capsules, 24.5 mm x 2.7 mm	1000/pk 10,000/cs
SMP4763	For use with large capsules, 34.55 mm x 2 mm	1000/pk 10,000/cs



## Disposable Laboratory Cutting Boards

*Single-use, disposable cutting surfaces prevent cross-contamination*

- Choose from all poly construction or durable poly-coated SBS paperboard.
- All-poly construction boards are ideal for skin processing and can be sterilized via gamma or with ETO. During procedures, acrylic film cutting surface provides excellent tissue-to-surface friction for tissue stability and the bottoms are coated with slide-resistant film to keep boards in place during use. Metric measurements on the surface allow for easy sample sizing and segmentations.
- Polyethylene-coated paperboard construction is easier on expensive scalpel blades. Paperboard sides may be folded up to contain fluids. Paperboard units have metric perimeter rulers and metric sizing circles.

Item No.	Description	Pkg
DLS0718A	All Poly, 7"x18"	100/cs
DLS1218AM	All Poly, 12"x18"	100/cs
DLS0912A	Poly/SBS, 9"x12"	100/cs
DLS1218A	Poly/SBS, 12"x18"	100/cs



Looking for high-quality  
scalpels and blades?


SEE  
PAGE  
107-108




## Simport Histology Cassettes

*Choose from a variety of styles depending on your protocol*

- Cassettes are made of acetal and designed to hold specimens in place during processing, embedding and storage. Colors are non-cytotoxic and non-metallic.
- Anterior 45° writing area makes cassettes more suitable for use with certain cassette labeling instruments.
- **Histosette® I series** feature a one-piece integral lid that can snap apart and be conveniently locked into the base of the cassette.
- **Histosette® II series** are designed for single-handed operation. The SMPM485- and SMPM486-series are most convenient for cassette labeling instruments since covers are already removed from cassettes and are packaged separately in the case.
- **Unisette™** cassettes allow for one-handed operation and feature a snap-latch and hinge-lock design. This design can be opened and closed as often as necessary and always relock securely.
- **Micromesh™** cassettes require no biopsy pads for use. The 1676 square openings allow for greatly improved fluid exchange. The cover does not protrude above the cassette, allowing more cassettes to be stacked into automated machines.
- **Swingsette™** cassettes have a special hinge that holds the base and cover together. This hinge allows cassettes to be opened and closed as often as necessary. The cover can be removed and re-inserted easily without danger of specimen loss.
- Back-mounted locking devices prevent cassettes from opening during processing.
- Designs for tissue processing feature efficient flow-through slots to maximize fluid exchange and ensure proper drainage
- Other colors available. Contact us for more information.





Item No.	Lid	Procedure	Writing Area	Color	Pkg
<b>Histosette® I</b>					
SMPM4902	Snap-off	Tissue Processing	30°	White	1500
SMPM4903	Snap-off	Tissue Processing	30°	Pink	1500
SMPM4912	Snap-off	Biopsy	30°	White	1500
SMPM4982	Snap-off	Tissue Processing	45°	White	1500
SMPM4983	Snap-off	Tissue Processing	45°	Pink	1500
SMPM4992	Snap-off	Biopsy	45°	Blue	1500
<b>Histosette® II</b>					
SMPM4922	Integrated	Tissue Processing	45°	White	1500
SMPM4923	Integrated	Tissue Processing	45°	Pink	1500
SMPM4926	Integrated	Tissue Processing	45°	Blue	1500
SMPM4932	Integrated	Biopsy	45°	White	1500
SMPM4933	Integrated	Biopsy	45°	Pink	1500
SMPM4936	Integrated	Biopsy	45°	Blue	1500
SMPM4852	Detached	Tissue Processing	45°	White	1000
SMPM4853	Detached	Tissue Processing	45°	Pink	1000
SMPM4856	Detached	Tissue Processing	45°	Blue	1000
SMPM4862	Detached	Biopsy	45°	White	1000
SMPM4863	Detached	Biopsy	45°	Pink	1000
SMPM4866	Detached	Biopsy	45°	Blue	1000
<b>Unisette™</b>					
SMPM5052	Snap latch, hinge lock	Tissue Processing	35°	White	1500
SMPM5053	Snap latch, hinge lock	Tissue Processing	35°	Pink	1500
SMPM5056	Snap latch, hinge lock	Tissue Processing	35°	Blue	1500
SMPM5062	Snap latch, hinge lock	Biopsy	35°	White	1500
SMPM5063	Snap latch, hinge lock	Biopsy	35°	Pink	1500
SMPM5064	Snap latch, hinge lock	Biopsy	35°	Green	1500
SMPM5066	Snap latch, hinge lock	Biopsy	35°	Blue	1500
<b>Micromesh™</b>					
SMPM5074	Recessed cover	Biopsy	45°	Green	1000
SMPM50712	Recessed cover	Biopsy	45°	Aqua	1000
<b>Swingsette™</b>					
SMPM5172	Hinged and detachable	Tissue Processing	45°	White	1000



### Simport QuickLoad™ Sleeved Embedding Cassettes

*These sleeved cassettes are especially made to be used with ThermoFisher printers.*

- Molded from a special high density acetal polymer, they keep specimens safely submerged and are totally resistant to the chemical action of solvents used in histology laboratories.
- The efficient flow-through slots maximize fluid exchange and ensure proper reagent drainage.
- For QuickLoad Cassettes for other printer brands, contact us for details.

Item No.	Color	Pkg
SMPM4802SL	White	750/cs
SMPM4803SL	Pink	750/cs
SMPM4804SL	Green	750/cs
SMPM4805SL	Yellow	750/cs
SMPM4806SL	Blue	750/cs
SMPM4807SL	Peach	750/cs
SMPM4808SL	Tan	750/cs
SMPM4809SL	Gray	750/cs
SMPM48010SL	Lilac	750/cs
SMPM48011SL	Orange	750/cs
SMPM48012SL	Aqua	750/cs



### Hot Plate/Stirrer

*Space-efficient design (8" x 9" footprint) makes it ideal for use on crowded benchtops and inside of hoods.*

Other physical attributes include: a durable, chemical resistant white ceramic work surface; 7.5" x 7.5" work surface to accommodate a wide variety of glass beakers, flasks and bottles; and the included support rod for mounting thermometers and temperature probes.

An advanced microprocessor and convenient turn knobs allow quick, precise adjustment and maintenance of speed and temperature. Safety indicator LED's on the front panel indicate when the heating and/or stirring functions have been activated.

Quick adjustment knobs make it easy to set the speed range (60 - 1500 rpm) and the temperature range (65°C to 380°C).

**Platform dimensions:** 7.5" x 7.5" (19cm x 19cm)

**Footprint dimensions:** 8"W x 9"D x 4.5"H

Item No.	Description	Pkg
DLS508	Hot Plate/Stirrer, 115V	1/ea




### Inoculation Loop – Rigid Feel

These disposable inoculation loops and needles offer the most convenient and safest way of streaking culture media. Molded from a special medical grade of polystyrene, they offer a strong, rigid feel to provide comfortable, stable and uniform streaking.

- Certificate of calibration available
- Gamma sterilized

Item #	Description	Units
DLS2851	1µL with needle, blue, sterile	individually wrapped 500/cs
DLS2861	1µL with needle, blue, sterile	10/peel pack (50 packs/cs) 500/cs
DLS2811	1µL with needle, blue, sterile	20/peel pack (25 packs/cs) 500/cs
DLS2855	10µL with needle, yellow, sterile	individually wrapped 500/cs
DLS2865	10µL with needle, yellow, sterile	10/peel pack (50 packs/cs) 500/cs
DLS2815	10µL with needle, yellow, sterile	20/peel pack (25 packs/cs) 500/cs
DLS2850	10µL & 1µL, white, sterile	individually wrapped 500/cs
DLS2860	10µL & 1µL, white, sterile	10/peel pack (50 packs/cs) 500/cs
DLS2810	10µL & 1µL, white, sterile	20/peel pack (25 packs/cs) 500/cs



### Inoculation Loop – Flexible Feel

Produced from medical grade polystyrene. Both the loop and needle ends are designed to be more bendable than our “rigid” loops. They are smooth and flexible to facilitate uniform streaking of culture media. ETO sterilized and packed 20 loops per peel-pack.

Item #	Description	Units
DLS2801	1µL with needle, natural, sterile	20/peel pack (50 packs/cs) 1000/cs
DLS2805	10µL with needle, blue, sterile	20/peel pack (50 packs/cs) 1000/cs




### Spreaders and Needle

- Spread solutions or transfer bacteria without flaming with these disposable spreaders and needles
- Spreaders and needles come sterile and are made from polystyrene. Just use and discard.

Item No.	Description	Pkg
DLS2910	L-shaped Spreader, Individually Wrapped	100/cs
DLS2911	T-shaped Spreader, Individually Wrapped	100/cs
DLS2813	Needle with Spreading Sphere, Packaged 20 in a Peel Pack	1000/cs







DLS120038

## 96-Well Microwell Plates

*Untreated for use in microbiology, serology and micro chemical reactions.*

- Made from high-optic, transmission-grade polystyrene, the plates and lids (sold separately) are individually wrapped and available sterile or non-sterile.
- Plates are arranged in the standard 12 x 8 configuration with alphanumeric position markings.
- Select from u-bottom (round), v-bottom (conical) or flat bottom to match the well type needed for your work.
- Well volume is 300µL for u-bottom, 250µL for v-bottom and 375µL for flat bottom.
- Lids are sold separately.

Item No.	Description	Pkg
DLS120030	96-Well Plate, U-Bottom, Non-Sterile	50/cs
DLS120038	96-Well Plate, U-Bottom, Sterile	50/cs
DLS120130	96-Well Plate, V-Bottom, Non-Sterile	50/cs
DLS120138	96-Well Plate, V-Bottom, Sterile	50/cs
DLS120330	96-Well Plate, Flat Bottom, Non-Sterile	50/cs
DLS120338	96-Well Plate, Flat Bottom, Sterile	50/cs
DLS129930	Lid For Well Plates, Non-Sterile	150/cs
DLS129938	Lid For Well Plates, Sterile	150/cs



SMPT1105

## Simport BioBlock™ Deep-Well Plates

*Specially-designed, non-sterile plates for a variety of applications including high-throughput screening, combinatorial chemistry, sequencing and cultures*

- Plates conform to SBS standard footprint and are compatible with all leading robotic sample processors, automated liquid handling systems and 8-/12-channel pipettors.
- Made from polypropylene, these plates withstand temperatures of -196°C to 121°C and are DMSO resistant.
- Physical attributes include an alphanumeric grid for sample identification, corner plate cut-away to facilitate orientation and stackable design.
- When used with microtiter plate rotors, the plates can withstand centrifugation up to 6000xg.
- Plates are packaged in packs of 4 and sold as 6 packs/case.



SMPT1107



# of Wells	96	96	384	384	384
Well Type	Round	Square	Square	Square	Square
Bottom Type	Round	Round	Round	Round	Flat
Working Volume	1.0 mL	2.0 mL	400 µL	200 µL	120 µL
Packaging	24/cs	24/cs	24/cs	24/cs	24/cs
Item No. - Natural	SMPT1105	SMPT11010	SMPT1107	SMPT110200	SMPT110100
Item No. - Blue	SMPT1105B	SMPT11010B	SMPT1107B	SMPT110200B	SMPT110100B
Item No. - Green	SMPT1105G	SMPT11010G	SMPT1107G	SMPT110200G	SMPT110100G
Item No. - Pink	SMPT1105P	SMPT11010P	SMPT1107P	SMPT110200P	SMPT110100P
Item No. - Yellow	SMPT1105Y	SMPT11010Y	SMPT1107Y	SMPT110200Y	SMPT110100Y

## Microscope Slides

*With the wide variety, there is a slide to meet your application*

Different corners and edges provide different benefits.

- The 90° corner is perfect for automatic cover slip machines. The safety and clipped corners prevent finger and hand cuts. The beveled edge is angled at 45° for smearing processes.
- Charged slides are frosted on one end, one side and offer the ideal surface for cell and tissue adhesion.
- Produced from premium glass sheets, with the exception of the charged slides which are produced from the finest quality white glass.
- Slides measure 25x75x1mm with a thickness of 1-1.2mm and arrive pre-cleaned and ready to use.
- Packaged in a box of 72 and sold in cases of 20 boxes.



Item #	Edges	Corners	Color
<b>Plain</b>			
MLAB1301	Ground	90°	None
DLS1321	Ground	Safety	None
DLS1331	Beveled	Clipped	None
<b>Frosted, 1-side</b>			
MLAB1304	Ground	90°	None
MLAB1304W	Ground	90°	White
DLS1304B	Ground	90°	Blue
DLS1304G	Ground	90°	Green
DLS1304N	Ground	90°	Orange
DLS1304P	Ground	90°	Pink
DLS1304Y	Ground	90°	Yellow
DLS1324	Ground	Safety	None
DLS1324W	Ground	Safety	White
DLS1324A	Ground	Safety	Aqua
DLS1324B	Ground	Safety	Blue
DLS1324D	Ground	Safety	Gold
DLS1324G	Ground	Safety	Green
DLS1324L	Ground	Safety	Lilac
DLS1324N	Ground	Safety	Orange
DLS1324P	Ground	Safety	Pink
DLS1324T	Ground	Safety	Tan
DLS1324Y	Ground	Safety	Yellow
DLS1334	Beveled	Clipped	None
DLS1334W	Beveled	Clipped	White
DLS1334B	Beveled	Clipped	Blue
DLS1334G	Beveled	Clipped	Green
DLS1334P	Beveled	Clipped	Pink
DLS1334Y	Beveled	Clipped	Yellow
<b>Frosted, 2-sided</b>			
DLS1328	Ground	Safety	None
DLS1338	Beveled	Clipped	None
<b>Charged</b>			
DLS1358A	Ground	90°	Aqua
DLS1358B	Ground	90°	Blue
DLS1358G	Ground	90°	Green
DLS1358L	Ground	90°	Lilac
DLS1358N	Ground	90°	Orange
DLS1358P	Ground	90°	Pink
DLS1358T	Ground	90°	Tan
DLS1358W	Ground	90°	White
DLS1358Y	Ground	90°	Yellow
DLS1354W	Beveled	Clipped	White
DLS1354P	Beveled	Clipped	Pink
DLS1354Y	Beveled	Clipped	Yellow



STLB315



STLB418

## Premium Frosted Microscope Slides

### *Premium Microscope slides for precise results*

- Microscope slides are made from the highest grade materials, such as 3/4 white soda-lime material.
- Glass is pre-cleaned and free from film and distortion.
- Choose from premium, HistoBond® or Unimark® slide varieties. Each one is marked to indicate any treatment.
- HistoBond slides are silane treated so that tissue sections and cytologic preparations adhere better to slide. UniMark slides are excellent for both automated labelers or manual slide labeling.
- Slides are packed 144 to a pack and sold in a case of 10 packs.

Item No.	Description	Pkg
STLB315	Clipped 45° Corner, White	1440/cs
STLB31590	90° Corner, White	1440/cs
STLB31590A	90° Corner, Adhesive, White	1440/cs
STLB418	90° Corner, HistoBond, White	1440/cs
STLB418B	90° Corner, HistoBond, Blue	1440/cs
STLB516	90° Corner, UniMark, White	1440/cs
STLB517B	90° Corner, UniMark, Blue	1440/cs



DLS513072A

DLS13079A

## Slide Storage Box

### *Designed for the safe, long-term storage of microscope slides*

They are produced from durable ABS plastic and offer a hinged lid for easy opening and closing. An inventory sheet is located on the inside for convenient slide identification and organization. The base of the box is cork lined for added protection. Available in four sizes, these storage boxes accommodate 25 x 75 mm and 1" x 3" microscope slides. The inside flaps are recessed so that there is no contact or contamination between the slides and the cover when closed.

Item #	Capacity	Units
DLS513072A	12 microscope slides	1/cs
DLS513075A	25 microscope slides	1/cs
DLS513077A	50 microscope slides	1/cs
DLS513079A	100 microscope slides	1/cs

## Cover Glasses

### *Packaged to prevent sticking*

- Choose STLB10222-series for premium German cover glasses, specially designed and manufactured to work with the automated cover-slip machines.
- The DLS14-series of cover glasses are packed with desiccant.
- All versions are packed in 1-oz (by glass weight) flip-top boxes and sold in a case of 10 boxes.

### Available in three thicknesses:

- **No. 1:** 0.14 mm +/- 0.015 mm
- **No. 1.5:** 0.175 mm +/- 0.015 mm
- **No. 2:** 0.21 mm +/- 0.02 mm

Item #	Dimensions	Thickness No.
DLS140110	18 x 18 mm	1
DLS140120	18 x 18 mm	2
DLS140210	20 x 20 mm	1
DLS140220	20 x 20 mm	2
STLB102222	22 x 22 mm	1
MLAB140410	22 x 22 mm	1
DLS140415	22 x 22 mm	1.5
DLS140420	22 x 22 mm	2
DLS140710	22 x 32 mm	1
DLS140720	22 x 32 mm	2
STLB102240	22 x 40 mm	1
DLS141110	22 x 40 mm	1
DLS141120	22 x 40 mm	2
STLB102250	22 x 50 mm	1
DLS141410	22 x 50 mm	1
DLS141420	22 x 50 mm	2
DLS141810	22 x 60 mm	1
DLS141820	22 x 60 mm	2
DLS140510	24 x 24 mm	1
DLS140520	24 x 24 mm	2
DLS140810	24 x 32 mm	1
DLS140820	24 x 32 mm	2
DLS141210	24 x 40 mm	1
DLS141220	24 x 40 mm	2
MLAB141510	24 x 50 mm	1
DLS141515	24 x 50 mm	1.5
DLS141520	24 x 50 mm	2
DLS141910	24 x 60 mm	1
DLS141920	24 x 60 mm	2



DLS140110



STLB102250





SYR103010

### Regular Bevel Needles

*High quality hypodermic needles*

- Easily puncture through septa.

Item No.	Gauge	Length (inch)	Pkg
SYR100165	16G	1.0	100/bx, 10bx/cs
SYR100167	16G	1.5	100/bx, 10bx/cs
SYR100185	18G	1.0	100/bx, 10bx/cs
SYR100187	18G	1.5	100/bx, 10bx/cs
SYR100195	19G, Yale Needle	1.0	100/bx, 10bx/cs
SYR100197	19G, Yale Needle	1.5	100/bx, 10bx/cs
SYR100205	20G	1.0	100/bx, 10bx/cs
SYR100207	20G, Yale Needle	1.5	100/bx, 10bx/cs
SYR100215	21G	1.0	100/bx, 10bx/cs
SYR100225	22G	1.0	100/bx, 10bx/cs
SYR100227	22G	1.5	100/bx, 10bx/cs
SYR100235	23G	1.0	100/bx, 10bx/cs
SYR100252	25G	0.5	100/bx, 10bx/cs
SYR100255	25G	1.0	100/bx, 10bx/cs
SYR100257	25G	1.5	100/bx, 10bx/cs
SYR100253	25G	5/8	100/bx, 10bx/cs
SYR100302	30G	0.5	100/bx, 10bx/cs

### Luer Lock/Slip Syringes

*Quality made for dependable solution delivery*

- Versatile to use for chemical dosing, solution transfer and injections.

Item No.	Volume	Style	Pkg
SYR101010	1 mL	Luer Lock	800/cs, 8 bx/cs
SYR103010	3 mL	Luer Lock	800/cs, 8 bx/cs
SYR105010	5 mL	Luer Lock	400/cs, 4 bx/cs
SYR110010	10 mL	Luer Lock	400/cs, 4 bx/cs
SYR120010	20 mL	Luer Lock	160/cs, 4 bx/cs
SYR130010	30 mL	Luer Lock	160/cs, 4 bx/cs
SYR160010	60 mL	Luer Lock	160/cs, 4 bx/cs
SYR101020	1 mL	Luer Slip	800/cs, 8 bx/cs
SYR103020	3 mL	Luer Slip	800/cs, 8 bx/cs
SYR105020	5 mL	Luer Slip	400/cs, 4 bx/cs
SYR110020	10 mL	Luer Slip	400/cs, 4 bx/cs
SYR120020	20 mL	Luer Slip	160/cs, 4bx/cs
SYR130020	30 mL	Luer Slip	160/cs, 4bx/cs
SYR160020	60 mL	Luer Slip	160/cs, 4 bx/cs



SYR103225

### Needle and Syringe Sets

*Syringe and needle combinations ready to use*

- Syringes feature luer locks.

Item No.	Volume	Gauge	Length (Inch)	Pkg
SYR101272	1	27G	0.5	800/cs, 8 bx/cs
SYR101282	1	28G	0.5	800/cs, 8 bx/cs
SYR103205	3	20G	1.0	800/cs, 8 bx/cs
SYR103215	3	21G	1.0	800/cs, 8 bx/cs
SYR103217	3	21G	1.5	800/cs, 8 bx/cs
SYR103225	3	22G	1.0	800/cs, 8 bx/cs
SYR103227	3	22G	1.5	800/cs, 8 bx/cs
SYR103226	3	22G	1.25	800/cs, 8 bx/cs
SYR110235	3	23G	1.0	800/cs, 8 bx/cs
SYR103253	3	25G	5/8	800/cs, 8 bx/cs
SYR105205	5	20G	1.0	400/cs, 4 bx/cs
SYR105207	5	20G	1.5	400/cs, 4 bx/cs
SYR105217	5	21G	1.5	400/cs, 4 bx/cs
SYR110205	10	20G	1.0	400/cs, 4 bx/cs
SYR110207	10	20G	1.5	400/cs, 4 bx/cs
SYR110215	10	21G	1.0	400/cs, 4 bx/cs
SYR110217	10	21G	1.5	400/cs, 4 bx/cs
SYR110225	10	22G	1.0	400/cs, 4 bx/cs
SYR110227	10	22G	1.5	400/cs, 4 bx/cs



MDS705202H

MDS705110H

### Sharps Containers

*Properly dispose of sharps – whether it be needles, syringes, or blades*

- Translucent lid allows staff to identify fill levels quickly to enhance safety. Each container locks for final disposal.

Item No./each	Item No./Case	Size	Case Qty
MDS705110H	MDS705110	1 quart	100/cs
MDS705153H	MDS705153	5 quart	20/cs
MDS705202H	MDS705202	2 gallon	20/cs
MDS705203H	MDS705203	3 gallon	12/cs
MDS705210H	MDS705210	10 gallon	6/cs

### Sharps Container Wall Mounts

- Items with asterisk (\*) are intended to be placed on a wall. All other containers are designed for the wall or table top.

Sharps Container Item No.	Wall Mount Item No.	Size	Case Qty
MDS705110	MDS707912	Non-Locking Wire Bracket	100/cs
MDS705153*	SWD85161H	Locking Wall Cabinet	20/cs
MDS705202	MDS707963	Locking Wire Bracket	20/cs
MDS705203*	MDS707005	Locking Wall Cabinet	12/cs

Thinking about gloves?

SEE PAGES 62-65

## Eppendorf® Repeater Plus and Combitips Advanced™ Tips

*This system provides high-precision, contamination-free, repeated volume dispensing, regardless of liquid viscosity or density*

The Eppendorf Repeater Plus is a mechanical hand-held dispenser which is ideal for saving time and speeding up long pipetting series. The responsive handling tackles high numbers of samples or whenever high precision dispensing of viscous, volatile or foaming liquids is requested.

Ergonomic design considerations include a volume selection dial for easy volume setting from 1 µL–10 mL, with dispensing volume clearly displayed on the LCD, a dispenser lever with smooth handling to minimize hand fatigue while allowing the user to move ≤ 100 steps without stopping and ejection key for touchless tip release.


The Combitips Advanced tips are automatically recognized by the Eppendorf Repeater and color-coded for visual volume recognition. The tips are designed to prevent aerosol contamination with a hermetically-sealed piston for secure dispensing and provides protection from radioactive and toxic substances. Elongated tips (for 2.5 mL, 5 mL and 10 mL) allow complete emptying of all common tubes and prevents sample loss.

Combitips are packaged in quantities of 100 and available in three purity grades for each application:

- Eppendorf Quality, Sterile or Eppendorf Biopur®
- Eppendorf Quality: Portioning in 4 bags (25 pcs. each) ensures dust-free storage.
- Sterile and Biopur Quality: Individually wrapped (Biopur supports clean room conditions).



Volume	Min/Max Volume	Increments	Item No.		
			Eppendorf Quality	Sterile	Biopur
0.1 mL	1 µL/20 µL	1 µL	EPP360	EPP382	EPP371
0.2 mL	2 µL/40 µL	2 µL	EPP361	EPP383	EPP372
0.5 mL	5 µL/100 µL	5 µL	EPP362	EPP384	EPP373
1 mL	10 µL/200 µL	10 µL	EPP363	EPP385	EPP374
2.5 mL	25 µL/500 µL	25 µL	EPP364	EPP386	EPP375
5 mL	50 µL/1,000 µL	50 µL	EPP365	EPP387	EPP376
10 mL	100 µL/2,000 µL	100 µL	EPP366	EPP388	EPP377
25 mL	250 µL/5,000 µL	250 µL	EPP367	EPP389	EPP378
50 mL	500 µL/10,000 µL	500 µL	EPP368	EPP390	EPP379



EPP51

EPP63

## Eppendorf Research® Plus Adjustable, Single-Channel Pipette

*Most advanced and ergonomic adjustable, single-channel Eppendorf pipette*

- Only a few turns to reach your desired volume.
- The control button requires a very low operating force with color indicator for pipette volume.
- 4-digit volume display with magnifying shape for easier viewing.
- Accommodates liquids with viscosities very different than water through the secondary adjustment display and opening.
- Fully autoclavable with the lower part removable in two steps.

Item No.	Description	Pkg
EPP48	0.1-2.5 µL	1/ea
EPP49	0.5-10 µL	1/ea
EPP56	2-20 µL Gray	1/ea
EPP50	2-20 µL Yellow	1/ea
EPP51	10-100 µL	1/ea
EPP52	20-200 µL	1/ea
EPP57	30-300 µL	1/ea
EPP53	100-1000 µL	1/ea
EPP54	500-5000 µL	1/ea
EPP55	1000-10000 µL	1/ea

## Eppendorf Research® Plus Adjustable MultiChannel Pipette

*Most advanced and ergonomic adjustable, multichannel Eppendorf pipette*

- Controls are designed for single-handed manipulation
- Operating button is color-coded for volume and uses little force.
- Removable independent channels and secondary adjustment for liquids of high variance from water add to the pipette's flexibility.
- 8- and 12-channel versions available to meet your well preferences.
- Fully autoclavable.

Item No.	Description	Pkg
EPP61	0.5-10 µL, 8CH	1/ea
EPP63	10-100 µL, 8CH	1/ea
EPP65	30-300 µL, 8CH	1/ea
EPP62	0.5-10 µL, 12CH	1/ea
EPP64	10-100 µL, 12CH	1/ea
EPP66	30-300 µL, 12CH	1/ea





## Eppendorf ep T.I.P.S. Pipette Tips

*Get the maximum benefit from your pipettor with Eppendorf ep T.I.P.S.*

- The Eppendorf Totally Integrated Pipetting System (ep T.I.P.S.) works in perfect combination with the Eppendorf pipettes, resulting in reduced-force tip attachment and ejection with complete sealing.
- The universal nose cone design allows the tips to be used with pipettes from other manufacturers, allowing you to take full advantage of the ep T.I.P.S. features.
- The tips are manufactured to maintain ideal wetting properties and boast high transparency and certified purity levels.
- Every tip is manufactured to match specifically to its respective Eppendorf pipette(s), thus ensuring the maximum precision and reliability you have come to expect and rely on.
- All components are 100% recyclable.
- There is also reduced waste as compared with disposable racks: The refill system, depending on tip size, is packaged as either dual-sided or in stack form and reloads are available in two purity levels: Eppendorf Quality and PCR clean.

Volume range	Pipette Tip	Eppendorf Quality				PCR Clean	Eppendorf Biopur® (sterile)	
		Standard 2 bags of 500 tips	Reloads 10 trays of 96 tips	Box - 1 reusable box with 96 tips	Set - 1 reusable box with 5 trays of 96 tips	Reloads - 10 trays of 96 tips	Singles 100 tips, individually wrapped	Racks 5 racks of 96 tips
0.1-10µL	34 mm	EPP295	EPP250	EPP238	EPP328	EPP273	-	-
0.1-20µL	40 mm	EPP296	EPP253	EPP239	EPP329	EPP276	EPP202	EPP213
0.5-20µL	46 mm	EPP297	EPP256	EPP240	EPP330	EPP279	-	-
2-200µL	53 mm	EPP298	EPP259	EPP241	EPP331	EPP282	EPP203	EPP214
20-300µL	55 mm	EPP299	EPP262	EPP242	EPP332	EPP285	-	EPP215
50-1000µL	71 mm	EPP300	EPP265	EPP243	EPP333	EPP288	EPP204	EPP216
50-1250µL	76 mm	EPP301	EPP268	EPP244	EPP334	EPP291	-	EPP217
500-1250µL	103 mm	EPP306	EPP271	EPP247	-	EPP294	-	EPP226
500-2500µL	115 mm	EPP302	EPP270	EPP245	EPP335	-	-	EPP218
100-5000µL	120 mm	EPP303	-	EPP246	-	-	-	-
1-10mL	165 mm	EPP304*	-	-	-	-	-	EPP219
1-10mL L	243 mm	EPP305*	-	-	-	-	-	-

\*1-10mL tip are sold in two bags of 100 tips each.

### Reference Pipette Tips (Graduated)

These graduated pipette tips are engineered for use on a wide variety of pipettors. They feature a universal grip design, made of flexible materials with a series of bands and supports that produce a positive seal. All reference tips are provided with calibration lines at specific volumes, acting as visual checks to minimize any risk of errors during sample aspiration. All tips are fully autoclavable (121°C/15 minutes)



#### 1–200µL; 50 mm

Item No.	Description	Pkg
DLS151150	Universal, graduated, natural, 1000/pack	1000/cs
DLS151150R-96	Universal, graduated, natural, 96/rack, 10racks/cs	960/cs
DLS151150RS-96	Universal, graduated, natural, sterile, 96/rack, 10racks/cs	960/cs
DLS151150Y	Universal, graduated, yellow, 1000/pack	1000/cs
DLS151150YR	Universal, graduated, yellow, 200/rack, 5racks/stack	1000/cs

#### 1–300µL; 58 mm

Item No.	Description	Pkg
DLS151151	Universal, graduated, natural, 1000/pack	1000/cs
DLS151151R-96	Universal, graduated, natural, 96/rack, 10racks/cs	960/cs

#### 100–1000µL; 70 mm

Item No.	Description	Pkg
DLS151152	Universal, graduated, natural, 1000/pack	1000/cs
DLS151152R	Universal, graduated, natural, 100/rack, 10 racks/cs	1000/cs
DLS151152RS	Universal, graduated, natural, sterile, 100/rack, 10 racks/cs	1000/cs
DLS151152B	Universal, graduated, blue, 1000/pack	1000/cs
DLS151152BR	Universal, graduated, blue, 100/rack, 10 racks/cs	1000/cs
DLS151152BRS	Universal, graduated, blue, sterile, 100/rack, 10 racks/cs	1000/cs

#### 100–1250µL; 84 mm (extra long)

Item No.	Description	Pkg
DLS151153	Universal, graduated, natural, 1000/pack	1000/cs



## UniPlast™ plastic serological pipettes

*Manufactured as a single piece, eliminating loss volume*

Unlike other brands that weld the separate tip and mouth pieces to the main body, our one-piece seamless design provides faster fill and release rates, ensures a complete flow out of the sample and offers a higher degree of accuracy. Printed black graduation marks prevent ambiguity and guarantee full volume.

### Features

- Calibration is certified for accuracy
- Aerosol barrier filter plug prevents both liquid and aerosols from contaminating the pipettor
- Ergonomic design for use in tight spaces
- Reverse graduations
- Negative graduations (not on 25 mL sizes)
- Color-coded using ASTM 2380 industry standards
- Calibrated to deliver (TD), meets ASTM E934

### Technical Specifications

- **Material:** Polystyrene (PS)
- **Plug:** Bonded polyolefin fiber
- **Inaccuracy:** <2 percent at full volume
- Pyrogen-free, non-hemolytic (ISO 10993-5) and LAL tested (0.5µ/mL)
- **Sterility:** Sterilized by gamma irradiation, RNase-free and DNase-free

Item No.	Description	Pkg
DLS1700	1 mL, individually wrapped, sterile	500/cs
DLS1710	1 mL, 25 per pack, sterile	1000/cs
DLS1715	1 mL, 25 per pack, non-sterile	1000/cs
DLS1720	2 mL, individually wrapped, sterile	500/cs
DLS1730	2 mL, 25 per pack, sterile	1000/cs
DLS1735	2 mL, 25 per pack, non-sterile	1000/cs
DLS1740	5 mL, individually wrapped, sterile	250/cs
DLS1750	5 mL, 25 per pack, sterile	375/cs
DLS1755	5 mL, 25 per pack, non-sterile	375/cs
DLS1760	10 mL, individually wrapped, sterile	200/cs
DLS1770	10 mL, 25 per pack, sterile	250/cs
DLS1775	10 mL, 25 per pack, non-sterile	250/cs
DLS1780	25 mL, individually wrapped, sterile	100/cs
DLS1784	25 mL, individually wrapped, non-sterile	100/cs

## Pipette Pump™ Pipettors

*For simple, safe, one-handed operation*

- Pipettes fit smoothly into its flexible tapered chuck.
- The thumbwheel on the side is rotated for precision filling or dispensing, and the plunger may be pressed for quick emptying.
- It is resistant to acids and alkalis. Disassemble all parts for cleaning and before autoclaving at 121°C (250°F) for 20 minutes except the chuck which should not be autoclaved.
- Each size is a different color for easy identification.

Item No.	Description	Pkg
BRT378960000	0.2 mL, Yellow	1/ea
BRT378970000	2 mL, Blue	1/ea
BRT378980000	10 mL, Green	1/ea
BRT378990000	25 mL, Red	1/ea

Pipette Pump™ Pipettors



## Pipette Pump™ II Pipettors

*Features Rapid Release Valve for Quick Dispensing*

- Glass or plastic pipettes are easily inserted into a unique collar with stabilizing fingers for a secure hold.
- Rotating the knurled thumb wheel draws liquid to the desired volume.
- To empty rapidly, apply light pressure to the fast release lever. For gradual dispensing, rotate the thumb wheel. They can be disassembled for cleaning.
- Sizes are color coded.

Item No.	Description	Pkg
BRT379111002	2 mL, Blue	1/ea
BRT379111010	10 mL, Green	1/ea
BRT379111025	25 mL, Red	1/ea

Pipette Pump™ II Pipettors



## Pipette Controller

The rechargeable electronic pipetting aid is designed for use with glass or plastic serological pipettes in the 0.1 to 100mL volume range. It is lightweight and ergonomically designed for effortless pipetting even during extensive use.

### Package Includes:

- 1 – Diamond Serologic portable pipette controller
- 2 – 1000mAh NiMH rechargeable batteries
- 1 – Battery charger
- 3 – PTFE membrane filters: (0.20 um and 0.45 um)
- 1 – Desktop stand
- 1 – Wall mounting bracket

Item No.	Description	Pkg
DLS3380	Diamond Serologic Portable Pipette Controller	1/cs





## Transfer Pipettes

Produced from a custom grade of low-density polyethylene (LDPE), these unbreakable one-piece pipettes are used to draw and dispense liquids in controlled, reproducible drop sizes.




DLS137035




DLS138040


1.3 mL Capacity  
Small




1.5 mL Capacity  
Extended Tip  
Small Bulb




5 mL Capacity  
Extended Tip  
Large Bulb




5.8 mL Capacity  
Standard



5.8 mL Capacity  
Extended Tip  
Standard



8.7 mL Capacity  
Large Bulb



Illustrations shown at actual size.

Item No.	Type	Volume (mL)	Length (mm)	Drops/ mL	(S)terile/ (N)on-Sterile	Packaging
DLS138080	General Purpose	7	155	20	N	500 in dispenser box, 10 boxes
DLS138080Z	General Purpose	7	155	20	N	500 in dispenser box
DLS138030	General Purpose, Large Bulb	8	152	20	N	400 in dispenser box, 10 boxes
DLS138030Z	General Purpose, Large Bulb	8	152	20	N	400 in dispenser box
DLS138060	Blood Bank	4	130	25	N	500 in dispenser box, 10 boxes
MLAB138050Z	Blood Bank	5	155	23	N	500 in dispenser box
DLS139030	Extra Long, 9"	6	225	25	N	500 in dispenser box, 10 boxes
DLS139030Z	Extra Long, 9"	6	225	25	N	500 in dispenser box
DLS139050	Extra Long, 12"	23	300	21	N	100 in box, 10 boxes
DLS134010	Fine Tip	1.3	51	45	N	500 in dispenser box, 10 boxes
DLS134010Z	Fine Tip	1.3	51	45	N	500 in dispenser box
DLS134050	Fine Tip	5.8	147	60	N	500 in dispenser box, 10 boxes
DLS134040500	Fine Tip	5.8	147	60	N	500 in dispenser box
DLS134050S20	Fine Tip	5.8	147	60	S	20 in a pack, 20 packs
DLS134090	Fine Tip	8.7	147	45	N	400 in dispenser box, 10 boxes
DLS134020400	Fine, Extended Tip	1.5	104	50	N	400 in dispenser box
DLS134070250	Fine, Extended Tip	5	153	50	N	250 in dispenser box
DLS134060500	Fine, Extended Tip	5.8	157	50	N	500 in dispenser box
DLS137035	Graduated to 1mL	3	140	25	N	500 in dispenser box, 10 boxes
DLS137035Z	Graduated to 1mL	3	140	25	N	500 in dispenser box
DLS137135	Graduated to 1mL	3	140	25	S	100 individually wrapped in pack, 4 packs
DLS137030	Graduated to 1mL	5	145	24	N	500 in dispenser box, 10 boxes
DLS137030Z	Graduated to 1mL	5	145	24	N	500 in dispenser box
DLS137038	Graduated to 1mL	5	145	24	S	100 individually wrapped in pack, 4 packs
DLS137010	Graduated to 1mL	5	150	25	N	500 in dispenser box, 10 boxes
DLS137010500	Graduated to 1mL	5	150	25	N	500 in dispenser box
MLAB137040	Graduated to 2mL	5	155	23	N	500 in dispenser box, 10 boxes
MLAB137040Z	Graduated to 2mL	5	155	23	N	500 in dispenser box
DLS135038	Graduated to 3mL	7	155	20	S	100 individually wrapped in pack, 4 packs
MLAB135030Z	Graduated to 3mL	7	155	20	N	500 in box
MLAB135030	Graduated to 3mL	7	155	20	N	500 in box, 10 boxes
DLS138040	Mini, Short Stem	1.2	65	25	N	500 in dispenser box, 10 boxes
DLS134020	Mini, Small Bulb	1.5	104	50	N	400 in dispenser box, 8 boxes
DLS134020400	Mini, Small Bulb	1.5	104	50	N	400 in dispenser box
DLS138020B	Mini	1.7	87	25	N	500 in dispenser box, 10 boxes
DLS138020Z	Mini	1.7	87	25	N	500 in dispenser box
DLS138040Z	Narrow, Short Stem	1.2	65	25	N	500 in dispenser box
DLS138040	Narrow, Short Stem	1.2	65	25	N	500 in dispenser box, 10 boxes
DLS139040Z	Narrow Stem, Large Bulb	15	155	19	N	250 in dispenser box

## PrepSafe™ Microcentrifuge Tube Mini Floating Racks

*Easily transfer samples from a water or ice bath to a vortexer*

- Patent pending tabs on rack differentiate it from other floating microcentrifuge tube racks - included vortexing attachment accessory allows entire rack to be used with vortexer.
- Unique immobilizing tabs protect your samples from loss and contamination. Place tubes in slots and slide under tabs to keep tubes from opening when under pressure, submerged or knocked over.
- Design features include numbered locations for up to twelve 1.5 mL or 2.0 mL microcentrifuge tubes, raised handle for easy lifting without agitating samples and stable feet to keep racks upright on the bench.
- 95mm outer diameter fits most 1000 mL beakers.
- Steam autoclavable at 121°C (250°F) .



BRT187420124

Item No.	Description	Color	Pkg
BRT187420124	PrepSafe™ Mini MCT Rack	Natural	10/cs
BRT187420125	PrepSafe™ Mini MCT Rack	Blue	10/cs
BRT187420126	PrepSafe™ Mini MCT Rack	Fushia	10/cs
BRT187420127	PrepSafe™ Mini MCT Rack	Yellow	10/cs
BRT187420140	Vortexing Attachment	Natural	1/ea

## Plastic Test Tube Racks

*Polypropylene test tube racks store flat and snap together to maximize space*

- These racks allow multiple samples to be incubated at the same temperature. These racks can be used in freezers without deforming or going brittle. They will not rot or rust and are stackable when empty.
- Alphanumeric markings are molded into the racks to provide easy test tube identification. Racks do not float in water baths.
- Racks are autoclavable at 121°C for 20 minutes and sold individually.



60 Place Plastic Test Tube Rack

Item No.	Tube Size	Rack Dimensions	Format	Color	No. of Places
DLS456303	Microcentrifuge	263 x 109 x 45 mm	Staggered, 8 x 12/13, 100 places	White	100
DLS456403	12/13 mm Tubes	246 x 105 x 64 mm	6 x 15, 90 places	White	90
DLS456404	12/13 mm Tubes	246 x 105 x 64 mm	6 x 15, 90 places	Blue	90
DLS456503	16 mm Tubes	246 x 105 x 72 mm	5 x 12, 60 places	White	60
DLS456504	16 mm Tubes	246 x 105 x 72 mm	5 x 12, 60 places	Blue	60
DLS456506	16 mm Tubes	246 x 105 x 72 mm	5 x 12, 60 places	Yellow	60
DLS456510	16 mm Tubes	246 x 105 x 72 mm	5 x 12, 60 places	Red	60
DLS456603	20/21 mm Tubes	246 x 105 x 72 mm	4 x 10, 40 places	White	40
DLS456604	20/21 mm Tubes	246 x 105 x 72 mm	4 x 10, 40 places	Blue	40
DLS456606	20/21 mm Tubes	246 x 105 x 72 mm	4 x 10, 40 places	Yellow	40
DLS456610	20/21 mm Tubes	246 x 105 x 72 mm	4 x 10, 40 places	Red	40
DLS456703	25 mm Tubes	295 x 125 x 85 mm	4 x 10, 40 places	White	40
DLS456704	25 mm Tubes	295 x 125 x 85 mm	4 x 10, 40 places	Blue	40
DLS456706	25 mm Tubes	295 x 125 x 85 mm	4 x 10, 40 places	Yellow	40
DLS456710	25 mm Tubes	295 x 125 x 85 mm	4 x 10, 40 places	Red	40

## Grip Racks

*Specially designed test tube rack features rubber grips that hold test tubes in place when decanting liquid*

- These grip racks are 50-position plastic racks in blue.
- DLS456920 holds tubes up to 17mm, measures 254 x 140 x 51mm and is a low profile rack to view labels easily.
- DLS456925 holds tubes up to 16mm and features a unique tube ejector that allows the user to easily eject all tubes. This rack with ejector measures 260 x 140 x 82mm.

Item No.	Description	Pkg
DLS456920	Rack w/ Grippers, 17 mm Tubes	1/cs
DLS456925	Rack w/ Grippers/Ejector, 16 mm Tubes	1/cs




DLS456920

## Stainless Steel Racks

*Racks are rust-proof and will hold up to repeated use*

- Stainless steel "Z" shape allows the racks to stack neatly inside one another to conserve benchtop space when not in use.
- The wide base provides stability and prevents tipping.

Item No.	Description	Pkg
DLS457100	12/13 mm, 25-Place	1/cs
DLS457105	12/13 mm, 50-Place	1/cs
DLS457200	16/17 mm, 25-Place	1/cs
DLS457205	16/17 mm, 50-Place	1/cs



DLS457100

## Wall-Mount Drying/Draining Rack

*This 72 place laboratory drying rack is perfect for draining and drying of all types of labware*

- The 72 (push-in) pegs can accommodate items with a neck bore in excess of 15mm. They are easily removable for cleaning or to accommodate odd shaped items. Also included are 11 small pegs to accommodate small diameter items, such as test tubes, with a neck bore in excess of 6mm.
- The back plate of the support is made from a single mold of 4mm rigid high impact polystyrene (HIPS). The peg sockets have closed ends eliminating leakage and consequent biohazards. The seamless drip channel collects waste which drains via a drain tube.
- **Rack system includes:**  
72 interchangeable pegs, 11 small pegs, drip channel with draining hose, mounting kit and template for hanging and hooks for joining together additional racks.
- **Rack dimensions:**  
17.7"W x 24.8"H x 4.3"D (450mm x 630mm x 110mm)
- **Peg Dimensions:** 3.7" L x 0.6" Diam. (95mm x 15mm)

Item No.	Description	Pkg
DLS600213	72-Place Rack	1/ea



DLS600213





NOELR161WWW0

## NORLAKE® Scientific General Purpose Laboratory Refrigerator

*Ideal for cold storage of samples and reagents in the lab*

- Preset at an operating temperature of 4°C. Automatic defrosting.
- Automatic door closer minimizes temperature gradients and ruined samples.
- Complete cabinet is insulated with foamed-in-place with CFC-free high-density polyurethane foam
- Includes two adjustable and two fixed wire shelves
- **Capacity:** 16.7 ft<sup>3</sup> (.473m<sup>3</sup>)
- **Exterior:** 64-½" (163.8cm) H x 32" (81.2cm) W x 28-½" (72.4cm) D
- **Interior:** 52" (132cm) H x 27.5" (69.8cm) W x 21.5" (54.6cm) D

Item No.	Description
NOELR161WWW0	Upright, 1 DR, 16.7 CU FT



NOESSUF191WW0

## NORLAKE® Scientific Ultra-Low Upright Freezers

*Store samples with confidence at -50 to -86°C*

- Multiple points of door sealing ensures reliable frost resistant performance and enhances energy efficient cold performance for long term sample security and storage.
- Select™ control system includes real-time clock, even logging alarm history, advanced alarms, memory functions and can be password protected at two levels.
- Select™ Refrigeration includes an exclusive engineered super capacity (tri-tube) capillary tube system (patent pending) and two advanced low-noise compressors to deliver optimal heat removal and superior low temperature performance — all using readily available, CFC-free refrigerants.
- Advanced security, electrical protection and fault alarms designed to protect and maintain integrity of your important samples and specimens.

Item No.	Voltage	Cubic Feet	Interior Dimensions	Exterior Dimensions
NOESSUF191WW0	115V	18.9	<b>Height:</b> 53" (134 cm) <b>Width:</b> 25.2" (64 cm) <b>Depth:</b> 24.3" (61 cm)	<b>Height:</b> 77.8" (197 cm) <b>Width:</b> 36.5" (92 cm) <b>Depth:</b> 36.1" (91 cm)
NOESSUF191WW4	208/230V			
NOESSUF241WW0	115V	23.2	<b>Height:</b> 53" (134 cm) <b>Width:</b> 31.1" (78 cm) <b>Depth:</b> 24.3" (61 cm)	<b>Height:</b> 77.8" (197 cm) <b>Width:</b> 42.3" (107 cm) <b>Depth:</b> 36.1" (91 cm)
NOESSUF241WW4	208/230V			
NOESSUF281WW0	115V	27.5	<b>Height:</b> 53" (134 cm) <b>Width:</b> 36.8" (93 cm) <b>Depth:</b> 24.3" (61 cm)	<b>Height:</b> 77.8" (197 cm) <b>Width:</b> 48.2" (122 cm) <b>Depth:</b> 36.1" (91 cm)
NOESSUF281WW4	208/230V			




### Eyewear and Facial Protection

*Quality protection from your eyes to full face*

- Variety of safety glasses, goggles and full facial protection against splash
- Visitor Safety glasses comply with the ANSI Z87.1 impact rating
- Face shields available in either full length, 3/4 length or NEW extra-long 9.5" length

Item No.	Description	Pkg
NONFS100	Extra-long face shield, 9.5" length, foam band	40/cs
NONFS300	Full face shield, foam band	24/bx, 4bx/cs
NONFS400	3/4 length face shield, foam band	24/bx, 4bx/cs
NON24770	Standard Safety Glasses	144/cs
NON24774	Safety glasses with Black Rim	12/bx
NON24775	Deluxe Fluid Protection Lab Goggles, Elastic strap	36/cs
NON24776	Standard Fluid Protection Lab Goggles, Elastic Strap	36/cs
NON24777V	Visitor Safety Glasses, Large	144/cs
NON24777SCS	Visitor Safety Glasses, Small	100/cs
NONFRAME	Disposable Frames, Assorted Colors For use with NONLENS	100/bx
NONLENS	Disposable Lenses, Clear For use with NONFRAME	250/bx



NONFRAME




NONLENS

### CURAD® Plastic Adhesive Bandages

*Sterile and latex-free*

- CURAD® plastic adhesive bandages are constructed with PVC-free durable polyethylene and perforated for breathability.
- These bandages feature even adhesion and a non-adherent island pad for enclosed wound protection.

Item No.	Description	Pkg
NON25500	Bandage, Adhesive, Plastic, ¾" x 3"	1200/cs, 10bx/cs
NON25600	Bandage, Adhesive, Plastic, 1" x 3"	1200/cs, 10bx/cs



NON25500

## Standard Earloop Masks

*Provides protection while keeping the wearer cool and comfortable*

- Flexible nosewire allows for custom and secure fit
- Elastic earloops provide easy donning and removal
- Available in a variety of materials and option of color



Item No.	Description	Color	Pkg
NON27378	Spunbond Polypropylene Inner and Outer Facings, Earloops	Blue	50ea/bx, 6bx/cs
NON27375	Cellulose Inner and Spunbond Polypropylene Outer Facings, Earloops	Blue	50ea/bx, 6bx/cs
NON27365	Soft Tissue Inner and Outer Facings, Earloops	Blue	50ea/bx, 6bx/cs
NON27122	Spunbond Polypropylene Inner and Outer Facings, Earloops	Yellow	50ea/bx, 6bx/cs
NON27120	Cellulose Inner and Spunbond Polypropylene Outer Facings, Earloops	Yellow	50ea/bx, 6bx/cs
NON27110	Soft Tissue Inner and Outer Facings, Earloops	Yellow	50ea/bx, 6bx/cs

## Standard Tie Masks

*Standard Surgical Masks with Ties*

- Ties offer secure attachment during weartime
- Available with anti-fog features such as adhesive or thick foam to prevent fogging of eyewear
- Chamber-style mask offers larger pocket to feel more breathable
- Variety of masks offered with various combinations of materials and colors



Item No.	Description	Color	Pkg
NON27376	Surgical mask with ties, cellulose	Blue	50/bx, 6bx/cs
NON27377	Surgical mask with ties, polypropylene	Blue	50/bx, 6bx/cs
NON27402	Medlite surgical mask with ties	Blue	50/bx, 6bx/cs
NON27385	Hypoallergenic surgical mask with ties	White	50/bx, 6bx/cs
NON27600	Surgical mask with horizontal ties	Blue	50/bx, 6bx/cs
NON27361A	Anti fog surgical mask with aggressive adhesive, ties	Green	50/bx, 6bx/cs
NON27378A	Anti fog surgical mask with thick foam strip, ties	Blue	50/bx, 6bx/cs
NON27382	Chamber style surgical mask with ties	Green	50/bx, 6bx/cs



NON27710EL



NON27710



NON27712



NON27410



NON27412EL



NON27405

## Fluid-Resistant Face Masks

- Fluid Resistant masks offered at 3 different fluid protection levels — 160, 120, and 80 mmHg
- Available in either tie or earloop versions
- Attached splash shield on select product numbers
- Fluid resistant masks are tested and approved to provide splash protection at indicated levels

Item No.	Description	Fluid Resistance Levels	Style	Color	Pkg
NON27710EL	Max X fluid resistant procedure mask with shield	160 mmHg	Earloops	Purple Pattern	25/bx, 4bx/cs
NON27710	Max X fluid resistant surgical mask with shield	160 mmHg	Ties	Purple Pattern	25/bx, 4bx/cs
NON27712	Max X fluid resistant surgical mask	160 mmHg	Ties	Purple Pattern	50/bx, 6bx/cs
NON27712EL	Max X fluid resistant procedure mask	160 mmHg	Earloops	Purple Pattern	50/bx, 6bx/cs
NON27410	Fluid resistant surgical mask with shield	120 mmHg	Ties	Purple	25/bx, 4bx/cs
NON27410EL	Fluid resistant procedure mask with shield	120 mmHg	Earloops	Purple	25/bx, 4bx/cs
NON27412	Fluid resistant surgical mask	120 mmHg	Ties	Purple	50/bx, 6bx/cs
NON27412EL	Fluid resistant procedure mask	120 mmHg	Earloops	Purple	50/bx, 6bx/cs
NON27405	X-Tra fluid protection surgical mask with shield	80 mmHg	Ties	Blue	25/bx, 4bx/cs
NON27408	X-tra fluid protection surgical mask	80 mmHg	Ties	Blue	50/bx, 6bx/cs
NON27408EL	X-Tra fluid protection procedure mask	80 mmHg	Earloops	Blue	50/bx, 6bx/cs

## N95 Respirators

### N95 Particulate Respirators

- All N95 respirators are NIOSH-approved for Airborne Protection
- Variety of sizes and shapes to provide options for fit testing

Item No.	Description	Pkg
NON24506A	Cone-style N95 Respirator, NIOSH approved, Regular/Large	20/bx, 12bx/cs
NON24507	Cone-style N95 Respirator, NIOSH approved, Small	20/bx, 12bx/cs
RP88020	Flat Fold N95 Respirator, NIOSH approved, Regular	50/bx, 6bx/cs
RP88010	Flat Fold N95 Respirator, NIOSH approved, Small	50/bx, 6bx/cs
NON27501	Adjustable N95 Respirator, NIOSH approved, Green Stripe	35/bx, 6bx/cs



NON24506A





### 3M® Disposable Filtering Facepiece Respirators

#### Respiratory protection against non-oil based particles

- 3M® N95 Respirators are lightweight, compatible with a variety of eyewear and feature an adjustable nosepiece for a custom seal. Curved low profile design conforms well to nose and eye contours.
- The three-panel disposable respirators are designed to direct exhaled air away from the nose panel, helping reduce eyewear fogging.
- The MMM9211 and MMM8511 feature the 3M® CoolFlow™ Valve for increased comfort and keeps the wearer cool.

Item No.	Description	Pkg
MMM9211	Respirator, Three-Panel with Exhalation Valve	120/cs
MOE9210	Respirator, Three-Panel	240/cs
MMM8511CS	Respirator with Exhalation Valve, Case	80/cs
MMM8511Z	Respirator with Exhalation Valve, Box	10/bx
MOE8210	Unvalved N95 Respirator, Case	160/cs
MOE8210Z	Unvalved N95 Respirator, Box	20/bx

### N95 Fit Test Solutions

#### Used in Conjunction with N95 Particulate Respirator Masks

- Fit testing is required prior to the initial use of a respirator.
- Test is easy to administer and instructors are included.
- One kit tests approximately 100 people.
- Qualitative Fit Test educational video available online at Medline.com



Item No.	Description	Pkg
NON24510	Qualitative Saccharin-Based Fit Test Kit	1/ea
NON24510A	Saccharin Sensitivity Solution	6 bottles/bx
NON24510B	Saccharin Fit Test Solution	6 bottles/bx
NON24510C	Bitter Fit Test Solution	6 bottles/bx
NON24510D	Fit Test Replacement Hoods	10/bx
NON24510E	Fit Test Replacement Nebulizers	3/bx
NON24510F	Bitter Sensitivity Solution	6 bottles/bx
NON24510BTR	Qualitative Bitrex-Based Fit Test Kit	1/ea

### 3M® 6000-series Half Facepiece Reusable Respirator and Cartridges

*Convenient respiratory protection against particulate, gas and vapors*

- Select facepiece and cartridge according to your protection needs.
- Facepiece is made for soft, lightweight material for comfort and protection.
- 3M® combination cartridges provide both particulate and gas/vapor protection. The particulate filter is permanently attached to cartridge for easy, one-step assembly. Unique design for enhanced comfort and visibility.
- Other cartridges are available. Contact your Medline representative for details.



MMM6200



MMM60923



MOE60921

Item No.	Description	Pkg
MMM6100	Respirator, 6000 Series Half Facepiece, Small	24/cs
MMM6200	Respirator, 6000 Series Half Facepiece, Medium	24/cs
QNQ1426100	Respirator, 6000 Series Half Facepiece, Small	1/ea
QNQ1426200	Respirator, 6000 Series Half Facepiece, Medium	1/ea
QNQ1426300	Respirator, 6000 Series Half Facepiece, Large	1/ea
MOE60921	Cartridge, 6000, Organic Vapor / P100 Filter	60/cs
MMM60923	Cartridge, 6000, Organic Vapor / Acid Gas / P100	60/cs
MMM60926	Cartridge, 6000, Multi Gas / Vapor / P100	60/cs

### 3M® E-A-R® Push-Ins™ Earplugs

*Provides all-day hearing comfort, convenience and protection.*

- These earplugs feature a no roll-down design and a blue stem for a quick and easy fit.
- Poly bag keeps earplugs clean before use.
- Flexible stem makes insertion and removal cleaner and easier.
- Noise Reduction Rating (NRR) 28 dB. CSA Class AL.



MMM3181003

Item No.	Description	Pkg
MMM3181003	Earplugs, E-A-R Push-Ins, Corded	2000/cs
MMM3181000	Earplugs, E-A-R Push-Ins Earplugs, Uncorded	400/cs

**Looking for gloves?**

**SEE PAGES 62-66**



CRI1002

## Medline Bouffant Caps

*Help reduce sample or product contamination*

- Bouffant caps have a double-stitched elastic band that keeps caps flat and comfortable on the forehead.
- Lint-free caps are made from spunbond polypropylene.

Item No.	Description	Pkg
CRI1002	White, 21"	100/bx, 500/cs
CRI1102	White, 21"	100/bag, 10 bags/case, 1000/cs
CRI1003	White, 24"	100/bx, 500/cs
CRI1103	White, 24"	100/bag, 10 bags/case, 1000/cs


## Disposable Ampoule Breaker

- The patented Disposable Ampoule Breaker ("DAB") is a single use tool which aids the safe opening of an ampoule.
- The DAB prevents finger cuts and glass shards and entraps the top of the ampoule for safe disposal.

Item No.	Description	Pkg
DYNJDAB1	Small, Clear, 1-4 mL	100/cs
DYNJDAB1GS	Small, Gold, 1-4 mL	100/cs
DYNJDAB2	Medium, Clear, 5-10 mL	100/cs
DYNJDAB2GS	Medium, Gold, 5-10 mL	100/cs
DYNJDAB3	Large, Clear, 11-20 mL	100/cs
DYNJDAB3GS	Large, Gold, 11-20 mL	100/cs



DYNJDAB1



DYNJDAB2GS

BRT380000000



## Hot Hand® Protector

*Safe, non-slip protection against very hot or cold surfaces*

- Measures 10 x 19cm (3-7/8" x 7-1/2") with durable silicone rubber construction that remains flexible from -57°C (-70°F) to 260°C (500°F).
- End pockets accept thumb and fingers to grasp objects.
- Multiple studs with concave tips cover surface of the mitt, providing a secure grip on virtually all hot/cold surfaces.

Item No.	Description	Pkg
BRT380000000	Hot Hand Protector, Original Red	1/ea
BRTF380000001	Hot Hand Protector, Sky Blue	1/ea
BRTF380000002	Hot Hand Protector, Lime Green	1/ea

## Boundary® Polypropylene Shoe Covers

Made from spunbond polypropylene with fluid-repellent and breathable properties. Non-skid bottom provides traction.

Part No.	Size	Pkg
CRI2102	Regular/Large	100/bag, 10 bags/case, 1000/cs
CRI2103	X-Large	100/bag, 10 bags/case, 1000/cs



CRI2102

## Non-Skid Multi-Layer Shoe Cover

Made from breathable, fluid-resistant material. Sport size available for larger, athletic-type shoes. Covers are available with standard non-skid pattern or striped pattern for increased traction.

Part No.	Size	Pkg
NON28859	X-Large	100/bx, 2 boxes/case, 200/cs
NON28852	Sport Size	100/bx, 2 boxes/case, 200/cs
NON29858	Striped, Regular/Large	100/bx, 3 boxes/case, 300/cs
NON29859	Striped, X-Large	100/bx, 2 boxes/case, 200/cs



NON29858

## Non-Skid Multi-Layer Poly Ankle Covers

Consist of fluid-proof bottoms to help prevent fluid penetration and multi-layer breather tops above the ankle for maximum coverage.

Part No.	Size	Pkg
NON27145	Regular/Large	100/bx, 3 boxes/case, 300/cs
NON27145XL	X-Large	100/bx, 3 boxes/case, 300/cs



NON27145

## Coated Polypropylene Boot Covers

Boot covers are made from fluid-proof coated polypropylene material and ultrasonically sealed on all sides for optimal fluid protection. The convenient hook-and-loop closure is heat-sealed to the boot and allows the wearer to adjust the fit. Non-skid foam strip is heat-sealed to boot.

Part No.	Size	Pkg
NON27150	Regular/Large	50/bx, 3 boxes/case, 150/cs
NON27150XL	X-Large	50/bx, 3 boxes/case, 150/cs



NON27150

## Prevention Plus Boot Covers

Impervious and breathable. Built tough enough to withstand rough treatment, these strong, seamless boot covers are ultrasonically sealed on all sides and feature a solid bottom that provides a leak-proof barrier and increased durability and performance. Convenient hook-and-loop strap allows wearer to adjust for the best possible fit. Foam strips on the bottom help provide excellent traction to help reduce the risk of slips and falls.

Part No.	Size	Pkg
NON27348P	Regular/Large	50/bx, 3 boxes/case, 150/cs
NON27348PXL	X-Large	50/bx, 3 boxes/case, 150/cs



NON27348P





ALPSHE1315BH

### UltraGrip™ Critical Cover® Shoe Covers by Alpha Pro Tech

*Premium in slip and fall protection for damp / dry environments*

- Extremely durable on most abrasive floor surfaces
- Anti-skid for maximum traction
- Provides particle holdout and protection from fluids and light chemical splashes
- For use in Controlled and Critical Environments
- Upper portion is made from proprietary BarrierTech® material

Item No.	Color	Size	Pkg
ALPSHE1315BH	White	M	200/cs
ALPSHE1316BH	White	L	200/cs
ALPSHE1312BH	White	Univ	200/cs
ALPSHE1313BH	White	XL	200/cs
ALPSHM1315BH	Blue	M	200/cs
ALPSHM1316BH	Blue	L	200/cs
ALPSHM1312BH	Blue	Univ	200/cs
ALPSHM1313BH	Blue	XL	200/cs



ALPSHE1W11BH

### MaxGrip® Critical Cover® Shoe Covers by Alpha Pro Tech

*Ideal for use in damp and dry environments*

- Maximum grip protection on a variety of surfaces
- Sole material is clean and durable
- For use in Controlled and Critical Environments
- Upper portion is made from proprietary BarrierTech® material
- Provides particle holdout from fluids and light chemical splashes

Item No.	Color	Size	Pkg
ALPSHE1W11BH	White	S	200/cs
ALPSHE1W15BH	White	M	200/cs
ALPSHE1W16BH	White	L	200/cs
ALPSHE1W12BH	White	Univ	200/cs
ALPSHE1W13BH	White	XL	200/cs



ALPSH91182B

### AquaTrak® Critical Cover® Shoe Covers by Alpha Pro Tech

*Ultimate solution for wet conditions*

- Seamless sole makes it impervious to fluids, providing complete protection even in standing water
- Provides appropriate particle holdout
- Available in Blue and White

Item No.	Color	Size	Pkg
ALPSH91182B	Blue	Univ	150/cs
ALPSH91183B	Blue	XL	150/cs
ALPSH91184B	Blue	2XL	150/cs



ALPSHX1222BCS

### SureGrip™ Critical Cover® Shoe Covers by Alpha Pro Tech

*Proven shoe cover in the marketplace*

- Shoe cover of choice for a wide range of environments
- Outstanding anti-skid properties, clean and durable
- Available with conductive strip
- Other styles and packaging options available - contact us for details

Item No.	Color	Size	Pkg
ALPSHX1222BCS	Blue	Univ	300/cs
ALPSHX1223BCS	Blue	XL	300/cs
ALPSHX1224BCS	Blue	2X	300/cs

**UltraGrip™ Critical Cover® Boot Covers by Alpha Pro Tech**

*Premium in slip and fall protection for damp / dry environments*

- Ultimate protection from top to bottom
- Anti-skid for maximum traction
- Static dissipative
- Excellent barrier protection and particle holdout
- Upper portion is made from proprietary Microbreathe™ material
- Available with elastic ankle or ties

Item No.	Color	Size	Pkg
ALPBTA1815B	White	M	200/cs
ALPBTA1812B	White	Univ	200/cs
ALPBTA1813B	White	XL	200/cs



**DuPont® Tyvek® IsoClean® Sterile Boot Covers**

*Sterile boot covers featuring Tyvek® flashspun polyethylene with PVC soles*

- Serged seams, an elastic leg opening, ties at the ankles and white.
- 18.5" long. Large size is 14.75" in length; XL size 16.5" in length.
- Gamma sterilized boot covers are packaged in an ISO Class 5 cleanroom.
- Individually packaged in an opaque bag and placed in double transparent poly liners.

Item No.	Description	Size	Pkg
DUCIC457SWHLG	Tyvek® IsoClean Sterile Boot Covers	Large	100/bx
DUCIC457SWHXL	Tyvek® IsoClean Sterile Boot Covers	X-Large	100/bx




**DuPont® Tyvek® IsoClean® Shoe Covers with PVC Soles**

*Shoe covers featuring Tyvek® flashspun polyethylene with textured PVC soles*

- Shoe covers have serged seams, elastic opening and are in white.
- Large size is 14.25" in length, XL size 15.75" in length. 5.25" high for both.
- Bulk packaged in double transparent poly liners.

Item No.	Description	Size	Pkg
DUCIC461SWHLG	Tyvek® IsoClean Shoe Cover w/PVC Sole	Large	300/bx
DUCIC461SWHXL	Tyvek® IsoClean Shoe Cover w/PVC Sole	X-Large	300/bx





Scienceware® Magic Touch® 2™ Ice Bucket and Pans

## Scienceware® Magic Touch® 2™ Ice Buckets and Pans

*Maintain proper sample temperature between procedures*

- Superior insulating properties combined with high chemical resistance.
- Expanded urethane icewares are lightweight, durable and non-sweating.
- Impervious to moisture and odors.
- Compatible not only with wet ice, but also with ultra-low temperature materials including dry ice, ice-salt slurries, dry ice solvent
- Able to withstand a wide temperature range: -196°C (-320°F) to 100°C (212°F).
- Drip-proof rims keep the benchtop dry.

Size	Dimensions with Lid (if included)	Includes Lid	Blue	Black	Red	Green
1L	7.2"L x 7.2"W x 5.3"H (18.3 x 18.3 x 13.5cm)	Y	BRT168071101	BRT168071102	BRT168071103	BRT168071104
2.5L	10.55" Top OD x 7" H (26.8 x 17.9cm)	Y	BRT168072001	BRT168072002	BRT168072003	BRT168072004
4L	10.55" Top OD x 9"H (26.8 x 22.7cm)	Y	BRT168074001	BRT168074002	BRT168074003	BRT168074004
4L	12"L x 9"W x 8.5"H (30.4 x 22.9 x 21.8cm)	Y	BRT168074101	BRT168074102	BRT168074103	BRT168074104
9L	16.5"L x 12"W x 8.5"H (42 x 30.3 x 21.7cm)	Y	BRT168079101	BRT168079102	BRT168079103	BRT168079104
9L	16.5" L x 12W x 8H" (42 x 30.3 x 20cm)	N	BRT168079901	BRT168079902	BRT168079903	BRT168079904

## Labeling Tape

### Variety of tape for labeling samples and supplies

- **Write-On™ Label Tapes** adhere to any clean surface, including Teflon® fluoropolymer resin coated materials, and peels off without leaving a sticky residue. Pencil, ball-point pen or solvent ink marker remain legible under the most demanding laboratory conditions.
- **Write-On™ Label Tape Assortment Pack** includes six tape colors that correspond with familiar hazard color codes to highlight safety information written on the labels. Use yellow for chemical reactivity, green for safety labels, blue indicates health hazards, red alerts to flammability; orange indicates a biohazard and white can describe a specific hazard.
- Identification Tape works great for color-coding supplies.



BRT134850050

### Write-On Label Tape

Item No.	Dimensions	Color	Pkg
BRT134800050	15 yds, ½"	White	6/pk
BRT134800075	15 yds, ¾"	White	4/pk
BRT134800100	15 yds, 1"	White	3/pk
BRT134810075	15 yds, ¾"	Yellow	4/pk
BRT134810050	15 yds, ½"	Yellow	6/pk
BRT134810100	15 yds, 1"	Yellow	3/pk
BRT134820050	15 yds, ½"	Green	6/pk
BRT134820075	15 yds, ¾"	Green	4/pk
BRT134820100	15 yds, 1"	Green	3/pk
BRT134830050	40 yds, ½"	White	6/pk
BRT134830100	40 yds, 1"	White	3/pk
BRT134830075	40 yds, ¾"	White	4/pk
BRT134840050	40 yds, ½"	Red	6/pk
BRT134840075	40 yds, ¾"	Red	4/pk
BRT134840100	40 yds, 1"	Red	3/pk
BRT134850050	40 yds, ½"	Yellow	6/pk
BRT134850075	40 yds, ¾"	Yellow	4/pk
BRT134850100	40 yds, 1"	Yellow	3/pk
BRT134860050	40 yds, ½"	Green	6/pk
BRT134860075	40 yds, ¾"	Green	4/pk
BRT134860100	40 yds, 1"	Green	3/pk
BRT134870050	40 yds, ½"	Blue	6/pk
BRT134870075	40 yds, ¾"	Blue	4/pk
BRT134870100	40 yds, 1"	Blue	3/pk
BRT134880050	40 yds, ½"	Orange	6/pk
BRT134880075	40 yds, ¾"	Orange	4/pk
BRT134880100	40 yds, 1"	Orange	3/pk
BRT134900050	60 yds, ½"	White	6/pk
BRT134900075	60 yds, ¾"	White	4/pk
BRT134900100	60 yds, 1"	White	3/pk
BRT134630600	40 yds, ¾"	Rainbow	6/pk

### Identification Roll Tape

Item No.	Dimensions	Color	Pkg
MDST0201	250", ¼"	White	1/ea
MDST0202	250", ¼"	Blue	1/ea
MDST0203	250", ¼"	Green	1/ea
MDST0204	250", ¼"	Red	1/ea
MDST0205	250", ¼"	Yellow	1/ea
MDST0206	250", ¼"	Purple	1/ea
MDST0207	250", ¼"	Orange	1/ea
MDST0208	250", ¼"	Brown	1/ea
MDST0209	250", ¼"	Black	1/ea
MDST0101	250", ⅛"	White	1/ea
MDST0102	250", ⅛"	Blue	1/ea
MDST0103	250", ⅛"	Green	1/ea
MDST0104	250", ⅛"	Red	1/ea
MDST0105	250", ⅛"	Yellow	1/ea
MDST0106	250", ⅛"	Purple	1/ea
MDST0107	250", ⅛"	Orange	1/ea
MDST0108	250", ⅛"	Brown	1/ea
MDST0109	250", 1/8"	Black	1/ea

### Tape Dispenser

Item No.	Dimensions	Color	Pkg
MDS200211	Tape Dispenser	—	1/ea







DYNJSM08

### Utility Markers

*The black ink in our utility markers is non-smearing and can be used on most surfaces for labeling purposes*

- Available sterile or non-sterile

Item No.	Description	Pkg
DYNJSM06	Utility Marker with 6" (15 cm) Ruler, Sterile	50/cs
DYNJSM07	Utility Marker with 6" (15 cm) Ruler and labels, Sterile	50/cs
DYNJSM08	Utility Marker, Non Sterile	100/cs



APO140016PDC



APO145016PDC

### Secureline Brand Laboratory Markers

Secureline Laboratory & Superfrost Markers are for both general and specialty use within the lab setting. The Superfrost markers are specifically designed for writing on frosted microscope slides and can resist most solvents used in histology and cytology (alcohol, acetone, xylene). The basic Laboratory Markers can be used for writing on plastic, metal, or porcelain products for quick labeling needs within the lab. The Laboratory Markers are able to withstand autoclave sterilization.

Item No.	Description	Color	Pkg
APO145016PDC	Superfrost Marker, For Slides, Resists Common Solvents in histology and cytology Extra Fine Point (for use with frosted slides)	Red	10/bx
APO145020PDC	Superfrost Marker, For Slides, Resists Common Solvents in histology and cytology, Extra Fine Point (for use with frosted slides)	Black	10/bx
APO140013PDC	Laboratory Marker, For Plastic/Metal/Porcelain, Damp Surface, Autoclavable	Blue	10/bx
APO140015PDC	Laboratory Marker, For Plastic/Metal/Porcelain, Damp Surface, Autoclavable	Green	10/bx
APO140016PDC	Laboratory Marker, For Plastic/Metal/Porcelain, Damp Surface, Autoclavable	Red	10/bx
APO140020PDC	Laboratory Marker, For Plastic/Metal/Porcelain, Damp Surface, Autoclavable	Black	10/bx



DYND30330

### Basic Specimen Containers

Item No.	Description	Pkg
DYND30330	4 oz (120 mL), Packaged Individually in Poly Bag, Sterile Fluid Pathway, ID Label	100/cs
DYND30335	4 oz (120 mL), Packaged Clean, Nested in Sleeve, 25 Containers and Lids Per Sleeve	500/cs
DYND30350	4.5 oz (130 mL), Packaged Individually in Poly Bag, Sterile Fluid Pathway, ID Label	100/cs

Looking for sample bags?

SEE  
PAGE  
16

## Vortex-Genie® 2 Accessories

*Modify the Vortex-Genie® 2 to accommodate the sample container you use.*

- Vortex-Genie® 2 includes one each of SIQ0K0500902 three-inch platform and SIQ146301100 pop-off cup.
- 6" platform SIQ146600500 is needed to use the SIQ504023400 and SIQ504023500 foam inserts.
- Recessed platform SIQ504003900 is needed to use the SIQ503-series foam inserts or SIQ568000100 bands.



Item No.	Description	Pkg
SIQ0K0500901	3-inch Platform w/o Rubber Cover	1/ea
SIQ0K0500902	3-inch Platform with Rubber Cover	1/ea
SIQ146301100	Pop-off Cup	1/ea
SIQ146600500	6-inch Platform	1/ea
SIQ503027700	Blank Foam Inserts (2)	1/ea
SIQ503027800	9-16mm Tube Foam Inserts (2)	1/ea
SIQ503027900	14-29mm Tube Foam Inserts (2)	1/ea
SIQ503028000	29-37mm Tube Foam Inserts (2)	1/ea
SIQ503028200	Large Sample Set (Model H302)	1/ea
SIQ503028300	Assorted Foam Inserts (4)	1/ea
SIQ504003900	Recessed Platform	1/ea
SIQ504023300	Multiple Sample Starter Set (Model H301)	1/ea
SIQ504023400	Microtube Foam Insert (2)	1/ea
SIQ504023500	Microplate Foam Insert (2)	1/ea
SIQ568000100	Elastic Bands (2)	1/ea
SIQ580201300	Rubber Cover for 3-inch Platform	1/ea
SIQSI0510	Two-Tier Microplate Foam Insert	1/ea
SIQSI0511	Large Ampoule/Tube Attachment	1/ea
SIQSI0564	TurboMix Attachment	1/ea
SIQSI0570	Small Ampoule/Tube Attachment	1/ea
SIQSIH506	Horizontal 50mL Tube Holder (6 tubes)	1/ea
SIQSIH512	Horizontal 15mL Tube Holder (12 tubes)	1/ea
SIQSIH524	Horizontal Microtube Holder (24 tubes)	1/ea
SIQSIV506	Vertical 50mL Tube Holder (6 tubes)	1/ea
SIQSIV512	Vertical 15mL Tube Holder (12 tubes)	1/ea
SIQSIV524	Vertical Microtube Holder (24 tubes)	1/ea
SIQSIV525	Vertical 50mL, 15mL, Microtube Holder	1/ea
SIQSIV203	Vertical High Speed 50mL Tube Holder (3 tubes)	1/ea
SIQSIV206	Vertical High Speed 15mL Tube Holder (6 tubes)	1/ea
SIQSIV209	Vertical High Speed Microtube Holder (9 tubes)	1/ea



SIQSI0236

## Vortex-Genie® 2 Shaker/Mixer

*Hands-free or touch on control*

- Variable speed (600-3200 RPM) for precise mixing from gentle to vigorous.
- Comes with 3" platform and pop-off cup with different attachments available.
- May be used in cold rooms and incubators.
- ETL and CE marked. 2 year warranty.

Item No.	Description	Pkg
SIQSI0236	Mixer, Vortex-Genie® 2	1/ea



SIQ503028200



BRT367050000

### Bel-Art Micro Spoon / Spatula Sampling Set

*Ideal for sample weighing or reagent measurements*

- **Kit includes:** six different, small size, double-ended tools and a pair of tweezers.
- Each double-ended tool has two different end shapes.  
**Ends include:**
  - Two small spoons for dry and liquid material
  - Two V-shaped spatula ends of different sizes for dry material especially powders or pellets
  - Eight flat spatulas ends of various widths and lengths ideal for mixing, scraping and spreading
  - Six square ends and two rounded
- Blunt tip tweezers have serrated inside surfaces for secure sample handling and grooved handles for better gripping.
- Polished stainless steel for easy cleaning and can be steam autoclaved at 121°C (250°F).
- Includes carrying case to protect and organize tools.

Item No.	Description	Pkg
BRT367050000	Micro Spoon/Spatula Weighing Set	1/ea



BRT367000000

### Bel-Art Teflon-Coated Stainless Steel Micro Spatulas

*Teflon® coated for improved chemical compatibility*

- Double-ended, polished stainless steel tool with non stick Fluo-Kem® Teflon® FEP coating

Item No.	Description	Pkg
BRT367000000	2.7mm diameter x 190mm long (0.105" x 7.5") tapered to 3mm (1/8")	2/bg
BRT367030000	4mm diameter x 184mm (0.156" x 7.25")	2/bg
BRT367040000	4mm diameter x 184mm (0.156" x 7.25") tapered to .8mm (1/32")	2/bg

Looking for weigh boats?

SEE  
PAGE  
50

## MagStir and Multi MagStir Genie® Magnetic Stirrers

*Programmable stirrers go through up to nine phases of ramp-up, low speed, high speed and intervals*

- MagStir is a single-position unit;  
Multi MagStir is a four-position unit.
- MagStir operates at 10-1800 RPM,  
Multi MagStir operates at 10-1200 RPM
- Simple to program multiple parameters:  
ramp rate, speed, direction, stir time and pause time
- Three power levels for different viscosity liquids
- **Maximum capacity:** 5kg (11 lb.) for MagStir,  
10kg (22 lb.) for Multi MagStir
- **MagStir:** 200 x 160 x 55mm (7.9 x 6.3 x 2.2")
- **Multi MagStir:** 375 x 325 x 48mm (14.7 x 12.8 x 1.9")

Item No.	Description	Pkg
SIQSI0300	MagStir Genie®, 120V/100V	1/ea
SIQSI3000	Multi MagStir Genie®, 120V/100V	1/ea



SIQSI12236


SIQSI12236

## MegaMag Genie® Stirrers

*High speed analog and digital stirs up to 38 liter containers*

- Powerful rare earth magnets stay coupled under the most demanding stirring conditions.
- Rugged ABS housing and Vortex Genie® motor.
- Digital models offer a smooth ramp-up and timer from 1 to 99 minutes
- May be used in cold rooms or incubators
- 2 year warranty
- Top Surface Dimensions 305 x 305mm (12 x 12in) (D x W)

Item No.	Description	Pkg
SIQSI2236	MegaMag Genie®, 120V	1/ea
SIQSI3236	Digital MegaMag Genie®, 120V	1/ea



SIQSI0300



SIQSI3000





### Bel-Art Rare Earth Spinbar® Magnetic Stirring Bars

*Ideal for viscous solutions, high speed stirring and extended stirring applications*

- Rare Earth, Samarium Cobalt magnet provides strong coupling with drive magnets to reduce frequency of spinout.
- Octagon shape with pivot ring creates strong turbulence with minimal chattering and friction
- Distinctive green color for easy identification and visibility

Item No.	Description	Pkg
BRT371020003	Spinbar, Oct, SMCO, Mag Stir Bar, 3" x 1/2"	1/ea
BRT371020138	Spinbar, Oct, SMCO, Mag Stir Bar, 1" x 3/8"	1/ea
BRT371020238	Spinbar, Oct, SMCO, Mag Stir Bar, 2" x 3/8"	1/ea
BRT371021238	Spinbar, Oct, SMCO, MAG STIR BAR, 1/2" x 3/8"	1/ea



### Bel-Art Egg-Shaped Spinbar® Magnetic Stirring Bars

*Ideal for stirring in round-bottom vessels*

- Built-in pivot spot ensures chatter-free motion.
- While the larger sizes offer oval magnets, the two smallest magnets are cylindrical in shape sheathed in an oval PTFE outer capsule.
- Teflon® PTFE coated with ALNICO V encapsulated magnet.

Item No.	Description	Pkg
BRT371300001	Spinbar, Stirring Bar, Teflon, Egg-Shaped, 1" x 1/2"	1/ea
BRT371300003	Spinbar, Stirring Bar, Teflon, Egg-Shaped, 3" x 3/4"	1/ea
BRT371300034	Spinbar, Stirring Bar, Teflon, Egg-Shaped, 3/4" x 3/8"	1/ea
BRT371300038	Spinbar, Stirring Bar, Teflon, Egg-Shaped, 3/8" x 3/16"	1/ea
BRT371300112	Spinbar, Stirring Bar, Teflon, Egg-Shaped, 1-1/2" x 5/8"	1/ea



### Bel-Art Octagonal Spinbar® Stirring Bars

*Most commonly used due to the interrupted profile*

- Pivot ring aids in reducing chattering or skipping.
- Teflon® PTFE coated with ALNICO V encapsulated magnet

Item No.	Description	Pkg
BRT371090034	Spinbar, Stirring Bar, Teflon, Octagon, Red, 1/2" x 1/8"	1/ea
BRT371100001	Spinbar, Stirring Bar, Teflon, Octagon, 1" x 5/16"	1/ea
BRT371100002	Spinbar, Stirring Bar, Teflon, Octagon, 2" x 5/16"	1/ea
BRT371100003	Spinbar, Stirring Bar, Teflon, Octagon, 3" x 1/2"	1/ea
BRT371100112	Spinbar, Stirring Bar, Teflon, Octagon, 1-1/2" x 5/16"	1/ea
BRT371100118	Spinbar, Stirring Bar, Teflon, Octagon, 1-1/8" x 5/16"	1/ea
BRT371100238	Spinbar, Stirring Bar, Teflon, Octagon, 2" x 3/8"	1/ea



### Bel-Art Polygon Spinbar® Magnetic Stirring Bars

*Features center molded pivot ring for reduced friction and chattering*

- Multifaceted surface transfers more torque to the liquid being stirred when compared to non-faceted cylindrical stir bars of the same size.
- Plastic container surfaces are less prone to being scratched or marked by the spinning bar.
- Teflon® PTFE coated body with ALNICO V encapsulated magnet.

Item No.	Description	Pkg
BRT371220025	Bar, Stirring, Polygon w/Ring, 25 x 6 mm	1/ea
BRT371200002	Bar, Stirring, Teflon, Polygon, 2" x 3/8"	1/ea
BRT371200003	Bar, Stirring, Teflon, Polygon, 3" x 1/2"	1/ea
BRT371200030	Bar, Stirring, Teflon, Polygon, 30 x 8 mm	1/ea
BRT371200040	Bar, Stirring, Teflon, Polygon, 40 x 8 mm	1/ea
BRT371200050	Bar, Stirring, Teflon, Polygon, 50 x 8 mm	1/ea
BRT371220070	Bar, Stirring, Teflon, Polygon, 70 x 10 mm	1/ea
BRT371200112	Bar, Stirring, Teflon, Polygon, 1-1/2" x 3/8"	1/ea
BRT371207836	Bar, Stirring, Teflon, Polygon, 7/8" x 3/16"	1/ea

## Bel-Art Specialty Spinbar® Spinning Bars

*For aggressive stirring requirements, these spinning bars offer some unique benefits*

- Spinbar Disposable stirring bars are designed for single use applications. They are an economical way to avoid cross contamination. Teflon® PTFE coated with ALNICO V encapsulated magnet.
- Spinbar Giant stirring bar can easily mix large liquid volumes in containers using strong magnetic stirring machines. The bar needs minimum neck diameter of 32 mm to be inserted into container. Ideal for stirring large volumes in carboys, tanks or drums. Teflon® PTFE coated with ALNICO V encapsulated magnet.
- Spinbar Micro stirring bar is ideal for vials, micro test tubes and centrifuge tubes. Teflon® PTFE coated with ALNICO V coated magnet.
- Durable, Spinfinity™ magnetic stirring bars last 2.5 to 3 times longer than PTFE magnetic stirring bars in abrasive slurries and other applications known to cause material breakdown. Alnico magnet encapsulated in plastic for zero porosity; no corrosion and cross contamination. Ideal for pharmaceutical, Q/A laboratories and ppb and ppt applications. 3 x ½" octagon shape with molded-in pivot ring, which reduces friction and chattering.



BRT371120012



BRT371210019

Item No.	Description	Pkg
BRT371120001	Spinbar, Stirring Bar, Teflon, Disposable, 1" x 5/16"	100/pk
BRT371120012	Spinbar, Stirring Bar, Teflon, Disposable, 1/2" x 1/8"	100/pk
BRT371180004	Spinbar, Stirring Bar, Teflon, Giant, 4-1/4"	1/ea
BRT371180006	Spinbar, Stirring Bar, Teflon, Giant, 6-1/4"	1/ea
BRT371210019	Spinbar, Stirring Bar, Teflon, Flea Micro Red, 6.35 x 3 mm	1/ea
BRT371900001	Spinfinity, Octagon, Magnetic Stirring Bar 3" x 1/2"	1/ea



BRT371900001



BRT377861000



BRT371580010



BRT371600000

## Spinpak® Magnetic Stirring Bar Assortment Packs and Restrainer

*Stirring bar assortment pack offers a variety of commonly-used sizes.*

- BRT371580010 includes ten octagon Spinbar® Magnetic Stirring Bars. They are Teflon® PTFE coated, with pivot ring. This pack includes a restrainer to keep the stir bar from emptying with the solution.
- BRT371600000 includes six octagon Spinbar® Magnetic Stirring Bars. They are Teflon® PTFE coated, with pivot ring. The pack contains two of each: (1" x 5/16") (1 1/2" x 5/16") (2" x 5/16").

Item No.	Description	Pkg
BRT371580010	Bar, Stir, Magnetic, Assrtd w/Restrainer	1/ea
BRT371600000	Bar, Stirring, Teflon, Assortment	1/ea
BRT377861000	Restrainer, Magnetic Stirring Bar	1/ea

## Carbon and Stainless Surgical Blades

- Color-coded packaging for quick and easy blade identification
- Individually packaged in easy-to-peel foil
- Fits all makes of handles
- Extended ridge blades provide improved stability

Item No.	Description	Pkg
MDS15010L	Blade, Carbon-Steel, #10, Sterile, Twin-Blade	150/cs
MDS15011L	Blade, Carbon-Steel, #11, Sterile, Twin-Blade	150/cs
MDS15012L	Blade, Carbon-Steel, #12, Sterile, Twin-Blade	150/cs
MDS15015L	Blade, Carbon-Steel, #15, Sterile, Twin-Blade	150/cs
MDS15020L	Blade, Carbon-Steel, #20, Sterile, Twin-Blade	150/cs
MDS15021L	Blade, Carbon-Steel, #21, Sterile, Twin-Blade	150/cs
MDS15022L	Blade, Carbon-Steel, #22, Sterile, Twin-Blade	150/cs
MDS15023L	Blade, Carbon-Steel, #23, Sterile, Twin-Blade	150/cs
MDS15010LN	Blade, Carbon-Steel, #10, Sterile, Twin-Blade, Extended Ridge	150/cs
MDS15011LN	Blade, Carbon-Steel, #11, Sterile, Twin-Blade, Extended Ridge	150/cs
MDS15012LN	Blade, Carbon-Steel, #12, Sterile, Twin-Blade, Extended Ridge	150/cs
MDS15015LN	Blade, Carbon-Steel, #15, Sterile, Twin-Blade, Extended Ridge	150/cs
MDS15020LN	Blade, Carbon-Steel, #20, Sterile, Twin-Blade, Extended Ridge	150/cs
MDS15021LN	Blade, Carbon-Steel, #21, Sterile, Twin-Blade, Extended Ridge	150/cs
MDS15022LN	Blade, Carbon-Steel, #22, Sterile, Twin-Blade, Extended Ridge	150/cs
MDS15023LN	Blade, Carbon-Steel, #23, Sterile, Twin-Blade, Extended Ridge	150/cs
MDS15110L	Blade, Stainless, #10, Wide-Foil, Sterile	150/cs
MDS15111L	Blade, Stainless, #11, Wide-Foil, Sterile	150/cs
MDS15112L	Blade, Stainless, #12, Wide-Foil, Sterile	150/cs
MDS15115L	Blade, Stainless, #15, Wide-Foil, Sterile	150/cs
MDS15120L	Blade, Stainless, #20, Wide-Foil, Sterile	150/cs
MDS15121L	Blade, Stainless, #21, Wide-Foil, Sterile	150/cs
MDS15122L	Blade, Stainless, #22, Wide-Foil, Sterile	150/cs
MDS15123L	Blade, Stainless, #23, Wide-Foil, Sterile	150/cs
MDS15010	Blade, Carbon-Steel, #10, Sterile, Disposable	100/cs
MDS15011	Blade, Carbon-Steel, #11, Sterile, Disposable	100/cs
MDS15012	Blade, Carbon-Steel, #12, Sterile, Disposable	100/cs
MDS15015	Blade, Carbon-Steel, #15, Sterile, Disposable	100/cs
MDS15020	Blade, Carbon-Steel, #20, Sterile, Disposable	100/cs
MDS15021	Blade, Carbon-Steel, #21, Sterile, Disposable	100/cs
MDS15022	Blade, Carbon-Steel, #22, Sterile, Disposable	100/cs
MDS15023	Blade, Carbon-Steel, #23, Sterile, Disposable	100/cs
MDS15110	Blade, Stainless-Steel, #10, Sterile, Disp	100/cs
MDS15111	Blade, Stainless-Steel, #11, Sterile, Disp	100/cs
MDS15112	Blade, Stainless-Steel, #12, Sterile, Disp	100/cs
MDS15115	Blade, Stainless-Steel, #15, Sterile, Disp	100/cs
MDS15120	Blade, Stainless-Steel, #20, Sterile, Disp	100/cs
MDS15121	Blade, Stainless-Steel, #21, Sterile, Disp	100/cs
MDS15122	Blade, Stainless-Steel, #22, Sterile, Disp	100/cs
MDS15123	Blade, Stainless-Steel, #23, Sterile, Disp	100/cs



MDS15010L



MDS15011L



MDS15012L



MDS15015L



MDS15020L



MDS15021L



MDS15022L



MDS15023L





MDS152300



MDS151004

### Switch Safety Scalpel

*Bidirectional side-activated safety scalpel with blade remover*

- Reusable handle works for left- or right-handed users
- Confirms locked and unlocked positions with audible “click”

Item No.	Description	Pkg
MDS152300	Handle, Scalpel, Safety, Switch, Reusable, #3	5/bx
MDS152300L	Handle, Scalpel, Safety, Switch, Reusable, #3, Long	5/bx
MDS152400	Handle, Scalpel, Safety, Switch, Reusable, #4	5/bx
MDS151004	Handle, Scalpel, Safety, Switch, Reusable, #7	5/bx

### Disposable Safety Scalpel

*Retractable sheath for safe use and disposal*

- Handle features graduated scale and ergonomic design.
- Usage instructions for disposal indicated on the scalpel.
- Blade photo on packaging for quick-and-easy blade identification.
- Individually packaged in easy-to-peel pouch.



MDS15310

MDS15311

MDS15315

Item No.	Description	Pkg
MDS15310	Disposable Scalpel, Safety, #10 Blade	10/bx
MDS15311	Disposable Scalpel, Safety, #11 Blade	10/bx
MDS15315	Disposable Scalpel, Safety, #15 Blade	10/bx



MDS15210

MDS15211

MDS15212

MDS15215

### Disposable Scalpels, Non-Safety

*Blade and handle ready-to-use*

- Color-coded packaging for quick-and-easy blade identification
- Individually package in easy-to-peel pouch



MDS15220

MDS15221



MDS15222

MDS15223

Item No.	Description	Pkg
MDS15210	Disposable Scalpel, #10, Sterile	10/bx
MDS15211	Disposable Scalpel, #11, Sterile	10/bx
MDS15212	Disposable Scalpel, #12, Sterile	10/bx
MDS15215	Disposable Scalpel, #15, Sterile	10/bx
MDS15220	Disposable Scalpel, #20, Sterile	10/bx
MDS15221	Disposable Scalpel, #21, Sterile	10/bx
MDS15222	Disposable Scalpel, #22, Sterile	10/bx
MDS15223	Disposable Scalpel, #23, Sterile	10/bx

**Medline Dissection Instruments**

*Medline Dissection Instruments are made from stainless steel and ideally sized for procedures on small specimens.*




	Non-Sterile		Sterile	
	Item Number	Ordering Quantity	Item Number	Ordering Quantity
Iris Scissors, straight, 4.5"	MDS10030	12/cs	DYNJ04050	50/cs
5.5"OR Blunt/Blunt scissor	MDS10374	12/s	—	
4.5" OR Sharp/Blunt scissor	MDS10373	12/cs	DYNJ04053 DYNJ04053H	50/cs 1/ea
Adson Thumb Forcecp	MDS10740	12/cs	DYNJ04051	50/cs
Ultra fine tip tweezcr	MDS10724	12/cs	—	
Plastic forcecps	MDS10980	400/cs	—	
Mosquito forcecps, straight, 5"	MDS10524	12/cs	DYND04039	50/cs
Kelly forcecps, straight, 5.5"	MDS10535	12/cs	DYNJ04048	50/cs



MDS122210



MDS1222310



MDS0834009



MDS1017612

## Medline Surgical Instruments

*Made with the finest quality stainless steel*

- Instruments feature non-reflective satin finish and are manufactured of German surgical stainless steel.
- Other instrument sizes and types available. Contact your Medline representative for more information.

Item No.	Description	Pkg
MDS122210	Micro-Mosquito Straight Hemostat Forceps, 4" (10 cm)	1/ea
MDS122212	Micro-Mosquito Straight Hemostat Forceps, 4.75" (12 cm)	1/ea
MDS1222310	Micro-Mosquito Curved Hemostat Forceps, 4" (10 cm)	1/ea
MDS1222312	Micro-Mosquito Curved Hemostat Forceps, 4.75" (12 cm)	1/ea
MDS1011014	Narrow Tip Straight Forcep, 5.5" (14 cm)	1/ea
MDS1011013	Narrow Tip Straight Forcep, 5" (12.7 cm)	1/ea
MDS1017612	Micro-Adson Forcep, 4.75" (12 cm)	1/ea
MDS0834009	Straight Scissor, Sharp Tips, 3.5" (9 cm)	1/ea
MDS0834109	Curved Scissor, Sharp Tips, 3.5" (9 cm)	1/ea
MDS0834010	Straight Scissor, Sharp Tips, 4.25" (10.5 cm)	1/ea
MDS0834110	Curved Scissor, Sharp Tips, 4.25" (10.5 cm)	1/ea
MDS0837602	Straight Scissor, Sharp/Blunt Tip, 4.5" (11.5 cm)	1/ea


## Skin Markers (sterile and non-sterile)

*Our skin markers contain medical-grade, non-irritating gentian violet ink*

A large ink reservoir allows for a longer product life and also helps provide constant ink flow for clear marking. We have a variety of barrel and tip styles available. We offer sterile markers for intra-op and non-sterile for the pre-op area. Configurations that include a 15cm (6") ruler or ruler with labels are also available.

Item No.	Description	Pkg
DYNJSM01	Regular tip, w/ruler, sterile	50/cs
DYNJSM02	Regular tip, w/ruler and 6 labels, sterile	50/cs
DYNJSM03	Fine tip, w/ruler, sterile	50/cs
DYNJSM04	Fine tip, w/ruler and 6 labels, sterile	50/cs
DYNJSM05	Regular tip, non-sterile	100/cs
DYNJSM09	Fine tip, non-sterile	100/cs





DYNJSD1092



DYNJSD1024



DYNJSD1021



DYNJSD1030




DYNJSD1023

### Clear Drapes

*Clear drapes are sterile and come in a variety of sizes allowing for easy visibility of subject*

- Strong adhesive with no residue
- Non-linting, tear-resistant, poly-release liner

Item No.	Description	Pkg
DYNJSD1000	Clear Towel Drape, 18" x 12" (45 cm x 30 cm), Adhesive only 18" x 2" (45 cm x 5.1 cm)	40/cs
DYNJSD1010	Clear Towel Drape, 18" x 24" (45 cm x 61 cm), Adhesive only 18" x 2" (45 cm x 5.1 cm)	40/cs
DYNJSD2158	Clear Towel Drape, 24" x 18" (61 cm x 45.7 cm)	10/cs
DYNJSD1092	Clear, 24" x 26" (61 x 66 cm) with 2.5" circular fenestration	25/cs
DYNJSD1020	Clear Fenestrated Drape, 16" x 16" (40 cm x 40 cm), Aperture only 2.5" circle (6 cm circle), Adhesive only 5" x 5" (12 cm x 12 cm)	40/cs
DYNJSD1021	Clear Incise Drape, 16" x 16" (40 cm x 40 cm), Adhesive only 5" x 5" (12 cm x 12 cm)	40/cs
DYNJSD1023	Clear Fenestrated Drape with Pouch, 19" x 16" (48 cm x 41 cm), Adhesive only 5" x 4" (12 cm x 10 cm), Adhesive tabs only 2" x 2" (5 cm x 5 cm)	40/cs
DYNJSD1024	Clear Incise Drape with Pouch, 19" x 16" (48 cm x 41 cm), Adhesive only 5" x 4" (12 cm x 10 cm), Adhesive tabs only 2" x 2" (5 cm x 5 cm)	40/cs
DYNJSD1030	Clear Fenestrated Drape, 33" x 51" (83 cm x 129 cm), Aperture only 3" x 2" (7 cm x 5 cm), Adhesive only 5" x 4.5" (12 cm x 11 cm)	40/cs
DYNJSD1060	Clear Incise Drape, 48" x 51" (121 cm x 129 cm), Adhesive only 5" x 4.5" (12 cm x 11 cm)	40/cs
DYNJSD1061	Clear Incise Drape with Pouch, 48" x 51" (121 cm x 129 cm), Adhesive only 5" x 4.5" (12 cm x 11 cm), Pouch only 12" x 11" (30 cm x 27 cm)	40/cs




DYNJSD1000



DYNJSD1020







DYNJSD1092



DYNJP2493



DYNJP4105



DYNJP3003

## Fenestrated Drapes

*Fenestrations have large, absorbent reinforced zones to manage fluid and minimize contamination.*

- Sterile fenestrated drapes come in a variety of sizes to cover small to large animals, minimizing the need to resize. 100% Polypropylene SMS material for easy drapeability.
- Top-of-the-line fabric with five strong fiber layers for exceptionally high barrier strength.

Item No.	Description	Pkg
DYNJSD1092	Clear, 24" x 26" (61 x 66 cm) with 2.5" circular fenestration	25/bx
DYNJP2493	40" x 45" (102 x 114 cm) with 3.5" x 7.5" (9 x 19 cm) fenestration	34/cs
DYNJP2420	40" x 62" (102 x 157 cm) with 4" x 6" (10 x 15 cm) fenestration	20/cs
DYNJP4105	31" x 42" (79 x 107 cm) with 3.25" x 4.25" (8 x 10 cm) fenestration	18/cs
DYNJP4106	38" x 44" (97 x 112 cm) with 2.75" (7 cm) circular fenestration with incise and 12" x 13" (30 cm x 33 cm) absorbent reinforcement	40/cs
DYNJP3003	102" x 78" x 121" (259 x 198 x 307 cm) with absorbent reinforcement, 29" x 29" (74 cm x 74 cm); 4" x 12" (10 cm x 30 cm) fenestration with adhesive; and instrument pad	12/cs
DYNJP3103	102" x 78" x 122" (259 x 198 x 310 cm) with two 10.5" x 30" (23 cm x 76 cm) fluid-collection pouches with hook-and-loop closures; Absorbent reinforcement, 16" x 38" (41 cm x 97 cm); and 10" x 11" (25 cm x 28 cm) fenestration with adhesive	8/cs
VET3008	78" x 169" (198 x 429 cm) with 18" x 48" (46 x 97 cm) reinforcement; 4" x 12" (10 x 31 cm) fenestration with adhesive; and two 12" x 38" (31 x 97 cm) pouches	8/cs

## Sterile Disposable Drapes

*Paper drapes with a repellent inner layer that helps prevent moisture strike through*

Item No.	Description	Pkg
NON21001	18" x 26" (46 x 66 cm)	300/cs
NON21002	18" x 26" (46 x 66 cm), 2.75" (7 cm) dia. fenestration	300/cs



NON21001

## SMS Drape Sheets

*Variety of sizes minimizing the need to resize*

- 100% Polypropylene SMS material for easy drapeability
- Top-of-the-line fabric with five strong fiber layers for exceptionally high barrier strength
- Sheets are sterile and ready for use

Item No.	Description	Pkg
DYNJP2405	Utility drapes with tape, 15" x 26" (38 cm x 66 cm), 2/pk	100 pk/cs
DYNJP2406	Utility drapes with tape, 15" x 26" (38 cm x 66 cm), 4/pk	50 pk/cs
DYNJP2408	Utility drapes with tape, 20" x 30" (51 cm x 76 cm), 4/pk	50 pk/cs
DYNJP2410	Drape sheet, 40" x 58" (102 cm x 147 cm)	20/cs
DYNJP2412	Drape sheet, 40" x 70" (102 cm x 178 cm)	20/cs
DYNJP2412T	Drape sheet, 40" x 70" (102 cm x 178 cm)	50/cs
DYNJP2414	Drape sheet, 53" x 77" (135 cm x 196 cm)	20/cs
DYNJP2416	Drape sheet, 53" x 77" (135 x 196 cm) w/ Absorbent reinforcement 23" x 44" (58 cm x 112 cm)	20/cs
DYNJP2417	Drape sheet, 70" x 85" (178 cm x 216 cm)	20/cs
DYNJP2419	Drape sheet, 70" x 100" (178 cm x 254 cm)	12/cs
DYNJP2500	Mayo Stand Cover, 24" x 53" (61 x 135 cm)	30/cs




DYNJP2405

## Impervious Stockinettes

*Useful for handling limbs in the OR*

- Impervious outer layer for protection; fibrous inner layer for comfort
- Sterile stockinettes provide a strong barrier for preventing fluid strikethrough
- Flip-folds allow for easy application

Item No.	Dimensions	Pkg
NON22520	6" x 30" (15.2 cm x 76.2 cm)	24/cs
NON22530	9" x 36" (22.9 cm x 91.4 cm)	15/cs
NON22535	12" x 48" (30.5 cm x 121.9 cm)	10/cs
NON22540	14" x 48" (35.6 cm x 121.9 cm)	10/cs
NON22550	16" x 48" (40.6 cm x 121.9 cm)	12/cs



NON22520

## Cotton Woven Gauze Sponges

*Made from 100% cotton for super absorbency*

- Choose from the premium Medline or more economical Caring standard grades.
- All sponges are produced in a strictly controlled manufacturing process. This assures clean, debris-free packing with folded edges to prevent unraveling and minimize particulate contamination. Sponges are packed in easy-open envelopes which are carefully sealed to prevent the intrusion of dust and contaminants.
- Standard grade sponges have open edges and are packaged in sealed envelopes.



NON25208H



PRM21212CZ

Dimensions	2 x 2" (5.08 x 5.08 cm)			4 x 4" (10.16 x 10.16 cm)			
	8		12	8		12	12
Ply	8		12	8		12	12
Sterile	Yes	No	No	Yes	No	Yes	No
Packaging	2 ea/pk			2 ea/pk		2 ea/pk	
Inner Pack	50 pk/bx	200/sleeve	200/sleeve	50 pk/bx	200/sleeve	25 pk/bx	200/sleeve
Case	30 boxes	25 sleeves	40 sleeves	12 boxes	20 sleeves	24 boxes	10 sleeves

### Premium Medline Grade - Item Nos.

Case	NON21420	NON25208	NON25212	NON21448	NON25408	NON21424	NON25412
Inner Pack	NON21420H	NON25208H	NON25212H	NON21448H	NON25408H	NON21424H	NON25412H

### Standard Grade - Item Nos.

Case	PRM2208	PRM21208C	PRM21212C	PRM4408	PRM21408C	PRM4412	PRM21412C
Inner Pack	PRM2208Z	PRM21208CZ	PRM21212CZ	PRM4408Z	PRM21408CZ	PRM4412H	PRM21412CZ

## Disposable Towels

*Made of highly absorbent 100% cotton*

- These towels are manufactured without latex and abide by stringent weight and size standards.
- They are pre-washed and delinted to minimize prep work.

Color	Sterile		Non-Sterile	
	Blue	White	Blue	White
Pkg	4/pk, 20/cs	4/pk, 20/cs	100/cs	100/cs
Item No.	MDT2168204	MDT216054	MDT216801	MDT216803



### Skin Staplers

*Our disposable skin stapler includes a counter to indicate the exact number of staples used throughout the procedure*

- Contains 35 wide medical-grade stainless steel staples
- Handle design allows for easy application and smooth actuate force

Item No.	Description	Pkg
STAPLER35WPB	35 W Skin Stapler Without Counter	22/cs
STAPLER35RB	35 R Skin Stapler Without Counter	22/cs
STAPLER35W	35 W Skin Stapler With Counter	6/cs
STAPLER35WPX	35 W Skin Stapler Without Counter	5/cs



### J&J Ethicon® Sutures

*Sutures from the name in wound care*

- Ethibond Excel™ Sutures are nonabsorbable, braided, sterile, surgical sutures composed of Poly (ethylene, terephthalate) and uniformly coated with a nonreactive nonabsorbable compound to improve handling qualities. The suture is braided for optimal handling properties, and dyed green for enhanced visibility in the surgical field. SUTUPAK are precut sutures.
- PROLENE™ Polypropylene Sutures are non-absorbable, sterile surgical suture pigmented blue to enhance visibility. It is indicated for use in general soft tissue approximation and/or ligation.
- PDS™ II (polydioxanone) monofilament synthetic absorbable sutures are prepared from the polyester, poly (p-dioxanone) for an absorbable monofilament with extended wound support (up to six weeks) and outstanding pliability. Indicated for use in soft tissue approximation.
- A very small sampling of Ethicon sutures are shown. Contact us if you need a suture not listed here.

Item No.	Description	Pkg
ETHX411H	Ethibond-Excel™ Suture, Green Braided, 2-0, 30", CT-2	36/bx
ETHX683G	Ethibond-Excel™ Suture, Green Braided, 4-0, 18", FS-2	12/bx
ETHX305H	Ethibond-Excel™ Suture, Green Braided, 2-0, 12-30", SUTUPAK	36/bx
ETHX303H	Ethibond-Excel™ Suture, Green Braided, 4-0, 12-30", SUTUPAK	36/bx
ETHX872H	Ethibond-Excel™ Suture, Green Braided, 3-0, 30", RB-1	36/bx
ETH8871H	Prolene™ Suture, Blue Monofilament, 4-0, 30", RB-1	36/bx
ETHZ304H	PDS™ II Suture, Violet Monofilament, 4-0, 27", RB-1	36/bx
ETHZ332H	PDS™ II Suture, Violet Monofilament, 3-0, 27", CT-2	36/bx
ETHZ333H	PDS™ II Suture, Violet Monofilament, 2-0, 27", CT-2	36/bx



## FRIO-Temp® Liquid-In-Glass Verification Thermometers

*Verify sample temperatures with traceability to NIST (and most standards through ILAC)*

- Thermometers provide indication for relative liquid sample temperature in freezers, refrigerators, incubators and ovens.
- Each FRIO-Temp thermometer features individual serial numbers and a multi-language (English, French, German, Italian, Portuguese and Spanish).
- Tested and calibrated in an exclusive triple accredited/registered ISO/IEC 17025:2005, A2LA accredited laboratory against equipment whose calibration is traceable to NIST.
- PFA-coated thermometers provide added safety.
- Packaged individually or in cases of 5 thermometers. To order individually, add "H" to the end of the item number shown.



BRT20403



BRT20700T

Item No.	Style	Range	Length	Bottle Fill	Accuracy
BRT20400	High Precision	-25/-5 °C	8.3" (210 mm)	Enviro-Safe®	0.2°C
BRT20401	High Precision	-2/10 °C	7.1" (180 mm)	Enviro-Safe®	0.2°C
BRT20402	High Precision	15/30 °C	7.1" (180 mm)	Enviro-Safe®	0.2°C
BRT20403	High Precision	25/45 °C	7.5" (190 mm)	Enviro-Safe®	0.2°C
BRT20404	High Precision	95/115 °C	7.9" (200 mm)	Glass Beads	0.4°C
BRT20630	Precision, PFA Coated	-90/25 °C	5.7" (145 mm)	Glass Beads	2°C from -1/-40°C, 2.5°C < -40°C, otherwise 1°C
BRT20700T	Precision, PFA Coated	-5/15 °C	4.9" (125 mm)	Enviro-Safe®	0.5°C
BRT20705T	Precision, PFA Coated	10/45 °C	3.9" (98 mm)	Enviro-Safe®	0.5°C
BRT20715T	Precision, PFA Coated	-30/1 °C	5.3" (135 mm)	Enviro-Safe®	0.5°C
BRT20717T	Precision, PFA Coated	-5/20 °C	5.3" (135 mm)	Enviro-Safe®	0.5°C
BRT20720T	Precision, PFA Coated	15/50 °C	5.3" (135 mm)	Enviro-Safe®	0.5°C
BRT20730T	Precision, PFA Coated	20/130 °C	5.7" (145 mm)	Glass Beads	1°C
BRT20735T	Precision, PFA Coated	50/200 °C	5.7" (145 mm)	Glass Beads	2°C; 4°C > 130°C
BRT30720	PFA Coated	15/50 °C	5.3" (135 mm)	Enviro-Safe®	0.5°C
BRT30735	PFA Coated	-20/35 °F	5.3" (135 mm)	Enviro-Safe®	1°F
BRT30740	PFA Coated	20/70 °F	5.3" (135 mm)	Enviro-Safe®	1°F
BRT30745	PFA Coated	60/120 °F	5.3" (135 mm)	Enviro-Safe®	1°F
BRT30750	PFA Coated	-130/80 °F	5.7" (145 mm)	Glass Beads	2°F



BRT20591

## Enviro-Safe® General Purpose Liquid-In-Glass Thermometers

*View accurate temperature results without mercury hazards*

- Enviro-Safe® Thermometers feature 1°C accuracy or better, are filled with an environmentally safe non-toxic, non-hazardous, biodegradable Enviro-Safe liquid EnviroKleen™ certified by an independent laboratory. This fill provides the same accuracy as similar mercury types, but without the hazards.
- Results indicated from the green liquid level on a white background.
- Thermometers include a multi-language (English, French, German, Italian, Portuguese and Spanish) Statement of Accuracy indicating accuracy traceable to NIST and individual serial number. Tested and calibrated in an exclusive triple accredited/registered ISO/IEC 17025:2005, A2LA accredited laboratory against equipment whose calibration is traceable to NIST.
- Thermometers with traceable certification and calibration report are available. Contact us for more information.
- Individually packaged. Item numbers listed are sold 25/cs except BRT20527 which is 5/cs. To order individually, add "H" to the end of the item number shown.

Item Number	Temperature Range	Divisions	Length	Immersion Depth	Accuracy
<b>Enviro-Safe® General Purpose Liquid-In-Glass Thermometers – Partial Immersion</b>					
BRT20509	-35/50°C	1	12" (300mm)	3" (76mm)	±1
BRT20505	-20/110°C	1	12" (300mm)	3" (76mm)	±1
BRT20515	-20/150°C	1	12" (300mm)	3" (76mm)	±1, ±1.5 >110°C
BRT20591	-10/110°C	1	7.9" (200mm)	2" (50mm)	±1
BRT20593	-10/150°C	1	7.9" (200mm)	2" (50mm)	±1, ±1.5 >110°C
BRT20525	-10/260°C	1	14" (350mm)	3" (76mm)	±1.5, ±2 >110°C, 2.5 >200°C
BRT20527	-1/61°C	0.1	16.5" (420mm)	3" (76mm)	±1
BRT20531	-30/120°F	2	12" (300mm)	3" (76mm)	±1
BRT20535	0/230°F	2	12" (300mm)	3" (76mm)	±1
BRT20545	0/300°F	2	12" (300mm)	3" (76mm)	±1, ±1.5 >230°F
BRT20597	20/230°F	2	7.9" (200mm)	2" (50mm)	±1
BRT20599	20/300°F	2	7.9" (200mm)	2" (50mm)	±1, ±1.5 >230°F
BRT20555	20/500°F	2	14" (350mm)	3" (76mm)	±1.5, ±2 >230°F, ±2.5 >392°F

### Enviro-Safe® General Purpose Liquid-In-Glass Thermometers – Total Immersion

BRT20503	-35/50°C	1	12" (300mm)	Total	±1
BRT20500	-20/110°C	1	12" (300mm)	Total	±1
BRT20510	-20/150°C	1	12" (300mm)	Total	±1, ±1.5 >110°C
BRT20592	-10/110°C	1	7.9" (200mm)	Total	±1
BRT20520	-10/225°C	1	14" (350mm)	Total	±1.5, ±2 >110°C, 2.5 >200°C
BRT20536	-30/120°F	1	12" (300mm)	Total	±1
BRT20530	0/230°F	2	12" (300mm)	Total	±1
BRT20540	0/300°F	2	12" (300mm)	Total	±1, ±1.5 >230°F
BRT20596	0/230°F	2	7.9" (200mm)	Total	±1
BRT20598	0/300°F	2	7.9" (200mm)	Total	±1, ±1.5 >230°F
BRT20550	20/440°F	1	14" (350mm)	Total	±1.5, ±2 >230°F, ±2.5 >392°F

## DURAC® Refrigerator/Freezer Thermometer

*Thermometer provides clear indication of thermal conditions in a refrigerator or freezer*

- Clips onto a rack, saving shelf-space.
- Design magnifies display for easier visualization of results.
- Sold in a case of 25. To order individually, add "H" to the end of the item number shown.

### Specifications

Range	-40/80 °F; -40/27 °C
Case Type	Steel
Dimensions	4.9" (124mm) length
Accuracy	1°C; 2°F
Case Qty.	25
Item No.	BRT30305



## DURAC® Digital Dual Thermometer

*Triple display can show input temperature simultaneously with maximum and minimum data*

- This digital thermometer displays the current, maximum and minimum temperatures simultaneously with the ability to switch between the built-in thermometer or probe thermometer temperature displays. This can be used for indoor and outdoor monitoring or room and chamber monitoring.
- Additional features include a high/low alarm, low battery indicator, 30mm (1.2 in) probe with 3 meter (9.8 ft) cable, mounting keyhole and multi-language (English, French, German, Italian, Portuguese and Spanish) instructions and Statement of Traceability indicating accuracy traceable to NIST and DAkkS.
- Items are CE marked and RoHS compliant. Tested and calibrated in an exclusive triple accredited/registered ISO/IEC 17025:2005, A2LA accredited laboratory against equipment whose calibration is traceable to NIST.
- This thermometer display the current temperature and register the maximum and minimum temperatures attained since the last reset.
- Individually packaged in a case of 10. To order individually, add "H" to the end of the item number shown.

### Specifications

Probe Sensor	Waterproof, 30mm with 3m cable
Built-in Thermometer Range	0/50 °C, 32/122 °F
Probe Thermometer Range	-50/70 °C, -58/158 °F
Resolution	0.1
Battery Type	(1) AAA
Dimensions	3.9" (98mm) W x 4.3" (110mm) H
Accuracy	1°C; 2°F
Traceable to NIST	Yes
Case Qty	10
Item No.	BRT3817





BRT505



BRT521



BRT600



BRT595



BRT575

## DURAC® Timers

*Timers available from single to triple channel to track one or up to four reactions*

- Each timer includes multi-language instructions (English, French, German, Italian, Portuguese and Spanish) and is CE marked and RoHS compliant.
- Each timer is individually tested and inspected in an exclusive triple accredited/registered ISO/IEC 17025:2005, A2LA accredited laboratory against equipment whose calibration is traceable to NIST and DAkkS, and includes a Statement of Traceability indicating accuracy traceable to NIST and DAkkS.
- Timers are sold 20/case.

Item No.	Channels	Hours	Mins	Secs	Mem	Clock	Battery	Mount	Dimensions	Accuracy
BRT505	1	N/A	60	N/A	No	No	N/A	N/A	2.2" W x 2.2" H; 57mm W x 57mm H	3 min
BRT521	1	N/A	99	59	Yes	No	(1) AAA	Fold away stand, pocket clip, magnetic back	2.8" W x 2" H; 70mm W x 51mm H	3 sec
BRT600	1	19	59/99	59	Yes	No	(1) AAA	Fold away stand, pocket clip, magnetic back	2.5" W x 2.5" H; 64mm W x 64mm H	3 sec
BRT575	3	19	59	59	Yes	Yes	(2) LR44	Fold away stand, pocket clip, magnetic back	2.6" W x 3.5" H; 65mm W x 89mm H	3 sec
BRT595	4	99	59	59	Yes	Yes	(1) AAA	Fold away stand, pocket clip, magnetic back	3.1" W x 3.1" H; 80mm W x 80mm H	3 sec



BRT540



BRT585

## DURAC® Stopwatches

*Digital stopwatches to time reactions and studies*

- Each stopwatch includes multi-language instructions (English, French, German, Italian, Portuguese and Spanish) and RoHS compliant.
- Each stopwatch is individually tested and inspected in an exclusive triple accredited/registered ISO/IEC 17025:2005, A2LA accredited laboratory against equipment whose calibration is traceable to NIST and DAkkS, and includes a Statement of Traceability indicating accuracy traceable to NIST and DAkkS.
- Stopwatch BRT585 is also CE-marked.

Item No.	BRT585	BRT540
Time	N/A	10HR
Split/Lap Time	N/A	99
Pacer	1/100 SEC	10/320 SEC
Memory	1	30
Clock	Yes	Yes
Alarm	Yes	No
Calendar	Yes	Yes
Construction	Plastic	Plastic
Battery	1 CR2032	1 CR2032
Dimensions	2.5" W x 3.1" H; 63mm W x 80mm H	2.5" W x 3.3" H; 63mm W x 83mm H
Accuracy	0.01 sec	0.01 sec
Case Quantity	20	10



## Microcentrifuge Tubes

These tubes are offered with attached caps or without caps. Graduated tubes facilitate accurate sampling. The polypropylene tubes are resistant to most chemical reagents and can be autoclaved at 130°C. The polyethylene tubes are softer and can be easily cut to provide access to material at the bottom of each tube.



DLS110540



DLS111558



DLS11642

### Screw Cap Micro-centrifuge Tubes

*Disposable screwcap micro-centrifuge sterile tubes include a cap with nitrile O-ring.*

- Tube = Polypropylene
- Cap = Polypropylene
- O-Ring = Nitrile
- Centrifuge Maximum RCF – 18000 RCF

Item No.	Description	Pkg
DLS111710	1.5 mL tube with O-ring cap, sterile	1000/cs
DLS111730S	2.0 mL tube with O-ring cap, sterile	1000/cs

### Non-Graduated, Attached Cap

Item No.	Description	Pkg
DLS110540	500 µL (0.5 mL), Beckman Type, polyethylene, non-autoclavable	1000/cs
DLS110560	600 µL (0.6 mL), polypropylene	1000/cs

### Graduated, Attached Cap – Polypropylene

Item No.	Description	Pkg
DLS110550	500 µL (0.5 mL), Eppendorf Type	1000/cs
DLS111558	1.5 mL, natural	1000/cs
DLS111558B	1.5 mL, blue	1000/cs
DLS111558P	1.5 mL, pink	1000/cs
DLS111558Y	1.5 mL, yellow	1000/cs
DLS111553A	1.5 mL, amber	1000/cs
DLS111568	2 mL, round bottom	1000/cs
DLS111552	2 mL, natural	1000/cs
DLS111552A	2 mL, amber	5000/cs

### Graduated, Without Cap – Polypropylene

Item No.	Description	Pkg
DLS111642	1.5 mL	1000/cs
DLS11620	2 mL	1000/cs

## Research-Grade Centrifuge Tubes

These top-quality centrifuge tubes feature flat-top, plug-seal leak-resistant screw caps, a large white writing area and printed graduation marks.

- Cap is made from high density polyethylene (HDPE)
- Sterile tubes are RNase/DNase and Pyrogen free
- White graduations and writing area Polypropylene tubes are autoclavable (without screwcap)



DLS6267



DLS6269



DLS6240

## 15 mL Centrifuge Tubes

*Top-quality tubes in different materials to match your needs for compatibility and g-force.*

Spin Rate:

- Polystyrene (PS) – 1,700 RCF (3,000 x g)
- Acrylic (AC) – 5,000 RCF (6,160 x g)
- Polypropylene (PP) – 10,000 RCF (12,320 x g)

Item No.	Description	Pkg
DLS6268	15mL, PS, non-sterile, w/ separate screwcap	bulk, 500/cs
DLS6272	15mL, PS, sterile	25/bag, 500/cs
DLS6274	15mL, PS, sterile	50/rack, 500/cs
DLS6267	15mL, AC, non-sterile, w/ separate screwcap	bulk, 500/cs
DLS6270	15mL, AC, sterile	25/bag, 500/cs
DLS6273	15mL, AC, sterile	50/rack, 500/cs
DLS6269	15mL, PP, sterile	25/bag, 500/cs
DLS6271	15mL, PP, sterile	50/rack, 500/cs

## 50 mL Centrifuge Tubes

Spin Rate:

- Polystyrene (PS) – 1,700 RCF (3,000 x g)
- Polypropylene (PP) – 10,000 RCF (12,320 x g)

Item No.	Description	Pkg
DLS6240	50 mL, PP, non-sterile	25/bag, 500/cs
DLS6241	50 mL, PP, sterile	25/bag, 500/cs
DLS6242	50 mL, PP, non-sterile	25/rack, 500/cs
DLS6243	50 mL, PP, sterile	25/rack, 500/cs
DLS6244	50 mL, PP, non-sterile, w/ separate screwcap	bulk, 500/cs
DLS6253	50 mL, PS, non-sterile, w/ separate screwcap	bulk, 500/cs
DLS6254	50 mL, PS, sterile	25/bag, 500/cs

**Need Racks To Organize Your Centrifuge Tubes?**

**SEE PAGES 86-87**

## Clinical-Grade Centrifuge Tubes

Molded from polypropylene (PP) with flat-top, leak-resistant blue caps. The tubes are printed with black graduation marks and have a large white writing area. 15 mL Polypropylene – Printed Graduations



### 15 mL Polypropylene – Printed Graduations

- 17 mm x 120 mm
- Sterile tubes have attached blue screwcap
- Black printed graduations in 0.5 mL increments
- White printed writing space
- Spin rate: 8500 RCF
- Autoclavable (without cap)
- Temperature range: -40°C to +80°C

**Tube:** Polypropylene (PP)

**Cap:** High Density Polyethylene (HDPE)

Item No.	Description	Pkg
DLS6285	15 mL, PP, Sterile	25/bag 500/cs
DLS6286	15 mL, PP, Sterile	50/rack 500/cs
DLS6284	15 mL, PP, Non-sterile, bulk, with separate blue screwcap	500/cs

### 50 mL Polypropylene – Printed Graduations

- 30 mm x 115 mm
- Sterile tubes have attached blue screwcap
- Black printed graduations
- White printed writing space
- Spin rate: 8500 RCF
- Autoclavable (without cap)
- Temperature range: -40°C to +80°C

Item No.	Description	Pkg
DLS6288	50 mL, PP, Sterile	25/bag 500/cs
DLS6289	50 mL, PP, Sterile	25/rack 500/cs
DLS6287	50 mL, PP, non-sterile, bulk with separate blue screwcap	500/cs

Need Racks To Organize  
Your Centrifuge Tubes?

SEE  
PAGES  
86-87

## 12 mL Flared-Top Urine Centrifuge Tubes

*This line of centrifuge tubes has been designed specifically for urinalysis procedures. The tubes offer a flared-opening which is designed to make pouring off easy.*

- **Dimensions:** 20 x 115 mm
- **Polystyrene (PS):** 1500 RCF

Item No.	Description	Pkg
DLS112017	12 mL PS, graduated, Ames-Type	1500/cs
DLS112015	12 mL PS, graduated, Kova-Type	2000/cs
DLS112030	12 mL PS w/ sediment bulb, graduated, Whale-Type	1500/cs
DLS113136	Snap cap (blue) for 12 mL flared-top tubes	1500/cs
DLS113137	Snap cap (yellow) w/sanitary grip for 12 mL flared-top tubes	1500/cs



DLS112017

## 12 mL Centrifuge Tubes

- Graduated at 0.5, 1, 2.5, 5, and 10 mL
- **Dimensions:** 16 x 100 mm
- **Polystyrene (PS):** 1500 RCF
- **Polypropylene (PP):** 3000 RCF

Item No.	Description	Pkg
DLS112010Z	12 mL (16 x 100 mm), conical bottom, graduated, PS	500/cs
DLS112040Z	12 mL (16 x 100 mm), conical bottom, graduated, PP	500/cs



DLS112010Z

DLS112040Z

## 15 mL Centrifuge Tubes

- Graduated at 0.5 mL to 15 mL in 0.5 mL increments
- **Dimensions:** 16.6 x 120 mm
- **Polystyrene (PS):** 1500 RCF
- **Polypropylene (PP):** 3000 RCF

Item No.	Description	Pkg
DLS6260	15 mL PS	1000/cs
DLS6265	15 mL PS	1000/cs
DLS6261	15 mL PP	1000/cs
DLS6266	15 mL PP	1000/cs



DLS113136



DLS113137



## Self-Standing Centrifuge Tubes

General use self-standing centrifuge tubes for everyday laboratory needs.



DLS6255

### 30 mL Self-Standing

- Cap is made from polypropylene (PP)
- Conical bottom with skirt
- Non-graduated
- Non-sterile

#### Spin Rate:

Polystyrene (PS): 4000 RPM

Polypropylene (PP): 5000 RPM

Item No.	Description	Pkg
DLS109217	Self-Standing, 30mL, PS	500/cs
DLS109220	Self-Standing, 30mL, PP	500/cs

### 30 mL Self-Standing with Spoon

- Cap is made from polypropylene (PP)
- Spoon is made from polystyrene (PS)
- Conical bottom with skirt
- Non-graduated
- Non-sterile
- Remove spoon before placing in centrifuge

Item No.	Description	Pkg
DLS109117	Self-Standing, 30mL, PS, with spoon	500/cs
DLS109120	Self-Standing, 30mL, PP, with spoon	500/cs



DLS109117

### 50 mL Self-Standing, Polypropylene – Printed Graduations

- Cap is made from High Density Polyethylene (HDPE)
- Sterile tubes are RNase/DNase and Pyrogen free
- White graduations and writing area
- Autoclavable (without screwcap)
- Spin Rate: 5000 RPM (6160 x g)

Item No.	Description	Pkg
DLS6255	50 mL, non-sterile	500/cs
DLS6256	50 mL, sterile	500/cs

## Culture Tubes

These plastic culture tubes are produced in polystyrene or polypropylene. The dual position ribbed cap provides either aerobic or anaerobic storage of samples. Note: Leave the cap in the loose position for aerobic work and in the sealed position for anaerobic cultures.



### Material

- Tube: Choose from polystyrene (PS) or polypropylene (PP)
- Cap: Low density polyethylene (LDPE)

Item #	Description	Units
<b>12 x 75mm</b>		
DLS110410	12 x 75 mm Polystyrene (PS)	1000/bag, 1000/cs
DLS110413	12 x 75 mm Polystyrene (PS)	250/box, 1000/cs
DLS110405	12 x 75 mm Polystyrene (PS), with separate dual position cap bulk	1000/cs
DLS110428	12 x 75 mm Polystyrene (PS), with dual position cap, sterile	25/bag, 500/cs
DLS110441	12 x 75 mm Polypropylene (PP)	1000/bag, 1000/cs
DLS110406	12 x 75 mm Polypropylene (PP), with separate dual position cap bulk	1000/cs
DLS110438	12 x 75 mm Polypropylene (PP), with dual position cap, sterile	25/bag, 500/cs
<b>17 x 100mm</b>		
DLS110182	17 x 100 mm Polystyrene (PS)	500/bag, 2 bags/cs, 1000/cs
DLS110180	17 x 100 mm Polystyrene (PS), graduated	500/bag, 2 bags/cs, 1000/cs
DLS110158	17 x 100 mm Polystyrene (PS), with dual position cap, sterile	25/bag, 20 bags/cs, 500/cs
DLS110186	17 x 100 mm Polypropylene (PP)	500/bag, 2 bags/cs, 1000/cs
DLS110184	17 x 100 mm Polypropylene (PP), graduated	500/bag, 2 bags/cs, 1000/cs
DLS110178	17 x 100 mm Polypropylene (PP), with dual position cap, sterile	25/bag, 20 bags/cs, 500/cs
DLS118118	Dual position cap for 17 mm culture tubes, polyethylene (LDPE) bulk	1000/cs

### Borosilicate Glass Culture Tubes

*These borosilicate glass culture tubes feature well-rounded bottoms and smooth, fire polished rims. Dimensional specifications are rigidly controlled for reliable, uniform results. Can be used for tissue cultures and blood banks.*

#### Features

- Made from superior quality borosilicate glass to reduce pH changes and contaminants that are potentially leached from tubes made from soda lime glass
- Produced in an ISO 9001:2008 certified factory
- **Packaging:** 250/box, 4 boxes/case

#### Technical Specifications


- **Material:** Type 1, Class A Borosilicate Glass
- Tubes are chemically inert
- Meets ASTM E890 specification, Type 1 requirements
- Conforms to USP Type 1 standards
- **Melt temperature (Log n=4):** 1460°C (+/- 20°C)
- **Softening point (Log n=7.6):** 1220°C (+/- 20°C)
- **Freezing point:** -50°C

Item No.	Description	Pkg
MLAB1503	10 x 75 mm, 3 mL	1000/cs
MLAB1505	12 x 75 mm, 5 mL	1000/cs
MLAB1510	13 x 100 mm, 7 mL	1000/cs
DLS1512	16 x 100 mm, 10 mL	1000/cs



## Plastic Test Tubes

These multi-use tubes are modified from premium-grade polystyrene for clarity, or polypropylene for impact strength and stability to common acids, alkalis and solvents. Polystyrene tubes can withstand 1500 RPM. Polypropylene tubes can withstand 3000 RPM, and are autoclavable and freezable.



DLS110180

Item Number	Material	Sterile	Graduations	Packaging	Additional Features
<b>12 mm x 55 mm (3 mL) Tube</b>					
DLS11701	Polystyrene (PS)	N	N	1000/Cs	
<b>12 mm x 75 mm (5 mL) Tube</b>					
	Polystyrene (PS)	N	N	1000/Cs	
DLS110413	Polystyrene (PS)	N	N	250/oriented box, 1000/cs	
DLS110405	Polystyrene (PS)	N	N	1000/cs	Includes dual position cap, unassembled
DLS110428	Polystyrene (PS)	Y	N	25/bag, 500/cs	Includes dual position cap, assembled
DLS110414	Polystyrene (PS)	N	N	250/pack, 2000/cs	Conical bottom
DLS110441	Polypropylene (PP)	N	N	1000/bag, 1000/cs	
DLS110442	Polypropylene (PP)	N	N	250/oriented box, 1000/cs	
DLS110406	Polypropylene (PP)	N	N	1000/cs	Includes dual position cap, unassembled
DLS110438	Polypropylene (PP)	Y	N	25/bag, 500/cs	Includes dual position cap, assembled
<b>13 mm x 75 mm (5 mL) Tube</b>					
DLS110470	Polystyrene (PS)	N	N	1000/cs	
DLS110471	Polypropylene (PP)	N	N	1000/cs	
<b>13 mm x 100 mm (8 mL) Tube</b>					
DLS110415	Polystyrene (PS)	N	N	1000/cs	
DLS110445	Polypropylene (PP)	N	N	1000/cs	
<b>16 mm x 75 mm (8 mL) Tube</b>					
DLS119010	Polystyrene (PS)	N	N	2500/cs	Rimmed
DLS119040	Polypropylene (PP)	N	N	2500/cs	Rimmed
DLS119040A	Polypropylene (PP)	N	N	1000/cs	
<b>16 mm x 100 mm (12 mL) Tube</b>					
DLS111012	Polystyrene (PS)	N	N	2000/cs	
DLS111010	Polystyrene (PS)	N	Y	2000/cs	Rimmed
DLS111041	Polypropylene (PP)	N	N	2000/cs	
DLS111040	Polypropylene (PP)	N	Y	2000/cs	Rimmed
<b>17 mm x 100 mm (16 mL) Tube</b>					
DLS110182	Polystyrene (PS)	N	N	1000/cs	
DLS110180	Polystyrene (PS)	N	Y	1000/cs	
DLS110158	Polystyrene (PS)	Y	Y	25/bag, 500/cs	Includes dual position cap, assembled
DLS110186	Polypropylene (PP)	N	N	1000/cs	
DLS110184	Polypropylene (PP)	N	Y	1000/cs	
DLS110178	Polypropylene (PP)	Y	Y	25/bag, 500/cs	Includes dual position cap, assembled





### Polyethylene Test Tube Caps

A wide variety of colors, styles and sizes are available. Caps packed in cases of 1000.

Style	Natural	Blue	Green	Red	Yellow
12 mm Flanged Plug	DLS118127C	DLS118127B	DLS118127G	DLS118127R	DLS118127Y
13 mm Flanged Plug	DLS118240C	DLS118240B	DLS118240G	DLS118240R	DLS118240Y
12/13 mm Snap Cap	—	DLS113142B	—	—	—
16 mm Flanged Plug	DLS116152C	DLS116152B	DLS116152G	DLS116152R	DLS116152Y
17 mm Dual Position Cap	DLS118118	—	—	—	—
Universal Snap Cap	DLS118115C	DLS118115B	DLS118115G	DLS118115R	DLS118115Y
12/13/16 mm Plug Cap	—	DLS5529	—	—	—

Style	Lavender	White	Gray	Black
13 mm Snap Cap	DLS11310L	—	—	—
16 mm Plug Cap	—	DLS116142W	—	—
17 mm Plug Cap	—	DLS116160	—	—
Universal Snap Cap	DLS118115L	—	DLS118115A	DLS118115K

### Transport Tubes

*Store and transport liquids and samples safely between locations.*

- Polypropylene tubes are self-standing with conical bottoms.
- Graduated tubes aid with volume determinations.
- Polyethylene screw caps are included and packaged separately.

Item No.	Description	Pkg
DLS6101	Transport Tube, 5mL, 16 x 56 mm	1000/cs
DLS6102	Transport Tube, 10mL, 16 x 96 mm	1000/cs





## Kimble Screw-Thread Sample Vials

*Quality glass vials for low sample reactivity*

- Vials include black phenolic closures and are packaged in corrugated trays with partitions.
- CSF60910L2 is in shelf-packs of 72 vials and sold in a case of 8 packs.
- Other sizes and cap types available. Contact us for more information.

Glass	Capacity	Closure	Height	Thread	Case Qty	Item #
Clear KG-33	1 dram	Attached, PTFE/ White Rubber	45 mm	13-428	144	CSF60811B1
Amber	1 dram	Attached, PTFE/ White Rubber	45 mm	13-425	144	CSF60911B1
N-51A Borosilicate	2 drams	Separate, Rubber-lined	60 mm	15-425	576	CSF60910L2

## Kimble Scintillation Vials

*Scintillation vials are made from KG-33 borosilicate glass for low background counts*

- Vials have a 22mm cap size and include white urea caps with Polyseal® cone liners.
- Vials, with caps attached, are packaged in cellular trays with alphanumeric coordinates for fast, easy identification. Each tray contains 100 vials, five trays per case.
- Other sizes and cap types available. Contact us for more information.

Item No.	Description	Pkg
CSF7451620	Vials, Scintillation 20mL	500/cs



**Medline offers our own quality chemicals and proudly distributes EMD Chemicals.**

If there is a certain size, grade or chemical you need that is not listed here, please contact us for more information and assistance.

Some chemicals may be regulated. Please be prepared to provide appropriate paperwork as requested. The purchaser assumes full responsibility for proper safety, use and disposal. Additional factors such as shipping method and charges for haz mat may apply.

**Formalin, Neutral Buffered 10%**

Form.....Liquid

Pkg	Item Number	Size
Poly Bottle	MEDCHEM1	4 x 1 gal
Cubitainer	MEDCHEM2	5 gal
Drum	MEDCHEM3	55 gal

**GEN Bluing Reagent**

Form.....Liquid

Pkg	Item Number	Size
Poly Bottle	MEDCHEM17	1 gal

**Gram Decolorizer Solution**

Form.....Liquid

Pkg	Item Number	Size
Poly Bottle	MEDCHEM26	250 mL
Poly Bottle	MEDCHEM27	500 mL

**Hematoxylin Solution, Gill No. 3**

Form.....Liquid

Pkg	Item Number	Size
Poly Bottle	MEDCHEM16	500 mL

**Iodine Solution, Gram**

Form.....Liquid

Pkg	Item Number	Size
Poly Bottle	MEDCHEM24	250 mL
Poly Bottle	MEDCHEM25	500 mL

**Isopropyl Alcohol, 100%**Formula..... $\text{CH}_3\text{CHOHCH}_3$ 

CAS No.....67-63-0

Molar Mass.....60.1

Form.....Liquid

Pkg	Item Number	Size
Poly Bottle	MEDCHEM10	4 x 1 gal

**Isopropyl Alcohol, 70%**Formula..... $\text{CH}_3\text{CHOHCH}_3$ 

CAS No.....67-63-0

Molar Mass.....60.1

Poly Bottle.....MEDCHEM11.....4 x 1 gal

**Methyl Alcohol, 100%**Formula..... $\text{CH}_3\text{OH}$ 

CAS No.....67-56-1

Molar Mass.....32.04

Form.....Liquid

Pkg	Item Number	Size
Poly Bottle	MEDCHEM13	4 x 1 gal

**Methylene Blue Working Solution**

Form.....Liquid

Pkg	Item Number	Size
Poly Bottle	MEDCHEM30	250 mL
Poly Bottle	MEDCHEM31	500 mL

**Stain, Crystal Violet**

Form.....Liquid

Pkg	Item Number	Size
Poly Bottle	MEDCHEM22	250 mL
Poly Bottle	MEDCHEM23	500 mL

**Stain, Gömöri Trichrome, Aniline Blue**

Form.....Liquid

Pkg	Item Number	Size
Poly Bottle	MEDCHEM32	250 mL
Poly Bottle	MEDCHEM33	500 mL

**Stain, Tri-Dip™ Solution A (Green)**

Form.....Liquid

Pkg	Item Number	Size
Poly Bottle	MEDCHEM18	500 mL

**Stain, Tri-Dip™ Solution B (Red)**

Form.....Liquid

Pkg	Item Number	Size
Poly Bottle	MEDCHEM19	500 mL

**Stain, Tri-Dip™ Solution C (Blue)**

Form.....Liquid

Pkg	Item Number	Size
Poly Bottle	MEDCHEM20	500 mL

**Stain, Wright-Giemsa**

Form.....Liquid

Pkg	Item Number	Size
Poly Bottle	MEDCHEM21	500 mL

**Stain, Safranin O Solution**

Form.....Liquid

Pkg	Item Number	Size
Poly Bottle	MEDCHEM28	250 mL
Poly Bottle	MEDCHEM29	500 mL

**Water, Deionized**

Grade.....Reagent I

Formula..... $\text{H}_2\text{O}$ 

Molar Mass.....18.02

Form.....Liquid

Pkg	Item Number	Size
Cubitainer	MEDCHEM14	5 gal

**Water, Deionized**

Grade.....60-100%

Form.....Liquid

Pkg	Item Number	Size
Poly Bottle	MEDCHEM4	4 x 1 gal

**Acetone**

Grade..... GR ACS  
 Assay..... 99.5% min  
 Formula.....  $\text{CH}_3\text{COCH}_3$   
 CAS No..... 67-64-1  
 Molar Mass..... 58.08  
 Form..... Liquid

Pkg	Item Number	Size
Glass Bottle	EMD1694	500 mL
Poly Bottle	EMD1697	1 L
Glass Bottle	EMD1686	1 L
Glass Bottle	EMD1696	4 L
Poly Coated Glass Bottle	EMD1706	4 L
Metal Can	EMD1710	4 L

**Acetone**

Grade..... Histology  
 Assay..... 99% min  
 Formula.....  $\text{CH}_3\text{COCH}_3$   
 CAS No..... 67-64-1  
 Molar Mass..... 58.08  
 Form..... Liquid

Pkg	Item Number	Size
Glass Bottle	EMD1716	500 mL
Poly Bottle	EMD1715	4 L

**Acetone**

Grade..... OmniSolv®  
 Assay..... 99.5% min  
 Formula.....  $\text{CH}_3\text{COCH}_3$   
 CAS No..... 67-64-1  
 Molar Mass..... 58.08  
 Form..... Liquid, Particulate free

Pkg	Item Number	Size
Glass Bottle	EMD1680	1 L
Poly Coated Glass Bottle	EMD1683	4 L
Glass Bottle	EMD1678	4 L

**Acetic Acid, Glacial**

Grade..... ACS  
 Assay..... 99.7% min  
 Formula.....  $\text{CH}_3\text{COOH}$   
 CAS No..... 64-19-1  
 Molar Mass..... 60.05  
 Form..... Liquid

Pkg	Item Number	Size
Poly Bottle	EMD1650	2.5 L

**Acetonitrile, Anhydrous**

Formula.....  $\text{CH}_3\text{CN}$   
 CAS No..... 75-05-8  
 CAS No..... 41.05  
 Form..... Liquid

Pkg	Item Number	Size
Glass Bottle	EMD1782	500 mL

**Alcohol, Reagent**

Formula.....  $\text{CH}_3\text{CH}_2\text{OH}$  with methanol,  
 isopropyl alcohol, and water  
 Molar Mass..... 46.07  
 Form..... Liquid

Pkg	Item Number	Size
Poly Bottle	EMD1879	4 L

**Alcohol, Reagent**

Grade..... GR ACS  
 Formula.....  $\text{CH}_3\text{CH}_2\text{OH}$  with methanol,  
 isopropyl alcohol, and water  
 Molar Mass..... 46.07  
 Form..... Liquid

Pkg	Item Number	Size
Glass Bottle	EMD1873	500 mL
Poly Coated Glass Bottle	EMD1874	4 L
Poly Bottle	EMD1866	4 L
Metal Can	EMD1878	4 L

**Alcohol, Reagent**

Grade..... OmniSolv®  
 Formula.....  $\text{CH}_3\text{CH}_2\text{OH}$  with methanol,  
 isopropyl alcohol, and water  
 Form..... Liquid

Pkg	Item Number	Size
Glass Bottle	EMD1881	1 L
Glass Bottle	EMD1880	4 L

**sec-Butyl Alcohol**

Assay..... 98% min  
 Formula.....  $\text{CH}_3(\text{CH}_2)_2\text{CH}_2\text{OH}$   
 CAS No..... 71-36-3  
 Molar Mass..... 74.12  
 Form..... Liquid

Pkg	Item Number	Size
Glass Bottle	EMD2147	1 L

**Chloroform**

Assay..... 99% min  
 Formula.....  $\text{CHCl}_3$   
 CAS No..... 67-66-3  
 Molar Mass..... 119.38  
 Form..... Liquid

Pkg	Item Number	Size
Glass Bottle	EMD2192	500 mL
Glass Bottle	EMD2193	4 L

**Chloroform**

Grade..... GR ACS  
 Assay..... 99.8% min  
 Formula.....  $\text{CHCl}_3$   
 CAS No..... 67-66-3  
 Molar Mass..... 119.38  
 Form..... Liquid

Pkg	Item Number	Size
Glass Bottle	EMD2179	500 mL
Glass Bottle	EMD2176	1 L
Glass Bottle	EMD2180	4 L
Poly Coated Glass Bottle	EMD2181	4 L

**Cyclohexane**

Grade..... GR ACS  
 Assay..... 99% min  
 Formula.....  $-\text{CH}_2(\text{CH}_2)_4\text{CH}_2-$   
 CAS No..... 110-82-7  
 Molar Mass..... 84.16  
 Form..... Liquid

Pkg	Item Number	Size
Glass Bottle	EMD2201	1 L
Glass Bottle	EMD2202	4 L

**Cyclohexane**

Grade..... OmniSolv®  
 Assay..... 99% min  
 Formula.....  $-\text{CH}_2(\text{CH}_2)_4\text{CH}_2-$   
 CAS No..... 110-82-7  
 Molar Mass..... 84.16  
 Form..... Liquid

Pkg	Item Number	Size
Glass Bottle	EMD2200	1 L
Glass Bottle	EMD2199	4 L

**Dichloromethane**

Grade..... GR ACS  
 Assay..... 99.5% min  
 Formula.....  $\text{CH}_2\text{Cl}_2$   
 CAS No..... 75-09-2  
 Molar Mass..... 84.93  
 Form..... Liquid

Pkg	Item Number	Size
Glass Bottle	EMD2292	500 mL
Glass Bottle	EMD2293	1 L
Glass Bottle	EMD2284	4 L
Poly Coated Glass Bottle	EMD2299	4 L

**Dichloromethane**

Grade..... OmniSolv®  
 Assay..... 99.9% min  
 Formula.....  $\text{CH}_2\text{Cl}_2$   
 CAS No..... 75-09-2  
 Molar Mass..... 84.93  
 Form..... Liquid

Pkg	Item Number	Size
Glass Bottle	EMD2254	1 L
Glass Bottle	EMD2248	4 L
Poly Coated Glass Bottle	EMD2262	4 L

**Eosin Y, Powder, Harleco®**

Grade..... Certified Biological Stain  
 Formula.....  $\text{C}_{20}\text{H}_6\text{O}_5\text{Br}_4\text{Na}_2$   
 CAS No..... 17372-87-1  
 Molar Mass..... 691.86  
 Form..... Powder

Size	Item Number	Size
Glass Bottle	EMD719	25 g
Glass Bottle	EMD721	100 g

**Ethyl Acetate**

Grade..... GR ACS  
 Assay..... 99.5% min  
 Formula.....  $\text{CH}_3\text{COOCH}_2\text{CH}_3$   
 CAS No..... 141-78-6  
 Molar Mass..... 88.11  
 Form..... Liquid

Pkg	Item Number	Size
Glass Bottle	EMD2455	500 mL
Poly Bottle	EMD2456	1 L
Poly Coated Glass Bottle	EMD2461	4 L
Glass Bottle	EMD2454	4 L



**Ethyl Acetate**

Grade.....OmniSolv®  
 Assay.....99.9% min  
 Formula.....CH<sub>3</sub>COOCH<sub>2</sub>CH<sub>3</sub>  
 CAS No.....141-78-6  
 Molar Mass.....88.11  
 Form.....Liquid

Pkg	Item Number	Size
Glass Bottle	EMD2463	1 L
Glass Bottle	EMD2462	4 L
Poly Coated Glass Bottle	EMD2465	4 L

**Ethyl Alcohol, 95% Denatured**

Assay.....86-89%  
 Formula.....CH<sub>3</sub>CH<sub>2</sub>OH + denaturants  
 Molar Mass.....46.07  
 Form.....Liquid

Pkg	Item Number	Size
Glass Bottle	EMD2498	4 L
Metal Can	EMD2497	20 L

**Ethyl Alcohol, 95% Denatured Special**

Assay.....84-86%  
 Formula.....CH<sub>3</sub>CH<sub>2</sub>OH + denaturants  
 Molar Mass.....46.07  
 Form.....Liquid

Pkg	Item Number	Size
Poly Coated Glass Bottle	EMD2503	4 L
Glass Bottle	EMD2502	4 L

**Ethyl Alcohol, Anhydrous Denatured**

Assay.....92-94%  
 Formula.....CH<sub>3</sub>CH<sub>2</sub>OH + denaturants  
 Molar Mass.....46.07  
 Form.....Liquid

Pkg	Item Number	Size
Glass Bottle	EMD2505	4 L
Metal Can	EMD2504	20 L

**Ethyl Alcohol, Anhydrous Denatured Special**

Assay.....90% min  
 Formula.....CH<sub>3</sub>CH<sub>2</sub>OH + denaturants  
 Molar Mass.....46.07  
 Form.....Liquid

Pkg	Item Number	Size
Glass Bottle	EMD2507	4 L

**Ethylene Glycol**

Assay.....98% min  
 Formula.....HOCH<sub>2</sub>CH<sub>2</sub>OH  
 CAS No.....107-21-1  
 Molar Mass.....62.07

Pkg	Item Number	Size
Liquid		
Glass Bottle	EMD2522	1 kg
Glass Bottle	EMD2524	4 kg

**Ethylene Glycol**

Assay.....98% min  
 Formula.....HOCH<sub>2</sub>CH<sub>2</sub>OH  
 CAS No.....107-21-1  
 Molar Mass.....62.07  
 Form.....Liquid

Pkg	Item Number	Size
Glass Bottle	EMD2521	3 L

**Ethylene Glycol, Anhydrous**

Grade.....Reagent  
 Formula.....OCH<sub>2</sub>CH<sub>2</sub>OH  
 CAS No.....107-21-1  
 Molar Mass.....62.07  
 Form.....Liquid

Pkg	Item Number	Size
Glass Bottle	EMD2526	4 L

**Formalin, HARLECO®, Carsons**

Assay.....3.4-4.0% Formaldehyde  
 Form.....Liquid

Pkg	Item Number	Size
Cubitainer	EMD923	20 L

**Formalin, HARLECO®, Neutral Buffered 10%**

Form.....Liquid

Pkg	Item Number	Size
Poly Bottle	EMD924	4 L
Cubitainer	EMD925	20 L

**Formaldehyde Solution, 36%**

Assay.....36% min  
 Formula.....HCHO  
 CAS No.....50-0-0  
 Molar Mass.....30.03  
 Form.....Liquid

Pkg	Item Number	Size
Poly Bottle	EMD2535	450 mL
Poly Bottle	EMD2534	4 L

**Formic Acid, 90%**

Grade.....Technical  
 Assay.....90% min  
 Formula.....HCOOH  
 Molar Mass.....46.03  
 Form.....Liquid

Pkg	Item Number	Size
Poly Bottle	EMD4167	1 L

**Glycerol**

Assay.....95% min  
 Formula.....CH<sub>2</sub>OHCHOHCH<sub>2</sub>OH  
 CAS No.....56-81-5  
 Molar Mass.....92.09  
 Form.....Liquid

Pkg	Item Number	Size
Glass Bottle	EMD2567	500 mL
Glass Bottle	EMD2566	4 L

**Glycerol**

Grade.....GR ACS  
 Assay.....99.5% min  
 Formula.....CH<sub>2</sub>OHCHOHCH<sub>2</sub>OH  
 CAS No.....56-81-5  
 Molar Mass.....92.09  
 Form.....Liquid

Pkg	Item Number	Size
Glass Bottle	EMD2565	500 mL
Glass Bottle	EMD2561	1 L
Glass Bottle	EMD2564	4 L

**Heptane**

Assay.....99% min  
 Formula.....CH<sub>3</sub>(CH<sub>2</sub>)<sub>5</sub>CH<sub>3</sub>  
 AS No.....142-82-5  
 Molar Mass.....100.21  
 Form.....Liquid

Pkg	Item Number	Size
Glass Bottle	EMD2580	500 mL
Glass Bottle	EMD2577	4 L
Poly Coated Glass Bottle	EMD2581	4 L

**Heptane**

Grade.....OmniSolv®  
 Assay.....99% min  
 Formula.....CH<sub>3</sub>(CH<sub>2</sub>)<sub>5</sub>CH<sub>3</sub>  
 AS No.....142-82-5  
 Molar Mass.....100.21  
 Form.....Liquid

Pkg	Item Number	Size
Glass Bottle	EMD2570	1 L
Glass Bottle	EMD2569	4 L
Poly Coated Glass Bottle	EMD2575	4 L

**n-Hexane, 99%**

Assay.....99% min  
 Formula.....CH<sub>3</sub>(CH<sub>2</sub>)<sub>4</sub>CH<sub>3</sub>  
 CAS No.....110-54-3  
 Molar Mass.....86.18  
 Form.....Liquid

Pkg	Item Number	Size
Glass Bottle	EMD2615	1 L

**Hexanes, 98%, Practical**

Assay.....98% min  
 Formula.....CH<sub>3</sub>(CH<sub>2</sub>)<sub>4</sub>CH<sub>3</sub> with  
 2- and 3-methylpentanes and methylcyclopentane  
 CAS No.....110-54-3  
 Molar Mass.....86.18  
 Form.....Liquid

Pkg	Item Number	Size
Glass Bottle	EMD2650	4 L

**Hexanes, 98.5%**

Grade..... ACS  
 Assay ..... 98.5% min  
 Formula .....  $\text{CH}_3(\text{CH}_2)_4\text{CH}_3$  with  
 2- and 3-methylpentanes and methylcyclopentane  
 CAS No ..... 110-54-3  
 Molar Mass ..... 86.18  
 Form ..... Liquid

Pkg	Item Number	Size
Glass Bottle	EMD2644	500 mL
Glass Bottle	EMD2643	4 L
Metal Can	EMD2649	4 L
Poly Coated Glass Bottle	EMD2648	4 L

**Hydrochloric Acid**

Grade..... GR ACS  
 Assay ..... 36.5-38.0%  
 Formula ..... HCl in water  
 CAS No ..... 7647-01-0  
 Molar Mass ..... 36.46  
 Form ..... Liquid

Pkg	Item Number	Size
Glass Bottle	EMD4179	500 mL
Poly Coated Glass Bottle	EMD2675	500 mL
Glass Bottle	EMD2662	2.5 mL
Poly Coated Glass Bottle	EMD4179	2.5 mL

**Hydrochloric Acid, OmniTrace®**

Assay ..... 34-37%  
 Formula ..... HCl in water  
 CAS No ..... 7647-01-0  
 Molar Mass ..... 36.46  
 Form ..... Liquid

Pkg	Item Number	Size
Poly Coated Glass Bottle	EMD2676	500 mL
Glass Bottle	EMD2678	2.5 mL
Poly Coated Glass Bottle	EMD2677	2.5 L

**Hydrochloric Acid Solution, 2.0N**

Grade..... NIST Traceable  
 Assay ..... 1.990-2.010N  
 Formula ..... HCl in water  
 CAS No ..... 7647-01-0  
 Molar Mass ..... 36.46  
 Form ..... Liquid

Pkg	Item Number	Size
Poly Bottle	EMD2674	1L

**Isopropyl Alcohol**

Assay ..... 99% min  
 Formula .....  $\text{CH}_3\text{CHOHCH}_3$   
 CAS No ..... 67-63-0  
 Molar Mass ..... 60.10  
 Form ..... Liquid

Pkg	Item Number	Size
Poly Bottle	EMD3008	4 L
Metal Can	EMD3007	20 L

**Isopropyl Alcohol**

Grade..... GR ACS  
 Assay ..... 99.5% min  
 Formula .....  $\text{CH}_3\text{CHOHCH}_3$   
 CAS No ..... 67-63-0  
 Molar Mass ..... 60.10  
 Form ..... Liquid

Pkg	Item Number	Size
Glass Bottle	EMD3034	500 mL
Glass Bottle	EMD3025	1 L
Poly Bottle	EMD3036	1 L
Poly Coated Glass Bottle	EMD3042	4 L
Poly Bottle	EMD3035	4 L
Glass Bottle	EMD3033	4 L

**Methanol**

Assay ..... 98% min  
 Formula .....  $\text{CH}_3\text{OH}$   
 CAS No ..... 67-56-1  
 Molar Mass ..... 32.04  
 Form ..... Liquid

Pkg	Item Number	Size
Poly Bottle	EMD2828	4 L
Metal Can	EMD2827	20 L

**Methanol**

Grade..... GR ACS  
 Assay ..... 99.9% min  
 Formula .....  $\text{CH}_3\text{OH}$   
 CAS No ..... 67-56-1  
 Molar Mass ..... 32.04  
 Form ..... Liquid

Pkg	Item Number	Size
Glass Bottle	EMD2773	500 mL
Poly Bottle	EMD2776	1 L
Glass Bottle	EMD2775	1 L
Poly Bottle	EMD2764	4 L
Glass Bottle	EMD2774	4 L
Poly Coated Glass Bottle	EMD2782	4 L
Metal Can	EMD2772	20 L

**Methanol, Anhydrous**

Grade..... GR ACS  
 Assay ..... 99.8% min  
 Formula .....  $\text{CH}_3\text{OH}$   
 CAS No ..... 67-56-1  
 Molar Mass ..... 32.04  
 Form ..... Liquid

Pkg	Item Number	Size
Glass Bottle	EMD2789	500 mL
Glass Bottle	EMD2788	4 L
Metal Can	EMD2787	20 L

**Methylene Blue, Harleco®**

Grade..... Certified Biological Stain  
 Formula .....  $\text{C}_{16}\text{H}_{18}\text{N}_3\text{S}\cdot\text{HCl}$   
 CAS No ..... 61-73-4  
 Molar Mass ..... 373.91  
 Form ..... Powder

Pkg	Item Number	Size
Glass Bottle	EMD739	25 g
Glass Bottle	EMD740	100 g
Glass Bottle	EMD741	500 g

**Nitric Acid**

Grade..... GR ACS  
 Formula .....  $\text{HNO}_3$   
 CAS No ..... 7697-37-2  
 Molar Mass ..... 63.01  
 Form ..... Liquid

Pkg	Item Number	Size
Glass Bottle	MLLN04094	500 mL

**Pentane**

Assay ..... 98% min  
 Formula .....  $\text{CH}_3(\text{CH}_2)_3\text{CH}_3$   
 CAS No ..... 109-66-0  
 Molar Mass ..... 72.15  
 Form ..... Liquid

Pkg	Item Number	Size
Metal Can	EMD2942	4 L
Metal Can	EMD2943	20 L

**o-Phosphoric Acid**

Grade..... GR ACS  
 Assay ..... 85% min  
 Formula .....  $\text{H}_3\text{PO}_4$   
 Molar Mass ..... 98.00  
 Form ..... Liquid

Pkg	Item Number	Size
Glass Bottle	EMD4236	500 mL

**Sodium Hydroxide Solution, 0.1N**

Grade..... NIST-Traceable  
 Assay ..... 0.0998-0.1002N  
 Formula ..... NaOH in water  
 Form ..... Liquid

Pkg	Item Number	Size
Poly Bottle	EMD3253	1 L
Poly Bottle	EMD3252	4 L

**Toluene**

Grade..... Histology Grade  
 Assay ..... 98% min  
 Formula .....  $\text{C}_6\text{H}_5\text{CH}_3$   
 CAS No ..... 108-88-3  
 Molar Mass ..... 92.14  
 Form ..... Liquid

Pkg	Item Number	Size
Poly Bottle	EMD3395	4 L
Metal Can	EMD3394	20 L

**Toluene, Anhydrous**

Assay ..... 99% min  
 Formula .....  $\text{C}_6\text{H}_5\text{CH}_3$   
 CAS No ..... 108-88-3  
 Molar Mass ..... 92.14  
 Form ..... Liquid

Pkg	Item Number	Size
Glass Bottle	EMD3361	4 L

**Water, OmniSolv®**

Grade..... Gradient  
 Formula ..... H<sub>2</sub>O  
 Molar Mass ..... 18.02  
 Form..... Liquid

Pkg	Item Number	Size
Glass Bottle	EMD3448	1 L
Poly Coated Glass Bottle	EMD3451	4 L
Glass Bottle	EMD3447	4 L
NOWPak	EMD3449	20 L

**Water, DI, Harleco®**

Grade..... ASTM Type II  
 Formula ..... H<sub>2</sub>O  
 Molar Mass ..... 18.02  
 Form ..... Liquid

Pkg	Item Number	Size
Poly Bottle	EMD892	4 L
Cubitainer	EMD893	20 L

**o-Xylene**

Assay..... 98% min  
 Formula ..... o-C<sub>6</sub>H<sub>4</sub>(CH<sub>3</sub>)<sub>2</sub>  
 CAS No ..... 95-47-6  
 Molar Mass ..... 106.17  
 Form ..... Liquid

Pkg	Item Number	Size
Glass Bottle	EMD3454	500 mL
Glass Bottle	EMD3453	4 L

**p-Xylene**

Assay..... 98% min  
 Formula ..... p-C<sub>6</sub>H<sub>4</sub>(CH<sub>3</sub>)<sub>2</sub>  
 CAS No ..... 95-47-6  
 Molar Mass ..... 106.17  
 Form ..... Liquid

Pkg	Item Number	Size
Glass Bottle	EMD3457	500 mL
Glass Bottle	EMD3455	3.5 L

83044PQHWM.....	11	B-D367841Z.....	24	BRT20700T.....	116
ALPBTA1812B.....	97	B-D367856.....	24	BRT20705T.....	116
ALPBTA1813B.....	97	B-D367856Z.....	24	BRT20715T.....	116
ALPBTA1815B.....	97	B-D367983.....	24	BRT20717T.....	116
ALPCVJ40222.....	5	B-D367983Z.....	24	BRT20720T.....	116
ALPCVJ40223.....	5	B-D368607Z.....	24	BRT20730T.....	116
ALPCVJ40224.....	5	BKC100000112.....	39	BRT20735T.....	116
ALPCVJ40225.....	5	BKC100000124.....	39	BRT30305.....	118
ALPCVJ40226.....	5	BKC570090920.....	39	BRT30720.....	116
ALPCVJ40227.....	5	BKC570121210.....	39	BRT30735.....	116
ALPCVJ40228.....	5	BKC670040410.....	39	BRT30740.....	116
ALPSH91182B.....	96	BKC670090920.....	39	BRT30745.....	116
ALPSH91183B.....	96	BKC670121220.....	39	BRT30750.....	116
ALPSH91184B.....	96	BKC670181810.....	39	BRT1851224CS.....	15
ALPSHE1W11BH.....	96	BKCCH70914.....	38	BRT1852436CS.....	15
ALPSHE1W12BH.....	96	BKCCH80910.....	38	BRT32010001CS.....	12
ALPSHE1W13BH.....	96	BKCCHSS1212.....	38	BRT107940025.....	33
ALPSHE1W15BH.....	96	BKCECW601212.....	39	BRT107940050.....	33
ALPSHE1W16BH.....	96	BKCECW6009152.....	39	BRT117160001.....	31
ALPSHE1312BH.....	96	BKCGW67ST25.....	39	BRT117160002.....	31
ALPSHE1313BH.....	96	BKCMSVP09098.....	38	BRT117160003.....	31
ALPSHE1315BH.....	96	BKCSLT090914.....	38	BRT117160004.....	31
ALPSHE1316BH.....	96	BKCSLT121216.....	38	BRT117160007.....	31
ALPSHM1312BH.....	96	BKCSVP121214.....	38	BRT117160008.....	31
ALPSHM1313BH.....	96	BRT505.....	119	BRT117160009.....	31
ALPSHM1315BH.....	96	BRT521.....	119	BRT117160010.....	31
ALPSHM1316BH.....	96	BRT540.....	119	BRT117160011.....	31
ALPSHX1222BCS.....	96	BRT575.....	119	BRT117160012.....	31
ALPSHX1223BCS.....	96	BRT585.....	119	BRT117160013.....	31
ALPSHX1224BCS.....	96	BRT595.....	119	BRT117160014.....	31
ANDGF200.....	18	BRT600.....	119	BRT117160015.....	31
ANDGF300.....	18	BRT3817.....	118	BRT117160016.....	31
ANDGF400.....	18	BRT20400.....	116	BRT117160017.....	31
ANDGF600.....	18	BRT20401.....	116	BRT117160019.....	31
ANDGF800.....	18	BRT20402.....	116	BRT117160020.....	31
ANDGF1000.....	18	BRT20403.....	116	BRT117160050.....	31
ANDGF1200.....	18	BRT20404.....	116	BRT117320001.....	31
ANDGF2000.....	18	BRT20500.....	117	BRT117320004.....	31
ANDGF3000.....	18	BRT20503.....	117	BRT117320008.....	31
ANDGF4000.....	18	BRT20505.....	117	BRT117320009.....	31
ANDGR120.....	19	BRT20509.....	117	BRT117320011.....	31
ANDGR200.....	19	BRT20510.....	117	BRT117320015.....	31
ANDGR202.....	19	BRT20515.....	117	BRT117320019.....	31
ANDGR300.....	19	BRT20520.....	117	BRT118080001.....	32
APO140013PDC.....	100	BRT20525.....	117	BRT118080004.....	32
APO140015PDC.....	100	BRT20527.....	117	BRT118080008.....	32
APO140016PDC.....	100	BRT20530.....	117	BRT118080009.....	32
APO140020PDC.....	100	BRT20531.....	117	BRT118080011.....	32
APO145016PDC.....	100	BRT20535.....	117	BRT118080015.....	32
APO145020PDC.....	100	BRT20536.....	117	BRT118080019.....	32
B-D363080.....	24	BRT20540.....	117	BRT118080050.....	32
B-D363080Z.....	24	BRT20545.....	117	BRT118160001.....	32
B-D363706.....	24	BRT20550.....	117	BRT118160004.....	32
B-D363706Z.....	24	BRT20555.....	117	BRT118160007.....	32
B-D366430.....	24	BRT20591.....	117	BRT118160008.....	32
B-D366430Z.....	24	BRT20592.....	117	BRT118160009.....	32
B-D366450.....	24	BRT20593.....	117	BRT118160011.....	32
B-D366450Z.....	24	BRT20596.....	117	BRT118160012.....	32
B-D366668.....	24	BRT20597.....	117	BRT118160015.....	32
B-D366668Z.....	24	BRT20598.....	117	BRT118160019.....	32
B-D367292Z.....	24	BRT20599.....	117	BRT118160050.....	32
B-D367841.....	24	BRT20630.....	116	BRT118320001.....	32



## Item Number Index

BRT118320004.....	32	BRT134900075.....	99	BRT371200002.....	105
BRT118320008.....	32	BRT134900100.....	99	BRT371200003.....	105
BRT118320009.....	32	BRT168071101.....	98	BRT371200030.....	105
BRT118320011.....	32	BRT168071102.....	98	BRT371200040.....	105
BRT118320012.....	32	BRT168071103.....	98	BRT371200050.....	105
BRT118320015.....	32	BRT168071104.....	98	BRT371200112.....	105
BRT118320019.....	32	BRT168072001.....	98	BRT371207836.....	105
BRT118460025.....	33	BRT168072002.....	98	BRT371210019.....	106
BRT118460050.....	33	BRT168072003.....	98	BRT371220025.....	105
BRT131641419.....	15	BRT168072004.....	98	BRT371220070.....	105
BRT131641923.....	15	BRT168074001.....	98	BRT371300001.....	104
BRT131642535.....	15	BRT168074002.....	98	BRT371300003.....	104
BRT131643138.....	15	BRT168074003.....	98	BRT371300034.....	104
BRT131643848.....	15	BRT168074004.....	98	BRT371300038.....	104
BRT131651419.....	15	BRT168074101.....	98	BRT371300112.....	104
BRT131651923.....	15	BRT168074102.....	98	BRT371580010.....	106
BRT131652535.....	15	BRT168074103.....	98	BRT371600000.....	106
BRT131653138.....	15	BRT168074104.....	98	BRT371900001.....	106
BRT131820810.....	15	BRT168079101.....	98	BRT377861000.....	106
BRT131820812.....	15	BRT168079102.....	98	BRT378960000.....	83
BRT131820815.....	15	BRT168079103.....	98	BRT378970000.....	83
BRT131821010.....	15	BRT168079104.....	98	BRT378980000.....	83
BRT131821012.....	15	BRT168079901.....	98	BRT378990000.....	83
BRT131821015.....	15	BRT168079902.....	98	BRT379111002.....	83
BRT131870000.....	15	BRT168079903.....	98	BRT379111010.....	83
BRT131880000.....	15	BRT168079904.....	98	BRT379111025.....	83
BRT131890000.....	15	BRT183070003.....	20	BRT380000000.....	94
BRT131980000.....	12	BRT183070005.....	20	BRT420100000.....	45
BRT131980001.....	12	BRT183070010.....	20	BRT420120000.....	45
BRT131980002.....	12	BRT183070015.....	20	BRT420200000.....	45
BRT131980003.....	12	BRT183070020.....	20	BRT420220000.....	45
BRT131990000.....	12	BRT183071000.....	20	BRT420250000.....	45
BRT132010000.....	12	BRT183080500.....	20	BRT420270000.....	45
BRT132010001.....	12	BRT183081000.....	20	BRT420290000.....	46
BRT134630600.....	99	BRT183082000.....	20	BRT420450160.....	46
BRT134800050.....	99	BRT183084000.....	20	BRT420450200.....	46
BRT134800075.....	99	BRT187420124.....	86	BRT420450250.....	46
BRT134800100.....	99	BRT187420125.....	86	BRT420460000.....	46
BRT134810050.....	99	BRT187420126.....	86	BRT420480065.....	46
BRT134810075.....	99	BRT187420127.....	86	BRT420480100.....	46
BRT134810100.....	99	BRT187420140.....	86	BRT420530000.....	44
BRT134820050.....	99	BRT246750000.....	58	BRT420530001.....	44
BRT134820075.....	99	BRT246750020.....	58	BRT420560001.....	44
BRT134820100.....	99	BRT246751000.....	58	BRT420561003.....	44
BRT134830050.....	99	BRT367000000.....	102	BRT420580001.....	44
BRT134830075.....	99	BRT367030000.....	102	BRT420580003.....	44
BRT134830100.....	99	BRT367040000.....	102	BRT420710000.....	47
BRT134840050.....	99	BRT367050000.....	102	BRT420710006.....	47
BRT134840075.....	99	BRT371020003.....	104	BRT420721000.....	47
BRT134840100.....	99	BRT371020138.....	104	BRT420721115.....	47
BRT134850050.....	99	BRT371020238.....	104	BRT420731000.....	47
BRT134850075.....	99	BRT371021238.....	104	BRT420731115.....	47
BRT134850100.....	99	BRT371090034.....	105	BRT420740000.....	47
BRT134860050.....	99	BRT371100001.....	105	BRT420740115.....	47
BRT134860075.....	99	BRT371100002.....	105	BRT420740116.....	47
BRT134860100.....	99	BRT371100003.....	105	BRT420741000.....	47
BRT134870050.....	99	BRT371100112.....	105	BRT420741006.....	47
BRT134870075.....	99	BRT371100118.....	105	BRT420741008.....	47
BRT134870100.....	99	BRT371100238.....	105	BRT420741115.....	47
BRT134880050.....	99	BRT371120001.....	106	BRT420741116.....	47
BRT134880075.....	99	BRT371120012.....	106	BRT420741117.....	47
BRT134880100.....	99	BRT371180004.....	106	BRT420741118.....	47
BRT134900050.....	99	BRT371180006.....	106	BRT420751002.....	47

BRT911846005.....	33	DLS1218A.....	67	DLS6243.....	121
BRTF380000001.....	94	DLS1218AM.....	67	DLS6244.....	121
BRTF380000002.....	94	DLS1512.....	126	DLS6253.....	121
CRI1002.....	94	DLS1700.....	82	DLS6254.....	121
CRI1003.....	94	DLS1710.....	82	DLS6255.....	124
CRI1102.....	94	DLS1715.....	82	DLS6256.....	124
CRI1103.....	94	DLS1720.....	82	DLS6260.....	123
CRI2102.....	95	DLS1730.....	82	DLS6261.....	123
CRI2103.....	95	DLS1735.....	82	DLS6265.....	123
CRI4000.....	8	DLS1740.....	82	DLS6266.....	123
CRI4000B.....	8	DLS1750.....	82	DLS6267.....	121
CRI4001.....	8	DLS1755.....	82	DLS6268.....	121
CRI4001G.....	8	DLS1760.....	82	DLS6269.....	121
CRI5000.....	8	DLS1770.....	82	DLS6270.....	121
CRI5001.....	8	DLS1775.....	82	DLS6271.....	121
CSF60811B1.....	129	DLS1780.....	82	DLS6272.....	121
CSF60910L2.....	129	DLS1784.....	82	DLS6273.....	121
CSF60911B1.....	129	DLS3001.....	42	DLS6274.....	121
CSF265201.....	59	DLS3002.....	42	DLS6284.....	122
CSF1400010.....	21	DLS3003.....	42	DLS6285.....	122
CSF1400020.....	21	DLS3004.....	42	DLS6286.....	122
CSF1400050.....	21	DLS3005.....	42	DLS6287.....	122
CSF1408001.....	21	DLS3006.....	42	DLS6288.....	122
CSF2002401.....	43	DLS3008.....	42	DLS6289.....	122
CSF2002410.....	43	DLS3010.....	42	DLS8301.....	61
CSF2002425.....	43	DLS3011.....	42	DLS8302.....	61
CSF2002450.....	43	DLS3012.....	42	DLS8303.....	61
CSF2650050.....	59	DLS3013.....	42	DLS8304.....	61
CSF2801410.....	61	DLS3014.....	42	DLS11310L.....	128
CSF2801425.....	61	DLS3015.....	42	DLS11620.....	120
CSF2801450.....	61	DLS3040B.....	41	DLS11701.....	127
CSF7451620.....	129	DLS3042W.....	41	DLS30991.....	41
CSF14000100.....	21	DLS3090.....	41	DLS51601.....	23
CSF14000250.....	21	DLS3091.....	41	DLS51602.....	23
CSF14000400.....	21	DLS3092.....	41	DLS51613.....	23
CSF14000600.....	21	DLS3094.....	41	DLS51680.....	23
CSF20024100.....	43	DLS3095.....	41	DLS51684.....	23
CSF20024250.....	43	DLS3096.....	41	DLS109117.....	124
CSF20024500.....	43	DLS3098.....	41	DLS109120.....	124
CSF26500125.....	59	DLS3099.....	41	DLS109217.....	124
CSF26500250.....	59	DLS3380.....	83	DLS109220.....	124
CSF26500500.....	59	DLS3615.....	50	DLS110158.....	125, 127
CSF28014100.....	61	DLS3616.....	50	DLS110178.....	125, 127
CSF28014250.....	61	DLS3617.....	50	DLS110180.....	125, 127
CSF28014500.....	61	DLS3618.....	50	DLS110182.....	125, 127
CSF140001000.....	21	DLS3620.....	50	DLS110184.....	125, 127
CSF140001500.....	21	DLS3621.....	50	DLS110186.....	125, 127
CSF140002000.....	21	DLS3622.....	50	DLS110405.....	125, 127
CSF200241000.....	43	DLS3623.....	50	DLS110406.....	125, 127
CSF200242000.....	43	DLS3624.....	50	DLS110410.....	125
CSF265001000.....	59	DLS3625.....	50	DLS110413.....	125, 127
CSF265002000.....	59	DLS3630.....	21	DLS110414.....	127
CSF280142000.....	61	DLS3631.....	21	DLS110415.....	127
DLS510.....	20	DLS3632.....	21	DLS110428.....	125, 127
DLS545ADP.....	33	DLS3633.....	21	DLS110438.....	125, 127
DLS545B.....	33	DLS3634.....	21	DLS110441.....	125, 127
DLS545B230.....	33	DLS3635.....	21	DLS110442.....	127
DLS545R.....	33	DLS5529.....	128	DLS110445.....	127
DLS545R230.....	33	DLS6101.....	128	DLS110470.....	127
DLS545RND.....	33	DLS6102.....	128	DLS110471.....	127
DLS545STP.....	33	DLS6240.....	121	DLS110540.....	120
DLS0718A.....	67	DLS6241.....	121	DLS110550.....	120
DLS0912A.....	67	DLS6242.....	121	DLS110560.....	120

## Item Number Index

DLS111010.....	127	DLS137035.....	85	DLS600412.....	25
DLS111012.....	127	DLS137035Z.....	85	DLS600413.....	25
DLS111040.....	127	DLS137038.....	85	DLS600608.....	25
DLS111041.....	127	DLS137135.....	85	DLS600609.....	25
DLS111552.....	120	DLS138020B.....	85	DLS600610.....	25
DLS111552A.....	120	DLS138020Z.....	85	DLS600611.....	25
DLS111553A.....	120	DLS138030.....	85	DLS600612.....	25
DLS111558.....	120	DLS138030Z.....	85	DLS600613.....	25
DLS111558B.....	120	DLS138040.....	85	DLS600614.....	25
DLS111558P.....	120	DLS138040Z.....	85	DLS600811.....	22
DLS111558Y.....	120	DLS138060.....	85	DLS600812.....	22
DLS111568.....	120	DLS138080.....	85	DLS600818.....	22
DLS111642.....	120	DLS138080Z.....	85	DLS600819.....	22
DLS111710.....	120	DLS139030.....	85	DLS601075.....	43
DLS111730S.....	120	DLS139030Z.....	85	DLS601077.....	43
DLS112010Z.....	123	DLS139040Z.....	85	DLS601078.....	43
DLS112015.....	123	DLS139050.....	85	DLS601079.....	43
DLS112017.....	123	DLS151150.....	81	DLS601080.....	43
DLS112030.....	123	DLS151150R-96.....	81	DLS601081.....	43
DLS112040Z.....	123	DLS151150RS-96.....	81	DLS601082.....	43
DLS113136.....	123	DLS151150Y.....	81	DLS601094.....	43
DLS113137.....	123	DLS151150YR.....	81	DLS601330.....	22
DLS113142B.....	128	DLS151151.....	81	DLS601331.....	22
DLS116142W.....	128	DLS151151R-96.....	81	DLS601541.....	22
DLS116152B.....	128	DLS151152.....	81	DLS601542.....	22
DLS116152C.....	128	DLS151152B.....	81	DLS601543.....	22
DLS116152G.....	128	DLS151152BR.....	81	DLS601545.....	22
DLS116152R.....	128	DLS151152BRS.....	81	DLS601546.....	22
DLS116152Y.....	128	DLS151152R.....	81	DLS601548.....	22
DLS116160.....	128	DLS151152RS.....	81	DLS601549.....	22
DLS118115A.....	128	DLS151153.....	81	DLS601570.....	43
DLS118115B.....	128	DLS456303.....	86	DLS601571.....	43
DLS118115C.....	128	DLS456403.....	86	DLS601572.....	43
DLS118115G.....	128	DLS456404.....	86	DLS601573.....	43
DLS118115K.....	128	DLS456503.....	86	DLS601574.....	43
DLS118115L.....	128	DLS456504.....	86	DLS601576.....	43
DLS118115R.....	128	DLS456506.....	86	DLS601577.....	43
DLS118115Y.....	128	DLS456510.....	86	DLS601595.....	27
DLS118118.....	125, 128	DLS456603.....	86	DLS601597.....	27
DLS118127B.....	128	DLS456604.....	86	DLS601599.....	27
DLS118127C.....	128	DLS456606.....	86	DLS601601.....	27
DLS118127G.....	128	DLS456610.....	86	DLS601603.....	27
DLS118127R.....	128	DLS456703.....	86	DLS601608.....	26
DLS118127Y.....	128	DLS456704.....	86	DLS601610.....	26
DLS118240B.....	128	DLS456706.....	86	DLS601612.....	26
DLS118240C.....	128	DLS456710.....	86	DLS601614.....	26
DLS118240G.....	128	DLS456920.....	87	DLS601616.....	26
DLS118240R.....	128	DLS456925.....	87	DLS601618.....	26
DLS118240Y.....	128	DLS457100.....	87	DLS601621.....	26
DLS119010.....	127	DLS457105.....	87	DLS601623.....	26
DLS119040.....	127	DLS457200.....	87	DLS601625.....	26
DLS119040A.....	127	DLS457205.....	87	DLS601627.....	26
DLS134010.....	85	DLS600213.....	87	DLS601629.....	26
DLS134010Z.....	85	DLS600317.....	27	DLS601631.....	26
DLS134020.....	85	DLS600319.....	27	DLS601720.....	22
DLS134050.....	85	DLS600323.....	27	DLS601721.....	22
DLS134050S20.....	85	DLS600324.....	27	DLS601722.....	22
DLS134090.....	85	DLS600325.....	27	DLS601723.....	22
DLS135038.....	85	DLS600326.....	27	DLS601724.....	22
DLS136030.....	85	DLS600408.....	25	DLS601725.....	22
DLS137010.....	85	DLS600409.....	25	DLS601726.....	22
DLS137030.....	85	DLS600410.....	25	DLS601727.....	22
DLS137030Z.....	85	DLS600411.....	25	DLS601728.....	22

DLS601801	22	DYNJP2208	6	EMD1686	131
DLS601802	22	DYNJP2209	6	EMD1694	131
DLS601803	22	DYNJP2301P	7	EMD1696	131
DLS601805	22	DYNJP2302P	7	EMD1697	131
DLS601806	22	DYNJP2303P	7	EMD1706	131
DLS601808	22	DYNJP2306P	7	EMD1710	131
DLS601809	22	DYNJP2307P	7	EMD1715	131
DLS601821	22	DYNJP2308P	7	EMD1716	131
DLS601822	22	DYNJP2405	113	EMD1782	131
DLS601823	22	DYNJP2406	113	EMD1866	131
DLS601824	22	DYNJP2408	113	EMD1873	131
DLS601825	22	DYNJP2410	113	EMD1874	131
DLS601826	22	DYNJP2412	113	EMD1878	131
DLS601827	22	DYNJP2412T	113	EMD1879	131
DLS602560	43	DYNJP2414	113	EMD1880	131
DLS602561	43	DYNJP2416	113	EMD1881	131
DLS602562	43	DYNJP2417	113	EMD2147	131
DLS602563	43	DYNJP2419	113	EMD2176	131
DLS602564	43	DYNJP2420	112	EMD2179	131
DLS602565	43	DYNJP2493	112	EMD2180	131
DLS602566	43	DYNJP2500	113	EMD2181	131
DLS602567	43	DYNJP2701	7	EMD2192	131
DLS6015751	43	DYNJP2702	7	EMD2193	131
DLS134020400	85	DYNJP2703	7	EMD2199	131
DLS134060500	85	DYNJP2715	7	EMD2200	131
DLS134070250	85	DYNJP3003	112	EMD2201	131
DLS137010500	85	DYNJP3103	112	EMD2202	131
DUCIC457SWHLG	97	DYNJP4105	112	EMD2248	131
DUCIC457SWHXL	97	DYNJP4106	112	EMD2254	131
DUCIC461SWHLG	97	DYNJSD1000	111	EMD2262	131
DUCIC461SWHXL	97	DYNJSD1010	111	EMD2284	131
DUCIC501BWH00	4	DYNJSD1020	111	EMD2292	131
DYND04039	109	DYNJSD1021	111	EMD2293	131
DYND30330	100	DYNJSD1023	111	EMD2299	131
DYND30335	100	DYNJSD1024	111	EMD2454	131
DYND30350	100	DYNJSD1030	111	EMD2455	131
DYNJ04048	109	DYNJSD1060	111	EMD2456	131
DYNJ04050	109	DYNJSD1061	111	EMD2461	131
DYNJ04051	109	DYNJSD1092	111, 112	EMD2462	132
DYNJ04053	109	DYNJSD2158	111	EMD2463	132
DYNJ04053H	109	DYNJSM01	110	EMD2465	132
DYNJDAB1	94	DYNJSM02	110	EMD2497	132
DYNJDAB1GS	94	DYNJSM03	110	EMD2498	132
DYNJDAB2	94	DYNJSM04	110	EMD2502	132
DYNJDAB2GS	94	DYNJSM05	110	EMD2503	132
DYNJDAB3	94	DYNJSM06	100	EMD2504	132
DYNJDAB3GS	94	DYNJSM07	100	EMD2505	132
DYNJP2001	6	DYNJSM08	100	EMD2507	132
DYNJP2001S	7	DYNJSM09	110	EMD2521	132
DYNJP2002	6	EMD719	131	EMD2522	132
DYNJP2002S	7	EMD721	131	EMD2524	132
DYNJP2003	6	EMD739	133	EMD2526	132
DYNJP2003S	7	EMD740	133	EMD2534	132
DYNJP2004	6	EMD741	133	EMD2535	132
DYNJP2004S	7	EMD892	134	EMD2561	132
DYNJP2005	6	EMD893	134	EMD2564	132
DYNJP2005S	7	EMD923	132	EMD2565	132
DYNJP2009	6	EMD924	132	EMD2566	132
DYNJP2009S	7	EMD925	132	EMD2567	132
DYNJP2201	6	EMD1650	131	EMD2569	132
DYNJP2202	6	EMD1678	131	EMD2570	132
DYNJP2203	6	EMD1680	131	EMD2575	132
DYNJP2207	6	EMD1683	131	EMD2577	132



## Item Number Index

EMD2580.....	132	EPP62.....	79	EPP360.....	78
EMD2581.....	132	EPP63.....	79	EPP361.....	78
EMD2615.....	132	EPP64.....	79	EPP362.....	78
EMD2643.....	133	EPP65.....	79	EPP363.....	78
EMD2644.....	133	EPP66.....	79	EPP364.....	78
EMD2648.....	133	EPP202.....	80	EPP365.....	78
EMD2649.....	133	EPP203.....	80	EPP366.....	78
EMD2650.....	132	EPP204.....	80	EPP367.....	78
EMD2662.....	133	EPP213.....	80	EPP368.....	78
EMD2674.....	133	EPP214.....	80	EPP371.....	78
EMD2675.....	133	EPP215.....	80	EPP372.....	78
EMD2676.....	133	EPP216.....	80	EPP373.....	78
EMD2677.....	133	EPP217.....	80	EPP374.....	78
EMD2678.....	133	EPP218.....	80	EPP375.....	78
EMD2764.....	133	EPP219.....	80	EPP376.....	78
EMD2772.....	133	EPP226.....	80	EPP377.....	78
EMD2773.....	133	EPP238.....	80	EPP378.....	78
EMD2774.....	133	EPP239.....	80	EPP379.....	78
EMD2775.....	133	EPP240.....	80	EPP382.....	78
EMD2776.....	133	EPP241.....	80	EPP383.....	78
EMD2782.....	133	EPP242.....	80	EPP384.....	78
EMD2787.....	133	EPP243.....	80	EPP385.....	78
EMD2788.....	133	EPP244.....	80	EPP386.....	78
EMD2789.....	133	EPP245.....	80	EPP387.....	78
EMD2827.....	133	EPP246.....	80	EPP388.....	78
EMD2828.....	133	EPP247.....	80	EPP389.....	78
EMD2942.....	133	EPP250.....	80	EPP390.....	78
EMD2943.....	133	EPP253.....	80	EPP428.....	34
EMD3007.....	133	EPP256.....	80	EPP429.....	34
EMD3008.....	133	EPP259.....	80	EPP466.....	34
EMD3025.....	133	EPP262.....	80	EPP467.....	34
EMD3033.....	133	EPP265.....	80	EPP468.....	35
EMD3034.....	133	EPP268.....	80	EPP469.....	35
EMD3035.....	133	EPP270.....	80	EPP471.....	35
EMD3036.....	133	EPP271.....	80	EPP473.....	35
EMD3042.....	133	EPP273.....	80	EPP482.....	35
EMD3252.....	133	EPP276.....	80	EPP483.....	35
EMD3253.....	133	EPP279.....	80	EPP486.....	35
EMD3361.....	133	EPP282.....	80	EPP487.....	35
EMD3394.....	133	EPP285.....	80	EPP498.....	36
EMD3395.....	133	EPP288.....	80	EPP523.....	36
EMD3447.....	134	EPP291.....	80	EPP564.....	34
EMD3448.....	134	EPP294.....	80	EPP566.....	35
EMD3449.....	134	EPP295.....	80	EPP567.....	35
EMD3451.....	134	EPP296.....	80	EPP568.....	35
EMD3453.....	134	EPP297.....	80	EPP569.....	35
EMD3454.....	134	EPP298.....	80	EPP582.....	36
EMD3455.....	134	EPP299.....	80	EPP584.....	36
EMD3457.....	134	EPP300.....	80	EPP591.....	36
EMD4167.....	132	EPP301.....	80	EPP607.....	36
EMD4179.....	133	EPP302.....	80	EPP629.....	34, 35
EMD4236.....	133	EPP303.....	80	EPP630.....	34, 35
EPP48.....	79	EPP304.....	80	EPP631.....	34, 35
EPP49.....	79	EPP305.....	80	EPP652.....	36
EPP50.....	79	EPP306.....	80	EPP655.....	36
EPP51.....	79	EPP328.....	80	EPP660.....	36
EPP52.....	79	EPP329.....	80	EPP797.....	36
EPP53.....	79	EPP330.....	80	ETH8871H.....	115
EPP54.....	79	EPP331.....	80	ETHX303H.....	115
EPP55.....	79	EPP332.....	80	ETHX305H.....	115
EPP56.....	79	EPP333.....	80	ETHX411H.....	115
EPP57.....	79	EPP334.....	80	ETHX683G.....	115
EPP61.....	79	EPP335.....	80	ETHX872H.....	115

ETHZ304H.....	115	K-C05841.....	53	MDS15112L.....	107
ETHZ332H.....	115	K-C34155CS2.....	54	MDS15115.....	107
ETHZ333H.....	115	K-C34155Z.....	54	MDS15115L.....	107
EVSPM183634W.....	40	K-C34256.....	54	MDS15120.....	107
EVSPM184534W.....	40	K-C34256Z.....	54	MDS15120L.....	107
EVSPM243634W.....	40	K-C34865CS.....	53	MDS15121.....	107
EVSSTC111BLK.....	51	K-C41025.....	53	MDS15121L.....	107
EVSSTC111GRY.....	51	K-C41600.....	53	MDS15122.....	107
GEM1112.....	14	K-C47022.....	53	MDS15122L.....	107
GEM1115.....	14	KCP05600.....	53	MDS15123.....	107
GEM1118.....	14	KCP05701.....	53	MDS15123L.....	107
GEM1120.....	14	KCP05796.....	53	MDS15210.....	108
GEM1124.....	14	KCP05812.....	53	MDS15211.....	108
GEM1130.....	14	KCP08541.....	53	MDS15212.....	108
GEM1136.....	14	KCP34133.....	54	MDS15215.....	108
GEM1140.....	14	KCP35411.....	53	MDS15220.....	108
GEM1145.....	14	KCP35421.....	53	MDS15221.....	108
GEM1148.....	14	KUT68917MED.....	55	MDS15222.....	108
GEM1154.....	14	KUT68941MED.....	55	MDS15223.....	108
GEM2112.....	14	LX10PUSH.....	55	MDS15310.....	108
GEM2115.....	14	LXT10AUTO.....	55	MDS15311.....	108
GEM2118.....	14	MDS88BRUSH.....	57	MDS15315.....	108
GEM2120.....	14	MDS88BRUSHSS.....	57	MDS88000AW1.....	56
GEM2124.....	14	MDS8800FOAM.....	56	MDS88000B9.....	56
GEM2130.....	14	MDS10030.....	109	MDS88000B91.....	56
GEM2136.....	14	MDS10373.....	109	MDS151004.....	108
GEM2140.....	14	MDS10374.....	109	MDS152300.....	108
GEM2148.....	14	MDS10524.....	109	MDS152300L.....	108
GEM2154.....	14	MDS10535.....	109	MDS152400.....	108
GEM3118.....	14	MDS10724.....	109	MDS191094.....	63
GEM3120.....	14	MDS10740.....	109	MDS192094B.....	63
GEM3124.....	14	MDS10750.....	58	MDS192094V.....	63
GEM3130.....	14	MDS10750H.....	58	MDS193094.....	63
GEM3136.....	14	MDS10980.....	109	MDS193094V.....	63
GEM3140.....	14	MDS15010.....	107	MDS194094B.....	63
GEM3145.....	14	MDS15010L.....	107	MDS200100.....	12
GEM3148.....	14	MDS15010LN.....	107	MDS200211.....	12, 99
GEM3154.....	14	MDS15011.....	107	MDS200400.....	12
GEM3172.....	14	MDS15011L.....	107	MDS200600.....	12
GEM4115.....	14	MDS15011LN.....	107	MDS200836.....	12
GEM4118.....	14	MDS15012.....	107	MDS200846.....	12
GEM4124.....	14	MDS15012L.....	107	MDS200848.....	12
GEM4130.....	14	MDS15012LN.....	107	MDS0834009.....	110
GEM4136.....	14	MDS15015.....	107	MDS0834010.....	110
GEM4145.....	14	MDS15015L.....	107	MDS0834109.....	110
GEM4148.....	14	MDS15015LN.....	107	MDS0834110.....	110
GEM4154.....	14	MDS15020.....	107	MDS0837602.....	110
GEM4172.....	14	MDS15020L.....	107	MDS1011013.....	110
GEM5136.....	14	MDS15020LN.....	107	MDS1011014.....	110
GEM5140.....	14	MDS15021.....	107	MDS1017612.....	110
GEM5145.....	14	MDS15021L.....	107	MDS1222210.....	110
GEM5148.....	14	MDS15021LN.....	107	MDS1222212.....	110
GEM5154.....	14	MDS15022.....	107	MDS1222310.....	110
GEM5172.....	14	MDS15022L.....	107	MDS1222312.....	110
HSFS234526A.....	58	MDS15022LN.....	107	MDS8840032.....	56
HSFS234526ACS.....	58	MDS15023.....	107	MDS8840128.....	56
HSFS234526B.....	58	MDS15023L.....	107	MDSBR3020.....	57
HSFS234526BCS.....	58	MDS15023LN.....	107	MDSBR3100.....	57
HSFS234526C.....	58	MDS15110.....	107	MDSBR3110.....	57
HSFS234526CCS.....	58	MDS15110L.....	107	MDSBR3113.....	57
K-C03086.....	53	MDS15111.....	107	MDSBR3114.....	57
K-C05007.....	53	MDS15111L.....	107	MDSBR3115.....	57
K-C05790.....	53	MDS15112.....	107	MDSBR3120.....	57

## Item Number Index

MDSBR3125.....	57	MLAB1503.....	126	MSG1660.....	65
MDSBR3130.....	57	MLAB1505.....	126	MSG1665.....	65
MDSBR3137.....	57	MLAB1510.....	126	MSG1670.....	65
MDSBR3140.....	57	MLAB135030.....	85	MSG1675.....	65
MDSBR3142.....	57	MLAB135030Z.....	85	MSG1680.....	65
MDSBR3143.....	57	MLAB137040.....	85	MSG1685.....	65
MDSBR3144.....	57	MLAB137040Z.....	85	MSG1690.....	65
MDSBR3145.....	57	MLAB138050Z.....	85	MSG2255.....	64
MDSBR3150.....	57	MLLN04094.....	133	MSG2260.....	64
MDSBR3153.....	57	MMM6100.....	93	MSG2265.....	64
MDSBR3155.....	57	MMM6200.....	93	MSG2270.....	64
MDSBR3170.....	57	MMM8511CS.....	92	MSG2275.....	64
MDSBR3173.....	57	MMM8511Z.....	92	MSG2280.....	64
MDSBR3175.....	57	MMM9211.....	92	MSG2285.....	64
MDST0101.....	99	MMM60923.....	93	MSG2290.....	64
MDST0102.....	99	MMM60926.....	93	MSG2660.....	64
MDST0103.....	99	MMM3181000.....	93	MSG2665.....	64
MDST0104.....	99	MMM3181003.....	93	MSG2670.....	64
MDST0105.....	99	MOE8210.....	92	MSG2675.....	64
MDST0106.....	99	MOE8210Z.....	92	MSG2680.....	64
MDST0107.....	99	MOE9210.....	92	MSG2685.....	64
MDST0108.....	99	MOE60921.....	93	MSG2690.....	64
MDST0109.....	99	MPHB9V.....	51	MSG4055.....	65
MDST0201.....	99	MPHB9VZ.....	51	MSG4060.....	65
MDST0202.....	99	MPHBAA.....	51	MSG4065.....	65
MDST0203.....	99	MPHBAAA.....	51	MSG4070.....	65
MDST0204.....	99	MPHBAAAZ.....	51	MSG4075.....	65
MDST0205.....	99	MPHBAAZ.....	51	MSG4080.....	65
MDST0206.....	99	MPHBCZ.....	51	MSG4085.....	65
MDST0207.....	99	MPHBDZ.....	51	MSG4090.....	65
MDST0208.....	99	MPOP3X5.....	13	MSG6055.....	65
MDST0209.....	99	MPOP3X5Z.....	13	MSG6060.....	65
MDT12WHT.....	11	MPOP3X9.....	13	MSG6065.....	65
MDT216054.....	114	MPOP3X9Z.....	13	MSG6070.....	65
MDT216801.....	114	MPOP5X10.....	13	MSG6075.....	65
MDT216803.....	114	MPOP5X10Z.....	13	MSG6080.....	65
MDT2168204.....	114	MPOP7X13.....	13	MSG6085.....	65
MEDCHEM1.....	130	MPOP7X13Z.....	13	MSG6090.....	65
MEDCHEM2.....	130	MPP100546GS.....	13	MSG8855.....	64
MEDCHEM3.....	130	MPP100546GSZ.....	13	MSG8860.....	64
MEDCHEM4.....	130	MPP100550GS.....	13	MSG8865.....	64
MEDCHEM10.....	130	MPP100550GSZ.....	13	MSG8870.....	64
MEDCHEM11.....	130	MPP100555GS.....	13	MSG8875.....	64
MEDCHEM13.....	130	MPP100555GSZ.....	13	MSG8880.....	64
MEDCHEM14.....	130	MPP100558GS.....	13	MSG8885.....	64
MEDCHEM16.....	130	MPP100558GSZ.....	13	MSG8890.....	64
MEDCHEM17.....	130	MPP100565GS.....	13	NITBASL60.....	37
MEDCHEM18.....	130	MPP100565GSZ.....	13	NITBASL65.....	37
MEDCHEM19.....	130	MSC9941GRA.....	55	NITBASL70.....	37
MEDCHEM20.....	130	MSC097057.....	55	NITBASL75.....	37
MEDCHEM21.....	130	MSC097058.....	55	NITBASL80.....	37
MEDCHEM22.....	130	MSC097062.....	55	NITBASL85.....	37
MEDCHEM23.....	130	MSC097063.....	55	NITBASL90.....	37
MEDCHEM24.....	130	MSC097065.....	55	NITBASL100.....	37
MEDCHEM25.....	130	MSG1055.....	65	NITBNPS60.....	37
MEDCHEM26.....	130	MSG1060.....	65	NITBNPS65.....	37
MEDCHEM27.....	130	MSG1065.....	65	NITBNPS70.....	37
MEDCHEM28.....	130	MSG1070.....	65	NITBNPS75.....	37
MEDCHEM29.....	130	MSG1075.....	65	NITBNPS80.....	37
MEDCHEM30.....	130	MSG1080.....	65	NITBNPS85.....	37
MEDCHEM31.....	130	MSG1085.....	65	NITBNPS90.....	37
MEDCHEM32.....	130	MSG1090.....	65	NITBNPS100.....	37
MEDCHEM33.....	130	MSG1655.....	65	NITBUPS6.....	37

NITBUPS7.....	37	NON25825.....	52	NON204046.....	17
NITBUPS8.....	37	NON26800.....	52	NON243275.....	52
NITBUPS9.....	37	NON26801.....	52	NON243276.....	52
NITBUPS65.....	37	NON26805.....	52	NON243277.....	52
NITBUPS75.....	37	NON26810.....	52	NON247777SCS.....	89
NITBUPS85.....	37	NON26813.....	52	NON290118.....	13
NITSBFAP5055.....	37	NON26820.....	52	NON290124.....	13
NITSBFAP6065.....	37	NON26830.....	52	NON290130.....	13
NITSBFAP7075.....	37	NON26835.....	52	NON290136.....	13
NITSBFAP8085.....	37	NON26871.....	52	NON290145.....	13
NITSBFAP9090.....	37	NON26872.....	52	NON1013604.....	17
NOELR161WWW0.....	88	NON26899.....	52	NONCHD40MC.....	17
NOESSUF191WW0.....	88	NON27110.....	90	NONCHD60HC.....	17
NOESSUF191WW4.....	88	NON27120.....	90	NONCRPXC46XH.....	17
NOESSUF241WW0.....	88	NON27122.....	90	NONCV700L.....	5
NOESSUF241WW4.....	88	NON27145.....	95	NONCV700XL.....	5
NOESSUF281WW0.....	88	NON27145XL.....	95	NONCV700XXL.....	5
NOESSUF281WW4.....	88	NON27150.....	95	NONCV700XXXL.....	5
NON18P2SLEEVE.....	4	NON27150XL.....	95	NONCVP2L.....	5
NON18SLEEVE1.....	4	NON27279OH.....	9	NONCVP2XL.....	5
NON01220P.....	58	NON27279OHTL.....	9	NONCVP2XXL.....	5
NON01820.....	58	NON27279OHTLX.....	9	NONCVP2XXXL.....	5
NON21001.....	112	NON27279OHXL.....	9	NONFRAME.....	89
NON21002.....	112	NON27348P.....	95	NONFS100.....	89
NON21420.....	114	NON27348PXL.....	95	NONFS300.....	89
NON21420H.....	114	NON27361A.....	90	NONFS400.....	89
NON21424.....	114	NON27365.....	90	NONHCR62XC.....	17
NON21424H.....	114	NON27375.....	90	NONHCR3710B.....	17
NON21448.....	114	NON27376.....	90	NONHXR50.....	17
NON21448H.....	114	NON27377.....	90	NONLAB48.....	54
NON022225C.....	17	NON27378.....	90	NONLAB48Z.....	54
NON022231.....	17	NON27378A.....	90	NONLENS.....	89
NON22520.....	113	NON27382.....	90	NONPBM350.....	52
NON22530.....	113	NON27385.....	90	NONPBM800B.....	52
NON22535.....	113	NON27402.....	90	NONPBM800N.....	52
NON22540.....	113	NON27405.....	91	NONPXC46X.....	17
NON22550.....	113	NON27408.....	91	NONSW100L.....	10
NON24506A.....	91	NON27408EL.....	91	NONSW100M.....	10
NON24507.....	91	NON27410.....	91	NONSW100S.....	10
NON24510.....	92	NON27410EL.....	91	NONSW100XL.....	10
NON24510A.....	92	NON27412.....	91	NONSW100XXL.....	10
NON24510B.....	92	NON27412EL.....	91	NONSW100XXXL.....	10
NON24510BTR.....	92	NON27457.....	8	NONSW480L.....	10
NON24510C.....	92	NON27457M.....	8	NONSW480M.....	10
NON24510D.....	92	NON27457XL.....	8	NONSW480XL.....	10
NON24510E.....	92	NON27457XXL.....	8	NONSW480XXL.....	10
NON24510F.....	92	NON27501.....	91	NONSW480XXXL.....	10
NON24770.....	89	NON27600.....	90	NONSW1750L.....	10
NON24774.....	89	NON27710.....	91	NONSW1750M.....	10
NON24775.....	89	NON27710EL.....	91	NONSW1750XL.....	10
NON24776.....	89	NON27712.....	91	NONSW1750XXL.....	10
NON24777V.....	89	NON27712EL.....	91	NONTGG39XH.....	17
NON25208.....	114	NON27800.....	52	NONTGG46XXH.....	17
NON25208H.....	114	NON28800.....	52	NONTGG58XHR.....	17
NON25212.....	114	NON28852.....	95	NONTH350.....	9
NON25212H.....	114	NON28859.....	95	NONTH400.....	9
NON25408.....	114	NON28900.....	52	NONZIP35.....	16
NON25408H.....	114	NON29858.....	95	NONZIP35Z.....	16
NON25412.....	114	NON29859.....	95	NONZIP48.....	16
NON25412H.....	114	NON151212.....	17	NONZIP48Z.....	16
NON25500.....	89	NON152426.....	17	NONZIP58.....	16
NON25600.....	89	NON153044.....	17	NONZIP58H.....	16
NON25815.....	52	NON203143.....	17	NONZIP58Z.....	16



## Item Number Index

NONZIP69.....	16	QORGLC01151.....	28	SMPD2107WL.....	48
NONZIP69H.....	16	QORGLC01185.....	28	SMPD2108.....	48
NONZIP69Z.....	16	QORGLC01217.....	28	SMPD2108R.....	48
NONZIP810.....	16	QORGLC01450.....	28	SMPD21013.....	48
NONZIP810Z.....	16	QORGLC01472.....	28	SMPD21014.....	48
NONZIP912.....	16	QORGLC01504.....	28	SMPD21015.....	48
NONZIP912H.....	16	QORGLC01532.....	28	SMPD21016.....	48
NONZIP912Z.....	16	QORGLC01560.....	28	SMPD21017.....	48
NONZIP1215.....	16	QORGLC01904.....	28	SMPD21017D.....	48
NONZIP1215Z.....	16	QORGLC01926.....	28	SMPD21018A.....	48
NSCB00679WA.....	16	QORGLC01947.....	28	SMPD21018B.....	48
NSCB01009WA.....	16	QORGLC01977.....	28	STAPLER35RB.....	115
NSCB01062WA.....	16	QORGLC02004.....	28	STAPLER35W.....	115
PRM2208.....	114	QORGLC02081.....	29	STAPLER35WPB.....	115
PRM2208Z.....	114	QORGLC02096.....	29	STAPLER35WPX.....	115
PRM4408.....	114	QORGLC02118.....	29	TFEBPC0030.....	30
PRM4408Z.....	114	QORGLC02135.....	29	TFEBPC0060.....	30
PRM4412.....	114	QORGLC02161.....	29	TFEBPC0125.....	30
PRM4412H.....	114	QORGLC02190.....	29	TFEBPC0250.....	30
PRM21208C.....	114	QORGLC05924.....	29	TFEBPC0500.....	30
PRM21208CZ.....	114	QORGLC05941.....	29	TFEBPC1000.....	30
PRM21212C.....	114	QORGLC09083.....	29	TFEBPC2000.....	30
PRM21212CZ.....	114	RP88010.....	91	TFEFBC0125S.....	60
PRM21408C.....	114	RP88020.....	91	TFEFBC0250S.....	60
PRM21408CZ.....	114	RUB9T6600BLA.....	51	TFEFBC0500S.....	60
PRM21412C.....	114	SIQ0K0500901.....	101	TFEFBC1000S.....	60
PRM21412CZ.....	114	SIQ0K0500902.....	101	TFEFBC2000S.....	60
PRO31750.....	63	SIQ146301100.....	101	TFEFBC3000S.....	60
PRO31751.....	63	SIQ146600500.....	101	TFEFPC0125S.....	60
PRO31752.....	63	SIQ503027700.....	101	TFEFPC0250S.....	60
PRO31753.....	63	SIQ503027800.....	101	TFEFPC0500S.....	60
PRO31754.....	63	SIQ503027900.....	101	TFEFPC1000S.....	60
PRO31760.....	62	SIQ503028000.....	101	TFEFPC2000S.....	60
PRO31761.....	62	SIQ503028200.....	101	TFEFPC3000S.....	60
PRO31762.....	62	SIQ503028300.....	101	TFERPC0300.....	30
PRO31763.....	62	SIQ504003900.....	101	TFERPC0500.....	30
PRO31764.....	62	SIQ504023300.....	101	TFERPC1000.....	30
PRO31771.....	62	SIQ504023400.....	101	TPSEBLPR.....	40
PRO31772.....	62	SIQ504023500.....	101	TPSEBLWP.....	40
PRO31773.....	62	SIQ568000100.....	101	TPSEBMPP.....	40
PRO31774.....	62	SIQ580201300.....	101	TPSEBMWP.....	40
PRO31780.....	62	SIQSI0236.....	101	TPSEBXLPR.....	40
PRO31781.....	62	SIQSI0300.....	103	TPSEBXLWP.....	40
PRO31782.....	62	SIQSI0510.....	101	VET3008.....	112
PRO31783.....	62	SIQSI0511.....	101	WCH705.....	66
PRO31784.....	62	SIQSI0564.....	101	WCH705CGNF2X.....	66
PRO31790.....	63	SIQSI0570.....	101	WCH705CGNFL.....	66
PRO31791.....	63	SIQSI2236.....	103	WCH705CGNFM.....	66
PRO31792.....	63	SIQSI3000.....	103	WCH705CGNFXL.....	66
PRO31793.....	63	SIQSI3236.....	103	WCH705XL.....	66
PRO31794.....	63	SIQSIH506.....	101	WCH70514Z.....	66
QNG1426100.....	93	SIQSIH512.....	101	WCH86525LPK.....	66
QNG1426200.....	93	SIQSIH524.....	101	WCH86525MPK.....	66
QNG1426300.....	93	SIQSIV203.....	101	WCH86525XLPK.....	66
QOR235259.....	29	SIQSIV206.....	101	WCHJ1017RF.....	66
QOR235260.....	29	SIQSIV209.....	101	WCHJ1027RF.....	66
QOR235261.....	29	SIQSIV506.....	101	WCHJ1047RF.....	66
QOR235262.....	29	SIQSIV512.....	101	WCHJ1087RF.....	66
QOR235263.....	29	SIQSIV524.....	101		
QOR235265.....	29	SIQSIV525.....	101		
QOR235267.....	29	SMP4762.....	67		
QORGLC01099.....	28	SMP4763.....	67		
QORGLC01123.....	28	SMPD2107.....	48		

**A**

A3M™  
 6000-series Facepieces, 93  
 Cartridges, 93  
 Earplugs, 93  
 Facepieces, 93  
 Respirators, 92, 93

A&D  
 Analytical, 19  
 Gemini Balances, 19  
 GF Balances, 18  
 Top-loaders, 18

Alpha Pro Tech  
 AquaTrak® Shoe Covers, 96  
 Boot Covers, 97  
 MaxGrip® Shoe Covers, 96  
 Shoe Covers, 96  
 SureGrip™ Shoe Covers, 96  
 UltraGrip™ Boot Covers, 97  
 UltraGrip™ Shoe Covers, 96

Alpha ProTech  
 Coveralls, 5

Amber Bottles, 29

Ampoule Breaker, 94

Analytical Balances, 19

Ankle Covers, 95

Apparel  
 Coveralls, 5  
 Gowns, 8, 9  
 Gowns, Surgical, 6, 7  
 Jackets, 10  
 Lab Coats, 10, 11  
 Scrubs, 11  
 Sleeves, 4  
 Surgical Gowns, 6, 7

Autoclave Bags, 15

Autoclave Pouches, 13

Autoclave Supplies  
 Autoclave Tape, 12  
 Bags, 15  
 Deodorant Pads, 12  
 Gloves, 12  
 Pouches, 13  
 Sterilization Indicators, 12  
 Tape, autoclave, 12  
 Wrap, 13, 14

Autoclave Tape, 12

Autoclave Wrap, 13, 14

**B**

Baffled Flasks, 60

Bags, 15, 16, 17

Balances, 18, 19  
 Weighing Dishes, 50

Bandages, 89

Baths, Constant Temperature, 20

Batteries, 51

BD Blood Collection  
 Microtainer Blood Tubes, 24  
 Needle, 24  
 Tubes, 24  
 Vacutainer® Blood Collection Set, 24  
 Vacutainer® Blood Tubes, 24

Beaker Bottles, 28

Beakers, 21, 22

Bel-Art  
 Autoclave Bags, 15  
 Autoclave Gloves, 12  
 Autoclave supplies, 12  
 Bench Liner, 58  
 Biohazard Bags, 15  
 Carboys, 33  
 Clavies, 15  
 Deodorant Pads, 12  
 Desiccators, 44, 45, 46, 47  
 Egg-Shaped Spinbar®, 104  
 Gloves, Autoclave, 12  
 Hand Protector, 94  
 Hot Hand®, 94  
 Ice Bucket, 98  
 Labeling Tape, 99  
 Labmat, 58  
 Magic Touch, 98  
 Micro Spoon, 102  
 Octagonal Spinbar®, 105  
 Pipettors, 83  
 Polygon Spinbar®, 105  
 Racks, 86  
 Rare Earth Spinbar®, 104  
 Spatula, 102  
 Spinbar®, 104, 105, 106  
 Stir Bar Restrainer, 106  
 Stir Bars, 104, 105, 106  
 Vikem® Rings, 20  
 Wash Bottles, 31, 32

Bench Liner, 58

Berkshire Wipers, 38, 39

Bevel Needles, 76

Biohazard bags, 15

Biopsy Pads, 67

Blades, 107

Blood Collection  
 Bandages, 89  
 BD Blood Collection Set, 24  
 BD Blood Tubes, 24  
 BD Needle, 24  
 Capillary Tubes, 23  
 Micro Tubes, 24

Boot Covers, 95, 97

Bottles  
 Amber, 29  
 Glass, 28, 29  
 Media, 29, 30

Plastic, 25, 26, 27, 30  
 Wash, 31, 32

Bouffant Caps, 94

Boxes, 41, 74

Brushes, 57

**C**

Capillary Tubes, 23

Caps, Test Tubes, 128

Carboys, 33

Carts, 51

Cassettes, 68, 70

Cell Disruptor, 101

Cell Spreaders, 71

Centrifuge  
 Tubes, 120, 121, 122, 123, 124

Centrifuges  
 Eppendorf, 34, 35, 36  
 Mini, 33

Chemicals, 130

Cleaning Agent, 56

Cleaning Brushes, 57

Cleanroom/  
 Controlled Environment  
 Sleeves, 4

Cleanroom/Controlled Environment  
 Alpha Pro Tech, 96, 97  
 Ankle Covers, 95  
 Boot Covers, 95, 97  
 Bouffant Caps, 94  
 DuPont® Boot Covers, 97  
 DuPont® Shoe Covers, 97  
 Gloves, 37  
 Gowns, 7  
 Mats, 40  
 Nitritex Gloves, 37  
 Shoe Covers, 95, 96, 97  
 Tyvek®, 97  
 Wipers, 38, 39

Cleanroom Gloves, 37

Cleanroom Wipers, 38, 39

Clear Drapes, 111

Coats, Lab, 10, 11

Contact Plate, 48

Cotton Gloves, 66

Coveralls, 5

Cover Glasses, 75

Cover Slips, 75

Cryogenic Supplies  
 Boxes, 41  
 Cardboard Storage Boxes, 41  
 Gloves, 40  
 Plastic Tube Boxes, 41  
 Tubes, 42

Cryo-Gloves, 40

Culture Dishes, 48

Culture Tubes, 125, 126, 127  
 CURAD®  
     Bandages, 89  
 Cut-Resistant Gloves, 66  
 Cutting Boards, 67  
 Cylinders, 43

## D

Deodorant Pads, 12  
 Desiccant, 46  
 Desiccators  
     Desiccant, 46  
     Gas-Ported, 46, 47  
     Standard, 44  
     Vacuum, 45, 46  
 Detergents, 56  
 Digital Thermometers, 118  
 Dishes  
     Culture, 48  
     Petri, 48  
     Weigh, 50  
 Dissection Supplies  
     Blades, 107  
     Drapes, 111, 112  
     Forceps, 109, 110  
     Instruments, 109, 110  
     Scalpels, 108  
     Scissors, 109, 110  
     Skin Markers, 110  
     Tweezers, 109  
 Draining Rack, 87  
 Drapes, 111, 112, 113  
 Dropper Pipettes, 84  
 Drying Rack, 87  
 DuPont®, 4  
     Boot Covers, 97  
     IsoClean® Covers, 97  
     IsoClean™, 4  
     Shoe Covers, 97  
     Sleeve Covers, 4  
     Tyvek®, 97  
 DURAC® Stopwatches, 119  
 DURAC® Thermometers, 118  
 DURAC® Timers, 119

## E

Earplugs, 93  
 Eppendorf  
     Centrifuges, 34, 36  
     Combitips, 78  
     Pipette Tips, 80  
     Pipettors, 79  
     Repeater Plus®, 78  
     Research® Plus Pipettors, 79  
 Erlenmeyer Flasks, 59

Ethicon® Sutures, 115  
 Exam Gloves, 62, 63  
 Eyewear, 89

## F

Face Masks, 90, 91  
 Facepieces, 93  
 Face Shield, 89  
 Facilities  
     3M™ Earplugs, 93  
     3M™ Facepieces, 93  
     3M™ Respirators, 92, 93  
     Alpha Pro Tech, 96, 97  
     Ankle Covers, 95  
     Bags, 17  
     Bandages, 89  
     Batteries, 51  
     Bench Liner, 58  
     Boot Covers, 95, 97  
     Bouffant Caps, 94  
     Brushes, 57  
     Carts, 51  
     Detergents, 56  
     Disinfectants, 56  
     Drying Rack, 87  
     DuPont® Boot Covers, 97  
     DuPont® Shoe Covers, 97  
     Earplugs, 93  
     Eye Protection, 89, 91  
     Face Protection, 89, 90, 91  
     Freezers, 88  
     Liner, 58  
     Mats, 40  
     N95 Fit Test, 92  
     N95 Respirators, 91, 92  
     Paper Products, 52, 53, 54  
     Refrigerators, 88  
     Sanitizer, 55  
     Shoe Covers, 95, 96, 97  
     Soap, 55  
     Sticky Mats, 40  
     Surgical Scrub, 55  
     Tissue, 52, 53, 54  
     Toilet Paper, 52  
     Towels, 52, 53, 54, 114  
     Trash Bags, 17  
     Wipers, 54  
 Fenestrated Drapes, 112  
 Film, 58  
 Fit Test, N95, 92  
 Flasks, 59, 60, 61  
 Floating Racks, 86  
 Forceps, 109, 110  
 Freezer Bags, 16  
 Freezers, 88  
 Freezer Thermometer, 118  
 FRIO-Temp® Thermometers, 116

Funnels, 61

## G

Gas-Ported Desiccators, 46, 47  
 Gauze, 114  
 Glassware  
     Amber, 29  
     Beakers, 21  
     Bottles, 28, 29, 30  
     Cylinders, 43  
     Flasks, 59, 61  
     Kimax, 21, 59  
     Kimax®, 43  
     Kimble, 129  
     Media Bottles, 29, 30  
     Vials, 129  
 Glove Liners, 66  
 Gloves  
     Autoclave, 12  
     Chemical-Resistant, 66  
     Cleanroom, 37  
     Cotton, 66  
     Cryogenics, 40  
     Cut-Resistant, 66  
     Exam, 62, 63  
     Holders, 63  
     Latex, 37, 62, 64  
     Latex-Free, 62, 63  
     Liners, 66  
     Medline Professional™, 62, 63  
     Nitrile, 37, 63  
     Polychloroprene, 37, 65  
     Polyisoprene, 65  
     PVC, 66  
     Safety, 66  
     Surgical, 64, 65  
     Neolon® 2G, 65  
     Tradition™, 65  
     Surgical Gloves  
         Signature Glide®, 64  
         Triumph® Ortho, 64  
 Goggles, 89  
 Gowns, 8, 9  
 Gowns, Surgical, 6, 7  
 Graduated Cylinders, 43  
 Griffin Beakers, 21, 22  
 Grip Racks, 87

## H

Hand Mitt, 94  
 Hand Protector, 94  
 Hand Soap, 55  
 H-B  
     Stopwatches, 119  
     Thermometers, 116, 117, 118

Timers, 119  
 Head Covering, 94  
 Hematology Supplies  
   BD Blood Collection, 24  
   BD Blood Tubes, 24  
   BD Needle, 24  
   Capillary Tubes, 23  
 Hemostat Forceps, 110  
 Histology  
   Biopsy Pads, 67  
   Cassettes, 68, 70  
   Cutting Boards, 67  
 Hot Hand® Protector, 94  
 Hot Plate, 70

**I**  
 Ice Bucket, 98  
 Immersion Thermometers, 117  
 Incise Drapes, 111  
 Indicators, Sterilization, 12  
 Inoculation Loop, 71  
 Instruments, Surgical, 109, 110

**J**  
 Jackets, 10

**K**  
 Kimax®  
   Beakers, 21  
   Cylinders, 43  
   Flasks, 59, 61  
 Kimberly-Clark  
   Kimwipes®, 54  
   Task Wipers, 54  
   Wipers, 53  
   Wypall®, 53  
 Kimble  
   Vials, 129  
 Kimwipes®, 54

**L**  
 LABboards Cutting Boards, 67  
 Lab Coats, 10, 11  
 Labeling Tape, 99  
 Labmat Bench Liners, 58  
 Labware  
   Amber, 29  
   Ampoule Breaker, 94  
   Beakers, 21, 22, 28  
   Boston Round, 28  
   Bottles, 25, 26, 27, 28, 29, 30  
   Carboys, 33  
   Centrifuge Tubes, 121, 122, 123, 124

Culture Tubes, 125, 126, 127  
 Cylinders, 43  
 Deep-Well Plates, 72  
 Dishes, 48  
 Face Masks, 91  
 Face Shield, 89, 91  
 Flasks, 59, 60, 61  
 Floating Racks, 86  
 Funnels, 61  
 Glass Beakers, 21  
 Glass Bottles, 28, 29  
 Glove Holders, 63  
 Goggles, 89  
 Grip Racks, 87  
 Hot Hand®, 94  
 Ice Bucket, 98  
 Ice Pan, 98  
 Kimax®, 21  
 Labeling Tape, 99  
 Markers, 100  
 Media Bottles, 29, 30  
 Microcentrifuge Tubes, 120  
 Microtubes, 120  
 Microwell Plates, 72  
 Pipette Tips, 80, 81  
 Plastic Beakers, 21, 22  
 Plastic Bottles, 25, 26, 27, 30  
 Qorpak Bottles, 28, 29  
 Racks, 86, 87  
 Round Bottles, 25, 26, 27, 28  
 Safety Glasses, 89  
 Sharps Containers, 77  
 Simport, 48, 72  
 Spatula, 102  
 Square Bottles, 25  
 Stainless Steel Racks, 87  
 Stir Bar Restrainer, 106  
 Stir Bars, 104, 105, 106  
 Tape, 99  
 Test Tube Caps, 128  
 Test Tube Racks, 86  
 Test Tubes, 125, 126, 127  
 TriForest Bottles, 30  
 Vials, 129  
 Wash Bottles, 31, 32

Labwear  
   Tubes, 42  
 Latex Gloves, 63, 64  
 Lead Rings, 20  
 Liners, 58

**M**  
 Magic Touch™ Ice Buckets and Pans, 98  
 Magnetic Stir Bars, 106  
 Magnetic Stirrers, 103  
 Magnetic Stirring Bars, 104, 105

Markers, 100, 110  
 Masks, 90, 91, 92, 93  
 Mats, Sticky, 40  
 Medline, 4  
   Ankle Covers, 95  
   Autoclave Tape, 12  
   Bags, 16, 17  
   Batteries, 51  
   Bench Liner, 58  
   Blades, 107  
   Boot Covers, 95  
   Bouffant Caps, 94  
   Brushes, 57  
   Coveralls, 5  
   Detergents, 56  
   Disinfectants, 56  
   Drapes, 111, 112, 113  
   Exam Gloves, 62, 63  
   Eyewear, 89  
   Face Masks, 90, 91  
   Face Shield, 89, 91  
   Forceps, 109, 110  
   Gauze, 114  
   Gowns, 8, 9  
   Gowns, Surgical, 6, 7  
   Indicators, Sterilization, 12  
   Instruments, 109, 110  
   Jackets, 10, 11  
   Lab Coats, 10, 11  
   Labeling Tape, 99  
   Markers, 100  
   Masks, 91  
   N95 Fit Test, 92  
   N95 Respirators, 91  
   Paper Products, 52  
   Sanitizer, 55  
   Scalpels, 108  
   Scissors, 109, 110  
   Scrubs, 11  
   Shoe Covers, 95  
   Skin Markers, 110  
   Skin Staplers, 115  
   Sleeves, 4  
   Soap, 55  
   Specimen Containers, 100  
   Sterilization Pouches, 13  
   Sterilization Wrap, 13, 14  
   Stockinettes, 113  
   Surgical Blades, 107  
   Surgical Gloves, 64, 65  
   Surgical Gowns, 6, 7  
   Surgical Scrub, 55  
   Towels, 114  
   Tweezers, 109, 110  
   Wipers, 54  
 Medline Professional™  
   Gloves



Latex, 63  
 Latex-Free, 62, 63  
 Micro-Adson Forcep, 110  
 Microbiology Supplies  
     Loops, 71  
     Needles, 71  
     Spreaders, 71  
 Microcentrifuge Racks, 86  
 Microcentrifuge Tubes, 120  
 MicroPipettors, 79  
 Micro Plates, 72  
 Microscope Slides, 73, 74  
 Microscopy  
     Boxes, 74  
     Cover Glasses, 75  
     Cover Slips, 75  
     Slide Boxes, 74  
     Slides, 73, 74  
 Microtainer® Tubes, 24  
 Microtubes, 120  
 Microwell Plates, 72  
 Mini Centrifuge, 33  
 Mixer, 101  
 MultiChannel Pipettor, 79

## N

N95 Respirators, 91, 92  
 Narrow-Mouth Bottles, 27  
 Narrow-Neck Bottles, 27  
 Needle and Syringe Sets, 77  
 Needles, 76  
 Nitrile Gloves, 62  
 Nitritex Gloves, 37  
 Nor-Lake®  
     Freezers, 88  
     Refrigerators, 88

## P

Pans, 98  
 Paper Goods, 54, 58  
 Paper Products, 52, 53  
 Parafilm, 58  
 Petri Dishes, 48  
 Pipette Pump, 83  
 Pipettes, 82, 84  
 Pipette Tips, 80, 81  
 Pipettors, 78, 79, 83  
 Plasticware  
     Beakers, 21, 22  
     Bottles, 25, 26, 27, 31, 32  
     Carboys, 33  
     Cylinders, 43  
     Flasks, 60  
     Funnels, 61  
     Wash Bottles, 31, 32

Plates  
     Microwell, 72  
 Polychloroprene Gloves, 65  
 Polyisoprene Gloves, 65  
 Pouches, Autoclave, 13  
 PVC Gloves, 66

## Q

Qorpak Bottles, 28, 29

## R

Racks  
     Draining, 87  
     Drying, 87  
     Grip, 87  
     Microcentrifuge, 86  
     Stainless Steel, 87  
     Test Tube, 86, 87  
     Wall-mount, 87  
     Water Bath, 86  
 Reagents, 130  
 Reflective Gloves, 66  
 Refrigerators, 88  
 Refrigerator Thermometers, 116, 118  
 Repeat Pipettors, 78  
 Respirators, 92, 93  
 Rubbermaid Carts, 51

## S

Safety  
     3M™ Cartridges, 93  
     3M™ Earplugs, 93  
     3M™ Respirators, 92, 93  
     Alpha Pro Tech, 96, 97  
     Ampoule Breaker, 94  
     Ankle Covers, 95  
     Bandages, 89  
     Boot Covers, 95, 97  
     Bouffant Caps, 94  
     Cut-Resistant Gloves, 66  
     DuPont® Boot Covers, 97  
     DuPont® Shoe Covers, 97  
     Earplugs, 93  
     Eyewear, 89  
     Face Masks, 90, 91  
     Face Shield, 89, 91  
     Gloves, 62, 66  
     Goggles, 89  
     Hand Protector, 94  
     Masks, 90, 91  
     N95 Respirators, 91, 92  
     Shoe Covers, 95, 96  
     Tyvek®, 97  
     Visitor Glasses, 89  
 Sample Preparation  
     Cutting Boards, 67  
     Ice Buckets, 98  
     Labeling Tape, 99  
     Markers, 100  
     Spatula, 102  
     Specimen Containers, 100  
 Sample Vials, 129  
 Sampling  
     Bags, 16  
 Sanitizer, 55  
 Scalpels, 108  
 Scientific Industries  
     MagStir Genie®, 103  
     MegaMag Genie®, 103  
     MultiMagStir  
         Genie®, 103  
     Stirrers, 103  
     Vortex-Genie®, 101  
 Scintillation Vials, 129  
 Scissors, 58, 109, 110  
 Scrubs, 11  
 Secador® Desiccators, 47  
 Secador® Techni-Dome Desiccator, 46  
 Secureline® Markers, 100  
 Self-Standing Centrifuge Tubes, 124  
 SensiCare®  
     Gloves  
         Surgical, 65  
 Serological Pipettes, 82  
 Serological Pipettors, 83  
 Shaker, 101  
 Shaker Flasks, 60  
 Sharps Containers, 77  
 Shoe Covers, 95, 96  
 Simport  
     BioBlock™, 72  
     Cassettes, 68, 70  
     Culture Dishes, 48  
     Deep-Well Plates, 72  
     Dishes, 48  
     Histology, 68, 70  
     Petri Dishes, 48  
     Plates, 72  
 Single-Channel Pipettor, 79  
 Skin Markers, 110  
 Skin Staplers, 115  
 Sleeve Covers, 4  
 Sleeves, 4  
 Slides, 73, 74  
 Slide Storage Boxes, 74  
 Spatula, 102  
 Specimen Containers, 100, 123  
 Specimen Container, Tubes, 128  
 Spinbar®, 104, 105, 106  
 Stainless Steel Racks, 87  
 Sterilization Pouches, 13

Sterilization Wrap, 13, 14  
 Sterillium® Hand Sanitizer and Surgical  
     Scrub, 55  
 Sticky Mats, 40  
 Stir Bar Restrainer, 106  
 Stir Bars, 104, 105, 106  
 Stirrer, 70  
 Stirrers, 103  
 Stockinettes, 113  
 Stopwatches, 119  
 Surgical Blades, 107  
 Surgical Gloves, 64, 65  
     Neolon® 2G, 65  
     SensiCare®, 65  
     Signature Glide®, 64  
     Tradition™, 65  
     Triumph®, 64  
     Triumph® Ortho with Aloe, 64  
 Surgical Gowns, 6, 7  
 Surgical Scrub, 55  
 Surgical Supplies  
     Blades, 107  
     Drapes, 111, 112, 113  
     Forceps, 109, 110  
     Gauze, 114  
     Gloves, 64, 65  
     Instruments, 109, 110  
     Markers, 110  
     Scalpels, 108  
     Scissors, 109, 110  
     Skin Markers, 110  
     Skin Staplers, 115  
     Stockinettes, 113  
     Sutures, 115  
     Towels, 114  
     Tweezers, 109  
 Sutures, 115  
 Switch Safety Scalpel, 108  
 Syringes, 76

## T

Tape, 99  
 Tape, Autoclave, 12  
 Test Tube Caps, 128  
 Test Tube Racks, 86  
 Thermometers, 116, 117, 118  
 Timers, 119  
 Top-loader Balances, 18  
 Towels, 52, 53, 54, 114  
 Transfer Pipettes, 84  
 Transport Tubes, 128  
 Trash bags, 17  
 Tri-Corner Beakers, 21  
 TriForest Bottles, 30  
 TriForest Flasks, 60  
 Tubes

Caps, 128  
 Centrifuge, 121, 122, 123, 124  
 Cryogenic, 42  
 Culture, 125, 126, 127  
 Glass, 126  
 Microcentrifuge, 120  
 Plastic, 42, 120, 121, 122, 123, 124, 125,  
     127, 128  
 Self-Standing, 124  
 Test, 125, 126, 127  
 Transport, 128  
 Tweezers, 109  
 Tyvek® Boot Covers, 97  
 Tyvek® Shoe Covers, 97

## U

Ultrasonic Cleaning Agent, 56

## V

Vacutainer® Blood Collection Set, 24  
 Vacutainer® Tubes, 24  
 Vacuum Desiccators, 45, 46  
 Vials  
     Sample, 129  
 Vikem® Lead Rings, 20  
 Visitor Glasses, 89  
 Volumetric Flasks, 61  
 Vortex-Genie®, 101

## W

Water Bath, 20  
 Water Bath Racks, 86  
 Water Bath Rings, 20  
 Weigh Boats, 50  
 Whirl-Pak® Bags, 16  
 Wide-Mouth Bottles, 25, 26  
 Wipers, 53, 54  
 Wipers, Cleanroom, 38, 39  
 Wipers, Delicate, 54  
 Wrap, Autoclave, 13, 14  
 Write-On Label Tape, 99  
 Wypall® Wipers, 53

3M is a registered trademark of 3M Company

AngelStat is a registered trademark of Medline Industries, Inc.

Aqua Trak is a registered trademark of Alpha Pro Tech, Inc.

Aurora and Prevention Plus are trademarks and Sirius and Thumbs Up are registered trademarks of Medline Industries, Inc.

BioBlock is a trademark of Les Plastiques Simport Ltee Corporation

Boundary is a registered trademark of Medline Industries, Inc.

CHOICE is a registered trademark of Berkshire Corporation

Clavies is a registered trademark of Bel-Art Products

Combitips Advanced is a trademark of Eppendorf AG aktiengesellschaft

ComforTech is a registered trademark of Alpha Pro Tech, Inc.

CoolFlow is a trademark of 3M Company

Critical Cover is a registered trademark of Alpha Pro Tech, Inc.

Cryo-Gloves is a registered trademark of Tempshield, Inc.

CURAD is a registered trademark of Medline Industries, Inc.

Desi Can is a registered trademark of Sud-Chemie, Inc.

Dry-Keeper is a trademark of Bel-Art Products

DuoCAP is a registered trademark of Steve Lin

DuPont is a registered trademark of E. I. du Pont de Nemours and Company

DURAC is a registered trademark of Bel-Art Products

Durastar is a registered trademark of Eastman Chemical Company

DURX is a registered trademark of Berkshire Corporation

E-A-R is a registered trademark of 3M Company

Eclipse is a registered trademark of Medline Industries, Inc.

EcoClean is a registered trademark of Berkshire Corporation Delaware

EnviroKleen is trademark of Bel-Art Products

Enviro-Safe is a registered trademark of Bel-Art Products

Eppendorf and Eppendorf Biopur are registered trademarks of Eppendorf AG Joint Stock Company

Eppendorf Research is a registered trademark of Eppendorf AG Joint Stock Company

Ethicon is a registered trademark of Johnson & Johnson Corporation

Ethicon Excel is a trademark of Johnson & Johnson Corporation

Fluo-Kem is a registered trademark of Bel-Art Products

FRIO-Temp is a registered trademark of Bel-Art Products

Gamma Wipe is a registered trademark of Berkshire Corporation

greensmart is a registered trademark of Medline Industries, Inc.

Harleco is a registered trademark of Merck KGAA

Histobond and Unimark are registered trademarks of Paul Marienfeld GmbH & Co.

Histosette is a registered trademark of Les Plastiques Simport Ltee Corporation

Hot Hand is a registered trademark of Bel-Art Products

IsoClean is a trademark of E. I. du Pont de Nemours and Company

Kimax is a registered trademark of Gerresheimer Glass Inc.

Kimwipes is a registered trademark of Kimberly-Clark Corporation

Labmat is a trademark of Bel-Art Products

Lexan is a registered trademark of Sabic Innovative Plastics

Magic Touch is a registered trademark of Bel-Art Products

MaxGrip is a registered trademark of Alpha Pro Tech, Inc.

MagStir Genie and Vortex-Genie is a registered trademark of Scientific Industries Inc.

Medline Professional is a trademark and Neolon, SensiCare, Signature Glide and Triumph are registered trademarks of Medline Industries, Inc.

Meritz is a registered trademark of Medline Industries, Inc.

Microbreathe is a trademark and BarrierTech is a registered trademark of Alpha Pro Tech, Inc.

Micromesh is a trademark of Bel-Art Products

MicroSeal is a registered trademark of Berkshire Corporation

MicroSeal SuperSorb is a registered trademark of Berkshire Corporation

Microtainer is a registered trademark of Becton, Dickinson and Company

Mylar is a registered trademark of Dupont Teijin Films

Natrasorb is a registered trademark of Multisorb Technologies, Inc.

NORLAKE is a registered trademark of Nor-Lake, Incorporated

Odo-Clave is a registered trademark of Bel-Art Products

OptiBowl is a registered trademark of Eppendorf AG Joint Stock Company

Parafilm is a registered trademark of Bemis Company, Inc.

PDS is a trademark of Johnson & Johnson Corporation

Pop-Up and Wypall are registered trademarks of Kimberly Worldwide, Inc.

PrepSafe is a trademark of Bel-Art Products

Pro Series is a trademark of West Chester Holdings, Inc.

Prolene is a trademark of Johnson & Johnson Corporation

Push-Ins is a trademark of 3M Company

Qorpak is a registered trademark of All-Pak, LLC

Safety-Lok is a registered trademark of Becton, Dickinson and Company

SATPAX is a registered trademark of Berkshire Corporation

Scienceware is a registered trademark of Bel-Art Products

Secador is a registered trademark of Bel-Art Products

Skintegrity is a registered trademark of Medline Industries, Inc.

Spinbar is a registered trademark of Bel-Art Products

Spinpak is a registered trademark of Bel-Art Products

Sterillium and Sterillium Comfort Gel are registered trademarks of Bode Chemie GmbH Limited Liability Company

Swingsette is a trademark of Les Plastiques Simport Ltee Corporation

Teflon is a registered trademark of E. I. du Pont de Nemours and Company

Tradition is a trademark of Medline Industries, Inc.

Tyvek is a registered trademark of E. I. du Pont de Nemours and Company

UltraGrip is trademark of Alpha Pro Tech, Inc.

Unisette is a trademark of Les Plastiques Simport Ltee Corporation

BD Vacutainer is a registered trademark of Becton, Dickinson and Company


Vikem is a registered trademark of Bel-Art Products

Whirl-Pak is a registered trademark of The Aristotle Corporation

Write-On is a trademark of Bel-Art Products

Zone Defense is a registered trademark of West Chester Holdings, Inc.





# Medline.com/science

## It's Medline.com for Medline.you

New products and interesting content are always popping up on Medline.com/science. It's a fast, eco-friendly way to keep this catalog updated and stay in touch with you. You'll want to make a bookmark and check back often.

We're here to support you in all the important work you do. Let us know how we can help.

**CALL** 1-877-540-1289 | **CLICK** [medline.com/science](http://medline.com/science) | **CONNECT** [ScientificService@medline.com](mailto:ScientificService@medline.com)



**Medline Industries, Inc.**  
One Medline Place  
Mundelein, IL 60060

**Medline United States**  
**1-877-540-1289**

[www.medline.com](http://www.medline.com) | [info@medline.com](mailto:info@medline.com)

**Medline Canada**  
**1-800-396-6996**

[www.medline.ca](http://www.medline.ca) | [canada@medline.com](mailto:canada@medline.com)

**Medline México**  
**01-800-831-0898**

[www.medlinemexico.com](http://www.medlinemexico.com) | [mexico@medline.com](mailto:mexico@medline.com)

We have taken steps to ensure that our business is run in a manner that contributes to the global effort to protect our environment. This catalog was printed in the United States with 10% post consumer waste (PCW) certified for responsibility and environmentally friendly ink.

Medline is a registered trademark of Medline Industries, Inc.

Some products may not be available for sale in Mexico or Canada. We reserve the right to correct any errors that may occur within this brochure.

©2013 Medline Industries, Inc. MKT1327518 / LIT1016 / 5M / WC / 26