

HPD UNIQUE IDENTIFIER: 24998

CLASSIFICATION: 08 71 00 Door Hardware

PRODUCT DESCRIPTION: Ives offers a variety of architectural hinges that will cover any need in residential and commercial applications while also exceeding code requirements. It is important to consider the door width, thickness, weight and clearance when choosing a hinge. With tested durability and consistent superior performance, Ives architectural hinges get the job done.

Section 1: Summary

Basic Method / Product Threshold

Inventory Reporting Format	Threshold level	Residuals/Impurities	
<input type="radio"/> Nested Materials Method	<input checked="" type="radio"/> 100 ppm	<input checked="" type="radio"/> Considered	<i>All Substances Above the Threshold Indicated Are:</i>
<input checked="" type="radio"/> Basic Method	<input type="radio"/> 1,000 ppm	<input type="radio"/> Partially Considered	Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	<input type="radio"/> Not Considered	% weight and role provided for all substances.
<input type="radio"/> Material	<input type="radio"/> Other	Explanation(s) provided for Residuals/Impurities?	Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	<i>All substances screened using Priority Hazard Lists with results disclosed.</i>
			Identified <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
			<i>All substances disclosed by Name (Specific or Generic) and Identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | **SUBSTANCE** | *RESIDUAL OR IMPURITY*

GREENSCREEN SCORE | HAZARD TYPE

IVES ARCHITECTURAL HINGES [**IRON** **LT-P1** | END **DISTILLATES (PETROLEUM)**, **HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI)**, **CONTAINING LESS THAN 3% DMSO AS MEASURED BY IP 346** **LT-P1** | PBT | CAN **MANGANESE** **LT-P1** | END | MUL | REP **CARBON** **LT-UNK** **ALUMINUM** **BM-1** | END | RES | PHY **PHOSPHORUS** **BM-2** | MAM | PHY **SULFUR** **LT-UNK** | SKI **CHROMIUM** **LT-P1** | END | SKI | RES **NICKEL** **LT-1** | CAN | RES | MAM | MUL | SKI **NITROGEN** **NoGS**]

INVENTORY AND SCREENING NOTES:

Inventory is based on unfinished steel and stainless options of Allegion's Architectural hinge offering.

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE

See Section 3 for additional listings.

VOC emissions: Inherently non-emitting source per LEED

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2021-06-04
<input type="radio"/> Yes	VERIFIER:	PUBLISHED DATE: 2021-06-04
<input checked="" type="radio"/> No	VERIFICATION #:	EXPIRY DATE: 2024-06-04

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

IVES ARCHITECTURAL HINGES

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Impurities in metal alloy and grease application rates are considered.

OTHER PRODUCT NOTES:

IRON ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-06-04 17:19:56

%: 71.3000 - 99.6000 GS: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown. Given ranges are due to metal alloy options used for the product and variations in hinge styles.

DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI), CONTAINING LESS THAN 3% DMSO AS MEASURED BY IP 346 ID: 64742-52-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-06-04 17:19:56

%: 0.8000 - 0.9000 GS: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Lubricant

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans
CAN	GHS - Australia	H350 - May cause cancer

SUBSTANCE NOTES: Range based on the composition of hinge types and application rate.

MANGANESE ID: 7439-96-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-06-04 17:19:57

%: 0.2500 - 1.2500 GS: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown. Given ranges are due to metal alloy options used for the product and variations in hinge styles.

CARBON

ID: 7440-44-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-04 17:19:57		
%: 0.0500 - 1.0000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown. Given ranges are due to metal alloy options used for the product and variations in hinge styles.

ALUMINUM

ID: 7429-90-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-04 17:19:58		
%: 0.0400 - 0.0400	GS: BM-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
PHY	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases		
PHY	EU - GHS (H-Statements)	H228 - Flammable solid		

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown. Given ranges are due to metal alloy options used for the product and variations in hinge styles.

PHOSPHORUS

ID: 7723-14-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-04 17:19:58		
%: 0.0200 - 0.0300	GS: BM-2	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances		
PHY	EU - GHS (H-Statements)	H228 - Flammable solid		

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown. Given ranges are due to metal alloy options used for the product and variations in hinge styles.

SULFUR				ID: 7704-34-9	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library				HAZARD SCREENING DATE: 2021-06-04 17:19:59	
%: 0.0000 - 0.0200		GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
SKI	EU - GHS (H-Statements)		H315 - Causes skin irritation		
SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown. Given ranges are due to metal alloy options used for the product and variations in hinge styles.					

CHROMIUM

ID: 7440-47-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-04 17:19:59		
%: 0.0000 - 20.0000	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization		
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown. Given ranges are due to metal alloy options used for the product and variations in hinge styles.				

NICKEL			ID: 7440-02-0		
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2021-06-04 17:19:59		
%: 0.0000 - 8.5000		GS: LT-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
MAM	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown. Given ranges are due to metal alloy options used for the product and variations in hinge styles.

NITROGEN

ID: 7727-37-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-04 17:20:00		
%: 0.0000 - 0.0400	GS: NoGS	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Due to the commodity nature of steel, the status of recycled content is unknown. Given ranges are due to metal alloy options used for the product and variations in hinge styles.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Inherently non-emitting source per LEED		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2021-06-	EXPIRY DATE:	CERTIFIER OR LAB: N/A
APPLICABLE FACILITIES: N/A	04		
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES:			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Scope of inventory include Ives Architectural Hinges made of steel or stainless steel.

MANUFACTURER INFORMATION

MANUFACTURER: Allegion
ADDRESS: 2720 Tobey Dr.
 Indianapolis IN 46219, USA
WEBSITE:
<https://us.allegion.com/en/home/products/brands/ives.html>

CONTACT NAME: Tim Weller
TITLE: Manager of Codes, Standards and Sustainability
PHONE: 317-810-3751
EMAIL: Tim.Weller@allegion.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.