

使用指南
User manual
說明書

4000
4000

DX5

TOPPING™

简体中文

感谢您购买和使用了这款耳机。本产品为高品质音频设备，旨在为您提供最佳音质。请仔细阅读本使用指南，以便正确使用和保养您的耳机。如有任何疑问，请访问我们的官方网站或联系客户支持。


规格

Table with 2 columns: Item and Specification. Includes USB cable, 3.5mm audio cable, and accessories.

产品基本资料


Table with 2 columns: Model and Description. Lists product models like Topping DX5 and their descriptions.

Table with 2 columns: Port Name and Description. Lists ports like USB Type-C, 3.5mm, and Optical.



2.6 USB输入

2.7 外接输入
2.8 外接输出
2.9 外接输入
2.10 外接输出



图例说明

4.1 耳机
4.2 耳机插孔
4.3 耳机插孔
4.4 耳机插孔
4.5 耳机插孔
4.6 耳机插孔
4.7 耳机插孔
4.8 耳机插孔
4.9 耳机插孔
4.10 耳机插孔
4.11 耳机插孔
4.12 耳机插孔
4.13 耳机插孔

参数

Table with 2 columns: Parameter and Value. Lists technical specifications such as frequency response and impedance.

图例说明

1. 耳机插孔
2. 耳机插孔
3. 耳机插孔
4. 耳机插孔
5. 耳机插孔
6. 耳机插孔
7. 耳机插孔
8. 耳机插孔
9. 耳机插孔
10. 耳机插孔
11. 耳机插孔
12. 耳机插孔
13. 耳机插孔
14. 耳机插孔
15. 耳机插孔
16. 耳机插孔
17. 耳机插孔
18. 耳机插孔
19. 耳机插孔
20. 耳机插孔
21. 耳机插孔
22. 耳机插孔
23. 耳机插孔
24. 耳机插孔
25. 耳机插孔
26. 耳机插孔
27. 耳机插孔
28. 耳机插孔
29. 耳机插孔
30. 耳机插孔
31. 耳机插孔
32. 耳机插孔
33. 耳机插孔
34. 耳机插孔
35. 耳机插孔
36. 耳机插孔
37. 耳机插孔
38. 耳机插孔
39. 耳机插孔
40. 耳机插孔
41. 耳机插孔
42. 耳机插孔
43. 耳机插孔
44. 耳机插孔
45. 耳机插孔
46. 耳机插孔
47. 耳机插孔
48. 耳机插孔
49. 耳机插孔
50. 耳机插孔
51. 耳机插孔
52. 耳机插孔
53. 耳机插孔
54. 耳机插孔
55. 耳机插孔
56. 耳机插孔
57. 耳机插孔
58. 耳机插孔
59. 耳机插孔
60. 耳机插孔
61. 耳机插孔
62. 耳机插孔
63. 耳机插孔
64. 耳机插孔
65. 耳机插孔
66. 耳机插孔
67. 耳机插孔
68. 耳机插孔
69. 耳机插孔
70. 耳机插孔
71. 耳机插孔
72. 耳机插孔
73. 耳机插孔
74. 耳机插孔
75. 耳机插孔
76. 耳机插孔
77. 耳机插孔
78. 耳机插孔
79. 耳机插孔
80. 耳机插孔
81. 耳机插孔
82. 耳机插孔
83. 耳机插孔
84. 耳机插孔
85. 耳机插孔
86. 耳机插孔
87. 耳机插孔
88. 耳机插孔
89. 耳机插孔
90. 耳机插孔
91. 耳机插孔
92. 耳机插孔
93. 耳机插孔
94. 耳机插孔
95. 耳机插孔
96. 耳机插孔
97. 耳机插孔
98. 耳机插孔
99. 耳机插孔
100. 耳机插孔

图例说明

1. 耳机插孔
2. 耳机插孔
3. 耳机插孔
4. 耳机插孔
5. 耳机插孔
6. 耳机插孔
7. 耳机插孔
8. 耳机插孔
9. 耳机插孔
10. 耳机插孔
11. 耳机插孔
12. 耳机插孔
13. 耳机插孔
14. 耳机插孔
15. 耳机插孔
16. 耳机插孔
17. 耳机插孔
18. 耳机插孔
19. 耳机插孔
20. 耳机插孔
21. 耳机插孔
22. 耳机插孔
23. 耳机插孔
24. 耳机插孔
25. 耳机插孔
26. 耳机插孔
27. 耳机插孔
28. 耳机插孔
29. 耳机插孔
30. 耳机插孔
31. 耳机插孔
32. 耳机插孔
33. 耳机插孔
34. 耳机插孔
35. 耳机插孔
36. 耳机插孔
37. 耳机插孔
38. 耳机插孔
39. 耳机插孔
40. 耳机插孔
41. 耳机插孔
42. 耳机插孔
43. 耳机插孔
44. 耳机插孔
45. 耳机插孔
46. 耳机插孔
47. 耳机插孔
48. 耳机插孔
49. 耳机插孔
50. 耳机插孔
51. 耳机插孔
52. 耳机插孔
53. 耳机插孔
54. 耳机插孔
55. 耳机插孔
56. 耳机插孔
57. 耳机插孔
58. 耳机插孔
59. 耳机插孔
60. 耳机插孔
61. 耳机插孔
62. 耳机插孔
63. 耳机插孔
64. 耳机插孔
65. 耳机插孔
66. 耳机插孔
67. 耳机插孔
68. 耳机插孔
69. 耳机插孔
70. 耳机插孔
71. 耳机插孔
72. 耳机插孔
73. 耳机插孔
74. 耳机插孔
75. 耳机插孔
76. 耳机插孔
77. 耳机插孔
78. 耳机插孔
79. 耳机插孔
80. 耳机插孔
81. 耳机插孔
82. 耳机插孔
83. 耳机插孔
84. 耳机插孔
85. 耳机插孔
86. 耳机插孔
87. 耳机插孔
88. 耳机插孔
89. 耳机插孔
90. 耳机插孔
91. 耳机插孔
92. 耳机插孔
93. 耳机插孔
94. 耳机插孔
95. 耳机插孔
96. 耳机插孔
97. 耳机插孔
98. 耳机插孔
99. 耳机插孔
100. 耳机插孔

图例说明

1. 耳机插孔
2. 耳机插孔
3. 耳机插孔
4. 耳机插孔
5. 耳机插孔
6. 耳机插孔
7. 耳机插孔
8. 耳机插孔
9. 耳机插孔
10. 耳机插孔
11. 耳机插孔
12. 耳机插孔
13. 耳机插孔
14. 耳机插孔
15. 耳机插孔
16. 耳机插孔
17. 耳机插孔
18. 耳机插孔
19. 耳机插孔
20. 耳机插孔
21. 耳机插孔
22. 耳机插孔
23. 耳机插孔
24. 耳机插孔
25. 耳机插孔
26. 耳机插孔
27. 耳机插孔
28. 耳机插孔
29. 耳机插孔
30. 耳机插孔
31. 耳机插孔
32. 耳机插孔
33. 耳机插孔
34. 耳机插孔
35. 耳机插孔
36. 耳机插孔
37. 耳机插孔
38. 耳机插孔
39. 耳机插孔
40. 耳机插孔
41. 耳机插孔
42. 耳机插孔
43. 耳机插孔
44. 耳机插孔
45. 耳机插孔
46. 耳机插孔
47. 耳机插孔
48. 耳机插孔
49. 耳机插孔
50. 耳机插孔
51. 耳机插孔
52. 耳机插孔
53. 耳机插孔
54. 耳机插孔
55. 耳机插孔
56. 耳机插孔
57. 耳机插孔
58. 耳机插孔
59. 耳机插孔
60. 耳机插孔
61. 耳机插孔
62. 耳机插孔
63. 耳机插孔
64. 耳机插孔
65. 耳机插孔
66. 耳机插孔
67. 耳机插孔
68. 耳机插孔
69. 耳机插孔
70. 耳机插孔
71. 耳机插孔
72. 耳机插孔
73. 耳机插孔
74. 耳机插孔
75. 耳机插孔
76. 耳机插孔
77. 耳机插孔
78. 耳机插孔
79. 耳机插孔
80. 耳机插孔
81. 耳机插孔
82. 耳机插孔
83. 耳机插孔
84. 耳机插孔
85. 耳机插孔
86. 耳机插孔
87. 耳机插孔
88. 耳机插孔
89. 耳机插孔
90. 耳机插孔
91. 耳机插孔
92. 耳机插孔
93. 耳机插孔
94. 耳机插孔
95. 耳机插孔
96. 耳机插孔
97. 耳机插孔
98. 耳机插孔
99. 耳机插孔
100. 耳机插孔

图例说明

1. 耳机插孔
2. 耳机插孔
3. 耳机插孔
4. 耳机插孔
5. 耳机插孔
6. 耳机插孔
7. 耳机插孔
8. 耳机插孔
9. 耳机插孔
10. 耳机插孔
11. 耳机插孔
12. 耳机插孔
13. 耳机插孔
14. 耳机插孔
15. 耳机插孔
16. 耳机插孔
17. 耳机插孔
18. 耳机插孔
19. 耳机插孔
20. 耳机插孔
21. 耳机插孔
22. 耳机插孔
23. 耳机插孔
24. 耳机插孔
25. 耳机插孔
26. 耳机插孔
27. 耳机插孔
28. 耳机插孔
29. 耳机插孔
30. 耳机插孔
31. 耳机插孔
32. 耳机插孔
33. 耳机插孔
34. 耳机插孔
35. 耳机插孔
36. 耳机插孔
37. 耳机插孔
38. 耳机插孔
39. 耳机插孔
40. 耳机插孔
41. 耳机插孔
42. 耳机插孔
43. 耳机插孔
44. 耳机插孔
45. 耳机插孔
46. 耳机插孔
47. 耳机插孔
48. 耳机插孔
49. 耳机插孔
50. 耳机插孔
51. 耳机插孔
52. 耳机插孔
53. 耳机插孔
54. 耳机插孔
55. 耳机插孔
56. 耳机插孔
57. 耳机插孔
58. 耳机插孔
59. 耳机插孔
60. 耳机插孔
61. 耳机插孔
62. 耳机插孔
63. 耳机插孔
64. 耳机插孔
65. 耳机插孔
66. 耳机插孔
67. 耳机插孔
68. 耳机插孔
69. 耳机插孔
70. 耳机插孔
71. 耳机插孔
72. 耳机插孔
73. 耳机插孔
74. 耳机插孔
75. 耳机插孔
76. 耳机插孔
77. 耳机插孔
78. 耳机插孔
79. 耳机插孔
80. 耳机插孔
81. 耳机插孔
82. 耳机插孔
83. 耳机插孔
84. 耳机插孔
85. 耳机插孔
86. 耳机插孔
87. 耳机插孔
88. 耳机插孔
89. 耳机插孔
90. 耳机插孔
91. 耳机插孔
92. 耳机插孔
93. 耳机插孔
94. 耳机插孔
95. 耳机插孔
96. 耳机插孔
97. 耳机插孔
98. 耳机插孔
99. 耳机插孔
100. 耳机插孔

FCC WARNING

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance between 20cm the radiator your body: Use only the supplied antenna.