

VerifEye™ Submetering Solutions

Cross Reference Guide - Effective December 30, 2020



MINI METER KITS*

INDOOR ENCLOSURE

Voltage	Amps	CTs Included	EMON P/N	Schneider Electric P/N	Leviton P/N
120/208V 1PH 3W or 120/240V 1PH 3W (Split Phase)	100	2 SOLID CTs	—	—	MK240-1SW
	200	2 SOLID CTs	—	—	MK240-2SW

OUTDOOR ENCLOSURE

Voltage	Amps	CTs Included	EMON P/N	Schneider Electric P/N	Leviton P/N
120/208V 1PH 3W or 120/240V 1PH 3W (Split Phase)	100	2 SOLID CTs	—	—	MO240-1SW
	200	2 SOLID CTs	—	—	MO240-2SW
120/208V 1PH 3W or 120/240V 1PH 3W (Split Phase)	100	2 SOLID CTs	—	—	MO240-01W
	200	2 SOLID CTs	—	—	MO240-02W

*For MMU options for Series 1000, 2000 and Mini Meters, consult factory.

NOTE: Kits include meter, specified enclosure and required current transformers. Other meter models are available to suit virtually any application. Visit leviton.com/verifeye for details.

**SERIES 1000 SINGLE PHASE METER KITS
INDOOR ENCLOSURE**

Voltage	Amps	CTs Included	EMON P/N	Schneider Electric P/N	Leviton P/N
120V 1PH 2W	50A	1 Split CT	E10-212050JKIT	EMKA934551L000504X	—
	100	1 Split CT	E10-2120100JKIT	EMKA934551L001014X	1K120-01W
	200	1 Split CT	E10-2121200JKIT	EMKA934551L002014X	1K120-02W
	400	1 Split CT	—	EMKA934551L004034X	1K120-04W
	800	1 Split CT	—	EMKA934551L008044X	1K120-08W
	100	1 SOLID CT	—	EMKA934551L201004X	1K120-1SW
	200	1 SOLD CT	—	EMKA934551L202024X	1K120-2SW
120/208V 1PH 3W or 120/240V 1PH 3W (Split Phase)	50	2 Split CTs	E10-320850JKIT	EMKA934552L000504X	—
	100	2 Split CTs	E10-3208100JKIT	EMKA934552L001014X	1K240-01W
	200	2 Split CTs	E10-3208200JKIT	EMKA934552L002014X	1K240-02W
	400	2 Split CTs	—	EMKA934552L004034X	1K240-04W
	800	2 Split CTs	—	EMKA934552L008044X	1K240-08W
	100	2 SOLID CTs	—	EMKA934552L201004X	1K240-1SW
	200	2 SOLID CTs	—	EMKA934552L202024X	1K240-2SW
277V 1PH 2W	50A	1 Split CT	E10-227750JKIT	EMKA934551L000504X	—
	100	1 Split CT	E10-2277100JKIT	EMKA934551L001014X	1K277-01W
	200	1 Split CT	E10-2277200JKIT	EMKA934551L002014X	1K277-02W
	400	1 Split CT	—	EMKA934551L004034X	1K277-04W
	800	1 Split CT	—	EMKA934551L008044X	1K277-08W
	100	1 SOLID CT	—	EMKA934551L201004X	1K277-1SW
	200	1 SOLID CT	—	EMKA934551L202024X	1K277-2SW

OUTDOOR ENCLOSURE

Voltage	Amps	CTs Included	EMON P/N	Schneider Electric P/N	Leviton P/N
120V 1PH 2W	50	1 Split CT	E10-212050RKIT	EMKA934551L000504X	—
	100	1 Split CT	E10-2120100RKIT	EMKA934551L001014X	1O120-01W
	200	1 Split CT	E10-2121200RKIT	EMKA934551L002014X	1O120-02W
	400	1 Split CT	—	EMKA934551L004034X	1O120-04W
	800	1 Split CT	—	EMKA934551L008044X	1O120-08W
120/208V 1PH 3W or 120/240V 1PH 3W (Split Phase)	50	2 Split CTs	E10-320850RKIT	EMKA934552L000504X	--
	100	2 Split CTs	E10-3208100RKIT	EMKA934552L001014X	1O240-01W
	200	2 Split CTs	E10-3208200RKIT	EMKA934552L002014X	1O240-02W
	400	2 Split CTs	—	EMKA934552L004034X	1O240-04W
	800	2 Split CTs	—	EMKA934552L008044X	1O240-08W
277V 1PH 2W	50	1 Split CT	E10-227750RKIT	EMKA934551L000504X	—
	100	1 Split CT	E10-2277100RKIT	EMKA934551L001014X	1O277-01W
	200	1 Split CT	E10-2277200RKIT	EMKA934551L002014X	1O277-02W
	400	1 Split CT	—	EMKA934551L004034X	1O277-04W
	800	1 Split CT	—	EMKA934551L008044X	1O277-08W

NOTE: Kits include meter, specified enclosure and required current transformers.

SERIES 2000 THREE PHASE METER KITS* INDOOR ENCLOSURE

Voltage	Amps	CTs Included	EMON P/N	Schneider Electric P/N	Leviton P/N
120/208V 3PH 4W WYE kWh Meter	100	3 Split CTs	E20-208100-JKIT	EMKA934553L001014X	2K208-01D
	200	3 Split CTs	E20-208200-JKIT	EMKA934553L002014X	2K208-02D
	400	3 Split CTs	E20-208400-JKIT	EMKA934553L004034X	2K208-04D
	800	3 Split CTs	E20-208800-JKIT	EMKA934553L008034X	2K208-08D
	1200	3 Split CTs	—	EMKA934553L008034X	2K208-12D
	1600	3 Split CTs	E20-2081600JKIT	EMKA934553L016044X	—
	100	3 SOLID CTs	—	EMKA934553L201004X	2K208-1SW
	200	3 SOLID CTs	—	EMKA934553L202024X	2K208-2SW
277/480 3PH 4W WYE kWh Meter	100	3 Split CTs	E20-480100-JKIT	EMKA934553L001014X	2K480-01D
	200	3 Split CTs	E20-480200-JKIT	EMKA934553L002014X	2K480-02D
	400	3 Split CTs	E20-480400-JKIT	EMKA934553L004034X	2K480-04D
	800	3 Split CTs	E20-480800-JKIT	EMKA934553L008034X	2K480-08D
	1200	3 Split CTs	—	EMKA934553L012044X	2K480-12D
	1600	3 Split CTs	E20-4801600JKIT	EMKA934553L016044X	—
	100	3 SOLID CTs	—	EMKA934553L201004X	2K480-1SW
	200	3 SOLID CTs	—	EMKA934553L202024X	2K480-2SW
120/208V 3PH 4W WYE Demand Meter	100	3 Split CTs	E20-208100-J-D-KIT	EMKA934553L001014X	2K208-01D
	200	3 Split CTs	E20-208200-J-D-KIT	EMKA934553L002014X	2K208-02D
	400	3 Split CTs	E20-208400-J-D-KIT	EMKA934553L004034X	2K208-04D
	800	3 Split CTs	E20-208800-J-D-KIT	EMKA934553L008034X	2K208-08D
	1200	3 Split CTs	E20-2081600J-D-KIT	EMKA934553L012044X	2K208-12D
	1600	3 Split CTs	E20-2081600JDKIT	EMKA934553L016044X	—
277/480V 3PH 4W WYE Demand Meter	100	3 Split CTs	E20-480100-J-D-KIT	EMKA934553L001014X	2K480-01D
	200	3 Split CTs	E20-480200-J-D-KIT	EMKA934553L002014X	2K480-02D
	400	3 Split CTs	E20-480400-J-D-KIT	EMKA934553L004034X	2K480-04D
	800	3 Split CTs	E20-480800-J-D-KIT	EMKA934553L008034X	2K480-08D
	1200	3 Split CTs	--	EMKA934553L012044X	2K480-12D
	1600	3 Split CTs	E20-4801600J-D-KIT	EMKA934553L016044X	--

OUTDOOR ENCLOSURE

Voltage	Amps	CTs Included	EMON P/N	Schneider Electric P/N	Leviton P/N
120/208V 3PH 4W WYE kWh Meter	100	3 Split CTs	E20-208100-RKIT	EMKA934553L001014X	20208-01W
	200	3 Split CTs	E20-208200-RKIT	EMKA934553L002014X	20208-02W
	400	3 Split CTs	E20-208400-RKIT	EMKA934553L004034X	20208-04W
	800	3 Split CTs	E20-208800-RKIT	EMKA934553L008034X	20208-08W
	1200	3 Split CTs	—	EMKA934553L012044X	20208-12W
	1600	3 Split CTs	E20-2081600RKIT	EMKA934553L016044X	—
277/480V 3PH 4W WYE kWh Meter	100	3 Split CTs	E20-480100-RKIT	EMKA934553L001014X	20480-01W
	200	3 Split CTs	E20-480200-RKIT	EMKA934553L002014X	20480-02W
	400	3 Split CTs	E20-480400-RKIT	EMKA934553L004034X	20480-04W
	800	3 Split CTs	E20-480800-RKIT	EMKA934553L008034X	20480-08W
	1200	3 Split CTs	—	EMKA934553L012044X	20480-12W
	1600	3 Split CTs	E20-4801600RKIT	EMKA934553L016044X	—

*The Series 2000 Meter is WYE only and does not support Delta configurations. **NOTE:** Kits include meter, specified enclosure and required current transformers.

Leviton Mfg. Co., Inc. Lighting & Controls

20497 SW Teton Avenue, Tualatin, OR 97062 **tech line** 800-959-6004

© 2021 Leviton Manufacturing Co., Inc. All rights reserved. Subject to change without notice.

**SERIES 3500 MULTI-FUNCTION ETHERNET METER KITS
INDOOR ENCLOSURE**

Voltage	Amps	CTs Included	EMON P/N	Schneider Electric P/N	Leviton P/N
208-480VAC 3PH 3W/4W (with ModBus TCP/ BACnet IP)	100	3 Split CTs	E34-208/ 480100-J04/05KIT	—	3KUMT-01M
	200	3 Split CTs	E34-208/ 480200-J04/05KIT	—	3KUMT-02M
	400	3 Split CTs	E34-208/ 480400-J04/05KIT	—	3KUMT-04M
	800	3 Split CTs	E34-208/ 480800-J04/05KIT	—	3KUMT-08M
	1600	3 Split CTs	E34-208/ 4801600-J04/05KIT	—	3KUMT-16M
	3000	3 Split CTs	E34-208/ 4803200-J04/05KIT	—	3KUMT-30M
	5000	3 Split CTs	—	—	3KUMT-50M

OUTDOOR ENCLOSURE

Voltage	Amps	CTs Included	EMON P/N	Schneider Electric P/N	Leviton P/N
208-480VAC 3PH 3W/4W (with ModBus TCP/ BACnet IP)	100	3 Split CTs	E34-208/ 480100-R04/05KIT	—	3OUMT-01M
	200	3 Split CTs	E34-208/ 480200-R04/05KIT	—	3OUMT-02M
	400	3 Split CTs	E34-208/ 480400-R04/05KIT	—	3OUMT-04M
	800	3 Split CTs	E34-208/ 480800-R04/05KIT	—	3OUMT-08M
	1600	3 Split CTs	E34-208/ 4801600-R04/05KIT	—	3OUMT-16M
	3000	3 Split CTs	E34-208/ 4803200-R04/05KIT	—	3OUMT-30M
	5000	3 Split CTs	—	—	3OUMT-50M

NOTE: Kits include meter, specified enclosure and required current transformers.

SERIES 4000 INDUSTRIAL MODBUS METER KITS OUTDOOR ENCLOSURE

Voltage	Amps	CTs Included	EMON P/N	Schneider Electric P/N	Leviton P/N
Universal 3PH 3W/4W	100	3 Split CTs	E32-208/480/600100-RRTU or JRTU-KIT	—	40UMR-01M
	200	3 Split CTs	E32-208/480/600200-RRTU or JRTU-KIT	—	40UMR-02M
	400	3 Split CTs	E32-208/480/600400-RRTU or JRTU-KIT	—	40UMR-04M
	800	3 Split CT	E32-208/480/600800-RRTU or JRTU-KIT	—	40UMR-08M
	50-5000	3, 12" Rogowski Coil CT	E32-208/480/6001600-RRTU or JRTU-KIT	—	40UMR-R12
	50-5000	3, 18" Rogowski Coil CT	E32-208/480/6003200-RRTU or JRTU-KIT	—	40UMR-R18
	50-5000	3, 24" Rogowski Coil CT	E32-408/480/6003200-RRTU or JRTU-KIT	—	40UMR-R24

SERIES 4100 BIDIRECTIONAL MODBUS RTU AND BACNET MS/TP METER KITS OUTDOOR ENCLOSURE

NEMA ENCLOSURE MODBUS METER KITS					
Voltage	Amps	CTs Included	EMON P/N	Schneider Electric P/N	Leviton P/N
Universal 3PH 3W/4W ModBus	100	3 Split Core CTs	E50-208/480/600100-R02 or J02-N-KIT	—	410UM-01M
	200	3 Split Core CTs	E50-208/480/600200-R02 or J02-N-KIT	—	410UM-02M
	400	3 Split Core CTs	E50-208/480/600400-R02 or J02-N-KIT	—	410UM-04M
	800	3 Split Core CTs	E50-208/480/600800-R02 or J02-N-KIT	—	410UM-08M
	50-5000	3, 12" Rogowski CTs	E50-08/480/6001600-R02 or J02-N-KIT	—	410UM-12R
	50-5000	3, 18" Rogowski CTs	E50-08/480/6003200-R02 or J02-N-KIT	—	410UM-18R
	50-5000	3, 24" Rogowski CTs	E50-08/480/6003200-R02 or J02-N-KIT	—	410UM-24R
NEMA ENCLOSURE BACNET MS/TP METER KITS					
Universal 3PH 3W/4W BACnet/MS/TP	100	3 Split Core CTs	E50-208/480/600100-R03 or J03-N-KIT	—	410UB-01B
	200	3 Split Core CTs	E50-208/480/600200-R03 or J03-N-KIT	—	410UB-02B
	400	3 Split Core CTs	E50-208/480/600400-R03 or J03-N-KIT	—	410UB-04B
	800	3 Split Core CTs	E50-208/480/600800-R03 or J03-N-KIT	—	410UB-08B
	50-5000	3, 12" Rogowski CTs	E50-08/480/6001600-R03 or J03-N-KIT	—	410UB-12R
	50-5000	3, 18" Rogowski CTs	E50-08/480/6003200-R03 or J03-N-KIT	—	410UB-18R
	50-5000	3, 24" Rogowski CTs	E50-08/480/6003200-R03 or J03-N-KIT	—	410UB-24R

NOTE: Kits include meter, specified enclosure and required current transformers.

Leviton Mfg. Co., Inc. Lighting & Controls

20497 SW Teton Avenue, Tualatin, OR 97062 tech line 800-959-6004

© 2021 Leviton Manufacturing Co., Inc. All rights reserved. Subject to change without notice.

SERIES 7000 AND 7100 ADVANCED BRANCH CIRCUIT MONITORS

48 CIRCUIT METERS

Voltage	Amps	CTs Included	EMON P/N	Schneider Electric P/N	Leviton P/N
1PH/2W 2PH/3W 3PH/4W 3PH/3W Delta	50-4000A	Solid Core, Split Core, Rogowski CT	—	—	70D48-000
	50-4000A	Solid Core, Split Core, Rogowski CT	—	—	70N48-000
	50-4000A	Solid Core, Split Core, Rogowski CT	—	—	71D48-000

12 CIRCUIT METERS

Voltage	Amps	CTs Included	EMON P/N	Schneider Electric P/N	Leviton P/N
1PH/2W 2PH/3W 3PH/4W 3PH/3W Delta	50-4000A	Solid Core, Split Core, Rogowski CT	—	—	70D12-000
	50-4000A	Solid Core, Split Core, Rogowski CT	—	—	70N12-000
	50-4000A	Solid Core, Split Core, Rogowski CT	—	—	71D12-000

SERIES 8000 HIGH DENSITY MULTI-CIRCUIT METER

Voltage	Amps	CTs Included	Description	EMON P/N	Schneider Electric P/N	Leviton P/N
120/208/240V	20-5000	Split Core/Solid Core 0.1A* as required, not included	Series 8000-2PH x 3 Config (6 Inputs) with Wiring Harness	E-MM-RTU-Y-N or E-MM-RTU-Y-N-ETH	—	S8120-032
			Series 8000-2PH x 6 Config (12 Inputs) with Wiring Harness			S8120-062
			Series 8000-2PH x 9 Config (18 Inputs) with Wiring Harness			S8120-092
			Series 8000-2PH x 12 Config (24 Inputs) with Wiring Harness			S8120-122
			Series 8000-8x3PH, x12x2PH, x24x1PH Config (24 Inputs) with Terminal Strips			S8UTS-241
			Series 8000-8x3PH, x12x2PH, x24x1PH Config (24 Inputs) with Terminal Strips			S8UWH-241
277-480V	20-5000	Split Core/Solid Core 0.1A* as required, not included	Series 8000-8x3PH, x12x2PH, x24x1PH Config (24 Inputs) with Terminal Strips			277TS-241
			Series 8000-8x3PH, x12x2PH, 24x1PH Config (24 Inputs) with Wiring Harness			277WH-241

*Series 8000 Meters do not include CTs. They can be used with Split Core or Solid Core CTs with a secondary output of 0.1A.

HOW TO SELECT THE RIGHT METER

STEP A - Determining what meter series to use

1. Electrical service to be metered (WYE, DELTA, Single Phase, Three Phase, or Split Phase; see matrix below)
2. Measuring parameter requirements
 - a. If kWh consumption only, use Series 1000 or Mini Meter
 - b. If local peak demand reset, select Series 2000*
 - c. If additional data parameters (Volts, Amps, Power Factor, etc.), use Series 4000 and 4100, Series 7000 and 7100, or Series 8000

STEP B - Determining which meter catalog number to use

1. Where is the meter going to be installed (i.e. indoor, outdoor or electrical panel)?
2. Voltage rating (120/208V, 277/480V, 480V DELTA, 347/600V etc.)
3. Solid Core CTs, Split Core CTs or Rogowski Coil CTs
 - a. Split — easy to retrofit
 - b. Solid — cost savings and increased accuracy
 - c. Rogowski — easy to install
4. Disaggregation of loads (multi-circuit monitoring)? If yes, MMUs, Series 7000 and 7100, and Series 8000 may be advantageous — consult factory representative

ELECTRICAL CONFIGURATION MATRIX

Electrical Service Configurations	Mini Meter	Series 1000	Series 2000	Series 3500	Series 4000	Series 4100	Series 8000	Series 7000 and 7100
120V/277V 1PH 2W	-	X	-	-	X	X	X	X
120V/208V 1PH 3W	X	-	-	-	X	X	X	X
120/240V 1PH 3W	X	X	-	-	X	X	X	X
120/208V 2PH 3W	-	-	-	X	X	X	-	X
120/208V 3PH 4W WYE	-	-	X	-	X	X	X	X
240V 3PH 4W DELTA	-	-	-	X	X	X	-	X
240V 3PH 3W	-	-	-	X	X	X	-	X
277/480V 2PH 3W	-	-	-	-	X	X	X	X
277/480V 3PH 4W WYE	-	-	-	-	X	X	X	X
480 2PH 2W	-	-	X	X	X	X	-	X
480 2PH 3W	-	-	X	X	X	X	-	X
480V 3PH 3W DELTA	-	-	-	-	X	X	-	X
347/600V 3PH 4W 347V (L-N) 600V (L-L)	-	-	-	-	X	X	-	X

* Demand provides a manual peak demand reset key. If meter is to be connected to a Leviton Monitoring Hub via pulse output or Modbus, this option is not required. The hub will provide logging of data every 15 minutes for peak demand calculations.

Leviton Mfg. Co., Inc. Lighting & Controls

20497 SW Teton Avenue, Tualatin, OR 97062 **tech line** 800-959-6004

Leviton Manufacturing Co., Inc. Global Headquarters

201 North Service Road, Melville, NY 11747-3138 **tel** 800-323-8920 **tech line** (8:30AM-7:00PM ET Mon-Fri) 800-824-3005

Visit our Website at: www.leviton.com/verifeye

©2021 Leviton Manufacturing Co., Inc. All rights reserved. Subject to change without notice.