



*See 36 pages  
of new product  
beginning on  
page 29*

Mobile Transport & Storage  
Solutions for  
**Healthcare**  
in the 21st Century



## New Products, More Choices

Medical Carts, Workstations, Narcotic Cabinets, OR Storage Cabinets and more!

# TABLE OF CONTENTS

| ITEM .....                                                            | PAGE #    | ITEM .....                                                           | PAGE #       |
|-----------------------------------------------------------------------|-----------|----------------------------------------------------------------------|--------------|
| <b>HEALTHCARE CARTS .....</b>                                         | <b>3</b>  | <b>Super Saver Carts .....</b>                                       | <b>52-54</b> |
| How Do I Select The Right Cart? .....                                 | 4         | Build Your Own Cart, Custom Options .....                            | 55           |
| Angle Leg Utility Carts, Stainless Steel - Standard Duty .....        | 5         | Accessories .....                                                    | 56-63        |
| Angle Leg Utility Carts, Stainless Steel - Medium Duty .....          | 5         | <b>Narcotics Cabinets .....</b>                                      | <b>65-67</b> |
| Angle "U" Frame Utility Carts, Stainless Steel - Heavy Duty .....     | 6         | Medication Storage .....                                             | 67           |
| Tubular Design Utility Carts, Stainless Steel - Medium Duty .....     | 7         | High Security Storage Cabinets .....                                 | 68           |
| Plastic Utility Carts - Standard Duty .....                           | 8         | Medicine Cabinets with Electronic Lock .....                         | 68           |
| Plastic Utility Carts - Medium Duty .....                             | 9         | <b>MEAL DELIVERY PRODUCTS .....</b>                                  | <b>69</b>    |
| Linen Carts, Stainless Steel - Standard Duty .....                    | 10        | Elite Series™ Tray Delivery Carts, Stainless Steel .....             | 70           |
| Linen Carts, Stainless Steel - Medium Duty .....                      | 10        | Elite Series™ Low Profile Tray Delivery Carts, Stainless Steel ..... | 71           |
| Cart Covers .....                                                     | 10        | Compact Tray Delivery Carts, Stainless Steel .....                   | 71           |
| Guard Rail Utility Carts, Stainless Steel - Standard Duty .....       | 11        | Elite Series™ Late Tray Delivery Carts, Stainless Steel .....        | 72           |
| Guard Rail Utility Carts, Stainless Steel - Medium Duty .....         | 11        | <b>EXAM/PATIENT EQUIPMENT .....</b>                                  | <b>73</b>    |
| Guard Rail Utility Carts, Stainless Steel - Heavy Duty .....          | 11        | Foot Operated Mayo Instrument Stand .....                            | 74           |
| Multi-Shelf Carts, Stainless Steel - Medium Duty .....                | 12        | Single Post Mayo Instrument Stands .....                             | 74           |
| Multi-Shelf Carts, Stainless Steel - Heavy Duty .....                 | 13        | Double Post Mayo Instrument Stand .....                              | 74           |
| Optional Accessories for Multi-Shelf Carts .....                      | 13        | IV Stands, Heavy Duty, 4-Leg .....                                   | 74           |
| Optional Accessories for Utility Carts .....                          | 14        | IV Stands, Economy, 4-Leg .....                                      | 75           |
| Plastic Utility Boxes .....                                           | 14        | IV Stands, 5-Leg .....                                               | 75           |
| Adapter Bar .....                                                     | 14        | Infusion Pump Stands, 5-Leg, Space Saver .....                       | 75           |
| Ergo-One® System Utility Carts, Stainless Steel - Standard Duty ..... | 15        | Infusion Pump Stands, 6-Leg, Oversize Base .....                     | 75           |
| Ergo-One® System Utility Carts, Stainless Steel - Medium Duty .....   | 16        | Infusion Pump Stand Accessories .....                                | 75           |
| Ergo-One® System Utility Carts, Stainless Steel - Heavy Duty .....    | 16        | <b>Square Linen Hamper with Tilt Lid .....</b>                       | <b>76</b>    |
| Accessories for Ergo-One® System Carts .....                          | 16        | <b>Round 18" Linen Hamper with Tilt Lid .....</b>                    | <b>76</b>    |
| <b>MEDICAL SURGICAL CARTS .....</b>                                   | <b>17</b> | <b>Adjustable Folding Linen Hamper .....</b>                         | <b>76</b>    |
| Closed Case Carts, Stainless Steel .....                              | 18        | <b>Step Stools without Handrail .....</b>                            | <b>76</b>    |
| Closed Case Cart Accessories .....                                    | 19        | <b>Step Stools with Handrail .....</b>                               | <b>76</b>    |
| Instrument Tables, Stainless Steel .....                              | 20        | <b>Kick Bucket .....</b>                                             | <b>76</b>    |
| Equipment Stands, Stainless Steel .....                               | 21        | <b>CENTRAL SUPPLY, DISTRIBUTION AND STORAGE .....</b>                | <b>77</b>    |
| Blanket Warmers, Stainless Steel .....                                | 22, 24-25 | Stainless Steel Distribution Supply Carts .....                      | 78           |
| Fluid Warmers, Stainless Steel .....                                  | 23-25     | Distribution Supply Cart Accessories .....                           | 79           |
| Medical Storage Systems, Stainless Steel .....                        | 26        | Round Post Wire Shelving Units .....                                 | 80           |
| <b>MEDICAL CARTS AND WORKSTATIONS .....</b>                           | <b>27</b> | Round Post Wire Shelving Components and Accessories .....            | 81           |
| <b>Classic Carts .....</b>                                            | <b>28</b> | Round Post Wire Shelving Carts .....                                 | 82-83        |
| Features .....                                                        | 29        | Round Post Enclosed Wire Carts .....                                 | 84           |
| Emergency Carts and Accessory Packages .....                          | 30-32     | Round Post Wire Security Carts and Cages .....                       | 85           |
| Anesthesia Carts .....                                                | 33-34     | Dolly Based Carts .....                                              | 86           |
| Anesthesia Carts Accessory Packages .....                             | 35        | Round Post Wire Accessories .....                                    | 87           |
| Isolation Carts .....                                                 | 36-37     | Universal Wire Accessories .....                                     | 88-89        |
| <b>Preferred Elite Hybrid Carts .....</b>                             | <b>38</b> | Nylon Cart Covers .....                                              | 89           |
| Features .....                                                        | 39        | Square Post Wire Shelving Units .....                                | 90           |
| Emergency Carts .....                                                 | 40        | Square Post Wire Shelving Components and Accessories .....           | 91           |
| Emergency Carts Accessory Packages .....                              | 41        | Square Post Wire Shelving Carts .....                                | 92           |
| Anesthesia Carts .....                                                | 42        | Square Post Enclosed Wire Carts .....                                | 93           |
| Anesthesia Carts Accessory Packages .....                             | 43        | Square Post Wire Security Carts and Cages .....                      | 94           |
| Preferred Elite Hybrid Accessories .....                              | 44        | Square Post Wire Accessories .....                                   | 95           |
| <b>Specialty Carts .....</b>                                          | <b>45</b> | Powered Platform Carts .....                                         | 96           |
| Mini Carts and Towers .....                                           | 46        | Powered Tug and Hitch Systems .....                                  | 97           |
| Wide Carts .....                                                      | 47        | Numerical Index .....                                                | 98-100       |
| Medication Carts .....                                                | 48        | Alphabetical Index .....                                             | 101-102      |
| Hyperthermia Carts .....                                              | 49        | Warranty/General Information .....                                   | 103          |
| Pediatric Carts .....                                                 | 49        |                                                                      |              |
| Suture Storage .....                                                  | 50        |                                                                      |              |
| Expanded Storage .....                                                | 51        |                                                                      |              |
| Scope Cabinets .....                                                  | 51        |                                                                      |              |



## HEALTHCARE CARTS



### BEST SELLERS



#332  
Shown with standard  
nylon cover



#2000



#2512



#721



#311

**Award Winning Carts are built to your order and shipped in 3 days or less. Look for the ship time icon:**



**“Ingenuity on Wheels”** – More than 60 years ago, Lakeside established its image as an industry innovator with the invention of the stainless steel utility cart. In those days, we were known as “America’s Cart Headquarters.”

The times and needs of our industry have changed dramatically since then. Lakeside remains the industry leader in quality and variety when it comes to stainless carts. We have positioned our company as the premier provider of mobile solutions for an ever-changing marketplace.

# HOW DO I SELECT THE RIGHT CART?

Lakeside's Durability Index indicates how the cart will perform over time doing the tasks it was designed to do – not just the amount of weight the cart can hold.

Each cart within a "Durability Index" category is designed and constructed to do typical tasks in typical environmental situations. These incorporate the amount of weight the shelves will hold, the flooring types the cart is pushed over and the amount of time per day the cart is used.

The intended use of the cart, floor surfaces and hours of operation need to be considered to purchase the right cart for the job. In other words, the best value cart. All Lakeside utility carts have the Durability Index clearly stated to help you choose the right cart for the job.

|          |                         | IDEAL WORKING ENVIRONMENTS / TASKS                                                                                                                                                                                     | IDEAL FLOOR SURFACES                                                                                                                             | IDEAL DAILY USAGE AMOUNT               | DURABILITY QUALIFICATIONS                                                                                                       |
|----------|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| <b>1</b> | <b>DURABILITY INDEX</b> |                                                                                                                                                                                                                        |                                                                                                                                                  |                                        |                                                                                                                                 |
|          | Standard Duty           |                                                                                                                                                                                                                        |                                                                                                                                                  |                                        |                                                                                                                                 |
|          | <b>WEIGHT CAPACITY</b>  |                                                                                                                                                                                                                        |                                                                                                                                                  |                                        |                                                                                                                                 |
|          | 300 lbs.                | <ul style="list-style-type: none"> <li>• Dietary, Dining Area</li> <li>• Clinical</li> <li>• Transporting light loads</li> </ul> <b>UP TO 300 LBS.</b>                                                                 | <ul style="list-style-type: none"> <li>• Smooth vinyl</li> <li>• Vinyl tile floor</li> <li>• Smooth indoor concrete</li> </ul>                   | <b>NO MORE THAN 3 HOURS PER DAY</b>    | <ul style="list-style-type: none"> <li>• 22-gauge stainless steel shelves</li> <li>• 20-gauge stainless steel legs</li> </ul>   |
| <b>2</b> | <b>DURABILITY INDEX</b> |                                                                                                                                                                                                                        |                                                                                                                                                  |                                        |                                                                                                                                 |
|          | Medium Duty             |                                                                                                                                                                                                                        |                                                                                                                                                  |                                        |                                                                                                                                 |
|          | <b>WEIGHT CAPACITY</b>  |                                                                                                                                                                                                                        |                                                                                                                                                  |                                        |                                                                                                                                 |
|          | 500 lbs.                | <ul style="list-style-type: none"> <li>• Dietary, Dining Area, Kitchen</li> <li>• Clinical</li> <li>• Central Supply, Distribution and Storage</li> <li>• Transporting moderate loads</li> </ul> <b>UP TO 500 LBS.</b> | <ul style="list-style-type: none"> <li>• Smooth vinyl</li> <li>• Ceramic tile floor</li> <li>• Smooth indoor concrete</li> </ul>                 | <b>NO MORE THAN 4-9 HOURS PER DAY</b>  | <ul style="list-style-type: none"> <li>• 20-gauge stainless steel shelves</li> <li>• 16-gauge stainless steel legs</li> </ul>   |
| <b>3</b> | <b>DURABILITY INDEX</b> |                                                                                                                                                                                                                        |                                                                                                                                                  |                                        |                                                                                                                                 |
|          | Heavy Duty              |                                                                                                                                                                                                                        |                                                                                                                                                  |                                        |                                                                                                                                 |
|          | <b>WEIGHT CAPACITY</b>  |                                                                                                                                                                                                                        |                                                                                                                                                  |                                        |                                                                                                                                 |
|          | 700 lbs.                | <ul style="list-style-type: none"> <li>• Receiving goods</li> <li>• Transporting heavy loads</li> </ul> <b>UP TO 700 LBS.</b>                                                                                          | <ul style="list-style-type: none"> <li>• Vinyl and tile floors</li> <li>• Carpet</li> <li>• Indoor concrete</li> <li>• Rough surfaces</li> </ul> | <b>NO MORE THAN 9-12 HOURS PER DAY</b> | <ul style="list-style-type: none"> <li>• 18-gauge stainless steel shelves</li> <li>• 1/8" thick stainless steel legs</li> </ul> |

We also offer numerous products with weight capacities of 1000 and 1500 lbs. Call Lakeside at 1-800-558-8565 and ask a customer service representative for details or visit [www.eLakesideHealthcare.com](http://www.eLakesideHealthcare.com)



## COMMON FEATURES:

## LAKESIDE® STAINLESS STEEL CARTS

- ✓ 60%-70% of material used in the manufacturing of stainless steel is recycled material
- ✓ Stainless steel is 100% recyclable
- ✓ Strong and durable for long life and greater return on investment
- ✓ Easy to clean and sanitize
- ✓ Steam cleans and wipes down easily
- ✓ Corrosion- and stain-resistant for long-term use



## UTILITY CARTS



#311

|   |                             |
|---|-----------------------------|
| 1 | DURABILITY INDEX            |
|   | Standard Duty               |
|   | WEIGHT CAPACITY<br>300 lbs. |
| 2 | DURABILITY INDEX            |
|   | Medium Duty                 |
|   | WEIGHT CAPACITY<br>500 lbs. |

## ANGLE LEG DESIGN | STAINLESS STEEL

Lakeside's classic cart satisfies all of your basic needs without any of the frills.

- All-welded angle leg design provides durability
- Reinforced, hemmed front adds strength where the cart is most vulnerable to stress
- Sound deadening material under shelves restricts vibration and noise
- Bumpers on legs and handles protect walls and furniture
- Optional accessories shown on page 14

| MODEL | SHELF DESCRIPTION |               |           | OVERALL SIZE |         |         | LAKE-GLIDE® CASTERS |        | SHIP WEIGHT<br>LBS. | FedEx<br>UPS |
|-------|-------------------|---------------|-----------|--------------|---------|---------|---------------------|--------|---------------------|--------------|
|       | # OF              | SIZE (W X L)  | CLEARANCE | W            | L       | H       | TYPE                | DIA.   |                     |              |
| 311   | 3                 | 15 1/2" x 24" | 11 3/4"   | 16 1/4"      | 27 1/2" | 32 1/8" | All swivel          | 3 1/2" | 29                  | OK           |
| 322   | 3                 | 18" x 27"     | 12 1/4"   | 18 3/8"      | 30 3/4" | 33"     | All swivel          | 3 1/2" | 32                  | NA           |
| 316*  | 3                 | 15 1/2" x 24" | 9 1/4"    | 16 1/4"      | 27 1/2" | 33 3/8" | All swivel          | 3 1/2" | 33                  | OK           |

\*Includes Guard Rail on open edge of top and middle shelf, all 4 sides of bottom shelf.



| MODEL | SHELF DESCRIPTION |               |           | OVERALL SIZE |         |         | LAKE-GLIDE® CASTERS     |      | SHIP WEIGHT |  |
|-------|-------------------|---------------|-----------|--------------|---------|---------|-------------------------|------|-------------|---------------------------------------------------------------------------------------|
|       | # OF              | SIZE (W X L)  | CLEARANCE | W            | L       | H       | TYPE                    | DIA. | LBS.        |  |
| 411   | 3                 | 15 1/2" x 24" | 11 1/2"   | 16 3/4"      | 27 5/8" | 32"     | All swivel              | 4"   | 39          | OK                                                                                    |
| 422   | 3                 | 18" x 27"     | 11 1/2"   | 19"          | 31"     | 32"     | All swivel              | 4"   | 42          | NA                                                                                    |
| 444   | 3                 | 21" x 35"     | 13 1/8"   | 22 3/8"      | 39 1/4" | 37 1/4" | All swivel              | 5"   | 68          | NA                                                                                    |
| 459   | 3                 | 21" x 49"     | 13 1/8"   | 22 3/8"      | 54 1/8" | 37 1/4" | No-Mark®, cushion tread |      | 88          | NA                                                                                    |
|       |                   |               |           |              |         |         | 2 swivel                | 5"   |             |                                                                                       |
|       |                   |               |           |              |         |         | 2 fixed                 | 5"   |             |                                                                                       |
|       |                   |               |           |              |         |         | No-Mark®, cushion tread |      |             |                                                                                       |



## UTILITY CARTS (CONT.)

|   |                             |
|---|-----------------------------|
| 3 | DURABILITY INDEX            |
|   | Heavy Duty                  |
|   | WEIGHT CAPACITY<br>700 lbs. |

### ANGLE "U"-FRAME DESIGN STAINLESS STEEL

*Transporting large loads over long distances is a breeze for this heavy duty cart.*

- Larger 8" front wheels allow cart to transition over uneven surfaces with ease
- Fixed front wheels help guide cart in a straight line, while making it easier to navigate corners
- U-shaped frame design provides superior structural strength for larger loads
- All-welded construction eliminates nuts and bolts for a stronger structure and easier-to-clean surface
- Optional accessories shown on page 14



### COMMON FEATURES:

#### UTILITY CARTS

##### STANDARD FEATURES

- ✓ Stainless Steel .....
- ✓ Reinforced edges .....
- ✓ Double ball bearings .....
- ✓ Leg and handle bumpers .....

| MODEL | SHELF DESCRIPTION |               |           | OVERALL SIZE |         |         | LAKE-GLIDE® CASTERS* |          | SHIP WEIGHT<br>LBS. |
|-------|-------------------|---------------|-----------|--------------|---------|---------|----------------------|----------|---------------------|
|       | # OF              | SIZE (W X L)  | CLEARANCE | W            | L       | H       | TYPE                 | DIA.     |                     |
| 710   | 2                 | 15 1/2" x 24" | 19"       | 16 1/4"      | 30"     | 34 1/4" | 2-swivel<br>2-fixed  | 5"<br>8" | 49                  |
| 711   | 3                 | 15 1/2" x 24" | 10"       | 16 1/4"      | 30"     | 34 1/4" | 2-swivel<br>2-fixed  | 5"<br>8" | 57                  |
| 721   | 2                 | 18" x 27"     | 19"       | 19 3/8"      | 32 5/8" | 34 1/2" | 2-swivel<br>2-fixed  | 5"<br>8" | 53                  |
| 722   | 3                 | 18" x 27"     | 10"       | 19 3/8"      | 32 5/8" | 34 1/2" | 2-swivel<br>2-fixed  | 5"<br>8" | 63                  |
| 743   | 2                 | 21" x 33"     | 21"       | 22 3/8"      | 38 5/8" | 37 1/8" | 2-swivel<br>2-fixed  | 5"<br>8" | 64                  |
| 744   | 3                 | 21" x 33"     | 11 3/8"   | 22 3/8"      | 38 5/8" | 37 1/8" | 2-swivel<br>2-fixed  | 5"<br>8" | 78                  |
| 758   | 2                 | 21" x 49"     | 21"       | 22 3/8"      | 54 5/8" | 37"     | 2-swivel<br>2-fixed  | 5"<br>8" | 87                  |
| 759   | 3                 | 21" x 49"     | 11 3/8"   | 22 3/8"      | 54 5/8" | 37"     | 2-swivel<br>2-fixed  | 5"<br>8" | 108                 |

FREIGHT CLASS  
125

STANDARD  
PRODUCTS  
SHIP IN **4** DAYS  
OR LESS

## CASTERS

Fixed and swivel casters are interchangeable at the factory or in the field.

*Maximum maneuverability in tight spaces with optional all swivel, 5" casters*



All Swivel

**BENEFITS**

- .....Easy to clean and sanitize
- .....Extra capacity for heavy loads
- .....Swivels smoothly with less strain
- .....Protects walls and furniture



Economical chrome ships  
knocked down (KD) which  
is FedEx or UPS ground




|   |                             |
|---|-----------------------------|
| 2 | DURABILITY INDEX            |
|   | Medium Duty                 |
|   | WEIGHT CAPACITY<br>500 lbs. |

**TUBULAR DESIGN | STAINLESS STEEL**

*Tubular design delivers extra strength and manageability for navigating crowded spaces*

- Dual handles allow for pushing from either end when narrow spaces restrict turns
- All swivel casters make it easier to maneuver into tight corners
- 1" thick tubing supplies longer lasting durability
- U-shaped frame with integrated handles increases structural strength
- Sound deadening material under shelves restricts vibration and noise
- Optional accessories shown on page 14

Adapter bar  
creates edge to  
hang utility or  
waste basket



| MODEL                    | SHELF DESCRIPTION |               |           | OVERALL SIZE |     |         | LAKE-GLIDE® CASTERS     |      | SHIP WT. |      |
|--------------------------|-------------------|---------------|-----------|--------------|-----|---------|-------------------------|------|----------|-------------------------------------------------------------------------------------------|
|                          | # OF              | SIZE (W X L)  | CLEARANCE | W            | L   | H       | TYPE                    | DIA. | LBS.     |                                                                                           |
| ALL STAINLESS STEEL      |                   |               |           |              |     |         |                         |      |          |                                                                                           |
| 210                      | 2                 | 15 1/2" x 24" | 18 3/4"   | 17 1/2"      | 27" | 35 3/4" | All swivel              | 4"   | 31       | NA                                                                                        |
| 211                      | 3                 | 15 1/2" x 24" | 9 1/2"    | 17 1/2"      | 27" | 35 3/4" | All swivel              | 4"   | 36       | NA                                                                                        |
| 221                      | 2                 | 18" x 27"     | 18 3/4"   | 20"          | 30" | 35 3/4" | All swivel              | 4"   | 36       | NA                                                                                        |
| 222                      | 3                 | 18" x 27"     | 9 1/2"    | 20"          | 30" | 35 3/4" | All swivel              | 4"   | 43       | NA                                                                                        |
| 243                      | 2                 | 21" x 33"     | 21 1/2"   | 22"          | 36" | 40 5/8" | All swivel              | 5"   | 55       | NA                                                                                        |
| 244                      | 3                 | 21" x 33"     | 10 3/4"   | 22"          | 36" | 40 5/8" | No-Mark®, cushion tread |      | 66       | NA                                                                                        |
|                          |                   |               |           |              |     |         | All swivel              | 5"   |          |                                                                                           |
| CHROME-PLATED LEGS/FRAME |                   |               |           |              |     |         |                         |      |          |                                                                                           |
| 472                      | 2                 | 15 1/2" x 24" | 18 3/4"   | 17 1/2"      | 27" | 35 3/4" | All swivel              | 4"   | 32       | NA                                                                                        |
| 473                      | 3                 | 15 1/2" x 24" | 9 1/2"    | 17 1/2"      | 27" | 35 3/4" | All swivel              | 4"   | 37       | NA                                                                                        |
| 479                      | 3                 | 15 1/2" x 24" | 9 7/8"    | 17 1/2"      | 27" | 35"     | All swivel              | 4"   | 43       | OK,  |
| 489                      | 3                 | 18" x 27"     | 9 7/8"    | 20"          | 27" | 35"     | All swivel              | 4"   | 50       | OK,  |
| 492                      | 2                 | 21" x 33"     | 21 1/2"   | 23"          | 36" | 40 1/8" | All swivel              | 5"   | 53       | NA                                                                                        |
| 493                      | 3                 | 21" x 33"     | 10 3/4"   | 23"          | 36" | 40 1/8" | All swivel              | 5"   | 67       | NA                                                                                        |
| 499                      | 3                 | 21" x 33"     | 9 7/8"    | 23"          | 36" | 37"     | All swivel              | 5"   | 65       | OK,  |

Denotes knocked down, shipped unassembled. Optional donut bumpers available.

FREIGHT CLASS  
125

STANDARD  
PRODUCTS  
SHIP IN **3** DAYS  
OR LESS

## PLASTIC UTILITY CARTS

|   |                             |
|---|-----------------------------|
| 1 | DURABILITY INDEX            |
|   | Standard Duty               |
|   | WEIGHT CAPACITY<br>300 lbs. |

### STANDARD DUTY PLASTIC UTILITY CARTS

- Stain- and odor-resistant material maintains sanitation
- Sturdy construction is impact-resistant
- Available in neutral beige to complement any décor or black shelves with brushed aluminum legs for a sleeker look
- 4" all swivel casters provide ultimate maneuverability
- Assembles easily without hardware
- Optional attachable waste and utility boxes shown on page 14



#### Model #2000

- Blow molded double-wall construction for extra sturdiness
- Polyethylene shelves attract less dirt
- ABS injection molded legs
- Single handle



#### Model #2500

- Injection molded single-wall construction
- Polypropylene shelves
- Tubular aluminum legs
- Dual handle



| MODEL | SHELF DESCRIPTION |               |           | OVERALL SIZE |         |         | SHIP WEIGHT<br>LBS. | CASE CUBE<br>CU. FT. | FedEx<br>OK<br>KD |
|-------|-------------------|---------------|-----------|--------------|---------|---------|---------------------|----------------------|-------------------|
|       | # OF              | SIZE (W X L)  | CLEARANCE | W            | L       | H       |                     |                      |                   |
| 2000  | 3                 | 16" x 24"     | 12 1/8"   | 17 1/8"      | 32 1/2" | 34 7/8" | 32                  | 3.3                  | OK<br>KD          |
| 2500  | 3                 | 16" x 25 1/2" | 11 1/2"   | 17 1/2"      | 31 3/4" | 38"     | 35                  | 3.5                  | OK<br>KD          |

**KD** KD denotes knocked down, shipped unassembled.

FREIGHT CLASS  
70

STANDARD  
PRODUCTS  
SHIP IN **2** DAYS  
OR LESS

|   |                             |
|---|-----------------------------|
| 1 | DURABILITY INDEX            |
|   | Standard Duty               |
|   | WEIGHT CAPACITY<br>300 lbs. |

### CONTEMPORARY DESIGN PLASTIC UTILITY CARTS

*These economical carts are great for multi-tasking with style.*

- Stain- and odor-resistant material maintains sanitation
- Seamless shelves for easy cleaning
- Contour shaped shelves are attractive and contemporary
- Light gray and charcoal shelf models available for a variety of looks
- Assembles easily without tools
- Non-marking 4" all swivel casters provide ultimate maneuverability
- Reinforced polyethylene shelves with extruded aluminum legs add sturdiness
- Optional attachable waste and utility boxes shown on page 14



#2501



#2503

| MODEL              | SHELF DESCRIPTION |               |           | OVERALL SIZE |     |     | SHIP WEIGHT<br>LBS. | CASE CUBE<br>CU. FT. | FedEx<br>OK<br>KD |
|--------------------|-------------------|---------------|-----------|--------------|-----|-----|---------------------|----------------------|-------------------|
|                    | # OF              | SIZE (W X L)  | CLEARANCE | W            | L   | H   |                     |                      |                   |
| 2501<br>Light Gray | 3                 | 16" x 28 1/2" | 11 3/4"   | 18 1/2"      | 36" | 35" | 36                  | 6.7                  | OK<br>KD          |
| 2503<br>Charcoal   | 3                 | 16" x 28 1/2" | 11 3/4"   | 18 1/2"      | 36" | 35" | 36                  | 6.7                  | OK<br>KD          |

FREIGHT CLASS  
70

STANDARD  
PRODUCTS  
SHIP IN **2** DAYS  
OR LESS



|   |                             |
|---|-----------------------------|
| 2 | DURABILITY INDEX            |
|   | Medium Duty                 |
|   | WEIGHT CAPACITY<br>500 lbs. |

**25% MORE  
WEIGHT CAPACITY  
WITH 30% MORE  
SHELF SURFACE  
THAN OUR  
STANDARD DUTY  
CARTS**

## CONTEMPORARY DESIGN PLASTIC UTILITY CARTS

*These economical carts are great for multi-tasking with style.*

- Dual handles allow pushing or pulling from either end to better navigate difficult areas
- Stain- and odor-resistant material maintains sanitation
- Seamless shelves for easy cleaning
- Contour shaped shelves are attractive and contemporary
- Light gray and charcoal shelf models available for a variety of looks
- Assembles easily without tools
- Attractive, clear, non-marking 4" all swivel casters
- Reinforced polyethylene shelves with extruded aluminum legs add sturdiness
- Optional attachable waste and utility boxes shown on page 14



#2510



#2512

| MODEL                     | SHELF DESCRIPTION |                   |           | OVERALL SIZE |     |         | SHIP WEIGHT<br>LBS. | CASE CUBE<br>CU. FT. | FedEx<br>UPS |
|---------------------------|-------------------|-------------------|-----------|--------------|-----|---------|---------------------|----------------------|--------------|
|                           | # OF              | SIZE (W X L)      | CLEARANCE | W            | L   | H       |                     |                      |              |
| <b>2510</b><br>Light Gray | 3                 | 16 3/4" x 29 1/2" | 11 1/2"   | 20"          | 42" | 37 1/2" | 39                  | 6.7                  | OK<br>KD     |
| <b>2512</b><br>Charcoal   | 3                 | 16 3/4" x 29 1/2" | 11 1/2"   | 20"          | 42" | 37 1/2" | 39                  | 6.7                  | OK<br>KD     |

**KD** KD denotes knocked down, shipped unassembled.

FREIGHT CLASS  
70

STANDARD  
PRODUCTS  
SHIP IN **2** DAYS  
OR LESS

|   |                             |
|---|-----------------------------|
| 2 | DURABILITY INDEX            |
|   | Medium Duty                 |
|   | WEIGHT CAPACITY<br>500 lbs. |

**NEW  
SIZE!**

## DEEP WELL UTILITY CART

*Keep supplies safely on board with this rugged load mover.*

- Durable structural foam plastic construction
- Non-marking 5" plate-mount casters (2 ea. fixed, 2 ea. swivel)
- Casters mount to upright leg base for extra strength
- 3" protective edge on all shelf sides prevents accidents
- No handle assembly required
- Assembles easily in minutes



#2523

| MODEL       | # OF<br>SHELVES | SHELF<br>SIZE | SHELF<br>CLEARANCE | OVERALL SIZE |         |         | CASTER<br>TYPE      | CASTER<br>DIA. | CASE WEIGHT<br>LBS. | CASE CUBE<br>CU. FT. | FedEx<br>UPS |
|-------------|-----------------|---------------|--------------------|--------------|---------|---------|---------------------|----------------|---------------------|----------------------|--------------|
|             |                 |               |                    | W            | L       | H       |                     |                |                     |                      |              |
| <b>2521</b> | 2               | 16" x 30 1/3" | 19"                | 17 1/2"      | 34 1/2" | 32 3/4" | 2 swivel<br>2 fixed | 5"             | 35                  | 3.3                  | OK           |
| <b>2523</b> | 2               | 24" x 36"     | 19 3/4"            | 25 1/2"      | 40 1/4" | 32 3/4" | 2 swivel<br>2 fixed | 5"             | 42                  | 5.4                  | OK           |

FREIGHT CLASS  
70

STANDARD  
PRODUCTS  
SHIP IN **3** DAYS  
OR LESS

## LINEN CARTS

Compact and easily maneuverable, Lakeside linen carts come in 3 different shelf sizes to meet your unique needs.

- Stainless Steel is easy to clean and sanitize
- All-welded construction eliminates nuts and bolts for a stronger structure and easier-to-clean surface
- Compact size allows for easy maneuverability
- Bumpers on legs and handles protect walls and furniture
- Models 332, 442 and 470 include nylon cart cover to protect contents from airborne dust and dirt while still allowing easy accessibility



#332  
Shown with standard  
nylon cover

| MODEL          | DURABILITY<br>INDEX RATING | SHELF DESCRIPTION |               |           | OVERALL SIZE |         |         | CASTERS              |        | SHIP WEIGHT<br>LBS. | FedEx<br>UPS |
|----------------|----------------------------|-------------------|---------------|-----------|--------------|---------|---------|----------------------|--------|---------------------|--------------|
|                |                            | # OF              | SIZE (W X L)  | CLEARANCE | W            | L       | H       | TYPE                 | DIA.   |                     |              |
| 332<br>w/cover | Standard Duty<br>300 lbs.  | 4                 | 15 1/2" x 24" | 11 3/4"   | 16 1/4"      | 27 1/2" | 46"     | All<br>swivel        | 3 1/2" | 36                  | OK           |
| 333            | Standard Duty<br>300 lbs.  | 4                 | 15 1/2" x 24" | 11 3/4"   | 16 1/4"      | 27 1/2" | 46"     | All<br>swivel        | 3 1/2" | 36                  | OK           |
| 442<br>w/cover | Medium Duty<br>500 lbs.    | 4                 | 21" x 33"     | 13 1/8"   | 22 1/4"      | 36 3/8" | 45 1/2" | 2 swivel/<br>2 fixed | 5"     | 75                  | NA           |
| 443            | Medium Duty<br>500 lbs.    | 4                 | 21" x 33"     | 13 1/8"   | 22 1/4"      | 36 3/8" | 45 1/2" | 2 swivel/<br>2 fixed | 5"     | 75                  | NA           |
| 470<br>w/cover | Medium Duty<br>500 lbs.    | 4                 | 21" x 50"     | 13 1/8"   | 22 1/4"      | 51 3/8" | 45 1/2" | 2 swivel/<br>2 fixed | 5"     | 111                 | NA           |
| 471            | Medium Duty<br>500 lbs.    | 4                 | 21" x 50"     | 13 1/8"   | 22 1/4"      | 51 3/8" | 45 1/2" | 2 swivel/<br>2 fixed | 5"     | 111                 | NA           |

STANDARD  
PRODUCTS  
SHIP IN **2** DAYS  
OR  
LESS

FREIGHT CLASS  
**125**

## UTILITY/LINEN CART COVERS

Covers are necessary to protect contents from dust and other airborne contaminants

- Urethane coated, fluid repellent, flame retardant and machine washable.
- Velcro closures for easy access
- Standard covers are royal blue, 200 denier nylon oxford
- Custom colors and personalization available



### Clear Vinyl Cart Covers:

- 12-mil, box type construction without flap



| CART MODELS                                 | NYLON<br>MODEL # | CLEAR VINYL<br>MODEL # |
|---------------------------------------------|------------------|------------------------|
| 210, 211, 311, 316, 411, 472, 473, 479, 711 | 19550            | 09520                  |
| 221, 222, 322, 422, 479, 526, 2000          | 19560            | 09502                  |
| 243, 244, 492, 493, 499                     | 19640            | 09503                  |
| 351, 352, 353, 354                          | 19770            | —                      |
| 355, 357                                    | 19780            | —                      |
| 332, 333                                    | 09563            | —                      |
| 356, 359, 466, 469                          | 19740            | —                      |
| 358                                         | 19750            | —                      |
| 433, 448, 745, 746                          | 19790            | —                      |
| 442, 443, 445, 446                          | 19590            | —                      |
| 444, 729, 730, 743, 744                     | 19570            | 09503                  |

| CART MODELS                  | NYLON<br>MODEL # | CLEAR VINYL<br>MODEL # |
|------------------------------|------------------|------------------------|
| 449, 451, 733, 748           | 19800            | —                      |
| 459, 758, 759                | 19630            | —                      |
| 460, 461, 462, 463, 760, 761 | 19810            | —                      |
| 464, 465, 762, 763           | 19820            | —                      |
| 470, 471                     | 19600            | —                      |
| 474                          | 19760            | —                      |
| 721, 722, 725, 726           | 19650            | 09502                  |
| 6600, 6800                   | 19680            | —                      |
| 6610, 6810                   | 19690            | —                      |
| 6820                         | 19700            | —                      |
| 6830                         | 19710            | —                      |

STANDARD  
PRODUCTS  
SHIP IN **4** DAYS  
OR  
LESS

## GUARD RAIL UTILITY CARTS



Front rails on all three shelves prevent items from falling during transport.

*Guard rail carts eliminate spills and breakage when transporting items that could easily tumble off shelves.*

- All swivel casters provide ultimate maneuverability
- Integrated push handle for comfortably guiding cart with ease
- Sound deadening material restricts vibration and noise (on standard and medium duty carts)
- Heavy duty 700 series frame construction and larger casters restrict vibration and noise
- All-welded construction eliminates nuts and bolts for a stronger structure and easier-to-clean surface
- Stainless steel is easy to clean and sanitize
- Bumpers on legs and handles protect walls and furniture
- Optional accessories shown on page 14

**1** DURABILITY INDEX  
Standard Duty  
WEIGHT CAPACITY  
300 lbs.



#316

**2** DURABILITY INDEX  
Medium Duty  
WEIGHT CAPACITY  
500 lbs.



#526

**3** DURABILITY INDEX  
Heavy Duty  
WEIGHT CAPACITY  
700 lbs.



#730

| MODEL | DURABILITY INDEX RATING   | SHELF DESCRIPTION |               |           | OVERALL SIZE |         |         | CASTERS    |        | SHIP WEIGHT LBS. | FedEx<br>UPS |
|-------|---------------------------|-------------------|---------------|-----------|--------------|---------|---------|------------|--------|------------------|--------------|
|       |                           | # OF              | SIZE (W X L)  | CLEARANCE | W            | L       | H       | TYPE       | DIA.   |                  |              |
| 316   | Standard Duty<br>300 lbs. | 3                 | 15 1/2" x 24" | 9 1/4"    | 16 1/4"      | 27 1/2" | 33 3/8" | All swivel | 3 1/2" | 33               | OK           |
| 526   | Medium Duty<br>500 lbs.   | 3                 | 18" x 27"     | 9"        | 19"          | 31"     | 34 3/4" | All swivel | 4"     | 45               | NA           |
| 725   | Heavy Duty<br>700 lbs.    | 2                 | 18" x 27"     | 17"       | 19 3/8"      | 32 5/8" | 34 1/2" | All swivel | 5"     | 56               | NA           |
| 726   | Heavy Duty<br>700 lbs.    | 3                 | 18" x 27"     | 9"        | 19 3/8"      | 32 5/8" | 34 1/2" | All swivel | 5"     | 66               | NA           |
| 729   | Heavy Duty<br>700 lbs.    | 2                 | 21" x 33"     | 18 3/4"   | 22 3/8"      | 38 5/8" | 37 1/4" | All swivel | 5"     | 65               | NA           |
| 730   | Heavy Duty<br>700 lbs.    | 3                 | 21" x 33"     | 9 3/8"    | 22 3/8"      | 38 5/8" | 37 1/4" | All swivel | 5"     | 79               | NA           |



## STAINLESS STEEL MULTI-PURPOSE, MULTI-SHELF CARTS

|   |                             |
|---|-----------------------------|
| 2 | DURABILITY INDEX            |
|   | Medium Duty                 |
|   | WEIGHT CAPACITY<br>500 lbs. |

### MEDIUM DUTY COMPACT CART

Multiple shelves keep supplies organized in a compact footprint.

- Compact size allows for easy maneuvering
- Angle leg design provides durability
- All-welded construction eliminates nuts and bolts for a stronger structure and easier-to-clean surface

|                                                | SHELF DESCRIPTION |              |           | OVERALL SIZE |         |         | SHIP WEIGHT<br>LBS. |
|------------------------------------------------|-------------------|--------------|-----------|--------------|---------|---------|---------------------|
| MODEL                                          | # OF              | SIZE (W X L) | CLEARANCE | W            | L       | H       |                     |
| ALL SHELF EDGES DOWN WITH FRONT LEG BUMPER     |                   |              |           |              |         |         |                     |
| <b>351</b><br><small>extended handle</small>   | 3                 | 18" x 31"    | 13 3/4"   | 19 3/8"      | 35"     | 36 7/8" | 50                  |
| <b>353</b><br><small>extended handle</small>   | 4                 | 18" x 31"    | 8 3/4"    | 19 3/8"      | 35"     | 36 7/8" | 57                  |
| <b>355</b><br><small>recessed handle</small>   | 5                 | 18" x 31"    | 8 3/8"    | 19 1/4"      | 32 1/8" | 45 1/8" | 67                  |
| 3 SHELF EDGES UP, 1 DOWN WITH FRONT LEG BUMPER |                   |              |           |              |         |         |                     |
| <b>352</b><br><small>extended handle</small>   | 3                 | 18" x 31"    | 13 1/8"   | 19 3/8"      | 35"     | 36 7/8" | 50                  |
| <b>354</b><br><small>extended handle</small>   | 4                 | 18" x 31"    | 8 3/8"    | 19 3/8"      | 35"     | 36 7/8" | 57                  |
| <b>357</b><br><small>recessed handle</small>   | 5                 | 18" x 31"    | 8 1/8"    | 19 1/4"      | 32 1/8" | 45 1/8" | 67                  |
| ALL SHELF EDGES DOWN WITH PERIMETER BUMPER     |                   |              |           |              |         |         |                     |
| <b>445</b><br><small>extended handle</small>   | 4                 | 21" x 35"    | 11 1/2"   | 22 1/4"      | 36 3/8" | 45 5/8" | 78                  |
| <b>433</b><br><small>recessed handle</small>   | 6                 | 21" x 35"    | 7 3/8"    | 22 1/4"      | 36 3/8" | 50 3/8" | 98                  |
| <b>449</b><br><small>recessed handle</small>   | 8                 | 21" x 35"    | 5 1/2"    | 22 1/4"      | 36 3/8" | 54 1/2" | 119                 |
| <b>460</b><br><small>extended handle</small>   | 4                 | 21" x 50"    | 11 1/2"   | 22 1/4"      | 51 3/8" | 45 5/8" | 155                 |
| <b>462</b><br><small>recessed handle</small>   | 6                 | 21" x 50"    | 7 3/8"    | 22 1/4"      | 51 3/8" | 50 3/8" | 145                 |
| <b>464</b><br><small>recessed handle</small>   | 8                 | 21" x 50"    | 5 1/2"    | 22 1/4"      | 51 3/8" | 54 1/2" | 178                 |
| 3 SHELF EDGES UP, 1 DOWN WITH PERIMETER BUMPER |                   |              |           |              |         |         |                     |
| <b>446</b><br><small>extended handle</small>   | 4                 | 21" x 35"    | 11 1/8"   | 22 1/4"      | 36 3/8" | 45 5/8" | 78                  |
| <b>448</b><br><small>recessed handle</small>   | 6                 | 21" x 35"    | 7 1/8"    | 22 1/4"      | 36 3/8" | 50 3/8" | 98                  |
| <b>451</b><br><small>recessed handle</small>   | 8                 | 21" x 35"    | 5 3/8"    | 22 1/4"      | 36 3/8" | 54 1/2" | 119                 |
| <b>461</b><br><small>extended handle</small>   | 4                 | 21" x 50"    | 11 1/8"   | 22 1/4"      | 51 3/8" | 45 5/8" | 155                 |
| <b>463</b><br><small>recessed handle</small>   | 6                 | 21" x 50"    | 7 1/8"    | 22 1/4"      | 51 3/8" | 50 3/8" | 145                 |
| <b>465</b><br><small>recessed handle</small>   | 8                 | 21" x 50"    | 5 3/8"    | 22 1/4"      | 51 3/8" | 54 1/2" | 178                 |

### COMMON FEATURES:

### UTILITY CARTS

#### STANDARD FEATURES

- ✓ Stainless steel
- ✓ Choice of shelf type:  
All shelf edges down, 1 down, 3 shelf edges up, 1 down
- ✓ No-Mark® cushion tread wheels
- ✓ 2 fixed and 2 swivel casters, 5"



FREIGHT CLASS  
125

STANDARD PRODUCTS  
SHIP IN 6 DAYS OR LESS

**BENEFITS**

.....Easy to clean and sanitize

.....Easy loading/unloading from all sides

.....Hold items on shelves during transport

.....Absorb impact for quiet operation

.....Guide cart in a straight line,  
while making turns easier

|   |                             |
|---|-----------------------------|
| 3 | DURABILITY INDEX            |
|   | Heavy Duty                  |
|   | WEIGHT CAPACITY<br>700 lbs. |

**HEAVY DUTY NARROW WIDTH CART***This cart maneuvers heavy loads easily in narrow service areas.*

- U-shaped tubular frame provides superior strength
- Extended handle gives more control



#745

|                          | SHELF DESCRIPTION |              |           | OVERALL SIZE |         |         | SHIP WEIGHT |
|--------------------------|-------------------|--------------|-----------|--------------|---------|---------|-------------|
| MODEL                    | # OF              | SIZE (W X L) | CLEARANCE | W            | L       | H       | LBS.        |
| ALL SHELF EDGES DOWN     |                   |              |           |              |         |         |             |
| 745<br>extended handle   | 4                 | 21" x 33"    | 11 1/2"   | 21 1/2"      | 38 1/2" | 49 1/8" | 99          |
| 733<br>recessed handle   | 6                 | 21" x 33"    | 7 3/8"    | 21 1/2"      | 38 1/2" | 54 1/2" | 129         |
| 760<br>extended handle   | 4                 | 21" x 49"    | 11 1/2"   | 21 1/2"      | 54 1/2" | 49 1/4" | 133         |
| 762<br>recessed handle   | 6                 | 21" x 49"    | 7 3/8"    | 21 1/2"      | 54 1/2" | 54 5/8" | 178         |
| 3 SHELF EDGES UP, 1 DOWN |                   |              |           |              |         |         |             |
| 746<br>extended handle   | 4                 | 21" x 33"    | 11"       | 21 1/2"      | 38 1/2" | 49 1/8" | 99          |
| 748<br>recessed handle   | 6                 | 21" x 33"    | 7"        | 21 1/2"      | 38 1/2" | 54 1/2" | 129         |
| 761<br>extended handle   | 4                 | 21" x 49"    | 11"       | 21 1/2"      | 54 1/2" | 49 1/4" | 139         |
| 763<br>recessed handle   | 6                 | 21" x 49"    | 7"        | 21 1/2"      | 54 1/2" | 54 5/8" | 178         |

**OPTIONAL MULTI-SHELF CART ACCESSORIES**

Optional Perimeter Bumpers  
provide protection for walls  
and furnishings

| FITS MODEL #                            | STRIP<br>BUMPER | PERIMETER<br>BUMPER | ALL 5"<br>SWIVEL<br>CASTERS | ALL 8"<br>SWIVEL<br>CASTERS | ALL 5"<br>CUSHION TREAD<br>CASTERS | ALL 5"<br>SWIVEL CASTERS,<br>2 WITH BRAKE |
|-----------------------------------------|-----------------|---------------------|-----------------------------|-----------------------------|------------------------------------|-------------------------------------------|
| <b>351 - 355, 357</b>                   | Available       | Available           | Available                   | N/A                         | Available                          | Available                                 |
| <b>433, 445, 446</b>                    | Standard        | Available           | Available                   | Available                   | Standard                           | Available                                 |
| <b>448, 449, 451</b>                    |                 |                     |                             |                             |                                    |                                           |
| <b>460, 461, 462,<br/>463, 464, 465</b> | Standard        | Available           | Available                   | Available                   | Standard                           | Available                                 |
| <b>733, 745, 746</b>                    | —               | Available           | No Charge                   | Available                   | —                                  | Available                                 |
| <b>760, 762</b>                         | —               | Available           | No Charge                   | Available                   | —                                  | Available                                 |



## UTILITY CART ACCESSORIES



### Corner Leg Bumpers

Vinyl bumper strips attach to the front edges of carts to protect walls and furniture. Sold in sets of 2.



### No-Mark® Casters

Swivel casters for easy handling, plus the added convenience of a non-marking tread.



### Round Corner Bumpers

Bumpers fit tubular legs to protect walls and doors. Made of resilient vinyl. Sold in sets of four.



### Brake Casters

Swivel casters feature a step-on locking brake. Sold in sets of two.



### Perimeter Bumper

Safeguards doors, walls and furnishings. Perimeter bumpers are away from the cart frame in a specially engineered channel. Made of extruded vinyl.



### Sta-Clean® Vinyl Covers

Slides over mobile equipment to protect contents. Made of durable 12-mil clear vinyl. A wide variety of sizes are available.

| FITS MODEL #       | STRIP BUMPERS | PERIMETER BUMPER | ALL 5" SWIVEL CASTERS | 2-5" FIXED 2-5" SWIVEL CASTERS | HI-TEMP 2-5" FIXED 2-5" SWIVEL | ALL 8" SWIVEL CASTERS | ALL 5" CUSHION TREAD | ALL 5" SWIVEL CASTERS, 2 WITH BRAKES | STA-CLEAN VINYL COVERS + |
|--------------------|---------------|------------------|-----------------------|--------------------------------|--------------------------------|-----------------------|----------------------|--------------------------------------|--------------------------|
| 311, 316, 322      | Available     | N/A              | Available             | Available                      | N/A                            | N/A                   | Available            | Available                            | Available                |
| 444                | Available     | Available        | Standard              | Available                      | Available                      | Available             | Standard             | Available                            | Available                |
| 411, 422, 526      | Available     | N/A              | Available             | Available                      | N/A                            | N/A                   | Available            | Available                            | Available                |
| 459                | Available     | Available        | Available             | Standard                       | Available                      | Available             | Standard             | Available                            | N/A                      |
| 721, 722, 743, 744 | N/A           | Available        | No charge             | N/A                            | Available                      | Available             | Standard             | Available                            | Available                |
| 758, 759           | N/A           | Available        | No charge             | N/A                            | Available                      | Available             | Standard             | Available                            | N/A                      |

## PLASTIC UTILITY BOXES

- Thick molded polyethylene with reinforced stainless steel shelf hooks for durability
- Mounts on the end of plastic and stainless steel carts to add capacity
- Separates wet material or liquids from dry items being transported

| MODEL | DESCRIPTION     | OVERALL SIZE |         |     | SHIP WEIGHT      |                 |
|-------|-----------------|--------------|---------|-----|------------------|-----------------|
|       |                 | W            | L       | H   | SINGLE PACK LBS. | BULK PACK* LBS. |
| 202   | Waste Box       | 9 1/4"       | 13 1/2" | 24" | 6                | 28              |
| 206   | Jumbo Waste Box | 11 1/4"      | 14 3/8" | 26" | 8                | 36              |
| 208   | Utility Box     | 6 3/4"       | 15 3/4" | 6"  | 4                | 15              |

\*Bulk pack is 6 ea. (except for model 206, bulk packed 4 ea). Color: Gray



#202




#208

## ADAPTER BAR

- Adapter Bar for use with tubular carts on page 7. Fits over tubular handle.

| MODEL | LENGTH  | MODEL | LENGTH | MODEL | LENGTH |
|-------|---------|-------|--------|-------|--------|
| 09900 | 15 1/2" | 09901 | 18"    | 09902 | 21"    |



Adapter bar creates edge to hang utility or waste basket

**ERGO-ONE® SYSTEM UTILITY CARTS**

## These carts work with your body to help prevent injuries

- Promote a safe work place environment
- Reduce workers' compensation claims
- Designed to keep it simple and make it body-friendly

Underscoring Lakeside's long-time commitment to provide innovative solutions to real world problems, we worked with an orthopedic specialist to design a family of carts built to help prevent repetitive motion injuries.

- The vertical handle ensures wrists are in the correct position for pushing and steering
- Shelves are located within a "Safety Zone" that is the proper height for loading and unloading

Vertical handle  
makes pushing safer  
and more natural

"Safe Zone"  
for repetitive  
loading and  
unloading



#6600

|   |                             |
|---|-----------------------------|
| 1 | DURABILITY INDEX            |
|   | Standard Duty               |
|   | WEIGHT CAPACITY<br>300 lbs. |

- Ergonomic top shelf height 34 1/8" for strain-free loading
- 20-gauge stainless steel shelves reinforced for added strength
- All-welded construction eliminates nuts and bolts for a stronger structure and easier-to-clean surface
- Stainless steel is easy to clean and sanitize
- Leg bumpers protect walls and furniture
- No-Mark® cushion tread wheels absorb impact, reducing vibration and strain
- 5" casters, all swivel. Model 6600 caster requires assembly

| MODEL | # OF | SHELF DESCRIPTION |           | OVERALL SIZE |         |         | SHIP WEIGHT<br>LBS. | FedEx<br>UPS |
|-------|------|-------------------|-----------|--------------|---------|---------|---------------------|--------------|
|       |      | SIZE (W X L)      | CLEARANCE | W            | L       | H*      |                     |              |
| 6600  | 2    | 15 1/2" x 24"     | 13 1/8"   | 16 1/2"      | 28"     | 44 3/8" | 22                  | OK           |
| 6610  | 2    | 18" x 27"         | 13 1/8"   | 19"          | 31 1/8" | 44 3/8" | 25                  | NA           |

\*Includes height of ergonomic handles. Handle assembly required. Accessories on page 16.



## ERGO-ONE® SYSTEM UTILITY CARTS (CONT.)

### COMMON FEATURES:

- ✓ Ergonomic bottom shelf height 20" which is in safe zone for reduced back stress
- ✓ All-welded construction eliminates nuts and bolts for a stronger structure and easier-to-clean surface
- ✓ Stainless steel is easy to clean and sanitize
- ✓ No-Mark® cushion tread wheels absorb impact, reducing vibration and strain
- ✓ Leg bumpers protect walls and furniture
- ✓ Comfortable handle grips make pushing easier and safer



#6820



#7025

|   |                             |
|---|-----------------------------|
| 2 | DURABILITY INDEX            |
|   | Medium Duty                 |
|   | WEIGHT CAPACITY<br>500 lbs. |

### MEDIUM DUTY

- 20-gauge stainless steel shelves reinforced for added strength

| MODEL | # OF | SHELF DESCRIPTION |           | TOP SHELF HEIGHT* | OVERALL SIZE |         |         | LAKE-GLIDE® CASTERS  |      | SHIP WT. LBS. | UPS |
|-------|------|-------------------|-----------|-------------------|--------------|---------|---------|----------------------|------|---------------|-----|
|       |      | SIZE (W X L)      | CLEARANCE |                   | W            | L       | H**     | TYPE                 | DIA. |               |     |
| 6800  | 2    | 15 1/2" x 24"     | 14 1/8"   | 35 1/4"           | 16 1/2"      | 28"     | 44 3/8" | All swivel           | 5"   | 32            | OK  |
| 6810  | 2    | 18" x 27"         | 14 1/8"   | 35 1/4"           | 19"          | 31 1/8" | 44 3/8" | All swivel           | 5"   | 35            | NA  |
| 6820  | 2    | 21" x 35"         | 14 1/2"   | 35 3/4"           | 22"          | 39 1/8" | 44 3/8" | All swivel           | 5"   | 61            | NA  |
| 6830  | 2    | 21" x 49"         | 14 1/2"   | 35 3/4"           | 22"          | 53 1/8" | 44 3/8" | 2- swivel<br>2-fixed | 5"   | 128           | NA  |

\*Measured from floor. \*\*Includes height of ergonomic handles. Handle assembly required. Model 6800 caster assembly required.

|   |                             |
|---|-----------------------------|
| 3 | DURABILITY INDEX            |
|   | Heavy Duty                  |
|   | WEIGHT CAPACITY<br>700 lbs. |

### HEAVY DUTY

- 18-gauge stainless steel shelves reinforced for heavy duty loads
- Extra load casters supports heavy weight better- 2 swivel 5", 2 fixed 8"

FREIGHT CLASS  
125

STANDARD PRODUCTS  
SHIP IN 5 DAYS OR LESS

| MODEL | # OF | SHELF DESCRIPTION |           | TOP SHELF HEIGHT* | OVERALL SIZE |          |         | SHIP WEIGHT LBS. |
|-------|------|-------------------|-----------|-------------------|--------------|----------|---------|------------------|
|       |      | SIZE (W X L)      | CLEARANCE |                   | W            | L        | H**     |                  |
| 7010  | 2    | 18" x 27"         | 18 1/2"   | 40"               | 18 5/8"      | 35 3/8"  | 46 3/4" | 53               |
| 7015  | 3    | 18" x 27"         | 10"       | 43"               | 18 5/8"      | 35 3/8"  | 46 3/4" | 63               |
| 7020  | 2    | 21" x 33"         | 18 1/2"   | 40"               | 21 5/8"      | 41 3/8"  | 46 3/4" | 64               |
| 7025  | 3    | 21" x 33"         | 10"       | 43"               | 21 5/8"      | 41 3/8"  | 46 3/4" | 78               |
| 7030  | 2    | 21" x 49"         | 18 1/2"   | 40"               | 21 5/8"      | 57 3/16" | 46 3/4" | 127              |

\*Measured from floor. \*\*Includes height of ergonomic handles. Handle assembly required.

FREIGHT CLASS  
125

STANDARD PRODUCTS  
SHIP IN 5 DAYS OR LESS

## ERGO-ONE® SYSTEM CART ACCESSORIES

FREIGHT CLASS  
125

STANDARD PRODUCTS  
SHIP IN 5 DAYS OR LESS

| FITS MODEL #'S                                                            | 6600<br>6610 | 6800<br>6810 | 6820      | 6830      | 7010<br>7015 | 7020<br>7025 | 7030      |
|---------------------------------------------------------------------------|--------------|--------------|-----------|-----------|--------------|--------------|-----------|
| Ergonomic Handle Grips and Bumpers, Blue                                  | Available    | Standard     | Standard  | Standard  | Standard     | Standard     | Standard  |
| Handle Set Both Ends                                                      | N/A          | N/A          | N/A       | N/A       | Available    | Available    | Available |
| Perimeter Channel Bumper                                                  | N/A          | N/A          | N/A       | N/A       | Available    | Available    | Available |
| 2 Brake Casters                                                           | N/A          | Available    | Available | Available | Available    | Available    | Available |
| 4 - 5" Swivel Casters                                                     | N/A          | N/A          | N/A       | N/A       | No Charge    | No Charge    | No Charge |
| 2 - 5" Swivel, 2 - 5" Fixed Casters                                       | N/A          | N/A          | N/A       | N/A       | N/A          | N/A          | No Charge |
| 2 - 5" Swivel, 2 - 5" Fixed High-Temp Nylon Casters, up to 400°F (204° C) | Available    | Available    | Available | Available | Available    | Available    | Available |



## ***MEDICAL SURGICAL CARTS***

### ***BEST SELLERS***



#6930



#8285B



#ST-3679G



#8393



#356

**Lakeside's open and closed case cart systems will save you money and time by reducing the need for excess inventory and by making surgical supplies available when and where they're needed most.** Supplies are kept organized and safe when transported.

Lakeside's wide offering of multi-configurable carts include your selection of shelf options, casters, and accessories that can be added or removed with *no tools required*. Lakeside presents you with the largest selection of surgical transport and storage solutions available in healthcare.



## STAINLESS STEEL CLOSED CASE CARTS

**Case carts are the ultimate choice for sterility control during transportation.**

### COMMON FEATURES:

### STAINLESS STEEL CLOSED CASE CARTS

- ✓ Sealed doors safeguard contents against cross-contamination
- ✓ Positive door latches secure doors shut to keep contents safe and sterile
- ✓ Hold open latch secures door when open for easy cleaning
- ✓ Stainless steel is easy to clean and sanitize, resists corrosion and stains
- ✓ All-welded construction eliminates nuts and bolts for a stronger structure and easier-to-clean surface
- ✓ Extended push handle offers more control and increases interior space
- ✓ Locking door latch available for added security



#6937

### CLOSED CASE CART SPECIFICATIONS

|                 |                                                                                                                                                      |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>CART</b>     | Non-magnetic stainless steel                                                                                                                         |
| <b>FINISH</b>   | #3 Finish                                                                                                                                            |
| <b>MATERIAL</b> | 16-gauge stainless steel                                                                                                                             |
| <b>BUMPER</b>   | Replaceable, stand-out corner bumper, non-marring                                                                                                    |
| <b>SHELVES</b>  | Each model includes one stainless steel wire pull-out shelf, except models 6945 and 6950, which include 2 pull-out shelves; adjustable on 2" centers |
| <b>CASTERS</b>  | 6" stainless steel casters are maintenance-free                                                                                                      |



Floor is cross-broke and angled to middle with small holes to drain



Pull-out shelves equipped with locking mechanism



Handle



Door latch

### CLOSED CASE CARTS WITH SHELVING

| MODEL WITH WIRE SHELVING | MODEL WITH PERFORATED STAINLESS STEEL SHELVING | MODEL WITH SOLID STAINLESS STEEL SHELVING | ACTUAL SHELF WIDTH | EXTERNAL DIMENSIONS |     |     | INTERNAL DIMENSIONS |     |         | SHIP WEIGHT (LBS.) |
|--------------------------|------------------------------------------------|-------------------------------------------|--------------------|---------------------|-----|-----|---------------------|-----|---------|--------------------|
|                          |                                                |                                           |                    | W                   | D   | H   | W                   | D   | H       |                    |
| <b>ONE DOOR</b>          |                                                |                                           |                    |                     |     |     |                     |     |         |                    |
| 6930                     | 6930P                                          | 6930S                                     | 24"                | 36 1/2"             | 29" | 40" | 25 1/2"             | 25" | 29 1/4" | 229                |
| 6932                     | 6932P                                          | 6932S                                     | 24"                | 36 1/2"             | 29" | 55" | 25 1/2"             | 25" | 44 1/4" | 250                |
| 6940                     | 6940P                                          | 6940S                                     | 18"                | 30 1/2"             | 29" | 40" | 19 1/2"             | 25" | 29 1/4" | 197                |
| 6942                     | 6942P                                          | 6942S                                     | 18"                | 30 1/2"             | 29" | 55" | 19 1/2"             | 25" | 44 1/4" | 220                |
| <b>TWO DOOR</b>          |                                                |                                           |                    |                     |     |     |                     |     |         |                    |
| 6947†                    | 6947P†                                         | 6947S†                                    | 31 3/8"            | 43 1/2"             | 29" | 55" | 34"                 | 25" | 44 1/4" | 291                |
| 6952†                    | 6952P†                                         | 6952S†                                    | 31-3/8"            | 43 1/2"             | 29" | 40" | 34"                 | 25" | 29 1/4" | 257                |
| 6935†                    | 6935P†                                         | 6935S†                                    | 36"                | 48 1/2"             | 29" | 40" | 38 1/4"             | 25" | 29 1/4" | 282                |
| 6937†                    | 6937P†                                         | 6937S†                                    | 36"                | 48 1/2"             | 29" | 55" | 38 1/4"             | 25" | 44 1/4" | 309                |
| 6945                     | 6945P                                          | 6945S                                     | 13 1/2"            | 43 1/2"             | 29" | 55" | 15 1/4"*            | 25" | 44 1/4" | 296                |
| 6950                     | 6950P                                          | 6950S                                     | 13 1/2"            | 43 1/2"             | 29" | 40" | 15 1/4"*            | 25" | 29 1/4" | 262                |

† Denotes no center post

\*Two sections/center post

FREIGHT CLASS  
125

STANDARD PRODUCTS  
SHIP IN 15 DAYS OR LESS



## CLOSED CASE CARTS ACCESSORIES



#6937

### OPTIONAL


#### DESCRIPTION

Gravity Latch  
Towing Package  
Locking Door Latch  
Tamper Sealed Doors

**NEW!**



Reduce injuries associated with repetitive pushing and pulling of heavily laden carts with  
Lakeside's PlusPower Tug (see page 97).



Optional Gravity Latch  
(or Slide Latch and Recessed Padlock)



Optional towing caster



Optional additional pullout wire shelves



Optional Tamper Sealed Doors

### OPTIONAL, ADDITIONAL FIXED SHELVES

| WIRE<br>MODEL # | PERFORATED STAINLESS STEEL<br>MODEL # | SOLID STAINLESS STEEL<br>MODEL # | DESCRIPTION              | COMPATIBILITY      |
|-----------------|---------------------------------------|----------------------------------|--------------------------|--------------------|
| 3810            | 38101                                 | 38102                            | 13 1/2", 75 lb capacity  | Fits 6945 and 6950 |
| 3820            | 38201                                 | 38202                            | 18", 75 lb capacity      | Fits 6940 and 6942 |
| 3830            | 38301                                 | 38302                            | 24", 125 lb capacity     | Fits 6930 and 6932 |
| 3840            | 38401                                 | 38402                            | 31 3/8", 125 lb capacity | Fits 6947 and 6952 |
| 3850            | 38501                                 | 38502                            | 36", 125 lb capacity     | Fits 6935 and 6937 |

### OPTIONAL, ADDITIONAL PULL-OUT SHELVES

| WIRE<br>MODEL # | PERFORATED STAINLESS STEEL<br>MODEL # | SOLID STAINLESS STEEL<br>MODEL # | DESCRIPTION              | COMPATIBILITY      |
|-----------------|---------------------------------------|----------------------------------|--------------------------|--------------------|
| 3814            | 38141                                 | 38142                            | 13 1/4", 75 lb capacity  | Fits 6945 and 6950 |
| 3824            | 38241                                 | 38242                            | 18", 75 lb capacity      | Fits 6940 and 6942 |
| 3834            | 38341                                 | 38342                            | 24", 125 lb capacity     | Fits 6930 and 6932 |
| 3844            | 38441                                 | 38442                            | 31 1/2", 125 lb capacity | Fits 6947 and 6952 |
| 3854            | 38541                                 | 38542                            | 36", 125 lb capacity     | Fits 6935 and 6937 |

## STAINLESS STEEL INSTRUMENT TABLES

*These extremely durable tables will serve you well for years to come.*

- 18-gauge stainless steel top (and shelf if provided) is easy to clean and sanitize
- 1" square 16-gauge stainless steel legs for superior strength
- 18-gauge reinforcements supply extra security for larger models
- All welded construction increases durability and makes surface smoother for cleaning
- 3" locking casters ensure table is stationary when needed
- Nesting tables save space

### SPECIFICATIONS

- Top shelves turned down 1" and hemmed back 3/4" around bottom
- Distance between top shelf and bottom shelf is 16"
- Distance from H-Brace to floor is 9 1/8"



| MODEL | DESCRIPTION               | DIMENSIONS |     |     | SHIP WEIGHT (LBS.) |
|-------|---------------------------|------------|-----|-----|--------------------|
|       |                           | W          | L   | H   |                    |
| 8353  | Instrument Table w/ Shelf | 16"        | 20" | 34" | 40                 |
| 8354  | Instrument Table w/ Shelf | 16"        | 30" | 34" | 44                 |
| 8355  | Instrument Table w/ Shelf | 18"        | 33" | 34" | 52                 |
| 8356  | Instrument Table w/ Shelf | 20"        | 36" | 34" | 54                 |
| 8357  | Instrument Table w/ Shelf | 24"        | 36" | 34" | 56                 |
| 8358  | Instrument Table w/ Shelf | 20"        | 48" | 34" | 66                 |
| 8359  | Instrument Table w/ Shelf | 24"        | 48" | 34" | 70                 |
| 8398  | Instrument Table w/ Shelf | 24"        | 60" | 34" | 82                 |
| 8399  | Instrument Table w/ Shelf | 24"        | 72" | 34" | 103                |
| 8386  | H-Brace Instrument Table  | 16"        | 20" | 34" | 45                 |
| 8387  | H-Brace Instrument Table  | 16"        | 30" | 34" | 35                 |
| 8388  | H-Brace Instrument Table  | 18"        | 33" | 34" | 40                 |
| 8390  | H-Brace Instrument Table  | 20"        | 36" | 34" | 43                 |
| 8391  | H-Brace Instrument Table  | 24"        | 36" | 34" | 43                 |
| 8392  | H-Brace Instrument Table  | 20"        | 48" | 34" | 47                 |
| 8393  | H-Brace Instrument Table  | 24"        | 48" | 34" | 56                 |
| 8394  | H-Brace Instrument Table  | 24"        | 60" | 34" | 64                 |
| 8395  | H-Brace Instrument Table  | 24"        | 72" | 34" | 71                 |
| 8380  | Nesting Table             | 14"        | 28" | 32" | 38                 |
| 8381  | Nesting Table             | 16"        | 32" | 34" | 38                 |
| 8382  | Nesting Table             | 18"        | 36" | 36" | 45                 |
| 8383  | Nesting Table             | 20"        | 40" | 38" | 49                 |
| 8384  | Nesting Table             | 22"        | 44" | 40" | 52                 |
| 8385  | Nesting Table             | 24"        | 48" | 42" | 38                 |
| 8389  | Set - All 6               |            |     |     | 260                |



## STAINLESS STEEL EQUIPMENT STANDS

*A mobile stand moves your equipment easily wherever it is needed.*

### COMMON FEATURES: STAINLESS STEEL EQUIPMENT STANDS

- ✓ Versatile mobile equipment stands come in six different variations for your best fit
- ✓ Models with drawers offer enclosed storage. Drawer is 15 1/2" W x 18"D x 4 1/2"H.
- ✓ Stainless steel is durable for carrying heavy equipment and easy to clean and sanitize
- ✓ Optional locks available for one and 2 drawer models
- ✓ Optional braking casters (2)



#474



#356



#359

| MODEL | WEIGHT CAPACITY | # OF DRAWERS | # OF SHELVES | SHELF CLEARANCE | DIMENSIONS |         |         | CASTER TYPE AND SIZE     | SHIP WEIGHT (LBS.) | FedEx<br>+<br>ups |
|-------|-----------------|--------------|--------------|-----------------|------------|---------|---------|--------------------------|--------------------|-------------------|
|       |                 |              |              |                 | W          | D       | H       |                          |                    |                   |
| 359   | 300             | 0            | 3            | 10 3/4"         | 16 3/4"    | 18 3/4" | 30 1/8" | all swivel - 3 1/2" dia. | 25                 | OK                |
| 469   | 500             | 0            | 3            | 10 3/4"         | 16 3/4"    | 18 3/4" | 31"     | all swivel - 4" dia.     | 33                 | OK                |
| 356   | 300             | 1            | 3            | 8 1/8"          | 16 3/4"    | 18 3/4" | 30 1/8" | all swivel - 3 1/2" dia. | 36                 | OK                |
| 466   | 500             | 1            | 3            | 8 1/8"          | 16 3/4"    | 18 3/4" | 31"     | all swivel - 4" dia.     | 50                 | OK                |
| 358   | 300             | 2            | 2            | 17 1/8"         | 16 3/4"    | 18 3/4" | 35"     | all swivel - 3 1/2" dia. | 44                 | OK                |
| 474   | 500             | 2            | 3            | 10"             | 20 1/8"    | 36 3/8" | 35"     | all swivel - 4" dia.     | 76                 | NA                |

FREIGHT CLASS  
125

STANDARD  
PRODUCTS  
SHIP IN **3** DAYS  
OR LESS

## BLANKET WARMERS

### *Safely warm and monitor blanket temperatures for increased patient comfort.*

- ✓ Low-heat-density electrothermal warming provides efficient and even heating
- ✓ Innovative design saves heat and energy by eliminating the need for a circulating fan
- ✓ Electronic control with LED display allows you to set and monitor temperature levels, automate an on/off time, and lock settings to eliminate tampering
- ✓ Separate safety override feature prevents overheating
- ✓ Window door allows you to easily monitor inventory level
- ✓ Adjustable temperature range of 98-200°F (37-93°C) allows for maximum patient comfort
- ✓ Heavy-duty stainless steel exterior provides durability and ease of cleaning and sanitizing
- ✓ Heavy-duty handle and hinges withstand repeated use
- ✓ Includes 1 blue, epoxy-coated blanket support assembly
- ✓ Stackable for space-saving capacity (Models 8280B, 8281B, and 8283B only)

#### OPTIONS AND ACCESSORIES

- Left door swing (right swing standard)
- 6" stable legs in place of casters (excluding Model 8280B)
- Pass-through feature for flexible access (Models 8283B, 8284B and 8285B only)
- Corner Bumpers



#8280B



#8281B



#8283B



#8284B



#8285B

| Model        | Description                          | # Of                |       |                   | Interior Size Cu. ft. | Overall Size |          |         | Caster Type            | Caster Dia. | Case Weight Lbs. | Case Cube Cu. ft. |
|--------------|--------------------------------------|---------------------|-------|-------------------|-----------------------|--------------|----------|---------|------------------------|-------------|------------------|-------------------|
|              |                                      | Shelves per chamber | Doors | Interior Chambers |                       | W            | D        | H       |                        |             |                  |                   |
| <b>8280B</b> | Stackable with 8280B, 8290F          | 0                   | 1     | 1                 | 2.3                   | 16 1/8"      | 25 7/16" | 20 5/8" | *                      | -           | 118              | 12.44             |
| <b>8281B</b> | Stackable with 8281B, 8291F          | 1                   | 1     | 1                 | 3.4                   | 17 5/8"      | 26 3/4"  | 33 5/8" | heavy-duty, 2 w/ brake | 5"          | 174              | 18.22             |
| <b>8283B</b> | Stackable with 8283B, 8292F          | 1                   | 1     | 1                 | 7.7                   | 22 1/8"      | 31 3/4"  | 39 3/4" | heavy-duty, 2 w/ brake | 5"          | 261              | 18.22             |
| <b>8284B</b> | 2 electronic controls, 1 per chamber | 1                   | 2     | 2                 | 7.7 ea. (15.4 total)  | 22 1/8"      | 31 3/4"  | 73 1/4" | heavy-duty, 2 w/ brake | 5"          | 515              | 34.67             |
| <b>8285B</b> | 1 electronic control                 | 2                   | 2     | 1                 | 20.6                  | 30 1/4"      | 27 1/4"  | 70 7/8" | heavy-duty, 2 w/ brake | 5"          | 461              | 64.19             |

\*Model 8280B has 4 non-skid rubber feet for countertop positioning

FREIGHT CLASS  
100

STANDARD PRODUCTS  
SHIP IN **3** DAYS OR LESS

**FLUID WARMERS*****Increase safety by maintaining correct temperatures for various fluid types.***

- ✓ Low-heat-density electrothermal warming provides efficient and even heating
- ✓ Maintain safe ( $\pm 3^{\circ}\text{F}$  of current setting), accurate temperature levels
- ✓ Electronic control with LED display allows you to set and monitor temperature levels and lock settings to eliminate tampering
- ✓ Two operating modes ensure safe temperature levels for irrigation fluids,  $98\text{--}150^{\circ}\text{F}$  ( $37\text{--}66^{\circ}\text{C}$ ), or injection fluids,  $98\text{--}104^{\circ}\text{F}$  ( $37\text{--}40^{\circ}\text{C}$ )
- ✓ Separate safety override feature prevents overheating
- ✓ Alarm alerts you if temperature changes  $10^{\circ}\text{F}$  ( $6^{\circ}\text{C}$ ) from current setting
- ✓ Window door allows you to easily monitor inventory level
- ✓ Heavy-duty stainless steel exterior provides durability and ease of cleaning and sanitizing
- ✓ Heavy-duty handle and hinges withstand repeated use
- ✓ White epoxy-coated wire baskets conveniently hold surgical fluids packaged in bags or bottles
- ✓ Stackable for space-saving capacity

**OPTIONS AND ACCESSORIES**

- Left door swing (right swing standard)
- 6" stable legs in place of casters (excluding Model 8290F)
- Available with temperature monitoring for ultimate safety
- Corner Bumpers



#8290F



#8291F



#8292F

| Model        | Description                 | Wire Basket Description |                                  | Overall Size |          |           | Caster Type            | Caster Dia. | Case Weight Lbs. | Case Cube Cu. ft. |
|--------------|-----------------------------|-------------------------|----------------------------------|--------------|----------|-----------|------------------------|-------------|------------------|-------------------|
|              |                             | # Of                    | Max. Capacity                    | W            | D        | H         |                        |             |                  |                   |
| <b>8290F</b> | Stackable with 8290F, 8280B | 1                       | 16-liters                        | 16 1/8"      | 27 1/2"  | 20 11/16" | *                      | -           | 130              | 12.44             |
| <b>8291F</b> | Stackable with 8291F, 8281B | 2                       | 14-liters ea. (28-liters total)  | 17 3/8"      | 28 9/16" | 33 7/8"   | heavy-duty, 2 w/ brake | 5"          | 205              | 18.22             |
| <b>8292F</b> | Stackable with 8292F, 8283B | 3                       | 24-liters each (72-liters total) | 22"          | 34 7/8"  | 40 11/16" | heavy-duty, 2 w/ brake | 5"          | 311              | 34.67             |

\*Model 8290F has 4 non-skid rubber feet for countertop positioning





## COMBINATION BLANKET AND FLUID WARMERS

*Conveniently warm and store fluids and blankets in the same unit while maintaining ECRI (Emergency Care Research Institute) recommended fluid temperatures for patient safety.*

- ✓ Low-heat-density electrothermal warming provides efficient and even heating
- ✓ Maintain safe ( $\pm 3^{\circ}\text{F}$  of current setting), accurate temperature levels
- ✓ Dual compartments each have user-friendly electronic control with LED display to set and monitor temperature levels and lock settings to eliminate tampering
- ✓ Separate safety override feature prevents overheating
- ✓ 5" heavy-duty casters, 2 with brake, for quickly transporting or storing close at hand
- ✓ Window door allows you to easily monitor inventory level
- ✓ Heavy-duty stainless steel exterior provides durability and ease of cleaning and sanitizing
- ✓ Heavy-duty handle and hinges withstand repeated use

### BLANKET-WARMING COMPARTMENT

- ✓ Adjustable temperature range of 98-200°F (37-93°C) for maximum patient comfort
- ✓ Automatic on/off setting to conserve energy
- ✓ 1 blue, epoxy-coated blanket support assembly

### FLUID-WARMING COMPARTMENT

- ✓ Two operating modes ensure safe temperature levels for irrigation fluids, 98-150°F (37-66°C), or injection fluids, 98-104°F (37-40°C)
- ✓ Alarm alerts you if temperature changes 10°F (6°C) from current setting
- ✓ White epoxy-coated wire baskets conveniently hold surgical fluids packaged in bags or bottles



#8288BF



#8289BF

### OPTIONS AND ACCESSORIES

- Left door swing (right swing standard)
- 6" stable legs in place of casters
- Pass-through feature for flexible access (Model 8289BF only)
- Available with temperature monitoring for ultimate safety
- Corner Bumpers

| Model         | Fluid Warming Compartment |                                  |                       | Blanket Warming Compartment |                       | Overall Size |           |         | Caster Type            | Caster Dia. | Case Weight Lbs. | Case Cube Cu. ft. |
|---------------|---------------------------|----------------------------------|-----------------------|-----------------------------|-----------------------|--------------|-----------|---------|------------------------|-------------|------------------|-------------------|
|               | # of Wire Baskets         | Max. Basket Capacity             | Interior Size Cu. ft. | # of Center Shelves         | Interior Size Cu. ft. | W            | D         | H       |                        |             |                  |                   |
| <b>8288BF</b> | 3                         | 24-liters each (72-liters total) | 7.7                   | 1                           | 7.7                   | 22 1/8"      | 34 15/16" | 72 1/2" | heavy-duty, 2 w/ brake | 5"          | 531              | 57.06             |
| <b>8289BF</b> | 1                         | 38-liters                        | 5.4                   | 2                           | 11.875                | 27 1/4"      | 31"       | 72 3/4" | heavy-duty, 2 w/ brake | 5"          | 480              | 64.19             |

## TEMPERATURE MONITORING UNITS

### Monitor the temperature of your fluids for accurate safety reports.

- ✓ Independent temperature sensing system allows you to consistently provide the utmost in patient safety by remaining informed about exact fluid temperatures
- ✓ Separate RTD probe for trusted accuracy and stability
- ✓ Display shows the actual interior temperature (independently verified) versus the set temperature to quickly confirm proper operation.
- ✓ Dedicated microprocessor for a highly accurate PID temperature control and verification temperature sensing systems
- ✓ Available with 8290F, 8291F, 8292F, 8288BF and 8289BF. Add suffix -WW to preferred model to order



Transfer internal data from the Control Panel to a USB Flash Drive for easy viewing of reports and summaries on a computer



#8290F-WW



#8292F-WW



#8291F-WW



#8288BF-WW



#8289BF-WW

| Model            | Max. Capacity                                | Overall Size |         |         | Caster Type            | Caster Dia. | Case Weight Lbs. | Case Cube Cu. ft. |
|------------------|----------------------------------------------|--------------|---------|---------|------------------------|-------------|------------------|-------------------|
|                  |                                              | W            | D       | H       |                        |             |                  |                   |
| <b>8290F-WW</b>  | 16 Liter                                     | 20 1/2"      | 16"     | 26"     | *                      | —           | 130              | 12.44             |
| <b>8292F-WW</b>  | 72 Liter                                     | 40 3/4"      | 25 1/4" | 35"     | heavy-duty, 2 w/ brake | 5"          | 311              | 34.67             |
| <b>8291F-WW</b>  | 28 Liter                                     | 34"          | 20 1/2" | 29 3/4" | heavy-duty, 2 w/ brake | 5"          | 205              | 18.22             |
| <b>8288BF-WW</b> | 72 Liter (Fluid)<br>7.7 Cubic Ft. (Blanket)  | 72 1/2"      | 22"     | 32"     | heavy-duty, 2 w/ brake | 5"          | 531              | 57.06             |
| <b>8289BF-WW</b> | 38 Liter (Fluid)<br>11.8 Cubic Ft. (Blanket) | 27 1/4"      | 31"     | 72 3/4" | heavy-duty, 2 w/ brake | 5"          | 480              | 64.19             |

\* Model 8290F-WW has 4 non-skid rubber feet for countertop positioning

## MEDICAL STORAGE SYSTEMS

NEW!

### Functional, Efficient, Configurable Storage

Lakeside can design a custom wall of cabinetry that precisely fits your space and environment.

FREIGHT CLASS  
125

#### MOBILE MEDICAL INSTRUMENT AND SUPPLY CABINETS

A stainless steel mobile storage cabinet with tempered glass doors ensures that the right supplies get to the right place

- Durable construction with 18-gauge stainless steel body, top, bottom and door frames
- Optional 20-gauge sloping top prevents accumulation of dust
- 1/4" thick clear tempered glass clearly displays contents
- Brakes on 2 of the 4" casters keeps cabinet stable when not in motion
- Counter weighted base for greater stability
- Great for combination storage systems

| MODEL  | CABINET WITH ...                 | DIMENSIONS |     |         | SHIP WEIGHT (LBS.) |
|--------|----------------------------------|------------|-----|---------|--------------------|
|        |                                  | W          | D   | H       |                    |
| 3679G  | 5 glass shelves                  | 35 5/8"    | 16" | 79 1/4" | 330                |
| 3679S  | 5 stainless steel shelves        | 35 5/8"    | 16" | 79 1/4" | 330                |
| 4879G  | 5 glass shelves                  | 47 5/8"    | 16" | 79 1/4" | 480                |
| 4879S  | 5 stainless steel shelves        | 47 5/8"    | 16" | 79 1/4" | 480                |
| 3679PB | Pegboard                         | 35 5/8"    | 16" | 79 1/4" | 310                |
| 4879PB | Pegboard                         | 47 5/8"    | 16" | 79 1/4" | 440                |
| 2624G  | Casters, ss shelves, glass doors | 26"        | 24" | 79 1/4" | 225                |
| 4724G  | Casters, ss shelves, glass doors | 47"        | 24" | 79 1/4" | 310                |

ADD ST- in front of part number for Sloped Top (example: ST-3679G)

#### MEDICAL INSTRUMENT AND SUPPLY CABINETS

- Durable construction with 18-gauge stainless steel
- Great for combination storage systems

| MODEL  | CABINET WITH ... | DIMENSIONS |     |     | SHIP WEIGHT (LBS.) |
|--------|------------------|------------|-----|-----|--------------------|
|        |                  | W          | D   | H   |                    |
| 3018   | Toe Kick         | 36"        | 18" | 84" | 290                |
| 3624PB | Pegboard         | 36"        | 24" | 90" | 370                |
| 4824PB | Pegboard         | 48"        | 24" | 90" | 510                |

ADD ST- in front of part number for Sloped Top for items listed above (example: ST-3018)

|       |                           |     |     |     |     |
|-------|---------------------------|-----|-----|-----|-----|
| 43620 | 4 drawers, 2 drawer sizes | 36" | 20" | 40" | 175 |
|-------|---------------------------|-----|-----|-----|-----|

#### WALL MEDICAL INSTRUMENT AND SUPPLY CABINETS

- Durable construction with 18-gauge stainless steel body, top, bottom and door frame
- Optional 20-gauge sloping top prevents accumulation of dust
- 1/4" thick clear tempered glass clearly displays contents
- Counter weighted base for greater stability
- Great for combination storage systems

| MODEL | CABINET WITH ...      | DIMENSIONS |     |     | SHIP WEIGHT (LBS.) |
|-------|-----------------------|------------|-----|-----|--------------------|
|       |                       | W          | D   | H   |                    |
| 2712G | Stainless Steel Shelf | 27"        | 12" | 28" | 200                |
| 3612G | Stainless Steel Shelf | 36"        | 12" | 28" | 240                |
| 5524G | Glass Shelves         | 55"        | 12" | 24" | 260                |





## MEDICAL CARTS AND WORKSTATIONS

### BEST SELLERS

NEW!



#C-630-B-1R



#BV05



#C-630-P-2B



#C-330-K-2Y



#P-627-K-2B

Lakeside's new line of Medical Carts and Workstations was designed for use by both nursing and physician staff. A full range of drawer configurations, stow-away work surfaces and complete accessory packages transform these carts into personalized work centers where supplies are kept organized and ready for timely use. Carts are made with both steel and aluminum for lightweight durability and have five locking options for peace of mind. Specialized carts include the Broselow color-coded Pediatric cart as well as the Mini Tower for space-saving needs. Lakeside quality, industry-leading lead-times and on-time delivery are just a few reasons that qualify us to be your medical cart company of choice.



**CLASSIC**

## Why Choose Classic?

The newly designed Classic Series Carts from Lakeside are proudly made in the USA. Our Classic design features multiple cabinet sizes and drawer configurations. Traditional steel chrome drawer pulls complement our interchangeable drawer fronts, which are available in 15 traditional and contemporary colors. Every cart has dual-wall steel construction, twin ergo poly push handles, premium 5" full swivel casters (2 locking, 1 directional) and an outrigger stabilizing frame with full size poly extruded corner bumpers. Quiet mobility is accomplished with our full extension ball-bearing drawer glides and sealed bearing non-marring casters. A choice of 5 different locking options ensures the security of the valuable contents.

### 15 STANDARD COLORS (SOLID OR TWO-TONE)

|                                                                                                             |                                                                                                              |                                                                                                                |
|-------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
|  <b>G</b> Telegraph Gray |  <b>HG</b> Hunter Green   |  <b>CR</b> Cranberry       |
|  <b>B</b> Blue           |  <b>TL</b> Teal           |  <b>BG</b> Blue Gray       |
|  <b>R</b> Red            |  <b>LV</b> Lavender       |  <b>CB</b> Crash Cart Blue |
|  <b>Y</b> Yellow         |  <b>MV</b> Mauve          |  <b>TP</b> Taupe           |
|  <b>BE</b> Beige         |  <b>SG</b> Sea Foam Green |  <b>SB</b> Slate Blue      |

### 5 LOCKING OPTIONS

**K** Key Lock  
*Full cart***E** Electronic  
*with Key  
Override***B** Breakaway  
*Full cart or  
individual  
drawers***P** Push-Button  
*with Key  
Override***X** Prox Reader  
*with Key  
Override*



**CLASSIC**  
**EMERGENCY CARTS**

**TOP  
SELLER!**



FREIGHT CLASS  
150

## CLASSIC EMERGENCY CARTS (continued)

### A. 4-DRAWER EMERGENCY CART WITH BREAKAWAY LOCK

#### Model # C-424-PB-1R

- Drawer Configuration: 3-3" 1-6" 1-9" Panel
- Single Color, Red
- 39 3/4"H x 25"D x 32"W
- Shipping Weight: 150 lbs
- Shipping Dimensions: 50 x 36 x 28

#### Model # C-424-PB-2R

- Same as above with Two-Tone Color, Red with Telegraph Gray

#### Model # C-424-B-2R

- Drawer Configuration: 2-3" 1-6" 1-12"
- Two-Tone Color, Red with Telegraph Gray
- 39 3/4"H x 25"D x 32"W
- Shipping Weight: 150 lbs
- Shipping Dimensions: 50 x 36 x 28

### B. 5-DRAWER EMERGENCY CART WITH BREAKAWAY LOCK

#### Model # C-524-B-2R

- Drawer Configuration: 3-3" 1-6" 1-9"
- Two-Tone Color, Red with Telegraph Gray
- 39 3/4"H x 25"D x 32"W
- Shipping Weight: 158 lbs
- Shipping Dimensions: 50 x 36 x 28

### C. 6-DRAWER EMERGENCY CART WITH BREAKAWAY LOCK

#### Model # C-630-B-2R

- Drawer Configuration: 4-3" 1-6" 1-12"
- Two-Tone Color, Red with Telegraph Gray
- 46 1/4"H x 25"D x 32"W
- Shipping Weight: 185 lbs
- Shipping Dimensions: 50 x 36 x 28

#### Model # C-630-B-1R

- Same as above with Single Color, Red

**MORE EMERGENCY CARTS, see page 40- >**



Model# C-424-PB-1R  
Shown with LEP-B Accessory package



Model# C-524-B-2R  
Shown with LEP-C Accessory package



## Classic Emergency Carts **Accessory Packages**

### Package # LEP-A

- **LIV-1** ..... IV-Pole
- **LCB-1** ..... Cardiac Board
- **LSN-2** ..... Side Shelf
- **LDT-1/LDV-10** ..... Tray w/Lid and Dividers
- **LSU-1** ..... Suction Unit Holder
- **LDS-1** ..... Defib Swivel Shelf
- **LUH-1** ..... Utility Hooks
- **LMT-3K x 2** ..... 4-3" Trays, 8 Long and 16 Short Dividers
- **LMT-5K** ..... 2-5" Trays, 2 Long and 4 Short Dividers
- **LPS-1** ..... Plastic Seals (100/pkg)
- **LLH-3** ..... Label Holders (12/pkg)
- **LOB-1** ..... Oxygen Tank Brackets
- **LOS-15** ..... Electric Outlet Strip

### Package # LEP-B

- **LIV-1** ..... IV-Pole
- **LCB-1** ..... Cardiac Board
- **LSN-2** ..... Side Shelf
- **LRS-2** ..... Heavy Duty Railing
- **LOB-1** ..... Oxygen Tank Brackets
- **LMT-3K x 2** ..... 4-3" Trays, 8 Long and 16 Short Dividers
- **LMT-5K** ..... 2-5" Trays, 2 Long and 4 Short Dividers
- **LPS-1** ..... Plastic Seals (100/pkg)

### Package # LEP-C

- **LIV-1** ..... IV-Pole
- **LCB-1** ..... Cardiac Board
- **LRS-2** ..... Heavy Duty Railing
- **LOB-1** ..... Oxygen Tank Brackets
- **LPS-1** ..... Plastic Seals (100/pkg)

**A+** **ADDITIONAL ACCESSORIES** Find more great accessories starting on **PAGE 56**

**CO** **CUSTOM OPTIONS** Build a cart tailored to your needs, see **PAGE 55**



Model# C-630-B-2R  
Shown with Accessories, See page 56



Model# C-630-B-1R  
Shown with LEP-A Accessory package

FREIGHT CLASS  
150

## CLASSIC EMERGENCY CARTS (continued)

### D. 5-DRAWER EMERGENCY CART WITH 9" PANEL AND BREAKAWAY LOCK

**Model # C-527-PB-2R**

- Drawer Configuration: 4-3" 1-6" 1-9" Panel
- Two-Tone Color, Red with Telegraph Gray
- 42 3/4"H x 25"D x 32"W
- Shipping Weight: 165 lbs
- Shipping Dimensions: 50 x 36 x 28

**Model # C-527-PB-1R**

- Same as above with Single Color, Red

### H. 5-DRAWER EMERGENCY CART WITH 12" PANEL AND BREAKAWAY LOCK

**Model # C-530-P2B-2R**

- Drawer Configuration: 4-3" 1-6" 1-12" Panel
- Two-Tone Color, Red with Telegraph Gray
- 45 3/4"H x 25"D x 32"W
- Shipping Weight: 165 lbs
- Shipping Dimensions: 50 x 36 x 28

**Model # C-530-P2B-1R**

- Same as above with Single Color, Red

### E. 5-DRAWER MINI TOWER WITH BREAKAWAY LOCK

**Model # ST-524-B-2R**

- Drawer Configuration: 3-3" 1-6" 1-9"
- Two-Tone Color, Red with Telegraph Gray
- 37 3/4"H x 24 3/4"D x 24 1/2"W
- Shipping Weight: 145 lbs
- Shipping Dimensions: 50 x 36 x 28

**Model # ST-524-B-1R**

- Same as above with Single Color, Red

### F. 5-DRAWER MINI TOWER WITH KEY LOCK

**Model # ST-524-K-1B**

- Drawer Configuration: 3-3" 1-6" 1-9"
- Single Color, Blue
- 37 3/4"H x 24 3/4"D x 24 1/2"W
- Shipping Weight: 145 lbs
- Shipping Dimensions: 50 x 36 x 28

### G. 6-DRAWER MINI TOWER WITH BREAKAWAY LOCK

**Model # ST-630-B-2R**

- Drawer Configuration: 3-3" 2-6" 1-9"
- Two-Tone Color, Red with Telegraph Gray
- 43 3/4"H x 24 3/4"D x 24 1/2"W
- Shipping Weight: 165 lbs
- Shipping Dimensions: 50 x 36 x 28

**Model # ST-630-B-1R**

- Same as above with Single Color, Red



Model# C-527-PB-1R



Model# ST-630-B-2R

## CLASSIC ANESTHESIA CARTS

### A. 6-DRAWER ANESTHESIA CART WITH KEY LOCK

#### Model # C-627-K-2B

- Drawer Configuration: 4-3" 1-6" 1-9"
- Two-Tone Color, Blue with Telegraph Gray
- 42 3/4"H x 25"D x 32"W
- Shipping Weight: 180 lbs
- Shipping Dimensions: 50 x 36 x 28

#### Model # C-627-X-2B

- Same as above with Prox Reader Lock



Model #C-627-K-2B



Model# C-630-E-2B

### B. 6-DRAWER ANESTHESIA CART WITH PUSH BUTTON LOCK

#### Model # C-630-P-2B

- Drawer Configuration: 3-3" 2-6" 1-9"
- Two-Tone Color, Blue with Telegraph Gray
- 46 1/4"H x 25"D x 32"W
- Shipping Weight: 185 lbs
- Shipping Dimensions: 50 x 36 x 28

#### Model # C-630-X-2B

- Same as above with Prox Reader Lock

#### Model # C-630-E-2B

- Same as above with  
Electronic Key Pad Lock

### C. 6-DRAWER ANESTHESIA CART WITH KEY LOCK

#### Model # C-630-K-1B

- Drawer Configuration: 3-3" 2-6" 1-9"
- Single Color, Blue
- 46 1/4"H x 25"D x 32"W
- Shipping Weight: 185 lbs
- Shipping Dimensions: 50 x 36 x 28

#### Model # C-630-P-1B

- Same as above with Push Button Lock

#### Model # C-630-X-1B

- Same as above with Prox Reader Lock

#### Model # C-630-E-1G

- Same as above with Electronic Key Pad  
Lock
- Solid Gray Color



Model# C-630-P-2B

Shown with LAP-A Accessory package





**CLASSIC**  
**ANESTHESIA CARTS**  
*(continued)*

**D. 6-DRAWER ANESTHESIA CART WITH KEY LOCK**

**Model # C-630-K-1B**

- Drawer Configuration: 3-3" 2-6" 1-9"
- Single Color, Blue
- 46 1/4"H x 25"D x 32"W
- Shipping Weight: 185 lbs
- Shipping Dimensions: 50 x 36 x 28

**Model # C-630-P-1B**

- Same as above with Push Button Lock

**Model # C-630-X-1B**

- Same as above with Prox Reader Lock

**Model # C-630-E-1G**

- Same as above with Electronic Key Pad Lock
- Solid Gray Color

**E. ALUMINUM 6-DRAWER WIDE ANESTHESIA CART WITH KEY LOCK**

**Model # SW-630-K-2B**

- Drawer Configuration: 3-3" 2-6" 1-9"
- Two-Tone Color, Blue with Telegraph Gray
- 46 1/4" H x 25 1/2" D x 40 1/2" W
- Shipping Weight: 160 lbs
- Shipping Dimensions: 50 x 40 x 48

**Model # SW-630-X-2B**

- Same as above with Prox Reader Lock

**Model # SW-630-E-2B**

- Same as above with Electronic Key Pad Lock



## Classic Anesthesia Carts **Accessory Packages**

### Package # LAP-A

- **LTR-6** ..... Trellis System
- **LTB-5 x 2** ..... 5-Tilt Bin Unit
- **LTD-2** ..... Tape Dispenser
- **LRS-2** ..... Heavy Duty Railing
- **LDO-1** ..... Divided Organizer w/Lid
- **LCS-3** ..... Catheter Holder
- **LAB-1 x 2** ..... Accessory Bar Bracket
- **LMH-1** ..... Tray w/Dividers and Ampule Holders
- **LUH-1** ..... Utility Hooks
- **LMT-3K x 2** ..... 4-3" Trays, 8 Long and 16 Short Dividers
- **LMT-5K** ..... 2-5" Trays, 2 Long and 4 Short Dividers
- **LLH-3** ..... Label Holders (12/pkg)
- **LWB-13** ..... Wire Basket
- **LWC-3** ..... Waste Container

### Package # LAP-B

- **LTR-6** ..... Trellis System
- **LTB-5 x 2** ..... Tilt 5-Bin Unit
- **LRS-2** ..... Heavy Duty Railing
- **LSN-2** ..... Side Shelf
- **LWC-3** ..... Waste Container
- **LAB-1** ..... Accessory Bar Bracket

### Package # LAP-C

- **LRS-2** ..... Heavy Duty Railing
- **LUH-1** ..... Utility Hooks
- **LMT-3K x 2** ..... 4-3" Trays, 8 Long and 16 Short Dividers
- **LMT-5K** ..... 2-5" Trays, 2 Long and 4 Short Dividers

**A+** **ADDITIONAL ACCESSORIES** Find more great accessories starting on **PAGE 56**

**CO** **CUSTOM OPTIONS** Build a cart tailored to your needs, see **PAGE 55**



**Accessories Package # LAP-A**  
Shown with C-630-K-1B Anesthesia Cart



**Accessories Package # LAP-C**  
Shown with C-630-K-2TP Anesthesia Cart



## CLASSIC ISOLATION CARTS

### A. 3-DRAWER MINI CART WITH KEY LOCK

#### Model # SM-324-K-2Y

- Drawer Configuration: 1-6" 2-9"
- Two-Tone Color, Yellow with Telegraph Gray
- 34"H x 18"D x 18 1/2"W
- Shipping Weight: 150 lbs
- Shipping Dimensions: 50 x 36 x 28



Model# SM-324-K-2Y

### B. 3-DRAWER ISOLATION CART WITH KEY LOCK

#### Model # C-330-K-2Y

- Drawer Configuration: 2-9" 1-12"
- Two-Tone Color, Yellow with Telegraph Gray
- 46 1/4"H x 25"D x 32"W
- Shipping Weight: 158 lbs
- Shipping Dimensions: 50 x 36 x 28



Model# C-330-K-2Y

### C. 3-DRAWER MINI TOWER WITH KEY LOCK

#### Model # ST-324-K-2Y

- Drawer Configuration: 1-6" 2-9"
- Two-Tone Color, Yellow with Telegraph Gray
- 37 3/4"H x 24 3/4"D x 24 1/2"W
- Shipping Weight: 140 lbs
- Shipping Dimensions: 50 x 36 x 28



Model# ST-324-K-2Y

#### Model # ST-324-K-1Y

- Same as above with Single Color, Yellow

## CLASSIC ISOLATION CARTS

### D. 4-DRAWER MINI TOWER WITH KEY LOCK

**Model # ST-430-K-2Y**

- Drawer Configuration: 1-3" 3-9"
- Two-Tone Color, Yellow with Telegraph Gray
- 43 3/4"H x 24 3/4"D x 24 1/2"W
- Shipping Weight: 150 lbs
- Shipping Dimensions: 50 x 36 x 28

**Model # ST-430-K-1Y**

- Same as above with Single Color, Yellow

### E. 4-DRAWER MEDICATION CART WITH PUSH BUTTON LOCK

**Model # C-430-P-2Y**

- Drawer Configuration: 1-3" 3-9"
- Two-Tone Color, Yellow with Telegraph Gray
- 46 1/4"H x 25"D x 32"W
- Shipping Weight: 162 lbs
- Shipping Dimensions: 50 x 36 x 28

**Model # C-430-K-1Y**

- Same as above with Key Lock
- Solid Yellow color



Model# ST-430-K-2Y



Model# C-430-K-1Y  
Shown with Accessories, See page 56



## PREFERRED ELITE HYBRID

# Why Choose Preferred Elite?

The Preferred Elite Hybrid Series is our newest and most innovative line of carts and accessories. You get the combined features of long-lasting durability and lightweight maneuverability needed in fast-paced and ever-changing healthcare environments. Some of the features of this cart line include:

- Durable dual wall steel frame with lightweight aluminum drawers
- Dual pull-out side shelves on ball bearing glides for additional work space
- Outrigger bumper system for stability and damage protection
- Corner extrusions made of strong extruded aluminum and accessory mounting panels eliminating the need for pre-drilled holes
- Deluxe color-matched drawer pulls with a convenient area for labeling and identification
- Removable color-coded caster inserts on all ER, Anesthesia, and Isolation carts
- Available in 15 standard and contemporary colors, and 6 locking options
- Over 100 optional accessories available to enhance use and functionality

### 15 STANDARD COLORS (SOLID OR TWO-TONE)

|                                                                                                             |                                                                                                              |                                                                                                                |
|-------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
|  <b>G</b> Telegraph Gray |  <b>HG</b> Hunter Green   |  <b>CR</b> Cranberry       |
|  <b>B</b> Blue           |  <b>TL</b> Teal           |  <b>BG</b> Blue Gray       |
|  <b>R</b> Red            |  <b>LV</b> Lavender       |  <b>CB</b> Crash Cart Blue |
|  <b>Y</b> Yellow         |  <b>MV</b> Mauve          |  <b>TP</b> Taupe           |
|  <b>BE</b> Beige         |  <b>SG</b> Sea Foam Green |  <b>SB</b> Slate Blue      |

### 6 LOCKING OPTIONS



**K** Key Lock  
Full cart



**IB** Key Lock Bars  
Individual  
drawers



**B** Breakaway  
Full cart or  
individual  
drawers



**P** Push-Button  
with Key  
Override



**E** Electronic  
with Key  
Override



**X** Prox Reader  
with Key  
Override



## PREFERRED ELITE HYBRID ANESTHESIA CARTS

**TOP  
SELLER!**

TWIN POLY  
PUSH HANDLES

PLASTIC TOP

SLIDE-OUT SHELF

FULL EXTENSION  
BALL BEARING  
SLIDES

LARGE AREA FOR  
CART LABELING



ALUMINUM EXTRUSION  
MOUNTING CORNERS  
FOR PLACEMENT OF  
ACCESSORIES

DOUBLE WALL STEEL  
CONSTRUCTION

AREA TO INSERT  
LABEL TO SHOW  
DRAWER  
CONTENTS

THREE ADJUSTABLE  
SIDE ACCESSORY  
PANELS

OUTRIGGER  
STABILIZING  
FRAME

ALL ALUMINUM  
DRAWERS WITH  
INTERCHANGEABLE  
DRAWER FRONTS

REMOVEABLE  
COLORED  
WHEEL  
INSERTS

PREMIUM 5"  
CASTERS:  
ONE SWIVEL,  
TWO LOCKING  
SWIVEL,  
ONE DIRECTIONAL

MODEL # P-630-K-2B

FREIGHT CLASS  
150

MORE ANESTHESIA CARTS, see page 42 >

**PREFERRED ELITE HYBRID  
EMERGENCY CARTS**



**Model# P-524-B-2SB**  
Shown with PEP-C Accessory package

**Model# P-630-B-2R**  
Shown with PEP-A Accessory package

**Model# P-627-B-2R**

**A. 5-DRAWER EMERGENCY HYBRID  
CART WITH BREAKAWAY LOCK**

**Model # P-524-B-2SB**

- Drawer Configuration: 3-3" 1-6" 1-9"
- Two-Tone Color, Slate Blue with Telegraph Gray
- 40 5/8"H x 25"D x 32"W
- Shipping Weight: 152 lbs
- Shipping Dimensions: 50 x 36 x 28

**Model # P-524-B-1SB**

- Same as above with Single Color, Slate Blue

**B. 6-DRAWER EMERGENCY HYBRID  
CART WITH BREAKAWAY LOCK**

**Model # P-627-B-2R**

- Drawer Configuration: 4-3" 1-6" 1-9"
- Two-Tone Color, Red with Telegraph Gray
- 44"H x 25"D x 32"W
- Shipping Weight: 167 lbs
- Shipping Dimensions: 50 x 36 x 28

**Model # P-627-B-1R**

- Same as above with Single Color, Red

**C. 6-DRAWER EMERGENCY HYBRID  
CART WITH BREAKAWAY LOCK**

**Model # P-630-B-2R**

- Drawer Configuration: 3-3" 2-6" 1-9"
- Two-Tone Color, Red with Telegraph Gray
- 47 1/4"H x 25"D x 32"W
- Shipping Weight: 171 lbs
- Shipping Dimensions: 50 x 36 x 28

**Model # P-630-B-1R**

- Same as above with Single Color, Red



## Preferred Elite Hybrid Emergency Cart Accessory Packages

### PACKAGE # PEP-A

- **LIV-1** ..... IV Pole
- **PDS-1** ..... Deep Single Shelving Unit
- **LMH-2** ..... Full Drawer Tray w/Dividers
- **LMT-3K x 2** ..... 4-3" Trays, 8 Long and 16 Short Dividers
- **LMT-5K** ..... 2-5" Trays, 2 Long and 4 Short Dividers
- **LSU-1** ..... Suction Unit Holder
- **LOB-1** ..... Oxygen Tank Brackets
- **POS-15** ..... Outlet Strip
- **PCB-1** ..... Cardiac Board
- **LPS-1** ..... Plastic Seals 100/ per Pkg

### PACKAGE # PEP-B

- **LIV-1** ..... IV Pole
- **LSR-1** ..... Tubular Railing
- **LOB-1** ..... Oxygen Tank Brackets
- **PCB-1** ..... Cardiac Board
- **LMT-3K x 2** ..... 4-3" Trays 8 Long and 16 Short Dividers
- **LMT-5K** ..... 2-5" Trays 2 Long  
and 4 Short Dividers
- **LPS-1** ..... Plastic Seals 100/ per Pkg

### PACKAGE # PEP-C

- **LIV-1** ..... IV Pole
- **PCB-1** ..... Cardiac Board
- **LOB-1** ..... Oxygen Tank Brackets
- **LPS-1** ..... Plastic Seals 100/ per Pkg

**A+** **ADDITIONAL ACCESSORIES** Find more great accessories starting on **PAGE 56**

**CO** **CUSTOM OPTIONS** Build a cart tailored to your needs, see **PAGE 55**



Accessories Package # PEP-B  
Shown with P-627-B-2TP Cart

FREIGHT CLASS  
150

## PREFERRED ELITE HYBRID ANESTHESIA CARTS



### A. 5-DRAWER ANESTHESIA HYBRID CART WITH PUSH BUTTON LOCK

#### MODEL # P-524-P-2SG

- Drawer Configuration: 3-3" 1-6" 1-9"
- Two-Tone Color, Sea Foam Green with Telegraph Gray
- 40 5/8"H x 25"D x 32"W
- Shipping Weight: 152 lbs
- Shipping Dimensions: 50 x 36 x 28

#### MODEL # P-524-P-1SG

- Same as above with Single Color, Sea Foam Green

### B. 6-DRAWER ANESTHESIA HYBRID CART WITH KEY LOCK

#### MODEL # P-630-K-2B

- Drawer Configuration: 3-3" 2-6" 1-9"
- Two-Tone Color, Blue with Telegraph Gray
- 47 1/4"H x 25"D x 32"W
- Shipping Weight: 171 lbs
- Shipping Dimensions: 50 x 36 x 28

#### MODEL # P-630-K-1B

- Same as above with Single Color, Blue

### C. 6-DRAWER ANESTHESIA HYBRID CART WITH ELECTRONIC KEY PAD LOCK

#### MODEL # P-627-E-2B

- Drawer Configuration: 4-3" 1-6" 1-9"
- Two-Tone Color, Blue with Telegraph Gray
- 44"H x 25"D x 32"W
- Shipping Weight: 167 lbs
- Shipping Dimensions: 50 x 36 x 28

#### MODEL # P-627-E-1BE

- Same as above with Single Color, Beige

### D. 6-DRAWER ANESTHESIA HYBRID CART WITH PUSH BUTTON LOCK

#### MODEL # P-630-P-2B

- Drawer Configuration: 3-3" 2-6" 1-9"
- Two-Tone Color, Blue with Telegraph Gray
- 47 1/4"H x 25"D x 32"W
- Shipping Weight: 171 lbs
- Shipping Dimensions: 50 x 36 x 28

#### MODEL # P-630-P-1B

- Same as above with Single Color, Blue

## Preferred Elite Hybrid Anesthesia Cart Accessory Packages

### PACKAGE # PAP-A

- PTR-1E..... Trellis
- PTB-5..... Tilt 5-Bin Unit
- PTB-4..... Tilt 4-Bin Unit
- LSR-1..... Tubular Rail
- LTD-2..... Tape Dispenser
- LWB-12..... Wire Basket
- LWC-2..... Waste Container w/Touch Top
- LMH-1..... Full Drawer Tray w/  
Dividers and Ampule Holders
- LMT-3K x 2..... 4-3" Trays, 8 Long and 16 Short Dividers
- LMT-5K..... 2-5" Trays, 2 Long and 4 Short Dividers

### PACKAGE # PAP-B

- PNS-1..... Narrow Single Shelving Unit
- PHB-1..... Hanging Bar
- PTB-5..... Tilt 5-Bin Unit
- LGB-1..... Glove Box Holder (single)
- PSB-1..... Sharps Bracket  
(red Sharps container not included)
- LWC-3..... Waste Container (no top)

### PACKAGE # PAP-C

- LGB-1..... Glove Box Holder (single)
- LWC-3..... Waste Container (no top)
- LMT-3K x 2..... 4-3" Trays, 8 Long and  
16 Short Dividers
- LMT-5K..... 2-5" Trays, 2 Long and  
4 Short Dividers



FREIGHT CLASS  
150

Accessories Package # PAP-C  
Shown with P-524-K-2SB Cart



A+

## ACCESSORIES


### Preferred Elite Hybrid Carts



# PCB-1



# PSB-1 (container not included)



# PTR-1E



# PTR-5E



# PHB-1



# PNS-1



# PNT-2



# PHP-5



# PK-5



# PDS-1



# PDT-2



# PDX-2



# PFT-3

| Model # | Description                                    | Classic,<br>Preferred,<br>Mini, Wide | Shipping<br>Weight<br>(lbs) | Shipping<br>Dimensions<br>(inches) |
|---------|------------------------------------------------|--------------------------------------|-----------------------------|------------------------------------|
| PCB-1   | Preferred Elite Cardiac Board                  | P                                    | 4                           | 16x27x2                            |
| PSB-1   | Preferred Elite Sharps Bracket                 | P                                    | 2                           | 4x4x8                              |
| PTR-1E  | Trellis, 3 Tier                                | P                                    | 6                           | 31x4x4                             |
| PTR-5E  | Preferred Elite Trellis w/ Hooks               | P                                    | 6                           | 31x4x4                             |
| PHB-1   | Preferred Elite Trellis Bar - Bar Only         | P                                    | 3                           | 4x4x33                             |
| PNS-1   | Preferred Elite Narrow Single Shelving         | P                                    | 13                          | 12x2x34                            |
| PNT-2   | Preferred Elite Narrow Twin Shelving           | P                                    | 21                          | 12x2x34                            |
| PHP-5   | Preferred Elite Accessory Back Panel           | P                                    | 7                           | 4x10x24                            |
| PK-5    | Preferred Elite Side Accessory Panel 2 per/pkg | P                                    | 4                           | 4x10x24                            |
| PDS-1   | Preferred Elite Deep Single Shelving           | P                                    | 16                          | 34x19x3                            |
| PDT-2   | Preferred Elite Deep Twin Shelving             | P                                    | 26                          | 34x19x3                            |
| PDX-2   | Preferred Elite One Deep, One Narrow Shelving  | P                                    | 24                          | 34x19x3                            |
| PFT-3   | Preferred Elite 3-Adjustable Storage Trays     | P                                    | 12                          | 5x8x33                             |

## SPECIALTY

# Why Choose Specialty Carts?

Lakeside understands that standard size, configuration, and options may not be right for everyone. Our specialty cart line gives you flexible options when space, capacity and function are important.

Mini Carts and Towers resolve space limitation issues with a slimmer profile and compact design. All Mini's are available with dual wall steel construction. Mini Carts have 3" full swivel casters (2 locking) and quiet ball bearing drawer glides which provide for a full extension drawer opening. Mini Towers have 5" premium casters (2 locking and 1 directional) and include our outrigger stabilizing frame and solid plastic corner bumper system.

Our wide carts are best when you need to maximize your storage capabilities. The wide carts are built out of aluminum to reduce weight for heavy loads.

See our variety of specialty storage carts for Malignant Hyperthermia, Suture storage, Scope Holder Carts, Pediatric Workstation, Unit Dose Medication Cassette Cart and Pill Card storage cart. Specialty carts are available in all 15 colors with 6 locking options.

### 15 STANDARD COLORS (SOLID OR TWO-TONE)

|                                                                                                             |                                                                                                              |                                                                                                                |
|-------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
|  <b>G</b> Telegraph Gray |  <b>HG</b> Hunter Green   |  <b>CR</b> Cranberry       |
|  <b>B</b> Blue           |  <b>TL</b> Teal           |  <b>BG</b> Blue Gray       |
|  <b>R</b> Red            |  <b>LV</b> Lavender       |  <b>CB</b> Crash Cart Blue |
|  <b>Y</b> Yellow         |  <b>MV</b> Mauve          |  <b>TP</b> Taupe           |
|  <b>BE</b> Beige         |  <b>SG</b> Sea Foam Green |  <b>SB</b> Slate Blue      |

### 6 LOCKING OPTIONS



**K** Key Lock  
Full cart



**IB** Key Lock Bars  
Individual  
drawers



**B** Breakaway  
Full cart or  
individual  
drawers



**P** Push-Button  
with Key  
Override



**E** Electronic  
with Key  
Override



**X** Prox Reader  
with Key  
Override

## SPECIALTY MINI CARTS AND TOWERS

NEW!



A. Model# SM-421-K-2Y



B. Model# ST-421-K-2B



C. Model# C-421-K-2R



D. Model# SM-524-K-2SB



E. Model# ST-524-K-2CB  
Shown with LTV Accessory package



F. Model# ST-630-P-2TL  
Shown with LTA Accessory package

### A. 4-DRAWER MINI CART, KEY LOCK

#### MODEL # SM-421-K-2Y

- Drawer Configuration: 2-3" 1-6" 1-9"
- Two-Tone Color, Yellow with Telegraph Gray
- 31 1/4"H x 18"D x 18 1/2"W
- Shipping Info.: 110 lbs, 40"H x 22"D x 26"W

### B. 4-DRAWER MINI TOWER, KEY LOCK

#### MODEL # ST-421-K-2B

- Drawer Configuration: 2-3" 1-6" 1-9"
- Two-Tone Color, Blue with Telegraph Gray
- 34 1/2"H x 24 3/4"D x 24 1/2"W
- Shipping Info.: 140 lbs, 50"H x 36"D x 28"W

### C. 4-DRAWER CLASSIC CART, KEY LOCK

#### MODEL # C-421-K-2R

- Drawer Configuration: 2-3" 1-6" 1-9"
- Two-Tone Color, Red with Telegraph Gray
- 36"H x 24 3/4"D x 32"W
- Shipping Info.: 150 lbs, 50"H x 36"D x 28"W

### D. 5-DRAWER MINI CART, KEY LOCK

#### MODEL # SM-524-K-2SB

- Drawer Configuration: 3-3" 1-6" 1-9"
- Two-Tone Color, Slate Blue with Telegraph Gray
- 37 3/4"H x 18"D x 18 1/2"W
- Shipping Info.: 130 lbs, 40"H x 22"D x 26"W

### E. 5-DRAWER MINI TOWER, KEY LOCK

#### MODEL # ST-524-K-2CB

- Drawer Configuration: 3-3" 1-6" 1-9"
- Two-Tone Color, Crash Cart Blue with Telegraph Gray
- 37 3/4"H x 24 3/4"D x 24 1/2"W
- Shipping Info.: 145 lbs, 50"H x 36"D x 28"W

### F. 6-DRAWER MINI TOWER, PUSH BUTTON LOCK

#### MODEL # ST-630-P-2TL

- Drawer Configuration: 3-3" 2-6" 1-9"
- Two-Tone Color, Teal with Telegraph Gray
- 43 3/4"H x 24 3/4"D x 24 1/2"W
- Shipping Info.: 165 lbs, 50"H x 36"D x 28"W

#### MODEL # ST-630-K-2R

- 6-Drawer Mini Tower with Key Lock
- Drawer Configuration: 3-3" 2-6" 1-9"
- Two-Tone Color, Red with Telegraph Gray
- 43 3/4"H x 24 3/4"D x 24 1/2"W
- Shipping Info.: 165 lbs, 50"H x 36"D x 28"W

#### MODEL # ST-630-K-1G

- Same as above with Single Color, Telegraph Gray

## SPECIALTY WIDE CARTS

### A. ALUMINUM 6-DRAWER WIDE ANESTHESIA CART WITH PUSH BUTTON LOCK

#### MODEL # SW-630-P-2MV

- Drawer Configuration: 3-3" 2-6" 1-9"
- Two-Tone Color, Mauve with Telegraph Gray
- 46 1/4"H x 25 1/2"D x 40 1/2"W
- Shipping Weight: 160 lbs
- Shipping Dimensions: 50 x 40 x 48

### B. ALUMINUM 4-DRAWER WIDE ISOLATION CART WITH KEY LOCK

#### MODEL # SW-430-K-2SB

- Drawer Configuration: 1-3" 3-9"
- Two-Tone Color, Slate Blue with Telegraph Gray
- 46 1/4"H x 25"D x 40 1/2"W
- Shipping Weight: 150 lbs
- Shipping Dimensions: 50 x 40 x 48

### C. ALUMINUM 4-DRAWER WIDE MEDICATION CART WITH ELECTRONIC KEY PAD LOCK

#### MODEL # SW-430-E-2B

- Drawer Configuration: 1-3" 3-9"
- Two-Tone Color, Blue with Telegraph Gray
- 46 1/4"H x 25"D x 40 1/2"W
- Shipping Weight: 150 lbs
- Shipping Dimensions: 50 x 40 x 48



Model# SW-630-P-2MV  
Shown with Accessories, See page 56



Model# SW-430-K-2SB



**SPECIALTY  
MEDICATION CART**

**A. 4-DRAWER MEDICATION CART  
WITH KEY LOCK**

**MODEL # C-430-K-1TW**

- Drawer Configuration: 1-3" 3-9"
- Single Color, Traffic White
- 46 1/4"H x 25"D x 32"W
- Shipping Weight: 162 lbs
- Shipping Dimensions: 50 x 36 x 28



Model# C-430-K-1TW



**B. 3-DRAWER MEDICATION CART  
WITH CASSETTE, 20 BINS AND  
3 LOCKABLE DRAWERS**

**MODEL # C-330-MUS-TW**

- Drawer Configuration: 2-3" 1-9" and Cassette
- Single Color, Traffic White
- 46 1/2"H x 25"D x 32"W
- Shipping Weight: 235 lbs
- Shipping Dimensions: 70 x 36 x 28



Model# C-330-MUS-TW

**PULL OUT  
CASSETTE  
SHELF FOR  
EASY ACCESS  
AND EXCHANGE**



- **LCA-20** . . . . Cassette and 20 Patient Bins
- **LPB-1** . . . . . Patient Bins, 20 per/pkg.  
2-1/4"H x 11"D x 4"W



## **SPECIALTY** **HYPERTHERMIA CART**

### **2-DRAWER HYPERTHERMIA CART WITH 1.6 CUBIC FEET REFRIGERATOR/FREEZER**

#### **MODEL # SH-327-2B**

- Drawer Configuration: 1-3" 1-6"
- Two-Tone Color, Blue with Beige only
- 43 1/4"H x 26"D x 34 1/2"W
- Shipping Weight: 160 lbs
- Shipping Dimensions: 48 x 40 x 48

#### **Cart Includes:**

- 1.6 cubic feet Refrigerator/Freezer
- 10 Cold Packs
- Temperature Indicator
- Hospital Grade Plug w/10' Cord
- Security Sealing System
- Plastic Top



**LOB-1**  
Oxygen  
Tank  
Brackets



**Model# SH-327-2B**  
*Shown with Accessories, See page 56*

## **SPECIALTY** **PEDIATRIC CART**

### **ALUMINUM 9-DRAWER PEDIATRIC CART WITH INDIVIDUAL BREAKAWAY LOCK**

#### **SP-930-IB-PED**

- Drawer Configuration: 8-3" 1-6"
- Pediatric Color Coded (Broselow)
- 47 1/4"H x 25"D x 32"W
- Shipping Weight: 160 lbs
- Shipping Dimensions: 50 x 36 x 28

#### **SP-930-B-PED**

- Same as above with single lock bar



**Model# SP-930-B-PED**

**SPECIALTY**  
**SUTURE STORAGE**

**A. 6-DRAWER SUTURE STORAGE CART  
WITH 4-SHELF SUTURE CABINET**

**MODEL # SS-627-2B**

- Drawer Configuration: 4-3" 1-6" 1-9"
- Two-Tone Color, Blue with Telegraph Gray
- 73 3/4"H x 25"D x 32"W
- Shipping Weight: 225 lbs
- Shipping Dimensions: 60 x 36 x 28

FREIGHT CLASS  
150



Model# SS-627-2B



## ***SPECIALTY*** ***EXPANDED STORAGE - SCOPE CABINETS***

### **B. SCOPE HOLDER**

#### **MODEL # LSH-4**

- Can be mounted on cart or wall.
- Holds up to 4 scopes.
- 48"H x 6"D x 16"W

### **C. NARROW SCOPE HOLDER**

#### **MODEL # LSH-2**

- Two can fit on one side of the cart.
- Holds 2 scopes.
- 48"H x 6"D x 9"W



**Model # LSH-4**  
Shown with C-630-P-2TL cart



**Model # LSH-2**  
Shown with C-630-P-2TL cart

***SUPER SAVER***

## Why Choose Super Saver?

This line of economically designed carts is perfect for the cost-conscious, budget-driven healthcare facility. Available in 6 different configurations, varying in size, drawer configuration and caster type, Lakeside's Super Saver Carts give you a low cost option to the full size standard cart selections. Color selection is limited to solid beige only with red and dark blue available on the BVO4 models. Height range on the Super Saver line is 29" – 34" with either 3" or 5" casters. Optional accessories include plastic top, drawer trays and dividers.



Model# BV04-R



Model# BV04-B



Model# BV06

## SUPER SAVER CARTS

### A. 4-DRAWER BEDSIDE CART

#### MODEL # BV01

- Drawer Configuration: 1-3" 2-6" 1-9"
- Beige Only
- 34 1/2"H x 18"D x 18 1/2"W
- Shipping Weight: 110 lbs
- Shipping Dimensions: 36 x 20 x 24
- Only top drawer locks



### B. 4-DRAWER CART WITH 9" PANEL

#### MODEL # BV02

- Drawer Configuration: 1-3" 2-6" 1-9" Panel
- Beige Only
- 34 1/2"H x 18 1/2"D x 30"W
- Shipping Weight: 136 lbs
- Shipping Dimensions: 36 x 28 x 36
- Only top drawer locks



Model# BV02

### C. 4-DRAWER STANDARD CART

#### MODEL # BV03

- Drawer Configuration: 1-3" 2-6" 1-9"
- Beige Only
- 34 1/2"H x 18 1/2"D x 30"W
- Shipping Weight: 142 lbs
- Shipping Dimensions: 36 x 28 x 36
- Only top drawer locks



Model # BV03





**SUPER SAVER**

**CARTS**

(continued)



Model# BV04-R



Model# BV04-B



Model# BV04

*Shown with optional plastic top (LPT-2)*



Model# BV05



Model# BV06

**D. 5-DRAWER STANDARD CART**

**MODEL # BV04**

- Drawer Configuration: 4-4 1/2" 1-6"
- Single Color, Beige, Dark Blue, Red
- 34 5/8"H x 18 3/4"D x 27"W
- Shipping Weight: 145 lbs
- Shipping Dimensions: 35 x 19 x 27

**MODEL # BV04-R** Red

**MODEL # BV04-B** Blue

**E. 5-DRAWER BEDSIDE CART**

**MODEL # BV05**

- Drawer Configuration: 3-2 3/4" 2-6"
- Beige Only
- 29"H x 13 1/4"D x 24 1/2"W
- Shipping Weight: 79 lbs
- Shipping Dimensions: 34 x 29 x 18

**F. 3-DRAWER BEDSIDE CART**

**MODEL # BV06**

- Drawer Configuration: 3-2 3/4"
- Beige Only
- 29"H x 13 1/4"D x 24 1/2"W
- Shipping Weight: 65 lbs
- Shipping Dimensions: 34 x 29 x 18



## CUSTOM OPTIONS

# Build Your Own Cart

Are you looking for a specific cart configuration? Lakeside now offers you the option to build your own cart, customized for your facility. Start with the type of cart you are looking for, then add your drawer configurations, lock type and color combination. It's that simple!

### Example Model #:

| TYPE OF CART                         | NUMBER OF DRAWERS | INCHES OF DRAWER SPACE | PANEL OPTION    | LOCK TYPE                                                   | COLOR COMBINATION                                            | COLOR                       |
|--------------------------------------|-------------------|------------------------|-----------------|-------------------------------------------------------------|--------------------------------------------------------------|-----------------------------|
| <b>C</b> = Classic                   | <b>3</b>          | <b>21"</b>             | <b>P</b> = 9"   | <b>B</b> = Breakaway Lock                                   | <b>1</b> = Single Color                                      | <b>G</b> = Gray             |
| <b>P</b> = Preferred                 | <b>4</b>          | <b>24"</b>             | <b>P2</b> = 12" | <b>K</b> = Key Lock                                         | <b>2</b> = Two Tone Color (Base is always Tele-graphic Gray) | <b>B</b> = Dark Blue        |
| <b>ST</b> = Specialty Mini Tower     | <b>5</b>          | <b>27"</b>             |                 | <b>X</b> = Proxy Reader                                     |                                                              | <b>R</b> = Red              |
| <b>SS</b> = Specialty Suture Storage | <b>6</b>          | <b>30"</b>             |                 | <b>P</b> = Push Button Lock                                 |                                                              | <b>Y</b> = Yellow           |
|                                      | <b>9</b>          |                        |                 | <b>E</b> = Electronic Lock                                  |                                                              | <b>BE</b> = Beige           |
| <b>SM</b> = Specialty Mini Cart      |                   |                        |                 | <b>IB</b> = Individual Breakaway Lock (Pediatric Cart Only) |                                                              | <b>SB</b> = Slate Blue      |
| <b>SW</b> = Specialty Wide           |                   |                        |                 |                                                             |                                                              | <b>CR</b> = Cranberry       |
| <b>SH</b> = Specialty Hypo-thermia   |                   |                        |                 |                                                             |                                                              | <b>BG</b> = Blue Gray       |
| <b>SP</b> = Specialty Pediatric      |                   |                        |                 |                                                             |                                                              | <b>HG</b> = Hunter Green    |
|                                      |                   |                        |                 |                                                             |                                                              | <b>TL</b> = Teal            |
|                                      |                   |                        |                 |                                                             |                                                              | <b>LV</b> = Lavender        |
|                                      |                   |                        |                 |                                                             |                                                              | <b>MV</b> = Mauve           |
|                                      |                   |                        |                 |                                                             |                                                              | <b>SG</b> = Sea Foam Green  |
|                                      |                   |                        |                 |                                                             |                                                              | <b>CB</b> = Crash Cart Blue |
|                                      |                   |                        |                 |                                                             |                                                              | <b>TP</b> = Taupe           |

A+

## ACCESSORIES



# LAB-1




# LCA-20X (No patient bins)



# LCA-20 (includes 20 patient bins shown)



# LCB-1



# LCR-1



# LCS-3



# LDS-1



# LDV-3



# LDV-5



# LDV-6



# LDV-3M



# LDV-6M

| Model #        | Description                                   | Classic,<br>Preferred,<br>Mini, Wide | Shipping<br>Weight<br>(lbs) | Shipping<br>Dimensions<br>(inches) |
|----------------|-----------------------------------------------|--------------------------------------|-----------------------------|------------------------------------|
| <b>LAB-1</b>   | Accessory Bar Bracket                         | C                                    | 1                           | 19x3x3                             |
| LBO-1          | Bracket for Outlet Strip                      | CP                                   | 3                           | 13x3x3                             |
| LBS-1          | Basic Shelving Unit, One Shelf Non-Swivel     | C                                    | 16                          | 34x19x3                            |
| LBS-1M         | Basic Shelving Unit, Mini Cart One Shelf      | MINI CART                            | 15                          | 34x19x3                            |
| <b>LCA-20X</b> | Cassette w/ No Patient Bins                   | C                                    | 15                          | 15x21x26                           |
| <b>LCA-20</b>  | Cassette w/ 20 Patient Bins                   | C                                    | 25                          | 15x21x26                           |
| <b>LCB-1</b>   | Cardiac Board w/ Brackets                     | C                                    | 4                           | 16x27x2                            |
| LCD-1          | Shelf, Corner Defib                           | C                                    | 11                          | 17x17x26                           |
| LCD-3          | Custom Divider Set for 3" Drawer              | CP                                   | 3                           | 6x6x24                             |
| LCD-6          | Custom Divider Set for 6" Drawer              | CP                                   | 4                           | 6x6x24                             |
| LCE-1          | Cart Extender for 30" Drawer Space Carts      | C                                    | 45                          | 36x15x18                           |
| LCG-1          | Caster Guard                                  | CP                                   | 8                           | 15x15x4                            |
| LCL-2          | Catheter Holder, 28"H x 8"W x 4"D             | CP                                   | 8                           | 29x5x9                             |
| LCL-3          | Catheter Holder, 28"H x 4"W x 4"D Clear Front | CP                                   | 6                           | 29x5x5                             |
| <b>LCR-1</b>   | Coat Rack                                     | C                                    | 3                           | 31x4x4                             |
| LCS-2          | Catheter Holder, 19"H x 8"W x 4"D             | CP                                   | 7                           | 20x5x9                             |
| <b>LCS-3</b>   | Catheter holder, 19"H x 4"W x 4"D Clear Front | CP                                   | 4                           | 20x5x5                             |
| LCT-3          | Security Bags for 3" Tray 20/Pkg              | CP                                   | 2                           | 20x5x5                             |

FREIGHT CLASS  
150

# ACCESSORIES



# LEF-3



# LEF-6



# LEF-9



# LEF-3M (only includes 4 dividers)



# LEF-6M (only includes 4 dividers)



# LEF-9M (only includes 4 dividers)



# LET-1



# LET-2



# LGB-1



# LGB-3



# LIV-1



# LLH-1

| Model #       | Description                                            | Classic,<br>Preferred,<br>Mini, Wide | Shipping<br>Weight<br>(lbs) | Shipping<br>Dimensions<br>(inches) |
|---------------|--------------------------------------------------------|--------------------------------------|-----------------------------|------------------------------------|
| LCT-5         | Security Bags for 5" Tray 20/Pkg                       | CP                                   | 3                           | 20x5x5                             |
| LCW-1         | Cord Wrap                                              | CP                                   | 3                           | 12x3x3                             |
| LDM1B         | Monitor Drawer                                         | C                                    | 9                           | 24x18x4                            |
| LDM1BM        | Monitor Drawer for Mini Tower and Mini Cart            | MINI                                 | 8                           | 24x18x4                            |
| LDO-1         | Divided Organizer w/ Lid w/ Brackets 3 1/4"H x7"W x7"D | CP                                   | 2                           | 10x10x4                            |
| <b>LDS-1</b>  | Shelf unit, Swivel Defib Single Shelf                  | C                                    | 35                          | 29x16x3                            |
| LDT-1         | Full Drawer Tray w/ Lid                                | CP                                   | 4                           | 22x17x4                            |
| LDV-10        | Divider Set for LDT-1                                  | CP                                   | 3                           | 24x18x4                            |
| <b>LDV-3</b>  | Modular Drawer Divider Kit for 3" Drawer               | CP                                   | 3                           | 24x18x4                            |
| <b>LDV-5</b>  | Spring Loaded Dividers fits 6", 9", 12" Drawers 2/Pkg  | CP                                   | 2                           | 20x5x5                             |
| <b>LDV-6</b>  | Modular Drawer Divider Kit for 6" Drawer               | CP                                   | 6                           | 24x18x7                            |
| <b>LDV-3M</b> | Modular Drawer Divider Kit for 3" Drawer /Mini Cart    | MINI                                 | 3                           | 24x18x4                            |
| <b>LDV-6M</b> | Modular Drawer Divider Kit for 6" Drawer/ Mini Cart    | MINI                                 | 5                           | 24x18x7                            |
| <b>LEF-3</b>  | Plastic Divider Set 3" Drawer 2 Rails 6 Dividers       | CP                                   | 3                           | 24x10x4                            |
| <b>LEF-6</b>  | Plastic Divider Set 6" Drawer 2 Rails 6 Dividers       | CP                                   | 5                           | 24x10x4                            |
| <b>LEF-9</b>  | Plastic Divider Set 9" Drawer 2 Rails 6 Dividers       | CP                                   | 7                           | 24x10x4                            |
| <b>LEF-3M</b> | Plastic Divider Set 3" Drawer 2 Rails 4 Dividers/ Mini | MINI                                 | 2                           | 20x5x5                             |
| <b>LEF-6M</b> | Plastic Divider Set 6" Drawer 2 Rails 4 Dividers/ Mini | MINI                                 | 3                           | 24x10x4                            |

Pictured

 FREIGHT CLASS  
150

A+

## ACCESSORIES



# LLH-3



# LMH-1



# LMH-10



# LMH-11



# LMH-20



# LMH-2



# LMH-6



# LMT-3K



# LMT-5K



# LND-1



# LOB-1



# LOS-15

| Model #       | Description                                              | Classic,<br>Preferred,<br>Mini, Wide | Shipping<br>Weight<br>(lbs) | Shipping<br>Dimensions<br>(inches) |
|---------------|----------------------------------------------------------|--------------------------------------|-----------------------------|------------------------------------|
| <b>LEF-9M</b> | Plastic Divider Set 9" Drawer 2 Rails 4 Dividers/ Mini   | MINI                                 | 5                           | 24x10x4                            |
| <b>LET-1</b>  | Expandable Tray 9-15"D x 6"W x 2"H                       | CP                                   | 2                           | 12x12x3                            |
| <b>LET-2</b>  | Expandable Tray 9-15"D x 3 1/4"W x 2"H                   | CP                                   | 2                           | 12x12x3                            |
| LET-3         | Expandable Tray 12-23"D x 18"W x 2 1/4"H 5 Compartments  | CP                                   | 4                           | 24x18x4                            |
| LET-4         | Expandable Tray 12-23"D x 18"W x 2 1/4"H 8 Compartments  | CP                                   | 4                           | 24x18x4                            |
| LET-6         | Expandable Tray 11 1/4" - 16 3/8"D x 8"W x 1 1/4"H 3/Pkg | CP                                   | 2                           | 12x10x4                            |
| LET-6M        | Expandable Tray 11 1/4"-16 3/8"D x 8"W x 1 1/4"H 2/Pkg   | MINI                                 | 2                           | 12x10x4                            |
| LET-7         | Two-Tier Tray w/ Adjustable Dividers                     | CP                                   | 4                           | 24x18x4                            |
| LFT-24        | Fluid/Equipment Storage System for 24" Standard Carts    | C                                    | 12                          | 33x8x5                             |
| LFT-30        | Fluid/Equipment Storage System for 30" Standard Carts    | C                                    | 12                          | 33x8x5                             |
| <b>LGB-1</b>  | Glove Box Holder                                         | CP                                   | 2                           | 11x6x4                             |
| <b>LGB-3</b>  | Glove Box Triple                                         | CP                                   | 3                           | 18x12x6                            |
| <b>LIV-1</b>  | IV Pole                                                  | CP                                   | 4                           | 47x4x3                             |
| LKY-1         | Extra Key for Standard Carts                             | ALL                                  | 1                           | 6x8x1                              |
| <b>LLH-1</b>  | 3" x 1" Label Holders with Card 100/Pkg                  | CP                                   | 1                           | 6x8x1                              |
| <b>LLH-3</b>  | 7" x 2" Labels 12/Pkg                                    | CP                                   | 2                           | 6x8x1                              |
| LLO-1         | Separate Key Lock for Top Drawer                         | CP                                   | 1                           | 5x5x5                              |
| <b>LMH-1</b>  | Tray 3"D w/ Flex Dividers and Ampule Holders             | CP                                   | 5                           | 24x18x4                            |



# ACCESSORIES



# LPB-1



# LPC-1




# LPH-1



# LPT-2



# LPT-2M



# LPR-PC



# LPR-BU



# LPR-SW

| Model #       | Description                                         | Classic,<br>Preferred,<br>Mini, Wide | Shipping<br>Weight<br>(lbs) | Shipping<br>Dimensions<br>(inches) |
|---------------|-----------------------------------------------------|--------------------------------------|-----------------------------|------------------------------------|
| <b>LMH-10</b> | Mini Cart Tray 3"H 10 Ampule Holders, 4 Dividers    | MINI                                 | 4                           | 24x18x4                            |
| <b>LMH-11</b> | Mini Cart Tray 3"H, 2 Rails, 5 Dividers             | MINI                                 | 4                           | 24x18x4                            |
| <b>LMH-20</b> | Full Drawer Tray 20 Compartments                    | CP                                   | 6                           | 24x18x4                            |
| <b>LMH-2</b>  | Tray 3"D w/ Flex Dividers                           | CP                                   | 5                           | 24x18x4                            |
| <b>LMH-6</b>  | Tray 6"D w/ Flex Dividers                           | CP                                   | 6                           | 24x18x4                            |
| LMH-7         | Full Drawer Tray, 18 Ampule Holders 7 Dividers      | CP                                   | 5                           | 24x18x4                            |
| LMH-9         | Full Drawer Tray, 33 Ampule Dividers                | CP                                   | 6                           | 24x18x4                            |
| LMH-L         | Clear Plex Lid for LMH-1-2-6-7-9-20                 | CP                                   | 2                           | 24x18x4                            |
| LMR-1         | Mini Cart Tubular Railing Wrap Around               | MINI                                 | 8                           | 26x31x6                            |
| <b>LMT-3K</b> | Includes 2 LMT-3 Trays, 4 Long and 8 Short Dividers | CP                                   | 4                           | 18x12x6                            |
| LMT-3         | Divisible Drug Tray 3" Deep                         | CP                                   | 3                           | 18x12x6                            |
| LMT-3L        | Long Divider for LMT-3 Tray                         | CP                                   | 1                           | 14x20x1                            |
| LMT-3S        | Short Divider for LMT-3 Tray                        | CP                                   | 1                           | 9x12x1                             |
| <b>LMT-5K</b> | Includes 2 LMT-5 Trays, 2 Long and 4 Short Dividers | CP                                   | 5                           | 18x12x12                           |
| LMT-5         | Divisible Drug Tray 5" Deep                         | CP                                   | 2                           | 18x12x6                            |
| LMT-5L        | Long Divider for LMT-5 Tray                         | CP                                   | 1                           | 14x20x1                            |
| LMT-5S        | Short Divider for LMT-5 Tray                        | CP                                   | 1                           | 9x12x1                             |
| <b>LND-1</b>  | Lockable Drawer Cover                               | CP                                   | 1                           | 24x18x6                            |
| <b>LOB-1</b>  | Oxygen Tank Brackets                                | CP                                   | 2                           | 11x9x1                             |
| <b>LOS-15</b> | Hospital-Grade Outlet Strip, 6 Outlets 15' Cord     | C                                    | 8                           | 6x19x4                             |
| <b>LPB-1</b>  | Patient Bins 20 per Pkg for LCA-20                  | C                                    | 10                          | 25x19x13                           |
| <b>LPC-1</b>  | Punch Card Rack                                     | CP                                   | 3                           | 24x10x10                           |
| <b>LPH-1</b>  | Side Handle, Tubular                                | C                                    | 4                           | 24x6x6                             |
| <b>LPT-2</b>  | Plastic Top for Standard Cart                       | C                                    | 5                           | 31x25x6                            |
| <b>LPT-2M</b> | Plastic Top for Mini Cart                           | MINI                                 | 5                           | 31x25x6                            |
| <b>LPR-PC</b> | Swipe Card for Proximity Reader 10/Pkg              | CP                                   | 1                           | 6x8x1                              |
| <b>LPR-BU</b> | Adhesive Button for Proximity Reader 10/Pkg         | CP                                   | 1                           | 6x8x1                              |
| <b>LPR-SW</b> | Software for Proximity Reader                       | CP                                   | 2                           | 7x7x7                              |
| <b>LPS-1</b>  | Plastic Seals 100/Pkg                               | CP                                   | 2                           | 5x5x5                              |
| <b>LRS-2</b>  | Railing, Heavy Duty Wrap Around                     | C                                    | 6                           | 26x31x6                            |

 Pictured



A+

## ACCESSORIES



# LPS-1



# LRS-2



# LSB-1 (Container not included)



# LSC-1



# LSH-2



# LSH-4



# LSN-2



# LSR-1



# LSU-1



# LTB-3 (Requires LTR-6 Trellis)



# LTB-4 (Requires LTR-6 Trellis)



# LTB-5 (Requires LTR-6 Trellis)

| Model # | Description                                     | Classic,<br>Preferred,<br>Mini, Wide | Shipping<br>Weight<br>(lbs) | Shipping<br>Dimensions<br>(inches) |
|---------|-------------------------------------------------|--------------------------------------|-----------------------------|------------------------------------|
| LRY-1   | Large Bin 15 3/4"W x 6 1/2"D x 2"H 1/Pkg        | CP                                   | 2                           | 24x10x4                            |
| LRY-3   | Bin 3 Sections Angled 15 3/4"W x 6 1/2"D x 2" H | CP                                   | 2                           | 24x10x4                            |
| LRY-4   | Expandable Tray 8 Compartments                  | CP                                   | 4                           | 24x18x4                            |
| LSB-1   | Sharps Bracket                                  | C                                    | 2                           | 4x4x8                              |
| LSB-2   | Security Box 11"W x 16"D x 2 5/8"H              | CP                                   | 9                           | 11x16x3                            |
| LSB-5   | Security Box, 7"W x 16" D x 9" H                | CP                                   | 9                           | 24x12x12                           |
| LSC-1   | Side Cabinet / Key Lock w/ Waste Container      | C                                    | 26                          | 32x19x9                            |
| LSF-2   | Stabilizing Frame                               | CP, MINI TOWER                       | 21                          | 27x13x4                            |
| LSH-2   | Scope Holder, 2                                 | C                                    | 28                          | 11x8x50                            |
| LSH-4   | Scope Holder, 4                                 | C                                    | 38                          | 18x8x50                            |
| LSN-2   | Side Shelf, Beige                               | C                                    | 8                           | 20x17x3                            |
| LSR-1   | Tubular Railing Wrap Around                     | CP                                   | 8                           | 26x31x6                            |
| LSU-1   | Suction Holder                                  | CP                                   | 10                          | 11x9x20                            |
| LTB-1   | Trellis Bracket                                 | C                                    | 1                           | 6x8x1                              |
| LTB-3*  | Tilt Bin 3 Units w/ Brackets                    | C                                    | 7                           | 24x10x8                            |
| LTB-4*  | Tilt Bin 4 Units w/ Brackets                    | C                                    | 6                           | 24x9x7                             |
| LTB-5*  | Tilt Bin 5 Units w/ Brackets                    | C                                    | 4                           | 24x7x6                             |
| LTB-6*  | Tilt Bin 6 Units w/ Brackets                    | C                                    | 3                           | 24x6x4                             |

Pictured

FREIGHT CLASS  
150

\*Requires LTR-6 Trellis \*\*Requires LAB-1 Accessory Bar

# ACCESSORIES




# LTB-6 (Requires LTR-6 Trellis)



# LTC-1



# LTD-2



# LTR-6 / LTR-7



# LTW-3



# LUH-1



# LWB-7 (Requires LAB-1 Accessory Bar)



# LWB-8 (Requires LAB-1 Accessory Bar)



# LWB-9 (Requires LAB-1 Accessory Bar)



# LWB-10 (Requires LAB-1 Accessory Bar)



# LWB-11 (Requires LAB-1 Accessory Bar)



# LWB-12 (Requires LAB-1 Accessory Bar)

| Model #       | Description                                         | Classic,<br>Preferred,<br>Mini, Wide | Shipping<br>Weight<br>(lbs) | Shipping<br>Dimensions<br>(inches) |
|---------------|-----------------------------------------------------|--------------------------------------|-----------------------------|------------------------------------|
| LTB-3D        | Tilt Bin Divider Pkg/ 3 for LTB-3                   | C                                    | 1                           | 6x8x1                              |
| LTB-4D        | Tilt Bin Divider Pkg/4 for LTB-4                    | C                                    | 2                           | 6x8x1                              |
| <b>LTC-1</b>  | Top Locker Cabinet, 4 Adj Shelves 24"W x 8"D x 30"H | C                                    | 46                          | 26x32x10                           |
| <b>LTD-2*</b> | Tape Dispenser w/ Brks                              | CP                                   | 6                           | 11x4x4                             |
| LTD-3         | Tape Dispenser/ Counter Top Model                   | CP                                   | 5                           | 11x4x4                             |
| LTN-1         | Twin Shelving, Non-Revolving                        | C                                    | 26                          | 34x19x3                            |
| LTR-5         | Trellis, 3 Tier w/ Hooks                            | C                                    | 6                           | 31x4x4                             |
| <b>LTR-6</b>  | Trellis, 3 Tier                                     | C                                    | 6                           | 31x4x4                             |
| <b>LTR-7</b>  | Trellis, 3 Tier                                     | MINI                                 | 6                           | 31x4x4                             |
| LTR-8         | Trellis, 3 Tier w/ Hooks                            | MINI                                 | 6                           | 31x4x4                             |
| LTR-9         | Trellis, 3 Tier                                     | WIDE                                 | 7                           | 31x4x4                             |
| LTR-10        | Trellis, 3 Tier w/ Hooks                            | WIDE                                 | 7                           | 31x4x4                             |
| LTS-1         | Twin Shelving w/ Swivel Top Shelf                   | C                                    | 38                          | 29x16x3                            |
| <b>LTW-3</b>  | Twin Poly Handles                                   | CP                                   | 3                           | 12x10x4                            |
| <b>LUH-1</b>  | Utility Hooks 2/ Pkg                                | CP                                   | 1                           | 4x6x1                              |
| LUR-1         | Utility Receptacle 1.8 Pint 4 1/2" x 5 1/2"         | CP                                   | 2                           | 7x7x7                              |
| LUR-2         | Utility Receptacle 1.6 Qt 5 1/2" x 6 1/2"           | CP                                   | 2                           | 7x7x7                              |
| LUR-3         | Utility Receptacle 3 Qt 6 3/4" x 7 1/4"             | CP                                   | 3                           | 12x8x8                             |

Pictured

 FREIGHT CLASS  
150

\*Requires LTR-6 Trellis \*\*Requires LAB-1 Accessory Bar

## ACCESSORIES



# LWB-13 (Requires LAB-1 Accessory Bar)



# LWC-2 (Requires LAB-1 Accessory Bar)



# LWC-3 (Requires LAB-1 Accessory Bar)

| Model #  | Description                                     | Classic,<br>Preferred,<br>Mini, Wide | Shipping<br>Weight<br>(lbs) | Shipping<br>Dimensions<br>(inches) |
|----------|-------------------------------------------------|--------------------------------------|-----------------------------|------------------------------------|
| LWB-7**  | Wire Basket 20"L x 10"W x 3"H                   | CP                                   | 3                           | 24x10x6                            |
| LWB-8**  | Wire Basket 13"L x 10"W x 3 1/2"H               | CP                                   | 3                           | 24x10x6                            |
| LWB-9**  | Wire Basket 7"L x 7"W x 3"H                     | CP                                   | 1                           | 7x7x7                              |
| LWB-10** | Wire Basket 6"L x 6"W x 4 1/2"H                 | CP                                   | 1                           | 7x7x7                              |
| LWB-11** | Wire Basket 22"L x 4"W x 4"H                    | CP                                   | 3                           | 24x10x6                            |
| LWB-12** | Wire Basket 12"L x 8"W x 4"H                    | CP                                   | 3                           | 18x12x12                           |
| LWB-13** | Wire Basket 12"L x 12"W x 8"H                   | CP                                   | 3                           | 18x10x6                            |
| LWC-2**  | Waste Container Touch Top 28qt                  | CP                                   | 3                           | 19x17x13                           |
| LWC-3**  | Waste Container No Top 28qt                     | CP                                   | 3                           | 15x11x16                           |
| LWS-1    | Writing Surface                                 | CP                                   | 6                           | 24x18x6                            |
| LWS-1M   | Writing Surface                                 | MINI                                 | 6                           | 24x18x6                            |
| LML-1    | Med Lock Box with White Doors, Push Button Lock | CP                                   | 10                          | 10x16x9                            |
| LML-1S   | Lock Box Shelf (for cart or wall)               | CP                                   | 10                          | 12x10x16                           |
| PKE-3    | 3" Key Lock Side Bar Preferred Elite            | P                                    | 2                           | 4x4x8                              |
| PKE-6    | 6" Key Lock Side Bar Preferred Elite            | P                                    | 2                           | 4x4x8                              |
| PKE-9    | 9" Key Lock Side Bar Preferred Elite            | P                                    | 2                           | 4x4x15                             |
| PKE-12   | 12" Key Lock Side Bar Preferred Elite           | P                                    | 2                           | 4x4x15                             |
| PKE-15   | 15" Key Lock Side Bar Preferred Elite           | P                                    | 2                           | 4x4x24                             |
| PKE-18   | 18" Key Lock Side Bar Preferred Elite           | P                                    | 3                           | 4x4x24                             |
| PKE-21   | 21" Key Lock Side Bar Preferred Elite           | P                                    | 3                           | 4x4x24                             |
| PKE-24   | 24" Key Lock Side Bar Preferred Elite           | P                                    | 4                           | 4x4x33                             |
| PKE-27   | 27" Key Lock Side Bar Preferred Elite           | P                                    | 4                           | 4x4x33                             |
| PKE-30   | 30" Key Lock Side Bar Preferred Elite           | P                                    | 4                           | 4x4x33                             |
| PBR-3    | 3" Breakaway Lock Side Bar Preferred Elite      | P                                    | 2                           | 4x4x8                              |
| PBR-6    | 6" Breakaway Lock Side Bar Preferred Elite      | P                                    | 2                           | 4x4x8                              |
| PBR-9    | 9" Breakaway Lock Side Bar Preferred Elite      | P                                    | 2                           | 4x4x15                             |
| PBR-12   | 12" Breakaway Lock Side Bar Preferred Elite     | P                                    | 2                           | 4x4x15                             |
| PBR-15   | 15" Breakaway Lock Side Bar Preferred Elite     | P                                    | 2                           | 4x4x24                             |

 Pictured

\*Requires LTR-6 Trellis \*\*Requires LAB-1 Accessory Bar

## ACCESSORIES



# PCB-1



# PSB-1



# PTR-5E

| Model #       | Description                                     | Classic,<br>Preferred,<br>Mini, Wide | Shipping<br>Weight<br>(lbs) | Shipping<br>Dimensions<br>(inches) |
|---------------|-------------------------------------------------|--------------------------------------|-----------------------------|------------------------------------|
| PBR-18        | 18" Breakaway Lock Side Bar Preferred Elite     | P                                    | 3                           | 4x4x24                             |
| PBR-21        | 21" Breakaway Lock Side Bar Preferred Elite     | P                                    | 3                           | 4x4x24                             |
| PBR-24        | 24" Breakaway Lock Side Bar Preferred Elite     | P                                    | 4                           | 4x4x33                             |
| PBR-27        | 27" Breakaway Lock Side Bar Preferred Elite     | P                                    | 4                           | 4x4x33                             |
| PBR-30        | 30" Breakaway Lock Side Bar Preferred Elite     | P                                    | 4                           | 4x4x33                             |
| <b>PCB-1</b>  | Preferred Elite Cardiac Board                   | P                                    | 4                           | 16x27x2                            |
| PCD-1         | Preferred Elite Corner Defib                    | P                                    | 11                          | 17x17x26                           |
| PDS-1         | Preferred Elite Deep Single Shelving            | P                                    | 16                          | 34x19x3                            |
| PDT-2         | Preferred Elite Deep Twin Shelving              | P                                    | 26                          | 34x19x3                            |
| PDX-2         | Preferred Elite One Deep, One Narrow Shelving   | P                                    | 24                          | 34x19x3                            |
| PFT-3         | Preferred Elite 3-Adjustable Storage Trays      | P                                    | 12                          | 5x8x33                             |
| PHB-1         | Preferred Elite Trellis Bar                     | P                                    | 3                           | 4x4x33                             |
| PK-S          | Preferred Elite Side Accessory Panel 2/Pkg      | P                                    | 4                           | 4x10x24                            |
| PHP-5         | Preferred Elite Accessory Back Panel            | P                                    | 7                           | 4x10x24                            |
| PNS-1         | Preferred Elite Narrow Single Shelving          | P                                    | 13                          | 12x2x34                            |
| PNT-2         | Preferred Elite Narrow Twin Shelving            | P                                    | 21                          | 12x2x34                            |
| POS-15        | Preferred Elite Outlet Strip 6 Outlets 15' Cord | P                                    | 4                           | 6x19x4                             |
| <b>PSB-1</b>  | Preferred Elite Sharps Bracket                  | P                                    | 2                           | 4x4x8                              |
| PTB-3***      | Preferred Elite Tilt Bin 3 Units                | P                                    | 7                           | 24x10x8                            |
| PTB-4***      | Preferred Elite Tilt Bin 4 Units                | P                                    | 6                           | 24x9x7                             |
| PTB-5***      | Preferred Elite Tilt Bin 5 Units                | P                                    | 4                           | 24x8x6                             |
| PTB-6***      | Preferred Elite Tilt Bin 6 Units                | P                                    | 3                           | 24x6x4                             |
| PTR-1E        | Preferred Elite Trellis                         | P                                    | 6                           | 31x4x4                             |
| <b>PTR-5E</b> | Preferred Elite Trellis w/ Hooks                | P                                    | 6                           | 31x4x4                             |

Pictured

\*Requires LTR-6 Trellis \*\*Requires LAB-1 Accessory Bar \*\*\*Requires PTR-1E Trellis





## NEW PRODUCTS ANNOUNCEMENT!

***Lakeside Healthcare will be launching new products later this year.***

- OR Work Tables
- Full Tilt Instrument Table
- Full Tilt Adjustable Instrument Table

Plus New Wire Products including:

- Suture Carts
- Catheter Racks
- Surgical Prep Wrap Carts
- Bin Stackers

Visit us often at [www.eLakesideHealthcare.com](http://www.eLakesideHealthcare.com)  
to see our latest products!

***Mobile Transport Solutions  
For Fast-Paced Healthcare Environments!***



## ***NARCOTIC CABINETS***

### ***BEST SELLERS***



#LNC-1



#LNC-4



#LNC-5



#LNC-6D

**NEW!**

**Prevent unauthorized personnel or patients from obtaining access to medications by safely storing them in a Lakeside Narcotics Cabinet.**

Lakeside has a variety of cabinet designs and locking features to address your space and storage requirements.

Most cabinets include adjustable shelves and, depending on desired level of security, locking mechanisms on both single and double-door designs. For maximum security purposes, Lakeside offers an electronic keypad lock that includes full audit trail capability. When it comes to ensuring patient safety and compliance with medication storage laws, Lakeside Narcotic Cabinets are the right choice.

## NARCOTIC CABINETS

FREIGHT CLASS  
100

STANDARD  
PRODUCTS  
SHIP IN 3 DAYS  
OR LESS

### COMPACT SINGLE DOOR/DOUBLE LOCK

Perfect for areas short on space or for mobile transit of medications.

- Mounting hardware included

| MODEL | DESCRIPTION | DIMENSIONS |    |        | SHIP WEIGHT (LBS.) | ups Fed |
|-------|-------------|------------|----|--------|--------------------|---------|
|       |             | L          | W  | H      |                    |         |
| LNC-4 | Double Lock | 8 3/4"     | 6" | 7 1/4" | 5                  | OK      |



### SINGLE DOOR/DOUBLE LOCK/HANDLE

- Adjustable shelves to fit your needs
- Mounting hardware included

| MODEL | # OF SHELVES | DIMENSIONS |    |     | SHIP WEIGHT (LBS.) | ups Fed |
|-------|--------------|------------|----|-----|--------------------|---------|
|       |              | L          | W  | H   |                    |         |
| LNC-2 | 2            | 18"        | 8" | 30" | 33                 | OK      |
| LNC-1 | 1            | 18"        | 8" | 15" | 20                 | OK      |

### SINGLE DOOR/HANDLE

- 3 adjustable shelves to fit your needs
- Mounting hardware included

| MODEL  | # OF SHELVES | DIMENSIONS |     |     | SHIP WEIGHT (LBS.) | ups Fed |
|--------|--------------|------------|-----|-----|--------------------|---------|
|        |              | L          | W   | H   |                    |         |
| LNC-5S | Single Lock  | 24"        | 10" | 30" | 55                 | OK      |
| LNC-5  | Double Lock  | 24"        | 10" | 30" | 54                 | OK      |

FREIGHT CLASS  
100

STANDARD  
PRODUCTS  
SHIP IN **3** DAYS  
OR  
LESS

## COMMON FEATURES:

### Narcotic Cabinets (pages 66-68)

- ✓ Strong metal construction
- ✓ Beige
- ✓ Door can be installed to open from left or right side

## DOUBLE DOOR/DOUBLE LOCK/HANDLE

- Adjustable shelves to fit your needs
- Mounting hardware included

| MODEL   | # OF SHELVES | DIMENSIONS |     |     | SHIP WEIGHT (LBS.) | ups | FedEx |
|---------|--------------|------------|-----|-----|--------------------|-----|-------|
|         |              | L          | W   | H   |                    |     |       |
| LNC-6D  | 2            | 18"        | 10" | 30" | 37                 | OK  |       |
| LNC-11D | 1            | 12"        | 8"  | 15" | 23                 | OK  |       |

## NARCOTIC CABINETS



#LNC-6D



#LNC-11D



## MEDICINE LOCK BOX

*Conveniently secure medications or personal patient items.*

- Push-button locks, no keys necessary
- Removable Tray: 11" L x 5 1/2" W x 3 1/4" H
- Durable thick PVC construction
- Stackable for easy refilling and transporting
- 2 keys included

FREIGHT CLASS  
100

STANDARD  
PRODUCTS  
SHIP IN **10** DAYS  
OR  
LESS

| MODEL  | DESCRIPTION                    | DIMENSIONS |        |        | SHIP WEIGHT (LBS.) | ups | FedEx |
|--------|--------------------------------|------------|--------|--------|--------------------|-----|-------|
|        |                                | L          | W      | H      |                    |     |       |
| LML-1  | Lock Box, White                | 7 1/2"     | 14"    | 7"     | 11                 | OK  |       |
| LML-1B | Extra Tray, Gray               | 11"        | 5 1/2" | 3 1/4" | 2                  | OK  |       |
| LML-1S | Shelf, Beige                   | 14 1/2"    | 7 3/4" | 8"     | 5                  | OK  |       |
| LML-SS | Optional Stacking Shelf, White | 14 1/2"    | 7 3/4" | 3/8"   | 3                  | OK  |       |

## MEDICATION STORAGE



#LTC-1

## MEDICATION STORAGE CABINET

- Adjustable shelves to fit your needs
- Mounting hardware NOT included

FREIGHT CLASS  
100

STANDARD  
PRODUCTS  
SHIP IN **3** DAYS  
OR  
LESS

| MODEL | # OF SHELVES | DIMENSIONS |    |     | SHIP WEIGHT (LBS.) | ups | FedEx |
|-------|--------------|------------|----|-----|--------------------|-----|-------|
|       |              | L          | W  | H   |                    |     |       |
| LTC-1 | 4            | 24"        | 8" | 30" | 46                 | OK  |       |

## HIGH SECURITY STORAGE CABINETS

Control access to your high cost medications and supplies.



#LHS-120

### COMMON FEATURES:

- ✓ Heavy steel construction
- ✓ Double wall door
- ✓ Electronic lock with backup battery (self contained)
- ✓ Key lock override
- ✓ 250+ possible entry codes
- ✓ Full audit trail capability
- ✓ White smart key
- ✓ Beige

### HIGH SECURITY CABINET WITH ELECTRONIC LOCK

- Different shelf configurations to fit your needs
- Mounting hardware included

| MODEL   | SHELVES               | DIMENSIONS |        |     | SHIP WEIGHT (LBS.) | ups Fed Ex |
|---------|-----------------------|------------|--------|-----|--------------------|------------|
|         |                       | L          | W      | H   |                    |            |
| LHS-120 | 3 fixed               | 22"        | 4 1/2" | 18" | 39                 | OK         |
| LHS-220 | 1 fixed, 1 adjustable | 24"        | 10"    | 18" | 68                 | OK         |
| LHS-320 | 1 fixed, 2 adjustable | 24"        | 10"    | 30" | 99                 | OK         |

### HIGH SECURITY CABINET WITH PROXY READER

- Different shelf configurations to fit your needs
- Mounting hardware included

| MODEL   | SHELVES               | DIMENSIONS |        |     | SHIP WEIGHT (LBS.) | ups Fed Ex |
|---------|-----------------------|------------|--------|-----|--------------------|------------|
|         |                       | L          | W      | H   |                    |            |
| LHS-140 | 3 fixed               | 22"        | 4 1/2" | 18" | 39                 | OK         |
| LHS-240 | 1 fixed, 1 adjustable | 24"        | 10"    | 18" | 68                 | OK         |
| LHS-340 | 1 fixed, 2 adjustable | 24"        | 10"    | 30" | 99                 | OK         |

LHS-550 Optional Programming and Audit Review



#LHS-220



#LHS-320

PLEASE CALL FACTORY FOR LEAD TIMES.

FREIGHT CLASS  
100

## MEDICINE CABINETS WITH ELECTRONIC LOCK

NEW!

### MEDICINE CABINET WITH ELECTRONIC LOCK

| MODEL  | SHELVES               | DIMENSIONS |    |     | SHIP WEIGHT (LBS.) | ups Fed Ex |
|--------|-----------------------|------------|----|-----|--------------------|------------|
|        |                       | L          | W  | H   |                    |            |
| LCB-01 | 3 fixed               | 12"        | 5" | 12" | 8                  | OK         |
| LCB-02 | 3 adjustable, 1 fixed | 14"        | 5" | 23" | 13                 | OK         |

PLEASE CALL FACTORY FOR LEAD TIMES.

FREIGHT CLASS  
100



#LCB-01



#LCB-02







## **MEAL DELIVERY PRODUCTS**

### **BEST SELLERS**



#5500



#5628

**Our meal delivery and serving solutions will help increase patient satisfaction.** Our tray delivery carts enhance the patient experience by transporting food in a quick and efficient way. The Elite Series™ Late Tray Delivery Cart is a great solution when you need to deliver six meals or fewer.



Redefining Healthcare Food Service

For comprehensive meal delivery systems and solutions, visit our sister company Alluserv at [alluserv.com](http://alluserv.com)

## TRAY DELIVERY CARTS

### ELITE SERIES™ | STAINLESS STEEL

*Quickly delivering just the right number of meals makes this cart perfect for the Long Term Care Community*

- Conveniently accommodate 10 or 20 each, 14" x 18" or 15" x 20" size trays, one per ledge
- Lightweight for handling, yet durable for a long service life
- Doors conveniently open 270° for unobstructed access
- Narrow design saves valuable storage space
- Vented side panels reduce condensation build-up
- Compartment has a center floor drain for quick drying after cleaning
- 200/300 stainless steel cart body and removable ledge panels are durable and easy to clean and sanitize
- Wide spread, side mounted, recessed handles on both ends offer easy maneuverability
- 2 fixed and 2 swivel 6" Lake-Glide® casters guide the cart in a straight line, while making turns easier
- 2" wide cushion tread wheels for smoother transportation
- Corner bumpers protect walls, furnishings and doors

#### Options Include:

- Magnetic door hold-open catch
- Menu card holder
- Tow hitch
- 6", 2 ea. brake casters, 2 per set
- Center-mounted 5th caster, 6" fixed
- 6 ea. 6" casters, 2 fixed 4 swivel
- 8" cushion tread casters, 2 fixed, 2 swivel
- 2" top rail on three sides
- Full perimeter bumper
- Custom 4" ledge spacing



Removeable Ledges (standard)



Floor Drain (standard)



Handles (standard)



Top Rails (optional)



#5720

NSF



*Ideal for use with Lakeside's new Powered Tug. See page 97.*



| MODEL | TRAY CAPACITY* (W X L) |                        | LEDGE SPACING | # OF INTERIOR COMPARTMENTS | OVERALL SIZE |     |     | LAKE-GLIDE® CASTERS |      | SHIP WEIGHT LBS. |
|-------|------------------------|------------------------|---------------|----------------------------|--------------|-----|-----|---------------------|------|------------------|
|       |                        |                        |               |                            | W            | D   | H   | TYPE                | DIA. |                  |
| 5710  | 10 ea.                 | 14" x 18" or 15" x 20" | 5 1/4"        | 1                          | 32 1/2"      | 27" | 63" | 2 swivel, 2 fixed   | 6"   | 212              |
| 5720  | 20 ea.                 | 14" x 18" or 15" x 20" | 5 1/4"        | 2                          | 44 1/2"      | 27" | 63" | 2 swivel, 2 fixed   | 6"   | 315              |

*Each interior compartment measures 15 3/4" x 21 5/8".*

*\*One tray per ledge. Unit weight is 170 lb. for Model 5710, and 265 lb. for Model 5720.*

FREIGHT CLASS  
125

STANDARD PRODUCTS  
SHIP IN 7 DAYS OR LESS



NSF

### ELITE SERIES™ LOW PROFILE | STAINLESS STEEL

Low profile delivery carts provide a safe, full view during transport.

- Stainless steel ledges securely hold 14" x 18" or 15" x 20" trays, 2 trays per ledge
- 200/300 Stainless steel cart body and removable ledge panels are durable and easy to clean and sanitize
- Doors conveniently open 270° for unobstructed access.
- Vented side panels reduce condensation build-up
- 2 fixed and 2 swivel 6" Lake-Glide® casters guide the cart in a straight line, while making turns easier
- 2" wide cushion tread wheels for smoother transportation
- Corner bumpers protect walls, furnishings and doors
- All models are low profile except 5618 and 5620

| MODEL | TRAY CAPACITY (W X L) |           |              | LEDGE SPACING | COMPARTMENTS/ TRAYS PER LEDGE | OVERALL SIZE |         |         | LAKE-GLIDE® CASTERS |      | SHIP WEIGHT LBS. |
|-------|-----------------------|-----------|--------------|---------------|-------------------------------|--------------|---------|---------|---------------------|------|------------------|
|       |                       |           |              |               |                               | W            | D       | H       | TYPE                | DIA. |                  |
| 5618  | 18 ea.                | 14" x 18" | or 15" x 20" | 5 1/4"        | 1/2                           | 33"          | 36 3/4" | 58 3/4" | 2 swivel, 2 fixed   | 6"   | 230              |
| 5620  | 20 ea.                | 14" x 18" | or 15" x 20" | 5 1/4"        | 1/2                           | 33"          | 36 3/4" | 64"     | 2 swivel, 2 fixed   | 6"   | 264              |
| 5624  | 24 ea.                | 14" x 18" | or 15" x 20" | 5 1/4"        | 2/2                           | 55 3/4"      | 34 1/2" | 42"     | 2 swivel, 2 fixed   | 6"   | 305              |
| 5628  | 28 ea.                | 14" x 18" | or 15" x 20" | 5 1/4"        | 2/2                           | 55 3/4"      | 34 1/2" | 47 3/4" | 2 swivel, 2 fixed   | 6"   | 325              |
| 5632  | 32 ea.                | 14" x 18" | or 15" x 20" | 5 1/4"        | 2/2                           | 55 3/4"      | 34 1/2" | 52 1/2" | 2 swivel, 2 fixed   | 6"   | 365              |

STANDARD PRODUCTS  
SHIP IN **7** DAYS OR LESS

### COMPACT | STAINLESS STEEL

A compact delivery cart is a durable solution for tight storage spaces and navigating narrow hallways.

- Conveniently accommodates 16 or 20 each, 14" x 18" or 15" x 20" size trays with ample 6" ledge spacing, 2 trays per ledge
- Compact size maneuvers easily
- Double door pass-through models available for loading/unloading from either side in cramped areas
- Door conveniently opens 270° for unobstructed access
- Long-life door latch withstands repeated opening/closing
- 5" all swivel, stainless steel casters are corrosion-resistant for long term use. No-Mark® wheels.
- 200/300 Stainless steel construction is durable and easy to clean and sanitize
- Optional perimeter bumper available
- Traditional horizontal or ergonomic vertical push handles available on single door units

| MODEL | TRAY CAPACITY (W X L) |           | LEDGE SPACING | DOOR DESCRIPTION | OVERALL SIZE |         |         | SHIP WEIGHT LBS. |
|-------|-----------------------|-----------|---------------|------------------|--------------|---------|---------|------------------|
|       |                       |           |               |                  | W            | D       | H       |                  |
| 840   | 16 ea.                | 14" x 18" | 6"            | 1 front          | 21 5/8"      | 31 1/4" | 58 1/4" | 122              |
| 845   | 16 ea.                | 14" x 18" | 6"            | 1 front, 1 back  | 21 5/8"      | 31 1/4" | 58 1/4" | 128              |
| 842   | 20 ea.                | 14" x 18" | 6"            | 1 front          | 21 5/8"      | 31 1/4" | 70 1/4" | 145              |
| 847   | 20 ea.                | 14" x 18" | 6"            | 1 front, 1 back  | 21 5/8"      | 31 1/4" | 70 1/4" | 155              |
| 850   | 16 ea.                | 15" x 20" | 6"            | 1 front, 1 back  | 23 3/4"      | 33 1/4" | 58 1/4" | 131              |
| 855   | 16 ea.                | 15" x 20" | 6"            | 1 front, 1 back  | 23 3/4"      | 33 1/4" | 58 1/4" | 136              |
| 852   | 20 ea.                | 15" x 20" | 6"            | 1 - front        | 23 3/4"      | 33 1/4" | 70 1/4" | 154              |
| 857   | 20 ea.                | 15" x 20" | 6"            | 1 front, 1 back  | 23 3/4"      | 33 1/4" | 70 1/4" | 161              |



NSF

#840

FREIGHT CLASS  
**125**

STANDARD PRODUCTS  
SHIP IN **7** DAYS OR LESS

## TRAY DELIVERY CARTS

### ELITE SERIES™ LATE TRAY DELIVERY CART

- Conveniently accommodates 14" x 18" and 15" x 20" trays with ample 6" ledge spacing
- Model 5510 has a bottom clearance of 8 1/4" that can easily hold a tray set-up or supplies, beverages or other items
- Door conveniently opens 270° for unobstructed access
- Stainless steel construction and removable ladder style ledge panels are durable and easy to clean and sanitize
- Compartment has a center floor drain for quick drying after cleaning
- Long life door latch withstands repeated opening/ closing
- 2 fixed and 2 swivel 6" Lake-Glide® casters guide the cart in a straight line, while making turns easier
- 2" wide cushion tread wheels for smoother transportation
- Corner bumpers protect walls, furnishings and doors

#### Options Include:

- 2" top rail on three sides
- Perimeter bumper
- All swivel casters

| MODEL | TRAY CAPACITY |              | LEDGE CLEARANCE | OVERALL SIZE |         |         | SHIP WEIGHT LBS. |
|-------|---------------|--------------|-----------------|--------------|---------|---------|------------------|
|       | # OF          | SIZE (W X L) |                 | W            | L       | H       |                  |
| 5500  | 6 ea.         | 15" x 20"    | 6"              | 32 1/4"      | 21 3/4" | 45 3/4" | 110              |
|       | 6 ea.         | 14" x 18"    | 6"              |              |         |         |                  |
| 5510  | 12 ea.        | 15" x 20"    | 6"              | 32 1/4"      | 36 3/4" | 48 3/4" | 190              |
|       | 12 ea.        | 14" x 18"    | 6"              |              |         |         |                  |

Custom ledge spacing available, call factory for pricing.

STANDARD PRODUCTS  
SHIP IN **7** DAYS OR LESS

## SERVE MEALS FASTER AND SATISFY MORE PATIENTS!

When a large urban hospital customer needed to deliver a few meals after regular meal service, **traditional tray delivery carts were too large.** Having a dietary aide deliver a tray individually was inefficient and a burden to the budget. **Lakeside Late Tray Delivery Carts are perfect when you only need to deliver six or 12 trays!**

*Easier to use than large, high-capacity tray delivery carts.*



#5500

*Easy to maneuver*




*Universally accepted by foodservice healthcare operators*





## ***EXAM/PATIENT EQUIPMENT***

### ***BEST SELLERS***



#4860



#4512



#4908

**As your complete “one-stop” mobile solutions provider, Lakeside continues to offer versatile and easy to use exam patient room equipment. Trust Lakeside to have the right mobile equipment when you need it.**



## IV AND MAYO STANDS

*Infection control, safety and ease-of-use are the design features of Lakeside® Healthcare IV Stands. Chrome-plated steel tubing has a round surface which stays cleaner because there are no corners where dirt and grime can collect. Stable, no tip bases allow you to be concerned with matters-at-hand. Easy rolling casters or rubber wheels provide quiet, effortless movement.*



### STAINLESS STEEL DOUBLE POST MAYO STAND

- Foot-operated Mayo Stand is made from stainless steel for increased sterility, durability and reliability
- Tray height is easily adjustable by hand or foot
- Dual Post construction adds strength
- Choose from three different tray sizes

| MODEL | DESCRIPTION                   | SHIP WEIGHT (LBS.) | FedEx ups |
|-------|-------------------------------|--------------------|-----------|
| 37225 | SS Mayo Stand w/ 13 x 20 Tray | 40                 | OK        |
| 37230 | SS Mayo Stand w/ 16 x 21 Tray | 40                 | OK        |
| 37235 | SS Mayo Stand w/ 20 x 24 Tray | 40                 | OK        |
| 37220 | Replacement 13 x 20 Tray      | 4                  | OK        |
| 37205 | Replacement 16 x 21 Tray      | 4                  | OK        |
| 37215 | Replacement 20 x 24 Tray      | 4                  | OK        |

### DOUBLE POST MAYO INSTRUMENT STAND

- Designed for convenience during surgical procedures
- U-shaped base minimizes interference with other equipment
- Removable stainless steel tray for sanitizing
- 1" chrome-plated steel tubing is easy to clean
- 2 rubber wheel, ball bearing casters promote smooth rolling
- Twist knob for easy height adjustment
- Adjustment Range: 34" - 53"
- Tray dimensions: 19 1/4" x 12 1/2"
- Some assembly required

| MODEL | DESCRIPTION            | SHIP WEIGHT (LBS.) | FedEx ups |
|-------|------------------------|--------------------|-----------|
| 4700  | Double Post Mayo Stand | 15                 | OK        |
| 1210  | Replacement Tray       | 4                  | OK        |

### SINGLE POST MAYO INSTRUMENT STAND

- Designed for convenience during surgical procedures
- "California" style base for easy positioning
- Removable stainless steel tray for sanitizing
- 1" chrome-plated steel tubing is easy to clean
- 2 rubber wheel, ball bearing casters promote smooth rolling
- Twist knob for easy height adjustment
- Adjustment Range: 32" - 50"
- Tray dimensions: 19 1/4" x 12 1/2"
- Some assembly required

| MODEL | DESCRIPTION            | SHIP WEIGHT (LBS.) | FedEx ups |
|-------|------------------------|--------------------|-----------|
| 4705  | Single Post Mayo Stand | 14                 | OK        |
| 1200  | Replacement Tray       | 4                  | OK        |

### 4-LEG HEAVY DUTY IV STAND

- Sturdy 4-leg epoxy-coated 22" steel base
- Chrome-plated steel tubing is easy to clean
- Rubber wheel ball bearing casters promote smooth rolling
- Select 2 or 4 Ram's Horn Hooks to meet your specific needs
- Twist knob for easy height adjustment
- Adjustment range: 51 3/4" - 93 1/2"
- Rubber bumpers on base protect walls from incidental damage
- Load capacity: 45 lbs
- Some assembly required

| MODEL | DESCRIPTION       | SHIP WEIGHT (LBS.) | FedEx ups |
|-------|-------------------|--------------------|-----------|
| 4850  | 2 Ram's Horn Hook | 15                 | OK        |
| 4855  | 4 Ram's Horn Hook | 17                 | OK        |



#37225



#4700




#4705



#4850

**4-LEG ECONOMY IV STAND (2-HOOK)**

- 4-leg epoxy-coated 22" steel base
- Chrome-plated steel tubing is easy to clean
- Dual wheel nylon casters
- Twist lock height adjustment
- Adjustment range: 51 1/4" – 91 3/4"
- Load capacity: 45 lbs
- Some assembly required



| MODEL | DESCRIPTION       | SHIP WEIGHT (LBS.) | FedEx ups |
|-------|-------------------|--------------------|-----------|
| 4800  | 2 Ram's Horn Hook | 15                 | OK        |

**5-LEG IV STAND**

- Well balanced, stable IV stand with 25" cast aluminum base
- Easy-to-clean, chrome-plated steel tubing
- Durable dual wheel nylon casters
- Twist knob for easy height adjustment
- Adjustment Range: 52 1/4" – 92 3/4"
- Load Capacity: 45 lbs
- Some assembly required




| MODEL | DESCRIPTION       | SHIP WEIGHT (LBS.) | FedEx ups |
|-------|-------------------|--------------------|-----------|
| 4805  | 2 Ram's Horn Hook | 14                 | OK        |
| 4810  | 4 Ram's Horn Hook | 15                 | OK        |

**5-LEG SPACE SAVER BASE  
INFUSION PUMP STAND**

*For tight spots, this space saving 16" diameter size delivers the stability you need.*

- Epoxy coated steel base
- Easy-to-clean chrome plated top post assembly
- 3" rubber wheel, ball bearing casters provide smooth movement
- Twist knob for easy height adjustment
- Adjustment Range: 54" – 90 1/2"
- Some assembly required
- Optional accessories listed below




| MODEL | DESCRIPTION       | SHIP WEIGHT (LBS.) | FedEx ups |
|-------|-------------------|--------------------|-----------|
| 4865  | 2 Ram's Horn Hook | 20                 | OK        |
| 4866  | 4 Ram's Horn Hook | 21                 | OK        |

**6-LEG OVERSIZE BASE INFUSION PUMP STAND**

*This oversize 26" diameter base offers unparalleled stability for heavy duty use.*

- Accommodates up to 4 infusion pumps and/or IV controllers with optional Universal Clamp and Infusion Pump frame accessories
- Easy-to-clean chrome plated top assembly
- 3" rubber wheel, ball bearing casters provide smooth movement
- Twist knob for easy height adjustment
- Adjustment Range: 52 1/4" – 102 3/4"
- Some assembly required
- Optional accessories listed below



| MODEL | DESCRIPTION       | SHIP WEIGHT (LBS.) | FedEx ups |
|-------|-------------------|--------------------|-----------|
| 4860  | 2 Ram's Horn Hook | 20                 | OK        |
| 4861  | 4 Ram's Horn Hook | 21                 | OK        |

**INFUSION PUMP STAND ACCESSORIES****MODEL 4871 UNIVERSAL CLAMP**

Attaches to IV poles up to 1" diameter. Use the Universal clamp to mount other accessories. Set-screw locks the accessory in place.

**MODEL 4870\* STEERING HANDLE**

Steering handle measures 10"W x 9"L x 1"H. Steering and moving the IV pole is much easier and safer when the handle is used. Handle is covered with non-slip black vinyl coating.

**MODEL 4872 INFUSION PUMP FRAME**


Mounts up to four pumps on a single stand. Easy mounting, removal and adjustment. Use with #4865, #4866, #4860 and #4861 only. Order two (2) #4871 Universal Clamps.

**MODEL 4873\* OXYGEN CYLINDER HOLDER**

Holds "D" and "E" size tanks.

**Model 4874\* Add-A-Tray**

Holds instruments, procedure prep and patient personal items. Removable stainless steel tray measures 9 3/4"W x 13 1/5"L x 3/4"D.



\*Require one #4871 universal clamp.

FREIGHT CLASS  
150

STANDARD PRODUCTS  
SHIP IN 7 DAYS OR LESS

## HAMPERS

### SQUARE LINEN HAMPER WITH TILT LID

- Open construction designed for easy unloading and minimal lifting
- Gray epoxy-coated steel lid designed with steel lid prop to stay open when needed
- Built-in bag holder provides heavy duty support for 36 or 42-gallon bags (18"D)
- Foot operated lid mechanism allows sanitary hands-free operation
- Chrome-plated steel frame is durable and easy to clean
- 3" locking rubber wheel ball bearing casters for smooth movement

| MODEL | DIMENSIONS |         |     | SHIP WEIGHT (LBS.) | FedEx UPS |
|-------|------------|---------|-----|--------------------|-----------|
|       | W          | D       | H   |                    |           |
| 4512  | 18 1/2"    | 19 1/2" | 37" | 23                 | OK        |

### 18" ROUND LINEN HAMPER WITH TILT LID

- Designed with an "M" base for stability and long life
- Foot operated lid mechanism allows sanitary hands-free operation
- Spring-loaded lid for effortless opening
- Chrome-plated steel frame and lid is durable and easy to clean
- 2" rubber wheel ball bearing casters for smooth movement
- Sturdy 4-wheel base

| MODEL | DIMENSIONS                         |     |     | SHIP WEIGHT (LBS.) | FedEx UPS |
|-------|------------------------------------|-----|-----|--------------------|-----------|
|       | W                                  | D   | H   |                    |           |
| 4515  | 18"                                | 18" | 36" | 23                 | OK        |
| 4526  | DESCRIPTION<br>Optional Bag Holder |     |     | 2                  | OK        |

### ADJUSTABLE FOLDING LINEN HAMPER

- Wide base hamper adjusts to hold 18", 22", or 25" diameter bags for flexibility
- Bag rests on strong open-air slats to allow maximum air circulation and prevent mold
- Folds for compact storage
- Chrome finish is durable and easy to clean
- 3" rubber wheel, ball bearing casters for smooth movement

| MODEL | DIMENSIONS |     |         | SHIP WEIGHT (LBS.) | FedEx UPS |
|-------|------------|-----|---------|--------------------|-----------|
|       | W          | D   | H       |                    |           |
| 4518  | 20"        | 20" | 39 1/2" | 25                 | OK        |



#4512



#4515



#4518

## STEP STOOLS

### CHROME STEP STOOL

- 1" chrome-plated steel construction is durable and easy to clean
- Slip resistant rubber mat adds safety
- Black rubber tips for stability
- Ships UPS, 2 step stools per carton



#4910



#4908

| MODEL | DESCRIPTION                                                                | STEP DIMENSIONS |     |    | SHIP WEIGHT (LBS.) | FedEx UPS |
|-------|----------------------------------------------------------------------------|-----------------|-----|----|--------------------|-----------|
|       |                                                                            | W               | D   | H  |                    |           |
| 4908  | without handrail                                                           | 11"             | 14" | 9" | 9                  | OK        |
| 4910  | with 7/8" chrome-plated steel handrail (handrail height: 37 1/2" to floor) | 11"             | 14" | 9" | 10                 | OK        |

## KICK BUCKET

NEW!

### STAINLESS STEEL KICK BUCKET WITH FRAME

- Non-Corrosive Stainless Steel Construction
- Heavy Duty, Exceptionally Durable
- 360° Rubber Bumper on Frame
- 13 Quart Size
- 2" rubber wheel casters



| MODEL  | DESCRIPTION            |
|--------|------------------------|
| 126474 | Kick Bucket with Frame |
| 126631 | Kick Bucket Only       |
| 126630 | Kick Bucket Frame Only |



## ***CENTRAL SUPPLY, DISTRIBUTION AND STORAGE***

### ***BEST SELLERS***



#R184872CS-4



#R184863CC-4



R1836CUC-2



#S244872ZS-4 Starter

#S246072ZS-4 Add-On

**Let Lakeside solve your organizational and storage problems with our complete line of shelving products.**

Both our round post and heavy-duty square post systems provide endless configuration alternatives. All wire products are available in either stationary or mobile units and will ship in three days or less.

## STAINLESS STEEL DISTRIBUTION SUPPLY CARTS

*Distribution Supply Carts can be configured to meet your every need!*

- Maximum design flexibility for your best fit
- Multiple uses as case carts, supply carts, distribution carts, linen carts, etc.
- Stainless steel frame is easy to clean and sanitize
- Solid stainless steel or wire shelves allow options for different size supplies

- All-welded construction eliminates nuts and bolts for a stronger structure and easier-to-clean surface
- Fits elevators and are suitable for cart pick-up systems
- 6" Casters for easy maneuverability
- Easy to configure with 5 1/2" space between shelf rungs
- No tools required

### BASE MODEL 7910

(38 1/2"W x 28 3/4"D x 38 1/2"H) Accommodates up to 5 shelves. Select all wire, all stainless or a combination of wire and stainless.

|               |                                                                   |
|---------------|-------------------------------------------------------------------|
| <b>7910W</b>  | Wire Shelf                                                        |
| <b>7910SS</b> | Stainless Steel Shelf                                             |
| <b>7910SD</b> | Solid Shelf with Divider<br>(3 adjustable dividers with hardware) |



#7910



#7920  
shown with optional bins  
(120118 gray, 120119 red, 120120 blue)

### BASE MODEL 7920

(42 1/2"W x 30 3/4"D x 44"H) Accommodates up to 6 shelves. Select all wire, all stainless or a combination of wire and stainless.

|               |                                                                   |
|---------------|-------------------------------------------------------------------|
| <b>7920W</b>  | Wire Shelf                                                        |
| <b>7920SS</b> | Stainless Steel Shelf                                             |
| <b>7920SD</b> | Solid Shelf with Divider<br>(3 adjustable dividers with hardware) |



#7930  
shown with optional bins  
(120120 blue, 120119 red)



#7940  
shown with optional bins  
(120119 red, 120118 gray, 120120 blue)

### BASE MODEL 7930

(32 1/2"W x 32 3/4"D x 61 1/2"H) Accommodates up to 9 shelves. Select all wire, all stainless or a combination of wire and stainless.

|               |                                                                   |
|---------------|-------------------------------------------------------------------|
| <b>7930W</b>  | Wire Shelf                                                        |
| <b>7930SS</b> | Stainless Steel Shelf                                             |
| <b>7930SD</b> | Solid Shelf with Divider<br>(3 adjustable dividers with hardware) |

### BASE MODEL 7940

(52 1/2"W x 27 1/2"D x 61 1/2"H) Accommodates up to 9 shelves. Select all wire, all stainless or a combination of wire and stainless.

|               |                                                                   |
|---------------|-------------------------------------------------------------------|
| <b>7940W</b>  | Wire Shelf                                                        |
| <b>7940SS</b> | Stainless Steel Shelf                                             |
| <b>7940SD</b> | Solid Shelf with Divider<br>(3 adjustable dividers with hardware) |





**DISTRIBUTION SUPPLY CART ACCESSORIES**

Choose from shelf dividers, tote box drawers, tote box drawer dividers, stainless steel casters, Staph-Chek® vinyl covers, and waste bag attachment.

STANDARD  
PRODUCTS  
SHIP IN **10** DAYS  
OR LESS

**CART COVERS**

Navy is standard. Also available in Light Blue, Mint Green, Mauve, Tan and White.

|              |                          |
|--------------|--------------------------|
| <b>29650</b> | Use with Base Model 7910 |
| <b>29652</b> | Use with Base Model 7920 |
| <b>29655</b> | Use with Base Model 7930 |
| <b>29660</b> | Use with Base Model 7940 |

**PLASTIC BINS**

Available in Red, Blue or Gray. Please indicate your bin color choice at time of order.

|               |                                         |
|---------------|-----------------------------------------|
| <b>120118</b> | Small Bins (8 1/4"W x 10 7/8"D x 5"H)   |
| <b>120119</b> | Medium Bins (10 7/8"W x 16 1/2"D x 6"H) |
| <b>120120</b> | Large Bins (17 3/8"W x 22 3/4"D x 6"H)  |

**BIN SLIDE BRACKETS**

|               |                                                              |
|---------------|--------------------------------------------------------------|
| <b>120110</b> | Bin Bracket Kit (pair) Use with Base Models 7910, 7920, 7940 |
| <b>120111</b> | Bin Bracket Kit (pair) Use with Base Model 7930              |

**BAG KITS**

|               |                                                            |
|---------------|------------------------------------------------------------|
| <b>120112</b> | Trash Bag Kit (Bag and Bracket) Use with Model 7910        |
| <b>120113</b> | Trash Bag Kit (Bag and Bracket) Use with Models 7920, 7940 |
| <b>120114</b> | Trash Bag Kit (Bag and Bracket) Use with Model 7930        |
| <b>53511</b>  | Replacement Bag, Blue Staph-Chek                           |

**STAINLESS STEEL CASTERS**

|               |                           |
|---------------|---------------------------|
| <b>120125</b> | 5" Stem Caster            |
| <b>120126</b> | 5" Stem Caster with Brake |
| <b>120128</b> | 6" Stem Caster            |
| <b>120127</b> | 6" Stem Caster with Brake |



#7930  
shown with optional 29655 cart cover



#120120 blue bin



#7920  
shown with optional 120113 trash bag kit

## ROUND POST WIRE SHELVING UNITS

### 4-SHELF WIRE SHELVING UNITS

Easily configure shelving units to fit your unique space.

When weight is evenly distributed:

36" L shelf supports 800 lbs

48" L shelf supports 800 lbs

60" L shelf supports 600 lbs

72" L shelf supports 400 lbs

FREIGHT CLASS

70

STANDARD PRODUCTS

SHIP IN

3 DAYS OR LESS



#R184872CS-4  
STARTER UNIT

#R184872CA-4  
ADD-ON UNIT

**STARTER UNITS:** Each kit includes (4) shelves, (16) collets, (4) posts, and (4) feet.

### 54" High Units

| MODEL       | SIZE (D x L x H) | SHIP WEIGHT (LBS.) |
|-------------|------------------|--------------------|
| R183654CS-4 | 18" x 36" x 54"  | 50                 |
| R184854CS-4 | 18" x 48" x 54"  | 60                 |
| R186054CS-4 | 18" x 60" x 54"  | 80                 |
| R187254CS-4 | 18" x 72" x 54"  | 92                 |
| R243654CS-4 | 24" x 36" x 54"  | 64                 |
| R244854CS-4 | 24" x 48" x 54"  | 76                 |
| R246054CS-4 | 24" x 60" x 54"  | 96                 |
| R247254CS-4 | 24" x 72" x 54"  | 116                |

### 72" High Units

| MODEL       | SIZE (D x L x H) | SHIP WEIGHT (LBS.) |
|-------------|------------------|--------------------|
| R183672CS-4 | 18" x 36" x 72"  | 54                 |
| R184872CS-4 | 18" x 48" x 72"  | 64                 |
| R186072CS-4 | 18" x 60" x 72"  | 84                 |
| R187272CS-4 | 18" x 72" x 72"  | 96                 |
| R243672CS-4 | 24" x 36" x 72"  | 68                 |
| R244872CS-4 | 24" x 48" x 72"  | 80                 |
| R246072CS-4 | 24" x 60" x 72"  | 100                |
| R247272CS-4 | 24" x 72" x 72"  | 120                |

### 63" High Units

| MODEL       | SIZE (D x L x H) | SHIP WEIGHT (LBS.) |
|-------------|------------------|--------------------|
| R183663CS-4 | 18" x 36" x 63"  | 52                 |
| R184863CS-4 | 18" x 48" x 63"  | 62                 |
| R186063CS-4 | 18" x 60" x 63"  | 82                 |
| R187263CS-4 | 18" x 72" x 63"  | 94                 |
| R243663CS-4 | 24" x 36" x 63"  | 66                 |
| R244863CS-4 | 24" x 48" x 63"  | 78                 |
| R246063CS-4 | 24" x 60" x 63"  | 98                 |
| R247263CS-4 | 24" x 72" x 63"  | 118                |

### 86" High Units

| MODEL       | SIZE (D x L x H) | SHIP WEIGHT (LBS.) |
|-------------|------------------|--------------------|
| R183686CS-4 | 18" x 36" x 86"  | 60                 |
| R184886CS-4 | 18" x 48" x 86"  | 70                 |
| R186086CS-4 | 18" x 60" x 86"  | 90                 |
| R187286CS-4 | 18" x 72" x 86"  | 102                |
| R243686CS-4 | 24" x 36" x 86"  | 74                 |
| R244886CS-4 | 24" x 48" x 86"  | 86                 |
| R246086CS-4 | 24" x 60" x 86"  | 106                |
| R247286CS-4 | 24" x 72" x 86"  | 124                |

**Add-On Units:** Each kit includes (4) shelves, (16) collets, (2) posts, (2) feet, and (8) s-hooks.  
{S-hooks are used to connect add-on shelves to starter units without additional legs.}

### 54" High Units

| MODEL       | SIZE (D x L x H) | SHIP WEIGHT (LBS.) |
|-------------|------------------|--------------------|
| R183654CA-4 | 18" x 36" x 54"  | 44                 |
| R184854CA-4 | 18" x 48" x 54"  | 54                 |
| R186054CA-4 | 18" x 60" x 54"  | 74                 |
| R187254CA-4 | 18" x 72" x 54"  | 86                 |
| R243654CA-4 | 24" x 36" x 54"  | 58                 |
| R244854CA-4 | 24" x 48" x 54"  | 70                 |
| R246054CA-4 | 24" x 60" x 54"  | 90                 |
| R247254CA-4 | 24" x 72" x 54"  | 110                |

### 72" High Units

| MODEL       | SIZE (D x L x H) | SHIP WEIGHT (LBS.) |
|-------------|------------------|--------------------|
| R183672CA-4 | 18" x 36" x 72"  | 46                 |
| R184872CA-4 | 18" x 48" x 72"  | 56                 |
| R186072CA-4 | 18" x 60" x 72"  | 76                 |
| R187272CA-4 | 18" x 72" x 72"  | 88                 |
| R243672CA-4 | 24" x 36" x 72"  | 60                 |
| R244872CA-4 | 24" x 48" x 72"  | 72                 |
| R246072CA-4 | 24" x 60" x 72"  | 92                 |
| R247272CA-4 | 24" x 72" x 72"  | 112                |

### 63" High Units

| MODEL       | SIZE (D x L x H) | SHIP WEIGHT (LBS.) |
|-------------|------------------|--------------------|
| R183663CA-4 | 18" x 36" x 63"  | 45                 |
| R184863CA-4 | 18" x 48" x 63"  | 55                 |
| R186063CA-4 | 18" x 60" x 63"  | 75                 |
| R187263CA-4 | 18" x 72" x 63"  | 87                 |
| R243663CA-4 | 24" x 36" x 63"  | 59                 |
| R244863CA-4 | 24" x 48" x 63"  | 71                 |
| R246063CA-4 | 24" x 60" x 63"  | 91                 |
| R247263CA-4 | 24" x 72" x 63"  | 111                |

### 86" High Units

| MODEL       | SIZE (D x L x H) | SHIP WEIGHT (LBS.) |
|-------------|------------------|--------------------|
| R183686CA-4 | 18" x 36" x 86"  | 56                 |
| R184886CA-4 | 18" x 48" x 86"  | 66                 |
| R186086CA-4 | 18" x 60" x 86"  | 86                 |
| R187286CA-4 | 18" x 72" x 86"  | 98                 |
| R243686CA-4 | 24" x 36" x 86"  | 70                 |
| R244886CA-4 | 24" x 48" x 86"  | 82                 |
| R246086CA-4 | 24" x 60" x 86"  | 102                |
| R247286CA-4 | 24" x 72" x 86"  | 120                |

## SHELVING UNIT COMPONENT PARTS

### COMPONENT SHELVES

| MODEL  | SHELF SIZE (D x L) | SHIP WEIGHT (LBS.) |
|--------|--------------------|--------------------|
| R1836C | 18" x 36"          | 10                 |
| R1848C | 18" x 48"          | 12                 |
| R1860C | 18" x 60"          | 12                 |
| R1872C | 18" x 72"          | 20                 |
| R2436C | 24" x 36"          | 13                 |
| R2448C | 24" x 48"          | 16                 |
| R2460C | 24" x 60"          | 21                 |
| R2472C | 24" x 72"          | 26                 |



### COMPONENT POSTS

- Post are double notched on 8" centers for ease of assembly.

| MODEL | POST HEIGHT | SHIP WEIGHT (LBS.) |
|-------|-------------|--------------------|
| R54C  | 54"         | 3                  |
| R63C  | 63"         | 4                  |
| R72C  | 72"         | 4                  |
| R86C  | 86"         | 5                  |



### THREE-SIDED FRAMES

**Gain greater rigidity without losing space.**

Assembles like a shelf with a connection at all four posts. Great for adding stability to units that have a lot of space in between shelves. Also can be used as a ledge to keep items from falling off shelves.

| MODEL NO. | FITS SHELF SIZE | SHIP WEIGHT (LBS.) |
|-----------|-----------------|--------------------|
| RTTF1836  | 18 x 36         | 3.0                |
| RTTF1848  | 18 x 48         | 4.0                |
| RTTF1860  | 18 x 60         | 5.0                |
| RTTF1872  | 18 x 72         | 6.0                |
| RTTF2436  | 24 x 36         | 3.0                |
| RTTF2448  | 24 x 48         | 4.0                |
| RTTF2460  | 24 x 60         | 5.0                |
| RTTF2472  | 24 x 72         | 6.0                |



## ROUND POST WIRE SHELVING CARTS

FREIGHT CLASS  
70

STANDARD  
PRODUCTS  
SHIP IN **3** DAYS  
OR LESS

### ROUND POST WIRE SHELF UTILITY CARTS

Open wire construction allows air circulation, reduces dust and dirt buildup.

- 39" height provides a safe, full view during transport
- All swivel casters provide ultimate maneuverability
- 1200 lb total cart capacity withstands your heaviest loads
- Carts include 2 ea. U-handles



#R1848CUC-2



#R2436CUC-3

#### 2-Shelf Carts

Kit includes (2) shelves, (2) U-handles, (8) collets, (2) swivel casters, and (2) swivel casters with brakes.

| MODEL      | SHELF SIZE (D X L) | SHIP WEIGHT (LBS.) |
|------------|--------------------|--------------------|
| R1836CUC-2 | 18" x 36"          | 40                 |
| R1848CUC-2 | 18" x 48"          | 47                 |
| R1860CUC-2 | 18" x 60"          | 56                 |
| R2436CUC-2 | 24" x 36"          | 48                 |
| R2448CUC-2 | 24" x 48"          | 54                 |
| R2460CUC-2 | 24" x 60"          | 64                 |

#### 3-Shelf Carts

Kit includes (3) shelves, (2) U-handles, (12) collets, (2) swivel casters, and (2) swivel casters with brakes.

| MODEL      | SHELF SIZE (D X L) | SHIP WEIGHT (LBS.) |
|------------|--------------------|--------------------|
| R1836CUC-3 | 18" x 36"          | 50                 |
| R1848CUC-3 | 18" x 48"          | 57                 |
| R1860CUC-3 | 18" x 60"          | 64                 |
| R2436CUC-3 | 24" x 36"          | 61                 |
| R2448CUC-3 | 24" x 48"          | 70                 |
| R2460CUC-3 | 24" x 60"          | 85                 |

### UTILITY CART HANDLES

| MODEL   | H X D     | SHIP WEIGHT (LBS.) |
|---------|-----------|--------------------|
| RUH218C | 33" x 18" | 11                 |
| RUH224C | 33" x 24" | 12                 |





STANDARD  
PRODUCTS  
SHIP IN **3** DAYS  
OR LESS



#R184863CC-5



#R184863CC-4

## ROUND POST WIRE CARTS

Store and go wire shelf carts are extra strong for your multi-purpose needs

- 1200 lb total cart capacity withstands your heaviest loads
- 5" all swivel casters provide ultimate maneuverability

**5-Shelf Carts:** Kit includes: (4) posts, (5) shelves, (20) collets, (2) swivel casters, and (2) swivel casters with brakes.

**4-Shelf Carts:** Kit includes: (4) posts, (4) shelves, (16) collets, (2) swivel casters, and (2) swivel casters with brakes.

### 54" Units (60" w/casters)

| MODEL       | SHELF SIZE (D X L) | SHIP WEIGHT (LBS.) |
|-------------|--------------------|--------------------|
| R183654CC-5 | 18" x 36"          | 71.5               |
| R184854CC-5 | 18" x 48"          | 84                 |
| R186054CC-5 | 18" x 60"          | 109                |
| R187254CC-5 | 18" x 72"          | 124                |
| R243654CC-5 | 24" x 36"          | 89                 |
| R244854CC-5 | 24" x 48"          | 104                |
| R246054CC-5 | 24" x 60"          | 129                |
| R247254CC-5 | 24" x 72"          | 154                |

### 54" Units (60" w/casters)

| MODEL       | SHELF SIZE (D X L) | SHIP WEIGHT (LBS.) |
|-------------|--------------------|--------------------|
| R183654CC-4 | 18" x 36"          | 62                 |
| R184854CC-4 | 18" x 48"          | 72                 |
| R186054CC-4 | 18" x 60"          | 92                 |
| R187254CC-4 | 18" x 72"          | 104                |
| R243654CC-4 | 24" x 36"          | 76                 |
| R244854CC-4 | 24" x 48"          | 88                 |
| R246054CC-4 | 24" x 60"          | 108                |
| R247254CC-4 | 24" x 72"          | 128                |

### 63" Units (69" w/casters)

| MODEL       | SHELF SIZE (D X L) | SHIP WEIGHT (LBS.) |
|-------------|--------------------|--------------------|
| R183663CC-5 | 18" x 36"          | 73.5               |
| R184863CC-5 | 18" x 48"          | 86                 |
| R186063CC-5 | 18" x 60"          | 111                |
| R187263CC-5 | 18" x 72"          | 126                |
| R243663CC-5 | 24" x 36"          | 91                 |
| R244863CC-5 | 24" x 48"          | 106                |
| R246063CC-5 | 24" x 60"          | 131                |
| R247263CC-5 | 24" x 72"          | 156                |

### 63" Units (69" w/casters)

| MODEL       | SHELF SIZE (D X L) | SHIP WEIGHT (LBS.) |
|-------------|--------------------|--------------------|
| R183663CC-4 | 18" x 36"          | 64                 |
| R184863CC-4 | 18" x 48"          | 74                 |
| R186063CC-4 | 18" x 60"          | 94                 |
| R187263CC-4 | 18" x 72"          | 106                |
| R243663CC-4 | 24" x 36"          | 78                 |
| R244863CC-4 | 24" x 48"          | 90                 |
| R246063CC-4 | 24" x 60"          | 110                |
| R247263CC-4 | 24" x 72"          | 130                |

### 72" Units (78" w/casters)

| MODEL       | SHELF SIZE (D X L) | SHIP WEIGHT (LBS.) |
|-------------|--------------------|--------------------|
| R183672CC-5 | 18" x 36"          | 75.5               |
| R184872CC-5 | 18" x 48"          | 88                 |
| R186072CC-5 | 18" x 60"          | 113                |
| R187272CC-5 | 18" x 72"          | 128                |
| R243672CC-5 | 24" x 36"          | 93                 |
| R244872CC-5 | 24" x 48"          | 108                |
| R246072CC-5 | 24" x 60"          | 133                |
| R247272CC-5 | 24" x 72"          | 158                |

### 72" Units (78" w/casters)

| MODEL       | SHELF SIZE (D X L) | SHIP WEIGHT (LBS.) |
|-------------|--------------------|--------------------|
| R183672CC-4 | 18" x 36"          | 66                 |
| R184872CC-4 | 18" x 48"          | 76                 |
| R186072CC-4 | 18" x 60"          | 96                 |
| R187272CC-4 | 18" x 72"          | 108                |
| R243672CC-4 | 24" x 36"          | 80                 |
| R244872CC-4 | 24" x 48"          | 92                 |
| R246072CC-4 | 24" x 60"          | 112                |
| R247272CC-4 | 24" x 72"          | 132                |



## ROUND POST ENCLOSED WIRE CARTS

### ROUND POST 3-SIDED CARTS

Protect your cargo with this wire cart's secure mesh panels.

- 1200 lb total cart capacity withstands your heaviest loads
- 5" casters provide ultimate maneuverability
- Mesh side and back panels (largest opening is 3" x 3") allow safe handling of product during transit. Panels install and remove easily by hooking into the top and bottom shelf



#### 63" (69" w/casters)

| MODEL        | SHELF SIZE (D X L) | SHIP WEIGHT (LBS.) |
|--------------|--------------------|--------------------|
| R183663CTS-4 | 18" x 36"          | 86                 |
| R184863CTS-4 | 18" x 48"          | 98                 |
| R186063CTS-4 | 18" x 60"          | 123                |
| R187263CTS-4 | 18" x 72"          | 140                |
| R243663CTS-4 | 24" x 36"          | 104                |
| R244863CTS-4 | 24" x 48"          | 118                |
| R246063CTS-4 | 24" x 60"          | 143                |
| R247263CTS-4 | 24" x 72"          | 168                |

#### 72" (78" w/casters)

| MODEL        | SHELF SIZE (D X L) | SHIP WEIGHT (LBS.) |
|--------------|--------------------|--------------------|
| R183672CTS-4 | 18" x 36"          | 88                 |
| R184872CTS-4 | 18" x 48"          | 100                |
| R186072CTS-4 | 18" x 60"          | 125                |
| R187272CTS-4 | 18" x 72"          | 142                |
| R243672CTS-4 | 24" x 36"          | 106                |
| R244872CTS-4 | 24" x 48"          | 120                |
| R246072CTS-4 | 24" x 60"          | 145                |
| R247272CTS-4 | 24" x 72"          | 170                |

### KIT INCLUDES:

- (4) posts, (4) shelves, (16) collets, (2) swivel casters, (2) swivel casters with brakes, and applicable panels as indicated in the chart below.



#R184863CTS-4

### SHELF-ATTACHED ENCLOSURE PANELS

Convert open shelving to 3-sided enclosed units.

Locate cart dimension and then order quantities shown of each panel model number.



| Cart D x L           | Panel Model #<br>REP1364C | 69" H Cart<br>REP1964C | Panel Model #<br>REP1372C | 78" H Cart<br>REP1972C |
|----------------------|---------------------------|------------------------|---------------------------|------------------------|
| 18 x 36              | 3                         | 1                      | 3                         | 1                      |
| 18 x 48              | 2                         | 2                      | 2                         | 2                      |
| 18 x 60              | 3                         | 2                      | 3                         | 2                      |
| 18 x 72              | 4                         | 2                      | 4                         | 2                      |
| 24 x 36              | 1                         | 3                      | 1                         | 3                      |
| 24 x 48              | 0                         | 4                      | 0                         | 4                      |
| 24 x 60              | 1                         | 4                      | 1                         | 4                      |
| 24 x 72              | 2                         | 4                      | 2                         | 4                      |
| Panel Wt./Ea. (LBS.) | 4                         | 6                      | 5                         | 7                      |



**NEW!****ROUND POST WIRE SECURITY CARTS AND CAGES****ROUND POST WIRE SECURITY CARTS****Securely stores and transports your valuable items**

- 1200 lb total cart capacity withstands your heaviest loads
- 5" casters provide ultimate maneuverability
- Wire 2 1/2" x 2 1/2" mesh construction provides easy visibility of contents
- Doors open 270° for easy access
- Padlock hasp on reinforced door frame

**KIT INCLUDES:**

(4) posts, (2) shelves, (8) collets, (2) swivel casters, (2) swivel casters with brakes, correct size security cage according to the chart below, and appropriate assembly hardware.

Padlock is NOT included.

Additional shelves sold separately.

| MODEL                | SIZE (D x L x H) | SHIP WEIGHT (LBS) |
|----------------------|------------------|-------------------|
| <b>R244863CSEC-2</b> | 24" X 48" X 69"  | 105               |
| <b>R246063CSEC-2</b> | 24" X 60" X 69"  | 112               |

STANDARD  
PRODUCTS  
SHIP IN **3** DAYS  
OR LESS

**SECURITY CAGES****Convert open shelving units to security cages**

- Locate cart dimensions and order corresponding cage

| MODEL           | SIZE (D x L x H) | SHIP WEIGHT (LBS) |
|-----------------|------------------|-------------------|
| <b>SC244863</b> | 24" X 48" X 63"  | 45                |
| <b>SC246063</b> | 24" X 60" X 63"  | 52                |



## DOLLY BASED CARTS

### DOLLY BASED CARTS

Transport heavier loads with optimal maneuverability.

- Corner bumpers protect walls and doorways.
- Corrosion resistant dolly base of solid stainless steel construction with built in corner bumper.

#### Enclosed Shelf Dolly Based Carts

- Shelf-attached side and back enclosure panels of 3" x 3" wire keep materials from falling off cart during transport.
- Open wire design provides for complete visibility during transport.
- Cart capacity of 2400 lbs.
- Solid stainless steel dolly with built in corner bumpers is corrosion resistant.
- Comes standard with 2 swivel and 2 swivel/brake 6" x 2" polyurethane plate casters.
- Optional factory installed tow hitch for use with #8162 Powered Tug available. (Add "TOW" at end of part number. Example: RDB246063CTS-4TOW)
- 4-shelf round post units. (Also offered in square post units.)

#### 4-Shelf Dolly Based Carts

- Cart capacity of 2400 lbs.
- Solid stainless steel dolly with built in corner bumpers is corrosion resistant.
- Comes standard with 2 swivel and 2 swivel/brake 6" x 2" polyurethane plate casters.
- Optional factory installed tow hitch for use with #8162 Powered Tug available. (Add "TOW" at end of part number. Example: RDB246063CC-4TOW)
- 4-shelf round post units. (Also offered in square post units.)



RDB6244863CC-4



RDB6244863CTS-4

| MODEL           | SIZE (D X L X H) | SHIP WT. (LBS.) |
|-----------------|------------------|-----------------|
| RDB6184863CTS-4 | 18 x 48 x 71 1/2 | 137             |
| RDB6186063CTS-4 | 18 x 60 x 71 1/2 | 167             |
| RDB6244863CTS-4 | 24 x 48 x 71 1/2 | 159             |
| RDB6246063CTS-4 | 24 x 60 x 71 1/2 | 189             |
| RDB6184872CTS-4 | 18 x 48 x 80 1/2 | 139             |
| RDB6186072CTS-4 | 18 x 60 x 80 1/2 | 169             |
| RDB6244872CTS-4 | 24 x 48 x 80 1/2 | 161             |
| RDB6246072CTS-4 | 24 x 60 x 80 1/2 | 191             |

| MODEL          | SIZE (D X L X H) | SHIP WT. (LBS.) |
|----------------|------------------|-----------------|
| RDB6184854CC-4 | 18 x 48 x 62 1/2 | 115             |
| RDB6186054CC-4 | 18 x 60 x 62 1/2 | 141             |
| RDB6244854CC-4 | 24 x 48 x 62 1/2 | 133             |
| RDB6246054CC-4 | 24 x 60 x 62 1/2 | 159             |
| RDB6184863CC-4 | 18 x 48 x 71 1/2 | 117             |
| RDB6186063CC-4 | 18 x 60 x 71 1/2 | 143             |
| RDB6244863CC-4 | 24 x 48 x 71 1/2 | 135             |
| RDB6246063CC-4 | 24 x 60 x 71 1/2 | 161             |

## ROUND POST WIRE ACCESSORIES



#RINSERT



#RFOOT

### FOOT COMPONENTS

| MODEL   | DESCRIPTION              |
|---------|--------------------------|
| RINSERT | POST INSERT              |
| RFOOT   | INCLUDES INSERT AND BOLT |

### S HOOK

- For use with add-on shelving units.
- Use (2) per shelf to replace 2 posts in continuous shelving configurations



| MODEL  |
|--------|
| RSHOOK |

### POST CLAMP

- Used to clamp two separate units together



| MODEL   |
|---------|
| RPCLAMP |

### STEM CASTERS

| MODEL | WHEEL DIMENSIONS           | CAPACITY (LBS.) | SHIP WEIGHT (LBS.) | TYPE         | TREAD        |
|-------|----------------------------|-----------------|--------------------|--------------|--------------|
| RP5S  | 5" X 1 1/4"                | 300             | 3                  | Swivel       | Polyurethane |
| RP5R  | 5" X 1 1/4"                | 300             | 3                  | Rigid        | Polyurethane |
| RP5BL | 5" X 1 1/4"                | 300             | 3                  | Swivel/Brake | Polyurethane |
| RDB-3 | 3 1/2" dia<br>Donut Bumper | —               | 1                  | —            | —            |

### SHELF DIVIDERS

| MODEL | SIZE (L X H) | SHIP WEIGHT (LBS.) |
|-------|--------------|--------------------|
| RD18C | 18" x 8"     | 1                  |
| RD24C | 24" x 8"     | 1                  |

### SIDE AND BACK LEDGES

| MODEL   | SIZE (L X H) | SHIP WEIGHT (LBS.) |
|---------|--------------|--------------------|
| RL18-4C | 18" x 4"     | 1                  |
| RL24-4C | 24" x 4"     | 1                  |
| RL36-4C | 36" x 4"     | 2                  |
| RL48-4C | 48" x 4"     | 2                  |
| RL60-4C | 60" x 4"     | 3                  |
| RL72-4C | 72" x 4"     | 3                  |

### STAINLESS STEEL SHELF CAP

Converts your wire shelf into a solid surface.

- Fits easily over wire shelves
- Continuous flat surface prevents supplies from slipping through gaps
- Stainless steel is easy to sanitize and extra durable

Not for use with three sided enclosure carts.  
Consider hard plastic inlays on page 88.



| MODEL      | SIZE (D X L) | SHIP WEIGHT (LBS.) |
|------------|--------------|--------------------|
| RSSCAP1836 | 18" x 36"    | 11                 |
| RSSCAP1848 | 18" x 48"    | 14                 |
| RSSCAP1860 | 18" x 60"    | 16 1/2             |
| RSSCAP1872 | 18" x 72"    | 19                 |
| RSSCAP2436 | 24" x 36"    | 13 1/2             |
| RSSCAP2448 | 24" x 48"    | 17                 |
| RSSCAP2460 | 24" x 60"    | 20                 |
| RSSCAP2472 | 24" x 72"    | 23                 |

### ROUND PLASTIC COLLETS

- Additional collet sleeves attach to posts to position shelves

| MODEL |
|-------|
| RPSSC |



#RPSSC



#RD18C



#RL18-4C



## UNIVERSAL WIRE ACCESSORIES FIT ROUND AND SQUARE POST UNITS

### SEISMIC FOOT PLATE

Bolt post to floor for a more stable base in regions where earthquakes can occur or on cruise ships (hardware not included)



#RPPLATE

| PART NUMBER | SHIP WEIGHT (LBS.) |
|-------------|--------------------|
| RPPLATE     | 0.38               |

### LEVELING FOOT

Non-marking polypropylene glide.



#WLEVCAP

| MODEL   |
|---------|
| WLEVCAP |



#RSLH-6

### 6" SHELF LABEL HOLDER

| MODEL  | SHIP WEIGHT (LBS.) |
|--------|--------------------|
| RSLH-6 | 1.0                |

### HARD PLASTIC SHELF INLAYS

Heavy duty nylon inlays keep even the smallest supplies safely on board.

- Continuous flat surface prevents supplies from slipping through gaps
- Easy-to-clean inlays also function as dust covers



STANDARD  
PRODUCTS  
SHIP IN **3** DAYS  
OR  
LESS

| MODEL   | SIZE (D X L) | SHIP WEIGHT (LBS.) |
|---------|--------------|--------------------|
| RC1836H | 18" x 36"    | 1 1/2              |
| RC1848H | 18" x 48"    | 2                  |
| RC1860H | 18" x 60"    | 2 1/2              |
| RC1872H | 18" x 72"    | 3                  |
| RC2436H | 24" x 36"    | 2                  |
| RC2448H | 24" x 48"    | 2 3/4              |
| RC2460H | 24" x 60"    | 3 1/2              |
| RC2472H | 24" x 72"    | 4                  |

### UNIVERSAL SIDE AND BACK LEDGES



| MODEL  | SIZE (D X H) | SHIP WEIGHT (LBS.) |
|--------|--------------|--------------------|
| UL18-4 | 18" x 4"     | 1                  |
| UL24-4 | 24" x 4"     | 1                  |
| UL36-4 | 36" x 4"     | 2                  |
| UL48-4 | 48" x 4"     | 2                  |
| UL60-4 | 60" x 4"     | 3                  |
| UL72-4 | 72" x 4"     | 3                  |

### DOLLY BASES

Dolly bases attach to wire units to carry heavier loads more smoothly

- Stainless steel runners and cross members provide extra support
- Includes 2 swivel and 2 swivel/brake 6" x 2" polyurethane plate casters
- Corner bumpers protect walls and doorways

| MODEL    | SHELF SIZE (W X L) | SHIP WEIGHT (LBS.) |
|----------|--------------------|--------------------|
| RDB61836 | 18" x 36"          | 35                 |
| RDB61848 | 18" x 48"          | 41                 |
| RDB61860 | 18" x 60"          | 47                 |
| RDB61872 | 18" x 72"          | 53                 |
| RDB62436 | 24" x 36"          | 37                 |
| RDB62448 | 24" x 48"          | 43                 |
| RDB62460 | 24" x 60"          | 49                 |
| RDB62472 | 24" x 72"          | 55                 |



STANDARD  
PRODUCTS  
SHIP IN **3** DAYS  
OR  
LESS

Note: Applies to all items on this page.



## UNIVERSAL ACCESSORIES

### NYLON CART COVERS (FOR WIRE CARTS)

Covers protect contents from dust and other airborne contaminants.

- Velcro closures for easy access
- Standard color is blue
- Additional colors, sizes and zipper closures available. Ask for details.

STANDARD  
PRODUCTS  
SHIP IN **3** DAYS  
OR LESS

#### 63" High

| MODEL     | FITS SHELF SIZE (D X L) | SHIP WEIGHT (LBS.) |
|-----------|-------------------------|--------------------|
| RCC183663 | 18" x 36"               | 4                  |
| RCC184863 | 18" x 48"               | 5                  |
| RCC186063 | 18" x 60"               | 6                  |
| RCC187263 | 18" x 72"               | 7                  |
| RCC243663 | 24" x 36"               | 4                  |
| RCC244863 | 24" x 48"               | 5                  |
| RCC246063 | 24" x 60"               | 6                  |
| RCC247263 | 24" x 72"               | 7                  |

#### 72" High

| MODEL     | FITS SHELF SIZE (D X L) | SHIP WEIGHT (LBS.) |
|-----------|-------------------------|--------------------|
| RCC183672 | 18" x 36"               | 4                  |
| RCC184872 | 18" x 48"               | 5                  |
| RCC186072 | 18" x 60"               | 6                  |
| RCC187272 | 18" x 72"               | 7                  |
| RCC243672 | 24" x 36"               | 4                  |
| RCC244872 | 24" x 48"               | 5                  |
| RCC246072 | 24" x 60"               | 6                  |
| RCC247272 | 24" x 72"               | 7                  |




#### OPTIONAL NYLON CART COVER ACCESSORIES

- Clear ID pocket for easy identification
- Front and back flaps allow quick access from either side
- Continuous Velcro safely seals in contents
- Cut-outs for handles

Contact customer service for details.

### COLOR OPTIONS




COBALT/ NAVY



BLACK/CHARCOAL




BURGUNDY/RED




BEIGE




HUNTER



KHAKI



YELLOW



WHITE

## HEAVY-DUTY SQUARE POST WIRE SHELVING UNITS



#S244872ZS-4  
STARTER

#S246072ZA-4 ADD-ON

### 4-SHELF SQUARE POST WIRE SHELVING UNITS

Square tubular post design uses 27% more steel for greater strength and rigidity

- Weight capacity varies per shelf length
- 36" L shelf supports 1000 lbs, evenly distributed
- 48" L shelf supports 1000 lbs, evenly distributed
- 60" L shelf supports 750 lbs, evenly distributed
- 72" L shelf supports 500 lbs, evenly distributed



PLEASE CALL FACTORY FOR LEAD TIMES.

**STARTER UNITS:** Each kit includes (4) shelves, (16) collets, (4) posts, and (4) feet.

#### 54" High Units

| MODEL       | SIZE (D x L x H) | SHIP WEIGHT (LBS.) |
|-------------|------------------|--------------------|
| S183654ZS-4 | 18" x 36" x 54"  | 60                 |
| S184854ZS-4 | 18" x 48" x 54"  | 76                 |
| S186054ZS-4 | 18" x 60" x 54"  | 88                 |
| S187254ZS-4 | 18" x 72" x 54"  | 102                |
| S243654ZS-4 | 24" x 36" x 54"  | 70                 |
| S244854ZS-4 | 24" x 48" x 54"  | 90                 |
| S246054ZS-4 | 24" x 60" x 54"  | 108                |
| S247254ZS-4 | 24" x 72" x 54"  | 124                |

#### 64" High Units

| MODEL       | SIZE (D x L x H) | SHIP WEIGHT (LBS.) |
|-------------|------------------|--------------------|
| S183664ZS-4 | 18" x 36" x 64"  | 64                 |
| S184864ZS-4 | 18" x 48" x 64"  | 84                 |
| S186064ZS-4 | 18" x 60" x 64"  | 95                 |
| S187264ZS-4 | 18" x 72" x 64"  | 104                |
| S243664ZS-4 | 24" x 36" x 64"  | 76                 |
| S244864ZS-4 | 24" x 48" x 64"  | 88                 |
| S246064ZS-4 | 24" x 60" x 64"  | 108                |
| S247264ZS-4 | 24" x 72" x 64"  | 128                |

#### 72" High Units

| MODEL       | SIZE (D x L x H) | SHIP WEIGHT (LBS.) |
|-------------|------------------|--------------------|
| S183672ZS-4 | 18" x 36" x 72"  | 64                 |
| S184872ZS-4 | 18" x 48" x 72"  | 74                 |
| S186072ZS-4 | 18" x 60" x 72"  | 94                 |
| S187272ZS-4 | 18" x 72" x 72"  | 106                |
| S243672ZS-4 | 24" x 36" x 72"  | 78                 |
| S244872ZS-4 | 24" x 48" x 72"  | 90                 |
| S246072ZS-4 | 24" x 60" x 72"  | 110                |
| S247272ZS-4 | 24" x 72" x 72"  | 130                |

#### 84" High Units

| MODEL       | SIZE (D x L x H) | SHIP WEIGHT (LBS.) |
|-------------|------------------|--------------------|
| S183684ZS-4 | 18" x 36" x 84"  | 66                 |
| S184884ZS-4 | 18" x 48" x 84"  | 82                 |
| S186084ZS-4 | 18" x 60" x 84"  | 94                 |
| S187284ZS-4 | 18" x 72" x 84"  | 108                |
| S243684ZS-4 | 24" x 36" x 84"  | 76                 |
| S244884ZS-4 | 24" x 48" x 84"  | 96                 |
| S246084ZS-4 | 24" x 60" x 84"  | 114                |
| S247284ZS-4 | 24" x 72" x 84"  | 130                |

**HEAVY-DUTY SQUARE POST WIRE SHELVING UNITS**

PLEASE CALL FACTORY FOR LEAD TIMES.

**Add-On Units:** Each kit includes (4) shelves, (16) collets, (2) posts, (2) feet, and (8) s-hooks.  
{S-hooks are used to connect the sides of the shelves without legs to the starter unit.}

**54" High Units**

| MODEL              | SIZE (D x L x H) | SHIP WEIGHT (LBS.) |
|--------------------|------------------|--------------------|
| <b>S183654ZA-4</b> | 18" x 36" x 54"  | 54                 |
| <b>S184854ZA-4</b> | 18" x 48" x 54"  | 66                 |
| <b>S186054ZA-4</b> | 18" x 60" x 54"  | 86                 |
| <b>S187254ZA-4</b> | 18" x 72" x 54"  | 98                 |
| <b>S243654ZA-4</b> | 24" x 36" x 54"  | 70                 |
| <b>S244854ZA-4</b> | 24" x 48" x 54"  | 82                 |
| <b>S246054ZA-4</b> | 24" x 60" x 54"  | 102                |
| <b>S247254ZA-4</b> | 24" x 72" x 54"  | 122                |

**72" High Units**

| MODEL              | SIZE (D x L x H) | SHIP WEIGHT (LBS.) |
|--------------------|------------------|--------------------|
| <b>S183672ZA-4</b> | 18" x 36" x 72"  | 56                 |
| <b>S184872ZA-4</b> | 18" x 48" x 72"  | 68                 |
| <b>S186072ZA-4</b> | 18" x 60" x 72"  | 88                 |
| <b>S187272ZA-4</b> | 18" x 72" x 72"  | 100                |
| <b>S243672ZA-4</b> | 24" x 36" x 72"  | 72                 |
| <b>S244872ZA-4</b> | 24" x 48" x 72"  | 84                 |
| <b>S246072ZA-4</b> | 24" x 60" x 72"  | 104                |
| <b>S247272ZA-4</b> | 24" x 72" x 72"  | 124                |

**64" High Units**

| MODEL              | SIZE (D x L x H) | SHIP WEIGHT (LBS.) |
|--------------------|------------------|--------------------|
| <b>S183664ZA-4</b> | 18" x 36" x 64"  | 56                 |
| <b>S184864ZA-4</b> | 18" x 48" x 64"  | 68                 |
| <b>S186064ZA-4</b> | 18" x 60" x 64"  | 88                 |
| <b>S187264ZA-4</b> | 18" x 72" x 64"  | 100                |
| <b>S243664ZA-4</b> | 24" x 36" x 64"  | 72                 |
| <b>S244864ZA-4</b> | 24" x 48" x 64"  | 84                 |
| <b>S246064ZA-4</b> | 24" x 60" x 64"  | 104                |
| <b>S247264ZA-4</b> | 24" x 72" x 64"  | 124                |

**84" High Units**

| MODEL              | SIZE (D x L x H) | SHIP WEIGHT (LBS.) |
|--------------------|------------------|--------------------|
| <b>S183684ZA-4</b> | 18" x 36" x 84"  | 58                 |
| <b>S184884ZA-4</b> | 18" x 48" x 84"  | 70                 |
| <b>S186084ZA-4</b> | 18" x 60" x 84"  | 90                 |
| <b>S187284ZA-4</b> | 18" x 72" x 84"  | 102                |
| <b>S243684ZA-4</b> | 24" x 36" x 84"  | 74                 |
| <b>S244884ZA-4</b> | 24" x 48" x 84"  | 86                 |
| <b>S246084ZA-4</b> | 24" x 60" x 84"  | 106                |
| <b>S247284ZA-4</b> | 24" x 72" x 84"  | 126                |

**SHELVING UNIT COMPONENT PARTS****COMPONENT SHELVES**

| MODEL         | SHELF SIZE (D X L) | SHIP WEIGHT (LBS.) |
|---------------|--------------------|--------------------|
| <b>S1836Z</b> | 18" x 36"          | 11                 |
| <b>S1848Z</b> | 18" x 48"          | 14                 |
| <b>S1860Z</b> | 18" x 60"          | 19                 |
| <b>S1872Z</b> | 18" x 72"          | 22                 |
| <b>S2436Z</b> | 24" x 36"          | 15                 |
| <b>S2448Z</b> | 24" x 48"          | 18                 |
| <b>S2460Z</b> | 24" x 60"          | 23                 |
| <b>S2472Z</b> | 24" x 72"          | 28                 |

**COMPONENT POSTS**

• Post are double notched on 8" centers for ease of assembly.

| MODEL       | POST HEIGHT | SHIP WEIGHT (LBS.) |
|-------------|-------------|--------------------|
| <b>S54Z</b> | 54"         | 5                  |
| <b>S64Z</b> | 64"         | 6                  |
| <b>S72Z</b> | 72"         | 6                  |
| <b>S84Z</b> | 84"         | 7                  |



## HEAVY-DUTY SQUARE POST WIRE SHELVING CARTS

### SQUARE POST 4-SHELF WIRE CARTS

Store and move your heaviest loads.

- **1200 lb total cart capacity** withstands your heaviest loads
- 5" all swivel casters provide ultimate maneuverability

PLEASE CALL FACTORY FOR LEAD TIMES.

#### KIT INCLUDES:

(4) posts, (4) shelves, (16) collets, (2) swivel casters, and (2) swivel casters with brakes.

#### 54" Carts (60" w/casters)

| MODEL              | SIZE (D x L x H) | SHIP WEIGHT (LBS.) |
|--------------------|------------------|--------------------|
| <b>S183654ZC-4</b> | 18" x 36" x 54"  | 71                 |
| <b>S184854ZC-4</b> | 18" x 48" x 54"  | 87                 |
| <b>S186054ZC-4</b> | 18" x 60" x 54"  | 99                 |
| <b>S187254ZC-4</b> | 18" x 72" x 54"  | 113                |
| <b>S243654ZC-4</b> | 24" x 36" x 54"  | 81                 |
| <b>S244854ZC-4</b> | 24" x 48" x 54"  | 101                |
| <b>S246054ZC-4</b> | 24" x 60" x 54"  | 119                |
| <b>S247254ZC-4</b> | 24" x 72" x 54"  | 135                |



#S244864ZC-4

#### 64" Carts (70" w/casters)

| MODEL              | SIZE (D x L x H) | SHIP WEIGHT (LBS.) |
|--------------------|------------------|--------------------|
| <b>S183664ZC-4</b> | 18" x 36" x 64"  | 73                 |
| <b>S184864ZC-4</b> | 18" x 48" x 64"  | 89                 |
| <b>S186064ZC-4</b> | 18" x 60" x 64"  | 101                |
| <b>S187264ZC-4</b> | 18" x 72" x 64"  | 115                |
| <b>S243664ZC-4</b> | 24" x 36" x 64"  | 83                 |
| <b>S244864ZC-4</b> | 24" x 48" x 64"  | 103                |
| <b>S246064ZC-4</b> | 24" x 60" x 64"  | 121                |
| <b>S247264ZC-4</b> | 24" x 72" x 64"  | 137                |

#### 72" Carts (78" w/casters)

| MODEL              | SIZE (D x L x H) | SHIP WEIGHT (LBS.) |
|--------------------|------------------|--------------------|
| <b>S183672ZC-4</b> | 18" x 36" x 72"  | 75                 |
| <b>S184872ZC-4</b> | 18" x 48" x 72"  | 91                 |
| <b>S186072ZC-4</b> | 18" x 60" x 72"  | 103                |
| <b>S187272ZC-4</b> | 18" x 72" x 72"  | 117                |
| <b>S243672ZC-4</b> | 24" x 36" x 72"  | 85                 |
| <b>S244872ZC-4</b> | 24" x 48" x 72"  | 105                |
| <b>S246072ZC-4</b> | 24" x 60" x 72"  | 123                |
| <b>S247272ZC-4</b> | 24" x 72" x 72"  | 139                |

### DOLLY BASES

Dolly bases attach to wire units to carry heavier loads more smoothly

- Stainless steel runners and cross members provide extra support
- Includes 2 swivel and 2 swivel/brake 6" x 2" polyurethane plate casters
- Corner bumpers protect walls and doorways

| MODEL           | SHELF SIZE (D x L) | SHIP WEIGHT (LBS.) |
|-----------------|--------------------|--------------------|
| <b>RDB61836</b> | 18" x 36"          | 35                 |
| <b>RDB61848</b> | 18" x 48"          | 41                 |
| <b>RDB61860</b> | 18" x 60"          | 47                 |
| <b>RDB61872</b> | 18" x 72"          | 53                 |
| <b>RDB62436</b> | 24" x 36"          | 37                 |
| <b>RDB62448</b> | 24" x 48"          | 43                 |
| <b>RDB62460</b> | 24" x 60"          | 49                 |
| <b>RDB62472</b> | 24" x 72"          | 55                 |



## HEAVY-DUTY SQUARE POST ENCLOSED WIRE CARTS

### SQUARE POST 3-SIDED CARTS

Protect your heaviest cargo with this wire cart's secure mesh panels.

- **1200 lb total cart capacity** withstands your heaviest loads
- 5" all swivel casters provide ultimate maneuverability
- Mesh side and back panels (largest opening is 3" x 3") allow safe handling of product during transit. Panels install and remove easily by hooking into the top and bottom shelf.

#### 64" CARTS (70" W/CASTERS)

| MODEL               | SIZE (D x L x H) | SHIP WEIGHT (LBS.) |
|---------------------|------------------|--------------------|
| <b>S183664ZTS-4</b> | 18" x 36" x 64"  | 98                 |
| <b>S184864ZTS-4</b> | 18" x 48" x 64"  | 108                |
| <b>S186064ZTS-4</b> | 18" x 60" x 64"  | 120                |
| <b>S187264ZTS-4</b> | 18" x 72" x 64"  | 138                |
| <b>S243664ZTS-4</b> | 24" x 36" x 64"  | 100                |
| <b>S244864ZTS-4</b> | 24" x 48" x 64"  | 110                |
| <b>S246064ZTS-4</b> | 24" x 60" x 64"  | 130                |
| <b>S247264ZTS-4</b> | 24" x 72" x 64"  | 138                |

#### 72" CARTS (78" W/CASTERS)

| MODEL               | SIZE (D x L x H) | SHIP WEIGHT (LBS.) |
|---------------------|------------------|--------------------|
| <b>S183672ZTS-4</b> | 18" x 36" x 72"  | 112                |
| <b>S184872ZTS-4</b> | 18" x 48" x 72"  | 118                |
| <b>S186072ZTS-4</b> | 18" x 60" x 72"  | 128                |
| <b>S187272ZTS-4</b> | 18" x 72" x 72"  | 138                |
| <b>S243672ZTS-4</b> | 24" x 36" x 72"  | 120                |
| <b>S244872ZTS-4</b> | 24" x 48" x 72"  | 125                |
| <b>S246072ZTS-4</b> | 24" x 60" x 72"  | 130                |
| <b>S247272ZTS-4</b> | 24" x 72" x 72"  | 140                |

#### KIT INCLUDES:

- (4) posts, (4) shelves, (16) collets, (2) swivel casters, and (2) swivel casters with brakes, and applicable panels as indicated in the chart below.

**PLEASE CALL FACTORY FOR LEAD TIMES.**



### POST-ATTACHED ENCLOSURE PANELS

Convert open shelving to 3-sided enclosed units

Locate cart dimensions and then order quantities shown of each panel model number.

| CART D x L x H              | Panel Model No. |          |          |          |          |
|-----------------------------|-----------------|----------|----------|----------|----------|
|                             | SEP1864Z        | SEP2464Z | SEP3664Z | SEP4864Z | SEP6064Z |
| 18 x 36 x 70                | 2               |          | 1        |          |          |
| 18 x 48 x 70                | 2               |          |          | 1        |          |
| 18 x 60 x 70                | 2               |          |          |          | 1        |
| 24 x 36 x 70                |                 | 2        | 1        |          |          |
| 24 x 48 x 70                |                 | 2        |          | 1        |          |
| 24 x 60 x 70                |                 | 2        |          |          | 1        |
| <b>Panel Wt./Ea. (LBS.)</b> | 9               | 13       | 16       | 24       | 32       |

| CART D x L x H              | Panel Model No. |          |          |          |          |
|-----------------------------|-----------------|----------|----------|----------|----------|
|                             | SEP1872Z        | SEP2472Z | SEP3672Z | SEP4872Z | SEP6072Z |
| 18 x 36 x 78                | 2               |          | 1        |          |          |
| 18 x 48 x 78                | 2               |          |          | 1        |          |
| 18 x 60 x 78                | 2               |          |          |          | 1        |
| 24 x 36 x 78                |                 | 2        | 1        |          |          |
| 24 x 48 x 78                |                 | 2        |          | 1        |          |
| 24 x 60 x 78                |                 | 2        |          |          | 1        |
| <b>Panel Wt./Ea. (LBS.)</b> | 11              | 15       | 18       | 26       | 34       |





## HEAVY-DUTY SQUARE POST WIRE SECURITY CARTS AND CAGES

**NEW!**

### SQUARE POST WIRE SECURITY CARTS

Securely stores and transports your valuable items

- 1200 lb total cart capacity withstands your heaviest loads
- 5" casters provide ultimate maneuverability
- Wire 2 1/2" x 2 1/2" mesh construction provides easy visibility of contents
- Doors open 270° for easy access
- Padlock hasp on reinforced door frame

#### KIT INCLUDES:

(4) posts, (2) shelves, (8) collets, (2) swivel casters, (2) swivel casters with brakes, correct size security cage according to the chart below, and appropriate assembly hardware.

Padlock is NOT included.

Additional shelves sold separately.

| MODEL         | SIZE (D x L x H) | SHIP WEIGHT (LBS) |
|---------------|------------------|-------------------|
| S244864ZSEC-2 | 24" X 48" X 70"  | 117               |
| S246064ZSEC-2 | 24" X 60" X 70"  | 134               |

PLEASE CALL FACTORY FOR LEAD TIMES.



### SECURITY CAGES

Convert open shelving units to security cages

- Locate cart dimensions and order corresponding cage

| MODEL    | SIZE (D x L x H) | SHIP WEIGHT (LBS) |
|----------|------------------|-------------------|
| SC244864 | 24" X 48" X 63"  | 45                |
| SC246064 | 24" X 60" X 63"  | 52                |



## HEAVY-DUTY SQUARE POST WIRE ACCESSORIES



#SINSERT

### FOOT COMPONENTS

| MODEL   | DESCRIPTION              |
|---------|--------------------------|
| SINSERT | POST INSERT              |
| SFOOT   | INCLUDES INSERT AND BOLT |



#SFOOT

### S HOOK

- For use with add-on shelving units. Use (2) per shelf to replace 2 posts in continuous shelving configurations



| MODEL   |
|---------|
| SSHOOKZ |

### POST CLAMP

- Used to clamp two separate units together



| MODEL   |
|---------|
| SPCLAMP |

### STEM CASTERS

| MODEL | WHEEL DIMENSIONS        | CAPACITY (LBS.) | SHIP WEIGHT (LBS.) | TYPE         | TREAD        |
|-------|-------------------------|-----------------|--------------------|--------------|--------------|
| SP5S  | 5" X 1 1/4"             | 300             | 3                  | Swivel       | Polyurethane |
| SP5R  | 5" X 1 1/4"             | 300             | 3                  | Rigid        | Polyurethane |
| SP5BL | 5" X 1 1/4"             | 300             | 3                  | Swivel/Brake | Polyurethane |
| SDB-3 | 3 1/2" dia Donut Bumper | —               | 1                  | —            | —            |

### SHELF DIVIDERS

| MODEL | SIZE (D X L) | SHIP WEIGHT (LBS.) |
|-------|--------------|--------------------|
| SD18Z | 8" x 18"     | 1                  |
| SD24Z | 8" x 24"     | 1                  |

### SIDE AND BACK LEDGES

| MODEL   | SIZE (D X L) | SHIP WEIGHT (LBS.) |
|---------|--------------|--------------------|
| SL18-4Z | 4" x 18"     | 1                  |
| SL24-4Z | 4" x 24"     | 1                  |
| SL36-4Z | 4" x 36"     | 2                  |
| SL48-4Z | 4" x 48"     | 2                  |
| SL60-4Z | 4" x 60"     | 3                  |
| SL72-4Z | 4" x 72"     | 3                  |

### STAINLESS STEEL SHELF CAP

Converts your wire shelf into a solid surface.

- Fits easily over wire shelves
- Continuous flat surface prevents supplies from slipping through gaps
- Stainless steel is easy to sanitize and extra durable



Not for use with three sided enclosure carts.  
Consider hard plastic inlays on page 88.

| MODEL      | SIZE (D X L) | SHIP WEIGHT (LBS.) |
|------------|--------------|--------------------|
| SSSCAP1836 | 18" x 36"    | 11                 |
| SSSCAP1848 | 18" x 48"    | 14                 |
| SSSCAP1860 | 18" x 60"    | 16 1/2             |
| SSSCAP1872 | 18" x 72"    | 19                 |
| SSSCAP2436 | 24" x 36"    | 13 1/2             |
| SSSCAP2448 | 24" x 48"    | 17                 |
| SSSCAP2460 | 24" x 60"    | 20                 |
| SSSCAP2472 | 24" x 72"    | 23                 |

### SQUARE PLASTIC COLLETS

- Additional collet sleeves attach to posts to position shelves

| MODEL |
|-------|
| SPSSZ |



#SPSSZ



#SD18Z



#SL18-4Z

## POWERED PLATFORM CARTS

**TIME STUDIES PROVE THAT THE PLUSPOWER PLATFORM TRUCK ALLOWS YOUR STAFF TO WORK FASTER AND SMARTER, ALLOWING YOUR OPERATIONS TO BE MORE PROFITABLE.**

PlusPower™ carts are the most versatile battery operated carts available, adaptable to hundreds of uses. Bolt, weld or clamp on your current equipment and transport carts to the steel platform and you can create your own custom cart. Each feature was carefully designed to not only increase productivity and safety, but to be easy to use and maintain under any application.

- Rugged power system helps you transport up to 1,500 lbs on a flat surface with little effort (1000 lbs on a 6° incline)
- 2 proportional speed ranges to match your pace of work
- Emergency stop switch for added security
- Battery recharges each time brake is applied
- Intuitive finger tip motion controls are easy to use (simply push control forward to move forward and push downward to reverse)
- Center wheel drive improves traction and prevents spinning wheels
- Automatic brake when hand is off control increases operator safety
- Shock absorbing spring suspension reduces strain
- Speed automatically adjusts when going downhill to prevent accidents
- Reinforced tubular steel frame provides strength and support
- Standard product is white



#8165



Easy to use thumb control



Sealed AGM maintenance free batteries.

### ECONOMY PLATFORM

Low cost alternative with front wheel drive and 1000 lb. capacity. Same great features as our PlusPower platform truck plus:

- Easy access to control and battery box housing for quick maintenance
- Handle Height: 38"



#8145

| MODEL | PLATFORM SIZE     | MAX. LOAD CAPACITY | OVERALL SIZE |         |         | CASTERS/WHEELS                             |              | SHIP WEIGHT LBS. | CASE CUBE CU FT |
|-------|-------------------|--------------------|--------------|---------|---------|--------------------------------------------|--------------|------------------|-----------------|
|       |                   |                    | W            | L       | H       | TYPE                                       | DIA.         |                  |                 |
| 8145  | 25 1/2" x 47 3/4" | 1000               | 27"          | 57"     | 39 1/2" | 4 ea. Swivel Casters<br>2 ea. Power Wheels | 8"<br>8 3/4" | 270              | 47.6            |
| 8165  | 27" x 41"         | 1500               | 27"          | 50"     | 42 1/4" | 4 ea. Swivel Casters<br>2 ea. Power Wheels | 5"<br>8 3/4" | 265              | 47.6            |
| 8180  | 27" x 48"         | 1500               | 27"          | 56 1/2" | 42 1/2" | 4 ea. Swivel Casters<br>2 ea. Power Wheels | 5"<br>8 3/4" | 270              | 47.6            |
| 8190  | 27" x 60"         | 1500               | 27"          | 68 1/2" | 42 1/2" | 4 ea. Swivel Casters<br>2 ea. Power Wheels | 5"<br>8 3/4" | 292              | 56.6            |

\*Platform height 11-1/2" (292) from floor.

**PLUSPOWER™ TUG**

The Lakeside PlusPower Tug is designed to reduce injuries associated with repetitive pushing and pulling of heavily laden carts.

The Tug is an ergonomically-designed motorized tow vehicle used to pull a variety of single or multiple carts in a safe and efficient manner with very little effort from the operator. Lakeside's Tug has applications throughout the healthcare material handling environments and can pull virtually any piece of mobile equipment when used with available hitches and adjustable hitch receiver tubes. See below for hitch information.

**Features:**

- Rugged power system easily handles up to 1,500 lbs (1000 lbs on a 9° incline)
- Built-in battery charger with power cord.
- Small footprint easily fits in elevator or storage areas
- User-friendly interface makes controls easy to operate (includes horn, key switch, lift button, throttle, 2-speed switch)
- Non-marking, flat-free tires for worry-free maintenance
- Impact-resistant, ABS plastic exterior
- Hitch system can easily be connected with a variety of carts

FREIGHT CLASS  
92.5

#8162

| MODEL | MAX.<br>TOW LOAD (LBS.) | OVERALL SIZE |         |         | WHEELS<br>TYPE/DIA.               | SHIP WEIGHT<br>LBS. | CASE CUBE<br>CU FT |
|-------|-------------------------|--------------|---------|---------|-----------------------------------|---------------------|--------------------|
|       |                         | W            | L       | H       |                                   |                     |                    |
| 8162  | 1,500                   | 24"          | 18 3/4" | 41 1/2" | Flat-Free,<br>Non-Marking/ 8 3/4" | 150                 | 21                 |

**UNIVERSAL HITCH SYSTEM**

- **Universal Hitch Receiver** – The Universal Hitch System allows the tug to tow virtually any piece of mobile equipment. Simply install a Receiver Tube to the bottom side of the mobile equipment, then insert a component hitch.

**BOLT-ON RECEIVER TUBE (SPECIFY LENGTH)**

| MODEL | DESCRIPTION           |
|-------|-----------------------|
| 4757* | Bolt-On Receiver Tube |

**CLAMP-ON ADJUSTABLE RECEIVER TUBE**

| MODEL | SIZE                             | ADJUSTABLE LENGTH |
|-------|----------------------------------|-------------------|
| 4751  | Small Adjustable Clamp-On Hitch  | 26" - 41"         |
| 4752  | Medium Adjustable Clamp-On Hitch | 40" - 55"         |
| 4753  | Large Adjustable Clamp-On Hitch  | 56" - 76"         |


**MALE HITCH - FOR TOWING SINGLE PIECES**

| MODEL | FITS CARTS       | SHIP WEIGHT LBS. (KG) |
|-------|------------------|-----------------------|
| 4750  | 5" or 6" casters | 4 (1.8)               |
| 4755  | 6" or 8" casters | 4 (1.8)               |

**FEMALE HITCH - FOR TOWING MULTIPLE PIECES**

| MODEL | FITS CARTS       | SHIP WEIGHT LBS. (KG) |
|-------|------------------|-----------------------|
| 4754  | 5" or 8" casters | 6 (2.7)               |

\*Specify tube length desired



Hitches dock easily to coupling on the tug

Bolt-On  
Receiver Tube  
4757Clamp-On  
Adjustable  
Receiver Tube  
4752Male Hitch  
4750Male Hitch  
4755Female Hitch  
4754

## NUMERICAL INDEX

| MODEL | PAGE # | MODEL | PAGE # | MODEL | PAGE # | MODEL  | PAGE # | MODEL        | PAGE # |
|-------|--------|-------|--------|-------|--------|--------|--------|--------------|--------|
| 202   | 14     | 759   | 6      | 5710  | 70     | 19630  | 10     | 3679S        | 26     |
| 206   | 14     | 760   | 13     | 5720  | 70     | 19640  | 10     | 4724G        | 26     |
| 208   | 14     | 761   | 13     | 6600  | 15     | 19650  | 10     | 4824PB       | 26     |
| 210   | 7      | 762   | 13     | 6610  | 15     | 19680  | 10     | 4879G        | 26     |
| 211   | 7      | 763   | 13     | 6800  | 16     | 19690  | 10     | 4879PB       | 26     |
| 221   | 7      | 840   | 71     | 6810  | 16     | 19700  | 10     | 4879S        | 26     |
| 222   | 7      | 842   | 71     | 6820  | 16     | 19710  | 10     | 5524G        | 26     |
| 243   | 7      | 845   | 71     | 6830  | 16     | 19740  | 10     | 6930P        | 18     |
| 244   | 7      | 847   | 71     | 6930  | 17, 18 | 19750  | 10     | 6930S        | 18     |
| 311   | 3, 5   | 850   | 71     | 6932  | 18     | 19760  | 10     | 6932P        | 18     |
| 316   | 5, 11  | 852   | 71     | 6935  | 18     | 19770  | 10     | 6932S        | 18     |
| 322   | 5      | 855   | 71     | 6937  | 18, 19 | 19780  | 10     | 6935P        | 18     |
| 332   | 3, 10  | 857   | 71     | 6940  | 18     | 19790  | 10     | 6935S        | 18     |
| 333   | 10     | 1200  | 74     | 6942  | 18     | 19800  | 10     | 6937P        | 18     |
| 351   | 12     | 1210  | 74     | 6945  | 18     | 19810  | 10     | 6937S        | 18     |
| 352   | 12     | 2000  | 3, 8   | 6947  | 18     | 19820  | 10     | 6940P        | 18     |
| 353   | 12     | 2500  | 8      | 6950  | 18     | 29650  | 79     | 6940S        | 18     |
| 354   | 12     | 2501  | 8      | 6952  | 18     | 29652  | 79     | 6942P        | 18     |
| 355   | 12     | 2503  | 8      | 7010  | 16     | 29655  | 79     | 6942S        | 18     |
| 356   | 17, 21 | 2510  | 9      | 7015  | 16     | 29660  | 79     | 6945P        | 18     |
| 357   | 12     | 2512  | 3, 9   | 7020  | 16     | 37205  | 74     | 6945S        | 18     |
| 358   | 21     | 2521  | 9      | 7025  | 16     | 37215  | 74     | 6947P        | 18     |
| 359   | 21     | 2523  | 9      | 7030  | 16     | 37220  | 74     | 6947S        | 18     |
| 411   | 5      | 3018  | 26     | 7910  | 78     | 37225  | 74     | 6950P        | 18     |
| 422   | 5      | 3810  | 19     | 7920  | 78, 79 | 37230  | 74     | 6950S        | 18     |
| 433   | 12     | 3814  | 19     | 7930  | 78, 79 | 37235  | 74     | 6952P        | 18     |
| 442   | 10     | 3820  | 19     | 7940  | 78     | 38101  | 19     | 6952S        | 18     |
| 443   | 10     | 3824  | 19     | 8145  | 96     | 38102  | 19     | 7910SD       | 78     |
| 444   | 5      | 3830  | 19     | 8162  | 97     | 38141  | 19     | 7910SS       | 78     |
| 445   | 12     | 3834  | 19     | 8165  | 96     | 38142  | 19     | 7910W        | 78     |
| 446   | 12     | 3840  | 19     | 8180  | 96     | 38201  | 19     | 7920SD       | 78     |
| 448   | 12     | 3844  | 19     | 8190  | 96     | 38202  | 19     | 7920SS       | 78     |
| 449   | 12     | 3850  | 19     | 8353  | 20     | 38241  | 19     | 7920W        | 78     |
| 451   | 12     | 3854  | 19     | 8354  | 20     | 38242  | 19     | 7930SD       | 78     |
| 459   | 5      | 4512  | 73, 76 | 8355  | 20     | 38301  | 19     | 7930SS       | 78     |
| 460   | 12     | 4515  | 76     | 8356  | 20     | 38302  | 19     | 7930W        | 78     |
| 461   | 12     | 4518  | 76     | 8357  | 20     | 38341  | 19     | 7940SD       | 78     |
| 462   | 12     | 4526  | 76     | 8358  | 20     | 38342  | 19     | 7940SS       | 78     |
| 463   | 12     | 4700  | 74     | 8359  | 20     | 38401  | 19     | 7940W        | 78     |
| 464   | 12     | 4705  | 74     | 8380  | 20     | 38402  | 19     | 8280B        | 22     |
| 465   | 12     | 4750  | 97     | 8381  | 20     | 38441  | 19     | 8281B        | 22     |
| 466   | 21     | 4751  | 97     | 8382  | 20     | 38442  | 19     | 8283B        | 22     |
| 469   | 21     | 4752  | 97     | 8383  | 20     | 38501  | 19     | 8284B        | 22     |
| 470   | 10     | 4753  | 97     | 8384  | 20     | 38502  | 19     | 8285B        | 17, 22 |
| 471   | 10     | 4754  | 97     | 8385  | 20     | 38541  | 19     | 8288BF       | 24     |
| 472   | 7      | 4757  | 97     | 8386  | 20     | 38542  | 19     | 8288BF-WW    | 25     |
| 473   | 7      | 4800  | 75     | 8387  | 20     | 43620  | 26     | 8289BF       | 24     |
| 474   | 21     | 4805  | 75     | 8388  | 20     | 53511  | 79     | 8289BF-WW    | 25     |
| 479   | 7      | 4810  | 75     | 8389  | 20     | 120110 | 79     | 8290F        | 23     |
| 489   | 7      | 4850  | 74     | 8390  | 20     | 120111 | 79     | 8290F-WW     | 25     |
| 492   | 7      | 4855  | 74     | 8391  | 20     | 120112 | 79     | 8291F        | 23     |
| 493   | 7      | 4860  | 73, 75 | 8392  | 20     | 120113 | 79     | 8291F-WW     | 25     |
| 499   | 7      | 4861  | 75     | 8393  | 20     | 120114 | 79     | 8292F        | 23     |
| 526   | 11     | 4865  | 75     | 8394  | 20     | 120118 | 78, 79 | 8292F-WW     | 25     |
| 710   | 6      | 4866  | 75     | 8395  | 20     | 120119 | 78, 79 | BV01         | 53     |
| 711   | 6      | 4870  | 75     | 8398  | 20     | 120120 | 78, 79 | BV02         | 53     |
| 721   | 3, 6   | 4871  | 75     | 8399  | 20     | 120125 | 79     | BV03         | 53     |
| 722   | 6      | 4872  | 75     | 9502  | 10     | 120126 | 79     | BV04         | 54     |
| 725   | 11     | 4873  | 75     | 9503  | 10     | 120127 | 79     | BV04-B       | 54     |
| 726   | 11     | 4874  | 75     | 9520  | 10     | 120128 | 79     | BV04-R       | 54     |
| 729   | 11     | 4908  | 73, 76 | 9563  | 10     | 126474 | 76     | BV05         | 54     |
| 730   | 11     | 4910  | 76     | 9900  | 14     | 126630 | 76     | BV06         | 54     |
| 733   | 13     | 5500  | 69, 72 | 9901  | 14     | 126631 | 76     | C-330-K-2Y   | 27, 36 |
| 743   | 6      | 5510  | 72     | 9902  | 14     | 2624G  | 26     | C-330-MUS-TW | 48     |
| 744   | 6      | 5618  | 71     | 19550 | 10     | 2712G  | 26     | C-421-K-2R   | 46     |
| 745   | 13     | 5620  | 71     | 19560 | 10     | 3612G  | 26     | C-424-B-2R   | 30     |
| 746   | 13     | 5624  | 71     | 19570 | 10     | 3624PB | 26     | C-424-PB-1R  | 30     |
| 748   | 13     | 5628  | 69, 71 | 19590 | 10     | 3679G  | 26     | C-424-PB-2R  | 30     |
| 758   | 6      | 5632  | 71     | 19600 | 10     | 3679PB | 26     | C-430-K-1TW  | 48     |



**NUMERICAL INDEX**

| MODEL        | PAGE #         | MODEL   | PAGE #                 | MODEL       | PAGE #         | MODEL        | PAGE #     | MODEL         | PAGE # |
|--------------|----------------|---------|------------------------|-------------|----------------|--------------|------------|---------------|--------|
| C-430-K-1Y   | 37             | LET-6   | 58                     | LSH-2       | 51, 60         | PCB-1        | 41, 44, 63 | R1848CUC-3    | 82     |
| C-430-P-2Y   | 37             | LET-6M  | 58                     | LSH-4       | 51, 60         | PCD-1        | 63         | R186054CA-4   | 81     |
| C-524-B-2R   | 30             | LET-7   | 58                     | LSN-2       | 31, 35, 60     | PDS-1        | 41, 44, 63 | R186054CC-4   | 83     |
| C-527-PB-1R  | 32             | LFT-24  | 58                     | LSR-1       | 41, 43, 60     | PDT-2        | 44, 63     | R186054CC-5   | 83     |
| C-527-PB-2R  | 32             | LFT-30  | 58                     | LSR-2       | 37             | PDX-2        | 44, 63     | R186054CS-4   | 80     |
| C-530-P2B-1R | 32             | LGB-1   | 43, 57, 58             | LSU-1       | 31, 41, 60     | PEP-A        | 40, 41     | R186063CA-4   | 81     |
| C-530-P2B-2R | 32             | LGB-3   | 57, 58                 | LTB-1       | 60             | PEP-B        | 41         | R186063CC-4   | 83     |
| C-627-K-2B   | 27, 33         | LHS-120 | 68                     | LTB-3       | 60             | PEP-C        | 40, 41     | R186063CC-5   | 83     |
| C-627-X-2B   | 33             | LHS-140 | 68                     | LTB-3D      | 61             | PFT-3        | 44, 63, 67 | R186063CS-4   | 80     |
| C-630-B-1R   | 27, 29-31      | LHS-220 | 68                     | LTB-4       | 34, 47, 60     | PHB-1        | 43, 44, 63 | R186063CTS-4  | 84     |
| C-630-B-2R   | 30, 31         | LHS-240 | 68                     | LTB-4D      | 61             | PHP-5        | 44, 63     | R186072CA-4   | 81     |
| C-630-E-1G   | 33, 34         | LHS-320 | 68                     | LTB-5       | 34, 35, 60     | PK-S         | 44, 63     | R186072CC-4   | 83     |
| C-630-E-2B   | 33             | LHS-340 | 68                     | LTB-6       | 60             | PKE-12       | 62         | R186072CC-5   | 83     |
| C-630-K-1B   | 33-35          | LHS-550 | 68                     | LTC-1       | 61, 67         | PKE-15       | 62         | R186072CS-4   | 80     |
| C-630-K-2TP  | 35             | LIV-1   | 31, 41, 57, 58         | LTD-2       | 35, 43, 47, 61 | PKE-18       | 62         | R186072CTS-4  | 84     |
| C-630-P-1B   | 33, 34         | LKY-1   | 58                     | LTG-1       | 61             | PKE-21       | 62         | R186086CA-4   | 81     |
| C-630-P-2B   | 27, 33         | LLH-1   | 57, 58                 | LTN-1       | 61             | PKE-24       | 62         | R186086CS-4   | 80     |
| C-630-P-2TL  | 51             | LLH-3   | 31, 35, 58             | LTR-10      | 61             | PKE-27       | 62         | R1860C        | 81     |
| C-630-X-1B   | 33, 34         | LLO-1   | 58                     | LTR-5       | 61             | PKE-3        | 62         | R1860CUC-2    | 82     |
| C-630-X-2B   | 33             | LMH-1   | 35, 43, 58             | LTR-6       | 34, 35, 61     | PKE-30       | 62         | R1860CUC-3    | 82     |
| LAB-1        | 34, 35, 47, 56 | LMH-10  | 58, 59                 | LTR-7       | 61             | PKE-6        | 62         | R187254CA-4   | 81     |
| LAP-A        | 33, 35         | LMH-11  | 58, 59                 | LTR-8       | 61             | PKE-9        | 62         | R187254CC-4   | 83     |
| LAP-B        | 35             | LMH-2   | 41, 58, 59             | LTR-9       | 47, 61         | PNS-1        | 43, 44, 63 | R187254CC-5   | 83     |
| LAP-C        | 35             | LMH-20  | 58, 59                 | LTS-1       | 61             | PNT-2        | 44, 63     | R187254CS-4   | 80     |
| LBO-1        | 56             | LMH-6   | 58, 59                 | LTW-3       | 61             | POS-15       | 41, 63     | R187263CA-4   | 81     |
| LBS-1        | 56             | LMH-7   | 59                     | LUH-1       | 31, 35, 61     | PSB-1        | 43, 44, 63 | R187263CC-4   | 83     |
| LBS1M        | 56             | LMH-9   | 59                     | LUR-1       | 61             | PTB-3        | 63         | R187263CC-5   | 83     |
| LCA-20       | 48, 56         | LMH-L   | 59                     | LUR-2       | 61             | PTB-4        | 43, 63     | R187263CS-4   | 80     |
| LCA-20X      | 56             | LML-1   | 62, 67                 | LUR-3       | 61             | PTB-5        | 43, 63     | R187263CTS-4  | 84     |
| LCB-01       | 68             | LML-1B  | 67                     | LWB-10      | 47, 61, 62     | PTB-6        | 63         | R187272CA-4   | 81     |
| LCB-02       | 68             | LML-1S  | 62, 67                 | LWB-11      | 61, 62         | PTR-1E       | 43, 44, 63 | R187272CC-4   | 83     |
| LCB-1        | 31, 56         | LML-SS  | 67                     | LWB-12      | 43, 61, 62     | PTR-5E       | 44, 63     | R187272CC-5   | 83     |
| LCD-1        | 56             | LMR-1   | 59                     | LWB-13      | 35, 62         | R183654CA-4  | 81         | R187272CS-4   | 80     |
| LCD-3        | 56             | LMT-3   | 59                     | LWB-7       | 61, 62         | R183654CC-4  | 83         | R187272CTS-4  | 84     |
| LCD-6        | 56             | LMT-3K  | 31, 35, 41, 58, 59     | LWB-8       | 61, 62         | R183654CC-5  | 83         | R187286CA-4   | 81     |
| LCE-1        | 56             | LMT-3L  | 59                     | LWB-9       | 61, 62         | R183654CS-4  | 80         | R187286CS-4   | 80     |
| LCG-1        | 56             | LMT-3S  | 59                     | LWC-2       | 34, 43, 47, 62 | R183663CA-4  | 81         | R1872C        | 81     |
| LCL-2        | 56             | LMT-5   | 59                     | LWC-3       | 35, 43, 62     | R183663CC-4  | 83         | R243654CA-4   | 81     |
| LCL-3        | 56             | LMT-5K  | 31, 35, 41, 43, 58, 59 | LWS-1       | 62             | R183663CC-5  | 83         | R243654CC-4   | 83     |
| LCR-1        | 37, 56         | LMT-5L  | 59                     | LWS-1M      | 62             | R183663CS-4  | 80         | R243654CC-5   | 83     |
| LCS-2        | 56             | LMT-5S  | 59                     | P-524-B-1SB | 40             | R183663CTS-4 | 84         | R243654CS-4   | 80     |
| LCS-3        | 35, 56         | LNC-1   | 65, 66                 | P-524-B-2SB | 40             | R183672CA-4  | 81         | R243663CA-4   | 81     |
| LCT-3        | 56             | LNC-11D | 67                     | P-524-K-2SB | 43             | R183672CC-4  | 83         | R243663CC-4   | 83     |
| LCT-5        | 57             | LNC-2   | 66                     | P-524-P-1SG | 42             | R183672CC-5  | 83         | R243663CC-5   | 83     |
| LCW-1        | 57             | LNC-4   | 65, 66                 | P-524-P-2SG | 42             | R183672CS-4  | 80         | R243663CS-4   | 80     |
| LDM1B        | 57             | LNC-5   | 65, 66                 | P-627-B-1R  | 40             | R183672CTS-4 | 84         | R243663CTS-4  | 84     |
| LDM1BM       | 57             | LNC-5S  | 66                     | P-627-B-2R  | 40             | R183686CA-4  | 81         | R243672CA-4   | 81     |
| LDO-1        | 35, 57         | LNC-6D  | 65, 67                 | P-627-B-2TP | 41             | R183686CS-4  | 80         | R243672CC-4   | 83     |
| LDS-1        | 31, 56, 57     | LND-1   | 58, 59                 | P-627-E-1BE | 42             | R1836C       | 81         | R243672CC-5   | 83     |
| LDT-1        | 31, 57         | LOB-1   | 31, 41, 58-60          | P-627-E-2B  | 42             | R1836CUC-2   | 77, 82     | R243672CS-4   | 80     |
| LDV-10       | 31, 57         | LOS-15  | 31, 58, 59             | P-630-B-1R  | 40             | R1836CUC-3   | 82         | R243672CTS-4  | 84     |
| LDV-3        | 56, 57         | LPB-1   | 48, 59                 | P-630-B-2R  | 40             | R184854CA-4  | 81         | R243686CA-4   | 81     |
| LDV-3M       | 56, 57         | LPC-1   | 59                     | P-630-K-1B  | 42             | R184854CC-4  | 83         | R243686CS-4   | 80     |
| LDV-5        | 56, 57         | LPH-1   | 59                     | P-630-K-2B  | 39, 42         | R184854CC-5  | 83         | R2436C        | 81     |
| LDV-6        | 56, 57         | LPR-BU  | 59                     | P-630-P-1B  | 42             | R184854CS-4  | 80         | R2436CUC-2    | 82     |
| LDV-6M       | 56, 57         | LPR-PC  | 59                     | P-630-P-2B  | 42             | R184863CA-4  | 81         | R2436CUC-3    | 82     |
| LEF-3        | 57             | LPR-SW  | 59                     | PAP-A       | 42, 43         | R184863CC-4  | 77         | R244854CA-4   | 81     |
| LEF-3M       | 57             | LPS-1   | 31, 41, 59, 60         | PAP-B       | 42, 43         | R184863CC-5  | 83         | R244854CC-4   | 83     |
| LEF-6        | 57             | LPT-2   | 54, 59                 | PAP-C       | 43             | R184863CS-4  | 80         | R244854CC-5   | 83     |
| LEF-6M       | 57             | LPT-2M  | 59                     | PBR-12      | 62             | R184863CTS-4 | 84         | R244854CS-4   | 80     |
| LEF-9        | 57             | LRS-2   | 31, 34, 35, 59, 60     | PBR-15      | 62             | R184872CA-4  | 80, 81     | R244863CA-4   | 81     |
| LEF-9M       | 57, 58         | LRY-1   | 60                     | PBR-18      | 63             | R184872CC-4  | 83         | R244863CC-4   | 83     |
| LEP-A        | 31             | LRY-3   | 60                     | PBR-21      | 63             | R184872CC-5  | 83         | R244863CC-5   | 83     |
| LEP-B        | 30, 31         | LRY-4   | 60                     | PBR-24      | 63             | R184872CS-4  | 77, 80     | R244863CS-4   | 80     |
| LEP-C        | 30, 31         | LSB-1   | 60                     | PBR-27      | 63             | R184872CTS-4 | 84         | R244863CSEC-2 | 85     |
| LET-1        | 57, 58         | LSB-2   | 60                     | PBR-3       | 62             | R184886CA-4  | 81         | R244863CTS-4  | 84     |
| LET-2        | 57, 58         | LSB-5   | 60                     | PBR-30      | 63             | R184886CS-4  | 80         | R244872CA-4   | 81     |
| LET-3        | 58             | LSC-1   | 48, 60                 | PBR-6       | 62             | R1848C       | 81         | R244872CC-4   | 83     |
| LET-4        | 58             | LSF-2   | 60                     | PBR-9       | 62             | R1848CUC-2   | 82         | R244872CC-5   | 83     |

## NUMERICAL INDEX

| MODEL         | PAGE # | MODEL           | PAGE #  | MODEL        | PAGE # | MODEL         | PAGE #  | MODEL         | PAGE # |
|---------------|--------|-----------------|---------|--------------|--------|---------------|---------|---------------|--------|
| R244872CS-4   | .80    | RCC246063       | .89     | RUH224C      | .82    | S243684ZA-4   | .91     | SFOOT         | .95    |
| R244872CTS-4  | .84    | RCC246072       | .89     | S183654ZA-4  | .91    | S243684ZS-4   | .90     | SH-327-2B     | .49    |
| R244886CA-4   | .81    | RCC247263       | .89     | S183654ZC-4  | .92    | S2436Z        | .91     | SINSERT       | .95    |
| R244886CS-4   | .80    | RCC247272       | .89     | S183654ZS-4  | .90    | S244854ZA-4   | .91     | SL18-4Z       | .95    |
| R2448C        | .81    | RD18C           | .87     | S183664ZA-4  | .91    | S244854ZC-4   | .92     | SL24-4Z       | .95    |
| R2448CUC-2    | .82    | RD24C           | .87     | S183664ZC-4  | .92    | S244854ZS-4   | .90     | SL36-4Z       | .95    |
| R2448CUC-3    | .82    | RDB-3           | .87     | S183664ZS-4  | .90    | S244864ZA-4   | .91     | SL48-4Z       | .95    |
| R246054CA-4   | .81    | RDB61836        | .88, 92 | S183664ZTS-4 | .93    | S244864ZC-4   | .92     | SL60-4Z       | .95    |
| R246054CC-4   | .83    | RDB61848        | .88, 92 | S183672ZA-4  | .91    | S244864ZS-4   | .90     | SL72-4Z       | .95    |
| R246054CC-5   | .83    | RDB6184854CC-4  | .86     | S183672ZC-4  | .92    | S244864ZSEC-2 | .94     | SM-324-K-2Y   | .36    |
| R246054CS-4   | .80    | RDB6184863CC-4  | .86     | S183672ZS-4  | .90    | S244864ZTS-4  | .93     | SM-421-K-2Y   | .46    |
| R246063CA-4   | .81    | RDB6184863CTS-4 | .86     | S183672ZTS-4 | .93    | S244872ZA-4   | .91     | SM-524-K-2SB  | .46    |
| R246063CC-4   | .83    | RDB6184872CTS-4 | .86     | S183672ZTS-4 | .91    | S244872ZC-4   | .92     | SP-930-B-PED  | .49    |
| R246063CC-5   | .83    | RDB61860        | .88, 92 | S183684ZS-4  | .90    | S244872ZS-4   | .77, 90 | SP-930-IB-PED | .49    |
| R246063CS-4   | .80    | RDB6186054CC-4  | .86     | S1836Z       | .91    | S244872ZTS-4  | .93     | SP5BL         | .95    |
| R246063CSEC-2 | .85    | RDB6186063CC-4  | .86     | S184854ZA-4  | .91    | S244884ZA-4   | .91     | SP5R          | .95    |
| R246063CTS-4  | .84    | RDB6186063CTS-4 | .86     | S184854ZC-4  | .92    | S244884ZS-4   | .90     | SP5S          | .95    |
| R246072CA-4   | .81    | RDB6186072CTS-4 | .86     | S184854ZS-4  | .90    | S2448Z        | .91     | SPCLAMP       | .95    |
| R246072CC-4   | .83    | RDB61872        | .88, 92 | S184864ZA-4  | .91    | S246054ZA-4   | .91     | SPSSC         | .95    |
| R246072CC-5   | .83    | RDB62436        | .88, 92 | S184864ZC-4  | .92    | S246054ZC-4   | .92     | SPSZ          | .95    |
| R246072CS-4   | .80    | RDB62448        | .88, 92 | S184864ZS-4  | .90    | S246054ZS-4   | .90     | SS-627-2B     | .50    |
| R246072CTS-4  | .84    | RDB6244854CC-4  | .86     | S184864ZTS-4 | .93    | S246064ZA-4   | .91     | SSCAP1836     | .95    |
| R246086CA-4   | .81    | RDB6244863CC-4  | .86     | S184872ZA-4  | .91    | S246064ZC-4   | .92     | SSCAP1848     | .95    |
| R246086CS-4   | .80    | RDB6244863CTS-4 | .86     | S184872ZC-4  | .92    | S246064ZS-4   | .90     | SSCAP1860     | .95    |
| R2460C        | .81    | RDB6244872CTS-4 | .86     | S184872ZS-4  | .90    | S246064ZSEC-2 | .94     | SSCAP1872     | .95    |
| R2460CUC-2    | .82    | RDB62460        | .88, 92 | S184872ZTS-4 | .93    | S246064ZTS-4  | .93     | SSCAP2436     | .95    |
| R2460CUC-3    | .82    | RDB6246054CC-4  | .86     | S184884ZA-4  | .91    | S246072ZA-4   | .90, 91 | SSCAP2448     | .95    |
| R247254CA-4   | .81    | RDB6246063CC-4  | .86     | S184884ZS-4  | .90    | S246072ZC-4   | .92     | SSCAP2460     | .95    |
| R247254CC-4   | .83    | RDB6246063CTS-4 | .86     | S1848Z       | .91    | S246072ZS-4   | .77, 90 | SSCAP2472     | .95    |
| R247254CC-5   | .83    | RDB6246072CTS-4 | .86     | S186054ZA-4  | .91    | S246072ZTS-4  | .93     | SSH00KZ       | .95    |
| R247254CS-4   | .80    | RDB62472        | .88, 92 | S186054ZC-4  | .92    | S246084ZA-4   | .91     | ST-2624G      | .26    |
| R247263CA-4   | .81    | REP1364C        | .84     | S186054ZS-4  | .90    | S246084ZS-4   | .90     | ST-3018       | .26    |
| R247263CC-4   | .83    | REP1372C        | .84     | S186064ZA-4  | .91    | S2460Z        | .91     | ST-324-K-1Y   | .36    |
| R247263CC-5   | .83    | REP1964C        | .84     | S186064ZC-4  | .92    | S247254ZA-4   | .91     | ST-324-K-2Y   | .36    |
| R247263CS-4   | .80    | REP1972C        | .84     | S186064ZS-4  | .90    | S247254ZC-4   | .92     | ST-3624PB     | .26    |
| R247263CTS-4  | .84    | RFOOT           | .87     | S186064ZTS-4 | .93    | S247254ZS-4   | .90     | ST-3679G      | .26    |
| R247272CA-4   | .81    | RINSERT         | .87     | S186072ZA-4  | .91    | S247264ZA-4   | .91     | ST-3679PB     | .26    |
| R247272CC-4   | .83    | RL18-4C         | .87     | S186072ZC-4  | .92    | S247264ZC-4   | .92     | ST-3679S      | .26    |
| R247272CC-5   | .83    | RL24-4C         | .87     | S186072ZS-4  | .90    | S247264ZS-4   | .90     | ST-421-K-2B   | .46    |
| R247272CS-4   | .80    | RL36-4C         | .87     | S186072ZTS-4 | .93    | S247264ZTS-4  | .93     | ST-430-K-1Y   | .37    |
| R247272CTS-4  | .84    | RL48-4C         | .87     | S186084ZA-4  | .91    | S247272ZA-4   | .91     | ST-430-K-2Y   | .37    |
| R247286CA-4   | .81    | RL60-4C         | .87     | S186084ZS-4  | .90    | S247272ZC-4   | .92     | ST-4724G      | .26    |
| R247286CS-4   | .80    | RL72-4C         | .87     | S1860Z       | .91    | S247272ZS-4   | .90     | ST-4824PB     | .26    |
| R2472C        | .81    | RP5BL           | .87     | S187254ZA-4  | .91    | S247272ZTS-4  | .93     | ST-4879G      | .26    |
| R54C          | .81    | RP5R            | .87     | S187254ZC-4  | .92    | S247284ZA-4   | .91     | ST-4879PB     | .26    |
| R63C          | .81    | RP5S            | .87     | S187254ZS-4  | .90    | S247284ZS-4   | .90     | ST-4879S      | .26    |
| R72C          | .81    | RPCLAMP         | .87     | S187264ZA-4  | .91    | S247Z         | .91     | ST-524-B-1R   | .32    |
| R86C          | .81    | RPPLATE         | .88     | S187264ZC-4  | .92    | S54Z          | .91     | ST-524-B-2R   | .32    |
| RC1836H       | .88    | RPSSC           | .87     | S187264ZS-4  | .90    | S64Z          | .91     | ST-524-K-1B   | .32    |
| RC1848H       | .88    | RSHOOK          | .87     | S187264ZTS-4 | .93    | S72Z          | .91     | ST-524-K-2CB  | .46    |
| RC1860H       | .88    | RSLH-6          | .88     | S187272ZA-4  | .91    | S84Z          | .91     | ST-630-B-1R   | .32    |
| RC1872H       | .88    | RSSCAP1836      | .87     | S187272ZC-4  | .92    | SC244863      | .85     | ST-630-B-2R   | .32    |
| RC2436H       | .88    | RSSCAP1848      | .87     | S187272ZS-4  | .90    | SC244864      | .94     | ST-630-K-1G   | .46    |
| RC2448H       | .88    | RSSCAP1860      | .87     | S187272ZTS-4 | .93    | SC246063      | .85     | ST-630-K-2R   | .46    |
| RC2460H       | .88    | RSSCAP1872      | .87     | S187284ZA-4  | .91    | SC246064      | .94     | ST-630-P-2TL  | .46    |
| RC2472H       | .88    | RSSCAP2436      | .87     | S187284ZS-4  | .90    | SD18Z         | .95     | SW-430-E-2B   | .47    |
| RC183663      | .89    | RSSCAP2448      | .87     | S187Z        | .91    | SD24Z         | .95     | SW-430-K-2SB  | .47    |
| RCC183672     | .89    | RSSCAP2460      | .87     | S243654ZA-4  | .91    | SDB-3         | .95     | SW-630-E-2B   | .34    |
| RCC184863     | .89    | RSSCAP2472      | .87     | S243654ZC-4  | .92    | SEP1864Z      | .93     | SW-630-K-2B   | .34    |
| RCC184872     | .89    | RTTF1836        | .81     | S243654ZS-4  | .90    | SEP1872Z      | .93     | SW-630-P-2MV  | .47    |
| RCC186063     | .89    | RTTF1848        | .81     | S243664ZA-4  | .91    | SEP2464Z      | .93     | SW-630-X-2B   | .34    |
| RCC186072     | .89    | RTTF1860        | .81     | S243664ZC-4  | .92    | SEP2472Z      | .93     | UL18-4        | .88    |
| RCC187263     | .89    | RTTF1872        | .81     | S243664ZS-4  | .90    | SEP3664Z      | .93     | UL24-4        | .88    |
| RCC187272     | .89    | RTTF2436        | .81     | S243664ZTS-4 | .93    | SEP3672Z      | .93     | UL36-4        | .88    |
| RCC243663     | .89    | RTTF2448        | .81     | S243672ZA-4  | .91    | SEP4864Z      | .93     | UL48-4        | .88    |
| RCC243672     | .89    | RTTF2460        | .81     | S243672ZC-4  | .92    | SEP4872Z      | .93     | UL60-4        | .88    |
| RCC244863     | .89    | RTTF2472        | .81     | S243672ZS-4  | .90    | SEP6064Z      | .93     | UL72-4        | .88    |
| RCC244872     | .89    | RUH218C         | .82     | S243672ZTS-4 | .93    | SEP6072Z      | .93     | WLEVCAP       | .88    |

**ALPHABETICAL INDEX**

| Equipment                          | Page #                   | Equipment                                       | Page #         | Equipment                                 | Page #                   |
|------------------------------------|--------------------------|-------------------------------------------------|----------------|-------------------------------------------|--------------------------|
| <b>ACCESSORIES</b>                 |                          | Linen                                           | 10             | Exam/Patient Equipment                    | 75-78                    |
| Distribution Supply                | 79                       | Medication                                      | 48             | Fluid Warmers                             | 23-24                    |
| Ergo-One® System Utility Carts     | 16                       | Mini Carts                                      | 46             | General/Warranty Information              | 103                      |
| Infusion Pump Stands               | 75                       | Multi-Purpose Multi-Shelf                       | 12-13          | Guard Rail Utility Carts                  | 11                       |
| Multi-Shelf Carts                  | 13                       | Pediatric Carts                                 | 49             | Hampers                                   | 76                       |
| Medical Carts                      | 31, 35, 41, 43-44, 56-63 | Powered Platform                                | 96             | Healthcare Carts                          | 3-16                     |
| Round Post Shelving Units          | 87                       | Plastic                                         | 8-9            | High Security Storage Cabinets            | 68                       |
| Square Post Shelving Units         | 95                       | Scope Cabinets                                  | 51             | Information, General                      | 103                      |
| Universal Wire                     | 88-89                    | Specialty Carts                                 | 45-51          | Infusion Pump Stands and Accessories      | 75                       |
| Utility Carts                      | 14                       | Super Saver Carts                               | 52-54          | Instrument Storage and Supply Cabinet     | 26                       |
| <b>Adapter Bar</b>                 | 14                       | Suture Storage                                  | 50             | Instrument Tables                         | 20                       |
| <b>Anesthesia Carts</b>            | 33-35, 42-43             | Towers                                          | 46             | Isolation Carts                           | 36-37                    |
| <b>Bins, Plastic</b>               | 14                       | Tray Delivery                                   | 70-72          | IV Stands                                 | 74-75                    |
| <b>Blanket Warmers</b>             | 22, 24-25                | Utility, Plastic                                | 8-9            | Kick Bucket                               | 76                       |
| <b>BOXES</b>                       |                          | Utility, Stainless Steel                        | 5-9, 11, 15-16 | Linen Carts                               | 10                       |
| Medicine Locking                   | 67                       | Wide Carts                                      | 47             | Mayo Instrument Stands                    | 74                       |
| Plastic Utility                    | 14                       | Wire                                            | 82-86, 92-94   | <b>MEAL DELIVERY</b>                      |                          |
| <b>CABINETS</b>                    |                          | <b>CASE CARTS</b>                               |                | Tray Delivery Carts                       | 70-72                    |
| High Security Storage              | 68                       | Accessories for Closed Carts                    | 19             | <b>Medical Cart Accessories</b>           | 31, 35, 41, 43-44, 56-63 |
| Instrument and Supply Storage      | 26                       | Closed                                          | 18             | <b>Medical Carts and Workstations</b>     | 28-63                    |
| Medication Storage                 | 67                       | <b>Cassette Dispensing, Medication Carts</b>    | 48             | <b>Medical Storage Systems</b>            | 26                       |
| Medicine Cabinet w/Electronic Lock | 68                       | <b>Casters, Stem</b>                            | 87             | <b>Medical Surgical Carts</b>             | 18-26                    |
| Narcotic                           | 66-67                    | <b>Central Supply, Distribution and Storage</b> | 78-97          | <b>MEDICATION CARTS</b>                   |                          |
| Scope Cabinets                     | 51                       | <b>COVERS</b>                                   |                | Cassette Dispensing                       | 48                       |
| Storage                            | 26                       | Distribution Supply Cart                        | 79             | <b>Medication Storage Cabinets</b>        | 67-68                    |
| <b>CARTS</b>                       |                          | Wire Cart                                       | 89             | <b>Multi-Purpose Carts</b>                | 12-13                    |
| Anesthesia                         | 33-35, 39, 42-43         | Utility/Linen Cart                              | 10             | <b>Multi-Shelf Carts and Accessories</b>  | 12-13                    |
| Case Carts, Closed                 | 18-19                    | <b>Custom Options</b>                           | 55             | <b>Narcotic Cabinets</b>                  | 66-68                    |
| Distribution Supply                | 78                       | <b>Dolly Bases</b>                              | 88, 92         | <b>Narcotic Lock Boxes</b>                | 67                       |
| Dolly Based                        | 86                       | <b>Dolly Based Carts</b>                        | 86             | <b>Panel Enclosures for Wire Shelving</b> | 84, 93                   |
| Emergency                          | 29-32, 40-41             | <b>Durability Index</b>                         | 4              | <b>Powered Platform Carts</b>             | 96                       |
| Ergo-One® System Utility           | 15-16                    | <b>Emergency Carts</b>                          | 29-32, 40-41   | <b>Powered Tug</b>                        | 97                       |
| Expanded Storage                   | 51                       | <b>Enclosure Panels for Wire Shelving</b>       | 84, 93         | <b>PLASTIC</b>                            |                          |
| Guard Rail Utility                 | 11                       | <b>Equipment Stands</b>                         | 21             | Bins and Utility Boxes                    | 14                       |
| How Do I Select the Right Cart?    | 4                        | <b>ERGO-ONE® SERIES</b>                         |                | Carts, Utility                            | 8-9                      |
| Hyperthermia Carts                 | 49                       | Cart Accessories                                | 16             | Shelf Inlays                              | 88                       |
| Isolation                          | 36-37                    | Utility Carts                                   | 15-16          | Shelving Accessories                      | 87-88, 95                |

## ALPHABETICAL INDEX

| Equipment | Page # |
|-----------|--------|
|-----------|--------|

|                                           |        |
|-------------------------------------------|--------|
| Round Post Shelving Units and Accessories | .80-87 |
|-------------------------------------------|--------|

|                   |     |
|-------------------|-----|
| Security Lock Box | .67 |
|-------------------|-----|

|                            |        |
|----------------------------|--------|
| Shelf Cap, Stainless Steel | .87,95 |
|----------------------------|--------|

|                       |     |
|-----------------------|-----|
| Shelf Inlays, Plastic | .88 |
|-----------------------|-----|

### SHELVING

|                                  |        |
|----------------------------------|--------|
| Round Post Units and Accessories | .80-87 |
|----------------------------------|--------|

|                                   |        |
|-----------------------------------|--------|
| Square Post Units and Accessories | .90-95 |
|-----------------------------------|--------|

|                                            |        |
|--------------------------------------------|--------|
| Square Post Shelving Units and Accessories | .90-95 |
|--------------------------------------------|--------|

### STAINLESS STEEL

|                 |            |
|-----------------|------------|
| Blanket Warmers | .22, 24-25 |
|-----------------|------------|

|            |        |
|------------|--------|
| Case Carts | .18-19 |
|------------|--------|

|                  |     |
|------------------|-----|
| Equipment Stands | .21 |
|------------------|-----|

|                                |        |
|--------------------------------|--------|
| Ergo-One® System Utility Carts | .15-16 |
|--------------------------------|--------|

|               |        |
|---------------|--------|
| Fluid Warmers | .23-25 |
|---------------|--------|

|                  |     |
|------------------|-----|
| Guard Rail Carts | .11 |
|------------------|-----|

|                   |     |
|-------------------|-----|
| Instrument Tables | .20 |
|-------------------|-----|

|             |     |
|-------------|-----|
| Linen Carts | .10 |
|-------------|-----|

|             |     |
|-------------|-----|
| Mayo Stands | .74 |
|-------------|-----|

|                     |        |
|---------------------|--------|
| Multi-Purpose Carts | .12-13 |
|---------------------|--------|

|                   |        |
|-------------------|--------|
| Multi-Shelf Carts | .12-13 |
|-------------------|--------|

|            |        |
|------------|--------|
| Shelf Caps | .87,95 |
|------------|--------|

|                     |        |
|---------------------|--------|
| Tray Delivery Carts | .70-72 |
|---------------------|--------|

|               |                 |
|---------------|-----------------|
| Utility Carts | .5-9, 11, 15-16 |
|---------------|-----------------|

### STANDS

|           |     |
|-----------|-----|
| Equipment | .21 |
|-----------|-----|

|               |     |
|---------------|-----|
| Infusion Pump | .75 |
|---------------|-----|

|    |        |
|----|--------|
| IV | .74-75 |
|----|--------|

|                 |     |
|-----------------|-----|
| Mayo Instrument | .74 |
|-----------------|-----|

|             |     |
|-------------|-----|
| Step Stools | .76 |
|-------------|-----|

### STORAGE

|          |     |
|----------|-----|
| Cabinets | .26 |
|----------|-----|

|                     |     |
|---------------------|-----|
| Medication Cabinets | .67 |
|---------------------|-----|

|                    |     |
|--------------------|-----|
| Tables, Instrument | .20 |
|--------------------|-----|

|                     |        |
|---------------------|--------|
| Tray Delivery Carts | .70-72 |
|---------------------|--------|

| Equipment | Page # |
|-----------|--------|
|-----------|--------|

|               |     |
|---------------|-----|
| Tugs, Powered | .97 |
|---------------|-----|

|                        |     |
|------------------------|-----|
| Utility Boxes, Plastic | .14 |
|------------------------|-----|

### UTILITY CARTS

|             |        |
|-------------|--------|
| Accessories | .14,16 |
|-------------|--------|

|                  |        |
|------------------|--------|
| Ergo-One® System | .15-16 |
|------------------|--------|

|            |     |
|------------|-----|
| Guard Rail | .11 |
|------------|-----|

|         |      |
|---------|------|
| Plastic | .8-9 |
|---------|------|

|                 |                 |
|-----------------|-----------------|
| Stainless Steel | .5-9, 11, 15-16 |
|-----------------|-----------------|

|      |            |
|------|------------|
| Wire | .87-89, 95 |
|------|------------|

|                  |            |
|------------------|------------|
| Warmers, Blanket | .22, 24-25 |
|------------------|------------|

|                |        |
|----------------|--------|
| Warmers, Fluid | .23-25 |
|----------------|--------|

|                      |      |
|----------------------|------|
| Warranty Information | .103 |
|----------------------|------|

### WIRE CARTS

|         |         |
|---------|---------|
| 3-Sided | .84, 93 |
|---------|---------|

|                              |     |
|------------------------------|-----|
| 3-Sided Enclosed, Round Post | .84 |
|------------------------------|-----|

|                               |     |
|-------------------------------|-----|
| 3-Sided Enclosed, Square Post | .93 |
|-------------------------------|-----|

|                     |     |
|---------------------|-----|
| 4-Shelf Dolly Based | .86 |
|---------------------|-----|

|                     |     |
|---------------------|-----|
| 4-Shelf, Round Post | .83 |
|---------------------|-----|

|                      |     |
|----------------------|-----|
| 4-Shelf, Square Post | .92 |
|----------------------|-----|

|        |     |
|--------|-----|
| Covers | .89 |
|--------|-----|

|         |     |
|---------|-----|
| Utility | .82 |
|---------|-----|

|               |               |
|---------------|---------------|
| Wire Shelving | .80-81, 90-91 |
|---------------|---------------|

## WARRANTY/GENERAL INFORMATION

### **Warranty**

All Lakeside products carry a One Year Full Warranty from the date of delivery. Lakeside will repair or replace all parts to correct defects in materials or workmanship. This warranty covers all components of these carts and shelving products. Neglect, alteration or misuse of the product will void any and all warranties pertaining to the product. To validate warranty, owner must present proof of purchase.

If you believe your Lakeside product is defective, please call us toll-free at 1-800-558-8565 or write to Lakeside Mfg. 4900 W. Electric Avenue, West Milwaukee, WI 53219. You can also contact us by email at [info@eLakesideHealthcare.com](mailto:info@eLakesideHealthcare.com).

LAKESIDE MANUFACTURING, INC. IS NOT RESPONSIBLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES WHICH MAY ARISE OUT OF THE PURCHASE OR USE OF ANY WIRE SHELF OR CART PRODUCT; AND LAKESIDE'S LIABILITY FOR ANY BREACH OF WARRANTY SHALL BE LIMITED TO REPLACEMENT OF THE DEFECTIVE PART OR PARTS AS DESCRIBED ABOVE.

**Important Notice:** Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, which vary from state to state.

### **General Information**

F.O.B. Factory

#### **Returned Goods:**

Not accepted without prior factory authorization and a Returned Goods Authorization Number. Returned merchandise must be in new, undamaged condition, and in the original shipping container. All return shipments must be prepaid. A minimum 25% restocking charge will apply.

#### **Freight Damage:**

It is recommended that the outside and contents of all cartons received be inspected at the time of receipt. It is important that any damage be noted prior to signing for the shipment, since freight carriers are liable for damage only when such damage is indicated on the receipt. Per ICC regulations, it is the responsibility of the consignee to file a claim with the delivering carrier within 15 days of inspection. For assistance and replacement, contact our customer service department.

#### **Rush Orders:**

A service charge will apply to orders with expedited ship dates earlier than quoted normal lead times.





**MOBILE TRANSPORT & STORAGE  
SOLUTIONS FOR HEALTHCARE™**

**LAKESIDE MANUFACTURING, INC.**

4900 West Electric Ave.  
West Milwaukee, WI 53219  
U.S.A.

Toll Free: (800) 558-8565  
Phone: (414) 902-6400  
Fax: (414) 902-6446  
e-mail: [info@eLakesideHealthcare.com](mailto:info@eLakesideHealthcare.com)  
web: [www.eLakesideHealthcare.com](http://www.eLakesideHealthcare.com)

**ASK ABOUT OUR OTHER PRODUCT LINES**



Food Service

[eLakesideFoodservice.com](http://eLakesideFoodservice.com)



Distinctive Serving Carts

[genevadesignsllc.com](http://genevadesignsllc.com)



Industrial

[eLakesideIndustrial.com](http://eLakesideIndustrial.com)



Floor Troughs

[madetodrain.com](http://madetodrain.com)



Modular, Interchangeable  
Cafeteria Sectionals

[multiteriausa.com](http://multiteriausa.com)



Equipment for the  
Correctional Industry

[prisonbilt.com](http://prisonbilt.com)