



Grizzly Industrial®

PURVEYORS OF FINE MACHINERY®—SINCE 1983

SPRING/SUMMER SALE

APRIL 10TH – JULY 10TH, 2017

3/4 HP SHAPER

- Motor: 3/4 HP, 110V, single-phase
- Spindle travel: 7/8"
- Spindle dia.: 1/2"
- Spindle length: 5 1/4"
- Spindle capacity under nut: 1 9/16"
- Spindle speed: 11,000 RPM
- Footprint: 19" x 16 1/2"
- Approx. shipping weight: 222 lb.



\$89 shipping

G0510ZW ~~\$435.00~~ SALE **\$325⁰⁰**

PICTURE FRAMING MACHINE / UNDERPINNER

- V-nail sizes: 5, 7, 10, 12, 15mm
- Frame/moulding width range: 1/4" – 3 5/16"
- Frame/moulding thickness range: 1/4" – 3 1/2"
- Extension tables: 13 3/4" W x 13 3/4" D
- Footprint: 15" W x 18" D
- Approx. shipping weight: 121 lbs.



\$109 shipping

T27577 ~~\$695.00~~ SALE **\$575⁰⁰**

1 1/2 HP DUAL-FILTRATION HEPA CYCLONE DUST COLLECTOR

- Motor: 1 1/2 HP, single-phase, TEFC Class "F", 110V/ 220V, prewired 110V, 18.8A/ 9.4A
- Airflow capacity: 1025 CFM @ 2.6" SP
- Max. static pressure: 10.3"
- Approx. shipping weight: 401 lbs.



STAND INCLUDED!

\$109 shipping

G0443HEP ~~\$1725.00~~ SALE **\$1625⁰⁰**

PRO SAND ROLLER WITH ACCESSORIES

- No-load speed: 1600-3300 RPM
- Quick-change spindle lock
- Variable speed for material-specific applications
- Adjustable guard with 1" dust port
- 60mm (2 3/8") flap wheel
- 10mm (3/8") flap wheel
- Weight: 3.9 lbs.



Includes 60mm (2 3/8") sanding sleeve

T25942 ~~\$79.95~~ SALE **\$59⁹⁵**

78" MAPLE WORKBENCH

- 2 3/4" edge thickness
- Two small drawers: 16 1/4" W x 13 1/4" D x 3 1/4" H
- Two middle drawers: 16 1/4" W x 13 1/4" D x 4 3/4" H
- Two large drawers: 16 1/4" W x 13 1/4" D x 5 1/2" H
- 12 1/2" x 2 3/4" end vise
- Approx. shipping weight: 203 lbs.



\$89 shipping

H7721 ~~\$645.00~~ SALE **\$575⁰⁰**

SUPER 66-PC. 1/4" SHANK SET

Includes just about all the finest quality bits you'll ever need in one super set. These carbide-tipped bits are super sharp, "purple" quality bits that will leave an outstanding cut on your wood. And best of all, you get each bit for the average price of only \$3.03 each, plus you get a wooden storage case.



H5542 ~~\$302.00~~ SALE **\$199⁹⁵**

PRECISION BENCHTOP ROUTER TABLE



Kreg's freshly redesigned Precision Benchtop Router Table now offers even more features that give it the capability of a full-size, industrial router table in a portable package.



T26464 ONLY **\$229⁰⁰**

Includes FREE

T20367 True-Flex Featherboard Twin Pack
T24969 Multi-Purpose Router Table Switch

1/4 SHEET PALM GRIP SANDER KIT WITH D.C.



- 2.4 Amp motor
- 14,000 OPM
- Orbit dia: 1/16"
- Tool weight: 3.0 lbs
- Sealed 100% ball-bearing construction

Includes:
Dust bag w/ vacuum adapter,
sandpaper punch & kit box.



H9339 ~~\$54.00~~ SALE **\$49⁰⁰**

250 LB. POLY DUMP CART



Work smarter, not harder! This dump cart can support up to 250 lb. of load! Just hitch to your towing vehicle, fill 'er up, and, once in the right spot, just remove the cotter and hitch pins to unload in one go - the foot pedal pushes to a 50° dumping angle. The 13" x 4" pneumatic turf tires can cover almost any terrain and the thick polyethylene bed will not dent or rust.



\$49 shipping

T27708 ~~\$109.95~~ SALE **\$89⁹⁵**

SPECIALS

UO-CHIKYU - NUT FILES - SET OF 8

There's a good chance if you've heard of Uo-Chikyū (also known as Hiroshima Files) you either own some of their files or want to. Their reputation for making precision files used for slotting nuts and filing frets is unsurpassed among luthiers. We carry a wide selection of individual Nut Files. This is the cost-saving and convenient set of eight. Sizes include 0.010", 0.013", 0.017", 0.024", 0.032", 0.036", 0.046", and 0.056". Made in Japan.



T25458 ~~\$99.95~~ SALE **\$79⁹⁵**

16" PLASTIC SEALER

This Plastic Bag Sealer provides a strong air and water tight seal! It is also especially useful for small part storage and organization during car, motor, or airplane restorations. It features variable heat control and power saving switch, and includes 2 spare heating elements, and upper Teflon cloth.



T26692 ~~\$69.95~~ SALE **\$49⁹⁵**

HEAT GUN - 1200 WATT

This superb heat gun is very versatile. It features variable temperature control from 120 - 590 degree C. This model can handle most applications easily.

CETL certified meeting UL 499, 13th Ed., Rev. Nov. 18, 2009, and CSA C22. No. 122-M1989, Rev. 2009 standards.



H0800 ~~\$24.95~~ SALE **\$19⁹⁵**

3" X 20' CLEAR HOSE

This spiral reinforced Clear Hose allows for easy inspection for locating potential clogs in your duct work. Size: 3" x 20'.



D4205 ~~\$34.95~~ SALE **\$24⁹⁵**

15 LB. VERTICAL SAUSAGE STUFFER

With nearly a 300-cubic-inch capacity, this Vertical Sausage Stuffer is made of stainless steel for durability and easy cleaning. A 9" handle and bevel gears drive a large piston to press your favorite sausage recipe into endless links. Includes three stuffing tubes: 5/8" x 7 1/2", 7/8" x 7 1/2", and 1 3/16" x 7 1/2".



H7776 ~~\$235.00~~ SALE **\$195⁰⁰**

ELECTRIC SHEET METAL SHEAR

This Electric Sheet Metal Shear features a 1/2 HP, 110V, 2500 RPM, 3.8 amp motor, a 360 degree adjustable swivel head, and variable speeds from 0 to 2500 SPM. Cuts up to 14 gauge in mild steel and 18 gauge in stainless, at up to 150 inches per minute. Weighs 5 lbs.



H5503 ~~\$89.95~~ SALE **\$49⁹⁵**

1/2" MICRO SPRING CLAMP, 100-PC. PONY


Adjustable 1/2" Micro Spring Clamps are steel with protective tips and handles. Ideal for hobbyists, crafts, and any light-duty application - a hundred clamps for a hundred of different uses!



T25355 ~~\$106.95~~ SALE **\$59⁹⁵**

DELUXE MARKING GAUGE - EBONY

This Deluxe Ebony Marking Gauge features beautiful ebony and brass knobs, and inlaid wear strips. Scribes a single line and a double line for mortises and tenons. Micro-adjustable brass thumb screw for mortise and tenon scribe. A single knurled brass knob locks the beam, mortise, and tenon scribe. Beam measures 6 3/8" long.



T10272 ~~\$44.95~~ SALE **\$36⁹⁵**

7.2V MINI GRINDER KIT WITH CASE

This go-anywhere Mini Grinder is packed in its own foam lined hard case. The two-speed, 7.2 volt, cordless grinder kit includes two batteries, a battery charger with LED gooseneck work light, a transformer, and a wide selection of grinding stones, sanding discs and drums, and polishing buffs.



H8124 ~~\$29.95~~ SALE **\$19⁹⁵**

14" SMOOTHING PLANE

Used for final finishing work, this Plane has a perfectly flat sole that will smooth any wood surface. Features include rosewood handles and knobs, full plane iron adjustments, cast iron bases, frog and lever caps, chip breakers and knurled brass adjusting nuts. Beautifully made with precision fit and finish.



H7566 ~~\$36.95~~ SALE **\$29⁹⁵**

3.8 LB. COCO SCRUB HAND CLEANER TUB

Formulated with thousands of dirt busting poly "scrubbers", industrial strength Coco Scrub® removes grease, oil, tar, paint, varnish, printer's ink, glue and more. Its solvent-free formula provides soothing emollients to moisturize and soften hard working hands. Combats fuel, oil, lubricant, and printer's ink odors, leaving hands clean and fresh smelling. Tropical coconut-scented.



T25096 ~~\$19.95~~ SALE **\$16⁹⁵**

8" DIAL CALIPER brown & sharpe WITH WHITE FACE

- Rugged stainless steel construction
- 1.25" diameter rotating dial with lock
- Anti-backlash, patented shockproof design
- 0.001" interval, 0.100" per revolution
- Depth bar provided • Adjustable zero set
- Wheel drive



T20272 ~~\$275.00~~ SALE **\$195⁰⁰**

PORTABLE CLAMPING WORKBENCH

24" x 9 1/2" work surface features 4 1/4" clamping capacity. Independently adjustable hand screws for irregular clamping. Includes four adjustable clamping dogs for securing flat work. Folds down for convenient storage. Includes wrench and instructions for easy assembly. Overall size: 31 1/4" H x 24" W x 25" D. Weighs 18 lbs.



G8586 ~~\$44.95~~ SALE **\$34⁹⁵**

21-PC. RATCHET & SOCKET DISPENSER KIT



Smith & Wesson®

Dispenser pack has popup feature for easy socket access. Great for gunsmiths and shop use.

Includes:

- 1/4" drive ratchet
- 3" extension
- SAE sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", and 1/2"
- Metric sockets: 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, and 12mm



H8156 ~~\$22.00~~ SALE **\$4⁹⁵**

15-PC. ROUTER BIT SET IN ALUMINUM CASE

This micro-grain, carbide-tipped router bit set provides a great selection of commonly used bits. Each bit is displayed in a high-tech, see-through aluminum case for the ultimate protection.



H6158 ~~\$49.95~~ SALE **\$42⁹⁵**

MASTER HAND RIVETER KIT WITH STORAGE CASE

Includes:

Multi-compartment tool box

- Hand rivet gun for 2.4, 3.2, 4.0, and 4.8 rivets
- Nut rivet gun for 6-32, 8-32, 10-24, and 1/4-20 nuts
- 50 pcs. x 2.4, 50 pcs. x 3.2, 50 pcs. x 4.0, and 50 pcs. x 4.8 aluminum rivets
- 25 pcs. x 6-32, 25 pcs. x 8-32, 25 pcs. x 10-24, and 25 pcs. x 1/4-20 carbon steel nuts



T26722 ~~\$43.95~~ SALE **\$34⁹⁵**

3-IN-1 FRET FILE

Shape fret ends with ease using this American-made Fret File. With its gooseneck handle, this file has 3 interchangeable files for small, medium, and large fret sizes.



H7514 ~~\$39.95~~ SALE **\$34⁹⁵**

E-Z HOLD 12" 3 BAR CLAMP

Jorgensen
MASTER-QUALITY CLAMPS

These durable clamps have a spring-loaded mechanism for quick, one-handed clamping. The stationary head reverses for spreading applications. Jaws have non marring, soft plastic padded faces.



T21592 ~~\$27.95~~ SALE **\$21⁹⁵**

NURSERY DOUBLE CART

Distribute up to 350 lbs. of payload and enjoy the convenience of complete mobility! This ruggedly constructed cart carries a wealth of items. 38" L x 20" W x 32" H. Approx. shipping weight 68 lbs.



T24064 ~~\$139.95~~ SALE **\$79⁹⁵**

20-PC. TUBE BRUSH SET


If you need an array of materials and sizes for your brushes, look no further! These brushes mount easily with the included quick-change driver and extendable shaft, giving you all you need to clean almost any tube. Overall length 4", includes stainless steel, nylon wire, and brass wire brushes each in sizes 9, 11, 13, 15, 17, and 19mm.



T27774 ~~\$22.50~~ SALE **\$13⁹⁵**

5" MULTI-JAW ROTATING BENCH VISE

This Multi-Jaw Bench Vise is extremely versatile for all wood-holding jobs. Jaws rotate 360° for unlimited workpiece positioning and are able to secure flat stock as well as round stock with the built-in pipe jaws. Vise swivels 360° on its base and there's even an anvil face on top. Jaws measure 5" wide with a 5" max opening.



T27893 ~~\$119.95~~ SALE **\$99⁹⁵**

6-PC. TWEEZER SET

Stainless steel set includes: three lengths of straight fine tipped; one bent fine tipped; one spring-loaded medium tipped; and one slide-lock medium tipped. Lengths range from 4 1/2" to 7" long.



T25295 ~~\$9.95~~ SALE **\$6⁹⁵**

2 SPRAY GUN SET WITH GAUGES, METAL CUPS

- Capacity: 100ml and 600ml
- Tip sizes: 0.8mm and 1.4mm
- Consumption: 5 and 11 CFM
- Operating pressure: 21-51 and 29-51 PSI
- Application: Two gun set for small and large projects
- Small Gun - Low to medium solids
- Large Gun - Medium to high solids

Not compatible with water-based materials



H7671 ~~\$69.95~~ SALE **\$59⁹⁵**

7-PC. FILE SET

This handy assortment of files is your assurance that you'll have just the right size and shape to fill your needs! Set includes an 8" half-round file, 1/4" x 5 1/2" and 3/8" x 10" round files, 6" and 10" flat files, 1/4" x 8" square file, and an 8" triangular file. Contoured, high-impact plastic handles feature hanger slots, so they'll store conveniently above your workbench.



G8073 ~~\$17.95~~ SALE **\$9⁹⁵**

TABLE SAWS

ROUTER TABLE & SLIDING ATTACHMENTS FOR TABLE SAWS WITH 27" DEEP TABLES



ROUTER TABLE SPECIFICATIONS:

- Table size: 27" x 20" • Table T-slots: 3/8" x 3/4"
- Fence size (x 2): 12 1/2" x 2 3/4" x 5/8"
- Table insert size: 4"

SLIDING TABLE SPECIFICATIONS:

- Table size: 47" x 9" *Saw not included. Permanent modifications may be required.*
- Outrigger table size: 13 1/4" x 9"
- Max. table travel: 55" • Max. cross cutting length: 48"

Router Table Attachment

T10222 ~~\$459.95~~ **SALE \$395.00** 

Sliding Table Attachment

T10223 ~~\$649.00~~ **SALE \$595.00** 

10" LEFT-TILTING SUPER HEAVY-DUTY TABLE SAW WITH RIVING KNIFE

MADE IN TAIWAN



FREE!
10" Carbi-Tipped
Blade

- Motor: 3 HP, 240V, single-phase, 3450 RPM, 14A
- Solid cast iron table w/ extension measures: 27" x 40" • Arbor: 5/8"
- Max. depth of cut @ 90°: 3"
- Max. depth of cut @ 45°: 2 1/8"
- Max. dado width: 1 1/16"
- Rip capacity: 8" L, 26" R
- Base dimension: 20 1/2" x 20 1/2"
- Approx. shipping weight: 508 lbs.

G1023RL ~~\$1375.00~~ **SALE \$1295.00**


Heavy-Duty **SHOP FOX®** Mobile Base
D2057A ~~\$74.95~~ **SALE \$64.95** 

10" CABINET TABLE SAW WITH RIVING KNIFE & EXTENSION RAILS



- Motor: 3 HP, 220V, 12.8A, single-phase
- Precision-ground cast iron table w/ extension measures: 27" x 74 3/4"
- Table height: 34" • Arbor: 5/8"
- Arbor speed: 4300 RPM
- Max. dado width: 1 1/16"
- Max. cut height: @ 90°: 3 1/8", @ 45°: 2 3/16"
- Max. rip capacity: 50"
- Approx. shipping weight: 557 lbs.

G0691 ~~\$1725.00~~ **SALE \$1595.00**


Heavy-Duty **SHOP FOX®** Mobile Base
D2057A ~~\$74.95~~ **SALE \$64.95** 

10" HEAVY-DUTY CABINET TABLE SAW WITH RIVING KNIFE

MADE IN TAIWAN



- Motor: 5 HP, 220V/440V*, 12A/ 6A, 3-phase, prewired 220V
- Precision-ground cast iron table w/ extension measures: 27" x 75 3/4"
- Table height: 34 7/8" • Arbor: 5/8"
- Arbor speed: 4000 RPM
- Max. dado width: 3/4"
- Max. cut height: @ 90°: 3 3/16", @ 45°: 2 3/16"
- Max. rip capacity: 52"
- Approx. shipping weight: 716 lbs.


G0652 ~~\$2250.00~~ **SALE \$2095.00** 

10" HYBRID TABLE SAW WITH RIVING KNIFE



- Motor: 2 HP, 120V/ 240V, prewired 120V, single-phase, 15A at 120V, 7.5A at 240V
- Precision-ground cast iron table w/ wings measures: 40 1/2" W x 27" D
- Table height: 35 3/8"
- Arbor: 5/8" • Arbor speed: 3450 RPM
- Max. depth of cut: @ 90° 3 1/4", 45° 2 1/4"
- Rip capacity: 15" L, 30" R
- Overall size: 57 1/4" W x 37 1/2" D x 35 3/8" H
- Footprint: 21" L x 19 1/2" W
- Approx. shipping weight: 330 lbs.

G0771Z ~~\$895.00~~ **SALE \$750.00**


Heavy-Duty **SHOP FOX®** Mobile Base
D2057A ~~\$74.95~~ **SALE \$64.95** 

10" CABINET TABLE SAW WITH RIVING KNIFE



- Motor: 3 HP, 220V, 12.8A, single-phase
- Precision-ground cast iron table w/ extension measures: 27" x 40"
- Table height: 34" • Arbor: 5/8"
- Max. dado width: 1 1/16"
- Max. cut height: @ 90°: 3 1/8", @ 45°: 2 3/16"
- Max. rip capacity: 29 1/2"
- Approx. shipping weight: 530 lbs.

G0690 ~~\$1595.00~~ **SALE \$1495.00**

Heavy-Duty **SHOP FOX®** Mobile Base
D2057A ~~\$74.95~~ **SALE \$64.95** 

10" HEAVY-DUTY CABINET TABLE SAW WITH RIVING KNIFE

MADE IN TAIWAN



- Motor: 3 HP, 220V, single-phase, 13A
- Floor-to-table height: 34 7/8"
- Table size w/ extension: 27" x 75 3/4"
- Arbor speed: 4000 RPM
- Arbor size: 5/8"
- Max. dado width: 3/4"
- Max. depth of cut @ 90°: 3 3/16"
- Max. depth of cut @ 45°: 2 3/16"
- Max. rip capacity: 52"
- Approx. shipping weight: 703 lbs.

G0651 ~~\$2195.00~~ **SALE \$1995.00** 

12" COMPACT SLIDING TABLE SAW



- Motor: 7.5 HP, 220V/ 440V*, prewired for 220V, 3-phase
- Full load amps: 20A/ 10A • Main blade size: 12" • Main blade tilt: 0-45°
- Main blade speed: 4000 RPM • Depth of cut: @ 90° 3 1/2", @ 45° 2 1/2"
- Scoring blade size: 4 3/4" (120mm) • Sliding table size: 63" x 12 3/8"
- Scoring blade speed: 8000 RPM • Scoring blade tilt: 0-45°
- Max. rip capacity: 33" • Length of crosscut: 63"
- Max capacity of crosscut fence: 73 1/4"
- Footprint: 45" x 35"
- Approx. shipping weight: 996 lbs.



G0820 ~~\$5500.00~~ **SALE \$4695.00** 

*To maintain machine warranty, 440V operation requires additional conversion time and a \$250 fee. Please contact technical service for complete information before ordering.

800-523-4777

6" BENCHTOP JOINTER WITH BUILT-IN DUST COLLECTION

- Motor: 1½ HP, 110V, single-phase, 12A
- Cast iron table size: 28½" x 6¼"
- Fence size: 22⅞" x 4⅝"
- Cutterhead knives: 2
- Cutterhead speed: 10,000 RPM
- Max. depth of cut: ⅛"
- CPM: 20,000
- Fence stops: 45° and 90°
- Approx. shipping weight: 80 lbs.



FREE
Pair of Safety
Push Blocks



G0725 ~~\$265.00~~ SALE **\$225.00**



6" BENCHTOP JOINTER WITH SPIRAL CUTTERHEAD



- Motor: 1.5 HP, 120V, single-phase, 12A
- Max width of cut: 6"
- Min workpiece length: 8"
- Max depth of cut (per pass): ⅛"
- Cutterhead speed: 8000 RPM
- Cutterhead dia.: 1⅞"
- Footprint: 19½" x 11"
- Table size: 30⅞" x 6¼"
- Fence size: 22½" x 4⅝"
- Fence stops: 90° and 45°
- Approx. shipping weight: 56 lb.



FREE
Pair of Safety
Push Blocks



G0821 INTRO PRICE **\$385.00**

6" JOINTER WITH KNOCK-DOWN STAND

- Motor: 1 HP, 110V/220V, single-phase, 14A/7A
- Prewired voltage: 110V
- Table size: 6⅝" x 47⅜"
- Number of knives: 3
- Cutterhead speed: 5000 RPM
- Cutterhead dia.: 2½"
- Max. depth of cut: ⅛"
- Max. rabbeting depth: ½"
- CPM: 15,000
- Fence size: 29⅞" L x 4" H
- Approx. shipping weight: 262 lbs.

FREE
Pair of Safety
Push Blocks



Built-in
mobile base!



G0813 ~~\$545.00~~ SALE **\$525.00**



6" X 46" JOINTER WITH SPIRAL CUTTERHEAD

- Motor: 1.5 HP, 120V/240V, single-phase, 15A/7.5A, prewired 110V
- Max. stock width: 6" • Max. depth of cut: ⅛"
- Max. rabbeting capacity: ½"
- Cutterhead dia.: 2½" • CPM: 19,200
- Cutterhead speed: 4800 RPM
- Table size: 7½" x 46"
- Floor-to-table height: 32½"
- Fence size: 5" H x 35" L
- Fence adjustment: positive stops @ ± 45° & 90°
- Overall dimensions: 46¼" L x 28" W x 49" H
- Approx. shipping weight: 268 lbs.



G0452Z ~~\$865.00~~ SALE **\$795.00**

8" JOINTERS

- Motor: 3 HP, 240V, single-phase, TEFC, 3450 RPM, 9A
- Max. depth of cut: ⅛"
- Max. rabbeting capacity: ½"
- Cutterhead knives: 4 HSS; 8" x ¾" x ⅛" (G0656)
- CPM: 20,000 (G0656); 21,400 (G0656X)
- Cutterhead dia.: 3"
- Cutterhead Speed: 4800 RPM
- Approx. shipping weight: 522 lbs.



G0656 shown

4-Knife Cutterhead
G0656 ONLY **\$895.00**

Spiral Cutterhead
G0656X ONLY **\$1295.00**



8" X 76" JOINTERS

- Motor: 3 HP, 240V, single-phase, TEFC, 3450 RPM, 15A
- Max. depth of cut: ⅛" • Max. rabbeting capacity: ½"
- Infeed table size: 8" x 43⅞"
- Cutterhead speed: 4800 RPM
- 21,400 CPM
- Cutterhead knives: 4 HSS, 8" x ¾" x ⅛" (G0490); 40 inserts (G0490X)
- Approx. shipping weight: 562 lbs.



4-Knife Cutterhead
G0490 ~~\$1025.00~~ SALE **\$995.00**

Spiral Cutterhead
G0490X ~~\$1395.00~~ SALE **\$1350.00**



COMBINATION JOINTER/PLANER WITH FIXED TABLES

- Motor: 2 HP, 120V/240V, single-phase, 15A/7.5A
- Jointer table size: 7⅞" x 45⅞"
- Cutterhead knives: 3 HSS-single sided
- Knife size: 6¼" x 9/16" x ⅛"
- Cutterhead dia.: 2⅞" • Speed: 5400 RPM
- Max. planing height: 6"
- Planer feed rate: 11 & 22 FPM
- Planer table size: 19¼" x 14⅞"
- Fence size: 4⅜" x 41⅞"
- Bevel jointing: 0–45° L/R
- Overall dimensions: 46" W x 33" D x 46½" H
- Approx. shipping weight: 418 lbs.



G0809 ~~\$1495.00~~ SALE **\$1395.00**



12" X 83½" PARALLELOGRAM JOINTER WITH SPIRAL CUTTERHEAD

- Motor: 3 HP, 230V, single-phase, 15A
- Precision-ground cast iron table size: 12⅜" x 83½"
- Floor-to-table height: 31⅝"
- Max. depth of cut: ⅛"
- Cutterhead dia.: 3⅜"
- Cutterhead speed: 4300 RPM
- Fence stops: 45°, 90°, and 135°
- Footprint: 84" x 33"
- Approx. shipping weight: 1056 lbs.



FREE
Pair of Safety
Push Blocks



G0609X ~~\$2795.00~~ SALE **\$2650.00**



BANDSAWS

14" BANDSAW

- Motor: 1 HP, 110V/220V (prewired 110V), single-phase, TEFC, 1725 RPM, 11A at 110V, 5.5A at 220V
- Table size: 14" x 14" x 1 1/2"
- Table tilt: 10° left, 45° right
- Floor-to-table height: 43"
- Cutting capacity/throat: 13 1/2"
- Max. cutting height: 6"
- Blade size: 92 1/2" to 93 1/2" (1/8" to 3/4")
- Blade speeds: 1800 & 3100 FPM
- Overall size: 27" W x 67 1/2" H x 30" D
- Approx. shipping weight: 246 lbs.



MADE IN TAIWAN



G0555LX

~~\$575.00~~

SALE

\$525.00



DELUXE 14" BANDSAW

- Motor: 1 HP, 110V/ 220V, (prewired 110V), single-phase, TEFC, 1725 RPM, 11A/ 5.5A
- Precision-ground cast iron table size: 14" x 14"
- Table tilt: 45° right, 10° left
- Floor-to-table height: 43"
- Cutting capacity/throat: 13 1/2"
- Max. cutting height: 6"
- Blade size: 92 1/2" to 93 1/2" (1/8" to 3/4")
- Blade speeds: 1800 & 3100 FPM
- Overall size: 27" W x 67 1/2" H x 30" D
- Approx. shipping weight: 247 lbs.



MADE IN TAIWAN



G0555LANV

~~\$575.00~~

SALE

\$525.00



14" HEAVY-DUTY BANDSAW

- Motor: 1 1/2 HP, 110V/ 220V, single-phase, 1725 RPM, 15A/ 7.5A, (prewired 110V)
- Precision-ground cast iron table size: 20 1/2" x 14" x 1 1/2"
- Table tilt: 45° right, 15° left
- Floor-to-table height: 44"
- Cutting capacity/throat: 13 1/2"
- Max. cutting height: 6"
- Blade size: 92 1/2" to 93 1/2" (1/8" to 3/4")
- Overall size: 30" W x 26" D x 67 1/4" H
- Approx. shipping weight: 259 lbs.



EXTREME SERIES

MADE IN TAIWAN



MADE IN AN ISO 9001 RATED FACTORY

G0555X

~~\$859.00~~

SALE

\$795.00



SUPER HEAVY-DUTY 14" RESAW BANDSAW WITH FOOT BRAKE

- Motor: 2 HP, 110V/ 220V (prewired 110V), single-phase, TEFC, 1720 RPM, 15A at 110V, 7.5A at 220V
- Table size: 21 3/4" L x 16 1/2" W • Table tilt: 5°, 45°
- Floor-to-table height: 37"
- Max cutting width: 13 1/2"
- Max cutting height: 14"
- Blade size: 120" (1/8" to 3/4")
- Blade speeds: 2820 FPM
- Overall size: 29" W x 32 1/2" D x 76" H
- Footprint: 24" L x 18" W
- Approx. shipping weight: 388 lb.



New!

G0817

INTRO PRICE

\$1295.00



17" HEAVY-DUTY BANDSAW

- Motor: 2 HP, 110V/ 220V, single-phase, TEFC, (prewired 220V), 1725 RPM, 60 Hz, 20A/ 10A
- Precision-ground cast iron table size: 17" x 17" x 1 1/2" thick
- Table tilt: 45° right, 10° left
- Floor-to-table height: 37 1/2"
- Cutting capacity/throat: 16 1/4" left of blade
- Max. cutting height: 12 1/8"
- Blade size: 131 1/2"
- Blade sizes available: 1/8"-1"
- Blade speeds: 1700 & 3500 FPM
- Approx. shipping weight: 342 lbs.



MADE IN TAIWAN



G0513ANV

~~\$925.00~~

SALE

\$875.00



17" HEAVY-DUTY BANDSAW WITH CAST IRON WHEELS

- Motor: 2 HP, 110V/220V, single-phase, TEFC, (prewired 220V), 60 Hz
- Precision-ground cast iron table size: 23 5/8" x 17 1/4" x 1 1/2"
- Table tilt: 45° right, 5° left
- Floor-to-table height: 37 1/2"
- Cutting capacity/throat: 16 1/4" left of blade
- Max. cutting height: 12"
- Blade size: 131 1/2"
- Blade sizes available: 1/8"-1"
- Blade speeds: 1700 & 3500 FPM
- Approx. shipping weight: 418 lbs.



EXTREME SERIES

MADE IN TAIWAN



MADE IN AN ISO 9001 RATED FACTORY

G0513X2

~~\$1150.00~~

SALE

\$1050.00



19" HEAVY-DUTY BANDSAW WITH MOTOR BRAKE

- Motor: 3 HP, 220V, single-phase, TEFC, 60 Hz, 1725 RPM
- Precision-ground cast iron table size: 26 3/4" x 19" x 1 1/2" thick
- Floor-to-table height: 37 1/2"
- Cutting capacity/throat: 18 1/4"
- Max. cutting height: 12"
- Blade size: 143"
- Blade sizes available: 1/8"-1 1/4"
- Blade speeds: 1700 & 3500 FPM
- Overall size: 36" W x 76" H x 32" D
- Approx. shipping weight: 512 lbs.



EXTREME SERIES

MADE IN TAIWAN



MADE IN AN ISO 9001 RATED FACTORY

G0514X2B

~~\$1795.00~~

SALE

\$1625.00



24" INDUSTRIAL BANDSAW WITH TILTING GEARED TABLE

- Motor: 7 1/2 HP, 3-phase, 220V/440V* (prewired 220V)
- Precision-ground cast iron table size: 33 1/2" x 23 5/8" x 2"
- Floor-to-table height: 32 1/2"
- Cutting capacity/throat: 24 1/2"
- Max. cutting height: 16 1/4"
- Blade size: 180"-181 1/2"
- Blade speed: 5300 FPM
- Overall size: 48" W x 83 1/2" H x 32" D
- Approx. shipping weight: 962 lbs.



MADE IN TAIWAN

MADE IN AN ISO 9001 RATED FACTORY

G0569

~~\$3250.00~~

SALE

\$3095.00



*To maintain machine warranty, 440V operation requires additional conversion time and a \$250 fee. Please contact technical service for complete information before ordering.

800-523-4777

FOLLOW US ON



5-SPEED BABY DRILL PRESS

Perfect for the small shop, this tough little guy won't get in your way when things get cramped. Put it away on the shelf when finished. Fantastic compact solution and great for miniature work!

- Motor: 1/3 HP, 110V, single-phase, ODP
- Swing: 8"
- Drill chuck: 1/64"-1/2"
- Drilling capacity: 1/2" steel
- Spindle travel: 2"
- Speeds: 620, 1100, 1720, 2340, 3100 RPM
- Collar size: 1.570"
- Precision-ground cast iron table size: 6 1/2" square
- Table swing: 360°
- Table tilts: 90° left & right
- Overall height: 23"
- Approx. shipping weight: 45 lbs.



G7942 ~~\$125.00~~ **SALE** **\$109⁹⁵**

12-SPEED HEAVY-DUTY BENCHTOP DRILL PRESS

All the features and dependability of an expensive industrial grade drill press—with a price tag that's astoundingly low.

- Motor: 3/4 HP, 110V, single-phase
- Swing: 14"
- Drill chuck: 1/64"-5/8"
- Drilling capacity: 3/4" steel
- Spindle travel: 3 1/4"
- Speeds: 140-3050 RPM
- Collar size: 2.595"
- Table swing: 360°
- Table tilts: 90° left & right
- Overall height: 38"
- Approx. shipping weight: 154 lbs.



G7943 ~~\$349.95~~ **SALE** **\$295⁰⁰**



12-SPEED 17" FLOOR DRILL PRESS

If you use your drill press commercially and need power and capacity, this is one drill press you should look at seriously. Note the 4 3/4" spindle travel!

- Motor: 1 HP, 110V/220V, single-phase, prewired 110V
- Swing: 17"
- Precision-ground cast iron table size: 13 3/8" square
- Drill chuck: 1/64"-5/8"
- Drilling capacity: 1" steel
- Spindle travel: 4 3/4"
- Speeds: 210-3300 RPM
- Quill flange/collar diameter: 2.85"
- Table swing: 360°
- Table tilts: 90° left & right
- Overall height: 70"
- Approx. shipping weight: 283 lbs.



G7947 ~~\$599.95~~ **SALE** **\$539⁹⁵**



Includes built-in light

12-SPEED 20" FLOOR DRILL PRESS

The #4 MT spindle taper, 1 1/2 HP motor, and precision-ground T-slotted table will handle just about any drilling job.

- Motor: 1 1/2 HP, 110V/220V, single-phase, prewired 110V
- Swing: 20"
- Drill chuck: 1/64"-5/8"
- Drilling capacity: 1 1/4" steel
- Spindle taper: MT#4
- Spindle travel: 4 3/4"
- Speeds: 210-3300 RPM
- Collar size: 3.642"
- Precision-ground cast iron table size: 18 3/4" x 16 3/4"
- Overall height: 70 3/4"
- Approx. shipping weight: 331 lbs.



G7948 ~~\$725.00~~ **SALE** **\$649⁹⁵**



Includes built-in light

DRILL PRESS WITH AUTO DOWNFEED

If you use your drill press commercially, and need power and capacity, this is one drill press you should take a serious look at. Note the 4 1/8" spindle travel!

- Motor: 2 HP, 220V, single-phase, 1720 RPM, 8.6A
- Swing: 15" • Drill chuck: 1/64"-1/2"
- Drilling capacity: 1 1/8" mild steel
- Spindle taper: R-8
- Spindle travel: 4 1/8"
- Max. movement of head: 7 13/16"
- Number of speeds: 12 (140-2436 RPM)
- Precision-ground cast iron table size: 14" x 15"
- Table swing: 360° • Table tilt: 60° left & right
- Table T-slots: 1/2" (2) • Vertical table travel: 23 1/2"
- Column diameter: 4 1/2" • Overall height: 67"
- Footprint: 18" W x 26" D
- Shipping weight: 772 lb.



G0823 ~~\$1750.00~~ **SALE** **\$1595⁰⁰**



Includes built-in light

HEAVY-DUTY GEARHEAD DRILL PRESS

The #4 MT spindle taper, 2 HP motor, and precision-ground T-slotted table will handle just about any drilling job.

- Motor: 2 HP, 220V, single-phase, 1720 RPM, 8.6A
- Swing: 23 3/8" • Max. distance spindle-to-table: 26 1/2"
- Table size: 19 5/8" L x 18" W x 1 3/4" H
- Vertical table travel: 24 3/8"
- Table swivel: 360° • Table tilt (left/right): 60°
- Vertical head travel: 10 1/2" • Head tilt (left/right): 90°
- Spindle speeds: 90-1970 RPM
- Spindle taper: R-8 • Quill diameter: 21 15/16"
- Drawbar thread size: 7/16"-20 • Drawbar length: 17 3/4"
- Drilling capacity: Cast iron—1 1/2", steel—1 1/4"
- T-Slot width: 3/16" (2 on table, 2 on base)
- Overall dimensions: 25" W x 80" H x 33" D
- Footprint: 26" L x 18" D
- Approx. shipping weight: 786 lbs.



G0779 ~~\$1775.00~~ **SALE** **\$1595⁰⁰**



SPIRAL CUTTERHEADS

BYRD®

Manufactured in the USA by Byrd®, these indexable carbide-insert cutterheads are very well made and leave a great finish. The inserts are positioned along a spiral pattern, and rotate at a slight angle for a shearing action that leaves a glassy, smooth cut on the toughest of woods. Each cutterhead comes with included inserts plus a few extras.



H7765

| WIDTH | MODEL | PRICE |
|---------------------------------|--------|---------------------|
| 6" w/ 30 Inserts | H7764 | \$309 ⁹⁵ |
| | H9218 | \$329 ⁹⁵ |
| | H7765 | \$425 ⁰⁰ |
| 8" w/ 40 Inserts | H8803 | \$425 ⁰⁰ |
| | T23860 | \$369 ⁹⁵ |
| | T27622 | \$369 ⁹⁵ |
| 12" w/ 50 Inserts | T27623 | \$369 ⁹⁵ |
| | H9291 | \$735 ⁰⁰ |
| REPLACEMENT CARBIDE INSERTS | | |
| 15 x 15 x 2.5mm Inserts, 10 pk. | | |
| H7354 | SALE | \$34 ⁹⁵ |

GRIZZLY®

Replacements for the standard straight-knife cutterhead. Each cutterhead has four spirals with indexable carbide inserts.

Comparable to Byrd® in quality of cut, as well as the quality of the cutterhead itself. Included: cast iron pulley, bearing blocks, mounting studs, T-handle wrench, 5 extra inserts, and insert screws.



H7654

MADE IN TAIWAN

| WIDTH | MODEL | SALE |
|------------------|-------|---------------------|
| 6" w/ 34 Inserts | H7653 | \$309 ⁹⁵ |
| 8" w/ 40 Inserts | H7654 | \$379 ⁹⁵ |

These 4-spiral cutterheads are factory replacements for our W series 8" jointers.



T27454

| WIDTH | MODEL | SALE |
|------------------|--------|---------------------|
| 8" w/ 34 Inserts | T27454 | \$425 ⁰⁰ |
| 8" w/ 40 Inserts | T27449 | \$425 ⁰⁰ |

These Cutterheads feature 4 spirals and carbide inserts for an incredible finish.

| WIDTH | MODEL | SALE |
|-------------------|--------|---------------------|
| 6" w/ 30 Inserts | T27698 | \$215 ⁰⁰ |
| | T27699 | \$215 ⁰⁰ |
| 8" w/ 40 Inserts | T27713 | \$275 ⁰⁰ |
| | T27697 | \$275 ⁰⁰ |
| 12" w/ 96 Inserts | T27696 | \$550 ⁰⁰ |



REPLACEMENT CARBIDE INSERTS

| | | |
|-------------------------------|------|--------------------|
| 14 x 14 x 2mm Inserts, 10 pk. | | |
| T27714 | SALE | \$36 ⁹⁵ |

CROSS REFERENCE FOR JOINTERS

| JOINTER MFG MODEL # | BRIDGEWOOD | GENERAL | GRIZZLY | | JET | POWERMATIC | RIDGID | SHOP FOX | SUNHILL |
|---------------------------|-------------------|--------------------------|------------------------------------------------------------|--------------------------|-------------------------------|---------------------------------|--------------------------|--------------------------|--------------------------|
| | BW-6R | 80-100L 80-150L | G0452 series G0654 G1182 series (mfg. since 2003) | G0604 G0604X | JJ-60S JJ-6CSDX JJ-6CSX | 1791279DX-54A 1791279DXK-54A | JP0610 | W1679 W1745 | CT-60L SM-150 |
| | 6" CUTTERHEADS | H7764 H7653 T27698 | H7764 H7653 T27698 | H7764 H7653 T27698 | H9218 — T27699 | H7764 H7653 T27698 | H7764 H7653 T27698 | H7764 H7653 T27698 | H7764 H7653 T27698 |

| JOINTER MFG MODEL # | BRIDGEWOOD | DELTA | GEETECH | GRIZZLY | | | | | | JET | SHOP FOX | | SUNHILL |
|---------------------------|-------------------|----------------|-------------------|-----------------|-------------------|------------------|-----------------|-------------------|------------------|----------------|-----------------|------------|----------------|
| | BW8J | DJ-20 | CT-200 CT-204L | G0490 G0490X | G0490W G0490XW | G0500 G0586 | G0656 G0656P | G0656W G0656XW | G1018 | JJ-8CS | W1684 W1741S | SM-204 | |
| | 8" CUTTERHEADS | H7765 H7654 | H8803 — | H7765 H7654 | H8803 T27697 | T27622 T27449 | H7765 H7654 | T23860 T27713 | T27623 T27454 | H7765 H7654 | H7765 H7654 | H8803 — | H7765 H7654 |

| JOINTER MFG MODEL # | GRIZZLY | JET | OLIVER | POWERMATIC | SHOP FOX | | YORKCRAFT |
|---------------------------|--------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| | G0609 G0609X | JJ-12 | 4255 | P1285 | W1744 | W1744S | YC-12J |
| | 12" CUTTERHEADS | H9291 T27696 | H9291 T27696 | H9291 T27696 | H9291 T27696 | H9291 T27696 | H9291 T27696 |

BYRD®

Made in the USA by Byrd®, these indexable carbide-insert cutterheads are very well made and leave a great finish. The inserts are positioned along a spiral pattern, and rotate at a slight angle for a shearing action that leaves a glassy, smooth cut on the toughest of woods. Each cutterhead comes with included inserts plus a few extras.



H7768

| WIDTH | MODEL | PRICE |
|--------------------|--------|---------------------|
| 15" w/ 75 Inserts | H7768 | \$695 ⁰⁰ |
| 15" w/ 75 Inserts | T27625 | \$655 ⁰⁰ |
| 20" w/ 100 Inserts | H7769 | \$995 ⁰⁰ |
| 20" w/ 100 Inserts | T27626 | \$985 ⁰⁰ |

REPLACEMENT CARBIDE INSERTS

15 x 15 x 2.5mm Inserts, 10 pk.

H7354 SALE \$34⁹⁵

GRIZZLY®

Replacements for the standard straight-knife cutterhead. Each cutterhead has four spirals with indexable carbide inserts.

Comparable to Byrd® in quality of cut, as well as the quality of the cutterhead itself. Included: T-handle wrench, 5 extra inserts, and insert screws.

MADE IN TAIWAN



H7655

| WIDTH | MODEL | SALE |
|-------------------|-------|---------------------|
| 15" w/ 72 Inserts | H7655 | \$725 ⁰⁰ |
| 20" w/ 96 Inserts | H7656 | \$850 ⁰⁰ |

These 4-spiral cutterheads are factory replacements for our W series 8" planers.



T27451

| WIDTH | MODEL | SALE |
|-------------------|--------|----------------------|
| 15" w/ 74 Inserts | T27451 | \$825 ⁰⁰ |
| 20" w/ 98 Inserts | T27452 | \$1075 ⁰⁰ |

These four-sided carbide inserts fit all Grizzly Spiral Cutterheads. Inserts can be rotated four times for a new factory-sharp edge.



| WIDTH | MODEL | SALE |
|--------------------|--------|---------------------|
| 15" w/ 75 Inserts | T27695 | \$479 ⁹⁵ |
| 20" w/ 100 Inserts | T27694 | \$650 ⁰⁰ |

REPLACEMENT CARBIDE INSERTS

14 x 14 x 2mm Inserts, 10 pk.

T27714 SALE \$36⁹⁵

CROSS REFERENCE FOR PLANERS

| PLANER MFG MODEL # | BRIDGEWOOD | DELTA | GENERAL | GRIZZLY | | JET | POWERMATIC | SHOP FOX | SUNHILL | WOODTEK |
|--------------------------|------------|------------------------------------------------------------|-----------------------|-----------------------------------------|-------------------|----------|------------------------|--------------------------------------------|------------------|---------|
| | BW15P | 22-675 22-780 22-785 22-790X 22-790X5 DC380 | 30-1H7655 30-125CE | G0453 G0550 G0551 G1021 series | G0453W G0453ZW | JWP-15CS | 1791209 1791210-15S | W1692 W1723 W1724 W1742 W1742S | CT-382 CT-38B | 855266 |
| 15" CUTTERHEADS | H7768 | H7768 | H7768 | H7768 | T27625 | H7768 | H7768 | H7768 | H7768 | H7768 |
| | H7655 | H7655 | H7655 | H7655 | T27451 | H7655 | H7655 | H7655 | H7655 | H7655 |
| | T27695 | T27695 | T27695 | T27695 | — | T27695 | T27695 | T27695 | T27695 | T27695 |

| PLANER MFG MODEL # | BRIDGEWOOD | GENERAL | GRIZZLY | | JET | POWERMATIC | SHOP FOX | SUNHILL | WOODTEK |
|--------------------------|------------|---------|------------------------------|-------------------|----------------------|------------|--------------------------------------------|---------|---------|
| | BW20P | 30-300 | G0454 series G1033 series | G0454W G0454ZW | JWP-208 JWP-208-1 | 209 | W1683 W1718 W1747 W1754 W1754S | CT-508 | 924083 |
| 20" CUTTERHEADS | H7769 | H7769 | H7769 | T27626 | H7769 | H7769 | H7769 | H7769 | H7769 |
| | H7656 | H7656 | H7656 | T27452 | H7656 | H7656 | H7656 | H7656 | H7656 |
| | T27694 | T27694 | T27694 | — | T27694 | T27694 | T27694 | T27694 | T27694 |

PLANERS

13" BENCHTOP PLANNER WITH BUILT-IN DUST COLLECTION

- Motor: 2 HP, 120V, single-phase, 18A
- Max. cutting width: 13", Height: 6", Depth: 1/8"
- Number of knives: 3 (reversible HSS)
- Knife size: 13" x 1/2" x 1/16"
- Feed rate: 26 FPM
- Cutterhead speed: 9000 RPM
- Number of CPI: 87
- Dust port: 2 1/2"
- Footprint: 22 1/2" L x 13" W
- Approx. shipping weight: 71 lbs.

Includes dust collection bag!



G0832 INTRO PRICE **\$355⁰⁰**



15" HEAVY-DUTY PLANNER

- Motor: 3 HP, 240V, single-phase, 14A
- Max. cutting width: 15", Depth: 1/8"
- Max. stock thickness: 6 3/8", Min: 1/4"
- Min. stock length: 6 3/8"
- Feed rate: 16 & 30 FPM
- Cutterhead dia.: 3"
- Number of knives: 3 HSS
- Knife size: 15" x 1" x 1/8"
- Cutterhead speed: 5000 RPM
- Table size: 20 1/8" x 15" x 3 1/2"
- Overall size: 32" W x 28" D x 23 1/2" H
- Approx. shipping weight: 382 lbs.



T27650
Optional
Stand

G0815 ~~\$1150.00~~ SALE **\$925⁰⁰**
Planer Stand for G0815
T27650 ~~\$83.95~~ SALE **\$69⁹⁵**



15" PLANNER WITH 3 KNIFE CUTTERHEAD

- Motor: 3 HP, 220V, single-phase, 15A
- Max. cutting width: 15"
- Max. stock thickness: 8"
- Min. stock thickness: 3/16"
- Min. stock length: 8"
- Max. cutting depth: 1/8"
- Feed rate: 16 & 30 FPM
- Cutterhead dia.: 3"
- Number of knives: 3
- Cutterhead speed: 4800 RPM
- Power feed rollers: solid serrated steel
- Precision-ground table size: 15" x 20"
- Overall size: 32 1/2" W x 42" D x 45 7/8" H
- Approx. shipping weight: 675 lbs.

Built-In
Mobile Base!



G0453 ONLY **\$1250⁰⁰**

Precision-ground cast iron bed
& infeed outfeed tables

15" PLANNER WITH SPIRAL CUTTERHEAD

- Motor: 3 HP, 240V, single-phase
- Max. cutting width: 15"
- Max. stock thickness: 8"
- Min. stock thickness: 3/16"
- Min. stock length: 8"
- Max. cutting depth: 1/8"
- Feed rate: 16 & 30 FPM
- Cutterhead dia.: 3"
- Number of indexable carbide inserts: 74
- Cutterhead speed: 4800 RPM
- Power feed rollers: solid serrated steel
- Precision-ground table size: 15" x 20"
- Overall size: 32 1/2" W x 42" D x 45 7/8" H
- Approx. shipping weight: 672 lbs.

Built-In Mobile Base!



G0453Z ONLY **\$1795⁰⁰**

20" PLANERS

- Motor: 5 HP, 240V, single-phase, 19A
- Max. cutting width: 20"
- Min. stock length: 8"
- Max. cutting depth: 1/8"
- Feed rate: 16 & 20 FPM
- Cutterhead dia.: 3 1/8"
- Number of knives: 4 HSS
- Cutterhead speed: 4800 RPM
- Table size: 20" x 25 3/4"
(20" x 55 1/2" w/ extension)
- Overall size: 39 1/2" W x 55 1/2" D x 45 7/8" H
- Approx. shipping weight: 932 lbs.

Built-In
Mobile Base!



4-Knife Cutterhead
G0454 ~~\$1750.00~~ SALE **\$1495⁰⁰**

Spiral Cutterhead
G0454Z ~~\$2575.00~~ SALE **\$1895⁰⁰**



20" PLANNER WITH SPIRAL CUTTERHEAD

- Motor: 5 HP, 220V, single-phase
- Max. cutting width: 20"
- Min. stock length: 7"
- Max. cutting depth: 1/8"
- Feed rate: 16 & 20 FPM
- Cutterhead dia.: 3 1/4"
- Cutterhead speed: 5000 RPM
- Table size: 25 3/4" x 20"
(56" x 20" w/ extensions)
- Overall size: 39" W x 56" D x 41" H
- Approx. shipping weight: 909 lbs.



The predecessor to this Planer received these awards



G1033X ~~\$3225.00~~ SALE **\$3095⁰⁰**



1 HP SHAPER WITH ROUTER BIT ADAPTER

- Motor size: 1 HP, 110V, single-phase, 14A
- Table size: 15 $\frac{1}{2}$ " x 17 $\frac{7}{8}$ "
- Floor-to-table height: 34 $\frac{1}{4}$ "
- Table counterbore: 3" dia. x $\frac{3}{8}$ " D
- Spindle travel: $\frac{7}{8}$ "
- Spindle dia.: $\frac{1}{2}$ "
- Spindle length: 5 $\frac{1}{4}$ "
- Spindle capacity under nut: 1 $\frac{9}{16}$ "
- Spindle speed: 11,000 RPM
- Overall height (including fence): 40"
- Overall depth: 23"
- Overall width: 20 $\frac{1}{2}$ "
- Approx. shipping weight: 222 lb.



G0510Z ONLY ~~\$435.00~~
Mini SHOP FOX® Mobile Base
D2260A ~~\$62.95~~ SALE **\$56.95**

2 HP SHAPER

- Motor size: 2 HP, 120V/240V, 18A/9A single-phase, prewired 240V
- Table size: 24" x 21"
- Spindle travel: 3"
- Spindle sizes: $\frac{1}{2}$ " and $\frac{3}{4}$ " (included)
- Spindle speeds: 7000 & 10,000 RPM
- Max. cutter dia.: 5"
- Approx. shipping weight: 290 lbs.

MADE IN TAIWAN



2 YEAR WARRANTY! **SHOP FOX**

W1674 ~~\$1025.00~~ SALE **\$964.00**
Heavy-Duty SHOP FOX® Mobile Base
D2057A ~~\$74.95~~ SALE **\$64.95**



PROFESSIONAL SPINDLE SHAPERS

- Motor: 5 HP, 220V, single-phase, TEFC (G5912Z)
- 7 $\frac{1}{2}$ HP, 220V/440V*, 3-phase (G7214Z)
- Table size: 35 $\frac{1}{2}$ " x 28"
- Table counterbore: 7" x $\frac{5}{8}$ " D
- Spindle travel: 3 $\frac{1}{4}$ "
- Spindle sizes: $\frac{3}{4}$ ", 1", 1 $\frac{1}{4}$ "
- Spindle capacity: 5 $\frac{1}{8}$ " (1 $\frac{1}{4}$ " spindle)
- Spindle speeds: 3600, 5100, 8000, 10,000 RPM
- Max. cutter dia.: 5 $\frac{7}{8}$ "
- Overall size: 35 $\frac{1}{2}$ " W x 42" H x 34 $\frac{3}{4}$ " D
- Approx. shipping weight: 604 lbs.



5 HP **G5912Z** ~~\$2775.00~~ SALE **\$2595.00**
 7 $\frac{1}{2}$ HP **G7214Z** ~~\$2995.00~~ SALE **\$2850.00**



1 $\frac{1}{2}$ HP SHAPERS

- Heavy-duty motor: 1 $\frac{1}{2}$ HP, 120V/240V, 12A/6A, single-phase, prewired 120V
- Precision-ground cast iron table size: 20 $\frac{1}{4}$ " x 18"
- Floor-to-table height: 33 $\frac{1}{2}$ "
- Spindle travel: 3"
- 2 interchangeable spindles: $\frac{1}{2}$ " and $\frac{3}{4}$ "
- Spindle openings: 1 $\frac{1}{4}$ ", 3 $\frac{1}{2}$ ", 5"
- Spindle speeds: 7000 & 10,000 RPM
- Max. cutter dia.: 5"
- Approx. shipping weight: 221 lbs.

MADE IN TAIWAN

G1035 shown w/
G1706 optional wing



G1035 ~~\$615.00~~ SALE **\$575.00**
Mini SHOP FOX® Mobile Base
D2260A ~~\$62.95~~ SALE **\$56.95**
Optional Cast Iron Wing (20" x 10")
G1706 ~~\$109.95~~ SALE **\$99.95**



3 HP SHAPER

- Motor: 3 HP, 240V, single-phase, w/ reversing switch, 12A
- Precision-ground cast iron table size w/ extension wing attached: 30 $\frac{1}{2}$ " x 28 $\frac{1}{4}$ "
- Floor-to-table height: 34"
- Spindle travel: 3"
- 3 interchangeable spindles: $\frac{1}{2}$ ", $\frac{3}{4}$ ", 1"
- Spindle openings on table: 1 $\frac{1}{4}$ ", 3", 4", 7"
- Spindle speeds: 7000 & 10,000 RPM
- Approx. shipping weight: 392 lbs.

MADE IN TAIWAN



G1026 ~~\$1195.00~~ SALE **\$1095.00**
Heavy-Duty SHOP FOX® Mobile Base
D2057A ~~\$74.95~~ SALE **\$64.95**



PROFESSIONAL TILTING SPINDLE SHAPERS

- Motor: 5 HP, 220V, single-phase (G5913Z)
- 7 $\frac{1}{2}$ HP, 220V/440V*, 3-phase (G7215Z)
- Table size: 28" x 35 $\frac{1}{2}$ "
- Table counterbore: 7" x $\frac{5}{8}$ " D
- Spindle travel: 3 $\frac{1}{4}$ "
- Spindle tilt: 45°
- Spindle sizes: $\frac{3}{4}$ ", 1", and 1 $\frac{1}{4}$ "
- Spindle speeds: 3600, 5100, 8000, 10,000 RPM
- Spindle capacity under nut: 5 $\frac{1}{8}$ " (1 $\frac{1}{4}$ " spindle)
- Max. cutter dia.: 5 $\frac{7}{8}$ "
- Overall size: 35 $\frac{1}{2}$ " W x 43" H x 39" D (to top of switch)
- Approx. shipping weight: 702 lbs.



5 HP **G5913Z** ~~\$3250.00~~ SALE **\$2995.00**
 7 $\frac{1}{2}$ HP **G7215Z** ~~\$3375.00~~ SALE **\$3195.00**



*To maintain machine warranty, 440V operation requires additional conversion time and a \$250 fee. Please contact technical service for complete information before ordering.

POWER FEEDERS

BABY POWER FEEDER

ONE YEAR WARRANTY!

- Motor: 1/8 HP, 120V, single-phase, 1.2A
- Variable speed range: 6 1/2 - 39 FPM
- Rollers: 3, synthetic rubber, 1 3/16" W x 3" dia.
- Rotation: forward and reverse
- Max. height of rollers: 6"
- Vertical movement: 10 1/4"
- Horizontal movement: 10 1/4"
- Shipping weight approx. 27 lbs.

- Forward and reverse
- X Y Z axis adjustment
- Multiple feed speeds

MADE IN TAIWAN



MADE IN AN ISO 9001
RATED FACTORY

G4173

~~\$415.00~~

SALE

\$375.00

EASY-FEEDER VS POWER FEEDER

MADE IN TAIWAN

- Motor: BLDC 1/2 HP, 220V, single-phase, 1.8A
- Feed speeds: 7-72 FPM
- Number of rollers: 3
- Roller size: 2 7/16" W x 4 3/4" dia.
- Vertical movement: 9 7/8"
- Horizontal movement: 17"
- Approx. shipping weight: 125 lb.

Includes heavy-duty
smart stand!

New!

BLDC motor provides
energy-efficient,
high-torque, variable-
speed feed control
from a single-phase
power supply



High-efficiency green technology
(50% less power output than same size power feeder)

G0826

~~\$795.00~~

SALE

\$725.00



1 HP POWER FEEDERS

MADE IN TAIWAN

- Motor: 1 HP, 240V, single-phase or 3-phase
- Number of speeds: 4
- Feed speeds: 13-66 FPM
- Max. height of rollers: 7"
- Vertical movement: 9"
- Horizontal movement: 17"
- Rollers: 3, synthetic rubber, 2 1/4" W x 4 5/8" dia.
- Approx. shipping weight: 144 lbs.

MADE IN AN ISO 9001
RATED FACTORY

G4181 shown



Single-Phase

G4181

~~\$1025.00~~

SALE

\$925.00

3-Phase

G7873

~~\$995.00~~

SALE

\$895.00



1/4 HP POWER FEEDER

- Motor: 1/4 HP, 120V, single-phase, 2.5A
- Number of speeds: 4
- Feed speeds: 20-43 FPM
- Rollers: 3, synthetic rubber, 1 3/16" W x 3 1/8" dia.
- Rotation: forward & reverse
- Max. height of rollers: 6"
- Vertical movement: 6 1/2"
- Horizontal movement: 10"
- Approx. shipping weight: 79 lbs.

MADE IN AN ISO 9001
RATED FACTORY

OUR MOST POPULAR FEEDER

MADE IN TAIWAN



G4176

~~\$585.00~~

SALE

\$525.00



1/2 HP POWER FEEDER

MADE IN TAIWAN

- Motor: 1/2 HP, 220V, single-phase, 4A
- Number of speeds: 4
- Feed speeds: 9.5-38 FPM
- Rollers: 3, synthetic rubber, 2" W x 4" dia.
- Rotation: forward and reverse
- Max. height of rollers: 7"
- Vertical movement: 9"
- Horizontal movement: 16"
- Approx. shipping weight: 107 lbs.

- Forward and reverse
- X Y Z axis adjustment
- Multiple feed speeds

MADE IN AN ISO 9001
RATED FACTORY



G4179

~~\$925.00~~

SALE

\$850.00





TRACK FEEDERS WITH 4 SPEEDS

MADE IN TAIWAN

- Motor: 1 HP, 220V, single-phase or 3-phase
- Number of speeds: 4
- Feed speeds: 14.5-78 FPM
- Number of rollers: 5
- Track size: 44" x 1/2" x 3 pieces
- Track suspension: 3/4"
- Min. workpiece length: 8"
- Vertical movement: 9 1/2"
- Horizontal movement: 24 1/4"
- Approx. shipping weight: 150 lbs.

MADE IN AN ISO 9001
RATED FACTORY



G1135 shown

Single-Phase

G1135

~~\$1475.00~~

SALE

\$1325.00

3-Phase

G1168

~~\$1475.00~~

SALE

\$1325.00



1" X 30" BELT / 5" DISC SANDER

- Motor: 1/3 HP, 110V, single-phase, 3450 RPM, 2.5A
- Tables tilt: 45°
- Belt sander table size: 5 1/8" x 5 1/8"
- Disc sander table size: 4" x 7 5/16"
- Platen size: 1" x 3"
- Tracking adjustment
- Direct drive
- Two dust ports: 1 3/4", 1 13/16"
- Takes standard 1" x 30" belts & 5" PSA discs
- Approx. shipping weight: 21 lbs.



H6070 ~~\$115.00~~ SALE **\$99⁹⁵**

OSCILLATING SPINDLE SANDER

- Motor: 1/2 HP, 120V, single-phase, 3.5A, 60Hz
- 58 oscillations per minute
- Spindle speed: 2000 RPM
- Spindle diameter: 1/2"
- 1 1/2" dust port

Includes:

5 rubber sanding drums: 3/4", 1", 1 1/2", 2", 3"
6 sanding sleeves: 1/2", 3/4", 1", 1 1/2", 2", 3"
6 table inserts: 1/2", 3/4", 1", 1 1/2", 2", 3"
3 spindle washers: 5/8", 7/8", 1 1/4"
Arbor wrench



G0739 ~~\$150.00~~ SALE **\$139⁹⁵**

BENCHTOP OSCILLATING SPINDLE SANDER

- Motor: 1/4 HP, 120V, single-phase, 2.6A, 60 Hz
- 1725 RPM spindle speed (no load)
- ON/OFF safety paddle switch with locking tab
- 18" diameter cast iron table
- 1" spindle stroke
- Spindle oscillates at 30 SPM
- 2" dust port
- Approx. shipping weight: 56 lbs.

Includes six 100-grit 4 1/2" tall sanding sleeves: 1/2", 3/4", 1", 1 1/2", 2", five spindle washers, and 5 table inserts.



G0723 ~~\$215.00~~ SALE **\$189⁹⁵**

OSCILLATING EDGE BELT AND SPINDLE SANDER

- Motor: 1/2 HP, 120V, 3.5A
- Table tilt: 0-45°
- 5 sanding drums: 1/2", 3/4", 1", 1 1/2", 2"
- Sanding belt speed: 1575 FPM
- Spindle speed: 2000 RPM
- Spindle oscillation: 5/8", 58 OPM
- Sanding belt size: 4" x 24"
- Approx. shipping weight: 32 lbs.

Includes 80-grit hard sleeves and sanding belt
MADE IN AN ISO 9001 RATED FACTORY



T27417 ~~\$229.95~~ SALE **\$199⁹⁵**

COMBINATION 2" BELT / 6" DISC SANDER

- Motor: 1/3 HP, 110V, single-phase, 3450 RPM, 2.6A
- Belt size: 2" x 27"
- Disc size: 6"
- Two 1 1/2" dust ports
- Fully-adjustable work light
- Approx. shipping weight: 31 lbs.

Includes one 80-grit belt and disc, miter gauge, and sliding tray



H7761 ~~\$129.95~~ SALE **\$109⁹⁵**

BENCHTOP OSCILLATING SPINDLE SANDER

- Motor: 1/3 HP, 110V, single-phase, 4A, 60 Hz, 1725 RPM
- Extra large 20" x 14" table
- Spindle oscillates at 72 SPM
- 2 1/2" dust port
- Approx. shipping weight: 36 lbs.

Includes six 4 1/2" tall sanding drums, three 80-grit sleeves (1/2", 1", and 2"), three 150-grit sleeves (3/4", 1 1/2", and 3") and six table inserts.



G0538 ~~\$175.00~~ SALE **\$149⁹⁵**

1" X 42" BELT / 8" DISC SANDER

A perfect match to your bandsaw or scroll saw, this combination Belt/Disc Sander will shape and smooth right to the line. A 1/3 HP, capacitor start induction motor powers the 1" x 42" belt and 8" disc through any sanding chore and the cast iron tilting tables give you the flexibility you demand. Includes single knob tracking and two 2" dust ports. Approx. shipping weight is 64 lbs.



H8192 ~~\$235.00~~ SALE **\$195⁰⁰**

12" DISC SANDER WITH BUILT-IN BRAKE

- Motor: 1 HP, 120V, single-phase, 1720 RPM, 9.5A, capacitor start w/ brake
- Table size: 15 1/2" x 15"
- Base size: 16 1/2" L x 16 1/2" W
- Sanding disc size: 12"
- Power transfer: Direct
- Table tilt: 15° L and 45° R
- Approx. shipping weight: 92 lbs.

MADE IN TAIWAN



G0702 ~~\$455.00~~ SALE **\$425⁰⁰**



SANDERS

10" DRUM SANDER

- Motor: 1½ HP, 110V, single-phase, 10.5A
- Conveyor motor: 1/10 HP
- Max. sanding width: 9½"
- Max. workpiece height: 3"
- Min. workpiece height: ¼"
- Drum speed: 2300 FPM
- Drum size: 5½" x 10"
- Feed speed: 1–10 FPM
- Approx. shipping weight: 220 lbs.



5½" Aluminum Sanding Drum

G0716

~~\$449.95~~

SALE

\$409⁹⁵



12" BABY DRUM SANDER

- Sanding motor: 1½ HP, 115V, single-phase
- Conveyor motor: 1/8 HP, 5–55 RPM
- Drum surface speed: 2127 FPM
- Max. stock dimensions: 12" W x 3½" T
- Min. board length: 8"
- Sanding drum size: 4"
- Sanding belt size: 3" hook and loop
- Approx. shipping weight: 166 lbs.



MADE IN TAIWAN



G0459

~~\$695.00~~

SALE

\$595⁰⁰



OSCILLATING SPINDLE SANDER

- Motor: 1 HP, 120/240V, single-phase, TEFC
- Cast iron 25" x 25" table tilts to 45° left, 15° right
- Spindle sizes: ¼", 3/8", ½", 5/8", ¾", 1", 1½", 2", 3", 4"
- Floor-to-table height: 35½"
- Spindle speed: 1725 RPM
- Stroke length: 1½"
- Approx. shipping weight: 296 lbs.



MADE IN TAIWAN



Includes formed and welded steel stand

G1071

~~\$815.00~~

SALE

\$750⁰⁰



Mini **SHOP FOX®** Mobile Base
D2260A

~~\$62.95~~

SALE

\$56⁹⁵

15" DISC SANDER WITH STAND

- Motor: 1½ HP, 220V, 1725 RPM, single-phase, 12A
- Disc size: 15"
- Table size: 12" D x 20" W
- Table tilt: 15° L and 45° R
- Floor-to-table height: 37"
- Cast iron sanding disc: 15"
- Dust port: 2½"
- Approx. shipping weight: 221 lbs.



MADE IN TAIWAN



Storage Cabinet with Shelf

G0719

~~\$925.00~~

SALE

\$850⁰⁰



18" OPEN-END DRUM SANDER

- Motor: 1½ HP, 110V, single-phase, 15A
- Drum surface speed: 4000 FPM
- Conveyor feed rate: variable, 2–12 FPM
- Max. stock dimensions: 36" W x 4½" T
- Min. board length: 6"
- Min. board thickness: 1/8"
- Sanding drum size: 4"
- Dust collection port: 2½"
- Overall size: 35" W x 50" H x 24" D
- Approx. shipping weight: 300 lbs.



G0458

~~\$995.00~~

SALE

\$895⁰⁰



20" HEAVY-DUTY DISC SANDER

- Motor: 2 HP, 220V, single-phase, 9.5A
- Disc size: 20"
- Table size: 12" D x 25½" W
- Table tilt: 45° right
- Floor-to-table height: 36"
- Footprint: 26½" x 19"
- Dust collection port: 4"
- Overall size: 25" W x 28½" D x 51¼" H
- Approx. shipping weight: 434 lbs.



MADE IN TAIWAN



Built-In Motor Brake for Quick Stops

G0775

~~\$1425.00~~

SALE

\$1295⁰⁰



MADE IN AN ISO 9001
RATED FACTORY

24" DRUM SANDER

- Motor: 5 HP, 220V, single-phase
- Conveyor motor: ¼ HP, 11 FPM
- Drum surface speed: 2300 FPM
- Max. stock dimensions: 23½" W, 4¼" T
- Sanding drum size: 6"
- Approx. shipping weight: 442 lbs.



Includes the same type of heavy-duty rubber conveyor belt found on wide-belt sanders

G1066R

~~\$1755.00~~

SALE

\$1595⁰⁰



24" WIDE-BELT SANDER

- Sanding belt motor: 10 HP, 230V
- Feed motor: 1 HP
- Table elevation motor: ¼ HP
- Sanding belt: 25" x 60"
- Drum speed: 2565 FPM
- Conveyor speed: Variable 15–49 FPM
- Max. stock dimensions: 24" W x 6" H
- Min. board dimensions: 14" L x 1/8" H
- Approx. shipping weight: 1573 lbs.



MADE IN TAIWAN



G0582

~~\$8350.00~~

SALE

\$8195⁰⁰



MADE IN AN ISO 9001
RATED FACTORY

MORTISING MACHINE

- Motor: 3/4 HP, 110V, single-phase, 8A, 3450 RPM
- Mortise to the center of an 8" wide board
- Mortise lumber to 8 3/4" thick
- Table size: 6" x 16"
- Includes 5/8" and 3/4" chisel bushings
- Approx. shipping weight: 92 lbs.

Includes 1/2" chisel

**Now with
3/4 HP, 3450 RPM
Motor**

The hottest selling mortising machine on the market!



**HEAVY
CAST IRON
CONSTRUCTION**

W1671 ONLY \$325⁰⁰



20" SCROLL SAW DW788

- Double parallel-link arm design dramatically reduces vibration and noise for extremely accurate cuts
- Exclusive tool-free blade clamps allow blade changes in seconds
- Arm lifts so blade can be easily threaded through the material for inside cuts
- Unique arm design keeps the blade perpendicular to the work, dramatically reducing over or under-cutting
- Oversized, cast iron table provides excellent material support and bevels 45° left & right

Includes hex wrench and blades

- Amps: 1.3A
- Strokes: 400-1750 SPM
- Blade stroke: 3/4"
- Depth of cut: 2"
- Weighs 60 lbs.



G4196 \$499.95 SALE \$449⁹⁵



16" X 42" VARIABLE-SPEED WOOD LATHE

Aside from its large turning capacities, this machine has all of the features you would hope for in a Heavy-Duty Wood Lathe. If you're looking for a lathe that will handle all of your turning needs, this is the one!

- Motor: 1 1/2 HP, 220V, 3-phase w/ single-phase VFD
- Swing over bed: 16"
- Swing over tool rest base: 11 1/2"
- Distance between centers: 42"
- Variable-speed spindle control w/ DRO
- Speed range: High: 250-3200 RPM; Low: 100-1200 RPM
- Approx. shipping weight: 394 lbs.



G0632Z \$1495.00 SALE \$1250⁰⁰



16" VARIABLE-SPEED SCROLL SAW

Variable-speed control, extra cutting capacity, and cast iron construction are the features most sought after in a scroll saw. The Shop Fox® Scroll Saw also offers a gooseneck work light, dust blower and dust port, large 45° tilt table, and easy blade changes. Uses plain and pin-type saw blades.

- Motor: 1/2 HP, 120V, single-phase, 1.2A, 60Hz
- Variable speed motor
- No load speed: 550-1650 SPM
- Max. cutting thickness: 2"
- Max. cutting width: 16"
- Blade stroke: 3/4"
- Approx. shipping weight: 38 lbs.

USES PLAIN OR
PIN-TYPE BLADES



W1713 ONLY \$169⁹⁵

18" X 47" WOOD LATHE

Need a solid cast iron lathe with big capacity? Well, look no further because this 18" x 47" Wood Lathe has it all! You'll appreciate the built-in shelf brackets, variable-speed spindle control, digital speed indicator, forward/reverse switch, and convenient utility basket. Single-phase variable frequency drive (VFD) technology provides electronic variable-speed control without 3-phase power. All you need is standard 220 volt, single-phase power to be up and running in no time. You'll be amazed by all the quality and innovative features this lathe has to offer!

- Motor: 2 HP, 220V, 5.3A, 3-phase w/ single-phase VFD
- Power requirement: 220V, single-phase, 15A
- Swing over bed: 18" • Swing over tool rest base: 14"
- Swing over tool rest: 13 3/4" • Distance between centers: 47"
- 1 1/4" x 8 TPI RH headstock spindle
- High speed range: 330-3200 RPM • Low speed range: 100-1200 RPM
- MT#2 spindle & tailstock tapers • Spindle bore: 0.393"
- Tool rest post dia.: 25mm
- Overall dimensions: 80 3/4" L x 19 1/16" W x 48 1/16" H
- Approx. shipping weight: 550 lbs.

G0733 \$1775.00 SALE \$1595⁰⁰



Variable
Frequency Drive!

Heavy-duty cast iron bed
and legs ensure stability
and minimal vibration

MINI MOBILE BASE

The newest addition to the family of mobile bases. Don't let the little size of this one fool you. It shares the same design concepts as its two bigger brothers, giving you an amazing 600 lb. capacity in a small package. Adjusts from 10 1/2" x 14 1/2" to 17 1/2" x 21 1/2". Weighs 32 lbs.

THE D2260A MINI SHOP FOX® MOBILE BASE FITS THE FOLLOWING GRIZZLY® MACHINES AND MANY OTHERS

| | | | |
|---------------|--------------|-------------------|--------------|
| Bandsaws—Meat | H6246 | Mill/Drill | G0517 |
| | G0560 | Mortising Machine | G0448 |
| Drill Presses | G0491 | Sanders | G1014ZX |
| | G7944 | | G1071 |
| | G7946 | | W1676 |
| Edge Sanders | G0574 | Shapers | G0510Z |
| | G1140 | | G1035 Series |
| Jointers | G0526 | | |
| | G1182 Series | | |



600 lb. capacity!

New, improved casters & design with infinite adjustability within its range!

D2260A ~~\$62.95~~ **SALE \$56.95**

HEAVY-DUTY MOBILE BASE

This patented base is the most stable on the market with outrigger type supports. Adjusts from 20" x 20" to 29 1/2" x 29 1/2". 700 lb. capacity. Weighs 34 lbs.

THE D2057A HEAVY-DUTY SHOP FOX® MOBILE BASE FITS THE FOLLOWING GRIZZLY® MACHINES AND MANY OTHERS

| | | | | | |
|------------------------|--------------|----------------|--------------|------------|--------------|
| Bandsaws—Metal Cutting | G0621X | Edge Sander | G0563 | | G1021 Series |
| | G8144Z | Jointers | G0500 | | G1037Z |
| | G8145Z | | G0543 | | G0518 |
| Bandsaws—Wood | G0457 | | G0586 | Sanders | G0529 |
| | G0513 Series | | G0593 | | G0565 |
| | G0555 Series | | G1018 Series | | G1014Z |
| | G0570 | Mill/Drills | G0519 | | G9922 |
| | G0580 | | G1006 | Shapers | G1026 |
| | G1019 | | G1007 | | W1674 |
| | G1148 | | G1126 | Table Saws | G0444 Series |
| Boring Machine | G4185 | | G3358 | | G0478 |
| Drill Presses | G0482 | Overarm Router | G8030 | | G0575 |
| | G0520 | Parts Washer | G4013 | | G0576 |
| | G7947 | Planers | W1812 | | G1023 Series |
| | G7948 | | G0550 | | |
| | | | G0551 | | |



700 lb. capacity!

Improved casters & design w/ infinite adjustability within its range!




D2057A ~~\$74.95~~ **SALE \$64.95**

SUPER HEAVY-DUTY MOBILE BASE

This is the strongest mobile base on the market. Made for machines that weigh up to 1300 lbs., this base is extremely stable with outrigger type supports. Adjusts from 18 1/2" x 24 1/2" to 28 1/2" x 33 1/2". Weighs 39 lbs.

THE D2058A SUPER HEAVY-DUTY SHOP FOX® MOBILE BASE FITS THE FOLLOWING GRIZZLY® MACHINES AND MANY OTHERS

| | | | | | |
|------------------------|--------------|------------|--------------|---------|--------------|
| Bandsaws—Metal Cutting | G0613 | Shapers | G5912Z | Planers | W1683 |
| | G8146 | | G5913Z | | G0544 |
| Bandsaws—Wood | G1073 Series | | G8621 | | W1718 |
| Drill Press | G9747 | | G8622 | | G1033 Series |
| Edge Sander | G0564 | Table Saws | G5959 Series | | G5850Z |
| Jointer | G4178 | | G7209 | | G5851Z |
| Mill/Drills | G3102 | | G7210 | | G7213Z |
| | G3103 | | G9957 | | |



1300 lb. capacity

Improved design w/ cast iron wheels and infinite adjustability within its range!



D2058A ~~\$94.95~~ **SALE \$79.95**

PATENTED

EXTENSION BARS FOR SUPER HEAVY-DUTY MOBILE BASE

These 36" extension bars replace the standard-length side rails on the D2260A, D2057A, and D2058A Mobile Bases. This allows each base to be assembled with a maximum length of 44". Suitable for longer machines, such as lathes.

Now fits all A-version Shop Fox® mobile bases!



D2246A ~~\$39.95~~ **SALE \$36.95**

EXTENSION KIT FOR MOBILE BASES

This kit allows the whole machine and extension to move as one unit. Adjustable for length (up to 45 3/4") as well as front to back. Very versatile!

Now fits all A-version Shop Fox® mobile bases!




D2259A ~~\$75.95~~ **SALE \$64.95**

MOBILE BASES

THE GRIZZLY "BEAR CRAWL™" HEAVY-DUTY ADJUSTABLE MOBILE BASE


We took years of input and months of testing and design to come out with the Grizzly "Bear Crawl" Mobile Base. Its 1200 lb. capacity, heavy-duty steel-and-rubber ball-bearing wheels, and toe flip-stops are only a few of the features that will make this mobile base a staple under your machines for years to come.




- 1200 lb. capacity
- Adjustable steel bars
- Powder-coated finish to protect against the elements
- 2 fixed casters and 2 swivel casters
- Corner-tight engagement bolts
- Weighs 37.8 lbs.

**Adjusts from
19" x 19" to
29½" x 29½"!**

Easy-float toe-flip
lifting levers



Heavy-duty rubber/steel
casters w/ sealed bearings



Adjustable positive stop/
rubber leveling feet

T28000

MSRP ~~\$99.99~~

INTRO PRICE

\$69⁹⁵

UNIVERSAL MOBILE BASE

Just add your own piece of plywood to complete this mobile base kit for a custom fit under nearly any size machine. Two kickstand-mounted swivel casters easily drop down with a press of the foot, for a quick transition from a stationary base to full maneuverability.

- Customize to fit any size machine base with your own cut-to-size plywood
- Sturdy corner brackets attach w/ included hardware
- Kick-stand casters provide easy mobility
- Adjustable feet provide stability during stationary machine use
- Includes: two fixed caster brackets and two swivel caster brackets
- Dimensions: Min. 12" x 12", max. 36" x 36" w/ ¾" base material. Thicker plywood will allow larger dimensions. Some customers even double-up the plywood for greater support and strength
- 600 lb. capacity
- ¾" thick plywood recommended (not included)



Plywood not included

**CUSTOMIZE
THE SIZE TO
FIT YOUR
MACHINE!**

BALL ROLLER KIT — SET OF 6

This Ball Roller Kit is perfect for a variety of uses in any workshop. These 1" hardened ball-bearings can rotate 360° and can be mounted to any jig or fixture using the mounting bracket. Great for flat surfaces like wood and plastic. Set of 6. Mounting screws included.



D3757

~~\$75.00~~

SALE

\$69⁹⁵

D3381

~~\$21.95~~

SALE

\$18⁹⁵

DUST COLLECTORS

1 HP WALL HANGING DUST COLLECTOR

- Motor size: 1 HP, 120V/ 240V, single-phase, prewired 120V; 7A @ 120V, 3.5A @ 240V
- Intake hole size: 4"
- Bag size (dia. x depth): 13 1/2" x 24"
- Airflow capacity: 537 CFM
- Max. static pressure: 7.2"
- Filter rating: 30-micron
- Approx. shipping weight: 52 lbs.



MADE IN TAIWAN



Special wall-mount design!

Hose not included

G0710 ~~\$189.95~~ **SALE \$169.95**
T10877 ~~\$175.00~~ **SALE \$149.95**
 Canister Filter Upgrade — 1-micron Filter Rating

1 HP DUST COLLECTOR

- Motor: 1 HP, 110V, single-phase, 8A
- Number of 4" intake holes: 1
- Portable base size: 15" x 25 1/2"
- Height w/ bags inflated: 63"
- Bag size (dia. x depth): 14 1/2" x 23" (2)
- Air suction capacity: 500 CFM
- Max. static pressure: 2.76"
- Filter rating: 30-micron
- Approx. shipping weight: 67 lbs.



G8027 ~~\$209.95~~ **SALE \$179.95**

2 HP DUST COLLECTOR WITH 2.5-MICRON BAG

- Motor: 2 HP, 240V, single-phase, 3450 RPM, 9A
- Portable base size: 21 1/4" x 33 1/2"
- Bag volume: 5.7 cubic feet
- Height (w/ bags inflated): 78"
- Bag size: 19 1/2" x 33" (2)
- Air suction capacity: 1550 CFM
- Max. static pressure: 11"
- Standard bag filtration: 2.5-micron
- Approx. shipping weight: 122 lbs.




MADE IN TAIWAN

FREE
 2-Stage Cyclone Separator
 W1049 — a \$34.25 value



MADE IN AN ISO 9001 RATED FACTORY

G1029Z2P ~~\$355.00~~ **SALE \$325.00** 

2 HP DUST COLLECTOR

- Motor: 2 HP, 220V, single-phase, 3450 RPM, 12A
- Airflow capacity: 1550 CFM
- Max. static pressure: 12.3"
- 6" inlet has removable "Y" fitting w/ two 4" openings
- Bag capacity: 5.4 cubic feet
- Standard bag filtration: 2.5-micron
- Portable base size: 21 1/2" x 33 1/2"
- Bag size (dia. x depth): 19" x 33" (2)
- Height w/ bags inflated: 78"
- Approx. shipping weight: 108 lbs.



W1666 **ONLY \$385.00**



1 HP DUST COLLECTOR

- Motor: 1 HP, 120V/ 240V, prewired 120V, 7A/ 3.5A
- Air suction capacity: 537 CFM
- Static pressure: 7.2"
- Bag capacity: 1.5 cubic feet
- Intake hole size: 4"
- Portable base size: 14" x 14"
- Bag size (dia. x depth): 13 1/2" x 24"
- Filter rating: 30-micron
- Height w/ bags inflated: 19 1/2"
- Approx. shipping weight: 50 lbs.



MADE IN TAIWAN



MADE IN AN ISO 9001 RATED FACTORY
G1163P ~~\$205.00~~ **SALE \$179.95**

1 1/2 HP DUST COLLECTOR

- Motor: 1 1/2 HP, 120V/ 240V, single-phase, 3450 RPM, 12A/ 6A
- Air suction capacity: 1300 CFM
- Max. static pressure: 9"
- Standard bag filtration: 2.5-microns
- 6" inlet "Y" w/ two 4" openings
- Portable base size: 21 1/4" x 33 1/2"
- Bag volume: 5.7 cubic feet
- Height (w/ bags inflated): 78"
- Bag size (dia. x depth): 19 1/2" x 33" (2)
- Approx. shipping weight: 118 lbs.



MADE IN TAIWAN



MADE IN AN ISO 9001 RATED FACTORY

G1028Z2 ~~\$395.00~~ **SALE \$335.00** 

1 HP CANISTER DUST COLLECTOR

- Motor: 1 HP, 120V/240V, single-phase, prewired 120V, 9A/ 4.5A
- Air suction capacity: 800 CFM
- Max. static pressure: 3.3"
- Filter rating: 1-micron
- Lower bag capacity: 2.1 cubic feet
- Number of 4" intake holes: 1
- Portable base size: 15 1/4" x 26"
- Lower bag size: 14 1/2" x 22"
- Overall height: 59"
- Approx. shipping weight: 74 lbs.



MADE IN TAIWAN



G0583Z ~~\$375.00~~ **SALE \$325.00** 

2 HP PORTABLE DUST COLLECTOR

- Motor: 2 HP, 240V, single-phase, 9A
- Air suction capacity: 1360 CFM
- 6" Inlet and "Y" w/ two 4" openings
- Portable base size: 27 1/2" x 47 1/2"
- Upper bag size (dia. x depth): 19 1/2" x 47 1/2"
- Lower bag size (dia. x depth): 19 1/2" x 40 1/2"
- Height w/ bags inflated: 94 1/2"
- Filter rating: 2.5-micron
- Approx. shipping weight: 137 lbs.



MADE IN TAIWAN

MADE IN AN ISO 9001 RATED FACTORY

G0786 ~~\$395.00~~ **SALE \$349.95** 

DUST COLLECTORS

3 HP DUST COLLECTOR



- Motor: 3 HP, 240V, single-phase, 3450 RPM, 12A
- Air suction capacity: 2300 CFM
- Max. static pressure: 16.7"
- 7" inlet w/ removable "Y" fitting w/ three 4" openings
- Portable base size: 21 1/2" x 49 1/2"
- Bag volume: 11.4 cubic feet
- Height (w/ bags inflated): 78"
- Bag size (dia. x depth): 19 1/2" x 33" (4)
- Standard bag filtration: 2.5-micron
- Approx. shipping weight: 170 lbs.



MADE IN AN ISO 9001 RATED FACTORY

MADE IN TAIWAN

G1030Z2P

~~\$459.95~~

SALE

\$425⁰⁰



2 HP DUST COLLECTOR



- Motor: 2 HP, 240V, single-phase, 9A
- Impeller: 12 3/4" aluminum
- Air suction capacity: 1700 CFM
- Max. static pressure: 10"
- Filter rating: 1-micron
- 6" inlet has removable "Y" fitting w/ three 4" inlets
- Canister filter size (dia. x depth): 19 5/8" x 23 5/8"
- Bag capacity: 4.5 cubic feet
- Overall dimensions: 37 3/8" L x 31 1/2" W x 71" H
- Approx. shipping weight: 150 lbs.



MADE IN AN ISO 9001 RATED FACTORY

MADE IN TAIWAN

G0548ZP

~~\$475.00~~

SALE

\$425⁰⁰



3 HP DUST COLLECTOR



- Motor: 3 HP, 240V, single-phase, 12A
- Impeller: 12 3/4" aluminum radial fin
- Air suction capacity: 2320 CFM
- Max. static pressure: 16.9"
- Filter rating: 1-micron
- Sound rating: 87 dB
- 7" inlet has removable "Y" fitting w/ three 4" inlets
- Canister filter size (dia. x depth): 19 5/8" x 23 5/8" (x 2)
- Bag capacity: 9 cubic feet
- Overall dimensions: 57 7/8" L x 32" W x 71" H
- Approx. shipping weight: 214 lbs.



MADE IN AN ISO 9001 RATED FACTORY

MADE IN TAIWAN

G0562ZP

~~\$925.00~~

SALE

\$725⁰⁰



10 HP INDUSTRIAL DUST COLLECTOR

MADE IN TAIWAN

- Motor: 10 HP, 220V/440V*, 3-phase, TEFC, 30A at 220V, 15A @ 440V
- Airflow capacity: 5360 CFM
- Max. static pressure: 17.9"
- Intake port w/ manifold: 4" x 5 holes
- Intake port without manifold: 10"
- Impeller: 17" balanced steel, radial fin
- Upper bag size (x 4): 23 5/8" x 70"
- Lower bag size (x 4): 23 5/8" x 54"
- Collection bag capacity: 48 cubic feet
- Bag filtration: 2.5-micron
- Collection bags: 8
- Overall dimensions: 61" W x 134" H x 61" D
- Approx. shipping weight: 472 lbs.

FEATURES:

- TEFC induction thermal-overload protection motor
- Four heavy-duty legs w/ 3" casters and brakes
- Welded, 1/4" balanced steel, radial impeller
- Heavy-duty plastic bottom bags

MADE IN AN ISO 9001 RATED FACTORY

THIS IS ONE POWERFUL DUST COLLECTOR



*This machine is prewired for 220V. If you require 440V operation, Grizzly must convert your machine at the time of purchase to maintain the machine's warranty. A \$250 fee will be added to your order. Please allow extra shipping time for the conversion. If you need more information, please contact technical service.

4 HP DUST COLLECTOR

- Motor: 4 HP, 220V, single-phase
- Air suction capacity: 3552 CFM
- Static pressure: 13.5"
- Intake port w/ manifold: 4 x 4"
- Intake port without manifold: 10"
- Impeller: 14 1/2" balanced steel, radial fin
- Switch type: Magnetic
- Bag size (dia. x depth): 23 5/8" x 47 1/4"
- Collection capacity: 24 cubic feet
- Standard bag filtration: 2.5-micron
- Height w/ bag inflated: 101 1/8"
- Approx. shipping weight: 306 lbs.
- Optional Bag Replacement: T23373 Upper Bag; T23374 Lower Bag



MADE IN AN ISO 9001 RATED FACTORY

MADE IN TAIWAN

G0671

~~\$1095.00~~

SALE

\$995⁰⁰



G0673

~~\$1925.00~~

SALE

\$1795⁰⁰



*To maintain machine warranty, 440V operation requires additional conversion time and a \$250 fee. Please contact technical service for complete information before ordering.

Order at grizzly.com • By Fax: 800-438-5901
Customer Service: 800-523-4777

2 HP CYCLONE DUST COLLECTOR WITH HEPA FILTER

The same unit as our G0440, but pre-equipped with the upgraded dual-filtration HEPA filter system. Features a primary filter efficiency of 99.9% at 0.2-2-microns and a secondary HEPA filter efficiency of 99.97% at 0.3-microns in size.

- Motor: TEFC Class "F", 2 HP, 220V, single-phase, 3450 RPM, 14A
- Intake hole size: 7"
- Impeller size: 14 1/2" steel radial fin
- Airflow capacity: 1354 CFM @ 2.5" SP
- Max. static pressure (inches of water): 10.4"
- Filter surface area: 96 sq. ft.
- Primary filter: 99.9% at 0.2-2 microns
- Secondary filter: HEPA rated 99.97% at 0.3 microns
- Approx. shipping weight: 476 lbs.



**DUAL-FILTRATION DESIGN
W/ EXTERNAL HEPA FILTER!**

STAND INCLUDED!

G0440HEP ONLY \$1829⁰⁰



1 1/2 HP DUAL-FILTRATION HEPA CYCLONE DUST COLLECTOR

The same unit as our G0443, but pre-equipped with the upgraded dual-filtration HEPA filter system! Features a primary filter efficiency of 99.9% at 0.2-2-microns and a secondary HEPA filter efficiency of 99.97% at 0.3-microns in size.

- Motor: TEFC Class "F", 1 1/2 HP, 110V/220V, single-phase, prewired 110V, 18.8A/ 9.4A
- Intake hole size: 6"
- Impeller size: 12 1/2" steel radial fin
- Airflow capacity: 1025 CFM @ 2.6" SP
- Max. static pressure (inches of water): 10.3"
- Filter surface area: 96 sq. ft.
- Primary filter: 99.9% at 0.2-2 microns
- Secondary filter: HEPA rated 99.97% at 0.3 microns
- Approx. shipping weight: 401 lbs.



**DUAL-FILTRATION DESIGN
W/ EXTERNAL HEPA FILTER!**

STAND INCLUDED!

G0443HEP \$1725.00 SALE \$1625⁰⁰



5 HP DUAL-FILTRATION HEPA CYCLONE DUST COLLECTOR

The same unit as our G0442, but pre-equipped with the upgraded dual-filtration HEPA filter system!

Features a primary filter efficiency of 99.9% at 0.2-2-microns and a secondary HEPA filter efficiency of 99.97% at 0.3-microns in size. Cyclonic action separates the heavy dust particles from the fine particles and drops them into the 55-gallon steel drum. Other features include: a vertical motor

support for reduced vibration, thick-walled 11 gauge steel blower housing, 14 gauge steel cyclone body, 360 degree blower rotation for easy connection to a duct system, TEFC Class "F" motor, filter cleaning device for optimum performance and a magnetic switch with remote control.

- Motor: 5HP, 220V, single-phase, 3450 RPM, 60 Hz, 22.4A, TEFC, Class "F"
- Intake hole size: 10" with 8" adapter • Impeller size: 16" steel radial fin
- Airflow capacity: 2184 CFM @ 1.9" SP
- Max. static pressure: (inches of water) 14.0"
- Filter surface area: 226 sq. ft.
- Primary filter: 99.9% at 0.2-2 microns
- Secondary filter: HEPA rated 99.97% at 0.3 microns
- Approx. shipping weight: 845 lbs.

**DUAL-FILTRATION DESIGN
W/ EXTERNAL HEPA FILTER!**

STAND INCLUDED!

G0442HEP ONLY \$3725⁰⁰



7½ HP 3-PHASE DUAL-FILTRATION HEPA CYCLONE DUST COLLECTOR

The same unit as our G0637 but pre-equipped with the upgraded dual-filtration HEPA filter system with a primary filter efficiency of 99.9% at 0.2-2-microns and a secondary HEPA filter efficiency of 99.97% at 0.3-microns.

SPECIFICATIONS:

- Motor: 7½ HP, 220V/440V*, 3-phase, TEFC Class "F", 25A/ 12.5A
- Intake hole size: 10"
- Filter surface area: 261 sq. ft.
- Impeller: 18" steel radial fin
- Airflow capacity: 3468 CFM @ 4.3" SP
- Max. static pressure (inches of water): 14.7"
- Sound level: 78–80 dB
- Primary filter: 99.9% at 0.2-2 microns
- Secondary filter: HEPA rated 99.97% at 0.3 microns
- Overall dimensions: 96¼" W x 52½" D x 139½" H
- Approx. shipping weight: 1139 lbs.

FEATURES:

- Ramped inlet maximizes dust flow into collection drums
- Steel collection drums have casters for easy dust disposal
- Remote-controlled magnetic switch
- Class "F" motor for durability
- Dual-pleated filters w/ cleaning brushes maximize airflow
- Standard equipment mufflers reduce noise level without reducing air flow

MADE IN TAIWAN



HEAVY-DUTY STAND INCLUDED!

G0637HEP

ONLY

\$5050⁰⁰



10 HP 3-PHASE DUAL-FILTRATION HEPA CYCLONE DUST COLLECTOR

The same unit as our G0638 but pre-equipped with the upgraded dual-filtration HEPA filter system with a primary filter efficiency of 99.9% at 0.2-2-microns and a secondary HEPA filter efficiency of 99.97% at 0.3-microns.

SPECIFICATIONS:

- Motor: 10 HP, 220V/440V*, 3-phase, TEFC Class "F", 30A/ 15A
- Intake hole size: 12"
- Impeller: 18½" steel radial fin
- Airflow capacity: 4029 CFM at 4.3" SP
- Max. static pressure (inches of water): 16.8"
- Sound level: 82–85 dB
- Primary filter: 99.9% at 0.2-2 microns
- Secondary filter: HEPA rated 99.97% at 0.3 microns
- Filter surface area: 398 sq. ft.
- Collection drums: Steel, 55-gallon x 2
- Overall dimensions: 96¼" W x 52½" D x 139½" H
- Approx. shipping weight: 1555 lbs.

FEATURES:

- Ramped inlet maximizes dust flow into the collection drums
- Steel collection drums have casters for easy dust disposal
- Remote-controlled magnetic switch
- Class "F" motor for durability
- Dual pleated filters w/ cleaning brushes maximize airflow
- Standard equipment mufflers reduce noise level without reducing air flow
- 16.8" Static pressure for greater duct design flexibility

MADE IN TAIWAN



HEAVY-DUTY STAND INCLUDED!

G0638HEP

~~\$5795.00~~

SALE

\$5695⁰⁰



*To maintain machine warranty, 440V operation requires additional conversion time and a \$250 fee. Please contact technical service for complete information before ordering.

DUST COLLECTORS

3-SPEED HANGING AIR FILTER

This little unit finishes off the job that most dust collectors only start. Turn this filter on while you work and set the timer to run after you leave the shop and it will continue to clean the air of the fine particles that might otherwise find a home where you don't want them.

- Motor: 5HP, 220V, single-phase, 3450 RPM, 60 Hz, 22.4A, TEFC, Class "F"
- Overall dimensions: 63" W x 111¹/₂" H x 56⁷/₈" D
- Approx. shipping weight: 845 lbs.



Please note: This product cannot ship to California due to current state regulations.



G0738 ~~\$200.00~~ SALE **\$169⁹⁵**

| REPLACEMENT FILTERS | SALE |
|----------------------------------|--------------------------|
| T10503 Primary Filter 1-micron | \$12⁹⁵ |
| T10504 Secondary Filter 5-micron | \$9⁹⁵ |

BENCHTOP DUAL-FAN AIR FILTER

Two separately switched fan motors can be used to draw a Max. 400 CFM of your dusty shop air through the 5-micron pleated filter. Perfect for sanding and power carving, the clear plastic hood helps to direct flow from the work area directly into the filter.

- 110V motor
- Dimensions: 20⁷/₈" W x 8¹/₄" D x 10¹/₂" H
- Filter size: 20" W x 2" D x 10" H
- Weighs 21 lbs.



MADE IN AN ISO 9001
FACTORY

MADE IN TAIWAN

Please note: This product cannot ship to California due to current state regulations.

G9955 ~~\$166.95~~ SALE **\$139⁹⁵**

| REPLACEMENT FILTER | SALE |
|-----------------------|--------------------------|
| H4985 Filter 5-micron | \$12⁹⁵ |

HEAVY-DUTY DOUBLE AIR FILTER

Set the duration and speed with the remote control from as far away as 45 feet, then hold on as the fan spools up to draw a massive 1400 CFM through the 5-micron primary filter and 1-micron secondary filter. Changes the air in a 20' x 20' x 8' room 26 times an hour. Hangs easily from the ceiling. Motor is 1¹/₃ HP, 120V, 3A. Overall size is 30¹/₈" L x 19⁷/₈" W x 16³/₈" H. Approx. shipping weight 73 lbs.



MADE IN
AN ISO 9001
FACTORY

MADE IN TAIWAN

Please note: This product cannot ship to California due to current state regulations.

G9956 ~~\$395.00~~ SALE **\$335⁰⁰**

| REPLACEMENT FILTERS | SALE |
|---------------------------------|--------------------------|
| H2452 Primary Filter 5-micron | \$10⁹⁵ |
| H2451 Secondary Filter 1-micron | \$49⁹⁵ |

HEAVY-DUTY HANGING AIR FILTER

This ceiling-mounted air filter system can clean up to 98% of airborne contaminants. Features continuous-duty, low-noise motor, easy-to-clean double filter design and heavy-gauge steel cabinet. Moves 510 CFM of air through a 1-micron filter. Motor is 1¹/₆ HP, 120V, 2.5A. Overall size is 30⁵/₁₆" L x 24" W x 12³/₁₆" H. Approx. shipping weight 57 lbs.



MADE IN
AN ISO 9001
FACTORY



Please note: This product cannot ship to California due to current state regulations.

G5955 ~~\$215.00~~ SALE **\$179⁹⁵**

| REPLACEMENT FILTERS | SALE |
|-----------------------------------|--------------------------|
| G6513 1-micron Washable Filter | \$49⁹⁵ |
| G6514 5-micron Washable Prefilter | \$24⁹⁵ |
| G5956 Remote Control Switch | \$39⁹⁵ |

2-SPEED FLOOR AIR FILTER

Roll this large Air Filter anywhere around the shop where it's needed most. Features a 1³/₄ HP, 110V, 2-speed motor, a 12" air outlet, and easy-open door for filter cleaning. Air movement is 1500 CFM and 2000 CFM. Filtration is 0.3-micron. Overall size is 30¹/₂" L x 25³/₄" W x 29³/₈" H. Approx. shipping weight 165 lbs.



Please note: This product cannot ship to California due to current state regulations.



G0573 ~~\$595.00~~ SALE **\$539⁰⁰**

| REPLACEMENT FILTERS | SALE |
|-----------------------------------|---------------------------|
| H9619 Primary Filter 3-micron | \$9⁹⁵ |
| H9990 Secondary Filter 0.3-micron | \$149⁹⁵ |

3-SPEED HEAVY-DUTY HANGING AIR FILTER

This Hanging Air Filter has a convenient remote control and features a three-speed motor, automatic shutoff timer, and both a 1-micron secondary filter and a 5-micron primary filter. Airflow is 556, 702, and 1044 CFM. Overall size is 26" L x 19¹/₄" W x 15" H. Batteries for remote not included. Approx. shipping weight 59 lbs.



Please note: This product cannot ship to California due to current state regulations.



G0572 ~~\$295.00~~ SALE **\$249⁹⁵**

| REPLACEMENT FILTERS | SALE |
|--------------------------|--------------------------|
| H9621 Primary 5-micron | \$13⁹⁵ |
| H9622 Secondary 1-micron | \$22⁹⁵ |

INDUSTRIAL DUST COLLECTION FITTINGS

Our starter kits include everything you will need for a simple, single machine set-up at one low price. The branch and end cap make your dust collection system expansion ready for future growth. The machine addition kit will allow you to expand as your shop gets bigger. Choose from 4", 5", or 6" diameters for either kit. The big advantage of these metal fittings lies in their design flexibility—they can be unclamped and reconfigured in a new shop layout. That means these can last a lifetime!

STARTER KITS

Includes:

- Two machine adapters
- Ten pipe clamps
- Three 5' pipes
- One "Y" branch
- Three pipe hangers
- One end cap
- Three adjustable nipples
- One 90° elbow
- One 60° elbow



MACHINE ADDITION KITS

Includes:

- Two blast gates
- One machine adapter
- Ten pipe clamps
- Two pipe hangers
- Two 5' pipes
- Two adjustable nipples
- One "Y" branch
- One 60° elbow



| MODEL | SIZE | REG. | SALE |
|-------|------|---------------------|---------------------------|
| H5293 | 4" | \$667.75 | \$469⁹⁵ |
| H5295 | 5" | \$799.75 | \$499⁹⁵ |
| H5297 | 6" | \$725.95 | \$525⁰⁰ |



| MODEL | SIZE | REG. | SALE |
|-------|------|---------------------|---------------------------|
| H5294 | 4" | \$605.95 | \$419⁹⁵ |
| H5296 | 5" | \$657.00 | \$449⁹⁵ |
| H5298 | 6" | \$735.80 | \$495⁰⁰ |

DUST COLLECTION KIT #1

Designed for a one machine hook-up, Kit #1 comes complete with installation instructions and an accessories list for expanding your dust collection system in the future.



ACCESSORIES INCLUDED:

- (1) D4216 4" ID x 10' Hose
- (1) W1010 Universal Dust Hood 4" OD
- (2) W1317 Wire Hose Clamps

W1054 ~~\$23.95~~ **SALE \$19⁹⁵**

DUST COLLECTION KIT #2

Designed for two machine hook-ups, Kit #2 comes complete with installation instructions and an accessories list for future expansion of your dust collection system.



ACCESSORIES INCLUDED:

- (2) W1007 4" OD Blast Gate
- (2) D4216 4" ID x 10' Hose
- (1) W1004 Table Saw Dust Hood 4" OD
- (1) W1010 Universal Dust Hood 4" OD
- (1) W1015 Y-Fitting 4" x 4" x 4" OD
- (10) W1317 Wire Hose Clamps

W1055 ~~\$64.95~~ **SALE \$54⁹⁵**



CLEAR HOSE

This reinforced Clear Hose allows easy inspection for locating potential clogs in your duct work.



| MODEL | SIZE | REG. | SALE |
|-------|--------------|--------------------|--------------------------|
| D4200 | 3" ID x 6" | \$1.95 | \$1³⁹ |
| D4201 | 4" ID x 6" | \$1.95 | \$1³⁹ |
| D4202 | 2" ID x 10' | \$15.95 | \$13⁹⁵ |
| D4203 | 2½" ID x 10' | \$17.95 | \$15⁹⁵ |
| D4204 | 3" ID x 10' | \$19.95 | \$17⁹⁵ |
| D4205 | 3" ID x 20' | \$34.95 | \$24⁹⁵ |
| D4206 | 4" ID x 10' | \$21.95 | \$18⁹⁵ |
| D4207 | 4" ID x 20' | \$39.95 | \$34⁹⁵ |
| D4208 | 5" ID x 10' | \$30.95 | \$26⁹⁵ |

FLEXIBLE HOSES

We carry hose diameters for many different applications. Our amazing new hose retracts to 1/3 its full length, with increased puncture resistance and superior performance. No longer will you need to deal with, or navigate around, excess hose.



| MODEL | SIZE | REG. | SALE |
|-------|--------------|--------------------|--------------------------|
| D4209 | 3" ID x 6" | \$1.95 | \$1³⁹ |
| D4210 | 4" ID x 6" | \$1.95 | \$1³⁹ |
| D4211 | 2" ID x 10' | \$11.95 | \$9⁹⁵ |
| D4212 | 2½" ID x 10' | \$12.95 | \$10⁹⁵ |
| D4213 | 3" ID x 10' | \$15.95 | \$13⁹⁵ |
| D4214 | 3" ID x 20' | \$29.95 | \$16⁹⁵ |
| D4215 | 3" ID x 50' | \$64.95 | \$54⁹⁵ |
| D4216 | 4" ID x 10' | \$17.50 | \$15⁹⁵ |
| D4217 | 4" ID x 20' | \$35.95 | \$29⁹⁵ |
| D4218 | 5" ID x 10' | \$23.95 | \$19⁹⁵ |

MILL/DRILL

- Motor: 600W ($\frac{3}{4}$ HP), DC, 110V, 10A
- Spindle taper: R-8
- Spindle travel: 2"
- Swing: $13\frac{1}{4}$ "
- Max. distance spindle-to-table: $8\frac{3}{4}$ "
- Head tilt: 45° left & right
- Head travel (Z-axis): $8\frac{1}{4}$ "
- Table travel (X-axis): $13\frac{1}{8}$ "
- Table travel (Y-axis): $5\frac{1}{2}$ "
- Table size: $5\frac{3}{4}$ " W x $19\frac{3}{4}$ " L
- T-slots: 3 @ $1\frac{1}{2}$ " centers, $\frac{3}{8}$ " W
- Spindle speed: 50 to 2000 RPM
- Approx. shipping weight: 204 lbs.

FEATURES

- Dovetail headstock column and table ways
- High-torque, low-noise DC motor
- Variable-speed spindle w/ DRO
- Spindle elevation DRO
- 3-Axis precision handwheel control
- Coarse and fine spindle downfeed
- Zero-setting dials on handwheels
- 2-Speed gearbox

With a high-torque and quiet 600W DC motor!

G0758 ~~\$995.00~~ **SALE \$925⁰⁰**

Optional Stand

T26612 ~~\$199.95~~ **SALE \$179⁹⁵**



DELUXE SMALL MILL/DRILL

- Motor: 1 HP, 110V, 12A, brushless DC
- Spindle taper: R-8
- Spindle travel: $2\frac{3}{4}$ "
- Swing: 18"
- Max. distance spindle-to-table: $14\frac{3}{4}$ "
- Collars calibrated: 0.001"
- T-Slots (3): $1\frac{1}{16}$ " on-center, $\frac{7}{16}$ " W
- Table size: $6\frac{1}{4}$ " x $21\frac{5}{8}$ "
- Table travel (longitudinal): $15\frac{7}{8}$ "
- Table travel (cross): $5\frac{3}{4}$ "
- Headstock travel: $14\frac{7}{8}$ "
- Head tilts 90°
- Drilling capacity: 1"
- Quill dia.: 2.362"
- Variable speed: 100–1750 RPM
- Approx. shipping weight: 418 lbs.

Includes:

- Drill chuck & arbor
- 2 T-nuts
- 4 Hex wrenches
- 3 Open end combo wrenches

MADE IN AN ISO 9001 RATED FACTORY



G0619 ~~\$1925.00~~ **SALE \$1795⁰⁰**



6" X 26" VERTICAL MILLS WITH STANDS

- Motor: $\frac{1}{2}$ HP, 110V/ 220V, prewired 110V, single-phase, 1725 RPM, 18A/ 9A
- Spindle taper: R-8 • Spindle travel: 3"
- Max. distance spindle-to-table: $12\frac{1}{4}$ "
- Max. distance spindle-to-column: $6\frac{1}{2}$ "
- T-Slots (3): $1\frac{1}{16}$ " on-center, $\frac{9}{16}$ " W
- Table size: 26" L x $6\frac{1}{8}$ " W
- Table travel (longitudinal): $15\frac{5}{8}$ "
- Table travel (cross): 6"
- Knee travel: $13\frac{1}{2}$ "
- Turret or column swivel: 360°
- Max. drilling capacity for cast iron: 1"
- Head tilt: 45° left & right
- Number of speeds: 9
- Speeds: 230 – 2520 RPM
- Approx. shipping weight: 746 lbs.

FEATURES

- Dovetail sliding ways for accuracy
- One-shot oil lubrication system
- Forward/Reverse switch
- Rotating turret-style column
- Precision-ground cast iron table
- Coarse and fine downfeed controls

6" x 26" Vertical Mill—with Stand

G0728 ~~\$3125.00~~ **SALE \$2995⁰⁰**

6" x 26" Vertical Mill with Power Feed—with Stand

G0729 ~~\$3495.00~~ **SALE \$3295⁰⁰**



MADE IN TAIWAN

8" X 30" VERTICAL MILL

- Motor: $\frac{1}{2}$ HP, 110V/220V, prewired 110V, single-phase, 1725 RPM, 18A/ 9A
- Spindle taper: R-8
- Spindle travel: $3\frac{1}{2}$ "
- Max. distance spindle-to-table: 20"
- Max. distance spindle-to-column: 7"
- T-Slots (3): $2\frac{3}{16}$ " on-center, $\frac{1}{2}$ " W
- Table size: 30" L x 8" W
- Table travel (longitudinal): 18"
- Table travel (cross): $7\frac{3}{4}$ "
- Knee travel: $17\frac{3}{4}$ "
- Max. drilling capacity for cast iron: 1"
- Head tilt: 45° left & right
- Number of speeds: 9
- Speeds: 270 – 3200 RPM
- Overall dimensions: $40\frac{1}{2}$ " W x 67" H x $42\frac{3}{4}$ " D
- Approx. shipping weight: 964 lbs.

FEATURES

- Dovetail sliding ways for accuracy
- One-shot oiler lubrication system
- Forward/Reverse switch
- Rotating turret style column
- Precision-ground cast iron table
- Coarse and fine downfeed controls

G0730 ~~\$3695.00~~ **SALE \$3495⁰⁰**



MADE IN TAIWAN

6" X 26" VERTICAL MILLS WITH STAND

These Vertical Mills are precision-made machines that are far more than just a step above a mill/drill. They feature a tilting head, a dovetail knee, satin-finished dials, 9 speeds, a stand with built-in storage cabinet, and so much more. The G0802 and G0822 also feature X- and Y-axis powerfeed for smoother finishes and easy operation, and the G0822 features variable-speed spindle control with a digital RPM readout. All three machines are very competitively priced, too!

- G0801 & G0802 Motor: 1.5 HP, 110V/ 220V (prewired 110V), 17.8A/ 8.6A, single-phase, TEFC
- G0822 Motor : 2 HP, 220V, 6.4A, 3-phase with Delta VFD so it runs on 220V, single-phase
- Spindle taper: R-8 • Spindle travel: 3" • Swing: 10 $\frac{1}{2}$ " • Ram swiveling angle: 45° left & right
- Max. distance spindle-to-table: 11" • T-Slots: 3 @ 1 $\frac{5}{8}$ " centers, $\frac{1}{2}$ " W
- Table size: 6 $\frac{1}{8}$ " x 26" • Table travel (longitudinal): 14 $\frac{1}{4}$ " • Table travel (cross): 6"
- Max. drilling capacity for cast iron: 1" • Max. drilling capacity for steel: $\frac{3}{4}$ "
- Head tilt: 45° left & right • G0801 & G0802 Spindle speeds: 9, 230–2520 RPM
- G0822 Spindle speeds: variable, 100-2500 RPM • Overall dimensions: 45" W x 68" H x 41" D
- Approximate shipping weight: • 904 lbs. (G0801), 914 lbs. (G0802), 914 lbs. (G0822)

Vertical Mill with LED Light

G0801 ONLY \$2550⁰⁰

Vertical Mill with LED Light & Power Feed

G0802 ONLY \$3055⁰⁰

Vertical Mill with Variable Speed & Power Feed

G0822 INTRO PRICE \$3395⁰⁰ *New!*

FEATURES

- Built-in LED worklight
- Coarse/fine downfeed and adjustable depth stop
- Lockable quill
- Chuck guard
- One-shot lubrication
- Tapered roller spindle bearing
- Precision-ground dovetail ways for table
- Toolbox w/ service tools & oil gun
- 1-13mm drill chuck w/ arbor
- Two T-Slot bolts w/ nuts and washers

STAND INCLUDED!



G0802 Shown

CALL FOR LEASING INFORMATION

See grizzly.com® for more information



8" X 30" VS VERTICAL MILLING MACHINE

- 1.5 HP, 220V, 3-phase, 15A
- Spindle taper: R-8
- Spindle travel: 3 $\frac{1}{2}$ "
- Table size: 8" x 30"
- Table travel (longitudinal): 18"
- Table travel (cross): 7 $\frac{3}{4}$ "
- Knee travel (vertical): 17 $\frac{3}{4}$ "
- Max. distance spindle-to-table: 20"
- Turret or column swivel: 360°
- T-slots (3): 2 $\frac{3}{16}$ " on-center, $\frac{1}{2}$ " W
- Range of speeds: 200 to 2250 RPM
- Number of spindle speeds: Variable
- Overall height: 67"
- Approx. shipping weight: 966 lbs.



G0678

~~\$3895⁰⁰~~ **SALE \$3675⁰⁰**



VS MILLING MACHINE WITH RAM HEAD

- 1.5 HP, 220V, 3-phase
- Head slides in and out, swivels, and tilts left-to-right, enabling extremely versatile operations
- Variable-speed frequency drive allows speeds from 200 to 2250 RPM
- Runs on single-phase power using Yaskawa inverter
- Features hardened and precision-ground leadscrews, dovetail ways, turret-style column, and fine downfeed on quill



G0695

~~\$4295⁰⁰~~ **SALE \$4195⁰⁰**



9" X 49" MILL WITH DRO & POWER FEED

- Motor: 3 HP, 220V, 19A, single-phase
- Spindle taper: R-8
- Spindle travel: 5"
- T-slots (3): 2 1/2" on-center, 5/8" W
- Head ram travel: 12" (front to back)
- Head tilt: 45° left & right, 90° front & back
- Turret/column swivel: 360° left/right
- Max. distance spindle-to-table: 15 7/8"
- Table travel (longitudinal): 29"
- Table travel (cross): 12"
- Table travel (vertical): 16"
- Table size: 9" x 49" x 3 3/4"
- Spindle speed: 8, 80–2720 RPM
- Approx. shipping weight: 2580 lbs.

FEATURES

- 2-Axis DRO
- One-shot pump lubrication
- Auto stop w/ micro-adjustable stop
- Auto downfeed
- Longitudinal power feed
- Chrome-plated, precision-ground quill
- R-8 Spindle
- X- and Y-axis covers
- Forward and reverse spindle switch
- Halogen worklight

Includes service tools and toolbox

MADE IN AN ISO 9001 FACTORY



One-Shot Pump Lubrication



2-Axis DRO Included



G0796

~~\$5995.00~~

SALE

\$5795⁰⁰



10" X 50" VARIABLE-SPEED MILL WITH DRO & POWER FEED

- Motor: 3 HP, 220V, 7.8A, 3-phase
- Spindle taper: R-8
- Spindle travel: 5"
- T-slots (3): 2 1/2" on-center, 5/8" W
- Head ram travel: 18 1/2" (front to back)
- Turret/column swivel: 360° left/right
- Max. distance spindle-to-table: 19 1/4"
- Table travel (longitudinal): 30"
- Table travel (cross): 14"
- Table travel (vertical): 15"
- Table size: 10" x 50" x 4 1/8"
- Spindle speed: Variable, 60–4200 RPM
- Approx. shipping weight: 3021 lbs.

FEATURES

- 2-Axis DRO
- One-shot pump lubrication for table ways
- Auto spindle stop w/ micro-adjustable stop
- Auto spindle downfeed
- Longitudinal table power feed
- Hardened and precision-ground table surface
- Chrome-plated, precision-ground quill
- X- and Y-axis way covers
- Forward/reverse spindle rotation
- Halogen worklight
- Built-in coolant tank in base compatible w/ optional aftermarket coolant systems

Includes service tools and toolbox

MADE IN AN ISO 9001 FACTORY



2-Axis DRO Included



Head Tilts Left & Right And Front & Back



G0797

~~\$7595.00~~

SALE

\$7395⁰⁰



Please note: This item cannot be delivered via lift gate service.

14" X 40" GEARHEAD GUNSMITHING LATHE

- Motor: 2 HP, 220V, 10A, single-phase, 1725 RPM
- Swing over bed: 14"
- Swing over gap: 19³/₄"
- Swing over cross slide: 8¹³/₁₆"
- Dist. between centers: 40"
- Spindle nose: D1-5 camlock
- Spindle nose taper: MT#5
- Spindle bore: 1.57"
- Tailstock barrel taper: MT#3
- Tailstock barrel travel: 3¹⁵/₁₆"
- Cross slide travel: 6¹¹/₁₆"
- Compound travel: 3⁷/₈"
- Number of speeds: 8
- Speed range: 70–2000 RPM
- Bed width: 7³/₈"
- Approx. shipping weight: 1550 lbs.

FEATURES


- Hardened & ground cast iron bed
- Removable gap bed
- Easy-to-use lever controls
- Ground gears and high precision bearings
- Socket for tailstock lock
- Cuts 4–112 standard TPI and 0.1–7.0 metric
- Cast aluminum gear cover

Outboard spindle has 4 brass-tipped screws for supporting barrels

Made in an ISO 9001 Factory

STANDARD EQUIPMENT

- 6" 3-Jaw chuck with reversible jaws • 8" 4-Jaw chuck with reversible jaws • 11" face plate • Steady rest/follow rest
- Full length splash guard • Quick change tool post with 2 tool holders • 2 MT#3 dead centers (1 carbide-tipped)
- 1 MT#3 live center • 1 MT#5 - MT#3 sleeve • Pull out chip pan • 1/2" drill chuck w/ MT#3 arbor • Toolbox



Tailstock With V-Slide And Square Drive Socket

G0709

~~\$4750.00~~

SALE

\$4495⁰⁰



14" X 40" GUNSMITHING LATHE WITH 2" SPINDLE BORE



- Motor: 2.5 HP, 1720 RPM, 220V, 10A
- Swing over bed: 14"
- Swing over gap: 19³/₄"
- Swing over cross slide: 8¹³/₁₆"
- Distance between centers: 40"
- Spindle nose: D1-5 camlock
- Spindle nose taper: MT#6
- Spindle bore: 2.01" (51mm)
- Spindle length: 17¹/₄"
- Spindle length w/ 4-jaw chuck: 21¹/₂"
- Tailstock barrel taper: MT#3
- Tailstock barrel travel: 3¹⁵/₁₆"
- Cross slide travel: 6¹¹/₁₆"
- Compound travel: 3⁷/₈"
- Spindle speeds: 8, 70–2000 RPM
- Range of threads (34): 4 – 56 TPI
- Range of threads (26): 0.4 – 7mm
- Width of bed: 7³/₈"
- Approx. shipping weight: 1550 lb.

FEATURES

- X- & Z-axis DRO
- Removable bed gap
- Quick-change spindle speed and gearbox controls
- ON/OFF reverse spindle switch on carriage
- Adjustable halogen work light
- Steady and follow rests w/ roller bearing supports
- Outboard spindle support spider w/ 4 brass-tipped bolts
- Foot brake w/ motor shut-off switch
- Built-in coolant system
- D1-5 camlock spindle nose
- 7" 3-jaw chuck
- 200-series quick-change tool post

STANDARD EQUIPMENT

- 6" 3-Jaw chuck w/ reversible jaws • 8" 4-Jaw chuck w/ independent jaws • 11" faceplate • 1/2" chuck w/ MT#3 arbor
- Quick-change tool post w/ 2 tool holders • Full-length splash guard • Steady rest/follow rest • MT#5–MT#3 sleeve
- 2 MT#3 dead centers • MT#3 live center • Toolbox



4 Brass-Tipped Spider Bolts for Supporting Barrels

G0824

~~\$6900.00~~

SALE

\$5395⁰⁰



GUNSMITHING LATHES

12" X 36" GUNSMITHING LATHE WITH STAND

When we set out to design a professional gunsmith's lathe, we felt that we should also make a smaller starter lathe for aspiring hobby gunsmiths. Don't let the "smaller" size fool you—this is a serious metal lathe with many features that will allow you to turn and chamber barrels just like the bigger one. Plus, it's one heck of a metal-cutting lathe. Check out all the interesting features below!

SPECIFICATIONS

- Motor: 2 HP, 220V, single-phase, 8.5A, 60 Hz, 1725 RPM
- Swing over bed: 12"
- Swing over gap: 17"
- Swing over cross slide: 7"
- Distance between centers: 36"
- Bed width: 7 1/4"
- Spindle bore: 1.57"
- Spindle nose taper: MT#5
- Spindle nose: D1-5 Camlock
- Cross slide travel: 6 1/4"
- Compound travel: 3 1/4"
- Tailstock barrel taper: MT#3
- Tailstock barrel travel: 4"
- Number of speeds: 9
- Range of speeds: 70 – 1400 RPM
- Height without stand: 23"
- Height w/ stand: 54 1/2"
- Length w/ stand: 61"
- Width of stand: 26"
- Approx. shipping weight: 1330 lbs.

FEATURES

- Removable gap bed allows turnings up to 17" in diameter
- Hardened and ground cast iron bed
- Cuts 4–112 standard TPI and 0.2–4.5 metric
- ON/OFF reverse switch on carriage
- LED worklight
- Ball-bearing steady/follow rests
- Socket for tailstock lock
- Cast-aluminum gear cover
- D1-5 spindle nose (6 pin) • 1.57" spindle bore

STANDARD EQUIPMENT

- 6" 3-Jaw chuck w/ 2-pc. reversible jaws
- 8" 4-Jaw chuck w/ reversible jaws
- 10" Faceplate • Steady rest/follow rest w/ roller tips
- Full-length splash guard • Heavy-duty steel stand
- 200-Series quick-change tool post w/ included holder
- Two MT#3 dead centers (1 carbide-tipped)
- One MT#3 live center • Set of seven change gears
- Chuck 1/2" w/ MT#3 arbor • Toolbox



G4003G

~~\$3395.00~~

SALE

\$3250⁰⁰



12" X 36" GUNSMITHING LATHE WITH ENCLOSED GEARBOX

This deluxe 12" x 36" Gunsmithing Lathe features a totally enclosed gearbox for quieter operation, smoother performance, reduced oil change frequency, and longer gear and bearing life. Professional gunsmiths will also love the outboard spindle "spider" support and specially-designed tailstock with 1/2" square-drive lock-down that can be used with a torque wrench for precise alignment of centers. Additionally, this lathe is jam-packed with high-end features and all the essential accessories you need to get started—just take a look at the lists below and see for yourself. This is one amazing deal!

SPECIFICATIONS:


- Motor: 2 HP, 220V, single-phase, 8.5A, 60 Hz, 1725 RPM
- Swing over bed: 12"
- Swing over gap: 17"
- Swing over cross slide: 7"
- Distance between centers: 36"
- Bed width: 7.126"
- Spindle bore: 1.57"
- Spindle nose taper: MT#5
- Spindle nose: D1-5 camlock
- Spindle length: 17"
- Spindle length w/ 4-jaw chuck: 21 1/4"
- Cross slide travel: 5 5/16"
- Compound travel: 3 1/4"
- Tailstock barrel taper: MT#3
- Tailstock barrel travel: 3 3/4"
- Number of speeds: 9
- Range of speeds: 70–1400 RPM
- Height w/ stand: 56"
- Length w/ stand: 67"
- Width of stand: 29 1/2"
- Approx. shipping weight: 1236 lbs.

FEATURES

- Removable bed gap
- Spindle switch on carriage
- LED worklight
- Steady rest and follow rest w/ roller bearing supports
- Outboard spindle support spider
- Cast iron stand w/ extended base
- Cast aluminum end-gear cover
- Tailstock 1/2" square-drive lock-down to use torque wrench for precise positioning.

STANDARD EQUIPMENT

- 6" 3-Jaw scroll chuck w/ 2 sets of jaws
- 8" 4-Jaw independent chuck w/ reversible jaws
- Set of 6 change gears
- Toolbox • 10" Faceplate
- Steady rest and follow rest w/ roller bearing supports
- MT#3 live center
- Two MT#3 dead centers (1 carbide-tipped)
- Quick-change tool post w/ one tool holder



G0750G

~~\$3775.00~~

SALE

\$3595⁰⁰



800-523-4777

28



13" X 40" GUNSMITHING LATHE WITH DRO

This 13" x 40" workhorse is a great addition to our line of spectacular Grizzly Gunsmithing Lathes. Supplied with an 8-speed gearhead, 2 HP motor, D1-4 spindle (with a generous 1.57" bore), flood coolant system, halogen worklight, pull-out chip tray, and foot brake—great for safety! The outboard end of the spindle has a “spider” mounting system—ideal for gunsmithing. This is one well-stocked machine! Check out the list of standard equipment below.

SPECIFICATIONS

- Motor: 2 HP, 220V, single-phase, 8.5A, 60 Hz, 1720 RPM
- Swing over bed: 13.70"
- Swing over gap: 18.50"
- Swing over cross slide: 7.71"
- Distance between centers: 40"
- Bed width: 7 1/16" • Spindle bore: 1.57"
- Spindle taper: MT#5
- Spindle nose: D1-4
- Spindle length: 16 5/16"
- Spindle length w/ 4-jaw chuck: 20 1/2"
- Cross slide travel: 5 7/8"
- Compound travel: 3 1/4"
- Tailstock taper: MT#3
- Number of spindle speeds: 8
- Spindle speed range: 70–2000 RPM
- Overall dimensions: 74 1/2" L x 31" W x 58" H
- Approx. shipping weight: 1370 lbs.

FEATURES

- 2-Axis digital readout
- Quick-change gearbox
- Convenient pull-out chip tray
- Outboard spindle spider for gunsmithing
- Quick-change tool post
- Halogen worklight
- Foot brake w/ motor shut-off switch
- Flame-hardened headstock gears
- Built-in coolant system
- Full-length splash guard
- D1-4 camlock spindle
- Hardened cast iron bed

STANDARD EQUIPMENT

- 6" 3-jaw universal chuck
- 8" 4-jaw chuck w/ independent jaws
- 10" Faceplate • Steady rest
- Follow rest
- Quick-change tool post
- Toolbox w/ service tools
- Change gears
- MT#3 HSS dead center
- MT#3 carbide-tipped dead center



G0776

~~\$4795.00~~

SALE

\$4395⁰⁰



16" X 40" PROFESSIONAL GUNSMITHING LATHE

This was a really fun project! I was talking to my gunsmith one day and he mentioned that he was frustrated with the lathe he had and that no one made a lathe specifically for gunsmithing. I asked him what kind of features he would like to see. He gave me a “laundry” list that included super high-precision spindle bearings with high-precision ground gears, a tailstock that was precisely tuned at the factory with a lock that could accommodate a torque wrench (the tailstock center can be torqued down to bring it to exact center with the spindle center), two coolant nozzles for chamfering, a longer tailstock for precise barrel support, support screws for outboard part of the spindle, etc...

To make a long story short, we have incorporated all those features to come up with the first lathe ever to be designed specifically for gunsmithing. Check it out!

- **S. Balolia, President**

SPECIFICATIONS

- Motor: 4 HP, 220V, 3-phase
- Swing over bed: 16"
- Swing over gap: 22"
- Swing over cross slide: 10"
- Distance between centers: 40"
- Spindle nose: D1-6 camlock
- Spindle taper: MT#6
- Spindle bore: 2"
- Tailstock barrel travel: 4 3/4"
- Cross slide travel: 8 1/2"
- Compound travel: 5 1/2"
- Spindle speeds: 45 – 1800 RPM
- Range of threads (45): 2 – 72 TPI
- Range of threads (39): 0.2 – 14mm
- Diametral pitch range: 21 @ 8–44 DP
- Modular pitch range: 18 @ 0.3–3.5 MP
- Width of bed: 10"
- Approx. shipping weight: 3300 lbs.

FEATURES

- Precision-ground and hardened V-way bed
- Totally enclosed universal gearbox allows cutting of inch, metric, whitworth, modular, and diametral threads
- Headstock gears run in an oil bath and are hardened and precision-ground for smooth, quiet, and vibration-free operation

STANDARD EQUIPMENT

- 8" 3-Jaw universal chuck
- 12" 4-Jaw independent chuck
- 14" Faceplate • Steady rest • Follow rest
- Coolant system • Halogen light
- Full-length splash guard
- Dual inch/metric dials
- Quick-change tool post
- Jog button & emergency stop button
- MT#4 x MT#6 spindle nose adapter
- Centers, service tools, manual, & toolbox
- Micrometer stop



G0509G

~~\$8295.00~~

SALE

\$7995⁰⁰



Please note: This item cannot be delivered via lift gate service.

WELDING

OXY-ACETYLENE WELDING & CUTTING KIT



Welding & cutting oxy-acetylene Victor-style flame pack torch kit made of quality brass and stainless steel. Uses oxygen and acetylene gases for general-purpose welding and cutting.

- Rugged brass oxygen and acetylene regulators
- Tough brass and stainless steel cutting attachment
- Copper cutting tip
- Welding nozzles
- Dual-line hose
- Goggles
- Tip cleaner



T20228 ~~\$219.95~~ SALE **\$189⁹⁵**

115V AC STICK WELDER WSO990



Works with standard 15 or 20A household outlets. Capable of welding mild and stainless steel from 18-ga. to 1/8". Dual heat settings: preset for 1/16" or 5/64" welding rods. Thermal overload shut-off protects welder by shutting down when the duty cycle has been exceeded. Duty cycle: 10% at 70A. Weighs only 23 lbs. and includes hammer / brush, electrode starter pack, and hand shield.



T23743 ~~\$131.95~~ SALE **\$119⁹⁵**

MEDIUM-DUTY OXY-ACETYLENE OUTFIT

This is a medium-duty portable welding, brazing, and cutting outfit - just add your own cylinders and you're ready to go! For commercial and industrial applications like construction, shop and field repairs, and auto body maintenance. It can weld up to 0.125" steel and braze copper tubing up to 1", as well as cut up to 6" with proper tip. Kit includes: oxygen regulator, acetylene regulator, front valve torch handle, Type 17-0 and Type 17-2 weld/braze tips, safety goggles, 12.5' twin hose set, "A" connection, flint lighter, and tank key.



T27944 ~~\$322.50~~ SALE **\$199⁹⁵**

PORTABLE BLADE WELDERS

Produce high-quality bandsaw blades from bulk coils of band stock with these portable blade welders! Each unit features a blade shear, grinder, and welding/annealing station. Measures 12" W x 15" H x 12" D. Choose the size that suits your needs and save money in the process!

MODEL T27575 (2.4 kVA, 110V) SPECS:

- Blade widths (carbon steel): 1/8"-5/8"
- Blade widths (bi-metal): 1/8"-1/2"
- Blade thickness: 0.025"
- Power Supply Req: 110V, 15A, 60 Hz
- Approx shipping weight: 46 lbs.

MODEL T27556 (4.2 kVA, 220V) SPECS:

- Blade widths (carbon steel): 1/8"-3/4"
- Blade widths (bi-metal): 1/8"-5/8"
- Blade thickness: 0.025"
- Power Supply Req: 220V, 15A, 60 Hz
- Approx shipping weight: 50 lbs.



T27575



T27556

| | | | | |
|---------------|---------|---------------------|------|---------------------------|
| T27575 | 2.4 KVA | \$725.00 | SALE | \$625⁰⁰ |
| T27556 | 4.2 KVA | \$825.00 | SALE | \$725⁰⁰ |

FLUX CORE WIRE WELDER WF2150



This welder has four heat settings to match your metal thickness. Welds steel up to 3/16" thick. Professional torch is equipped with trigger activated arc for easy start. Easy to operate; start your first project in minutes. 70A Wire Feed Welder runs on 115V current. Welds with flux-core wire; no gas required. Includes flux-core wire and two extra nozzles. Duty cycle is 20% at 70A.



T23744 ~~\$239.95~~ SALE **\$209⁹⁵**

MIG/FLUX WIRE WELDER WG2160



- Robust metal design
- Input power: 115V, 20A • Output power: 70A, DC
- 4 Heat settings for different metal thicknesses
- Welds steel up to 3/16"
- Welds w/ flux-core wire (no gas) or MIG wire (requires shielding gas)
- Wire sizes: 0.024", 0.030", and 0.035" on 4" or 8" Spools
- Duty cycle: 20% at 70A



T23745 ~~\$329.95~~ SALE **\$279⁹⁵**

MEDIUM-DUTY OXY-ACETYLENE OUTFIT WITH TANKS

A medium/heavy-duty portable outfit for cutting, welding, and brazing complete with its own carrying stand. Great for commercial heating, ventilation, air conditioning, and plumbing maintenance applications. This kit lets you cut up to 0.5" and weld up to .125" with the supplied tips. Outfit includes: 1.5" oxygen regulator, 1.5" acetylene regulator, rear valve torch handle with check valves, Type13 #2 weld/braze tip, CA350 cutting attachment, 3-101A #0 cutting tip, safety goggles, 12.5' twin hose set, "B" connection, flint lighter, R oxygen tank and MC acetylene tanks (both empty).



T27945 ~~\$594.88~~ SALE **\$349⁹⁵**



BOOMERANGLE ADJUSTABLE WELDING ANGLE

Welding squares have never been this versatile and powerful. Magswitch BoomerAngles are extremely versatile, providing adjustable angle holds. The easy ON/OFF of Magswitch eliminates the need to pry off the angle and allows you to keep the angle free of debris.

- Available in 30mm and 50mm sizes
- Breakaway force up to: 150 lb/65 kg (each 30mm magnet)



T21286 BoomerAngle 150 ~~\$156.95~~ **SALE \$129.95**
T21287 BoomerAngle 600 ~~\$339.95~~ **SALE \$289.95**



MAG SQUARES

MagSquares provide a new level of fast and easy multiplane workholding when positioning steel. Magswitch MagSquares exert a powerful magnetic field with a simple 180° rotation of the knob. Attaches to flat and round surfaces. Machined for precise 90° angles. Includes pre-tapped holes on all sides to mount accessories, jigs and tools. Breakaway force up to: 550 lb/245 kg.



T26939 Mag Square 165 ~~\$46.95~~ **SALE \$41.95**
T26940 Mag Square 400 ~~\$125.00~~ **SALE \$99.95**
T21282 Mag Square 600 ~~\$199.95~~ **SALE \$169.95**
T21283 Mag Square 1000 ~~\$335.00~~ **SALE \$295.00**



MAGJIG 95

A powerful magnet you can turn on or off! Build your own jigs to handle a wide range of woodworking applications anywhere on a steel table. Patented Magswitch technology allows magnetic force to be switched on and off, allowing for fast, easy setup and adjustment. Simply turn knob clockwise to engage the magnet; turn counter-clockwise to disengage magnetic field.



T21138 ~~\$26.00~~ **SALE \$23.95**



MAGJIG 150

This 30mm MagJig is simple and strong – use anywhere on the table for ultimate versatility. Magnetic force can easily be switched on/off – secure all your jigs & fixtures with fast, strong, and precise positioning. Drill holes and simply insert the MagJig. Use at least two per fixture. Add more for even greater holding force.



T21139 ~~\$33.95~~ **SALE \$28.95**



MAGJIG 235

- Simple and fast, the ultimate strong clamp
- Versatile – use anywhere on the table
- Easy on/off – secure all your jigs & fixtures
- Fast, strong, and precise positioning
- Drill holes and simply insert the MagJig
- Use at least two per fixture
- Add more for even greater holding force



T24027 ~~\$73.95~~ **SALE \$66.95**



MINI MULTI ANGLE WITH 300 AMP GROUND

An ON/OFF magnetic work-holding angle with 150 lb. (67 kg) of holding force from Magswitch Technology. 45°, 60°, 90°, and 120° angles accommodates flat or pipe, allowing for precise placement. Allows for super fast set-ups and instant work-holding and it stays clean; when the magnet is off, debris falls away. This dual-use tool can be used for workholding and grounding using either 3/8"–16 or 1/4"–20.

T26943 ~~\$47.95~~ **SALE \$41.95**



600 AMP ON/OFF MAGNETIC GROUND

A traditional welding clamp can't compare! The Magswitch Switchable Magnetic Welding Clamp lets welders quickly set up, weld and move on to the next job, thanks to this new magnetic technology. Simply place it on a clean work surface, turn it on and start welding. It makes welding quicker and easier than ever.

T21280 ~~\$119.95~~ **SALE \$109.95**



MINI ANGLE

An ON/OFF magnetic work-holding angle with 90 lb. (40 kg) of holding force from Magswitch Technology. 45°, 60°, 90°, and 120° angles accommodates flat or pipe, allowing precise placement even in smaller spots. Allows for super fast set-ups and instant work-holding and it stays clean; when the magnet is off, debris falls right off.



T26941 ~~\$29.95~~ **SALE \$25.95**



MINI MULTI ANGLE

An ON/OFF magnetic work-holding angle with 80 lb. (36 kg) of hold force from Magswitch Technology. Angles for fast 90° and 45° angles for small pieces that accommodates flat or pipe, allowing for precise placement. Allows for super fast set-ups and instant work-holding and it stays clean; when the magnet is off, debris falls right off.



T26942 ~~\$35.95~~ **SALE \$31.95**

MAGSWITCH HANGING HOOKS

Hang your lights and small tools right where you need them! Attaches to any steel surface. Available in two sizes: the 30mm Power Hook and 50mm Gorilla Hook.



T21144

T21145

| MODEL | TYPE | SALE |
|--------|---------------|----------------|
| T21144 | Power Hooks | \$32.95 |
| T21145 | Gorilla Hooks | \$79.95 |

STAINLESS STEEL CABINETS

72" 2-DOOR STAINLESS STEEL CABINET WITH WOOD TOP

These tool cabinets are made from 430-grade stainless steel with a fingerprint-resistant finish. Simply use warm water and a microfiber cloth for routine cleaning. With an attractive and durable 1 1/2" thick rubberwood countertop, these cabinets also function as a convenient work surface. In fact, rubberwood is harvested from rubber tree plantations after the tree bark stops producing latex. A flat key locking system, 6" casters, each with 660 lbs. of load bearing strength, make these rolling cabinets perfect for the garage, workshop, or commercial-sized kitchen!



- Cabinet measures: 72" W x 37 5/8" H x 19 1/4" D
- Easy-to-clean 430 stainless steel w/ fingerprint-resistant finish
- 1 1/2" solid rubberwood top
- 2 sliding doors w/ ball-bearing glides
- Adjustable shelves w/ 5 different positions
- Aluminum door pulls
- Four 6" casters – 2 fixed and 2 locking swivel
- Shielded cartridge ball-bearing casters
- Central locking key system
- 1000 lb. capacity
- Approx. shipping weight: 223 lbs.



MADE IN AN ISO 9001
RATED FACTORY

T27878

~~\$795.00~~

SALE

\$650⁰⁰



72" 8-DRAWER STAINLESS STEEL CABINET WITH WOOD TOP

With a variety of drawer sizes and a side cupboard with adjustable shelves, this Rolling Cabinet has a place for everything. Easy to move around and clean, it's ideal for the garage, workshop, or commercial-sized kitchen.



- Cabinet measures: 72" W x 37 5/8" H x 19 1/4" D
- 100 lb. capacity ball-bearing drawer slides
- Aluminum drawer pulls
- Cabinet size: 17" W x 15" D x 25" H
- 1 1/2" thick solid rubberwood top
- All 430-grade stainless steel body
- Fingerprint-resistant finish
- Cabinet includes a 5-position adjustable shelf
- 8 drawers w/ drawer liners included plus 1 cabinet
- Stainless steel grab handles on both sides
- Four 6" casters – 2 fixed and 2 locking swivel
- Central lock system w/ 2 keys included 1000 lb. capacity
- Approx. shipping weight: 287 lbs.

Drawer sizes include:

- 1 – 14 3/4" W x 15" D x 2 1/2" H
- 1 – 33 3/4" W x 15" D x 2 1/2" H
- 2 – 14 3/4" W x 15" D x 5 1/2" H
- 2 – 33 3/4" W x 15" D x 5 1/2" H
- 1 – 14 3/4" W x 15" D x 8 3/4" H
- 1 – 33 3/4" W x 15" D x 8 3/4" H



MADE IN AN ISO 9001
RATED FACTORY

T27879

~~\$825.00~~

SALE

\$725⁰⁰



72" 15-DRAWER STAINLESS STEEL CABINET WITH WOOD TOP

A place for everything and everything in its place! With 15 drawers, this rolling cabinet provides readily accessible storage for all your tools and shop accessories. Six-inch casters smooth out any floor irregularities and allow you to position the cabinet anywhere you need it. With 1,386 square inches of work surface, it's the perfect addition to any workshop.



- Cabinet measures: 72" W x 37⁵/₈" H x 19¹/₄" D
- Easy-to-clean 430 stainless steel w/ fingerprint-resistant finish
- 1¹/₂" solid rubberwood top
- 15 drawers w/ EVA drawer liners
- Drawers have 100 lb. capacity ball-bearing slides
- Aluminum drawer pulls
- 6" locking swivel casters
- Four 6" casters – 2 fixed and 2 locking swivel
- Shielded cartridge ball-bearing casters
- Stainless steel tubular handles on each end
- Central locking key system
- 1000 lb. capacity
- Approx. shipping weight: 326 lbs.

Drawer sizes include:

- 6 – 14³/₄" W x 15" D x 2¹/₂" H
- 3 – 33³/₄" W x 15" D x 2¹/₂" H
- 2 – 14³/₄" W x 15" D x 5¹/₂" H
- 1 – 33³/₄" W x 15" D x 5¹/₂" H
- 2 – 14³/₄" W x 15" D x 8³/₄" H
- 1 – 33³/₄" W x 15" D x 8³/₄" H

**MADE IN AN ISO 9001
RATED FACTORY**



T27880

~~\$895.00~~

SALE

\$795⁰⁰



96" 24-DRAWER STAINLESS STEEL CABINET WITH WOOD TOP

You asked for big, so we gave you our biggest! At 96", this stainless steel chest can store all your tools and anything else you can think of! Use the 8' long rubberwood top as a workbench for stationary tools. Simply put, it's the Grand Daddy of storage cabinets!



- Cabinet measures: 96" W x 37⁵/₈" H x 19¹/₄" D
- Easy-to-clean 430-grade stainless steel w/ fingerprint-resistant finish
- 24 drawers w/ 25,115 cubic inches of storage space
- Drawers have 100 lb. capacity ball-bearing slides w/ EVA liners
- Aluminum drawer pulls
- 6" locking swivel casters
- Six 6" casters – 2 swivel and 4 locking swivel
- Shielded cartridge ball-bearing casters
- Stainless steel tubular handles on each end
- 2 central locking key systems
- 1500 lb. capacity
- Approx. shipping weight: 435 lbs.

Drawer sizes include:

- 10 – 14³/₄" W x 15" D x 2¹/₂" H
- 10 – 33³/₄" W x 15" D x 2¹/₂" H
- 2 – 14³/₄" W x 15" D x 8³/₄" H
- 2 – 33³/₄" W x 15" D x 8³/₄" H

**MADE IN AN ISO 9001
RATED FACTORY**



T27877

~~\$1225.00~~

SALE

\$995⁰⁰





MODULAR STORAGE CABINETS



We understand that not all garages are created the same, so we came up with the Grizzly Modular Garage Storage System. This system gives you the opportunity to buy what you need to fit your space—or buy the complete 10-piece set at a significant savings! These cabinets are made to last a lifetime with 18-gauge steel, 200 lb. drawer slides and soft-close hinges—all in the most favored color combination appreciated by car enthusiasts across America. Stand out from your neighbors and organize your garage the way you want!

- 18-gauge steel
- Extruded-aluminum drawer pulls
- Soft-close drawer slides
- Locking cabinets w/ keys
- Drawers able to hold 200 pounds each
- Ball-bearing drawer slides
- Leveling feet
- Component holes in the back of the cabinets so you can run electrical cords into them
- Soft-close hinges
- Industrial paint finish—these garage cabinets will maintain their beautiful shine for a long time
- Overall size of complete set: 180 $\frac{1}{2}$ " W x 23 $\frac{3}{4}$ " D x 78 $\frac{1}{2}$ " H



Adjustable Shelf Standards




Soft-Close Hinges



Integrated Cable Grommets



Leveling Feet for Uneven Surfaces



Fully-Lockable Doors & Drawers

BUY THE COMPLETE SET AND SAVE \$554⁹⁵!

Complete 10-Piece Set Shown Above

T27979

~~\$3049.65~~

SALE

\$2495⁰⁰



BUY THE SET AND SAVE \$465⁰⁰ ON SHIPPING!

7-DRAWER TOOL CABINET

- 18-gauge steel
- Locking drawers w/ keys
- Ball-bearing drawer slides
- Lower two drawers measure 27 $\frac{3}{4}$ " W x 20 $\frac{1}{4}$ " D x 5" H
- Upper five drawers measure 27 $\frac{3}{4}$ " W x 20 $\frac{1}{4}$ " D x 3" H
- Overall size: 31 $\frac{1}{2}$ " W x 23 $\frac{3}{4}$ " D x 38 $\frac{1}{2}$ " H



T27947 INTRO PRICE \$450⁰⁰



4-DRAWER ROLLING TOOL CABINET

- 18-gauge steel
- Locking drawers w/ keys
- Ball-bearing drawer slides
- Each drawer has double slides
- 2 fixed and 2 locking casters
- 4 drawers measure 23 $\frac{3}{4}$ " W x 16 $\frac{1}{4}$ " D x 5" H
- Overall size: 27 $\frac{1}{2}$ " W x 19 $\frac{1}{2}$ " D x 33 $\frac{1}{4}$ " H



T27946 INTRO PRICE \$395⁰⁰





MODULAR STORAGE CABINETS

SINGLE-DOOR / 4-DRAWER CABINET

- 18-gauge steel
- Locking drawers w/ keys
- Locking door w/ keys
- Soft-close hinges
- 2 adjustable shelves
- Ball-bearing drawer slides
- Each drawer has double slides
- 2 drawers measure 3 $\frac{1}{4}$ " W x 20 $\frac{1}{4}$ " D x 6" H
- 2 drawers measure 13 $\frac{1}{4}$ " W x 20 $\frac{1}{4}$ " D x 8 $\frac{1}{4}$ " H
- Overall size: 31 $\frac{1}{2}$ " W x 23 $\frac{3}{4}$ " D x 38 $\frac{1}{2}$ " H



T27951 INTRO PRICE \$399⁹⁵



2-DOOR TOOL CABINET

- 18-gauge steel
- Locking doors w/ keys
- Soft-close hinges
- 4 adjustable shelves
- Shelf size: 31" W x 18 $\frac{1}{2}$ " D
- Overall size: 31 $\frac{1}{2}$ " W x 23 $\frac{3}{4}$ " D x 38 $\frac{1}{2}$ " H



T27948 INTRO PRICE \$325⁰⁰



2-DOOR / SINGLE-DRAWER CABINET

- 18-gauge steel
- Locking doors w/ keys
- Soft-close hinges
- 2 adjustable shelves
- Shelves measure 31" W x 18 $\frac{1}{2}$ " D
- Ball-bearing drawer slides
- 100 lb. drawer capacity
- Drawer measures 27 $\frac{3}{4}$ " W x 20 $\frac{1}{4}$ " D x 3" H
- Overall size: 31 $\frac{1}{2}$ " W x 23 $\frac{3}{4}$ " D x 38 $\frac{1}{2}$ " H




T27952 INTRO PRICE \$299⁹⁵



HANGING WALL CABINET

- 18-gauge steel
- Upward opening door w/ gas springs
- Mounting holes for attaching to wall studs
- Overall size: 31 $\frac{1}{2}$ " W x 13 $\frac{3}{4}$ " D x 13 $\frac{3}{4}$ " H



T27953 INTRO PRICE \$199⁹⁵



SINGLE-DOOR CLOSET

- 18-gauge steel
- Locking door w/ keys
- Soft-close hinges
- 4 adjustable shelves
- Shelf size: 18 $\frac{1}{2}$ " W x 18 $\frac{1}{2}$ " D
- Overall size: 19" W x 23 $\frac{3}{4}$ " D x 78 $\frac{1}{2}$ " H



T27950 INTRO PRICE \$349⁹⁵



2-DOOR CLOSET

- 18-gauge steel
- Locking doors w/ keys
- Soft-close hinges
- 4 adjustable shelves
- Shelf size: 35" W x 18 $\frac{1}{2}$ " D
- Overall size: 35 $\frac{1}{2}$ " W x 23 $\frac{3}{4}$ " D x 78 $\frac{1}{2}$ " H



T27949 INTRO PRICE \$425⁰⁰



AIR COMPRESSORS



For over 75 years, Campbell Hausfeld has been a name synonymous with quality, affordable air compressors. No matter the size of your job, there's a Campbell Hausfeld compressor that's just the right size at the right price!

4-GALLON OIL-LUBED TWIN STACK COMPRESSOR

- Oil-lubricated, cast iron cylinder compressor pump for long lasting, reliable performance
- Easy portability, contractor-grade, delivers 3.7 CFM @ 90 PSI
- 125 PSI
- Weighs 58 lbs.



T27959 ~~\$219.95~~ SALE **\$189⁹⁵**

8-GALLON OIL-FREE HORIZONTAL COMPRESSOR

- Tank size: 8 Gallons
- Tank type: Horizontal
- SCFM @ 40 PSI: 5
- SCFM @ 90 PSI: 3.7
- Pump: Oil-Less
- Running HP: 1.7
- Volts: 120
- Amp draw: 15
- Maximum pressure: 150 PSI
- Maintenance free



T27954 ~~\$189.95~~ SALE **\$169⁹⁵**

13-GALLON OIL-LUBED HORIZONTAL

- Oil-lubricated, cast iron pump
- Horizontal air compressors are perfect to store under the workbench
- Oversized wheels along w/ sturdy handle provides easy portability
- Direct drive pump and a heavy-duty induction motor
- Designed for stapling/fastening and nailing



T27955 ~~\$219.95~~ SALE **\$199⁹⁵** 

13-GALLON OIL-FREE HORIZONTAL COMPRESSOR

- Permanently lubricated maintenance-free design
- Standard equipment: pressure switch, regulator, tank and outlet gauges
- 120V, 8.1/ 5.0 air delivery SCFM at 40, 4.0 at 90 PSI., Maximum pressure 150 PSI, U.L. Listed
- Large air reservoir for extra storage during heavy-duty tasks



T27956 ~~\$299.95~~ SALE **\$275⁰⁰** 

20-GALLON HORIZONTAL COMPRESSOR

- Heavy-duty cast iron, oil-lubricated, two cylinder single stage pump
- 20-Gallon Portable Tank
- 5.5 CFM @ 90 PSI
- 120/ 240 Volt, 15/ 7.5 Amps, 1PH, 60 Hz
- Product life of up to 5000 hours based on B-10 bearing rating
- Durable and safe ASME code tank
- Quiet operation
- Fully enclosed metal belt guard



T27957 ~~\$485.00~~ SALE **\$450⁰⁰** 

20-GALLON OIL-FREE VERTICAL COMPRESSOR

- 20-Gallon ASME tank rated for 150 PSI
- Delivers 3.8 CFM @ 90 PSI
- Oil-less pump requires minimal maintenance
- Easy access regulator knob and gauges keep controlling and monitoring simple
- Weighs 95 lbs.



T27958 ~~\$299.95~~ SALE **\$275⁰⁰** 

30-GALLON OIL LUBE CAST IRON VERTICAL COMPRESSOR

- Longer life cast iron, twin-cylinder, oil-lubricated pump
- Operates on standard 120V
- Space saving ASME 30-gallon vertical tank
- Large 10" semi-pneumatic wheels for easy portability
- Powerful 2 (running) HP motor (per ISO1217 standards)
- 5.5 SCFM @ 90 PSI
- 135 Max PSI
- Weighs 196 lbs.



T24156 ~~\$725.00~~ SALE **\$595⁰⁰** 

3.7 HP 60-GALLON AIR COMPRESSOR

- Heavy-duty, cast iron, oil-lubricated twin-cylinder pump
- High air flow to power a wide variety of air tools
- Product life of up to 5000 hours based on B-10 bearing rating
- Quiet operation
- Durable and safe 60-gallon ASME code tank for greater air storage
- Oil-lubricated
- Delivers 11.5/10.2 CFM at 40/90 PSI
- 66" tall
- 3 year manufacturer's warranty
- Weighs 265 lb.



G2813 ~~\$695.00~~ SALE **\$629⁹⁵** 

1/2" IMPACT WRENCH

This 1/2" Impact Wrench accepts all 1/2" drive, standard and metric sockets. Features pistol grip with trigger switch, forward and reverse switch, 4 clutch settings, rubber bumpers for protection against normal garage use and a 1/4" NPT male quick connect fitting. Sockets not included. 7000 RPM (no load), 230 ft./lbs. torque rating. Weighs 5 lbs.



H6138 ~~\$22.95~~ SALE **\$15⁹⁵**

ENGINE CLEANING GUN

This Engine Cleaning Gun effectively cleans grease and grime from hard to reach areas. Features an 8" wand, quick release tank and 1/4" NPT air inlet.

- Average air consumption: 1.6-4 CFM
- Working pressure: 30-90 PSI



T23088 ~~\$18.95~~ SALE **\$12⁹⁵**

MICRO AIR GRINDER 17-PC. KIT

This Micro Air Grinder is for industrial use. The compact design accepts 1/8" shank grinding stones. Features 56,000 RPM free speed and includes a Micro Air Grinder with 56" flexible hose, 10 grinding stones, male quick connect coupling, collet wrenches, inline filter and lubricating oil.

- 90 PSI recommended air pressure
- Air inlet: 1/4" NPT
- Air consumption: 4 CFM



H8212 ~~\$29.95~~ SALE **\$22⁹⁵**

PNEUMATIC NIBBLER

This Pneumatic Nibbler features a lightweight aluminum housing and cuts up to 16 gauge steel without leaving burrs or deformed edges. Adjustable die can be turned to suit various cutting positions.

- Strokes per minute: 3800
- Air inlet: 1/4" NPT
- Average air consumption: 9.8 CFM
- Working pressure: 90 PSI



T23085 ~~\$32.95~~ SALE **\$28⁹⁵**

3/8" INDUSTRIAL AIR DRILL

This 3/8" Industrial Air Drill features a straight, in-line design, durable lightweight aluminum housing, lever lock throttle for safety, and 3/8" keyed chuck.

- Free speed: 18,000 RPM
- Air inlet: 1/4" NPT
- Average air consumption: 4 CFM
- Operating air pressure: 90 PSI



T23093 ~~\$27.95~~ SALE **\$19⁹⁵**

BRAD NAILER / STAPLER KIT

BRAD NAILER:

- Shoots 18 gauge brad nails • Accepts 5/8" - 2" brad length
- 60-100 PSI operating pressure
- 100 brad capacity

STAPLER:

- Shoots 21 gauge 1/2" crown staples
- Accepts 1/4" - 5/8" staple length
- 60-100 PSI operating pressure



H8236 ~~\$63.95~~ SALE **\$49⁹⁵**

AIR WONDER GUN KIT

This Air Wonder Gun uses compressed air and the Venturi Principle to make a very effective workshop vacuum. Includes crevasse tool, flexible hose and collection bag.

- Air inlet: 1/4" NPT
- Working pressure: 90 PSI
- Pistol grip design



T23090 ~~\$16.95~~ SALE **\$12⁹⁵**

AIR BODY SAW

This Air Body Saw features a compact design and cuts sheet metal, rods, pipe and light plate.

- 5000 strokes per minute
- Stroke length: 3/8"
- 2 CFM average air consumption
- 10" total length without blade
- 90 PSI recommended air pressure
- Air inlet: 1/4" NPT

Includes male quick-connect coupling, 2 blades, hex wrenches, and lubricating oil



H8214 ~~\$44.95~~ SALE **\$39⁹⁵**

PNEUMATIC SHEET METAL SHEAR

This heavy-duty Pneumatic Sheet Metal Shear provides long life and reliable cutting and features an ergonomic grip for comfort and stability. Shears most types of plastics and all types of aluminum, tin, and steel.

- Max. material thickness: 20 gauge
- Strokes per minute: 5500
- Air inlet: 1/4" NPT
- Operating air pressure: 90 PSI



T23094 ~~\$43.95~~ SALE **\$36⁹⁵**

1/2" IMPACT WRENCH - TWIN HAMMER

Twin hammer design means enough power for the toughest bolts. 1/2" drive accepts all 1/2" standard and metric sockets. Features include pistol grip with trigger switch, forward and reverse switch, 6 clutch settings and a 1/4" NPT male quick connect fitting. Sockets not included. 7500 RPM (no load), 420 ft./lbs. torque rating. Weighs 6 lbs.



H6140 ~~\$56.95~~ SALE **\$44⁹⁵**

1/2" REVERSIBLE DRILL

Features include a pistol grip with trigger switch, forward and reverse switch and 1/4" NPT female air inlet. The 1/2" chuck accepts drill bits down to 1/64" and includes a chuck key. The auxiliary handle can be positioned anywhere around the drill body. 650 RPM @ no load. Weighs 4 lbs.



H6139 ~~\$28.95~~ SALE **\$21⁹⁵**

3/8" STRAIGHT AIR DRILL

For high speed drilling applications, this 3/8" Straight Air Drill delivers a free speed of 18,000 RPM. The in-line design also improves balance and control. Recommended air pressure is 90 PSI and average air consumption is 6 CFM. Includes a 1/4" NPT quick connect fitting and chuck key.



H6364 ~~\$18.95~~ SALE **\$15⁹⁵**

WET GRINDERS

30TH ANNIVERSARY 10" GRINDER — 110 RPM

IDEAL FOR WOOD TURNERS, WOODWORKERS & KNIFE MAKERS!

Sharpen just about any cutting tool to a razor-sharp edge in no time at all. Designed in Germany, this 110 RPM Wet Sharpening System with leather stropping wheel is so versatile and simple to use, you'll wonder why you ever put up with dull edges before.

- Motor: 1/4 HP, 120V
- Wheel speed: 110 RPM
- Grinding wheel: 250mm Dia. x 50mm W w/ 12mm bore
- Leather stropping wheel size: 200mm Dia. x 30mm W
- Approx. shipping weight: 42 lbs.
- 220-grit grinding wheel is specially made for wet grinding
- Includes a sharpening jig, angle guide, and polishing/honing paste



You won't find another German-engineered tool of this caliber, at this price, anywhere but Grizzly!

PRESIDENT'S SPECIAL!

Water bath keeps tools cool while sharpening!

DESIGNED IN GERMANY

AN INCREDIBLE VALUE!

THOUSANDS SOLD!



T10010ANV ~~\$200.00~~ **SALE \$149⁹⁵**

OPTIONAL ACCESSORIES

REPLACEMENT GRINDING WHEEL

T20683 **SALE \$39⁹⁵**

HONING PASTE

T23428 **SALE \$5⁹⁵**

REPLACEMENT STROPPING WHEEL

T26668 **SALE \$29⁹⁵**

LEATHER HONING WHEEL

T24648 **SALE \$49⁹⁵**

8" GRINDER / SHARPENER

Sharpen like a pro in no time for the best cutting edges imaginable! Don't worry about burning your fine cutting edges, the T10097A draws a fine sheet of water up from the water tray to dissipate heat and keep the grinding wheel clean and efficient. A multi-position tool rest and square edge-sharpening jig accepts a variety of cutting

tools for ultra-precise grinding, while the leather stropping wheel removes fine burrs and polishes the cutting edge to an unbelievable sharpness. Ideal for wood chisels, carving chisels, lathe tools, plane irons, scissors, knives, axes, and more!

This upgraded A-edition brings even more to love about this grinder, featuring a mechanical belt tensioner, a threaded micro-adjuster post for the tool rest height, and a different stropping wheel design for better drive. These have all been updates requested over the years by our valued customers - you asked for them, and we listened!

- Motor: 1/8 HP, 120V
- Tool rest dia.: 12mm
- Grinding wheel dimensions: 200mm Dia. x 40mm W w/ 1/2" bore
- Grinding wheel grit: 220
- No load speed: 120 RPM
- Overall dimensions: 18" W x 11" D x 12" H
- Approx. shipping weight: 23 lbs.



T10097A ~~\$129.95~~ **SALE \$109⁹⁵**

OPTIONAL ACCESSORIES

REPLACEMENT GRINDING WHEEL

T21868 **SALE \$49⁹⁵**

REPLACEMENT STROPPING WHEEL

T20684 **SALE \$22⁹⁵**

MAGNETIC BASE / DIAL INDICATOR COMBO

Precision measurements and set-ups have never been so easy. The magnetic base engages with just the turn of a switch and allows pinpoint adjustment. The dial indicator features 0-1" travel and has a resolution of 0.001". This fine set includes a molded case for protection and convenience.



G9849 ~~\$23.95~~ SALE **\$19⁹⁵**

5-PC. WOODWORKING CALIPER SET

This 5-piece Woodworking Caliper Set includes compass, straight dividers, inside calipers, outside calipers, and inside/outside calipers. Perfect for wood turning and general layout work. Each piece measures roughly 9" long.



T25802 ~~\$38.95~~ SALE **\$29⁹⁵**

STAINLESS STEEL DIAL CALIPER WITH BLACK FACE 6"

Easy-to-read black face dial caliper features .001" graduations and a hardened and ground stainless steel main beam with hardened, ground, and lapped measuring faces. Knurled thumb roll and 360 degree adjustable bezel make inside, outside, and depth and step measurements quick and precise. Includes protective case.



G9280 ~~\$25.95~~ SALE **\$19⁹⁵**

DIAL INDICATOR 0.05" RANGE X 0.0001"

If your measuring requirements call for supreme accuracy within a short range, this is the Dial Indicator for you. Graduations are 0.0001" (one ten thousandth of an inch) and range is 0.05" (five hundredths of an inch). Fits all dial indicator magnetic bases.



G9806 ~~\$35.95~~ SALE **\$29⁹⁵**

4-PC. PRECISION GROUND EDGE FINDER SET

This set is a must for any shop. Set includes 1 each: 3/8" dia. with .200" shoulder, 1/2" dia. combination with a point and .200" shoulder, 1/2" dia. with a .500" shoulder and 1/2" dia. combination with .200" shoulder and a .500" shoulder.



H5556 ~~\$31.95~~ SALE **\$24⁹⁵**

12" STAINLESS STEEL RULER

Measure with absolute precision using this 12" stainless steel ruler with increments as fine as 0.5mm and 1/64". If you are ready to step up to the next level of accuracy, this is the ruler to get.



D2828 ~~\$2.59~~ SALE **\$1⁹⁵**

2-PC. TRAMMEL SET

Rigid cast iron bodies. Unlimited radius lengths with your shop made beam. Accepts beam widths from 3/8" to 1 1/4" wide. One Trammel point includes pencil holder.



H5876 ~~\$10.50~~ SALE **\$8⁹⁵**

FASTCAP PMS-FLAT16 - FLATBACK MEASURING TAPE - STANDARD 16'

Face it, not all surfaces are flat. The FastCap® Pro Carpenter Flatback measures curves and flat panels with precision and ease. Available in a metric/standard story pole and the metric reverse blade style.



T20001 ~~\$9.25~~ SALE **\$7⁹⁵**

6" DIAL CALIPER / INDICATOR / MICROMETER SET


The 6" Dial Caliper with easy-to-read dial, stop, and thumb wheel. The Micrometer is carbide-tipped, has 0.0005" graduations and a vernier scale for 0.0001". The test indicator has a range of 0.030" / 0.0005". The tip can be repositioned and comes with 3/8" and 4mm mounting studs.



G9786 ~~\$66.95~~ SALE **\$56⁹⁵**

5" WOODWORKING CALIPER SET

These double-ended Calipers are necessary for gauging the wall thickness of turned bowls and measuring spindle diameters. One end does the gauging and the other end indicates the thickness or diameter. Three different calipers in each set are shaped for any turning application. 5" set.



T24514 ~~\$24.95~~ SALE **\$19⁹⁵**

4-PC. MEASURING TOOL SET

This is the set you need for accurate measurements. Includes a stainless steel 6" dial caliper, a 6" scale with inch scale on one side and a metric scale on the other, a 1" carbide-tipped micrometer with vernier scale and a 4" precision square with beveled edge. Comes with molded case and micrometer adjustment wrench.



G9788 ~~\$49.95~~ SALE **\$39⁹⁵**

PENCIL DIVIDERS

Transfer precise distances for highly accurate layouts. Bisect angles for precise angle measurements. Steel legs with fine points scribe most materials. Knurled knob locks dividers from 0-90°. Size indicate leg lengths.



| MODEL | SIZE | REG. | SALE |
|-------|------|--------------------|--------------------------|
| H5884 | 8" | \$12.50 | \$10⁹⁵ |
| H5885 | 10" | \$13.75 | \$11⁹⁵ |
| H5886 | 12" | \$16.95 | \$14⁹⁵ |
| H5887 | 16" | \$21.95 | \$19⁹⁵ |

CIRCULAR SAW BLADES

GRIZZLY® EXTREME SERIES TABLE SAW BLADES

These Grizzly Extreme Series blades are ideal for ripping and cross cutting operations on the table saw. ATB grind on micro-grain carbide tips ensure consistent performance over a long cutting life. Arbor bore size is $\frac{5}{8}$ " and kerf is 0.120". Choose 30-tooth for aggressive ripping and 40-tooth for ripping and cross cutting.

| MODEL | SIZE | TEETH | REG. | SALE |
|--------|------|-------|--------------------|--------------------------|
| T26697 | 10" | 30 | \$38.95 | \$33⁹⁵ |
| T26698 | 10" | 40 | \$43.95 | \$37⁹⁵ |



GRIZZLY® EXTREME SERIES 8" STACKED DADO SET

- Stack dado set features micro-grain carbide teeth
- Cuts square sides and flat bottom dados from $\frac{7}{32}$ " – $\frac{29}{32}$ " W
- 8" dia. x $\frac{5}{8}$ " arbor fits most table saws

Two 8" x 24-tooth x .106" kerf carbide-tipped blades
One 8" x 4-tooth x 0.059" kerf carbide-tipped chipper
Five 8" x 4-tooth x .118" kerf carbide-tipped chippers
Four magnetic adjustment shims: two 0.012" thick and two 0.015" thick

T26696 ~~\$129.95~~ SALE **\$119⁹⁵**



8" STACKED DADO DW7670

This 8" Stacked Dado set features 24 micro-grain carbide teeth for clean cuts and reduced splintering as well as 4-tooth micro-grain carbide chippers for smooth, flat bottom cuts. Heavy gauge laser-cut plate ensures accurate cutting. Includes a 12-PC. high quality shim set for ultra-fine adjustments and heavy-duty case.

DEWALT



| MODEL | SIZE | TEETH | REG. | SALE |
|--------|------|-------|---------------------|---------------------------|
| T22622 | 8" | 24 | \$119.95 | \$109⁹⁵ |

10" X $\frac{5}{8}$ " 40T ATB 0.095" COMBINATION SAW BLADE

Lasting up to 10 times longer than steel blades, Oldham's Industrial Carbide blades are designed for almost any project at an affordable price. Featuring C2 Carbide tips, these blades can handle the task without adding to high cost.

Oldham
Since 1957



T29067 ~~\$23.95~~ SALE **\$12⁹⁵**

DADO BLADE SETS

Oldham
Since 1957

These sets feature precision sharpened, industrial grade carbide tips for smooth, clean cutting and a dead flat plate for straight, accurate cuts. Fit $\frac{5}{8}$ " arbors.



Stack



Wobble

| MODEL | SIZE | TEETH | REG. | SALE |
|-------|-----------|-------|--------------------|--------------------------|
| G2793 | 7" Wobble | 16 | \$32.00 | \$15⁹⁵ |
| G2794 | 8" Stack | 12 | \$88.00 | \$59⁹⁵ |

BLADESAVERS

Woodpeckers®

With BladeSaver, each blade is individually protected insuring blade teeth can't contact or strike other blades or objects. BladeSavers are molded using tough, ABS plastic that will provide years of protection for your valuable saw blades.



| MODEL | SIZE | REG. | SALE |
|--------|---------|--------------------|--------------------------|
| T27203 | For 10" | \$14.95 | \$12⁹⁵ |
| T27204 | For 12" | \$15.95 | \$13⁹⁵ |

DADO BLADES

FORREST

Hailed as the Cadillac of all blades, Forrest saw blades have become legendary for their ability to leave highly polished, finish-ready surfaces on nearly everything they cut. Choose the style best suited for your cutting needs and see why Forrest has earned the reputation for being the saw blade by which all others are judged. Made in USA. The world's finest dado head clean cuts all your grooves! No splintering when cross cutting oak, ply veneers, and melamine. No staggered steps or round bottoms! Cuts in rip, cross-cut, and miter at any depth. Cuts all sized grooves $\frac{1}{4}$ " – $\frac{29}{32}$ " increments. Super hard carbide gives up to 300% longer life, especially good on plywoods and abrasive particle boards.



| MODEL | SIZE | TEETH | ARBOR | TYPE | ONLY |
|--------|------|-------|-----------------|-------------------------------------|---------------------------|
| H4755 | 6" | 24 | $\frac{5}{8}$ " | $\frac{1}{4}$ " – $\frac{29}{32}$ " | \$299⁹⁵ |
| H4756 | 8" | 24 | $\frac{5}{8}$ " | $\frac{1}{4}$ " – $\frac{29}{32}$ " | \$349⁹⁵ |
| T23266 | 8" | 24 | $\frac{5}{8}$ " | $\frac{3}{16}$ " | \$229⁹⁵ |
| T23267 | 8" | 24 | $\frac{5}{8}$ " | $\frac{3}{16}$ " – $\frac{1}{4}$ " | \$249⁹⁵ |
| T24002 | 10" | 24 | 1" | $\frac{1}{4}$ " – $\frac{29}{32}$ " | \$409⁹⁵ |
| T24003 | 12" | 24 | 1" | $\frac{1}{4}$ " – $\frac{29}{32}$ " | \$489⁹⁵ |

2-PACK 10" 32T/60T CONSTRUCTION BLADES DW3106P5/DW3106P5D60I

DEWALT

Thin kerf for fast and smooth cutting action. Computer balanced plate reduces vibration for improved accuracy and better finish. Exclusive wedge shoulder design puts more steel behind each tip for increased durability and accuracy. Two great blades for the price of one! Fit $\frac{5}{8}$ " arbors.



^{\$139⁹⁰} purchased individually

| MODEL | SIZE | TEETH | REG. | SALE |
|--------|------|---------|--------------------|--------------------------|
| H5001 | 10" | 32 & 60 | \$62.00 | \$34⁹⁵ |
| T22190 | 10" | 60 | \$39.95 | \$34⁹⁵ |

2-PACK 12" 32T/80T CONSTRUCTION BLADES DW3128P5/DW3128P5D80I

DEWALT

Thin kerf for fast and smooth cutting action. Computer balanced plate reduces vibration for improved accuracy and better finish. Exclusive wedge shoulder design puts more steel behind each tip for increased durability and accuracy.



^{\$79⁹⁰} purchased individually

| MODEL | SIZE | TEETH | ARBOR | REG. | SALE |
|--------|------|---------|-------|---------------------|--------------------------|
| H5002 | 12" | 32 & 80 | 1" | \$102.22 | \$49⁹⁵ |
| T22257 | 12" | 80 | 1" | \$69.95 | \$38⁹⁵ |

12" X 1" 60T ATB 0.079 PRECISION TRIM SAW BLADE DW3216PT

DEWALT

Premium micro-grain carbide produces ultra-sharp cutting edges that dramatically reduce splintering. Precision balanced, laser-cut body provides extremely accurate cuts. Exclusive dampening slots reduce vibration to enhance cutting accuracy. Tough coat finish reduces heat, friction, and gum to promote blade life.



H9346 ~~\$45.95~~ SALE **\$39⁹⁵**

8-PC. DELUXE STRAIGHT BIT SET

This complete set contains 1/8", 1/4", 13/32", 1/2", 19/32", (2) 27/32", and 15/16" bits. 1/4" shank. Includes wooden box.

PRESIDENT'S SPECIAL



H5532 1/4" Shank ~~\$37.95~~ **SALE \$19.95**

12-PC. ROUTER BIT SETS

If you're just starting a router bit collection or need to replace some old worn out bits, this set of super-duty micro-grain bits is the perfect choice.

Includes:

- 1/4", 1/2", & 3/4" straight
- 1/2" 14° dovetail
- 1/4" radius Roman ogee
- 3/8" rabbeting
- 1/2" radius cove
- 1/2" 90° V-groove
- 1/2" 45° chamfer
- 1/2" flush trim
- 1/2" core box
- 1/2" radius roundover
- Includes wooden case



H5560 1/4" Shank ~~\$65.00~~ **SALE \$26.95**
H5561 1/2" Shank ~~\$65.00~~ **SALE \$29.95**

35-PC. ROUTER BIT SET IN ALUMINUM CASE

If you're looking for one router bit set to own, this micro-grain, carbide-tipped router bit set provides just about every bit you'll ever need. Each bit is displayed in a high-tech, see-through aluminum case for the ultimate in protection.

Includes:

- 1/4" x 1/2" single flute straight bit
- 1/4", 3/8", 1/2", & 3/4" straight bits
- 3/8" & 1/2" dovetail bits
- 1/2" x 3/8", 1/2" x 5/8", 5/8" x 1/2" & 3/4" x 1/2" core box bits
- 1/4" radius roundover plunge bit
- 1/2" hinge mortising bit
- 3/8", 1/2", & 5/8" V-groove bits
- 3/8" x 1/2", 1/2" x 1/2" & 1/2" x 1" straight flush trimming bits
- 5/32" radius Roman ogee bit
- 1/8", 1/4", 5/16", 3/8", & 1/2" radius roundover bits
- 3/8" & 1/2" 45° chamfer bits
- 1/4" & 1/2" radius cove bits
- 3/8" radius beaded cove
- 1/8" & 1/4" radius classical bits
- 3/8" x 1/2" rabbeting bit
- Classical ogee bit
- Keyhole bit
- Aluminum case



H6159 1/4" Shank ~~\$130.00~~ **SALE \$99.95**

36-PC. ROUTER BIT SET

These are super sharp, micro-grain carbide-tipped bits that are ground up to 800 grit to glide through your cuts. Includes protective wooden case with touch-latch doors.

Includes:

- 1/8" & 1/4" solid carbide straight bits
- 1/4", 5/16", 3/8", 1/2", 5/8", & 3/4" straight bits
- 1/4" solid carbide spiral downcut
- 1/4" & 1/2" radius cove bits
- 1/8", 1/4", 3/8" & 1/2" radius roundover bits
- 1/4" & 1/2" radius beading bits
- 5/32" & 1/4" radius Roman ogee bits
- 1/2" & 3/4" core box bits
- 3/8" & 1/2" dovetail bits
- 3/8" x 1, 1/2" x 1", & 1/2" x 9/16" flush trimming bits
- 1/2" flush trimming pattern bit
- 5/32" & 1/4" radius classical bits
- 3/8" shear cut rabbeting bit
- 45° shear cut chamfer bit
- 1/2" shear cut hinge mortise bit
- 1/4" solid carbide combination panel bit
- 1/4" solid carbide flush trim laminate bit
- 1/2" 90° V-groove bit
- 3/8" keyhole bit



H3426 1/4" Shank ~~\$167.95~~ **SALE \$129.95**

99-PC. MASTER CABINETMAKER ROUTER BIT SET

- (3) 1/8", 3/16", 1/4" HSS straight
- (1) 1/4" HSS dovetail
- (1) 5/16" HSS keyhole
- (1) 1/4" HSS plunge ogee
- (1) 1/4" HSS V-groove
- (1) 1/4" HSS core box
- (1) 1/8" radius HSS roundover
- (1) 3/32" radius HSS beading
- (1) 1/8" radius HSS cove
- (1) 1/8" HSS rabbeting
- (1) 1/2" HSS 45° chamfer
- (1) 1/2" dovetail pattern
- (1) 1/2" 90° V-groove pattern
- (1) 1/2" core box pattern
- (2) 1/2" & 5/8" straight pattern
- (3) 1/4", 3/8", 1/2" HSS straight
- (1) 1/8" HSS straight single flute
- (5) 1/4", 3/8", 1/2", 5/8", 3/4" straight
- (4) 3/8", 1/2", 5/8", 3/4" 90° V-groove
- (4) 3/8", 1/2", 5/8", 3/4" core box
- (3) 3/8", 1/2", 1/2" dovetail
- (2) 1/2" & 5/8" mortising
- (3) 1/2" x 1/2", 3/8", 1/2" x 1" flush trimming
- (3) bevel trimming
- (2) 1/4"-3/8" combination panel
- (2) 1/8"-3/8" radius beading/roundover
- (2) 3/8"-1/2" keyhole t-slot
- (1) 1/2" roundnose
- (1) countersink
- (1) 1" plunging ogee
- (1) 1" glue joint
- (1) 7/8" x 1/2" internal radius
- (1) 3/4" fingernail
- (1) 1/2" straight
- (2) 1/4" & 1/8" radius roundover
- (3) 1/2", 1/2", 3/4" classical plunge
- (1) 1/4" core box
- (4) 1/8" radius classical
- (1) 1/8" radius Roman ogee
- (1) 3/4" 45° chamfer
- (6) 1/8", 3/16", 1/4", 5/16", 3/8", 1/2" radius roundover
- (2) 1" & 1 1/16" 45° chamfer
- (5) 1/8", 1/8", 1/4", 3/8", 1/2" radius cove
- (2) 1/4" & 1/2" rabbeting
- (1) 1/8" radius corner bead
- (2) 1 3/32" & 1/2" bull nose
- (4) classical
- (2) 1 1/4" & 1 1/2" ogee
- (2) 1/8" & 1/4" radius Roman ogee
- (2) 1/4" & 3/8" radius beading



**MADE IN AN ISO 9001
RATED FACTORY**

H6072 1/8" & 1/4" Shank ~~\$325.00~~ **SALE \$275.00**

CLAMPS




AUTO-ADJUST PRESS-DOWN STYLE TOGGLE CLAMPS

Bessey Auto-Adjust Toggle Clamps automatically adjust to variations in workpiece dimensions while maintaining constant clamping force. An integrated clamping force adjustment screw provides variable clamping pressure.

| MODEL | CAPACITY | HANDLE POSITION WHEN LOCKED | SIZE | REACH | REG. | SALE |
|--------|--------------|-----------------------------|-----------|-------|--------------------|--------------------------|
| T24246 | 25-550 lbs.* | Down | 2¼" x 8¾" | 2" | \$21.95 | \$18⁹⁵ |
| T24247 | 25-550 lbs.* | Down | 2¼" x 8¾" | 2¾" | \$23.95 | \$19⁹⁵ |
| T26372 | 25-250 lbs.* | Down | 2¼" x 8¾" | 1¾" | \$18.95 | \$16⁹⁵ |
| T26374 | 25-250 lbs.* | Down | 2½" x 6¾" | 1¾" | \$18.95 | \$16⁹⁵ |
| T26375 | 25-250 lbs.* | Down | 2½" x 6¾" | 1¾" | \$18.95 | \$16⁹⁵ |

*Variable and dependent on spindle settings, pressure screw setting, force applied etc.



BORA WTX CLAMP EDGE



Made of heavy-gauge extruded aluminum, the adjustable end clamp slides easily along the precise channels. The locking handle provides a secure edge that won't budge so you can make precise cuts with a circular saw, jig saw, or router. Accessory tracks include connectors.



| | | | | |
|---------|------|---------------------|------|--------------------------|
| T27078 | 24" | \$40.00 | SALE | \$34⁹⁵ |
| T27079* | 36" | \$46.95 | SALE | \$40⁹⁵ |
| T27080* | 50" | \$54.95 | SALE | \$46⁹⁵ |
| T27077* | 100" | \$109.95 | SALE | \$99⁹⁵ |

ACCESSORIES

| | | | | |
|---------|-----------|--------------------|------|--------------------------|
| T27082 | Saw Guide | \$29.95 | SALE | \$25⁹⁵ |
| T27083 | Rip Guide | \$21.95 | SALE | \$18⁹⁵ |
| T27081 | 25" Track | \$32.95 | SALE | \$28⁹⁵ |
| T27084* | 50" Track | \$46.95 | SALE | \$40⁹⁵ |

*36" or longer – add \$12 oversize shipping fee

TRADESMAN CLAMPS

Patented profiled rails with serrated edges prevent buckling and slipping. And the ergonomically-designed wooden handles offer positive clamping pressure.



| MODEL | THROAT | SIZE | SALE |
|--------|--------|------|--------------------------|
| G3316 | 2½" | 6" | \$12⁹⁵ |
| G3317 | 2½" | 12" | \$14⁹⁵ |
| G3318 | 2½" | 18" | \$15⁹⁵ |
| G3319 | 2½" | 24" | \$16⁹⁵ |
| G3320 | 2½" | 30" | \$17⁹⁵ |
| G3321 | 2½" | 36" | \$19⁹⁵ |
| H1318 | 4" | 8" | \$21⁹⁵ |
| H1319 | 4" | 12" | \$24⁹⁵ |
| G4717 | 7" | 16" | \$36⁹⁵ |
| G4718 | 7" | 24" | \$39⁹⁵ |
| G4720* | 7" | 48" | \$54⁹⁵ |

*G4720 – add \$12 oversize shipping fee

TRADESMAN CLAMP KIT

Get a 30-PC. mix of the popular 2.5" throat Bessey Tradesman clamps for one low price. Includes four 6" clamps (G3316), six 12" clamps (G3317), four 18" clamps (G3318), eight 24" clamps (G3319), four 30" clamps (G3320), and four 36" clamps (G3321).



\$510⁷⁰
purchased
separately

H5115 ~~\$507.00~~ SALE **\$399⁹⁵**

HEAVY-DUTY F-CLAMPS



These Heavy-Duty F-Clamps feature quick-sliding adjustment, non-marring pad protection, and 4⅜" of depth for just about any clamping requirement. Long, narrow, stationary heads allows these clamps to reach into tight places. Cast iron clamp heads and steel bar construction.



| | | | | |
|-------|-----|--------------------|------|--------------------------|
| D2916 | 12" | \$11.50 | SALE | \$9⁹⁵ |
| D2917 | 18" | \$12.50 | SALE | \$10⁹⁵ |
| D2918 | 24" | \$15.95 | SALE | \$13⁹⁵ |
| D2919 | 36" | \$17.95 | SALE | \$15⁹⁵ |

Kit—(12) D2916, (8) D2917, (6) D2918 & (4) D2919


H8444 30-PC. ~~\$374.00~~ SALE **\$305⁹⁵**



H-SERIES PIPE CLAMPS



The "H" shaped foot assembly stabilizes the clamp in two dimensions giving dual-axis stability to the workpiece and industry-leading clearance from the work surface.



Pipe not included

| | | | | |
|--------|----|--------------------|------|--------------------------|
| T20479 | ½" | \$16.95 | SALE | \$14⁹⁵ |
| T20481 | ¾" | \$16.95 | SALE | \$14⁹⁵ |

I-BEAM CLAMPS



The steel I-bar is extremely strong and resistant to twisting and bending. The sliding head is cast of tough ductile iron and nickel-plated to fight off rust and corrosion, featuring a 4-PC. hardened steel clutch for tough, durable clamping power.



| MODEL | SIZE | SALE |
|---------|------|--------------------------|
| T27962 | 24" | \$32⁹⁵ |
| T27963 | 30" | \$34⁹⁵ |
| T27964 | 36" | \$36⁹⁵ |
| T27965 | 48" | \$41⁹⁵ |
| T27966* | 60" | \$44⁹⁵ |
| T27967* | 72" | \$49⁹⁵ |
| T27968* | 84" | \$53⁹⁵ |
| T27969* | 96" | \$56⁹⁵ |

*50" or longer – add \$12 oversize shipping fee

CLAMP BUDDY™

The Clamp Buddy™ can hold over 200 clamps and has the ability to easily store K-bodies, bar clamps, and many other types of clamps you may have. Its heavy-duty locking casters and sturdy steel frame give it the ability to support 500 lbs. It comes with adjustable cross bars that make it useful for any size clamp.



500 LB. CAPACITY!

ADDITIONAL \$12.00 SHIPPING CHARGE

D3605 ~~\$61.95~~ **SALE \$52.95**

DOUBLE CORNER CLAMP

Secure 90° tee and corner joints quickly and securely with this precision cast, twin screw miter clamp. This unique clamp also features a clever push-button system that allows you to adjust the clamp heads without time consuming screwing or unscrewing. Large 2 3/8" jaw capacity. Dependable Acme® screw movement.



G8139 ~~\$19.95~~ **SALE \$17.95**

PIPE CLAMPS


Innovative clutch system eliminates the need for threaded pipe. Larger feet offer more stability and clearance between handle and worktop. Large handle makes for easier clamping and larger clutch plates allow for easier release.



| MODEL | SIZE | REG. | SALE |
|-------|------|--------------------|----------------|
| H6810 | 1/2" | \$13.75 | \$11.95 |
| H6811 | 3/4" | \$15.95 | \$13.95 |

3/4" PRO PIPE CLAMP FIXTURE

Jorgensen 3/4" PRO Pipe Clamp Fixture features a wider and taller stance, taller and wider jaws, built-in clamp stand, longer screw, and built-in clamp hanger. Clamping jaws are 2 1/8". Clamps sit 2 1/2" above the work surface.



T25356 ~~\$21.95~~ **SALE \$15.95**

PIPE CLAMPS

Commonly used in woodworking applications for edge-gluing of multiple pieces, the versatility of the reach comes from the ability to use a variety of lengths of pipe to suit your needs. Features a foot assembly to help stabilize the clamp, extra high base for finger-saving clearance from the work surface, cast jaws for durability, and a smooth spindle with hex head for ease of use.



| MODEL | SIZE | REG. | SALE |
|--------|------|--------------------|----------------|
| T27851 | 1/2" | \$17.40 | \$12.95 |
| T27852 | 3/4" | \$20.47 | \$14.95 |

DEEP REACH PIPE CLAMP

Commonly used in woodworking applications for edge gluing of multiple pieces, the versatility of the reach comes from the ability to use a variety of lengths of pipe to suit your needs. Features a plated spindle that prevents rust & corrosion and larger clamping surface gives more positive grip as well as a larger handle for more positive pressure. Pipe dia. is 3/4".



Pipe not included

T27854 ~~\$20.55~~ **SALE \$18.95**

3-PC. CLAMP RACK SETS

These Shopfox rack sets hold 15 F-style clamps, 9 pipe clamps, and 12 parallel clamps. 24 5/8" overall length. Mounting holes are 16"

on-center to fit standard wall stud spacing.



D4333



Clamps not included

| MODEL | SIZE | REG. | SALE |
|-------|-----------------------|--------------------|----------------|
| D4345 | 3-PC. Pipe Clamp | \$43.95 | \$39.95 |
| D4346 | 3-PC. Parallel Clamp | \$43.95 | \$39.95 |
| D4347 | 3-PC. F-Clamp | \$43.95 | \$39.95 |
| D4333 | 3-PC. Set (1 of each) | \$55.00 | \$35.95 |

ADJUSTABLE FRAME CLAMP

Clamp frames from 5" x 7" to 26" x 30".

It can be extended for bigger frames with a common bar clamp. Durable aluminum construction and self-squaring clamp pads. Comes complete with fully illustrated instructions.



G3047 ~~\$27.95~~ **SALE \$24.95**

E-Z HOLD BAR CLAMPS

Jorgensen
MASTER-QUALITY CLAMPS

These durable clamps have a spring-loaded mechanism for quick, one-handed clamping. The stationary head reverses for spreading applications. Jaws have non-marring, soft plastic padded faces. Jaw width 1.5", throat depth 3.12".



| MODEL | SIZE | SALE |
|--------|---------------------|----------------|
| T21594 | 24" ISD-3 Bar Clamp | \$28.95 |
| T21593 | 18" ISD-Bar Clamp | \$27.95 |
| T21592 | 12" ISD-Bar Clamp | \$21.95 |

DRILL BIT SETS

25-PC. METRIC DRILL BIT SETS

These 25-PC. sets range from 1mm to 13mm and are housed in a rugged steel case.



HSS Drill Bit Set

T26515 ~~\$19.95~~ SALE **\$14.95**

Titanium Drill Bit Set

T26516 ~~\$38.95~~ SALE **\$29.95**

115-PC. TiN-Coated Drill Bit Set

Titanium nitride TiN-coated bits last up to six times as long as uncoated bits. 115-PC. set features 29 fractional bits from 1/16" to 1/2" in increments of 1/64", letter bits from A to Z and 60 number bits. Housed in rugged steel case.

- 1/16" to 1/2"
- A to Z
- 1 to 60
- Titanium Nitride TiN-Coated
- Indexed storage case included



G3658 ~~\$77.95~~ SALE **\$59.95**

13-PC. AIRCRAFT EXTENSION DRILLS

These longer-length high-speed steel drill bits can reach into areas that are difficult to access with standard-length drill bits. Includes 1/16"-1/4" by 64ths, x 6" long.



G9750 ~~\$11.95~~ SALE **\$8.95**

170-PC. BULK DRILL BIT ORGANIZER — PROFESSIONAL QUALITY

Each size includes multiple bits for replacement due to breakage and wear from tough drilling jobs. Sizes include 10 each of the following:


1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 3/16", 13/64", 7/32", 15/64", 1/4", 17/64", 9/32", and 5 each of the following: 5/16", 21/64", 11/32", 3/8". Comes in a steel case!



H8182 ~~\$149.95~~ SALE **\$129.95**

115-PC. DRILL BIT SET IN HANDY FOLD-OUT CASE

This set includes every drill bit from 1/16" to 1/2" in 1/64" increments, numbered bits from 1-60 and lettered bits from A-Z. HSS TiN-coated drill bits stay sharp longer than conventional bits. This set is professional quality and comes in a fold-out case.



H8183 ~~\$60.95~~ SALE **\$49.95**

8-PC. SILVER & DEMING BIT SET

- Stepped drill shanks fit 1/2" drill chucks
- High-speed steel for long life
- Set includes: 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", and 1" bits




H7993 ~~\$39.95~~ SALE **\$29.95**

6-PC. STUBBY BRAD POINT BIT SET

These durable drill bits are precision-ground from one piece of M2 high-speed steel. The shank is 1/4" hex shaft that works with standard quick change chucks.

This 6-PC. set includes: 3/32", 1/8", 3/16", 1/4", 5/16", and 3/8".



T26909 ~~\$19.99~~ SALE **\$17.99**

TiN-Coated Drill Bit Sets

These long lasting HSS, TiN-coated bits are available in a 60-PC. numbered bit set, or a 50-PC. metric set. Numbered bits range from 1 to 60. Metric bits range from 1mm to 6mm in 0.1mm increments. Both sets include steel drill indexes.



50-PC. Metric Set

G9753 ~~\$32.95~~ SALE **\$26.95**

60-PC. Number Set


G9754 ~~\$24.95~~ SALE **\$19.95**

115-PC. HSS DRILL BIT SET



HSS bits are treated and finished with a black oxide coating.

115-PC. set features 29 fractional bits from 1/16" to 1/2" in increments of 1/64", letter bits from A to Z and 60 number bits. Housed in a rugged steel case.



D1137 ~~\$68.50~~ SALE **\$49.95**

12-PC. GLASS/GRANITE DRILLING SET

- Ideal for glass, mirror, granite tile, and granite countertop installations
- Powerful dual suction cups ensure drill guide remains stationary
- Diamond-core drill bits
- Bit sizes: 3/16", 1/4", 5/16", 3/8", 1/2", 3/4", 7/8", 1", 1 1/8", 1 1/4", and 1 3/8"



PRESIDENT'S SPECIAL

T10538 ~~\$110.00~~ SALE **\$79.95**

4-PC. CENTER DRILL SET 60°

- Double ended HSS Center Drills are precision ground. Includes sizes 1-4.
- Size 1: Body Dia. 1/8", Drill Dia. 3/64", O.A. Length 1 1/4"
- Size 2: Body Dia. 3/16", Drill Dia. 5/64", O.A. Length 1 7/8"
- Size 3: Body Dia. 1/4", Drill Dia. 7/64", O.A. Length 2"
- Size 4: Body Dia. 3/16", Drill Dia. 1/8", O.A. Length 2 1/8"



H5930 ~~\$7.25~~ SALE **\$5.95**

7-PC. GLASS/GRANITE DRILLING SET

- Ideal for glass, mirror, granite tile, and granite countertop installations
- Powerful suction cup ensures drill guide remains stationary
- Diamondcore drill bits
- Bit sizes: 3/16", 1/4", 5/16", 3/8", 1/2", and 3/4"



T10537 ~~\$49.95~~ SALE **\$29.95**

OSCILLATING MULTI TOOL

The Oscillating Multi-Tool is the tool of choice for remodelers, tile and floor installers, finish carpenters, drywallers, and DIY enthusiasts. And, for good reason! The Oscillating Multi-Tool, with a wide assortment of aftermarket saw blades, cuts flush and into corners like no other saw. Also great for scraping, sanding, and plunge cutting. You won't find a more versatile tool at a price this low!

Includes:

- 28mm CRV flush-cut wood saw blade
- 28mm bi-metal flush-cut saw blade
- CRV radial saw blade
- 93mm triangle sanding pad
- 5-Pc. 93mm red sandpaper
- 5-Pc. 93mm white sandpaper

"Amazing tool – I have one"

S. Balolia, President

T25227 ~~\$71.95~~ **SALE \$49⁹⁵**

FEATURES:

- 15,000–22,000 OPM (variable no-load speed)
- 1.8 Amps
- 4' power cord
- 1-year warranty
- Carrying case


PRESIDENT'S SPECIAL



8-PC. GENERAL-PURPOSE TOOL ACCESSORIES SET

Includes:

Triangle H&L sanding head, flush and offset scrapers, 1 1/8" CRV wood cutting and bi-metal wood-and-metal cutting blades, HSS radial blade and triangle, and radial carbide grit rasps.




T26339 *General Purpose Set* **\$20⁹⁵**

MULTI-PURPOSE PROFILE SANDING SET

Includes:

- Six moulding profiles and a variety of cloth-backed AO sanding grits
- Easy sandpaper and profile changes
- Profile heads measure 2 1/8" L



T26338 *Multi-Purpose Set* **\$11⁵⁰**

10-PC. EXPANDED KIT FOR OSCILLATING MULTI-TOOLS



Includes:

- 3 7/16" HSS radial saw blade
- 2 1/16" x 1" rigid scraper
- 2" rigid scraper
- 2 1/16" x 1 3/4" flexible scraper
- 2 9/16" carbide grit saw blade
- 3 1/8" carbide grit rasp
- Double-face carbide grit fingertip rasp 1 3/8"
- 1 5/16" standard flush-cut wood saw blade
- (2) 1 1/16" flush-cut wood saw blade
- 1 1/4" flush-cut universal saw blade



T27939 *10-PC. Expanded Kit* **\$31⁹⁵**

5-PC. OSCILLATING MULTI-TOOLS KIT



Includes:

- 3 7/16" HSS radial saw blade
- 1 5/16" flush-cut wood saw blade
- 1 1/4" flush-cut universal saw
- 2 9/16" grout & mortar remover
- Bi-metal standard flush-cut universal saw blade



T27942 *5-PC. Kit* **\$19⁹⁵**

5-PC. OSCILLATING MULTI-TOOLS KIT



Includes:

- 3 7/16" HSS radial saw blade
- 2 1/16" x 1" rigid scraper
- 1 5/16" precision wood saw blade
- 1 5/16" flush-cut standard wood saw blade
- Bi-metal standard flush-cut universal saw blade



T27943 *5-PC. Kit* **\$14⁹⁵**

7-PC. KIT FOR OSCILLATING MULTI-TOOLS

Includes:

- 3 7/16" HSS radial saw blade
- 2 1/16" x 1" rigid scraper
- Delta sanding pad
- 1 5/16" precision wood saw blade
- 1 1/4" flush-cut universal saw blade
- 2 9/16" grout & mortar remover
- Bi-metal standard flush-cut universal saw blade



T27940 *7-PC. Kit* **\$22⁹⁵**

7-PC. KIT FOR OSCILLATING MULTI-TOOLS

Includes:

- 3 7/16" HSS radial saw blade
- 2 1/16" x 1" rigid scraper
- 1 5/16" flush-cut standard wood saw blade
- 1 1/4" flush-cut universal saw blade
- 2 9/16" grout & mortar remover
- Bi-metal standard flush-cut universal saw blade



T27941 *7-PC. Kit* **\$23⁹⁵**

**BUY 5 OR MORE
MULTI-TOOL
ACCESSORY ITEMS
AND GET 20% OFF**

Can be used for Fein-Multimaster FMM250Q and Bosch PMF180E.

SCRAPERS

- Flexible scrapers remove soft adhesives, paint residue, and silicone caulk
- Rigid scrapers remove tougher adhesives, glued-down carpet, and under coatings



T25154

| | | |
|---------------|---------------------------------------------------|-------------------------|
| T25154 | Flexible – 2 $\frac{1}{16}$ " x 1 $\frac{3}{4}$ " | \$2⁹⁵ |
| T25155 | Rigid – 2 $\frac{1}{16}$ " x 1" | \$2⁹⁵ |
| T25156 | Flexible – 2" | \$2⁹⁵ |
| T25157 | Rigid – 2" | \$2⁹⁵ |

STANDARD PUSH-CUT SAW BLADES

- Universal saw blades feature bi-metal blades for wood and metal
- Fine tooth count for smooth cuts
- For deep plunge cutting



T25137

| | | |
|---------------|--------------------------------|-------------------------|
| T25137 | Universal – 1 $\frac{1}{4}$ " | \$3⁹⁵ |
| T25138 | Universal – 1 $\frac{3}{4}$ " | \$4⁷⁵ |
| T25139 | Universal – 2 $\frac{1}{16}$ " | \$3⁹⁵ |
| T25140 | Universal – 1 $\frac{1}{2}$ " | \$2⁹⁵ |

PRECISION PUSH-CUT SAW BLADES

- CRV hardened teeth for a broad range of applications
- Ground and side-set teeth for precise, clean, and quick cutting
- For wood, plastic, and plasterboard



T25141

| | | |
|---------------|---------------------------|-------------------------|
| T25141 | Wood – 1 $\frac{5}{16}$ " | \$3²⁵ |
| T25142 | Wood – 2 $\frac{1}{16}$ " | \$3⁹⁵ |

CRV STANDARD FLUSH-CUT SAW BLADES

- CRV hardened teeth for a broad range of applications
- Fine tooth count for smooth cuts
- For wood, plastic, and plasterboard



T25143

| | | |
|---------------|--------------------------|-------------------------|
| T25143 | Wood – 1 $\frac{1}{8}$ " | \$3²⁵ |
| T25144 | Wood – $\frac{7}{8}$ " | \$3²⁵ |
| T25145 | Wood – $\frac{3}{8}$ " | \$3²⁵ |

BI-METAL STANDARD FLUSH-CUT SAW BLADES

- Bi-metal blades for wood and metal
- Fine tooth count for smooth cuts
- For flush cutting applications



T25146

| | | |
|---------------|---------------------------|-------------------------|
| T25146 | Metal – $\frac{3}{8}$ " | \$3²⁵ |
| T25147 | Metal – $\frac{7}{8}$ " | \$3⁵⁰ |
| T25148 | Metal – 1 $\frac{1}{8}$ " | \$3⁵⁰ |

BI-METAL STANDARD FLUSH-CUT UNIVERSAL SAW BLADE

- Bi-metal blades for wood and metal
- Fine tooth count for smooth cuts
- For flush cutting applications



| | | |
|---------------|-----------|-------------------------|
| T27938 | Universal | \$3⁹⁵ |
|---------------|-----------|-------------------------|

CARBIDE GRIT SAW BLADE

- Carbide grit edge for a broad range of applications
- Cuts tile, plaster, porous concrete, and similar construction materials
- For rough grinding wood, stone, and concrete



| | | |
|---------------|--------------------|-------------------------|
| T25150 | 2 $\frac{9}{16}$ " | \$3⁹⁵ |
|---------------|--------------------|-------------------------|

CRV RADIAL SAW BLADE

- CRV-hardened teeth cuts wood, plastics, and plasterboard
- Use for plunge cutting and flush cutting



| | | |
|---------------|---------------------------|-------------------------|
| T25153 | Wood – 3 $\frac{7}{16}$ " | \$3⁹⁵ |
|---------------|---------------------------|-------------------------|

RASPS

- Removes mortar or tile adhesive when removing damaged tile
- Removes carpet adhesive from hard surfaces
- For rough grinding wood, stone, and concrete



T25160

| | | |
|---------------|--------------------------------|-------------------------|
| T25160 | Diamond Ctd 3 $\frac{1}{8}$ " | \$8⁵⁰ |
| T25161 | Carbide Grit 3 $\frac{1}{8}$ " | \$4⁵⁰ |

DIAMOND COATED SAW BLADE

- Diamond-coated edge for a broad range of applications
- Cuts tile, glass, fiberglass, and similar materials



| | | |
|---------------|--------------------|-------------------------|
| T25149 | 2 $\frac{9}{16}$ " | \$4⁷⁵ |
|---------------|--------------------|-------------------------|

HSS SAW BLADES

- HSS for a broad range of applications
- Cuts wood and metal
- Radial saw blade for flush cutting
- Segment saw blade for straight cutting into corners and right angles



T25151

| | | |
|---------------|-----------------------------|-------------------------|
| T25151 | Radial – 3 $\frac{7}{16}$ " | \$4⁵⁰ |
| T25152 | Segment – 3 $\frac{1}{8}$ " | \$4⁵⁰ |

GROUT & MORTAR REMOVER

- Combines a segment blade with a triangle blade in a drop-shape design
- Can be used to rout out damaged tile and rasp away mortar or tile adhesive without changing the tool



| | | |
|---------------|--------------------|-------------------------|
| T25158 | 2 $\frac{9}{16}$ " | \$7⁹⁵ |
|---------------|--------------------|-------------------------|

SANDING PAD

- Sanding Pad features micro-hook and loop fastening system for quick and easy sanding sheet changes
- Compatible with all standard Delta-shaped hook and loop sanding sheets



| | | |
|---------------|-------------------|-------------------------|
| T25159 | 3 $\frac{3}{8}$ " | \$3⁹⁵ |
|---------------|-------------------|-------------------------|

TRIANGLE H&L SANDPAPER

Triangle 6-Hole Hook and Loop Sandpaper fits most triangle detail sanders.



T27653

| | | |
|---------------|----------------------|--------------------------|
| T27653 | 60 Grit, Pack of 10 | \$10⁹⁵ |
| T27654 | 80 Grit, Pack of 10 | \$10⁹⁵ |
| T27655 | 120 Grit, Pack of 10 | \$10⁹⁵ |
| T27656 | 180 Grit, Pack of 10 | \$9⁹⁵ |
| T27657 | 240 Grit, Pack of 10 | \$9⁹⁵ |

See Next Page For More Oscillating Multi-Tool Accessories

Can be used for Fein-Multimaster FMM250Q and Bosch PMF180E.



TiN-COATED BI-METAL STANDARD FLUSH-CUT UNIVERSAL SAW BLADE


- TiN-coating stays sharper longer than non-coated blades
- Bi-metal blades for wood and metal
- Fine tooth count for smooth cuts
- For flush cutting applications



T26319 1 1/4" **\$6⁹⁵**

TiN-COATED HSS STANDARD FLUSH-CUT METAL SAW BLADES

- TiN-coating stays sharper longer than non-coated blades
- HSS blades for metal
- Fine tooth count for smooth cuts
- For flush cutting applications



T26321 3/8" **\$6⁹⁵**
T26323 1 3/8" **\$6⁹⁵**

HSS MULTI-FUNCTION FOUR-EDGE SAW BLADE

- HSS for a broad range of applications
- Straight edges have 14 and 18 TPI
- Curved edges have 20 TPI



T26326 2 3/8" x 3 1/8" **\$7⁹⁵**

HSS SERRATED EDGE RADIAL SAW BLADE

- Ideal for cardboard, carpet and carpet pad
- HSS for a broad range of applications



T26330 4" Dia. **\$7⁹⁵**

DIAMOND BOOT SAW BLADE

- Unique shape for greater versatility
- Diamond-coated edge for a broad range of applications
- Cuts tile, glass, fiberglass, and similar materials



T26333 2 9/16" **\$5⁷⁵**

BI-METAL FLUSH-CUT SAW BLADE FOR HARDWOOD


- Bi-metal blade for tough hardwoods
- Fine tooth count for smooth cuts
- For flush cutting applications



T26318 1 1/4" **\$3⁷⁵**

TiN-COATED HSS RADIAL SAW BLADE

- TiN-coating stays sharper longer than non-coated blades
- HSS for a broad range of applications



T26324 3 7/16" Dia. **\$9²⁵**

CARBIDE GRIT RADIAL SAW BLADES

- For cutting out damaged tile along grout lines
- For cutting grooves in plaster, porous concrete, and similar construction material



T26327 2 9/16" Dia. **\$4⁷⁵**
T26328 3 3/8" Dia. **\$5⁷⁵**

CRV SERRATED EDGE SAW BLADE

- CRV-hardened teeth cut foam, soft plastics, and plasterboard
- Use for plunge cutting and flush cutting



T26331 2 11/16" **\$5⁷⁵**

CARBIDE GRIT FLUSH-CUT SAW BLADE

- Cuts tile, plaster, porous concrete, and similar construction materials
- For rough grinding wood, stone, and concrete
- For flush cutting applications



T26334 1 1/8" **\$3⁵⁰**

HSS STANDARD FLUSH-CUT METAL SAW BLADES

- High-speed steel blades for a broad range of applications
- Fine tooth count for smooth cuts
- For flush cutting applications



T26320 3/8" **\$4⁷⁵**
T26322 1 3/8" **\$4⁷⁵**

ROUND DIAMOND COATED SAW BLADES

- Diamond-coated edge for a broad range of applications
- Cuts tile, glass, fiberglass, and similar materials
- 3 1/8" Dia.



T26336 Depressed Center **\$7⁹⁵**
T26337 Flat Center **\$7⁹⁵**

DIAMOND-COATED RADIAL SAW BLADE

- Diamond-coated edge for a broad range of applications
- Cuts tile, glass, fiberglass, and similar materials



T26329 3 3/8" Dia. **\$9²⁵**

DOUBLE-FACE CARBIDE GRIT FINGERTIP RASP

- For rough grinding tile adhesive, concrete, stone, and wood
- Carbide grit is coated on both sides
- Fingertip shape is well suited for small areas



T26332 1 3/8" **\$4⁷⁵**

ROUND CARBIDE GRIT SAW BLADE

- Carbide grit edge for a broad range of applications
- Cuts tile, plaster, porous concrete, and similar construction materials
- For rough grinding wood, stone, and concrete



T26335 3 3/8" Dia. **\$5⁷⁵**

WOOD STABILIZATION

Create your own unique, "easy-to-turn" wood with this user-friendly system that utilizes a Vacuum Stabilization Process and Stabilizing Resin. Woods that tend to crack and check, such as spalted woods, can now become solid, easily turned pieces with the application of heat cured resin that penetrates deeply into the wood. Great for stabilizing pen blanks! Resin Stabilized wood gives new life to woods that would normally not be usable for turning. Wood Stabilizing Resin is low viscosity, low odor, and heat cured. Low temperature heat cure (190°–200°F) allows cure in a small toaster type oven... out of the kitchen! Dyes added to the stabilizing resin can also create dramatic coloring effects. The Resin is a Methacrylate Ester base and can fill voids and penetrate thick wood if the wood is relatively soft and porous. No need to stabilize hard wood!

Note: Vacuum Stabilization requires a small air compressor (1.2 CFM @ 85 PSI) and toaster type oven. Both NOT included with Hold Fast Wood Stabilization products.



VACUUM STABILIZATION SYSTEMS



The V821 system provides the best in versatility and economy in wood stabilization. Vacuum pulls Stick Fast Stabilizing Resin into all types of dry wood, especially soft and spalted woods, to make them solid and easy to turn with vivid coloring. This new, improved version of the wood stabilization system has an ultra high strength tempered glass top that eliminates any possible cracking or chemical incompatibilities if using other brands of resin or products. Top two side ports give added versatility, one vacuum port and one option vacuum bag system support. The new seal is easier to remove for cleaning and the chamber has a drain valve at the bottom, allowing the resin to be easily drained back into a container for future use. It can also be used to pull resin into the chamber using a vacuum, making for cleaner, easier operations. We know of no other chamber that has this feature!



Includes:

- Vacuum chamber with high strength tempered glass top
- Stainless steel anti-float plate
- Seals

| MODEL | SIZE | SALE |
|--------|------|-------------------------------|
| T27925 | 8" | \$89⁹⁵ |
| T27926 | 12" | \$99⁹⁵ |
| T27927 | 18" | \$129⁹⁵ |

VACUUM GENERATOR PUMP

- Venturi effect produces vacuum with your air compressor
- Supply air at 90 PSI allows you to increase air pressure resulting in increased vacuum and vacuum volume by turning the regulator knob
- Typical vacuum at 70 PSI = 21" Hg
- Typical vacuum at 85 PSI = 25" Hg
- Compressed air consumption = 1.2 CFM @ 85 PSI
- Includes vacuum hose
- Note: Air pressure over 85 PSI does not benefit the vacuum, it just uses more compressed air



T1168 ~~\$139.95~~ **SALE \$129⁹⁵**

VACUUM HOSE

This 3/16" ID x 3/16" OD x 4' hose is for use with the Hold Fast Wood Stabilization Systems. If you don't already have a hose you can use or need a replacement, this will do the trick!



T27442 ~~\$5.50~~ **SALE \$4⁹⁵**

STABILIZING RESIN/CATALYST

- Economical
- Low viscosity - for better wood penetration
- Low odor
- Dye colors available for dramatic effects
- 3 year shelf life; 3+ month catalyzed shelf life
- Soap and water clean up



Cannot ship via air or internationally

| MODEL | TYPE | SALE |
|-------|--------|------------------------------|
| T1175 | Quart | \$32⁹⁵ |
| T1176 | Gallon | \$89⁹⁵ |

RESIN DYES


Blend dyes with Stabilizing Resin to add color throughout porous wood for a dramatic effect when turning. Mix dyes for additional colors. Five-Color Dye Kit includes 1 oz. each of Black, Red, Blue, Yellow, and Violet dyes.



| MODEL | TYPE | SALE |
|-------|-----------------|------------------------------|
| T1178 | Black – 1 oz. | \$9⁹⁵ |
| T1179 | Red – 1 oz. | \$7⁹⁵ |
| T1180 | Blue – 1 oz. | \$7⁹⁵ |
| T1181 | Yellow – 1 oz. | \$7⁹⁵ |
| T1182 | Violet – 1 oz. | \$7⁹⁵ |
| T1177 | 5-Color Dye Kit | \$36⁹⁵ |

EXTRA CHAMBER SEALS

Ensure Max. vacuum pressure with fresh seals for all your vacuum chambers. Compatible with T1169, T1170, and T1171 only.



| MODEL | TYPE | SALE |
|-------|----------------|------------------------------|
| T1173 | For 3.5 Quart | \$9⁹⁵ |
| T1174 | For 6 Quart | \$9⁹⁵ |
| T1172 | For 8.25 Quart | \$12⁹⁵ |

FLEXVOLT™

120V MAX SLIDING MITER SAW KIT

The DHS790AT2 offers flexible power options - corded for unlimited runtime or cordless for portability powered by DEWALT brushless motor technology. Accuracy is delivered through adjustable miter scale with 11 positive stops and high visibility bevel scale the CUTLINE™ blade positioning system. The kit includes two 60V MAX lithium ion battery packs, a dual port fast charger, and the DC120A corded power supply.



New!

Kit with Batteries & Charger
T29191 DHS790AT2 \$799⁰⁰

Bare Tool with Adaptor
T29190 DHS790AB \$649⁰⁰

60V RECIPROCATING SAW 2 BATTERY KIT

The DCS388T2 is maximized for runtime and durability. It delivers the power of a corded reciprocating saw with the portability and convenience of a cordless saw through DEWALT's revolutionary FLEXVOLT technology. The DCS388T2 comes with two 60V MAX lithium ion batteries and one fast charger.



New!

T29184 DCS388T2 \$379⁰⁰

FLEXVOLT 20 / 60V MAX DUAL BATTERY PACK 6.0AH

The DCB606 20V / 60V MAX Battery pack changes voltage when you change tools, powering a line of powerful 60V MAX tools, 120V MAX tools, and it's backwards compatible to existing 20V MAX tools and chargers. The battery pack is smart enough to know when to provide runtime for 20V MAX tools (6.0Ah) and power in the new 60V MAX and 120V MAX tools.



New!

1 Battery
T29175 DCB606 \$149⁹⁵

2 Battery
T29176 DCB606-2 \$199⁰⁰

120V MAX FIXED MITER SAW KIT

The DHS716AT2 12" (305mm) 120V MAX Compound Miter Saw delivers the power and cutting capacity that end users have come to expect from DEWALT corded miter saws, but with the portability and convenience of cordless. The DHS716AT2 comes with the 120V AC power adapter, two 60V MAX lithium ion batteries, and dual port fast charger.



New!

Kit with Batteries & Charger
T29189 DHS716AT2 \$649⁰⁰

Bare Tool with Adaptor
T29188 DHS716AB \$499⁰⁰

60V GRINDER 2 BATTERY KIT

The DCG414T2 4 1/2"-6" (115mm-150mm) Grinder with Kickback Brake is maximized for power and durability. It delivers 13 amp power as compared to the D28144N with the portability and convenience of cordless through DEWALT's revolutionary FLEXVOLT technology. The DCG414T2 comes with 2 Flexvolt batteries, fast charger, and kit bag.



New!

T29179 DCG414T2 \$379⁰⁰

FLEXVOLT HAMMERDRILL AND IMPACT KIT

The DCK299D1T1 features the DCD996 20V MAX 1/2" 3-Speed Hammerdrill and DCF887 20V MAX 1/4" 3-Speed Impact Driver. This kit comes with one 60V MAX Flexvolt lithium ion battery, one 20V MAX XR lithium ion compact battery and fast charger.



New!

T29180 DCK299D1T1 \$379⁰⁰

60V TABLE SAW KIT

The DCS7485T1 60V MAX 8 1/4" Table Saw is maximized for accuracy, capacity, and runtime. The brushless motor delivers the power to cut all common materials, the rack-and-pinion fence allows for fast, easy adjustments and provides the capacity to rip 4x8 sheet goods. The DCS7485T1 comes with one 20V / 60V MAX FLEXVOLT battery and fast charger.



New!

Table Saw Kit
T29187 DCS7485T1 \$499⁰⁰

Bare Tool
T29186 DCS7485B \$379⁰⁰

60V CIRCULAR SAW 2 BATTERY KIT

60V MAX 7 1/4" (184mm) Circular Saw delivers the power and depth of cut of a corded circular saw, but with the power and convenience of a cordless tool. The kit includes two 60V MAX lithium ion battery packs and a fast charger.



New!

T29185 DCS575T2 \$379⁰⁰

60V STUD/JOIST DRILL KIT

The DEWALT 60V Max VSR Stud and Joist Drill with E-Clutch® System features a 1/2" chuck and brushless motor that provides corded power in a cordless solution. This drill provides exceptional power, control, durability, and runtime with its 60V brushless motor, mechanical clutch, and 2 variable-speed ranges. Equipped with the innovative bind-up control feature called E-Clutch® System, this drill increases user control in bind-up/stall situations by sensing a stall during use and managing torque accordingly.



New!

T29177 DCD460T2 \$479⁰⁰

CLEARANCE

VERTICAL MILL - 16 SPEED

- Motor: 3 HP, 220V, 3-phase, TEFC, 3450/ 1725 RPM
- Spindle travel: 5"
- Swing: 48³/₄"
- Longitudinal table travel: 29⁷/₈"
- Cross table travel: 15³/₄"
- Vertical table travel: 16"
- Ram travel: 24"
- Ram swivel angle: 360°
- Head tilt (left-to-right): 90°
- Head tilt (front-to-back): 45°
- Turret or column swivel (left and right): 360°
- Distance spindle to column: 24³/₈"
- Distance spindle to table: 16⁷/₈"
- Drilling capacity for cast iron: 1¹/₄"
- Drilling capacity for steel: 1"
- Number of vertical spindle speeds: 16
- Range of vertical spindle speeds: 80-5440 RPM
- Quill dia.: 86mm
- Quill feed rates: 0.0015, 0.003, 0.006 in/rev
- Table length: 50"
- Table width: 10"
- Table thickness: 3⁵/₁₆"
- T-slots: 3 at 2¹/₂" centers, ⁵/₈" wide
- Base footprint: 40" x 24"
- Approx. shipping weight: 2492 lbs.



G0747 ~~\$6250.00~~ SALE **\$5995⁰⁰**



10" X 54" VERTICAL MILL WITH POWER FEED - BELT DRIVE HEAD

- Motor: 3 HP, 220V, 3-phase, TEFC, 1725/ 3450 RPM
- Spindle travel: 5"
- Table size: 10" x 54"
- Table travel (longitudinal): 33³/₄"
- Table travel (cross): 15¹/₂"
- Max. dist. spindle to column: 24¹/₂"
- Max. dist. spindle to table: 17"
- Knee travel: 16³/₄"
- Head tilt: 45° both ways
- Head swivel: 90° both ways
- T-slots: 3 on 2¹/₂" centers, ⁵/₈" W
- Belt drive speed range: 78 - 4800 RPM
- Approx. shipping weight: 3687 lbs.



G9904 ~~\$7295.00~~ SALE **\$5995⁰⁰**



10" X 54" VERTICAL MILL WITH POWER FEED - VS

- Motor size: 3 HP, 3 Phase, 220V, 1720 RPM
- Spindle travel: 5"
- Table size: 10" x 54"
- Table travel (longitudinal): 33³/₄"
- Table travel (cross): 15¹/₂"
- Max. dist. spindle to column: 24¹/₂"
- Max. dist. spindle to table: 17"
- Knee travel: 16³/₄"
- Head tilt: 45° both ways
- Head swivel: 90° both ways
- T-slots: 3 on 2¹/₂" centers, ¹/₂" stud
- Variable speed range: 60 - 4250 RPM
- Approx. shipping weight: 3677 lbs.



G9905 ~~\$7995.00~~ SALE **\$7695⁰⁰**



14" X 40" 3-PHASE HIGH PRECISION TOOLROOM METAL LATHE

- Motor: 5 HP at 3450 RPM, 2.5 HP at 1725 RPM, 220V, 3-phase
- Swing over bed: 14.17" • Swing over gap: 20.94" • Swing over cross slide: 8.66"
- Distance between centers: 40" • Spindle nose: D1-5 camlock • Spindle nose taper: MT#5
- Spindle bore: 1.57" (40mm) • Tailstock barrel taper: #3 MT • Tailstock barrel dia.: 1.968"
- Cross slide travel: 7" • Compound travel: 4" • Spindle speeds: 16, 50-2570 RPM
- Range of threads (inches): 45 @ 2-72 TPI • Range of threads (metric): 39 @ 0.2-14mm
- Diametral pitch range: 21 @ 8-44 DP • Modular pitch range: 18 @ 0.3-3.5 MP
- Approx. shipping weight: 2684 lbs.

MADE IN TAIWAN



G0740 ~~\$12,995.00~~ SALE **\$11,995⁰⁰**



ORDERING INFORMATION

- **PHONE – 1-800-523-4777:** You can order 24 hours a day. Call our toll-free number between 8:00 am – 8:00 pm, Mon – Fri or 8:30 am – 6:00 pm ET on Saturdays to speak with one of our friendly sales people or you can use our automated voice mail system after hours. Just follow the voice prompts to place your order.
- **INTERNET – www.grizzly.com®:** You can shop electronically via our online store. It's fast, easy and secure. Visit often since we have many specials and discontinued items not offered in our catalog or retail stores. We will e-mail you confirmation of your order.
- **FAX – 1-800-438-5901:** You can use our handy order form and fax it directly to us. We will process your order through our nearest distribution center for fast delivery.
- **SPANISH – Hablamos Español – Llámenos al 1-800-523-4777, ord@grizzly.com**

- **MAIL – P.O. Box 1050, Springfield, MO 65801-1050:** Fill out the order form by following Step 1 through Step 5. We accept Visa, MasterCard, Discover, American Express, bank wire transfer and personal or business checks. Send full payment in U.S. funds. **Important:** We do not accept Cashier's checks or money orders. Personal checks not preprinted with the customer's name and check number will hold up the order for approximately 3 weeks. Please include your daytime telephone number in case there are questions regarding your order.
- **PARTS ORDERS –** Please call our toll-free line at **1-800-523-4777** for part orders. Parts are also available online at grizzly.com®. All parts are shipped from our Springfield, MO location and non-warranted parts are subject to shipping and handling charges as listed. Please have your machine's serial number available when calling for warranty parts.

PRICING POLICY

Due to rapidly changing market conditions our **catalog prices may be increased at any time without prior notice.** Our website is updated with any changes as they occur.

CUSTOMER SERVICE

SHIPPING YOUR ORDER: We make every effort to ship your order within 24 hours. In most cases it will go out the same day. Due to our centrally located warehouses, freight shipments usually arrive in 3–5 working days. Standard orders (non-freight items) will typically arrive in 2–3 working days. This information should be used as a general guide and is not guaranteed.

NON-FREIGHT ITEMS: *Non-freight items are assessed a shipping and handling fee based on the total dollar amount of the items. Due to size and weight restrictions, some items require additional shipping and handling charges. These items are individually noted. Orders for non-freight items with a total weight of over 250 lbs. may be shipped via truck freight and will incur additional shipping charges. Orders that do not include freight items will be shipped by ground transportation unless otherwise specified. Shipments less than 1 lb. may be shipped by USPS or UPS SurePost. Orders to Alaska, Hawaii, Guam, Puerto Rico, Virgin Islands, and U.S. Territories will be quoted at current rates. Special handling costs or shipping fees may be added to your order, and **all orders may be subject to a fuel surcharge.** Shipping charges for parts may vary from published charges.

SHIPPING AND HANDLING CHARGES: (Non-Freight Items)

| Item Total |
|----------------------|
| Less than \$49.99 |
| \$50.00 to \$74.99 |
| \$75.00 to \$99.99 |
| \$100.00 to \$199.99 |
| \$200.00 to \$299.99 |
| \$300.00 or more |

| Lower 48 |
|-------------|
| add \$9.99 |
| add \$12.99 |
| add \$15.99 |
| add \$18.99 |
| add \$22.99 |
| add \$23.99 |

| Canada |
|-----------------------------------------------------------------------------------|
|  |
| We Ship to Canada! |
| Please visit grizzly.com ® or call |
| 1-800-523-4777 for a no hassle, all-inclusive |
| quote for shipping orders to Canada. |

TRUCK FREIGHT ORDERS: * We have a flat rate shipping program for certain items so you know exactly what your cost will be. Items under 150 lbs. may ship by small parcel carrier. This program applies only to the lower 48 states. We have listed the shipping charge for each machine next to the price (a fuel surcharge may be added). See inside order form for an example of how to apply this to your order.

*Orders that contain freight as well as additional S/H charges due to oversize restrictions and non-freight items must include the flat rate shipping fee per item and the shipping and handling fee based on the total dollar amount of those non-freight items. **All orders may be subject to a fuel surcharge.**

Truck freight orders require a delivery appointment. We require a valid daytime phone number in order to complete delivery.

Truck drivers are subject to a number of regulations, one of which is that they are not required to give assistance unloading. Please be prepared for this "curbside" delivery, as you are responsible for unloading the item(s) and placing them in your shop. This normally takes a couple of "friends." Your location must be tractor-trailer accessible. Some carriers reserve the right to charge a limited access delivery fee, which will be added to your invoice if applicable. We recommend that you make arrangements with the trucking company to take delivery at the freight terminal if you can. They will load it onto your vehicle. Make sure your vehicle is capable of handling the weight. Also, bring plenty of tie downs to properly secure the load.

We can offer liftgate service for a discounted rate when ordered through Grizzly. Please ask for more details when placing your order.

SHIPPING DAMAGE OR SHORTAGE: When you receive your shipment from the delivery company, it is extremely important to inspect and note any damage that might be suspect.

Holes, dents, tears, etc. should be noted on the form the driver gives you to sign accepting delivery. These notations will allow us to make a claim for shipping damage on your behalf. Failure to do so makes it extremely difficult to make a claim. If there is shipping damage and you have noted it on the delivery form, you can e-mail us at csr@grizzly.com, call our Customer Service Department at **1-800-523-4777** or fax us at **1-800-438-5901**. We will take care of all the necessary arrangements to have the problem resolved. If you do not receive the number of boxes shown on the delivery receipt, you must note how many were actually received. Any claims for damages or shortages must be reported to us within 14 days of receipt.

SHIPMENTS OUTSIDE THE CONTINENTAL U.S. AND CANADA: Orders will be quoted at current rates. Items will be shipped via UPS. Special handling costs, additional shipping fees and applicable brokerage fees may be added to your order. All costs are quoted during the checkout process on grizzly.com® and via phone at **1-800-523-4777**.

BACK ORDERS: If not specified, out of stock items will automatically be placed on back order and shipped immediately when available. Credit cards will not be charged until item(s) are shipped.

RETURNS: Should you decide to return an item(s) for any reason, be it for refund, exchange, or warranty, please contact our Customer Service Department at csr@grizzly.com, or **1-800-523-4777**. We will take you step by step through the return process. Returns for refund or exchange must be within 30 days of purchase. Original shipping and handling charges are not refundable. All returns must be in original packing, unused and in resalable condition and all non-defective returns are subject to a 10% restocking fee. All merchandise must be shipped to us using an authorized return label that we provide when setting up your return. We will not accept returns sent to us without prior authorization. Return shipping costs will be deducted from refunds for non defective items.

TECHNICAL SERVICE: Please contact our Technical Service Department at **1-570-546-9663** before sending or bringing any item back for service. For machinery, please have your serial number available. If it is determined that the best course of action is to send the item back to us for service, we will make every effort to repair and return it to you in a timely manner.

DARN IT! We make every effort to be exact with our photography, prices, specifications and copy. Sometimes errors do occur and we apologize for them. We reserve the right to make changes and correct errors at any time.

PRIVACY POLICY: We respect your right to privacy and do not disclose your personal data to other organizations.

LEASING INFORMATION: Machines identified by "Call for Leasing Information" may be leased with approved credit through various third-party leasing companies. Just check our website or give us a call at **1-800-523-4777** and we'll provide the details.

CREDIT TERMS: We offer credit terms to qualifying companies; apply for an account online at grizzly.com®. Terms and Conditions contained in customer purchase orders, order forms, or otherwise are superseded in their entirety by our terms as stated on our website and herein unless expressly agreed to by us in writing.

PLEASE NOTE: Our terms, conditions, pricing and policies are subject to change without notice at any time, and are updated on grizzly.com®.

LIMITED WARRANTY

Grizzly warrants every product it sells for a period of **1 year** to the original purchaser from the date of purchase. This warranty does not apply to defects due directly or indirectly to misuse, abuse, negligence, accidents, repairs, improper wiring, alterations, lack of maintenance or consumable parts. This is Grizzly's sole written warranty and any and all warranties that may be implied by law, including any merchantability or fitness, for any particular purpose, are hereby limited to the duration of this written warranty. We do not warrant or represent that our merchandise complies with the provisions of any laws, acts or electrical codes. We do not reimburse for third party repairs, services, or any expenses related to moving machinery to and from carrier vehicles or residences. In no event shall Grizzly's liability under this warranty exceed the purchase price paid for the product and any legal actions brought against Grizzly shall be tried in the State of Washington, County of Whatcom.

We shall in no event be liable for death, injuries to persons or property or for incidental, contingent, special or consequential damages arising from the use of our products.

To take advantage of this warranty please call our Customer Service Department at **1-800-523-4777**. Proof of purchase must accompany the merchandise. Manufacturers reserve the right to change specifications at any time as they constantly strive to achieve better quality equipment.

Please Note: Merchandise covered by a manufacturer's warranty must be sent directly to the manufacturer for repair or replacement.

CUSTOMER NO.

PRICING CODE

| | |
|--|--|
| | |
|--|--|

CHECK OUT GRIZZLY.COM/OUTLET FOR INCREDIBLE DEALS!

Grizzly Industrial® 2017 TENT SALES

WA: May 6
MO: June 3, Sept. 16


DENTED • SCRATCHED • AS-IS • SAMPLES • ONE-OF-A-KIND

If you have ever been to a Grizzly "Scratch & Dent" Tent Sale, you understand why woodworkers and metalworkers form long lines to get in early. Grizzly liquidates an impressive quantity of scratched, dented and as-is woodworking and metalworking machines, tools, and accessories, as well as samples and one-of-a-kind items. This is definitely an event that no bargain hunter should miss!


All sales are on a first come, first serve basis, so get there early for the best deals and the largest selection!



GRIZZLY TENT SALES offer hundreds of items at incredible prices!



STEP INSIDE our spacious showroom for Summer Sale Pricing & Spectacular Showroom Specials!



OUR ENTHUSIASTIC STAFF are pumped up and ready to assist you with your purchases!

Don't miss any of the fun!

LIVE DEMOS!



PORTER+CABLE



FREE TRADE MAGAZINES
& 1-DAY ONLY
SHOWROOM SPECIALS!

check our website grizzly.com® for information on accommodations, etc.

2 LOCATIONS TO SERVE YOU!

Bellingham, WA

1821 Valencia Street
Bellingham, WA 98229

Hours: Mon-Fri 8:30-5:00

Springfield, MO

1815 W. Battlefield
Springfield, MO 65807

Hours: Mon-Sat 8:30-6:00

