Behavioral Risk Factor Surveillance System

2011 Codebook Report

Land-Line data - version 1

January 24, 2013





State FIPS Code

Section: 0.1 Record Identification Type: Num

Column: 1-2 SAS Variable Name: _STATE

Prologue:

Description: State FIPS Code

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------|-----------|------------|------------------------|
| 6 | California | 5,439 | 6.51 | 24.23 |
| 20 | Kansas | 8,721 | 10.44 | 1.86 |
| 23 | Maine | 3,998 | 4.79 | 0.92 |
| 24 | Maryland | 4,723 | 5.65 | 3.84 |
| 25 | Massachusetts | 6,760 | 8.09 | 4.46 |
| 26 | Michigan | 3,057 | 3.66 | 6.57 |
| 31 | Nebraska | 5,155 | 6.17 | 1.19 |
| 34 | New Jersey | 4,736 | 5.67 | 5.86 |
| 36 | New York | 3,062 | 3.66 | 13.04 |
| 39 | Ohio | 5,471 | 6.55 | 7.68 |
| 40 | Oklahoma | 3,850 | 4.61 | 2.45 |
| 41 | Oregon | 2,409 | 2.88 | 2.58 |
| 44 | Rhode Island | 2,958 | 3.54 | 0.72 |
| 48 | Texas | 6,617 | 7.92 | 15.93 |
| 49 | Utah | 4,954 | 5.93 | 1.69 |
| 53 | Washington | 9,375 | 11.22 | 4.50 |
| 72 | Puerto Rico | 2,263 | 2.71 | 2.48 |
| | | | | |

Geographic Stratum Code

Section: 0.2 Record Identification Type: Num

Column: 3-4 SAS Variable Name: _GEOSTR

Prologue:

Description: Geographic Stratum Code

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|------------------------|
| HIDDEN | | 83,548 | 100.00 | 100.00 |

Household Density Stratum Code

Section: 0.3 Record Identification Type: Num

Column: 5 SAS Variable Name: _DENSTR2

Prologue:

Description: Household Density Stratum Code

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|------------------------|
| 1 | Listed | 69,690 | 83.41 | 69.37 |
| 2 | Unlisted | 13,858 | 16.59 | 30.63 |

Pre-Call Status Code

Section: 0.4 Record Identification Type: Num

Column: 6 SAS Variable Name: PRECALL

Prologue:

Description: Pre-Call Status Code

| Value Label | Frequency | Percentage | Weighted Percentage |
|------------------------------------|--|--|--|
| To be called | 82,217 | 98.41 | 97.85 |
| Pre-screened as non-working number | 1,105 | 1.32 | 1.83 |
| cell phone - PRO-T-S | 38 | 0.05 | 0.05 |
| Pre-screened as business number | 188 | 0.23 | 0.27 |
| | To be called Pre-screened as non-working number cell phone - PRO-T-S | To be called 82,217 Pre-screened as non-working number 1,105 cell phone - PRO-T-S 38 | To be called 82,217 98.41 Pre-screened as non-working number 1,105 1.32 cell phone - PRO-T-S 38 0.05 |

Replicate Number

Section: 0.5 Record Identification Type: Num

Column: 7-12 SAS Variable Name: REPNUM

Prologue:

Description: Replicate Number

ValueValue LabelFrequencyPercentageWeighted PercentageHIDDENData not displayed83,548100.00100.00

Notes: Due to the nature of the data or the size of the table for $\frac{1}{2}$

display, this data is not printed for this report

Replicate Depth

Section: 0.6 Record Identification Type: Num

Column: 13-14 SAS Variable Name: REPDEPTH

Prologue:

Description: Replicate Depth

Value Value Label Weighted Frequency Percentage Percentage

HIDDEN Data not displayed 83,548 100.00 100.00

Notes: Due to the nature of the data or the size of the table for $% \left(1\right) =\left(1\right) \left(1\right)$

display, this data is not printed for this report

File Month

Section: 0.7 Record Identification Type: Num

Column: 15-16 SAS Variable Name: FMONTH

Prologue:

Description: File Month

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|-------------|-----------|------------|------------|
| 1 | January | 8,036 | 9.62 | 13.74 |
| 2 | February | 6,546 | 7.84 | 6.70 |
| 3 | March | 7,318 | 8.76 | 6.45 |
| 4 | April | 8,776 | 10.50 | 16.98 |
| 5 | May | 6,044 | 7.23 | 6.15 |
| 6 | June | 6,078 | 7.27 | 5.69 |
| 7 | July | 8,001 | 9.58 | 12.55 |
| 8 | August | 6,289 | 7.53 | 5.61 |
| 9 | September | 6,607 | 7.91 | 6.55 |
| 10 | October | 7,885 | 9.44 | 10.03 |
| 11 | November | 6,857 | 8.21 | 5.13 |
| 12 | December | 5,111 | 6.12 | 4.42 |
| | | | | |

Interview Date

Section: 0.8 Record Identification Type: Char

Column: 17-24 SAS Variable Name: IDATE

Prologue:

Description: Interview Date

ValueValue LabelFrequencyPercentageWeighted PercentageHIDDENData not displayed83,548100.00100.00

Notes: Due to the nature of the data or the size of the table for

display, this data is not printed for this report

4 of 180 January 24, 2013

Waighted

Interview Month

Section: 0.9 Record Identification Type: Char

Column: 17-18 SAS Variable Name: IMONTH

Prologue:

Description: Interview Month

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------|-----------|------------|------------------------|
| 1 | January | 6,349 | 7.60 | 7.60 |
| 2 | February | 6,847 | 8.20 | 9.58 |
| 3 | March | 8,153 | 9.76 | 8.29 |
| 4 | April | 7,130 | 8.53 | 10.50 |
| 5 | May | 6,870 | 8.22 | 9.88 |
| 6 | June | 7,202 | 8.62 | 9.09 |
| 7 | July | 6,214 | 7.44 | 6.93 |
| 8 | August | 7,658 | 9.17 | 9.70 |
| 9 | September | 6,899 | 8.26 | 7.86 |
| 10 | October | 6,642 | 7.95 | 7.97 |
| 11 | November | 7,618 | 9.12 | 6.85 |
| 12 | December | 5,966 | 7.14 | 5.74 |

Interview Day

Section: 0.10 Record Identification Type: Char

Column: 19-20 SAS Variable Name: IDAY

Prologue:

Description: Interview Day

| Description: | Interview Day | | | |
|--------------|---------------|-----------|------------|------------------------|
| Value | Value Label | Frequency | Percentage | Weighted Percentage |
| 1 | Interview Day | 2,966 | 3.55 | 3.83 |
| 2 | | 3,325 | 3.98 | 4.35 |
| 3 | | 3,560 | 4.26 | 4.23 |
| 4 | | 3,265 | 3.91 | 3.49 |
| 5 | | 3,697 | 4.43 | 4.31 |
| 6 | | 3,667 | 4.39 | 4.45 |
| 7 | | 3,807 | 4.56 | 4.42 |
| 8 | | 3,151 | 3.77 | 3.59 |
| 9 | | 3,502 | 4.19 | 4.02 |
| 10 | | 3,554 | 4.25 | 4.72 |
| 11 | | 3,278 | 3.92 | 3.97 |
| 12 | | 3,429 | 4.10 | 3.72 |
| 13 | | 3,141 | 3.76 | 3.97 |
| 14 | | 3,066 | 3.67 | 3.37 |
| 15 | | 3,028 | 3.62 | 3.30 |
| 16 | | 2,813 | 3.37 | 3.42 |
| 17 | | 2,780 | 3.33 | 3.14 |
| 18 | | 2,766 | 3.31 | 3.11 |
| 19 | | 2,745 | 3.29 | 3.13 |
| 20 | | 2,492 | 2.98 | 2.94 |
| 21 | | 2,297 | 2.75 | 2.71 |
| 22 | | 2,231 | 2.67 | 2.83 |
| 23 | | 2,009 | 2.40 | 2.50 |
| 24 | | 1,658 | 1.98 | 2.24 |
| 25 | | 1,857 | 2.22 | 2.32 |
| 26 | | 1,816 | 2.17 | 2.43 |
| 27 | | 1,749 | 2.09 | 2.41 |
| 28 | | 1,767 | 2.11 | 2.12 |
| 29 | | 1,463 | 1.75 | 1.64 |
| 30 | | 1,657 | 1.98 | 2.02 |
| 31 | | 1,012 | 1.21 | 1.29 |

Interview Year

Section: 0.11 Record Identification Type: Char

Column: 21-24 SAS Variable Name: IYEAR

Prologue:

Description: Interview Year

ValueValue LabelFrequencyPercentageWeighted Percentage201183,22199.6199.8220123270.390.18

Interviewer Identification

Section: 0.12 Record Identification Type: Char

Column: 25-29 SAS Variable Name: INTVID

Prologue:

Description: Interviewer Identification

Value Value Label Weighted Frequency Percentage Percentage

HIDDEN Data not displayed 83,548 100.00 100.00

Notes: Due to the nature of the data or the size of the table for

display, this data is not printed for this report

Final Disposition

Section: 0.13 Record Identification Type: Num

Column: 30-32 SAS Variable Name: DISPCODE

Prologue:

Description: Final Disposition

Weighted Value **Percentage** Value Label Frequency Percentage 110 76,805 91.93 88.65 Completed Interview 120 Partial Complete Interview 6,743 8.07 11.35

Annual Sequence Number

Section: 0.14 Record Identification Type: Num

Column: 33-42 SAS Variable Name: SEQNO

Prologue:

Description: Annual Sequence Number

Value Value Label Weighted

Frequency Percentage Percentage

HIDDEN Data not displayed 83,548 100.00 100.00

Notes: Value should be unique for a state for a year. Due to the nature of the data or the size of the table for display, this data

is not printed for this report

Primary Sampling Unit

Section: 0.15 Record Identification Type: Num

Column: 33-42 SAS Variable Name: PSU

Prologue:

Description: Primary Sampling Unit (Equal to Annual Sequence Number)

Weighted Value Value Label Frequency **Percentage** Percentage

HIDDEN Data not displayed 83,548 100.00 100.00

Notes: Value should be unique for a state for a year. Due to the

nature of the data or the size of the table for display, this data

is not printed for this report

Number of Attempts

Section: 0.16 Record Identification Type: Num

SAS Variable Name: NATTMPTS **Column: 43-44**

Proloque:

Description: Number of Attempts

Weighted Value Value Label Frequency Percentage Percentage

HIDDEN Data not displayed 83,548 100.00 100.00

Notes: Due to the nature of the data or the size of the table for

display, this data is not printed for this report

Number of Sample Records Selected from Stratum

Section: 0.17 Record Identification Type: Num

Column: 45-50 SAS Variable Name: NRECSEL

Proloque:

Description: Number of Sample Records Selected from Stratum

Weighted Value Value Label Frequency Percentage Percentage

HIDDEN Data not displayed 83,548 100.00 100.00

Notes: Due to the nature of the data or the size of the table for

display, this data is not printed for this report

Number of Telephone Numbers in Stratum from Which Sample Was Selected

Section: 0.18 Record Identification Type: Num

Column: 51-59 **SAS Variable Name: NRECSTR**

Prologue:

Description: Number of Telephone Numbers in Stratum from Which Sample Was Selected

Weighted Value Value Label Frequency Percentage Percentage

HIDDEN 83,548 100.00 Data not displayed 100.00

Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report

Correct telephone number?

Section: 0.19 Record Identification Type: Num

Column: 60 SAS Variable Name: CTELENUM

Prologue: Variabe only on the land line survey

Description: Correct Telephone Number?

Value Value Label

1 Yes

Weighted Percentage
Percentage

83,548 100.00 100.00

Cellular Telephone

Section: 0.20 Record Identification Type: Num

Column: 61 SAS Variable Name: CELLFON

Prologue: Variabe only on the land line survey

Description: Cellular Telephone

Weighted Value Value Label Frequency **Percentage** Percentage 1 Not a cellular phone 83,547 100.00 100.00 0.00 2 1 0.00 Yes

Private Residence?

Section: 0.21 Record Identification Type: Num

Column: 62 SAS Variable Name: PVTRESID

Prologue: Variabe only on the land line survey

Description: Private Residence?

Value Value Label

1 Yes

Weighted Percentage

83,548 100.00 100.00

Number of Adults in Household

Section: 0.22 Record Identification Type: Num

Column: 63-64 SAS Variable Name: NUMADULT

Prologue: Variabe only on the land line survey

Description: Number of Adults in Household

| Value | Value Label | Frequency | Percentage | Percentage |
|--------|-----------------------------------|-----------|------------|------------|
| 1 | Number of adults in the household | 28,435 | 34.03 | 17.16 |
| 2 | | 43,691 | 52.29 | 48.83 |
| 3 | | 8,031 | 9.61 | 19.10 |
| 4 | | 2,666 | 3.19 | 10.83 |
| 5 | | 570 | 0.68 | 3.15 |
| 6 - 99 | 6 or more | 155 | 0.19 | 0.93 |

9 of 180 January 24, 2013

Waighted

Number of Adult men in Household

Section: 0.23 Record Identification Type: Num

Column: 65-66 SAS Variable Name: NUMMEN

Prologue: Variabe only on the land line survey **Description:** Number of Adult Men in Household

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--------------------------------------|-----------|------------|------------------------|
| 0 | Number of adult men in the household | 22,463 | 26.89 | 14.80 |
| 1 | | 53,625 | 64.18 | 61.74 |
| 2 | | 6,339 | 7.59 | 18.17 |
| 3 | | 977 | 1.17 | 4.45 |
| 4 | | 121 | 0.14 | 0.73 |
| 5 | | 19 | 0.02 | 0.10 |
| 6 - 99 | 6 or more | 4 | 0.00 | 0.01 |
| | | | | |

Number of Adult women in Household

Section: 0.24 Record Identification Type: Num

Column: 67-68 SAS Variable Name: NUMWOMEN

Prologue: Variabe only on the land line surveyDescription: Number of Adult Women in Household

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|------------------------|
| 0 | Number of adult women in the household | 9,123 | 10.92 | 8.68 |
| 1 | | 65,563 | 78.47 | 66.52 |
| 2 | | 7,730 | 9.25 | 19.65 |
| 3 | | 995 | 1.19 | 4.38 |
| 4 | | 120 | 0.14 | 0.69 |
| 5 | | 12 | 0.01 | 0.06 |
| 6 - 99 | 6 or more | 5 | 0.01 | 0.03 |

General Health

Section: 1.1 Health Status Type: Num

Column: 73 SAS Variable Name: GENHLTH

Prologue:

Description: Would you say that in general your health is:

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|------------------------|
| 1 | Excellent | 14,743 | 17.65 | 18.95 |
| 2 | Very good | 26,852 | 32.14 | 30.51 |
| 3 | Good | 25,647 | 30.70 | 31.52 |
| 4 | Fair | 11,533 | 13.80 | 13.96 |
| 5 | Poor | 4,472 | 5.35 | 4.75 |
| 7 | Don't know/Not Sure | 184 | 0.22 | 0.11 |
| 9 | Refused | 117 | 0.14 | 0.20 |
| | | | | |

Number of Days Physical Health Not Good

Section: 2.1 Healthy Days - Health-Related Quality of Life Type: Num

Column: 74-75 SAS Variable Name: PHYSHLTH

Prologue:

Description: Now thinking about your physical health, which includes physical illness and injury, for how many days during the

past 30 days was your physical health not good?

| Value | Value Label | Frequency | Percentage | Percentage |
|--------|--------------------------------------|-----------|------------|------------|
| 1 - 30 | Number of days Notes: Number of days | 30,177 | 36.12 | 37.00 |
| 88 | None | 51,296 | 61.40 | 60.83 |
| 77 | Don't know/Not sure | 1,660 | 1.99 | 1.48 |
| 99 | Refused | 415 | 0.50 | 0.69 |
| | | | | |

Number of Days Mental Health Not Good

Section: 2.2 Healthy Days - Health-Related Quality of Life Type: Num

Column: 76-77 SAS Variable Name: MENTHLTH

Prologue:

Description: Now thinking about your mental health, which includes stress, depression, and problems with emotions, for how

many days during the past 30 days was your mental health not good?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--------------------------------------|-----------|------------|------------------------|
| 1 - 30 | Number of days Notes: Number of days | 25,140 | 30.09 | 35.76 |
| 88 | None | 56,817 | 68.01 | 62.30 |
| 77 | Don't know/Not sure | 1,190 | 1.42 | 1.20 |
| 99 | Refused | 401 | 0.48 | 0.74 |

Poor Physical or Mental Health

Section: 2.3 Healthy Days - Health-Related Quality of Life Type: Num

Column: 78-79 SAS Variable Name: POORHLTH

Prologue:

Description: During the past 30 days, for about how many days did poor physical or mental health keep you from doing your

usual activities, such as self-care, work, or recreation?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|------------------------|
| 1 - 30 | Number of days Notes: Number of days | 18,287 | 42.15 | 41.98 |
| 88 | None | 23,916 | 55.12 | 55.48 |
| 77 | Don't know/Not sure | 949 | 2.19 | 1.75 |
| 99 | Refused | 234 | 0.54 | 0.79 |
| BLANK | Not asked or Missing Notes: Section 2.01, PHYSHLTH, is 88 and Section 2.02, MENTHLTH, is 88 | 40,162 | | |

Have any health care coverage

Section: 3.1 Health Care Access Type: Num

Column: 80 SAS Variable Name: HLTHPLN1

Prologue:

Description: Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or

government plans such as Medicare, or Indian Health Service?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|------------------------|
| 1 | Yes | 75,770 | 90.69 | 82.20 |
| 2 | No | 7,521 | 9.00 | 17.09 |
| 7 | Don't know/Not Sure | 148 | 0.18 | 0.53 |
| 9 | Refused | 109 | 0.13 | 0.18 |

Multiple Health Care Professionals

Section: 3.2 Health Care Access

Type: Num

Column: 81 SAS Variable Name: PERSDOC2

Prologue:

Description: Do you have one person you think of as your personal doctor or health care provider? (If "No" ask "Is there more

than one or is there no person who you think of as your personal doctor or health care provider?".)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|------------------------|
| 1 | Yes, only one | 67,487 | 80.78 | 72.07 |
| 2 | More than one | 6,625 | 7.93 | 6.82 |
| 3 | No | 9,166 | 10.97 | 20.61 |
| 7 | Don't know/Not Sure | 195 | 0.23 | 0.34 |
| 9 | Refused | 75 | 0.09 | 0.16 |

Could Not See Doctor Because of Cost

Section: 3.3 Health Care Access Type: Num

Column: 82 SAS Variable Name: MEDCOST

Prologue:

Description: Was there a time in the past 12 months when you needed to see a doctor but could not because of cost?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|------------------------|
| 1 | Yes | 8,957 | 10.72 | 16.14 |
| 2 | No | 74,358 | 89.00 | 83.51 |
| 7 | Don't know/Not sure | 193 | 0.23 | 0.24 |
| 9 | Refused | 40 | 0.05 | 0.11 |
| | | | | |

Length of time since last routine checkup

Section: 3.4 Health Care Access

Type: Num

Column: 83 SAS Variable Name: CHECKUP1

Prologue:

Description: About how long has it been since you last visited a doctor for a routine checkup? [A routine checkup is a general

physical exam, not an exam for a specific injury, illness, or condition.]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Within past year (anytime less than 12 months ago) | 61,336 | 73.41 | 66.65 |
| 2 | Within past 2 years (1 year but less than 2 years ago) | 9,794 | 11.72 | 14.14 |
| 3 | Within past 5 years (2 years but less than 5 years ago) | 5,445 | 6.52 | 8.75 |
| 4 | 5 or more years ago | 5,077 | 6.08 | 7.92 |
| 7 | Don't know/Not sure | 1,016 | 1.22 | 1.08 |
| 8 | Never | 787 | 0.94 | 1.34 |
| 9 | Refused | 93 | 0.11 | 0.12 |

Ever Told Blood Pressure High

Section: 4.1 Hypertension Awareness Type: Num

Column: 84 SAS Variable Name: BPHIGH4

Prologue:

Description: Have you EVER been told by a doctor, nurse or other health professional that you have high blood pressure? (If

"Yes" and respondent is female, ask "Was this only when you were pregnant?".)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 34,339 | 41.10 | 30.44 |
| 2 | Yes, but female told only during pregnancy—Go to Section 05.01 $_{\mbox{\footnotesize{BLOODCHO}}}$ | 614 | 0.73 | 0.85 |
| 3 | No-Go to Section 05.01 BLOODCHO | 47,339 | 56.66 | 67.53 |
| 4 | Told borderline high or pre-hypertensive—Go to Section 05.01 BLOODCHO | 1,024 | 1.23 | 0.99 |
| 7 | Don't know/Not Sure-Go to Section 05.01 BLOODCHO | 165 | 0.20 | 0.12 |
| 9 | Refused-Go to Section 05.01 BLOODCHO | 66 | 0.08 | 0.05 |
| BLANK | Not asked or Missing | 1 | | |

Currently Taking Blood Pressure Medication

Section: 4.2 Hypertension Awareness Type: Num

Column: 85 SAS Variable Name: BPMEDS

Prologue:

Description: Are you currently taking medicine for your high blood pressure?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 29,324 | 85.40 | 76.36 |
| 2 | No | 4,953 | 14.42 | 23.53 |
| 7 | Don't know/Not Sure | 54 | 0.16 | 0.08 |
| 9 | Refused | 8 | 0.02 | 0.03 |
| BLANK | Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 3, 4, 7, 9, or Missing | 49,209 | | |

Ever Had Blood Cholesterol Checked

Section: 5.1 Cholesterol Awareness Type: Num

Column: 86 SAS Variable Name: BLOODCHO

Prologue:

Description: Blood cholesterol is a fatty substance found in the blood. Have you EVER had your blood cholesterol checked?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 74,010 | 88.58 | 77.52 |
| 2 | No-Go to Section 06.01 CVDINFR4 | 8,208 | 9.82 | 20.28 |
| 7 | Don't know/Not Sure—Go to Section 06.01 CVDINFR4 | 1,309 | 1.57 | 2.18 |
| 9 | Refused-Go to Section 06.01 CVDINFR4 | 21 | 0.03 | 0.02 |

14 of 180 January 24, 2013

.....

How Long since Cholesterol Checked

Section: 5.2 Cholesterol Awareness Type: Num

Column: 87 SAS Variable Name: CHOLCHK

Prologue:

Description: About how long has it been since you last had your blood cholesterol checked?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Within the past year (anytime less than 12 months ago) | 56,915 | 76.90 | 72.65 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 8,468 | 11.44 | 13.70 |
| 3 | Within the past 5 years (2 years but less than 5 years ago) | 4,983 | 6.73 | 8.50 |
| 4 | 5 or more years ago | 2,606 | 3.52 | 3.89 |
| 7 | Don't know/Not Sure | 999 | 1.35 | 1.23 |
| 9 | Refused | 39 | 0.05 | 0.04 |
| BLANK | Not asked or Missing Notes: Section 5.01, BLOODCHO, is coded 2, 7, 9, or Missing | 9,538 | | |

Ever Told Blood Cholesterol High

Section: 5.3 Cholesterol Awareness Type: Num

Column: 88 SAS Variable Name: TOLDHI2

Prologue:

Description: Have you EVER been told by a doctor, nurse or other health professional that your blood cholesterol is high?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 33,076 | 44.69 | 38.27 |
| 2 | No | 40,238 | 54.37 | 61.02 |
| 7 | Don't know/Not Sure | 637 | 0.86 | 0.62 |
| 9 | Refused | 59 | 0.08 | 0.10 |
| BLANK | Not asked or Missing Notes: Section 05.01, BLOODCHO, is coded 2, 7, 9, or Missing | 9,538 | | |

Ever Diagnosed with Heart Attack

Section: 6.1 Chronic Health Conditions Type: Num

Column: 89 SAS Variable Name: CVDINFR4

Prologue: Has a doctor, nurse, or other health professional ever told you that you had any of the following? For each, tell me

"Yes", "No", or you're "Not sure":

Description: (Ever told) you had a heart attack, also called a myocardial infarction?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|------------------------|
| 1 | Yes | 5,078 | 6.08 | 4.21 |
| 2 | No | 78,066 | 93.44 | 95.45 |
| 7 | Don't know/Not sure | 385 | 0.46 | 0.33 |
| 9 | Refused | 19 | 0.02 | 0.01 |

Ever Diagnosed with Angina or Coronary Heart Disease

Section: 6.2 Chronic Health Conditions Type: Num

Column: 90 SAS Variable Name: CVDCRHD4

Prologue:

Description: (Ever told) you had angina or coronary heart disease?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|------------------------|
| 1 | Yes | 5,370 | 6.43 | 4.40 |
| 2 | No | 77,398 | 92.64 | 94.97 |
| 7 | Don't know/Not sure | 751 | 0.90 | 0.61 |
| 9 | Refused | 29 | 0.03 | 0.02 |

Ever Diagnosed with a Stroke

Section: 6.3 Chronic Health Conditions

Type: Num

Column: 91 SAS Variable Name: CVDSTRK3

Prologue:

Description: (Ever told) you had a stroke.

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|---------------------|-----------|------------|------------|
| 1 | Yes | 3,382 | 4.05 | 2.80 |
| 2 | No | 79,905 | 95.64 | 96.96 |
| 7 | Don't know/Not sure | 243 | 0.29 | 0.23 |
| 9 | Refused | 18 | 0.02 | 0.01 |
| | | | | |

Ever Told Had Asthma

Section: 6.4 Chronic Health Conditions

Type: Num

Column: 92 SAS Variable Name: ASTHMA3

Prologue:

Description: (Ever told) you had asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 10,928 | 13.08 | 14.48 |
| 2 | No-Go to Section 06.06 CHCSCNCR | 72,370 | 86.62 | 85.32 |
| 7 | Don't know/Not Sure-Go to Section 06.06 CHCSCNCR | 232 | 0.28 | 0.18 |
| 9 | Refused-Go to Section 06.06 CHCSCNCR | 18 | 0.02 | 0.01 |

16 of 180 January 24, 2013

Waightad

Still Have Asthma

Section: 6.5 Chronic Health Conditions Type: Num

Column: 93 SAS Variable Name: ASTHNOW

Prologue:

Description: Do you still have asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 7,683 | 70.31 | 65.14 |
| 2 | No | 2,980 | 27.27 | 32.03 |
| 7 | Don't know/Not Sure | 262 | 2.40 | 2.82 |
| 9 | Refused | 3 | 0.03 | 0.01 |
| BLANK | Not asked or Missing Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing | 72,620 | | |

Ever told) you had skin cancer?

Section: 6.6 Chronic Health Conditions

Type: Num

Column: 94 SAS Variable Name: CHCSCNCR

Prologue:

Description: (Ever told) you had skin cancer?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-----------------------|-----------|------------|------------------------|
| 1 | Yes | 7,816 | 9.36 | 5.12 |
| 2 | No | 75,495 | 90.36 | 94.72 |
| 7 | Don't know / Not sure | 218 | 0.26 | 0.14 |
| 9 | Refused | 19 | 0.02 | 0.01 |

Ever told) you had any other types of cancer?

Section: 6.7 Chronic Health Conditions Type: Num

Column: 95 SAS Variable Name: CHCOCNCR

Prologue:

Description: (Ever told) you had any other types of cancer?

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|-----------------------|-----------|------------|------------|
| 1 | Yes | 8,396 | 10.05 | 6.24 |
| 2 | No | 74,962 | 89.72 | 93.51 |
| 7 | Don't know / Not sure | 164 | 0.20 | 0.23 |
| 9 | Refused | 26 | 0.03 | 0.02 |

17 of 180 January 24, 2013

Majahtad

Ever told) you have

COPD) chronic obstructive pulmonary disease, emphysema or chronic bronchitis?

Section: 6.8 Chronic Health Conditions

Type: Num

Column: 96 SAS Variable Name: CHCCOPD

Prologue:

Description: (Ever told) you have (COPD) chronic obstructive pulmonary disease, emphysema or chronic bronchitis?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-----------------------|-----------|------------|------------------------|
| 1 | Yes | 6,302 | 7.54 | 5.64 |
| 2 | No | 76,810 | 91.94 | 93.89 |
| 7 | Don't know / Not sure | 409 | 0.49 | 0.45 |
| 9 | Refused | 27 | 0.03 | 0.02 |
| | | | | |

Told Have Arthritis

Section: 6.9 Chronic Health Conditions Type: Num

Column: 97 SAS Variable Name: HAVARTH3

Prologue:

Description: (Ever told) you have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia? (Arthritis diagnoses

include: rheumatism, polymyalgia rheumatica; osteoarthritis (not osteporosis); tendonitis, bursitis, bunion, tennis

elbow; carpal tunnel syndrome, tarsal tunnel syndrome; joint infection, etc.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 29,031 | 34.75 | 23.54 |
| 2 | No | 53,983 | 64.61 | 76.01 |
| 7 | Don't know/Not Sure | 512 | 0.61 | 0.44 |
| 9 | Refused | 21 | 0.03 | 0.02 |
| BLANK | Not asked or Missing | 1 | | |

Ever told you had a depressive disorder

Section: 6.10 Chronic Health Conditions

Type: Num

Column: 98 SAS Variable Name: ADDEPEV2

Prologue:

Description: (Ever told) you that you have a depressive disorder, including depression, major depression, dysthymia, or minor

depression?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 14,957 | 17.90 | 16.24 |
| 2 | No | 68,228 | 81.66 | 83.33 |
| 7 | Don't know/Not sure | 293 | 0.35 | 0.38 |
| 9 | Refused | 69 | 0.08 | 0.05 |
| BLANK | Not asked or Missing | 1 | | |

Ever told) you have kidney disease?

Section: 6.11 Chronic Health Conditions

Type: Num

Column: 99 SAS Variable Name: CHCKIDNY

Prologue:

Description: (Ever told) you have kidney disease? Do NOT include kidney stones, bladder infection or incontinence.(Incontinence

is not being able to control urine flow.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-----------------------|-----------|------------|------------------------|
| 1 | Yes | 2,749 | 3.29 | 2.65 |
| 2 | No | 80,537 | 96.40 | 97.11 |
| 7 | Don't know / Not sure | 237 | 0.28 | 0.23 |
| 9 | Refused | 25 | 0.03 | 0.01 |

Ever told you have vision or eye problems?

Section: 6.12 Chronic Health Conditions

Type: Num

Column: 100 SAS Variable Name: CHCVISON

Prologue:

Description: Has a doctor, nurse or other health professional ever said that you have vision impairment in one or both eyes, even

when wearing glasses?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-----------------------|-----------|------------|---------------------|
| 1 | Yes | 20,401 | 24.42 | 19.41 |
| 2 | No | 62,047 | 74.27 | 79.27 |
| 3 | Respondent is blind | 132 | 0.16 | 0.17 |
| 7 | Don't know / Not sure | 872 | 1.04 | 1.05 |
| 9 | Refused | 96 | 0.11 | 0.11 |

Ever told) you have diabetes

Section: 6.13 Chronic Health Conditions

Type: Num

Column: 101 SAS Variable Name: DIABETE3

Prologue:

Description: (Ever told) you have diabetes (If "Yes" and respondent is female, ask "Was this only when you were pregnant?". If

Respondent says pre-diabetes or borderline diabetes, use response code 4.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 10,565 | 12.65 | 9.56 |
| 2 | Yes, but female told only during pregnancy | 866 | 1.04 | 1.31 |
| 3 | No | 70,657 | 84.57 | 87.59 |
| 4 | No, pre-diabetes or borderline diabetes | 1,338 | 1.60 | 1.36 |
| 7 | Don't know/Not Sure | 92 | 0.11 | 0.16 |
| 9 | Refused | 29 | 0.03 | 0.03 |
| BLANK | Not asked or Missing | 1 | | |

Smoked at Least 100 Cigarettes

Section: 7.1 Tobacco Use Type: Num

Column: 102 SAS Variable Name: SMOKE100

Prologue:

Description: Have you smoked at least 100 cigarettes in your entire life? [Note: 5 packs = 100 cigarettes]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 36,901 | 44.17 | 40.91 |
| 2 | No-Go to Section 07.05 USENOW3 | 46,269 | 55.38 | 58.66 |
| 7 | Don't know/Not Sure-Go to Section 07.05 USENOW3 | 349 | 0.42 | 0.34 |
| 9 | Refused-Go to Section 07.05 USENOW3 | 29 | 0.03 | 0.09 |

Frequency of Days Now Smoking

Section: 7.2 Tobacco Use Type: Num

Column: 103 SAS Variable Name: SMOKDAY2

Prologue:

Description: Do you now smoke cigarettes every day, some days, or not at all?

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|--|-----------|------------|------------|
| 1 | Every day | 8,619 | 23.36 | 30.08 |
| 2 | Some days | 3,152 | 8.54 | 12.73 |
| 3 | Not at all-Go to Section 07.04 LASTSMK2 | 25,086 | 67.98 | 57.08 |
| 7 | Don't Know/Not Sure-Go to Section 07.05 USENOW3 | 18 | 0.05 | 0.05 |
| 9 | Refused-Go to Section 07.05 USENOW3 | 26 | 0.07 | 0.06 |
| BLANK | Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, 9, or Missing | 46,647 | | |

Stopped Smoking in past 12 months

Section: 7.3 Tobacco Use Type: Num

Column: 104 SAS Variable Name: STOPSMK2

Prologue:

Description: During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit

smoking?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes-Go to Section 07.05 USENOW3 | 6,544 | 55.59 | 61.02 |
| 2 | No-Go to Section 07.05 USENOW3 | 5,185 | 44.05 | 38.63 |
| 7 | Don't know/Not Sure-Go to Section 07.05 USENOW3 | 37 | 0.31 | 0.33 |
| 9 | Refused-Go to Section 07.05 USENOW3 | 5 | 0.04 | 0.02 |
| BLANK | Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 07.02, SMOKDAY2, is coded 3, 7, 9, or Missing | 71,777 | | |

20 of 180 January 24, 2013

Waightad

Interval Since Last Smoked

Section: 7.4 Tobacco Use Type: Num

Column: 105-106 SAS Variable Name: LASTSMK2

Prologue:

Description: How long has it been since you last smoked a cigarette, even one or two puffs?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Within the past month (less than 1 month ago) | 382 | 1.52 | 2.81 |
| 2 | Within the past 3 months (1 month but less than 3 months ago) | 387 | 1.54 | 2.98 |
| 3 | Within the past 6 months (3 months but less than 6 months ago) | 432 | 1.72 | 2.98 |
| 4 | Within the past year (6 months but less than 1 year ago) | 702 | 2.80 | 5.35 |
| 5 | Within the past 5 years (1 year but less than 5 years ago) | 3,013 | 12.01 | 17.28 |
| 6 | Within the past 10 years (5 years but less than 10 years ago) | 2,429 | 9.68 | 11.08 |
| 7 | 10 years or more | 17,526 | 69.86 | 56.65 |
| 8 | Never smoked regularly | 65 | 0.26 | 0.41 |
| 77 | Don't know/Not sure | 134 | 0.53 | 0.43 |
| 99 | Refused | 16 | 0.06 | 0.05 |
| BLANK | Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, 9, or Missing; or Section 07.02, SMOKDAY2, is coded 7, 9, or Missing; or Section 07.03, STOPSMK2, is coded 1, 2, 7, 9; | 58,462 | | |

Use of Smokeless Tobacco Products

Section: 7.5 Tobacco Use Type: Num

Column: 107 SAS Variable Name: USENOW3

Prologue:

Description: Do you currently use chewing tobacco, snuff, or snus every day, some days, or not at all? (Snus (Swedish for snuff)

is a moist smokeless tobacco, usually sold in small pouches that are placed under the lip against the gum.)[Snus

(rhymes with 'goose')]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|------------------------|
| 1 | Every day | 1,000 | 1.20 | 1.30 |
| 2 | Some days | 801 | 0.96 | 1.48 |
| 3 | Not at all | 81,671 | 97.75 | 97.13 |
| 7 | Don't know/Not Sure | 33 | 0.04 | 0.03 |
| 9 | Refused | 43 | 0.05 | 0.07 |

Reported Age in Years

Section: 8.1 Demographics Type: Num

Column: 108-109 SAS Variable Name: AGE

Prologue:

Description: What is your age?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|---|-----------|------------|------------------------|
| 7 | Don't know/Not sure | 103 | 0.12 | 0.07 |
| 9 | Refused | 758 | 0.91 | 0.54 |
| 18 - 24 | Age 18 - 24 Notes: Code age in years | 2,250 | 2.69 | 13.17 |
| 25 - 34 | Age 25 - 34 | 5,857 | 7.01 | 18.00 |
| 35 - 44 | Age 35 - 44 | 10,662 | 12.76 | 17.89 |
| 45 - 54 | Age 45 - 54 | 15,393 | 18.42 | 18.81 |
| 55 - 64 | Age 55 - 64 | 19,461 | 23.29 | 14.78 |
| 65 - 99 | Age 65 or older | 29,064 | 34.79 | 16.75 |
| | | | | |

Hispanic/Latino

Section: 8.2 Demographics Type: Num

Column: 110 SAS Variable Name: HISPANC2

Prologue:

Description: Are you Hispanic or Latino?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------|-----------|------------|------------------------|
| 1 | Yes | 7,921 | 9.48 | 22.29 |
| 2 | No | 75,225 | 90.04 | 77.32 |
| 7 | Don't know/Not Sure | 152 | 0.18 | 0.14 |
| 9 | Refused | 250 | 0.30 | 0.25 |

Multiple Race

Section: 8.3 Demographics Type: Char

Column: 111-116 SAS Variable Name: MRACE

Prologue:

Description: Which one or more of the following would you say is your race? [Mark all that apply.]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| 7 | Don't know/Not sure | 311 | 0.37 | 0.83 |
| 9 | Refused Notes: Specify | 1,026 | 1.23 | 2.26 |
| HIDDEN | Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | 82,211 | 98.40 | 96.91 |

Respondent Race Choice

Section: 8.4 Demographics Type: Num

Column: 117 SAS Variable Name: ORACE2

Prologue:

Description: Which one of these groups would you say best represents your race?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | White | 901 | 59.67 | 51.84 |
| 2 | Black or African American | 159 | 10.53 | 18.05 |
| 3 | Asian | 40 | 2.65 | 4.64 |
| 4 | Native Hawaiian or Other Pacific Islander | 11 | 0.73 | 1.03 |
| 5 | American Indian, Alaska Native | 154 | 10.20 | 10.05 |
| 6 | Other Notes: Specify | 61 | 4.04 | 3.67 |
| 7 | Don't know/Not sure | 94 | 6.23 | 5.30 |
| 9 | Refused | 90 | 5.96 | 5.41 |
| BLANK | Not asked or Missing Notes: Section 12.03, MRACE, has only one valid race code (1-6) | 82,038 | | |

Are You A Veteran

Section: 8.5 Demographics Type: Num

Column: 118 **SAS Variable Name: VETERAN3**

Prologue:

Description: Have you ever served on active duty in the United States Armed Forces, either in the regular military or in a National

Guard or military reserve unit? Active duty does not include training for the Reserves or National Guard, but DOES

include activation, for example, for the Persian Gulf War.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 10,600 | 12.69 | 9.16 |
| 2 | No | 72,850 | 87.23 | 90.77 |
| 7 | Don't know/Not Sure | 26 | 0.03 | 0.02 |
| 9 | Refused | 38 | 0.05 | 0.05 |
| BLANK | Not asked or Missing | 34 | | |

Marital Status

Section: 8.6 Demographics Type: Num

Column: 119 SAS Variable Name: MARITAL

Prologue:

Description: Are you: (marital status)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------|-----------|------------|------------------------|
| 1 | Married | 46,362 | 55.53 | 49.21 |
| 2 | Divorced | 11,446 | 13.71 | 9.77 |
| 3 | Widowed | 12,161 | 14.57 | 6.93 |
| 4 | Separated | 1,657 | 1.98 | 2.49 |
| 5 | Never married | 9,551 | 11.44 | 25.27 |
| 6 | A member of an unmarried couple | 1,925 | 2.31 | 6.00 |
| 9 | Refused | 391 | 0.47 | 0.33 |
| BLANK | Not asked or Missing | 55 | | |
| | | | | |

Number of Children in Household

Section: 8.7 Demographics Type: Num

Column: 120-121 SAS Variable Name: CHILDREN

Prologue:

Description: How many children less than 18 years of age live in your household?

| Value | Value Label | Frequency | Percentage | Percentage |
|--------|--|-----------|------------|------------|
| 1 - 87 | Number of children Notes: = Number of children | 22,146 | 26.53 | 42.07 |
| 88 | None | 60,928 | 72.98 | 57.23 |
| 99 | Refused | 408 | 0.49 | 0.70 |
| BLANK | Not asked or Missing | 66 | | |

Education Level

Section: 8.8 Demographics Type: Num

Column: 122 SAS Variable Name: EDUCA

Prologue:

Description: What is the highest grade or year of school you completed?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Never attended school or only kindergarten | 142 | 0.17 | 0.28 |
| 2 | Grades 1 through 8 (Elementary) | 2,615 | 3.13 | 6.08 |
| 3 | Grades 9 through 11 (Some high school) | 4,267 | 5.11 | 9.64 |
| 4 | Grade 12 or GED (High school graduate) | 23,214 | 27.81 | 27.20 |
| 5 | College 1 year to 3 years (Some college or technical school) | 22,212 | 26.61 | 29.84 |
| 6 | College 4 years or more (College graduate) | 30,738 | 36.83 | 26.43 |
| 9 | Refused | 274 | 0.33 | 0.53 |
| BLANK | Not asked or Missing | 86 | | |
| | | | | |

Employment Status

Section: 8.9 Demographics Type: Num

Column: 123 SAS Variable Name: EMPLOY

Prologue:

Description: Are you currently: (employment status)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------------------|-----------|------------|---------------------|
| 1 | Employed for wages | 32,835 | 39.35 | 45.30 |
| 2 | Self-employed | 6,624 | 7.94 | 7.52 |
| 3 | Out of work for more than 1 year | 2,711 | 3.25 | 5.20 |
| 4 | Out of work for less that 1 year | 1,992 | 2.39 | 4.54 |
| 5 | A homemaker | 6,470 | 7.75 | 7.41 |
| 6 | A student | 1,352 | 1.62 | 6.77 |
| 7 | Retired | 25,496 | 30.56 | 15.58 |
| 8 | Unable to work | 5,571 | 6.68 | 6.85 |
| 9 | Refused | 390 | 0.47 | 0.82 |
| BLANK | Not asked or Missing | 107 | | |

Income Level

Section: 8.10 Demographics Type: Num

Column: 124-125 SAS Variable Name: INCOME2

Prologue:

Description: Is your annual household income from all sources: (If respondent refuses at any income level, code "Refused.")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Less than \$10,000 Notes: If "no," code 02 | 4,087 | 4.90 | 7.27 |
| 2 | Less than \$15,000 (\$10,000 to less than \$15,000) Notes: If "no," code 03; if "yes," ask 01 | 4,323 | 5.18 | 5.87 |
| 3 | Less than \$20,000 (\$15,000 to less than \$20,000) Notes: If "no," code 04; if "yes," ask 02 | 5,223 | 6.26 | 7.49 |
| 4 | Less than \$25,000 (\$20,000 to less than \$25,000) Notes: If "no," ask 05; if "yes," ask 03 | 7,032 | 8.43 | 7.91 |
| 5 | Less than \$35,000 (\$25,000 to less than \$35,000) Notes: If "no," ask 06 | 8,105 | 9.72 | 8.89 |
| 6 | Less than \$50,000 (\$35,000 to less than \$50,000) Notes: If "no," ask 07 | 10,458 | 12.54 | 11.36 |
| 7 | Less than \$75,000 (\$50,000 to less than \$75,000) Notes: If "no," code 08 | 11,235 | 13.47 | 11.82 |
| 8 | \$75,000 or more | 21,354 | 25.61 | 25.35 |
| 77 | Don't know/Not sure | 5,608 | 6.72 | 8.46 |
| 99 | Refused | 5,972 | 7.16 | 5.58 |
| BLANK | Not asked or Missing | 151 | | |

Reported Weight in Pounds

Section: 8.11 Demographics Type: Num

Column: 126-129 SAS Variable Name: WEIGHT2

Prologue:

Description: About how much do you weigh without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round

fractions up.]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|------------|---|-----------|------------|------------------------|
| 50 - 0999 | Weight (pounds) Notes: 0 = weight in pounds | 79,738 | 95.67 | 96.00 |
| 7777 | Don't know/Not sure | 1,227 | 1.47 | 1.51 |
| 9000 - 999 | Weight (kilograms) Notes: The initial '9' indicates this was a metric value. | 107 | 0.13 | 0.21 |
| 9999 | Refused | 2,277 | 2.73 | 2.28 |
| BLANK | Not asked or Missing | 199 | | |

Reported Height in Feet and Inches

Section: 8.12 Demographics Type: Num

Column: 130-133 SAS Variable Name: HEIGHT3

Prologue:

Description: About how tall are you without shoes? (If respondent answers in metrics, put a 9 in the first column)[Round

fractions down.]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|------------|---|-----------|------------|------------------------|
| 200 - 711 | <pre>Height (ft/inches) Notes: 0 _ / = feet / inches</pre> | 81,978 | 98.38 | 97.03 |
| 7777 | Don't know/Not sure | 645 | 0.77 | 1.33 |
| 9000 - 999 | Height (meters/centimeters) Notes: The initial '9' indicates this was a metric value. | 257 | 0.31 | 0.74 |
| 9999 | Refused | 449 | 0.54 | 0.90 |
| BLANK | Not asked or Missing | 219 | | |
| | | | | |

Household Telephones

Section: 8.15 Demographics Type: Num

Column: 142 SAS Variable Name: NUMHHOL2

Prologue:

Description: Do you have more than one telephone number in your household? Do not include cell phones or numbers that are

only used by a computer or fax machine.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 4,296 | 5.17 | 4.23 |
| 2 | No-Go to Section 08.17 CPDEMO1 | 78,492 | 94.41 | 94.74 |
| 7 | Don't know/Not sure-Go to Section 08.17 CPDEMO1 | 50 | 0.06 | 0.09 |
| 9 | Refused—Go to Section 08.17 CPDEMO1 | 299 | 0.36 | 0.93 |
| BLANK | Not asked or Missing-Go to Section 08.17 CPDEMO1 | 411 | | |

Residential Phones

Section: 8.16 Demographics Type: Num

Column: 143 SAS Variable Name: NUMPHON2

Prologue:

Description: How many of these telephone numbers are residential numbers?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Residential telephone number | 1,908 | 44.41 | 60.98 |
| 2 | Residential telephone numbers | 2,047 | 47.65 | 33.22 |
| 3 | Residential telephone numbers | 200 | 4.66 | 2.02 |
| 4 | Residential telephone numbers | 33 | 0.77 | 0.45 |
| 5 | Residential telephone numbers | 8 | 0.19 | 0.12 |
| 6 | Residential telephone numbers Notes: 6 = 6 or more | 8 | 0.19 | 0.14 |
| 7 | Don't know/Not Sure | 42 | 0.98 | 1.51 |
| 9 | Refused | 50 | 1.16 | 1.57 |
| BLANK | Not asked or Missing Notes: Section 08.15, NUMHHOL2, is coded 2, 7, 9, or Missing | 79,252 | | |

Do you have a cell phone for personal use?

Section: 8.17 Demographics Type: Num

Column: 144 SAS Variable Name: CPDEMO1

Prologue:

Description: Do you have a cell phone for personal use? Please include cell phones used for both business and personal use

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|---------------------------------|-----------|------------|------------|
| 1 | Yes-Go to Section 08.19 CPDEMO3 | 63,992 | 76.99 | 75.47 |
| 2 | No | 18,685 | 22.48 | 23.37 |
| 7 | Don't know/Not sure | 32 | 0.04 | 0.03 |
| 9 | Refused | 411 | 0.49 | 1.13 |
| BLANK | Not asked or Missing | 428 | | |

Do you share a cell phone for personal use?

Section: 8.18 Demographics Type: Num

Column: 145 SAS Variable Name: CPDEMO2

Prologue:

Description: Do you share a cell phone for personal use (at least one-third of the time) with other adults?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes-Go to Section 08.20 CPDEMO4 | 926 | 5.50 | 7.54 |
| 2 | No-Go to Section 08.21 RENTHOM1 | 15,525 | 92.24 | 87.55 |
| 7 | Don't know/Not sure-Go to Section 08.21 RENTHOM1 | 40 | 0.24 | 0.30 |
| 9 | Refused-Go to Section 08.21 RENTHOM1 | 341 | 2.03 | 4.61 |
| BLANK | Not asked or Missing Notes: Section 08.17, CPDEMO1, is coded 1 | 66,716 | | |

Do you usually share this cell phone?

Section: 8.19 Demographics Type: Num

Column: 146 SAS Variable Name: CPDEMO3

Prologue:

Description: Do you usually share this cell phone (at least one-third of the time) with any other adults?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 8,453 | 13.21 | 14.59 |
| 2 | No | 55,390 | 86.57 | 85.21 |
| 7 | Don't know/Not sure | 86 | 0.13 | 0.10 |
| 9 | Refused | 57 | 0.09 | 0.10 |
| BLANK | Not asked or Missing Notes: Section 08.18, CPDEMO2, is coded 1, 2, 7, 9, or Missing | 19,562 | | |

What percent of all calls are received on your cell phone?

Section: 8.20 Demographics Type: Num

Column: 147-149 SAS Variable Name: CPDEMO4

Prologue:

Description: Thinking about all the phone calls that you receive on your landline or cell phone, what percent, between 0 and 100,

are received on your cell phone?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|--------------------------|-----------|------------|------------------------|
| 1 - 100 | Enter Percent (1 to 100) | 57,234 | 100.00 | 100.00 |
| BLANK | Not asked or Missing | 26,314 | | |

Own or Rent Home

Section: 8.21 Demographics Type: Num

Column: 150 SAS Variable Name: RENTHOM1

Prologue:

Description: Do you own or rent your home? (Home is defined as the place where you live most of the time/the majority of the

year.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Own | 63,866 | 76.94 | 62.19 |
| 2 | Rent | 15,367 | 18.51 | 28.86 |
| 3 | Other arrangement | 2,729 | 3.29 | 6.88 |
| 7 | Don't know/Not Sure | 145 | 0.17 | 0.29 |
| 9 | Refused | 904 | 1.09 | 1.80 |
| BLANK | Not asked or Missing | 537 | | |

Respondents Sex

Section: 8.22 Demographics Type: Num

Column: 151 SAS Variable Name: SEX

Prologue:

Description: Indicate sex of respondent.

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|---|-----------|------------|------------|
| 1 | Male-Go to Section 09.01 FRUITJU1 | 31,567 | 37.78 | 48.82 |
| 2 | Female-If 12.01, AGE, is 45 or older go to Section 09.01 FRUITJU1 | 51,981 | 62.22 | 51.18 |

Pregnancy Status

Section: 8.23 Demographics Type: Num

Column: 152 SAS Variable Name: PREGNANT

Prologue:

Description: To your knowledge, are you now pregnant?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 422 | 3.51 | 3.32 |
| 2 | No | 11,516 | 95.78 | 95.34 |
| 7 | Don't know/Not Sure | 31 | 0.26 | 0.25 |
| 9 | Refused | 55 | 0.46 | 1.09 |
| BLANK | Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Section 8.01, AGE, is greater than 44 | 71,524 | | |

How many times did you drink 100%% PURE fruit juices?

Section: 9.1 Fruits & Vegetables Type: Num

Column: 153-155 SAS Variable Name: FRUITJU1

Prologue:

Description: During the past month, how many times per day, week or month did you drink 100%% PURE fruit juices? Do not

include fruit-flavored drinks with added sugar or fruit juice you made at home and added sugar to. Only include

100%% juice.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|------------------------------|-----------|------------|------------------------|
| 101 - 199 | Per day | 18,882 | 23.17 | 20.94 |
| 201 - 299 | Per week | 14,395 | 17.67 | 21.64 |
| 300 | Less than one time per month | 348 | 0.43 | 0.43 |
| 301 - 399 | Per month | 18,668 | 22.91 | 23.88 |
| 555 | Never | 27,078 | 33.23 | 29.29 |
| 777 | Don't know/Not sure | 1,573 | 1.93 | 1.90 |
| 999 | Refused | 542 | 0.67 | 1.91 |
| BLANK | Not asked or Missing | 2,062 | | |
| | | | | |

How many times did you eat fruit?

Section: 9.2 Fruits & Vegetables Type: Num

Column: 156-158 SAS Variable Name: FRUIT1

Proloque:

Description: During the past month, not counting juice, how many times per day, week, or month did you eat fruit? Count fresh,

frozen, or canned fruit.(Read only if necessary: "Your best guess is fine. Include apples, bananas, applesauce,

oranges, grape fruit, fruit salad, watermelon, cantaloupe or musk melon, papaya, lychees, star fruit,)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|------------------------------|-----------|------------|------------------------|
| 101 - 199 | Per day | 39,894 | 49.03 | 45.58 |
| 201 - 299 | Per week | 19,123 | 23.50 | 26.09 |
| 300 | Less than one time per month | 33 | 0.04 | 0.05 |
| 301 - 399 | Per month | 17,958 | 22.07 | 21.44 |
| 555 | Never | 2,891 | 3.55 | 3.97 |
| 777 | Don't know/Not sure | 931 | 1.14 | 0.98 |
| 999 | Refused | 534 | 0.66 | 1.89 |
| BLANK | Not asked or Missing | 2,184 | | |

31 of 180 January 24, 2013

Mainblad

How many times did you eat beans or lentils?

Section: 9.3 Fruits & Vegetables Type: Num

Column: 159-161 SAS Variable Name: FVBEANS

Prologue:

Description: During the past month, how many times per day, week, or month did you eat cooked or canned beans, such as

refried, baked, black, garbanzo beans, beans in soup, soybeans, edamame, tofu or lentils. Do NOT include long green beans.(Read only if necessary: "Include round or oval beans or peas such as navy, pinto, split peas, cow peas, garbanzo beans, lentils, soy beans and tofu. Do NOT include long green beans such as string beans, broad or

winged beans, or pole beans.")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|------------------------------|-----------|------------|------------------------|
| 101 - 199 | Per day | 4,664 | 5.74 | 8.03 |
| 201 - 299 | Per week | 28,112 | 34.61 | 35.54 |
| 300 | Less than one time per month | 215 | 0.26 | 0.34 |
| 301 - 399 | Per month | 33,257 | 40.95 | 38.28 |
| 555 | Never | 13,102 | 16.13 | 14.54 |
| 777 | Don't know/Not sure | 1,359 | 1.67 | 1.41 |
| 999 | Refused | 508 | 0.63 | 1.87 |
| BLANK | Not asked or Missing | 2,331 | | |
| | | | | |

How many times did you eat dark green vegetables?

Section: 9.4 Fruits & Vegetables Type: Num

Column: 162-164 SAS Variable Name: FVGREEN

Proloque:

Description: During the past month, how many times per day, week, or month did you eat dark green vegetables for example

broccoli or dark leafy greens including romaine, chard, collard greens or spinach?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|------------------------------|-----------|------------|------------------------|
| 101 - 199 | Per day | 16,026 | 19.76 | 19.74 |
| 201 - 299 | Per week | 31,747 | 39.15 | 39.90 |
| 300 | Less than one time per month | 60 | 0.07 | 0.11 |
| 301 - 399 | Per month | 25,797 | 31.81 | 30.23 |
| 555 | Never | 6,117 | 7.54 | 7.29 |
| 777 | Don't know/Not sure | 826 | 1.02 | 0.81 |
| 999 | Refused | 527 | 0.65 | 1.91 |
| BLANK | Not asked or Missing | 2,448 | | |

How many times did you eat orange-colored vegetables?

Section: 9.5 Fruits & Vegetables Type: Num

Column: 165-167 SAS Variable Name: FVORANG

Prologue:

Description: During the past month, how many times per day, week, or month did you eat orange-colored vegetables such as

sweet potatoes, pumpkin, winter squash, or carrots? (Read only if needed: "Winter squash have hard, thick skins

and deep yellow to orange flesh. They include acorn, buttercup, and spaghetti squash.")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|------------------------------|-----------|------------|------------------------|
| 101 - 199 | Per day | 5,954 | 7.35 | 6.82 |
| 201 - 299 | Per week | 30,994 | 38.25 | 36.93 |
| 300 | Less than one time per month | 154 | 0.19 | 0.31 |
| 301 - 399 | Per month | 32,103 | 39.62 | 37.70 |
| 555 | Never | 10,325 | 12.74 | 15.30 |
| 777 | Don't know/Not sure | 987 | 1.22 | 0.94 |
| 999 | Refused | 506 | 0.62 | 2.00 |
| BLANK | Not asked or Missing | 2,525 | | |
| | | | | |

How many times did you eat OTHER vegetables?

Section: 9.6 Fruits & Vegetables Type: Num

SAS Variable Name: VEGETAB1 Column: 168-170

Proloque:

Description: Not counting what you just told me about, during the past month, about how many times per day, week, or month did

you eat OTHER vegetables? Examples of other vegetables include tomatoes, tomato juice or V-8 juice, corn, eggplant, peas, lettuce, cabbage, and white potatoes that are not fried such as baked or mashed potatoes.(Read

only if needed: "Do not count vegetables you have already counted and do not include fried potatoes.")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|------------------------------|-----------|------------|------------------------|
| 101 - 199 | Servings per day | 29,040 | 35.89 | 31.86 |
| 201 - 299 | Servings per week | 26,071 | 32.22 | 34.62 |
| 300 | Less than one time per month | 17 | 0.02 | 0.04 |
| 301 - 399 | Servings per month | 22,738 | 28.10 | 27.64 |
| 555 | Never | 1,338 | 1.65 | 2.60 |
| 777 | Don't know/Not sure | 1,127 | 1.39 | 1.10 |
| 999 | Refused | 586 | 0.72 | 2.13 |
| BLANK | Not asked or Missing | 2,631 | | |

Exercise in Past 30 Days

Section: 10.1 Exercise (Physical Activity) Type: Num

Column: 171 **SAS Variable Name: EXERANY2**

Prologue:

Description: During the past month, other than your regular job, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 58,663 | 72.73 | 73.34 |
| 2 | No-Go to Section 11.01 QLACTLM2 | 21,331 | 26.45 | 24.09 |
| 7 | Don't know/Not Sure-Go to Section 11.01 QLACTLM2 | 121 | 0.15 | 0.07 |
| 9 | Refused-Go to Section 11.01 QLACTLM2 | 541 | 0.67 | 2.50 |
| BLANK | Not asked or Missing | 2,892 | | |

Type of Physical Activity

Section: 10.2 Exercise (Physical Activity)

Type: Num

Column: 172-173 SAS Variable Name: EXRACT01

Prologue:

Description: What type of physical activity or exercise did you spend the most time doing during the past month?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Active Gaming Devices (Wii Fit, Dance, Dance revolution) | 122 | 0.21 | 0.22 |
| 2 | Aerobics video or class | 1,769 | 3.02 | 2.62 |
| 3 | Backpacking | 20 | 0.03 | 0.05 |
| 4 | Badminton | 3 | 0.01 | 0.05 |
| 5 | Basketball | 358 | 0.61 | 1.58 |
| 6 | Bicycling machine exercise | 1,492 | 2.54 | 1.84 |
| 7 | Bicycling | 1,343 | 2.29 | 3.06 |
| 8 | Boating (Canoeing, rowing, kayaking, sailing for pleasure or camping) | 33 | 0.06 | 0.06 |
| 9 | Bowling | 130 | 0.22 | 0.20 |
| 10 | Boxing | 43 | 0.07 | 0.14 |
| 11 | Calisthenics | 756 | 1.29 | 1.50 |
| 12 | Canoeing/rowing in competition | 6 | 0.01 | 0.01 |
| 13 | Carpentry | 25 | 0.04 | 0.02 |
| 14 | Dancing-ballet, ballroom, Latin, hip hop, etc | 447 | 0.76 | 0.89 |
| 15 | Elliptical/EFX machine exercise | 949 | 1.62 | 1.58 |
| 16 | Fishing from river bank or boat | 31 | 0.05 | 0.03 |
| 17 | Frisbee | 18 | 0.03 | 0.04 |
| 18 | Gardening (spading, weeding, digging, filling) | 4,484 | 7.65 | 5.63 |
| 19 | Golf (with motorized cart) | 693 | 1.18 | 0.95 |
| 20 | Golf (without motorized cart) | 403 | 0.69 | 0.61 |
| 21 | Handball | 8 | 0.01 | 0.04 |
| 22 | Hiking - cross-country | 307 | 0.52 | 0.52 |
| 23 | Hockey | 47 | 0.08 | 0.14 |
| 24 | Horseback riding | 99 | 0.17 | 0.13 |
| 25 | Hunting large game - deer, elk | 34 | 0.06 | 0.04 |
| 26 | Hunting small game - quail | 16 | 0.03 | 0.01 |
| 27 | Inline Skating | 5 | 0.01 | 0.00 |
| 28 | Jogging | 567 | 0.97 | 1.66 |
| 29 | Lacrosse | 4 | 0.01 | 0.03 |
| 30 | Mountain climbing | 7 | 0.01 | 0.01 |
| 31 | Mowing lawn | 375 | 0.64 | 0.49 |
| 32 | Paddleball | 3 | 0.01 | 0.01 |
| 33 | Painting/papering house | 19 | 0.03 | 0.03 |
| 34 | Pilates | 116 | 0.20 | 0.20 |
| 35 | Racquetball | 53 | 0.09 | 0.13 |
| | | | | |

Type of Physical Activity

Section: 10.2 Exercise (Physical Activity)

Type: Num

Column: 172-173 SAS Variable Name: EXRACT01

Prologue:

Description: What type of physical activity or exercise did you spend the most time doing during the past month?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-----------------------------|-----------|------------|---------------------|
| 36 | Raking lawn | 67 | 0.11 | 0.04 |
| 37 | Running | 3,253 | 5.55 | 11.29 |
| 38 | Rock Climbing | 14 | 0.02 | 0.09 |
| 39 | Rope skipping | 8 | 0.01 | 0.05 |
| 40 | Rowing machine exercise | 46 | 0.08 | 0.08 |
| 41 | Rugby | 4 | 0.01 | 0.01 |
| 42 | Scuba diving | 2 | 0.00 | 0.00 |
| 43 | Skateboarding | 9 | 0.02 | 0.08 |
| 44 | Skating - ice or roller | 31 | 0.05 | 0.12 |
| 45 | Sledding, tobogganing | 6 | 0.01 | 0.01 |
| 46 | Snorkeling | 2 | 0.00 | 0.00 |
| 47 | Snow blowing | 13 | 0.02 | 0.02 |
| 48 | Snow shoveling by hand | 173 | 0.30 | 0.31 |
| 49 | Snow skiing | 89 | 0.15 | 0.09 |
| 50 | Snowshoeing | 14 | 0.02 | 0.02 |
| 51 | Soccer | 162 | 0.28 | 0.66 |
| 52 | Softball/Baseball | 117 | 0.20 | 0.41 |
| 53 | Squash | 6 | 0.01 | 0.00 |
| 54 | Stair climbing/Stair master | 174 | 0.30 | 0.29 |
| 55 | Stream fishing in waders | 1 | 0.00 | 0.00 |
| 56 | Surfing | 15 | 0.03 | 0.13 |
| 57 | Swimming | 652 | 1.11 | 1.17 |
| 58 | Swimming in laps | 235 | 0.40 | 0.41 |
| 59 | Table tennis | 6 | 0.01 | 0.00 |
| 60 | Tai Chi | 66 | 0.11 | 0.07 |
| 61 | Tennis | 259 | 0.44 | 0.52 |
| 62 | Touch football | 9 | 0.02 | 0.07 |
| 63 | Volleyball | 93 | 0.16 | 0.23 |
| 64 | Walking | 32,871 | 56.06 | 50.10 |
| 65 | | 3 | 0.01 | 0.00 |
| 66 | Waterskiing | 25 | 0.04 | 0.05 |
| 67 | Weight lifting | 1,315 | 2.24 | 3.54 |
| 68 | Wrestling | 19 | 0.03 | 0.09 |
| 69 | Yoga | 446 | 0.76 | 0.72 |
| 70 | Other | 3,348 | 5.71 | 4.27 |
| | | | | |

Type of Physical Activity

Section: 10.2 Exercise (Physical Activity)

Type: Num

Column: 172-173 SAS Variable Name: EXRACT01

Prologue:

Description: What type of physical activity or exercise did you spend the most time doing during the past month?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 77 | Don't know/Not Sure-Go to Section 10.08 STRENGTH | 207 | 0.35 | 0.31 |
| 99 | Refused-Go to Section 10.08 STRENGTH | 92 | 0.16 | 0.23 |
| BLANK | Not asked or Missing | 24,911 | | |

How Many Times Walking, Running, Jogging, or Swimming

Section: 10.4 Exercise (Physical Activity)

Type: Num

Column: 174-176 SAS Variable Name: EXEROFT1

Prologue:

Description: How many times per week or per month did you take part in this activity during the past month?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|---|-----------|------------|------------------------|
| 101 - 199 | Times per week | 42,983 | 73.74 | 73.72 |
| 201 - 299 | Times per month | 14,827 | 25.44 | 25.48 |
| 777 | Don't know/Not sure | 412 | 0.71 | 0.56 |
| 999 | Refused | 69 | 0.12 | 0.24 |
| BLANK | Not asked or Missing Notes: Section 10.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 10.02, EXRACT01 is coded 77, 99 | 25,257 | | |

Minutes or Hours Walking, Running, Jogging, or Swimming

Section: 10.5 Exercise (Physical Activity)

Type: Num

Column: 177-179 SAS Variable Name: EXERHMM1

Prologue:

Description: And when you took part in this activity, for how many minutes or hours did you usually keep at it?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|---|-----------|------------|---------------------|
| 1 - 759 | Hours and Minutes | 57,036 | 97.92 | 98.22 |
| 777 | Don't know/Not sure | 892 | 1.53 | 1.09 |
| 800 - 959 | Hours and Minutes | 264 | 0.45 | 0.62 |
| 999 | Refused | 58 | 0.10 | 0.07 |
| BLANK | Not asked or Missing Notes: Section 10.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 10.02, EXRACT01 is coded 77, 99 | 25,298 | | |

Other Type of Physical Activity Giving Most Exercise During Past Month

Section: 10.6 Exercise (Physical Activity)

Type: Num

Column: 180-181 SAS Variable Name: EXRACT02

Prologue:

Description: What other type of physical activity gave you the next most exercise during the past month?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Active Gaming Devices (Wii Fit, Dance, Dance revolution) | 163 | 0.28 | 0.31 |
| 2 | Aerobics video or class | 1,076 | 1.85 | 1.77 |
| 3 | Backpacking | 5 | 0.01 | 0.01 |
| 4 | Badminton | 17 | 0.03 | 0.03 |
| 5 | Basketball | 344 | 0.59 | 1.34 |
| 6 | Bicycling machine exercise | 1,259 | 2.16 | 1.59 |
| 7 | Bicycling | 1,517 | 2.61 | 3.16 |
| 8 | Boating (Canoeing, rowing, kayaking, sailing for pleasure or camping) | 98 | 0.17 | 0.12 |
| 9 | Bowling | 202 | 0.35 | 0.29 |
| 10 | Boxing | 50 | 0.09 | 0.29 |
| 11 | Calisthenics | 810 | 1.39 | 2.12 |
| 12 | Canoeing/rowing in competition | 25 | 0.04 | 0.02 |
| 13 | Carpentry | 83 | 0.14 | 0.10 |
| 14 | Dancing-ballet, ballroom, Latin, hip hop, etc | 570 | 0.98 | 1.00 |
| 15 | Elliptical/EFX machine exercise | 676 | 1.16 | 1.27 |
| 16 | Fishing from river bank or boat | 121 | 0.21 | 0.19 |
| 17 | Frisbee | 13 | 0.02 | 0.06 |
| 18 | Gardening (spading, weeding, digging, filling) | 4,392 | 7.55 | 5.27 |
| 19 | Golf (with motorized cart) | 491 | 0.84 | 0.68 |
| 20 | Golf (without motorized cart) | 372 | 0.64 | 0.59 |
| 21 | Handball | 7 | 0.01 | 0.02 |
| 22 | Hiking - cross-country | 312 | 0.54 | 0.75 |
| 23 | Hockey | 25 | 0.04 | 0.11 |
| 24 | Horseback riding | 107 | 0.18 | 0.11 |
| 25 | Hunting large game - deer, elk | 39 | 0.07 | 0.08 |
| 26 | Hunting small game - quail | 25 | 0.04 | 0.03 |
| 27 | Inline Skating | 7 | 0.01 | 0.03 |
| 28 | Jogging | 323 | 0.55 | 1.06 |
| 29 | Lacrosse | 2 | 0.00 | 0.02 |
| 30 | Mountain climbing | 7 | 0.01 | 0.00 |
| 31 | Mowing lawn | 788 | 1.35 | 0.94 |
| 32 | Paddleball | 2 | 0.00 | 0.01 |
| 33 | Painting/papering house | 61 | 0.10 | 0.10 |
| 34 | Pilates | 229 | 0.39 | 0.25 |
| 35 | Racquetball | 43 | 0.07 | 0.13 |
| | | | | |

Other Type of Physical Activity Giving Most Exercise During Past Month

Section: 10.6 Exercise (Physical Activity)

Type: Num

Column: 180-181 SAS Variable Name: EXRACT02

Prologue:

Description: What other type of physical activity gave you the next most exercise during the past month?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 36 | Raking lawn | 131 | 0.23 | 0.12 |
| 37 | Running | 1,257 | 2.16 | 4.51 |
| 38 | Rock Climbing | 16 | 0.03 | 0.04 |
| 39 | Rope skipping | 17 | 0.03 | 0.05 |
| 40 | Rowing machine exercise | 62 | 0.11 | 0.10 |
| 41 | Rugby | 3 | 0.01 | 0.00 |
| 42 | Scuba diving | 6 | 0.01 | 0.01 |
| 43 | Skateboarding | 4 | 0.01 | 0.04 |
| 44 | Skating - ice or roller | 33 | 0.06 | 0.09 |
| 45 | Sledding, tobogganing | 8 | 0.01 | 0.01 |
| 47 | Snow blowing | 27 | 0.05 | 0.03 |
| 48 | Snow shoveling by hand | 295 | 0.51 | 0.41 |
| 49 | Snow skiing | 101 | 0.17 | 0.09 |
| 50 | Snowshoeing | 33 | 0.06 | 0.04 |
| 51 | Soccer | 125 | 0.21 | 0.64 |
| 52 | Softball/Baseball | 119 | 0.20 | 0.54 |
| 53 | Squash | 7 | 0.01 | 0.06 |
| 54 | Stair climbing/Stair master | 544 | 0.93 | 0.93 |
| 55 | Stream fishing in waders | 1 | 0.00 | 0.00 |
| 56 | Surfing | 12 | 0.02 | 0.03 |
| 57 | Swimming | 957 | 1.64 | 1.75 |
| 58 | Swimming in laps | 260 | 0.45 | 0.44 |
| 59 | Table tennis | 8 | 0.01 | 0.03 |
| 60 | Tai Chi | 79 | 0.14 | 0.08 |
| 61 | Tennis | 234 | 0.40 | 0.51 |
| 62 | Touch football | 20 | 0.03 | 0.15 |
| 63 | Volleyball | 86 | 0.15 | 0.31 |
| 64 | Walking | 8,377 | 14.39 | 13.96 |
| 66 | Waterskiing | 11 | 0.02 | 0.03 |
| 67 | Weight lifting | 2,510 | 4.31 | 6.16 |
| 68 | Wrestling | 21 | 0.04 | 0.06 |
| 69 | Yoga | 777 | 1.33 | 1.13 |
| 70 | Other | 5,379 | 9.24 | 6.96 |
| 88 | No other activity—Go to Section 10.08 STRENGTH | 21,541 | 37.01 | 35.22 |
| 77 | Don't know/Not Sure-Go to Section 10.08 STRENGTH | 664 | 1.14 | 1.06 |

Other Type of Physical Activity Giving Most Exercise During Past Month

Section: 10.6 Exercise (Physical Activity)

Type: Num

Column: 180-181 SAS Variable Name: EXRACT02

Prologue:

Description: What other type of physical activity gave you the next most exercise during the past month?

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|---|-----------|------------|------------|
| 99 | Refused-Go to Section 10.08 STRENGTH | 222 | 0.38 | 0.56 |
| BLANK | Not asked or Missing Notes: Section 10.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 10.02, EXRACT01 is coded 77, 99 | 25,340 | | |

How Many Times Walking, Running, Jogging, or Swimming

Section: 10.8 Exercise (Physical Activity)

Type: Num

Column: 182-184 SAS Variable Name: EXEROFT2

Prologue:

Description: How many times per week or per month did you take part in this activity during the past month?

| Value | Value Label | Frequency | Percentage | Percentage |
|-----------|---|-----------|------------|------------|
| 101 - 199 | Times per week | 24,435 | 68.33 | 68.60 |
| 201 - 299 | Times per month | 10,982 | 30.71 | 30.75 |
| 777 | Don't know/Not sure | 293 | 0.82 | 0.46 |
| 999 | Refused | 49 | 0.14 | 0.20 |
| BLANK | Not asked or Missing Notes: Section 10.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 10.02, EXRACT01 is coded 77, 99 or Section 10.05, EXRACT02 is coded 77, 88, 99 | 47,789 | | |

Minutes or Hours Walking, Running, Jogging, or Swimming

Section: 10.9 Exercise (Physical Activity)

Type: Num

Column: 185-187 SAS Variable Name: EXERHMM2

Prologue:

Description: And when you took part in this activity, for how many minutes or hours did you usually keep at it?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|---|-----------|------------|------------------------|
| 1 - 759 | Hours and Minutes | 34,816 | 97.42 | 98.04 |
| 777 | Don't know/Not sure | 634 | 1.77 | 1.10 |
| 800 - 959 | Hours and Minutes | 225 | 0.63 | 0.65 |
| 999 | Refused | 62 | 0.17 | 0.21 |
| BLANK | Not asked or Missing Notes: Section 10.01, EXERANY2, is coded 2, 7, 9, or Missing; or Section 10.02, EXRACT01 is coded 77, 99 or Section 10.05, EXRACT02 is coded 77, 88, 99 | 47,811 | | |

How many times did you do physical activities or exercises to STRENGTHEN your muscles?

Section: 10.10 Exercise (Physical Activity)

Type: Num

Column: 188-190 SAS Variable Name: STRENGTH

Prologue:

Description: During the past month, how many times per week or per month did you do physical activities or exercises to

STRENGTHEN your muscles? [Do NOT count aerobic activities like walking, running, or bicycling. Count activities using your own body weight like yoga, sit-ups or push-ups and those using weight machines, free weights, or elastic

bands.]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|-----------------------|-----------|------------|------------------------|
| 101 - 199 | Times per week | 19,873 | 24.73 | 27.42 |
| 201 - 299 | Times per month | 8,429 | 10.49 | 12.15 |
| 777 | Don't know / Not sure | 544 | 0.68 | 0.50 |
| 888 | Never | 50,852 | 63.28 | 57.08 |
| 999 | Refused | 665 | 0.83 | 2.85 |
| BLANK | Not asked or Missing | 3,185 | | |
| | | | | |

Activity Limitation Due to Health Problems

Section: 11.1 Disability Type: Num

Column: 191 SAS Variable Name: QLACTLM2

Prologue:

Description: Are you limited in any way in any activities because of physical, mental, or emotional problems?

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|----------------------|-----------|------------|------------|
| 1 | Yes | 23,502 | 29.32 | 23.41 |
| 2 | No | 55,706 | 69.49 | 73.52 |
| 7 | Don't know/Not Sure | 319 | 0.40 | 0.23 |
| 9 | Refused | 633 | 0.79 | 2.83 |
| BLANK | Not asked or Missing | 3.388 | | |

41 of 180 January 24, 2013

Majahtad

Health Problems Requiring Special Equipment

Section: 11.2 Disability Type: Num

Column: 192 SAS Variable Name: USEEQUIP

Prologue:

Description: Do you now have any health problem that requires you to use special equipment, such as a cane, a wheelchair, a

special bed, or a special telephone? (Include occasional use or use in certain circumstances.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 9,177 | 11.45 | 7.97 |
| 2 | No | 70,318 | 87.77 | 89.19 |
| 7 | Don't know/Not Sure | 44 | 0.05 | 0.05 |
| 9 | Refused | 577 | 0.72 | 2.80 |
| BLANK | Not asked or Missing | 3,432 | | |
| | | | | |

Limited Because of Joint Symptoms

Section: 12.1 Arthritis Burden Type: Num

Column: 193 SAS Variable Name: LMTJOIN3

Prologue: Arthritis can cause symptoms like pain, aching, or stiffness in or around a joint.

Description: Are you now limited in any way in any of your usual activities because of arthritis or joint symptoms?

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|--|-----------|------------|------------|
| 1 | Yes | 13,993 | 50.05 | 50.19 |
| 2 | No | 13,608 | 48.67 | 47.14 |
| 7 | Don't know/Not sure | 188 | 0.67 | 0.68 |
| 9 | Refused | 170 | 0.61 | 1.99 |
| BLANK | Not asked or Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing | 55,589 | | |

Does Arthritis Affect Whether You Work

Section: 12.2 Arthritis Burden Type: Num

Column: 194 SAS Variable Name: ARTHDIS2

Prologue: In this next question we are referring to work for pay.

Description: Do arthritis or joint symptoms now affect whether you work, the type of work you do or the amount of work you do?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 8,393 | 30.03 | 33.91 |
| 2 | No | 18,767 | 67.14 | 62.03 |
| 7 | Don't know/Not Sure | 466 | 1.67 | 1.32 |
| 9 | Refused | 324 | 1.16 | 2.73 |
| BLANK | Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing | 55,598 | | |

42 of 180 January 24, 2013

Waightad

Social Activities Limited Because of Joint Symptoms

Section: 12.3 Arthritis Burden Type: Num

Column: 195 SAS Variable Name: ARTHSOCL

Prologue:

Description: During the past 30 days, to what extent has your arthritis or joint symptoms interfered with your normal social

activities, such as going shopping, to the movies, or to religious or social gatherings?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | A lot | 5,008 | 17.94 | 20.50 |
| 2 | A little | 6,957 | 24.92 | 25.59 |
| 3 | Not at all | 15,604 | 55.89 | 51.47 |
| 7 | Don't know/Not Sure | 156 | 0.56 | 0.41 |
| 9 | Refused | 195 | 0.70 | 2.03 |
| BLANK | Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing | 55,628 | | |

How Bad Was Joint Pain

Section: 12.4 Arthritis Burden Type: Num

Column: 196-197 SAS Variable Name: JOINPAIN

Prologue:

Description: Please think about the past 30 days, keeping in mind all of your joint pain or aching and whether or not you have

taken medication. DURING THE PAST 30 DAYS, how bad was your joint pain ON AVERAGE? [Please answer on

a scale of 0 to 10 where 0 is no pain or aching and 10 is pain or aching as bad as it can be.]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| 0 - 10 | Enter number [0-10] | 27,157 | 97.40 | 96.25 |
| 77 | Don't know/Not Sure | 484 | 1.74 | 1.40 |
| 99 | Refused | 240 | 0.86 | 2.35 |
| BLANK | Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing | 55,667 | | |

How often use seatbelts in car?

Section: 13.1 Seatbelt Use Type: Num

Column: 198 SAS Variable Name: SEATBELT

Prologue:

Description: How often do you use seat belts when you drive or ride in a car? Would you say—

| , | Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---|-------|------------------------------|-----------|------------|------------------------|
| | 1 | Always | 69,750 | 87.23 | 86.31 |
| | 2 | Nearly always | 5,425 | 6.78 | 6.02 |
| | 3 | Sometimes | 1,971 | 2.46 | 2.15 |
| | 4 | Seldom | 775 | 0.97 | 0.80 |
| | 5 | Never | 1,130 | 1.41 | 1.47 |
| | 7 | Don't know/Not sure | 65 | 0.08 | 0.06 |
| | 8 | Never drive or ride in a car | 237 | 0.30 | 0.33 |
| | 9 | Refused | 612 | 0.77 | 2.86 |
| I | BLANK | Not asked or Missing | 3,583 | | |
| | | | | | |

Adult seasonal flu shot/spray past 12 mos

Section: 14.1 Immunization Type: Num

Column: 199 SAS Variable Name: FLUSHOT5

Prologue: Now I will ask you questions about seasonal flu vaccine. There are two ways to get the seasonal flu vaccine, one is

a shot in the arm and the other is a spray, mist, or drop in the nose called FluMist™.

Description: During the past 12 months, have you had either a seasonal flu shot or a seasonal flu vaccine that was sprayed in

your nose?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 37,205 | 46.61 | 35.53 |
| 2 | No-Go to Section 14.04 PNEUVAC3 | 41,837 | 52.41 | 61.28 |
| 7 | Don't know/Not Sure-Go to Section 14.04 PNEUVAC3 | 171 | 0.21 | 0.28 |
| 9 | Refused-Go to Section 14.04 PNEUVAC3 | 609 | 0.76 | 2.91 |
| BLANK | Not asked or Missing | 3,726 | | |

Where did you get your last flu shot/vaccine?

Section: 14.3 Immunization Type: Num

Column: 206-207 SAS Variable Name: IMFVPLAC

Prologue:

Description: At what kind of place did you get your last flu shot/vaccine?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | A doctor's office or health maintenance organization (HMO) | 14,701 | 39.56 | 39.53 |
| 2 | A health department | 1,362 | 3.67 | 3.03 |
| 3 | Another type of clinic or health center (Example: a community health center) | 3,425 | 9.22 | 10.74 |
| 4 | A senior, recreation, or community center | 834 | 2.24 | 1.61 |
| 5 | A store (Examples: supermarket, drug store) | 7,389 | 19.88 | 16.20 |
| 6 | A hospital (Example: inpatient) | 2,415 | 6.50 | 8.55 |
| 7 | An emergency room | 25 | 0.07 | 0.10 |
| 8 | Workplace | 5,510 | 14.83 | 15.81 |
| 9 | Some other kind of place | 958 | 2.58 | 2.38 |
| 10 | Received vaccination in Canada/Mexico (Volunteered - Do not read) | 10 | 0.03 | 0.07 |
| 11 | A school | 414 | 1.11 | 1.69 |
| 77 | Don't know / Not sure-Probe: | 98 | 0.26 | 0.21 |
| 99 | Refused | 20 | 0.05 | 0.09 |
| BLANK | Not asked or Missing Notes: Section 14.01, FLUSHOT4, is coded 2, 7, or 9 | 46,387 | | |

Pneumonia shot ever

Section: 14.4 Immunization Type: Num

Column: 208 SAS Variable Name: PNEUVAC3

Prologue:

Description: A pneumonia shot or pneumococcal vaccine is usually given only once or twice in a person's lifetime and is different

from the flu shot. Have you ever had a pneumonia shot?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 29,660 | 37.19 | 26.75 |
| 2 | No | 43,502 | 54.55 | 59.35 |
| 7 | Don't know/Not Sure | 5,988 | 7.51 | 10.97 |
| 9 | Refused | 596 | 0.75 | 2.93 |
| BLANK | Not asked or Missing | 3,802 | | |

Days in past 30 had alcoholic beverage

Section: 15.1 Alcohol Consumption Type: Num

Column: 209-211 SAS Variable Name: ALCDAY5

Prologue:

Description: During the past 30 days, how many days per week or per month did you have at least one drink of any alcoholic

beverage such as beer, wine, a malt beverage or liquor?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|---|-----------|------------|------------------------|
| 101 - 199 | Days per week Notes: 1 = Days per week | 14,873 | 18.66 | 18.84 |
| 201 - 299 | Days in past 30 days Notes: 2 = Days in past 30 | 25,191 | 31.60 | 32.64 |
| 777 | Don't know/Not sure-Go to Section 16.01 HIVTST6 | 363 | 0.46 | 0.33 |
| 888 | No drinks in past 30 days-Go to Section 16.01 HIVTST6 | 38,529 | 48.34 | 44.95 |
| 999 | Refused-Go to Section 16.01 HIVTST6 | 753 | 0.94 | 3.25 |
| BLANK | Not asked or Missing | 3,839 | | |
| | | | | |

Avg alcoholic drinks per day in past 30

Section: 15.2 Alcohol Consumption Type: Num

Column: 212-213 SAS Variable Name: AVEDRNK2

Prologue:

Description: One drink is equivalent to a 12-ounce beer, a 5-ounce glass of wine, or a drink with one shot of liquor. During the

past 30 days, on the days when you drank, about how many drinks did you drink on the average? (A 40 ounce beer

would count as 3 drinks, or a cocktail drink with 2 shots would count as 2 drinks.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|------------------------|
| 1 - 76 | Number of drinks Notes: Number of drinks | 39,568 | 98.81 | 98.10 |
| 77 | Don't know/Not sure | 382 | 0.95 | 1.64 |
| 99 | Refused | 94 | 0.23 | 0.26 |
| BLANK | Not asked or Missing Notes: Section 15.01. ALCDAY5. is coded 888. 766. or 9999; | 43,504 | | |

Binge Drinking

Section: 15.3 Alcohol Consumption Type: Num

Column: 214-215 SAS Variable Name: DRNK3GE5

Prologue:

Description: Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks

for men or 4 or more drinks for women on an occasion?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|------------------------|
| 1 - 76 | Number of Times | 8,687 | 21.70 | 32.10 |
| 88 | None | 30,902 | 77.21 | 66.47 |
| 77 | Don't know/Not Sure | 343 | 0.86 | 1.18 |
| 99 | Refused | 93 | 0.23 | 0.25 |
| BLANK | Not asked or Missing Notes: Section 15.01, ALCDAY5, is coded 888, 777, or 999; | 43,523 | | |

Most drinks on single occasion past 30 days

Section: 15.4 Alcohol Consumption Type: Num

Column: 216-217 SAS Variable Name: MAXDRNKS

Prologue:

Description: During the past 30 days, what is the largest number of drinks you had on any occasion?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|---------------------|
| 1 - 76 | Number of drinks | 38,988 | 97.45 | 96.77 |
| 77 | Don't know/Not sure | 877 | 2.19 | 2.85 |
| 99 | Refused | 145 | 0.36 | 0.37 |
| BLANK | Not asked or Missing Notes: Section 15.01, ALCDAY5, is coded 888, 777, or 999; | 43,538 | | |

Ever tested HIV

Section: 16.1 HIV/AIDS Type: Num

Column: 218 SAS Variable Name: HIVTST6

Prologue:

Description: Have you ever been tested for HIV? Do not count tests you may have had as part of a blood donation. Include

testing fluid from your mouth.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 20,438 | 26.11 | 35.08 |
| 2 | No-Go to Section 16.03 HIVRISK3 | 55,095 | 70.38 | 59.69 |
| 7 | Don't know/Not Sure-Go to Section 16.03 HIVRISK3 | 1,881 | 2.40 | 1.64 |
| 9 | Refused-Go to Section 16.03 HIVRISK3 | 864 | 1.10 | 3.59 |
| BLANK | Not asked or Missing | 5,270 | | |

Month and Year of Last HIV Test

Section: 16.2 HIV/AIDS Type: Num

Column: 219-224 SAS Variable Name: HIVTSTD3

Prologue:

Description: Not including blood donations, in what month and year was your last HIV test? (If response is before January 1985,

code "777777".)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|------------|---|-----------|------------|------------------------|
| 11985 - 12 | Code month and year Notes:/ month and year | 16,105 | 78.82 | 85.52 |
| 777777 | Don't know/Not sure | 4,258 | 20.84 | 14.19 |
| 999999 | Refused | 69 | 0.34 | 0.29 |
| BLANK | Not asked or Missing Notes: Section 16.01, HIVTST6, is coded 2, 7, 9, or Missing | 63,116 | | |

Do Any High Risk Situations Apply

Section: 16.3 HIV/AIDS Type: Num

Column: 225 SAS Variable Name: HIVRISK3

Prologue:

Description: I am going to read you a list. When I am done, please tell me if any of the situations apply to you. You do not need to

tell me which one. You have used intravenous drugs in the past year. You have been treated for a sexually transmitted or venereal disease in the past year. You have given or received money or drugs in exchange for sex in the past year. You had anal sex without a condom in the past year. Do any of these situations apply to you?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 1,215 | 1.58 | 3.18 |
| 2 | No | 74,553 | 97.16 | 93.00 |
| 7 | Don't know/Not sure | 65 | 0.08 | 0.06 |
| 9 | Refused | 897 | 1.17 | 3.75 |
| BLANK | Not asked or Missing | 6,818 | | |

Had a test for high blood sugar or diabetes in the past three years?

Module: 1.1 Pre-Diabetes Type: Num

Column: 245 SAS Variable Name: PDIABTST

Prologue:

Description: Have you had a test for high blood sugar or diabetes within the past three years?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 28,708 | 60.27 | 52.73 |
| 2 | No | 16,466 | 34.57 | 43.08 |
| 7 | Don't know/Not Sure | 2,439 | 5.12 | 4.16 |
| 9 | Refused | 20 | 0.04 | 0.04 |
| BLANK | Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 1 | 35,915 | | |

Ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes?

Module: 1.2 Pre-Diabetes Type: Num

Column: 246 SAS Variable Name: PREDIAB1

Prologue:

Description: Have you ever been told by a doctor or other health professional that you have pre-diabetes or borderline diabetes?

(If "Yes" and respondent is female, ask: "Was this only when you were pregnant?")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 3,877 | 8.14 | 5.93 |
| 2 | Yes, during pregnancy | 678 | 1.42 | 1.52 |
| 3 | No | 42,873 | 90.02 | 91.93 |
| 7 | Don't know/Not Sure | 186 | 0.39 | 0.60 |
| 9 | Refused | 13 | 0.03 | 0.02 |
| BLANK | Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 1; If Section 6.13, DIABETE3, is coded 4 automatically code Module 01.02, PREDIAB1, equal to 1 (yes); | 35,921 | | |

Age When Told Diabetic

Module: 2.1 Diabetes Type: Num

Column: 247-248 SAS Variable Name: DIABAGE2

Prologue:

Description: How old were you when you were told you have diabetes?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|------------------------|
| 1 - 97 | Age in years [97 = 97 and older] Notes: Code age in years, 97 = 97 or older | 6,510 | 95.02 | 96.33 |
| 98 | Don't know/Not sure | 315 | 4.60 | 3.32 |
| 99 | Refused | 26 | 0.38 | 0.35 |
| BLANK | Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 76,697 | | |

Now Taking Insulin

Module: 2.2 Diabetes Type: Num

Column: 249 SAS Variable Name: INSULIN

Prologue:

Description: Are you now taking insulin?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 2,004 | 29.25 | 30.66 |
| 2 | No | 4,842 | 70.68 | 69.26 |
| 9 | Refused | 5 | 0.07 | 0.07 |
| BLANK | Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 76,697 | | |

How Often Check Blood for Glucose

Module: 2.3 Diabetes Type: Num

Column: 250-252 SAS Variable Name: BLDSUGAR

Prologue:

Description: About how often do you check your blood for glucose or sugar? Include times when checked by a family member or

friend, but do NOT include times when checked by a health professional.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|---|-----------|------------|---------------------|
| 101 - 199 | Times per day Notes: 1 Times per day | 4,222 | 61.63 | 61.08 |
| 201 - 299 | Times per week Notes: 2 Times per week | 1,232 | 17.98 | 18.78 |
| 301 - 399 | Times per month Notes: 3 Times per month | 393 | 5.74 | 5.23 |
| 401 - 499 | Times per year Notes: 4 Times per year | 176 | 2.57 | 2.46 |
| 777 | Don't know/Not sure | 60 | 0.88 | 0.78 |
| 888 | Never | 752 | 10.98 | 11.56 |
| 999 | Refused | 16 | 0.23 | 0.12 |
| BLANK | Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 76,697 | | |

How Often Check Feet for Sores or Irritations

Module: 2.4 Diabetes Type: Num

Column: 253-255 SAS Variable Name: FEETCHK2

Prologue:

Description: About how often do you check your feet for any sores or irritations? Include times when checked by a family

member or friend, but do NOT include times when checked by a health professional.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|---|-----------|------------|------------------------|
| 101 - 199 | Times per day Notes: 1 Times per day | 4,077 | 59.52 | 57.26 |
| 201 - 299 | Times per week Notes: 2 Times per week | 1,090 | 15.91 | 15.23 |
| 301 - 399 | Times per month Notes: 3 Times per month | 341 | 4.98 | 5.50 |
| 401 - 499 | Times per year Notes: 4 Times per year | 134 | 1.96 | 2.07 |
| 555 | No feet | 56 | 0.82 | 0.68 |
| 777 | Don't know/Not sure | 173 | 2.53 | 2.18 |
| 888 | Never | 950 | 13.87 | 16.55 |
| 999 | Refused | 29 | 0.42 | 0.54 |
| BLANK | Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 76,698 | | |

Times Seen Health Professional for Diabetes

Module: 2.5 Diabetes Type: Num

Column: 256-257 SAS Variable Name: DOCTDIAB

Prologue:

Description: About how many times in the past 12 months have you seen a doctor, nurse, or other health professional for your

diabetes?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|------------------------|
| 1 - 76 | Number of times [76=76 or more] Notes: Number of times, 76=76 or more | 5,944 | 86.81 | 87.29 |
| 88 | None | 641 | 9.36 | 9.12 |
| 77 | Don't know/Not sure | 227 | 3.32 | 3.08 |
| 99 | Refused | 35 | 0.51 | 0.51 |
| BLANK | Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 76,701 | | |

Times Checked for Glycosylated Hemoglobin

Module: 2.6 Diabetes Type: Num

Column: 258-259 SAS Variable Name: CHKHEMO3

Prologue:

Description: A test for "A one C" measures the average level of blood sugar over the past three months. About how many times

in the past 12 months has a doctor, nurse, or other health professional checked you for "A one C"?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|------------------------|
| 1 - 76 | Number of times [76=76 or more] Notes: Number of times, 76 = 76 or more | 5,379 | 78.57 | 76.00 |
| 88 | None | 466 | 6.81 | 6.07 |
| 98 | Never heard of "A one C" test | 342 | 5.00 | 6.31 |
| 77 | Don't know/Not sure | 627 | 9.16 | 11.01 |
| 99 | Refused | 32 | 0.47 | 0.60 |
| BLANK | Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 76,702 | | |

Times Feet Check for Sores/irritations

Module: 2.7 Diabetes Type: Num

Column: 260-261 SAS Variable Name: FEETCHK

Prologue:

Description: About how many times in the past 12 months has a health professional checked your feet for any sores or irritations?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|------------------------|
| 1 - 76 | Number of times [76=76 or more] Notes: Number of times, 76=76 or more | 4,674 | 68.84 | 67.06 |
| 88 | None | 1,900 | 27.98 | 30.04 |
| 77 | Don't know/Not sure | 196 | 2.89 | 2.56 |
| 99 | Refused | 20 | 0.29 | 0.34 |
| BLANK | Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing; or Module 2.04, FEETCHK2, is coded 555 | 76,758 | | |

Last Eye Exam Where Pupils Were Dilated

Module: 2.8 Diabetes Type: Num

Column: 262 SAS Variable Name: EYEEXAM

Prologue:

Description: When was the last time you had an eye exam in which the pupils were dilated? This would have made you

temporarily sensitive to bright light.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Within the past month (anytime less than 1 month ago) | 1,462 | 21.36 | 15.51 |
| 2 | Within the past year (1 month but less than 12 months ago) | 3,377 | 49.33 | 50.78 |
| 3 | Within the past 2 years (1 year but less than 2 years ago) | 834 | 12.18 | 13.37 |
| 4 | 2 or more years ago | 800 | 11.69 | 12.86 |
| 7 | Don't know/Not sure | 135 | 1.97 | 2.09 |
| 8 | Never | 231 | 3.37 | 5.26 |
| 9 | Refused | 7 | 0.10 | 0.13 |
| BLANK | Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 76,702 | | |

Ever Told Diabetes Has Affected Eyes

Module: 2.9 Diabetes Type: Num

Column: 263 SAS Variable Name: DIABEYE

Prologue:

Description: Has a doctor ever told you that diabetes has affected your eyes or that you had retinopathy?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 1,246 | 18.20 | 21.60 |
| 2 | No | 5,503 | 80.38 | 77.24 |
| 7 | Don't know/Not sure | 94 | 1.37 | 1.15 |
| 9 | Refused | 3 | 0.04 | 0.01 |
| BLANK | Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 76,702 | | |

Ever Taken Class in Managing Diabetes

Module: 2.10 Diabetes Type: Num

Column: 264 SAS Variable Name: DIABEDU

Prologue:

Description: Have you ever taken a course or class in how to manage your diabetes yourself?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 3,635 | 53.10 | 52.98 |
| 2 | No | 3,179 | 46.44 | 46.69 |
| 7 | Don't know/Not sure | 28 | 0.41 | 0.28 |
| 9 | Refused | 3 | 0.04 | 0.05 |
| BLANK | Not asked or Missing Notes: Section 6.13, DIABETE3, is coded 2, 3, 4, 7, 9, or Missing | 76,703 | | |

How many days hard to do usual activities in past 30 days

Module: 3.1 Healthy Days (Symptoms)

Type: Num

Column: 265-266 SAS Variable Name: PAINACT2

Prologue:

Description: During the past 30 days, for about how many days did pain make it hard for you to do your usual activities, such as

self-care, work, or recreation?

Value Value Label Weighted

Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

How many days depressed in past 30 days

Module: 3.2 Healthy Days (Symptoms)

Type: Num

Column: 267-268 SAS Variable Name: QLMENTL2

Prologue:

Description: During the past 30 days, for about how may days have you felt sad, blue, or depressed?

Value Value Label Weighted
Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

How many days felt anxious in past 30 days

Module: 3.3 Healthy Days (Symptoms)

Type: Num

Column: 269-270 SAS Variable Name: QLSTRES2

Prologue:

Description: During the past 30 days, for about how many days have you felt worried, tense, or anxious?

Weighted Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

How many days full of energy in past 30 days

Module: 3.4 Healthy Days (Symptoms)

Type: Num

Column: 271-272 SAS Variable Name: QLHLTH2

Prologue:

Description: During the past 30 days, for about how many days have you felt very healthy and full of energy?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

How often do you drink regular soda or pop?

Module: 4.1 Sugar Sweetened Beverages and Menu Labeling Type: Num

Column: 273-275 SAS Variable Name: SSBSUGAR

Prologue:

Description: About how often do you drink regular soda or pop that contains sugar? Do not include diet soda or diet pop.

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

How often do you drink sweetened fruit drinks?

Module: 4.2 Sugar Sweetened Beverages and Menu Labeling Type: Num

Column: 276-278 SAS Variable Name: SSBFRUIT

Prologue:

Description: About how often do you drink sweetened fruit drinks, such as Kool-aid, cranberry, and lemonade? Include fruit drinks

you made at home and added sugar to.

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

How often does calorie information help you decide what to order?

Module: 4.3 Sugar Sweetened Beverages and Menu Labeling Type: Num

Column: 279-280 SAS Variable Name: SSBCALRI

Prologue: The next question is about eating out at fast food and chain restaurants.

Description: When calorie information is available in the restaurant, how often does this information help you decide what to

order?

Value Value Label Weighted Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Talked with you about ways to prepare for a healthy pregnancy/baby?

Module: 5.1 Preconception Health /Family Planning Type: Num

Column: 281 SAS Variable Name: PFPPREPR

Prologue: The next question is about discussions that occurred as part of a routine health care visit. DO NOT include visits

while pregnant, also called prenatal care visits.

Description: Has a doctor, nurse, or other health care worker ever talked with you about ways to prepare for a healthy pregnancy

and baby?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Notes: Section 8.22, SEX, is coded 1; or Section 8.22, SEX, is coded

2 and Section 8.01, AGE, is greater than 44;

Have you ever been pregnant?

Module: 5.2 Preconception Health /Family Planning Type: Num

Column: 282 SAS Variable Name: PFPPRGNT

Prologue: The next set of questions asks you about your thoughts and experiences with family planning. Please remember that

all of your answers will be kept confidential.

Description: Have you ever been pregnant?

Value Value Label Weighted

Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Notes: Section 8.22, SEX, is coded 1; or Section 8.22, SEX, is coded

2 and Section 8.01, AGE, is greater than 44;

Did you do anything to keep from getting pregnant?

Module: 5.3 Preconception Health /Family Planning Type: Num

Column: 283 SAS Variable Name: PFPPRVNT

Proloque:

Description: Did you or your husband/partner do anything the last time you had sex to keep you from getting pregnant?

Value Value Label Weighted Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Notes: Section 8.22, SEX, is coded 1; or Section 8.22, SEX, is coded

2 and Section 8.01, AGE, is greater than 44;

What did you do to keep you from getting pregnant?

Module: 5.4 Preconception Health /Family Planning Type: Num

Column: 284-285 SAS Variable Name: TYPCNTR6

Prologue:

Description: What did you or your husband/partner do the last time you had sex to keep you from getting pregnant?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Notes: Section 8.22, SEX, is coded 1; or Section 8.22, SEX, is coded 2 and Section 8.01, AGE, is greater than 44; or Module 05.03,

PFPPRVNT, is coded 2, 3, 4, 7, 9 or missing

What was main reason for not doing anything to keep you from getting pregnant?

Module: 5.5 Preconception Health /Family Planning Type: Num

Column: 286-287 SAS Variable Name: NOBCUSE4

Prologue: Some reasons for not doing anything to keep you from getting pregnant the last time you had sex might include

wanting a pregnancy, not being able to pay for birth control, or not thinking that you can get pregnant.

Description: What was your main reason for not doing anything the last time you had sex to keep you from getting pregnant?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Notes: Section 8.22, SEX, is coded 1; or Section 8.22, SEX, is coded 2 and Section 8.01, AGE, is greater than 44; or Module 05.03, PFPPRVNT, is coded 2, 3, 4, 7, 9 or missing; or Module 05.04,

TYPCNTR6, is not missing;

How do you feel about having a child now or sometime in the future?

Module: 5.6 Preconception Health /Family Planning Type: Num

Column: 288 SAS Variable Name: FPCHLDF2

Prologue:

Description: How do you feel about having a child now or sometime in the future? Would you say:

Value Value Label Weighted

Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Notes: Section 8.22, SEX, is coded 1; or Section 8.22, SEX, is coded 2 and Section 8.01, AGE, is greater than 44; or Module 05.03,

PFPPRVNT, is coded 2, 3, 4, 7, 9 or missing; or Module 05.04,

TYPCNTR6, is not missing;

How often do you take a multivitamin, a prenatal vitamin, or a folic acid vitamin?

Module: 5.7 Preconception Health /Family Planning Type: Num

Column: 289 SAS Variable Name: PFPVITMN

Prologue:

Description: How many times a week do you currently take a multivitamin, a prenatal vitamin, or a folic acid vitamin?

Value Value Label Weighted
Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Notes: Section 8.22, SEX, is coded 1; or Section 8.22, SEX, is coded 2 and Section 8.01, AGE, is greater than 44; or Module 5.05, NOBCUSE4

is coded 11, 12, or 13

Difficulty recognizing friend across street

Module: 6.1 Visual Impairment and Access to Eye Care Type: Num

Column: 290 SAS Variable Name: VIDFCLT3

Prologue:

Description: How much difficulty, if any, do you have in recognizing a friend across the street? Would you say—

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | No difficulty | 6,818 | 77.59 | 74.06 |
| 2 | A little difficulty | 905 | 10.30 | 9.88 |
| 3 | Moderate difficulty | 340 | 3.87 | 3.83 |
| 4 | Extreme difficulty | 97 | 1.10 | 1.13 |
| 5 | Unable to do because of eyesight | 62 | 0.71 | 0.72 |
| 6 | Unable to do for other reasons | 19 | 0.22 | 0.19 |
| 7 | Don't know/Not sure | 21 | 0.24 | 0.16 |
| 9 | Refused | 525 | 5.97 | 10.03 |
| BLANK | Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 06.12, | 74,761 | | |

CHCVISON, is coded 3;

Difficulty reading typed text

Module: 6.2 Visual Impairment and Access to Eye Care Type: Num

Column: 291 SAS Variable Name: VIREDIF3

Prologue:

Description: How much difficulty, if any, do you have reading print in newspapers, magazines, recipes, menus, or numbers on the

telephone? Would you say-

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | No difficulty | 5,182 | 58.99 | 54.09 |
| 2 | A little difficulty | 1,805 | 20.55 | 20.84 |
| 3 | Moderate difficulty | 854 | 9.72 | 9.72 |
| 4 | Extreme difficulty | 305 | 3.47 | 3.96 |
| 5 | Unable to do because of eyesight | 84 | 0.96 | 1.03 |
| 6 | Unable to do for other reasons | 17 | 0.19 | 0.22 |
| 7 | Don't know/Not sure | 13 | 0.15 | 0.10 |
| 9 | Refused | 525 | 5.98 | 10.04 |
| BLANK | Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 06.12, CHCVISON, is coded 3; | 74,763 | | |

Last time visited eye care provider

Module: 6.3 Visual Impairment and Access to Eye Care Type: Num

Column: 292 SAS Variable Name: VIPRFVS3

Prologue:

Description: When was the last time you had your eyes examined by any doctor or eye care provider?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Within the past month (anytime less than 1 month ago)—Go to Module $06.05\ \mathrm{VIEYEXM3}$ | 1,138 | 12.96 | 9.53 |
| 2 | Within the past year (1month but less than 12 months ago)—Go to Module $06.05\ \text{VIEYEXM3}$ | 4,241 | 48.28 | 41.92 |
| 3 | Within the past 2 years (lyears but less than 2 years ago) | 1,285 | 14.63 | 14.93 |
| 4 | 2 or more years ago | 1,431 | 16.29 | 19.83 |
| 5 | Never | 120 | 1.37 | 3.31 |
| 7 | Don't know/Not sure | 45 | 0.51 | 0.43 |
| 9 | Refused | 524 | 5.97 | 10.05 |
| BLANK | Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 06.12, CHCVISON, is coded 3; | 74,764 | | |

Reason did not use eye doc past 12 mos

Module: 6.4 Visual Impairment and Access to Eye Care

Type: Num

Column: 293-294 SAS Variable Name: VINOCRE3

Prologue:

Description: What is the main reason you have not visited an eye care professional in the past 12 months?

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|--|-----------|------------|------------|
| 1 | Cost/insurance | 792 | 23.27 | 25.03 |
| 2 | Do not have/know an eye doctor | 24 | 0.71 | 0.42 |
| 3 | Cannot get to the office/clinic (too far away,no transportation) | 32 | 0.94 | 0.75 |
| 4 | Could not get an appointment | 29 | 0.85 | 0.84 |
| 5 | No reason to go (no problem) | 1,325 | 38.92 | 36.51 |
| 6 | Have not thought of it | 178 | 5.23 | 4.42 |
| 7 | Other | 475 | 13.95 | 10.92 |
| 77 | Don't know/Not Sure | 25 | 0.73 | 0.40 |
| 99 | Refused | 524 | 15.39 | 20.70 |
| BLANK | Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 06.12, CHCVISON, is coded 3; or Module 06.03, VIPRFVS3, is coded 1 or 2; | 80,144 | | |

When last eyexam

Module: 6.5 Visual Impairment and Access to Eye Care Type: Num

Column: 295 SAS Variable Name: VIEYEXM3

Prologue:

Description: When was the last time you had an eye exam in which the pupils were dilated? This would have made you

temporarily sensitive to bright light.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Within the past month (anytime less than 1 month ago) | 631 | 8.45 | 5.54 |
| 2 | Within the past year (1 month but less than 12 months ago) | 2,912 | 38.98 | 32.48 |
| 3 | Within the past 2 years (1 year but less than 2 years) | 1,113 | 14.90 | 15.13 |
| 4 | 2 or more years ago | 1,565 | 20.95 | 23.34 |
| 5 | Never | 552 | 7.39 | 10.60 |
| 7 | Don't know/Not Sure | 243 | 3.25 | 2.55 |
| 9 | Refused | 454 | 6.08 | 10.35 |
| BLANK | Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 06.12, CHCVISON, is coded 3; or Module 02.08, EYEEXAM, is not blank; | 76,078 | | |

60 of 180 January 24, 2013

Waightad

Eye care health insurance

Module: 6.6 Visual Impairment and Access to Eye Care Type: Num

Column: 296 SAS Variable Name: VIINSUR3

Prologue:

Description: Do you have any kind of health insurance coverage for eye care?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 4,887 | 55.65 | 52.24 |
| 2 | No | 3,200 | 36.44 | 36.09 |
| 7 | Don't know/Not Sure | 164 | 1.87 | 1.48 |
| 9 | Refused | 530 | 6.04 | 10.19 |
| BLANK | Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 06.12, CHCVISON, is coded 3; | 74,767 | | |

HIth care pro said now have cataracts

Module: 6.7 Visual Impairment and Access to Eye Care Type: Num

Column: 297 SAS Variable Name: VICTRCT3

Prologue:

Description: Have you EVER been told by an eye doctor or other health care professional that you had cataracts?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 1,382 | 15.74 | 11.06 |
| 2 | Yes, but had them removed | 940 | 10.71 | 6.30 |
| 3 | No | 5,905 | 67.26 | 72.31 |
| 7 | Don't know/Not Sure | 26 | 0.30 | 0.22 |
| 9 | Refused | 527 | 6.00 | 10.11 |
| BLANK | Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 06.12, CHCVISON, is coded 3; | 74,768 | | |

HIth care pro EVER said have glaucoma

Module: 6.8 Visual Impairment and Access to Eye Care Type: Num

Column: 298 SAS Variable Name: VIGLUMA3

Prologue:

Description: Have you EVER been told by an eye doctor or other health care professional that you had glaucoma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 417 | 4.75 | 3.52 |
| 2 | No | 7,801 | 88.86 | 86.01 |
| 7 | Don't know/Not Sure | 34 | 0.39 | 0.32 |
| 9 | Refused | 527 | 6.00 | 10.15 |
| BLANK | Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 06.12, CHCVISON, is coded 3; | 74,769 | | |

HIth care pro EVER said have macular degeneration

Module: 6.9 Visual Impairment and Access to Eye Care Type: Num

Column: 299 SAS Variable Name: VIMACDG3

Prologue: Age-related Macular Degeneration (AMD) is a disease that affects the macula, the part of the eye that allows you to

see fine detail.

Description: Have you EVER been told by an eye doctor or other health care professional that you had age-related macular

degeneration?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 397 | 4.52 | 4.08 |
| 2 | No | 7,790 | 88.74 | 85.23 |
| 7 | Don't know/Not Sure | 64 | 0.73 | 0.54 |
| 9 | Refused | 527 | 6.00 | 10.15 |
| BLANK | Not asked or Missing Notes: Section 08.01, AGE, is less than 40; or Section 06.12, CHCVISON, is coded 3; | 74,770 | | |

How many days did you not get enough sleep in past 30 days

Module: 7.1 Inadequate Sleep Type: Num

Column: 300-301 SAS Variable Name: QLREST2

Prologue:

Description: During the past 30 days, for about how many days have you felt you did not get enough rest or sleep?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|----------------------|-----------|------------|------------------------|
| 1 - 30 | Number of days | 11,526 | 61.98 | 60.18 |
| 88 | None | 6,132 | 32.97 | 27.97 |
| 77 | Don't know/Not sure | 185 | 0.99 | 0.44 |
| 99 | Refused | 754 | 4.05 | 11.42 |
| BLANK | Not asked or Missing | 64,951 | | |
| | | | | |

How Much Time Do You Sleep

Module: 7.2 Inadequate Sleep Type: Num

Column: 302-303 SAS Variable Name: SLEPTIME

Prologue:

Description: On average, how many hours of sleep do you get in a 24-hour period? Think about the time you actually spend

sleeping or napping, not just the amount of sleep you think you should get. (Enter hours of sleep in whole numbers,

rounding 30 minutes (1/2 hour) or more up to the next whole hour and dropping 29 or fewer minutes.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|------------------------|-----------|------------|------------------------|
| 1 - 24 | Number of hours [1-24] | 17,728 | 95.36 | 88.26 |
| 77 | Don't know/Not Sure | 129 | 0.69 | 0.37 |
| 99 | Refused | 734 | 3.95 | 11.37 |
| BLANK | Missing | 64,957 | | |
| | | | | |

Do you snore?

Module: 7.3 Inadequate Sleep Type: Num

Column: 304 SAS Variable Name: SLEPSNOR

Prologue:

Description: Do you snore? (If the respondent indicates that their spouse or someone told him/her that they snore, then the

answer to the question is 'Yes' the respondent snores.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 8,614 | 46.34 | 41.41 |
| 2 | No | 7,430 | 39.97 | 41.96 |
| 7 | Don't know/Not Sure | 1,821 | 9.80 | 5.28 |
| 9 | Refused | 722 | 3.88 | 11.35 |
| BLANK | Not asked or Missing | 64,961 | | |

Number of Days in Past Thirty Felt You Did Not Get Enough Sleep

Module: 7.4 Inadequate Sleep Type: Num

Column: 305-306 SAS Variable Name: SLEPDAY

Prologue:

Description: During the past 30 days, for about how many days did you find yourself unintentionally falling asleep during the day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-----------------------|-----------|------------|------------------------|
| 1 - 30 | Number of days [1-30] | 6,167 | 33.18 | 32.56 |
| 88 | None | 11,489 | 61.82 | 55.54 |
| 77 | Don't know/Not Sure | 183 | 0.98 | 0.52 |
| 99 | Refused | 745 | 4.01 | 11.38 |
| BLANK | Missing | 64,964 | | |
| | | | | |

Number of Days in Past Thirty Fell Asleep While Driving

Module: 7.5 Inadequate Sleep Type: Num

Column: 307 SAS Variable Name: SLEPDRIV

Prologue:

Description: During the past 30 days, have you ever nodded off or fallen asleep, even just for a brief moment, while driving?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 503 | 2.71 | 3.84 |
| 2 | No | 16,265 | 87.52 | 80.99 |
| 3 | Don't drive | 1,072 | 5.77 | 3.73 |
| 4 | Don't have license | 19 | 0.10 | 0.04 |
| 7 | Don't know/Not Sure | 8 | 0.04 | 0.04 |
| 9 | Refused | 718 | 3.86 | 11.37 |
| BLANK | Not asked or Missing | 64,963 | | |

Do you currently volunteer or work in a hospital, medical clinic, doctor's office, dentist's office, nursing home or some other health-care facility?

Module: 8.1 High Risk/Health Care Worker Type: Num

Column: 308 SAS Variable Name: WRKHCF1

Prologue:

Description: Do you currently volunteer or work in a hospital, medical clinic, doctor's office, dentist's office, nursing home or some

other health-care facility? This includes part-time and unpaid work in a health care facility as well as professional

nursing care provided in the home.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 1,084 | 9.49 | 7.05 |
| 2 | No-Go to Module 08.03 DRHPAD1 | 9,656 | 84.52 | 81.43 |
| 7 | Don't know/Not Sure-Go to Module 08.03 DRHPAD1 | 6 | 0.05 | 0.01 |
| 9 | Refused—Go to Module 08.03 DRHPAD1 | 678 | 5.93 | 11.51 |
| BLANK | Not asked or Missing | 72,124 | | |

Do you provide direct patient care as part of your routine work?

Module: 8.2 High Risk/Health Care Worker Type: Num

Column: 309 SAS Variable Name: DIRCONT1

Prologue:

Description: Do you provide direct patient care as part of your routine work? By direct patient care we mean physical or hands-on

contact with patients.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 628 | 57.93 | 61.48 |
| 2 | No | 455 | 41.97 | 38.47 |
| 7 | Don't know/Not Sure-Probe: | 1 | 0.09 | 0.05 |
| BLANK | Not asked or Missing Notes: Module 08.01. WRKHCF1. is coded 2.7.9 or missing | 82,464 | | |

Has A Doctor, Nurse, Or Other Health Professional Ever Said That You Have...Problem Caused By A Chronic Illness Or By Medicines; Taken For A Chronic Illness?

Module: 8.3 High Risk/Health Care Worker Type: Num

Column: 310 SAS Variable Name: DRHPAD1

Proloque:

Description: Has a doctor, nurse, or other health professional ever said that you have... Lung problems, other than asthma,

Kidney problems, Anemia, including Sickle Cell, Or A weakened immune system caused by a chronic illness or by

medicines, taken for a chronic illness?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------------|-----------|------------|------------------------|
| 1 | Yes | 1,588 | 13.92 | 12.69 |
| 2 | No-Go to next module | 9,097 | 79.73 | 75.55 |
| 7 | Don't know/Not Sure-Go to next module | 37 | 0.32 | 0.09 |
| 9 | Refused—Go to next module | 688 | 6.03 | 11.67 |
| BLANK | Not asked or Missing | 72,138 | | |

Still have this health problem

Module: 8.4 High Risk/Health Care Worker Type: Num

Column: 311 SAS Variable Name: HAVHPAD

Prologue:

Description: Do you still have (this/any of these) problem(s)?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 1,148 | 72.29 | 70.41 |
| 2 | No | 396 | 24.94 | 26.68 |
| 7 | Don't know/Not Sure | 44 | 2.77 | 2.91 |
| BLANK | Not asked or Missing Notes: Module 08.03, DRHPAD1, is coded 2, 7, 9 or Missing | 81,960 | | |

Outpatient rehab after heart attack hosp stay

Module: 9.1 Cardiovascular Health Type: Num

Column: 312 SAS Variable Name: HAREHAB1

Prologue:

Description: Following your heart attack, did you go to any kind of outpatient rehabilitation? This is sometimes called "rehab."

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 652 | 39.64 | 36.44 |
| 2 | No | 962 | 58.48 | 60.72 |
| 7 | Don't know/Not Sure | 25 | 1.52 | 2.36 |
| 9 | Refused | 6 | 0.36 | 0.48 |
| BLANK | Not asked or Missing Notes: Section 06.01, CVDINFR4, is coded 2, 7, 9 or Missing | 81,903 | | |

Outpatient rehab after hosp stay for stroke

Module: 9.2 Cardiovascular Health Type: Num

Column: 313 SAS Variable Name: STREHAB1

Prologue:

Description: Following your stroke did you go to any kind of outpatient rehabilitation? This is sometimes called "rehab."

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 405 | 36.78 | 37.81 |
| 2 | No | 682 | 61.94 | 59.65 |
| 7 | Don't know/Not Sure | 10 | 0.91 | 2.03 |
| 9 | Refused | 4 | 0.36 | 0.51 |
| BLANK | Not asked or Missing Notes: Section 06.03, CVDSTRK3, is coded 2, 7, 9 or Missing | 82,447 | | |

Take Aspirin Daily or Every Other Day

Module: 9.3 Cardiovascular Health Type: Num

Column: 314 SAS Variable Name: CVDASPRN

Prologue:

Description: Do you take aspirin daily or every other day?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-----------------------|-----------|------------|------------------------|
| 1 | Yes-Go to Next Module | 9,294 | 35.43 | 25.50 |
| 2 | No | 16,886 | 64.36 | 74.26 |
| 7 | Don't know/Not sure | 32 | 0.12 | 0.12 |
| 9 | Refused | 23 | 0.09 | 0.12 |
| BLANK | Not asked or Missing | 57,313 | | |
| | | | | |

Health Makes Taking Aspirin Unsafe

Module: 9.4 Cardiovascular Health Type: Num

Column: 315 SAS Variable Name: ASPUNSAF

Prologue:

Description: Do you have a health problem or condition that makes taking aspirin unsafe for you? (If "Yes," ask "Is this a

stomach condition?")

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|---|-----------|------------|------------|
| 1 | Yes, not stomach related | 1,197 | 7.07 | 4.73 |
| 2 | Yes, stomach problems | 973 | 5.74 | 4.30 |
| 3 | No | 14,592 | 86.15 | 90.16 |
| 7 | Don't know/Not sure | 149 | 0.88 | 0.65 |
| 9 | Refused | 26 | 0.15 | 0.15 |
| BLANK | Not asked or Missing Notes: Module 09.03, CVDASPRN, is coded 1 | 66,611 | | |

67 of 180 January 24, 2013

Waightad

Change eating habits for BP?

Module: 10.1 Actions to Control High Blood Pressure

Type: Num

Column: 316 SAS Variable Name: BPEATHBT

Prologue: Are you now doing any of the following to help lower or control your high blood pressure? **Description:** (Are you) changing your eating habits (to help lower or control your high blood pressure)?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 13,570 | 71.77 | 73.87 |
| 2 | No | 5,141 | 27.19 | 25.38 |
| 7 | Don't know/Not Sure | 148 | 0.78 | 0.53 |
| 9 | Refused | 48 | 0.25 | 0.22 |
| BLANK | Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing | 64,641 | | |

Reduce salt intake to lower BP?

Module: 10.2 Actions to Control High Blood Pressure

Type: Num

Column: 317 SAS Variable Name: BPSALT

Prologue: Are you now doing any of the following to help lower or control your high blood pressure?]

Description: (Are you) cutting down on salt (to help lower or control your high blood pressure)?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 14,143 | 74.81 | 75.47 |
| 2 | No | 2,835 | 15.00 | 16.28 |
| 3 | Do not use salt | 1,809 | 9.57 | 7.77 |
| 7 | Don't know/Not Sure | 68 | 0.36 | 0.25 |
| 9 | Refused | 49 | 0.26 | 0.23 |
| BLANK | Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing | 64,644 | | |

Reduce alcohol use for BP?

Module: 10.3 Actions to Control High Blood Pressure

Type: Num

Column: 318 SAS Variable Name: BPALCHOL

Prologue: Are you now doing any of the following to help lower or control your high blood pressure?]

Description: (Are you) reducing alcohol use (to help lower or control your high blood pressure)?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 5,503 | 29.11 | 35.93 |
| 2 | No | 4,156 | 21.99 | 21.59 |
| 3 | Do not drink | 9,115 | 48.22 | 41.83 |
| 7 | Don't know/Not Sure | 67 | 0.35 | 0.34 |
| 9 | Refused | 61 | 0.32 | 0.31 |
| BLANK | Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing | 64,646 | | |

Exercising to lower BP?

Module: 10.4 Actions to Control High Blood Pressure

Type: Num

Column: 319 SAS Variable Name: BPEXER

Prologue: Are you now doing any of the following to help lower or control your high blood pressure?]

Description: (Are you) exercising (to help lower or control your high blood pressure)?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 12,107 | 64.07 | 64.84 |
| 2 | No | 6,641 | 35.14 | 34.36 |
| 7 | Don't know/Not Sure | 95 | 0.50 | 0.43 |
| 9 | Refused | 54 | 0.29 | 0.37 |
| BLANK | Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing | 64,651 | | |

HIth care pro ever advised change in eating habits to reduce BP

Module: 10.5 Actions to Control High Blood Pressure Type: Num

Column: 320 SAS Variable Name: BPEATADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your

high blood pressure?

Description: (Ever advised you to) change your eating habits (to help lower or control your high blood pressure)?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 10,959 | 58.02 | 64.73 |
| 2 | No | 7,732 | 40.94 | 34.40 |
| 7 | Don't know/Not Sure | 157 | 0.83 | 0.68 |
| 9 | Refused | 40 | 0.21 | 0.19 |
| BLANK | Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing | 64,660 | | |

HIth care pro ever advised using less salt to reduce BP

Module: 10.6 Actions to Control High Blood Pressure

Type: Num

Column: 321 SAS Variable Name: BPSLTADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your

high blood pressure?]

Description: (Ever advised you to) cut down on salt (to help lower or control your high blood pressure)?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 12,286 | 65.06 | 67.93 |
| 2 | No | 5,652 | 29.93 | 27.82 |
| 3 | Do not use salt | 751 | 3.98 | 3.39 |
| 7 | Don't know/Not Sure | 157 | 0.83 | 0.67 |
| 9 | Refused | 38 | 0.20 | 0.19 |
| BLANK | Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing | 64,664 | | |

HIth care pro ever advised reduced alcohol use to reduce BP

Module: 10.7 Actions to Control High Blood Pressure

Type: Num

Column: 322 SAS Variable Name: BPALCADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your

high blood pressure?]

Description: (Ever advised you to) reduce alcohol use (to help lower or control your high blood pressure)?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 4,150 | 21.98 | 29.41 |
| 2 | No | 8,381 | 44.39 | 44.13 |
| 3 | Do not drink | 6,216 | 32.92 | 25.75 |
| 7 | Don't know/Not Sure | 93 | 0.49 | 0.46 |
| 9 | Refused | 41 | 0.22 | 0.25 |
| BLANK | Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing | 64,667 | | |

HIth care pro ever advised exercise to reduce BP

Module: 10.8 Actions to Control High Blood Pressure Type: Num

Column: 323 SAS Variable Name: BPEXRADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your

high blood pressure?]

Description: (Ever advised you to) exercise (to help lower or control your high blood pressure)?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 13,689 | 72.51 | 76.69 |
| 2 | No | 4,981 | 26.39 | 22.46 |
| 7 | Don't know/Not Sure | 160 | 0.85 | 0.63 |
| 9 | Refused | 48 | 0.25 | 0.22 |
| BLANK | Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing | 64,670 | | |

HIth care pro ever advised meds to reduce BP

Module: 10.9 Actions to Control High Blood Pressure

Type: Num

Column: 324 SAS Variable Name: BPMEDADV

Prologue: Has a doctor or other health professional ever advised you to do any of the following to help lower or control your

high blood pressure?]

Description: (Ever advised you to) take medication (to help lower or control your high blood pressure)?

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|---|-----------|------------|------------|
| 1 | Yes | 17,381 | 92.09 | 88.44 |
| 2 | No | 1,396 | 7.40 | 11.05 |
| 7 | Don't know/Not Sure | 50 | 0.26 | 0.27 |
| 9 | Refused | 46 | 0.24 | 0.24 |
| BLANK | Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing | 64,675 | | |

Told had high BP during 2+ visits to hlth care pro?

Module: 10.10 Actions to Control High Blood Pressure

Type: Num

Column: 325 SAS Variable Name: BPHI2MR

Prologue:

Description: Were you told on two or more different visits to a doctor or other health professional that you had high blood

pressure? (If "Yes" and respondent is female, ask: "Was this only when you were pregnant?")

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 14,410 | 76.38 | 75.41 |
| 2 | Yes, but female told only during pregnancy | 52 | 0.28 | 0.35 |
| 3 | No | 3,914 | 20.75 | 22.34 |
| 4 | Told borderline or pre-hypertensive | 140 | 0.74 | 0.65 |
| 7 | Don't know/Not Sure | 291 | 1.54 | 0.95 |
| 9 | Refused | 60 | 0.32 | 0.31 |
| BLANK | Not asked or Missing Notes: Section 04.01, BPHIGH4, is coded 2, 7, 9, or Missing | 64,681 | | |

Heart Attack Symptoms - Jaw/Back/Neck Pain

Module: 11.1 Heart Attack and Stroke Type: Num

Column: 326 SAS Variable Name: HASYMP1

Prologue: Now I would like to ask you about your knowledge of the signs and symptoms of a heart attack and stroke. Which of

the following do you think is a symptom of a heart attack? For each, tell me "yes", "no", or you're "not sure":

Description: (Do you think) pain or discomfort in the jaw, neck, or back (are symptoms of a heart attack)?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 19,745 | 64.93 | 53.44 |
| 2 | No | 6,866 | 22.58 | 31.13 |
| 7 | Don't know/Not sure | 3,760 | 12.36 | 15.34 |
| 9 | Refused | 39 | 0.13 | 0.09 |
| BLANK | Not asked or Missing | 53,138 | | |

Heart Attack Symptoms - Weak/Light-headed/Faint

Module: 11.2 Heart Attack and Stroke Type: Num

Column: 327 SAS Variable Name: HASYMP2

Prologue:

Description: (Do you think) feeling weak, lightheaded, or faint (are symptoms of a heart attack)?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 18,583 | 61.13 | 61.93 |
| 2 | No | 7,215 | 23.73 | 24.58 |
| 7 | Don't know/Not sure | 4,560 | 15.00 | 13.36 |
| 9 | Refused | 43 | 0.14 | 0.12 |
| BLANK | Not asked or Missing | 53,147 | | |

Heart Attack Symptoms - Chest Pain/Discomfort

Module: 11.3 Heart Attack and Stroke Type: Num

Column: 328 SAS Variable Name: HASYMP3

Prologue:

Description: (Do you think) chest pain or discomfort (are symptoms of a heart attack)?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 28,120 | 92.53 | 91.75 |
| 2 | No | 1,394 | 4.59 | 5.23 |
| 7 | Don't know/Not sure | 837 | 2.75 | 2.90 |
| 9 | Refused | 39 | 0.13 | 0.12 |
| BLANK | Not asked or Missing | 53,158 | | |

Heart Attack Symptoms - Vision Problems

Module: 11.4 Heart Attack and Stroke Type: Num

Column: 329 SAS Variable Name: HASYMP4

Prologue:

Description: (Do you think) sudden trouble seeing in one or both eyes (is a symptom of a heart attack)?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 9,626 | 31.69 | 36.52 |
| 2 | No | 13,329 | 43.87 | 40.49 |
| 7 | Don't know/Not sure | 7,391 | 24.33 | 22.90 |
| 9 | Refused | 34 | 0.11 | 0.10 |
| BLANK | Not asked or Missing | 53,168 | | |

Heart Attack Symptoms - Pain or Discomfort in Arms/Shoulder

Module: 11.5 Heart Attack and Stroke Type: Num

Column: 330 SAS Variable Name: HASYMP5

Prologue:

Description: (Do you think) pain or discomfort in the arms or shoulder (are symptoms of a heart attack)?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 26,736 | 88.02 | 83.43 |
| 2 | No | 2,195 | 7.23 | 10.41 |
| 7 | Don't know/Not sure | 1,405 | 4.63 | 6.09 |
| 9 | Refused | 39 | 0.13 | 0.07 |
| BLANK | Not asked or Missing | 53,173 | | |

Heart Attack Symptoms - Shortness of Breath

Module: 11.6 Heart Attack and Stroke Type: Num

Column: 331 SAS Variable Name: HASYMP6

Prologue:

Description: (Do you think) shortness of breath (is a symptom of a heart attack)?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 25,719 | 84.69 | 83.35 |
| 2 | No | 2,676 | 8.81 | 10.04 |
| 7 | Don't know/Not sure | 1,937 | 6.38 | 6.55 |
| 9 | Refused | 38 | 0.13 | 0.06 |
| BLANK | Not asked or Missing | 53,178 | | |

Stroke Symptoms - Confusion/Trouble speaking

Module: 11.7 Heart Attack and Stroke Type: Num

Column: 332 SAS Variable Name: STRSYMP1

Prologue: Which of the following do you think is a symptom of a stroke? For each, tell me "yes", "no", or you're "not sure".

Description: (Do you think) sudden confusion or trouble speaking (are symptoms of a stroke?)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 27,637 | 91.06 | 86.37 |
| 2 | No | 1,011 | 3.33 | 5.29 |
| 7 | Don't know/Not sure | 1,667 | 5.49 | 8.30 |
| 9 | Refused | 34 | 0.11 | 0.05 |
| BLANK | Not asked or Missing | 53,199 | | |

Stroke Symptoms - Numbness or Weakness of Face/Arm/Leg

Module: 11.8 Heart Attack and Stroke Type: Num

Column: 333 SAS Variable Name: STRSYMP2

Prologue:

Description: (Do you think) sudden numbness or weakness of face, arm, or leg, especially on one side (are symptoms of a

stroke?)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 28,516 | 93.98 | 91.76 |
| 2 | No | 777 | 2.56 | 3.65 |
| 7 | Don't know/Not sure | 1,016 | 3.35 | 4.55 |
| 9 | Refused | 34 | 0.11 | 0.04 |
| BLANK | Not asked or Missing | 53,205 | | |

Stroke Symptoms - Vision Problems

Module: 11.9 Heart Attack and Stroke Type: Num

Column: 334 SAS Variable Name: STRSYMP3

Prologue:

Description: (Do you think) sudden trouble seeing in one or both eyes (is a symptom of a stroke?)

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|----------------------|-----------|------------|------------|
| 1 | Yes | 21,693 | 71.50 | 68.45 |
| 2 | No | 2,756 | 9.08 | 11.05 |
| 7 | Don't know/Not sure | 5,851 | 19.29 | 20.46 |
| 9 | Refused | 38 | 0.13 | 0.04 |
| BLANK | Not asked or Missing | 53,210 | | |
| | | | | |

Stroke Symptoms - Chest Pain/Discomfort

Module: 11.10 Heart Attack and Stroke Type: Num

Column: 335 SAS Variable Name: STRSYMP4

Prologue:

Description: (Do you think) sudden chest pain or discomfort (are symptoms of a stroke?)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 10,746 | 35.43 | 40.11 |
| 2 | No | 12,477 | 41.14 | 38.78 |
| 7 | Don't know/Not sure | 7,066 | 23.30 | 21.06 |
| 9 | Refused | 42 | 0.14 | 0.05 |
| BLANK | Not asked or Missing | 53,217 | | |

75 of 180 January 24, 2013

Majahtad

Stroke Symptoms - Trouble Walking/Dizziness/Loss of Balance

Module: 11.11 Heart Attack and Stroke Type: Num

Column: 336 SAS Variable Name: STRSYMP5

Prologue:

Description: (Do you think) sudden trouble walking, dizziness, or loss of balance (are symptoms of a stroke?)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 26,041 | 85.87 | 82.67 |
| 2 | No | 1,791 | 5.91 | 7.85 |
| 7 | Don't know/Not sure | 2,458 | 8.11 | 9.44 |
| 9 | Refused | 35 | 0.12 | 0.04 |
| BLANK | Not asked or Missing | 53,223 | | |

Stroke Symptoms - Severe Headache

Module: 11.12 Heart Attack and Stroke Type: Num

Column: 337 SAS Variable Name: STRSYMP6

Prologue:

Description: (Do you think) severe headache with no known cause (is a symptom of a stroke?)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 19,481 | 64.24 | 60.61 |
| 2 | No | 4,641 | 15.31 | 19.31 |
| 7 | Don't know/Not sure | 6,160 | 20.31 | 20.04 |
| 9 | Refused | 41 | 0.14 | 0.05 |
| BLANK | Not asked or Missing | 53,225 | | |

First Aid for Heart Attack and Stroke

Module: 11.13 Heart Attack and Stroke Type: Num

Column: 338 SAS Variable Name: FIRSTAID

Prologue:

Description: If you thought someone was having a heart attack or a stroke, what is the first thing you would do?

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|--------------------------------------|-----------|------------|------------|
| 1 | Take them the hospital | 1,606 | 5.30 | 5.48 |
| 2 | Tell them to call their doctor | 226 | 0.75 | 0.72 |
| 3 | Call 911 | 26,632 | 87.85 | 88.51 |
| 4 | Call their spouse or a family member | 245 | 0.81 | 0.82 |
| 5 | Do something else | 1,376 | 4.54 | 3.80 |
| 7 | Don't know/Not sure | 202 | 0.67 | 0.58 |
| 9 | Refused | 29 | 0.10 | 0.08 |
| BLANK | Not asked or Missing | 53,232 | | |

Have You Ever Had a Mammogram

Module: 12.1 Breast/Cervical Cancer Screening Type: Num

Column: 339 SAS Variable Name: HADMAM

Prologue:

Description: A mammogram is an x-ray of each breast to look for breast cancer. Have you ever had a mammogram?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 2,749 | 84.82 | 68.42 |
| 2 | No-Go to Module 12.03 PROFEXAM | 480 | 14.81 | 31.31 |
| 7 | Don't know/Not sure-Go to Module 12.03 PROFEXAM | 4 | 0.12 | 0.10 |
| 9 | Refused-Go to Module 12.03 PROFEXAM | 8 | 0.25 | 0.17 |
| BLANK | Not asked or Missing Notes: Section 8.22, SEX, is coded 1 | 80,307 | | |

How Long since Last Mammogram

Module: 12.2 Breast/Cervical Cancer Screening Type: Num

Column: 340 SAS Variable Name: HOWLONG

Prologue:

Description: How long has it been since you had your last mammogram?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Within the past year (anytime less than 12 months ago) | 1,741 | 63.33 | 61.59 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 444 | 16.15 | 15.91 |
| 3 | Within the past 3 years (2 years but less than 3 years ago) | 189 | 6.88 | 7.80 |
| 4 | Within the past 5 years (3 years but less than 5 years ago) | 125 | 4.55 | 4.50 |
| 5 | 5 or more years ago | 221 | 8.04 | 9.30 |
| 7 | Don't know/Not sure | 26 | 0.95 | 0.78 |
| 9 | Refused | 3 | 0.11 | 0.10 |
| BLANK | Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Module 12.01, HADMAM, is coded 2, 7, 9, or Missing | 80,799 | | |

77 of 180 January 24, 2013

Market and the st

Ever Had Breast Physical Exam by Doctor

Module: 12.3 Breast/Cervical Cancer Screening Type: Num

Column: 341 SAS Variable Name: PROFEXAM

Prologue:

Description: A clinical breast exam is when a doctor, nurse, or other health professional feels the breast for lumps. Have you ever

had a clinical breast exam?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 2,949 | 91.07 | 89.66 |
| 2 | No-Go to Module 12.05 HADPAP2 | 256 | 7.91 | 9.65 |
| 7 | Don't know/Not sure-Go to Module 12.05 HADPAP2 | 23 | 0.71 | 0.50 |
| 9 | Refused—Go to Module 12.05 HADPAP2 | 10 | 0.31 | 0.20 |
| BLANK | Not asked or Missing Notes: Section 8.22, SEX, is coded 1 | 80,310 | | |

How Long since Last Breast Physical Exam

Module: 12.4 Breast/Cervical Cancer Screening Type: Num

Column: 342 SAS Variable Name: LENGEXAM

Prologue:

Description: How long has it been since your last breast exam?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Within the past year (anytime less than 12 months ago) | 1,902 | 64.54 | 63.99 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 445 | 15.10 | 17.39 |
| 3 | Within the past 3 years (2 years but less than 3 years ago) | 161 | 5.46 | 5.57 |
| 4 | Within the past 5 years (3 years but less than 5 years ago) | 131 | 4.45 | 3.84 |
| 5 | 5 or more years ago | 235 | 7.97 | 7.52 |
| 7 | Don't know/Not sure | 71 | 2.41 | 1.64 |
| 9 | Refused | 2 | 0.07 | 0.05 |
| BLANK | Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Module 12.03, PROFEXAM, is coded 2, 7, 9, or Missing | 80,601 | | |

Ever Had a Pap Test

Module: 12.5 Breast/Cervical Cancer Screening Type: Num

Column: 343 SAS Variable Name: HADPAP2

Prologue:

Description: A Pap test is a test for cancer of the cervix. Have you ever had a Pap test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 3,064 | 94.77 | 93.30 |
| 2 | No-Go to Module 12.07 HADHYST2 | 148 | 4.58 | 6.39 |
| 7 | Don't know/Not sure-Go to Module 12.07 HADHYST2 | 7 | 0.22 | 0.06 |
| 9 | Refused—Go to Module 12.07 HADHYST2 | 14 | 0.43 | 0.25 |
| BLANK | Not asked or Missing Notes: Section 8.22, SEX, is coded 1 | 80,315 | | |

How Long Since Last Pap Test

Module: 12.6 Breast/Cervical Cancer Screening Type: Num

Column: 344 SAS Variable Name: LASTPAP2

Prologue:

Description: How long has it been since you had your last Pap test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Within the past year (anytime less than 12 months ago) | 1,472 | 48.04 | 54.05 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 504 | 16.45 | 17.53 |
| 3 | Within the past 3 years (2 years but less than 3 years ago) | 211 | 6.89 | 5.67 |
| 4 | Within the past 5 years (3 years but less than 5 years ago) | 211 | 6.89 | 5.16 |
| 5 | 5 or more years ago | 596 | 19.45 | 16.31 |
| 7 | Don't know/Not sure | 67 | 2.19 | 1.20 |
| 9 | Refused | 3 | 0.10 | 0.08 |
| BLANK | Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Module 12.05, HADPAP2, is coded 2, 7, 9, or Missing | 80,484 | | |

Had Hysterectomy

Module: 12.7 Breast/Cervical Cancer Screening Type: Num

Column: 345 SAS Variable Name: HADHYST2

Prologue:

Description: Have you had a hysterectomy? (A hysterectomy is an operation to remove the uterus (womb).)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 1,065 | 33.18 | 23.88 |
| 2 | No | 2,130 | 66.36 | 75.85 |
| 7 | Don't know/Not sure | 2 | 0.06 | 0.02 |
| 9 | Refused | 13 | 0.40 | 0.25 |
| BLANK | Not asked or Missing Notes: Section 8.22, SEX, is coded 1; or Section 8.23, PREGNANT, is coded 1 | 80,338 | | |

Has a doctor EVER recommended that you have a PSA test?

Module: 13.1 Prostate Cancer Screening Type: Num

Column: 346 SAS Variable Name: PCPSAREC

Prologue:

Description: A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for prostate cancer. Has

a doctor EVER recommended that you have a PSA test?

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|---|-----------|------------|------------|
| 1 | Yes | 1,068 | 58.58 | 50.02 |
| 2 | No | 667 | 36.59 | 44.86 |
| 7 | Don't know / Not sure | 73 | 4.00 | 4.18 |
| 9 | Refused | 15 | 0.82 | 0.95 |
| BLANK | Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 8.22, SEX, is coded 2; | 81,725 | | |

80 of 180 January 24, 2013

Waighted

Ever Had PSA Test

Module: 13.2 Prostate Cancer Screening Type: Num

Column: 347 SAS Variable Name: PSATEST1

Prologue:

Description: Have you EVER HAD a PSA test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 1,121 | 61.53 | 52.17 |
| 2 | No-Go to Module 13.08 PROSTATE | 584 | 32.05 | 40.86 |
| 7 | Don't know/Not Sure-Go to Module 13.08 PROSTATE | 103 | 5.65 | 6.03 |
| 9 | Refused—Go to Module 13.08 PROSTATE | 14 | 0.77 | 0.94 |
| BLANK | Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 8.22, SEX, is coded 2; | 81,726 | | |

Time Since Last PSA Test

Module: 13.3 Prostate Cancer Screening Type: Num

Column: 348 SAS Variable Name: PSATIME

Prologue:

Description: How long has it been since you had your last PSA test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Within the past year (anytime less than 12 months ago) | 771 | 68.78 | 67.38 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 151 | 13.47 | 12.98 |
| 3 | Within the past 3 years (2 years but less than 3 years ago) | 82 | 7.31 | 8.93 |
| 4 | Within the past 5 years (3 years but less than 5 years ago) | 53 | 4.73 | 3.77 |
| 5 | 5 or more years ago | 46 | 4.10 | 5.16 |
| 7 | Don't know/Not Sure | 18 | 1.61 | 1.78 |
| BLANK | Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 8.22, SEX, is coded 2; or Module 13.02, PSATEST, is coded, 2, 7, 9, or Missing | 82,427 | | |

What was the MAIN reason you had this PSA test?

Module: 13.4 Prostate Cancer Screening Type: Num

Column: 349 SAS Variable Name: PCPSARSN

Prologue:

Description: What was the MAIN reason you had this PSA test - was it part of a routine exam, because of a problem, or some

other reason?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Part of a routine exam | 898 | 80.11 | 80.69 |
| 2 | Because of a problem | 124 | 11.06 | 11.02 |
| 3 | Other reason | 93 | 8.30 | 7.75 |
| 7 | Don't know / Not sure | 5 | 0.45 | 0.32 |
| 9 | Refused | 1 | 0.09 | 0.22 |
| BLANK | Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 8.22, SEX, is coded 2; or Module 13.02, PSATEST, is coded, 2, 7, 9, or Missing | 82,427 | | |

Did doctor EVER talk about the advantages of the PSA test?

Module: 13.5 Prostate Cancer Screening Type: Num

Column: 350 SAS Variable Name: PCPSAADV

Prologue:

Description: Before you had the PSA test did a doctor EVER talk with you about the advantages of the PSA test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 698 | 62.32 | 62.20 |
| 2 | No | 369 | 32.95 | 33.97 |
| 7 | Don't know / Not sure | 52 | 4.64 | 3.76 |
| 9 | Refused | 1 | 0.09 | 0.07 |
| BLANK | Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 8.22, SEX, is coded 2; or Module 13.02, PSATEST, is coded, 2, 7, 9, or Missing | 82,428 | | |

Did doctor EVER talk about the disadvantages of the PSA test?

Module: 13.6 Prostate Cancer Screening Type: Num

Column: 351 SAS Variable Name: PCPSADIS

Prologue:

Description: Before you had the PSA test did a doctor EVER talk with you about the disadvantages of the PSA test?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 379 | 33.87 | 33.09 |
| 2 | No | 666 | 59.52 | 59.26 |
| 7 | Don't know / Not sure | 72 | 6.43 | 7.56 |
| 9 | Refused | 2 | 0.18 | 0.08 |
| BLANK | Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 8.22, SEX, is coded 2; or Module 13.02, PSATEST, is coded, 2, 7, 9, or Missing | 82,429 | | |

Why was PSA test done?

Module: 13.7 Prostate Cancer Screening Type: Num

Column: 352 SAS Variable Name: PCPSADEC

Prologue:

Description: Which of the following best describes the decision to have the PSA test done?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | You made the decision | 209 | 18.68 | 20.55 |
| 2 | Your doctor/nurse/health care provider made the decision | 356 | 31.81 | 30.93 |
| 3 | Your doctor/nurse/health care provider and you made the decision together | 516 | 46.11 | 45.25 |
| 4 | Your spouse/significant other/family member made the decision | 16 | 1.43 | 1.64 |
| 7 | Don't know / Not sure | 16 | 1.43 | 1.00 |
| 9 | Refused | 6 | 0.54 | 0.63 |
| BLANK | Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 8.22, SEX, is coded 2; or Module 13.02, PSATEST, is coded, 2, 7, 9, or Missing | 82,429 | | |

Ever Told You Had Prostate Cancer

Module: 13.8 Prostate Cancer Screening Type: Num

Column: 353 SAS Variable Name: PROSTATE

Prologue:

Description: Have you ever been told by a doctor, nurse, or other health professional that you had prostate cancer?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 123 | 6.76 | 5.09 |
| 2 | No | 1,673 | 91.97 | 93.60 |
| 7 | Don't know/Not sure | 8 | 0.44 | 0.28 |
| 9 | Refused | 15 | 0.82 | 1.03 |
| BLANK | Not asked or Missing Notes: Section 8.01, AGE, is less than 40; or Section 8.22, SEX, is coded 2; | 81,729 | | |

Ever Had Blood Stool Test Using Home Kit

Module: 14.1 Colorectal Cancer Screening Type: Num

Column: 354 SAS Variable Name: BLDSTOOL

Prologue:

Description: A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood. Have

you ever had this test using a home kit?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 7,014 | 41.90 | 37.11 |
| 2 | No-Go to Module 14.03 HADSIGM3 | 9,545 | 57.02 | 61.87 |
| 7 | Don't know/Not Sure-Go to Module 14.03 HADSIGM3 | 165 | 0.99 | 0.83 |
| 9 | Refused—Go to Module 14.03 HADSIGM3 | 17 | 0.10 | 0.19 |
| BLANK | Not asked or Missing Notes: Section 8.01, AGE, is less than 50 | 66,807 | | |

Time Since Last Blood Stool Test

Module: 14.2 Colorectal Cancer Screening Type: Num

Column: 355 SAS Variable Name: LSTBLDS3

Prologue:

Description: How long has it been since you had your last blood stool test using a home kit?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Within the past year (anytime less than 12 months ago) | 1,997 | 28.47 | 29.65 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 1,108 | 15.80 | 15.96 |
| 3 | Within the past 3 years (2 years but less than 3 years ago) | 754 | 10.75 | 10.27 |
| 4 | Within the past 5 years (3 years but less than 5 years ago) | 892 | 12.72 | 12.39 |
| 5 | 5 or more years ago | 2,042 | 29.11 | 28.13 |
| 7 | Don't know/Not sure | 216 | 3.08 | 3.51 |
| 9 | Refused | 5 | 0.07 | 0.09 |
| BLANK | Not asked or Missing Notes: Section 8.01, AGE, is less than 50; or Module 14.01, BLDSTOOL, is coded 2, 7, 9, or Missing | 76,534 | | |

Ever Had Sigmoidoscopy/Colonoscopy

Module: 14.3 Colorectal Cancer Screening Type: Num

Column: 356 SAS Variable Name: HADSIGM3

Prologue:

Description: Sigmoidoscopy and colonoscopy are exams in which a tube is inserted in the rectum to view the colon for signs of

cancer or other health problems. Have you ever had either of these exams?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 11,849 | 70.83 | 66.77 |
| 2 | No-Go to Next Module | 4,774 | 28.54 | 32.63 |
| 7 | Don't know/Not Sure-Go to Next Module | 84 | 0.50 | 0.39 |
| 9 | Refused-Go to Next Module | 21 | 0.13 | 0.22 |
| BLANK | Not asked or Missing Notes: Section 8 01. AGE. is less than 50 | 66,820 | | |

Was your last test a sigmoidoscopy or colonoscopy?

Module: 14.4 Colorectal Cancer Screening Type: Num

Column: 357 SAS Variable Name: HADSGCO1

Prologue:

Description: For a SIGMOIDOSCOPY, a flexible tube is inserted into the rectum to look for problems. A COLONOSCOPY is

similar, but uses a longer tube, and you are usually given medication through a needle in your arm to make you

sleepy and told to have someone else drive you home after the test. Was your MOST RECENT exam a

sigmoidoscopy or a colonoscopy?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Sigmoidoscopy | 776 | 6.55 | 6.08 |
| 2 | Colonoscopy | 10,734 | 90.61 | 90.99 |
| 7 | Don't know/Not Sure | 326 | 2.75 | 2.86 |
| 9 | Refused | 10 | 0.08 | 0.07 |
| BLANK | Not asked or Missing Notes: Section 8.01, AGE, is less than 50; or Module 14.03, HADSIGM3, is coded 2, 7, 9, or Missing | 71,702 | | |

Time Since Last Sigmoidoscopy/Colonoscopy

Module: 14.5 Colorectal Cancer Screening Type: Num

Column: 358 SAS Variable Name: LASTSIG3

Prologue:

Description: How long has it been since you had your last sigmoidoscopy or colonoscopy?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Within the past year (anytime less than 12 months ago) | 2,675 | 22.59 | 23.78 |
| 2 | Within the past 2 years (1 year but less than 2 years ago) | 2,127 | 17.96 | 18.80 |
| 3 | Within the past 3 years (2 years but less than 3 years ago) | 1,847 | 15.60 | 16.00 |
| 4 | Within the past 5 years (3 years but less than 5 years ago) | 2,485 | 20.99 | 20.05 |
| 5 | Within the past 10 years (5 years but less than 10 years ago) | 1,822 | 15.39 | 14.25 |
| 6 | 10 or more years ago | 687 | 5.80 | 5.50 |
| 7 | Don't know/Not sure | 190 | 1.60 | 1.58 |
| 9 | Refused | 8 | 0.07 | 0.03 |
| BLANK | Not asked or Missing Notes: Section 8.01, AGE, is less than 50; or Module 14.03, HADSIGM3, is coded 2, 7, 9, or Missing | 71,707 | | |

Are you aware of any telephone quitline services to help you quit smoking?

Module: 15.1 Smoking Cessation Type: Num

Column: 359 SAS Variable Name: SMCQUITL

Prologue:

Description: A telephone quitline is a free telephone-based service that connects people who smoke cigarettes with someone

who can help them quit. Are you aware of any telephone quitline services that are available to help [If Core Q7.2 = 1

or 2, say "you", otherwise say people"] quit smoking?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-----------------------|-----------|------------|------------------------|
| 1 | Yes | 1,454 | 29.90 | 34.44 |
| 2 | No | 3,310 | 68.06 | 63.84 |
| 7 | Don't know / Not sure | 89 | 1.83 | 1.54 |
| 9 | Refused | 10 | 0.21 | 0.17 |
| BLANK | Not asked or Missing | 78,685 | | |

Are trying to quit smoking for good?

Module: 15.2 Smoking Cessation Type: Num

Column: 360 SAS Variable Name: SMCTRYQT

Prologue:

Description: You last smoked (If Core Q7.4 = 1): say "less than." If (Core Q7.4 = 2, 3, or 4) say "more than" [first two words in the

parentheses of Core Q7.4 SMOKLAST response] ago. Is that because you are trying to quit smoking for good?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 78 | 80.41 | 75.02 |
| 2 | No-Go to Module 15.07 SMCTIMEQ | 19 | 19.59 | 24.98 |
| BLANK | Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, or 9; or Section 07.02, SMOKDAY2, is coded 7 or 9; or Section 07.03, STOPSMK2, is coded 1,2,7, or 9; or Section 07.04, LASTSMK2, is coded 5, 6, 7, 77, or 99; | 83,451 | | |

Did you call a telephone quitline to help you quit smoking?

Module: 15.3 Smoking Cessation Type: Num

Column: 361 SAS Variable Name: SMCCALQT

Prologue: Previously, you mentioned you (If Core Q7.3 = 1): say, "tried to quit smoking in the past year." (If Core Q7.4 = 1-4

and Q2 = 1): say, "quit smoking in the past year. The next few questions ask about your most recent attempt to quit

Mainles al

smoking.

Description: (If Core Q7.4 = 1-4 and Q.2 = 1): When you quit smoking... (If Core Q7.2 = 1 or 2 and Q7.3 = 1): The last time you

tried to quit smoking... did you call a telephone quitline to help you quit?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 8 | 3.49 | 4.66 |
| 2 | No | 220 | 96.07 | 95.11 |
| 9 | Refused | 1 | 0.44 | 0.22 |
| BLANK | Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, or 9; or Section 07.02, SMOKDAY2, is coded 7 or 9; or Section 07.03, STOPSMK2, is coded 1,2,7, or 9; or Section 07.04, LASTSMK2, is coded 5, 6, 7, 77, or 99; | 83,319 | | |

Did you use a program to help you quit smoking?

Module: 15.4 Smoking Cessation Type: Num

Column: 362 SAS Variable Name: SMCPROGQ

Prologue:

Description: (If Core Q7.4 = 1-4 and Q2 = 1): When you quit smoking... (If Core Q7.2 = 1 or 2 and Q7.3 = 1): The last time you

tried to quit smoking... did you use a program to help you quit?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 53 | 13.98 | 14.55 |
| 2 | No | 323 | 85.22 | 83.32 |
| 7 | Don't know / Not sure | 2 | 0.53 | 2.00 |
| 9 | Refused | 1 | 0.26 | 0.13 |
| BLANK | Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, or 9; or Section 07.02, SMOKDAY2, is coded 7 or 9; or Section 07.03, STOPSMK2, is coded 1,2,7, or 9; or Section 07.04, LASTSMK2, is coded 5, 6, 7, 77, or 99; | 83,169 | | |

Did you receive one-on-one counseling to help you quit smoking?

Module: 15.5 Smoking Cessation Type: Num

Column: 363 SAS Variable Name: SMCCNSLQ

Prologue:

Description: (If Core Q7.4 = 1-4 and Q2 = 1): When you quit smoking... (If Core Q7.2 = 1 or 2 and Q7.3 = 1): The last time you

tried to quit smoking... did you receive one-on-one counseling from a health professional to help you quit?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 37 | 9.76 | 7.48 |
| 2 | No | 340 | 89.71 | 92.29 |
| 7 | Don't know / Not sure | 1 | 0.26 | 0.10 |
| 9 | Refused | 1 | 0.26 | 0.13 |
| BLANK | Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, or 9; or Section 07.02, SMOKDAY2, is coded 7 or 9; or Section 07.03, STOPSMK2, is coded 1,2,7, or 9; or Section 07.04, LASTSMK2, is coded 5, 6, 7, 77, or 99; | 83,169 | | |

Did you use any medications to help you quit smoking?

Module: 15.6 Smoking Cessation Type: Num

Column: 364 SAS Variable Name: SMCMEDQT

Prologue:

Description: (If Core Q7.4 = 1-4 and Q2 = 1): When you quit smoking... (If Core Q7.2 = 1 or 2 and Q7.3 = 1): The last time you

tried to quit smoking... did you use any of the following medications: a nicotine patch, nicotine gum, nicotine lozenges, nicotine nasal spray, a nicotine inhaler, or pills such as Wellbutrin®, Zyban®, buproprion, Chantix®, or varenicline to help you quit? [NOTE: Pronounce "Wellbutrin" as Well-BYOU-TRIN, "Zyban" as Z-EYE BAN, "buproprion" as BYO PRO PRI ON, "Chantix" as CHAN TICS, and "varenicline" as VAR EN IH CLEAN]. Please read

list slowly.]

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 153 | 40.37 | 36.33 |
| 2 | No | 225 | 59.37 | 63.54 |
| 9 | Refused | 1 | 0.26 | 0.13 |
| BLANK | Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, or 9; or Section 07.02, SMOKDAY2, is coded 7 or 9; or Section 07.03, STOPSMK2, is coded 1,2,7, or 9; or Section 07.04, LASTSMK2, is coded 5, 6, 7, 77, or 99; | 83,169 | | |

Time frame for quitting smoking?

Module: 15.7 Smoking Cessation Type: Num

Column: 365 SAS Variable Name: SMCTIMEQ

Prologue: The next few questions are about plans to quit smoking in the future.

Description: Do you have a time frame in mind for quitting?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 187 | 29.45 | 34.27 |
| 2 | No-Go to next module | 437 | 68.82 | 64.42 |
| 7 | Don't know / Not sure-Go to next module | 8 | 1.26 | 0.91 |
| 9 | Refused—Go to next module | 3 | 0.47 | 0.41 |
| BLANK | Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, or 9; or Section 07.02, SMOKDAY2, is coded 7 or 9; or Section 07.03, STOPSMK2, is coded 1,2,7, or 9; or Section 07.04, LASTSMK2, is coded 5, 6, 7, 77, or 99; | 82,913 | | |

Do you plan to quit smoking cigarettes for good...

Module: 15.8 Smoking Cessation Type: Num

Column: 366 SAS Variable Name: SMCPLANQ

Prologue:

Description: Do you plan to quit smoking cigarettes for good...

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | In the next 7 days | 13 | 6.95 | 3.42 |
| 2 | In the next 30 days | 55 | 29.41 | 27.79 |
| 3 | In the next 6 months | 68 | 36.36 | 45.38 |
| 4 | In the next year | 30 | 16.04 | 10.29 |
| 5 | More than 1 year from now | 16 | 8.56 | 12.21 |
| 7 | Don't know / Not sure | 4 | 2.14 | 0.88 |
| 9 | Refused | 1 | 0.53 | 0.04 |
| BLANK | Not asked or Missing Notes: Section 07.01, SMOKE100, is coded 2, 7, or 9; or Section 07.02, SMOKDAY2, is coded 7 or 9; or Section 07.03, STOPSMK2, is coded 1,2,7, or 9; or Section 07.04, LASTSMK2, is coded 5, 6, 7, 77, or 99; | 83,361 | | |

How many days did you breathe smoke at your workplace?

Module: 16.1 Secondhand Smoke I Type: Num

Column: 367-368 SAS Variable Name: SHSNWRK1

Prologue: Now I'm going to ask you about smoke you might have breathed at work because someone else was smoking

indoors.

Description: During the past 7 days, that is, since last [TODAY'S DAY OF THE WEEK], on how many days did you breathe the

smoke at your workplace from someone other than you who was smoking tobacco?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Notes: Section 08.09, EMPLOY, is coded 3, 4, 5, 6, 7, 8, 9 or missing;

How many days did someone else smoke in your home?

Module: 16.2 Secondhand Smoke I

Type: Num

Column: 369-370 SAS Variable Name: SHSNHOM1

Prologue:

Description: Not counting decks, porches, or garages, during the past 7 days, that is, since last [TODAY'S DAY OF WEEK], on

how many days did someone other than you smoke tobacco inside your home while you were at home?

Value Value Label Weighted

Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

How many days did you ride in a vehicle where someone was smoking tobacco?

Module: 16.3 Secondhand Smoke I

Type: Num

Column: 371-372 SAS Variable Name: SHSRIDEV

Prologue:

Description: During the past 7 days, that is, since last [TODAY'S DAY OF WEEK], on how many days did you ride in a vehicle

where someone other than you was smoking tobacco?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

On how many days did you breathe in an indoor public place?

Module: 16.4 Secondhand Smoke I

Type: Num

Column: 373-374 SAS Variable Name: SHSINPUB

Prologue: The next question asks about tobacco use in indoor public places. Examples of indoor public places are the indoor

areas of stores, restaurants, bars, casinos, clubs, and sports arenas.

Description: [If Q8.9 = 1 (Employed) or Q8.9 = 2 (Self-employed); say "Not counting times while you were at work,"] during the

past 7 days, that is, since last [TODAY'S DAY OF WEEK], on how many days did you breathe the smoke from

someone else who was smoking in an indoor public place?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Where is smoking allowed inside your home?

Module: 16.5 Secondhand Smoke I Type: Num

Column: 375 SAS Variable Name: SHSHOMES

Prologue:

Description: Not counting decks, porches, or garages, inside your home, is smoking...

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Is smoking allowed in family vehicles?

Module: 16.6 Secondhand Smoke I Type: Num

Column: 376 SAS Variable Name: SHSVHICL

Prologue:

Description: Not counting motorcycles, in the vehicles that you or family members who live with you own or lease, is smoking...

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Should smoking be allowed in workplace?

Module: 16.7 Secondhand Smoke Type: Num

Column: 377 SAS Variable Name: SHSALOW1

Prologue:

Description: At workplaces, do you think smoking indoors should be...

Value Value Label Weighted
Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Age at Asthma Diagnosis

Module: 17.1 Adult Asthma History Type: Num

Column: 378-379 SAS Variable Name: ASTHMAGE

Prologue: Previously you said you were told by a doctor, nurse, or other health professional that you had asthma.

Description: How old were you when you were first told by a doctor, nurse or other health professional that you had asthma?

Value Value Label Weighted
Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing

Asthma During Past 12 Months

Module: 17.2 Adult Asthma History Type: Num

Column: 380 SAS Variable Name: ASATTACK

Prologue:

Description: During the past 12 months, have you had an episode of asthma or an asthma attack?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or

Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing

Emergency Asthma Care During Past 12 Months

Module: 17.3 Adult Asthma History Type: Num

Column: 381-382 SAS Variable Name: ASERVIST

Prologue:

Description: During the past 12 months, how many times did you visit an emergency room or urgent care center because of your

asthma?

Value Value Label Weighted

Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module

17.02, ASATTACK, is coded 2, 7, 9 or Missing

Urgent Asthma Treatment During Past 12 Months

Module: 17.4 Adult Asthma History Type: Num

Column: 383-384 SAS Variable Name: ASDRVIST

Prologue: If one or more visits to Q3, fill in "Besides those emergency room or urgent care center visits,"]

Description: During the past 12 months, how many times did you see a doctor, nurse or other health professional for urgent

treatment of worsening asthma symptoms?

Value Value Label Weighted

Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module

17.02, ASATTACK, is coded 2, 7, 9 or Missing

Routine Asthma Care During Past 12 Months

Module: 17.5 Adult Asthma History Type: Num

Column: 385-386 SAS Variable Name: ASRCHKUP

Prologue:

Description: During the past 12 months, how many times did you see a doctor, nurse, or other health professional for a routine

checkup for your asthma?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or

Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing

Activities Limited Because of Asthma During Past 12 Months

Module: 17.6 Adult Asthma History Type: Num

Column: 387-389 SAS Variable Name: ASACTLIM

Prologue:

Description: During the past 12 months, how many days were you unable to work or carry out your usual activities because of

your asthma?

Value Value Label Weighted

Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or

Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing

Asthma Symptoms During Past 30 Days

Module: 17.7 Adult Asthma History Type: Num

Column: 390 SAS Variable Name: ASYMPTOM

Prologue:

Description: Symptoms of asthma include cough, wheezing, shortness of breath, chest tightness and phlegm production when

you don't have a cold or respiratory infection. During the past 30 days, how often did you have any symptoms of

asthma?

Value Value Label Weighted

Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or

Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing

Sleep Difficulty Because of Asthma During Past 30 Days

Module: 17.8 Adult Asthma History Type: Num

Column: 391 SAS Variable Name: ASNOSLEP

Prologue:

Description: During the past 30 days, how many days did symptoms of asthma make it difficult for you to stay asleep? Would you

say-

Value Value Label Weighted

Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing; or Module

17.07, ASYMPTOM, is coded 8

Days used prescribed preventative asthma med in past 30 days

Module: 17.9 Adult Asthma History Type: Num

Column: 392 SAS Variable Name: ASTHMED3

Prologue:

Description: During the past 30 days, how many days did you take a prescription asthma medication to PREVENT an asthma

attack from occurring?

Value Value Label Weighted

Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or

Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing

Times used asthma inhaler during an attack in past 30 days

Module: 17.10 Adult Asthma History

Type: Num

Column: 393 SAS Variable Name: ASINHALR

Prologue:

Description: During the past 30 days, how often did you use a prescription asthma inhaler DURING AN ASTHMA ATTACK to

stop it?

Value Value Label Weighted

Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Notes: Section 06.04, ASTHMA3, is coded 2, 7, 9, or Missing; or

Section 06.05, ASTHNOW, is coded 2, 7, 9, or Missing

What Can You Do Because of Arthritis or Joint Symptoms

Module: 18.1 Arthritis Management Type: Num

Column: 394 SAS Variable Name: ARTTODAY

Prologue: Earlier you indicated that you had arthritis or joint symptoms.

Description: Thinking about your arthritis or joint symptoms, which of the following best describes you TODAY?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | I can do everything I would like to do | 300 | 23.81 | 24.10 |
| 2 | I can do most things I would like to do | 549 | 43.57 | 40.83 |
| 3 | I can do some things I would like to do | 294 | 23.33 | 22.26 |
| 4 | I can hardly do anything I would like to do | 105 | 8.33 | 11.61 |
| 7 | Don't know/Not Sure | 6 | 0.48 | 0.68 |
| 9 | Refused | 6 | 0.48 | 0.52 |
| BLANK | Not asked or Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing | 82,288 | | |

Dr. Suggest Lose Weight for Arthritis or Joint Symptoms

Module: 18.2 Arthritis Management Type: Num

Column: 395 SAS Variable Name: ARTHWGT

Prologue:

Description: Has a doctor or other health professional EVER suggested losing weight to help your arthritis or joint symptoms?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 446 | 35.45 | 35.15 |
| 2 | No | 803 | 63.83 | 64.41 |
| 7 | Don't know/Not Sure | 5 | 0.40 | 0.29 |
| 9 | Refused | 4 | 0.32 | 0.14 |
| BLANK | Not asked or Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing | 82,290 | | |

Dr. Suggest Use of Physical Activity or Exercise for Arthritis or Joint Symptoms

Module: 18.3 Arthritis Management Type: Num

Column: 396 SAS Variable Name: ARTHEXER

Prologue:

Description: Has a doctor or other health professional EVER suggested physical activity or exercise to help your arthritis or joint

symptoms? (If the respondent is unclear about whether this means an increase or decrease in physical activity, this

means increase.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 725 | 57.63 | 55.48 |
| 2 | No | 521 | 41.41 | 43.95 |
| 7 | Don't know/Not Sure | 8 | 0.64 | 0.43 |
| 9 | Refused | 4 | 0.32 | 0.14 |
| BLANK | Not asked or Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing | 82,290 | | |

Ever Taken Class in Managing Arthritis or Joint Symptoms

Module: 18.4 Arthritis Management Type: Num

Column: 397 SAS Variable Name: ARTHEDU

Prologue:

Description: Have you EVER taken an educational course or class to teach you how to manage problems related to your arthritis

or joint symptoms?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 169 | 13.44 | 12.37 |
| 2 | No | 1,082 | 86.08 | 87.20 |
| 7 | Don't know/Not Sure | 2 | 0.16 | 0.28 |
| 9 | Refused | 4 | 0.32 | 0.14 |
| BLANK | Not asked or Missing Notes: Section 06.09, HAVARTH3, is coded 2, 7, 9, or Missing | 82,291 | | |

Received Tetanus Shot In The Past 10 Years?

Module: 19.1 Tetanus Diptheria (Adults)

Type: Num

Column: 398 SAS Variable Name: TNSARCV

Prologue:

Description: Have you received a tetanus shot in the past 10 years?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---------------------------------------|-----------|------------|------------------------|
| 1 | Yes | 8,222 | 63.21 | 63.99 |
| 2 | No-Go to next module | 3,535 | 27.18 | 26.85 |
| 7 | Don't know/Not Sure-Go to next module | 1,225 | 9.42 | 9.00 |
| 9 | Refused-Go to next module | 25 | 0.19 | 0.16 |
| BLANK | Not asked or Missing | 70,541 | | |

Was Most Recent Tetanus Shot In 2005 Or Later?

Module: 19.2 Tetanus Diptheria (Adults)

Type: Num

Column: 399 SAS Variable Name: TNSARCNT

Prologue:

Description: Was your most recent tetanus shot given in 2005 or later?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 5,412 | 65.86 | 66.27 |
| 2 | No-Go to next module | 1,787 | 21.74 | 22.34 |
| 7 | Don't know/Not Sure | 1,016 | 12.36 | 11.28 |
| 9 | Refused | 3 | 0.04 | 0.11 |
| BLANK | Not asked or Missing Notes: Module 19.01, TNSARCV, is coded 2, 7, 9 or Missing | 75,330 | | |

Did Tetanus Shot Included The Pertussis Vaccine?

Module: 19.3 Tetanus Diptheria (Adults)

Type: Num

Column: 400 SAS Variable Name: TNSASHT1

Prologue: There are currently two types of tetanus shots available for adults. One contains the tetanus diphtheria vaccine. The

other type contains tetanus diphtheria and pertussis or whooping cough vaccine.

Description: Did your doctor say your recent tetanus shot included the pertussis or whooping cough vaccine?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes (included pertusis) | 1,009 | 15.70 | 17.21 |
| 2 | No (did not include pertusis) | 1,532 | 23.84 | 24.18 |
| 3 | Doctor did not say | 1,238 | 19.27 | 17.99 |
| 7 | Don't know/Not Sure | 2,641 | 41.10 | 40.45 |
| 9 | Refused | 6 | 0.09 | 0.17 |
| BLANK | Not asked or Missing Notes: Module 19.01, TNSARCV, is coded 2, 7, 9 or Missing; or Module 19.02, TNSARCNT, is coded 2 | 77,122 | | |

98 of 180

January 24, 2013

Have you ever had the HPV vaccination?

Module: 20.1 Adult Human Papilloma Virus (HPV)

Type: Num

Column: 401 SAS Variable Name: HPVADVC2

Prologue: A vaccine to prevent the human papilloma virus or HPV infection is available and is called the cervical cancer or

genital warts vaccine, HPV shot, [Fill: if female "GARDASIL or CERVARIX", if male "GARDASIL"].

Description: Have you ever had the HPV vaccination? (Human Papilloma Virus (Human Pap•uh•loh•muh Virus), Gardasil

(Gar•duh• seel), Cervarix (Serv a rix))

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 137 | 7.00 | 10.52 |
| 2 | No-Go to Next Module | 1,687 | 86.16 | 81.69 |
| 3 | Doctor refused when asked-Go to Next Module | 1 | 0.05 | 0.00 |
| 7 | Don't know/Not Sure-Go to Next Module | 130 | 6.64 | 7.65 |
| 9 | Refused-Go to Next Module | 3 | 0.15 | 0.13 |
| BLANK | Not asked or Missing Notes: Section 8.01, AGE, is greater than 49 | 81,590 | | |

How many HPV shots did you receive?

Module: 20.2 Adult Human Papilloma Virus (HPV)

Type: Num

Column: 402-403 SAS Variable Name: HPVADSHT

Prologue:

Description: How many HPV shots did you receive?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 - 2 | Number of shots | 45 | 32.85 | 32.02 |
| 3 | All shots-Go to Next Module | 69 | 50.36 | 56.26 |
| 77 | Don't know/Not Sure | 22 | 16.06 | 10.53 |
| 99 | Refused | 1 | 0.73 | 1.19 |
| BLANK | Not asked or Missing Notes: Section 8.01, AGE, is greater than 49; or Module 20.01, HPVADVC2. is coded 2. 3. 7. 9 or Missing | 83,411 | | |

Have You Had Shingles Vaccine?

Module: 21.1 Shingles Type: Num

Column: 404 SAS Variable Name: SHINGLE1

Prologue:

Description: A vaccine for shingles has been available since May 2006, it is called Zostavax®, the zoster vaccine, or the shingles

vaccine. Have you had this vaccine?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 777 | 11.42 | 8.95 |
| 2 | No | 5,797 | 85.22 | 87.33 |
| 7 | Don't know/Not Sure | 214 | 3.15 | 3.47 |
| 9 | Refused | 14 | 0.21 | 0.25 |
| BLANK | Not asked or Missing Notes: Section 8.01, AGE, is less than 50 | 76,746 | | |

Ever had a breathing test to diagnose your COPD?

Module: 22.1 Chronic Obstructive Pulmonary Disease (COPD)

Type: Num

Column: 405 SAS Variable Name: COPDTEST

Prologue:

Description: Have you ever been given a breathing test to diagnose your COPD, chronic bronchitis, or emphysema?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes | 2,212 | 78.41 | 73.02 |
| 2 | No | 539 | 19.11 | 23.93 |
| 7 | Don't know / Not sure | 61 | 2.16 | 2.81 |
| 9 | Refused | 9 | 0.32 | 0.24 |
| BLANK | Not asked or Missing Notes: Section 06.08, CHCCOPD, is coded 2, 7, 9, or missing; | 80,727 | | |

Does shortness of breath affect quality of life?

Module: 22.2 Chronic Obstructive Pulmonary Disease (COPD)

Type: Num

Column: 406 SAS Variable Name: COPDQOL

Prologue:

Description: Would you say that shortness of breath affects the quality of your life?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 1,822 | 64.63 | 64.45 |
| 2 | No | 942 | 33.42 | 34.32 |
| 7 | Don't know / Not sure | 42 | 1.49 | 0.90 |
| 9 | Refused | 13 | 0.46 | 0.34 |
| BLANK | Not asked or Missing Notes: Section 06.08, CHCCOPD, is coded 2, 7, 9, or missing; | 80,729 | | |

Have you seen doctor about shortness of breath?

Module: 22.3 Chronic Obstructive Pulmonary Disease (COPD)

Type: Num

Column: 407 SAS Variable Name: COPDDOC

Prologue:

Description: Other than a routine visit, have you had to see a doctor in the past 12 months for symptoms related to shortness of

breath, bronchitis, or other COPD, or emphysema flare?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 1,254 | 44.50 | 43.15 |
| 2 | No | 1,534 | 54.44 | 56.28 |
| 7 | Don't know / Not sure | 20 | 0.71 | 0.29 |
| 9 | Refused | 10 | 0.35 | 0.28 |
| BLANK | Not asked or Missing Notes: Section 06.08, CHCCOPD, is coded 2, 7, 9, or missing; | 80,730 | | |

Been to E.R. or hospital because of COPD?

Module: 22.4 Chronic Obstructive Pulmonary Disease (COPD)

Type: Num

Column: 408 SAS Variable Name: COPDHOSP

Prologue:

Description: Did you have to visit an emergency room or be admitted to the hospital in the past 12 months because of your

COPD, chronic bronchitis, or emphysema?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Yes | 474 | 16.83 | 19.06 |
| 2 | No | 2,317 | 82.25 | 80.37 |
| 7 | Don't know / Not sure | 15 | 0.53 | 0.29 |
| 9 | Refused | 11 | 0.39 | 0.29 |
| BLANK | Not asked or Missing Notes: Section 06.08, CHCCOPD, is coded 2, 7, 9, or missing; | 80,731 | | |

How many medications do you take for COPD?

Module: 22.5 Chronic Obstructive Pulmonary Disease (COPD)

Type: Num

Column: 409-410 SAS Variable Name: COPDMEDS

Prologue:

Description: How many different medications do you currently take each day to help with your COPD, chronic bronchitis, or

emphysema?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|------------------------|
| 1 - 76 | Number (00-76) | 1,625 | 57.87 | 56.00 |
| 88 | None | 1,082 | 38.53 | 41.78 |
| 77 | Don't know / Not sure | 91 | 3.24 | 1.87 |
| 99 | Refused | 10 | 0.36 | 0.34 |
| BLANK | Not asked or Missing Notes: Section 06.08, CHCCOPD, is coded 2, 7, 9, or missing; | 80,740 | | |

Household prepared to handle large-scale disaster or emergency

Module: 23.1 General Preparedness Type: Num

Column: 411 SAS Variable Name: GPWELPR3

Prologue:

Description: How well prepared do you feel your household is to handle a large-scale disaster or emergency? Would you say...

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Does your household have a 3-day supply of water for everyone who lives there?

Module: 23.2 General Preparedness Type: Num

Column: 412 SAS Variable Name: GP3DYWTR

Prologue:

Description: Does your household have a 3-day supply of water for everyone who lives there? A 3-day supply of water is 1 gallon

of water per person per day.

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Does your household have a 3-day supply of non-perishable food for everyone who lives there?

Module: 23.3 General Preparedness Type: Num

Column: 413 SAS Variable Name: GP3DYFD1

Prologue:

Value

Description: Does your household have a 3-day supply of nonperishable food for everyone who lives there? By nonperishable

we mean food that does not require refrigeration or cooking.

Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Does your household have a 3-day supply of prescription medication for each person who takes prescribed medicines?

Module: 23.4 General Preparedness Type: Num

Column: 414 SAS Variable Name: GP3DYPRS

Prologue:

Description: Does your household have a 3-day supply of prescription medication for each person who takes prescribed

medicines?

Value Label

Value Value Label Weighted

Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Does your household have a working battery operated radio and working batteries for your use if the electricity is out?

Module: 23.5 General Preparedness Type: Num

Column: 415 SAS Variable Name: GPBATRAD

Prologue:

Description: Does your household have a working battery operated radio and working batteries for your use if the electricity is

out?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Does your household have a working flashlight and working batteries for your use if the electricity is out?

Module: 23.6 General Preparedness Type: Num

Column: 416 SAS Variable Name: GPFLSLIT

Prologue:

Description: Does your household have a working flashlight and working batteries for your use if the electricity is out?

Value Value Label Weighted

Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

In a large-scale disaster or emergency, what would be your main method of communicating with relatives and friends?

Module: 23.7 General Preparedness Type: Num

Column: 417 SAS Variable Name: GPEMRCM1

Prologue:

Description: In a large-scale disaster or emergency, what would be your main method or way of communicating with relatives and

friends?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

What would be your main method of getting information from authorities in a large-scale disaster or emergency?

Module: 23.8 General Preparedness Type: Num

Column: 418 SAS Variable Name: GPEMRIN1

Prologue:

Description: What would be your main method or way of getting information from authorities in a large-scale disaster or

emergency?

Value Value Label Weighted

Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Does your household have a disaster evacuation plan?

Module: 23.9 General Preparedness Type: Num

Column: 419 SAS Variable Name: GPVACPL1

Prologue:

Description: Does your household have a written disaster evacuation plan for how you will leave your home, in case of a

large-scale disaster or emergency that requires evacuation?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

If public authorities announced mandatory evacuation from your community due to a large-scale disaster or emergency, would you evacuate?

Module: 23.10 General Preparedness Type: Num

Column: 420 SAS Variable Name: GPMNDEVC

Prologue:

Description: If public authorities announced a mandatory evacuation from your community due to a large-scale disaster or

emergency, would you evacuate?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

What would be the main reason why you might not evacuate if asked to do so?

Module: 23.11 General Preparedness Type: Num

Column: 421-422 SAS Variable Name: GPNOTEV1

Prologue:

Description: What would be the main reason you might not evacuate if asked to do so?

Value Value Label Weighted
Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Notes: Module 23.10, GPMNDEVC, is coded 1

Ever serve in a combat or war zone?

Module: 24.1 Veteran's Health Type: Num

Column: 423 SAS Variable Name: VHCOMBAT

Prologue:

Description: Did you ever serve in a combat or war zone?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 152 | 33.41 | 32.68 |
| 2 | No | 299 | 65.71 | 67.14 |
| 7 | Don't know/Not Sure | 3 | 0.66 | 0.14 |
| 9 | Refused | 1 | 0.22 | 0.05 |
| BLANK | Not asked or Missing Notes: Section 08.05, VETERAN3, is coded 2, 7, 9, or missing | 83,093 | | |

Doctor diagnosed depression, anxiety, or post traumatic stress disorder (PTSD)?

Module: 24.2 Veteran's Health Type: Num

Column: 424 SAS Variable Name: VHDRPTSD

Prologue:

Description: Has a doctor or other health professional ever told you that you have depression, anxiety, or post traumatic stress

disorder (PTSD)?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 45 | 9.93 | 10.20 |
| 2 | No | 404 | 89.18 | 89.35 |
| 7 | Don't know/Not Sure | 3 | 0.66 | 0.40 |
| 9 | Refused | 1 | 0.22 | 0.05 |
| BLANK | Not asked or Missing Notes: Section 08.05. VETERAN3. is coded 2.7.9. or missing | 83,095 | | |

105 of 180 January 24, 2013

Mainles al

Doctor diagnosed traumatic brain injury (TBI)?

Module: 24.3 Veteran's Health Type: Num

Column: 425 SAS Variable Name: VHDRTBI

Prologue: A traumatic brain injury may result from a violent blow to the head or when an object pierces the skull and enters the

brain tissue.

Description: Has a doctor or other health professional ever told you that you have suffered a traumatic brain injury (TBI)?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 10 | 2.21 | 2.11 |
| 2 | No | 440 | 97.13 | 97.28 |
| 7 | Don't know/Not Sure | 2 | 0.44 | 0.56 |
| 9 | Refused | 1 | 0.22 | 0.05 |
| BLANK | Not asked or Missing Notes: Section 08.05, VETERAN3, is coded 2, 7, 9, or missing | 83,095 | | |

Receive psychological or psychiatric counseling or treatment past 12 months?

Module: 24.4 Veteran's Health Type: Num

Column: 426 SAS Variable Name: VHCOUNSL

Prologue:

Description: In the past 12 months, did you receive any psychological or psychiatric counseling or treatment?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes, from a VA facility | 16 | 3.53 | 4.89 |
| 2 | Yes, from a non-VA facility | 10 | 2.21 | 2.53 |
| 3 | Yes, from both VA and non-VA facilities | 2 | 0.44 | 0.66 |
| 4 | No | 420 | 92.72 | 91.02 |
| 7 | Don't know/Not Sure | 1 | 0.22 | 0.16 |
| 9 | Refused | 4 | 0.88 | 0.75 |
| BLANK | Not asked or Missing Notes: Section 08.05, VETERAN3, is coded 2, 7, 9, or missing | 83,095 | | |

Thought of taking your own life in the past 12 months?

Module: 24.5 Veteran's Health Type: Num

Column: 427 SAS Variable Name: VHTAKLIF

Prologue: The next few questions are a sensitive topic and some people may feel uncomfortable with these questions. At the

end of this section, I will give you a phone number for an organization that can provide information and referral for

these issues. Please keep in mind that you can ask me to skip any question you do not want to answer.

Description: Has there been a time in the past 12 months when you thought of taking your own life?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 18 | 3.99 | 5.31 |
| 2 | No-Go to next module | 431 | 95.57 | 94.15 |
| 7 | Don't know/Not Sure-Go to next module | 1 | 0.22 | 0.40 |
| 9 | Refused-Go to next module | 1 | 0.22 | 0.14 |
| BLANK | Not asked or Missing Notes: Section 08.05, VETERAN3, is coded 2, 7, 9, or missing | 83,097 | | |

Attempt to commit suicide in past 12 months?

Module: 24.6 Veteran's Health Type: Num

Column: 428 SAS Variable Name: VHSUICID

Prologue:

Description: During the past 12 months, did you attempt to commit suicide? Would you say--- (As I mentioned, I would give you

a phone number for an organization that can provide information and referral for these issues. You can dial the

National Crisis line at 1-800-273-TALK (8255).)

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|--|-----------|------------|------------|
| 1 | Yes, but did not require treatment | 2 | 11.11 | 10.26 |
| 4 | No | 16 | 88.89 | 89.74 |
| BLANK | Not asked or Missing Notes: Section 08.05, VETERAN3, is coded 2, 7, 9, or missing; or Module 24.05, VHTAKLIF, is coded 2, 7, 9, or missing | 83,530 | | |

107 of 180 January 24, 2013

Weighted

How do other people usually classify you in this country?

Module: 25.1 Reactions to Race Type: Num

Column: 429 SAS Variable Name: RRCLASS2

Prologue:

Description: How do other people usually classify you in this country? Would you say White, Black or African American, Hispanic or Latino, Asian, Native Hawaiian or Other Pacific Islander, American Indian or Alaska Native, or some other group?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | White | 4,428 | 88.05 | 86.15 |
| 2 | Black or African American | 417 | 8.29 | 8.50 |
| 3 | Hispanic or Latino | 38 | 0.76 | 1.34 |
| 4 | Asian | 32 | 0.64 | 1.16 |
| 5 | Native Hawaiian or Other Pacific Islander | 6 | 0.12 | 0.10 |
| 6 | American Indian or Alaska Native | 10 | 0.20 | 0.28 |
| 7 | Don't know/Not sure | 39 | 0.78 | 0.99 |
| 8 | Some Other Group | 21 | 0.42 | 0.77 |
| 9 | Refused | 38 | 0.76 | 0.71 |
| BLANK | Not asked or Missing | 78,519 | | |
| | | | | |

How often do you think about your race?

Module: 25.2 Reactions to Race Type: Num

Column: 430 SAS Variable Name: RRCOGNT2

Prologue:

Description: How often do you think about your race? Would you say never, once a year, once a month, once a week, once a

day, once an hour, or constantly?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Never | 3,376 | 67.20 | 65.66 |
| 2 | Once a year | 538 | 10.71 | 10.57 |
| 3 | Once a month | 398 | 7.92 | 8.86 |
| 4 | Once a week | 180 | 3.58 | 4.38 |
| 5 | Once a day | 185 | 3.68 | 3.98 |
| 6 | Once an hour | 8 | 0.16 | 0.14 |
| 7 | Don't know/Not sure | 196 | 3.90 | 2.94 |
| 8 | Constantly | 122 | 2.43 | 3.03 |
| 9 | Refused | 21 | 0.42 | 0.44 |
| BLANK | Not asked or Missing | 78,524 | | |

How do you feel you were treated at work compared to people of other races in past 12 months?

Module: 25.3 Reactions to Race Type: Num

Column: 431 SAS Variable Name: RRATWRK2

Prologue:

Description: Within the past 12 months at work, do you feel you were treated worse than, the same as, or better than people of

other races?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Worse than other races | 117 | 4.80 | 4.39 |
| 2 | The same as other races | 2,057 | 84.30 | 85.96 |
| 3 | Better than other races | 89 | 3.65 | 3.33 |
| 4 | Worse than some races, better than others | 5 | 0.20 | 0.09 |
| 5 | Only encountered people of the same race | 31 | 1.27 | 0.87 |
| 7 | Don't know/Not sure | 112 | 4.59 | 4.12 |
| 9 | Refused | 29 | 1.19 | 1.23 |
| BLANK | Not asked or Missing Notes: Section 08.09, EMPLOY, is coded 5, 6, 7, 8, 9 or Missing | 81,108 | | |

When seeking health care past 12 months, was experience worse, same, better than people of other races?

Module: 25.4 Reactions to Race Type: Num

Column: 432 SAS Variable Name: RRHCARE3

Prologue:

Description: Within the past 12 months when seeking health care, do you feel your experiences were worse than, the same as, or

better than for people of other races?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Worse than other races | 100 | 1.99 | 2.48 |
| 2 | The same as other races | 3,566 | 71.06 | 76.74 |
| 3 | Better than other races | 583 | 11.62 | 8.77 |
| 4 | Worse than some races, better than others | 13 | 0.26 | 0.14 |
| 5 | Only encountered people of the same race | 46 | 0.92 | 0.84 |
| 6 | No health care in past 12 months | 32 | 0.64 | 0.54 |
| 7 | Don't know/Not sure | 629 | 12.53 | 9.56 |
| 9 | Refused | 49 | 0.98 | 0.92 |
| BLANK | Not asked or Missing | 78,530 | | |

Times past 30 days felt physical symptoms because of treatment due to your race

Module: 25.5 Reactions to Race Type: Num

Column: 433 SAS Variable Name: RRPHYSM2

Prologue:

Description: Within the past 30 days, have you experienced any physical symptoms, for example, a headache, an upset stomach,

tensing of your muscles, or a pounding heart, as a result of how you were treated based on your race?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 130 | 2.59 | 2.70 |
| 2 | No | 4,833 | 96.37 | 96.51 |
| 7 | Don't know/Not Sure | 37 | 0.74 | 0.61 |
| 9 | Refused | 15 | 0.30 | 0.18 |
| BLANK | Not asked or Missing | 78,533 | | |
| | | | | |

Times past 30 days felt emotionally upset because of treatment due to your race

Module: 25.6 Reactions to Race Type: Num

Column: 434 SAS Variable Name: RREMTSM2

Prologue:

Description: Within the past 30 days, have you felt emotionally upset, for example angry, sad, or frustrated, as a result of how you

were treated based on your race?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 206 | 4.11 | 4.35 |
| 2 | No | 4,767 | 95.11 | 95.12 |
| 7 | Don't know/Not Sure | 19 | 0.38 | 0.27 |
| 9 | Refused | 20 | 0.40 | 0.26 |
| BLANK | Not asked or Missing | 78,536 | | |

Days had little pleasure doing things

Module: 26.1 Anxiety and Depression Type: Num

Column: 435-436 SAS Variable Name: ADPLEASR

Prologue:

Description: Over the last 2 weeks, how many days have you had little interest or pleasure in doing things?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|----------------------|-----------|------------|------------------------|
| 1 - 14 | 01-14 days | 3,643 | 28.16 | 36.16 |
| 88 | None | 8,809 | 68.09 | 60.03 |
| 77 | Don't know/Not sure | 353 | 2.73 | 2.72 |
| 99 | Refused | 133 | 1.03 | 1.09 |
| BI.ANK | Not asked or Missing | 70 610 | | |

Days felt down, depressed or hopeless

Module: 26.2 Anxiety and Depression Type: Num

Column: 437-438 SAS Variable Name: ADDOWN

Prologue:

Description: Over the last 2 weeks, how many days have you felt down, depressed or hopeless?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|----------------------|-----------|------------|------------------------|
| 1 - 14 | 01-14 days | 3,190 | 24.67 | 29.58 |
| 88 | None | 9,589 | 74.17 | 69.17 |
| 77 | Don't know/Not sure | 96 | 0.74 | 0.82 |
| 99 | Refused | 54 | 0.42 | 0.44 |
| BLANK | Not asked or Missing | 70,619 | | |
| | | | | |

Days had trouble with sleep

Module: 26.3 Anxiety and Depression Type: Num

Column: 439-440 SAS Variable Name: ADSLEEP

Prologue:

Description: Over the last 2 weeks, how many days have you had trouble falling asleep or staying asleep or sleeping too much?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|----------------------|-----------|------------|------------------------|
| 1 - 14 | 01-14 days | 5,751 | 44.51 | 46.37 |
| 88 | None | 6,959 | 53.86 | 52.29 |
| 77 | Don't know/Not sure | 141 | 1.09 | 0.90 |
| 99 | Refused | 69 | 0.53 | 0.44 |
| BLANK | Not asked or Missing | 70,628 | | |

Days were tired or had little energy

Module: 26.4 Anxiety and Depression Type: Num

Column: 441-442 SAS Variable Name: ADENERGY

Prologue:

Description: Over the last 2 weeks, how many days have you felt tired or had little energy?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|----------------------|-----------|------------|------------------------|
| 1 - 14 | 01-14 days | 7,828 | 60.64 | 64.29 |
| 88 | None | 4,837 | 37.47 | 34.02 |
| 77 | Don't know/Not sure | 175 | 1.36 | 1.20 |
| 99 | Refused | 69 | 0.53 | 0.49 |
| BLANK | Not asked or Missing | 70,639 | | |

Days ate too little or too much

Module: 26.5 Anxiety and Depression Type: Num

Column: 443-444 SAS Variable Name: ADEAT1

Prologue:

Description: Over the last 2 weeks, how many days have you had a poor appetite or eaten too much?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|----------------------|-----------|------------|------------------------|
| 1 - 14 | 01-14 days | 4,206 | 32.61 | 33.13 |
| 88 | None | 8,486 | 65.79 | 65.13 |
| 77 | Don't know/Not sure | 152 | 1.18 | 1.11 |
| 99 | Refused | 54 | 0.42 | 0.64 |
| BLANK | Not asked or Missing | 70,650 | | |
| | | | | |

Days felt like failure or let family down

Module: 26.6 Anxiety and Depression Type: Num

Column: 445-446 SAS Variable Name: ADFAIL

Prologue:

Description: Over the last 2 weeks, how many days have you felt bad about yourself or that you were a failure or had let yourself

or your family down?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|----------------------|-----------|------------|------------------------|
| 1 - 14 | 01-14 days | 2,180 | 16.91 | 19.54 |
| 88 | None | 10,567 | 81.96 | 79.42 |
| 77 | Don't know/Not sure | 90 | 0.70 | 0.78 |
| 99 | Refused | 56 | 0.43 | 0.26 |
| BLANK | Not asked or Missing | 70,655 | | |

Days had trouble concentrating

Module: 26.7 Anxiety and Depression Type: Num

Column: 447-448 SAS Variable Name: ADTHINK

Prologue:

Description: Over the last 2 weeks, how many days have you had trouble concentrating on things, such as reading the

newspaper or watching the TV?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|----------------------|-----------|------------|------------------------|
| 1 - 14 | 01-14 days | 2,089 | 16.21 | 20.15 |
| 88 | None | 10,657 | 82.69 | 78.86 |
| 77 | Don't know/Not sure | 108 | 0.84 | 0.68 |
| 99 | Refused | 34 | 0.26 | 0.31 |
| BLANK | Not asked or Missing | 70.660 | | |

Days talked to move slower or faster than usual

Module: 26.8 Anxiety and Depression Type: Num

Column: 449-450 SAS Variable Name: ADMOVE

Prologue:

Description: Over the last 2 weeks, how many days have you moved or spoken so slowly that other people could have noticed?

Or the opposite – being so fidgety or restless that you were moving around a lot more than usual?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|----------------------|-----------|------------|------------------------|
| 1 - 14 | 01-14 days | 966 | 7.50 | 10.37 |
| 88 | None | 11,689 | 90.78 | 88.29 |
| 77 | Don't know/Not sure | 171 | 1.33 | 0.96 |
| 99 | Refused | 50 | 0.39 | 0.38 |
| BLANK | Not asked or Missing | 70,672 | | |

Receiving medicine or treatment from health pro for emotional problem

Module: 26.9 Anxiety and Depression Type: Num

Column: 451 SAS Variable Name: MISTMNT

Prologue:

Description: Are you now taking medicine or receiving treatment from a doctor or other health professional for any type of mental

health condition or emotional problem?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 1,644 | 12.77 | 10.66 |
| 2 | No | 11,171 | 86.79 | 89.08 |
| 7 | Don't know/Not sure | 25 | 0.19 | 0.09 |
| 9 | Refused | 31 | 0.24 | 0.17 |
| BLANK | Not asked or Missing | 70,677 | | |
| | | | | |

Ever told you had an anxiety disorder

Module: 26.10 Anxiety and Depression Type: Num

Column: 452 SAS Variable Name: ADANXEV

Prologue:

Description: Has a doctor or other healthcare provider EVER told you that you had an anxiety disorder (including acute stress

disorder, anxiety, generalized anxiety disorder, obsessive-compulsive disorder, panic disorder, phobia, posttraumatic

stress disorder, or social anxiety disorder)?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 1,735 | 13.49 | 13.45 |
| 2 | No | 11,060 | 85.97 | 85.92 |
| 7 | Don't know/Not sure | 43 | 0.33 | 0.28 |
| 9 | Refused | 27 | 0.21 | 0.34 |
| BLANK | Not asked or Missing | 70,683 | | |

Have you experienced confusion or memory loss that is happening more often or is getting worse?

Module: 27.1 Cognitive Impairment Type: Num

Column: 453 SAS Variable Name: CIMEMLOS

Prologue:

Description: During the past 12 months, have you experienced confusion or memory loss that is happening more often or is

getting worse?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 2,199 | 12.58 | 10.63 |
| 2 | No | 14,292 | 81.78 | 78.30 |
| 7 | Don't know/Not sure | 207 | 1.18 | 0.32 |
| 9 | Refused | 778 | 4.45 | 10.76 |
| BLANK | Not asked or Missing | 66,072 | | |

How many adults in your household experienced confusion or memory loss that is happening more often or is getting worse during the past 12 months?

Module: 27.2 Cognitive Impairment Type: Num

Column: 454 SAS Variable Name: CINOADLT

Prologue:

Description: [If Q1 = 1), Not including yourself], how many adults 18 or older in your household experienced confusion or memory

loss that is happening more often or is getting worse during the past 12 months?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 - 6 | Number of people Notes: 6 = 6 or more | 1,310 | 10.99 | 10.27 |
| 7 | Don't know/Not sure | 49 | 0.41 | 0.33 |
| 8 | None | 10,015 | 84.05 | 78.46 |
| 9 | Refused | 541 | 4.54 | 10.94 |
| BLANK | Not asked or Missing Notes: NUMADULT=1 and Module 18.01, CIMEMLOS, is coded 1, 2, 7, 9, or missing | 71,633 | | |

Of these people, how old is this person?

Module: 27.3 Cognitive Impairment Type: Num

Column: 455-456 SAS Variable Name: CIRBIAGE

Prologue:

Description: Of these people, please select the person who had the most recent birthday. How old is this person?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Age 18-29 | 42 | 3.20 | 7.78 |
| 2 | Age 30-39 | 39 | 2.97 | 4.45 |
| 3 | Age 40-49 | 105 | 8.01 | 10.56 |
| 4 | Age 50-59 | 236 | 18.00 | 17.99 |
| 5 | Age 60-69 | 298 | 22.73 | 19.32 |
| 6 | Age 70-79 | 301 | 22.96 | 17.24 |
| 7 | Age 80-89 | 220 | 16.78 | 16.95 |
| 8 | Age 90 + | 53 | 4.04 | 4.76 |
| 77 | Don't know/Not sure | 9 | 0.69 | 0.59 |
| 99 | Refused | 8 | 0.61 | 0.36 |
| BLANK | Not asked or Missing Notes: NUMADULT=1 and Module 18.01, CIMEMLOS, is coded 1, 2, 7, 9, or missing; or Module 18.02, CINOADLT, is > 6 | 82,237 | | |
| | or missing; or Module 18.02, CINOADLT, is > 6 | | | |

Given up household activities or chores you/they used to do, because of confusion or memory loss that is happening more often or is getting worse?

Module: 27.4 Cognitive Impairment Type: Num

SAS Variable Name: CIHOWOFT Column: 457

Prologue:

Description: During the past 12 months, how often [If Q1 = 1 (Yes): insert "have you" otherwise, insert "has this person"] given up household activities or chores [If Q1 = 1 (Yes): insert "you" otherwise, insert "they"] used to do, because of confusion

or memory loss that is happening more often or is getting worse?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Always | 118 | 4.06 | 6.01 |
| 2 | Usually | 117 | 4.02 | 4.83 |
| 3 | Sometimes | 511 | 17.57 | 21.94 |
| 4 | Rarely | 493 | 16.95 | 16.81 |
| 5 | Never | 1,629 | 56.00 | 49.40 |
| 7 | Don't know/Not sure | 32 | 1.10 | 0.67 |
| 9 | Refused | 9 | 0.31 | 0.35 |
| BLANK | Not asked or Missing Notes: NUMADULT=1 and Module 18.01, CIMEMLOS, is coded 2, 7, 9, or | 80,639 | | |

missing; or Module 18.02, CINOADLT, is > 6

As a result of person's confusion or memory loss, in which areas do you " need the MOST assistance?

Module: 27.5 Cognitive Impairment Type: Num

Column: 458 SAS Variable Name: CIASSIST

Prologue:

Description: As a result of [If Q1 = 1 (Yes): insert "your" otherwise, insert "this person's"] confusion or memory loss, in which of

the following four areas [If Q1 = 1 (Yes): insert "do you" otherwise, insert "does this person"] need the MOST

assistance?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Safety-read only if necessary: | 203 | 6.99 | 8.21 |
| 2 | Transportation-read only if necessary: | 407 | 14.01 | 13.69 |
| 3 | Household activities-read only if necessary: | 637 | 21.92 | 22.83 |
| 4 | Personal care—read only if necessary: | 235 | 8.09 | 15.93 |
| 5 | Needs assistance, but not in those areas | 147 | 5.06 | 4.28 |
| 6 | Doesn't need assistance in any area | 1,212 | 41.71 | 33.77 |
| 7 | Don't know/Not sure | 51 | 1.75 | 0.88 |
| 9 | Refused | 14 | 0.48 | 0.43 |
| BLANK | Not asked or Missing Notes: NUMADULT=1 and Module 18.01, CIMEMLOS, is coded 2, 7, 9, or missing; or Module 18.02, CINOADLT, is > 6 | 80,642 | | |

How often has confusion or memory loss interfered with ability to work, volunteer, or engage in social activities?

Module: 27.6 Cognitive Impairment Type: Num

Column: 459 SAS Variable Name: CIINTFER

Prologue:

Description: During the past 12 months, how often has confusion or memory loss interfered with [If Q1 = 1 (Yes): insert "your"

otherwise, insert "this person's"] ability to work, volunteer, or engage in social activities?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Always | 193 | 6.65 | 9.48 |
| 2 | Usually | 162 | 5.58 | 6.64 |
| 3 | Sometimes | 512 | 17.63 | 20.57 |
| 4 | Rarely | 602 | 20.73 | 20.75 |
| 5 | Never | 1,410 | 48.55 | 42.24 |
| 7 | Don't know/Not sure | 16 | 0.55 | 0.15 |
| 9 | Refused | 9 | 0.31 | 0.18 |
| BLANK | Not asked or Missing Notes: NUMADULT=1 and Module 18.01, CIMEMLOS, is coded 2, 7, 9, or | 80,644 | | |

missing; or Module 18.02, CINOADLT, is > 6

How often has a family member or friend provided any care or assistance because of confusion or memory loss?

Module: 27.7 Cognitive Impairment Type: Num

Column: 460 SAS Variable Name: CIFAMCAR

Prologue:

Description: During the past 30 days, how often [If Q1 = 1 (Yes): insert "has" otherwise, insert "have you,"] a family member or

friend provided any care or assistance for [If Q1 = 1 (Yes): "you" otherwise, insert "this person"] because of confusion

or memory loss?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Always | 176 | 6.06 | 8.15 |
| 2 | Usually | 122 | 4.20 | 6.34 |
| 3 | Sometimes | 347 | 11.95 | 14.44 |
| 4 | Rarely | 322 | 11.09 | 10.23 |
| 5 | Never | 1,913 | 65.90 | 60.21 |
| 7 | Don't know/Not sure | 16 | 0.55 | 0.45 |
| 9 | Refused | 7 | 0.24 | 0.17 |
| BLANK | Not asked or Missing Notes: NUMADULT=1 and Module 18.01, CIMEMLOS, is coded 2, 7, 9, or missing; or Module 18.02, CINOADLT, is > 6 | 80,645 | | |

Discussed with a health care professional, increases in confusion or memory loss?

Module: 27.8 Cognitive Impairment Type: Num

Column: 461 SAS Variable Name: CIHCPROF

Prologue:

Description: Has anyone discussed with a health care professional, increases in [If Q1 = 1 (Yes): insert "your" otherwise, insert

"this person's" confusion or memory loss?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 783 | 26.99 | 29.03 |
| 2 | No-Go to Next Module | 2,074 | 71.49 | 69.78 |
| 7 | Don't know/Not sure-Go to Next Module | 34 | 1.17 | 0.95 |
| 9 | Refused-Go to Next Module | 10 | 0.34 | 0.23 |
| BLANK | Not asked or Missing Notes: NUMADULT=1 and Module 18.01, CIMEMLOS, is coded 2, 7, 9, or missing; or Module 18.02, CINOADLT, is > 6 | 80,647 | | |

Received treatment such as therapy or medications for confusion or memory loss?

Module: 27.9 Cognitive Impairment Type: Num

Column: 462 SAS Variable Name: CIMEDS

Prologue:

Description: Have [If Q1 = 1 (Yes): insert "you" otherwise, insert "this person"] received treatment such as therapy or medications

for confusion or memory loss?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes | 349 | 44.57 | 49.46 |
| 2 | No | 423 | 54.02 | 48.77 |
| 7 | Don't know/Not sure | 11 | 1.40 | 1.77 |
| BLANK | Not asked or Missing Notes: NUMADULT=1 and Module 18.01, CIMEMLOS, is coded 2, 7, 9, or missing; or Module 18.02, CINOADLT, is > 6; or Module 18.08, CIHCPROF, is coded 2, 7, 9, or missing | 82,765 | | |

Has a health care professional ever said it was Alzheimer's disease or some other form of dementia?

Module: 27.10 Cognitive Impairment Type: Num

Column: 463 SAS Variable Name: CIDIAGAZ

Prologue:

Description: Has a health care professional ever said that [If Q1 = 1 (Yes): insert "you have" otherwise, insert "this person has"]

Alzheimer's disease or some other form of dementia?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes, Alzheimer´s Disease | 64 | 8.17 | 12.07 |
| 2 | Yes, some other form of dementia but not Alzheimer's disease | 95 | 12.13 | 11.13 |
| 3 | No diagnosis has been given | 614 | 78.42 | 75.50 |
| 7 | Don't know/Not sure | 10 | 1.28 | 1.29 |
| BLANK | Not asked or Missing Notes: NUMADULT=1 and Module 18.01, CIMEMLOS, is coded 2, 7, 9, or missing; or Module 18.02, CINOADLT, is > 6; or Module 18.08, CIHCPROF, is coded 2, 7, 9, or missing | 82,765 | | |

Times Past 12 Months Worried/Stressed About Having Enough Money To Pay Your Rent/Mortgage?

Module: 28.1 Social Context Type: Num

Column: 464 SAS Variable Name: SCNTMONY

Prologue:

Description: How often in the past 12 months would you say you were worried or stressed about having enough money to pay

your rent/mortgage? Would you say you were worried or stressed---

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Always | 544 | 6.25 | 9.80 |
| 2 | Usually | 317 | 3.64 | 5.93 |
| 3 | Sometimes | 1,337 | 15.37 | 20.52 |
| 4 | Rarely | 1,316 | 15.13 | 17.81 |
| 5 | Never | 4,839 | 55.62 | 44.17 |
| 7 | Don't know/Not Sure | 17 | 0.20 | 0.17 |
| 8 | Not applicable | 312 | 3.59 | 1.40 |
| 9 | Refused | 18 | 0.21 | 0.22 |
| BLANK | Not asked or Missing Notes: Section 08.21, RENTHOM1, is coded 3, 7, 9 or Missing | 74,848 | | |

Times Past 12 Months Worried/Stressed About Having Enough Money To Buy Nutritious Meals?

Module: 28.2 Social Context Type: Num

Column: 465 SAS Variable Name: SCNTMEAL

Prologue:

Description: How often in the past 12 months would you say you were worried or stressed about having enough money to buy

nutritious meals? Would you say you were worried or stressed---

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Always | 270 | 2.99 | 3.87 |
| 2 | Usually | 184 | 2.04 | 3.25 |
| 3 | Sometimes | 913 | 10.11 | 11.96 |
| 4 | Rarely | 1,051 | 11.64 | 14.41 |
| 5 | Never | 6,573 | 72.81 | 66.12 |
| 7 | Don't know/Not Sure | 17 | 0.19 | 0.12 |
| 8 | Not applicable | 7 | 0.08 | 0.04 |
| 9 | Refused | 13 | 0.14 | 0.22 |
| BLANK | Not asked or Missing | 74,520 | | |

119 of 180 January 24, 2013

Maiabtad

How Are You Generally Paid For The Work You Do

Module: 28.3 Social Context Type: Num

Column: 466 SAS Variable Name: SCNTPAID

Prologue:

Description: At your main job or business, how are you generally paid for the work you do. Are you:

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Paid by salary | 1,927 | 40.07 | 41.42 |
| 2 | Paid by the hour | 2,054 | 42.71 | 45.85 |
| 3 | Paid by the job/task (e.g. commission, piecework) | 393 | 8.17 | 7.80 |
| 4 | Paid some other way | 386 | 8.03 | 4.38 |
| 7 | Don't know/Not Sure | 20 | 0.42 | 0.25 |
| 9 | Refused | 29 | 0.60 | 0.30 |
| BLANK | Not asked or Missing Notes: Section 08.21, EMPLOY, is coded 3, 4, 5, 6, 7, or 8 | 78,739 | | |

How Many Hours Per Week Do You Work

Module: 28.4 Social Context Type: Num

Column: 467-468 SAS Variable Name: SCNTWRK1

Prologue:

Description: About how many hours do you work per week on all of your jobs and businesses combined?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|------------------------|
| 1 - 96 | Hours (1-96 or more)—Go to next Module | 4,685 | 97.44 | 97.86 |
| 97 | Don't know/Not Sure—Go to next Module | 76 | 1.58 | 1.45 |
| 98 | Zero (none)—Go to next Module | 15 | 0.31 | 0.20 |
| 99 | Refused—Go to next Module | 32 | 0.67 | 0.49 |
| BLANK | Not asked or Missing Notes: Section 08.21, EMPLOY, is coded 3, 4, 5, 6, 7, or 8 | 78,740 | | |

How Were You Generally Paid For The Work You Did

Module: 28.5 Social Context Type: Num

Column: 469 SAS Variable Name: SCNTLPAD

Prologue:

Description: Thinking about the last time you worked, at your main job or business, how were you generally paid for the work you

do? Were you:

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Paid by salary | 1,295 | 42.36 | 42.40 |
| 2 | Paid by the hour | 1,245 | 40.73 | 45.46 |
| 3 | Paid by the job/task (e.g. commission, piecework) | 154 | 5.04 | 4.88 |
| 4 | Paid some other way | 254 | 8.31 | 4.36 |
| 7 | Don't know/Not Sure | 88 | 2.88 | 2.32 |
| 9 | Refused | 21 | 0.69 | 0.58 |
| BLANK | Not asked or Missing Notes: Section 08.21, EMPLOY, is coded 1, 2, 5, 6, or 8; or Module 28.04, SCNTWORK, is > 0 | 80,491 | | |

How Many Hours Per Week Did You Work

Module: 28.6 Social Context Type: Num

Column: 470-471 SAS Variable Name: SCNTLWK1

Prologue:

Description: Thinking about the last time you worked, about how many hours did you work per week at all of your jobs and

businesses combined?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|------------------------|
| 1 - 96 | Hours (1-96 or more) | 3,699 | 88.11 | 89.92 |
| 97 | Don't know/Not Sure | 281 | 6.69 | 4.84 |
| 98 | Zero (none) | 193 | 4.60 | 4.91 |
| 99 | Refused | 25 | 0.60 | 0.34 |
| BLANK | Not asked or Missing Notes: Module 28.04, SCNTWRK1, is > 0 | 79,350 | | |

Location of last HIV test

Module: 29.1 HIV/AIDS Type: Num

Column: 472-473 SAS Variable Name: WHRTST9

Prologue:

Description: Where did you have your last HIV test — at a private doctor or HMO office, at a counseling and testing site, at a

hospital, at a clinic, in a jail or prison, at a drug treatment facility, at home, or somewhere else?

Value Value Label Weighted Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Notes: Section 16.01, HIVTST6, is coded 2, 7, 9, or Missing

Was your last HIV test a rapid test?

Module: 29.2 HIV/AIDS Type: Num

Column: 474 SAS Variable Name: HIVRDTS2

Prologue:

Description: Was it a rapid test where you could get your results within a couple of hours?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Notes: Section 16.01, HIVTST6, is coded 2, 7, 9, or Missing; or

Section 16.02, HIVTSTD3, not within the last 12 months

How often get emotional support needed

Module: 30.1 Emotional Support and Life Satisfaction Type: Num

Column: 475 SAS Variable Name: EMTSUPRT

Prologue:

Description: How often do you get the social and emotional support you need?

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Satisfaction with life

Module: 30.2 Emotional Support and Life Satisfaction Type: Num

Column: 476 SAS Variable Name: LSATISFY

Prologue:

Description: In general, how satisfied are you with your life?

Value Value Label Weighted

Frequency Percentage Percentage

BLANK Not asked or Missing 83,548

Live With Anyone Depressed, Mentally III, Or Suicidal?

Module: 31.1 Adverse Childhood Experience Type: Num

Column: 477 SAS Variable Name: ACEDEPRS

Prologue:

Description: Did you live with anyone who was depressed, mentally ill, or suicidal?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 3,913 | 15.57 | 15.37 |
| 2 | No | 20,239 | 80.53 | 72.68 |
| 7 | Don't know/Not Sure | 160 | 0.64 | 0.26 |
| 9 | Refused | 820 | 3.26 | 11.68 |
| BLANK | Not asked or Missing | 58,416 | | |

Live With a Problem Drinker/Alcoholic?

Module: 31.2 Adverse Childhood Experience Type: Num

Column: 478 SAS Variable Name: ACEDRINK

Prologue:

Description: Did you live with anyone who was a problem drinker or alcoholic?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 5,909 | 23.51 | 21.87 |
| 2 | No | 18,349 | 73.02 | 66.56 |
| 7 | Don't know/Not Sure | 64 | 0.25 | 0.09 |
| 9 | Refused | 808 | 3.22 | 11.48 |
| BLANK | Not asked or Missing | 58,418 | | |

Live With Anyone Who Used Illegal Drugs or Abused Prescriptions?

Module: 31.3 Adverse Childhood Experience Type: Num

Column: 479 SAS Variable Name: ACEDRUGS

Prologue:

Description: Did you live with anyone who used illegal street drugs or who abused prescription medications?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 1,765 | 7.02 | 9.70 |
| 2 | No | 22,505 | 89.57 | 78.60 |
| 7 | Don't know/Not Sure | 76 | 0.30 | 0.28 |
| 9 | Refused | 780 | 3.10 | 11.42 |
| BLANK | Not asked or Missing | 58,422 | | |

Live With Anyone Who Served Time in Prison or Jail?

Module: 31.4 Adverse Childhood Experience Type: Num

Column: 480 SAS Variable Name: ACEPRISN

Prologue:

Description: Did you live with anyone who served time or was sentenced to serve time in a prison, jail, or other correctional

facility?

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|----------------------|-----------|------------|------------|
| 1 | Yes | 778 | 3.95 | 7.76 |
| 2 | No | 18,846 | 95.73 | 91.79 |
| 7 | Don't know/Not Sure | 30 | 0.15 | 0.22 |
| 9 | Refused | 32 | 0.16 | 0.23 |
| BLANK | Not asked or Missing | 63,862 | | |

Were Your Parents Divorced/Seperated?

Module: 31.5 Adverse Childhood Experience Type: Num

Column: 481 SAS Variable Name: ACEDIVRC

Prologue:

Description: Were your parents separated or divorced?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|---------------------|
| 1 | Yes | 4,883 | 19.44 | 23.67 |
| 2 | No | 19,259 | 76.66 | 63.93 |
| 7 | Don't know/Not Sure | 90 | 0.36 | 0.18 |
| 8 | Parents not married | 84 | 0.33 | 0.71 |
| 9 | Refused | 807 | 3.21 | 11.51 |
| BLANK | Not asked or Missing | 58,425 | | |

How Often Did Your Parents Beat Each Other Up?

Module: 31.6 Adverse Childhood Experience Type: Num

Column: 482 SAS Variable Name: ACEPUNCH

Prologue:

Description: How often did your parents or adults in your home ever slap, hit, kick, punch or beat each other up?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Never | 20,401 | 81.21 | 71.19 |
| 2 | Once | 1,000 | 3.98 | 4.89 |
| 3 | More than once | 2,650 | 10.55 | 11.57 |
| 7 | Don't know/Not Sure | 205 | 0.82 | 0.65 |
| 9 | Refused | 866 | 3.45 | 11.70 |
| BLANK | Not asked or Missing | 58,426 | | |

How Often Did A Parent Physically Hurt You In Any Way?

Module: 31.7 Adverse Childhood Experience Type: Num

Column: 483 SAS Variable Name: ACEHURT

Prologue:

Description: Before age 18, how often did a parent or adult in your home ever hit, beat, kick, or physically hurt you in any way?

Do not include spanking. Would you say---

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Never | 20,165 | 80.27 | 69.05 |
| 2 | Once | 1,044 | 4.16 | 5.22 |
| 3 | More than once | 2,990 | 11.90 | 13.65 |
| 7 | Don't know/Not Sure | 62 | 0.25 | 0.25 |
| 9 | Refused | 859 | 3.42 | 11.83 |
| BLANK | Not asked or Missing | 58,428 | | |

How Often Did A Parent Swear At You?

Module: 31.8 Adverse Childhood Experience Type: Num

Column: 484 SAS Variable Name: ACESWEAR

Prologue:

Description: How often did a parent or adult in your home ever swear at you, insult you, or put you down?

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|----------------------|-----------|------------|------------|
| 1 | Never | 15,930 | 63.43 | 54.36 |
| 2 | Once | 1,471 | 5.86 | 6.54 |
| 3 | More than once | 6,639 | 26.43 | 26.92 |
| 7 | Don't know/Not Sure | 188 | 0.75 | 0.27 |
| 9 | Refused | 888 | 3.54 | 11.92 |
| BLANK | Not asked or Missing | 58,432 | | |

125 of 180 January 24, 2013

Majahtad

How Often Did Anyone Ever Touch You Sexually?

Module: 31.9 Adverse Childhood Experience Type: Num

Column: 485 SAS Variable Name: ACETOUCH

Prologue:

Description: How often did anyone at least 5 years older than you or an adult, ever touch you sexually?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Never | 21,252 | 84.63 | 78.40 |
| 2 | Once | 1,046 | 4.17 | 3.84 |
| 3 | More than once | 1,764 | 7.02 | 5.50 |
| 7 | Don't know/Not Sure | 51 | 0.20 | 0.12 |
| 9 | Refused | 1,000 | 3.98 | 12.14 |
| BLANK | Not asked or Missing | 58,435 | | |
| | | | | |

How Often Did Anyone Make You Touch Them Sexually?

Module: 31.10 Adverse Childhood Experience Type: Num

Column: 486 SAS Variable Name: ACETTHEM

Prologue:

Description: How often did anyone at least 5 years older than you or an adult, try to make you touch them sexually?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Never | 22,123 | 88.10 | 80.69 |
| 2 | Once | 748 | 2.98 | 3.12 |
| 3 | More than once | 1,220 | 4.86 | 4.09 |
| 7 | Don't know/Not Sure | 58 | 0.23 | 0.11 |
| 9 | Refused | 961 | 3.83 | 11.99 |
| BLANK | Not asked or Missing | 58,438 | | |
| | | | | |

How Often Did Anyone Ever Force You to Have Sex?

Module: 31.11 Adverse Childhood Experience Type: Num

Column: 487 SAS Variable Name: ACEHVSEX

Prologue:

Description: How often did anyone at least 5 years older than you or an adult, force you to have sex?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Never | 23,082 | 91.92 | 84.55 |
| 2 | Once | 331 | 1.32 | 1.21 |
| 3 | More than once | 684 | 2.72 | 2.15 |
| 7 | Don't know/Not Sure | 54 | 0.22 | 0.13 |
| 9 | Refused | 959 | 3.82 | 11.97 |
| BLANK | Not asked or Missing | 58,438 | | |

Birth date of child

Module: 32.1 Random Child Selection Type: Char

Column: 488-493 SAS Variable Name: RCSBIRTH

Prologue:

Description: What is the birth month and year of the "Xth" child?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| 777777 | Don't know/Not sure | 587 | 2.98 | 4.41 |
| 999999 | Refused | 1,433 | 7.28 | 8.20 |
| BLANK | Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; | 63,855 | | |
| HIDDEN | Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | 17,673 | 89.74 | 87.39 |

Gender of child

Module: 32.2 Random Child Selection Type: Num

Column: 494 SAS Variable Name: RCSGENDR

Prologue:

Description: Is the child a boy or a girl?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Воу | 9,736 | 49.49 | 48.54 |
| 2 | Girl | 9,244 | 46.99 | 45.31 |
| 9 | Refused | 692 | 3.52 | 6.15 |
| BLANK | Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE > 215 months | 63,876 | | |

Ethnicity of child

Module: 32.3 Random Child Selection Type: Num

Column: 495 SAS Variable Name: RCHISLAT

Prologue:

Description: Is the child Hispanic or Latino?

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|---|-----------|------------|------------|
| 1 | Yes | 3,505 | 17.82 | 31.29 |
| 2 | No | 15,496 | 78.80 | 62.53 |
| 7 | Don't know/Not Sure | 57 | 0.29 | 0.39 |
| 9 | Refused | 607 | 3.09 | 5.79 |
| BLANK | Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE > 215 months | 63,883 | | |

127 of 180 January 24, 2013

Maiabtad

Race of child (multiple possible)

Module: 32.4 Random Child Selection Type: Char

Column: 496-501 SAS Variable Name: RCSRACE

Prologue:

Description: Which one or more of the following would you say is the race of the child?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|------------------------|
| 7 | Don't know/Not sure | 93 | 0.47 | 0.97 |
| 9 | Refused | 799 | 4.06 | 7.46 |
| BLANK | Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE > 215 months | 63,890 | | |
| HIDDEN | Data Not Displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | 18,766 | 95.46 | 91.57 |

Race of child

Module: 32.5 Random Child Selection Type: Num

Column: 502 SAS Variable Name: RCSBRACE

Prologue:

Description: Which one of these groups would you say best represents the child's race?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | White | 301 | 38.44 | 26.44 |
| 2 | Black or African American | 105 | 13.41 | 14.90 |
| 3 | Asian | 73 | 9.32 | 22.28 |
| 4 | Native Hawaiian or other Pacific Islander | 20 | 2.55 | 4.46 |
| 5 | American Indian or Alaskan Native | 49 | 6.26 | 9.52 |
| 6 | Other | 22 | 2.81 | 1.31 |
| 7 | Don't know/Not sure | 109 | 13.92 | 9.86 |
| 9 | Refused | 104 | 13.28 | 11.24 |
| BLANK | Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE > 215 months; or Module 23.04, RCSRACE, has only one valid race code (1-6) | 82,765 | | |

Relationship to child

Module: 32.6 Random Child Selection Type: Num

Column: 503 SAS Variable Name: RCSRLTN2

Prologue:

Description: How are you related to the child?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Parent (include biologic, step, or adoptive parent) | 16,540 | 84.19 | 73.10 |
| 2 | Grandparent | 1,306 | 6.65 | 5.11 |
| 3 | Foster parent or guardian | 194 | 0.99 | 0.68 |
| 4 | Sibling (include biologic, step, and adoptive sibling) | 616 | 3.14 | 10.28 |
| 5 | Other relative | 296 | 1.51 | 3.78 |
| 6 | Not related in any way | 150 | 0.76 | 1.25 |
| 7 | Don't know/Not sure | 5 | 0.03 | 0.19 |
| 9 | Refused | 538 | 2.74 | 5.60 |
| BLANK | Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE > 215 months | 63,903 | | |

HIth pro ever said child has asthma

Module: 33.1 Childhood Asthma Type: Num

Column: 504 SAS Variable Name: CASTHDX2

Prologue:

Description: Has a doctor, nurse or other health professional EVER said that the child has asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 2,697 | 13.73 | 13.14 |
| 2 | No-Go to next module | 16,297 | 82.94 | 80.19 |
| 7 | Don't know/Not Sure-Go to next module | 114 | 0.58 | 0.91 |
| 9 | Refused—Go to next module | 542 | 2.76 | 5.76 |
| BLANK | Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing | 63,898 | | |

129 of 180 January 24, 2013

Martin Land

Child still have asthma?

Module: 33.2 Childhood Asthma Type: Num

Column: 505 SAS Variable Name: CASTHNO2

Prologue:

Description: Does the child still have asthma?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 1,734 | 64.29 | 59.04 |
| 2 | No | 904 | 33.52 | 39.26 |
| 7 | Don't know/Not Sure | 59 | 2.19 | 1.70 |
| BLANK | Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or Module 33.01, CASTHDX2, is coded 2, 7, 9, or Missing | 80,851 | | |

Child dad seasonal flu shot past 12 mos

Module: 34.1 Child Immunization (Influenza)

Type: Num

Column: 506 SAS Variable Name: FLUSHCH2

Prologue: There are two types of seasonal flu vaccinations. One is a shot and the other is a spray in the nose.

Description: During the past 12 months, has [Fill: he/she] had a seasonal flu vaccination?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes | 2,235 | 46.98 | 42.68 |
| 2 | No-Go to next module | 1,996 | 41.96 | 41.52 |
| 7 | Don't know/Not Sure-Go to next module | 190 | 3.99 | 4.90 |
| 9 | Refused-Go to next module | 336 | 7.06 | 10.90 |
| BLANK | Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE < 6 months; | 78,791 | | |

Date child rcvd most recent seasonal flu vaccine(mmyyyy)

Module: 34.2 Child Immunization (Influenza)

Type: Char

Column: 507-512 SAS Variable Name: RCVFVCH4

Prologue: The flu vaccination may have been either the flu shot or the flu spray. The flu spray is the flu vaccination that is

sprayed in the nose.

Description: During what month and year did [Fill: he/she] receive [Fill: his/her] most recent seasonal flu vaccination?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|------------------------|
| 999999 | Refused | 8 | 0.36 | 0.24 |
| BLANK | Not asked or Missing | 81,313 | | |
| HIDDEN | Data not displayed Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE < 6 months; or Module 34.01, FLUSHCH2, is coded 2, 7, 9, or Missing | 2,227 | 99.64 | 99.76 |

130 of 180 January 24, 2013

Mainless d

At what did [he/she] get [his/her] last seasonal flu vaccine?

Module: 34.3 Child Immunization (Influenza)

Type: Num

Column: 513-514 SAS Variable Name: CHIMRCVE

Prologue:

Description: At what kind of place did [he/she] get [his/her] last seasonal flu vaccine?

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | A doctor's office or health maintenance organization (HMO) | 1,397 | 62.51 | 61.16 |
| 2 | A health department | 51 | 2.28 | 2.42 |
| 3 | Another type of clinic or health center (Example: a community health center) $% \left(1\right) =\left(1\right) \left(1\right) +\left(1\right) \left(1\right) \left(1\right) +\left(1\right) \left(1\right) \left($ | 230 | 10.29 | 16.98 |
| 4 | A senior, recreation, or community center | 10 | 0.45 | 0.24 |
| 5 | A store (Examples: supermarket, drug store) | 63 | 2.82 | 2.46 |
| 6 | A hospital (Example: inpatient) | 109 | 4.88 | 7.26 |
| 7 | An emergency room | 2 | 0.09 | 0.05 |
| 8 | Workplace | 5 | 0.22 | 0.24 |
| 9 | Some other kind of place | 26 | 1.16 | 1.04 |
| 10 | Received vaccination in Canada/Mexic | 1 | 0.04 | 0.01 |
| 11 | A school | 313 | 14.00 | 6.06 |
| 77 | Don't know / Not sure-Probe: | 25 | 1.12 | 1.93 |
| 99 | Refused | 3 | 0.13 | 0.14 |
| BLANK | Not asked or Missing Notes: Section 08.07, CHILDREN, is coded 0, 88, 99, or Missing; or CHILDAGE < 6 months; or Module 34.01, FLUSHCH2, is coded 2, 7, 9, or Missing | 81,313 | | |

Asthma Follow-Up call back request

Followup: 1.1 Asthma Follow-up Call Back Type: Num

Column: 515 SAS Variable Name: CALLBACK

Prologue:

Description: We would like to call you again within the next 2 weeks to talk in more detail about (your/your child's) experiences

with asthma. The information will be used to help develop and improve the asthma programs in <STATE>. The information you gave us today and any you give us in the future will be kept confidential. If you agree to this, we will

keep your first name or initials and phone number on file, separate from the answers collected today.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 1 | Yes | 8,975 | 71.55 | 69.05 |
| 2 | No | 3,486 | 27.79 | 30.13 |
| 7 | Don't know/Not Sure | 52 | 0.41 | 0.75 |
| 9 | Refused | 30 | 0.24 | 0.08 |
| BLANK | Not asked or Missing | 71,005 | | |

Asthma Follow-Up call back responded selected

Followup: 1.2 Asthma Follow-up Call Back

Type: Num

Column: 516 SAS Variable Name: ADLTCHLD

Prologue:

Description: Which household member was selected to be the focus of the callback.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|----------------------|-----------|------------|------------------------|
| 0 | No selection | 27,840 | 74.56 | 67.81 |
| 1 | Adult | 7,647 | 20.48 | 24.45 |
| 2 | Child | 1,835 | 4.91 | 7.71 |
| 3 | | 17 | 0.05 | 0.03 |
| 7 | | 1 | 0.00 | 0.00 |
| BLANK | Not asked or Missing | 46,208 | | |
| | | | | |

Questionnaire Version Identifier

State: 1.1 Questionnaire Version Type: Num

Column: 891-892 SAS Variable Name: QSTVER

Prologue:

Description: Questionnaire Version Identifier

ValueValue LabelFrequencyPercentageWeighted Percentage11Version 1 Landline83,548100.00100.00

Language identifier

State: 1.1 Questionnaire Language Type: Num

Column: 893-894 SAS Variable Name: QSTLANG

Prologue:

Description: Language identifier

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|-------------|-----------|------------|------------------------|
| 1 | English | 78,767 | 94.36 | 87.98 |
| 2 | Spanish | 4,653 | 5.57 | 11.99 |
| 3 - 99 | Other | 59 | 0.07 | 0.03 |
| BLANK | Missing | 69 | | |

Sample Design Stratification Variable

Weighting: 1.3 Weighting Variables

Type: Num

Column: 996-1000 SAS Variable Name: _STSTR

Prologue:

Description: Sample Design Stratification Variable (A five digit number that combines the values for _STATE (first two

characters), _GEOSTR (third and fourth character), and _DENSTR2 (final character).)

Value Value Label Weighted

Frequency Percentage Percentage

HIDDEN Data not displayed 83,548 100.00 100.00

Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this

report

Stratum weight

Weighting: 1.4 Weighting Variables

Type: Num

Column: 1001-1010 SAS Variable Name: _STRWT

Prologue:

Description: Stratum weight (Number of records in a stratum (NRECSTR) divided by the number of records selected

(NRECSEL).)

Value Value Label Frequency Percentage Percentage

HIDDEN Data not displayed 83,548 100.00 100.00

Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this

report

Raw weighting factor

Weighting: 1.5 Weighting Variables Type: Num

Column: 1011-1020 SAS Variable Name: RAW

Prologue:

Description: Raw weighting factor (Number of adults in the household (NUMADULT) divided by the imputed number of phones

(_IMPNPH).)

Value Value Label Weighted
Frequency Percentage Percentage

HIDDEN Data not displayed 83,548 100.00 100.00

Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this

report

Design weight

Weighting: 1.6 Weighting Variables

Type: Num

Column: 1021-1030 SAS Variable Name: _WT2

Prologue:

Description: Design weight (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAW).)

Weighted Value Value Label Frequency Percentage Percentage

HIDDEN Data not displayed 83,548 100.00 100.00

Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this

report

Raw weighting factor used in raking

Weighting: 1.7 Weighting Variables Type: Num

Column: 1031-1040 SAS Variable Name: _RAWRAKE

Prologue:

Description: Raw weighting factor used in raking (Number of adults in the household (NUMADULT, maximum of 5) divided by

the imputed number of phones (_IMPNPH, maximum of 3).)

Value Value Label Weighted Frequency Percentage Percentage

HIDDEN Data not displayed 83,548 100.00 100.00

Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this

report

Design weight use in raking

Weighting: 1.8 Weighting Variables Type: Num

Column: 1041-1050 SAS Variable Name: _WT2RAKE

Prologue:

Description: Design weight used in raking (Stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWRAKE).)

ValueValue LabelFrequencyPercentageWeighted PercentageHIDDENData not displayed83,548100.00100.00

HIDDEN Data not displayed 83,548 1 Notes: Floating Decimal Point. Due to the nature of the data or the

size of the table for display, this data is not printed for this

report

Region

Weighting: 1.9 Weighting Variables Type: Num

Column: 1051-1052 SAS Variable Name: _REGION

Prologue:

Description: Geographic region within a state, imputed from CTYCODE, _IMPCTY, or _GEOSTR

Weighted Value Label Frequency Percentage Percentage

HIDDEN Data not displayed 83,548 100.00 100.00

HIDDEN Data not displayed 83,548 1 Notes: Due to the nature of the data or the size of the table for

display, this data is not printed for this report

Age value used to determine age groups

Weighting: 1.10 Weighting Variables

Type: Num

Column: 1053-1054 SAS Variable Name: _IMPAGE

Prologue:

Description: Imputed age used in post-stratification (This value is the reported age or an imputed age, if the respondent refused

to give an age. The value of the imputed age will be an average age computed from the sample if the respondent

refused to give an age.)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|-----------------|-----------|------------|------------------------|
| 18 - 24 | Age 18 to 24 | 2,250 | 2.69 | 13.17 |
| 25 - 34 | Age 25 to 34 | 5,857 | 7.01 | 18.00 |
| 35 - 44 | Age 35 to 44 | 10,669 | 12.77 | 17.90 |
| 45 - 54 | Age 45 to 54 | 15,531 | 18.59 | 18.96 |
| 55 - 64 | Age 55 to 64 | 20,176 | 24.15 | 15.22 |
| 65 - 99 | Age 65 or older | 29,065 | 34.79 | 16.75 |
| | | | | |

Imputed race/ethnicity value

Weighting: 1.11 Weighting Variables

Type: Num

Column: 1055-1056 SAS Variable Name: _IMPRACE

Prologue:

Description: Imputed race/ethnicity value (This value is the reported race/ethnicity or an imputed race/ethnicity, if the respondent

refused to give a race/ethnicity. The value of the imputed race/ethnicity will be the most common race/ethnicith

response for that region of the state)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | White, Non-Hispanic | 67,125 | 80.34 | 60.48 |
| 2 | Black, Non-Hispanic | 4,458 | 5.34 | 8.52 |
| 3 | Asian, Non-Hispanic | 1,316 | 1.58 | 5.28 |
| 4 | American Indian/Alaskan Native, Non-Hispanic | 718 | 0.86 | 0.92 |
| 5 | Hispanic | 7,929 | 9.49 | 22.30 |
| 6 | Other race, Non-Hispanic | 2,002 | 2.40 | 2.50 |

Imputed number of phones

Weighting: 1.12 Weighting Variables

Type: Num

Column: 1057 SAS Variable Name: _IMPNPH

Prologue:

Description: Imputed number of phones used in weighting

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|------------------|-----------|------------|------------------------|
| 1 | Number of phones | 81,252 | 97.25 | 98.49 |
| 2 | | 2,047 | 2.45 | 1.40 |
| 3 | | 200 | 0.24 | 0.09 |
| 4 | | 33 | 0.04 | 0.02 |
| 5 | | 8 | 0.01 | 0.00 |
| 6 | | 8 | 0.01 | 0.01 |
| | | | | |

Version 1 Land-Line First Margin (Age-Gender)

Land-LineRakin 1.1 Weighting Variables Type: Num

g:

Column: 1109-1111 SAS Variable Name: _MRG01V1

Prologue:

Description: Version 1 Land-Line First Margin (Age-Gender)

ValueValue LabelFrequencyPercentageWeighted Percentage1 - 14First raking margin: (age-sex)83,548100.00100.00

Version 1 Land-Line Second Margin (Race/Ethnicity)

Land-LineRakin 1.2 Weighting Variables Type: Num

g:

Column: 1112-1114 SAS Variable Name: _MRG02V1

Prologue:

Description: Version 1 Land-Line Second Margin (Race/Ethnicity)

Value Value Label

1 Weighted Percentage Percentage

83,548 100.00 100.00

Version 1 Land-Line Third Margin (Education)

Land-LineRakin 1.3 Weighting Variables Type: Num

g:

Column: 1115-1117 SAS Variable Name: _MRG03V1

Prologue:

Description: Version 1 Land-Line Third Margin (Education)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--------------|-----------|------------|------------------------|
| 1 | Less than HS | 7,059 | 8.45 | 16.10 |
| 2 | HS Grad | 23,308 | 27.90 | 27.32 |
| 3 | Some College | 22,309 | 26.70 | 29.99 |
| 4 | College Grad | 30,872 | 36.95 | 26.59 |
| | | | | |

Version 1 Land-Line Fourth Margin (Marital Status)

Land-LineRakin 1.4 Weighting Variables Type: Num

g:

Column: 1118-1120 SAS Variable Name: _MRG04V1

Prologue:

Description: Version 1 Land-Line Fourth Margin (Marital Status)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Married | 46,667 | 55.86 | 49.36 |
| 2 | Never married, member unmarried couple | 11,528 | 13.80 | 31.40 |
| 3 | Divorced, Widowed, Separated | 25,353 | 30.35 | 19.24 |

Version 1 Land-Line Fifth Margin (Home Ownership)

Land-LineRakin 1.5 Weighting Variables **Type:** Num

g:

Column: 1121-1123 SAS Variable Name: _MRG05V1

Prologue:

Description: Version 1 Land-Line Fifth Margin (Home Ownership)

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|--------------------------------------|-----------|------------|------------|
| 1 - 2 | Fifth raking margin: (rent/own home) | 83,548 | 100.00 | 100.00 |

137 of 180 January 24, 2013

Waighted

Version 1 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Land-LineRakin 1.6 Weighting Variables Type: Num

g:

Column: 1124-1126 SAS Variable Name: _MRG06V1

Prologue:

Description: Version 1 Land-Line Sixth Margin (Gender-Race/Ethnicity)

Value Value Label Weighted Frequency Percentage Percentage

1 - 12 Sixth raking margin: (sex-race/ethnicity) 83,548 100.00 100.00

Version 1 Land-Line Seventh Margin (Age-Race/Ethnicity)

Land-LineRakin 1.7 Weighting Variables Type: Num

g:

Column: 1127-1129 SAS Variable Name: _MRG07V1

Prologue:

Description: Version 1 Land-Line Seventh Margin (Age-Race/Ethnicity)

Value Value Label Weighted Frequency Percentage Percentage

1 - 18 Seventh raking margin: (age-race/ethnicity) 83,548 100.00 100.00

Version 1 Land-Line Eighth Margin (Regions)

Land-LineRakin 1.8 Weighting Variables Type: Num

a

Column: 1130-1132 SAS Variable Name: _MRG08V1

Prologue:

Description: Version 1 Land-Line Eighth Margin (Regions)

Value Value Label Weighted
Frequency Percentage Percentage

BLANK Missing 83,548

Version 1 Land-Line Ninth Margin (Regions-Age)

Land-LineRakin 1.9 Weighting Variables Type: Num

g:

Column: 1133-1135 SAS Variable Name: _MRG09V1

Prologue:

Description: Version 1 Land-Line Ninth Margin (Regions-Age)

Weighted
Value Value Label Frequency Percentage Percentage

BLANK Missing 83,548

Version 1 Land-Line Tenth Margin (Regions-Gender)

Land-LineRakin 1.10 Weighting Variables Type: Num

g:

Column: 1136-1138 SAS Variable Name: _MRG10V1

Prologue:

Description: Version 1 Land-Line Tenth Margin (Regions-Gender)

Value Value Label Weighted

Frequency Percentage Percentage

BLANK Missing 83,548

Version 1 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Land-LineRakin 1.11 Weighting Variables Type: Num

g:

Column: 1139-1141 SAS Variable Name: _MRG11V1

Prologue:

Description: Version 1 Land-Line Eleventh Margin (Regions-Race/Ethnicity)

Value Value Label Weighted
Frequency Percentage Percentage

BLANK Missing 83,548

Final weight questionnaire version 1: Land-line data only

Land-LineRakin 1.12 Weighting Variables Type: Num

g:

Column: 1142-1151 SAS Variable Name: _LNDWTV1

Prologue:

Description: Final weight assigned to each respondent questionnaire version 1: Land-line data only (Raking derived weight)

Value Value Label Weighted
Frequency Percentage Percentage

HIDDEN Data not displayed 83,548 100.00 100.00

Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this

report

CRACEORG with responses in ascending order

ChildDemograp 1.02 Child Demographic Variables **Type:** Num

hics:

Column: 1244-1249 SAS Variable Name: CRACEASC

Prologue:

Description: CRACE with 7, 8, 9s removed, in ascending order

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|---------------------|
| 7 | Don't know/Not sure | 93 | 0.47 | 0.97 |
| 9 | Refused | 799 | 4.07 | 7.48 |
| BLANK | Missing | 63,906 | | |
| HIDDEN | Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | 18,750 | 95.46 | 91.55 |

Child Non-Hispanic Race including Multiracial

ChildDemograp 1.03 Child Demographic Variables **Type:** Num

hics:

Column: 1250-1251 SAS Variable Name: _CRACE

Prologue:

Description: Child multiracial race categorization

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | White only Notes: CRACEASC = 1 | 14,869 | 75.70 | 67.97 |
| 2 | Black or African American only Notes: CRACEASC =2 | 1,432 | 7.29 | 9.64 |
| 3 | Asian Only Notes: CRACEASC = 3 | 550 | 2.80 | 5.15 |
| 4 | Native Hawaiian or other Pacific Islander only Notes: CRACEASC = 4 | 59 | 0.30 | 0.55 |
| 5 | American Indian or Alaskan Native only Notes: CRACEASC = 5 | 276 | 1.41 | 1.85 |
| б | Other race only Notes: CRACEASC = 6 | 779 | 3.97 | 2.91 |
| 7 | Multiracial Notes: CRACEASC >= 12 | 785 | 4.00 | 3.49 |
| 77 | Don't know/Not sure Notes: CRACEASC = 7 | 93 | 0.47 | 0.97 |
| 99 | Refused Notes: CRACEASC = 9 | 799 | 4.07 | 7.48 |
| BLANK | Missing Notes: CRACEASC = Missing | 63,906 | | |

Raw child weighting factor

ChildWeighting 1.01 Child Weighting Variables

Type: Num

÷

Column: 1252-1261 SAS Variable Name: _RAWCH

Prologue:

Description: Raw child weighting factor (Number of children in the household (CHILDREN) divided by the imputed number of

phones (_IMPNPH).)

Value Value Label Weighted

Frequency Percentage Percentage

HIDDEN Data not displayed 83,548 100.00 100.00

Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this

report

Child design weight

ChildWeighting 1.02 Child Weighting Variables

Type: Num

Column: 1262-1271 SAS Variable Name: _WT2CH

Prologue:

Description: Child design weight (Child stratum weight (_STRWT) multiplied by the raw weighting factor (_RAWCH).)

Weighted Value Value Label Frequency Percentage Percentage

HIDDEN Data not displayed 83,548 100.00 100.00

Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this

report

Child Age

ChildWeighting 1.03 Child Weighting Variables

Type: Num

•

Column: 1272-1274 SAS Variable Name: CHILDAGE

Prologue:

Description: Child Age

| • | · · | | | |
|-----------|-----------------------|-----------|------------|------------------------|
| Value | Value Label | Frequency | Percentage | Weighted Percentage |
| 0 - 11 | 0 Years old | 643 | 3.27 | 3.89 |
| 1 | | 25 | 0.13 | 0.21 |
| 2 | | 8 | 0.04 | 0.08 |
| 3 | | 8 | 0.04 | 0.05 |
| 4 | | 2 | 0.01 | 0.03 |
| 12 - 23 | 1 Year old | 699 | 3.55 | 4.75 |
| 24 - 35 | 2 Years old | 817 | 4.15 | 4.83 |
| 36 - 47 | 3 Years old | 782 | 3.97 | 4.92 |
| 48 - 59 | 4 Years old | 831 | 4.22 | 4.43 |
| 60 - 71 | 5 Years old | 822 | 4.17 | 4.22 |
| 72 - 83 | 6 Years old | 845 | 4.29 | 4.55 |
| 84 - 95 | 7 Years old | 885 | 4.49 | 4.46 |
| 96 - 107 | 8 Years old | 937 | 4.76 | 5.30 |
| 108 - 119 | 9 Years old | 925 | 4.70 | 3.81 |
| 120 - 131 | 10 Years old | 985 | 5.00 | 4.23 |
| 132 - 143 | 11 Years old | 1,002 | 5.09 | 4.38 |
| 144 - 155 | 12 Years old | 1,108 | 5.63 | 4.72 |
| 156 - 167 | 13 Years old | 1,060 | 5.38 | 4.84 |
| 168 - 179 | 14 Years old | 1,192 | 6.05 | 5.02 |
| 180 - 191 | 15 Years old | 1,306 | 6.63 | 6.64 |
| 192 - 203 | 16 Years old | 1,361 | 6.91 | 5.81 |
| 204 - 215 | 17 Years old | 1,430 | 7.26 | 6.23 |
| 777 | Don't know / Not sure | 587 | 2.98 | 4.41 |
| 999 | Refused | 1,433 | 7.28 | 8.20 |
| BLANK | Not asked or Missing | 63,855 | | |

Version 1 Child Land-Line First Margin (Age-Gender)

ChildLand-Line 1.1 Child Weighting Variables Type: Num

Raking:

Column: 1297-1299 SAS Variable Name: _CMG01V1

Prologue:

Description: Version 1 Child Land-Line First Margin (Age-Gender)

Value Value Label Frequency Percentage Percentage

1 - 8 First raking margin: (age-sex) 19,651 100.00 100.00

BLANK Missing 63,897

Version 1 Child Land-Line Second Margin (Race/Ethnicity)

ChildLand-Line 1.2 Child Weighting Variables

Type: Num

Raking:

Column: 1300-1302 SAS Variable Name: _CMG02V1

Prologue:

Description: Version 1 Child Land-Line Second Margin (Race/Ethnicity)

Value Value Label Weighted Frequency Percentage Percentage

1 - 6 Second raking margin: (race/ethnicity) 19,651 100.00 100.00

BLANK Missing 63,897

Version 1 Child Land-Line Third Margin (Gender-Race/Ethnicity)

ChildLand-Line 1.3 Child Weighting Variables

Type: Num

Raking:

Column: 1303-1305 SAS Variable Name: _CMG03V1

Prologue:

Description: Version 1 Child Land-Line Third Margin (Gender-Race/Ethnicity)

ValueValue LabelFrequencyPercentage1 - 12Third raking margin: (sex-race/ethnicity)19,651100.00100.00

BLANK Missing 63,897

143 of 180 January 24, 2013

Weighted

Version 1 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

ChildLand-Line 1.4 Child Weighting Variables

Type: Num

Raking:

Column: 1306-1308 SAS Variable Name: _CMG04V1

Prologue:

Description: Version 1 Child Land-Line Fourth Margin (Age-Race/Ethnicity)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|------------------------|
| 1 - 18 | Fourth raking margin: (age-race/ethnicity) | 19,651 | 100.00 | 100.00 |
| BLANK | Missing | 63,897 | | |

Final child weight questionnaire version 1: Land-line data only

ChildLand-Line 1.5 Child Weighting Variables Type: Num

Raking:

Column: 1309-1318 SAS Variable Name: _CLDWTV1

Prologue:

Description: Final child weight questionnaire version 1: Land-line data only (Raking derived weight)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|---|-----------|------------|------------------------|
| HIDDEN | Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | 83,548 | 100.00 | 100.00 |
| HIDDEN | Data not displayed Notes: Floating Decimal Point. Due to the nature of the data or the size of the table for display, this data is not printed for this report | 83,548 | 100.00 | 100.00 |

Adults with good or better health

Calculated Variables

Type: Num

bles:

Column: 1485 SAS Variable Name: _RFHLTH

Prologue:

Description: Adults with good or better health

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|---|-----------|------------|------------|
| 1 | Good or Better Health Notes: GENHLTH = 1 or 2 or 3 | 67,242 | 80.48 | 80.98 |
| 2 | Fair or Poor Health Notes: GENHLTH = 4 or 5 | 16,005 | 19.16 | 18.70 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: GENHLTH = 7 or 9 or Missing | 301 | 0.36 | 0.32 |

Respondents aged 18-64 with health care coverage

CalculatedVaria 3.1 Calculated Variables

bles:

Column: 1486 SAS Variable Name: _HCVU651

Prologue:

Description: Respondents aged 18-64 that have any form of health care coverage

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | <pre>Have health care coverage Notes: 18 <= AGE <=64 and HLTHPLAN = 1</pre> | 46,508 | 55.67 | 65.37 |
| 2 | Do not have health care coverage Notes: 18 <= AGE <=64 and HLTHPLAN = 2 | 6,964 | 8.34 | 16.63 |
| 9 | Don't know/Not Sure, Refused or Missing Notes: AGE > 64 or AGE = Missing or HLTHPLAN = 7 or 9 or Missing | 30,076 | 36.00 | 18.01 |

High Blood Pressure Calculated Variable

CalculatedVaria 4.1 Calculated Variables

bles:

Column: 1487 SAS Variable Name: _RFHYPE5

Prologue:

Description: Adults who have been told they have high blood pressure by a doctor, nurse, or other health professional

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | No Notes: BPHIGH4 = 2 or 3 or 4 | 48,977 | 58.62 | 69.37 |
| 2 | Yes Notes: BPHIGH4 = 1 | 34,339 | 41.10 | 30.44 |
| 9 | Don't know/Not Sure/Refused/Missing Notes: BPHIGH4 = 7 or 9 or Missing | 232 | 0.28 | 0.18 |

Cholesterol Checked Calculated Variable

Calculated Variables Type: Num

bles:

Column: 1488 SAS Variable Name: _CHOLCHK

Prologue:

Description: Cholesterol check within past five years

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | <pre>Had cholesterol checked in past 5 years Notes: BLOODCHO = 1 and CHOLCHK = 1 or 2 or 3</pre> | 70,366 | 84.22 | 73.53 |
| 2 | Did not have cholesterol checked in past 5 years Notes: BLOODCHO = 1 and CHOLCHK = 4 | 2,606 | 3.12 | 3.02 |
| 3 | Have never had cholesterol checked Notes: BLOODCHO = 2 | 8,208 | 9.82 | 20.28 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: BLOODCHO = 7 or 9 or Missing or CHOLCHK = 7 or 9 or Missing | 2,368 | 2.83 | 3.18 |

145 of 180 January 24, 2013

Type: Num

High Cholesterol Calculated Variable

Calculated Variables Type: Num

bles:

Column: 1489 SAS Variable Name: _RFCHOL

Prologue:

Description: Adults who have had their cholesterol checked and have been told by a doctor, nurse, or other health professional

that it was high

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | No Notes: BLOODCHO=1 and TOLDHI2 = 2 | 40,238 | 54.37 | 61.02 |
| 2 | Yes Notes: BLOODCHO=1 and TOLDHI2 = 1 | 33,076 | 44.69 | 38.27 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: BLOODCHO=1 and TOLDHI2 = 7 or 9 or Missing | 696 | 0.94 | 0.71 |
| BLANK | Missing Notes: BLOODCHO = 2 or 7 or 9 or Missing | 9,538 | | |

Lifetime Asthma Calculated Variable

Calculated Variables

Type: Num

bles:

Column: 1490 SAS Variable Name: _LTASTH1

Prologue:

Description: Adults who have ever been told they have asthma

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|---|-----------|------------|------------|
| 1 | No Notes: ASTHMA3 = 2 | 72,370 | 86.62 | 85.32 |
| 2 | Yes Notes: ASTHMA3 = 1 | 10,928 | 13.08 | 14.48 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing | 250 | 0.30 | 0.20 |

146 of 180 January 24, 2013

Weighted

Current Asthma Calculated Variable

Calculated Variables Type: Num

bles:

Column: 1491 SAS Variable Name: _CASTHM1

Prologue:

Description: Adults who have been told they currently have asthma

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | No Notes: ASTHMA3 = 2 or ASTHMA3 = 1 and ASTHNOW = 2 | 75,350 | 90.19 | 89.96 |
| 2 | Yes Notes: ASTHMA3 = 1 and ASTHNOW = 1 | 7,683 | 9.20 | 9.44 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing | 515 | 0.62 | 0.61 |

Computed Asthma Status

Calculated Varia 6.3 Calculated Variables Type: Num

bles:

Column: 1492 SAS Variable Name: _ASTHMS1

Prologue:

Description: Computed asthma status

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Current Notes: ASTHMA3 = 1 and ASTHNOW = 1 | 7,683 | 9.20 | 9.44 |
| 2 | Former Notes: ASTHMA3 = 1 and ASTHNOW = 2 | 2,980 | 3.57 | 4.64 |
| 3 | Never Notes: ASTHMA3 = 2 | 72,370 | 86.62 | 85.32 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: ASTHMA3 = 7 or 9 or Missing or ASTHNOW = 7 or 9 or Missing | 515 | 0.62 | 0.61 |

Respondents diagnosed with arthritis

Calculated Variables

Type: Num

bles:

Column: 1493 SAS Variable Name: _DRDXAR1

Prologue:

Description: Respondents that have had a doctor diagnose them as having some form of arthritis

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|---|-----------|------------|------------|
| 1 | Diagnosed with arthritis Notes: HAVARTH3 = 1 | 29,031 | 34.97 | 23.65 |
| 2 | Not diagnosed with arthritis Notes: HAVARTH3 = 2 | 53,983 | 65.03 | 76.35 |
| BLANK | Don't know/Not Sure/Refused/Missing Notes: HAVARTH3 = 7 or 9 or Missing | 534 | | |

147 of 180 January 24, 2013

Martin Land

Mainblad

Computed Smoking Status

Calculated Variables

Type: Num

bles:

Column: 1494 SAS Variable Name: _SMOKER3

Prologue:

Description: Four-level smoker status: Everyday smoker, Someday smoker, Former smoker, Non-smoker

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Current smoker - now smokes every day Notes: SMOKE100 = 1 and SMOKEDAY = 1 | 8,619 | 10.32 | 12.30 |
| 2 | Current smoker - now smokes some days Notes: SMOKE100 = 1 and SMOKEDAY = 2 | 3,152 | 3.77 | 5.21 |
| 3 | Former smoker Notes: SMOKE100 = 1 and SMOKEDAY = 3 | 25,086 | 30.03 | 23.35 |
| 4 | Never smoked Notes: SMOKE100 = 2 | 46,269 | 55.38 | 58.66 |
| 9 | Don't know/Refused/Missing Notes: SMOKE100 = 1 and SMOKEDAY = 9 or SMOKE100 = 7 or 9 or Missing | 422 | 0.51 | 0.48 |

Current Smoking Calculated Variable

Calculated Variables

Type: Num

bles:

Column: 1495 SAS Variable Name: _RFSMOK3

Prologue:

Description: Adults who are current smokers

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | No Notes: _SMOKER3 = 3 or 4 | 71,355 | 85.41 | 82.01 |
| 2 | Yes Notes: _SMOKER3 = 1 or 2 | 11,771 | 14.09 | 17.51 |
| 9 | Don't know/Refused/Missing Notes: _SMOKER3 = 9 | 422 | 0.51 | 0.48 |

MRACE with trailing 7,8,9s removed calculated variable

CalculatedVaria 8.1 Calculated Race Variables

bles:

Column: 1496-1501 SAS Variable Name: MRACEORG

Prologue:

Description: MRACE with trailing 7,8,9s removed

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|------------------------|
| 7 | Don't know/Not sure Notes: MRACE = 7 | 311 | 0.37 | 0.83 |
| 9 | Refused Notes: MRACE = 9 | 1,026 | 1.23 | 2.26 |
| BLANK | Missing Notes: MRACE = Missing | 37 | | |
| HIDDEN | Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | 82,174 | 98.40 | 96.91 |

MRACEORG with responses in ascending order calculated variable

CalculatedVaria 8.2 Calculated Race Variables

bles:

Column: 1502-1507 SAS Variable Name: MRACEASC

Prologue:

Description: MRACE with 7,8,9s removed, in ascending order

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|--------|--|-----------|------------|------------------------|
| 7 | Don't know/Not sure Notes: MRACEORG = 7 | 311 | 0.37 | 0.83 |
| 9 | Refused Notes: MRACEORG = 9 | 1,026 | 1.23 | 2.26 |
| BLANK | Missing Notes: MRACEASC = Missing | 37 | | |
| HIDDEN | Data not displayed Notes: Due to the nature of the data or the size of the table for display, this data is not printed for this report | 82,174 | 98.40 | 96.91 |

149 of 180 January 24, 2013

Type: Char

Computed Preferred Race

CalculatedVaria 8.3 Calculated Race Variables

bles:

Column: 1508-1509 SAS Variable Name: _PRACE

Prologue:

Description: Preferred race category

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | White Notes: MRACEASC = 1 | 71,992 | 86.21 | 75.68 |
| 2 | Black or African American Notes: MRACEASC = 2 | 4,949 | 5.93 | 9.90 |
| 3 | Asian Notes: MRACEASC = 3 | 1,392 | 1.67 | 5.60 |
| 4 | Native Hawaiian or other Pacific Islander Notes: MRACEASC = 4 | 164 | 0.20 | 0.46 |
| 5 | American Indian or Alaskan Native Notes: MRACEASC = 5 | 1,088 | 1.30 | 2.26 |
| 6 | Other race Notes: MRACEASC = 6 | 2,404 | 2.88 | 2.78 |
| 7 | No preferred race Notes: MRACEASC >= 12 and ORACE2 = 7 or 9 | 184 | 0.22 | 0.24 |
| 8 | Multiracial but preferred race not asked Notes: MRACEASC >= 12 and ORACE2 = 8 or Missing | 1 | 0.00 | 0.00 |
| 77 | Don't know/Not sure Notes: MRACEASC = 7 | 311 | 0.37 | 0.83 |
| 99 | Refused Notes: MRACEASC = 9 | 1,026 | 1.23 | 2.26 |
| BLANK | Missing Notes: MRACEASC = Missing | 37 | | |

150 of 180 January 24, 2013

Computed non-Hispanic Race including Multiracial

CalculatedVaria 8.4 Calculated Race Variables

bles:

Column: 1510-1511 SAS Variable Name: _MRACE

Prologue:

Description: Multiracial race categorization

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | White only Notes: MRACEASC = 1 | 71,091 | 85.13 | 74.50 |
| 2 | Black or African American only Notes: MRACEASC = 2 | 4,790 | 5.74 | 9.49 |
| 3 | Asian Only Notes: MRACEASC = 3 | 1,352 | 1.62 | 5.49 |
| 4 | Native Hawaiian or other Pacific Islander only Notes: MRACEASC = 4 | 153 | 0.18 | 0.43 |
| 5 | American Indian or Alaskan Native only Notes: MRACEASC = 5 | 934 | 1.12 | 2.03 |
| 6 | Other race only Notes: MRACEASC = 6 | 2,343 | 2.81 | 2.69 |
| 7 | Multiracial Notes: MRACEASC >= 12 | 1,511 | 1.81 | 2.27 |
| 77 | Don't know/Not sure Notes: MRACEASC = 7 | 311 | 0.37 | 0.83 |
| 99 | Refused Notes: MRACEASC = 9 | 1,026 | 1.23 | 2.26 |
| BLANK | Missing Notes: MRACEASC = Missing | 37 | | |

151 of 180 January 24, 2013

Computed Race-Ethnicity grouping

CalculatedVaria 8.5 Calculated Race Variables Type: Num

bles:

Column: 1512 SAS Variable Name: RACE2

Prologue:

Description: Race/ethnicity categories

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | White only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 1 | 66,227 | 79.29 | 59.60 |
| 2 | Black only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 2 | 4,432 | 5.31 | 8.50 |
| 3 | Asian only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 3 | 1,307 | 1.56 | 5.26 |
| 4 | Native Hawaiian or other Pacific Islander only, Non-Hispanic Notes: HISPANC2 = 2 and $_$ MRACE = 4 | 123 | 0.15 | 0.29 |
| 5 | American Indian or Alaskan Native only, Non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 5 | 711 | 0.85 | 0.91 |
| 6 | Other race only, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 6 | 483 | 0.58 | 0.38 |
| 7 | Multiracial, non-Hispanic Notes: HISPANC2 = 2 and _MRACE = 7 | 1,370 | 1.64 | 1.81 |
| 8 | Hispanic Notes: HISPANC2 = 1 | 7,921 | 9.48 | 22.30 |
| 9 | Don't know/Not sure/Refused Notes: HISPANC2 = 7 or 9 or _MRACE = 77 or 99 and HISPANC2 = 2 | 950 | 1.14 | 0.96 |
| BLANK | Missing Notes: HISPANC2 = Missing or _MRACE = Missing | 24 | | |

Create Computed Non-Hispanic Whites/All Others Race Categories Race/Ethnic Group Codes Used In Post-Stratification Variable

CalculatedVaria 8.6 Calculated Race Variables Type: Num

bles:

Column: 1513 SAS Variable Name: _RACEG2

Prologue:

Description: White non-Hispanic race group

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Non-Hispanic White Notes: RACE2 = 1 | 66,227 | 79.29 | 59.60 |
| 2 | Non-White or Hispanic Notes: RACE2 = 2 or 3 or 4 or 5 or 6 or 7 or 8 | 16,347 | 19.57 | 39.44 |
| 9 | Don't know/Not sure/Refused Notes: RACE2 = 9 | 950 | 1.14 | 0.96 |
| BLANK | | 24 | | |

Computed Five level race/ethnicity category.

CalculatedVaria 8.7 Calculated Race Variables Type: Num

bles:

Column: 1514 SAS Variable Name: _RACEGR2

Prologue:

Description: Five-level race/ethnicity category

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | White only, Non-Hispanic Notes: RACE2 = 1 | 66,227 | 79.29 | 59.60 |
| 2 | Black only, Non-Hispanic Notes: RACE2 = 2 | 4,432 | 5.31 | 8.50 |
| 3 | Other race only, Non-Hispanic Notes: RACE2 = 3 or 4 or 5 or 6 | 2,624 | 3.14 | 6.83 |
| 4 | Multiracial, Non-Hispanic Notes: RACE2 = 7 | 1,370 | 1.64 | 1.81 |
| 5 | Hispanic Notes: RACE2 = 8 | 7,921 | 9.48 | 22.30 |
| 9 | Don't know/Not sure/Refused Notes: RACE2 = 9 | 950 | 1.14 | 0.96 |
| BLANK | | 24 | | |

Computed race groups used for internet prevalence tables

CalculatedVaria 8.8 Calculated Race Variables Type: Num

bles:

Column: 1515 SAS Variable Name: _RACE_G

Prologue:

Description: Race groups used for internet prevalence tables

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | White - Non-Hispanic Notes: _RACEGR2 = 1 | 66,227 | 80.20 | 60.18 |
| 2 | Black - Non-Hispanic Notes: _RACEGR2 = 2 | 4,432 | 5.37 | 8.58 |
| 3 | Hispanic Notes: _RACEGR2 = 5 | 7,921 | 9.59 | 22.51 |
| 4 | Other race only, Non-Hispanic Notes: _RACEGR2 = 3 | 2,624 | 3.18 | 6.90 |
| 5 | Multiracial, Non-Hispanic Notes: _RACEGR2 = 4 | 1,370 | 1.66 | 1.83 |
| BLANK | Don't know/Not sure/Refused component question Notes: _RACEGR2 = 9 or Missing | 974 | | |

Computed number of census race categories chosen

CalculatedVaria 8.9 Calculated Race Variables

bles:

Column: 1516 SAS Variable Name: _CNRACE

Prologue:

Description: Number of census race categories chosen

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 0 | Other/do not know/refused Notes: 6 <= MRACEASC <= 9 | 3,680 | 4.40 | 5.78 |
| 1 | 1 category chosen Notes: MRACEASC had one race category | 78,526 | 93.99 | 92.26 |
| 2 | 2 category chosen Notes: MRACEASC had two race categories | 1,272 | 1.52 | 1.81 |
| 3 | 3 category chosen Notes: MRACEASC had three race categories | 63 | 0.08 | 0.14 |
| 4 | 4 category chosen Notes: MRACEASC had four race categories | 1 | 0.00 | 0.00 |
| 5 | 5 category chosen Notes: MRACEASC had five race categories | 6 | 0.01 | 0.01 |
| | | | | |

Computed number of census race categories chosen, collapsed

CalculatedVaria 8.10 Calculated Race Variables Type: Num

bles:

Column: 1517 SAS Variable Name: _CNRACEC

Prologue:

Description: Number of census race categories chosen, collapsed

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|--|-----------|------------|------------|
| 1 | One category chosen Notes: _CNRACE = 1 | 78,526 | 98.32 | 97.92 |
| 2 | Two or more categories chosen Notes: _CNRACE > 1 | 1,342 | 1.68 | 2.08 |
| BLANK | _CNRACE = 0 or missing Notes: _CNRACE = 0 | 3,680 | | |

154 of 180 January 24, 2013

Type: Num

Weighted

Reported age in five-year age categories calculated variable

CalculatedVaria 8.11 Calculated Variables

bles:

Column: 1518-1519 SAS Variable Name: _AGEG5YR

Prologue:

Description: Fourteen-level age category

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Age 18 to 24 Notes: 18 <= AGE <= 24 | 2,250 | 2.69 | 13.17 |
| 2 | Age 25 to 29 Notes: 25 <= AGE <= 29 | 2,139 | 2.56 | 7.91 |
| 3 | Age 30 to 34 Notes: 30 <= AGE <= 34 | 3,718 | 4.45 | 10.08 |
| 4 | Age 35 to 39 Notes: 35 <= AGE <= 39 | 4,755 | 5.69 | 7.71 |
| 5 | Age 40 to 44 Notes: 40 <= AGE <= 44 | 5,907 | 7.07 | 10.17 |
| 6 | Age 45 to 49 Notes: 45 <= AGE <= 49 | 6,788 | 8.12 | 8.45 |
| 7 | Age 50 to 54 Notes: 50 <= AGE <= 54 | 8,605 | 10.30 | 10.37 |
| 8 | Age 55 to 59 Notes: 55 <= AGE <= 59 | 9,555 | 11.44 | 7.61 |
| 9 | Age 60 to 64 Notes: 60 <= AGE <= 64 | 9,906 | 11.86 | 7.17 |
| 10 | Age 65 to 69 Notes: 65 <= AGE <= 69 | 8,597 | 10.29 | 5.04 |
| 11 | Age 70 to 74 Notes: 70 <= AGE <= 74 | 6,877 | 8.23 | 4.02 |
| 12 | Age 75 to 79 Notes: 75 <= AGE <= 79 | 5,712 | 6.84 | 3.26 |
| 13 | Age 80 or older Notes: 80 <= AGE <= 99 | 7,878 | 9.43 | 4.43 |
| 14 | Don't know/Refused/Missing Notes: 7 <= AGE <= 9 | 861 | 1.03 | 0.61 |

155 of 180 January 24, 2013

Reported age in two age groups calculated variable

Calculated Variables Type: Num

bles:

Column: 1520 SAS Variable Name: _AGE65YR

Prologue:

Description: Two-level age category

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Age 18 to 64 Notes: 18 <= AGE <= 64 | 53,623 | 64.18 | 82.64 |
| 2 | Age 65 or older Notes: 65 <= AGE <= 99 | 29,064 | 34.79 | 16.75 |
| 3 | Don't know/Refused/Missing Notes: 7 <= AGE <= 9 | 861 | 1.03 | 0.61 |

Imputed age in six groups

Calculated Variables Type: Num

bles:

Column: 1521 SAS Variable Name: _AGE_G

Prologue:

Description: Six-level imputed age category

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Age 18 to 24 Notes: 18 <= AGE <= 24 | 2,250 | 2.69 | 13.17 |
| 2 | Age 25 to 34 Notes: 25 <= AGE <= 34 | 5,857 | 7.01 | 18.00 |
| 3 | Age 35 to 44 Notes: 35 <= AGE <= 44 | 10,669 | 12.77 | 17.90 |
| 4 | Age 45 to 54 Notes: 45 <= AGE <= 54 | 15,531 | 18.59 | 18.96 |
| 5 | Age 55 to 64 Notes: 55 <= AGE <= 64 | 20,176 | 24.15 | 15.22 |
| 6 | Age 65 or older Notes: AGE >= 65 | 29,065 | 34.79 | 16.75 |

Computed Height in Inches

Calculated Varia 8.14 Calculated Variables Type: Num

bles:

Column: 1522-1524 SAS Variable Name: HTIN4

Prologue:

Description: Reported height in inches

Weighted
Value Value Label Frequency Percentage Percentage

36 - 95 Height in inches
Notes: 0036 <= HEIGHT3 <= 0711

BLANK 1,570

Computed Height in Meters

Calculated Varia 8.15 Calculated Variables Type: Num

bles:

Column: 1525-1527 SAS Variable Name: HTM4

Prologue:

Description: Reported height in meters

Value Value Label Weighted

Frequency Percentage Percentage

91 82,227 100.00 100.00

1,321

Computed Weight in Kilograms

Calculated Variables Type: Num

bles:

Column: 1528-1532 SAS Variable Name: WTKG3

Prologue:

BLANK

Description: Reported weight in kilograms

Value Value Label Frequency Percentage Percentage

1 - 99998 Weight in kilograms [2 implied decimal places] 79,845 100.00 100.00

Notes: 0001 <= WEIGHT2 <= 650 or 9023 <= WEIGHT2 <= 9295

157 of 180 January 24, 2013

3,703

81,978

100.00

100.00

Computed body mass index

Calculated Variables Type: Num

bles:

Column: 1533-1536 SAS Variable Name: _BMI5

Prologue:

Description: Body Mass Index (BMI)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|----------|--|-----------|------------|---------------------|
| 1 - 9999 | <pre>1 or greater Notes: WTKG3/(HTM4*HTM4) (Has 2 implied decimal places)</pre> | 78,877 | 100.00 | 100.00 |
| BLANK | Don't know/Refused/Missing Notes: WTKG3 = 777 or 999 or HTM4 = 777 or 999 or PREGNANT=1 or _BMI5 < 12.00 or BMI5 > 99.99 | 4,671 | | |

Computed body mass index categories

Calculated Variables Type: Num

bles:

Column: 1537 SAS Variable Name: _BMI5CAT

Prologue:

Description: Four-categories of Body Mass Index (BMI)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Underweight Notes: 1200 <= _BMI5 < 1850 (_BMI5 has 2 implied decimal places) | 1,335 | 1.69 | 2.01 |
| 2 | Normal Weight Notes: 1850 <= _BMI5 < 2500 | 26,835 | 34.02 | 34.31 |
| 3 | Overweight Notes: 2500 <= _BMI5 < 3000 | 29,040 | 36.82 | 35.97 |
| 4 | Obese Notes: 3000 <= _BMI5 < 9999 | 21,667 | 27.47 | 27.71 |
| BLANK | Don't know/Refused/Missing Notes: _BMI5 = Missing | 4,671 | | |

Overweight or obese calculated variable

Calculated Varia 8.19 Calculated Variables Type: Num

bles:

Column: 1538 SAS Variable Name: _RFBMI5

Prologue:

Description: Adults who have a body mass index greater than 25.00 (Overweight or Obese)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | No Notes: 1200 <= _BMI54 < 2500 (_BMI5 has 2 implied decimal places) | 28,170 | 33.72 | 34.14 |
| 2 | Yes Notes: 2500 <= _BMI5 < 9999 | 50,707 | 60.69 | 59.84 |
| 9 | Don't know/Refused/Missing Notes: RMT5 = Missing | 4,671 | 5.59 | 6.02 |

Computed number of children in household

Calculated Variables Type: Num

bles:

Column: 1539 SAS Variable Name: _CHLDCNT

Prologue:

Description: Number of children in household

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | No children in household Notes: CHILDREN = 88 | 60,928 | 72.93 | 57.18 |
| 2 | One child in household Notes: CHILDREN = 01 | 8,578 | 10.27 | 16.48 |
| 3 | Two children in household Notes: CHILDREN = 02 | 8,253 | 9.88 | 15.31 |
| 4 | Three children in household Notes: CHILDREN = 03 | 3,560 | 4.26 | 6.71 |
| 5 | Four children in household Notes: CHILDREN = 04 | 1,214 | 1.45 | 2.47 |
| 6 | Five or more children in household Notes: 05 <= CHILDREN < 88 | 541 | 0.65 | 1.07 |
| 9 | Don't know/Not sure/Missing Notes: CHILDREN = 99 | 474 | 0.57 | 0.78 |

Computed level of education completed categories

Calculated Variables Type: Num

bles:

Column: 1540 SAS Variable Name: _EDUCAG

Prologue:

Description: Level of education completed

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Did not graduate High School Notes: EDUCA = 1 or 2 or 3 | 7,024 | 8.41 | 15.98 |
| 2 | Graduated High School Notes: EDUCA = 4 | 23,214 | 27.79 | 27.17 |
| 3 | Attended College or Technical School Notes: EDUCA = 5 | 22,212 | 26.59 | 29.81 |
| 4 | Graduated from College or Technical School Notes: EDUCA = 6 | 30,738 | 36.79 | 26.41 |
| 9 | Don't know/Not sure/Missing Notes: EDUCA = 9 or Missing | 360 | 0.43 | 0.64 |

Computed income categories

Calculated Variables Type: Num

bles:

Column: 1541 SAS Variable Name: _INCOMG

Prologue:

Description: Income categories

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | Less than \$15,000 Notes: INCOME2 = 1 or 2 | 8,410 | 10.07 | 13.12 |
| 2 | \$15,000 to less than \$25,000 Notes: INCOME2 = 3 or 4 | 12,255 | 14.67 | 15.38 |
| 3 | \$25,000 to less than \$35,000 Notes: INCOME2 = 5 | 8,105 | 9.70 | 8.88 |
| 4 | \$35,000 to less than \$50,000 Notes: INCOME2 = 6 | 10,458 | 12.52 | 11.34 |
| 5 | \$50,000 or more Notes: INCOME2 = 7 or 8 | 32,589 | 39.01 | 37.10 |
| 9 | Don't know/Not sure/Missing Notes: INCOME2 = 77 or 99 or Missing | 11,731 | 14.04 | 14.18 |

Computed Fruit Juice intake in times per day

Calculated Variables

Type: Num

bles:

Column: 1542-1545 SAS Variable Name: FTJUDA1_

Prologue:

Description: Fruit juice intake in times per day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|----------|--|-----------|------------|------------------------|
| 0 - 9999 | Times per day | 79,371 | 100.00 | 100.00 |
| BLANK | Don't know/Not Sure Or Refused/Missing | 4,177 | | |

Computed Fruit intake in times per day

CalculatedVaria 9.2 Calculated Variables Type: Num

bles:

Column: 1546-1549 SAS Variable Name: FRUTDA1_

Prologue:

Description: Fruit intake in times per day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|----------|--|-----------|------------|------------------------|
| 0 - 9999 | Times per day | 79,899 | 100.00 | 100.00 |
| BLANK | Don't know/Not Sure Or Refused/Missing | 3,649 | | |

Computed Bean intake in times per day

Calculated Variables Type: Num

bles:

Column: 1550-1553 SAS Variable Name: BEANDAY_

Prologue:

Description: Bean intake in times per day

Value Value Label Weighted Frequency Percentage Percentage

0 - 9999 Times per day 79,350 100.00 100.00

BLANK Don't know/Not Sure Or Refused/Missing 4,198

Computed Dark Green Vegetable intake in times per day

Calculated Variables Type: Num

bles:

Column: 1554-1557 SAS Variable Name: GRENDAY_

Prologue:

Description: Dark green vegetable intake in times per day

Value Value Label Weighted Frequency Percentage Percentage

0 - 9999 Times per day 79,747 100.00 100.00

BLANK Don't know/Not Sure Or Refused/Missing 3,801

Computed Orange-Colored Vegetable intake in times per day

Calculated Variables Type: Num

bles:

Column: 1558-1561 SAS Variable Name: ORNGDAY_

Prologue:

Description: Orange-colored vegetable intake in times per day

Value Value Label Frequency Percentage Percentage

0 - 9999 Times per day 79,530 100.00 100.00

BLANK Don't know/Not Sure Or Refused/Missing 4,018

Computed Vegetable intake in times per day

Calculated Variables Type: Num

bles:

Column: 1562-1565 SAS Variable Name: VEGEDA1_

Prologue:

Description: Vegetable intake in times per day

ValueValue LabelFrequencyPercentageWeighted Percentage0 - 9999Times per day79,204100.00100.00

BLANK Don't know/Not Sure Or Refused/Missing 4,344

The number of missing fruit responses

Calculated Variables

Type: Num

bles:

Column: 1566 SAS Variable Name: _MISFRTN

Prologue:

Description: The number of missing fruit responses

Weighted Value Value Label Frequency Percentage Percentage 0 No missing fruit responses 78,502 93.96 92.83 1 - 2 Has 1 or 2 missing fruit responses 5,046 6.04 7.17

The number of missing vegetable responses

Calculated Varia 9.8 Calculated Variables Type: Num

bles:

Column: 1567 SAS Variable Name: _MISVEGN

Prologue:

Description: The number of missing vegetable responses

Weighted **Value** Value Label Frequency Percentage Percentage 0 No missing vegetable responses 77,407 92.65 91.84 1 - 4 Has 1, 2, 3, or 4 missing vegetable responses 6,141 7.35 8.16

Missing any fruit responses

Calculated Variables

Type: Num

bles:

Column: 1568 SAS Variable Name: _FRTRESP

Prologue:

Description: Missing any fruit responses

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 0 | Not Included - Missing Fruit Responses | 5,046 | 6.04 | 7.17 |
| 1 | Included - Not Missing Fruit Responses | 78,502 | 93.96 | 92.83 |

Missing any vegetable responses

Calculated Variables Type: Num

bles:

Column: 1569 SAS Variable Name: _VEGRESP

Prologue:

Description: Missing any vegetable responses

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|--|-----------|------------|------------|
| 0 | Not Included - Missing Vegetable Responses | 6,141 | 7.35 | 8.16 |
| 1 | Included - Not Missing Vegetable Responses | 77,407 | 92.65 | 91.84 |

Total fruits consumed per day

Calculated Variables Type: Num

bles:

Column: 1570-1575 SAS Variable Name: _FRUTSUM

Prologue:

Description: Total fruits consumed per day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|---|-----------|------------|------------------------|
| 0 - 99998 | Number of Fruits consumed per day (one implied decimal place) | 80,768 | 100.00 | 100.00 |
| BLANK | Not asked or Missing | 2,780 | | |

163 of 180 January 24, 2013

Maiabtad

Total vegetables consumed per day

Calculated Variables Type: Num

bles:

Column: 1576-1581 SAS Variable Name: _VEGESUM

Prologue:

Description: Total vegetables consumed per day

ValueValue LabelFrequencyPercentageWeighted Percentage0 - 99998Number of Vegetables consumed per day (one implied decimal place)80,583100.00100.00BLANKNot asked or Missing2,965

Reported consuming Fruit >16 per day

Calculated Variables Type: Num

bles:

Column: 1582 SAS Variable Name: _FRT16

Prologue:

Description: Reported consuming Fruit >16 per day

Weighted Value Value Label Frequency Percentage Percentage 0 Not Included - Values are too high 6 0.01 0.03 1 Included - Values are in accepted range 83,542 99.99 99.97

Reported consuming Vegetables >23 per day

Calculated Variables Type: Num

bles:

Column: 1583 SAS Variable Name: _VEG23

Prologue:

Description: Reported consuming Vegetables >23 per day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 0 | Not Included - Values are too high | 1 | 0.00 | 0.00 |
| 1 | Included - Values are in accepted range | 83.547 | 100.00 | 100.00 |

Fruit Exclusion from analyses

Calculated Variables Type: Num

bles:

Column: 1584 SAS Variable Name: _FRUITEX

Prologue:

Description: Fruit Exclusion from analyses

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 0 | No missing values and in accepted range | 78,496 | 93.95 | 92.80 |
| 1 | Missing Fruit responses | 5,046 | 6.04 | 7.17 |
| 2 | Fruit values out of range | 6 | 0.01 | 0.03 |

Vegetable Exclusion from analyses

Calculated Variables Type: Num

bles:

Column: 1585 SAS Variable Name: _VEGETEX

Prologue:

Description: Vegetable Exclusion from analyses

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 0 | No missing values and in accepted range | 77,406 | 92.65 | 91.84 |
| 1 | Missing Vegetable responses | 6,141 | 7.35 | 8.16 |
| 2 | Vegetable values out of range | 1 | 0.00 | 0.00 |

Leisure Time Physical Activity Calculated Variable

Calculated Variables

Type: Num

bles:

Column: 1586 SAS Variable Name: _TOTINDA

Prologue:

Description: Adults that report doing physical activity or exercise during the past 30 days other than their regular job

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|--|-----------|------------|------------|
| 1 | <pre>Had physical activity or exercise Notes: EXERANY2 = 1</pre> | 58,663 | 70.21 | 70.69 |
| 2 | No physical activity or exercise in last 30 days Notes: EXERANY2 = 2 | 21,331 | 25.53 | 23.22 |
| 9 | Don't know/Refused/Missing Notes: EXERANY2 = 7 or 9 or Missing | 3,554 | 4.25 | 6.09 |

165 of 180 January 24, 2013

Weighted

Activity MET Value for First Activity

Calculated Variables Type: Num

bles:

Column: 1587-1589 SAS Variable Name: METVAL1_

Prologue:

Description: Activity MET Value for First Activity

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|--|-----------|------------|------------------------|
| 0 | Activity MET Value | 1,943 | 3.33 | 4.55 |
| 1 - 128 | Activity MET Value (one implied decimal place) | 56,392 | 96.67 | 95.45 |
| BLANK | Not asked or Missing | 25,213 | | |

Activity MET Value for Second Activity

Calculated Variables

Type: Num

bles:

Column: 1590-1592 SAS Variable Name: METVAL2_

Prologue:

Description: Activity MET Value for Second Activity

| Value | Value Label | Frequency | Percentage | Percentage |
|---------|--|-----------|------------|------------|
| 0 | Activity MET Value | 25,136 | 43.85 | 43.54 |
| 1 - 128 | Activity MET Value (one implied decimal place) | 32,186 | 56.15 | 56.46 |
| BLANK | Not asked or Missing | 26,226 | | |

Estimated Age-Gender Specific Maximum Oxygen Consumption

Calculated Variables

Type: Num

bles:

Column: 1593-1597 SAS Variable Name: MAXVO2_

Prologue:

Description: Estimated Age-Gender Specific Maximum Oxygen Consumption

| Value | Value Label | | Frequency | Percentage | Weighted Percentage |
|---------|--------------------------------------|------------------------------|-----------|------------|------------------------|
| 0 - 501 | Estimated Maximum Oxygen Consumption | (two implied decimal places) | 82,687 | 98.97 | 99.39 |
| 99900 | Don't know/Not Sure/Refused/Missing | | 861 | 1.03 | 0.61 |

166 of 180 January 24, 2013

Mainblad

Estimated Functional Capacity

Calculated Variables

Type: Num

bles:

Column: 1598-1602 SAS Variable Name: FC60_

Prologue:

Description: Estimated Functional Capacity

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|----------|--|-----------|------------|---------------------|
| 0 - 8590 | Estimated Functional Capacity (2 implied decimal places) | 82,687 | 98.97 | 99.39 |
| 99900 | Don't know/Not Sure/Refused/Missing | 861 | 1.03 | 0.61 |

Estimated Activity Intensity for First Activity

Calculated Variables

Type: Num

bles:

Column: 1603 SAS Variable Name: ACTINT1_

Prologue:

Description: Estimated Activity Intensity for First Activity

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 0 | Not Moderate or Vigorous or No Activity | 1,939 | 3.36 | 4.57 |
| 1 | Moderate | 35,047 | 60.66 | 71.76 |
| 2 | Vigorous | 20,792 | 35.99 | 23.67 |
| BLANK | Not asked or Missing | 25,770 | | |

Estimated Activity Intensity for Second Activity

Calculated Variables

Type: Num

bles:

Column: 1604 SAS Variable Name: ACTINT2_

Prologue:

Description: Estimated Activity Intensity for Second Activity

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 0 | Not Moderate or Vigorous or No Activity | 24,912 | 43.87 | 43.54 |
| 1 | Moderate | 14,945 | 26.32 | 35.66 |
| 2 | Vigorous | 16,928 | 29.81 | 20.80 |
| BLANK | Not asked or Missing | 26,763 | | |

Minutes of First Activity

Calculated Variables Type: Num

bles:

Column: 1605-1607 SAS Variable Name: PADUR1_

Prologue:

Description: Minutes of First Activity

Value Value Label Weighted Frequency Percentage Percentage

0 - 599 Minutes of Activity 57,300 100.00 100.00

BLANK Not asked or Missing 26,248

Minutes of Second Activity

Calculated Varia 10.9 Calculated Variables Type: Num

bles:

Column: 1608-1610 SAS Variable Name: PADUR2_

Prologue:

Description: Minutes of Second Activity

Value Value Label Weighted Frequency Percentage Percentage

0 - 599 Minutes of Activity 35,041 100.00 100.00

BLANK Not asked or Missing 48,507

Physical Activity Frequency per Week for First Activity

CalculatedVaria 10.10 Calculated Variables Type: Num

bles:

Column: 1611-1615 SAS Variable Name: PAFREQ1_

Prologue:

Description: Physical Activity Frequency per Week for First Activity

ValueValue LabelFrequencyPercentagePercentage0 - 98999Activity times per week (3 implied decimal places)57,810100.00100.00

BLANK Not asked or Missing 25,738

168 of 180 January 24, 2013

Weighted

Physical Activity Frequency per Week for Second Activity

Calculated Varia 10.11 Calculated Variables Type: Num

bles:

Column: 1616-1620 SAS Variable Name: PAFREQ2_

Prologue:

Description: Physical Activity Frequency per Week for Second Activity

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-----------|--|-----------|------------|---------------------|
| 0 - 98999 | Activity times per week (3 implied decimal places) | 35,414 | 99.99 | 99.98 |
| 99000 | Don't know/Not Sure/Refused | 3 | 0.01 | 0.02 |
| BLANK | Not asked or Missing | 48,131 | | |

Minutes of Physical Activity per week for First Activity

CalculatedVaria 10.12 Calculated Variables Type: Num

bles:

Column: 1621-1625 SAS Variable Name: _MINACT1

Prologue:

Description: Minutes of Physical Activity per week for First Activity

| Value | Value Label | Frequency | Percentage | Percentage |
|-----------|------------------------------|-----------|------------|------------|
| 0 | Minutes of Activity per week | 2,500 | 4.39 | 5.50 |
| 1 - 99999 | Minutes of Activity per week | 54,503 | 95.61 | 94.50 |
| BLANK | Not asked or Missing | 26,545 | | |

Minutes of Physical Activity per week for Second Activity

CalculatedVaria 10.13 Calculated Variables Type: Num

bles:

Column: 1626-1630 SAS Variable Name: _MINACT2

Prologue:

Description: Minutes of Physical Activity per week for Second Activity

| Value | Value Label | Frequency | Percentage | Percentage |
|-----------|------------------------------|-----------|------------|------------|
| 0 | Minutes of Activity per week | 25,754 | 45.65 | 45.05 |
| 1 - 99999 | Minutes of Activity per week | 30,666 | 54.35 | 54.95 |
| BLANK | Not asked or Missing | 27,128 | | |

169 of 180 January 24, 2013

Mainblad

Weighted

Strength Activity Frequency per Week

Calculated Varia 10.14 Calculated Variables Type: Num

bles:

Column: 1631-1635 SAS Variable Name: STRFREQ_

Prologue:

Description: Strength Activity Frequency per Week

ValueValue LabelFrequencyPercentageWeighted Percentage0 - 98999Strength Activity times per week (3 implied decimal places)28,302100.00100.00BLANKNot asked or Missing55,246

Missing Physical Activity Data

Calculated Varia 10.15 Calculated Variables Type: Num

bles:

Column: 1636 SAS Variable Name: PAMISS_

Prologue:

Description: Missing Physical Activity Data

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|------------------------------------|-----------|------------|------------|
| 0 | Not Missing Physical Activity Data | 76,229 | 91.24 | 90.11 |
| 1 | Missing Physical Activity Data | 3,765 | 4.51 | 3.80 |
| 9 | Don't know/Not Sure/Refused | 3,554 | 4.25 | 6.09 |

Minutes of Physical Activity per week for First Activity

Calculated Varia 10.16 Calculated Variables Type: Num

bles:

Column: 1637-1641 SAS Variable Name: PAMIN1_

Prologue:

Description: Minutes of Physical Activity per week for First Activity

ValueValue LabelFrequencyPercentageWeighted Percentage0 - 99999Minutes of Activity per week56,474100.00100.00BLANKNot asked or Missing27,074

170 of 180 January 24, 2013

Mainblad

Minutes of Physical Activity per week for Second Activity

Calculated Variables Type: Num

bles:

Column: 1642-1646 SAS Variable Name: PAMIN2_

Prologue:

Description: Minutes of Physical Activity per week for Second Activity

Value Value Label Weighted

Frequency Percentage Percentage

0 - 99999 Minutes of Activity per week 55,906 100.00 100.00

BLANK Not asked or Missing 27,642

Minutes of total Physical Activity per week

Calculated Variables

Type: Num

bles:

Column: 1647-1651 SAS Variable Name: PAMIN_

Prologue:

Description: Minutes of total Physical Activity per week

Value Value Label Weighted Frequency Percentage Percentage

0 - 99999 Minutes of Activity per week 57,482 100.00 100.00

BLANK Not asked or Missing 26,066

Minutes of Vigorous Physical Activity per week for First Activity

Calculated Variables

Type: Num

bles:

Column: 1652-1656 SAS Variable Name: PAVIGM1_

Prologue:

Description: Minutes of Vigorous Physical Activity per week for First Activity

ValueValue LabelFrequencyPercentagePercentage0 - 99999Minutes of Activity per week57,109100.00100.00

BLANK Not asked or Missing 26,439

171 of 180 January 24, 2013

Weighted

Minutes of Vigorous Physical Activity per week for Second Activity

Calculated Variables Type: Num

bles:

Column: 1657-1661 SAS Variable Name: PAVIGM2_

Prologue:

Description: Minutes of Vigorous Physical Activity per week for Second Activity

Value Value Label Frequency Percentage Percentage

0 - 99999 Minutes of Activity per week 56,189 100.00 100.00

BLANK Not asked or Missing 27,359

Minutes of total Vigorous Physical Activity per week

Calculated Variables Type: Num

bles:

Column: 1662-1666 SAS Variable Name: PAVIGMN_

Prologue:

Description: Minutes of total Vigorous Physical Activity per week

Value Value Label Frequency Percentage Percentage

0 - 99999 Minutes of Activity per week 57,626 100.00 100.00

BLANK Not asked or Missing 25,922

Physical Activity Categories

CalculatedVaria 10.22 Calculated Variables Type: Num

bles:

Column: 1667 SAS Variable Name: _PACAT

Prologue:

Description: Physical Activity Categories

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------------------------------|-----------|------------|------------------------|
| 1 | Highly Active | 25,626 | 30.67 | 29.29 |
| 2 | Active | 14,707 | 17.60 | 18.50 |
| 3 | Insufficiently Active | 14,446 | 17.29 | 18.85 |
| 4 | Inactive | 22,018 | 26.35 | 24.14 |
| 9 | Don't know/Not Sure/Refused/Missing | 6,751 | 8.08 | 9.21 |

Physical Activity Index

Calculated Varia 10.23 Calculated Variables Type: Num

bles:

Column: 1668 SAS Variable Name: _PAINDEX

Prologue:

Description: Physical Activity Index

| Value Label | Frequency | Percentage | Weighted Percentage |
|--------------------------------------|--|--|--|
| Meet Aerobic Recommendations | 40,858 | 48.90 | 48.27 |
| Did Not Meet Aerobic Recommendations | 36,464 | 43.64 | 42.99 |
| Don't know/Not Sure/Refused/Missing | 6,226 | 7.45 | 8.74 |
| | Meet Aerobic Recommendations Did Not Meet Aerobic Recommendations | Meet Aerobic Recommendations 40,858 Did Not Meet Aerobic Recommendations 36,464 | Meet Aerobic Recommendations 40,858 48.90 Did Not Meet Aerobic Recommendations 36,464 43.64 |

150 Minute Physical Activity Calculated Variable

CalculatedVaria 10.24 Calculated Variables Type: Num

bles:

Column: 1669 SAS Variable Name: _PA150R1

Prologue:

Description: Adults that participated in 150 minutes (or vigorous equivalent minutes) of physical activity per week.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|---------------------|
| 1 | 150+ minutes (or vigorous equivalent minutes) of physical activity | 40,858 | 48.90 | 48.27 |
| 2 | 1-149 minutes (or vigorous equivalent minutes) of physical activity | 14,446 | 17.29 | 18.85 |
| 3 | 0 minutes (or vigorous equivalent minutes) of physical activity | 22,018 | 26.35 | 24.14 |
| 9 | Don't know/Not Sure/Refused/Missing | 6,226 | 7.45 | 8.74 |

300 Minute Physical Activity Calculated Variable

Calculated Variables Type: Num

bles:

Column: 1670 SAS Variable Name: _PA300R1

Prologue:

Description: Adults that participated in 300 minutes (or vigorous equivalent minutes) of physical activity per week.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | 301+ minutes (or vigorous equivalent minutes) of physical activity | 25,626 | 30.67 | 29.29 |
| 2 | 1-300 minutes (or vigorous equivalent minutes) of physical activity | 29,153 | 34.89 | 37.35 |
| 3 | 0 minutes (or vigorous equivalent minutes) of physical activity | 22,018 | 26.35 | 24.14 |
| 9 | Don't know/Not Sure/Refused/Missing | 6,751 | 8.08 | 9.21 |

300 Minute Physical Activity 2-Level Calculated Variable

Calculated Variables Type: Num

bles:

Column: 1671 SAS Variable Name: _PA3002L

Prologue:

Description: Adults that participated in 300 minutes (or vigorous equivalent minutes) of physical activity per week (2-levels).

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | 301+ minutes (or vigorous equivalent minutes) of physical activity | 25,626 | 30.67 | 29.29 |
| 2 | 0300 minutes (or vigorous equivalent minutes) of physical activity | 51,171 | 61.25 | 61.49 |
| 9 | Don't know/Not Sure/Refused/Missing | 6,751 | 8.08 | 9.21 |

Muscle Strengthening Recommendation

CalculatedVaria 10.27 Calculated Variables Type: Num

bles:

Column: 1672 SAS Variable Name: _PASTRNG

Prologue:

Description: Muscle Strengthening Recommendation

| Value Label | Frequency | Percentage | Percentage |
|---|--|--|--|
| Meet muscle strengthening recommendations | 20,196 | 24.17 | 26.90 |
| Did not meet muscle strengthening recommendations | 58,958 | 70.57 | 65.87 |
| Don't know/Not Sure/Refused/Missing | 4,394 | 5.26 | 7.23 |
| | Meet muscle strengthening recommendations Did not meet muscle strengthening recommendations | Meet muscle strengthening recommendations 20,196 Did not meet muscle strengthening recommendations 58,958 | Meet muscle strengthening recommendations 20,196 24.17 Did not meet muscle strengthening recommendations 58,958 70.57 |

Aerobic and Strengthening Guideline

CalculatedVaria 10.28 Calculated Variables Type: Num

bles:

Column: 1673 SAS Variable Name: _PAREC

Prologue:

Description: Aerobic and Strengthening Guideline

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|-------------------------------------|-----------|------------|------------|
| 1 | Met Both Guidelines | 14,285 | 17.10 | 18.82 |
| 2 | Met Aerobic Guidelines Only | 26,150 | 31.30 | 28.99 |
| 3 | Met Strengthening Guidelines Only | 5,262 | 6.30 | 7.47 |
| 4 | Did not meet Either Guideline | 30,942 | 37.03 | 35.21 |
| 9 | Don't know/Not Sure/Refused/Missing | 6,909 | 8.27 | 9.50 |

174 of 180 January 24, 2013

Waightad

Aerobic and Strengthening (2-level)

Calculated Varia 10.29 Calculated Variables Type: Num

bles:

Column: 1674 SAS Variable Name: _PASTAER

Prologue:

Description: Aerobic and Strengthening (2-level)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|-------------------------------------|-----------|------------|------------------------|
| 1 | Met Both Guidelines | 14,285 | 17.10 | 18.82 |
| 2 | Did Not Meet Both Guidelines | 62,354 | 74.63 | 71.68 |
| 9 | Don't know/Not Sure/Refused/Missing | 6,909 | 8.27 | 9.50 |

Always or Nearly Always Wear Seat Belts

Calculated Variables

Type: Num

bles:

Column: 1675 SAS Variable Name: _RFSEAT2

Prologue:

Description: Always or Nearly Always Wear Seat Belts Calculated Variable

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Always or Almost Always Wear Seat Belt | 75,412 | 90.26 | 88.57 |
| 2 | Sometimes, Seldom, or Never Wear Seat Belt | 3,876 | 4.64 | 4.23 |
| 9 | Don't know/Not Sure Or Refused/Missing | 4,260 | 5.10 | 7.20 |

Always Wear Seat Belts

Calculated Variables

Type: Num

bles:

Column: 1676 SAS Variable Name: _RFSEAT3

Prologue:

Description: Always Wear Seat Belts Calculated Variable

| Value | Value Label | Frequency | Percentage | Percentage |
|-------|--|-----------|------------|------------|
| 1 | Always Wear Seat Belt | 69,987 | 83.77 | 82.82 |
| 2 | Don't Always Wear Seat Belt | 9,301 | 11.13 | 9.98 |
| 9 | Don't know/Not Sure Or Refused/Missing | 4,260 | 5.10 | 7.20 |

175 of 180 January 24, 2013

Weighted

Flu Shot Calculated Variable

Calculated Variables

Type: Num

bles:

Column: 1677 SAS Variable Name: _FLSHOT5

Prologue:

Description: Adults aged 65+ who have had a flu shot within the past year

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | Yes Notes: AGE >=65 and FLUSHOT5 = 1 | 16,541 | 55.27 | 52.05 |
| 2 | No | 10,862 | 36.30 | 35.99 |
| 9 | Don't know/Not Sure Or Refused/Missing | 2,522 | 8.43 | 11.97 |
| BLANK | Age Less Than 65 | 53,623 | | |

Pneumonia Vaccination Calculated Variable

Calculated Variables Type: Num

bles:

Column: 1678 SAS Variable Name: _PNEUMO2

Prologue:

Description: Adults aged 65+ who have ever had a pneumonia vaccination

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes Notes: AGE >= 65 and PNEUVAC3 = 1 | 18,424 | 61.57 | 57.58 |
| 2 | No Notes: AGE >= 65 and PNEUVAC3 = 2 | 8,074 | 26.98 | 27.39 |
| 9 | Don't know/Not Sure Or Refused/Missing Notes: AGE = 7 or 9 or Missing or PNEUVAC3 = 7 or 9 or Missing | 3,427 | 11.45 | 15.03 |
| BLANK | Age Less Than 65 Notes: AGE < 65 | 53,623 | | |

Drink any alcoholic beverages in past 30 days

Calculated Variables

Type: Num

bles:

Column: 1679 SAS Variable Name: DRNKANY5

Prologue:

Description: Adults that report having had at least one drink of alcohol in the past 30 days.

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | Yes Notes: 1 <= ALCDAY5 <= 231 | 40,062 | 47.95 | 49.04 |
| 2 | No Notes: ALCDAY5=888 | 38,529 | 46.12 | 42.82 |
| 7 | Don't know/Not Sure Notes: ALCDAY5=777 | 363 | 0.43 | 0.31 |
| 9 | Refused/Missing Notes: ALCDAY5=999, Missing | 4,594 | 5.50 | 7.83 |

Computed drink-occasions-per-day

Calculated Variables

Type: Num

bles:

Column: 1680-1682 SAS Variable Name: DROCDY3_

Prologue:

Description: Drink-occasions-per-day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|---------|--|-----------|------------|---------------------|
| 0 | No Drink-Occasions per day Notes: ALCDAY5 = 888 | 38,529 | 46.12 | 42.83 |
| 1 - 899 | Drink-Occasions per day Notes: ALCDAY5 <= 231 | 40,060 | 47.95 | 49.03 |
| 900 | Don't know/Not Sure Or Refused/Missing Notes: ALCDAY5 = 777 or 999 or Missing | 4,955 | 5.93 | 8.14 |
| BLANK | | 4 | | |

Binge Drinking Calculated Variable

Calculated Variables Type: Num

bles:

Column: 1683 SAS Variable Name: _RFBING5

Prologue:

Description: Binge drinkers (males having five or more drinks on one occasion, females having four or more drinks on one

occasion)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | No Notes: ALCDAY5 < 300 and DRNK3GE5 = 0 or ALCDAY5 = 888 | 69,431 | 83.10 | 75.36 |
| 2 | Yes Notes: ALCDAY5 < 300 and DRNK3GE5 = 1 | 8,687 | 10.40 | 15.72 |
| 9 | Don't know/Refused/Missing Notes: DRNK3GE5 = 7 or 9 or Missing or ALCDAY5 = 777 or 999 or Missing | 5,430 | 6.50 | 8.92 |

Computed number of drinks of alcohol beverages per day

Calculated Variables Type: Num

bles:

Column: 1684-1687 SAS Variable Name: _DRNKDY4

Prologue:

Description: Calculated total number of alcoholic beverages consumed per day

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|----------|---|-----------|------------|------------------------|
| 0 | Did not drink Notes: ALCDAY5 = 888 | 38,529 | 46.12 | 42.83 |
| 1 - 9899 | Number of drinks per day Notes: ALCDAY5 / 7 per week or ALCDAY5 / 30 per month * AVEDRNK2 | 39,565 | 47.36 | 48.08 |
| 9900 | Don't know/Not sure/Refused/Missing Notes: ALCDAY5 = 777 or 999 or Missing | 5,451 | 6.52 | 9.10 |
| BLANK | | 3 | | |

Computed total number drinks a month

Calculated Variables Type: Num

bles:

Column: 1688-1691 SAS Variable Name: _DRNKMO4

Prologue:

Description: Calculated total number of alcoholic beverages consumed per month

| Value | Value Label | Frequency | Percentage | Percentage |
|----------|---|-----------|------------|------------|
| 0 | Did not drink in the past month Notes: _DRNKDY4 = 0 | 38,529 | 46.12 | 42.82 |
| 1 - 9998 | Number of Drinks Notes: _DRNKDY4 * 30 | 39,565 | 47.36 | 48.07 |
| 9999 | Don't know/Refused/Missing Notes: DRNKDY4 = 900 | 5,454 | 6.53 | 9.10 |

Heavy Alcohol Consumption Calculated Variable

Calculated Variables

Type: Num

bles:

Column: 1692 SAS Variable Name: _RFDRHV4

Prologue:

Description: Heavy drinkers (adult men having more than two drinks per day and adult women having more than one drink per

day)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | No Notes: SEX = 1 and _DRNKDY4 <= 2 or SEX = 2 and _DRNKDY4 <= 1 or ALCDAY5 = 888 | 73,963 | 88.53 | 85.50 |
| 2 | Yes Notes: SEX = 1 and _DRNKDY4 > 2 or SEX = 2 and _DRNKDY4 > 1 | 4,131 | 4.94 | 5.39 |
| 9 | Don't know/Refused/Missing Notes: _DRNKDY4 = 900 | 5,454 | 6.53 | 9.10 |

Adult Men Heavy Alcohol Consumption Calculated Variable

Calculated Variables

Type: Num

bles:

Column: 1693 SAS Variable Name: RFDRMN4

Prologue:

Description: Adult Men that are Heavy drinkers (having more than two drinks per day)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|------------------------|
| 1 | No Notes: SEX = 1 and _DRNKDY4 <= 2 or ALCDAY5 = 888 | 27,711 | 87.78 | 84.79 |
| 2 | Yes Notes: SEX = 1 and _DRNKDY4> 2 | 1,701 | 5.39 | 6.11 |
| 9 | Don't know/Refused/Missing Notes: _DRNKDY4 = 900 | 2,155 | 6.83 | 9.10 |
| BLANK | Respondent is female Notes: SEX = 2 | 51,981 | | |

Adult Women Heavy Alcohol Consumption Calculated Variable

Calculated Variables

Type: Num

bles:

Column: 1694 SAS Variable Name: _RFDRWM4

Prologue:

Description: Adult Women that are Heavy drinkers (having more than one drink per day)

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|---|-----------|------------|------------------------|
| 1 | No Notes: SEX = 2 and _DRNKDY4 <= 1 or ALCDAY5 = 888 | 46,252 | 88.98 | 86.18 |
| 2 | Yes Notes: SEX = 2 and _DRNKDY4 > 1 | 2,430 | 4.67 | 4.71 |
| 9 | Don't know/Refused/Missing Notes: _DRNKDY4 = 900 | 3,299 | 6.35 | 9.11 |
| BLANK | Respondent is male Notes: SEX = 1 | 31,567 | | |

Ever been tested for HIV calculated variable

Calculated Variables

Type: Num

bles:

Column: 1695 SAS Variable Name: _AIDTST3

Prologue:

Description: Adults that have ever been tested for HIV

| Value | Value Label | Frequency | Percentage | Weighted Percentage |
|-------|--|-----------|------------|---------------------|
| 1 | Yes Notes: HIVTST6 = 1 | 20,438 | 26.11 | 35.08 |
| 2 | No Notes: HIVTST6 = 2 | 55,095 | 70.38 | 59.69 |
| 9 | Don't know/Not Sure/Refused Notes: HIVTST6 = 7 or 9 | 2,745 | 3.51 | 5.23 |
| BLANK | Missing or Age greater than 64 Notes: HIVTST6 = Missing | 5,270 | | |