

NRC SUPPLEMENTARY INFORMATION FOR GENERAL LICENSEES OF TSI AEROSOL NEUTRALIZERS

MODELS 3012, 3012A AEROSOL NEUTRALIZERS
MODELS 3054, 3054A AEROSOL NEUTRALIZERS
MODELS 3077, 3077A AEROSOL NEUTRALIZERS



NRC Supplementary Information for General Licensees of TSI Neutralizers

Models 3012, 3012A Aerosol Neutralizers
Models 3054, 3054A Aerosol Neutralizers
Models 3077, 3077A Aerosol Neutralizers

Important

An above-listed Model Aerosol Neutralizer has been supplied to you under MN Department of Health License Number 1154-62 issued to TSI Incorporated. Your **receipt** of the neutralizer automatically makes you a “**General Licensee**” under the license. **Your purchase of the Aerosol Neutralizer has been reported to the NRC as required by the license. You are required to read and comply with the applicable requirements in the enclosed NRC regulations.**

The aerosol neutralizers listed above contain radioactive material in the form of Krypton-85 gas. In the United States the possession and use of radioactive materials falls under the regulatory authority of the U.S. Nuclear Regulatory Commission (NRC) at the federal level, or of a regulatory agency in your state. This depends on whether your state has entered into an agreement with the NRC for the purpose of controlling the use of radioactive material within the state. The states that appear on the list enclosed have their own control programs and are therefore called Agreement States. If your state is not on the list, your possession and use of the aerosol neutralizer is regulated by the NRC. The NRC divides itself into four regions across the United States (see Part 20, Appendix D enclosed).

You must be licensed to have the device in your possession. As stated above, receipt of the neutralizer automatically makes you a general licensee under NRC – Agreement State terminology. CFR regulations and Agreement States Points of Contact are available at web site <http://www.nrc.gov/>.

As a new general licensee you must adhere to the following requirements:

1. YOU MUST BE SUPPLIED WITH A COPY OF 10 CFR 30.51, 31.2, 31.5, 20.2201, AND 20.2202. SEE ENCLOSED. CURRENT REGULATIONS MAY BE ACCESSED AT <http://www.nrc.gov/>.
2. YOU ARE REQUIRED TO APPOINT A RESPONSIBLE INDIVIDUAL WHO WILL KNOW ABOUT THE REQUIREMENTS AND HAVE THE AUTHORITY TO CARRY OUT THE NECESSARY DUTIES TO COMPLY WITH THE REGULATORY REQUIREMENTS.
3. YOU MUST MAINTAIN THE DEVICE LABEL IN LEGIBLE CONDITION, SECURELY ATTACHED TO THE DEVICE AT ALL TIMES.
4. THE DEVICE SHALL NOT BE TRANSFERRED TO ANOTHER LOCATION, PERSON OR COMPANY.
5. YOU MUST RETAIN ACCURATE RECORDS OF THE RECEIPT AND DISPOSAL OF EACH DEVICE IN YOUR POSSESSION FOR A MINIMUM PERIOD OF THREE YEARS AFTER THE DEVICE IS RETURNED OR DISPOSED.

6. THE DEVICE SHOULD NOT BE ABANDONED OR DISPOSED OF EXCEPT BY RETURN TO:

RADIOACTIVE NEUTRALIZER RETURN
TSI INCORPORATED
500 CARDIGAN ROAD
SHOREVIEW, MN 55126-3996

FOR RETURN INFORMATION CALL TSI INCORPORATED AT: TEL# 651-490-2811 FAX# 651-490-3824.

7. YOU MUST NOTIFY THE NRC OR AN AGREEMENT STATE WITHIN 30 DAYS OF TRANSFER OR DISPOSAL OF THE DEVICE OR A CHANGE OF COMPANY NAME OR ADDRESS. SEE 10 CFR 31.5 (C)(8), (C)(9) AND (C)(14) AND/OR THE APPLICABLE STATE REGULATIONS.

8. IT IS THE POLICY OF THE NRC TO ISSUE HIGH CIVIL PENALTIES FOR LOSS, ABANDONMENT OR IMPROPER DISPOSAL.

9. IN THE EVENT THAT A DEVICE BECOMES DAMAGED, LOST, OR STOLEN, NOTIFY TSI INCORPORATED AT 651-490-2811 IMMEDIATELY. YOU WILL BE ADVISED AS TO REPORTING REQUIREMENTS, IF NECESSARY.

10. CORROSIVE MATERIALS CAN DEGRADE THE INTEGRITY OF THE UNIT. DO NOT USE CHEMICALS THAT CORRODE 303, 304, OR 316 STAINLESS STEEL, COPPER, SILVER BRAZE, OR EPOXY.

11. IN THE EVENT OF A LEAK, THE AREA CONTAINING THE DEVICE SHOULD BE IMMEDIATELY VENTILATED. BECAUSE KRYPTON-85 IS A GAS THERE IS NO CONTAMINATION THREAT ASSOCIATED WITH KRYPTON-85.

12. SOME AGREEMENT STATES REQUIRE THAT THE INITIAL RECEIPT OF A DEVICE BE REPORTED BY THE GENERAL LICENSEE TO THE APPROPRIATE AGENCY IN THAT STATE. CHECK THE AGREEMENT STATE LIST TO SEE IF YOU ARE UNDER NRC OR AGREEMENT STATE REGULATION.

13. THE CODE OF FEDERAL REGULATIONS IS UPDATED FREQUENTLY. ALSO, MOST STATES ARE ELECTING TO BECOME AGREEMENT STATES. CHECK THE NRC WEBSITE FOR 10 CFR UPDATES AND FOR CHANGES IN AGREEMENT STATES STATUS.

RECEIPT AND DISPOSAL RECORD

DEVICE		RECEIVED DATE	DATE OF RETURN TO TSI FOR DISPOSAL
MODEL NO.	SERIAL NO.		

This is your permanent record. It should be recorded in ink.

§30.51 Records.

(a) Each person who receives byproduct material pursuant to a license issued pursuant to the regulations in this part and parts 31 through 36 of this chapter shall keep records showing the receipt, transfer, and disposal of the byproduct material as follows:

(1) The licensee shall retain each record of receipt of byproduct material as long as the material is possessed and for three years following transfer or disposal of the material.

(2) The licensee who transferred the material shall retain each record of transfer for three years after each transfer unless a specific requirement in another part of the regulations in this chapter dictates otherwise.

(3) The licensee who disposed of the material shall retain each record of disposal of byproduct material until the Commission terminates each license that authorizes disposal of the material.

(b) The licensee shall retain each record that is required by the regulations in this part and parts 31 through 36 of this chapter or by license condition for the period specified by the appropriate regulation or license condition. If a retention period is not otherwise specified by regulation or license condition, the record must be retained until the Commission terminates each license that authorizes the activity that is subject to the recordkeeping requirement.

(c)(1) Records which must be maintained pursuant to this part and parts 31 through 36 of this chapter may be the original or a reproduced copy or microform if such reproduced copy or microform is duly authenticated by authorized personnel and the microform is capable of producing a clear and legible copy after storage for the period specified by Commission regulations. The record may also be stored in electronic media with the capability for producing legible, accurate, and complete records during the required retention period. Records such as letters, drawings, specifications, must include all pertinent information such as stamps, initials, and signatures. The licensee shall maintain adequate safeguards against tampering with and loss of records.

(2) If there is a conflict between the Commission's regulations in this part and parts 31 through 36 and 39 of this chapter, license condition, or other written Commission approval or authorization pertaining to the retention period for the same type of record, the retention period specified in the regulations in this part and parts 31 through 36 and 39 of this chapter for such records shall apply unless the Commission, pursuant to § 30.11, has granted a specific exemption from the record retention requirements specified in the regulations in this part or parts 31 through 36 and 39 of this chapter.

(d) Prior to license termination, each licensee authorized to possess radioactive material with a half-life greater than 120 days, in an unsealed form, shall forward the following records to the appropriate NRC Regional Office:

(1) Records of disposal of licensed material made under §§ 20.2002 (including burials authorized before January 28, 1981¹), 20.2003, 20.2004, 20.2005; and

(2) Records required by § 20.2103(b)(4).

(e) If licensed activities are transferred or assigned in accordance with § 30.34(b), each licensee authorized to possess radioactive material, with a half-life greater than 120 days, in an unsealed form, shall transfer the following records to the new licensee and the new licensee will be responsible for maintaining these records until the license is terminated:

(1) Records of disposal of licensed material made under §§ 20.2002 (including burials authorized before January 28, 1981), 20.2003, 20.2004, 20.2005; and

(2) Records required by § 20.2103(b)(4).

(f) Prior to license termination, each licensee shall forward the records required by § 30.35(g) to the appropriate NRC Regional Office.

[41 FR 18301, May 5, 1976, as amended at 43 FR 6922, Feb. 17, 1978; 52 FR 8241, Mar. 17, 1987; 53 FR 19245, May 27, 1988; 58 FR 7736, Feb. 9, 1993; 61 FR 24673, May, 16, 1996]

¹A previous § 20.304 permitted burial of small quantities of licensed materials in soil before January 28, 1981, without specific Commission authorization. See § 20.304 contained in the 10 CFR, parts 0 to 199, edition revised as of January 1, 1981.

§31.2 Terms and conditions.

The general licenses provided in this part are subject to the general provisions of Part 30 of this chapter (Secs. 30.1 through 30.10), the provisions of §§ 30.14(d), 30.34(a) to (e), 30.41, 30.50 to 30.53, 30.61 to 30.63, and Parts 19, 20, and 21, of this chapter¹ unless indicated otherwise in the specific provision of the general license.

[65 FR 79187, Dec. 18, 2000]

¹ Attention is directed particularly to the provisions of Part 20 of this chapter concerning labeling of containers.

§31.5 Certain detecting, measuring, gauging, or controlling devices and certain devices for producing light or an ionized atmosphere.⁽²⁾

(a) A general license is hereby issued to commercial and industrial firms and research, educational and medical institutions, individuals in the conduct of their business, and Federal, State or local government agencies to acquire, receive, possess, use or transfer, in accordance with the provisions of paragraphs (b), (c) and (d) of this section, byproduct material contained in devices designed and manufactured for the purpose of detecting, measuring, gauging or controlling thickness, density, level, interface location, radiation, leakage, or qualitative or quantitative chemical composition, or for producing light or an ionized atmosphere.

(b)(1) The general license in paragraph (a) of this section applies only to byproduct material contained in devices which have been manufactured or initially transferred and labeled in accordance with the specifications contained in—

(i) A specific license issued under § 32.51 of this chapter; or

(ii) An equivalent specific license issued by an Agreement State; or

(iii) An equivalent specific license issued by a State with provisions comparable to § 32.51 of this chapter.

(2) The devices must have been received from one of the specific licensees described in paragraph (b)(1) of this section or through a transfer made under paragraph (c)(9) of this section.

(c) Any person who acquires, receives, possesses, uses or transfers byproduct material in a device pursuant to the general license in paragraph (a) of this section:

(1) Shall assure that all labels affixed to the device at the time of receipt and bearing a statement that removal of the label is prohibited are maintained thereon and shall comply with all instructions and precautions provided by such labels;

(2) Shall assure that the device is tested for leakage of radioactive material and proper operation of the on-off mechanism and indicator, if any, at no longer than six-month intervals or at such other intervals as are specified in the label; however:

(i) Devices containing only krypton need not be tested for leakage of radioactive material, and

(ii) Devices containing only tritium or not more than 100 microcuries of other beta and/or gamma emitting material or 10 microcuries of alpha emitting material and devices held in storage in the original shipping container prior to initial installation need not be tested for any purpose;

(3) Shall assure that the tests required by paragraph (c)(2) of this section and other testing, installation, servicing, and removal from installation involving the radioactive materials, its shielding or containment, are performed:

(i) In accordance with the instructions provided by the labels; or

(ii) By a person holding a specific license pursuant to parts 30 and 32 of this chapter or from an Agreement State to perform such activities;

(4) Shall maintain records showing compliance with the requirements of paragraphs (c)(2) and (c)(3) of this section. The records must show the results of tests. The records also must show the dates of performance of, and the names of persons performing, testing, installing, servicing, and removing from the installation radioactive material and its shielding or containment. The licensee shall retain these records as follows:

(i) Each record of a test for leakage or radioactive material required by paragraph (c)(2) of this section must be retained for three years after the next required leak test is performed or until the sealed source is transferred or disposed of.

(ii) Each record of a test of the on-off mechanism and indicator required by paragraph (c)(2) of this section must be retained for three years after the next required test of the on-off mechanism and indicator is performed or until the sealed source is transferred or disposed of.

(iii) Each record that is required by paragraph (c)(3) of this section must be retained for three years from the date of the recorded event or until the device is transferred or disposed of.

(5) Shall immediately suspend operation of the device if there is a failure of, or damage to, or any indication of a possible failure of or damage to, the shielding of the radioactive material or the on-off mechanism or indicator, or upon the detection of 185 bequerel (0.005 microcurie) or more removable radioactive material. The device may not be operated until it has been repaired by the manufacturer or other person holding a specific license to repair such devices that was issued under parts 30 and 32 of this chapter or by an Agreement State. The device and any radioactive material from the device may only be disposed of by transfer to a person authorized by a specific license to receive the byproduct material in the device or as otherwise approved by the Commission. A report containing a brief description of the event and the remedial action taken; and, in the case of detection of 0.005 microcurie or more removable radioactive material or failure of or damage to a source likely to result in contamination of the premises or the environs, a plan for ensuring that the premises and environs are acceptable for unrestricted use, must be furnished to the Director, Office of Nuclear Material Safety and Safeguards, ATTN: GLTS, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001 within 30 days. Under these circumstances, the criteria set out in § 20.1402 of this chapter, "Radiological criteria for unrestricted use," may be applicable, as determined by the Commission on a case-by-case basis;

(6) Shall not abandon the device containing byproduct material;

(7) Shall not export the device containing byproduct material except in accordance with part 110 of this chapter;

(8)(i) Shall transfer or dispose of the device containing byproduct material only by export as provided by paragraph (c)(7) of this section, by transfer to another general licensee as authorized in paragraph (c)(9) of this section, or to a person authorized to receive the device by a specific license issued under parts 30 and 32 of this chapter, or part 30 of this chapter that authorizes waste collection, or equivalent regulations of an Agreement State, or as otherwise approved under paragraph (c)(8)(iii) of this section.

(ii) Shall, within 30 days after the transfer of a device to a specific licensee or export, furnish a report to the Director, Office of Nuclear Material Safety and Safeguards, ATTN: Document Control Desk/GLTS, using an appropriate method listed in § 30.6(a) of this chapter. The report must contain—

(A) The identification of the device by manufacturer's (or initial transferor's) name, model number, and serial number;

(B) The name, address, and license number of the person receiving the device (license number not applicable if exported); and

(C) The date of the transfer.

(iii) Shall obtain written NRC approval before transferring the device to any other specific licensee not specifically identified in paragraph (c)(8)(i) of this section; however, a holder of a specific license may transfer a device for possession and use under its own specific license without prior approval, if, the holder:

(A) Verifies that the specific license authorizes the possession and use, or applies for and obtains an amendment to the license authorizing the possession and use;

(B) Removes, alters, covers, or clearly and unambiguously augments the existing label (otherwise required by paragraph (c)(1) of this section) so that the device is labeled in compliance with § 20.1904 of this chapter; however the manufacturer, model number, and serial number must be retained;

(C) Obtains the manufacturer's or initial transferor's information concerning maintenance that would be applicable under the specific license (such as leak testing procedures); and

(D) Reports the transfer under paragraph (c)(8)(ii) of this section.

(9) Shall transfer the device to another general licensee only if—

(i) The device remains in use at a particular location. In this case, the transferor shall give the transferee a copy of this section, a copy of § 31.2, 30.51, 20.2201, and 20.2202 of this chapter, and any safety documents identified in the label of the device. Within 30 days of the transfer, the transferor shall report to the Director, Office of Nuclear Material Safety and Safeguards, ATTN: Document Control Desk/GLTS, using an appropriate method listed in § 30.6(a) of this chapter—

(A) The manufacturer's (or initial transferor's) name;

(B) The model number and the serial number of the device transferred;

(C) The transferee's name and mailing address for the location of use; and

(D) The name, title, and phone number of the responsible individual identified by the transferee in accordance with paragraph (c)(12) of this section to have knowledge of and authority to take actions to ensure compliance with the appropriate regulations and requirements; or

(ii) The device is held in storage by an intermediate person in the original shipping container at its intended location of use prior to initial use by a general licensee.

(10) Shall comply with the provisions of §§ 20.2201, and 20.2202 of this chapter for reporting radiation incidents, theft or loss of licensed material, but shall be exempt from the other requirements of parts 19, 20, and 21, of this chapter.

(11) Shall respond to written requests from the Nuclear Regulatory Commission to provide information relating to the general license within 30 calendar days of the date of the request, or other time specified in the request. If the general licensee cannot provide the requested information within the allotted time, it shall, within that same time period, request a longer period to supply the information by providing the Director, Office of Nuclear Material Safety and Safeguards, by an appropriate method listed in § 30.6(a) of this chapter, a written justification for the request.

(12) Shall appoint an individual responsible for having knowledge of the appropriate regulations and requirements and the authority for taking required actions to comply with appropriate regulations and requirements. The general licensee, through this individual, shall ensure the day-to-day compliance with appropriate regulations and requirements. This appointment does not relieve the general licensee of any of its responsibility in this regard.

(13)(i) Shall register, in accordance with paragraphs (c)(13)(ii) and (iii) of this section, devices containing at least 370 megabecquerels (10 millicuries) of cesium-137, 3.7 megabecquerels (0.1 millicurie) of strontium-90, 37

megabecquerels (1 millicurie) of cobalt-60, 3.7 megabecquerels (0.1 millicurie) of radium-226, or 37 megabecquerels (1 millicurie) of americium-241 or any other transuranic (i.e., element with atomic number greater than uranium (92)), based on the activity indicated on the label. Each address for a location of use, as described under paragraph (c)(13)(iii)(D) of this section, represents a separate general licensee and requires a separate registration and fee.

(ii) If in possession of a device meeting the criteria of paragraph (c)(13)(i) of this section, shall register these devices annually with the Commission and shall pay the fee required by Sec. 170.31 of this chapter. Registration must be done by verifying, correcting, and/or adding to the information provided in a request for registration received from the Commission. The registration information must be submitted to the NRC within 30 days of the date of the request for registration or as otherwise indicated in the request. In addition, a general licensee holding devices meeting the criteria of paragraph (c)(13)(i) of this section is subject to the bankruptcy notification requirement in § 30.34(h) of this chapter.

(iii) In registering devices, the general licensee shall furnish the following information and any other information specifically requested by the Commission—

(A) Name and mailing address of the general licensee.

(B) Information about each device: the manufacturer (or initial transferor), model number, serial number, the radioisotope and activity (as indicated on the label).

(C) Name, title, and telephone number of the responsible person designated as a representative of the general licensee under paragraph (c)(12) of this section.

(D) Address or location at which the device(s) are used and/or stored. For portable devices, the address of the primary place of storage.

(E) Certification by the responsible representative of the general licensee that the information concerning the device(s) has been verified through a physical inventory and checking of label information.

(F) Certification by the responsible representative of the general licensee that they are aware of the requirements of the general license.

(iv) Persons generally licensed by an Agreement State with respect to devices meeting the criteria in paragraph (c)(13)(i) of this section are not subject to registration requirements if the devices are used in areas subject to NRC jurisdiction for a period less than 180 days in any calendar year. The Commission will not request registration information from such licensees.

(14) Shall report changes to the mailing address for the location of use (including change in name of general licensee) to the Director, Office of Nuclear Material Safety and Safeguards, ATTN: GLTS, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001 within 30 days of the effective date of the change. For a portable device, a report of address change is only required for a change in the device's primary place of storage.

(15) May not hold devices that are not in use for longer than 2 years. If devices with shutters are not being used, the shutter must be locked in the closed position. The testing required by paragraph (c)(2) of this section need not be performed during the period of storage only. However, when devices are put back into service or transferred to another person, and have not been tested within the required test interval, they must be tested for leakage before use or transfer and the shutter tested before use. Devices kept in standby for future use are excluded from the two-year time limit if the general licensee performs quarterly physical inventories of these devices while they are in standby.

(d) The general license in paragraph (a) of this section does not authorize the manufacture or import of devices containing byproduct material.

²Persons possessing byproduct material in devices under a general license in § 31.5 before January 15, 1975, may continue to possess, use, or transfer that material in accordance with the labeling requirements of § 31.5 in effect on January 14, 1975.

[39 FR 43532, Dec. 16, 1974, as amended at 40 FR 8785, Mar. 3, 1975; 40 FR 14085, Mar. 28, 1975; 42 FR 25721, May 19, 1977; 42 FR 28896, June 6, 1977; 43 FR 6922, Feb. 17, 1978; 53 FR 19246, May 27, 1988; 56 FR 23471, May 21, 1991; 56 FR 61352, Dec. 3, 1991; 58 FR 67659, Dec. 22, 1993; 64 FR 42275, Aug. 4, 1999; 65 FR 79188, Dec. 18, 2000; 68 FR 58804, Oct. 10, 2003; 72 FR 55926, Oct. 1, 2007; 72 FR 58486, Oct. 16, 2007; 73 FR 5718, Jan. 31, 2008; 73 FR 42673, July 23, 2008; 79 FR 75739, Dec. 19, 2014]

§20.2201 Reports of theft or loss of licensed material.

(a) Telephone reports. (1) Each licensee shall report by telephone as follows:

(i) Immediately after its occurrence becomes known to the licensee, any lost, stolen, or missing licensed material in an aggregate quantity equal to or greater than 1,000 times the quantity specified in appendix C to part 20 under such circumstances that it appears to the licensee that an exposure could result to persons in unrestricted areas; or

(ii) Within 30 days after the occurrence of any lost, stolen, or missing licensed material becomes known to the licensee, all licensed material in a quantity greater than 10 times the quantity specified in appendix C to part 20 that is still missing at this time.

(2) Reports must be made as follows:

(i) Licensees having an installed Emergency Notification System shall make the reports to the NRC Operations Center in accordance with § 50.72 of this chapter, and

(ii) All other licensees shall make reports by telephone to the NRC Operations Center (301)-816-5100.

(b) Written reports. (1) Each licensee required to make a report under paragraph (a) of this section shall, within 30 days after making the telephone report, make a written report setting forth the following information:

(i) A description of the licensed material involved, including kind, quantity, and chemical and physical form; and

(ii) A description of the circumstances under which the loss or theft occurred; and

(iii) A statement of disposition, or probable disposition, of the licensed material involved; and

(iv) Exposures of individuals to radiation, circumstances under which the exposures occurred, and the possible total effective dose equivalent to persons in unrestricted areas; and

(v) Actions that have been taken, or will be taken, to recover the material; and

(vi) Procedures or measures that have been, or will be, adopted to ensure against a recurrence of the loss or theft of licensed material.

(2) Reports must be made as follows:

(i) For holders of an operating license for a nuclear power plant, the events included in paragraph (b) of this section must be reported in accordance with the procedures described in § 50.73(b), (c), (d), (e), and (g) of this chapter and must include the information required in paragraph (b)(1) of this section, and

(ii) All other licensees shall make reports to the Administrator of the appropriate NRC Regional Office listed in appendix D to part 20.

(c) A duplicate report is not required under paragraph (b) of this section if the licensee is also required to submit a report pursuant to §§ 30.55(c), 37.57, 37.81, 40.64(c), 50.72, 50.73, 70.52, 73.27(b), 73.67(e)(3)(vii), 73.67(g)(3)(iii), 73.71, or 150.19(c) of this chapter.

(d) Subsequent to filing the written report, the licensee shall also report any additional substantive information on the loss or theft within 30 days after the licensee learns of such information.

(e) The licensee shall prepare any report filed with the Commission pursuant to this section so that names of individuals who may have received exposure to radiation are stated in a separate and detachable part of the report.

[56 FR 23406, May 21, 1991, as amended at 58 FR 69220, Dec. 30, 1993; 60 FR 20186, Apr. 25, 1995; 66 FR 64738, Dec. 14, 2001; 67 FR 3585, Jan. 25, 2002; 78 FR 17006, Mar. 19, 2013]

§20.2202 Notification of incidents.

(a) Immediate notification. Notwithstanding any other requirements for notification, each licensee shall immediately report any event involving byproduct, source, or special nuclear material possessed by the licensee that may have caused or threatens to cause any of the following conditions--

(1) An individual to receive--

(i) A total effective dose equivalent of 25 rems (0.25 Sv) or more; or

(ii) A lens dose equivalent of 75 rems (0.75 Sv) or more; or

(iii) A shallow-dose equivalent to the skin or extremities of 250 rads (2.5 Gy) or more; or

(2) The release of radioactive material, inside or outside of a restricted area, so that, had an individual been present for 24 hours, the individual could have received an intake five times the annual limit on intake (the provisions of this paragraph do not apply to locations where personnel are not normally stationed during routine operations, such as hot-cells or process enclosures).

(b) Twenty-four hour notification. Each licensee shall, within 24 hours of discovery of the event, report any event involving loss of control of licensed material possessed by the licensee that may have caused, or threatens to cause, any of the following conditions:

(1) An individual to receive, in a period of 24 hours--

(i) A total effective dose equivalent exceeding 5 rems (0.05 Sv); or

(ii) A lens dose equivalent exceeding 15 rems (0.15 Sv); or

(iii) A shallow-dose equivalent to the skin or extremities exceeding 50 rems (0.5 Sv); or

(2) The release of radioactive material, inside or outside of a restricted area, so that, had an individual been present for 24 hours, the individual could have received an intake in excess of one occupational annual limit on intake (the provisions of this paragraph do not apply to locations where personnel are not normally stationed during routine operations, such as hot-cells or process enclosures).

(c) The licensee shall prepare any report filed with the Commission pursuant to this section so that names of individuals who have received exposure to radiation or radioactive material are stated in a separate and detachable part of the report.

(d) Reports made by licensees in response to the requirements of this section must be made as follows:

(1) Licensees having an installed Emergency Notification System shall make the reports required by paragraphs (a) and (b) of this section to the NRC Operations Center in accordance with 10 CFR 50.72; and

(2) All other licensees shall make the reports required by paragraphs (a) and (b) of this section by telephone to the NRC Operations Center (301) 816-5100.

(e) The provisions of this section do not include doses that result from planned special exposures, that are within the limits for planned special exposures, and that are reported under § 20.2204.

[56 FR 23406, May 21, 1991, as amended at 56 FR 40766, Aug. 16, 1991; 57 FR 57879, Dec. 8, 1992; 59 FR 14086, Mar. 25, 1994; 63 FR 39483, July 23, 1998]

Appendix D to Part 20 -- United States Nuclear Regulatory Commission Regional Offices

	Address	Telephone
<p style="text-align: center;">Region I:</p> <p>Connecticut, Delaware, District of Columbia, Maine, Maryland, Massachusetts, New Hampshire, New Jersey, New York, Pennsylvania, Rhode Island, and Vermont.</p>	<p>U.S. NRC Region I 2100 Renaissance Boulevard Renaissance Park King of Prussia, PA 19406</p>	<p>(610) 337-5000 1-800-432-1156</p>
<p style="text-align: center;">Region II:</p> <p>Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, Puerto Rico, South Carolina, Tennessee, Virginia, Virgin Islands, and West Virginia.</p>	<p>U.S. NRC Region II Marquis One Tower 245 Peachtree Center Avenue N.E., Suite 1200 Atlanta, GA 30303</p>	<p>(404) 997-4000 1-800-577-8510</p>
<p style="text-align: center;">Region III:</p> <p>Illinois, Indiana, Iowa, Michigan, Minnesota, Missouri, Ohio, and Wisconsin.</p>	<p>U.S. NRC Region III 2443 Warrenville Road Suite 210 Lisle, IL 60532-4352</p>	<p>(630) 829-9500 1-800-522-3025</p>
<p style="text-align: center;">Region IV:</p> <p>Alaska, Arizona, Arkansas, California, Colorado, Hawaii, Idaho, Kansas, Louisiana, Montana, Nebraska, Nevada, New Mexico, North Dakota, Oklahoma, Oregon, South Dakota, Texas, Utah, Washington, Wyoming, and the U.S. territories and possessions in the Pacific.</p>	<p>U.S. NRC Region IV 1600 East Lamar Boulevard Arlington, TX 76011-4511</p>	<p>(817) 860-8100, 1-800-952-9677</p>
<p style="text-align: center;">Technical Training Center</p>	<p>U.S. Nuclear Regulatory Commission Technical Training Center Osborne Office Center 5746 Marlin Road, Suite 200 Chattanooga, TN 37411-5677</p>	<p>(423) 855-6500.</p>

Agreement States Points of Contact

(For most current information, please visit: <https://scp.nrc.gov/asdirectory.html>)

Alabama

David Walter, Director
Office of Radiation Control
State Department of Public Health
201 Monroe Street
P.O. Drawer 303017
Montgomery, AL 36130-3017

PH (334)206-5394
FX (334)206-5387
david.walter@adph.state.al.us

Arizona

Brian Goretzki, Acting Director
Arizona Radiation Regulatory Agency
4814 South 40th Street
Phoenix, AZ 85040

PH (602)255-4840
FX (602)437-0705
bg@azrra.gov

Arkansas

Bernard Bevill
AR Department of Health
Radioactive Materials Program
4815 West Markham, Slot H-30
Little Rock, AR 72205

PH (501)661-2301
FX (501)280-4407
bernard.bevill@arkansas.gov

California

Gonzalo Perez, Chief
Radiologic Health Branch
1500 Capitol Ave., MS 7610
Sacramento, CA 95814

PH (916)440-7942
FX (916)440-7999
gonzalo.perez@cdph.ca.gov

Colorado

Jennifer Opila, Program Manager
Hazardous Materials & Waste Management Division
Department of Public Health and Environment
HMWM-RAD-B2
4300 Cherry Creek Drive South
Denver, CO 80246-1530

PH (303)692-3403
FX (303)759-5355
Jennifer.opila@state.co.us

Florida

Cynthia Becker, M.P.H., Chief
Bureau of Radiation Control
Florida Department of Health
4052 Bald Cypress Way, SE, Bin C21
Tallahassee, FL 32399-1741

PH (850)245-4266
FX (850)487-0435
cindy_becker@doh.state.fl.us

Agreement States Points of Contact

(For most current information, please visit: <https://scp.nrc.gov/asdirectory.html>)

Georgia

David Matos, Manager
 Radioactive Materials Program
 Air Protection Branch
 Department of Natural Resources
 4244 International Parkway, Suite 120
 Atlanta, GA 30354

PH (404)363-7127
 FX (404)363-7100
David.Matos@dnr.ga.us

Illinois

Joseph G. Klinger, Assistant Director
 Illinois Emergency Management Agency
 Division of Nuclear Safety
 2200 S. Dirksen Parkway
 Springfield, IL 62703

PH (217)785-9868
 FX (217)558-7398
Joe.Klinger@illinois.gov

Iowa

Angela Leek, Bureau Chief
 Bureau of Radiological Health
 Iowa Department of Public Health
 Lucas Office Bldg., 5th Floor
 321 East 12th Street
 Des Moines, IA 50319

PH (515)281-3478
 FX (515)281-4529
angela.leek@idph.iowa.gov

Kansas

Kimberly S. Steves, Chief
 KS Dept of Health & Environment
 1000 SW Jackson, Suite 330
 Topeka, KS 66612-1365

PH (785)296-4359
 FX (785)296-0984
kim.steves@ks.gov

Kentucky

Matthew W. McKinley, Administrator
 Cabinet for Health & Family Services
 Radiation Health Branch
 275 East Main Street HS1C-A
 Frankfort, KY 40621-0001

PH (502)564-3700 ext 4181
 FX (502)564-1492
MatthewW.Mckinley@ky.gov

Louisiana

Bryan Riche`, Division Administrator
 Assessment Division - Radiation Section
 Office of Environmental Compliance
 P.O. Box 4312
 Batton Rouge, LA 70821-4312

PH (225)219-3616
 FX (225)219-3310
Bryan.Riche@la.gov

Agreement States Points of Contact

(For most current information, please visit: <https://scp.nrc.gov/asdirectory.html>)

Maine

Jay Hyland, Manager
Radiation Control Program
Division of Environmental Health
286 Water St, Key Plaza, 4th Floor, 11SHS
Augusta, ME 04333-0011

PH (207)287-5677
FX (207)287-3059
jay.hyland@Maine.gov

Maryland

Roland G. Fletcher
Radiological Health Program
Air & Radiation Management Adm.
Maryland Dept of the Environment
1800 Washington Blvd, Suite 750
Baltimore, MD 21230-1718

PH (410)537-3300
FX (410)537-3198
Roland.Fletcher@maryland.gov

Massachusetts

Jack Priest, Director
Department of Public Health
Radiation Control Program
Bureau of Environmental Health
Schrafft Center, Suite 1M2A
529 Main Street
Charlestown, MA 02129

PH (617)242-3035, x2001
FX (617)242-3457
jack.priest@state.ma.us

Minnesota

Mary Navara RN, COHN-S, MPH, Manager
Indoor Environments and Radiation Section
Environmental Health Division
Department of Health
P.O. Box 64975
St. Paul, MN 55164-0975

PH (651)201-5826
FX (651)201-4606
mary.navara@state.mn.us

Mississippi

B.J. Smith, Director
Division of Radiological Health
Mississippi State Department of Health
3150 Lawson Street, P.O. Box 1700
Jackson, MS 39215-1700

PH (601)987-6893
FX (601)987-6887
bjsmith@msdh.state.ms.us

Agreement States Points of Contact

(For most current information, please visit: <https://scp.nrc.gov/asdirectory.html>)

Nebraska

Julia A. Schmitt, Program Manager
NE Dept. of Health & Human Services
Office of Radiological Health
301 Centennial Mall South
P.O. Box 95026
Lincoln, NE 68509-5026

PH (402) 471-0528
FX (402) 471-0169
julia.schmitt@nebraska.gov

Nevada

Karen Beckley, Manager
Radiation Control Program
Division of Public and Behavioral Health
675 Fairview Drive, Suite 218
Carson City, NV 89706

PH (775)687-7540
FX (775)687-7552
kbeckley@health.nv.gov

New Hampshire

Augustinus Ong, Administrator
NH Radiological Health Section
Department of Health and Human Services
29 Hazen Drive
Concord, New Hampshire 03301-6504

PH (603)271-4585
FX (603)225-2325
augustinus.ong@dhhs.state.nh.us

New Jersey

Paul Baldauf, Director
Division of Environmental Safety & Health
Dept. of Environmental Protection
P.O. Box 420
Trenton, NJ 08625-0420

PH (609)633-7964
FX (609) 777-1330
paul.baldauf@dep.state.nj.us

New Mexico

Santiago Rodriguez, Bureau Chief
Radiation Control Bureau
New Mexico Department of Environment
Marquez Building-Suite 1
525 Camino de Los Marquez
Santa Fe, NM 87505
or
P.O. Box 5469
Santa Fe, NM 87502-5469

PH (505)476-8604
FX (505)270-1930
santiago.rodriguez1@state.nm.us

Agreement States Points of Contact

(For most current information, please visit: <https://scp.nrc.gov/asdirectory.html>)

New York

Stephen Gavitt, CHP, Director
Bureau of Environmental Radiation Protection
Empire State Plaza-Corning Tower-12th Fl.
Albany, NY 12237

PH (518)402-7550
FX (518)402-7554
Stephen.Gavitt@health.ny.gov

Geoffrey Korir, Director
Bureau of Environmental Sciences and Engineering
New York City Department of Health
42-09 28th Street, 14th Floor CN#56
Long Island City, NY 11101

PH (347)396-6001
FX (347)396-6089
gkorir@health.nyc.gov

Timothy B. Rice, Chief
Radiological Sites Section
Remedial Bureau A
New York State Department of Environmental Conservation
625 Broadway, 11th Floor
Albany, NY 12233-7255

PH (518)402-8579
FX (518)402-9020
tbrice@gw.dec.state.ny.us

North Carolina

Lee Cox, Chief
Radiation Protection Section
Dept of Health and Human Services
5505 Creedmoor Rd, First Floor
Raleigh, NC 27612

PH (919) 814-2250
lee.cox@dhhs.nc.gov

North Dakota

Terry L. O'Clair, Director
North Dakota Dept of Health
Division of Air Quality, 2nd Floor
918 East Divide Ave.
Bismarck, ND 58501-1947

PH (701)328-5188
FX (701)328-5185
toclair@nd.gov

Ohio

Michael Snee
Bureau of Radiation Protection
Ohio Department of Health
246 North High Street
Columbus, OH 43215

PH (614)644-2727
FX (614)466-0381
Michael.snee@odh.ohio.gov

Agreement States Points of Contact

(For most current information, please visit: <https://scp.nrc.gov/asdirectory.html>)

Oklahoma

Mike Broderick, Environmental Program Mgr. II
Radiation Management Section
OK Dept of Environmental Quality
P.O. Box 1677
Oklahoma City, OK 73101-1677

PH (405)702-5155
FX (405)702-5101
mike.broderickmassmailing@deq.ok.gov

Oregon

David M. Howe, M.A., Program Director
Radiation Protection Services
Oregon Health Services
Department of Human Services
800 NE Oregon Street, Suite 640
Portland, OR 97232-2162

PH (971)673-0499
FX (971) 673-0553
david.m.howe@state.or.us

Pennsylvania

David Allard, CHP, Director
PA Dept. of Environmental Protection
Bureau of Radiation Protection
Rachel Carson State Office Building
P.O. Box 8469
Harrisburg, PA 17105-8469

PH (717)787-2480
FX (717)783-8965
djallard@pa.gov

Rhode Island

Seema Dixit, Chief
Center for Health Facilities and Regulations
Rhode Island Department of Health
3 Capitol Hill, Room 305
Providence, RI 02908

PH (401)222-7463
FX (401)222-3999
Seema.Dixit@health.ri.gov

South Carolina

Aaron A. Gantt, Chief
Dept of Health & Environmental Control
Bureau of Radiological Health
2600 Bull Street
Columbia, SC 29201

PH (803)545-4420
FX (803)545-4412
ganttaa@dhec.sc.gov

David Scaturo, P.E., PG, Director
Dept of Health & Environmental Control
Bureau of Land and Waste Management
2600 Bull Street
Columbia, SC 29201

PH (803)898-0290
FX (803)898-0590
scaturdm@dhec.sc.gov

Agreement States Points of Contact

(For most current information, please visit: <https://scp.nrc.gov/asdirectory.html>)

Tennessee

Debra Shults, Director
Division of Radiological Health
TN Dept of Environment & Conservation
William R. Snodgrass Tennessee Tower-15th Floor
312 Rosa L. Parks Avenue
Nashville, TN 37243

PH (615)532-0364
FX (615)532-0614
debra.shults@tn.gov

Texas

Charlotte Sullivan, M.S.A., B.S.N., Manager
Regulatory Licensing Unit Manager
Division for Regulatory Services
Texas Dept. of State Health Services
P.O. Box 149347-Mail Code 2835
Austin, TX 78714-9347

PH (512)834-6600 Ext.6730
FX (512) 834-6710
charlotte.sullivan@dshs.state.tx.us

Charles Maguire
Director
Radiation Materials Division, MC 233
Texas Commission on Environmental Quality
P.O. Box 13087
Austin, TX 78711-3087

PH (512)239-6731
FX (512)239-6464
charles.maguire@tceq.texas.gov

Utah

Scott T. Anderson, Director
Division of Radiation Control
Dept. of Environmental Quality
195 North 1950 West
P.O. Box 144880
Salt Lake City, UT 84114-4880

PH (801)536-0200
FX (801)536-0222
standerson@utah.gov

Virginia

Steve A. Harrison, Director
Division of Radiological Health
Department of Health-James Madison Bldg.
109 Governor Street, Rm 736
Richmond, VA 23219

PH (804)864-8151
FX (804)864-8155
steve.harrison@vdh.virginia.gov

Agreement States Points of Contact

(For most current information, please visit: <https://scp.nrc.gov/asdirectory.html>)

Washington

David B. Jansen, Director
Office of Radiation Protection
Washington Department of Health
P.O. Box 47827
Olympia, WA 98504-7827

PH (360)236-3210
FX (360)236-2255
David.jansen@doh.wa.gov

Wisconsin

Paul Schmidt, Manager
Radiation Protection Section
Division of Public Health
Dept of Health Services
P.O. Box 2659
Madison, WI 53701-2659

PH (608)267-4792
FX (608)267-3695
paul.schmidt@dhs.wisconsin.gov

Non-Agreement States Points of Contact

Alaska

Clyde E. Pearce, Chief
Radiological Health Program
Section of Laboratories
State of Alaska/DH&SS
5455 Dr. Martin Luther King, Jr., Ave
Anchorage, AK 99507-1270

PH (907)334-2107
FX (907)334-2161
clyde.pearce@alaska.gov

Connecticut

Jeffrey Semancik, Director
Radiation Division
Connecticut Dept. of Energy and Environmental Protection
79 Elm Street
Hartford, CT 06106

PH (860)424-4190
FX (860)424-4065
jeffery.semancik@ct.gov

Delaware

Frieda Fisher-Tyler, Administrator
Division of Public Health
417 Federal St., Jess S. Cooper Bldg.
Dover, DE 19903

PH (302)744-4546
FX (302)739-3839
frieda.Fisher-Tyler@state.de.us

Non-Agreement States Points of Contact

District of Columbia

Gregory B. Talley, Program Manager
 Department of Health
 HRLA/Radiation Protection Division
 899 North Capital Street, NE, 2nd Fl
 Washington, DC 20002

PH (202)724-8800
 FX (202)727-8677
Greg.Talley@dc.gov

Hawaii

Jeffrey M. Eckerd, Supervisor
 Radiation Section, Department of Health
 Indoor & Radiological Health Branch
 99-945 Halawa Valley Street
 Honolulu, HI 96701

PH (808)586-4700
 FX (808)586-5838
jeffrey.eckerd@doh.hawaii.gov

Idaho

Mark Dietrich, Administrator
 Technical Services Division
 1410 North Hilton
 Boise, ID 83706

PH (208)373-0204
 FX (208)373-0143
mark.dietrich@deq.idaho.gov

Indiana

Mary Striker, Program Manager
 Medical Radiology Services
 2 North Meridian Street, 4th Floor Selig
 Indianapolis, IN 46204

PH (317)464-7394
 FX (317)234-7234
mstriker@dhs.in.gov

Michigan

Ken Yale, Section Chief
 Radiological Protection Section
 Office of Waste Management and Radiological Protection
 MI Dept of Environmental Quality
 525 West Allegan Street
 PO Box 30241
 Lansing, MI 48909-7741

PH (517)930-5784
 FX (517)373-4797
YaleK@michigan.gov

Missouri

John Langston
 Missouri Radiation Control Program
 Bureau of Ambulatory Care
 Division of Regulation and Licensure
 1617 Southridge, P.O. Box 570
 Jefferson City, MO 68102-0570

PH (573)751-6083
 FX (573)751-6158
john.langston@dhss.mo.gov

Non-Agreement States Points of Contact

Puerto Rico	
<p>Brian Watson, Administrator Quality Assurance Division Montana Dept of Public Health & Human Services 2401 Colonial Drive P.O. Box 202953 Helena, MT 59620-2953</p>	<p>PH (406)444-2868 FX (406)444-1742 bwatson@mt.gov</p>
South Dakota	
<p>Raul Hernandez, Director Radiological Health Division Department of Health P.O. Box 70184 San Juan, PR 00936-8184</p>	<p>PH (787)765-2929 FX (787)274-6829 rhernandez@salud.gov.pr</p>
Vermont	
<p>Todd McCaskell, Medical Facilities Engineer Supervisor Office of Health Care Facilities Licensure & Certification South Dakota Department of Health 615 East 4th Street Pierre, SD 57501-1700</p>	<p>PH (605)663-3231 FX (605)773-6667 Todd.mccskell@state.sd.us</p>
West Virginia	
<p>William Irwin II, SC.D, CHP, Radiological Health Chief VT Department of Health 108 Cherry Street P.O. Box 70, Drawer #43 Burlington, VT 05402-0070</p>	<p>PH (802)865-7730 FX (802)865-7745 william.irwin@state.vt.us</p>
Wyoming	
<p>Tony Turner, Director Radiation, Toxics and Indoor Air Div. Office of Environmental Health Services 350 Capitol Street, Room 313 Charleston, WV 25301-1798</p>	<p>PH (304)356-4273 FX (304)558-1289 tony.turner@wv.gov</p>
Wyoming	
<p>Scott W. Ramsay, Radiological Services Manager 5500 Bishop Blvd. Cheyenne, WY 82002</p>	<p>PH (307)777-4951 FX (307)777-4955 scott.ramsay@wyo.gov</p>

Points of contacts last modified 6 Dec 2016.

For current information, please see <https://scp.nrc.gov/asdirectory.html>.



UNDERSTANDING, ACCELERATED

TSI Incorporated – Visit our website www.tsi.com for more information.

USA	Tel: +1 800 874 2811	India	Tel: +91 80 67877200
UK	Tel: +44 149 4 459200	China	Tel: +86 10 8219 7688
France	Tel: +33 1 41 19 21 99	Singapore	Tel: +65 6595 6388
Germany	Tel: +49 241 523030		

P/N 1930034 Rev D

©2017 TSI Incorporated

Printed in U.S.A.

