



Safety Data Sheet

Spectrum Advance Hand Sanitizer Gel

Section 1. Identification

Product Identifier	Spectrum Advance Hand Sanitizer Gel		
Synonyms	HH70G02; HH70G04; HH70G08; HH70G1000; HH70G12N; HH70G15; HH70GPACKET; MSD_SDS0232		
Manufacturer Stock Numbers	HH70G02; HH70G04; HH70G08; HH70G1000; HH70G12N; HH70G15; HH70GPACKET		
Recommended use	Hand sanitizer		
Uses advised against	No information available.		
Manufacturer Contact Address	Medline Industries, Inc. 3 Lakes Drive Northfield, IL, 60093 USA		
	Phone	Emergency Phone	Fax
	(800) 633-5463	(800) 424-9300 CHEMTREC	(847) 643-4436
	Website		
	www.Medline.com		

Section 2. Hazards Identification

Classification	FLAMMABLE LIQUIDS - Category 3
Signal Word	Danger
Pictogram	



Hazard Statements	Flammable liquid and vapor
Precautionary Statements	
Response	<p>If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.</p> <p>If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or doctor/physician.</p> <p>In case of fire: Use CO2, dry chemical, or foam to extinguish.</p> <p>Specific treatment (see supplemental first aid instructions on this label)</p>
Prevention	<p>Ground/bond container and receiving equipment.</p> <p>Keep away from heat/sparks/open flames/ hot surfaces. - No smoking.</p> <p>Keep container tightly closed.</p> <p>Take precautionary measures against static discharge.</p> <p>Use explosion-proof electrical/ventilating/lighting/equipment.</p> <p>Use only non-sparking tools.</p> <p>Wear protective gloves/protective clothing/eye protection/face protection</p>
Storage	Store in a well-ventilated place. Keep cool.
Disposal	Dispose of contents/container to an approved waste disposal plant.

Ingredients of unknown toxicity 0%

Hazards not Otherwise Classified

N.A.

Other information: Prolonged or repeated contact may dry skin and cause irritation
May cause slight eye irritation

Interactions with Other Chemicals: No information available.

Section 3. Ingredients

CAS	Ingredient Name	Weight %
64-17-5	Ethyl Alcohol 70% v/v	50% - 100%
85507-69-3	Aloe Barbadensis Leaf Juice	10% - Max
7695-91-2	Tocopheryl Acetate	10% - Max
56-81-5	Glycerin	10% - Max
110-27-0	Isopropyl Myristate	10% - Max
Proprietary	Acrylates/C10-13 Alkyl Acrylates Crosspolymer	10% - Max
7732-18-5	Water	10% - 50%

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-Aid Measures

General Advice: Show this safety data sheet to the doctor in attendance.

Eye Contact:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if applicable, and continue flushing. If symptoms persist, call a physician.
Skin Contact:	In the case of skin irritation or allergic reactions see a physician.
Inhalation:	Move to fresh air. Get medical attention immediately if symptoms occur. If breathing has stopped, contact emergency medical services immediately and give artificial respiration.
Ingestion:	If swallowed do not induce vomiting. Clean mouth with water and afterwards drink plenty of water. Never give anything by mouth to an unconscious person. Consult a physician if necessary.
Most important symptoms/effects:	Burning sensation. Itching. Rashes. Hives. Coughing and/or wheezing. May cause breathing difficulties if inhaled.
Note to Physician:	Treat symptomatically

Section 5. Fire Fighting Measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical. Carbon dioxide (CO ₂). Water spray. Alcohol resistant foam.
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical:	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Vapors may form explosive mixtures with air. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks).
Uniform Fire Code:	Flammable Liquid: I-C
Hazardous combustion products:	Carbon oxides.
Explosion data:	Sensitivity to Mechanical Impact: No Sensitivity to Static Discharge: Yes
Protective equipment & precautions for firefighters:	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:	Avoid contact with eyes and clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. See section 8 for more information. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.
Other Information:	Refer to protective measures listed in sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
Methods for containment:	Prevent further leakage or spillage if safe to do so. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways.

Methods for cleaning up: Take precautionary measures against static discharges. Dam up. Soak with inert absorbent material. Pickup and transfer to properly labeled containers.

Section 7. Handling and Storage

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes and clothing. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment.

Storage: Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

Incompatible materials: None known based on information supplied.

Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits	Ingredient Name	ACGIH TLV	OSHA PEL	STEL
	Ethyl Alcohol 70% v/v	STEL: 1,000 ppm Note: Upper respiratory track irritation. Confirmed animal carcinogen with unknown relevance to humans.	TWA: 1,000 ppm 1,900mg/mm ³ 29 CFR 1910.1000 Table Z-1 Limits	N/A
	Aloe Barbadensis Leaf Juice	N/A	N/A	N/A
	Tocopheryl Acetate	N/A	N/A	N/A
	Glycerin	10 mg/m ³ (mist)	Total dust: 15 mg/m ³ TWA: 10 mg/m ³ Respirable fraction: 5 mg/3 TWA: 5mg/m ³	N/A
	Isopropyl Myristate	N/A	N/A	N/A
	Acrylates/C10-13 Alkyl Acrylates Crosspolymer	2 mg/m ³ TWA	N/A	N/A
	Water	N/A	N/A	N/A
Personal Protective Equipment	Goggles, Gloves			

Exposure guidelines: There is no exposure data pertaining to the Product. This section reflects exposure data pertaining to individual ingredients.

Other Exposure Guidelines: Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters.

Engineering Controls: Showers. Eyewash stations. Ventilation.

Eye/Face Protection: Tight sealing safety goggles.

Skin and Body Protection: Wear protective gloves/clothing. Long sleeved clothing. Impervious gloves.

Respiratory Protection: No protective equipment is needed under normal use conditions. If irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Avoid contact with eyes and clothing.

Section 9. Physical and Chemical Properties

Physical State	Gel-like liquid
Color	Clear to slightly hazy, colorless
Odor	Alcohol
Odor Threshold	N/A
Solubility	Miscible with water
Partition coefficient Water/n-octanol	N/A
VOC%	N/A
Viscosity	N/A
Specific Gravity	0.88
Density lbs/Gal	N/A
Pounds per Cubic Foot	N/A
Flash Point	23°C/73°F
FP Method	N/A
pH	7.0
Melting Point	N/A
Boiling Point	N/A
Boiling Range	N/A
LEL	N/A
UEL	N/A
Evaporation Rate	N/A
Flammability	N/A
Decomposition Temperature	N/A
Auto-ignition Temperature	N/A
Vapor Pressure	N/A
Vapor Density	N/A

Section 10. Stability and Reactivity

Reactivity:	No data available.
Chemical stability:	Stable under recommended storage conditions.
Possibility of hazardous reactions:	None under normal processing.
Hazardous polymerization:	Does not occur.
Conditions to avoid:	Heat. Open flame. Sparks.
Incompatible materials:	None known based on information supplied.
Hazardous Decomposition or Byproducts:	Carbon oxides.

Section 11. Toxicological Information

Likely Routes of Exposure:	Irritating to eyes. May cause redness, itching, and pain.
Eye	
Likely Routes of Exposure:	Prolonged contact may cause redness and irritation.
Skin	
Likely Routes of Exposure:	May cause irritation of respiratory tract.
Inhalation	
Likely Routes of Exposure:	Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Ingestion	
Likely Routes of Exposure:	No information available.
Component information:	
Acute Toxicity: Inhalation LC50	Ethyl Alcohol CAS No. 64-17-5 Species: Rat 124.7 mg/L 4hours
Acute Toxicity: Dermal LD50:	Glycerin CAS No. 56-81-5 Species: Rabbit >10 g/kg
Information on Toxicological Effects:	Symptoms: Redness of the skin. May cause redness and tearing of the eyes. Itching. Rashes. Hives. Coughing and/or wheezing. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing.
Sensitization:	No information available.
Mutagenic Effects:	No information available.
Carcinogenicity:	N/A
Specific Target Organ Toxicity - Single Exposure:	No information available.
Specific Target Organ Toxicity - Repeated Exposure:	No information available.
Chronic Toxicity:	No information available.
Target Organ Effects:	Eyes. Skin.
Numerical measures of toxicity:	Product Information: No information available.

Section 12. Ecological Information

There is no ecological data on the Product. The Product ingredients are expected to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios. Packaging components are compatible with the conventional solid waste management practices.

Ecotoxicity: No information available.
Persistence/degradability: No information available.
Bioaccumulation: No information available.
Other adverse effects: No information available.

Section 13. Disposal

Waste Disposal Methods: This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste. If chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated packaging: Dispose of in accordance with local regulations.

US EPA Waste Number: D001

California Hazardous Waste Codes: 331

California Hazardous Waste: This product contains one or more substances that are listed with the State of California as a hazardous waste.
Ethyl Alcohol
CAS-No. 64-17-5
Toxic
Ignitable

Section 14. Transport Information

UN Number 8000
UN Proper Shipping Name CONSUMER COMMODITY
DOT Classification 9
Packing Group N/A
IATA - UN Number: 1170
IATA - UN Proper Shipping Name: Ethanol
IATA - Hazard Class: 3
IATA - Packing Group: III
IMDG - UN Number: 1170
IMDG - UN Proper Shipping Name: Ethanol
IMDG - Hazard Class: 3
IMDG - Packing Group: III

TDG - UN Number: 1170
 TDG - UN Proper Shipping Name: Ethanol
 TDG - Hazard Class: 3
 TDG - Packing Group: III
 MEX - UN Number: 1170
 MEX - UN Proper Shipping Name: Ethanol
 MEX - Hazard Class: 3
 MEX - Packing Group: III
 ICAO - UN Number: 1170
 ICAO - UN Proper Shipping Name: Ethanol
 ICAO - Hazard Class: 3
 ICAO - Packing Group: III
 RID - UN Number: 1170
 RID - UN Proper Shipping Name: Ethanol Solution
 RID - Hazard Class: 3
 RID - Packing Group: III
 ADR - UN Number: 1170
 ADR - UN Proper Shipping Name: Ethanol Solution
 ADR - Hazard Class: 3
 ADR - Packing Group: III
 ADN - UN Number: 1170
 ADN - UN Proper Shipping Name: Ethanol Solution
 ADN - Hazard Class: 3
 ADN - Packing Group: III

<h2>Section 15. Regulatory Information</h2>

SARA 311/312: Refer to Section 2 of the SDS.
 SARA 302: N.A.
 SARA 304: N.A.
 SARA 313: N.A.
 TSCA: All components are listed or exempt.
 CERCLA Hazardous Substance List: N.A.
 Clean Air Act (CAA) Section 112, 112 (r): N.A.
 New Jersey Right to Know Components: Ethanol
 Glycerin
 Pennsylvania Right to Know Components: Ethanol
 Glycerin

Rhode Island Right to Know Components: Ethyl Alcohol
Glycerin
Massachusetts Right to Know Components: Ethanol

Section 16. Other Information

Revision Date 11/2/2020

Legend N.A. - Not Applicable
N.E. - Not Established
N.D. - Not Determined

HMIS (U.S.A.): Health 1

HMIS (U.S.A.): Flammability 3

HMIS (U.S.A.): Physical 0

HMIS (U.S.A.): Personal Protection X

National Fire Protection Association (U.S.A.): Health Hazard 1

National Fire Protection Association (U.S.A.): Flammability 3

National Fire Protection Association (U.S.A.): Instability Hazard 0

National Fire Protection Association (U.S.A.): Physical and Chemical Hazards None.

Additional Information: The information contained herein is furnished without warranty or legal responsibility of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees.