

# 12AT/50AT Series

Spin-On Filters

80AT/80UT Series

Dual Spin-On Filters



## Spin-On Filters

#### **Applications for Spin-On Filters**

- Mobile Equipment
- Hydrostatic Drives
- Industrial Power Units
- Reservoir Breathers

Parker's latest range of Spin-On filter technology provides users with reliable performance in a lightweight, compact and cost effective package. These solutions provide protection to critical system components in a variety of low pressure applications.

In addition to increased flow rates, Parker has expanded the product family to include new filter head configurations and flanged porting along with consistency in filter element condition options.

Recognized as a leader in product quality, Parker applies the latest in design and manufacturing techniques to deliver on our promise.

Mounting
• 2 or 6 hole pattern

for flexibility

### Ports


 Both NPT and SAE straight thread connections available. SAE Code 61 Flange on 80AT.

#### Interchangeability

 Parker canisters fit many competitors' heads.
 Contact Hydraulic & Fuel Filtration
 Division, search the Par<>Fit Toolkit at parfittoolkit.com, or download our app.







925023

Improving system fluid cleanliness levels, providing better cold start performance and meeting service interval expectations are the primary objectives in the AT/UT series design. Parker filters utilize several types of filtration media to meet the demanding requirements of today's applications.

#### Cellulose Media

The original and most common media is made of natural fibers. These twisted fibers are larger and more irregular than synthetic fibers — creating more resistance to flow or pressure drop.

#### Synthetic Media

These man-made glass fibers are very uniform in size and shape — creating the least possible resistance to flow and providing improved efficiency to protect sensitive controls.

#### Par-Gel Media

A highly absorbent copolymer laminate with an affinity for water — allows hydraulic or lubrication fluid to pass freely but water is bonded to the media and forever removed from the system.


### Performance

Media Code	Filter Media	Beta Ratios	Particle Size/Efficiency
03B	Microglass	$B_{3} = 75$	3 / 98.7%
10B	Microglass	β <sub>10</sub> =75	10 / 98.7%
20B	Microglass	β <sub>20</sub> =75	20 / 98.7%
03C	Cellulose	$\beta_3=2$	3 / 50%
10C	Cellulose	B <sub>10</sub> =2	10 / 50%
25C	Cellulose	B <sub>25</sub> =2	25/50%
WR	Water Removal	β <sub>20</sub> =2	20 / 50%

Beta Rating	Efficiency at (X) Particle Size
βx = 2	50.0%
ßx = 20	95.0%
ßx = 75	98.7%
ßx = 200	99.5%
ßx = 1000	99.99%

Actual results are dependent on system flow rates, fluid viscosities, and other parameters.

#### Flow vs. Pressure Loss



## **12AT Series**

Spin-On Filters

**Installation and Specification Data** 

**Pressure Rating:** 

Maximum Allowable Operating Pressure (MAOP): 150 psi (10.3 bar)

**Design Safety Factor: 2.5:1** 

Operating Temperatures:

-40°F to 225°F (-40°C to 107°C)

Canister Collapse Rating:

100 psid minimum

**Canister Condition Indicators:** 

Gauge: Color coded 15/25 psi

Gauge: Color coded vacuum

Pressure Switch: Normally open

20 +/- 2 psi 5 Amps @ 24 VDC

Vacuum Switch: Normally open

5" +/- 1" Hg 1.0 Amp @ 120 VAC

**Filter Material:** 

Head: Aluminum

Canister: Low Carbon Steel


Shipping Weights (approximate):

Single length: 1.6 lbs. Double length: 2.7 lbs. 95.25 3.75 27.43 1.08

47.62 1.88

1/4 - 20 UNC x .31 min

Thread Depth 2-total



Linear Measure: millimeter inch

Drawings are for reference only. Contact factory for current version.

## **50AT Series**

Spin-On Filters

**Installation and Specification Data** 

Pressure Rating: Maximum Allowable

Operating Pressure (MAOP): 150 psi (10.3 bar)

**Design Safety Factor: 2.5:1** 

**Operating Temperatures:** 

-40°F to 225°F (-40°C to 107°C)

Canister Collapse Rating:

100 psid minimum

**Canister Condition Indicators:** 

Gauge: Color coded 15/25 psi

Gauge: Color coded vacuum

Pressure Switch: Normally open

20 +/- 2 psi 5 Amps @ 24 VDC

Vacuum Switch: Normally open

5" +/- 1" Hg 1.0 Amp @ 120 VAC


**Filter Material:** 

Head: Aluminum

Canister: Low Carbon Steel

Shipping Weights (approximate):

Single length: 3.9 lbs. Double length: 4.8 lbs.



1<u>27.80</u> Dia

25.40

Linear Measure: millimeter

Drawings are for reference only. Contact factory for current version. Minimum Removal Clearance

## **80AT Series**

## Dual Spin-On Filters

### **Installation and Specification Data**

#### **Pressure Rating:**

Maximum Allowable Operating Pressure (MAOP): 150 psi (10.3 bar)

**Design Safety Factor: 2.5:1** 

Operating Temperatures: -40°F to 225°F (-40°C to 107°C)

Canister Collapse Rating: 100 psid minimum

**Canister Condition Indicators:** 

Gauge: Color coded 15/25 psi

Gauge: Color coded vacuum

Pressure Switch: Normally open

20 +/- 2 psi 5 Amps @ 24 VDC

Vacuum Switch: Normally open 5" +/- 1" Hg

1.0 Amp @ 120 VAC


#### Filter Material:


Head: Aluminum

Canister: Low Carbon Steel

## Shipping Weights (approximate):

Single length: 11.3 lbs. Double length: 13.0 lbs.





Linear Measure: millimeter inch

Drawings are for reference only. Contact factory for current version.

# **80UT Series**

## Over/Under Spin-On Filters

### **Installation and Specification Data**

#### **Pressure Rating:**

Maximum Allowable Operating Pressure (MAOP): 150 psi (10.3 bar)

**Design Safety Factor: 2.5:1** 

#### **Operating Temperatures:**

-40°F to 225°F (-40°C to 107°C)

#### Canister Collapse Rating:

100 psid minimum

#### **Canister Condition Indicators:**

Gauge: Color coded 15/25 psi

Gauge: Color coded vacuum

Pressure Switch: Normally open

20 +/- 2 psi 5 Amps @ 24 VDC

Vacuum Switch: Normally open 5" +/- 1" Hg

1.0 Amp @ 120 VAC

#### Filter Material:

Head: Aluminum


Canister: Low Carbon Steel


## Shipping Weights (approximate):

Single length: 6.9 lbs. Double length: 8.6 lbs.

Linear Measure: millimeter

Drawings are for reference only. Contact factory for current version.





## Spin-On Filters

#### **Installation Instructions**

- 1. DANGER! Read and follow 1. all safety instructions.
  Failure to do so could result in serious bodily injury or death.
  - 2. Turn off power supply to pumping unit.
  - 3. Tag pumping unit out of service for filter change.
  - Remove the old filter, while collecting all spilled fluid. Dispose of the old filter in accordance with local, state or federal regulations.
  - Apply a thin film of lubricating oil to the gasket of the new filter.
  - Thread new filter on the flow adapter or manifold until the gasket makes contact. Tighten according to filter label.
  - 7. Turn on fluid supply.
  - 8. Pressurize the system and check for leaks.

#### **Operation Instructions**

- differential indicator must be installed for any system capable of generating more than 25 psid across the filter.
- 2. Filter unit must be installed using a suitable mounting device or rigid piping.
- 3. Filter unit must be installed with flow in proper direction.
- Filter should be inspected every six months and changed annually when slow flow occurs.
- 5. Water absorbing filters
   when the differential
  pressure reaches 20-25 psid
  the filter could be plugged
  with water and should
  be immediately replaced.
  Failure to replace could
  result in internal filter rupture
  resulting in water down
  stream.

6. If water stoppage is suspected, remove the water absorbing filter and pour the contents in a jar. If fluid is cloudy or water separates in the jar, the filter is most likely plugged with water. If water is excessive in the jar it may be necessary to have the tank cleaned or drained prior to further use.

### **Return Line Applications**

- 1. 25 lb bypass in flow adapter recommended.
- Filter unit must be installed in the circuit just before the reservoir. DO NOT use a shutoff valve in the return line for the filter that is being changed. A check valve is acceptable.
- Filter unit must be sized to accept the total flow during discharging from the cylinders and actuators.

### **Suction Side Applications**

- 3-5 lb bypass in flow adapter recommended to prevent pump cavitation.
- A vacuum gauge is recommended to monitor filter condition.
- Cavitation of the pump can be a problem with the filter on the suction line. Always try to minimize restriction by over sizing the filter, or by using a microglass media.










Spin-On Filters

#### **Accessory Parts List**

Description	Part Number
Gauge - 15 psi	936911
Gauge - 25 psi	936912
Vacuum gauge	936909
Vacuum switch	926949
Pressure switch - 25 psi	926923



2.0 bar psi 6

Indicating Pressure Gauge (25 PSI)



Indicating Vacuum Gauge




**Vacuum Switch** 



**Pressure Switch** 





Linear Measure: millimeter inch

## Spin-On Filters

### Reservoir Breather

#### **Sizing**

Select the proper size canister for the maximum rate of reservoir draw down or air exchange rate. As a rule of thumb, clean pressure drop should be limited to 0.18 psid (5"  $\rm H_2O$ ).

A pipe flange, weld collar, etc. may be used to connect the adapter kit to the reservoir. Make sure that air is not able to leak around the adapter. When mounting on the side of the reservoir, make sure the installation is above the surface of the fluid.

Recommended canister change out is after 500 hours of operation. More frequent replacement may be required when operated in heavily contaminated areas such as grinding operations, primary metal mills, and on mobile equipment. Under such conditions, increase replacement frequency to every 250 hours.

Model	Air Rating*	Canister	Adapter Kit
12AT-03C	1 micron	926543	926876
12AT-10C	2 micron	921999	926876
12AT-25C	5 micron	925023	926876
50AT-03C	1 micron	926541	926875
50AT-10C	2 micron	926169	926875
50AT-25C	5 micron	926170	926875


<sup>\* 99%</sup> Removal efficiency for particles larger than the stated size in air.


Graphs are for 03C canisters only. Total pressure drop across canister, adapter, and pipe may be found by adding pressure drops below:

- + 1.5% for each inch of 12AT adapter or 3/4" pipe used.
- + 3.0% for each 3/4" elbow used.
- + 1.0% for each inch of 50AT adapter or 1-1/4" pipe used.
- + 2.0% for each 1-1/4" elbow used.



## Typical Installations mounted on side or top of reservoir





	12AT	50AT
PN	926876	926875
Α	26.70 (1.05)	42.70 (1.66)
В	66.80 (2.63)	85.10 (3.35)
С	3/4" NPT	1-1/4" NPT
D	1"-12 UN	1-1/2"-16 UN

Allow 1.25" for canister removal clearance

Linear Measure: millimeter inch

## Spin-On Filters

#### How To Order

Select the desired symbol (in the correct position) to construct a model code.

#### Example:

BOX 1	BOX 2	BOX 3	BOX 4	BOX 5	BOX 6	BOX 7	BOX 8
12AT	1	10 <i>C</i>	В	Р	G	<b>S12</b>	Н

BOX 1: Filter Series <sup>1,2</sup>		
Symbol Description		
12AT	12 GPM Nominal	
50AT	50 GPM Nominal	
80AT	80 GPM Nominal-Dual	
80UT	80 GPM Nominal-Dual	

BOX 2: Element Length	
Symbol	Description
1	Single Length
2	Double Length

BOX 3: Media	Code
Symbol	Description
<u>12AT-1</u>	
10B	Microglass, 10 micron
20B	Microglass, 20 micron
03C	Cellulose, 3 micron
10C	Cellulose, 10 micron
25C	Cellulose, 25 micron
<u>12AT-2</u>	
10C	Cellulose, 10 micron
25C	Cellulose, 20 micron
50AT/80AT/80U	<u>JT-1</u>
03B	Microglass, 03 micron
10B	Microglass, 10 micron
20B	Microglass, 20 micron
03C	Cellulose, 3 micron
10C	Cellulose, 10 micron
25C	Cellulose, 25 micron
50AT/80AT/80U	<u>JT-2</u>
03B	Microglass, 03 micron
10B	Microglass, 10 micron
20B	Microglass, 20 micron
10C	Cellulose, 10 micron
WR	Water Removal

BOX 4: Seal Material	
Description	
Nitrile	

BOX 5: Indicator	
Symbol Description	
Р	Gauge Ports Plugged

BOX 6: Bypass Setting	
Symbol	Description
G	25 psid (1.7 bar)
С	15 psid (1.03 bar)
Р	3 psid (0.2 bar)
Х	No bypass

BOX 7: Inlet/Outlet Ports				
Symbol	Description			
<u>12AT</u>				
S12	SAE-12 Integral Threads			
N12	3/4" NPT Integral Threads			
<u>50AT</u>				
S20	SAE-20 Integral Threads			
N20	1-1/4" NPT Integral Threads			
<u>80AT</u>				
Y32	2" SAE Code 61 Flange / 1-1/2" NPT Integral Threads			
<u>80UT</u>				
N24	1-1/2" NPT Integral Threads			

BOX 8: Gauge Port				
Symbol	Description			
N	None			
Н	Inlet & Outlet, both sides (all ports drilled & tapped)			

#### Notes:

- 1. Selecting 80AT or 80UT in Box 1 requires the selection of "G" in Box 6 and "H" in box 8.
- 2. Nominal flow rates for single length filters: 12AT 12GPM; 50AT 35 GPM; 80AT/80UT 55 GPM.

#### **Replacement Canisters**

Media	12AT-1	12AT-2	50AT/80AT/80UT-1	50AT/80AT/80UT-2
25C	925023	946784	926170	N/A
10C	921999	946785	926169	927736
03C	926543	N/A	926541	N/A
20B	928764	N/A	928767	929446
10B	928763	N/A	928766	929445
03B	N/A	N/A	934200	932073
WR	N/A	N/A	N/A	FA511-10W

## Parker Filtration Group

Aerospace Filtration Division Greensboro, North Carolina 336 668 4444

Bioscience & Water Filtration Division

Bioscience Filtration Oxnard, California 877 784 2234

Water Purification Carson, California 310 608 5600

Engine Mobile Aftermarket Division Kearney, Nebraska 308 234 1951

Engine Mobile Original Equipment Division Modesto, California 209 521 7860

**HVAC Filtration Division** Jeffersonville, Indiana 866 247 4827

Hydraulic & Fuel Filtration Division Metamora, Ohio 419 644 4311 Industrial Gas Filtration & Generation Division Lancaster, NY 800 343 4048

Industrial Process Filtration Division Mineral Wells, Texas 940 325 2575

Bioscience Engineering Filtration Division EMEA Birtley, United Kingdom +44 (0) 191 410 5121

Engine Mobile Filtration Division EMEA Dewsbury, United Kingdom +44 (0) 1924 487 037

Gas Separation & Filtration Division EMEA Team Valley, United Kingdom +44 (0) 191 402 9000

**Gas Turbine Filtration Division** Alton, United Kingdom +44 (0) 1420 541188


Hydraulic & Industrial Filtration Division EMEA Arnhem, Netherlands +31 (0) 26 376 0376 **Australia Filtration Division**Castle Hill, Australia
+61 2 9634 7777

China Filtration Division Shanghai, China +86 21 2067 2067

India Filtration Division Chennai, India +91 22 4391 0700

Korea Filtration Division Hwaseon City, Korea +82 31 359 0852

**Latin America Filtration Division** Sao Paulo, Brazil +55 12 4009 3500



© 2019 Parker Hannifin Corporation. Product names are trademarks or registered trademarks of their respective companies.

2300-319\_RevG 04272021



Parker Hannifin Corporation **Hydraulic & Fuel Filtration Division**16810 Fulton County Road 2

Metamora, OH 43540
phone 419 644 4311
www.parker.com/hydraulicfilter