

**Table C3**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2013**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)		Prevalence (Number)	95% CI * (Number)
Total **	0-4	14,179	5.3	0.34	(4.7 - 6.0)		587,913	(512,939 - 662,888)
Total **	5-9	14,857	10.4	0.51	(9.5 - 11.5)		1,415,665	(1,271,755 - 1,559,574)
Total **	10-14	17,489	11.4	0.47	(10.5 - 12.4)		1,341,722	(1,227,578 - 1,455,867)
Total **	15-17	12,818	10.2	0.55	(9.1 - 11.3)		860,081	(765,147 - 955,015)
AZ	0-4	160	9.0	2.99	(4.6 - 16.8)		31,747	(10,440 - 53,054)
AZ	5-9	180	8.3	4.23	(2.9 - 21.2)		35,277	(0 - 72,621)
AZ	10-14	173	14.2	4.60	(7.3 - 25.7)		56,607	(18,019 - 95,195)
AZ	15-17	130	10.7	3.39	(5.7 - 19.4)		25,097	(9,411 - 40,783)
CA	0-4	584	3.5	0.95	(2.0 - 5.9)		52,187	(23,980 - 80,395)
CA	5-9	619	10.1	1.45	(7.6 - 13.4)		255,139	(179,983 - 330,295)
CA	10-14	694	10.3	1.52	(7.7 - 13.7)		189,902	(131,800 - 248,004)
CA	15-17	454	11.3	1.92	(8.0 - 15.6)		178,658	(115,900 - 241,417)
CT	0-4	357	5.0	1.54	(2.7 - 9.0)		8,240	(3,112 - 13,367)
CT	5-9	365	10.1	1.79	(7.1 - 14.2)		20,213	(13,138 - 27,288)
CT	10-14	460	13.4	2.02	(9.9 - 17.8)		23,924	(16,499 - 31,350)
CT	15-17	362	12.0	2.72	(7.6 - 18.4)		16,664	(8,642 - 24,686)
DC	0-4	201	7.6	2.97	(3.5 - 15.9)		2,716	(560 - 4,871)
DC	5-9	204	19.2	3.82	(12.8 - 27.8)		4,707	(2,666 - 6,749)
DC	10-14	167	13.9	3.81	(7.9 - 23.1)		3,783	(1,622 - 5,944)
DC	15-17	120	18.9	5.35	(10.5 - 31.6)		3,230	(1,285 - 5,174)
GA	0-4	366	7.9	1.68	(5.2 - 11.9)		38,215	(21,714 - 54,716)
GA	5-9	418	14.1	2.10	(10.5 - 18.8)		97,912	(67,249 - 128,576)
GA	10-14	491	9.6	1.47	(7.1 - 12.9)		52,784	(36,430 - 69,138)
GA	15-17	361	10.0	2.02	(6.6 - 14.7)		40,554	(23,474 - 57,633)
HI	0-4	517	10.8	2.52	(6.7 - 16.8)		7,601	(3,841 - 11,361)
HI	5-9	446	12.8	2.16	(9.1 - 17.6)		10,743	(6,985 - 14,501)
HI	10-14	484	13.6	2.33	(9.6 - 18.8)		9,159	(5,943 - 12,374)
HI	15-17	364	16.4	3.76	(10.3 - 25.1)		8,036	(3,979 - 12,093)
IN	0-4	412	5.4	1.36	(3.3 - 8.8)		21,244	(10,518 - 31,971)
IN	5-9	488	7.3	1.34	(5.1 - 10.4)		27,307	(17,138 - 37,475)
IN	10-14	557	11.8	1.77	(8.7 - 15.7)		43,130	(29,646 - 56,614)

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 33 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2013**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	    	Prevalence (Number)	95% CI * (Number)
IN	15-17	479	8.9	1.46	(6.5 - 12.2)		21,266	(14,281 - 28,251)
KS	0-4	1,261	4.0	0.67	(2.9 - 5.5)		6,899	(4,585 - 9,212)
KS	5-9	1,229	10.6	1.00	(8.8 - 12.7)		20,909	(16,859 - 24,959)
KS	10-14	1,480	12.3	0.98	(10.5 - 14.3)		21,471	(17,939 - 25,003)
KS	15-17	1,058	12.4	1.54	(9.7 - 15.8)		13,839	(10,166 - 17,511)
LA	0-4	229	6.0	2.42	(2.7 - 12.9)		15,142	(2,671 - 27,612)
LA	5-9	255	8.0	1.91	(5.0 - 12.6)		23,719	(12,392 - 35,047)
LA	10-14	293	7.8	1.71	(5.0 - 11.9)		19,497	(10,971 - 28,023)
LA	15-17	221	12.0	3.31	(6.9 - 20.1)		21,653	(9,087 - 34,218)
ME	0-4	199	4.0	1.58	(1.8 - 8.5)		2,261	(468 - 4,053)
ME	5-9	237	10.7	2.42	(6.8 - 16.5)		7,029	(3,750 - 10,308)
ME	10-14	291	16.2	2.89	(11.3 - 22.6)		11,335	(6,930 - 15,740)
ME	15-17	203	7.9	2.97	(3.7 - 16.0)		3,842	(841 - 6,844)
MD	0-4	562	8.1	1.52	(5.6 - 11.7)		24,267	(15,066 - 33,468)
MD	5-9	678	12.2	1.57	(9.4 - 15.6)		44,043	(32,390 - 55,696)
MD	10-14	782	13.1	1.58	(10.3 - 16.5)		35,231	(26,469 - 43,993)
MD	15-17	578	11.2	1.57	(8.5 - 14.7)		25,939	(18,575 - 33,303)
MI	0-4	533	6.4	1.52	(4.0 - 10.1)		30,213	(15,589 - 44,837)
MI	5-9	583	11.1	1.50	(8.4 - 14.3)		64,523	(46,634 - 82,413)
MI	10-14	767	13.3	1.51	(10.6 - 16.6)		74,154	(56,617 - 91,691)
MI	15-17	648	11.5	1.58	(8.7 - 14.9)		46,560	(33,287 - 59,832)
MS	0-4	338	9.7	2.05	(6.3 - 14.5)		17,705	(9,968 - 25,442)
MS	5-9	367	13.0	2.13	(9.3 - 17.8)		24,016	(15,856 - 32,176)
MS	10-14	434	11.8	1.93	(8.5 - 16.1)		20,195	(13,346 - 27,044)
MS	15-17	306	9.9	2.03	(6.6 - 14.6)		11,541	(6,699 - 16,382)
MO	0-4	266	4.6	1.81	(2.1 - 9.7)		16,398	(3,390 - 29,405)
MO	5-9	338	7.9	1.78	(5.0 - 12.1)		27,608	(14,973 - 40,243)
MO	10-14	391	12.4	2.35	(8.5 - 17.8)		40,392	(24,455 - 56,330)
MO	15-17	265	5.9	1.52	(3.5 - 9.7)		13,206	(6,498 - 19,914)
MT	0-4	551	5.1	1.17	(3.3 - 8.0)		2,627	(1,433 - 3,822)
MT	5-9	523	6.1	1.40	(3.9 - 9.5)		3,493	(1,899 - 5,088)

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 33 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2013**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	    	Prevalence (Number)	95% CI * (Number)
MT	10-14	501	12.4	1.82	(9.3 - 16.5)		6,647	(4,701 - 8,594)
MT	15-17	396	11.0	2.31	(7.3 - 16.4)		4,071	(2,325 - 5,817)
NE	0-4	907	2.9	0.82	(1.7 - 5.0)		3,379	(1,494 - 5,263)
NE	5-9	878	5.9	1.08	(4.1 - 8.4)		7,197	(4,563 - 9,831)
NE	10-14	1,054	9.6	1.30	(7.3 - 12.5)		11,062	(8,015 - 14,108)
NE	15-17	784	9.8	1.52	(7.2 - 13.2)		7,142	(4,905 - 9,379)
NV	0-4	220	4.0	1.65	(1.7 - 8.8)		5,734	(1,062 - 10,405)
NV	5-9	236	9.3	3.15	(4.7 - 17.6)		15,245	(4,610 - 25,879)
NV	10-14	293	15.3	3.87	(9.1 - 24.5)		22,094	(9,957 - 34,231)
NV	15-17	221	3.7	1.02	(2.1 - 6.3)		4,011	(1,942 - 6,081)
NH	0-4	248	2.4	1.03	(1.0 - 5.5)		1,430	(196 - 2,665)
NH	5-9	298	13.2	3.90	(7.2 - 22.8)		8,908	(3,203 - 14,614)
NH	10-14	389	10.1	1.92	(6.9 - 14.6)		6,874	(4,261 - 9,487)
NH	15-17	282	15.8	3.87	(9.6 - 24.9)		7,597	(3,454 - 11,740)
NJ	0-4	661	6.3	1.26	(4.3 - 9.3)		28,902	(17,273 - 40,532)
NJ	5-9	733	7.2	1.08	(5.3 - 9.6)		31,174	(21,757 - 40,590)
NJ	10-14	820	12.3	1.58	(9.6 - 15.8)		54,074	(39,587 - 68,561)
NJ	15-17	637	10.8	1.64	(8.0 - 14.5)		34,678	(23,903 - 45,454)
NM	0-4	494	3.4	0.91	(2.0 - 5.7)		4,083	(1,937 - 6,229)
NM	5-9	515	7.0	1.34	(4.8 - 10.1)		8,994	(5,544 - 12,444)
NM	10-14	596	13.0	1.96	(9.6 - 17.3)		16,035	(11,028 - 21,041)
NM	15-17	446	10.5	1.81	(7.4 - 14.6)		8,665	(5,644 - 11,686)
NY	0-4	205	6.8	1.86	(4.0 - 11.5)		64,771	(29,506 - 100,037)
NY	5-9	222	14.2	2.84	(9.5 - 20.7)		158,588	(92,237 - 224,938)
NY	10-14	255	10.7	2.15	(7.2 - 15.7)		99,465	(58,890 - 140,041)
NY	15-17	175	4.5	1.55	(2.3 - 8.7)		27,660	(8,880 - 46,440)
OH	0-4	357	4.5	1.53	(2.3 - 8.7)		27,337	(8,722 - 45,952)
OH	5-9	338	10.4	2.25	(6.8 - 15.8)		63,242	(34,963 - 91,520)
OH	10-14	496	14.0	2.17	(10.2 - 18.8)		84,160	(56,958 - 111,361)
OH	15-17	357	10.5	1.80	(7.4 - 14.6)		43,308	(28,489 - 58,127)
OK	0-4	438	8.6	1.78	(5.7 - 12.8)		20,236	(11,701 - 28,772)

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 33 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2013**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	    	Prevalence (Number)	95% CI * (Number)
OK	5-9	457	9.4	1.58	(6.7 - 13.0)		24,423	(16,090 - 32,756)
OK	10-14	530	13.0	1.69	(10.0 - 16.7)		28,649	(20,887 - 36,411)
OK	15-17	361	13.3	1.94	(9.9 - 17.6)		20,312	(14,211 - 26,413)
OR	0-4	252	1.7				3,178	
OR	5-9	222	5.9	1.95	(3.1 - 11.1)		13,751	(4,681 - 22,822)
OR	10-14	250	17.2	3.33	(11.6 - 24.7)		32,441	(18,747 - 46,135)
OR	15-17	182	12.1	3.33	(6.9 - 20.3)		16,890	(7,106 - 26,675)
PA	0-4	513	5.6	1.06	(3.8 - 8.1)		36,001	(22,401 - 49,601)
PA	5-9	548	13.0	1.93	(9.7 - 17.3)		86,484	(59,577 - 113,391)
PA	10-14	585	13.2	1.78	(10.0 - 17.1)		82,285	(59,116 - 105,455)
PA	15-17	455	11.0	1.89	(7.8 - 15.3)		50,074	(32,288 - 67,860)
RI	0-4	278	7.5	2.67	(3.7 - 14.7)		3,592	(953 - 6,231)
RI	5-9	284	16.7	2.66	(12.1 - 22.6)		9,529	(6,284 - 12,774)
RI	10-14	391	13.9	2.11	(10.3 - 18.6)		7,142	(4,887 - 9,397)
RI	15-17	251	10.3	2.55	(6.3 - 16.5)		3,978	(1,932 - 6,024)
TN	0-4	191	7.9	2.74	(4.0 - 15.2)		20,384	(6,043 - 34,725)
TN	5-9	213	9.0	2.56	(5.1 - 15.4)		37,804	(15,807 - 59,801)
TN	10-14	280	10.3	2.31	(6.6 - 15.8)		29,962	(16,364 - 43,560)
TN	15-17	173	7.2	2.57	(3.6 - 14.2)		18,044	(5,135 - 30,952)
TX	0-4	536	4.4	1.04	(2.8 - 7.0)		64,870	(34,485 - 95,254)
TX	5-9	592	10.9	1.87	(7.8 - 15.2)		188,092	(121,393 - 254,791)
TX	10-14	713	10.5	1.59	(7.8 - 14.1)		172,880	(120,148 - 225,612)
TX	15-17	468	10.0	2.16	(6.5 - 15.1)		107,087	(59,510 - 154,663)
UT	0-4	966	3.0	0.66	(1.9 - 4.6)		5,946	(3,324 - 8,569)
UT	5-9	968	6.1	0.89	(4.6 - 8.1)		15,261	(10,803 - 19,720)
UT	10-14	1,125	8.4	0.96	(6.7 - 10.5)		16,499	(12,682 - 20,316)
UT	15-17	809	9.0	1.20	(6.9 - 11.6)		11,485	(8,379 - 14,592)
VT	0-4	289	5.1	1.34	(3.0 - 8.4)		1,407	(670 - 2,144)
VT	5-9	271	14.2	2.62	(9.8 - 20.1)		4,289	(2,637 - 5,941)
VT	10-14	369	14.1	2.32	(10.2 - 19.3)		4,355	(2,855 - 5,855)
VT	15-17	244	13.0	2.70	(8.6 - 19.3)		2,960	(1,675 - 4,244)

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 33 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.

**Table C3**  
**Child Current Asthma Prevalence Rate (Percent)**  
**and Prevalence (Number) by Age and State or Territory: BRFSS 2013**

State	Age Group	Sample Size	Prevalence (Percent)	Standard Error	95% CI * (Percent)	    	Prevalence (Number)	95% CI * (Number)
WA	0-4	484	2.2	0.63	(1.3 - 3.9)		8,442	(3,681 - 13,202)
WA	5-9	525	7.9	1.47	(5.5 - 11.3)		33,497	(20,820 - 46,175)
WA	10-14	665	7.7	1.25	(5.6 - 10.6)		27,314	(18,447 - 36,181)
WA	15-17	489	12.5	2.33	(8.6 - 17.8)		31,878	(19,183 - 44,574)
WV	0-4	321	3.7	1.11	(2.0 - 6.6)		3,423	(1,378 - 5,468)
WV	5-9	339	11.5	2.34	(7.6 - 16.9)		11,675	(6,652 - 16,698)
WV	10-14	399	11.2	1.75	(8.2 - 15.1)		10,305	(7,035 - 13,574)
WV	15-17	257	8.7	1.91	(5.6 - 13.2)		5,615	(3,109 - 8,121)
WI	0-4	283	2.5	1.21	(0.9 - 6.3)		7,337	(258 - 14,417)
WI	5-9	288	9.1	2.26	(5.6 - 14.6)		30,873	(15,633 - 46,114)
WI	10-14	314	8.3	2.12	(5.0 - 13.5)		27,915	(13,600 - 42,231)
WI	15-17	282	11.8	2.71	(7.5 - 18.3)		24,542	(12,964 - 36,119)
Territory								
PR	0-4	344	11.7	2.01	(8.3 - 16.2)		20,646	(13,359 - 27,932)
PR	5-9	312	20.0	2.63	(15.3 - 25.6)		46,066	(32,914 - 59,218)
PR	10-14	409	11.4	1.92	(8.2 - 15.8)		28,005	(18,311 - 37,698)
PR	15-17	303	12.9	2.10	(9.3 - 17.6)		19,076	(12,715 - 25,436)

Notes:

\* CI denotes confidence interval.

\*\* Total includes data from 33 states based on cellphone and landline data combined excludes the territory, Puerto Rico.

If values for the standard error and the 95% confidence interval are not provided, the normal approximation to the binomial distribution does not apply due to small sample size.

When the sample size is less than 50, estimates are not precise and should be interpreted with caution.