


In Section D:	Roof Repair	Repair, Sealants, Adhesives	Tape	Surface Material	Automotive	Paint	Cleaners/Protectant	Washers, Brushes	Deodorizer	Dehumidifier
---------------	-------------	-----------------------------	------	------------------	------------	-------	---------------------	------------------	------------	--------------



LASALLE BRISTOL RMA ROOFING & ACCESSORIES



XTRM ROOFING

RMA XTRM-PLY is a flexible, durable PVC membrane designed to meet the unique challenges of a RV roof. Unlike other RV roofs, RMA XTRM is a solid material that will not chalk and stain the side of your RV. It does not require periodic expensive re-coating. It is naturally fire retardant and UV resistant. Once installed-easy to patch/repair with PVC cement. Designed to be installed with; RMA adhesive, sealants and butyl tape only.

RMA XTRM PVC roofing:

- 87699** 9'6" x 21' roll #1700534142711421 **◆ 1**
- 87700** 9'6" x 25' roll #1700534142711425 **◆ 1**
- 87701** 9'6" x 30' roll #1700534142711430 **◆ 1**
- 87702** 9'6" x 35' roll #1700534142711435 **◆ 1**
- 87703** 9'6" x 40' roll #1700534142711440 **◆ 1**



RMA SEALANTS

RMA sealants are specifically designed to be used with RMA XTRM-PLY PVC roofing membranes. Helps create a water tight seal along the roofs edges, vents, AC units and screw heads. Cures fast, non-yellowing and highly weather resistant. A superior sealant that will not shrink-remains flexible over time

- 87706** White 10.1 oz tube, Self leveling sealant (for horizontal surfaces) #27034143 **30**
- 87707** White 10.1 oz tube, Non-sag sealant (for vertical surfaces) #27034147 **30**


EXP 90 ADHESIVE

RMA EXP 90 is acrylic water borne adhesive designed to be used with RMA XTRM-PLY roofing membranes. Creates a strong bond yet remains flexible. Excellent coverage and easy to apply. Use on moisture absorbent substrates, not on metal, fiberglass or membrane to membrane applications.



EXP 90 Adhesive:

- 87708** 2 gallon #270341415 **1**
- 87709** 5 gallon #27034141 **1**



RMA BUTYL TAPE

RMA Butyl tape is a Polysul-Grip tape designed to be used with RMA XTRM-PLY roofing membranes.

A superior adhesive/sealant Butyl tape that will not crack under stresses of road vibration and temperature fluctuations. Provides excellent adhesion to porous and non-porous materials that improves with age.

- 87704** 1/8 x 3/4 x 60' butyl tape #270341410 **16**
- 87705** 3/32 x 1-1/2 x 45' butyl tape #270341411 **16**



RMA XTRM-PLY INSTALLATION KIT

Contains 2 gallons of RMA EXP 90 adhesive, 6 -10.1 oz cartridges of RMA XTRM 100 self leveling sealant, and 150' of Butyl tape.

- 87710** Installation kit #2703414KIT **1**

Made for Rubber Roofs! PLAS-T-COTE® RUBBER ROOF COATING

Use over RV rubber roofs, at seams and tears, and to seal vents, air conditioners, etc. Has outstanding exterior durability and high adhesion to rubber. Expands and contracts with roof. Resists cracking and withstands impact. UV resistant, non-polluting and non-toxic. White. Cover up to 200 sq. ft. per gallon.

Plas-T-Cote Rubber Roof Coating

- 40119** White, Quart #46032 **12**
- 40120** White, Gallon #46128-4 **4**



ELIXIR INDUSTRIES PLAS-T-COTE® DELUXE RUBBER ROOF COATING

Elixir's PLAS-T-COTE® Deluxe Rubber Roof Coating is designed to meet the ever changing needs of our customers. In working with our partners, we have designed the Deluxe Rubber Roof Coating to withstand the harshest environmental elements. Protect your property and investment with Elixir's PLAS-T-COTE® Deluxe Rubber Roof Coating and rest in the fact that your property is covered by one of the best engineered roof coatings available.

Product Information: • Use over Rubber Roofs. • Seals Seams and Tears. • Seals Mounting Sites for Vents and Air Conditioners. • High Level of Exterior Durability. • 40% Greater Adhesion to Rubber. • U.V. Resistant. • Expands and Contracts with Roof. • Resists Cracking. • Withstands Impacts. • Non-Polluting and Non-Toxic.

Plas-T-Cote® Deluxe Rubber Roof Coating, White:

- 45030** Quart #16-44032 **12**
- 45031** Gallon #16-44128-4 **4**



ELIXIR INDUSTRIES PLAS-T-COTE® ELASTOMERIC 100% ACRYLIC ROOF COATING

Use over asphalt roof shingles, galvanized steel, concrete wood, polyurethane foam and bitumas built up roofs (BUR's). Used as a reflective and protective coating. Has outstanding exterior durability and UV resistance. Expands and contracts with roof. Resists cracking and withstands impact. Non-polluting and non-toxic. One gallon covers up to 200 sq. ft.

Plas-T-Cote White Elastomeric Roof Coating:

- 49682** Quart #47032 **12**
- 49683** Gallon #47128 **4**
- 49684** 5 Gallon #47640 **◆1**



THE RV ROOFING EXPERTS

RUBBER ROOF COATING SYSTEM

Extend the life of your rubber roof!

Two part, commercial grade systems provides an excellent protective barrier for extending the life of EPDM. Part 2 now available in Standard or CoolCoat™. Saves over 25% in labor compared to similar systems. Quick drying time.



Part 1: Cleaner/Activator

cleans and prepares EPDM roofing for maximum adhesion of the Part 2 coating. Spray on and rinse off thoroughly. Coverage rate 125 sq. ft. per quart.

46891 1 Qt. Rubber Roof Cleaner/Activator #RP-CRP-Q 4

SELECT YOUR COATING OPTION

Part 2: Acrylic Coating is an excellent protective barrier extending the life of your rubber roof membrane. Provides superior weatherability, UV resistance. Use with Dicor Rubber Roof Cleaner/Activator for proper adhesion. Requires two coats. Coverage rate of 1 gallon per 125 sq. ft. per coat.

46892 1 Gallon White Rubber Roof Acrylic Coating #RP-CRC-1 4



Part 2: CoolCoat™ Insulating Coating has Ceramic MicroCells™ to reduce heat transfer, known as heat flux, to the coach interior by 29%. CoolCoat reflects and dissipates solar heat with tiny yet indestructible vacuum spheres to reduce A/C demand. Use with Dicor Rubber Roof Cleaner/Activator.

48923 **NEW!** 1 Gallon CoolCoat Roof Coating #RP-IRC-1 4

NEW!

RV ROOF RENEW KIT

Make your roof look new again!

Acrylic Roof Coating, two quarts of Dicor Cleaner/Activator, one 4" x 50' roll Coating Ready Cover Tape, one metal pan, one 9" paint roller, two 9" roller covers, one roll 1" masking tape. Each kit comes with a warranty and easy-to-follow instructions. Contents will cover a 30 ft. unit. Individual components can be purchased separately.

85933 RV Roof Renew Kit #RP-RRK-30 ◆ 1



RESTORE

Dicor Products has developed coating systems to restore all types of RV roofs. We have found some "roofing products" being sold actually harm RV roofing and void the warranty. As the RV roofing experts, we feel it's important to give RVers products they can trust, for any type of RV roof. The systems offered by Dicor will safely and effectively repair and restore your RV roof's appearance.



FIBERGLASS ROOF COATING SYSTEM

Part 1: Fiberglass Clean and Prep

To ensure proper adhesion of Dicor Fiberglass RV Roof Coating to a fiberglass roof, it is essential to first prepare the surface using Dicor Fiberglass Clean & Prep. Dicor Fiberglass Clean & Prep is specifically formulated to remove all wax, oils, road grit and other contaminants on gel coat and to enhance the adhesion of the roof coating.



FAST ACTING FORMULA • BIO DEGRADABLE • EASY TO USE

48161 Fiberglass Clean and Prep, Gal #RP-FCP-1 4

Part 2: Fiberglass RV Roof Coating

This 100% acrylic resin coating forms a flexible layer over any fiberglass roof to protect and beautify. Dicor Fiberglass RV Roof Coating gives roofs a super bright white finish, which resists mildew and algae and reflects the sun's heat to help keep the interior cooler. Always use Dicor Fiberglass Clean & Prep and allow to dry before applying this Coating product. Two coats are required. One gallon of Dicor Fiberglass RV Roof Coating will cover 350 sq. ft. per coat.

PROTECTS ROOF • EASY TO APPLY • SOAPY WATER CLEAN UP

48221 Fiberglass RV Roof Coating, Quart #RP-FRC-Q 6

48164 Fiberglass RV Roof Coating, Gal #RP-FRC-1 4



In Section D:	Roof Repair	Repair, Sealants, Adhesives	Tape	Surface Material	Automotive	Paint	Cleaners/Protectant	Washers, Brushes	Deodorizer	Dehumidifier
---------------	-------------	-----------------------------	------	------------------	------------	-------	---------------------	------------------	------------	--------------

METAL ROOF COATING SYSTEM

METAL ROOF RUST INHIBITIVE PRIMER

When rust is encountered on the metal roof of an RV, mobile home, horse trailer or other metal roofs it is essential to use Dicor Metal Roof Rust Inhibitive Primer to prepare the roof prior to coating. First remove all surface rust, dirt and debris with a wire brush. Rinse with alcohol, then apply Dicor Rust Inhibitive Metal Primer. It is specifically designed to reduce further corrosion of metal roofs and enhances the adhesion of the Dicor Elastomeric Metal RV Roof Coating. HELPS CONTROL RUST • WATER CLEAN UP • EASY TO USE



48296 Metal Roof Rust Inhibitor Primer, Quart
#RP-MRRIP-Q 6

48295 Metal Roof Rust Inhibitor Primer, Gal
#RP-MRRIP-1 4



COATING READY COVER TAPE

For use on metal RV roofing, Dicor Coating Ready Cover Tape is a fleece backed sealing tape for use on metal

RV roofing seams prior to coating. Its aggressive grip provides immediate sealing on contact and cures completely in 24 hours. Must be followed with Dicor Elastomeric Coating.

44740 Coating Ready Cover Tape #RP-CRCT-4-1C 4

ELASTOMERIC METAL RV ROOF COATING

For use on metal RV roofing (NOT RECOMMENDED FOR EPDM RUBBER OR TPO ROOFING) Dicor Elastomeric RV Roof Coating protects and beautifies metal, aluminum, steel, and previously coated RV roofs. Dicor Elastomeric RV Roof Coating is formulated with 100% Acrylic Elastomeric resins to form a rubber-like coating that will expand and contract with the roof movement. Arctic White RV Elastomeric is brilliant white to provide a superior reflectivity, thereby lowering interior temperatures. Requires two coats for adequate protection at an application rate of 1 gallon per 200 sq. ft. per coat.



Elastomeric Roof Coating:

44742 Quart #RP-MRC-Q 6

44744 Gallon #RP-MRC-1 4



CLEAN & PROTECT

Dicor's roof care and maintenance products contain no harmful petroleum distillates, harsh abrasives or citric ingredients that can cause irreparable damage.

RUBBER ROOF CLEANER

Formulated specifically for RV rubber roofing, this biodegradable deep cleaning formula lifts dirt and grime, yet is gentle on the surface. Simply spray on, brush with a bristle brush and rinse off.

For best results follow with Dicor Roof Gard Roof Protectant.



46893 16 oz. Concentrated #RP-RC160C 12

Ready to Use Rubber Roof Cleaner:

46894 32 oz. Trigger Spray #RP-RC320S 8

48304 128 oz. Gallon #RP-RC-1GL 6



ROOF-GARD RUBBER ROOF UV PROTECTANT

Helps prevent your EPDM rubber roof from the fading, oxidizing, drying and cracking caused by harsh UV rays. The mild, nonabrasive formula keeps surfaces

cleaner longer with no residue or oily build-up. Contains no silicone, waxes, glycerine or petroleum distillates. Simply spread evenly with a damp mop or cloth and let air dry. Will not harm rubber roofing.

Roof-Gard Protectant:

46895 32 oz. Trigger Spray #RP-RG320S 8

48305 1 Gallon #RP-RG-1GL 6

dicor products

a dicor company

THE RV ROOFING EXPERTS

As the leading supplier of EPDM rubber roofing for RV's, Dicor now brings you a full line of care and maintenance products made specifically for your roofing needs.

REPAIR

EPDM RUBBER ROOF REPAIR MEMBRANE

Repairs punctures, tears and breaks in EPDM rubber, TPO plastic, metal and fiberglass roofing. This easy to use peel and stick material is made of self-adhering EPDM rubber and conforms to most shapes and surfaces, yet remains flexible and strong.

Rubber Roof Repair Membrane:

78929 6" x 25' Roll #533RM-6 1

78721 12" x 25' Roll #533RM-12 1



DiSEAL SEALING TAPE

A flexible weather resistant compound designed for sealing EPDM rubber, TPO, fiberglass, wood, plastic, steel or aluminum. Permanently seals most leaks immediately and fully cures within 24 hours. Will not crack, peel or harden. Priced each.

DiSeal Sealing Tape, White:

44094 4" x 50' Roll #522TPO-450-1C 4

44099 6" x 6" Patch #522TPO-66-1C 12

DiSeal Sealing Tape, Silver:

44091 4" x 50' Roll #522AF-450-1C 4

44098 6" x 6" Patch #522AF-66-1C 12

PATCHIT ROOF REPAIR KIT

Allows for easy repair of punctures, tears, and breaks that can occur in RV and Manufactured housing roofs. The kit includes a 9" x 10" peel and stick EPDM rubber patch and a tube of lap sealant. Quite versatile by design, it can be used to patch EPDM rubber, TPO plastic, metal and fiberglass roofing.

49328 Patchit, White #402-PR 12



DICOR RUBBER ROOFING SYSTEM

Dicor Roofing Systems assures a watertight roof that is easy to maintain and saves energy through its heat reflecting characteristics. It is highly puncture and tear resistant, has superior tensile strength and withstands damaging UV rays. The membrane resists uneven weathering, fading or chalkiness. All Dicor Roofing Systems use the same three-part installation procedure. These elements can be purchased separately or as a package in the Dicor Products Roof Installation Component Kit.

EPDM RUBBER ROOFING SYSTEM

Dove (Bright White).

87623 8'6" x 21' #85D40-21 1

87624 8'6" x 25' #85D40-25 1

87625 8'6" x 30' #85D40-30 1

87626 8'6" x 35' #85D40-35 1

87627 8'6" x 40' #85D40-40 1

87628 9'6" x 21' #95D40-21 1

87629 9'6" x 25' #95D40-25 1

87630 9'6" x 30' #95D40-30 1

87631 9'6" x 35' #95D40-35 1

87632 9'6" x 40' #95D40-40 1

BRITETEK™ TPO ROOFING SYSTEM

(May not be suitable for all applications; use with 401CK Kit).

86984 8'6" x 21' #BTF85W-21 1

86985 8'6" x 25' #BTF85W-25 1

86986 8'6" x 30' #BTF85W-30 1

86987 8'6" x 35' #BTF85W-35 1

86988 9'6" x 25' #BTF95W-25 1

86989 9'6" x 30' #BTF95W-30 1

86990 9'6" x 35' #BTF95W-35 1

86991 9'6" x 40' #BTF95W-40 1

NEW! DIFLEX™ TPO ROOFING SYSTEM

This hybrid TPO sheet integrates many of the features of EPDM rubber roofing membranes. DiFlex™ is compatible with Dicor Products bonding adhesive, butyl tape and lap sealant all sold separately or in installation kit 401CK-D (Coast#87622).

80180 8'6" x 21' #DF85DFB-21 1

80181 8'6" x 25' #DF85DFB-25 1

80182 8'6" x 30' #DF85DFB-30 1

80183 8'6" x 35' #DF85DFB-35 1

80184 8'6" x 40' #DF85DFB-40 1

80185 9'6" x 21' #DF95DFB-21 1

80186 9'6" x 25' #DF95DFB-25 1

80187 9'6" x 30' #DF95DFB-30 1

80188 9'6" x 35' #DF95DFB-35 1

80189 9'6" x 40' #DF95DFB-40 1

In Section D:	Roof Repair	Repair, Sealants, Adhesives	Tape	Surface Material	Automotive	Paint	Cleaners/Protectant	Washers, Brushes	Deodorizer	Dehumidifier
---------------	-------------	-----------------------------	------	------------------	------------	-------	---------------------	------------------	------------	--------------

REPLACE



RUBBER ROOF INSTALLATION COMPONENT KIT

Includes two gallons of water based bonding adhesive, 150' of butyl tape used to seal around all the accessories and molding, and six 10.3 oz. tubes of lap sealant. Each kit comes with easy to follow instructions.

76849 Installation Kit #401-CK 1

87622 Installation Kit, Dove #401-CK-D 1

LAP SEALANT FOR MOST ROOFING APPLICATIONS

Helps create a watertight seal along a roof's edges, around air vents, vent pipes and screw heads. Dicor Products Lap Sealant is a versatile sealant formulated for EPDM roofing but also compatible with most other roofing material, including Dicor TPO roofing. It offers excellent adhesion to aluminum, mortar, wood, vinyl, galvanized metal and concrete. It improves the ability to continuously seal and remain flexible. Color matched, the lap sealant is UV stabilized to prevent discoloration and deterioration and will not stain or discolor any material to which it is applied.



SELF LEVELING LAP SEALANT (FOR HORIZONTAL SURFACES)

49329 White, Each #501LSW-1 12

46535 Dove (Bright White), Each #501LSD-1 12

45027 Ivory, Each #501LSV-1 12

95651 White, Case/25 #502LSW-25 1

95652 Dove (Bright White), Case/25 #502LSD-25 1

HAPS FREE, SELF LEVELING (CONTAINS NO HAZARDOUS AIR POLLUTING SOLVENTS)


46890 White Lap Sealant, Each #505LSW-1 12

NON-SAG (NOT SELF LEVELING)

40401 White, Each #551LSW-1 12

47150 Dove (Bright White), Each #551LSD-1 12

BUTYL TAPE



Ideal for sealing uniquely shaped joints. Installs quickly, without gaps. Apply along unusual patterns. Because the sealant is on a continuous roll, installer can work fast and be virtually assured that there are no skips or runs in the seal.

79233 Butyl Tape only, 1/8" x 3/4" x 30', Each #BT-1834-1 24

dicor products
a dicor company

ULTRA SEALANT SYSTEM

Dicor's Ultra Sealant System is specifically formulated for TPO RV roofing materials. Consisting of two parts, this system creates a permanent watertight seal at roof edges, screw, vents, and other rooftop appliances.



Part 1: Ultra Sealant Primer™

Must be used to prepare TPO roofing and all plastic appliances that are to be sealed. Priming promotes excellent bonding of Ultra Sealant to these materials.

48922 **NEW!** 1 Qt. Ultra Sealant Primer #RP-USP-Q 4



Part 2: Ultra Sealant™

Provides superior adhesion to TPO and plastic while remaining flexible and durable in all weather conditions. UV and ozone resistance plus non-shrinking characteristics promote long life. Paintable and non-yellowing.

48297 **NEW!** Ultra Sealant, Bright White, 10 fl. oz. #610SASLW-1 12



EPDM RUBBER ROOF SYSTEM WATER BASED BONDING ADHESIVE

Water Based Acrylic Bonding Adhesive is environmentally friendly and user safe. Provides excellent coverage and is easy to apply. Application rate of 160 sq. ft. per gal. Use on moisture absorbent substrates, **NOT for use on metal, fiberglass or membrane-to-membrane applications.**



Water-Based Adhesive:

49330 1 Gallon #901BA-1 4

78717 5 Gallon #905BA-5 1



STICKNBOND
MicroSEALANT TECHNOLOGY



46469

**STICKNBOND
ROOF REPAIR KIT
by LEISURE
TIME MARKETING**



Fixes your leak the moment it makes contact, grabbing all types of surfaces including steel, aluminum, fiberglass, polyethylene, rubber, and ABS. Easy to apply, just peel back the liner and press into place. **STICKNBOND White** is designed for maximum flexibility, durability, and UV protection. It will never harden, shrink, streak, or ooze, and is backed by a 25 year limited warranty. It applies easily over old roof seams and caulking.

47441



47436



STICKNBOND White:

46471 4" x 37' Roll #60018 3

47441 4" x 25' Roll #60023 6

47436 4" x 60" Repair Kit #60021 6

46469 6" x 6" Patch Kit #60019 12

STICKNBOND Aluminum is ideal for metal roofs, plastic and metal tank repair, fiberglass, aluminum, or any surface where tensile strength is desired and flexibility is not essential. It will never lose its adhesive quality and is backed by a 25 year warranty.

STICKNBOND Aluminum (not pictured):

46468 6" x 6" Patch Kit #60009 12

SPRAYN SEAL



**SPRAYN SEAL™
INSTANT
RUBBER ROOF REPAIR**

NEW!

SPRAYN SEAL™ is an easy to use spray-on elastomeric rubber coating that dries in 10 minutes at 70°. With built-in primers it will stick to anything except silicone and is UV stabilized. It makes a great toolbox item that is ready for any leak emergency. Best for small cracks and leaks not over 3/16" wide.

45364 SprayNSeal 16 oz.
(Not for sale in Canada) #60030 6



SPRAYN SEAL

INSTANT RUBBER ROOF REPAIR

- Rapid Drying Spray-On White Rubber Coating
- Pure Elastomeric Rubber is Paintable when Dry
- Adheres to Anything except Silicone
- Convenient Do-It-Yourself Toolbox Item
- Dries in 10 Minutes at 70° F



STOP LEAKS!

Fix your RV permanently with watertight
STICKNBOND MicroSealant Tape and
SPRAYNSEAL Instant Rubber Roof Repair



STICKNBOND

featuring **MICROSEALANT TECHNOLOGY**

PERMANENT RV LEAK REPAIR TAPE

- Easy to Use – Just PEEL – STICK – PRESS
- White for Roofs; Aluminum for Tanks
- Great for Skylights, Vents, Windows, Roof Seams
- Sticks to EPDM, TPO, PVC, Anything except Silicone
- 25 Year Warranty

The Professional's Choice
for RV Roof Seam Repair



In Section D:	Roof Repair	Repair, Sealants, Adhesives	Tape	Surface Material	Automotive	Paint	Cleaners/Protectant	Washers, Brushes	Deodorizer	Dehumidifier
---------------	-------------	-----------------------------	------	------------------	------------	-------	---------------------	------------------	------------	--------------



ELIXIR INDUSTRIES PLAS-T-COTE® FIBERED TRAILER TOP COATING

**Coating for metal and fiberglass roofs
(not suitable for rubber roofs or homes
with asphalt roofing.)**

Plas-T-Coat is a non-asphalt, high quality chemically engineered roof coating that contains long fibers, pigments and non-drying resins. It is a thick, white fibered or aluminum fibered colored coating with an amazing ability to conform to, and protect against all weather conditions. It has excellent acoustical and insulating qualities. Plas-T-Coat alkyd stays flexible, contracts and expands with roof seams. Covers 40 sq. ft. per gallon.

Plas-T-Cote Fibered Roof Coating, Aluminum:

40220 1-Quart Can #43032 12

40221 1-Gallon Can #43128 4

40223 5-Gallon Can #43640 ◆1

Plas-T-Cote Fibered Roof Coating, White:

40224 1-Quart Can #45032 12

40225 1-Gallon Can #45128 4

40227 5-Gallon Can #45640 ◆1



ELIXIR INDUSTRIES PLAS-T-COTE® PATCHING TAPE

Pliable butyl rubber press-on tapes for roof repairs. Stops leaks fast. 1.8" x 2" x 42" roll.

45028 Patch Tape, White #5129 12

COFAIR PRODUCTS INC. RUBBER ROOF EMERGENCY PATCH KIT



The roof repair kit allows for easy repair. Just peel and seal for an instant, permanent repair. Each emergency repair kit contains two alcohol wipes, one scrub sponge, and one 6" x 1' fully cured EPDM rubber patch.

40173 Rubber Roof Emergency Patch Kit #RR612 18



GEOCEL® PRO FLEX RV™ INSTANT ROOF REPAIR

Pro Flex RV™ Instant Roof Repair is engineered and designed for quick, effective, and permanent repair of roof leaks in breaks, seams, splits, or holes in metal RV roofing systems. Pro Flex RV Instant Roof Repair is a permanent solution for leaks and will stop leaks immediately, even in wet conditions.

- Stops leaks immediately and permanently
- Fibered for strength • Will function in severe UV, acid rain, and intermittent foot traffic
- Withstands water contact immediately after application to stop leaks • One-step application; no primer required • Applies in extreme temperature ranges including wet and icy conditions • Mildew resistant • Paintable
- RV can be moved and exposed to weather immediately; roadworthy in 1 hour.

Pro Flex RV Instant Roof Repair, White:

20411 Quart #24801 6

20443 Gallon (Not for sale in Canada) #24301 4



COFAIR PRODUCTS QUICK ROOF™ EXTREME WHITE

FOR RVs WITH STEEL-LOC ADHESIVE

*Can be applied to most materials
when damp or even wet!*

Quick Roof™ Extreme is guaranteed not to crack, harden, or shrink. It instantly stops leaks and permanently repairs: all RV roof materials, vents, skylights, slide-outs, windows, awnings, holding tanks, tents and more!

Permanently repairs: EPDM, TPO, metal, fiberglass, aged & rigid PVC, vinyl, wood, OSB, and most building materials. • Made in U.S.A. • 15-yr. limited manufacturer warranty.

Quick Roof™ Extreme White For RV's:

48898 4" x 6' #UBE406 12

48670 4" x 25' #UBE425 18

48672 6" x 25' #UBE625 12

COFAIR PRODUCTS INC.

*White Quick Roof
For Rvs.
Same Great
Waterproofing!
White Aluminum
Surface!*



QUICK ROOF™ WATERPROOF REPAIR

Permanent repair for metal and fiberglass roofs. Now with a white enamel coating, Quick Roof's super-reinforced aluminum surface will instantly repair RVs, mobile homes, trucks, trailers, skylights, flashings, or anywhere recurring leaks are a problem. Just peel off the release paper, and press in place for a permanent repair. Not for EPDM roofs.

Quick Roof Waterproof Repair, White:

44991 3" x 25' #WQR325 24

44992 6" x 25' #WQR625 12

QUICK ROOF FOR RUBBER ROOFS

Quick Roof for Rubber Roofs easily repairs EPDM rubber roofs. With its self-adhesive application, Quick Roof for Rubber Roofs repairs and waterproofs tears and punctures. Just clean the repair area as directed, remove release paper, and press Quick Roof's fully cured EPDM rubber surface in place for a permanent repair.



Quick Roof for Rubber Roofs:

41347 6" x 16' #RQR-616 12

41350 6" x 100' #RQR-6100 1

47448 6" x 24' #RQR624 24

COFAIR PRODUCTS INC. QUICK ROOF PATCH

Quick Roof is a self-stick aluminum surface. Just peel off release paper and press in place. Great for quick repair projects on metal & flat roofs, RV & Mobile Homes, Gutters & Flashings, Skylights or anywhere recurring leaks are a problem. Five puncture resistant layers lasts for years. Patches are 4" x 6" each. 5 per package.

47567 ^{LS} Quick Patch, White #WQR5 Patch 30

In Section D:	Roof Repair	Repair, Sealants, Adhesives	Tape	Surface Material	Automotive	Paint	Cleaners/Protectant	Washers, Brushes	Deodorizer	Dehumidifier
---------------	-------------	-----------------------------	------	------------------	------------	-------	---------------------	------------------	------------	--------------



COFAIR PRODUCTS INC.

QUICK ROOF DOUBLE WHITE FOR EPDM RUBBER ROOFING

- New White Butyl Adhesive. • Self-Stick Surface.
- Lasts for Years. • Just Peel Off Release Paper and Press in Place.

Other Features: • Self Adhesive Rubber Roof Repair. • Super strong Rubber Based Adhesive. • Instantly Waterproofs Tears and Punctures. • Fully Cured EPDM Rubber Surface.

Quick Roof Double White for EPDM:

44993 6" x 16' #WRQR616 12

44994 6" x 100' #WRQR6100 1



INSTANT WATERPROOF REPAIR AND RE-ROOFING

- Self-Stick Aluminum Surface. • Super Reinforced. • Just Press in Place for a Permanent Repair. • Five Puncture Resistant Layers. • 10 Year Material Warranty.

Use Quick Roof for Hundreds of Repair Projects:

- Metal & Flat Roofs.
- RV & Mobile Homes. • Trucks & Trailers.
- Gutters & Flashings. • Skylights.
- Anywhere Leaks are a Problem.

Instant Waterproof Repair and Re-Roofing:

44996 3" x 25" #QR325 24

44995 6" x 25" #QR625 12

RAPID-SET MARINE-TEX

Waterproof epoxy paste in a convenient 1:1 mix for emergency and permanent repairs. Superior bond fills cracks and voids in fiberglass, steel, aluminum, wood, cast iron and many hard plastics. Paintable; can be drilled, tapped and sanded. Excellent for quick machinery and mechanical repairs to get back underway with minimum downtime. Secures hardware and loose fasteners. Cures in one hour at 72° F. Gray.

44324 Rapid-Set, 2-oz. (Not for sale in Canada) #RM320K 12



DYCO PRODUCTS

#20/20 RV ROOF SEAM SEALANT



Resealing your RV's seams and roof on an annual basis can prevent leaks and could prevent thousands of dollars of damage to your motor home, travel trailer, fifth wheel, or mobile home. 20/20 is a premium synthetic rubber brush on, solvent based caulk sealant used exclusively for sealing seams. Once applied 20/20 Seam Seal gradually forms a flexible water resistant elastomeric seal making it ideal for seams around vents, stacks & attached structures such as carports. May be applied at freezing or above. 1 gallon will cover about 50-200 square feet of surface depending on thickness applied and smoothness of the seams. *Not recommended for EPDM rubber roofs.*

20/20 Seam Seal:

46876 Quart, White #20/20-4 6

46875 Gallon, White #20/20-1 4



NEW!

New format!

DYCO PRODUCTS

#890 ROOF SHIELD & SEAL

A solvent based rubber copolymer roof coating, specially formulated to provide a tough, water resistant seal that remains flexible. Due to its solvent base it will set up in 30 to 60 minutes, eliminating the danger of a wash-off due to a sudden rain. May be applied at freezing or above. When dried, this fortified coating is resistant to dirt pick-up. Protects, beautifies & insulates, with high reflective values for cooling your roof. *Not recommended for EPDM rubber roofs.*

#890 RV & Mobile Home Roof Coating:

46947 **NEW!** Quart, White (Not for sale in California) #890/4 6

46880 ^{LS} Gallon, White (Not for sale in California or Canada) #890-1 4



DYCO PRODUCTS

DYOSEAL ACRYLIC BRUSH-ON SEALANT

NEW!



Dyco 1600 Dyoseal is a quality 100% acrylic exterior brush on caulk. Dyoseal can take the beating of extreme weather conditions and it bonds tightly to clean and firm substrates. It forms a permanently flexible seal that will not crack, chip, or peel. It applies easily, dries rapidly and may be painted over after thoroughly drying.

Dyco Dyoseal Acrylic Brush-On Sealant-Water Based :

47029 Quart #1600/4 6

47264 Gallon #1600/1 4



DYCO PRODUCTS

METAL PRIMER

NEW!



DYCO MP50 is a fast drying medium oil phenolic metal primer. MP50 incorporates zinc phosphate as its primary rust inhibiting additive. It cures rapidly to a tough, strong, solvent resistant film.

Dyco Metal Primer, White:

47265 Quart (Not for sale in California) #MP50/4 6

48036 Gallon (Not for sale in California or Canada) #MP50/1 4



CARRAND

CARRAND™ GATOR SKIN NITRILE GLOVES

Professional grade mechanics gloves. • Textured surface for a better grip. • Chemical & Puncture resistant. • Lightly powdered • Latex free. • One size fits all. 50 pack dispenser box.

41826 Nitrile Gloves #23029 20

In Section D:	Roof Repair	Repair, Sealants, Adhesives	Tape	Surface Material	Automotive	Paint	Cleaners/Protectant	Washers, Brushes	Deodorizer	Dehumidifier
---------------	-------------	-----------------------------	------	------------------	------------	-------	---------------------	------------------	------------	--------------



REDTREE INDUSTRIES

FOAM BRUSHES

Disposable sponge like brushes with wood handles. For small varnish and touch-up jobs.

- 77675** 1" Foam Brush #00005 1 48
- 77677** 2" Foam Brush #00006 8 48
- 77678** 3" Foam Brush #00007 5 36
- 77679** 4" Foam Brush #00008 1 24

DISPOSABLE CHIP BRUSHES

Disposable paint brushes are made of chip bristle with a trim of 1-5/8".

- 43329** 1/2" Brush #14002 36
- 41416** 1" Brush #14012 36
- 41523** 1-1/2" Brush #14022 36
- 41524** 2" Brush #14032 24
- 43330** 2-1/2" Brush #14042 12
- 41525** 3" Brush #14052 12
- 43331** 4" Brush #14082 12

THE FOOLER (Chip Brushes)

Don't be fooled by their low price... these brushes have double the thickness of the average chip bristle brush. They are designed for more paint pick-up, more release and less dipping. Use for epoxy, resin, roof coatings and bottom paint. Not for fine finishes.

Fooler Chip Brush:

- 49933** 1" #10001 36
- 49934** 1-1/2" #10015 36
- 49935** 2" #10002 24
- 49936** 2-1/2" #10025 12
- 49937** 3" #10003 12

VLP VINYL REPAIR KIT

VLP fuses together without heat or patch. Easy to use—just apply and let dry. Forms a nearly invisible repair which is guaranteed to be stronger than the original vinyl. Use on seat cushions, indoor and outdoor furniture, awnings, rain wear, tarps, etc.



The carton dimensions are: 7.5" x 5.25" x 4.25", 1.05#s, .101 cu.ft. The package dimensions are: 6.5" x 3.75" x 1.375".

- 41298** VLP Repair Kit, 1-oz. Carded (Not for sale in Canada) #61Z09 6

VERSACHEM FIBERGLASS REPAIR KIT



A complete, epoxy and glass reinforced patch kit for all types of repairs to fiberglass fixtures, shrouds and housings commonly found on boats, autos, trucks and RVs. Contains enough material to repair or patch holes up to 1" in diameter or cracks up to 5" in length. Restores damaged areas to full operation in less than 20 minutes. Includes epoxy, sand-paper, fiberglass reinforcing cloth (10 sq. in.) and application brush. Clear. 30 gms. size.

- 25967** Fiberglass Kit #002-90230 12

FIBERGLASS, PORCELAIN & PLASTIC REPAIR KIT 30 G

Kit includes a 2-part epoxy system self-contained within a mixing pouch, fiberglass patch, sandpaper and application brush. Permanently fixes holes and cracks up to 1" dia. in 20 minutes, eliminating the need to remove tanks, tubs and shower stalls. Recommended for use on all types of plastic and fiberglass. Almond/White color.



- 25422** Fiberglass, Porcelain & Plastic Repair Kit 30 g epoxy kit #002-90216 6

COGHLAN'S SPORTSMAN'S REPAIR KIT

For on-the-spot repair of any vinyl, plastic or soft rubber item such as air mattresses, wading pools, boots, toys, etc. Kit contains four 1 1/4" x 1 1/4" rubber patches; one 2 1/2" x 4" rubber patch; .40 fl. oz. cement; 1 metal rasp.



- 42101** Sportsman's Kit #860BP 12

HI-TEC POLYURETHANE SEALANT PROJECT 1

A high performance, one part, all purpose sealant which forms a tough waterproof seal for outdoor applications. It is paintable and is an excellent choice for interior uses. It bonds to tile, glass, marble, ceramics, porcelain, brick, stone, concrete, other masonry surfaces, plastic, rubber, wood, painted surfaces and more.



- 46406** Polyurethane Sealant, 10-oz., White #4007 12



MARINE TEX EPOXY PUTTY

Marine-Tex, the legendary high-strength repair compound designed for filling, bonding and rebuilding wood, fiberglass, ceramic, glass, metal, masonry and many plastics. Repairs leaks in fuel tanks, water tanks, piping, and shafting. Marine-Tex is manufactured to the highest standards to meet the harsh demands of the marine and industrial environments, and solve many problems for home, auto and hobby applications.

Marine-Tex is a creamy paste consistency that can be applied on vertical or horizontal surfaces, easily fills gaps, and can be shaped to rebuild damaged components. Marine-Tex can be sanded or ground to shape, tapped and drilled, and finished with most common paints and coatings.

Marine-Tex, White (Not for sale in Canada).

- 738472** 2 oz. Size #RM305K 25

- 738228** 3/4 lb. Kit #RM306K 12

MARINE-TEX FLEXSET EPOXY ADHESIVE

Marine-Tex FlexSet is a non-sagging, non-shrinking, permanently flexible adhesive. Sandable and paintable, FlexSet resists vibration and bending failures by curing to a tough, flexible consistency that creates an air and watertight seal between mating surfaces.



Bonds to PVC, Hypalon®, ceramic, rubber, polyurethane, glass, acrylic, steel, fiberglass, polycarbonate, wood, ABS, aluminum, Lexan® and dissimilar materials.

Bonds dissimilar materials like PVC to copper. FlexSet outperforms PVC Cement! Because of the vibration and shock resistance, FlexSet is highly recommended for PVC pipe repairs. As bonded joints shrink and expand the FlexSet moves with them. Therefore, it won't crack or break from the surface.

- 47532** Flex-Set, 1-oz. (Not for sale in Canada) #RM321K 1

In Section D:	Roof Repair	Repair, Sealants, Adhesives	Tape	Surface Material	Automotive	Paint	Cleaners/Protectant	Washers, Brushes	Deodorizer	Dehumidifier
---------------	-------------	-----------------------------	------	------------------	------------	-------	---------------------	------------------	------------	--------------



TEAR-AID® REPAIR PRODUCTS

WON'T PULL OFF WHEN STRETCHED!

TEAR-AID® has a unique composition that stretches and recovers absorbing the force that causes ordinary products to lift.

TEAR-AID® is the durable, flexible, airtight, watertight, puncture-resistant, industrial-strength patch that protects against abrasion, moisture, saltwater, UV sunlight and extreme temperatures.

TEAR-AID® Roll Type A - For the repair of canvas, rubber & neoprene, most plastics, nylon, fiberglass, stainless steel, aluminum, polyethylene, polypropylene, polyurethane, non-oiled leather, and Sunbrella®.

TEAR-AID® Roll Type B - For the repair of vinyl or vinyl coated items only.

Each TEAR-AID® Repair Patch Kit contains one 3" x 12" TEAR-AID® patch (cuts with scissors to any size), one 7/8" x 7/8" patch, one 1-3/8" x 1-3/8" patch, 12" reinforcement filament (for repairing tears at edges), two alcohol prep pads, and instructions in a high-gloss, retail-ready box.

Each TEAR-AID® Roll Box contains one 3" x 5' TEAR-AID® roll (cuts with scissors to any size, two alcohol prep pads, and illustrated instructions in retail-ready box).

Tear-Aid Pop Display:

95882 Type A, 20 Kits
#D-CASE-A-005 1

95880 Type B, 20 Kits
#D-CASE-B-005 1

95881 Mixed, 10 Kits A & 10 Kits B
#D-CASE-M-005 1

Tear-Aid Boxed Roll:

41216 Type A #D-ROLL-A-20 20

41218 Type B #D-ROLL-B-20 20



COGLAN'S SEAM SEAL

Waterproofs sewn seams in nylon or other synthetic fabrics. Ends leaky seams in tents, rain wear, jackets, backpacks. Washable, dry cleanable, colorless, clear and flexible.

42087 Seam Seal #8040 12

LIFESAFE SUPER SEAL TAPE

Emergency repairs, stops leaks, forms solid rubber wrap. Strips clean, leaves no messy adhesive or residue. Holds 100psi at 220°F. Works wet or dry, greasy or dirty. Shrinks about 3% to form an airtight, waterproof seal. Use for outdoor plumbing, automotive hoses, broken water lines, electrical cables, garden hose repair, boat and RV repair, wire bundles, extension cord connectors, sports equipment, tool grips, power tools and rope ends.

47900 Super Seal Tape, 1" x 16 ft.
#RE3845ES 12



LIFESAFE PRODUCTS SOS REPAIR TAPE

Excellent for: Boat Rigging, Ends of ropes, Corrosive areas, Boats & RV hooks-ups, Wire Bundles, Electrical insulation, Air ducts joints, Emergency hose repair, Sport and tool grips, Plumbing repair. Also Home, Auto, Workshop, Motorcycle, Camping, Hunting, Fishing and Farm.

Withstands salt water, UV-Rays, Acids and fuels.

- Tensile strength of 600 psi • Won't melt up to +500°F (+260°C) • Remains flexible down to -60 °F (-50°C) • Insulates to 8000 volts (For a 20mil thick wrap) • Air and water tight • No adhesive - Self fusing.

Recommend overwrapping two to three times for additional strength. For smaller jobs, remove a suitable length from roll and follow above instructions. In emergency hose repair, continue wrapping under tension until leak stops. When tape is removed (leaves no residue).

47565 SOS Repair Tape Black 1" x 10'
#RE6498 12



CAULKING GUN

Caulking gun for 1/10-gal. or 10-oz. cartridges.

40386 Caulking Gun #77 12



SIKAFLEX®-221

Sikaflex®-221 is the most well known brand of one component polyurethane sealant/adhesive in the world. This fast curing product provides permanent elastic adhesion to a number of surfaces with excellent cut and tear resistance. Considered by many to be the ultimate choice in truck, trailer, RV and bus manufacturing. Designed to resist the shock and abuse encountered over countless road miles, Sikaflex®-221 will maintain its strength and adhesion over the long haul. Sikaflex®-221 is weather resistant, sandable, paintable and NSF approved for potable water and incidental food contact.

Sikaflex®-221, 300 ml cartridge:

48680 Alum Gray #017-90892 24

48684 Black #017-90893 24

48681 Champagne #017-108190 24

48682 Col. White #017-106449 24

48686 Coping Stone #017-108191 24

48683 White #017-90891 24



SIKAFLEX®-291

This is the most versatile of the Sikaflex marine product range. It is a one component polyurethane suitable for most sealing/bonding applications on board, the main exceptions being glazing and bonding bulkheads. Among its many applications are bedding deck fittings, sealing plumbing and sanitary equipment sealing joints including keel/hull, stern shaft tube, bonding deck to hull etc. It is also excellent for bonding anti-slip man-made decking materials including Marine Deck 2000, TBS, Nautolex, Treadmaster, Dekotred etc. It can be sanded and painted and its fast curing time and exceptional adhesion properties make it particularly suitable to a wide variety of repair jobs as well as boatbuilding uses. Typical coverage : 10m per 310ml cartridge (5x5mm joint). • Application Temperature : +5Deg. to +25Deg.C. • Service Temperature : -40Deg. to +90Deg.C. • Cures to 3mm in 24 hours. Tack Time : 60-90 mins.

47267 Sikaflex®-291, 300ml, White
#017-90919 24

47268 Sikaflex®-291, 300 ml, Black
#017-90923 24

SEALANTS

In Section D:	Roof Repair	Repair, Sealants, Adhesives	Tape	Surface Material	Automotive	Paint	Cleaners/Protectant	Washers, Brushes	Deodorizer	Dehumidifier
---------------	-------------	-----------------------------	------	------------------	------------	-------	---------------------	------------------	------------	--------------



SIKAFLEX®-252

The original elastic bonding adhesive, Sikaflex®-252 offers great adhesive strength coupled with elasticity. This combination bonds and seals at the same time, offers excellent gap filling capabilities and compensates for loose tolerances in the building process. Strong enough to sharply reduce or even completely eliminate traditional fastening systems such as welds, rivets, screw and bolts. Excellent Green Strength means reduced clamping time. Bonds to a wide variety of substrates. Some surface prep is generally recommended. Sandable, paintable and NSF approved for incidental food contact.

Sikaflex 252, 10.5 oz. cartridge:

- 48830** White #017-90915 24
- 48831** Black #017-90916 24

SIKAFLEX® 505UV-HV

Sikaflex®-505UV is a one component silane terminated polymer (STP) with excellent UV and weathering resistance, and excellent adhesion to a wide variety of substrates including aluminum, steel, glass, marble, wood and many different types of plastic. Contains no solvents or isocyanates and has a low VOC content.

- Excellent tooling characteristics.
- Fast curing even at low temperatures.
- Highly weather resistant.
- Excellent UV resistance.
- Easily paintable.
- Non-yellowing.

- 48565** Sika Sikaflex Sealant 505UV-HV, 300ml, White #017-415763 24



SIKAFLEX® 715

Sikaflex®-715 provides peace of mind for EPDM roof sealing! Sikaflex-715 is a cross-linking "chemical curing flexible, elastic, and durable roof sealant." This curing process imparts a highly elastic internal strength not found in traditional RV roof sealant products. Sikaflex-715 will bond to a variety of roofing component substrates. Unlike other roofing sealants, Sikaflex-715 has very low VOC's and won't crack under the most extreme conditions. Traditional roof sealants have high shrink characteristics and crack when exposed to the environment. 300 ml cartridge.

- 48688** Sikaflex®-715 Roof Sealant, 300 ml cartridge #017-187690 24



SIKA PRODUCTS

SIKASIL®-GP

SikaSil®-GP silicone is an acetoxy-curing low modulus sealant used for general seam sealing in interior and exterior applications. It has excellent adhesion to metals, glass, plastics & fiberglass. SikaSil®-GP has excellent weather stability, is solvent free and is mold & mildew resistant. Elongation of 570%, 300 psi tensile strength, 25 minute tack time and a joint movement accommodation factor of +/-25%, Highly UV resistant.

Sikasil®-GP 300ml:

- 48832** Clear Silicone #017-189150 24
- 48833** White Silicone #017-189151 24

SIKASIL® N-PLUS

Sikasil® N-Plus Sikasil® N Plus US is a general purpose, neutral cure silicone sealant used for interior and exterior applications. It delivers excellent adhesion to most substrates without surface treatments. Sikasil® N-Plus is highly UV resistant with excellent weather stability and is mold and mildew resistant. Sikasil N-Plus offers excellent sealing joint flexibility for dynamic moving parts. Elongation of 430%, 300 psi tensile strength and 30 minute tack free time.

Sikasil® N-Plus:

- 48880** Clear #017-412406 24
- 48885** Alum. Gray #017-415697 24
- 48886** White #017-412136 24



SIKA® MULTISEAL PLUS

Sika® MultiSeal Plus a new self-adhering, multi-purpose roofing repair tape that, combines an advanced copolymer mastic that exhibits aggressive adhesion with a flexible, non-release, tear proof, UV resistant TPO membrane to create a fast, easy to apply, permanent watertight seal. Sika® MultiSeal Plus bonds to a wide range of surfaces including challenging roof materials. The flexible non-release membrane allows the product to adhere to itself so that it can be stretched, cut and folded around intricately shaped roofing accessories to stop water penetration. White membrane.

- 48834** Sika® MultiSeal Plus Tape 4" x 50' #017-413828 1



LIFE INDUSTRIES

LIFE-SEAL® SEALANT

A unique combination of marine silicone and polyurethane formulated especially for fiberglass. Offers fast-curing, low-odor, high-adhesion, non-sagging, non-corrosive, non-yellowing formula. Provides a durable, permanent, watertight seal for joints subject to structural movement. For above and below the waterline. Adheres tenaciously to metal, glass, wood, Lexan, ABS and other materials.

2.8-Fl. oz. Tube:

- 15927** Black #1162-C 1
- 757233** Clear #1160-C 12
- 757234** White #1161-C 12

10.6-oz. Cartridge:

- 757235** Clear #1169-C 12
- 757236** White #1170-C 12



LIFE-CALK® SEALANT

A long lasting, permanently flexible marine polysulfide sealant which can be sanded, painted and used above and below the waterline. Tack-free in 1 to 3 days dependent on quantity and conditions. Provides excellent resistance to teak oils, gasoline and diesel fuel. Will bond to fiberglass, wood, metal, glass and itself. Cures to a firm flexible rubber seal with excellent waterproofing and adhesion qualities. Use underwater for emergency repairs. Do not use on Lexan or ABS.

2.8-oz. Tube:

- 738474** Black #1031-C 12
- 738475** White #1030-C 12

10.6-oz. Cartridge:

- 740033** Black #1034-C 1
- 740032** White #1033-C 12



SILICONE RUBBER SEALANT

An all-purpose, non-corrosive, low-odor marine silicone sealant. Tack-free in 30 minutes or less. Fully cured in 24 hours. For above the waterline sealant applications. Will not shrink, crack, dry out or yellow. Superior flexibility and adhesion to fiberglass, plastic, metal and wood. Retains hardness, flexibility and tensile strength even after years of exposure. Not sandable or paintable.

2.8-oz. Tube:

- 77699** Black #1142-C 1
- 754823** Clear #1140-C 12
- 754824** White #1141-C 12

10.6-oz. Cartridge:

- 754826** Clear #1150-C 12
- 754827** White #1151-C 12



In Section D:	Roof Repair	Repair, Sealants, Adhesives	Tape	Surface Material	Automotive	Paint	Cleaners/Protectant	Washers, Brushes	Deodorizer	Dehumidifier
---------------	-------------	-----------------------------	------	------------------	------------	-------	---------------------	------------------	------------	--------------

VERSACHEM AUTOMOTIVE BLACK SILICONE

One of the toughest most versatile sealants you can buy. A leakproof gasket in a tube. Use to replace cork, paper, rubber and felt gaskets. Use to bond and seal glass, metal, vinyl, rubber, plastic, concrete, etc. Seals windshields and sun roofs. Liquid Resistance: oil, transmission fluid, antifreeze, grease, water, steam, etc. Temperature Resistance: -100°F to +535°F (-73°C to +279°C). • 3.75" D x 1" W x 7.75" H. Made in USA.

48828 Automotive Black Silicone, 3-oz. tube carded (85 g)
#002-27039 12



NEW!



DYCO C-10 FLOW SEAL CAULK

A self-leveling caulk made with Dupont Hypalon® Rubber specifically for the RV/mobile home industry. An extremely weather resistant caulk (may be applied at -30° to 150°) that will not crack or surface harden. It is paintable, mildew resistant and dries fast. Great for horizontal applications such as roofs on RV's, mobile homes, vents, seams, etc. Not for EPDM rubber roofs.

Flow Seal Caulk, 11 oz. Tube

49488 Grey Caulk #C10-GREY 10

49489 Ivory Caulk #C10-IVORY 10

49487 White Caulk #C10-WHT 40



EZ-RTV SILICONE SEALANT

Dispense 100% RTV Silicone right from the can... no caulking gun required! Project 1 Easy-RTV is a high quality silicone sealant that is the perfect choice for exterior and interior sealant jobs on the go! Will adhere to metal, glass, marble, tile, cera-mics, painted surfaces, non-oily woods, and rubber. Keep it in the tool box for quick-fix applications. Self-sealing applicator. Remove cured plug to use again and again.

46870 Silicone Sealant, 7.25 oz., Clear
#6305-12 12



Starbrite

STAR BRITE SILICONE SEALANT

Bonds fiberglass, plastic, wood, glass and metal. Unaffected by sunlight, weathering, most chemicals, solvents. Will not shrink or sag. Stays flexible from -70° to 480° F.

Use above and below waterline. Easy-to-use applicator. Free applicator gun with each tube.

Silicone Sealant, Tube, 3-oz.:

755701 Black #082103 12

755700 Clear #082102 12

755699 White #082101 12

Silicone Sealant, 10.2 oz. Cartridge:

755118 Clear #082122 12

755117 White #082121 12

RTV SILICONE SEALANT

100% RTV SILICONE SEALANT is a high quality sealant that is the perfect choice for exterior and interior sealing and caulking. It bonds to metal, glass, marble, tile, ceramics, porcelain, painted surfaces, non-oily woods, plastic, and rubber. Use it for all your sealing needs. It is a great adhesive for bonding surfaces together. Conventional paint will not adhere. Paint first, then seal.

Silicone Sealant, 10.3-oz. Cartridge:

49713 Almond #11109-12 12

49711 Aluminum #11101-12 12

49712 Black #11102-12 12

49709 Clear #11105-12 12

40215 Colonial White #11112-12 12

49710 White #11107-12 12



PRO FLEX RV SEALANT

Pro Flex RV from Geocel provides excellent adhesion to virtually all RV materials, can be applied in the harshest weather conditions (even rain and sub-freezing temperatures), and can withstand significant joint movement associated with RV travel.

ProFlex RV Cartridge, 10-oz.:

28430 Almond #28809 12

28675 Black #28803 12

28426 Crystal Clear #28800 12

20234 **NEW!** Crystal Clear #28128 12

28429 Bright White #28827 12

28428 White #28801 12

PRO FLEX RV BRUSHABLE

Pro Flex RV Brushable from Geocel will help stop leaks, prevent rust and is mildew resistant. It offers excellent adhesion even on damp and oily surfaces and can be applied at virtually any temperature. Paintable. Quart size (946ml).

48425 Crystal Clear, Qt. #23800 6

GEOCEL ADVANCED™ RV EPDM ROOF SEALANT



- Will not harm or swell EPDM membrane.
- Immediately withstands exposure to the elements.
- One-step application.
- Adheres to EPDM, metal, and other prefabricated sheet goods (NOT FOR USE ON TPO).
- Will not shrink; solvent-free.

This product works best for these applications. Materials: EPDM, Sheet Metal (HVAC) and Wood. Roofing Applications: Leak Repair, Roof Projections, Roof Seams, Termination Points and Scrim Edge Sealant.

44963 Advanced™ RVEPDM Roof Sealant
#56801 12

PROJECT 1 SILICONIZED ACRYLIC LATEX

A single part sealant for both interior and exterior applications, to seal cracks or joints in or between wood, masonry, glass, plaster, pipes, foundations, etc., with high adhesion and a 20 year minimum life expectancy. Will not bleed or stain adjacent surfaces, including paint work.

Acrylic Latex, 10.1 oz.:

46464 White #8007-12 12



REPAIR ACCESSORIES

In Section D:	Roof Repair	Repair, Sealants, Adhesives	Tape	Surface Material	Automotive	Paint	Cleaners/Protectant	Washers, Brushes	Deodorizer	Dehumidifier
---------------	-------------	-----------------------------	------	------------------	------------	-------	---------------------	------------------	------------	--------------

WEST SYSTEM™ G-FLEX EPOXY


A toughened, versatile epoxy for permanent waterproof bonding of fiberglass, ceramics, metals, plastics, damp and difficult-to-bond woods. Contains two 4 oz. bottles of liquid epoxy (one 4 oz. resin and one 4 oz. hardener) in a plastic bag. G/flex Epoxy gives you 46 minute pot life and a long open or working time of 75 minutes at room temperature. It will reach an initial cure in 3-4 hours and a workable cure in 7-10 hours. G/flex has the ability to glue damp woods. It can be used on wet surfaces, even underwater when applied with specific techniques.



41732 G-Flex Epoxy Bottle, 2-4 oz
#650-8 12

WEST SYSTEM 105 EPOXY RESIN

105 Resin is the base material of the West System family of products, on which all of the West System compounds are built. The resin is a clear, pale yellow, low-viscosity liquid epoxy resin. Formulated for use with West System hardeners, it can be cured in a wide temperature range to form a high-strength solid with excellent moisture resistance. It is designed specifically to wet out and bond with wood fiber, fiberglass, reinforcing fabrics and a variety of metals. An excellent adhesive, 105 will bridge gaps and fill voids when modified with West System fillers and can be sanded and shaped when cured. With roller applications, it has excellent thin-film characteristics to flow out and self-level without "fisheyeing." The resin cures clear so that you can achieve a natural finish when coating with varnish. It has a relatively high flash point and no strong solvent odor, making it safer to work with than polyesters. Resin viscosity is approximately 1000 cP (centipoise) at 72°F (22°C). *(Not for sale in Canada)*



Epoxy Resin 105:

44350 Quart #105-A 4

44351 .98 Gallon #105-B 4

EPISIZE™ GLASS TAPE

Versatile West System Epimize™ 9-oz. woven fabric tapes are ideal for reinforcing chines, hull/deck corners and similar structural applications. When bonded with West System epoxy, they provide additional tensile strength to resist hairline crack development and abrasion. *(Not for sale in Canada)*



44385 729, 2" W x 10' #729-10 1



ADHESIVE & FAIRING FILLERS

(Not for sale in Canada)

403 Microfibers, a fine fiber blend, is used as a thickening additive with resin/hardener to create a multi-purpose adhesive, especially for bonding wood. Epoxy thickened with microfibers has good gap-filling qualities while retaining excellent wetting/penetrating capability. Color: off-white.

404 High-Density filler is a thickening additive developed for maximum physical properties in hardware bonding where high-cyclic loads are anticipated. It can also be used for filleting and gap filling where maximum strength is necessary. Color: off-white.

406 Colloidal Silica is a thickening additive used to control the viscosity of the epoxy and prevent epoxy runoff in vertical and overhead joints. 406 is a very strong filler that creates a smooth mixture, ideal for general bonding and filleting. It is also the most versatile filler in the

West System line. Often used in combination with other fillers, it can be used to improve strength, abrasion resistance, and consistency of fairing compounds, resulting in a tougher, smoother surface. Color: off-white.

407 Low-Density filler is a blended microballoon-based filler used to make fairing putties that are easy to sand or carve. Reasonably strong on a strength-to-weight basis. Cures to a dark red/brown color.

410 Microlight™ is the ideal low-density filler for creating a light, easily-worked fairing compound especially suited for fairing large areas. Microlight mixes with greater ease than 407 Low-Density filler or microballoons and is approximately 30% easier to sand. It feathers to a fine edge and is also more economical for large fairing jobs. Not recommended under dark paint or other surfaces subject to high temperatures. Cures to a tan color.

44368 403 Microfibers, 6-oz. #403-9 1

44976 404 High-Density Filler, 15.2-oz.
#404-15 1

44372 406 Colloidal Silica, 1.9-oz.
#406-2 6

44375 407 Low-density Filler, 4.7-oz.
#407-5 1

44377 410 Microlight Filler, 2-oz.
#410-2 1



APPLICATION TOOLS

(Not for sale in Canada)

800 Roller Covers.

Thin polyurethane foam roller covers are ideal for epoxy, paint and varnish application. Can be cut into shorter widths to match the application area and cut into brushes for tipping off fresh coats of epoxy. Covers are 7" wide and sold in packages of two.

803 Glue Brushes. Handy, disposable, 1/2" x 6" glue application brushes with a metal handle. These brushes are useful in a wide variety of small bonding and coating applications.

805-806 Poly Mixing Pots. Cured epoxy easily pops out of these strong, reusable plastic mixing pots.

807 Syringes. Reusable syringes that can be loaded with epoxy mixture for injecting into tight spots. Ideal for hardware bonding and plywood repairs. Holds about 0.5 fl. oz.

808 Flexible Plastic Spreader. Flexible, double-edged, reusable spreader for flow coating, fairing and filling applications, and applying fabrics. 3-1/2" x 6".

810 Fillable Caulking Tubes.

Great for injecting large amounts of epoxy, laying a lengthy bead of epoxy or making fillets. Suitable for refilling until epoxy cures. For use with a standard caulking gun. Holds approximately 10 fl. oz.

Application Tools (Not for sale in Canada):

44388 800 Roller Covers, Pk/2 #800-2 1

44391 LS 803 1/2" Glue Brushes, Pk/12
#803-12 1

44393 805 Poly Mixing Pot, 16-oz.
#805 1

44394 806 Poly Mixing Pot, 32-oz.
#806 1

44396 807 Syringes, Pk/2
#807-2 6

44397 808 Plastic Squeegees, Pk/2
#808-2 1

44399 810 Fillable Caulking Tubes, Pk/2
#810-2 12

USER MANUAL

This User Manual is the primary guide to the handling and basic techniques of epoxy use. It describes how to dispense, mix and modify West System epoxy for the basic coating, filling and bonding techniques used in most repair and construction procedures.

44345 User Manual *(Not for sale in Canada)*
#002-950 4

In Section D:	Roof Repair	Repair, Sealants, Adhesives	Tape	Surface Material	Automotive	Paint	Cleaners/Protectant	Washers, Brushes	Deodorizer	Dehumidifier
---------------	-------------	-----------------------------	------	------------------	------------	-------	---------------------	------------------	------------	--------------

HANDY REPAIR PACK

(Not for sale in Canada)

101 Handy Repair Pack.

Here is everything you need to complete small repairs around the boat, shop or home. The Handy Repair Pack contains two West System 105 Resin/205 Hardener packets, and enough high-density filler to complete a variety of coating and bonding operations. Also included are an application brush, mixing stick, pipe cleaner, two cleaning pads and complete instructions. The components can be mixed in the disposable package.



44347 Handy Repair Pack
#101 1

101-T Six resin/hardener packets only.

Each pre-measured packet contains 16 g of 105 Resin and 3.2 g of 205 Hardener (19.2 g or 0.56 fl. oz. of mixed epoxy).

44348 ^{LS} Resin & Hardner, PK/6
#101-T 1

WEST SYSTEM

205 & 206 HARDENERS

(Not for sale in Canada)

205 Fast Hardener

is a medium-viscosity epoxy curing agent. It is used in a majority of situations, at lower temperatures and to produce a rapid cure that develops its physical properties quickly at room temperature. When mixed with the 105 Resin in a five-part resin to one-part hardener ratio, the cured resin/hardener mixture yields a rigid, high-strength, moisture-resistant solid with excellent bonding and coating properties. Not intended for clear coating.



44353 Fast Hardener, "A", .44 pint
#205-A 4

44354 Fast Hardener, "B", .86 quart
#205-B 4

206 Slow Hardener is a low-viscosity epoxy curing agent for use when extended working and cure time is needed or to provide adequate working time at higher temperatures. When combined with 105 Resin in a five-part resin to one-part hardener ratio, the cured resin/hardener mixture yields a rigid, high-strength, moisture-resistant solid with excellent bonding and coating properties. Not intended for clear coating.

44357 Slow Hardener, "A", .44 pint
#206-A 4

44358 Slow Hardener, "B", .86 quart
#206-B 4

WEST SYSTEM

MINI PUMP SET

300 Mini Pumps are designed for convenient and accurate metering. They mount directly on the resin and hardener containers and eliminate the mess involved with measuring by weight or volume. 300 Mini Pumps are calibrated to deliver the proper working ratio with one full pump stroke of resin for each one full pump stroke of hardener. Set contains one resin pump and two hardener pumps.



47290 Mini Pump Set #300 1



California Compliant

RUSSELL 676™ HIGH PERFORMANCE SPRAY ADHESIVE

Russell 676™ is famous for: high bond strength resistance low soak-in quick drying virtually transparent permanent or temporary bonding pressure sensitivity for repositioning. Contains no methylene chloride. California Compliant.

Russell 676™ Spray Adhesive is a versatile and effective spray adhesive glue for a wide variety of substrates for home and industrial applications. This economical adhesive features a cost-effective 3-way adjustable valve, for low, medium and high applications. By offering an option of three lace spray patterns, the 3-way valve eliminates excess waste, providing just the right amount of adhesive.

Russell 676™ High Performance Spray Adhesive was specially formulated to bond polyethylene to itself, concrete block, wood and many other hard-to-bond substrates. It may also be used to bond paper, cardboard, fabric, urethane foam, foil to metal, and wood to itself. Whether you need a temporary bond, or a permanent high bond strength adhesive, from industrial to home applications, "Stick 'em up!" with Russell 676™ Spray Adhesive. It is certain to save you time, money and effort.

46292 676™ High Performance Spray Adhesive #RPI-676 12



WEST SYSTEM

A two-part epoxy adhesive in a convenient, self-metering cartridge. For permanent, waterproof, structural gap-filling and gluing.

SIX10 THICKENED EPOXY ADHESIVE

Six10™ Thickened Epoxy Adhesive combines the strength and reliability of a two-part WEST SYSTEM® Brand Epoxy with point-and-shoot convenience. The self-metering coaxial cartridge dispenses a gap-filling structural epoxy that bonds tenaciously to wood, metals, fiberglass and concrete. The tube comes with a static mixer that lets you lay down a bead of thickened epoxy with any standard caulking gun.

Six10's shear thinning properties make it "thinner" as it's worked. It can be easily tooled into a non-sagging fillet or used to wet out light to moderate reinforcing fabrics like fiberglass. The hardener provides a long open time but has fast thru-cure. Six10 stays workable in the static mixer for 42 minutes, making it practical for long or complicated assemblies.

44460 Six10 Epoxy Adhesive Cartridge
(Not for sale in Canada) #610 6



INSULATING FOIL

INSULATION & SOUND BARRIER FOR RVs!

THE INSULATOR

Suppresses noise, heat, cold and moisture that can interfere with the comfort and quiet of your motorhome. An excellent lightweight, easy to install insulation for Genset compartments, engine covers/compartments and under carpets or floor mats (does not affect the fit of any component that it is installed under). 3/8" thickness is made up of a dense packing of recycled cloth material, a highly effective "Firex" fire retardant coating and a space-age aluminized outer layer. Trim to any shape with household scissors and adhere in place with "Sticky Stuff" spray adhesive (#49897). Seal edges with "Insul-Tape" (#40592). Conforms to FMVSS safety standard 302. Coast Guard, F.A.A. approved (aircraft grade only). *Install with foil side toward source of heat or noise.*

4' x 6' Sheets Foil Insulation:

49896 1-Sided #30000-11406 60

40592 30' Insul-Tape™
#60100-00200 12



In Section D:	Roof Repair	Repair, Sealants, Adhesives	Tape	Surface Material	Automotive	Paint	Cleaners/Protectant	Washers, Brushes	Deodorizer	Dehumidifier
---------------	-------------	-----------------------------	------	------------------	------------	-------	---------------------	------------------	------------	--------------



STA'-PUT

**STA'-PUT
SPRAY
ADHESIVE
PRODUCTS**

STA'-PUT II Spray Adhesive for Foam

Permanently bonds Styrofoam™ and other polystyrene materials in 4 minutes or less. Use with Sta'-Put spray adhesive to laminate polystyrene foam to other materials. Pressure sensitive and water resistant. 13-oz. can.

47613 Sta'Put II #001-SP213ACC [12](#)

STA'-PUT Spray Adhesive Clear

Excellent for most permanent adhesive applications. Bonds high-pressure laminate to various substrates. Suitable for industrial applications including manufactured housing, construction, RV, marine, furniture, textile, HVAC, and upholstery industries. Pressure sensitive. 15-oz. can.

47615 Sta'-Put Clear #001-SPH15ACC [12](#)

STA'-PUT S203 All purpose Aerosol Spray Cleaner

is a biodegradable, natural solvent cleaner, degreaser and adhesive remover. It can be used on most surfaces and substrates, including painted surfaces, glass, porcelain, concrete, and is compatible with many plastics and vinyls. S203 is also effective for removal of adhesives, grease, oil stains, road tar, rubber marks, residue from decals, heel marks, graffiti, lipstick, release agents, and soap film.

STA'-PUT S203 is safer to use than most cleaners and adhesive removers and residue can be removed with water. It has exceptional cleaning/degreasing power; is non-corrosive, is biodegradable and has a pleasant citrus scent.

It is recommended that testing be performed on new substrates to determine suitability.

45032 Adhesive Remover and Degreaser, 14-oz. Can #001-S203 [12](#)

STICKY STUFF™ SPRAY ADHESIVE

Specially formulated to ensure proper bonding when installing single sided foil insulation. Even sticks to metal. One can adheres each 4' x 6' sheet of "Insulator" insulation. There are many other uses for this spray adhesive. (net wt. 10 oz.).



49897 Spray Adhesive #60100-00100 [12](#)



VERSACHEM FLOW-MIX® PLASTIC WELDER

Super adhesive excellent for bonding plastic to metal. Resists impact and most liquids. Easy to use. Exclusive dispenser features a patent pending design that makes it easy to dispense and mix the right amount of adhesive for any job. The snap off cap eliminates unsafe cutting of the tube ends, while the handy mixing paddle pops out when you push the plunger in. Includes mixing tool. • 4" D x 0.75" W x 8.5" H. • Made in USA.

48825 Flow-Mix® Plastic Welder, 0.47 fl. oz. syringe carded (14ml) #002-47829 [6](#)

PROFESSIONAL STRENGTH

GOOF OFF® PROFESSIONAL

Goof Off® Professional Strength is the Miracle Remover™ that cuts through the toughest spots and stains quickly. It even removes spots that would otherwise ruin your belongings. Use it to eliminate costly messes and mistakes around the garage, workshop and home. There's no other specialty remover that works faster or better. Low VOC formula is nationally compliant.

It cleans Adhesive & Glue, Oil & Tar, and Dried Latex Paint. It also cleans: • Hand Tools • Stains on carpet, clothing, upholstery • Crayon, Pen & Marker • Graffiti & Varnish • Gum • Candle Wax • Scuff Marks • Caulk • Lipstick & Makeup • Tar / Bugs / Tree Sap

FOR USE ON: Nylon, polypropylene, and wool carpets; fully cured varnished and oil-base painted surfaces, vinyl baseboard, laminated counter tops, vinyl floors, solid vinyl upholstery, all metals, glass, brick, wood, concrete, grout, vinyl tops, fiberglass, most fabrics. **CAUTION: Always test on inconspicuous area first. Damages many plastics, worn vinyl floors, some automotive paints, and some carpets.**

Goof Off® Professional:

44622 4.5-oz. VOC Compliant, 2.3" W x 1.4" D x 4.1" H #FG650 [12](#)

44637 16-oz. (Pint) VOC Compliant, 2.7" W x 2.7" D x 7.6" H #FG653 [6](#)



As a running change from Goof Off® Citrus to Goof Off® Heavy Duty Spot Remover & Degreaser!



GOOF OFF® HEAVY DUTY SPOT REMOVER & DEGREASER

Goof Off® Heavy Duty Spot Remover & Degreaser works like magic to quickly remove difficult mistakes, spots and messes that ordinary household cleaners can't. It works the first time due to its powerful, micro-emulsion formula. It penetrates deep into spots, stains and greasy messes to make tough cleaning easy.

- Works the first time. • No oily residue.
- Biodegradable. • No harsh fumes. • Safe for hard and soft surfaces (when used as directed).

GREAT FOR: • Grease & Grime • Sticker & Adhesive Residue • Asphalt & Tar • Stains • Crayon, Pen & Marker • Gum • Caulk • Scuff Marks • Lipstick, Nail Polish & Makeup • Bugs & Tree Sap • Fresh Latex Paint and more!

44623 1-oz Pump Spray #FG701 [9](#)



LIFESAFE BUTYL CAULKING TAPE

Butyl tapes help prevent and reduce costly water damage. Tough rubber, pressure sensitive mass, offers excellent adhesion to a variety of surfaces (no applicators required). Used to seal out: dirt, dust, moisture and water. Easy to use in tape form. Low moisture vapor transmission value. A must requirement in any sealing application. Butyl tapes are packaged with an attractive illustration label plus comes in a rugged, reusable, resealable package for storing. USE FOR: Campers / Boats, RVs, Agricultural, Farm Buildings, Silos (Aluminum), Glazing/ Mirrors, Fastener, Doors / Storm Sash.

47901 Butyl Tape, 3/4" x 1/8" x 20', Gray Clamshell pack #RE20758 [6](#)

In Section D:	Roof Repair	Repair, Sealants, Adhesives	Tape	Surface Material	Automotive	Paint	Cleaners/Protectant	Washers, Brushes	Deodorizer	Dehumidifier
---------------	-------------	-----------------------------	------	------------------	------------	-------	---------------------	------------------	------------	--------------

**DUCT TAPE**

Strong, heavy-duty, waterproof, pressure sensitive duct tape.

Duct Tape, 2" Wide:

41288 60 Yards L. #CT600 24

41289 10 Yd. L, Carded #CT600C 24

MASKING TAPE

An excellent all-purpose, general industrial masking tape offering a balance of quickstick, panel adhesion and holding properties. Meets requirements of U.S. Spec. U-T-106D, type 1.

Masking Tape, 60 yd. L:

41294 3/4" Wide #CT10175 6

43626 1" Wide #CT1011 36


43627 2" Wide #CT1012 24

BUTYL TAPE

Ideal for sealing uniquely shaped joints. Installs quickly, without gaps. Apply along unusual patterns. Because the sealant is on a continuous roll, installer can work fast and be visually assured that there are no skips or runs in the seal.



79233 Butyl Tape only, 1/8" x 3/4" x 30', Each #BT-1834-1 24

**DOUBLE- SIDED FOAM TAPE**

Professional grade moun-ting tape— double-face foam tape that really holds. Many uses. Holds tile, metal strips, paper, glass, pictures and more. 1"x 48".

43629 Foam Tape #CT148 36

CAP TAPE

Black cap tape with mylar backing has closed-cell PVC foam (with adhesive on one side) is used between the truck body and cap (topper). Seals out water, weather, dust, rattles and vibrations. Also functions as an all-purpose weather-stripping.

77389 Black Cap Tape, 1-1/2" W x 30 ft. L, Bulk #8321C01AUG 20

**ELIXIR INDUSTRIES****NON-TRIMMABLE BLACK BUTYL - 101**

No. 101 Sealing Tape is a tough, black, non-hardening elastic butyl based material with excellent sealing properties. It is a pliable, tacky sealant tape which will adhere to any type of metal, wood, concrete, glass, plastics and porous surfaces. Excellent sealant for any lap joints. It is a non-trimmable material but could be cut with a utility knife. Its adhesion increases with age after being applied, assuring a long safe and durable seal. It is ideal for sealing roof and side panels such as aluminum to aluminum, galvanized to galvanized or aluminum to galvanized metal. It has a one year shelf life. Easier to work with in cooler climates.

Non-Trimnable Butyl Tape, Black:

48091 3/16" x 3/4" x 20 ft.; #5055 20

48092 3/16" x 1" x 20 ft.; #5050 16

PUTTY TAPE - 160

This natural colored putty tape is a heavy, flexible, non-hardening butyl material that remains pliable as packaged. It releases easily from its silicone-treated backer. For use under moldings; around windows, doors and vents. It can be used to seal and waterproof overlapping metals and can be easily shaped and formed to seal difficult areas. One year shelf life.



Putty Tape, Gray:

40005 1/8" x 3/4" x 30 ft. #5631 20

40006 1/8" x 1" x 30 ft. #16-5625 16

45368 **NEW!** 1/8" x 1-1/2" x 30 ft. #16-5626 12

40026 3/16" x 1" x 20 ft. #5650 16

40203 3/16" x 3/4" x 20 ft. #5655 20

40208 1/4" x 3/4" x 18 ft. #5677 20

TRIMMABLE BUTYL TAPE - 180

This trimmable butyl is an off-white, non-hardening elastic butyl based material. It provides excellent sealing adhesion to any type of metal, wood, concrete, glass, plastics and porous surfaces. Can be used under moldings; around windows, doors and vents. It can be trimmed easily with any stiff, pointed non-scratching object. This butyl increases in adhesion with age, after it is applied. One year shelf life. Easier to work with in warmer climates.




Trimmable Butyl Tape, Off-White:

48461 1/8" x 3/4" x 30 ft.; #5831 20

48462 1/8" x 1" x 30 ft.; #5825 16

48463 3/16" x 1" x 20 ft.; #5850 16

**WEATHER-STRIPPING**

Easy to apply, self-adhering. Protects, seals, cushions, insulates, silences rattles and fills voids. Countless applications for vehicles and homes.

Order No.	Thick (in.)	W. (in.)	L. (ft.)
42199	3/16"	3/8	10
42760	3/16"	1/2	10
42762	3/16"	3/4	10
42764	5/16"	3/8	10
42765	5/16"	1/2	10
42200	5/16"	3/4	10
42768	7/16"	3/8	10
42769	7/16"	1/2	10
42201	7/16"	3/4	10
42770	7/16"	1	10
42203	9/16"	1/2	10
42772	9/16"	1	10

Bulk 50 ft. Roll Size:

42761 3/16" x 1/2" x 50ft. #80018 18

LIFESAFE PRODUCTS RV AWNING REPAIR TAPE

Excellent resistance to tearing in any direction, very aggressive adhesive (U.V. stable).

Repairs rips and punctures in: sails • canvas • awnings • rainwear • tents • napsacks • pool covers • canoes • pool liners • hunting apparel • seat covers. CAUTION NOT FOR AVIATION USE: RV Awning Repair Tape is NOT designed for use in the manufacture or repair of ultralight aircraft, hang gliders, balloons, parachutes or any other aviation products. It must NEVER be used in these applications.

47460 RV Awning Repair Tape 6" x 10" #RE1179 6

TAPES • SURFACE MATERIAL

In Section D:	Roof Repair	Repair, Sealants, Adhesives	Tape	Surface Material	Automotive	Paint	Cleaners/Protectant	Washers, Brushes	Deodorizer	Dehumidifier
---------------	-------------	-----------------------------	------	------------------	------------	-------	---------------------	------------------	------------	--------------



AP PRODUCTS WEATHER STRIPPING PRODUCTS

Quality Weather Stripping products for use around windows, doors or anyplace where you are looking to quiet or prevent moisture, dirt and dust from entering. Individually packaged.

Weather Stripping, 10' Length, Packaged:

- 45079** 3/16" x 3/8" #018-3163810 1
- 45080** 3/16" x 1/2" #018-3161210 1
- 45081** 3/16" x 3/4" #018-3163410 1
- 45082** 5/16" x 3/8" #018-5163810 1
- 45084** 5/16" x 3/4" #018-5163410 1
- 45085** 5/16" x 1" #018-5161110 1

Vinyl Foam Tape, 50' Length, Packaged:

- 45089** 1/8" x 1/4" #018-181417 1
- 45116** 3/16" x 3/8" #018-3163817 1
- 45117** 1/4" x 3/8" #018-143817 1
- 45118** 3/8" x 1/2" #018-381210 1
- 45119** 3/8" x 3/4" #018-383410 1



LIFESAFE CLEAR POLY AWNING REPAIR TAPE & TARP REPAIR TAPE

LifeSafe emergency repair tape offers the utmost in durability, strength and unbelievably aggressive adhesion even on damp surfaces. Make it a vital part of your tool box or repair kit!

Clear Polyethylene Ultra Strong Tape:

- 47881** 3" x 15 ft., RV Awning Repair Tape #RE3848 6
- 47879** 2" x 36 ft., Heavy Duty Tarp Tape #RE3855 8
- 47902** RV Awning Repair Tape Display with 8 Packs Tape #ST6016 1



SURFACE SHIELDS

CARPET SHIELD®

Carpet Shield is a clear, self-adhering film that provides temporary protection for all types of RV carpeting. Its non-slip surface is a special blend of polyethylene which is highly resistant to tears or punctures. Carpet Shield protects against stains and tracked-in dirt.

Carpet Shield Protector:

- 42074** 21" x 30' #CS2130 12
- 42054** 21" x 200' #CS21200 1
- 42053** 21" x 1000' #CS211000 1
- 42084** 24" x 200' #CS24200L 1
- 42078** 24" x 1000' #CS241000 1


FLOOR SHIELD™

Floor Shield is a self-adhering film offering temporary protection for hard surfaces, such as tile, marble, granite, vinyl, laminates and other surfaces.



- 42085** Floor Shield for Hard Surfaces, 24" x 200' #FS24200L 1

Mat Mfr#OS2460 shown; available by special order



PRO SHIELD

Pro Shield is the most versatile and durable mat available (*Mat Mfr#OS2460 shown; available by special order*). Reusable, absorbs liquids, leakproof and easy to store.

- 43200** Pro Shield, 24" x 20' Roll (Not exactly as pictured) #PS2420 1



TRAVEL SHIELD

Travel Shield is a clear film that protects RV's against bugs, tar and road debris. It can easily be trimmed around grill lights.

- 43154** Travel Shield, 36" x 32' Roll #TR3632 1



RV DIRT GRABBER

Designed for RV's and manufactured homes, the non-skid RV Dirt Grabber has 30 tabbed layers of tacky-

surface film that removes dirt from footwear. Replacement mats are available.

RV Dirt Grabber:

- 42096** 9" x 23" #DGRV0923 1
- 42098** 17" x 23" #DGRV1723 1



SHOE COVERS

Shoe Covers are an easy way to protect carpets and floors from dust, dirt, scuffs and heel marks. Non-skid, Lightweight and disposable, one size fits all.

- 43155** Shoe Covers, One Polybag of 10-Pair/Bag #SC3001PB 10

SCRIM SHIELD

Scrim Shield is a durable and waterproof bottom board repair tape that creates a permanent seal on RV's and manufactured homes.



- 42099** Scrim Shield 4" x 180' Roll #BP4180 1

In Section D:	Roof Repair	Repair, Sealants, Adhesives	Tape	Surface Material	Automotive	Paint	Cleaners/Protectant	Washers, Brushes	Deodorizer	Dehumidifier
---------------	-------------	-----------------------------	------	------------------	------------	-------	---------------------	------------------	------------	--------------



LIFESAFE PRODUCTS

ANTI-SLIP SAFETY GRIT TAPES

For safer footing on: steps, ladders, ramps, decks, docks, farm machinery, trucks, trailers, RV equipment, utility vehicles, campers lawn mowers, skateboards, playground equipment, etc.

Black Safety Grit Tape, Bulk (Self-Adhesive):

47865 2" x 60 ft. #RE142 g

47866 4" x 60 ft. #RE160 g

47867 6" x 60 ft. #RE161 g

ANTI-SLIP SAFETY TAPE MERCHANDISER DISPLAY

Lets dealers display 3 bulk rolls and dispense by the foot. Contains: 1 Roll 1" x 60' Black (**47864**); 1 Roll 2" x 60' Black (**47865**) and 1 Roll 4" x 60' Black (**47866**).

47869 Merchandiser #MR120 1

INDOOR/OUTDOOR ANTI-SLIP SELF-ADHESIVE TAPE

Safer footing for smaller applications on: • Steps. • Ladders. • Ramps. • Decks. • Docks. • Farm machinery. • Trucks. • Trailers. • RV equipment. • Utility vehicles. • Campers. • Lawn mowers. • Skateboards. • Playground equipment.

47877 2" x 5 ft. #RE172 12



VALTERRA NON-SLIP GRIP TAPE

Improves footing on steps, ladders and trailers. Can be cut to any shape, adheres to any clean, dry surface and is durable in wet or dry conditions. Grit surface on top. Black.

Non-Slip Grip Tape, 60 ft. Roll:

49511 2" x 60 ft. #A10-2260 20

Non-Slip Grip Tape, Carded:

49698 2" x 10 ft. #A10-2210VP 48



LIFESAFE

ANTI-SLIP SAFETY GRIT STRIPS

Durable in wet or dry conditions. Self-adhesive strips are easy to use. Each strip has been pre-cut to fit most manufactured RV step applications. For RV's, boats, snowmobiles, docks, utility vehicles, ramps, skateboards, steps, farm equipment, ladders.

Black Anti-Slip Grit (Size, Strip by Pack):

44237 2" x 12", 4 #RE624BLRV 12

44245 3" x 16", 1 #RE627BLRV 12

44253 6" x 21", 1 #RE629BLRV g

Yellow/Black Safety Grit Strips:

44261 6" x 21", 1 Strip #RE630YBRV g

More non-skid material presented in section M, RV Accessories



CRC® FREEZE-OFF™ SUPER PENETRANT


Freezes, Penetrates and Loosens!



Upon contact, Freeze-Off immediately drops the temperature of the area in direct contact with the spray. The freezing effect cracks the rusted surface, allowing Freeze-Off to reach deeper and work more effectively than other penetrants to loosen rusted and corroded nuts, bolts, hinges, locks and more!

Constant exposure to moisture, salt air and salt water binds, erodes and destroys metal assemblies, fasteners and fittings. The highly superior penetrant formulation of Freeze-Off makes it ideal for hundreds of marine applications, including: metal hardware, tools, riggings, mast tracks, cleats, pulleys, latches, fasteners, tilt pins, trim rams, swivel mechanisms, winches, anchor chain reels, turn-buckles, terminal fittings, sacrificial zinc anode fittings, battery terminals, rod holders, fishing gear and trailer components.

40911 Freeze-Off Super Penetrant (Low VOC), 11.5 oz. (*Not for sale in Canada*) #05002 12



LUBEMASTER SILICONE SPRAY

The ideal lubricant for tow bars, awning arms, window tracks, folding steps or for hundreds of other applications around the home and the RV. It's a dry silicone, which doesn't attract dirt or road grime that can cause binding.

38540 Lubemaster Spray #747 12



CRC® HEAVY DUTY SILICONE

A multi-use lubricant—forms a clear protective film to water-proof and lubricate. Use on anything: rubber, leather, canvas, fasteners, snaps, zippers. Resists cold and heat—effective from 40° up to 400° F. USCG certified No. 933. 7.5 oz. aerosol.

743340 Silicone Lube (*Not for sale in Canada*) #06077 12



PROTECT-ALL SLIDE-OUT DRY LUBE

Specially formulated to do two jobs. Lubricates and protects all metal parts of the RV slide out assembly. Penetrates around moving parts and leaves a dry lubrication film to prevent rust and corrosion. It's an extreme pressure lubricant that's an excellent treatment for leaf springs, steering and suspension components, battery connections and any other metal surfaces that are subject to rust and corrosion.

45839 Slide-Out Lube, 16-oz. (*US only*) #40003 12

40293 Slide-Out Lube 16-oz. (*Canada only*) #40003C 12



SLIDE-OUT RUBBER SEAL TREATMENT

Extends the useful life of rubber seals. Produces an anti-static, water-repellent, protective film that aids in guarding against premature deterioration while producing a dry, smooth surface that reduces excessive friction and wear on slide-out seals. Compatible with all rubber seals as well as their adjacent surfaces such as fiberglass, aluminum and vinyl.

46244 Seal Treatment, 17-oz. (*US only*) #40015 12

40296 Seal Treatment, 17-oz. (*Canada only*) #40015C 12




In Section D:	Roof Repair	Repair, Sealants, Adhesives	Tape	Surface Material	Automotive	Paint	Cleaners/Protectant	Washers, Brushes	Deodorizer	Dehumidifier
---------------	-------------	-----------------------------	------	------------------	------------	-------	---------------------	------------------	------------	--------------



THETFORD

**THETFORD
SLIDE OUT
LUBRICANT &
CONDITIONER**



RV SLIDE OUT LUBRICANT

- Lubricates slide rails and gears. • Stops squeaks and binding. • Sprays upside down.
- Prevents rust. • 13-oz. aerosol.

47573 Slide Out Lubricant #32777 6

RV SLIDE OUT RUBBER SEAL CONDITIONER

- Prevents fading, cracking and deterioration.
- Long-lasting UV protection. • Cleans, conditions and shines. • No wiping required.
- 14-oz. aerosol.

47574 Seal Conditioner #32778 6



CRC® SCREWLOOSE®

A superfast, powerful, concentrated penetrating solvent that loosens and cleans. It instantly penetrates minute and tightly fitted crevices. Dissolves gum, rust and corrosion. Provides lubricating residue that is clean and gum-free. 11 oz. size.

49576 Screwloose®
(Not for sale in Canada) #05330 12



CRC® JUMP START INSTANT STARTING FLUID

A highly volatile priming fluid for starting all internal combustion engines at sub-zero temperatures. Saves starter and battery, reduces engine wear. Contains ethyl ether with upper cylinder lubricant and corrosion inhibitor. Will not clog air filter or harm catalytic converter. 11 oz. aerosol.

41681 Starting Fluid
(Not for sale in Canada) #05671 12

CRC® BRAKLEEN® NON-CHLORINATED BRAKE PARTS CLEANER - 50 STATE FORMULA

Removes brake fluid, grease, oil, and other contaminants quickly and effectively. Cleans & degreases brake parts, linings, calipers, drums and more! Extremely Flammable.

Applications: ABS, disc, drum brake cylinders, brake drums, brake linings, brake shoes, calipers, clutch discs, disc brake pads, discs. Safe for use on all brake systems including: springs & wedge brakes.

44833 Brake Parts Cleaner - 50 State Formula, 14-oz. can
(Not for sale in Canada) #05054 12



STAR BRITE® STAR*TRON FUEL ADDITIVES

Major breakthrough in fuel technology. A revolutionary fuel additive system based on naturally occurring enzymes to modify how gasoline and diesel fuel burns. Safer and easier to use than biocide based products.

Star*Tron Gasoline Additive: • Increases fuel economy and power. • Prevents fuel oxidation and stabilizes fuel chemistry for at least 12 months. • Eliminates carbon build-up in fuel delivery system and on exhaust components. • Enhances octane rating. • Treats water build-up in fuel. • Reduces emissions.

*Star*Tron Gasoline Additive:*

73760 8 oz., Treats Up to 125 Gallons
#093008 12

73762 16 oz., Treats Up to 250 Gallons
#093016 12

73766 32 oz., Treats Up to 500 Gallons
#093032 12

Star*Tron Diesel Additive: • Eliminates algae and fungal growth without the use of poisons. • Reduces emissions, including carcinogenic, particulate smoke. • Provides for more efficient use of fuel, increasing power and fuel economy. • Prevents fuel oxidation and stabilizes diesel chemistry for at least 2 years. • Eliminates carbon build-up in fuel delivery system and exhaust components.

47779 16 oz., Treats Up to 250 Gallons
#093116 1



738202



49859



743175

CRC® PRODUCTS

HEAVY-DUTY CORROSION INHIBITOR

Forms a corrosion-proof insulating film to seal out salt air and moisture. Film stays flexible, will not crack or craze. Provides long-term protection under all weather conditions. Easily removed with CRC Cleaner/Degreaser or petroleum solvents. 10-oz. size.

738202 Corrosion Inhibitor
(Not for sale in Canada) #06026 12

INSTANT GALVANIZE

Zinc-rich, cold-galvanized touch-up. Fights rust and rust creepage. Renews and repairs galvanized surfaces. Offers the protection of expensive hot-dip galvanizing. Protects even if scratched or abraded. Ready-to-use, single-component application. 13-oz. aerosol.

743175 Galvanize
(Not for sale in Canada) #06054 12

BATTERY TERMINAL PROTECTOR

Provides a lead-free protective coating formulated for aerosol application. It is specifically designed to protect battery terminals from corrosion, which is a major cause of hard starting and battery failure. Dries quickly to soft film. Prolongs battery life, prevents corrosion. 7.5 oz. size.

49859 Terminal Protector
(Not for sale in Canada) #06046 12



CRC® CARB & CHOKE CLEANER

For fast, convenient cleaning of carburetors, automatic chokes, manifold heat controls and PCVs. Dissolves gum, varnish, and carbon deposits quickly, leaves no residue. With poly extension tube for pin-point spray application. 13 oz. aerosol can.

751457 Carb & Choke Cleaner
(Not for sale in Canada) #06064 12