

## SINGLE PACKAGE VERTICAL UNIT WALL CURBS FOR REPLACING OLDER UNITS WITH DIFFERENT WALL OPENINGS

The WWC Series wall curbs have been specially designed for use in telecommunication and other electronic equipment shelters and buildings needing larger or smaller capacity air conditioners and heat pumps. These can be adapted to the facilities easily and without modification to the original supply and return air openings built into the wall structure for the units initially installed. They can also be used for other applications unless excluded as noted below.

**NOTE:** If electric heaters are installed in the air conditioner or heat pump the curbs must only be used on structures made of non-combustible materials for the installation wall. There must be no combustible materials on the supply air side and marked clearances must be observed.


## WWC Series wall curb uses:

**WWC3** - used with units 70" or 74" tall to replace an existing unit. Wall framing may be necessary, and supply duct clearances need to be followed per Installation Instructions.

**WWC5** - used with units 85" or 93" tall to replace an existing unit. Wall framing may be necessary, and supply duct clearances need to be followed per Installation Instructions.


**WWC6** - used with units 95" tall to replace an existing unit. Wall framing may be necessary, and supply duct clearances need to be followed per Installation Instructions.

The building electrical wiring and circuit breaker must be reviewed to see if any changes will be required for the replacement units. Reference the equipment serial plates and Installation Instructions for this determination.



Form No. F1731-516 Supersedes F1731-316 Page 1 of 4


## WALL CURB EXPLODED VIEW



DIMENSIONS (Inches)								
MODEL	Α	В	С	D	Е	F		
WWC3	8	38 1/8	70 11/16	12 9/16	33	25		
WWC5	8	42 1/16	85	20 9/16	39 3/8	25		
WWC6	8	42 1/16	95	20 9/16	39 3/8	35		

MIS-2702 A


## WALL MOUNTING DIMENSIONS FOR CURBS & UNIT UPGRADES



CENTER UNIT SUPPLY OVER WALL SUPPLY WALL SUPPLY OPENING OPENING 4.563 -30.000 **-** 4.563 3.563 10.000 12.000 UNIT SÚPPLY Wall Return Opening for 3-Ton Unit 12.000 30.000 12.000 12.000 16.000 12.000 30.000 -UNIT RETURN 12.000

- 39.125 -

MIS-1516



Form No. F1731-516 Supersedes F1731-316 Page 3 of 4

Wall Curb Models Available						
For Use with Bard Models	Curb Model	Curb	Curb			
	Number	Height	Color			
H36AA	WWC3-X	70¾"	Beige			
T24H1, T30H1, T30S1	WWC3-1		White			
W30AA, W30LA, W30A2, W30L2, W30HA, W30H2	WWC3-4		Buckeye Gray			
W36AA, W36LA, W36A2, W36L2, W36HA, W36H2	WWC3-5		Desert Brown			
W3RV2, W3LV2	WWC3-8		Dark Bronze			
D28A2P, D28L2P	WWC5-X WWC5-1 WWC5-4 WWC5-5 WWC5-8	85"	Beige White Buckeye Gray Desert Brown Dark Bronze			
WA4S3, WL4S2	WWC6-X	95"	Beige			
WA5S3, WL5S2	WWC6-1		White			
W60H2	WWC6-4		Buckeye Gray			
W6RV2, W6LV2	WWC6-5		Desert Brown			