

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Blue Devil Head Gasket Sealer Pour and Go

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Automotive Head Gasket Sealer

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Skin Corr. 1A H314

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US) :



GHS05

Signal word (GHS-US) : Danger
Hazard statements (GHS-US) : H314 - Causes severe skin burns and eye damage
Precautionary statements (GHS-US) : P260 - Do not breathe vapors
P264 - Wash hands and other exposed areas thoroughly after handling
P280 - Wear protective equipment
P301+P330+P331 - If swallowed: Rinse mouth. Do NOT induce vomiting
P303+P361+P353 - If on skin (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P304+P340 - If inhaled: Remove to fresh air and keep at rest in a comfortable breathing position
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P363 - Wash contaminated clothing before reuse
P405 - Store locked up

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

None of the ingredients in the mixture are of unknown toxicity

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable – product is a mixture

3.2. Mixtures

| Name | Product identifier | % | Classification (GHS-US) |
|-------------------------|--------------------|-------|---------------------------|
| Proprietary Ingredient* | | < 30* | Acute Tox. 4 (Oral), H302 |
| Ethylene glycol | (CAS No) 107-21-1 | < 10* | Acute Tox. 4 (Oral), H302 |

*The exact identity of some of the ingredients and their concentrations are being withheld as a trade secret

Blue Devil Head Gasket Sealer Pour and Go

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First aid measures

4.1. Description of first aid measures

- | | |
|---------------------------------------|--|
| First-aid measures general | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the product label where possible). |
| First-aid measures after inhalation | : Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately seek medical attention. |
| First-aid measures after skin contact | : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately seek medical attention. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately seek medical attention. |
| First-aid measures after ingestion | : Rinse mouth. Do NOT induce vomiting. Immediately seek medical attention. |

4.2. Most important symptoms and effects, both acute and delayed

- | | |
|-------------------|--|
| Symptoms/injuries | : Causes severe skin burns and eye damage. |
|-------------------|--|

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

- | | |
|--------------------------------|--|
| Suitable extinguishing media | : Foam. Dry powder. Carbon dioxide. Water spray. Sand. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |

5.2. Special hazards arising from the substance or mixture

- | | |
|------------|---|
| Reactivity | : Thermal decomposition generates : Corrosive vapors. |
|------------|---|

5.3. Advice for firefighters

- | | |
|--------------------------------|--|
| Firefighting instructions | : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Contain all water used for fire-fighting to the greatest extent possible. |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- | | |
|----------------------|-----------------------------------|
| Emergency procedures | : Evacuate unnecessary personnel. |
|----------------------|-----------------------------------|

6.1.2. For emergency responders

- | | |
|----------------------|--|
| Protective equipment | : Equip cleanup crew with proper protection. |
| Emergency procedures | : Ventilate area. |

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- | | |
|-------------------------|--|
| Methods for cleaning up | : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. |
|-------------------------|--|

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- | | |
|-------------------------------|--|
| Precautions for safe handling | : Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking, and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Do not breathe vapors. Avoid contact during pregnancy/while nursing. |
| Hygiene measures | : Wash hands and other exposed areas thoroughly after handling. |

7.2. Conditions for safe storage, including any incompatibilities

- | | |
|------------------------|---|
| Technical measures | : Comply with applicable regulations. |
| Storage conditions | : Keep only in the original container in a cool, well ventilated place away from heat and direct sunlight. Keep container closed when not in use. |
| Incompatible products | : Strong bases. Strong acids. |
| Incompatible materials | : Sources of ignition. Direct sunlight. |

Blue Devil Head Gasket Sealer Pour and Go

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Ethylene glycol (107-21-1) | | |
|----------------------------|------------------------------------|-----------------------|
| USA ACGIH | ACGIH Ceiling (mg/m ³) | 100 mg/m ³ |

8.2. Exposure controls

| | |
|-------------------------------|---|
| Personal protective equipment | : Avoid all unnecessary exposure. |
| Hand protection | : Wear protective gloves. |
| Eye protection | : Chemical goggles or face shield. |
| Skin and body protection | : Wear suitable protective clothing. |
| Respiratory protection | : Not typically required. |
| Other information | : When using, do not eat, drink or smoke. |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|-----------------------------|
| Physical state | : Liquid. |
| Color | : Color may vary due to dye |
| Odor | : Mild. |
| Odor threshold | : No data available |
| pH | : 12.5 |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : 100 - 198 °C |
| Flash point | : 118 °C (TCC) |
| Self ignition temperature | : 412 °C |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapor pressure | : 17.3 mm Hg |
| Relative vapor density at 20 °C | : 0.6 |
| Relative density | : 1.097 |
| Density | : 9.139 lbs/gal |
| Solubility | : Infinite in water. |
| Log Pow | : No data available |
| Log Kow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |
| Explosive limits | : 2 - 12.3 vol % |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates : Corrosive vapors.

10.2. Chemical stability

Stable under normal conditions of use, storage and transport.

10.3. Possibility of hazardous reactions

Will not occur.

Blue Devil Head Gasket Sealer Pour and Go

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. Conditions to avoid

Heat. Open flame. Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. Thermal decomposition generates : Corrosive vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Proprietary Ingredient

| | |
|---------------|------------|
| LD50 oral rat | 1153 mg/kg |
|---------------|------------|

Ethylene glycol (107-21-1)

| | |
|---------------|------------|
| LD50 oral rat | 4000 mg/kg |
|---------------|------------|

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 12.5

Serious eye damage/irritation : Not classified

pH: 12.5

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Proprietary Ingredient

| | |
|-------------|---|
| LC50 fish 1 | 301 - 478 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) |
|-------------|---|

| | |
|-------------|--|
| LC50 fish 2 | 3185 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) |
|-------------|--|

Ethylene glycol (107-21-1)

| | |
|-------------|---|
| LC50 fish 1 | 41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) |
|-------------|---|

| | |
|----------------|---|
| EC50 Daphnia 1 | 46300 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
|----------------|---|

| | |
|--------------------------------|--|
| EC50 other aquatic organisms 1 | 6500 - 13000 mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata) |
|--------------------------------|--|

| | |
|-------------|--|
| LC50 fish 2 | 14 - 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) |
|-------------|--|

12.2. Persistence and degradability

Blue Devil Head Gasket Sealer Pour and Go

| | |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |
|-------------------------------|------------------|

12.3. Bioaccumulative potential

Blue Devil Head Gasket Sealer Pour and Go

| | |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |
|---------------------------|------------------|

Proprietary Ingredient

| | |
|------------|-------------------------------|
| BCF fish 1 | (no bioaccumulation expected) |
|------------|-------------------------------|

Ethylene glycol (107-21-1)

| | |
|---------|-------|
| Log Pow | -1.93 |
|---------|-------|

Blue Devil Head Gasket Sealer Pour and Go

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local, state, and federal regulations.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with DOT

Not regulated for transport by DOT except in quantities which exceed the CERCLA RQ for Ethylene Glycol (5000 lbs)

Additional information

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

Blue Devil Head Gasket Sealer Pour and Go

| | |
|---------------------------------------|--|
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard Delayed (chronic) health hazard |
| SARA Section 313 - Emission Reporting | Ethylene Glycol |

Proprietary Ingredient

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Ethylene glycol (107-21-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory
Listed on SARA Section 313 (Specific toxic chemical listings)

| | |
|---------------------------------------|---|
| EPA TSCA Regulatory Flag | Y2 - indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule. |
| SARA Section 313 - Emission Reporting | Ethylene Glycol |

15.2. International regulations

CANADA

Proprietary Ingredient

Listed on the Canadian DSL (Domestic Substances List) inventory.

| | |
|----------------------|---|
| WHMIS Classification | Class D Division 2 Subdivision B - Toxic material causing other toxic effects |
|----------------------|---|

Ethylene glycol (107-21-1)

Listed on the Canadian DSL (Domestic Substances List) inventory.

| | |
|----------------------|---|
| WHMIS Classification | Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects Class D Division 2 Subdivision A - Very toxic material causing other toxic effects |
|----------------------|---|

EU-Regulations

Proprietary Ingredient

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) substances.

Ethylene glycol (107-21-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) substances.

Blue Devil Head Gasket Sealer Pour and Go

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

15.2.2. National regulations

Proprietary Ingredient

Listed on the AICS (the Australian Inventory of Chemical Substances)
Listed on Inventory of Existing Chemical Substances (IECSC)
Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory.
Listed on the Korean ECL (Existing Chemical List) inventory.
Listed on New Zealand - Inventory of Chemicals (NZIoC)
Listed on Inventory of Chemicals and Chemical Substances (PICCS)

Ethylene glycol (107-21-1)

Listed on the AICS (the Australian Inventory of Chemical Substances)
Listed on Inventory of Existing Chemical Substances (IECSC)
Listed on the Japanese ENCS (Existing & New Chemicals Substances) inventory.
Listed on the Korean ECL (Existing Chemical List) inventory.
Listed on New Zealand - Inventory of Chemicals (NZIoC)
Listed on Inventory of Chemicals and Chemical Substances (PICCS)
Listed on the Canadian Ingredient Disclosure List

15.3. US State regulations

No additional information available

SECTION 16: Other information

Other information : None.

Full text of H-phrases:

| | |
|---------------------|---|
| Acute Tox. 4 (Oral) | Acute toxicity (oral) Category 4 |
| Skin Corr. 1A | Skin corrosion/irritation Category 1A |
| H302 | Harmful if swallowed |
| H314 | Causes severe skin burns and eye damage |

SDS US (GHS HazCom 2012)

This information is furnished without warranty expressed or implied except that it is accurate to the best knowledge of Universal Products, Inc. (Company). The data and information on this Safety Data Sheet relates only to the specific material designated herein. Company assumes no legal responsibility for use or reliance upon the data.