

United States

2011 Land Line Only Codebook Report

ADULT Asthma Call-Back Survey

August 19, 2013



**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

STATE FIPS CODE

Survey: ADULT Asthma Call-Back

Column: 1-2

Prologue:

Description: STATE FIPS CODE .

Type: NUM

SAS Variable Name: _STATE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Alabama	251	1.50	1.60
4	Arizona	332	1.99	2.55
6	California	718	4.30	14.07
9	Connecticut	342	2.05	1.45
11	District of Columbia	221	1.32	0.28
12	Florida	531	3.18	6.28
13	Georgia	358	2.14	3.47
15	Hawaii	383	2.29	0.58
17	Illinois	245	1.47	4.52
18	Indiana	427	2.56	2.44
19	Iowa	264	1.58	0.98
20	Kansas	982	5.88	0.95
22	Louisiana	385	2.31	1.33
23	Maine	355	2.13	0.64
24	Maryland	293	1.76	2.11
25	Massachusetts	317	1.90	3.09
26	Michigan	645	3.86	3.99
28	Mississippi	356	2.13	0.96
29	Missouri	282	1.69	2.18
30	Montana	451	2.70	0.36
31	Nebraska	937	5.61	0.57
32	Nevada	175	1.05	1.13
33	New Hampshire	291	1.74	0.54
34	New Jersey	462	2.77	3.15
35	New Mexico	413	2.47	0.82
36	New York	190	1.14	8.14
37	North Carolina	307	1.84	3.15
38	North Dakota	238	1.43	0.20
39	Ohio	411	2.46	4.43
40	Oklahoma	399	2.39	1.49
41	Oregon	255	1.53	1.74
42	Pennsylvania	517	3.10	4.51
44	Rhode Island	338	2.02	0.49
48	Texas	758	4.54	8.01
49	Utah	602	3.61	0.96
50	Vermont	424	2.54	0.27
53	Washington	945	5.66	2.62
54	West Virginia	240	1.44	0.63
55	Wisconsin	287	1.72	1.80
72	Puerto Rico	366	2.19	1.53

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

MONTH NAME OF SOURCE FILE ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 3-4

Prologue:

Description: FILE MONTH

Type: NUM

SAS Variable Name: FMONTH_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	1,188	7.12	8.43
2	February	1,427	8.55	7.95
3	March	1,480	8.87	9.22
4	April	1,645	9.85	12.22
5	May	1,253	7.51	7.22
6	June	1,208	7.24	8.25
7	July	1,723	10.32	11.18
8	August	1,412	8.46	7.42
9	September	1,297	7.77	6.25
10	October	1,665	9.97	10.24
11	November	1,285	7.70	6.06
12	December	1,110	6.65	5.57

MONTH OF ASTHMA CALL-BACK INTERVIEW

Survey: ADULT Asthma Call-Back

Column: 13-14

Prologue:

Description: MONTH OF ASTHMA CALL-BACK INTERVIEW

Type: NUM

SAS Variable Name: IMONTH_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	January	797	4.77	3.84
2	February	1,353	8.11	9.01
3	March	1,674	10.03	10.60
4	April	1,361	8.15	8.14
5	May	1,498	8.97	10.03
6	June	1,268	7.60	9.77
7	July	1,381	8.27	8.12
8	August	1,716	10.28	9.94
9	September	1,280	7.67	7.66
10	October	1,416	8.48	8.77
11	November	1,460	8.75	7.61
12	December	1,489	8.92	6.50

DAY OF ASTHMA CALL-BACK INTERVIEW

Survey: ADULT Asthma Call-Back

Column: 15-16

Prologue:

Description: DAY OF ASTHMA CALL-BACK INTERVIEW

Type: NUM

SAS Variable Name: IDAY_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		16,693	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

YEAR OF ASTHMA CALL-BACK INTERVIEW

Survey: ADULT Asthma Call-Back

Column: 17-20

Prologue:

Description: YEAR OF ASTHMA CALL-BACK INTERVIEW

Type: NUM
SAS Variable Name: IYEAR_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
2011	Interview year	16,026	96.00	96.89
2012	Interview year	667	4.00	3.11

INTERVIEWER ID OF ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 21-23

Prologue:

Description: INTERVIEWER ID OF ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: INTVID_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Interviewer Identification	16,693	100.00	100.00

DISPOSITION OF ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 24-26

Prologue:

Description: DISPOSITION OF ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: DISPCODE_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
110	Complete	16,680	99.92	99.92
120	Partial complete	13	0.08	0.08

ANNUAL SEQUENCE NUMBER

Survey: ADULT Asthma Call-Back

Column: 27-36

Prologue:

Description: ANNUAL SEQUENCE NUMBER

Type: NUM
SAS Variable Name: SEQNO

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN		16,693	100.00	100.00

NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 37-38

Prologue:

Description: NUMBER OF ATTEMPTS OF ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: NATTMPTS_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Number of attempts of asthma call-back	16,693	100.00	100.00

PERMIT TO CALL BACK FROM BRFSS

Survey: ADULT Asthma Call-Back

Column: 39

Prologue:

Description: PERMIT TO CALL BACK FROM BRFSS

Type: NUM
SAS Variable Name: CALLBACK

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16,693	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ARE YOU SAMPLE PERSON

Survey: ADULT Asthma Call-Back

Column: 40

Prologue:

Description: Q1.1 Are you [sample person's first name or initials]?

Type: NUM

SAS Variable Name: SAMP_NAME

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16,032	96.04	94.98
2	No	661	3.96	5.02

MAY I SPEAK WITH SAMPLE PERSON

Survey: ADULT Asthma Call-Back

Column: 41

Prologue:

Description: Q1.2 May I speak with [sample person's first name or initials]?

Type: NUM

SAS Variable Name: SAMP_PERS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	661	100.00	100.00
BLANK	Not asked or missing	16,032		

CHECK CORRECT PERSON ON PHONE

Survey: ADULT Asthma Call-Back

Column: 42

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: Check if correct person from core survey is on phone.

Description: Q2.0 Is this [sample person's name] and are you [sample person's age] years old? (IF YES, CONTINUE WITH Q2.1)

Type: NUM

SAS Variable Name: REPEAT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,567	100.00	100.00
BLANK	Not asked or missing	15,126		

EVER HAVE ASTHMA INCONSISTENT WITH BRFSS

Survey: ADULT Asthma Call-Back

Column: 43

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure you qualify for this study.

Description: Q2.1 Have you ever been told by a doctor or other health professional that you have asthma?

Type: NUM

SAS Variable Name: EVER_ASTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,567	100.00	100.00
BLANK	Not asked or missing	15,126		

STILL HAVE ASTHMA INCONSISTENT WITH BRFSS

Survey: ADULT Asthma Call-Back

Column: 44

Prologue: FOR THOSE WHO DISAGREE WITH BRFSS ASTHMA STATUS: I would like to repeat the questions from the previous survey now to make sure you qualify for this study.

Description: Q2.2 Do you still have asthma?

Type: NUM

SAS Variable Name: CUR_ASTH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	986	62.92	64.40
2	No	526	33.57	33.96
7	Don't know/Not sure	55	3.51	1.64
BLANK	Not asked or missing	15,126		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PERMISSION TO COMBINE THE ANSWER WITH BRFS

Survey: ADULT Asthma Call-Back

Column: 45

Type: NUM

SAS Variable Name: PERMISS

Prologue:

Description: Q2.3 May we combine your answers to this survey with your answers from the survey you did a few weeks ago?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	8,326	49.88	58.10
7	Don't know/Not sure	8,367	50.12	41.90

AGE AT ASTHMA DIAGNOSIS

Survey: ADULT Asthma Call-Back

Column: 46-48

Type: NUM

SAS Variable Name: AGEDX

Prologue:

Description: Q3.1 How old were you when you were first told by a doctor or other health professional that you had asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 115	Age in years	15,088	90.39	89.18
777	Don't know	1,072	6.42	4.90
888	Less than 1 year old	518	3.10	5.81
999	Refused	15	0.09	0.11

TIME SINCE DIAGNOSIS

Survey: ADULT Asthma Call-Back

Column: 49

Type: NUM

SAS Variable Name: INCIDNT

Prologue:

Description: Q3.2 How long ago was that?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Within the past 12 months	393	2.35	2.15
2	One to five years ago	1,578	9.45	8.82
3	More than 5 years ago	14,650	87.76	88.47
7	Don't know	63	0.38	0.42
9	Refused	9	0.05	0.14

LAST TALKED TO A DOCTOR

Survey: ADULT Asthma Call-Back

Column: 50-51

Type: NUM

SAS Variable Name: LAST_MD

Prologue:

Description: Q3.3 How long has it been since you last talked to a doctor or other health professional about your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
4	Within the past year	9,907	59.35	51.63
5	One year to less than 3 years ago	2,293	13.74	15.56
6	Three years to five years ago	1,003	6.01	8.94
7	More than five years ago	3,180	19.05	22.01
77	Don't know	151	0.90	0.96
88	Never	149	0.89	0.74
99	Refused	10	0.06	0.14

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

LAST TOOK ASTHMA MEDICATION

Survey: ADULT Asthma Call-Back

Column: 52-53

Prologue:

Description: Q3.4 How long has it been since you last took asthma medication?

Type: NUM

SAS Variable Name: LAST_MED

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	6,269	37.55	29.07
2	1-6 days ago	1,401	8.39	8.69
3	1 week to less than 3 months ago	1,823	10.92	12.53
4	3 months to less than 1 year ago	1,484	8.89	9.31
5	1 year to less than 3 years ago	1,253	7.51	8.05
6	3 years to 5 years ago	691	4.14	5.18
7	More than 5 years ago	3,062	18.34	23.72
77	Don't know	128	0.77	0.57
88	Never	575	3.44	2.78
99	Refused	7	0.04	0.09

LAST HAD ANY SYMPTOMS OF ASTHMA

Survey: ADULT Asthma Call-Back

Column: 54-55

Prologue:

Description: Q3.5 How long has it been since you last had any symptoms of asthma?

Type: NUM

SAS Variable Name: LASTSYMP

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 1 day ago	4,601	27.56	23.25
2	1-6 days ago	1,951	11.69	11.76
3	1 week to less than 3 months ago	3,218	19.28	20.81
4	3 months to less than 1 year ago	1,896	11.36	10.33
5	1 year to less than 3 years ago	1,233	7.39	8.44
6	3 years to 5 years ago	609	3.65	3.76
7	More than 5 years ago	2,700	16.17	19.32
77	Don't know	364	2.18	1.61
88	Never	107	0.64	0.65
99	Refused	14	0.08	0.08

SYMPTOM DAYS

Survey: ADULT Asthma Call-Back

Column: 56-58

Prologue:

Description: Q4.1 During the past 30 days, on how many days did you have any symptoms of asthma?

Type: NUM

SAS Variable Name: SYMP_30D

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 29	Days	5,977	35.81	37.22
30	Every day	2,814	16.86	12.45
66	No symptoms past one year, skip filled	4,649	27.85	32.17
77	Don't know	309	1.85	1.13
88	No symptoms in the past 30 days	1,032	6.18	6.59
99	Refused	16	0.10	0.12
100	Symptoms 3 months to 1 year ago, skip filled	1,896	11.36	10.33

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

CONSTANT SYMPTOMS

Survey: ADULT Asthma Call-Back

Column: 59-60

Type: NUM

SAS Variable Name: DUR_30D

Prologue:

Description: Q4.2 Do you have symptoms all the time? "All the time" means symptoms that continue throughout the day. It does not mean symptoms for a little while each day.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,598	9.57	7.44
2	No	1,146	6.87	4.84
6	Last symptoms one+ years ago, skip filled	4,649	27.85	32.17
7	Don't know	60	0.36	0.14
9	Refused	10	0.06	0.02
10	Last symptoms 3 months - 1 year ago, skip filled	1,896	11.36	10.33
11	No symptoms 'SYMP_30D' skip filled	1,032	6.18	6.59
12	1-29 'SYMP_30D' skip filled	5,977	35.81	37.22
77	Don't know 'SYMP_30D' skip filled	309	1.85	1.13
99	Refused 'SYMP_30D' skip filled	16	0.10	0.12

NIGHT SYMPTOMS

Survey: ADULT Asthma Call-Back

Column: 61-63

Type: NUM

SAS Variable Name: ASLEEP30

Prologue:

Description: Q4.3 During the past 30 days, on how many days did symptoms of asthma make it difficult for you to stay asleep?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 30	Days/Nights	4,028	24.13	23.84
66	No symptoms past one year, skip filled	4,649	27.85	32.17
77	Don't know	412	2.47	1.90
88	None	4,661	27.92	25.06
99	Refused	15	0.09	0.12
100	Symptoms 3 months to 1 year ago, skip filled	1,896	11.36	10.33
111	No symptoms in the past 30 days, skip filled	1,032	6.18	6.59

SYMPTOM-FREE DAYS

Survey: ADULT Asthma Call-Back

Column: 64-65

Type: NUM

SAS Variable Name: SYMPFREE

Prologue:

Description: Q4.4 During the past two weeks, on how many days were you completely symptom-free, that is no coughing, wheezing, or other symptoms of asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 14	Days/Nights	12,833	76.88	83.82
77	Don't know	310	1.86	1.49
88	None	3,531	21.15	14.59
99	Refused	19	0.11	0.10

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ASTHMA EPISODE OR ATTACK

Survey: ADULT Asthma Call-Back

Column: 66

Type: NUM

SAS Variable Name: EPIS_12M

Prologue:

Description: Q4.5 During the past 12 months, have you had an episode of asthma or an asthma attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,701	40.14	38.29
2	No	5,169	30.97	28.99
6	No symptoms past 1 year, skip filled	4,649	27.85	32.17
7	Don't know	166	0.99	0.53
9	Refused	8	0.05	0.02

NUMBER OF EPISODES / ATTACKS

Survey: ADULT Asthma Call-Back

Column: 67-70

Type: NUM

SAS Variable Name: EPIS_TP

Prologue:

Description: Q4.6 During the past three months, how many asthma episodes or attacks have you had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 100	Episodes	4,972	29.78	30.45
666	No symptoms past 1 year, skip filled	4,649	27.85	32.17
777	Don't know	447	2.68	1.57
888	None	1,258	7.54	6.18
999	Refused	24	0.14	0.09
1111	No episode/asthma attack past year, skip filled	5,343	32.01	29.54

DURATION OF ATTACK

Survey: ADULT Asthma Call-Back

Column: 71-74

Type: NUM

SAS Variable Name: DUR_ASTH

Prologue:

Description: Q4.7 How long did your most recent asthma episode or attack last?

Value	Value Label	Frequency	Percentage	Weighted Percentage
101 - 199	Minutes	2,753	16.49	18.10
201 - 299	Hours	1,595	9.55	8.79
301 - 399	Days	1,422	8.52	7.51
401 - 499	Weeks	556	3.33	2.37
555	Never	17	0.10	0.03
666	No symptoms past 1 year, skip filled	4,649	27.85	32.17
777	Don't know	343	2.05	1.35
999	Refused	15	0.09	0.13
1111	No episode/asthma attack past year, skip filled	5,343	32.01	29.54

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

TYPICAL ATTACK

Survey: ADULT Asthma Call-Back

Column: 75-76

Type: NUM

SAS Variable Name: COMPASTH

Prologue:

Description: Q4.8 Compared with other episodes or attacks, was this most recent attack shorter, longer, or about the same?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Shorter	1,556	9.32	8.86
2	Longer	999	5.98	5.23
3	About the same	4,037	24.18	23.82
4	The most recent attack was actually the first attack	31	0.19	0.11
6	No symptoms past year, skip filled	4,649	27.85	32.17
7	Don't know	72	0.43	0.22
9	Refused	6	0.04	0.07
11	No episode/asthma attack past year, skip filled	5,343	32.01	29.54

INSURANCE

Survey: ADULT Asthma Call-Back

Column: 77

Type: NUM

SAS Variable Name: INS1

Prologue:

Description: QINS1 Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare or Medicaid?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15,176	90.91	84.40
2	No	1,488	8.91	15.15
7	Don't know/Not sure	21	0.13	0.40
9	Refused	8	0.05	0.05

INSURANCE OR COVERAGE GAP

Survey: ADULT Asthma Call-Back

Column: 78

Type: NUM

SAS Variable Name: INS2

Prologue:

Description: QINS2 During the past 12 months, was there any time that you did not have any health insurance or coverage?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	714	4.28	6.95
2	No	14,445	86.53	77.36
5	No insurance at time of interview, skip filled	1,488	8.91	15.15
7	Don't know	37	0.22	0.48
9	Refused	9	0.05	0.06

NUMBER OF ROUTINE CHECKUPS PAST 12 MONTHS

Survey: ADULT Asthma Call-Back

Column: 79-81

Type: NUM

SAS Variable Name: NER_TIME

Prologue:

Description: Q5.1 During the past 12 months, how many times did you see a doctor or other health professional for a routine checkup for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	7,605	45.56	39.88
555	No current asthma, nothing happened past year, skip filled	2,956	17.71	21.43
666	No MD visit past year, skip filled	3,709	22.22	25.97
777	Don't know	214	1.28	0.92
888	None	2,185	13.09	11.58
999	Refused	24	0.14	0.22

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

EMERGENCY ROOM VISIT

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 82

SAS Variable Name: ER_VISIT

Prologue: An urgent care center treats people with illness or injuries that must be addressed immediately and cannot wait for a regular medical appointment.

Description: Q5.2 During the past 12 months, have you had to visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,662	9.96	9.95
2	No	8,322	49.85	42.55
5	No current asthma, nothing happened past year, skip filled	2,956	17.71	21.43
6	No MD visit past year, skip filled	3,709	22.22	25.97
7	Don't know	43	0.26	0.09
9	Refused	1	0.01	0.00

NUMBER OF EMERGENCY ROOM VISITS

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 83-85

SAS Variable Name: ER_TIMES

Prologue:

Description: Q5.3 During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	1,631	9.77	9.86
555	No current asthma, nothing happened past year, skip filled	2,956	17.71	21.43
666	No MD visit past year, skip filled	3,709	22.22	25.97
677	MD visit, no ER visit past year, skip filled	8,322	49.85	42.55
777	Don't know	62	0.37	0.15
888	None	11	0.07	0.03
999	Refused	2	0.01	0.00

NUMBER OF URGENT VISITS

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 86-88

SAS Variable Name: URG_TIME

Prologue:

Description: Q5.4 During the past 12 months, how many times did you see a doctor or other health professional for urgent treatment of worsening asthma symptoms or for an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Number	3,176	19.03	17.13
555	No current asthma, nothing happened past year, skip filled	2,956	17.71	21.43
666	No MD visit past year, skip filled	3,709	22.22	25.97
777	Don't know	156	0.93	0.66
888	None	6,684	40.04	34.67
999	Refused	12	0.07	0.14

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

HOSPITAL VISIT

Survey: ADULT Asthma Call-Back

Column: 89

Type: NUM

SAS Variable Name: HOSP_VST

Prologue:

Description: Q5.5 During the past 12 months, that is since [one year ago today], have you had to stay overnight in a hospital because of your asthma? Do not include an overnight stay in the emergency room.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	593	3.55	2.74
2	No	8,388	50.25	44.57
4	MD visit, no symptoms past year, skip filled	1,018	6.10	5.12
5	No current asthma, nothing happened past year, skip filled	2,956	17.71	21.43
6	No MD visit past year, skip filled	3,709	22.22	25.97
7	Don't know	27	0.16	0.17
9	Refused	2	0.01	0.00

NUMBER OF HOSPITAL VISITS

Survey: ADULT Asthma Call-Back

Column: 90-92

Type: NUM

SAS Variable Name: HOSPTIME

Prologue:

Description: Q5.6a During the past 12 months, how many different times did you stay in any hospital overnight or longer because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Times	577	3.46	2.70
444	MD visit, no symptoms past year, skip filled	1,018	6.10	5.12
455	MD visit, symptoms, no hospital visit past year, skip filled	8,388	50.25	44.57
555	No current asthma, nothing happened past year, skip filled	2,956	17.71	21.43
666	No MD visit past year, skip filled	3,709	22.22	25.97
777	Don't know	41	0.25	0.21
999	Refused	4	0.02	0.00

HOSPITAL FOLLOW-UP

Survey: ADULT Asthma Call-Back

Column: 93-94

Type: NUM

SAS Variable Name: HOSPPLAN

Prologue:

Description: Q5.7 The last time you left the hospital, did a health professional talk with you about how to prevent serious attacks in the future?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	391	2.34	1.95
2	No	196	1.17	0.78
4	MD visit, no symptoms past year, skip filled	1,018	6.10	5.12
5	No current asthma, nothing happened past year, skip filled	2,956	17.71	21.43
6	No MD visit past year, skip filled	3,709	22.22	25.97
7	Don't know	33	0.20	0.18
9	Refused	2	0.01	0.00
45	MD visit, symptoms, no hospital visit past year, skip filled	8,388	50.25	44.57

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

NUMBER OF MISSED DAYS

Survey: ADULT Asthma Call-Back

Column: 95-97

Type: NUM

SAS Variable Name: MISS_DAY

Prologue:

Description: Q5.8a During the past 12 months, how many days were you unable to work or carry out your usual activities because of your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 365	Days	4,160	24.92	25.34
555	No current asthma, nothing happened past year, skip filled	2,956	17.71	21.43
777	Don't know	791	4.74	2.72
888	Zero	8,743	52.38	50.23
999	Refused	43	0.26	0.28

ACTIVITY LIMITATION

Survey: ADULT Asthma Call-Back

Column: 98

Type: NUM

SAS Variable Name: ACT_DAYS

Prologue:

Description: Q5.9 During the past 12 months, would you say you limited your usual activities due to asthma not at all, a little, a moderate amount, or a lot?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Not at all	4,883	29.25	28.87
2	A little	4,761	28.52	28.13
3	A moderate amount	2,502	14.99	13.91
4	A lot	1,450	8.69	7.21
5	No current asthma, nothing happened past year, skip filled	2,956	17.71	21.43
7	Don't know	131	0.78	0.34
9	Refused	10	0.06	0.12

EVER TAUGHT RECOGNIZE EARLY SIGN OR SYMPTOMS

Survey: ADULT Asthma Call-Back

Column: 99

Type: NUM

SAS Variable Name: TCH_SIGN

Prologue: Has a doctor or other health professional ever taught you . . .

Description: Q6.1 . . . how to recognize early signs or symptoms of an asthma episode?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,988	59.83	63.86
2	No	6,261	37.51	33.43
7	Don't know/Not sure	417	2.50	2.62
9	Refused	27	0.16	0.09

EVER TAUGHT WHAT TO DO DURING ASTHMA EPISODE OR ATTACK

Survey: ADULT Asthma Call-Back

Column: 100

Type: NUM

SAS Variable Name: TCH_RESP

Prologue: Has a doctor or other health professional ever taught you . . .

Description: Q6.2 . . . what to do during an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11,674	69.93	73.05
2	No	4,608	27.60	24.78
7	Don't know/Not sure	381	2.28	2.03
9	Refused	30	0.18	0.14

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

EVER TAUGHT HOW TO USE A PEAK FLOW

Survey: ADULT Asthma Call-Back

Column: 101

Type: NUM

SAS Variable Name: TCH_MON

Prologue: A peak flow meter is a hand held device that measures how quickly you can blow air out of your lungs. Has a doctor or other health professional ever taught you . . .

Description: Q6.3 . . . how to use a peak flow meter to adjust your daily medications?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,394	38.30	41.46
2	No	10,085	60.41	57.36
7	Don't know/Not sure	198	1.19	1.14
9	Refused	16	0.10	0.04

EVER GIVEN AN ASTHMA ACTION PLAN

Survey: ADULT Asthma Call-Back

Column: 102

Type: NUM

SAS Variable Name: MGT_PLAN

Prologue: An asthma action plan, or asthma management plan, is a form with instructions about when to change the amount or type of medicine, when to call the doctor for advice, and when to go to the emergency room.

Description: Q6.4 Has a doctor or other health professional EVER given you an asthma action plan?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,013	24.04	26.12
2	No	12,316	73.78	71.62
7	Don't know/Not sure	357	2.14	2.16
9	Refused	7	0.04	0.10

EVER TAKEN A COURSE TO MANAGE ASTHMA

Survey: ADULT Asthma Call-Back

Column: 103

Type: NUM

SAS Variable Name: MGT_CLAS

Prologue:

Description: Q6.5 Have you ever taken a course or class on how to manage your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,396	8.36	9.29
2	No	15,244	91.32	90.51
7	Don't know/Not sure	49	0.29	0.20
9	Refused	4	0.02	0.00

AIR CLEANER USED

Survey: ADULT Asthma Call-Back

Column: 104

Type: NUM

SAS Variable Name: AIRCLEANER

Prologue: An air cleaner or purifier filters pollutants like dust, pollen, mold and chemicals out of the indoor air. It can be attached to the furnace or free standing. It is not, however, the same as a normal furnace filter.

Description: Q7.1 Is an air cleaner or purifier regularly used inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,512	27.03	28.78
2	No	12,077	72.35	70.53
7	Don't know/Not sure	101	0.61	0.68
9	Refused	3	0.02	0.01

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

DEHUMIDIFIER USED

Survey: ADULT Asthma Call-Back

Column: 105

Type: NUM

SAS Variable Name: DEHUMID

Prologue:

Description: Q7.2 Is a dehumidifier regularly used to reduce moisture inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,839	23.00	23.08
2	No	12,802	76.69	76.70
7	Don't know/Not sure	50	0.30	0.21
9	Refused	2	0.01	0.00

EXHAUST FAN USED

Survey: ADULT Asthma Call-Back

Column: 106

Type: NUM

SAS Variable Name: KITC_FAN

Prologue:

Description: Q7.3 Is an exhaust fan that vents to the outside used regularly when cooking in your kitchen?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,462	56.68	61.25
2	No	7,144	42.80	38.24
7	Don't know/Not sure	81	0.49	0.51
9	Refused	6	0.04	0.00

GAS USED

Survey: ADULT Asthma Call-Back

Column: 107

Type: NUM

SAS Variable Name: COOK_GAS

Prologue:

Description: Q7.4 Is gas used for cooking?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,501	38.94	46.62
2	No	10,168	60.91	52.95
7	Don't know/Not sure	22	0.13	0.43
9	Refused	2	0.01	0.00

SAW OR SMELLED MOLD PAST 30 DAYS

Survey: ADULT Asthma Call-Back

Column: 108

Type: NUM

SAS Variable Name: ENV_MOLD

Prologue:

Description: Q7.5 In the past 30 days, has anyone seen or smelled mold or a musty odor inside your home? Do not include mold on food.

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,779	10.66	11.63
2	No	14,813	88.74	88.11
7	Don't know/Not sure	98	0.59	0.26
9	Refused	3	0.02	0.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

INDOOR PETS

Survey: ADULT Asthma Call-Back

Column: 109

Prologue:

Description: Q7.6 Does your household have pets such as dogs, cats, hamsters, birds or other feathered or furry pets that spend time indoors?

Type: NUM

SAS Variable Name: ENV_PETS

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,236	55.33	59.97
2	No	7,450	44.63	40.02
7	Don't know/Not sure	5	0.03	0.00
9	Refused	2	0.01	0.00

PETS ALLOWED IN BEDROOM

Survey: ADULT Asthma Call-Back

Column: 110

Prologue:

Description: Q7.7 Are pets allowed in your bedroom?

Type: NUM

SAS Variable Name: PETBEDRM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,983	41.83	43.98
2	No	2,199	13.17	15.59
3	Some are/some aren't	48	0.29	0.38
6	No pets, skip coded	7,457	44.67	40.03
7	Don't know	5	0.03	0.01
9	Refused	1	0.01	0.00

SAW COCKROACH INSIDE YOUR HOME PAST 30 DAYS

Survey: ADULT Asthma Call-Back

Column: 112

Prologue:

Description: Q7.8 In the past 30 days, has anyone seen a cockroach inside your home?

Type: NUM

SAS Variable Name: C_ROACH

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,605	9.61	12.22
2	No	15,046	90.13	87.59
7	Don't know/Not sure	40	0.24	0.18
9	Refused	2	0.01	0.01

SAW MICE OR RATS INSIDE YOUR HOME PAST 30 DAYS

Survey: ADULT Asthma Call-Back

Column: 113

Prologue:

Description: Q7.9 In the past 30 days, has anyone seen mice or rats inside your home? Do not include mice or rats kept as pets.

Type: NUM

SAS Variable Name: C_RODENT

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,128	6.76	6.92
2	No	15,544	93.12	92.97
7	Don't know/Not sure	20	0.12	0.11
9	Refused	1	0.01	0.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

FIREPLACE OR WOOD STOVE USED

Survey: ADULT Asthma Call-Back

Column: 114

Type: NUM

SAS Variable Name: WOOD_STOVE

Prologue:

Description: Q7.10 Is a wood burning fireplace or wood burning stove used in your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,785	16.68	16.32
2	No	13,890	83.21	83.52
7	Don't know/Not sure	18	0.11	0.16

GAS APPLIANCE USED

Survey: ADULT Asthma Call-Back

Column: 115

Type: NUM

SAS Variable Name: GAS_STOVE

Prologue:

Description: Q7.11 Are unvented gas logs, unvented gas fireplace, or unvented gas stove used in your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,123	6.73	6.99
2	No	15,483	92.75	92.28
7	Don't know/Not sure	84	0.50	0.63
9	Refused	3	0.02	0.10

ANYONE SMOKED INSIDE YOUR HOME

Survey: ADULT Asthma Call-Back

Column: 116

Type: NUM

SAS Variable Name: S_INSIDE

Prologue:

Description: Q7.12 In the past week, has anyone smoked inside your home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,327	13.94	17.40
2	No	14,350	85.96	82.52
7	Don't know/Not sure	13	0.08	0.04
9	Refused	3	0.02	0.04

EVER ADVISED CHANGE THINGS IN YOUR HOME

Survey: ADULT Asthma Call-Back

Column: 117

Type: NUM

SAS Variable Name: MOD_ENV

Prologue:

Description: Q7.13 Has a health professional ever advised you to change things in your home, school, or work to improve your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,735	34.36	37.61
2	No	10,851	65.00	61.79
7	Don't know/Not sure	104	0.62	0.60
9	Refused	3	0.02	0.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

USE A MATTRESS COVER

Survey: ADULT Asthma Call-Back

Column: 118

Prologue:

Type: NUM
SAS Variable Name: MATTRESS

Description: Q7.14 Do you use a mattress cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,342	32.00	31.01
2	No	10,873	65.14	66.83
7	Don't know/Not sure	475	2.85	2.16
9	Refused	3	0.02	0.00

USE A PILLOW COVER

Survey: ADULT Asthma Call-Back

Column: 119

Prologue:

Type: NUM
SAS Variable Name: E_PILLOW

Description: Q7.15 Do you use a pillow cover that is made especially for controlling dust mites?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,802	28.77	27.52
2	No	11,643	69.75	71.20
7	Don't know/Not sure	247	1.48	1.28
9	Refused	1	0.01	0.00

CARPETING OR RUGS IN YOUR BEDROOM

Survey: ADULT Asthma Call-Back

Column: 120

Prologue:

Type: NUM
SAS Variable Name: CARPET

Description: Q7.16 Do you have carpeting or rugs in your bedroom?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11,427	68.45	64.45
2	No	5,261	31.52	35.55
7	Don't know/Not sure	5	0.03	0.00

WASH WATER TEMPERATURE

Survey: ADULT Asthma Call-Back

Column: 121

Prologue:

Type: NUM
SAS Variable Name: HOTWATER

Description: Q7.17 Are your sheets and pillowcases washed in cold, warm, or hot water?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Cold	4,206	25.20	27.50
2	Warm	5,388	32.28	31.38
3	Hot	6,178	37.01	34.17
4	Varies	534	3.20	3.87
7	Don't know/Not sure	381	2.28	3.05
9	Refused	6	0.04	0.03

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

USE AN EXHAUST FAN IN YOUR BATHROOM

Survey: ADULT Asthma Call-Back

Column: 122

Type: NUM

SAS Variable Name: BATH_FAN

Prologue:

Description: Q7.18 In your bathroom, do you regularly use an exhaust fan that vents to the outside?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,672	57.94	56.86
2	No or "No Fan"	6,917	41.44	42.57
7	Don't know/Not sure	100	0.60	0.56
9	Refused	4	0.02	0.01

EVER USED OVER-THE-COUNTER MEDICATION

Survey: ADULT Asthma Call-Back

Column: 124

Type: NUM

SAS Variable Name: OTC

Prologue: The next set of questions is about medications for asthma. The first few questions are very general, but later questions are very specific to your medication use.

Description: Q8.1 Over-the-counter medication can be bought without a doctor's order. Have you ever used over-the-counter medication for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,462	26.73	28.14
2	No	11,487	68.81	68.41
5	Never took asthma medication, skip filled	575	3.44	2.78
7	Don't know	165	0.99	0.67
9	Refused	4	0.02	0.00

EVER USED PRESCRIPTION INHALER

Survey: ADULT Asthma Call-Back

Column: 125

Type: NUM

SAS Variable Name: INHALERE

Prologue:

Description: Q8.2 Have you ever used a prescription inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15,096	90.43	90.96
2	No	971	5.82	6.07
5	Never took asthma medication, skip filled	575	3.44	2.78
7	Don't know	50	0.30	0.19
9	Refused	1	0.01	0.00

PROFESSIONAL INHALER INSTRUCTION

Survey: ADULT Asthma Call-Back

Column: 126

Type: NUM

SAS Variable Name: INHALERH

Prologue:

Description: Q8.3 Did a doctor or other health professional show you how to use the inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14,303	85.68	87.06
2	No	707	4.24	3.57
5	Never took asthma medication, skip filled	575	3.44	2.78
6	Never used prescription inhaler, skip filled	1,022	6.12	6.26
7	Don't know	85	0.51	0.32
9	Refused	1	0.01	0.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

INHALER USE WATCHED

Survey: ADULT Asthma Call-Back

Column: 127

Prologue:

Description: Q8.4 Did a doctor or other health professional watch you use the inhaler?

Type: NUM

SAS Variable Name: INHALERW

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11,086	66.41	70.93
2	No	3,443	20.63	17.24
5	Never took asthma medication, skip filled	575	3.44	2.78
6	Never used prescription inhaler, skip filled	1,022	6.12	6.26
7	Don't know	565	3.38	2.78
9	Refused	2	0.01	0.00

MEDICATION IN HAND

Survey: ADULT Asthma Call-Back

Column: 128

Prologue: Now I am going to ask questions about specific prescription medications you may have taken for asthma in the past 3 months. I will be asking for the name, amount, and how often you take each medicine.

Description: Q8.5 It will help to get your medicines so you can read the labels. Can you please go get the asthma medicines while I wait on the phone?

Type: NUM

SAS Variable Name: SCR_MED1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,783	34.64	29.07
2	No	417	2.50	2.42
3	Respondent knows the meds	3,203	19.19	18.42
4	No asthma med. past 3 months, skip filled	6,625	39.69	46.94
5	Never took asthma medication, skip filled	575	3.44	2.78
7	Don't know	37	0.22	0.24
9	Refused	53	0.32	0.13

HAVE ALL THE MEDICATIONS

Survey: ADULT Asthma Call-Back

Column: 130-131

Prologue:

Description: Q8.7 Do you have all the medications?

Type: NUM

SAS Variable Name: SCR_MED3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, I have all the medications	5,474	32.79	27.40
2	Yes, I have some of the medications but not all	233	1.40	1.19
3	No	65	0.39	0.35
4	No asthma med. past 3 months, skip filled	6,625	39.69	46.94
5	Never took asthma medication, skip filled	575	3.44	2.78
7	Don't know	7	0.04	0.11
9	Refused	4	0.02	0.02
10	Know or no handy asthma medicines, skip filled	3,710	22.22	21.21

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

TAKEN PRESCRIPTION INHALER PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 132

Type: NUM

SAS Variable Name: INH_SCR

Prologue:

Description: Q8.8 In the past 3 months have you taken prescription asthma medicine using an inhaler?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, inhaler in past 3 months	8,606	51.55	46.27
2	No inhaler in past 3 months	742	4.44	3.41
4	No asthma med. past 3 months, skip filled	6,625	39.69	46.94
5	Never took asthma medication, skip filled	575	3.44	2.78
6	Asthma med. past 3 months, never used inhaler, skip filled	120	0.72	0.56
7	Don't know	20	0.12	0.03
9	Refused	5	0.03	0.01

TAKEN MEDICATION IN PILL PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 133

Type: NUM

SAS Variable Name: PILLS

Prologue:

Description: Q8.20 In the past 3 months, have you taken any medicine in pill form for your asthma?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, pills in past 3 months	2,429	14.55	10.80
2	No pills in past 3 months	6,988	41.86	39.15
4	No asthma med. past 3 months, skip filled	6,625	39.69	46.94
5	Never took asthma medication, skip filled	575	3.44	2.78
7	Don't know	73	0.44	0.31
9	Refused	3	0.02	0.02

TAKEN MEDICATION IN SYRUP PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 134

Type: NUM

SAS Variable Name: SYRUP

Prologue:

Description: Q8.23 In the past 3 months, have you taken any prescription asthma medication in syrup form?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, syrup in past 3 months	136	0.81	0.62
2	No syrup in past 3 months	9,331	55.90	49.53
4	No asthma med. past 3 months, skip filled	6,625	39.69	46.94
5	Never took asthma medication, skip filled	575	3.44	2.78
7	Don't know	23	0.14	0.12
9	Refused	3	0.02	0.02

TAKEN MEDICATION WITH A NEBULIZER PAST 3 MONTHS

Survey: ADULT Asthma Call-Back

Column: 135

Type: NUM

SAS Variable Name: NEB_SCR

Prologue: A nebulizer is a small machine with a tube and facemask or mouthpiece that you breathe through continuously.

Description: Q8.25 In the past 3 months, were any of your asthma medicines used with a nebulizer?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes, nebulizer in past 3 months	2,595	15.55	12.87
2	No nebulizer in past 3 months	6,876	41.19	37.34
4	No asthma med. past 3 months, skip filled	6,625	39.69	46.94
5	Never took asthma medication, skip filled	575	3.44	2.78
7	Don't know	19	0.11	0.05
9	Refused	3	0.02	0.02

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

NEBULIZER AT HOME

Survey: ADULT Asthma Call-Back

Column: 136

Type: NUM

SAS Variable Name: NEB_PLCA

Prologue: I am going to read a list of places where you might have used a nebulizer. Please answer "yes" if you have used a nebulizer in the place I mention; otherwise, answer "no." In the past 3 months, did you use a nebulizer . . .

Description: Q8.26a . . . at home?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,413	14.46	11.68
2	No	180	1.08	1.19
4	No asthma med. past 3 months, skip filled	6,625	39.69	46.94
5	Never took asthma medication, skip filled	575	3.44	2.78
7	Don't know/Not sure	1	0.01	0.00
8	No neb. in past 3 months, skip filled	6,898	41.32	37.41
9	Refused	1	0.01	0.00

NEBULIZER AT DOCTOR'S OFFICE

Survey: ADULT Asthma Call-Back

Column: 137

Type: NUM

SAS Variable Name: NEB_PLCB

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26b . . . at a doctor's office?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	745	4.46	4.32
2	No	1,844	11.05	8.54
4	No asthma med. past 3 months, skip filled	6,625	39.69	46.94
5	Never took asthma medication, skip filled	575	3.44	2.78
7	Don't know/Not sure	6	0.04	0.02
8	No neb. in past 3 months, skip filled	6,898	41.32	37.41

NEBULIZER IN EMERGENCY ROOM

Survey: ADULT Asthma Call-Back

Column: 138

Type: NUM

SAS Variable Name: NEB_PLCC

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26c . . . in an emergency room?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	650	3.89	3.54
2	No	1,938	11.61	9.32
4	No asthma med. past 3 months, skip filled	6,625	39.69	46.94
5	Never took asthma medication, skip filled	575	3.44	2.78
7	Don't know/Not sure	7	0.04	0.01
8	No neb. in past 3 months, skip filled	6,898	41.32	37.41

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

NEBULIZER AT WORK OR SCHOOL

Survey: ADULT Asthma Call-Back

Column: 139

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26d . . . at work (or a school)?

Type: NUM
SAS Variable Name: NEB_PLCD

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	179	1.07	1.20
2	No	2,410	14.44	11.63
4	No asthma med. past 3 months, skip filled	6,625	39.69	46.94
5	Never took asthma medication, skip filled	575	3.44	2.78
7	Don't know/Not sure	3	0.02	0.01
8	No neb. in past 3 months, skip filled	6,898	41.32	37.41
9	Refused	3	0.02	0.04

NEBULIZER AT ANY OTHER PLACE

Survey: ADULT Asthma Call-Back

Column: 140

Prologue: In the past 3 months, did you use a nebulizer . . .

Description: Q8.26e . . . at any other place?

Type: NUM
SAS Variable Name: NEB_PLCE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	443	2.65	1.89
2	No	2,146	12.86	10.97
4	No asthma med. past 3 months, skip filled	6,625	39.69	46.94
5	Never took asthma medication, skip filled	575	3.44	2.78
7	Don't know/Not sure	5	0.03	0.01
8	No neb. in past 3 months, skip filled	6,898	41.32	37.41
9	Refused	1	0.01	0.00

COST BARRIER: PRIMARY CARE DOCTOR

Survey: ADULT Asthma Call-Back

Column: 141

Prologue:

Description: Q9.1 Was there a time in the past 12 months when you needed to see your primary care doctor for your asthma but could not because of the cost?

Type: NUM
SAS Variable Name: ASMDCOST

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,293	7.75	9.76
2	No	12,387	74.21	68.65
5	No current asthma, skip filled	2,956	17.71	21.43
7	Don't know	49	0.29	0.09
9	Refused	6	0.04	0.07
BLANK	Partial complete	2		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

COST BARRIER: SPECIALIST

Survey: ADULT Asthma Call-Back

Column: 142

Type: NUM

SAS Variable Name: ASSPCOST

Prologue:

Description: Q9.2 Was there a time in the past 12 months when you were referred to a specialist for asthma care but could not go because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	718	4.30	5.23
2	No	12,964	77.67	73.14
5	No current asthma, skip filled	2,956	17.71	21.43
7	Don't know	48	0.29	0.12
9	Refused	5	0.03	0.08
BLANK	Partial complete	2		

COST BARRIER: MEDICATION

Survey: ADULT Asthma Call-Back

Column: 143

Type: NUM

SAS Variable Name: ASRXCOST

Prologue:

Description: Q9.3 Was there a time in the past 12 months when you needed to buy medication for your asthma but could not because of the cost?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,095	12.55	14.39
2	No	11,573	69.34	63.96
5	No current asthma, skip filled	2,956	17.71	21.43
7	Don't know	60	0.36	0.15
9	Refused	7	0.04	0.07
BLANK	Partial complete	2		

CURRENT EMPLOYMENT STATUS

Survey: ADULT Asthma Call-Back

Column: 144

Type: NUM

SAS Variable Name: EMP_STAT

Prologue:

Description: Q10.1 Next, we are interested in things that affect asthma in the workplace. However, first I'd like to ask how you would describe your current employment status. Would you say . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Employed full-time	4,935	29.57	34.13
2	Employed part-time	1,843	11.04	13.26
3	Not employed	9,868	59.13	52.27
7	Don't know	24	0.14	0.24
9	Refused	18	0.11	0.09
BLANK	Partial complete	5		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

REASON NOT NOW EMPLOYED

Survey: ADULT Asthma Call-Back

Column: 145-146

Prologue:

Description: Q10.2 What is the main reason you are not now employed?

Type: NUM

SAS Variable Name: UNEMP_R

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Keeping house	632	3.79	3.74
2	Going to school	198	1.19	5.78
3	Retired	5,038	30.19	13.71
4	Disabled	2,263	13.56	11.78
5	Unable to work for other health reasons	707	4.24	4.77
6	Looking for work	313	1.88	6.07
7	Laid off	287	1.72	2.90
8	Other	405	2.43	3.41
66	Employed, skip filled	6,778	40.62	47.39
77	Don't know	12	0.07	0.05
88	Current employment status don't know or refused	42	0.25	0.34
99	Refused	13	0.08	0.07
BLANK	Partial complete	5		

EVER EMPLOYED OUTSIDE HOME

Survey: ADULT Asthma Call-Back

Column: 147

Prologue:

Description: Q10.3 Have you ever been employed outside the home?

Type: NUM

SAS Variable Name: EMP_EVER

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9,328	55.90	47.00
2	No	553	3.31	5.38
6	Employed now, skip filled	6,778	40.62	47.39
7	Don't know/Not sure	24	0.14	0.21
9	Refused	5	0.03	0.02
BLANK	Partial complete	5		

ASTHMA CAUSED BY CURRENT JOB

Survey: ADULT Asthma Call-Back

Column: 148-149

Prologue:

Description: Q10.4 Was your asthma CAUSED by chemicals, smoke, fumes or dust in your CURRENT job?

Type: NUM

SAS Variable Name: WORKENV1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	794	4.76	5.09
2	No	5,718	34.26	40.85
6	Never employed outside home, skip filled	553	3.31	5.38
7	Don't know	263	1.58	1.45
8	Past employment unknown, skip filled	29	0.17	0.23
9	Refused	3	0.02	0.01
10	Not employed now but employed before, skip filled	9,328	55.90	47.00
BLANK	Partial complete	5		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ASTHMA AGGRAVATED BY CURRENT JOB

Survey: ADULT Asthma Call-Back

Column: 150-151

Type: NUM

SAS Variable Name: WORKENV2

Prologue:

Description: Q10.5 Is your asthma MADE WORSE by chemicals, smoke, fumes or dust in your CURRENT job?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,622	9.72	10.92
2	No	3,588	21.50	24.04
5	No current asthma, skip filled	1,505	9.02	12.55
6	Never employed outside home, skip filled	489	2.93	4.56
7	Don't know	126	0.76	0.76
8	Past employment unknown, skip filled	25	0.15	0.16
9	Refused	5	0.03	0.01
10	Not employed now but employed before, skip filled	9,328	55.90	47.00
BLANK	Partial complete	5		

ASTHMA CAUSED BY PREVIOUS JOB

Survey: ADULT Asthma Call-Back

Column: 152

Type: NUM

SAS Variable Name: WORKENV3

Prologue:

Description: Q10.6 Was your asthma CAUSED by chemicals, smoke, fumes or dust in any PREVIOUS job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,131	18.76	15.56
2	No	10,888	65.24	68.51
5	Caused by current job, skip filled	794	4.76	5.09
6	Never employed outside home, skip filled	553	3.31	5.38
7	Don't know	1,282	7.68	5.18
8	Past employment unknown, skip filled	29	0.17	0.23
9	Refused	11	0.07	0.04
BLANK	Partial complete	5		

ASTHMA AGGRAVATED BY PREVIOUS JOB

Survey: ADULT Asthma Call-Back

Column: 153

Type: NUM

SAS Variable Name: WORKENV4

Prologue:

Description: Q10.7 Was your asthma MADE WORSE by chemicals, smoke, fumes or dust in any PREVIOUS job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,354	32.08	27.55
2	No	9,332	55.92	58.82
5	Caused by current job, skip filled	794	4.76	5.09
6	Never employed outside home, skip filled	553	3.31	5.38
7	Don't know	617	3.70	2.87
8	Past employment unknown, skip filled	29	0.17	0.23
9	Refused	9	0.05	0.05
BLANK	Partial complete	5		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

EVER CHANGE OR QUIT A JOB

Survey: ADULT Asthma Call-Back

Column: 154-155

Type: NUM

SAS Variable Name: WORKQUIT

Prologue:

Description: Q10.75 Did you ever change or quit a job because chemicals, smoke, fumes, or dust caused your asthma or made your asthma worse?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,409	8.44	7.72
2	No	4,085	24.48	21.24
6	Never employed outside home, skip filled	553	3.31	5.38
7	Don't know	223	1.34	0.25
8	Past employment unknown, skip filled	29	0.17	0.23
10	Skip filled	10,389	62.25	65.18
BLANK	Partial complete	5		

DOCTOR DIAGNOSED WORK ASTHMA

Survey: ADULT Asthma Call-Back

Column: 156

Type: NUM

SAS Variable Name: WORKSEN1

Prologue:

Description: Q10.8 Were you ever told by a doctor or other medical person that your asthma was related to any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,490	8.93	7.33
2	No	14,493	86.85	86.46
6	Never employed outside home, skip filled	553	3.31	5.38
7	Don't know	118	0.71	0.56
8	Past employment unknown, skip filled	29	0.17	0.23
9	Refused	5	0.03	0.04
BLANK	Partial complete	5		

SELF-IDENTIFIED WORK ASTHMA

Survey: ADULT Asthma Call-Back

Column: 157

Type: NUM

SAS Variable Name: WORKSEN2

Prologue:

Description: Q10.9 Did you ever tell a doctor or other medical person that your asthma was related to any job you ever had?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,953	11.70	9.65
2	No	14,009	83.95	84.13
6	Never employed outside home, skip filled	553	3.31	5.38
7	Don't know	133	0.80	0.58
8	Past employment unknown, skip filled	29	0.17	0.23
9	Refused	11	0.07	0.04
BLANK	Partial complete	5		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

EVER TOLD HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE

Survey: ADULT Asthma Call-Back

Column: 158

Type: NUM

SAS Variable Name: COPD

Prologue:

Description: Q11.1 Have you ever been told by a doctor or health professional that you have chronic obstructive pulmonary disease, also known as COPD?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3,283	19.68	13.45
2	No	13,129	78.70	85.53
7	Don't know/Not sure	262	1.57	0.95
9	Refused	8	0.05	0.07
BLANK	Partial complete	11		

EVER TOLD HAVE EMPHYSEMA

Survey: ADULT Asthma Call-Back

Column: 159

Type: NUM

SAS Variable Name: EMPHY

Prologue:

Description: Q11.2 Have you ever been told by a doctor or other health professional that you have emphysema?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,770	10.61	6.99
2	No	14,775	88.57	92.19
7	Don't know/Not sure	133	0.80	0.81
9	Refused	4	0.02	0.02
BLANK	Partial complete	11		

EVER TOLD HAVE CHRONIC BRONCHITIS

Survey: ADULT Asthma Call-Back

Column: 160

Type: NUM

SAS Variable Name: BRONCH

Prologue:

Description: Q11.3 Have you ever been told by a doctor or other health professional that you have chronic bronchitis?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5,088	30.50	25.98
2	No	11,350	68.04	72.89
7	Don't know/Not sure	237	1.42	1.11
9	Refused	7	0.04	0.02
BLANK	Partial complete	11		

EVER TOLD DEPRESSED

Survey: ADULT Asthma Call-Back

Column: 161

Type: NUM

SAS Variable Name: DEPRESS

Prologue:

Description: Q11.4 Have you ever been told by a doctor or other health professional that you were depressed?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6,083	36.46	35.45
2	No	10,517	63.04	64.15
7	Don't know/Not sure	63	0.38	0.28
9	Refused	19	0.11	0.13
BLANK	Partial complete	11		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

USED HERBS TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 162

Type: NUM

SAS Variable Name: CAM_HERB

Prologue: Sometimes people use methods other than prescription medications to help treat or control their asthma. These methods are called non-traditional, complementary, or alternative healthcare. In the past 12 months, have you used . . . to control asthma?

Description: Q12.1 . . . herbs . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	806	4.83	5.66
2	No	12,857	77.08	72.63
5	No current asthma, skip filled	2,956	17.72	21.45
7	Don't know	56	0.34	0.15
9	Refused	5	0.03	0.11
BLANK	Partial complete	13		

USED VITAMINS TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 163

Type: NUM

SAS Variable Name: CAM_VITA

Prologue:

Description: Q12.2 . . . vitamins . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,181	7.08	6.67
2	No	12,448	74.63	71.59
5	No current asthma, skip filled	2,956	17.72	21.45
7	Don't know	87	0.52	0.26
9	Refused	8	0.05	0.03
BLANK	Partial complete	13		

USED ACUPUNCTURE TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 164

Type: NUM

SAS Variable Name: CAM_PUNC

Prologue:

Description: Q12.3 . . . acupuncture . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	212	1.27	1.28
2	No	13,452	80.65	77.04
5	No current asthma, skip filled	2,956	17.72	21.45
7	Don't know	57	0.34	0.21
9	Refused	3	0.02	0.02
BLANK	Partial complete	13		

USED ACUPRESSURE TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 165

Type: NUM

SAS Variable Name: CAM_PRES

Prologue:

Description: Q12.4 . . . acupressure . . .

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	182	1.09	1.00
2	No	13,476	80.79	77.27
5	No current asthma, skip filled	2,956	17.72	21.45
7	Don't know	61	0.37	0.25
9	Refused	5	0.03	0.02
BLANK	Partial complete	13		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

USED AROMATHERAPY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 166

Prologue:

Description: Q12.5 ... aromatherapy ...

Type: NUM
SAS Variable Name: CAM_AROM

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	527	3.16	4.35
2	No	13,127	78.70	73.90
5	No current asthma, skip filled	2,956	17.72	21.45
7	Don't know	65	0.39	0.27
9	Refused	5	0.03	0.02
BLANK	Partial complete	13		

USED HOMEOPATHY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 167

Prologue:

Description: Q12.6 ... homeopathy ...

Type: NUM
SAS Variable Name: CAM_HOME

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	288	1.73	1.52
2	No	13,297	79.72	76.33
5	No current asthma, skip filled	2,956	17.72	21.45
7	Don't know	133	0.80	0.67
9	Refused	6	0.04	0.03
BLANK	Partial complete	13		

USED REFLEXOLOGY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 168

Prologue:

Description: Q12.7 ... reflexology ...

Type: NUM
SAS Variable Name: CAM_REFL

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	196	1.18	1.52
2	No	13,427	80.50	76.72
5	No current asthma, skip filled	2,956	17.72	21.45
7	Don't know	94	0.56	0.27
9	Refused	7	0.04	0.04
BLANK	Partial complete	13		

USED YOGA TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 169

Prologue:

Description: Q12.8 ... yoga ...

Type: NUM
SAS Variable Name: CAM_YOGA

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	527	3.16	4.65
2	No	13,136	78.75	73.60
5	No current asthma, skip filled	2,956	17.72	21.45
7	Don't know	54	0.32	0.27
9	Refused	7	0.04	0.04
BLANK	Partial complete	13		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

USED BREATHING TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 170

Prologue:

Description: Q12.9 ... breathing techniques ...

Type: NUM

SAS Variable Name: CAM_BR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4,074	24.42	26.13
2	No	9,559	57.31	52.11
5	No current asthma, skip filled	2,956	17.72	21.45
7	Don't know	82	0.49	0.28
9	Refused	9	0.05	0.04
BLANK	Partial complete	13		

USED NATUROPATHY TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 171

Prologue:

Description: Q12.10 ... naturopathy ...

Type: NUM

SAS Variable Name: CAM_NATR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	182	1.09	1.01
2	No	13,424	80.48	77.01
5	No current asthma, skip filled	2,956	17.72	21.45
7	Don't know	109	0.65	0.49
9	Refused	9	0.05	0.04
BLANK	Partial complete	13		

OTHER ALTERNATIVE CARE TO CONTROL ASTHMA

Survey: ADULT Asthma Call-Back

Column: 172

Prologue:

Description: Q12.11 Besides the types I have just asked about, have you used any other type of alternative care for your asthma in the past 12 months?

Type: NUM

SAS Variable Name: CAM_OTHR

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,258	7.54	8.05
2	No	12,370	74.16	70.14
5	No current asthma, skip filled	2,956	17.72	21.45
7	Don't know	83	0.50	0.25
9	Refused	13	0.08	0.11
BLANK	Partial complete	13		

TEXT FOR OTHER TYPE CARE

Survey: ADULT Asthma Call-Back

Column: 173-272

Prologue:

Description: Q12.12 What else have you used?

Type: CHAR

SAS Variable Name: CAM_TEXT

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK		15,435		
HIDDEN	Text field - up to 100 characters	1,258	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

LANGUAGE IDENTIFIER

Survey: ADULT Asthma Call-Back

Column: 273-274

Prologue:

Description: Language identifier: Language in which the interview was conducted.

Type: NUM
SAS Variable Name: QSTLANG_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	English	15,548	97.18	96.82
2	Spanish	451	2.82	3.18
BLANK	Not asked or missing	694		

END OF THE RAW CALL BACK DATA

Survey: ADULT Asthma Call-Back

Column: 275

Prologue:

Description: END OF THE RAW CALL BACK DATA

Type: NUM
SAS Variable Name: END_OF_FILE

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16,693	100.00	100.00

EVER HAVE ASTHMA COMBINED BRFSS AND CALL BACK

Survey: ADULT Asthma Call-Back

Column: 276

Prologue:

Description: EVER HAVE ASTHMA COMBINED BRFSS (ASTHMA2) AND CALL BACK (EVER_ASTH)

Type: NUM
SAS Variable Name: _EVER_ASTH_C

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16,693	100.00	100.00

STILL HAVE ASTHMA COMBINED BRFSS AND CALL BACK

Survey: ADULT Asthma Call-Back

Column: 277

Prologue:

Description: STILL HAVE ASTHMA COMBINED BRFSS (ASTHNOW) AND CALL BACK (CUR_ASTH)

Type: NUM
SAS Variable Name: _CUR_ASTH_C

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12,339	73.92	70.37
2	No	4,035	24.17	28.14
7	Don't know/Not sure	313	1.88	1.47
9	Refused	6	0.04	0.02

FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Survey: ADULT Asthma Call-Back

Column: 278

Prologue:

Description: FLAG FOR AGE, AGEDX, INCIDNT INCONSISTENCY

Type: NUM
SAS Variable Name: FLAG1

Value	Value Label	Frequency	Percentage	Weighted Percentage
0	AGE, AGEDX, and INCIDNT are consistent	16,366	98.04	98.35
1	AGEDX is greater than AGE	10	0.06	0.09
2	AGE, AGEDX, and INCIDNT are inconsistent	317	1.90	1.56

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ADVAIR (+ A. DISKUS)

Survey: ADULT Asthma Call-Back

Column: 279

Prologue:

Description: ADVAIR (+ A. DISKUS)

Type: NUM

SAS Variable Name: INHALER_ID_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2,867	17.17	13.94
13,826	82.83	86.06

AEROBID

Survey: ADULT Asthma Call-Back

Column: 280

Prologue:

Description: AEROBID

Type: NUM

SAS Variable Name: INHALER_ID_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
17	0.10	0.12
16,676	99.90	99.88

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)

Survey: ADULT Asthma Call-Back

Column: 281

Prologue:

Description: ALBUTEROL (+ A. SULFATE OR SALBUTAMOL)

Type: NUM

SAS Variable Name: INHALER_ID_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2,780	16.65	17.15
13,913	83.35	82.85

ALUPENT

Survey: ADULT Asthma Call-Back

Column: 282

Prologue:

Description: ALUPENT

Type: NUM

SAS Variable Name: INHALER_ID_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
10	0.06	0.04
16,683	99.94	99.96

ATROVENT

Survey: ADULT Asthma Call-Back

Column: 283

Prologue:

Description: ATROVENT

Type: NUM

SAS Variable Name: INHALER_ID_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
126	0.75	0.48
16,567	99.25	99.52

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

AZMACORT

Survey: ADULT Asthma Call-Back

Column: 284

Prologue:

Description: AZMACORT

Type: NUM

SAS Variable Name: INHALER_ID_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
50	0.30	0.18
16,643	99.70	99.82

BECLOMETHASONE DIPROPIONATE

Survey: ADULT Asthma Call-Back

Column: 285

Prologue:

Description: BECLOMETHASONE DIPROPIONATE

Type: NUM

SAS Variable Name: INHALER_ID_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
10	0.06	0.06
16,683	99.94	99.94

BECLOVENT

Survey: ADULT Asthma Call-Back

Column: 286

Prologue:

Description: BECLOVENT

Type: NUM

SAS Variable Name: INHALER_ID_8

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.02	0.01
16,689	99.98	99.99

BITOLTEROL

Survey: ADULT Asthma Call-Back

Column: 287

Prologue:

Description: BITOLTEROL

Type: NUM

SAS Variable Name: INHALER_ID_9

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
6	0.04	0.02
16,687	99.96	99.98

BRETHAIRE

Survey: ADULT Asthma Call-Back

Column: 288

Prologue:

Description: BRETHAIRE

Type: NUM

SAS Variable Name: INHALER_ID_10

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
16,692	99.99	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

BUDESONIDE

Survey: ADULT Asthma Call-Back

Column: 289

Prologue:

Description: BUDESONIDE

Type: NUM

SAS Variable Name: INHALER_ID_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
13	0.08	0.03
16,680	99.92	99.97

COMBIVENT

Survey: ADULT Asthma Call-Back

Column: 290

Prologue:

Description: COMBIVENT

Type: NUM

SAS Variable Name: INHALER_ID_12

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
525	3.15	2.15
16,168	96.85	97.85

CROMOLYN

Survey: ADULT Asthma Call-Back

Column: 291

Prologue:

Description: CROMOLYN

Type: NUM

SAS Variable Name: INHALER_ID_13

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
16,692	99.99	99.99

FLOVENT

Survey: ADULT Asthma Call-Back

Column: 292

Prologue:

Description: FLOVENT

Type: NUM

SAS Variable Name: INHALER_ID_14

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
694	4.16	3.14
15,999	95.84	96.86

FLOVENT ROTADISK

Survey: ADULT Asthma Call-Back

Column: 293

Prologue:

Description: FLOVENT ROTADISK

Type: NUM

SAS Variable Name: INHALER_ID_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
26	0.16	0.12
16,667	99.84	99.88

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

FLUNISOLIDE

Survey: ADULT Asthma Call-Back
Column: 294
Prologue:
Description: FLUNISOLIDE

Type: NUM
SAS Variable Name: INHALER_ID_16

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.02	0.01
16,689	99.98	99.99

FLUTICASONE

Survey: ADULT Asthma Call-Back
Column: 295
Prologue:
Description: FLUTICASONE

Type: NUM
SAS Variable Name: INHALER_ID_17

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
52	0.31	0.33
16,641	99.69	99.67

INTAL

Survey: ADULT Asthma Call-Back
Column: 296
Prologue:
Description: INTAL

Type: NUM
SAS Variable Name: INHALER_ID_18

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
9	0.05	0.03
16,684	99.95	99.97

IPRATROPIUM BROMIDE

Survey: ADULT Asthma Call-Back
Column: 297
Prologue:
Description: IPRATROPIUM BROMIDE

Type: NUM
SAS Variable Name: INHALER_ID_19

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
32	0.19	0.11
16,661	99.81	99.89

MAXAIR

Survey: ADULT Asthma Call-Back
Column: 298
Prologue:
Description: MAXAIR

Type: NUM
SAS Variable Name: INHALER_ID_20

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
98	0.59	0.50
16,595	99.41	99.50

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

METAPROTERONOL

Survey: ADULT Asthma Call-Back

Column: 299

Prologue:

Description: METAPROTERONOL

Type: NUM

SAS Variable Name: INHALER_ID_21

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
16,692	99.99	100.00

NEDOCROMIL

Survey: ADULT Asthma Call-Back

Column: 300

Prologue:

Description: NEDOCROMIL

Type: NUM

SAS Variable Name: INHALER_ID_22

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
2	100.00	100.00

PIRBUTEROL

Survey: ADULT Asthma Call-Back

Column: 301

Prologue:

Description: PIRBUTEROL

Type: NUM

SAS Variable Name: INHALER_ID_23

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.02	0.01
16,689	99.98	99.99

PROVENTIL

Survey: ADULT Asthma Call-Back

Column: 302

Prologue:

Description: PROVENTIL

Type: NUM

SAS Variable Name: INHALER_ID_24

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
698	4.18	4.02
15,995	95.82	95.98

PULMICORT TURBUHALER

Survey: ADULT Asthma Call-Back

Column: 303

Prologue:

Description: PULMICORT TURBUHALER

Type: NUM

SAS Variable Name: INHALER_ID_25

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
168	1.01	0.67
16,525	98.99	99.33

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

SALMETEROL

Survey: ADULT Asthma Call-Back

Column: 304

Prologue:

Description: SALMETEROL

Type: NUM

SAS Variable Name: INHALER_ID_26

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
8	0.05	0.03
16,685	99.95	99.97

SEREVENT

Survey: ADULT Asthma Call-Back

Column: 305

Prologue:

Description: SEREVENT

Type: NUM

SAS Variable Name: INHALER_ID_27

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
121	0.72	0.39
16,572	99.28	99.61

TERBUTALINE (+ T. SULFATE)

Survey: ADULT Asthma Call-Back

Column: 306

Prologue:

Description: TERBUTALINE (+ T. SULFATE)

Type: NUM

SAS Variable Name: INHALER_ID_28

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
16,692	99.99	100.00

TILADE

Survey: ADULT Asthma Call-Back

Column: 307

Prologue:

Description: TILADE

Type: NUM

SAS Variable Name: INHALER_ID_29

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
16,692	99.99	99.99

TORNALATE

Survey: ADULT Asthma Call-Back

Column: 308

Prologue:

Description: TORNALATE

Type: NUM

SAS Variable Name: INHALER_ID_30

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
16,692	99.99	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

TRIAMCINOLONE ACETONIDE

Survey: ADULT Asthma Call-Back
Column: 309
Prologue:
Description: TRIAMCINOLONE ACETONIDE

Type: NUM
SAS Variable Name: INHALER_ID_31

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	16,693	100.00	100.00

VANCERIL

Survey: ADULT Asthma Call-Back
Column: 310
Prologue:
Description: VANCERIL

Type: NUM
SAS Variable Name: INHALER_ID_32

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	0.04	0.02
2	No	16,686	99.96	99.98

VENTOLIN

Survey: ADULT Asthma Call-Back
Column: 311
Prologue:
Description: VENTOLIN

Type: NUM
SAS Variable Name: INHALER_ID_33

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,089	6.52	6.02
2	No	15,604	93.48	93.98

FORADIL

Survey: ADULT Asthma Call-Back
Column: 312
Prologue:
Description: FORADIL

Type: NUM
SAS Variable Name: INHALER_ID_34

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	66	0.40	0.19
2	No	16,627	99.60	99.81

FORMOTEROL

Survey: ADULT Asthma Call-Back
Column: 313
Prologue:
Description: FORMOTEROL

Type: NUM
SAS Variable Name: INHALER_ID_35

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	0.08	0.04
2	No	16,680	99.92	99.96

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

QVAR

Survey: ADULT Asthma Call-Back

Column: 314

Prologue:

Description: QVAR

Type: NUM

SAS Variable Name: INHALER_ID_36

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
332	1.99	1.97
16,361	98.01	98.03

LEVALBUTEROL TARTRATE

Survey: ADULT Asthma Call-Back

Column: 315

Prologue:

Description: LEVALBUTEROL TARTRATE

Type: NUM

SAS Variable Name: INHALER_ID_37

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.03	0.01
16,688	99.97	99.99

XOPENEX HFA

Survey: ADULT Asthma Call-Back

Column: 316

Prologue:

Description: XOPENEX HFA

Type: NUM

SAS Variable Name: INHALER_ID_38

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
287	1.72	1.82
16,406	98.28	98.18

MOMETASONE FUROATE

Survey: ADULT Asthma Call-Back

Column: 317

Prologue:

Description: MOMETASONE FUROATE

Type: NUM

SAS Variable Name: INHALER_ID_39

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
18	0.11	0.08
16,675	99.89	99.92

ASMANEX (TWISTHALER)

Survey: ADULT Asthma Call-Back

Column: 318

Prologue:

Description: ASMANEX (TWISTHALER)

Type: NUM

SAS Variable Name: INHALER_ID_40

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
259	1.55	1.19
16,434	98.45	98.81

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PRO-AIR HFA

Survey: ADULT Asthma Call-Back

Column: 319

Prologue:

Description: PRO-AIR HFA

Type: NUM

SAS Variable Name: INHALER_ID_41

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1,467	8.79	7.51
15,226	91.21	92.49

SYMBICORT

Survey: ADULT Asthma Call-Back

Column: 320

Prologue:

Description: SYMBICORT

Type: NUM

SAS Variable Name: INHALER_ID_42

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
763	4.57	3.80
15,930	95.43	96.20

DON'T KNOW/REFUSED

Survey: ADULT Asthma Call-Back

Column: 321

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: INHALER_ID_7799

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
157	0.94	1.05
16,536	99.06	98.95

OTHER INHALER

Survey: ADULT Asthma Call-Back

Column: 322

Prologue:

Description: NEW OTHER PRESCRIPTION INHALER

Type: NUM

SAS Variable Name: OTHER_INHALER

Value	Value Label
BLANK	Not asked or missing

Frequency	Percentage	Weighted Percentage
16,693		

PILL ACCOLATE

Survey: ADULT Asthma Call-Back

Column: 323

Prologue:

Description: PILL ACCOLATE

Type: NUM

SAS Variable Name: PILLS_ID_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
49	0.29	0.11
16,644	99.71	99.89

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL AEROLATE

Survey: ADULT Asthma Call-Back
Column: 324
Prologue:
Description: PILL AEROLATE

Type: NUM
SAS Variable Name: PILLS_ID_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
16,692	99.99	99.99

PILL ALBUTEROL

Survey: ADULT Asthma Call-Back
Column: 325
Prologue:
Description: PILL ALBUTEROL

Type: NUM
SAS Variable Name: PILLS_ID_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
40	0.24	0.15
16,653	99.76	99.85

PILL ALUPENT

Survey: ADULT Asthma Call-Back
Column: 326
Prologue:
Description: PILL ALUPENT

Type: NUM
SAS Variable Name: PILLS_ID_4

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

PILL CHOLEDYL (OXTRIPHYLLINE)

Survey: ADULT Asthma Call-Back
Column: 327
Prologue:
Description: PILL CHOLEDYL (OXTRIPHYLLINE)

Type: NUM
SAS Variable Name: PILLS_ID_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
16,692	99.99	100.00

PILL DELTASONE

Survey: ADULT Asthma Call-Back
Column: 328
Prologue:
Description: PILL DELTASONE

Type: NUM
SAS Variable Name: PILLS_ID_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.07
16,691	99.99	99.93

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL ELIXOPHYLLIN

Survey: ADULT Asthma Call-Back
Column: 329
Prologue:
Description: PILL ELIXOPHYLLIN

Type: NUM
SAS Variable Name: PILLS_ID_8

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

PILL MEDROL

Survey: ADULT Asthma Call-Back
Column: 330
Prologue:
Description: PILL MEDROL

Type: NUM
SAS Variable Name: PILLS_ID_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.03	0.04
16,688	99.97	99.96

PILL METAPREL

Survey: ADULT Asthma Call-Back
Column: 331
Prologue:
Description: PILL METAPREL

Type: NUM
SAS Variable Name: PILLS_ID_12

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

PILL METAPROTERONOL

Survey: ADULT Asthma Call-Back
Column: 332
Prologue:
Description: PILL METAPROTERONOL

Type: NUM
SAS Variable Name: PILLS_ID_13

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

PILL METHYLPREDNISOLONE

Survey: ADULT Asthma Call-Back
Column: 333
Prologue:
Description: PILL METHYLPREDNISOLONE

Type: NUM
SAS Variable Name: PILLS_ID_14

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.03	0.02
16,688	99.97	99.98

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL MONTELUKAST

Survey: ADULT Asthma Call-Back
Column: 334
Prologue:
Description: PILL MONTELUKAST

Type: NUM
SAS Variable Name: PILLS_ID_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.02	0.01
16,689	99.98	99.99

PILL PEDIAPRED

Survey: ADULT Asthma Call-Back
Column: 335
Prologue:
Description: PILL PEDIAPRED

Type: NUM
SAS Variable Name: PILLS_ID_17

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

PILL PREDNISOLONE

Survey: ADULT Asthma Call-Back
Column: 336
Prologue:
Description: PILL PREDNISOLONE

Type: NUM
SAS Variable Name: PILLS_ID_18

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
20	0.12	0.11
16,673	99.88	99.89

PILL PREDNISONONE

Survey: ADULT Asthma Call-Back
Column: 337
Prologue:
Description: PILL PREDNISONONE

Type: NUM
SAS Variable Name: PILLS_ID_19

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
346	2.07	2.07
16,347	97.93	97.93

PILL PROVENTIL

Survey: ADULT Asthma Call-Back
Column: 338
Prologue:
Description: PILL PROVENTIL

Type: NUM
SAS Variable Name: PILLS_ID_21

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.03	0.01
16,688	99.97	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL RESPID

Survey: ADULT Asthma Call-Back

Column: 339

Prologue:

Description: PILL RESPID

Type: NUM

SAS Variable Name: PILLS_ID_23

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

PILL SINGULAIR

Survey: ADULT Asthma Call-Back

Column: 340

Prologue:

Description: PILL SINGULAIR

Type: NUM

SAS Variable Name: PILLS_ID_24

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1,736	10.40	7.26
14,957	89.60	92.74

PILL SLO-PHYLLIN

Survey: ADULT Asthma Call-Back

Column: 341

Prologue:

Description: PILL SLO-PHYLLIN

Type: NUM

SAS Variable Name: PILLS_ID_25

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.00
16,691	99.99	100.00

PILL SLO-BID

Survey: ADULT Asthma Call-Back

Column: 342

Prologue:

Description: PILL SLO-BID

Type: NUM

SAS Variable Name: PILLS_ID_26

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.02
16,691	99.99	99.98

PILL THEO-24

Survey: ADULT Asthma Call-Back

Column: 343

Prologue:

Description: PILL THEO-24

Type: NUM

SAS Variable Name: PILLS_ID_28

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.01
16,690	99.98	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL THEOCHRON

Survey: ADULT Asthma Call-Back
Column: 344
Prologue:
Description: PILL THEOCHRON

Type: NUM
SAS Variable Name: PILLS_ID_30

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

PILL THEOCLEAR

Survey: ADULT Asthma Call-Back
Column: 345
Prologue:
Description: PILL THEOCLEAR

Type: NUM
SAS Variable Name: PILLS_ID_31

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

PILL THEODUR

Survey: ADULT Asthma Call-Back
Column: 346
Prologue:
Description: PILL THEODUR

Type: NUM
SAS Variable Name: PILLS_ID_32

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
17	0.10	0.06
16,676	99.90	99.94

PILL THEO-DUR

Survey: ADULT Asthma Call-Back
Column: 347
Prologue:
Description: PILL THEO-DUR

Type: NUM
SAS Variable Name: PILLS_ID_33

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
5	0.03	0.03
16,688	99.97	99.97

PILL THEOPHYLLINE

Survey: ADULT Asthma Call-Back
Column: 348
Prologue:
Description: PILL THEOPHYLLINE

Type: NUM
SAS Variable Name: PILLS_ID_35

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
142	0.85	0.46
16,551	99.15	99.54

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL THEOSPAN

Survey: ADULT Asthma Call-Back
Column: 349
Prologue:
Description: PILL THEOSPAN

Type: NUM
SAS Variable Name: PILLS_ID_37

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

PILL T-PHYL

Survey: ADULT Asthma Call-Back
Column: 350
Prologue:
Description: PILL T-PHYL

Type: NUM
SAS Variable Name: PILLS_ID_40

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

PILL UNIPHYL

Survey: ADULT Asthma Call-Back
Column: 351
Prologue:
Description: PILL UNIPHYL

Type: NUM
SAS Variable Name: PILLS_ID_42

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.02	0.03
16,689	99.98	99.97

PILL VENTOLIN

Survey: ADULT Asthma Call-Back
Column: 352
Prologue:
Description: PILL VENTOLIN

Type: NUM
SAS Variable Name: PILLS_ID_43

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.02	0.03
16,689	99.98	99.97

PILL VOLMAX

Survey: ADULT Asthma Call-Back
Column: 353
Prologue:
Description: PILL VOLMAX

Type: NUM
SAS Variable Name: PILLS_ID_44

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.01
16,691	99.99	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL ZAFIRLUKAST

Survey: ADULT Asthma Call-Back
Column: 354
Prologue:
Description: PILL ZAFIRLUKAST

Type: NUM
SAS Variable Name: PILLS_ID_45

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
13	0.08	0.04
16,680	99.92	99.96

PILL ZILEUTON

Survey: ADULT Asthma Call-Back
Column: 355
Prologue:
Description: PILL ZILEUTON

Type: NUM
SAS Variable Name: PILLS_ID_46

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.01
16,692	99.99	99.99

PILL ZYFLO FILMTAB

Survey: ADULT Asthma Call-Back
Column: 356
Prologue:
Description: PILL ZYFLO FILMTAB

Type: NUM
SAS Variable Name: PILLS_ID_47

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
10	0.06	0.04
16,683	99.94	99.96

PILL TERBUTALINE (+ T. SULFATE)

Survey: ADULT Asthma Call-Back
Column: 357
Prologue:
Description: PILL TERBUTALINE (+ T. SULFATE)

Type: NUM
SAS Variable Name: PILLS_ID_48

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.01
16,690	99.98	99.99

PILL BRETHINE

Survey: ADULT Asthma Call-Back
Column: 358
Prologue:
Description: PILL BRETHINE

Type: NUM
SAS Variable Name: PILLS_ID_49

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.00
16,691	99.99	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

DON'T KNOW/REFUSED

Survey: ADULT Asthma Call-Back

Column: 359

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: PILLS_ID_7799

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
130	0.78	0.71
16,563	99.22	99.29

OTHER PILLS

Survey: ADULT Asthma Call-Back

Column: 360

Prologue:

Description: NEW OTHER PRESCRIPTION PILLS

Type: NUM

SAS Variable Name: OTHER_PILLS

Value	Value Label
BLANK	Not asked or missing

Frequency	Percentage	Weighted Percentage
16,693		

SYRUP AEROLATE

Survey: ADULT Asthma Call-Back

Column: 361

Prologue:

Description: SYRUP AEROLATE

Type: NUM

SAS Variable Name: SYRUP_ID_1

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

SYRUP ALBUTEROL

Survey: ADULT Asthma Call-Back

Column: 362

Prologue:

Description: SYRUP ALBUTEROL

Type: NUM

SAS Variable Name: SYRUP_ID_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
32	0.19	0.15
16,661	99.81	99.85

SYRUP ALUPENT

Survey: ADULT Asthma Call-Back

Column: 363

Prologue:

Description: SYRUP ALUPENT

Type: NUM

SAS Variable Name: SYRUP_ID_3

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

SYRUP METAPROTERONOL

Survey: ADULT Asthma Call-Back

Column: 364

Prologue:

Description: SYRUP METAPROTERONOL

Type: NUM

SAS Variable Name: SYRUP_ID_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.01
16,691	99.99	99.99

SYRUP PREDNISOLONE

Survey: ADULT Asthma Call-Back

Column: 365

Prologue:

Description: SYRUP PREDNISOLONE

Type: NUM

SAS Variable Name: SYRUP_ID_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
13	0.08	0.11
16,680	99.92	99.89

SYRUP PRELONE

Survey: ADULT Asthma Call-Back

Column: 366

Prologue:

Description: SYRUP PRELONE

Type: NUM

SAS Variable Name: SYRUP_ID_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.01
16,690	99.98	99.99

SYRUP PROVENTIL

Survey: ADULT Asthma Call-Back

Column: 367

Prologue:

Description: SYRUP PROVENTIL

Type: NUM

SAS Variable Name: SYRUP_ID_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
11	0.07	0.05
16,682	99.93	99.95

SYRUP SLO-PHYLLIN

Survey: ADULT Asthma Call-Back

Column: 368

Prologue:

Description: SYRUP SLO-PHYLLIN

Type: NUM

SAS Variable Name: SYRUP_ID_8

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
16,692	99.99	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

SYRUP THEOPHYLLINE

Survey: ADULT Asthma Call-Back

Column: 369

Prologue:

Description: SYRUP THEOPHYLLINE

Type: NUM

SAS Variable Name: SYRUP_ID_9

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
4	0.02	0.01
16,689	99.98	99.99

SYRUP VENTOLIN

Survey: ADULT Asthma Call-Back

Column: 370

Prologue:

Description: SYRUP VENTOLIN

Type: NUM

SAS Variable Name: SYRUP_ID_10

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
2	0.01	0.00
16,691	99.99	100.00

DON'T KNOW/REFUSED

Survey: ADULT Asthma Call-Back

Column: 371

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: SYRUP_ID_7799

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
73	0.44	0.28
16,620	99.56	99.72

OTHER SYRUP

Survey: ADULT Asthma Call-Back

Column: 372

Prologue:

Description: NEW OTHER PRESCRIPTION SYRUP

Type: NUM

SAS Variable Name: OTHER_SYRUP

Value	Value Label
BLANK	Not asked or missing

Frequency	Percentage	Weighted Percentage
16,693		

NEB ALBUTEROL

Survey: ADULT Asthma Call-Back

Column: 373

Prologue:

Description: NEB ALBUTEROL

Type: NUM

SAS Variable Name: NEB_ID_1

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1,837	11.00	9.58
14,856	89.00	90.42

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

NEB ALUPENT

Survey: ADULT Asthma Call-Back
Column: 374
Prologue:
Description: NEB ALUPENT

Type: NUM
SAS Variable Name: NEB_ID_2

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
6	0.04	0.01
16,687	99.96	99.99

NEB ATROVENT

Survey: ADULT Asthma Call-Back
Column: 375
Prologue:
Description: NEB ATROVENT

Type: NUM
SAS Variable Name: NEB_ID_3

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
35	0.21	0.26
16,658	99.79	99.74

NEB BITOLTEROL

Survey: ADULT Asthma Call-Back
Column: 376
Prologue:
Description: NEB BITOLTEROL

Type: NUM
SAS Variable Name: NEB_ID_4

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
9	0.05	0.05
16,684	99.95	99.95

NEB BUDESONIDE

Survey: ADULT Asthma Call-Back
Column: 377
Prologue:
Description: NEB BUDESONIDE

Type: NUM
SAS Variable Name: NEB_ID_5

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
82	0.49	0.20
16,611	99.51	99.80

NEB CROMOLYN

Survey: ADULT Asthma Call-Back
Column: 378
Prologue:
Description: NEB CROMOLYN

Type: NUM
SAS Variable Name: NEB_ID_6

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
10	0.06	0.01
16,683	99.94	99.99

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

NEB DUONEB

Survey: ADULT Asthma Call-Back

Column: 379

Prologue:

Description: NEB DUONEB

Type: NUM

SAS Variable Name: NEB_ID_7

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
89	0.53	0.37
16,604	99.47	99.63

NEB INTAL

Survey: ADULT Asthma Call-Back

Column: 380

Prologue:

Description: NEB INTAL

Type: NUM

SAS Variable Name: NEB_ID_8

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
3	0.02	0.03
16,690	99.98	99.97

NEB IPRATROPIUM BROMIDE

Survey: ADULT Asthma Call-Back

Column: 381

Prologue:

Description: NEB IPRATROPIUM BROMIDE

Type: NUM

SAS Variable Name: NEB_ID_9

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
351	2.10	1.11
16,342	97.90	98.89

NEB LEVALBUTEROL

Survey: ADULT Asthma Call-Back

Column: 382

Prologue:

Description: NEB LEVALBUTEROL

Type: NUM

SAS Variable Name: NEB_ID_10

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
8	0.05	0.01
16,685	99.95	99.99

NEB METAPROTERONOL

Survey: ADULT Asthma Call-Back

Column: 383

Prologue:

Description: NEB METAPROTERONOL

Type: NUM

SAS Variable Name: NEB_ID_11

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
1	0.01	0.00
16,692	99.99	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

NEB PROVENTIL

Survey: ADULT Asthma Call-Back

Column: 384

Prologue:

Description: NEB PROVENTIL

Type: NUM

SAS Variable Name: NEB_ID_12

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
52	0.31	0.24
16,641	99.69	99.76

NEB PULMICORT

Survey: ADULT Asthma Call-Back

Column: 385

Prologue:

Description: NEB PULMICORT

Type: NUM

SAS Variable Name: NEB_ID_13

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
67	0.40	0.33
16,626	99.60	99.67

NEB TORNALATE

Survey: ADULT Asthma Call-Back

Column: 386

Prologue:

Description: NEB TORNALATE

Type: NUM

SAS Variable Name: NEB_ID_14

Value	Value Label
2	No

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

NEB VENTOLIN

Survey: ADULT Asthma Call-Back

Column: 387

Prologue:

Description: NEB VENTOLIN

Type: NUM

SAS Variable Name: NEB_ID_15

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
30	0.18	0.13
16,663	99.82	99.87

NEB XOPENEX

Survey: ADULT Asthma Call-Back

Column: 388

Prologue:

Description: NEB XOPENEX

Type: NUM

SAS Variable Name: NEB_ID_16

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
192	1.15	0.88
16,501	98.85	99.12

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

DON'T KNOW/REFUSED

Survey: ADULT Asthma Call-Back

Column: 389

Prologue:

Description: DON'T KNOW/REFUSED

Type: NUM

SAS Variable Name: NEB_ID_7799

Value	Value Label
1	Yes
2	No

Frequency	Percentage	Weighted Percentage
291	1.74	1.58
16,402	98.26	98.42

OTHER NEBULIZER

Survey: ADULT Asthma Call-Back

Column: 390

Prologue:

Description: New other prescription nebulizer

Type: NUM

SAS Variable Name: OTHER_NEB

Value	Value Label
BLANK	Not asked or missing

Frequency	Percentage	Weighted Percentage
16,693		

OTHER INHALER TEXT

Survey: ADULT Asthma Call-Back

Column: 391-490

Prologue:

Description: New other prescription inhaler name

Type: CHAR

SAS Variable Name: OTH_I1R

Value	Value Label
BLANK	No other new asthma medication
HIDDEN	

Frequency	Percentage	Weighted Percentage
16,562		
131	100.00	100.00

OTHER PILLS TEXT

Survey: ADULT Asthma Call-Back

Column: 491-590

Prologue:

Description: New other prescription pills name

Type: CHAR

SAS Variable Name: OTH_P1R

Value	Value Label
BLANK	No other new asthma medication
HIDDEN	

Frequency	Percentage	Weighted Percentage
16,689		
4	100.00	100.00

OTHER SYRUP TEXT

Survey: ADULT Asthma Call-Back

Column: 591-690

Prologue:

Description: New other prescription syrup name

Type: CHAR

SAS Variable Name: OTH_S1R

Value	Value Label
BLANK	No other new asthma medication
HIDDEN	

Frequency	Percentage	Weighted Percentage
16,690		
3	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

OTHER NEBULIZER TEXT

Survey: ADULT Asthma Call-Back

Column: 691-790

Prologue:

Description: New other prescription nebulizer name

Type: CHAR
SAS Variable Name: OTH_N1R

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	No other new asthma medication	16,667		
HIDDEN		26	100.00	100.00

INHALER_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 791

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	848	5.08	3.85
3	No other medication text filled	15,844	94.91	96.15

INHALER_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 792

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	48	0.29	0.13
2	No	801	4.80	3.72
3	No other medication text filled	15,844	94.91	96.15

INHALER_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 793

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	552	3.31	2.35
2	No	297	1.78	1.50
3	No other medication text filled	15,844	94.91	96.15

INHALER_TEXT: ASTHMA MED., BUT NOT INHALER

Survey: ADULT Asthma Call-Back

Column: 794

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM
SAS Variable Name: INHALER_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	23	0.14	0.07
2	No	826	4.95	3.78
3	No other medication text filled	15,844	94.91	96.15

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

INHALER_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 795

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	27	0.16	0.17
2	No	822	4.92	3.68
3	No other medication text filled	15,844	94.91	96.15

INHALER_TEXT: WAS BACK CODED TO EXISTING INHALER

Survey: ADULT Asthma Call-Back

Column: 796

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	77	0.46	0.58
2	No	772	4.62	3.27
3	No other medication text filled	15,844	94.91	96.15

INHALER_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 797

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	849	5.09	3.85
3	No other medication text filled	15,844	94.91	96.15

INHALER_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 798

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	131	0.78	0.60
2	No	718	4.30	3.25
3	No other medication text filled	15,844	94.91	96.15

INHALER_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 799

Prologue:

Description: Flag variables for the verbatim other responses to prescription inhaler

Type: NUM

SAS Variable Name: INHALER_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.02	0.01
2	No	845	5.06	3.84
3	No other medication text filled	15,844	94.91	96.15

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILLS_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 800

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	26	0.16	0.07
2	No	401	2.40	1.64
3	No other medication text filled	16,266	97.44	98.29

PILLS_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 801

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	262	1.57	1.05
2	No	165	0.99	0.67
3	No other medication text filled	16,266	97.44	98.29

PILLS_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 802

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	97	0.58	0.42
2	No	330	1.98	1.30
3	No other medication text filled	16,266	97.44	98.29

PILLS_TEXT: ASTHMA MED., BUT NOT PILLS

Survey: ADULT Asthma Call-Back

Column: 803

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	15	0.09	0.04
2	No	412	2.47	1.68
3	No other medication text filled	16,266	97.44	98.29

PILLS_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 804

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	0.07	0.02
2	No	416	2.49	1.70
3	No other medication text filled	16,266	97.44	98.29

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILLS_TEXT: WAS BACK CODED TO EXISTING PILLS

Survey: ADULT Asthma Call-Back

Column: 805

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	17	0.10	0.10
2	No	410	2.46	1.62
3	No other medication text filled	16,266	97.44	98.29

PILLS_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 806

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	427	2.56	1.71
3	No other medication text filled	16,266	97.44	98.29

PILLS_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 807

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.02	0.02
2	No	423	2.53	1.70
3	No other medication text filled	16,266	97.44	98.29

PILLS_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 808

Prologue:

Description: Flag variables for the verbatim other responses to prescription pills

Type: NUM

SAS Variable Name: PILLS_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.02	0.01
2	No	424	2.54	1.70
3	No other medication text filled	16,266	97.44	98.29

SYRUP_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 809

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	94	0.56	0.72
2	No	19	0.11	0.18
3	No other medication text filled	16,580	99.32	99.10

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

SYRUP_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 810

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	0.04	0.01
2	No	106	0.63	0.88
3	No other medication text filled	16,580	99.32	99.10

SYRUP_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 811

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	0.03	0.13
2	No	108	0.65	0.76
3	No other medication text filled	16,580	99.32	99.10

SYRUP_TEXT: ASTHMA MED., BUT NOT SYRUP

Survey: ADULT Asthma Call-Back

Column: 812

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	113	0.68	0.90
3	No other medication text filled	16,580	99.32	99.10

SYRUP_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 813

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	0.02	0.01
2	No	109	0.65	0.89
3	No other medication text filled	16,580	99.32	99.10

SYRUP_TEXT: WAS BACK CODED TO EXISTING SYRUP

Survey: ADULT Asthma Call-Back

Column: 814

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	0.01	0.00
2	No	111	0.66	0.89
3	No other medication text filled	16,580	99.32	99.10

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

SYRUP_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 815

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	113	0.68	0.90
3	No other medication text filled	16,580	99.32	99.10

SYRUP_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 816

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT8

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	0.02	0.02
2	No	110	0.66	0.88
3	No other medication text filled	16,580	99.32	99.10

SYRUP_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 817

Prologue:

Description: Flag variables for the verbatim other responses to prescription syrup

Type: NUM

SAS Variable Name: SYRUP_TEXT96

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.01
2	No	112	0.67	0.89
3	No other medication text filled	16,580	99.32	99.10

NEB_TEXT: COUGH/COLD MED.

Survey: ADULT Asthma Call-Back

Column: 818

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	0.01	0.00
2	No	129	0.77	0.65
3	No other medication text filled	16,563	99.22	99.34

NEB_TEXT: ALLERGY MED.

Survey: ADULT Asthma Call-Back

Column: 819

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT2

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	130	0.78	0.66
3	No other medication text filled	16,563	99.22	99.34

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

NEB_TEXT: OTHER MED. (NOT COLD/COUGH/ALLERGY)

Survey: ADULT Asthma Call-Back

Column: 820

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	43	0.26	0.18
2	No	87	0.52	0.48
3	No other medication text filled	16,563	99.22	99.34

NEB_TEXT: ASTHMA MED., BUT NOT NEB

Survey: ADULT Asthma Call-Back

Column: 821

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	35	0.21	0.23
2	No	95	0.57	0.43
3	No other medication text filled	16,563	99.22	99.34

NEB_TEXT: UNIDENTIFIABLE WORD OR NOT A MED.

Survey: ADULT Asthma Call-Back

Column: 822

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	0.05	0.07
2	No	121	0.72	0.58
3	No other medication text filled	16,563	99.22	99.34

NEB_TEXT: WAS BACK CODED TO EXISTING NEB

Survey: ADULT Asthma Call-Back

Column: 823

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT6

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21	0.13	0.13
2	No	109	0.65	0.52
3	No other medication text filled	16,563	99.22	99.34

NEB_TEXT: OTC INHALER, PILL, OR SYRUP

Survey: ADULT Asthma Call-Back

Column: 824

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT7

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	130	0.78	0.66
3	No other medication text filled	16,563	99.22	99.34

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

NEB_TEXT: TRUE ASTHMA MED., NO AVAILABLE BACK CODE

Survey: ADULT Asthma Call-Back

Column: 825

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT8

Value	Value Label
1	Yes
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
26	0.16	0.08
104	0.62	0.58
16,563	99.22	99.34

NEB_TEXT: DON'T KNOW

Survey: ADULT Asthma Call-Back

Column: 826

Prologue:

Description: Flag variables for the verbatim other responses to prescription nebulizer

Type: NUM

SAS Variable Name: NEB_TEXT96

Value	Value Label
2	No
3	No other medication text filled

Frequency	Percentage	Weighted Percentage
130	0.78	0.66
16,563	99.22	99.34

INHALED CORTICOSTEROIDS

Survey: ADULT Asthma Call-Back

Column: 827-828

Prologue:

Description: INHALED CORTICOSTEROIDS

Type: NUM

SAS Variable Name: INH_CS

Value	Value Label
0 - 14	Count
99	Missing

Frequency	Percentage	Weighted Percentage
16,533	99.04	99.29
160	0.96	0.71

INHALED ANTI-INFLAMMATORY

Survey: ADULT Asthma Call-Back

Column: 829-830

Prologue:

Description: INHALED ANTI-INFLAMMATORY

Type: NUM

SAS Variable Name: INH_AI

Value	Value Label
0 - 4	Count
99	Missing

Frequency	Percentage	Weighted Percentage
16,533	99.04	99.29
160	0.96	0.71

INHALED ANTI-CHOLINERGIC

Survey: ADULT Asthma Call-Back

Column: 831-832

Prologue:

Description: INHALED ANTI-CHOLINERGIC

Type: NUM

SAS Variable Name: INH_AC

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
16,533	99.04	99.29
160	0.96	0.71

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

INHALED BETA 2 AGONIST SHORT ACTING

Survey: ADULT Asthma Call-Back

Column: 833-834

Prologue:

Description: INHALED BETA 2 AGONIST SHORT ACTING

Type: NUM
SAS Variable Name: INH_B2AS

Value	Value Label
0 - 12	Count
99	Missing

Frequency	Percentage	Weighted Percentage
16,533	99.04	99.29
160	0.96	0.71

INHALED BETA 2 AGONIST LONG ACTING

Survey: ADULT Asthma Call-Back

Column: 835-836

Prologue:

Description: INHALED BETA 2 AGONIST LONG ACTING

Type: NUM
SAS Variable Name: INH_B2AL

Value	Value Label
0 - 5	Count
99	Missing

Frequency	Percentage	Weighted Percentage
16,533	99.04	99.29
160	0.96	0.71

PILL CORTICOSTEROIDS

Survey: ADULT Asthma Call-Back

Column: 837-838

Prologue:

Description: PILL CORTICOSTEROIDS

Type: NUM
SAS Variable Name: PILL_CS

Value	Value Label
0 - 7	Count
99	Missing

Frequency	Percentage	Weighted Percentage
16,482	98.74	99.00
211	1.26	1.00

PILL LEUKOTRIENE MODIFIERS

Survey: ADULT Asthma Call-Back

Column: 839-840

Prologue:

Description: PILL LEUKOTRIENE MODIFIERS

Type: NUM
SAS Variable Name: PILL_LM

Value	Value Label
0 - 6	Count
99	Missing

Frequency	Percentage	Weighted Percentage
16,482	98.74	99.00
211	1.26	1.00

PILL BETA 2 AGONIST

Survey: ADULT Asthma Call-Back

Column: 841-842

Prologue:

Description: PILL BETA 2 AGONIST

Type: NUM
SAS Variable Name: PILL_B2A

Value	Value Label
0 - 7	Count
99	Missing

Frequency	Percentage	Weighted Percentage
16,482	98.74	99.00
211	1.26	1.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL METHYLXANTHINES

Survey: ADULT Asthma Call-Back

Column: 843-844

Prologue:

Description: PILL METHYLXANTHINES

Type: NUM
SAS Variable Name: PILL_METH

Value	Value Label
0 - 23	Count
99	Missing

Frequency	Percentage	Weighted Percentage
16,482	98.74	99.00
211	1.26	1.00

SYRUP METHYLXANTHINES

Survey: ADULT Asthma Call-Back

Column: 845-846

Prologue:

Description: SYRUP METHYLXANTHINES

Type: NUM
SAS Variable Name: SYRP_METH

Value	Value Label
0 - 3	Count
99	Missing

Frequency	Percentage	Weighted Percentage
16,532	99.04	99.20
161	0.96	0.80

SYRUP SHORT ACTING BETA 2 AGONIST

Survey: ADULT Asthma Call-Back

Column: 847-848

Prologue:

Description: SYRUP SHORT ACTING BETA 2 AGONIST

Type: NUM
SAS Variable Name: SYRP_B2AS

Value	Value Label
0 - 5	Count
99	Missing

Frequency	Percentage	Weighted Percentage
16,532	99.04	99.20
161	0.96	0.80

SYRUP CORTICOSTEROIDS

Survey: ADULT Asthma Call-Back

Column: 849-850

Prologue:

Description: SYRUP CORTICOSTEROIDS

Type: NUM
SAS Variable Name: SYRP_CS

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
16,532	99.04	99.20
161	0.96	0.80

NEBULIZER ANTI-INFLAMMATORY

Survey: ADULT Asthma Call-Back

Column: 851-852

Prologue:

Description: NEBULIZER ANTI-INFLAMMATORY

Type: NUM
SAS Variable Name: NEB_AI

Value	Value Label
0 - 2	Count
99	Missing

Frequency	Percentage	Weighted Percentage
16,536	99.06	99.27
157	0.94	0.73

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

NEBULIZER CORTICOSTEROID

Survey: ADULT Asthma Call-Back

Column: 853-854

Prologue:

Description: NEBULIZER CORTICOSTEROIDS

Type: NUM
SAS Variable Name: NEB_CS

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 2	Count	16,536	99.06	99.27
99	Missing	157	0.94	0.73

NEBULIZER ANTICHOLINERGIC

Survey: ADULT Asthma Call-Back

Column: 855-856

Prologue:

Description: NEBULIZER ANTICHOLINERGIC

Type: NUM
SAS Variable Name: NEB_AC

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 3	Count	16,536	99.06	99.27
99	Missing	157	0.94	0.73

NEBULIZER BETA 2 AGONIST

Survey: ADULT Asthma Call-Back

Column: 857-858

Prologue:

Description: NEBULIZER BETA 2 AGONIST

Type: NUM
SAS Variable Name: NEB_B2A

Value	Value Label	Frequency	Percentage	Weighted Percentage
0 - 8	Count	16,536	99.06	99.27
99	Missing	157	0.94	0.73

ADVAIR (+ A. DISKUS): SIZE

Survey: ADULT Asthma Call-Back

Column: 859

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Type: NUM
SAS Variable Name: ILP01_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

ADVAIR (+ A. DISKUS): HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 860

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Type: NUM
SAS Variable Name: ILP02_1

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	198	6.95	9.22
2	6 months to 1 year	189	6.63	7.80
3	Longer than 1 year	2,454	86.14	82.67
7	Don't know/Not sure	8	0.28	0.31
BLANK	Skip filled	13,844		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ADVAIR (+ A. DISKUS): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 861

Type: NUM

SAS Variable Name: ILP03_1

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

ADVAIR (+ A. DISKUS): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 862

Type: NUM

SAS Variable Name: ILP04_1

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,022	35.87	35.84
2	No	1,509	52.97	57.72
3	No attack in past 3 months	297	10.42	6.07
7	Don't know/Not sure	17	0.60	0.30
9	Refused	4	0.14	0.06
BLANK	Skip filled	13,844		

ADVAIR (+ A. DISKUS): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 863

Type: NUM

SAS Variable Name: ILP05_1

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	847	29.73	33.81
2	No	1,694	59.46	56.53
3	Didn't exercise in past 3 months	294	10.32	9.19
7	Don't know/Not sure	12	0.42	0.34
9	Refused	2	0.07	0.14
BLANK	Skip filled	13,844		

ADVAIR (+ A. DISKUS): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 864

Type: NUM

SAS Variable Name: ILP06_1

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,406	84.45	84.30
2	No	438	15.37	15.69
7	Don't know/Not sure	5	0.18	0.01
BLANK	Skip filled	13,844		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ADVAIR (+ A. DISKUS): NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 865-866

Type: NUM

SAS Variable Name: ILP07_1

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2,837	99.58	99.84
77	Don't know	12	0.42	0.16
BLANK	Skip filled	13,844		

ADVAIR (+ A. DISKUS): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 867-869

Type: NUM

SAS Variable Name: ILP08_1

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2,377	83.43	83.47
401 - 499	Weeks	318	11.16	10.99
555	Never	18	0.63	1.07
666	Less often than once a week	115	4.04	4.03
777	Don't know	20	0.70	0.15
999	Refused	1	0.04	0.28
BLANK	Skip filled	13,844		

ADVAIR (+ A. DISKUS): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 870-871

Type: NUM

SAS Variable Name: ILP10_1

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

AEROBID: SIZE

Survey: ADULT Asthma Call-Back

Column: 872

Type: NUM

SAS Variable Name: ILP01_2

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

AEROBID: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 873

Type: NUM

SAS Variable Name: ILP02_2

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	5.88	0.54
2	6 months to 1 year	1	5.88	48.26
3	Longer than 1 year	14	82.35	49.86
9	Refused	1	5.88	1.34
BLANK	Skip filled	16,676		

AEROBID: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 874

Type: NUM

SAS Variable Name: ILP03_2

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	41.18	27.96
2	No	9	52.94	70.70
9	Refused	1	5.88	1.34
BLANK	Skip filled	16,676		

AEROBID: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 875

Type: NUM

SAS Variable Name: ILP04_2

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	64.71	70.14
2	No	3	17.65	14.66
3	No attack in past 3 months	1	5.88	13.12
7	Don't know/Not sure	1	5.88	0.74
9	Refused	1	5.88	1.34
BLANK	Skip filled	16,676		

AEROBID: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 876

Type: NUM

SAS Variable Name: ILP05_2

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	41.18	17.54
2	No	7	41.18	80.27
3	Didn't exercise in past 3 months	2	11.76	0.85
9	Refused	1	5.88	1.34
BLANK	Skip filled	16,676		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

AEROBID: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 877

Type: NUM

SAS Variable Name: ILP06_2

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	52.94	82.73
2	No	7	41.18	15.93
9	Refused	1	5.88	1.34
BLANK	Skip filled	16,676		

AEROBID: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 878-879

Type: NUM

SAS Variable Name: ILP07_2

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	17	100.00	100.00
BLANK	Skip filled	16,676		

AEROBID: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 880-882

Type: NUM

SAS Variable Name: ILP08_2

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	13	76.47	96.39
401 - 499	Weeks	2	11.76	0.67
666	Less often than once a week	1	5.88	1.60
999	Refused	1	5.88	1.34
BLANK	Skip filled	16,676		

AEROBID: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 883-884

Type: NUM

SAS Variable Name: ILP10_2

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): SIZE

Survey: ADULT Asthma Call-Back

Column: 885

Type: NUM

SAS Variable Name: ILP01_3

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	378	13.62	12.81
2	100 puffs	291	10.48	10.18
3	200 puffs	1,299	46.79	51.51
4	Other number of puffs	261	9.40	8.88
5	Used different sizes of this medication in the past 3 months	11	0.40	0.78
7	Don't know/Not sure	530	19.09	15.68
9	Refused	6	0.22	0.16
BLANK	Skip filled	13,917		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 886

Type: NUM

SAS Variable Name: ILP02_3

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	120	4.32	4.22
2	6 months to 1 year	126	4.54	4.75
3	Longer than 1 year	2,513	90.53	90.78
7	Don't know/Not sure	11	0.40	0.13
9	Refused	6	0.22	0.12
BLANK	Skip filled	13,917		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 887

Type: NUM

SAS Variable Name: ILP03_3

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	873	31.45	29.39
2	No	1,849	66.61	68.93
3	Medication is a disk inhaler, not a canister inhaler	2	0.07	0.15
7	Don't know/Not sure	45	1.62	1.36
9	Refused	7	0.25	0.17
BLANK	Skip filled	13,917		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 888

Type: NUM

SAS Variable Name: ILP04_3

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2,400	86.46	89.76
2	No	197	7.10	6.26
3	No attack in past 3 months	159	5.73	3.55
7	Don't know/Not sure	13	0.47	0.27
9	Refused	7	0.25	0.16
BLANK	Skip filled	13,917		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 889

Type: NUM

SAS Variable Name: ILP05_3

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,017	36.64	42.09
2	No	1,430	51.51	49.04
3	Didn't exercise in past 3 months	312	11.24	8.57
7	Don't know/Not sure	10	0.36	0.13
9	Refused	7	0.25	0.17
BLANK	Skip filled	13,917		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 890

Type: NUM

SAS Variable Name: ILP06_3

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	709	25.54	27.04
2	No	2,055	74.03	72.44
7	Don't know/Not sure	5	0.18	0.32
9	Refused	7	0.25	0.19
BLANK	Skip filled	13,917		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 891-892

Type: NUM

SAS Variable Name: ILP07_3

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	2,714	97.77	99.09
77	Don't know	55	1.98	0.71
99	Refused	7	0.25	0.21
BLANK	Skip filled	13,917		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 893-895

Type: NUM

SAS Variable Name: ILP08_3

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	960	34.58	32.44
401 - 499	Weeks	878	31.63	37.64
555	Never	42	1.51	2.84
666	Less often than once a week	740	26.66	24.53
777	Don't know	146	5.26	2.39
999	Refused	10	0.36	0.17
BLANK	Skip filled	13,917		

ALBUTEROL (+ A. SULFATE OR SALBUTAMOL): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 896-897

Type: NUM

SAS Variable Name: ILP10_3

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	2,026	72.98	78.98
77	Don't know	206	7.42	5.50
88	None/Less than 1 full canister	534	19.24	15.05
99	Refused	10	0.36	0.46
BLANK	Skip filled	13,917		

ALUPENT: SIZE

Survey: ADULT Asthma Call-Back

Column: 898

Type: NUM

SAS Variable Name: ILP01_4

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	1	10.00	17.86
2	100 puffs	1	10.00	9.07
4	Other number of puffs	2	20.00	5.83
7	Don't know/Not sure	4	40.00	53.21
9	Refused	2	20.00	14.03
BLANK	Skip filled	16,683		

ALUPENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 899

Type: NUM

SAS Variable Name: ILP02_4

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	10.00	3.63
2	6 months to 1 year	1	10.00	26.60
3	Longer than 1 year	7	70.00	59.67
9	Refused	1	10.00	10.09
BLANK	Skip filled	16,683		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ALUPENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 900

Type: NUM

SAS Variable Name: ILP03_4

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	30.00	57.13
2	No	5	50.00	27.43
9	Refused	2	20.00	15.44
BLANK	Skip filled	16,683		

ALUPENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 901

Type: NUM

SAS Variable Name: ILP04_4

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	70.00	84.08
3	No attack in past 3 months	1	10.00	0.47
9	Refused	2	20.00	15.44
BLANK	Skip filled	16,683		

ALUPENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 902

Type: NUM

SAS Variable Name: ILP05_4

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	8	80.00	84.56
9	Refused	2	20.00	15.44
BLANK	Skip filled	16,683		

ALUPENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 903

Type: NUM

SAS Variable Name: ILP06_4

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	10.00	1.52
2	No	7	70.00	83.03
9	Refused	2	20.00	15.44
BLANK	Skip filled	16,683		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ALUPENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 904-905

Type: NUM

SAS Variable Name: ILP07_4

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	8	80.00	84.56
99	Refused	2	20.00	15.44
BLANK	Skip filled	16,683		

ALUPENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 906-908

Type: NUM

SAS Variable Name: ILP08_4

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	20.00	48.06
401 - 499	Weeks	2	20.00	7.57
666	Less often than once a week	3	30.00	27.41
777	Don't know	1	10.00	1.52
999	Refused	2	20.00	15.44
BLANK	Skip filled	16,683		

ALUPENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 909-910

Type: NUM

SAS Variable Name: ILP10_4

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	5	50.00	62.28
88	None/Less than 1 full canister	2	20.00	18.34
99	Refused	3	30.00	19.38
BLANK	Skip filled	16,683		

ATROVENT: SIZE

Survey: ADULT Asthma Call-Back

Column: 912

Type: NUM

SAS Variable Name: ILP01_5

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ATROVENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 913

Type: NUM

SAS Variable Name: ILP02_5

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	12	9.52	3.87
2	6 months to 1 year	11	8.73	7.08
3	Longer than 1 year	102	80.95	87.36
7	Don't know/Not sure	1	0.79	1.68
BLANK	Skip filled	16,567		

ATROVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 914

Type: NUM

SAS Variable Name: ILP03_5

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	54	42.86	35.15
2	No	71	56.35	64.34
7	Don't know/Not sure	1	0.79	0.50
BLANK	Skip filled	16,567		

ATROVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 915

Type: NUM

SAS Variable Name: ILP04_5

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	83	65.87	55.08
2	No	37	29.37	41.00
3	No attack in past 3 months	5	3.97	1.08
7	Don't know/Not sure	1	0.79	2.84
BLANK	Skip filled	16,567		

ATROVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 916

Type: NUM

SAS Variable Name: ILP05_5

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	44	34.92	41.00
2	No	62	49.21	48.04
3	Didn't exercise in past 3 months	20	15.87	10.96
BLANK	Skip filled	16,567		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ATROVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 917

Type: NUM

SAS Variable Name: ILP06_5

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	71	56.35	52.91
2	No	55	43.65	47.09
BLANK	Skip filled	16,567		

ATROVENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 918-919

Type: NUM

SAS Variable Name: ILP07_5

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	125	99.21	99.94
77	Don't know	1	0.79	0.06
BLANK	Skip filled	16,567		

ATROVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 920-922

Type: NUM

SAS Variable Name: ILP08_5

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	75	59.52	53.36
401 - 499	Weeks	26	20.63	31.80
555	Never	1	0.79	1.48
666	Less often than once a week	19	15.08	12.36
777	Don't know	5	3.97	1.00
BLANK	Skip filled	16,567		

ATROVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 923-924

Type: NUM

SAS Variable Name: ILP10_5

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

AZMACORT: SIZE

Survey: ADULT Asthma Call-Back

Column: 925

Type: NUM

SAS Variable Name: ILP01_6

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

AZMACORT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 926

Type: NUM

SAS Variable Name: ILP02_6

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	2.00	0.51
2	6 months to 1 year	2	4.00	1.65
3	Longer than 1 year	47	94.00	97.84
BLANK	Skip filled	16,643		

AZMACORT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 927

Type: NUM

SAS Variable Name: ILP03_6

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	16	32.00	23.82
2	No	32	64.00	71.02
3	Medication is a disk inhaler, not a canister inhaler	2	4.00	5.16
BLANK	Skip filled	16,643		

AZMACORT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 928

Type: NUM

SAS Variable Name: ILP04_6

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	29	58.00	75.59
2	No	20	40.00	23.95
3	No attack in past 3 months	1	2.00	0.46
BLANK	Skip filled	16,643		

AZMACORT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 929

Type: NUM

SAS Variable Name: ILP05_6

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	9	18.00	8.82
2	No	34	68.00	82.51
3	Didn't exercise in past 3 months	7	14.00	8.67
BLANK	Skip filled	16,643		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

AZMACORT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 930

Type: NUM

SAS Variable Name: ILP06_6

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	31	62.00	66.27
2	No	19	38.00	33.73
BLANK	Skip filled	16,643		

AZMACORT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 931-932

Type: NUM

SAS Variable Name: ILP07_6

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	50	100.00	100.00
BLANK	Skip filled	16,643		

AZMACORT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 933-935

Type: NUM

SAS Variable Name: ILP08_6

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	29	58.00	67.27
401 - 499	Weeks	7	14.00	10.14
555	Never	1	2.00	0.33
666	Less often than once a week	12	24.00	21.82
777	Don't know	1	2.00	0.44
BLANK	Skip filled	16,643		

AZMACORT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 936-937

Type: NUM

SAS Variable Name: ILP10_6

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

BECLOMETHASONE DIPROPIONATE: SIZE

Survey: ADULT Asthma Call-Back

Column: 938

Type: NUM

SAS Variable Name: ILP01_7

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

BECLOMETHASONE DIPROPIONATE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 939

Type: NUM

SAS Variable Name: ILP02_7

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	22.22	6.33
2	6 months to 1 year	1	11.11	4.57
3	Longer than 1 year	6	66.67	89.10
BLANK	Skip filled	16,684		

BECLOMETHASONE DIPROPIONATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 940

Type: NUM

SAS Variable Name: ILP03_7

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	22.22	7.05
2	No	7	77.78	92.95
BLANK	Skip filled	16,684		

BECLOMETHASONE DIPROPIONATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 941

Type: NUM

SAS Variable Name: ILP04_7

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	22.22	36.75
2	No	6	66.67	58.68
3	No attack in past 3 months	1	11.11	4.57
BLANK	Skip filled	16,684		

BECLOMETHASONE DIPROPIONATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 942

Type: NUM

SAS Variable Name: ILP05_7

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	7	77.78	65.08
3	Didn't exercise in past 3 months	2	22.22	34.92
BLANK	Skip filled	16,684		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

BECLOMETHASONE DIPROPIONATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 943

Type: NUM

SAS Variable Name: ILP06_7

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	44.44	55.04
2	No	5	55.56	44.96
BLANK	Skip filled	16,684		

BECLOMETHASONE DIPROPIONATE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 944-945

Type: NUM

SAS Variable Name: ILP07_7

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	9	100.00	100.00
BLANK	Skip filled	16,684		

BECLOMETHASONE DIPROPIONATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 946-948

Type: NUM

SAS Variable Name: ILP08_7

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	4	44.44	55.04
401 - 499	Weeks	2	22.22	37.24
666	Less often than once a week	2	22.22	6.33
777	Don't know	1	11.11	1.39
BLANK	Skip filled	16,684		

BECLOMETHASONE DIPROPIONATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 949-950

Type: NUM

SAS Variable Name: ILP10_7

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

BECLOVENT: SIZE

Survey: ADULT Asthma Call-Back

Column: 951

Type: NUM

SAS Variable Name: ILP01_8

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

BECLOVENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 952

Type: NUM

SAS Variable Name: ILP02_8

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	4	100.00	100.00
BLANK	Skip filled	16,689		

BECLOVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 953

Type: NUM

SAS Variable Name: ILP03_8

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	28.66
2	No	3	75.00	71.34
BLANK	Skip filled	16,689		

BECLOVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 954

Type: NUM

SAS Variable Name: ILP04_8

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	50.00	5.59
2	No	2	50.00	94.41
BLANK	Skip filled	16,689		

BECLOVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 955

Type: NUM

SAS Variable Name: ILP05_8

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	2.32
2	No	2	50.00	31.93
3	Didn't exercise in past 3 months	1	25.00	65.75
BLANK	Skip filled	16,689		

BECLOVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 956

Type: NUM

SAS Variable Name: ILP06_8

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	28.66
2	No	3	75.00	71.34
BLANK	Skip filled	16,689		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

BECLOVENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 957-958

Type: NUM

SAS Variable Name: ILP07_8

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	4	100.00	100.00
BLANK	Skip filled	16,689		

BECLOVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 959-961

Type: NUM

SAS Variable Name: ILP08_8

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	50.00	30.98
666	Less often than once a week	2	50.00	69.02
BLANK	Skip filled	16,689		

BECLOVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 962-963

Type: NUM

SAS Variable Name: ILP10_8

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

BITOLTEROL: SIZE

Survey: ADULT Asthma Call-Back

Column: 964

Type: NUM

SAS Variable Name: ILP01_9

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

BITOLTEROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 965

Type: NUM

SAS Variable Name: ILP02_9

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	16.67	5.97
3	Longer than 1 year	5	83.33	94.03
BLANK	Skip filled	16,687		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

BITOLTEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 966

Type: NUM

SAS Variable Name: ILP03_9

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	50.00	79.32
2	No	3	50.00	20.68
BLANK	Skip filled	16,687		

BITOLTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 967

Type: NUM

SAS Variable Name: ILP04_9

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	6	100.00	100.00
BLANK	Skip filled	16,687		

BITOLTEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 968

Type: NUM

SAS Variable Name: ILP05_9

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	50.00	13.59
2	No	3	50.00	86.41
BLANK	Skip filled	16,687		

BITOLTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 969

Type: NUM

SAS Variable Name: ILP06_9

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	50.00	15.82
2	No	3	50.00	84.18
BLANK	Skip filled	16,687		

BITOLTEROL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 970-971

Type: NUM

SAS Variable Name: ILP07_9

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	6	100.00	100.00
BLANK	Skip filled	16,687		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

BITOLTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 972-974

Type: NUM

SAS Variable Name: ILP08_9

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	50.00	15.82
401 - 499	Weeks	2	33.33	76.15
666	Less often than once a week	1	16.67	8.03
BLANK	Skip filled	16,687		

BITOLTEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 975-976

Type: NUM

SAS Variable Name: ILP10_9

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	5	83.33	91.97
88	None/Less than 1 full canister	1	16.67	8.03
BLANK	Skip filled	16,687		

BRETHAIRE: SIZE

Survey: ADULT Asthma Call-Back

Column: 977

Type: NUM

SAS Variable Name: ILP01_10

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

BRETHAIRE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 978

Type: NUM

SAS Variable Name: ILP02_10

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
9	Refused	1	100.00	100.00
BLANK	Skip filled	16,692		

BRETHAIRE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 979

Type: NUM

SAS Variable Name: ILP03_10

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
9	Refused	1	100.00	100.00
BLANK	Skip filled	16,692		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

BRETHAIRE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 980

Type: NUM

SAS Variable Name: ILP04_10

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
9	Refused	1	100.00	100.00
BLANK	Skip filled	16,692		

BRETHAIRE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 981

Type: NUM

SAS Variable Name: ILP05_10

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
9	Refused	1	100.00	100.00
BLANK	Skip filled	16,692		

BRETHAIRE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 982

Type: NUM

SAS Variable Name: ILP06_10

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
9	Refused	1	100.00	100.00
BLANK	Skip filled	16,692		

BRETHAIRE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 983-984

Type: NUM

SAS Variable Name: ILP07_10

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	16,692		

BRETHAIRE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 985-987

Type: NUM

SAS Variable Name: ILP08_10

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
999	Refused	1	100.00	100.00
BLANK	Skip filled	16,692		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

BRETHAIRE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 988-989

Type: NUM

SAS Variable Name: ILP10_10

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
99	Refused	1	100.00	100.00
BLANK	Skip filled	16,692		

BUDESONIDE: SIZE

Survey: ADULT Asthma Call-Back

Column: 990

Type: NUM

SAS Variable Name: ILP01_11

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

BUDESONIDE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 991

Type: NUM

SAS Variable Name: ILP02_11

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	15.38	2.84
2	6 months to 1 year	3	23.08	22.73
3	Longer than 1 year	8	61.54	74.43
BLANK	Skip filled	16,680		

BUDESONIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 992

Type: NUM

SAS Variable Name: ILP03_11

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	23.08	22.51
2	No	10	76.92	77.49
BLANK	Skip filled	16,680		

BUDESONIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 993

Type: NUM

SAS Variable Name: ILP04_11

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	30.77	62.41
2	No	9	69.23	37.59
BLANK	Skip filled	16,680		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

BUDESONIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 994

Type: NUM

SAS Variable Name: ILP05_11

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	15.38	23.35
2	No	11	84.62	76.65
BLANK	Skip filled	16,680		

BUDESONIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 995

Type: NUM

SAS Variable Name: ILP06_11

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	76.92	60.95
2	No	3	23.08	39.05
BLANK	Skip filled	16,680		

BUDESONIDE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 996-997

Type: NUM

SAS Variable Name: ILP07_11

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	5	38.46	15.37
77	Don't know	8	61.54	84.63
BLANK	Skip filled	16,680		

BUDESONIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 998-1000

Type: NUM

SAS Variable Name: ILP08_11

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	7	53.85	55.12
401 - 499	Weeks	2	15.38	20.86
666	Less often than once a week	1	7.69	2.39
777	Don't know	3	23.08	21.64
BLANK	Skip filled	16,680		

BUDESONIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1001-1002

Type: NUM

SAS Variable Name: ILP10_11

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

COMBIVENT: SIZE

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 1003

SAS Variable Name: ILP01_12

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

COMBIVENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 1004

SAS Variable Name: ILP02_12

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	41	7.82	12.43
2	6 months to 1 year	34	6.49	7.05
3	Longer than 1 year	448	85.50	80.41
7	Don't know/Not sure	1	0.19	0.12
BLANK	Skip filled	16,169		

COMBIVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 1005

SAS Variable Name: ILP03_12

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	190	36.26	32.13
2	No	331	63.17	67.49
3	Medication is a disk inhaler, not a canister inhaler	1	0.19	0.02
7	Don't know/Not sure	2	0.38	0.36
BLANK	Skip filled	16,169		

COMBIVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 1006

SAS Variable Name: ILP04_12

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	415	79.20	76.28
2	No	79	15.08	15.96
3	No attack in past 3 months	29	5.53	7.69
7	Don't know/Not sure	1	0.19	0.08
BLANK	Skip filled	16,169		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

COMBIVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1007

Type: NUM

SAS Variable Name: ILP05_12

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	178	33.97	43.60
2	No	255	48.66	39.66
3	Didn't exercise in past 3 months	89	16.98	16.72
7	Don't know/Not sure	2	0.38	0.02
BLANK	Skip filled	16,169		

COMBIVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1008

Type: NUM

SAS Variable Name: ILP06_12

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	253	48.28	58.37
2	No	270	51.53	41.61
7	Don't know/Not sure	1	0.19	0.02
BLANK	Skip filled	16,169		

COMBIVENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1009-1010

Type: NUM

SAS Variable Name: ILP07_12

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	520	99.24	99.74
77	Don't know	4	0.76	0.26
BLANK	Skip filled	16,169		

COMBIVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1011-1013

Type: NUM

SAS Variable Name: ILP08_12

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	301	57.44	59.82
401 - 499	Weeks	119	22.71	27.53
555	Never	7	1.34	3.08
666	Less often than once a week	67	12.79	6.61
777	Don't know	28	5.34	2.93
999	Refused	2	0.38	0.03
BLANK	Skip filled	16,169		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

COMBIVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1014-1015

Type: NUM

SAS Variable Name: ILP10_12

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

CROMOLYN: SIZE

Survey: ADULT Asthma Call-Back

Column: 1016

Type: NUM

SAS Variable Name: ILP01_13

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

CROMOLYN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1017

Type: NUM

SAS Variable Name: ILP02_13

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	16,692		

CROMOLYN: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1018

Type: NUM

SAS Variable Name: ILP03_13

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	16,692		

CROMOLYN: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1019

Type: NUM

SAS Variable Name: ILP04_13

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	16,692		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

CROMOLYN: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1020

Type: NUM

SAS Variable Name: ILP05_13

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	16,692		

CROMOLYN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1021

Type: NUM

SAS Variable Name: ILP06_13

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	16,692		

CROMOLYN: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1022-1023

Type: NUM

SAS Variable Name: ILP07_13

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	16,692		

CROMOLYN: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1024-1026

Type: NUM

SAS Variable Name: ILP08_13

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	1	100.00	100.00
BLANK	Skip filled	16,692		

CROMOLYN: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1027-1028

Type: NUM

SAS Variable Name: ILP10_13

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

FLOVENT: SIZE

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 1029

SAS Variable Name: ILP01_14

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

FLOVENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 1030

SAS Variable Name: ILP02_14

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	93	13.48	20.75
2	6 months to 1 year	80	11.59	7.65
3	Longer than 1 year	516	74.78	71.54
7	Don't know/Not sure	1	0.14	0.06
BLANK	Skip filled	16,003		

FLOVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 1031

SAS Variable Name: ILP03_14

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	260	37.68	34.43
2	No	421	61.01	64.63
3	Medication is a disk inhaler, not a canister inhaler	4	0.58	0.16
7	Don't know/Not sure	5	0.72	0.78
BLANK	Skip filled	16,003		

FLOVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Type: NUM

Column: 1032

SAS Variable Name: ILP04_14

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	257	37.25	38.38
2	No	354	51.30	52.74
3	No attack in past 3 months	76	11.01	8.79
7	Don't know/Not sure	2	0.29	0.04
9	Refused	1	0.14	0.05
BLANK	Skip filled	16,003		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

FLOVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1033

Type: NUM

SAS Variable Name: ILP05_14

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	198	28.70	32.13
2	No	435	63.04	62.56
3	Didn't exercise in past 3 months	52	7.54	5.22
7	Don't know/Not sure	5	0.72	0.09
BLANK	Skip filled	16,003		

FLOVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1034

Type: NUM

SAS Variable Name: ILP06_14

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	551	79.86	80.42
2	No	139	20.14	19.58
BLANK	Skip filled	16,003		

FLOVENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1035-1036

Type: NUM

SAS Variable Name: ILP07_14

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	688	99.71	99.94
77	Don't know	1	0.14	0.05
99	Refused	1	0.14	0.01
BLANK	Skip filled	16,003		

FLOVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1037-1039

Type: NUM

SAS Variable Name: ILP08_14

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	540	78.26	79.32
401 - 499	Weeks	88	12.75	12.16
555	Never	3	0.43	0.21
666	Less often than once a week	52	7.54	7.89
777	Don't know	6	0.87	0.42
999	Refused	1	0.14	0.01
BLANK	Skip filled	16,003		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

FLOVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1040-1041

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Type: NUM
SAS Variable Name: ILP10_14

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

FLOVENT ROTADISK: SIZE

Survey: ADULT Asthma Call-Back

Column: 1042

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Type: NUM
SAS Variable Name: ILP01_15

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

FLOVENT ROTADISK: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1043

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Type: NUM
SAS Variable Name: ILP02_15

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	3	11.54	33.29
2	6 months to 1 year	7	26.92	23.28
3	Longer than 1 year	16	61.54	43.43
BLANK	Skip filled	16,667		

FLOVENT ROTADISK: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1044

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Type: NUM
SAS Variable Name: ILP03_15

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

FLOVENT ROTADISK: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1045

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Type: NUM
SAS Variable Name: ILP04_15

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	42.31	52.66
2	No	13	50.00	45.52
3	No attack in past 3 months	2	7.69	1.82
BLANK	Skip filled	16,667		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

FLOVENT ROTADISK: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1046

Type: NUM

SAS Variable Name: ILP05_15

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	42.31	38.88
2	No	12	46.15	50.49
3	Didn't exercise in past 3 months	3	11.54	10.63
BLANK	Skip filled	16,667		

FLOVENT ROTADISK: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1047

Type: NUM

SAS Variable Name: ILP06_15

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	24	92.31	95.07
2	No	2	7.69	4.93
BLANK	Skip filled	16,667		

FLOVENT ROTADISK: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1048-1049

Type: NUM

SAS Variable Name: ILP07_15

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	25	96.15	97.57
77	Don't know	1	3.85	2.43
BLANK	Skip filled	16,667		

FLOVENT ROTADISK: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1050-1052

Type: NUM

SAS Variable Name: ILP08_15

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	24	92.31	95.07
401 - 499	Weeks	1	3.85	2.43
666	Less often than once a week	1	3.85	2.50
BLANK	Skip filled	16,667		

FLOVENT ROTADISK: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1053-1054

Type: NUM

SAS Variable Name: ILP10_15

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

FLUNISOLIDE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1055

Type: NUM

SAS Variable Name: ILP01_16

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

FLUNISOLIDE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1056

Type: NUM

SAS Variable Name: ILP02_16

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	4	100.00	100.00
BLANK	Skip filled	16,689		

FLUNISOLIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1057

Type: NUM

SAS Variable Name: ILP03_16

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	31.66
2	No	3	75.00	68.34
BLANK	Skip filled	16,689		

FLUNISOLIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1058

Type: NUM

SAS Variable Name: ILP04_16

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	75.00	96.98
2	No	1	25.00	3.02
BLANK	Skip filled	16,689		

FLUNISOLIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1059

Type: NUM

SAS Variable Name: ILP05_16

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	31.66
2	No	3	75.00	68.34
BLANK	Skip filled	16,689		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

FLUNISOLIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1060

Type: NUM

SAS Variable Name: ILP06_16

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	50.00	65.32
2	No	2	50.00	34.68
BLANK	Skip filled	16,689		

FLUNISOLIDE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1061-1062

Type: NUM

SAS Variable Name: ILP07_16

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	4	100.00	100.00
BLANK	Skip filled	16,689		

FLUNISOLIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1063-1065

Type: NUM

SAS Variable Name: ILP08_16

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	75.00	68.34
401 - 499	Weeks	1	25.00	31.66
BLANK	Skip filled	16,689		

FLUNISOLIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1066-1067

Type: NUM

SAS Variable Name: ILP10_16

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

FLUTICASONE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1068

Type: NUM

SAS Variable Name: ILP01_17

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

FLUTICASONE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1069

Type: NUM

SAS Variable Name: ILP02_17

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	12	24.00	33.48
2	6 months to 1 year	6	12.00	8.63
3	Longer than 1 year	29	58.00	55.75
7	Don't know/Not sure	3	6.00	2.14
BLANK	Skip filled	16,643		

FLUTICASONE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1070

Type: NUM

SAS Variable Name: ILP03_17

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	20.00	6.77
2	No	37	74.00	89.04
3	Medication is a disk inhaler, not a canister inhaler	2	4.00	2.74
7	Don't know/Not sure	1	2.00	1.46
BLANK	Skip filled	16,643		

FLUTICASONE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1071

Type: NUM

SAS Variable Name: ILP04_17

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	23	46.00	42.36
2	No	22	44.00	43.27
3	No attack in past 3 months	4	8.00	12.92
7	Don't know/Not sure	1	2.00	1.46
BLANK	Skip filled	16,643		

FLUTICASONE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1072

Type: NUM

SAS Variable Name: ILP05_17

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	18	36.00	39.59
2	No	24	48.00	52.19
3	Didn't exercise in past 3 months	7	14.00	6.77
7	Don't know/Not sure	1	2.00	1.46
BLANK	Skip filled	16,643		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

FLUTICASONE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1073

Type: NUM

SAS Variable Name: ILP06_17

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	32	64.00	56.47
2	No	17	34.00	42.08
7	Don't know/Not sure	1	2.00	1.46
BLANK	Skip filled	16,643		

FLUTICASONE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1074-1075

Type: NUM

SAS Variable Name: ILP07_17

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	49	98.00	98.54
77	Don't know	1	2.00	1.46
BLANK	Skip filled	16,643		

FLUTICASONE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1076-1078

Type: NUM

SAS Variable Name: ILP08_17

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	30	60.00	60.13
401 - 499	Weeks	13	26.00	35.32
555	Never	1	2.00	0.26
666	Less often than once a week	4	8.00	1.64
777	Don't know	2	4.00	2.65
BLANK	Skip filled	16,643		

FLUTICASONE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1079-1080

Type: NUM

SAS Variable Name: ILP10_17

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

INTAL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1081

Type: NUM

SAS Variable Name: ILP01_18

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

INTAL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1082

Type: NUM

SAS Variable Name: ILP02_18

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	9	100.00	100.00
BLANK	Skip filled	16,684		

INTAL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1083

Type: NUM

SAS Variable Name: ILP03_18

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	33.33	52.08
2	No	5	55.56	43.41
7	Don't know/Not sure	1	11.11	4.51
BLANK	Skip filled	16,684		

INTAL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1084

Type: NUM

SAS Variable Name: ILP04_18

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	77.78	74.76
2	No	2	22.22	25.24
BLANK	Skip filled	16,684		

INTAL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1085

Type: NUM

SAS Variable Name: ILP05_18

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	33.33	10.93
2	No	5	55.56	70.86
3	Didn't exercise in past 3 months	1	11.11	18.21
BLANK	Skip filled	16,684		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

INTAL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1086

Type: NUM

SAS Variable Name: ILP06_18

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	44.44	59.35
2	No	5	55.56	40.65
BLANK	Skip filled	16,684		

INTAL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1087-1088

Type: NUM

SAS Variable Name: ILP07_18

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	9	100.00	100.00
BLANK	Skip filled	16,684		

INTAL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1089-1091

Type: NUM

SAS Variable Name: ILP08_18

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	4	44.44	32.08
401 - 499	Weeks	3	33.33	38.59
666	Less often than once a week	2	22.22	29.33
BLANK	Skip filled	16,684		

INTAL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1092-1093

Type: NUM

SAS Variable Name: ILP10_18

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

IPRATROPIUM BROMIDE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1094

Type: NUM

SAS Variable Name: ILP01_19

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

IPRATROPIUM BROMIDE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1095

Type: NUM

SAS Variable Name: ILP02_19

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	4	13.79	5.72
3	Longer than 1 year	25	86.21	94.28
BLANK	Skip filled	16,664		

IPRATROPIUM BROMIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1096

Type: NUM

SAS Variable Name: ILP03_19

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	41.38	40.21
2	No	16	55.17	51.53
9	Refused	1	3.45	8.26
BLANK	Skip filled	16,664		

IPRATROPIUM BROMIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1097

Type: NUM

SAS Variable Name: ILP04_19

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21	72.41	79.97
2	No	5	17.24	14.35
3	No attack in past 3 months	3	10.34	5.68
BLANK	Skip filled	16,664		

IPRATROPIUM BROMIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1098

Type: NUM

SAS Variable Name: ILP05_19

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	11	37.93	57.08
2	No	14	48.28	31.73
3	Didn't exercise in past 3 months	4	13.79	11.19
BLANK	Skip filled	16,664		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

IPRATROPIUM BROMIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1099

Type: NUM

SAS Variable Name: ILP06_19

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21	72.41	83.60
2	No	8	27.59	16.40
BLANK	Skip filled	16,664		

IPRATROPIUM BROMIDE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1100-1101

Type: NUM

SAS Variable Name: ILP07_19

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	14	48.28	40.48
77	Don't know	13	44.83	48.30
99	Refused	2	6.90	11.22
BLANK	Skip filled	16,664		

IPRATROPIUM BROMIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1102-1104

Type: NUM

SAS Variable Name: ILP08_19

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	20	68.97	72.40
401 - 499	Weeks	4	13.79	17.97
666	Less often than once a week	3	10.34	4.47
777	Don't know	1	3.45	2.21
999	Refused	1	3.45	2.96
BLANK	Skip filled	16,664		

IPRATROPIUM BROMIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1105-1106

Type: NUM

SAS Variable Name: ILP10_19

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

MAXAIR: SIZE

Survey: ADULT Asthma Call-Back

Column: 1107

Type: NUM

SAS Variable Name: ILP01_20

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

MAXAIR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1108

Type: NUM

SAS Variable Name: ILP02_20

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	1.03	0.06
2	6 months to 1 year	5	5.15	21.18
3	Longer than 1 year	91	93.81	78.76
BLANK	Skip filled	16,596		

MAXAIR: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1109

Type: NUM

SAS Variable Name: ILP03_20

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	12	12.37	18.85
2	No	85	87.63	81.15
BLANK	Skip filled	16,596		

MAXAIR: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1110

Type: NUM

SAS Variable Name: ILP04_20

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	85	87.63	88.08
2	No	8	8.25	10.58
3	No attack in past 3 months	4	4.12	1.34
BLANK	Skip filled	16,596		

MAXAIR: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1111

Type: NUM

SAS Variable Name: ILP05_20

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	38	39.18	61.44
2	No	52	53.61	30.37
3	Didn't exercise in past 3 months	6	6.19	8.10
9	Refused	1	1.03	0.08
BLANK	Skip filled	16,596		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

MAXAIR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1112

Type: NUM

SAS Variable Name: ILP06_20

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	21	21.65	20.61
2	No	76	78.35	79.39
BLANK	Skip filled	16,596		

MAXAIR: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1113-1114

Type: NUM

SAS Variable Name: ILP07_20

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	97	100.00	100.00
BLANK	Skip filled	16,596		

MAXAIR: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1115-1117

Type: NUM

SAS Variable Name: ILP08_20

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	27	27.84	30.08
401 - 499	Weeks	36	37.11	50.53
555	Never	2	2.06	1.68
666	Less often than once a week	27	27.84	16.05
777	Don't know	5	5.15	1.66
BLANK	Skip filled	16,596		

MAXAIR: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1118-1119

Type: NUM

SAS Variable Name: ILP10_20

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	67	69.07	82.78
77	Don't know	2	2.06	1.16
88	None/Less than 1 full canister	28	28.87	16.07
BLANK	Skip filled	16,596		

METAPROTERONOL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1120

Type: NUM

SAS Variable Name: ILP01_21

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	100.00	100.00
BLANK	Skip filled	16,692		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

METAPROTERONOL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1121

Type: NUM

SAS Variable Name: ILP02_21

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	100.00	100.00
BLANK	Skip filled	16,692		

METAPROTERONOL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1122

Type: NUM

SAS Variable Name: ILP03_21

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	100.00	100.00
BLANK	Skip filled	16,692		

METAPROTERONOL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1123

Type: NUM

SAS Variable Name: ILP04_21

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	100.00	100.00
BLANK	Skip filled	16,692		

METAPROTERONOL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1124

Type: NUM

SAS Variable Name: ILP05_21

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	100.00	100.00
BLANK	Skip filled	16,692		

METAPROTERONOL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1125

Type: NUM

SAS Variable Name: ILP06_21

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
7	Don't know/Not sure	1	100.00	100.00
BLANK	Skip filled	16,692		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

METAPROTERONOL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1126-1127

Type: NUM

SAS Variable Name: ILP07_21

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
77	Don't know	1	100.00	100.00
BLANK	Skip filled	16,692		

METAPROTERONOL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1128-1130

Type: NUM

SAS Variable Name: ILP08_21

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
777	Don't know	1	100.00	100.00
BLANK	Skip filled	16,692		

METAPROTERONOL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1131-1132

Type: NUM

SAS Variable Name: ILP10_21

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
77	Don't know	1	100.00	100.00
BLANK	Skip filled	16,692		

NEDOCROMIL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1133

Type: NUM

SAS Variable Name: ILP01_22

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

NEDOCROMIL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1134

Type: NUM

SAS Variable Name: ILP02_22

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

NEDOCROMIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1135

Type: NUM

SAS Variable Name: ILP03_22

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

NEDOCROMIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1136

Type: NUM

SAS Variable Name: ILP04_22

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

NEDOCROMIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1137

Type: NUM

SAS Variable Name: ILP05_22

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

NEDOCROMIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1138

Type: NUM

SAS Variable Name: ILP06_22

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

NEDOCROMIL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1139-1140

Type: NUM

SAS Variable Name: ILP07_22

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

NEDOCROMIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1141-1143

Type: NUM

SAS Variable Name: ILP08_22

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

NEDOCROMIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1144-1145

Type: NUM

SAS Variable Name: ILP10_22

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

PIRBUTEROL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1146

Type: NUM

SAS Variable Name: ILP01_23

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

PIRBUTEROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1147

Type: NUM

SAS Variable Name: ILP02_23

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	25.00	0.29
3	Longer than 1 year	3	75.00	99.71
BLANK	Skip filled	16,689		

PIRBUTEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1148

Type: NUM

SAS Variable Name: ILP03_23

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	4	100.00	100.00
BLANK	Skip filled	16,689		

PIRBUTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1149

Type: NUM

SAS Variable Name: ILP04_23

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	75.00	12.32
2	No	1	25.00	87.68
BLANK	Skip filled	16,689		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PIRBUTEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1150

Type: NUM

SAS Variable Name: ILP05_23

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	25.00	87.68
2	No	3	75.00	12.32
BLANK	Skip filled	16,689		

PIRBUTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1151

Type: NUM

SAS Variable Name: ILP06_23

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	50.00	3.30
2	No	2	50.00	96.70
BLANK	Skip filled	16,689		

PIRBUTEROL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1152-1153

Type: NUM

SAS Variable Name: ILP07_23

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	4	100.00	100.00
BLANK	Skip filled	16,689		

PIRBUTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1154-1156

Type: NUM

SAS Variable Name: ILP08_23

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	25.00	3.01
401 - 499	Weeks	2	50.00	87.97
666	Less often than once a week	1	25.00	9.02
BLANK	Skip filled	16,689		

PIRBUTEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1157-1158

Type: NUM

SAS Variable Name: ILP10_23

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	3	75.00	90.98
88	None/Less than 1 full canister	1	25.00	9.02
BLANK	Skip filled	16,689		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PROVENTIL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1159

Type: NUM

SAS Variable Name: ILP01_24

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	87	12.55	14.36
2	100 puffs	75	10.82	9.10
3	200 puffs	332	47.91	48.97
4	Other number of puffs	57	8.23	10.43
5	Used different sizes of this medication in the past 3 months	4	0.58	0.49
7	Don't know/Not sure	136	19.62	16.45
9	Refused	2	0.29	0.19
BLANK	Skip filled	16,000		

PROVENTIL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1160

Type: NUM

SAS Variable Name: ILP02_24

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	65	9.38	11.78
2	6 months to 1 year	55	7.94	7.63
3	Longer than 1 year	572	82.54	80.22
7	Don't know/Not sure	1	0.14	0.37
BLANK	Skip filled	16,000		

PROVENTIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1161

Type: NUM

SAS Variable Name: ILP03_24

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	202	29.15	31.23
2	No	481	69.41	67.63
3	Medication is a disk inhaler, not a canister inhaler	1	0.14	0.10
7	Don't know/Not sure	9	1.30	1.04
BLANK	Skip filled	16,000		

PROVENTIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1162

Type: NUM

SAS Variable Name: ILP04_24

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	590	85.14	90.63
2	No	56	8.08	5.52
3	No attack in past 3 months	46	6.64	3.81
7	Don't know/Not sure	1	0.14	0.04
BLANK	Skip filled	16,000		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PROVENTIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1163

Type: NUM

SAS Variable Name: ILP05_24

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	267	38.53	39.35
2	No	340	49.06	46.68
3	Didn't exercise in past 3 months	85	12.27	13.87
7	Don't know/Not sure	1	0.14	0.10
BLANK	Skip filled	16,000		

PROVENTIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1164

Type: NUM

SAS Variable Name: ILP06_24

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	203	29.29	27.26
2	No	490	70.71	72.74
BLANK	Skip filled	16,000		

PROVENTIL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1165-1166

Type: NUM

SAS Variable Name: ILP07_24

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	691	99.71	99.98
77	Don't know	1	0.14	0.01
99	Refused	1	0.14	0.01
BLANK	Skip filled	16,000		

PROVENTIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1167-1169

Type: NUM

SAS Variable Name: ILP08_24

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	247	35.64	32.16
401 - 499	Weeks	224	32.32	39.26
555	Never	20	2.89	6.35
666	Less often than once a week	181	26.12	21.18
777	Don't know	19	2.74	1.00
999	Refused	2	0.29	0.06
BLANK	Skip filled	16,000		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PROVENTIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1170-1171

Type: NUM

SAS Variable Name: ILP10_24

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	537	77.49	84.05
77	Don't know	40	5.77	3.44
88	None/Less than 1 full canister	113	16.31	12.19
99	Refused	3	0.43	0.32
BLANK	Skip filled	16,000		

PULMICORT TURBUHALER: SIZE

Survey: ADULT Asthma Call-Back

Column: 1172

Type: NUM

SAS Variable Name: ILP01_25

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

PULMICORT TURBUHALER: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1173

Type: NUM

SAS Variable Name: ILP02_25

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	15	9.74	10.85
2	6 months to 1 year	16	10.39	24.62
3	Longer than 1 year	123	79.87	64.54
BLANK	Skip filled	16,539		

PULMICORT TURBUHALER: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1174

Type: NUM

SAS Variable Name: ILP03_25

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	6.49	4.50
2	No	140	90.91	92.06
3	Medication is a disk inhaler, not a canister inhaler	4	2.60	3.43
BLANK	Skip filled	16,539		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PULMICORT TURBUHALER: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1175

Type: NUM

SAS Variable Name: ILP04_25

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	42	27.27	26.66
2	No	89	57.79	64.99
3	No attack in past 3 months	22	14.29	7.31
7	Don't know/Not sure	1	0.65	1.04
BLANK	Skip filled	16,539		

PULMICORT TURBUHALER: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1176

Type: NUM

SAS Variable Name: ILP05_25

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	29	18.83	19.32
2	No	110	71.43	76.43
3	Didn't exercise in past 3 months	15	9.74	4.24
BLANK	Skip filled	16,539		

PULMICORT TURBUHALER: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1177

Type: NUM

SAS Variable Name: ILP06_25

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	131	85.06	86.64
2	No	23	14.94	13.36
BLANK	Skip filled	16,539		

PULMICORT TURBUHALER: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1178-1179

Type: NUM

SAS Variable Name: ILP07_25

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	149	96.75	98.24
77	Don't know	4	2.60	1.59
99	Refused	1	0.65	0.17
BLANK	Skip filled	16,539		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PULMICORT TURBUHALER: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1180-1182

Type: NUM

SAS Variable Name: ILP08_25

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	129	83.77	83.72
401 - 499	Weeks	21	13.64	12.39
555	Never	1	0.65	0.06
666	Less often than once a week	2	1.30	1.76
777	Don't know	1	0.65	2.08
BLANK	Skip filled	16,539		

PULMICORT TURBUHALER: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1183-1184

Type: NUM

SAS Variable Name: ILP10_25

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

SALMETEROL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1185

Type: NUM

SAS Variable Name: ILP01_26

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

SALMETEROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1186

Type: NUM

SAS Variable Name: ILP02_26

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	12.50	4.84
2	6 months to 1 year	2	25.00	29.13
3	Longer than 1 year	5	62.50	66.03
BLANK	Skip filled	16,685		

SALMETEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1187

Type: NUM

SAS Variable Name: ILP03_26

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	12.50	21.87
2	No	7	87.50	78.13
BLANK	Skip filled	16,685		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

SALMETEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1188

Type: NUM

SAS Variable Name: ILP04_26

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	62.50	82.94
2	No	3	37.50	17.06
BLANK	Skip filled	16,685		

SALMETEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1189

Type: NUM

SAS Variable Name: ILP05_26

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	8	100.00	100.00
BLANK	Skip filled	16,685		

SALMETEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1190

Type: NUM

SAS Variable Name: ILP06_26

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	50.00	21.90
2	No	4	50.00	78.10
BLANK	Skip filled	16,685		

SALMETEROL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1191-1192

Type: NUM

SAS Variable Name: ILP07_26

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	8	100.00	100.00
BLANK	Skip filled	16,685		

SALMETEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1193-1195

Type: NUM

SAS Variable Name: ILP08_26

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	5	62.50	43.78
401 - 499	Weeks	2	25.00	49.21
666	Less often than once a week	1	12.50	7.02
BLANK	Skip filled	16,685		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

SALMETEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1196-1197

Type: NUM

SAS Variable Name: ILP10_26

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

SEREVENT: SIZE

Survey: ADULT Asthma Call-Back

Column: 1198

Type: NUM

SAS Variable Name: ILP01_27

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

SEREVENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1199

Type: NUM

SAS Variable Name: ILP02_27

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	9	7.96	14.97
2	6 months to 1 year	7	6.19	6.96
3	Longer than 1 year	97	85.84	78.07
BLANK	Skip filled	16,580		

SEREVENT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1200

Type: NUM

SAS Variable Name: ILP03_27

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	12.39	13.87
2	No	81	71.68	75.78
3	Medication is a disk inhaler, not a canister inhaler	17	15.04	10.29
7	Don't know/Not sure	1	0.88	0.06
BLANK	Skip filled	16,580		

SEREVENT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1201

Type: NUM

SAS Variable Name: ILP04_27

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	27	23.89	20.27
2	No	69	61.06	69.27
3	No attack in past 3 months	17	15.04	10.46
BLANK	Skip filled	16,580		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

SEREVENT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1202

Type: NUM

SAS Variable Name: ILP05_27

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	28	24.78	19.03
2	No	74	65.49	70.85
3	Didn't exercise in past 3 months	10	8.85	6.25
9	Refused	1	0.88	3.87
BLANK	Skip filled	16,580		

SEREVENT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1203

Type: NUM

SAS Variable Name: ILP06_27

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	109	96.46	98.65
2	No	4	3.54	1.35
BLANK	Skip filled	16,580		

SEREVENT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1204-1205

Type: NUM

SAS Variable Name: ILP07_27

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	110	97.35	98.97
77	Don't know	2	1.77	0.87
99	Refused	1	0.88	0.16
BLANK	Skip filled	16,580		

SEREVENT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1206-1208

Type: NUM

SAS Variable Name: ILP08_27

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	105	92.92	98.27
401 - 499	Weeks	5	4.42	1.11
666	Less often than once a week	3	2.65	0.63
BLANK	Skip filled	16,580		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

SEREVENT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1209-1210

Type: NUM

SAS Variable Name: ILP10_27

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

TERBUTALINE (+ T. SULFATE): SIZE

Survey: ADULT Asthma Call-Back

Column: 1211

Type: NUM

SAS Variable Name: ILP01_28

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

TERBUTALINE (+ T. SULFATE): HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1212

Type: NUM

SAS Variable Name: ILP02_28

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

TERBUTALINE (+ T. SULFATE): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1213

Type: NUM

SAS Variable Name: ILP03_28

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

TERBUTALINE (+ T. SULFATE): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1214

Type: NUM

SAS Variable Name: ILP04_28

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

TERBUTALINE (+ T. SULFATE): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1215

Type: NUM

SAS Variable Name: ILP05_28

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

TERBUTALINE (+ T. SULFATE): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1216

Type: NUM

SAS Variable Name: ILP06_28

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

TERBUTALINE (+ T. SULFATE): NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1217-1218

Type: NUM

SAS Variable Name: ILP07_28

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

TERBUTALINE (+ T. SULFATE): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1219-1221

Type: NUM

SAS Variable Name: ILP08_28

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

TERBUTALINE (+ T. SULFATE): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1222-1223

Type: NUM

SAS Variable Name: ILP10_28

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

TILADE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1224

Type: NUM

SAS Variable Name: ILP01_29

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

TILADE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1225

Type: NUM

SAS Variable Name: ILP02_29

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	16,692		

TILADE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1226

Type: NUM

SAS Variable Name: ILP03_29

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	16,692		

TILADE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1227

Type: NUM

SAS Variable Name: ILP04_29

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	16,692		

TILADE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1228

Type: NUM

SAS Variable Name: ILP05_29

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	16,692		

TILADE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1229

Type: NUM

SAS Variable Name: ILP06_29

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	16,692		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

TILADE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1230-1231

Type: NUM

SAS Variable Name: ILP07_29

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	16,692		

TILADE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1232-1234

Type: NUM

SAS Variable Name: ILP08_29

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
401 - 499	Weeks	1	100.00	100.00
BLANK	Skip filled	16,692		

TILADE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1235-1236

Type: NUM

SAS Variable Name: ILP10_29

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

TORNALATE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1237

Type: NUM

SAS Variable Name: ILP01_30

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

TORNALATE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1238

Type: NUM

SAS Variable Name: ILP02_30

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	16,692		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

TORNALATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1239

Type: NUM

SAS Variable Name: ILP03_30

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	16,692		

TORNALATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1240

Type: NUM

SAS Variable Name: ILP04_30

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	16,692		

TORNALATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1241

Type: NUM

SAS Variable Name: ILP05_30

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	No	1	100.00	100.00
BLANK	Skip filled	16,692		

TORNALATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1242

Type: NUM

SAS Variable Name: ILP06_30

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1	100.00	100.00
BLANK	Skip filled	16,692		

TORNALATE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1243-1244

Type: NUM

SAS Variable Name: ILP07_30

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1	100.00	100.00
BLANK	Skip filled	16,692		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

TORNALATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1245-1247

Type: NUM

SAS Variable Name: ILP08_30

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	1	100.00	100.00
BLANK	Skip filled	16,692		

TORNALATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1248-1249

Type: NUM

SAS Variable Name: ILP10_30

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1	100.00	100.00
BLANK	Skip filled	16,692		

TRIAMCINOLONE ACETONIDE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1250

Type: NUM

SAS Variable Name: ILP01_31

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

TRIAMCINOLONE ACETONIDE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1251

Type: NUM

SAS Variable Name: ILP02_31

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

TRIAMCINOLONE ACETONIDE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1252

Type: NUM

SAS Variable Name: ILP03_31

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

TRIAMCINOLONE ACETONIDE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1253

Type: NUM

SAS Variable Name: ILP04_31

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

TRIAMCINOLONE ACETONIDE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1254

Type: NUM

SAS Variable Name: ILP05_31

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

TRIAMCINOLONE ACETONIDE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1255

Type: NUM

SAS Variable Name: ILP06_31

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

TRIAMCINOLONE ACETONIDE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1256-1257

Type: NUM

SAS Variable Name: ILP07_31

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

TRIAMCINOLONE ACETONIDE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1258-1260

Type: NUM

SAS Variable Name: ILP08_31

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

TRIAMCINOLONE ACETONIDE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1261-1262

Type: NUM

SAS Variable Name: ILP10_31

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

VANCERIL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1263

Type: NUM

SAS Variable Name: ILP01_32

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

VANCERIL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1264

Type: NUM

SAS Variable Name: ILP02_32

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	3	42.86	33.48
2	6 months to 1 year	1	14.29	24.04
3	Longer than 1 year	3	42.86	42.48
BLANK	Skip filled	16,686		

VANCERIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1265

Type: NUM

SAS Variable Name: ILP03_32

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	42.86	35.79
2	No	3	42.86	57.25
7	Don't know/Not sure	1	14.29	6.96
BLANK	Skip filled	16,686		

VANCERIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1266

Type: NUM

SAS Variable Name: ILP04_32

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	7	100.00	100.00
BLANK	Skip filled	16,686		

VANCERIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1267

Type: NUM

SAS Variable Name: ILP05_32

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	28.57	23.38
2	No	4	57.14	42.75
3	Didn't exercise in past 3 months	1	14.29	33.87
BLANK	Skip filled	16,686		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

VANCERIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1268

Type: NUM

SAS Variable Name: ILP06_32

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	28.57	42.63
2	No	5	71.43	57.37
BLANK	Skip filled	16,686		

VANCERIL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1269-1270

Type: NUM

SAS Variable Name: ILP07_32

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	7	100.00	100.00
BLANK	Skip filled	16,686		

VANCERIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1271-1273

Type: NUM

SAS Variable Name: ILP08_32

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	2	28.57	23.38
401 - 499	Weeks	2	28.57	11.75
666	Less often than once a week	2	28.57	31.00
777	Don't know	1	14.29	33.87
BLANK	Skip filled	16,686		

VANCERIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1274-1275

Type: NUM

SAS Variable Name: ILP10_32

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

VENTOLIN: SIZE

Survey: ADULT Asthma Call-Back

Column: 1276

Type: NUM

SAS Variable Name: ILP01_33

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	80 puffs	61	5.65	4.73
2	100 puffs	64	5.93	5.68
3	200 puffs	707	65.46	69.49
4	Other number of puffs	137	12.69	15.44
5	Used different sizes of this medication in the past 3 months	2	0.19	0.13
7	Don't know/Not sure	107	9.91	4.46
9	Refused	2	0.19	0.07
BLANK	Skip filled	15,613		

VENTOLIN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1277

Type: NUM

SAS Variable Name: ILP02_33

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	137	12.69	14.03
2	6 months to 1 year	139	12.87	19.81
3	Longer than 1 year	798	73.89	66.08
7	Don't know/Not sure	6	0.56	0.08
BLANK	Skip filled	15,613		

VENTOLIN: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1278

Type: NUM

SAS Variable Name: ILP03_33

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	307	28.43	26.21
2	No	762	70.56	73.12
3	Medication is a disk inhaler, not a canister inhaler	1	0.09	0.07
7	Don't know/Not sure	10	0.93	0.60
BLANK	Skip filled	15,613		

VENTOLIN: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1279

Type: NUM

SAS Variable Name: ILP04_33

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	930	86.11	85.50
2	No	81	7.50	8.74
3	No attack in past 3 months	59	5.46	5.35
7	Don't know/Not sure	9	0.83	0.22
9	Refused	1	0.09	0.19
BLANK	Skip filled	15,613		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

VENTOLIN: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1280

Type: NUM

SAS Variable Name: ILP05_33

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	423	39.17	41.10
2	No	541	50.09	52.06
3	Didn't exercise in past 3 months	110	10.19	6.76
7	Don't know/Not sure	5	0.46	0.05
9	Refused	1	0.09	0.02
BLANK	Skip filled	15,613		

VENTOLIN: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1281

Type: NUM

SAS Variable Name: ILP06_33

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	293	27.13	27.80
2	No	780	72.22	72.03
7	Don't know/Not sure	7	0.65	0.17
BLANK	Skip filled	15,613		

VENTOLIN: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1282-1283

Type: NUM

SAS Variable Name: ILP07_33

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1,076	99.63	99.88
77	Don't know	4	0.37	0.12
BLANK	Skip filled	15,613		

VENTOLIN: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1284-1286

Type: NUM

SAS Variable Name: ILP08_33

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	425	39.35	38.86
401 - 499	Weeks	376	34.81	35.55
555	Never	13	1.20	3.92
666	Less often than once a week	226	20.93	19.38
777	Don't know	39	3.61	2.22
999	Refused	1	0.09	0.07
BLANK	Skip filled	15,613		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

VENTOLIN: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1287-1288

Type: NUM

SAS Variable Name: ILP10_33

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	798	73.89	81.24
77	Don't know	61	5.65	2.67
88	None/Less than 1 full canister	217	20.09	15.90
99	Refused	4	0.37	0.19
BLANK	Skip filled	15,613		

FORADIL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1289

Type: NUM

SAS Variable Name: ILP01_34

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

FORADIL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1290

Type: NUM

SAS Variable Name: ILP02_34

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	5	8.06	5.55
2	6 months to 1 year	10	16.13	11.44
3	Longer than 1 year	44	70.97	62.02
9	Refused	3	4.84	20.99
BLANK	Skip filled	16,631		

FORADIL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1291

Type: NUM

SAS Variable Name: ILP03_34

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	20.97	10.24
2	No	44	70.97	68.34
3	Medication is a disk inhaler, not a canister inhaler	2	3.23	0.42
9	Refused	3	4.84	20.99
BLANK	Skip filled	16,631		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

FORADIL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1292

Type: NUM

SAS Variable Name: ILP04_34

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	14	22.58	20.38
2	No	37	59.68	51.01
3	No attack in past 3 months	7	11.29	6.67
7	Don't know/Not sure	1	1.61	20.66
9	Refused	3	4.84	1.29
BLANK	Skip filled	16,631		

FORADIL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1293

Type: NUM

SAS Variable Name: ILP05_34

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	10	16.13	16.60
2	No	37	59.68	54.40
3	Didn't exercise in past 3 months	12	19.35	8.00
7	Don't know/Not sure	1	1.61	20.66
9	Refused	2	3.23	0.34
BLANK	Skip filled	16,631		

FORADIL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1294

Type: NUM

SAS Variable Name: ILP06_34

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	53	85.48	73.43
2	No	7	11.29	26.23
9	Refused	2	3.23	0.34
BLANK	Skip filled	16,631		

FORADIL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1295-1296

Type: NUM

SAS Variable Name: ILP07_34

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	58	93.55	70.02
99	Refused	4	6.45	29.98
BLANK	Skip filled	16,631		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

FORADIL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1297-1299

Type: NUM

SAS Variable Name: ILP08_34

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	52	83.87	73.06
401 - 499	Weeks	5	8.06	4.73
666	Less often than once a week	2	3.23	1.22
777	Don't know	1	1.61	20.66
999	Refused	2	3.23	0.34
BLANK	Skip filled	16,631		

FORADIL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1300-1301

Type: NUM

SAS Variable Name: ILP10_34

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

FORMOTEROL: SIZE

Survey: ADULT Asthma Call-Back

Column: 1302

Type: NUM

SAS Variable Name: ILP01_35

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

FORMOTEROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1303

Type: NUM

SAS Variable Name: ILP02_35

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	7.69	3.09
3	Longer than 1 year	12	92.31	96.91
BLANK	Skip filled	16,680		

FORMOTEROL: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1304

Type: NUM

SAS Variable Name: ILP03_35

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	23.08	39.16
2	No	9	69.23	56.38
3	Medication is a disk inhaler, not a canister inhaler	1	7.69	4.45
BLANK	Skip filled	16,680		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

FORMOTEROL: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1305

Type: NUM

SAS Variable Name: ILP04_35

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	5	38.46	46.50
2	No	7	53.85	44.53
3	No attack in past 3 months	1	7.69	8.97
BLANK	Skip filled	16,680		

FORMOTEROL: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1306

Type: NUM

SAS Variable Name: ILP05_35

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	30.77	25.27
2	No	9	69.23	74.73
BLANK	Skip filled	16,680		

FORMOTEROL: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1307

Type: NUM

SAS Variable Name: ILP06_35

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	100.00	100.00
BLANK	Skip filled	16,680		

FORMOTEROL: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1308-1309

Type: NUM

SAS Variable Name: ILP07_35

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	12	92.31	97.75
77	Don't know	1	7.69	2.25
BLANK	Skip filled	16,680		

FORMOTEROL: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1310-1312

Type: NUM

SAS Variable Name: ILP08_35

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	12	92.31	98.77
401 - 499	Weeks	1	7.69	1.23
BLANK	Skip filled	16,680		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

FORMOTEROL: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1313-1314

Type: NUM

SAS Variable Name: ILP10_35

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

QVAR: SIZE

Survey: ADULT Asthma Call-Back

Column: 1315

Type: NUM

SAS Variable Name: ILP01_36

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

QVAR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1316

Type: NUM

SAS Variable Name: ILP02_36

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	60	18.18	30.09
2	6 months to 1 year	39	11.82	6.53
3	Longer than 1 year	227	68.79	63.03
7	Don't know/Not sure	4	1.21	0.34
BLANK	Skip filled	16,363		

QVAR: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1317

Type: NUM

SAS Variable Name: ILP03_36

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	110	33.33	32.15
2	No	214	64.85	66.88
7	Don't know/Not sure	6	1.82	0.97
BLANK	Skip filled	16,363		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

QVAR: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1318

Type: NUM

SAS Variable Name: ILP04_36

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	136	41.21	46.68
2	No	157	47.58	45.04
3	No attack in past 3 months	34	10.30	8.20
7	Don't know/Not sure	3	0.91	0.08
BLANK	Skip filled	16,363		

QVAR: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1319

Type: NUM

SAS Variable Name: ILP05_36

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	85	25.76	34.53
2	No	213	64.55	55.99
3	Didn't exercise in past 3 months	30	9.09	9.38
7	Don't know/Not sure	2	0.61	0.10
BLANK	Skip filled	16,363		

QVAR: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1320

Type: NUM

SAS Variable Name: ILP06_36

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	267	80.91	76.28
2	No	62	18.79	23.68
7	Don't know/Not sure	1	0.30	0.04
BLANK	Skip filled	16,363		

QVAR: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1321-1322

Type: NUM

SAS Variable Name: ILP07_36

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	327	99.09	99.89
77	Don't know	3	0.91	0.11
BLANK	Skip filled	16,363		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

QVAR: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1323-1325

Type: NUM

SAS Variable Name: ILP08_36

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	262	79.39	77.14
401 - 499	Weeks	36	10.91	13.57
555	Never	4	1.21	2.85
666	Less often than once a week	25	7.58	6.10
777	Don't know	3	0.91	0.34
BLANK	Skip filled	16,363		

QVAR: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1326-1327

Type: NUM

SAS Variable Name: ILP10_36

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

LEVALBUTEROL TARTRATE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1328

Type: NUM

SAS Variable Name: ILP01_37

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

LEVALBUTEROL TARTRATE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1329

Type: NUM

SAS Variable Name: ILP02_37

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	5	100.00	100.00
BLANK	Skip filled	16,688		

LEVALBUTEROL TARTRATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1330

Type: NUM

SAS Variable Name: ILP03_37

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	40.00	49.91
2	No	3	60.00	50.09
BLANK	Skip filled	16,688		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

LEVALBUTEROL TARTRATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1331

Type: NUM

SAS Variable Name: ILP04_37

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	80.00	52.02
2	No	1	20.00	47.98
BLANK	Skip filled	16,688		

LEVALBUTEROL TARTRATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1332

Type: NUM

SAS Variable Name: ILP05_37

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	2	40.00	2.58
2	No	2	40.00	77.65
3	Didn't exercise in past 3 months	1	20.00	19.77
BLANK	Skip filled	16,688		

LEVALBUTEROL TARTRATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1333

Type: NUM

SAS Variable Name: ILP06_37

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	3	60.00	68.40
2	No	2	40.00	31.60
BLANK	Skip filled	16,688		

LEVALBUTEROL TARTRATE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1334-1335

Type: NUM

SAS Variable Name: ILP07_37

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	5	100.00	100.00
BLANK	Skip filled	16,688		

LEVALBUTEROL TARTRATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1336-1338

Type: NUM

SAS Variable Name: ILP08_37

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	3	60.00	50.09
401 - 499	Weeks	1	20.00	47.98
777	Don't know	1	20.00	1.93
BLANK	Skip filled	16,688		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

LEVALBUTEROL TARTRATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1339-1340

Type: NUM

SAS Variable Name: ILP10_37

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	4	80.00	70.33
77	Don't know	1	20.00	29.67
BLANK	Skip filled	16,688		

XOPENEX HFA: SIZE

Survey: ADULT Asthma Call-Back

Column: 1341

Type: NUM

SAS Variable Name: ILP01_38

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

XOPENEX HFA: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1342

Type: NUM

SAS Variable Name: ILP02_38

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	34	12.01	10.12
2	6 months to 1 year	45	15.90	21.28
3	Longer than 1 year	201	71.02	68.05
7	Don't know/Not sure	2	0.71	0.29
9	Refused	1	0.35	0.27
BLANK	Skip filled	16,410		

XOPENEX HFA: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1343

Type: NUM

SAS Variable Name: ILP03_38

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	80	28.27	22.96
2	No	200	70.67	76.59
3	Medication is a disk inhaler, not a canister inhaler	1	0.35	0.31
7	Don't know/Not sure	1	0.35	0.06
9	Refused	1	0.35	0.08
BLANK	Skip filled	16,410		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

XOPENEX HFA: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1344

Type: NUM

SAS Variable Name: ILP04_38

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	243	85.87	87.03
2	No	29	10.25	11.40
3	No attack in past 3 months	10	3.53	1.29
7	Don't know/Not sure	1	0.35	0.28
BLANK	Skip filled	16,410		

XOPENEX HFA: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1345

Type: NUM

SAS Variable Name: ILP05_38

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	104	36.75	31.06
2	No	154	54.42	61.10
3	Didn't exercise in past 3 months	25	8.83	7.84
BLANK	Skip filled	16,410		

XOPENEX HFA: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1346

Type: NUM

SAS Variable Name: ILP06_38

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	79	27.92	25.28
2	No	204	72.08	74.72
BLANK	Skip filled	16,410		

XOPENEX HFA: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1347-1348

Type: NUM

SAS Variable Name: ILP07_38

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	275	97.17	98.78
77	Don't know	8	2.83	1.22
BLANK	Skip filled	16,410		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

XOPENEX HFA: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1349-1351

Type: NUM

SAS Variable Name: ILP08_38

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	104	36.75	37.75
401 - 499	Weeks	93	32.86	36.14
555	Never	10	3.53	13.19
666	Less often than once a week	62	21.91	10.91
777	Don't know	14	4.95	2.02
BLANK	Skip filled	16,410		

XOPENEX HFA: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1352-1353

Type: NUM

SAS Variable Name: ILP10_38

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	219	77.39	86.24
77	Don't know	15	5.30	1.94
88	None/Less than 1 full canister	48	16.96	11.79
99	Refused	1	0.35	0.04
BLANK	Skip filled	16,410		

MOMETASONE FUROATE: SIZE

Survey: ADULT Asthma Call-Back

Column: 1354

Type: NUM

SAS Variable Name: ILP01_39

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

MOMETASONE FUROATE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1355

Type: NUM

SAS Variable Name: ILP02_39

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	4	23.53	45.66
2	6 months to 1 year	2	11.76	16.21
3	Longer than 1 year	11	64.71	38.13
BLANK	Skip filled	16,676		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

MOMETASONE FUROATE: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1356

Type: NUM

SAS Variable Name: ILP03_39

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

MOMETASONE FUROATE: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1357

Type: NUM

SAS Variable Name: ILP04_39

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	23.53	42.10
2	No	10	58.82	50.71
3	No attack in past 3 months	3	17.65	7.20
BLANK	Skip filled	16,676		

MOMETASONE FUROATE: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1358

Type: NUM

SAS Variable Name: ILP05_39

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	4	23.53	14.54
2	No	10	58.82	84.03
3	Didn't exercise in past 3 months	3	17.65	1.43
BLANK	Skip filled	16,676		

MOMETASONE FUROATE: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1359

Type: NUM

SAS Variable Name: ILP06_39

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	13	76.47	87.76
2	No	4	23.53	12.24
BLANK	Skip filled	16,676		

MOMETASONE FUROATE: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1360-1361

Type: NUM

SAS Variable Name: ILP07_39

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	17	100.00	100.00
BLANK	Skip filled	16,676		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

MOMETASONE FUROATE: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1362-1364

Type: NUM

SAS Variable Name: ILP08_39

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	15	88.24	96.34
666	Less often than once a week	1	5.88	3.29
777	Don't know	1	5.88	0.38
BLANK	Skip filled	16,676		

MOMETASONE FUROATE: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1365-1366

Type: NUM

SAS Variable Name: ILP10_39

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

ASMANEX (TWISTHALER): SIZE

Survey: ADULT Asthma Call-Back

Column: 1367

Type: NUM

SAS Variable Name: ILP01_40

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

ASMANEX (TWISTHALER): HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1368

Type: NUM

SAS Variable Name: ILP02_40

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	39	15.35	28.99
2	6 months to 1 year	42	16.54	16.00
3	Longer than 1 year	173	68.11	55.01
BLANK	Skip filled	16,439		

ASMANEX (TWISTHALER): WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1369

Type: NUM

SAS Variable Name: ILP03_40

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ASMANEX (TWISTHALER): WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1370

Type: NUM

SAS Variable Name: ILP04_40

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	67	26.38	29.75
2	No	156	61.42	64.45
3	No attack in past 3 months	29	11.42	5.71
7	Don't know/Not sure	1	0.39	0.04
9	Refused	1	0.39	0.05
BLANK	Skip filled	16,439		

ASMANEX (TWISTHALER): BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1371

Type: NUM

SAS Variable Name: ILP05_40

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	68	26.77	38.17
2	No	164	64.57	57.71
3	Didn't exercise in past 3 months	21	8.27	3.70
7	Don't know/Not sure	1	0.39	0.42
BLANK	Skip filled	16,439		

ASMANEX (TWISTHALER): REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1372

Type: NUM

SAS Variable Name: ILP06_40

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	223	87.80	84.30
2	No	31	12.20	15.70
BLANK	Skip filled	16,439		

ASMANEX (TWISTHALER): NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1373-1374

Type: NUM

SAS Variable Name: ILP07_40

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	253	99.61	99.95
99	Refused	1	0.39	0.05
BLANK	Skip filled	16,439		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ASMANEX (TWISTHALER): TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1375-1377

Type: NUM

SAS Variable Name: ILP08_40

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	211	83.07	78.97
401 - 499	Weeks	29	11.42	9.11
555	Never	5	1.97	7.31
666	Less often than once a week	8	3.15	4.36
777	Don't know	1	0.39	0.24
BLANK	Skip filled	16,439		

ASMANEX (TWISTHALER): NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1378-1379

Type: NUM

SAS Variable Name: ILP10_40

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

PRO-AIR HFA: SIZE

Survey: ADULT Asthma Call-Back

Column: 1380

Type: NUM

SAS Variable Name: ILP01_41

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

PRO-AIR HFA: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1381

Type: NUM

SAS Variable Name: ILP02_41

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	183	12.56	12.90
2	6 months to 1 year	174	11.94	12.22
3	Longer than 1 year	1,092	74.95	74.57
7	Don't know/Not sure	5	0.34	0.18
9	Refused	3	0.21	0.12
BLANK	Skip filled	15,236		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PRO-AIR HFA: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1382

Type: NUM

SAS Variable Name: ILP03_41

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	411	28.21	29.10
2	No	1,015	69.66	69.52
3	Medication is a disk inhaler, not a canister inhaler	1	0.07	0.01
7	Don't know/Not sure	28	1.92	1.24
9	Refused	2	0.14	0.13
BLANK	Skip filled	15,236		

PRO-AIR HFA: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1383

Type: NUM

SAS Variable Name: ILP04_41

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	1,230	84.42	83.39
2	No	130	8.92	11.31
3	No attack in past 3 months	90	6.18	5.07
7	Don't know/Not sure	5	0.34	0.11
9	Refused	2	0.14	0.12
BLANK	Skip filled	15,236		

PRO-AIR HFA: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1384

Type: NUM

SAS Variable Name: ILP05_41

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	568	38.98	46.01
2	No	716	49.14	46.94
3	Didn't exercise in past 3 months	168	11.53	6.95
7	Don't know/Not sure	4	0.27	0.06
9	Refused	1	0.07	0.05
BLANK	Skip filled	15,236		

PRO-AIR HFA: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1385

Type: NUM

SAS Variable Name: ILP06_41

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	392	26.90	26.43
2	No	1,064	73.03	73.52
9	Refused	1	0.07	0.05
BLANK	Skip filled	15,236		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PRO-AIR HFA: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1386-1387

Type: NUM

SAS Variable Name: ILP07_41

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	1,449	99.45	99.88
77	Don't know	8	0.55	0.12
BLANK	Skip filled	15,236		

PRO-AIR HFA: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1388-1390

Type: NUM

SAS Variable Name: ILP08_41

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	545	37.41	34.44
401 - 499	Weeks	487	33.42	39.52
555	Never	17	1.17	3.08
666	Less often than once a week	347	23.82	20.54
777	Don't know	57	3.91	2.31
999	Refused	4	0.27	0.11
BLANK	Skip filled	15,236		

PRO-AIR HFA: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1391-1392

Type: NUM

SAS Variable Name: ILP10_41

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 canisters	1,150	78.93	81.55
77	Don't know	64	4.39	2.79
88	None/Less than 1 full canister	239	16.40	15.57
99	Refused	4	0.27	0.08
BLANK	Skip filled	15,236		

SYMBICORT: SIZE

Survey: ADULT Asthma Call-Back

Column: 1393

Type: NUM

SAS Variable Name: ILP01_42

Prologue:

Description: Q8.11 Are there 80, 100, or 200 puffs in the [MEDICINE FROM INH_MEDS SERIES] inhaler that you use?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

SYMBICORT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1394

Type: NUM

SAS Variable Name: ILP02_42

Prologue:

Description: Q8.12 How long have you been taking [MEDICINE FROM INH_MEDS SERIES]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	148	19.50	19.78
2	6 months to 1 year	155	20.42	18.84
3	Longer than 1 year	453	59.68	61.21
7	Don't know/Not sure	2	0.26	0.13
9	Refused	1	0.13	0.05
BLANK	Skip filled	15,934		

SYMBICORT: WHETHER SPACER USED

Survey: ADULT Asthma Call-Back

Column: 1395

Type: NUM

SAS Variable Name: ILP03_42

Prologue: A spacer is a small attachment for an inhaler that makes it easier to use.

Description: Q8.13 Do you use a spacer with [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	220	28.99	25.42
2	No	527	69.43	72.07
3	Medication is a disk inhaler, not a canister inhaler	3	0.40	2.26
7	Don't know/Not sure	7	0.92	0.21
9	Refused	2	0.26	0.05
BLANK	Skip filled	15,934		

SYMBICORT: WHEN ATTACK

Survey: ADULT Asthma Call-Back

Column: 1396

Type: NUM

SAS Variable Name: ILP04_42

Prologue:

Description: Q8.14 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] when you had an asthma episode or attack?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	302	39.79	39.90
2	No	386	50.86	52.78
3	No attack in past 3 months	66	8.70	7.05
7	Don't know/Not sure	5	0.66	0.26
BLANK	Skip filled	15,934		

SYMBICORT: BEFORE EXERCISING

Survey: ADULT Asthma Call-Back

Column: 1397

Type: NUM

SAS Variable Name: ILP05_42

Prologue:

Description: Q8.15 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] before exercising?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	214	28.19	30.42
2	No	447	58.89	54.10
3	Didn't exercise in past 3 months	91	11.99	15.11
7	Don't know/Not sure	5	0.66	0.08
9	Refused	2	0.26	0.29
BLANK	Skip filled	15,934		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

SYMBICORT: REGULAR SCHEDULE

Survey: ADULT Asthma Call-Back

Column: 1398

Type: NUM

SAS Variable Name: ILP06_42

Prologue:

Description: Q8.16 In the past 3 months, did you take [MEDICINE FROM INH_MEDS SERIES] on a regular schedule every day?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Yes	616	81.16	77.76
2	No	142	18.71	22.23
7	Don't know/Not sure	1	0.13	0.01
BLANK	Skip filled	15,934		

SYMBICORT: NUMBER OF PUFFS

Survey: ADULT Asthma Call-Back

Column: 1399-1400

Type: NUM

SAS Variable Name: ILP07_42

Prologue:

Description: Q8.17 On average, how many puffs do you take each time you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1 - 76	01-76 puffs	753	99.21	98.60
77	Don't know	5	0.66	1.33
99	Refused	1	0.13	0.07
BLANK	Skip filled	15,934		

SYMBICORT: TIMES PER DAY/WEEK

Survey: ADULT Asthma Call-Back

Column: 1401-1403

Type: NUM

SAS Variable Name: ILP08_42

Prologue:

Description: Q8.18 How many times per day or per week do you use [MEDICINE FROM INH_MEDS SERIES]?

Value	Value Label	Frequency	Percentage	Weighted Percentage
301 - 399	Days	624	82.21	72.95
401 - 499	Weeks	84	11.07	20.15
555	Never	3	0.40	0.52
666	Less often than once a week	42	5.53	6.27
777	Don't know	6	0.79	0.11
BLANK	Skip filled	15,934		

SYMBICORT: NUMBER OF CANISTERS

Survey: ADULT Asthma Call-Back

Column: 1404-1405

Type: NUM

SAS Variable Name: ILP10_42

Prologue:

Description: Q8.19 How many canisters of this inhaler have you used in the past 3 months?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL ACCOLATE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1406

Type: NUM

SAS Variable Name: PILLX_1

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	2.04	0.33
3	Longer than 1 year	48	97.96	99.67
BLANK	Skip filled	16,644		

PILL AEROLATE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1407

Type: NUM

SAS Variable Name: PILLX_2

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	16,692		

PILL ALBUTEROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1408

Type: NUM

SAS Variable Name: PILLX_3

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	7	17.50	17.16
2	6 months to 1 year	2	5.00	7.36
3	Longer than 1 year	31	77.50	75.48
BLANK	Skip filled	16,653		

PILL ALUPENT: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1409

Type: NUM

SAS Variable Name: PILLX_4

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

PILL CHOLEDYL (OXTRIPHYLLINE): HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1410

Type: NUM

SAS Variable Name: PILLX_5

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	1	100.00	100.00
BLANK	Skip filled	16,692		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL DELTASONE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1411

Type: NUM

SAS Variable Name: PILLX_7

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	16,691		

PILL ELIXOPHYLLIN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1412

Type: NUM

SAS Variable Name: PILLX_8

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

PILL MEDROL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1413

Type: NUM

SAS Variable Name: PILLX_11

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	40.00	83.96
3	Longer than 1 year	3	60.00	16.04
BLANK	Skip filled	16,688		

PILL METAPREL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1414

Type: NUM

SAS Variable Name: PILLX_12

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

PILL METAPROTERONOL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1415

Type: NUM

SAS Variable Name: PILLX_13

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL METHYLPREDNISOLONE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1416

Type: NUM

SAS Variable Name: PILLX_14

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	40.00	24.26
3	Longer than 1 year	2	40.00	31.39
9	Refused	1	20.00	44.35
BLANK	Skip filled	16,688		

PILL MONTELUKAST: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1417

Type: NUM

SAS Variable Name: PILLX_15

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	4	100.00	100.00
BLANK	Skip filled	16,689		

PILL PEDIAPRED: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1418

Type: NUM

SAS Variable Name: PILLX_17

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

PILL PREDNISOLONE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1419

Type: NUM

SAS Variable Name: PILLX_18

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	9	45.00	51.86
2	6 months to 1 year	1	5.00	1.84
3	Longer than 1 year	10	50.00	46.31
BLANK	Skip filled	16,673		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL PREDNISONE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1420

Type: NUM

SAS Variable Name: PILLX_19

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	147	43.49	56.72
2	6 months to 1 year	20	5.92	6.20
3	Longer than 1 year	166	49.11	35.78
7	Don't know/Not sure	3	0.89	1.12
9	Refused	2	0.59	0.18
BLANK	Skip filled	16,355		

PILL PROVENTIL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1421

Type: NUM

SAS Variable Name: PILLX_21

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	5	100.00	100.00
BLANK	Skip filled	16,688		

PILL RESPID: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1422

Type: NUM

SAS Variable Name: PILLX_23

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

PILL SINGULAIR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1423

Type: NUM

SAS Variable Name: PILLX_24

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	138	8.01	13.15
2	6 months to 1 year	120	6.96	10.61
3	Longer than 1 year	1,456	84.50	75.96
7	Don't know/Not sure	7	0.41	0.19
9	Refused	2	0.12	0.09
BLANK	Skip filled	14,970		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL SLO-PHYLLIN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1424

Type: NUM

SAS Variable Name: PILLX_25

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	16,691		

PILL SLO-BID: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1425

Type: NUM

SAS Variable Name: PILLX_26

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	16,691		

PILL THEO-24: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1426

Type: NUM

SAS Variable Name: PILLX_28

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	3	100.00	100.00
BLANK	Skip filled	16,690		

PILL THEOCHRON: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1427

Type: NUM

SAS Variable Name: PILLX_30

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

PILL THEOCLEAR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1428

Type: NUM

SAS Variable Name: PILLX_31

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL THEODUR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1429

Type: NUM

SAS Variable Name: PILLX_32

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	2	11.76	35.53
3	Longer than 1 year	15	88.24	64.47
BLANK	Skip filled	16,676		

PILL THEO-DUR: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1430

Type: NUM

SAS Variable Name: PILLX_33

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	5	100.00	100.00
BLANK	Skip filled	16,688		

PILL THEOPHYLLINE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1431

Type: NUM

SAS Variable Name: PILLX_35

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	6	4.35	5.76
2	6 months to 1 year	6	4.35	6.04
3	Longer than 1 year	124	89.86	87.36
7	Don't know/Not sure	2	1.45	0.84
BLANK	Skip filled	16,555		

PILL THEOSPAN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1432

Type: NUM

SAS Variable Name: PILLX_37

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

PILL T-PHYL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1433

Type: NUM

SAS Variable Name: PILLX_40

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
BLANK	Skip filled	16,693		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL UNIPHYL: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1434

Type: NUM

SAS Variable Name: PILLX_42

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	4	100.00	100.00
BLANK	Skip filled	16,689		

PILL VENTOLIN: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1435

Type: NUM

SAS Variable Name: PILLX_43

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	1	25.00	0.81
2	6 months to 1 year	1	25.00	20.94
3	Longer than 1 year	2	50.00	78.25
BLANK	Skip filled	16,689		

PILL VOLMAX: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1436

Type: NUM

SAS Variable Name: PILLX_44

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	16,691		

PILL ZAFIRLUKAST: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1437

Type: NUM

SAS Variable Name: PILLX_45

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	3	25.00	12.85
3	Longer than 1 year	9	75.00	87.15
BLANK	Skip filled	16,681		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

PILL ZILEUTON: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1438

Type: NUM

SAS Variable Name: PILLX_46

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
2	6 months to 1 year	1	100.00	100.00
BLANK	Skip filled	16,692		

PILL ZYFLO FILMTAB: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1439

Type: NUM

SAS Variable Name: PILLX_47

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Less than 6 months	2	22.22	15.68
2	6 months to 1 year	3	33.33	76.20
3	Longer than 1 year	4	44.44	8.12
BLANK	Skip filled	16,684		

PILL TERBUTALINE (+ T. SULFATE): HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1440

Type: NUM

SAS Variable Name: PILLX_48

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	66.67	14.23
7	Don't know/Not sure	1	33.33	85.77
BLANK	Skip filled	16,690		

PILL BRETHINE: HOW LONG USED

Survey: ADULT Asthma Call-Back

Column: 1441

Type: NUM

SAS Variable Name: PILLX_49

Prologue:

Description: Q8.22 How long have you been taking [MEDICATION LISTED IN PILLS_MD]? Would you say less than 6 months, 6 months to 1 year, or longer than 1 year?

Value	Value Label	Frequency	Percentage	Weighted Percentage
3	Longer than 1 year	2	100.00	100.00
BLANK	Skip filled	16,691		

INTERIM ADULT ASTHMA CALL-BACK WEIGHT

Survey: ADULT Asthma Call-Back

Column: 1442-1451

Type: NUM

SAS Variable Name: WEIGHT_IN

Prologue:

Description: INTERIM ADULT ASTHMA CALL-BACK WEIGHT

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Interim adult asthma call-back weight	16,693	100.00	100.00

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

ADULT ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Survey: ADULT Asthma Call-Back

Column: 1452-1461

Prologue:

Description: ADULT ASTHMA CALL-BACK POST STRATIFICATION FACTOR

Type: NUM
SAS Variable Name: POST

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Adult asthma call-back post stratification factor	16,693	100.00	100.00

FINAL ADULT ASTHMA CALL-BACK WEIGHT

Survey: ADULT Asthma Call-Back

Column: 1462-1471

Prologue:

Description: FINAL ADULT ASTHMA CALL-BACK WEIGHT

Type: NUM
SAS Variable Name: LANDWT_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
HIDDEN	Final adult asthma call-back weight	16,693	100.00	100.00

REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK.

Survey: ADULT Asthma Call-Back

Column: 1472

Prologue:

Description: REGIONS COLLAPSED TO 1 REGION FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: REGION_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Regions are collapsed to 1 region	10,497	100.00	100.00
BLANK	No region collapsed	6,196		

RACE COLLAPSED TO 1 GROUP FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1473

Prologue:

Description: RACE COLLAPSED TO 1 GROUP FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: RACEG_F

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Races are collapsed to 1 group	16,693	100.00	100.00

AGE COLLAPSED TO 7 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1474

Prologue:

Description: AGE COLLAPSED TO 7 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGEG_F7

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 24	452	2.71	16.03
2	Age 25 - 34	1,087	6.51	18.45
3	Age 35 - 44	1,797	10.76	17.82
4	Age 45 - 54	3,053	18.29	17.73
5	Age 55 - 64	4,655	27.89	15.40
6	Age 65 - 74	3,521	21.09	9.29
7	Age 75+	2,128	12.75	5.29

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

AGE COLLAPSED TO 5 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1475

Prologue:

Description: AGE COLLAPSED TO 5 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGE_G_F5

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	1,292	9.12	34.26
2	Age 35 - 44	1,517	10.70	17.88
3	Age 45 - 54	2,583	18.23	17.81
4	Age 55 - 64	3,984	28.11	15.44
5	Age 65+	4,796	33.84	14.61
BLANK	Missing	2,521		

AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1476

Prologue:

Description: AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGE_G_F4

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	614	8.83	33.87
2	Age 35 - 44	747	10.74	19.17
3	Age 45 - 54	1,228	17.65	17.27
4	Age 55+	4,367	62.78	29.69
BLANK	Missing	9,737		

AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1477

Prologue:

Description: AGE COLLAPSED TO 4 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGE_G_F4_M

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 44	1,361	19.57	53.04
2	Age 45 - 54	1,228	17.65	17.27
3	Age 55 - 64	1,942	27.92	15.31
4	Age 65+	2,425	34.86	14.38
BLANK	Missing	9,737		

AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1478

Prologue:

Description: AGE COLLAPSED TO 3 GROUPS FOR ASTHMA CALL-BACK

Type: NUM
SAS Variable Name: AGE_G_F3

Value	Value Label	Frequency	Percentage	Weighted Percentage
1	Age 18 - 34	128	9.43	35.38
2	Age 35 - 54	364	26.80	36.73
3	Age 55+	866	63.77	27.89
BLANK	Missing	15,335		

**ASTHMA CALL-BACK SURVEY
UNITED STATES CODEBOOK REPORT, 2011**

AGE COLLAPSED TO 2 GROUPS FOR ASTHMA CALL-BACK

Survey: ADULT Asthma Call-Back

Column: 1479

Prologue:

Description: AGE COLLAPSED TO 2 GROUPS FOR ASTHMA CALL-BACK

Type: NUM

SAS Variable Name: AGEG_F2

Value	Value Label
1	Age 18 - 44
2	Age 45+
BLANK	Missing

Frequency	Percentage	Weighted Percentage
126	18.67	54.11
549	81.33	45.89
16,018		

ADULT ASTHMA CALL-BACK ADJUST FACTOR

Survey: ADULT Asthma Call-Back

Column: 1480-1487

Prologue:

Description: ADULT ASTHMA CALL-BACK ADJUST FACTOR

Type: NUM

SAS Variable Name: ADJUST

Value	Value Label
HIDDEN	Adult asthma call-back post stratification adjust factor

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

RESPONDENT IDENTIFIER

Survey: ADULT Asthma Call-Back

Column: 1488

Prologue:

Description: Which person in the household was selected as the focus of the call-back?

Type: NUM

SAS Variable Name: ADLTCHLD

Value	Value Label
1	Adult

Frequency	Percentage	Weighted Percentage
16,693	100.00	100.00

ACTIVE ASTHMA STATUS

Survey: ADULT Asthma Call-Back

Column: 1490

Prologue:

Description: Active Asthma Status

Type: NUM

SAS Variable Name: ACTASTH

Value	Value Label
1	Active Asthma
2	Inactive Asthma

Frequency	Percentage	Weighted Percentage
13,108	78.52	73.33
3,585	21.48	26.67