



CARLINK Vehicle Paging Satellite Command System

- ❖ A great add-on to a Code-Alarm vehicle security or remote start system
- You can command your system via any touch-tone phone from anywhere in the world
 - Arm/Disarm your system*
 - Lock/Unlock your doors*
 - Remote start your vehicle*
 - Carjack-theft vehicle mode*
 - Parked car finder

* The vehicle must be capable of performing these functions

- Toll-free telephone access number included (800-495-7677)
- No additional subscription, activation, or monthly use fees for the <u>lifetime</u> of the product





CARLINK Vehicle Paging Satellite Command System

- The CL-100 is a simple plug-in module to any Code-Alarm Security System with a Telematics port
- ❖ For those customers that did not purchase a security system with a Telematics port, they will need the CAUGM interface module
 - > This allows the CL-100 to interface with any of our Code-Alarm security systems without a Telematics port or with OEM keyless entry systems
 - The CAUGM has outputs for door locks, flashing lights, remote start, and trunk release
- For those customers that have power locks, but no keyless entry, they will need the CAUGM <u>Plus</u> the CCTRX
 - > The CCTRX contains (2) carbon fiber transmitters plus a receiver unit with antenna





Service Coverage Area

To check the availability of service in your area, please visit

www.satronics.com/links_f.html

view paging products wireless service coverage by state or zip code





- The Authorized Dealer ID registration/application form must be completed and faxed to 1-805-856-2216
 - The Dealer needs to register only one-time
 - The form will be returned to the Dealer via fax with their authorized dealer ID number indicated
 - CARLINK units will not be tested or activated without this number which is also required on the consumers contract







- The control module is designed to be mounted under the dashboard, keeping in mind that the antenna is a PC board/mount antenna
- The unit should be mounted high in the dashboard as possible with only plastic above to allow the unit to properly receive the page signal from the satellite
- ❖ The unit should be mounted within 36" of the host alarm module to ensure that the 4-pin cable reaches from the CL-100
- The CL-100 should not be mounted near any antenna/radiator/blower motor that may interfere with the reception or mounted to metal braces, or any other control module which may adversely effect the signal
- Be sure to record the unit's serial number found on back of the module before installation
- After the host module has been installed and thoroughly tested, connect the four-pin harness from the CL-100 to the host module







- Test the CL-100 operation by dialing 1-800-495-7677
- You will hear the following instructions;
 - "Welcome to your vehicle command center"
 - For English press (1)
 - For customer commands press (1)
 - For Dealer testing of stand-alone paging products press (2)
 - For Dealer testing of alarm products press (3)
 - Please enter your dealer I/D, (XXXX) followed by the # sign
 - Please enter your pin code (XXXX), followed by the # sign
 - Please enter the serial number to be tested (XXXX) followed by the # sign
 - > Selection of voice prompts for feature testing are as follows:

<u>VPI</u>	Command	Alarm Response
1	Arm Alarm	1 - light flash, 1- siren chirp
2	Disarm Alarm	2 - light flashes, 2 - siren chirps
3	Door Unlock	Door unlock
4	Carjack/Theft	Full Trigger
5	Alarm Reset	Reset (armed mode)
6	Car Finder	1- light flash every 5 seconds for 3 minutes
7	Aux 1 output	Aux 1, 1 second (-) pulse output
	4L∕I⊋M	 - (i.e. remote start or trunk release)





- The Satronics wireless service contract must be signed by the vehicle owner in order for the system to be activated
- There are no additional fees required, however the contract states that Satronics is authorized by consent of the vehicle owner to send commands to the CARLINK unit
- Complete and faxed to; 1-805-856-2216
 - The 7-digit subscriber number is unique and printed on the service contract during manufacturing. It is not located on the unit
 - It may take up to 24 –hours for the service to become available







• We have included a convenient wallet card for the consumer

CL-100/PT-100 Wallet Card Rear Side

Chosyourunit has been registered and you've susigned a new pasecode, enter the information in the spaces provided below and losep this card with you as you will need this information to access your vehicle.

RECORD YOUR SUBSCRIBER NUMBER

PIN NUMBER

To access your vehicle, call toll free 1-800-485-7877

Press 1 Then Follow the Voice Prompt interface (VPI) for operation of the options available to you.

CL-100/PT-100 Wellet Card Front Side







Frequently Asked Questions

- Q. As the owner of the vehicle, can I change my PIN code at anytime after activation?
- A. Yes, we suggest that you do that when you get home and keep a record of it with the included wallet card
- Q. The installer has misplaced the service contract that contains the unique registration number, can they still activate the unit?
- A. No, if for some reason the form is misplaced, Satronics can send them another form. The installer must write the serial number from the installed device on the registration form and the information is entered into the system. It is at that time that the subscriber number is tied to a particular device
- Q. On occasion, I try to start my car or unlock my doors and the command did not happen, why?
- A. Just like pagers, sometimes the vehicle might be situated in a poor signal coverage area. It also might be due to the location of the module placed within the dashboard. Changing the placement of the module could help solve the problem



