




E

January 21, 2021

Dear luymfu,

This is the Kaiser Permanente Saliva Home Collection Kit that you requested. This test will ask you to collect a sample of your saliva. Test results are usually available on kp.org within 48 hours of when we receive your sample.

Please return the sample back to us using the pre-paid package enclosed following the shipping options on the bottom of this page. Please return sample back on the same day it was collected. For people 18 years old and older.



Shipping Instructions

- 1. You can schedule online to have UPS pick up this package at your address by going to wwwapps.ups.com/pickup/schedule (Monday through Friday) OR
- 2. You can take it to any UPS Store location Monday through Friday (go to www.ups.com/dropoff to learn more; be sure to drop off your completed kit before the latest 'Air' drop-off time) OR
- 3. Find a Kaiser Permanente drop-off facility at thrive.kaiserpermanente.org/care-nearyou/southern-california/southern-california-covid-19-testing-locations/. Not all testing sites are open 7 days/week. This link will provide you with days and hours of operation for each site.

Collect your sample (Monday through Friday) on the same day that pick-up, drop-off or shipment is made. Please check the links above ahead of time to plan accordingly.

See reverse side for:

- ✓ Sample collection instructions
- ✓ Lab slip and label
- ✓ Important FDA information

Wash hands prior to sample collection. **Do not eat, drink, smoke or chew gum for 30 minutes** before providing the saliva sample. Do not ingest the liquid in the collection device. Wash with water if liquid solution comes in contact with eyes or skin. Follow all instructions provided in the collection device for sample collection. Not following the instructions exactly can lead to incorrect results.



container. Pull out the folded instruction sheet, read it, and follow all of the steps exactly.





Write in the date and time of collection on the form AND the label at the bottom of this page.



Peel the label off and wrap it onto the tube aligning with the existing barcode that is already on the tube.



Wrap the tube in the tissue, place it into this bag and seal it.



box with tape.







To see a video that shows you how to complete the test. scan this bar code

Please return sample back on the same day it was collected.

- This product is designed for the collection of human saliva samples.
- This product has not been FDA cleared or approved but has been authorized for emergency use by FDA under an EUA for use by SCPMG-RRL located at 13000 Peyton Drive, Chino Hills, CA 91709.
- This product has been authorized only for the detection of nucleic acid from SARS-CoV-2, not for any other viruses or pathogens.
- The emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of in vitro diagnostics for detection and/or diagnosis of COVID-19 under Section 564(b)(1) of the Federal Food, Drug and Cosmetics Act, 21 U.S.C. § 360bbb-3(b)(1), unless the declaration is terminated, or authorization is revoked sooner.

Please write the date and time of collection here



Complete this section after you collect the sample.

Patient: luymfu Pghhguil

Collection date: ____/ __dd / _yyyy

Collection time: _____: ___ AM PM

Please write the date and time of collection here










E

January 21, 2021

Dear Bcyygg,

This is the Kaiser Permanente Saliva Home Collection Kit that you requested. This test will ask you to collect a sample of your saliva. Test results are usually available on kp.org within 48 hours of when we receive your sample.

Please return the sample back to us using the pre-paid package enclosed following the shipping options on the bottom of this page. Please return sample back on the same day it was collected. For people 18 years old and older.



Shipping Instructions

- 1. You can schedule online to have UPS pick up this package at your address by going to wwwapps.ups.com/pickup/schedule (Monday through Friday) OR
- 2. You can take it to any UPS Store location Monday through Friday (go to www.ups.com/dropoff to learn more; be sure to drop off your completed kit before the latest 'Air' drop-off time) OR
- 3. Find a Kaiser Permanente drop-off facility at https://www.kpscalfyi.org/kp-employee-andphysician-covid-19-testing/. Not all testing sites are open 7 days/week. This link will provide you with days and hours of operation for each site.

Collect your sample (Monday through Friday) on the same day that pick-up, drop-off or shipment is made. Please check the links above ahead of time to plan accordingly.

See reverse side for:

- √ Sample collection instructions
- ✓ Lab slip and label
- ✓ Important FDA information

Wash hands prior to sample collection. **Do not eat, drink, smoke or chew gum for 30 minutes** before providing the saliva sample. Do not ingest the liquid in the collection device. Wash with water if liquid solution comes in contact with eyes or skin. Follow all instructions provided in the collection device for sample collection. Not following the instructions exactly can lead to incorrect results.



container. Pull out the folded instruction sheet, read it, and follow all of the steps exactly.





Write in the date and time of collection on the form AND the label at the bottom of this page.



Peel the label off and wrap it onto the tube aligning with the existing barcode that is already on the tube.



Wrap the tube in the tissue, place it into this bag and seal it.



box with tape.







To see a video that shows you how to complete the test, scan this bar code

Please return sample back on the same day it was collected.

- This product is designed for the collection of human saliva samples.
- This product has not been FDA cleared or approved but has been thorized for emergency use by FDA under an EUA for use by authorized laboratories.
- This product has been authorized only for the collection and maintenance of saliva specimens as an aid in the detection of nucleic acid from SARS CoV-2, not for any other viruses or pathogens.
- The emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of in vitro diagnostics for detection and/or diagnosis of COVID-19 under Section 564(b)(1) of the Federal Food, Drug and Cosmetics Act, 21 U.S.C. § 360bbb-3(b)(1), unless the declaration is terminated, or authorization is revoked sooner.

Please write the date and time of collection here



Complete this section after you collect the sample.

Patient: Bcyygq Hrpxcy

Collection time: _____: ___ AM PM

Please write the date and time of collection here



