



Certificate of Compliance

Certificate: 1064727 (LM 101507)

Master Contract: 155307

Project: 2754991

Date Issued: September 15, 2014

Issued to: MSA, Mine Safety Appliances Company

Ryan Labs-1100 Cranberry Woods Dr
Cranberry Township, PA 16066
USA
Attention: Becky Shearer

The products listed below are eligible to bear the CSA Mark shown



Wendy Zhu

Issued by: Wendy Zhu, Ph.D., P. Eng.

PRODUCTS

CLASS 7217 03 - OCCUPATIONAL HEALTH AND SAFETY PRODUCTS - Self Retracting Devices for PFAS

F1

The Following Products are CSA Certified to Class 7217-03, CSA Standard Z259.2.2-98 (R2009)

- Type 1 Self-Retracting Lanyard (SRL): "WORKMAN PFL" Series with the working length range from 1.8 m (6 ft) to 3.0 m (10 ft), and carrying the ATO Configuration #: "A-PFL-x-xx-x-x-x". (see Note #1 for Suffix "x").
- Type 1 Self-Retracting Lanyard (SRL) "WORKMAN MINI PFL" Series

Model	Type
10157802	Single - ARCA
10157803	Single - ARCA
10157804	Single - ARCA
10157805	Single - ARCA
10157806	Single - ARCA
10157807	Single - ARCA



Certificate: 1064727 (LM 101507)

Master Contract: 155307

Project: 2754991

Date Issued: September 15, 2014

10157808	Single -Swivel
10157809	Single -Swivel
10157810	Single -Swivel
10157831	Single -Swivel
10157832	Single –Swivel
10157833	Single –Swivel
10157852	Twin – Swivel
10157853	Twin – Swivel
10157854	Twin – Swivel
10157855	Twin – Swivel
10157856	Twin – Swivel
10157857	Twin – Swivel

- Type 2 Self-Retracting Lanyard Model APTURA LT-30 Carrying the ATO Configuration Number A-APT-C-xx-xx-xx-x

• **Type 2 Self-Retracting Lanyard “DYNA-LOCK” (SRL)**

Model	Cable Type	Cable Length
10006463	Stainless Steel	30m
10006464	Galvanized Steel	30m
10006465	Stainless Steel	22m
10006466	Galvanized Steel	22m
10006467	Stainless Steel	16m
10006468	Galvanized Steel	16m
10006469	Stainless Steel	10m
10006470	Galvanized Steel	10m
10017933	Stainless Steel	6.1m
10006446	Nylon Webbing	6.1m



Certificate: 1064727 (LM 101507)

Master Contract: 155307

Project: 2754991

Date Issued: September 15, 2014

10006447 Nylon Webbing 6.1m

Type 3 RSRL, Dynevac II, Model: 10081821, 16m/50ft, 10007782, 16 m/50ft, 10007783, 30m/95ft

Type 3 RSRL, Lynx Rescuer Model 10023016, 16m/50ft, 10023017, 30m/95ft

Note #1: For Certified Products to Standard CAN/CSA-Z259.2.2-98 (R2004), (Class 7217-03)

“x” is either alphabetic or numerical codes, and denotes the type of the approval (5th Position – alphabetic code “C”, “A” or “O”), the working lifeline length in ft (6th & 7th Position – numeric code “06”, “07”, “08”, “09”, “10”, “07G”, “08G”, “09G”, or “10G”), the type of PFL connectors (8th Position – numeric code “0”, “1”, “2”, “3”, “4”, “5” or “6”), the type of lifeline connectors (9th Position – numeric code “1”, “2”, “3”, “8”, “9” “B”, “D” or “E”) and the replacement lifeline code (10th Position – alphabetic code “N” or “Y”).

F3

The Following Products are CSA Certified to Class 7217-03, CSA Standard Z259.2.2-98 (R2009)

Type 1 SRL “Workman Twin Leg”

Models: 10118937, 10120050, 10120052, 10125271, 10125272

Type 2 SRL “Workman” Series

Models: 10119507, 10120724, 10121778, 10121834

APPLICABLE REQUIREMENTS

Standard CAN/CSA-Z259.2.2-98 (R 2009) - Self Retracting Devices for Personal Fall-Arrest Systems