

Issue No. 8 (2017-06-29)

Issue No. 6 (2016-09-28)

Issue No. 5 (2015-10-30) Issue No. 4 (2013-08-28)

Issue No. 3 (2012-07-16) Issue No. 2 (2011-10-20)

Issue No. 1 (2010-06-25)

Issue No. 0 (2008-02-19)

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification Scheme for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

| Certificate No.: IECEx UL 08.0001X | Issue No: 8 | Certificate history: |
|------------------------------------|-------------|----------------------|
|------------------------------------|-------------|----------------------|

Status: Current Issue No. 7 (2017-02-13)

Page 1 of 4

Date of Issue: 2017-06-29

Applicant: BW Technologies by Honeywell

Suite 110

4411 – 6 Street SE Calgary, Alberta, T2G 4E8

Canada

Equipment: Single Gas Monitors, GasAlert Extreme Series

Optional accessory:

Type of Protection: Intrinsic safety "ia"

Marking:

Ex ia IIC T4 Ga

-40°C ≤Tamb≤ 50°C

Approved for issue on behalf of the IECEx Erin LaRocco

Certification Body:

Position: Staff Engineer

Signature:

(for printed version)

Date: 2017-06-29

- 1. This certificate and schedule may only be reproduced in full.
- 2. This certificate is not transferable and remains the property of the issuing body.
- 3. The Status and authenticity of this certificate may be verified by visiting the Official IECEx Website.

Certificate issued by:

UL LLC 333 Pfingsten Road Northbrook IL 60062-2096 United States of America





Certificate No: IECEx UL 08.0001X Issue No: 8

Date of Issue: 2017-06-29 Page 2 of 4

Manufacturer: BW Technologies by Honeywell

Suite 110

4411 – 6 Street SE Calgary, Alberta, T2G 4E8

Canada

Additional Manufacturing location(s):

Ademco de Juarez

Ave. Valle del Cedro 1681

Parque Industrial Intermex

Ciudad Juarez, Chih, 32574

Mexico

RAE Systems (Shanghai) INC.

No. 990 E. Huiwang Road JIADING DISTRICT Shanghai 201815 Peoples Republic of

China

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended.

STANDARDS:

The electrical apparatus and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards:

IEC 60079-0 : 2011 Explosive atmospheres - Part 0: General requirements

Edition:6.0

IEC 60079-11: 2011 Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"

Edition:6.0

This Certificate **does not** indicate compliance with electrical safety and performance requirements other than those expressly included in the

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in

Test Report:

US/UL/ExTR08.0002/08

Quality Assessment Report:

NO/PRE/QAR16.0006/00 US/UL/QAR06.0006/10 US/UL/QAR07.0003/07



Certificate No: IECEx UL 08.0001X Issue No: 8

Date of Issue: 2017-06-29 Page 3 of 4

Schedule

EQUIPMENT:

Equipment and systems covered by this certificate are as follows:

The GasAlert Extreme Series are portable, battery-operated, single-gas monitors. They are intended for the detection of hydrogen sulfide, low methanol hydrogen sulphide, carbon monoxide (low hydrogen sensitivity), sulfur dioxide, chlorine, hydrogen cyanide, nitrogen dioxide, ammonia, high range ammonia, phosphine, oxygen depletion, ethylene oxide, nitric oxide, chlorine dioxide and ozone. The devices are powered by a self-contained battery and contain audible and visual alarms that are activated when conditions exceed preset limits. These devices are intended for use in an ambient temperature reange of -40° C \leq Ta \leq +50 $^{\circ}$ C with a T4 temperature code.

SPECIFIC CONDITIONS OF USE: YES as shown below:

The battery must be replaced in a non-hazardous location in accordance with the manufacturer's instructions. Only the Panasonic Part No. CR-2PE/BN 3V primary lithium cell may be used.



| Certificate No: | IECEx UL 08.0001X | Issue No: 8 | |
|--|--|-----------------------------------|--|
| Date of Issue: | 2017-06-29 | Page 4 of 4 | |
| DETAILS OF CERTIFICATE CHANGES (for issues 1 and above): | | | |
| Issue 1: Alternate cell, motor and fu | ise; evaluation to EPL Ga. | | |
| Issue 2: Additional manufacturing lo | ocation in United Kingdom added. | | |
| Issue 3: The manufacturer requeste instructions. | ed that the standards used be updated. Additionally, there we | ere changes to the label, BOM and | |
| Issue 4: The revisions to the device | e are minor and do not affect intrinsic safety. | | |
| Issue 5: Minor changes, update to I | atest editions of the standard and addition of an alternate ma | anufacturing location. | |
| Issue 6: The addition of a new man | ufacturing location. | | |
| Issue 7: Update documentation for | company address change. | | |
| Issue 8: Minor revisions to label and | d manual. Clarification of ambient temperature range being in | ndependent of target gas. | |
| | | | |