



POLAR SNOW CHAINS



2017

Supplier contact details:
Superior Industries Ltd
Wellington, New Zealand

Ph: 04 939 2100
Fax: 04 939 2110
Email: sales@superior.co.nz

+ CONTENTS

- 1 Selecting Snow Chains
- 1 Guidelines For Ordering
- 1 Freight
- 1 Stock Items
- 2 Snow Chain Product Guide
- 2 Chain Information - Customer Service
- 2 Guidelines for using Polar Snow Chains
- 3 Important Information
- 3 Warranty Terms
- 3 Maintenance
- 3 Product Specifications
- 4 Product Codes
- 5 Easy Fit Fitting Instructions
- 6 Easy Fit
- 7 Easy Fit Tyre Size Listing
- 8 Diamond
- 9 Diamond Tyre Size Listing
- 10 Compact 4x4
- 11 Compact 4x4 Tyre Size Listing
- 12 Diamond 4x4
- 13 Diamond 4x4 Tyre Size Listing

+ SELECTING SNOW CHAINS

- Go to www.polarsnowchains.co.nz
- If you have a smart phone you can scan the QR code below and link straight to the Polar website
- Enter the customer's tyre size into the snow chain selector (illustrated below)
- The Polar search engine will select suitable snow chains for the tyre size you have entered
- If the numbers the customer has given you look incorrect or are not listed on the website:
- Go to the customer's vehicle and physically check the tyre size to verify the numbers are correct

Select your tyre size:

Width:

Ratio:

Rim:



+ GUIDELINES FOR ORDERING

1. All orders must be faxed or emailed to Superior Industries Ltd: Fax 04 939 2110, Email sales@superior.co.nz
2. Please ensure you have ordered the correct chains for your customer's wheel size. Incorrectly ordered snow chains cannot be returned for credit.
3. All orders must have an order number and the branch name and address.
4. Polar snow chains are sold as a set. One set contains a pair of snow chains suitable for two wheels.
5. Allow up to 5 days for special orders within NZ (Diamond Special and Custom Special).
6. Special orders: Please write the tyre size on the order so we can verify the correct product is selected.

+ FREIGHT

New Zealand

- Single order freight is \$16 nationwide.
- Saturday deliveries are not available.
- Up to 15kg can be sent for \$16 within New Zealand on Poste Haste couriers.
- Allow a minimum of 3 days for freight to be transported down to the South Island.
- Where applicable an EQ freight surcharge of 17% will apply to South Island orders (until further notice). This does not apply to single orders.

+ STOCK ITEMS

Supercheap Auto branches do not carry the full range of Polar products. The full range is available from Superior Industries Ltd. Non-stock items need to be ordered from the supplier as a Store customer order. Store customer orders cannot be returned for credit. An order number and the branch details must be on the order.

Superior Industries Ltd

37 - 39 Eastern Hutt Rd, Wingate
Lower Hutt 5019
New Zealand

Ph: 04 939 2100 | Fax: 04 939 2110 | Email: sales@superior.co.nz

+ SNOW CHAIN PRODUCT GUIDE

Step by step instructions on how to use this guide.

- Read the Guidelines for use, Important Information, Warranty terms and Maintenance details first.
- Familiarise yourself with the different products and where the tyre size listings are found in the catalogue.
- Look at the Polar snow chains brochure. Familiarise yourself with the different products and how they are packaged.
- The product codes for each of the items listed in the brochure are on page 4 and on the back cover of this book.
- You will need to become familiar with these codes so you can find the Polar snow chain products in your computer system.
- The Easy Fit fitting instructions can be found on page 5. Read over these instructions to learn how the Easy Fit snow chains are fitted correctly.

+ CHAIN INFORMATION-CUSTOMER SERVICE

Below are the “Guidelines for using Polar snow chains” and “Important information” is on the following page. This information is included with all Polar snow chains and can be found on the back of the Fitting Instructions in every bag.

Please read these points carefully so that you can pass on the appropriate advice to the customer and learn the correct usage for Polar snow chains.

Direct customers to follow the fitting instructions supplied with each set of Polar snow chains before first use.

- Knowing how to use snow chains correctly and safely is very important
- Refer customers to the Polar website to view the video fitting instructions: www.polarsnowchains.co.nz

+ GUIDELINES FOR USING POLAR SNOW CHAINS

1. Do NOT exceed 20kph. Accelerate and decelerate slowly.
2. Try to keep speed consistent and avoid spinning or locking wheels.
3. Chains must be fitted tightly to optimise performance and maximise their life.
4. Snow chains must be suitable for the vehicle. Check with the car manufacturer or look in the vehicle manual.
5. Follow the directions supplied for fitting Polar snow chains. That is what they are there for.
6. Check snow chains each time before use for any signs of damage or excessive wear.
7. Do not deflate tyres to fit chains, ensure that the tyre pressures are the same as those recommended by the manufacturer.
8. Always pull off the road to a safe place before fitting, servicing or removing snow chains.
9. Avoid hitting curbs or ruts as these will damage your snow chains.
10. Failure to observe these warnings will cause damage to the chains or your vehicle, it will also invalidate the warranty.

Safe winter driving guidelines, now available online:

www.polarsnowchains.co.nz

+ IMPORTANT INFORMATION

- All Polar snow chains are sold as a set. One set contains a pair of chains suitable for two wheels.
 - Make certain the snow chains are the correct size for your tyres by fitting them before using them.
 - Ensure the customer checks the vehicle manual to see if snow chains can be used safely.
 - The vehicle manual will advise if snow chains can be fitted safely to the front or rear tyres.
 - On 2WD vehicles snow chains must be fitted to the driving wheels to gain traction and operate effectively. Look in your vehicle manual for directions.
 - Four-wheel drive and All-wheel drive vehicles will get better traction and control by fitting snow chains to all four wheels.
 - On some 4WD and SUV vehicles there may not be enough clearance between the front wheel and the struts or suspension assembly to fit snow chains.
 - Refer to your vehicle manual for instructions on using snow chains. Polar snow chains need sufficient clearance around the wheels to operate safely.
 - To prevent damage and to maximize the life of your Polar snow chains, they must be fitted tightly over the tyre.
 - Accurate sizing and correct fitment is key to performance and validity of warranty.
 - If Polar snow chains are not fitted tightly, move the vehicle forward 10m and re-tension chains until they are tight (there should be no slack chain around the tyre).
 - Recommended usage is on snowy road surfaces for all Polar snow chains. Manufacturer specifies that snow chains must be removed when leaving snow covered road surfaces.
 - Dry road surfaces cause rapid wear and heat build up that will cause damage or breakages voiding the warranty.
 - Failure to observe these warning will cause damage to the chains, the vehicle or yourself.
-

+ WARRANTY TERMS

- Polar Snow Chains are warranted to be fit for the purpose for which they were manufactured for a period of 90 days from the date of purchase.
- This warranty is subject to the user fully complying with the guidelines provided.
- Any failure to comply with such guidelines will invalidate the warranty hereby given.
- The manufacturers total liability shall be limited to the refund of the purchase price, repair or replacement of the faulty product (at the option of the manufacturer).
- All faulty goods must be returned to the manufacturer, at the cost of the purchaser, for warranty claims to be considered.

FAILURE TO FOLLOW THESE GUIDELINES WILL RESULT IN CANCELATION OF WARRANTY

+ MAINTENANCE

- After use we recommend cleaning any dirt, mud, ice or snow off the snow chains. Shake off any excess moisture and then leave your snow chains out of the bag to dry.
 - Doing this will minimise fatigue and optimise the performance of your chains.
 - Snow chains should be left out of the bag (indoors) to dry out and prevent rusting after use in wet conditions.
-

+ PRODUCT SPECIFICATIONS

4.5mm CASE HARDENED D-link chain
4.5mm High carbon spring wire
UV stabilized plastic tube spacers

- Polar snow chains come supplied in a tough water resistant nylon carry bag.
 - Colour fitting instructions and guidelines are stitched inside each bag.
 - Quick QR code link to free video instructions on each bag.
-

+ PRODUCT CODES

Passenger vehicle chains

Product	Size	Product code
Easyfit	GREEN	PSCEFG
	BLACK	PSCEFBK
	RED	PSCEFR
	ORANGE	PSCEFO
	BLUE	PSCEFB
	YELLOW	PSCEFY
	WHITE	PSCEFW
	YELLOW/RED	PSCEFYR
Diamond	GREEN	PSCDG
	BLACK	PSCDBK
	RED	PSCDR
	ORANGE	PSCDO
	BLUE	PSCDB
	YELLOW	PSCDY
	WHITE	PSCDW
	YELLOW/RED	PSCDYR

4WD/ SUV chains

Product	Size	Product code
Compact 4X4	GYG	PSCCO4X4GYG
	GYR	PSCCO4X4GYR
	GYB	PSCCO4X4GYB
	WYG	PSCCO4X4WYG
	WYR	PSCCO4X4WYR
Diamond 4x4	GYG	PSCD4X4GYG
	GYR	PSCD4X4GYR
	GYB	PSCD4X4GYB
	WYG	PSCD4X4WYG
	WYR	PSCD4X4WYR

Custom Build

Diamond Special	D Special	PSCDSP
Custom Special	C Special	PSCCB



+ EASY FIT FITTING INSTRUCTIONS



Hold tyre chains up and remove any twists so it hangs freely.
Tip: Ensure the "blackband" is on the bottom hoop with the open end facing the wheel.



Place tyre chains on the ground facing the wheel. Slide chains around behind the "driving wheels," e.g: front wheel drive.



Locate the hook and chain, marked with multi-coloured washers (see inset photo).



Lift hook and chain around the wheel and connect together at the top rear of the tyre.




Start rotating both plastic hoops anti-clockwise around the wheel.
Tip: Rotate both plastic hoops together.



Keep rotating both plastic hoops around the wheel until the "blackband" sits at the top (front) of the tyre.



Shuffle the tyre chains around so they sit squarely on the tyre and then start tightening the chains around the wheel.
Tip: Always adjust the inside rear hook first, then tighten the cam lever.




Ratchet the cam lever back and forth to increase the tension. Once tight, pull the cam lever back and secure it under the "side loop". Move vehicle forward 10m and readjust chains until they are very tight. Keep speed under 20kph.



Passenger Vehicle Chains

Designed specifically for Passenger vehicles: Station wagons, saloons, coupes, hatchbacks, vans and utes.

+ EASY FIT



Ladder Chain Pattern

Product Features

- New Zealand made quick fitting snow chains
- Easy fit snow chains available in eight different sizes
- Ladder chains provide good traction on snowy roads
- The Easy Fit product range will fit most standard car tyres
- Proven product with 30 years history in New Zealand
- Strong construction with a 90 day manufacturers warranty

Product specifications

- Ladder pattern design
- 4.5mm Case hardened D-Link chain
- Durable, hard-wearing snow chains suitable for New Zealand conditions

Recommended usage

- Consistent vehicle momentum reduces tyre slippage
- Easy Fit snow chains offer limited traction on mud and heavy off-road terrain
- Use extreme caution on ice - Even with properly fitted snow chains ice is dangerous
- To improve traction on winter roads manufacturer recommends using Diamond snow chains

Packaging

- Reinforced nylon water resistant bag with carry handles.
- Quick QR code link to free video instructions on each bag
- Colour fitting instructions and product usage guidelines are stitched into every bag.



+ TYRE SIZE LISTING

There are eight different Easy Fit sizes that are identified by a colour code. This code can be found on the front of the bag, ie: Easy Fit Red.

- Coloured washers are also used to identify the size of the tyre chain on the product.

GREEN PSCEFG	BLACK PSCEFBK	RED PSCEFR	ORANGE PSCEFO	BLUE PSCEFB	YELLOW PSCEFY	WHITE PSCEFW	YELLOW/RED PSCEFYR
155 R 12	175 - 65 - 13 175 - 70 - 13	165 R 13 175 R 13	195 - 65 - 14	185 R 13 195 R 13	205 R 14 205 - 75 - 14	235 - 60 - 14 245 - 60 - 14	235 - 70 - 14 215 R 15
145 R 13		185 - 70 - 13	195 - 55 - 15	205 - 70 - 13	215 - 70 - 14		215 - 75 - 15
155 R 13	175 - 65 - 14	195 - 70 - 13	195 - 60 - 15	215 - 70 - 13	225 - 60 - 14	195 - 80 - 15	215 - 80 - 15
165 - 70 - 13	185 - 55 - 14	205 - 60 - 13	205 - 50 - 15	225 - 70 - 13	225 - 65 - 14	205 - 70 - 15	225 - 70 - 15
175 - 55 - 13		215 - 50 - 13		235 - 50 - 13	245 - 50 - 14	205 - 75 - 15	225 - 75 - 15
185 - 60 - 13	175 - 55 - 15	215 - 60 - 13	185 - 55 - 16			215 - 70 - 15	235 - 70 - 15
185 - 65 - 13	195 - 45 - 15		195 - 50 - 16	175 R 14	195 R 15	225 - 60 - 15	245 - 60 - 15
195 - 55 - 13		165 R 14	195 - 55 - 16	185 R 14	215 - 60 - 15	235 - 60 - 15	265 - 50 - 15
	175 - 70 - 18	175 - 70 - 14		195 R 14	215 - 65 - 15		
155 - 14		185 - 60 - 14	205 - 45 - 17	195 - 70 - 14		195 - 75 - 16	195 - 85 - 16
165 - 65 - 14		185 - 65 - 14	215 - 40 - 17	205 - 55 - 14	185 - 75 - 16	205 - 70 - 16	205 - 75 - 16
165 - 70 - 14		185 - 70 - 14		205 - 70 - 14	195 - 65 - 16	215 - 60 - 16	215 - 65 - 16
175 - 60 - 14		185 - 75 - 14		215 - 60 - 14	205 - 55 - 16		225 - 60 - 16
		195 - 60 - 14			205 - 60 - 16	215 - 50 - 17	225 - 65 - 16
				185 - 65 - 15	205 - 65 - 16	215 - 55 - 17	
		175 - 65 - 15		185 - 75 - 15	215 - 55 - 16	225 - 50 - 17	215 - 60 - 17
		185 - 55 - 15		195 - 65 - 15	225 - 50 - 16	235 - 40 - 17	215 - 65 - 17
		185 - 60 - 15		195 - 70 - 15	225 - 55 - 16	235 - 45 - 17	225 - 55 - 17
		195 - 50 - 15		205 - 55 - 15		245 - 40 - 17	225 - 60 - 17
				205 - 60 - 15	205 - 50 - 17	245 - 45 - 17	235 - 50 - 17
		195 - 45 - 16		205 - 65 - 15	215 - 45 - 17	255 - 40 - 17	235 - 55 - 17
				225 - 50 - 15	225 - 45 - 17		255 - 45 - 17
		205 - 40 - 17				215 - 45 - 18	215 - 55 - 18
				175 - 75 - 16	215 - 35 - 19	225 - 40 - 18	235 - 40 - 18
				205 - 50 - 16		225 - 45 - 18	235 - 45 - 18
				215 - 45 - 16		245 - 40 - 18	245 - 45 - 18
							255 - 45 - 18
				215 - 35 - 18		225 - 35 - 19	265 - 35 - 18
						245 - 35 - 19	
							225 - 40 - 19
							245 - 40 - 19
							255 - 30 - 19
							255 - 35 - 19
							255 - 45 - 19

Disclaimer

The tyre sizes listed under each model are the best fit recommended by the manufacturer. There is up to 7% difference in the moulds between tyre brands. Superior Industries Ltd insists that all customers fit snow chains before first use to check sizing is correct (snow chains need to be a tight fit around the tyre).


Accurate sizing is key to performance and validity of warranty. Please refer to these listings to ensure you choose the correct product for your tyre size.

Products may vary slightly from photographs.

Passenger Vehicle Chains

Designed specifically for Passenger vehicles: Station wagons, saloons, coupes, hatchbacks, vans and utes.

+ DIAMOND



Diamond Chain Pattern

Product Features

- Diamond snow chains offer excellent traction in winter conditions
- Diamond pattern improves traction on snow, mud and heavy terrain
- Easier to fit on vehicles with minimal wheel clearance
- Better chain contact with the road when cornering and braking
- Durable, hard wearing snow chains with a proven history
- Diamond product range will fit most standard car tyres
- Diamond snow chains are quick and easy to fit

Product specifications

- 4.5mm Case hardened D-Link chain
- Diamond pattern offers better chain coverage across the tyre
- Durable, hard-wearing snow chains suitable for New Zealand conditions

Recommended usage

- Use caution on wet clay and aggressive off-road terrain
- Use extreme caution on ice - Even with properly fitted snow chains ice is dangerous

Packaging

- Reinforced nylon water resistant bag with carry handles
- Quick QR code link to free video instructions on each bag
- Colour fitting instructions and product usage guidelines are stitched into every bag



+ TYRE SIZE LISTING

There are nine different Diamond sizes that are identified by a colour code. This code can be found on the front of the bag, ie: Diamond Red.

- Coloured washers are also used to identify the size of the tyre chain on the product.
- Diamond Special (D Special) snow chains are only available by Special order. Contact Superior Industries Ltd for assistance.

GREEN PSCDG	BLACK PSCDBK	RED PSCDR	ORANGE PSCDO	BLUE PSCDB	YELLOW PSCDY	WHITE PSCDW	YELLOW/RED PSCDYR	D SPECIAL PSCDSP
155 R 12	175 - 65 - 13 175 - 70 - 13	165 R 13 175 R 13	195 - 65 - 14	185 R 13 195 R 13	205 R 14 205 - 75 - 14	235 - 60 - 14 245 - 60 - 14	235 - 70 - 14	225 - 15
145 R 13		185 - 70 - 13	195 - 55 - 15	205 - 70 - 13	215 - 70 - 14		215 R 15	205 - 16
155 R 13	175 - 65 - 14	195 - 70 - 13	195 - 60 - 15	215 - 70 - 13	225 - 60 - 14	195 - 80 - 15	215 - 75 - 15	205 - 80 - 16
165 - 70 - 13	185 - 55 - 14	205 - 60 - 13	205 - 50 - 15	225 - 70 - 13	225 - 65 - 14	205 - 70 - 15	215 - 80 - 15	205 - 85 - 16
175 - 55 - 13		215 - 50 - 13		235 - 50 - 13	245 - 50 - 14	205 - 75 - 15	225 - 70 - 15	
185 - 60 - 13	175 - 55 - 15	215 - 60 - 13	185 - 55 - 16			215 - 70 - 15	225 - 75 - 15	245 - 45 - 16
185 - 65 - 13	195 - 45 - 15		195 - 50 - 16	175 R 14	195 R 15	225 - 60 - 15	235 - 70 - 15	255 - 85 - 16
195 - 55 - 13		165 R 14	195 - 55 - 16	185 R 14	215 - 60 - 15	235 - 60 - 15	245 - 60 - 15	285 - 60 - 16
	175 - 70 - 18	175 - 70 - 14		195 R 14	215 - 65 - 15		265 - 50 - 15	
155 - 14		185 - 60 - 14	205 - 45 - 17	195 - 70 - 14		195 - 75 - 16	195 - 85 - 16	225 - 70 - 17
165 - 65 - 14		185 - 65 - 14	215 - 40 - 17	205 - 55 - 14	185 - 75 - 16	205 - 70 - 16	205 - 75 - 16	245 - 65 - 17
165 - 70 - 14		185 - 70 - 14		205 - 70 - 14	195 - 65 - 16	215 - 60 - 16	215 - 65 - 16	
175 - 60 - 14		185 - 75 - 14		215 - 60 - 14	205 - 55 - 16		225 - 60 - 16	235 - 50 - 18
		195 - 60 - 14			205 - 60 - 16	215 - 50 - 17	225 - 65 - 16	285 - 60 - 18
				185 - 65 - 15	205 - 65 - 16	215 - 55 - 17		
		175 - 65 - 15		185 - 75 - 15	215 - 55 - 16	225 - 50 - 17	215 - 60 - 17	275 - 55 - 20
		185 - 55 - 15		195 - 65 - 15	225 - 50 - 16	235 - 40 - 17	215 - 65 - 17	
		185 - 60 - 15		195 - 70 - 15	225 - 55 - 16	235 - 45 - 17	225 - 55 - 17	
		195 - 50 - 15		205 - 55 - 15		245 - 40 - 17	225 - 60 - 17	
				205 - 60 - 15	205 - 50 - 17	245 - 45 - 17	235 - 50 - 17	
		195 - 45 - 16		205 - 65 - 15	215 - 45 - 17	255 - 40 - 17	235 - 55 - 17	
				225 - 50 - 15	225 - 45 - 17		255 - 45 - 17	
		205 - 40 - 17				215 - 45 - 18	215 - 55 - 18	
				175 - 75 - 16	215 - 35 - 19	225 - 40 - 18	235 - 40 - 18	
				205 - 50 - 16		225 - 45 - 18	235 - 45 - 18	
				215 - 45 - 16		245 - 40 - 18	245 - 45 - 18	
							255 - 45 - 18	
				215 - 35 - 18		225 - 35 - 19	265 - 35 - 18	
						245 - 35 - 19		
							225 - 40 - 19	
							245 - 40 - 19	
							255 - 30 - 19	
							255 - 35 - 19	
							255 - 45 - 19	

Disclaimer

The tyre sizes listed under each model are the best fit recommended by the manufacturer. There is up to 7% difference in the moulds between tyre brands. Superior Industries Ltd insists that all customers fit snow chains before first use to check sizing is correct (snow chains need to be a tight fit around the tyre).


Accurate sizing is key to performance and validity of warranty. Please refer to these listings to ensure you choose the correct product for your tyre size.

Products may vary slightly from photographs.

4WD / SUV Chains

Intended for larger tyre sizes commonly found on: SUV's, camper vans, large utes, trucks and 4x4's.

+ COMPACT 4x4



Ladder Chain Pattern

Product features

- New Zealand made quick fitting snow chains
- Unique space saving design for easy storage
- Compact 4x4 product range will fit most tyres on 4x4's and SUV's
- Ladder pattern design offers good traction in winter conditions
- Compact 4x4 snow chains are designed to fit standard radial 4x4 tyres
- Proven product with 30 years history in New Zealand
- Strong construction with a 90 day manufacturers warranty

Product specifications

- Ladder pattern design
- 4.5mm Case hardened D-Link chain

Recommended usage

- Consistent vehicle momentum reduces tyre slippage
- Compact 4x4 snow chains offer limited traction on mud and heavy off-road terrain
- Use extreme caution on ice - Even with properly fitted snow chains ice is dangerous
- To improve traction on winter roads manufacturer recommends using Diamond snow chains

Packaging

- Reinforced nylon water resistant bag with carry handles
- Quick QR code link to free video instructions on each bag
- Colour fitting instructions and product usage guidelines are stitched into every bag



+ TYRE SIZE LISTING

There are five different Compact 4x4 sizes that are identified by a colour code. This code can be found on the front of the bag, i.e. Green/ Yellow/ Green (GYG)

- Coloured washers are also used to identify the size of the tyre chain on the product.

GREEN/ YELLOW/ GREEN PSCCO4X4GYG	GREEN/ YELLOW/ RED PSCCO4X4GYR	GREEN/ YELLOW/ BLACK PSCCO4X4GYB
225 - 80 - 15	255 - 70 - 15	265 - 60 - 18
235 - 75 - 15	265 - 70 - 15	
	265 - 75 - 15	285 - 45 - 19
215 - 70 - 16	275 - 70 - 15	
215 - 75 - 16		255 - 45 - 20
215 - 80 - 16	235 - 85 - 16	255 - 50 - 20
225 - 70 - 16	245 - 70 - 16	265 - 45 - 20
225 - 75 - 16	245 - 75 - 16	275 - 45 - 20
235 - 60 - 16	255 - 65 - 16	
235 - 65 - 16	255 - 70 - 16	265 - 40 - 22
235 - 70 - 16		
	245 - 70 - 17	
215 - 70 - 17	255 - 60 - 17	
225 - 65 - 17	265 - 55 - 17	
235 - 60 - 17		
235 - 65 - 17	235 - 60 - 18	
	235 - 65 - 18	
225 - 55 - 18	245 - 60 - 18	
225 - 60 - 18	255 - 60 - 18	
225 - 65 - 18		
235 - 55 - 18	245 - 55 - 19	
245 - 50 - 18	255 - 50 - 19	
	255 - 55 - 19	
225 - 55 - 19		
235 - 50 - 19	245 - 50 - 20	
235 - 55 - 19		
245 - 45 - 19	265 - 40 - 21	
255 - 40 - 19		
	265 - 35 - 22	
255 - 35 - 20		

WHITE/ YELLOW/ GREEN PSCCO4X4WYG	WHITE/ YELLOW/ RED PSCCO4X4WYR
255 - 70 - 16	265 - 70 - 16
	265 - 75 - 16
	275 - 70 - 16
255 - 65 - 17	
265 - 60 - 17	265 - 65 - 17
	265 - 70 - 17
255 - 50 - 18	275 - 65 - 17
255 - 55 - 18	
	285 - 50 - 18
275 - 45 - 19	265 - 50 - 19
275 - 40 - 20	265 - 50 - 20
	295 - 35 - 21
	285 - 35 - 22

Disclaimer

The tyre sizes listed under each model are the best fit recommended by the manufacturer. There is up to 7% difference in the moulds between tyre brands. Superior Industries Ltd insists that all customers fit snow chains before first use to check sizing is correct (snow chains need to be a tight fit around the tyre).


Accurate sizing is key to performance and validity of warranty. Please refer to these listings to ensure you choose the correct product for your tyre size.

Products may vary slightly from photographs.

4WD / SUV Chains

Intended for larger tyre sizes commonly found on: SUV's, camper vans, large utes, trucks and 4x4's.

+ DIAMOND 4x4



Product Features

- Diamond 4x4 snow chains offer excellent traction in winter conditions
- Diamond pattern improves traction on snow, mud and heavy terrain
- Diamond 4x4 snow chains are designed to fit standard radial 4x4 tyres
- Better chain contact with the road when cornering and braking
- Durable, hard wearing snow chains with a proven history
- Diamond 4x4 product range will fit most tyres on 4x4's and SUV's
- Diamond snow chains are quick and easy to fit

Product specifications

- 4.5mm Case hardened D-Link chain
- Diamond pattern offers better chain coverage across the tyre

Recommended usage

- Diamond 4x4 snow chains are not designed for aggressive off-road driving
- Diamond 4x4 snow chains will fit on some all-terrain tyres. These chains are not designed for mud tyres
- Use extreme caution on ice - Even with properly fitted snow chains ice is dangerous

Packaging

- Reinforced nylon water resistant bag with carry handles
- Quick QR code link to free video instructions on each bag
- Colour fitting instructions and product usage guidelines are stitched into every bag



NOTE: Diamond 4x4 snow chains have been constructed for use in normal winter road conditions.

+ TYRE SIZE LISTING

There are five different Diamond 4x4 sizes that are identified by a colour code. This code can be found on the front of the bag, i.e. Green/ Yellow/ Green (GYG)

- Coloured washers are also used to identify the size of the tyre chain on the product.

GREEN/ YELLOW/ GREEN PSCD4X4GYG	GREEN/ YELLOW/ RED PSCD4X4GYR	GREEN/ YELLOW/ BLACK PSCD4X4GYB
225 - 80 - 15	255 - 70 - 15	265 - 60 - 18
235 - 75 - 15	265 - 70 - 15	
	265 - 75 - 15	285 - 45 - 19
215 - 70 - 16	275 - 70 - 15	
215 - 75 - 16		255 - 45 - 20
215 - 80 - 16	235 - 85 - 16	255 - 50 - 20
225 - 70 - 16	245 - 70 - 16	265 - 45 - 20
225 - 75 - 16	245 - 75 - 16	275 - 45 - 20
235 - 60 - 16	255 - 65 - 16	
235 - 65 - 16	255 - 70 - 16	265 - 40 - 22
235 - 70 - 16		
	245 - 70 - 17	
215 - 70 - 17	255 - 60 - 17	
225 - 65 - 17	265 - 55 - 17	
235 - 60 - 17		
235 - 65 - 17	235 - 60 - 18	
	235 - 65 - 18	
225 - 55 - 18	245 - 60 - 18	
225 - 60 - 18	255 - 60 - 18	
225 - 65 - 18		
235 - 55 - 18	245 - 55 - 19	
245 - 50 - 18	255 - 50 - 19	
	255 - 55 - 19	
225 - 55 - 19		
235 - 50 - 19	245 - 50 - 20	
235 - 55 - 19		
245 - 45 - 19	265 - 40 - 21	
255 - 40 - 19		
	265 - 35 - 22	
255 - 35 - 20		

WHITE/ YELLOW/ GREEN PSCD4X4WYG	WHITE/ YELLOW/ RED PSCD4X4WYR
255 - 70 - 16	265 - 70 - 16
	265 - 75 - 16
255 - 65 - 17	275 - 70 - 16
265 - 60 - 17	
	265 - 65 - 17
255 - 50 - 18	265 - 70 - 17
255 - 55 - 18	275 - 65 - 17
	285 - 50 - 18
275 - 45 - 19	265 - 50 - 19
	265 - 50 - 20
275 - 40 - 20	295 - 35 - 21
	285 - 35 - 22

Disclaimer

The tyre sizes listed under each model are the best fit recommended by the manufacturer. There is up to 7% difference in the moulds between tyre brands. Superior Industries Ltd insists that all customers fit snow chains before first use to check sizing is correct (snow chains need to be a tight fit around the tyre).

Accurate sizing is key to performance and validity of warranty. Please refer to these listings to ensure you choose the correct product for your tyre size.

Products may vary slightly from photographs.

+ PRODUCT CODES

Passenger vehicle chains

<i>Product</i>	<i>Size</i>	<i>Product code</i>
Easyfit	GREEN	PSCEFG
	BLACK	PSCEFBK
	RED	PSCEFR
	ORANGE	PSCEFO
	BLUE	PSCEFB
	YELLOW	PSCEFY
	WHITE	PSCEFW
	YELLOW/RED	PSCEFYR
Diamond	GREEN	PSCDG
	BLACK	PSCDBK
	RED	PSCDR
	ORANGE	PSCDO
	BLUE	PSCDB
	YELLOW	PSCDY
	WHITE	PSCDW
	YELLOW/RED	PSCDYR

4WD/ SUV chains

<i>Product</i>	<i>Size</i>	<i>Product code</i>
Compact 4X4	GYG	PSCCO4X4GYG
	GYR	PSCCO4X4GYR
	GYB	PSCCO4X4GYB
	WYG	PSCCO4X4WYG
	WYR	PSCCO4X4WYR
Diamond 4x4	GYG	PSCD4X4GYG
	GYR	PSCD4X4GYR
	GYB	PSCD4X4GYB
	WYG	PSCD4X4WYG
	WYR	PSCD4X4WYR
<i>Custom Build</i>		
Diamond Special	D Special	PSCDSP
Custom Special	C Special	PSCCB

