

Ecma/TC38-TG3/2015/025 (Rev. 1 – 15 April 2015)

Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Canon	Logo
Company name *	Canon Europa N.V.	
Contact information *	environment@canon-europe.com	Canon
e-mail address		Canon
Internet site *	www.canon-europe.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	MFD			
Commercial name *	i-SENSYS MF641Cw			
Model number *	i-SENSYS MF641Cw			
Issue date *	2019/10/12			
Intended market *	🔄 Global 🔀 Europe 📃 Asia, Pacific & Japan 🗌 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution P12.1-P12.2 Ergonomic requirements.

Model n	umber *	i-SENSYS MF641Cw	Logo			
lssue da	ite *	2019/10/12		Ca	no	n
Produc	t environ	mental attributes - Legal requirements		Requir	ement	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with the current European RoHS Directive. (See legal reference and	d NOTE B1)	\square		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\square		
P1.3*	hydrobro trichloroe	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetr ethane, methyl bromide (see legal reference). Comment: Legal reference has n ration values.		,1-		
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% pol /l (PCT) in preparations (see legal reference).	ychlorinated	\boxtimes		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	carbon atoms	in the		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations abor al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	/e 0,5 μg/cm²,	week		\square
P1.7*		Article 33 information about substances in articles is available at (add URL or m	nail contact):			
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled w Information on proper disposal is provided in user manual. (See legal reference		al 🔀		
P2.2*	Batteries	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of c e)	admium. (See	legal 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\square		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The proc The Dec europe.	duct is CE-marked to show conformance with applicable legal requirements (see claration of Conformity can be requested at (add link or e-mail address): http://w com/ce-documentation/		ce). 🔀		
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		\square		
		d information is; given in item P15 or added to this document,		\boxtimes		
		available at (add URL): http://canon-europe.com/p	rinters/			
P4		nable materials				
P4.1*		o conductor (drum, belt etc.) is used in the product, it does not contain cadmium erence and NOTE B1).	1 max 0,01% (see 🔀		
P4.2*	If ink/ton	er is used in the product, it does not contain cadmium max 0,1% by weight (see	e legal referen	ce). 🔀		
P4.3*	are Com applicab	/toner formulation/preparation is classified as hazardous or contains a substanc imunity workplace exposure limits, the product/packaging is adequately labeled le regulations and a Safety Data Sheet (SDS) in accordance with these requirer al reference).	according to			
P5	Product	packaging				
P5.1*	Packagii hexavale	ng and packaging components do not contain more than 0,01% lead, mer ent chromium by weight of these together.	-			
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the natu ee legal reference).	ure of the mate	erial(s) 🔀		
P5.3*	The pro Protocol	duct packaging material is free from ozone depleting substances as specif (see legal reference). nt: Legal reference has no maximum concentration values.	ied in the Mo	ontreal 🔀		
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).		\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		i-SENSYS MF641Cw	Logo			_
Issue date *		2019/10/12		Ca	10	n
	Environm	nental attributes - Market requirements (See General NOTE GN below) nental conscious design		Require		
Item		ory to fill in. Additional information regarding each item may be found under P14.		Yes	No r	.a.
P7	Design	nbly, recycling				
P7.1*		have to be treated separately are easily separable				
P7.2*		aterials in covers/housing have no surface coating.			+	⊢⊢
P7.3*		Ints > 100 g consist of one material or of easily separable materials.			<u> </u>	<u> </u>
P7.4*		rts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	⊢⊢
P7.5		Its are free from metal inlays or have inlays that can be removed with commonly available in the second state of the second st	ailable too		<u> </u>	<u>+</u>
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).			<u> </u>	<u> </u>
F7.0	Product					
P7.7*		g can be done e.g. with processor, memory, cards or drives				
P7.8*		g can be done using commonly available tools			\overline{H}	┢
P7.9.		rts are available after end of production for: years				<u> </u>
P7.10		available after end of production for: years				╞
17.10		and substance requirements				
P7.11*		over/housing material type (e.g. plastics, metal, aluminum):				
		ype: PC+ABS Material type: ABS Material	type:			
P7.12	Insulatior	materials of external electrical cables are PVC free.			\square	
P7.13	Insulation	materials of internal electrical cables are PVC free.			\square	
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bro 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ch g more than 25% post-consumer recycled content.	retardants	, and 📃		
P7.15	Printed of	ircuit boards, PCBs (without components) are low halogen: all \square PCBs > 25 as defined in IEC 61249-2-21. (See NOTE B2)	g 🗌 are	e low		
P7.16		arded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17	<u>Alt. 1: Ch</u>	emical specifications of flame retardants in printed circuit boards > 25 g (without con additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name:	nponents): CAS #:			
		emical specifications of flame retardants in printed circuit boards (without componen I ISO 1043-4:	ts) > 25 g			
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/ ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	preparatio	ns in		
	Alt. 2: Ch	emical specifications of flame retardants in plastic parts > 25 g according ISO 1043-	4:			
P7.19	In plastic assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which h the following Risk phrases; and Hazard statements:	ave been			
D= <i>c</i> = 1			OTE B5)	<u></u>		
P7.20*	Postcons	umer recycled plastic material content is used in the product (See NOTE B6):		\boxtimes	\Box	
	a) Of to perc	least one of the two alternatives below shall be answered; tal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (entage of total plastic by weight) is %.	calculated	l as a		
	or b) The	weight of recycled material is 16.4 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	mber *	i-SENSYS	MF641Cw			Logo		
Issue date * 2019/10/		2019/10/1	2				Can	DM
Product	environn	nental atti	ibutes - Market red	quirements (cont	inued)		Requirem	nent me
Item							Yes	No n.a
D7.04*			ance requirements (c					
P7.21*			terial content is used in		,			
	a) Of t tota or	otal plastic I plastic by		the biobased plastic	vered; material content (calcu	lated as a perce	entage of	
P7.22*	Light sou	irces are fre	e from mercury, i.e. le becify: Number of lamp	ss than 0,1 mg/lam	o. num mercury content pe	er lamp: r	ng	
P8	Batteries		ceny. Number of lamp			inamp. i	ing	
P8.1*			mposition: <i>Lithium</i>					
P9			on (See NOTE B8)					
P9.1			following power levels	or energy consump	tions are reported:			
Energy mo			Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/St modes and te		ergy
	de for ENE perational lucts		W	W	W			
Standby/off mode for ENERGY STAR Operational Mode (OM) products		erational	W	W	W			
TEC value for ENERGY STAR TEC products		kWh/week	kWh/week	0.5 kWh/week		AR (US scheme), iteria Version 2.0 ipment	for	
(TEC= Typical Energy Consumption)				<i>0.19</i> kWh/week	ENERGY ST	AR (US scheme), iteria Version 3.0	for	
MAX			W	W	850 W	Canon's Ow	n Standard	
Printing(/	Average)		W	W	370 W	Canon's Ow	n Standard	
Standby			W	W	11.0 W	Canon's Ow	n Standard	
Low Pow	er		W	W	W	Canon's Ow	n Standard	
Sleep			W	W	0.8 W	Canon's Ow	n Standard	
			W	W	W			
External P	ower Supp	ly Efficienc	y Level (International E	Efficiency Markina P	rotocol) * :			
Print/Scar			18 images per minute	,	,			
	•		e mode: 1 minutes					
P9.2*			e energy save function	is provided with the	e product			
	Emissio							
P10		-	Declared according to I	SO 9296 (See NOT	E B9)			
P10.1	Mode		Declared according to ISO 9296 (See NOTE B9) Iode description Statistical upper limit A-weig LWA,c (B) LWA,c (B)		veighted sound	oower level,		
	Idle	*	Standby	*	Not Detect			
	Operatio		Print		6.4			
	Other mo							
	Measure	d according		ECMA-74 only if not covered l	by ECMA-74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	i-SENSYS MF641Cw	Logo				
Issue date	9 *	2019/10/12		Can	011		
Product	environ	mental attributes - Market requirements (continued)		Requirer	nent me		
Item				Yes	No n.a		
		cal emissions from printing products (See NOTE B10)					
P10.2*		rformed according to ECMA-328 Determination of Chemical Emission Rates from ent (ISO/IEC 28360) , other specify:	Electronic				
P10.3	Typical	emission rate (operation phase) is (mg/h):					
	Electrop Ink devi	bhotographic devices: Ozone <loq(=0.12) 0.11="" 0.66="" benzene<br="" dust="" styrene="">ices: Dust Styrene Benzene</loq(=0.12)>	0.00 TVOC	5.90			
	Note: co	ompliance with maximum emission rates in eco labels to be declared in P14.					
P11		mable materials for printing products					
P11.1*		y Data Sheet (SDS) is available for the ink/toner preparation, even if not legally rec	uired (see l	P4.3).			
P11.2*	Paper of	containing post-consumer recycled fibers can be used, provided that it meets					
P11.3*	EN 122	81. (duplex) printing/copying is an integrated product function.					
P11.3 P11.4*		duplex) printing/copying is an integrated product function.		<u> </u>			
	· ·	·					
P13		ing and documentation					
P13.1*	Product Product	t packaging material type(s): <i>Corrugated Paper</i> weight (kg): <i>4.2</i> t packaging material type(s): <i>EPS</i> weight (kg): <i>0.53</i> t packaging material type(s): <i>PE</i> weight (kg): <i>0.23</i>					
P13.2*	Product	t plastic primary packaging is free from PVC.		\boxtimes			
P13.3*		duct primary corrugated fiberboard packaging, specify the contained percentag per recovered fiber content: 25%	e of minimu	um post-			
P13.4*		media for user and product documentation (tick box): nic 🔀, Paper 🔀, Other 🗌					
P13.5		only complete this item if paper documentation used)					
		nd product documentation on paper media is chlorine-free: please specify:					
	Totally	chlorine-free					
	Elemen	tal chlorine-free		H			
	Process	sed chlorine-free		H			
P14	Volunt	ary programs:					
P14.1		duct meets the requirements of the following voluntary program(s):					
	•		category:				
	Eco-lab		category:				
	Eco-lab		category:				
P15	Additio	nal information (See NOTE B11)					
P1.1	Product	on this declaration comply with EU RoHS Directive(2001/65/EU).					
		rent EU RoHS Directive restricts the use of following substances.					
		ead to a second s					
		lercury ladmium					
	-	aamum Iexavalent chromium					
		exavalent chromium olybrominated biphenyls(PBB)					
	Polybrominated diphenyl ethers(PBDE) Note: This is based on knowledge as of the date of this decument						
04.7		his is based on knowledge as of the date of this document.					
P1.7	nπp://c	anon-europe.com/about_us/sustainebility/business/reach_customer_statem	ent/				

NOTE B10 A Guidance document on Chemical Emissions is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P4.1
(EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, 5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
"REACH" Regulation (1907/2006), annex VII	P1.10
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1