



# **MORE THAN ELECTRICAL**

For over 150 years, Greenlee has had a reputation of being a premiere brand, manufacturing innovative products desired by professional trades people worldwide. Greenlee proudly designs, tests and manufactures superior tools, testers and software apps that will get your job done faster, safer and easier®. While we've always had a wide range of tools suitable for use in stainless steel, plumbing, HVAC and pipefitting applications, we are now dedicating resources and increasing efforts to expand our presence within the mechanical channel. The same reliability and innovation that made us a leader in the electrical, utility and communications trades will now be found in the plumbing, HVAC and pipefitting trades.

The trade is evolving and Greenlee is here to support you with a complete product offering.





# GREENLEE DESIGN AND MANUFACTURING

Greenlee has been manufacturing high quality tools for the tradesman in the Chicago area since 1862. We continue to invest in innovative products designed with the highest quality and built to last.

Greenlee values its family atmosphere in every facility, and we are committed to the local community. We are headquartered in Rockford, Illinois and have manufacturing facilities in Illinois, Kentucky, Tennessee and California.



# TABLE OF CONTENTS

Cutting	3–14
Hole Making	15–24
Bending	25-28
Expanding, Flaring, & Extracting	29-32
Pressing	33-38
Threading	39-46
Roll Grooving	47
Threading Accessories	48
Threading Dies	49-54
Soldering & Brazing	55-58
Plastic Welding	59
Pressure & Electrical Testing	61-70
Freezing  Pipe Repair Tool & Buried Location Markers	
Pipe & Drain Cleaning	75-80
Hand Tools	81-112
Storage and Material Handling	113-125
Index	126-136







WWW.GREENLEE.COM





CAT. NO.	UPC NO.	DESCRIPTION	0.D.
70027	70027	35 PRO - Copper & Aluminum	1/4" - 1-3/8"
21652	00754	Deburring Blades 1 Pk-Gratfix	_
21652B	16530	Deburring Blades 10 Pk-Gratfix	_
70017B	70017	Cutter Wheel 2 Pkg	_
70017D	00206	Cutter Wheel 5 Pkg	_



# AUTOMATIC RATCHET TELESCOPIC TUBE CUTTER

• Ratcheting Telescopic Guide - Quick adjust with automatic spring-driven release

CAT. NO.	UPC NO.	DESCRIPTION	0.D.
70030	70030	Automatic Tube Cutter Size 1	1/4" - 2-5/8"
21652B	16530	Deburring Blades 10 Pk-Gratfix	_
70017B	70017	Cutter Wheel 2 Pkg	_
70017D	00206	Cutter Wheel 5 Pkg	_



# 70010

# **ROTRAC 28 TUBE CUTTER**

• Made in One Cast - Stable and long-lasting

CAT. NO.	UPC NO.	DESCRIPTION	0.D.
70010	70010	Cutter (ROTRAC 28)	1/8" - 1-1/8"
70007B	10007	Cutter Wheel 2 Pkg	_
70007X	20007	Cutter Wheel 10 Pkg	_
99016	99016	Pin & Clip	_
90007	90007	Cutter Wheel SS	_
70014	70014	Cutter Wheel Plastic	_

70055

# 35 PRO STAINLESS STEEL TUBE CUTTER

• Stainless Steel Pipe Cutter - Hardened cutter for long service life

CAT. NO.	UPC NO.	DESCRIPTION	0.D.
70055	70055	35 PRO SS - Stainless Steel	1/4" - 1-3/8"
70056	70056	Cutter Wheel SS 1 Pkg	_
70056D	00704	Cutter Wheel SS 5 Pkg	_
21652	00754	Deburring Blades 1 Pk-Gratfix	_
21652B	16530	Deburring Blades 10 Pk-Gratfix	_

# 70040

### PIPE CUTTER

• Wide Rollers

CAT. NO.	UPC NO.	DESCRIPTION	0.D.
70040	70040	Steel Pipe Cutter	1/8" - 1-1/4"
70046D	70046	Cutter Wheel 3 Pkg	_



# STAINLESS STEEL PIPE CUTTER

• Wide Rollers

CAT. NO.	UPC NO.	DESCRIPTION	0.D.
70086	70086	Stainless Steel Pipe Cutter	1/8" - 1-1/4"
70088	70088	Cutter Wheel 1 Pkg	_



# **MINI MAX TUBE CUTTER**

• Ideal for hard to reach places

CAT. NO.	UPC NO.	DESCRIPTION	0.D.
70015	70015	MINI MAX Tube Cutter	1/4" - 1-1/8"
70017B	70017	Cutter Wheel 2 Pkg	_
70017D	00206	Cutter Wheel 5 Pkg	_

# **ADDITIONAL CUTTERS**

CAT NO.	UPC NO.	DESCRIPTION	0.D
70029	70029	24 Pro - Copper & Aluminum	1/4" — 1-5/8"
70109	70109	42 Pro MSR - Multi-Layer Piping	1/4" - 1-5/8"
70142	57014	Automatic Tube Cutter Size 2	2" – 5"
70143	57014	Automatic Tube Cutter Size 3	4" - 6-5/8"
70031	70031	Automatic Plastic Tube Cutter Size 1	1/8" – 2-5/8"
70032	70032	Automatic Plastic Tube Cutter Size 2	2" – 5"
70011	70011	Cutter (ROTRAC 42)	1/4" - 1-5/8"
70020	70020	Cutter (ROTRAC 28 Plus)	1/8" - 1-1/8"
70021	70021	Cutter (ROTRAC 42 Plus)	1/4" - 1-5/8"
70012	70012	ROTRAC 20PI For Plastic Pipe	1/8" - 3/4"
70013	70013	ROTRAC 32PI For Plastic Pipe	3/16" - 1-1/4"
70018	70018	ROTRAC 42 For Flexible Gas Pipe	1/4" — 1-5/8"
70070	70070	42 Pro SS - Stainless Steel	1/4" - 1-5/8"
70045	70045	Steel Pipe Cutter	1/8" – 2"

CAT NO.	UPC NO.	DESCRIPTION	0.D
70060	70060	Steel Pipe Cutter	2" – 4"
P70045C	70045	Plastic Coated Pipe Cutter	1/8" – 4"
70087	70087	Stainless Steel Pipe Cutter	1/4" – 2"
70401	57040	MINICUT I Pro	1/8" – 5/8"
70402	70402	MINICUT II Pro	1/4" – 7/8"
70105	70105	MINICUT 2000	1/4" - 7/8"
71019	57101	Tube Cutter 30	1/8" — 1-1/8"
70065	57006	Tube Cutter 50	1/2"- 2"
88807	88807	PIPESLICE 1	3/8"
88808	88888	PIPESLICE 2	5/8"
88802	88802	PIPESLICE 4	3/4"
70285	70285	Chain Tube Cutter	1" – 2"

# **REPLACEMENT PARTS**

CAT NO.	UPC NO.	DESCRIPTION	MODELS
70007B	10007	Cutter Wheel 2 Pkg (ROTRAC Cutters)	70010, 70011, 70020, 70021, 70012, 70013, 70018
70007X	20007	Cutter Wheel 10 Pkg (ROTRAC Cutters)	70010, 70011, 70020, 70021, 70012, 70013, 70018
99016	99016	Pin & Clip (ROTRAC Cutters)	70010, 70011, 70020, 70021, 70012, 70013, 70018
90007	90007	Cutter Wheel SS (ROTRAC Cutters)	70010, 70011, 70020, 70021, 70012, 70013, 70018
70014	70014	Cutter Wheel Plastic (ROTRAC Cutters)	70010, 70011, 70020, 70021, 70012, 70013, 70018
70017B	70017	Cutter Wheel 2 Pkg	70401, 70402, 70105, 70015, 71019, 70065, 70030, 70027, 70029
70017D	00206	Cutter Wheel 5 Pkg	70401, 70402, 70105, 70015, 71019, 70065, 70030, 70027, 70029
70056D	00704	Cutter Wheel SS 5 Pkg	71019, 70065, 70055, 70070
70057D	70057	Automatic Cutter Wheel 2 Pkg	70142, 70143
21652B	16530	Deburring Blades 10 Pk-Gratfix	70030, 70142, 70143, 70027, 70029, 70109, 70055, 70070
70028D	70028	Automatic PL Cutter Wheel 3 Pkg (Size 1)	70031
55054D	00716	Automatic PL Cutter Wheel 3 Pkg (Size 2)	70032
88806	88806	Cutter Wheel (Pipeslice 1, 2)	88807, 88808
88803	88803	Cutter Wheel (Pipeslice 4)	88802
70188	70188	Cutter Wheel for 42 PRO MSR	70109
70056	70056	Cutter Wheel SS 1 Pkg (35/42 Pro SS)	70055, 70070
21652	00754	Deburring Blades 1 Pk-Gratfix	70027, 70029, 70109, 70055, 70070
70046D	70046	Cutter Wheel 3 Pkg (1-1/4" Steel Pipe Cutter)	70040
70051D	70051	Cutter Wheel 3 Pkg (2" Steel Pipe Cutter)	70045
70054	70054	Cutter Wheel - For Cast Iron 2"	70045
70061D	70061	Cutter Wheel 2 Pkg (4" Steel Pipe Cutter)	70060
70088	70088	Cutter Wheel 1 Pkg (1-1/4" SS Pipe Cutter)	70086
70089	70089	Cutter Wheel 1 Pkg (2" SS Pipe Cutter)	70087
70286	70286	Cutter Wheel - For Chain Tube Cutter	70285





# INTERNAL/EXTERNAL DEBURRING TOOLS

• For copper, steel, and stainless steel, with polished cutting bit made of hardened special steel


CAT. NO.	UPC NO.	DESCRIPTION
70075	70075	Internal/External Deburrer for Copper & Stainless Steel (0.D. 3/8" – 2")
11006X	21006	Internal/External Deburrer for Copper & Stainless Steel (0.D. $1/8" - 1-3/8"$ )
11006R	11006	Internal/External Deburrer for Copper & Plastic (0.D. 1/8" – 1-5/8")



# **DEBURRING TOOLS**

• Fast deburring of edges, tubes, and sheets

CAT. NO.	UPC NO.	DESCRIPTION
21660	21660	UNIGRAT Pocket Deburring Tool
21655	07671	Deburring Tool (Gratfix)
21652	00754	Deburring Blades 1 Pk-Gratfix
21652B	16530	Deburring Blades 10 Pk-Gratfix



CAT. NO.	UPC NO.	DESCRIPTION	MAX SCH. 40 PVC	0.D.
52000	52000	ROCUT Professional 42TC	1-1/4"	1-5/8"
52042	52042	Replacement Blade	_	_







# **ROCUT 63TC**

• Teflon®\* Blade - Less friction between blade and pipe

CAT. NO.	UPC NO.	DESCRIPTION	MAX SCH. 40 PVC	0.D.
52030R	52030	ROCUT Professional 63TC	2"	2-1/2"
52031	52031	Replacement Blade	_	_

<sup>\*</sup>Teflon is a registered trademark of the Chemours Company

# **ROCUT 26TC**

• Stainless Steel Blade - For fast and accurate cuts

CAT. NO.	UPC NO.	DESCRIPTION	0.D.
52005	52005	ROCUT 26TC	Cuts PE, PEX, PP & CPVC Plastic Pipe up to 1-1/4"

# **PVC CUTTER**

- Heat-Treated Blade Long cutting life
- Rugged Frame Metal alloy frame for durability

CAT. NO.	UPC NO.	DESCRIPTION	MAX SCH. 40 PVC	0.D.
864	04253	PVC Cutter	1-1/4"	1-1/4"
00355	00355	Blade Kit	_	_







# **PVC CUTTER**

- Long Handles High-leverage reduces effort
- Rugged Frame Metal alloy frame for durability

CAT. NO.	UPC NO.	DESCRIPTION	MAX SCH. 40 PVC	0.D.
865	09865	PVC	2"	2"
07978	07978	Blade	_	_
07982	07982	Pressing Spring	_	_
07987	07987	Ratchet Spring	_	_

### PLASTIC PIPE CUTTER

- Reversible Blade Enable twice the blade life
- Lockable Latch Lock for safety
- Aluminum Body Alloy body for added strength and blade guide for square cuts
- Note: Cuts 1/8" 1-3/8" flexible pipe

CAT. NO.	UPC NO.	DESCRIPTION	MAX SCH. 40 PVC
862	89806	Plastic Pipe Cutter	3/4"

### **ADDITIONAL CUTTERS**

CAT. NO.	UPC NO.	DESCRIPTION	MAX SCH. 40 PVC	0.D.
52010R	2266	ROCUT PRO 50TC	1-1/2"	2"
52015	52015	ROCUT PRO 75TC	2-1/2"	3"
59060	59060	PLASTICUT 1/2"	_	1/2"
59070	59070	PLASTICUT 3/4"	_	3/4"
59080	59080	PLASTICUT 1"	_	1"
52040	52040	ROCUT 32TC	_	1-1/4"
52005	52005	ROCUT 26TC	_	1"

### **PVC CUTTER REPLACEMENT PARTS**

CAT NO.	UPC NO.	DESCRIPTION	MODELS
00355	00355	Blade Kit	864
07978	07978	Blade	865
07982	07982	Pressing Spring	865
07987	07987	Ratchet Spring	865
52042	52042	Replacement Blade	52000
52011	02537	Replacement Blade	52010R
52031	52031	Replacement Blade	52030R
52016	02538	Replacement Blade	52015
59000	59000	Replacement Blade PLASTICUT 1/2" & 3/4"	59060 & 59070
59001	59001	Replacement Blade PLASTICUT 1"	59080
52041	52041	Replacement Blade	52040





# **ROCUT 110 & 160**

- Cutter Wheel Insert Special accessories for PE, PP, PEX, and sound-insulated pipes
- Centered, and Safe Cutting Geometry Pipe Clamping, Including Non-Round Pipes Continuously adjustable pipe clamping pressure
- Integrated Internal Deburrer Stored in the handle for easy access

CAT. NO.	UPC NO.	DESCRIPTION
R55035R	55035	ROCUT 110 Set
R55063R	55063	ROCUT 160 Set

# **ROCUT GC 4, 8, & 12**

- Fast opening design Easy to use
- Heavy Duty Quadruple Ground Stainless Steel Blade Durable & long service life
- Square Drive For use with wrench or other driving device
- Fold Out Clamp For use in deep trenches
- V-shaped Clamp Centers pipe for a clean & straight cut
- No Electricity Needed For safe operation
- Optimized Cutting Angle For easier cutting and fewer deformed pipes

CAT. NO.	UPC NO.	DESCRIPTION
R211512R	21151	ROCUT GC, 4"
R211522R	21152	ROCUT GC, 8"
R211532R	21153	ROCUT GC, 12"
R211501R	21150	Stainless Steel Cutter Blade, 4"
R211502R	05112	Stainless Steel Cutter Blade, 8"
R211503R	21143	Stainless Steel Cutter Blade, 12"







- Universal AC/DC Motor Provides a full 1/2 HP for all-day production needs
- Gear-Driven Rollers Turn the work for true perpendicular cutting
- Ball-Bearing Assembled Cutter Wheel Revolves freely for even wear
- **High-Speed Tool-Steel Cutter Wheels** Provide thousands of cuts with no external burr So clean that no further finishing is needed before applying fittings
- Foot Switch Provides operator safety while freeing both hands for high-volume production demands

CAT. NO.	UPC NO.	DESCRIPTION
00032	10001	E-Z CUTTER™ Model A, 115V
00533	10018	E-Z CUTTER™ Model A, 230V
00033	10025	E-Z CUTTER™ Model C, 115V with Heavy-Duty Rollers & Two Stationary Supports
00534	10032	E-Z CUTTER™ Model C, 230V with Heavy-Duty Rollers & Two Stationary Supports
00034R	10049	Steel Pipe Cutter Wheel (Galvanized, Black & Stainless Steel)
00035R	10056	Copper Tube Cutter Wheel
00535	10063	Soil Pipe Cutter Wheel
00036R	10087	Stationary Support
00037	10094	E-Z CUTTER™ Stand
00069	10100	Roller Bearing Support
00071	10117	Pipe Support Fitting
00079	10124	Foot Switch, 115V
02350	10131	Foot Switch, 230V



### **GATOR® BATTERY-POWERED BOLT CUTTER**

- Designed to cut one-time disposable locks, shipping container seals, and small diameter bolts
- State-of-the-art 18V lithium ion (Li-ion) battery provides 70% more cycles per charge and faster cycle times
- LED light provides the operator with the battery charge and tool maintenance status
- In line tool style is light weight and very easy to control
- · One trigger controls all tool functions
- Cutting head rotates 350°
- Tool automatically retracts when the cutting cycle is complete

CAT. NO.	UPC NO.	DESCRIPTION
ETS12L11	52134	Battery Bolt & Lock Cutter with 120V Charger
ETS12L12	52135	Battery Bolt & Lock Cutter with 12V Charger
ETS12L22	52136	Battery Bolt & Lock Cutter with 220V Charger
ETS12L120	52137	Bolt & Lock Cutter with 120V AC Adapter
ETS12L230	52138	Bolt & Lock Cutter with 230V AC Adapter
ETS12LB	01139	ETS12 Bare Bolt & Lock Cutter
KK50LGL	25752	Carrying Case
52177	52177	18V 1.5Ah Li-lon Battery
HB.9864	56288	Cutter Blade Kit
52178	52178	120V Charger
52179	52179	230V Charger
52180	52180	12V Charger 11

### RECIPROCATING SAW BLADES



Metal



Nails

Wood With Plastic









Cement



**Cast Iron** 



Block



Steel



Stainless Structural









#### GREENLEE EXTREME™ Ti-Metal® Blades

- High performance Titanium (Ti) coating + Improved Bi-Metal blades = GREENLEE EXTREME™ Ti-Metal®
- · The super-hard titanium coating helps dissipate heat and resists wear on the cutting teeth
- Extreme<sup>™</sup> Ti-Metal<sup>®</sup> blades stay sharp, cut faster, and last longer... even in the most demanding applications

#### **GREENLEE EXTREME™ Blades**

- · Heavy-duty blades for heavy metal applications
- · Designed specifically for extreme metal cutting in structural steel I-Beam and angle iron
- Thicker, wider blades cut straighter and resist bending during high-load cuts

#### **GREENLEE Bi-Metal Blades**

- Greenlee blades feature improved bi-metal material with added cobalt for increased toughness, durability and blade life
- Precision cutting teeth are designed to stay sharp and cut fast, saving valuable time on the job
- · Available in a variety of blade types for cutting wood, nail embedded wood, metal, and other demanding construction materials

BLADE TYPE	CAT. NO.	LENGTH X WIDTH X THICKNESS INCH / MM	MATERIAL	QTY/ PK	TEETH PER INCH	SPEED AND QUALITY OF CUT
REMETI-META	L®	NOTE: Minimum blade length = Mate	erial width + 3"			
The state of the s	353-624G	6" x 3/4" x .035 / 152 x 19 x .9	BEST for sheet metal (1/8" and less)	5	24T	SLOWER, SMOOTHER
· It @ course spills till	353-818G	8" x 3/4" x .035 / 203 x 19 x .9	BEST for thin metal (1/16" - 3/16")	5	18T	
· D Connert Malle eine	353-618G	6" x 3/4" x .035 / 152 x 19 x .9	BEST for thin metal (1/16" - 3/16")	5	18T	
• to opening your end	353-614G	6" x 3/4" x .035 / 152 x 19 x .9	BEST for medium metal (3/32" - 3/8")	5	14T	
• O demand of the Line	353-610G	6" x 3/4" x .035 / 152 x 19 x .9	BEST for general purpose	5	10T	
· O comme of the rest	353-810G	8" x 3/4" x .050 / 203 x 19 x 1.3	BEST for general purpose	5	10T	+
S moute of	353-656G	6" x 3/4" x .050 / 152 x 19 x 1.3	BEST for clean wood and wood with nails (plunge cutting)	5	6T	FASTER, ROUGHER
<b>EXTREME</b> ™		NOTE: Minimum blade length = Mat	erial width + 3"			
to the same from the	353-6118	6" x 1" x .042 / 152 x 25 x 1.1	BEST for structural steel (up to 1/4")	5	18T	SLOWER, SMOOTHER
is \$ yes the	353-9118	9" x 1" x .042 / 229 x 25 x 1.1	BEST for structural steel (up to 1/4")	5	18T	$\uparrow$
En Sommer Africa erre	353-6114	6" x 1" x .042 / 152 x 25 x 1.1	BEST for structural steel (up to 3/8")	5	14T	$\downarrow$
a film in	353-9114	9" x 1" x .042 / 229 x 25 x 1.1	BEST for structural steel (up to 3/8")	5	14T	FASTER, ROUGHER



# **RECIPROCATING SAW BLADES**













Board










BLADE TYPE	CAT. NO.	LENGTH X WIDTH X THICKNESS INCH / MM	MATERIAL	OTY/ PK	TEETH PER INCH	SPEED AND QUALITY OF CUT
<b>BI-METAL</b>		NOTE: Minimum blade length = Material wi	dth + 3"			
•       ⊕ ==== 6" x 24T	353-624	6 x 3/4 x .035 / 152 x 19 x .9	BETTER for sheet metal (1/8" and less)	5	24T	SLOWER, SMOOTHER
• H)	353-818	8 x 3/4 x .035 / 203 x 19 x .9	<b>BETTER</b> for thin metal (1/16" - 3/16")	5	18T	
• 0   ♦ weeper 6" x 18T	353-618	6 x 3/4 x .035 / 152 x 19 x .9	<b>BETTER</b> for thin metal (1/16" - 3/16")	5	18T	
• a∥ Ф==== 8"×14T	353-814	8 x 3/4 x .050 / 203 x 19 x 1.3	BETTER for medium metal (3/32" - 3/8")	5	14T	
• II	353-614	6 x 3/4 x .035 / 152 x 19 x .9	BETTER for medium metal (3/32" - 3/8")	5	14T	
•   D @ entirett Vill.	353-414	4 x 3/4 x .035 / 102 x 19 x .9	BETTER for medium metal (3/32" - 3/8")	5	14T	
6 x 1014T	353-804	8 x 3/4 x .050 / 203 x 19 x 1.3	BETTER for thick metal (1/8" - 1/2")	5	10/14T	
• p openier rose	353-835	8 x 3/4 x .035 / 203 x 19 x .9	BETTER for general purpose	5	10/14T	
· III @ second PLANE	353-635	6 x 3/4 x .035 / 152 x 19 x .9	BETTER for general purpose	5	10/14T	
· 40 family trainer	353-110	12 x 3/4 x .050 / 305 x 19 x 1.3	BETTER for general purpose	5	10/14T	
• # # # # # # # # # # # # # # # # # # #	353-810	8 x 3/4 x .050 / 203 x 19 x 1.3	BETTER for general purpose	5	10T	
• 8	353-610	6 x 3/4 x .035 / 152 x 19 x .9	BETTER for general purpose	5	10T	
O Designation	353-123	6 x 3/4 x .035 / 152 x 19 x .9	BETTER for general purpose	5	8/18T	_
• III - 4 - 10 - 10 - 10 - 10 - 10 - 10 - 10	353-969	9 x 7/8 x .063 / 229 x 22 x 1.6	BEST for demolition projects	5	8/10T	
• 11 0 manual 6" × 6T	353-646	6 x 3/4 x .050 / 152 x 19 x 1.3	BETTER for clean wood and wood with nails	5	6T	
• II • 5 . ST	353-656	6 x 3/4 x .050 / 153 x 19 x 1.3	BETTER for clean wood and wood with nails (plunge cutting)	5	6T	
• # Penns 9'x 6T	353-956	9 x 3/4 x .050 / 229 x 19 x 1.3	BETTER for clean wood and wood with nails (plunge cutting)	5	6T	_
· 1 0=0 12 x 81	353-156	12 x 3/4 x .050 / 305 x 19 x 1.3	BETTER for clean wood and wood with nails (plunge cutting)	5	6T	<b>+</b>
J	353-636	6 x 3/4 x .050 / 152 x 19 x 1.3	BETTER for drywall and plaster	5	6T	FASTER, ROUGHER
<b>SPECIALTY</b>		NOTE: Minimum blade length = Material wid	dth + 3"			
to do the same	353-800RDG	8 x 3/4 x .039 / 203 x 19 x 1	BEST for cast iron pipe, block & brick and other abrasives such as tile	1	Diamond Grit	SLOWER, SMOOTHER
• II @ ruram	353-618RS	6 x 3/4 x .039 / 152 x 19 x 1	BEST for stainless steel (1/16" - 3/16"); Carbide teeth	1	18T	+
· [1] · · · · · · · · · · · · · · · · · · ·	353-6563RCT	6 x 3/4 x .050 / 152 x 19 x 1.3	BEST for cement board, fiber board, and plaster; Carbide tipped	1	6T	FASTER, ROUGHER









### **KEYHOLE/JAW SAW**

- Blade Fixated into Handle Enables maximum support of cutting blade
- Hardened Steel Blade Quickly and easily cuts drywall, cement board, plastic, and wood

CAT. NO.	UPC NO.	DESCRIPTION
301A	23641	Keyhole/Jaw Saw with 6" blade

# **HEAVY-DUTY HACK SAW**

- Large 4-1/2" Throat Enables deeper cuts and makes handling easy
- Heavy-Duty Die Cast aluminum handle virtually break-proof
- . Bi-Metal Blade Long cutting life and flexibility

CAT. NO.	UPC NO.	DESCRIPTION
333A	23635	12" Heavy-Duty Hack Saw
333-1218	10037	Bi-Metal Replacement Blade - 18 Teeth Per Inch
333-1224	10038	Bi-Metal Replacement Blade - 24 Teeth Per Inch
333-1232	10039	Bi-Metal Replacement Blade - 32 Teeth Per Inch

### **PORTABLE BAND SAW BLADES**

- Perfect for your mobile or portable band saw, these top-quality, bi-metal blades feature high-speed steel teeth that can handle even tough metals like stainless steel with ease
- Bi-metal blades feature high-speed tool steel, bonded to an extra-tough alloy back for maximum hardness and heat resistance
- Fits most popular models of portable band saws

CAT. NO.	UPC NO.	DESCRIPTION
389-1014-5	02593	1/2" x .020" x 44 7/8" Portable Saw Blade
389-1418-5	02594	1/2" x .020" x 44 7/8" Portable Saw Blade
389-24-5	02595	1/2" x .020" x 44 7/8" Portable Saw Blade





WWW.GREENLEE.COM 15

# INTELLI-PUNCH™ KNOCKOUT DRIVER





Mild Steel 1/2" to 4" with Speed Punch LS100X11SB4SP



Stainless Steel 1/2" to 4" LS100X11SS4




Stainless Steel 1/2" to 2" with Speed Punch LS100X11SSSP

CAT. NO.	UPC NO.	DESCRIPTION
LS100XB	06481	Tool with Case
LS100X11A	06482	Tool with Batteries, Charger & Case
LS100X11SB	06483	Tool with SlugBuster® Knockouts, 1/2" to 2"
LS100X11SB4	06484	Tool with SlugBuster® Knockouts, 1/2" to 4"
LS100X11SB4X	06485	Tool with SlugBuster® Knockouts, 1/2" to 3" and 4"
LS100X11SS	06486	Tool with SlugSplitter® Knockouts, 1/2" to 2"
LS100X11SS4	06487	Tool with SlugSplitter® Knockouts, 1/2" to 4"
LS100X11SS4X	06488	Tool with SlugSplitter® Knockouts, 1/2" to 3" and 4"
LS100X11SBSP	06489	Tool with SlugBuster® SPEED PUNCH® Knockouts, 1/2" to 2"
LS100X11SBSP4	06495	Tool with SlugBuster® SPEED PUNCH® Knockouts, 1/2" to 4"
LS100X11SBSP4X	06496	Tool with SlugBuster® SPEED PUNCH® Knockouts, 1/2" to 3" and 4"
LS100X11SSSP	06497	Tool with SlugSplitter® SPEED PUNCH® Knockouts, 1/2" to 2"

### **LS100 REPLACEMENT PARTS**

CAT. NO.	UPC NO.	DESCRIPTION
LS100XCC	06733	Replacement Case for Knockout Sets
52176	52176	3.0Ah Li-lon Battery
52177	52177	2.0Ah Li-lon Battery
52178	52178	120V AC Charger
52180	52180	12V DV Charger
EAC18120	52191	Corded AC Adapter







### **SLUG SPLITTER® KNOCKOUT PUNCHES**

• **Self-Centering Knockouts** - Aligns itself on pilot hole to punch up through 10 gauge stainless steel

CAT. NO.	UPC NO.	DESCRIPTION
7506	30385	SLUG SPLITTER® 1/2" – 2" Hydraulic Knockout Kit



# SLUG-BUSTER® KNOCKOUT KIT WITH HYDRAULIC HAND PUMP

• 11-Ton Hydraulic Ram - Punches 10X faster than wrench method

CAT. NO.	UPC NO.	DESCRIPTION
7310SB	34361	Slug-Buster® 1/2" – 4" hydraulic knockout set



#### 7706SB

### QUICK DRAW® HYDRAULIC PUNCH DRIVER KIT

• Quick Draw® Flex - Allows unlimited driver orientation to simplify access to work area

CAT. NO.	UPC NO.	DESCRIPTION
7706SB	10476	Standard Quick Draw® Flex 1/2" – 2" Knockout Kit



# QUICK DRAW® HYDRAULIC PUNCH DRIVER KIT

• Quick Draw® 90° -Right angle driver head rotates over 180° for maximum flexibility in tight areas

CAT. NO.	UPC NO.	DESCRIPTION
7906SB	34300	Standard Quick Draw® 90° 1/2" – 2" Driver Knockout Kit



# QUICK DRAW® HYDRAULIC PUNCH DRIVER KIT

• Quick Draw®- Perfect for fast, straight-on punching

CAT. NO.	UPC NO.	DESCRIPTION
7806-SB	34293	Standard Quick Draw® 1/2" - 2" Driver Knockout Kit





CAT. NO.	UPC NO.	DESCRIPTION
7238SB	34757	Slug-Buster® 1/2" – 2" Ratchet Knockout Set
36687	36687	Standard Round Manual Knockout Kit-Metric


# **STUD PUNCHES**

### **Punches Holes in Under 2 Seconds**

Punches 1-11/32" diameter holes in 16 and 18 gauge structural studs



713






- Punches 2-5/8" diameter hole for installation of 2" water, vent, and waste pipes
- Two speed lever action for fast and easy punching through 24 to 20 gauge metal studs
- 2-1/8" throat fits most studs and channels
- High strength alloy aluminum frame makes for lightweight handling

CAT. NO.	UPC NO.	DESCRIPTION
ESP710L11	52165	Battery Powered Stud Punch
713	06430	Plumber Stud Punch
710	21285	1-11/32" (34.1 mm) Diameter Stud Punch
709	22280	7/8" (22.2 mm) Diameter Stud Punch
08377	08377	Punch For Plumber Stud Punch
08379	08379	Die For Plumber Stud Punch
08375	08375	Link For Plumber Stud Punch
55316	55316	Pin. Groove .31 X 1.75 For Plumber Stud Punch









# **KWIK STEPPER® STEP BITS**

- Steam Oxide Finish Runs cooler and extends the life of the bit
- Unique Split Point Tip Penetrates through steel faster
- Double-Flute Construction Balanced bit that requires less pressure

CAT. NO.	UPC NO.	DESCRIPTION
35884	35884	Kwik Stepper® Step Bits
34401	34401	1/2" Multi-Hole Step Bit
34403	34403	7/8" Multi-Hole Step Bit
30008	30008	1-1/8" Multi-Hole Step Bit









# **D'VERSIBIT®**

- · Wood-type auger bit with screw point
- · Pulls itself through wood, avoids walking or skidding
- · Excellent for drilling in soft woods or through thin sections
- · Slow back-taper allows for easy retrieval

CAT. NO.	UPC NO.	DESCRIPTION
08-03-54A	38073	1/2" Type A Auger Bit - 54" Shaft Length
08-03-72A	38074	1/2" Type A Auger Bit - 72" Shaft Length
12-04-54A	38083	3/4" Type A Auger Bit - 54" Shaft Length
12-04-72A	38084	3/4" Type A Auger Bit - 72" Shaft Length

# **BIT EXTENSION**

• Extend bit lengths by connecting to hole saw arbors, spade bits, Nail Eater II® bits, electrician's bit and step bits

CAT. NO.	UPC NO.	DESCRIPTION
904H-18	35356	Bit Extension (7/16" x 18")

### **SELF-FEEDING SPADE BITS**

- Self-feeding design requires less effort and reduces vibration
- · Unique tapered design allows existing hole enlargement
- 1/4" Quick change hex shank
- · Forged and heat treated for long life

CAT. NO.	UPC NO.	DESCRIPTION
34AR-6	03710	Self-Feeding Spade Bit Kit (6 Piece)

34A SPADE BITS - LENGTH 6-1/4" (158.8 MM)

	HOLE Diameter						KIT CAT./UPC NO 34AR-6/
CAT. NO.	UPC NO.	INCH	MM	INCH	MM	03710	
34A-3/8	03711	3/8	9.5	1/4	6.4	1	
34A-1/2	03712	1/2	12.7	1/4	6.4	1	
34A-5/8	03713	5/8	15.9	1/4	6.4	1	
34A-3/4	03714	3/4	19.1	1/4	6.4	1	
34A-7/8	03715	7/8	22.2	1/4	6.4	1	
34A-1	03716	1	25.4	1/4	6.4	1	



From 6-32NC TO 1/4-20NC

DTAPKIT



From 8-32NC TO 1/4-20NC

LDTAPKIT



SPECIFICATIONS	DDKIT-1-68		
Length	12.32" (313 mm)		
Width	10.75" (273 mm)		
Height	1.95" (49 mm)		
Weight	2.35 lbs (1.06 kg)		



# **COMBINATION DRILL/TAP BITS**

CAT. NO.	UPC NO.	DESCRIPTION
DTAPKIT	17620	6-32 to 1/4-20 6-Piece Drill Tap Set
LDTAPKIT	00909	8-32 to 1/4-20 6-Piece Drill Tap Set

			DTAPKIT	LDTAPKIT
DTAP6-32	17611	6-32NC Drill/Tap Bit	✓	
DTAP8-32	17612	8-32NC Drill/Tap Bit	✓	
DTAP10-24	17613	10-24NC Drill/Tap Bit	✓	
DTAP10-32	17614	10-32NF Drill/Tap Bit	✓	
DTAP12-24	17615	12-24NC Drill/Tap Bit	✓	
DTAP1/4-20	17616	1/4-20NC Drill/Tap Bit	✓	
DTAP5/16-18	11627	5/16-18NC Drill/Tap Bit		
DTAP3/8-16	11628	3/8-16NC Drill/Tap Bit		
LDTAP8-32	00908	8-32NC Long Drill/Tap Bit		✓
LDTAP10-32	00907	10-32NF Long Drill/Tap Bit		✓
LDTAP1/4-20	00906	1/4-20NC Long Drill/Tap Bit		✓

<sup>\*</sup> When compared to standard drill, tap and countersink tools

### DRILL/DRIVER KIT

- 1/4" Quick Change technology
- · Professional grade driver bits
- Titanium Nitride coated self-centering high speed drill bits
- High quality shock resistant case stays intact even after accidental drops
- · Hammer drill rated carbide grade tips and hardened shank masonry drill bits
- Hardened forged magnetic nut drivers fit most TapCon® fasteners
- Quick release chuck with precise fit
- Includes security bits that fit most security fasteners frequently used in public facilities

CAT. NO.	UPC NO.	DESCRIPTION	
DDKIT-1-68	26313	68-Piece Drill/Tap Kit	

### E-Z BORE® SELF-FEED BITS KIT

- Complete assortment of the most commonly used E-Z Bore® bits
- High-impact, rugged plastic carrying case
- · Full complement of accessories conveniently stored

#### E-Z BORE® SELF-FEED BIT KIT

			PIPE &	HOLE DIA.	
CAT. NO.	UPC No.	DESCRIPTION	CONDUIT Size	INCH	MM
149H2KIT	01273	Contractor Bit Kit	1/2" to 2"	1" to 2-9/16"	25.4 to 65.1
34997	34997	Plastic Case			

# QUICK CHANGE CARBIDE TIPPED HOLE CUTTERS



**Cuts Stainless Steel Quickly** and **Easily** 

Precision carbide teeth for optimum performance and durability

for optimum
ility

Quick Change Arbor
Done with a simple
push & turn

**Ejector Spring** Makes removal of

slug easier on all sizes above 3/4"

Hole Cutter
Now kit includes a 2 1/2"

New kit includes a 2-1/2" carbide tipped hole cutter



Replaceable with split-point tip to prevent walking

CAT. NO.	UPC NO.	DESCRIPTION
660	05766	Quick Change Carbide Tipped Hole Cutter Kit - Sizes 7/8", 1-1/8", 1-3/8", 1-3/4" & 2"
648	06401	Quick Change Carbide Tipped Hole Cutter Kit - Sizes 7/8", 1-1/8", 1-3/8", 1-3/4", 2" & 2-1/2"

660

**Removable Cutter Heads** 

Sizes 7/8" through 2"





# **CARBIDE TIPPED HOLE CUTTERS**

- Replaceable cobalt steel pilot drill, with split-point tip design Improves
  performance and resists walking; eliminates need for "center punch"
- Multiple Tungsten Carbide Tips Allows for long life and smooth cutting
- · Cut fast, accurate, high quality holes in stainless steel, copper, aluminum, and steel
- Flange stop prevents over-drilling

CAT. NO.	UPC NO.	DESCRIPTION	
635	03599	Carbide Tipped Hole Cutter Kit - Sizes 7/8", 1-1/8" & 1-3/8"	

# **CARBIDE-GRIT HOLE SAW - 1-3/8"**

- Long lasting tungsten carbide-grit delivers extremely clean smooth cuts through tile, cement board and other abrasive materials
- Perfect for cutting holes in Quazite<sup>®</sup> enclosure or hardy board siding for 3-0 box installation
- Rugged construction for enduring performance

CAT. NO.	UPC NO.	DESCRIPTION
725-1-3/8	10075	1-3/8" Carbide-Grit Hole Saw

Quazite is a registered trademark of Hubbell Inc.





### **ULTRA CUTTERS**

- · Last 10 times longer than standard hole saws
- · Precision-ground teeth cut smooth, burr-free holes with ease
- 1/4" capacity

RECOMMENDED CUTTING SPEEDS

**RPM** 

350

270

220

175

150

120

**CUTTER SIZE** 

7/8" (22.5 mm)

1-1/8" (28.6 mm)

1-3/8" (35.0 mm)

1-3/4" (44.4 mm)

2-1/2 (63.5 mm)

2" (50.8 mm)

- Durability and speed provide low cost per hole
- Split-point pilot drill prevents "walking" makes accurate hole placement easy
- · Spring-loaded slug ejector saves time
- · No tool required to change cutter sizes
- · Less chance of broken teeth due to saw body machined out of solid, high-speed steel

**AVERAGE** 

**HOLE SAW TYPE (SEC/HOLE)** 

25

10

10

**CUTTING TIME NUMBER** 

**AVERAGE** 

**OF HOLES** 

50

500

500

CAT. NO.	UPC NO.	DESCRIPTION
930	10214	Ultra Cutter Kit - Sizes 7/8", 1-1/8", 1-7/32", 3/8", 1-3/4", 2" & 2-1/2"

Bi-Metal

Cutter

Ultra Cutter

Carbide-Tipped

Samuel Andrews
8300









# **BI-METAL HOLE SAW KITS**

- New arbor allows for rapid mounting or removal of hole saws
- · Faster, easier slug removal
- · Drill pilot hole without saw:
  - Eliminates the "bite" when saw crashes into the steel
  - Provides better ergonomics reduces stress on wrist, arm and hand
  - Eliminates obstructed view from hole saw
- Only one arbor required from 7/8" to 6" (7/16" shank recommended for hole saws above 2-1/2")
- · Works with recessed light and carbide grit hole saw products as well
- · Adapters re-usable to minimize costs
- Universal Works with any brand hole saw

CAT. NO.	UPC NO.	DESCRIPTION
830Q	02806	Quick Change Hole Saw Kit - Sizes 1/2" - 2"
830	19192	Hole Saw Kit For 1/2" – 2"
889	03478	Plumber's Hole Saw Kit - 3/4" — 2-1/4"
890	03479	Industrial Maintenance Hole Saw Kit - 3/4" - 4-3/4"
891	03480	Electrician's/Plumber's Hole Saw Kit - 3/4" - 2-1/2"





# **BI-METAL HOLE SAWS**









825-2-9/16

825-3-3/8

825-5/8

825-3-7/8

				KIT C	AT. NO.	
CAT. NO.	UPC NO.	DESCRIPTION	830	889	890	891
825-9/16	19131	9/16" Hole Saw	_	_	_	_
825-5/8	19132	5/8" Hole Saw	_	_	_	_
825-11/16	19133	11/16" Hole Saw	_	_	_	_
825-3/4	19134	3/4" Hole Saw	_	✓	✓	✓
825-13/16	19135	13/16" Hole Saw	_	_	_	_
825-7/8	19136	7/8" Hole Saw	✓	✓	<b>√</b>	<b>√</b>
825-15/16	19137	15/16" Hole Saw	_	_	_	_
825-1	19138	1" Hole Saw	_	_	<b>✓</b>	_
825-1-1/16	19140	1-1/16" Hole Saw	_	_	_	_
825-1-1/8	19141	1-1/8" Hole Saw	✓	✓	<b>✓</b>	✓
825-1-3/16	19143	1-3/16" Hole Saw	_	_	_	_
825-1-1/4	19144	1-1/4" Hole Saw	_	_	_	_
825-1-5/16	19145	1-5/16" Hole Saw	_	_	_	_
825-1-3/8	19146	1-3/8" Hole Saw	✓	_	✓	<b>√</b>
825-1-7/16	19147	1-7/16" Hole Saw	_	_	_	_
825-1-1/2	19148	1-1/2" Hole Saw	_	✓	✓	✓
825-1-9/16	19149	1-9/16" Hole Saw	_	_	_	_
825-1-5/8	19150	1-5/8" Hole Saw	_	_	_	_
825-1-11/16	19151	1-11/16" Hole Saw	_	_	_	_
825-1-3/4	19152	1-3/4" Hole Saw	✓	$\checkmark$	✓	✓
825-1-13/16	19153	1-13/16" Hole Saw	_	_	_	_
825-1-7/8	19154	1-7/8" Hole Saw	_	_	_	_
825-2	19155	2" Hole Saw	✓	_	✓	✓
825-2-1/16	19157	2-1/16" Hole Saw	_	_	_	_
825-2-1/8	19158	2-1/8" Hole Saw	_	_	_	_
825-2-1/4	19159	2-1/4" Hole Saw	_	✓	✓	<b>✓</b>
825-2-5/16	19160	2-5/16" Hole Saw	_	_	_	_
825-2-3/8	19161	2-3/8" Hole Saw		_		_

				KIT C	AT. NO.	
CAT. NO.	UPC NO.	DESCRIPTION	830	889	890	891
825-2-1/2	19162	2-1/2" Hole Saw	_	_	✓	<b>√</b>
825-2-9/16	19163	2-9/16" Hole Saw	_	_	_	_
825-2-5/8	19164	2-5/8" Hole Saw	_	_	_	_
825-2-3/4	19165	2-3/4" Hole Saw	_	_	_	_
825-2-7/8	19166	2-7/8" Hole Saw	_	_	_	_
825-3	19167	3" Hole Saw	_	_	$\checkmark$	_
825-3-1/8	19168	3-1/8" Hole Saw	_	_	_	_
825-3-1/4	19169	3-1/4" Hole Saw	_	_	✓	_
825-3-3/8	19170	3-3/8" Hole Saw	_	_	_	_
825-3-1/2	19171	3-1/2" Hole Saw	_	_	_	_
825-3-5/8	19172	3-5/8" Hole Saw	_	_	✓	_
825-3-3/4	19174	3-3/4" Hole Saw	_	_	✓	_
825-3-7/8	19175	3-7/8" Hole Saw	_	_	_	_
825-4	19176	4" Hole Saw	_	_	_	_
825-4-1/8	19177	4-1/8" Hole Saw	_	_	✓	_
825-4-1/4	19178	4-1/4" Hole Saw	_	_	_	_
825-4-3/8	19179	4-3/8" Hole Saw	_	_	_	_
825-4-1/2	19180	4-1/2" Hole Saw	_	_	_	_
825-4-3/4	19181	4-3/4" Hole Saw	_	_	✓	_
825-5	19182	5" Hole Saw	_	_	_	_
825-5-1/2	19183	5-1/2" Hole Saw	_	_	_	_
825-6	19184	6" Hole Saw	_	_	_	_
38522	38522	Arbor with Pilot Drill	2	_	_	_
37157	37157	Arbor with Pilot Drill	_	_	_	_
37155	37155	Arbor with Pilot Drill	_	$\checkmark$	$\checkmark$	$\checkmark$
37156	37156	Arbor with Pilot Drill	✓	_	_	_
38526	38526	Pilot Drill	_	$\checkmark$	$\checkmark$	$\checkmark$







WWW.GREENLEE.COM 25

# GREENLEE MECHANICAL SOLUTIONS BENDING







# **HYDRAULIC BENDER**

- Conduit bender for 2-1/2" to 4" EMT, IMC, and RIGID
- Fast and easy setup on the jobsite
- True one-shot 90° bends with CT models for quick accurate bends
- · Steel reinforced follow bars for long life
- Bend a 90° elbow in 4" RIGID conduit in 95 seconds

CAT. NO.	UPC NO.	DESCRIPTION
881CT	31287	Cam Track Bender for One-Shot 90° Bends In 2-1/2", 3", 3-1/2" & 4" EMT_IMC_& RIGID conduit (without Hydraulic Pump)

# HYDRAULIC BENDER

RIGID Conduit Bender for One-Shot 90°s in 1-1/4" - 4" (5" with Segment Bending Shoe)

- Strong, yet lightweight, portable, pin-assembled aluminum components
- Easy-to-use ram travel scale and charts for accurate bends
- Bend one-shot 90°s in 1-1/4" 4" RIGID conduit
- Shoes available to bend PVC-coated RIGID conduit
- Optional 1802 bending table available for easier operation

CAT. NO.	UPC NO.	DESCRIPTION
884E980	34209	1-1/4" Through 4" RIGID Conduit Bender with 980 Electric Hydraulic Pump
885E980	34210	1-1/4" Through 4" One Shot and 5" Segment RIGID Conduit Bender with 980 Electric Hydraulic Pump

# GREENLEE MECHANICAL SOLUTIONS BENDING









### **MAXIBENDER**

- Safe Transport Handle will not open during transport
- Mechanical Ratchet Feed Quick precise bending
- . Optimum Bending Results Plastic bending segments with increased conductivity
- Release Lever Quick release and reset of the bending former
- Adjustable Bending Frame Production of U-bends, counter bends, swan-neck bends, and connecting bends possible at all levels

CAT. NO.	UPC NO.	DESCRIPTION	
23022X	05740	MAXIBENDER Set 3/8", 1/2", 5/8", 3/4", 7/8"	
23064	23064	MAXIBENDER MSR Set 1/2", 3/4" & 1" Viega Fostapex	
23001	23001	MAXIBENDER Support With R/L Formers	
23010	23010	MAXIBENDER Forming Shoe 3/8"	
23011	23011	MAXIBENDER Forming Shoe 1/2"	
23012	23012	MAXIBENDER Forming Shoe 5/8"	
23013	23013	MAXIBENDER Forming Shoe 3/4"	
23014	23014	MAXIBENDER Forming Shoe 7/8"	27

# GREENLEE MECHANICAL SOLUTIONS BENDING



# STANDARD TWO-HANDED BENDER

- Accurate Bending Minimum size chart and bending radius display on measurement scale
- For accurate bending up to 180° of pipes made of soft copper, aluminum and precision steel
- Bending radius display of 0° 180° for accurate bending
- Clamp mechanism for better pipe hold allows the bending of shorter pipe pieces
- · Light construction allows for fatigue-free hand operation

CAT. NO.	UPC NO.	DESCRIPTION
25131	25131	Standard Two-Handed Bender 5/16"
25136	25136	Standard Two- Handed Bender 5/8"
90614	80280	Standard Handed Multi-Bender - 1/2", 5/8", 3/4" & 7/8" 0.D.
25913	25913	Standard Handed Tube Bender Pro 3/8"
25914	25914	Standard Handed Tube Bender Pro 5/8"

# ROBEND™ 3000

#### Pre-Adjustment of the Bending Angle Without Tools

Fast and precise bending



#### **Bending Technology**


Simplified work preparation, eliminates costs of purchase and storage of fittings

#### Automatic Switch-Off When Preset Bending Angle is Obtained

Fast batch production possible


CAT. NO.	UPC NO.	DESCRIPTION
25001	25001	ROBEND™ 3000 Set - 1/2", 5/8", 3/4", 7/8", 1" & 1-1/8"
25652R	03413	ROBEND™ 3000 Forming Shoe 1/2"
25616	01219	ROBEND™ 3000 Forming Shoe 5/8"
25619	03412	ROBEND™ 3000 Forming Shoe 3/4"
25622	01222	ROBEND™ 3000 Forming Shoe 7/8"
25625	01223	ROBEND™ 3000 Forming Shoe 1"
25626	00870	ROBEND™ 3000 Forming Shoe 1-1/8"
25120	25120	Bending Spray - 150ML
58182	58182	Tri-Pod Stand
7620521	20521	ROLUB Guide Shoe 7/8" ROBEND™ 3000





WWW.GREENLEE.COM 29

# GREENLEE MECHANICAL SOLUTIONS EXPANDING, FLARING & EXTRACTING





# $ROFORM^{\mathsf{TM}}$

 For producing precision 45° single flares and precision sockets on soft and hard tubes

CAT. NO.	UPC NO.	DESCRIPTION
26711	26711	ROFORM™ SET 6 - 8 - 10 - 12 - 14 - 16 MM
26710	26710	ROFORM™ SET 6 - 8 - 10 - 12 - 14 - 16 MM
26715	26715	ROFORM™ SET 3/16", 1/4", 5/16", 3/8", 1/2" & 5/8"



Set Includes - Basic tool,  $45^\circ$  cone, expander pin, internal and external deburrer dia. 1/8"-1-1/2" (11006), ROTRAC Tube Cutter 28 dia. 1/8"-1-1/8" (70010) and plastic case

# GREENLEE MECHANICAL SOLUTIONS EXPANDING, FLARING & EXTRACTING





26032



# **ROFLARE®**

- Hardened and Polished Flare Core High quality flare sealing surface
- Special Screw Thread Allows smooth, efficient deformation of material
- Made from High Quality Steel Long-lasting
- "Multi-block" Multi-Clamping Calipers Firm, quick, off-center clamping of the tube and automatic self-centering; tubes don't slip
- Mold available in metric and English measurements

CAT. NO.	UPC NO.	DESCRIPTION
26038	26038	ROFLARE® Single 6 - 8 - 10 - 12 - 14 - 16 mm
26022	26022	ROFLARE® Double 6 - 8 - 10 - 12 - 14 - 16 mm
26036	26036	ROFLARE® Single 3/16", 1/4", 5/16", 3/8", 1/2" & 5/8"
26032	26032	ROFLARE® 37° Single 3/16", 1/4", 5/16", 3/8", 1/2" & 5/8"
26033	26033	ROFLARE® Single/Double 3/16", 1/4", 5/16", 3/8", 1/2" & 5/8"
26034	26034	ROFLARE® Adapter Double 1/16", 1/4", 5/16", 3/8" & 1/2"
26039	26039	ROFLARE® Adapter For 180° Flares

### TEE-EXTRACTOR SET

- Optimum Capillary Gap Professional extractions
- Limits the Insertion Depth Optimal positioning
- No Pipe Removal Extractions even on installed pipes possible

CAT. NO.	UPC NO.	DESCRIPTION
22124	22124	Tee-Extractor Set, 1/2", 5/8", 7/8" & 1-1/8"
22081	22081	Extractor Ratchet, 3/8" – 1-3/4"
21575	21575	UNIDRILL 42, 3/8" – 1-5/8"
22080	22080	Extractor Cam Pincer, 1/2" — 1-1/2"
22061	22061	Tee-Extractor Parts - Hook & Bell 1/2"
22016	22016	Tee-Extractor Parts - Hook & Bell 5/8"
22062	22062	Tee-Extractor Parts - Hook & Bell 3/4"
22063	22063	Tee-Extractor Parts - Hook & Bell 7/8"
22064	22064	Tee-Extractor Parts - Hook & Bell 1"
22065	22065	Tee-Extractor Parts - Hook & Bell 1-1/8"
22066	22066	Tee-Extractor Parts - Hook & Bell 1-1/4"
22035	22035	Tee-Extractor Parts - Hook & Bell 1-3/8"
22038	22038	Tee-Extractor Parts - Hook & Bell 1-1/2"
22068	22068	Tee-Extractor Parts - Hook & Bell 1-5/8"

# GREENLEE MECHANICAL SOLUTIONS NOTES





WWW.GREENLEE.COM 33

### **GORILLA™ PRESSING TOOLS**

# INTELLIGENCE FOR ACCURATE PRESSING

The inline and pistol grip pressing tools are designed with autostop technology, precise pressing force and diagnostics.

### **AUTOSTOP TECHNOLOGY**

Piston stops once pressing operation meets optimal force to ensure proper completion of press fitting



### PRECISE PRESSING FORCE

Intelligent pressure monitoring



# **DIAGNOSTICS**

Visual LED and audible alert if the force is below specifications



# **PISTOL GRIP TOOL**

7,200 lbs (32 kN)



#### **GREENLEE MECHANICAL SOLUTIONS PRESSING**



#### **INLINE PRESSING KITS**



INLP-KIT001 Inline Tool, 4 Jaws, 2 Batteries & Charger



INLP-KIT002 Inline Tool, 2 Batteries & Charger



INLP-KIT003 Bare Inline Tool & Case

CAT. NO.	UPC NO.	DESCRIPTION
INLP-KIT001	41031	Inline Pressing Kit, Tool, Jaws, Battery, and 120V Charger
INLP-KIT002	41032	Inline Pressing Kit, Tool, Battery, and 120V Charger
INLP-KIT003	41033	Inline Pressing Kit, Bare Tool and Case
INJ12CS	41020	Inline Jaw 1/2" CU & Steel (PKG)
INJ34CS	41021	Inline Jaw 3/4" CU & Steel (PKG)
INJ1CS	41022	Inline Jaw 1" CU & Steel (PKG)
INJ114CS	41023	Inline Jaw 1-1/4" CU & Steel (PKG)

#### **INLINE PRESSING JAWS**



INJ12CS 1/2" Copper & Steel



3/4" Copper & Steel



**INJ1CS** 1" Copper & Steel



INJ114CS 1-1/4" Copper & Steel

#### PISTOL GRIP PRESSING KITS



PSTLP-KIT001 Pistol Grip Tool, 6 Jaws, 2 Batteries & Charger



PSTLP-KIT002 Pistol Grip Tool, 2 Batteries & Charger



PSTLP-KIT003 Bare Pistol Grip Tool & Case

CAT. NO.	UPC NO.	DESCRIPTION
PSTLP-KIT001	41657	Pistol Grip Pressing Kit, Tool, Jaws, Battery, and 120V Charger
PSTLP-KIT002	41658	Pistol Grip Pressing Kit, Tool, Battery, and 120V Charger
PSTLP-KIT003	41659	Pistol Grip Pressing Kit, Bare Tool and Case
PJ12CS	41034	Pistol Grip Jaw 1/2" CU & Steel (PKG)
PJ34CS	41035	Pistol Grip Jaw 3/4" CU & Steel (PKG)
PJ1CS	41036	Pistol Grip Jaw 1" CU & Steel (PKG)
PJ114CS	41037	Pistol Grip Jaw 1-1/4" CU & Steel (PKG)
PJ112CS	41038	Pistol Grip Jaw 1-1/2" CU & Steel (PKG)
PJ2CS	41039	Pistol Grip Jaw 2" CU & Steel (PKG)

#### PISTOL GRIP PRESSING JAWS



PJ12CS 1/2" Copper & Steel



PJ34CS 3/4" Copper & Steel



PJ1CS 1" Copper & Steel



PJ114CS 1-1/4" Copper & Steel



PJ112CS 1-1/2" Copper & Steel



PJ2CS 2" Copper & Steel

#### **GORILLA PRESSING TOOLS - FITTING COMPATIBILITY CHART**


Greenlee's Gorilla Pistol Grip tool is compatible with Ridgid®'s RP 340 and Milwaukee's M18™ FORCE LOGIC™ press jaws and rings.

	VIEGA®						
PROPRESS® 1/2" - 2"	PROPRESS® G GAS 1/2" - 2"	PROPRESS® XL-C® COPPER 2-1/2" - 4"	PROPRESS® Stainless Steel 1/2" - 2"	PROPRESS® XL-S Stainless Steel 2-1/2" - 4"	MEGAPRESS® GAS 1/2" - 2"	MEGAPRESS® G GAS 1/2" - 2"	PEX PRESS 1/2" - 2"
Up to 1-1/4"	√ Up to 1-1/4"		✓ Up to 1-1/4"				N/A
<b>√</b>	<b>√</b>	*RIDGID® XL- C® RINGS *M18™ RINGS	✓	*RIDGID® XL-C® RINGS *M18™ RINGS	*RIDGID® MEGAPRESS® Jaws & Rings  *M18™ Black Iron Press	*RIDGID® MEGAPRESS® Jaws & Rings  *M18™ BLACK Iron Press Jaws	*RIDGID® PUREFLOW® Jaws
	1/2" - 2"  Up to 1-1/4"	GAS 1/2" - 2"  GAS 1/2" - 2"   Up to 1-1/4"  Up to 1-1/4"	GAS 1/2" - 2"  GAS 1/2" - 2"  V Up to 1-1/4"  WRIDGID® XL- C® RINGS	PROPRESS® G GAS 1/2" - 2" PROPRESS® XL-C® COPPER 2-1/2" - 4" PROPRESS® Stainless Steel 1/2" - 2" Up to 1-1/4" Up to 1-1/4" Up to 1-1/4" TRIDGID® XL-C® RINGS	PROPRESS® 1/2" - 2"	PROPRESS® 1/2" - 2"         PROPRESS® XL-C® COPPER GAS 1/2" - 4"         PROPRESS® Stainless Steel 1/2" - 2"         PROPRESS® Stainless Steel 2-1/2" - 4"         PROPRESS® Stainless Steel 2-1/2" - 4"         MEGAPRESS® GAS 1/2" - 2"           Up to 1-1/4"         Up to 1-1/4"         Up to 1-1/4"         WRIDGID® XL-C® RINGS         *RIDGID® XL-C® RINGS         *RIDGID® XL-C® AS RINGS         *M18™ RINGS         *M18™ RINGS         *M18™ Black	PROPRESS® 1/2" - 2"         PROPRESS® XL-C® COPPER GAS 1/2" - 4"         PROPRESS® Stainless Steel 1/2" - 2"         PROPRESS® XL-S Stainless Steel 2-1/2" - 4"         MEGAPRESS® GAS GAS GAS 1/2" - 2"         MEGAPRESS® G GAS 1/2" - 2"         MEGAPRESS® GAS GAS 1/2" - 2"         MEGAPRESS® JAS NEGAPRESS® JASS NEGAPRESS® NEGAPRESS® JASS NEGAPRESS® JASS NEGAPRESS® JASS NEGAPRESS® NEGAPR

	ELKHART - Apolloxpress®		GRINNELL®		NIBCO®		
	Copper Fittings 1/2" - 2"	Copper Fittings 2-1/2" - 4"	G-PRESS® Copper Fittings 1/2" - 2"	G-PRESS® Stainless Steel 1/2" - 2"	Copper Fittings 1/2" - 2"	Copper Fittings 2-1/2" - 4"	Crimp Ring 3/8" - 1-1/4"
INLNPRESS- TOOL19KN	Up to 1-1/4"		√ Up to 1-1/4"		√ Up to 1-1/4"		Up to 1-1/4"
PSTLPRESS- TOOL32KN	<b>√</b>	*RIDGID® XL-C Rings *M18™ Rings	<b>✓</b>	UP TO 1" <b>*</b> M18™ Stainless Steel Jaw	<b>√</b>		<b>√</b>



★ = Must be used in conjunction with



N/A = Not yet available



#### **5 YEAR WARRANTY**

Greenlee warrants to the original purchaser of these goods for use, that these products will be free from defects in workmanship and material for 5 years, excepting normal wear and abuse.



The contractor is responsible for deciding what pipe fittings are needed for a proper connection. Follow the manufacturer's instructions for fitting installation. Specific system information can be found by contacting the fitting manufacturer. The installer is responsible for cleaning and inspecting the jaws to ensure a dependable connection.

For technical or service assistance, contact Greenlee Customer Service at 1-800-435-0786.

Viega®, ProPress®, MegaPress®, PureFlow®, and XL-C® are registered trademarks of VIEGA GMBH & Co. KG. APOLLOXPRESS is a registered trademark of Conbraco Industries, Inc. Grinnell® is a registered trademark of TYCO FIRE AND SECURITY LLC. G-Press® is a registered trademark of TYCO FIRE PRODUCTS, LP. NIBCO® is a registered trademark of NIBCO INC. RIDGID® is a registered trademark of RIDGID, INC. M18TM is a trademark of MILWAUKEE ELECTRIC TOOL CORPORATION.







#### **PEX HAND CRIMPERS**

- Constructed of hardened steel for durability with an ultra-lite fiberglass reinforced composite handle
- PEX crimpers are ideal for making reinforced crimp ring connections in potable water and radiant heating applications
- Crimps meet ASTM F1807 specifications
- Each tool is supplied with a GO/NO-GO gauge
- Crimp cavity does not skive the copper ring or cause it to fishtail during crimping process
- Glass-filled composite handles reduce fatigue especially when working overhead
- Properly maintained crimpers are expected to make over 100,000 crimps in their life cycle
- Minimal calibration adjustments
- Tool length is 12"

CAT. NO.	UPC NO.	DESCRIPTION
12425	12425	PEX Hand Crimper, 1/2"
12426	12426	PEX Hand Crimper, 3/4"
12427	12427	PEX Hand Crimper, 1"
12428	12428	PEX Combo Hand Crimper, 1/2" & 3/4"
14486	14486	Go/No-Go Gauge, 3/8", 1/2", 5/8" & 3/4" Crimps
14487	14487	Go/No-Go Gauge, 3/8", 1/2", 3/4" & 1" Crimps

## GREENLEE MECHANICAL SOLUTIONS NOTES





WWW.GREENLEE.COM 39





#### **SUPER CUT RATCHET THREADER**

- Secure Hold Positive octagonal universal drive with retainer locking
- Fits All Rothenberger Manual and Power Threaders Simple insertion and removal of die heads
- Offset Lever Easy operation in hard-to-reach places
- Quick Adjustment Convenient, lockable reversal of the ratchet direction
- Precision Dies Made of high quality tempered steel for long service life
- Long Lever Optimum force transfer

CAT. NO.	UPC NO.	DESCRIPTION
70903X	70903	Super Cut Threading Set - 1/2", 3/4" & 1" NPT
70901X	70901	Super Cut Threading Set - 1/2", 3/4", 1" & 1-1/4" NPT
70905X	70905	Super Cut Threading Set - 1/2", 3/4", 1", 1-1/4", 1-1/2" & 2" NPT
P70905C	70905	Super Cut Threading Set - 1/2", 3/4", 1", 1-1/4", 1-1/2" & 2" NPT for Plastic-Coated Pipe
70840X	00131	Ratchet Handle No. 1 - 1/4" — 1-1/4"
71272	71272	Ratchet Handle No. 2 - 1-1/2" — 2"
71273	71273	Die Head Adapter for Die Heads up to 1-1/4"
70614	70614	Super Cut Deluxe Threading Kit



70614

#### SUPER CUT DELUXE THREADING KIT

**Set Includes -** SUPER CUT Ratchet Handle (70840X), Quick Change Die Heads NPT (1/2" 70912X, 3/4" 70913X, 1" 70914X), SUPER 1-1/4" Steel Pipe Cutter (70040), Water Pump Pliers 10" (70522), 14" Heavy Duty Pipe Wrench (70153), Teflon Tape, and Plastic Case

Teflon® is a registered trademark of the Chemours Company





#### SUPERTRONIC™ 2000

- Hardened, Interlocking Prism Pipe Clamp Secure grip in both turning directions
- Large Mechanism for Switching Directions User friendly work
- Strong 1010W Motor, 2X Insulated with VDE and CEE, Interference Free Universal motor for reliable, professional long-term use
- 1010W Universal Motor Low energy consumption
- Compact Gear Housing Ideal for confined spaces
- Off-Set Die Head Mounting Threading possible even close to walls
- Direct Seating with Tension Ring Locking Die heads are held firmly in place

CAT. NO.	UPC NO.	DESCRIPTION
71259L	03363	SUPERTRONIC™ 2000 Set - 1/2", 3/4", 1", 1-1/4", 1-1/2" & 2" NPT
P71259C	71259	SUPERTRONIC <sup>™</sup> 2000 Set For Plastic-Coated Pipe - 1/2", 3/4", 1", 1-1/4", 1-1/2" & 2" NPT
71280	01278	Forged Pipe Clamp, Max 2"
70045	70045	Steel Pipe Cutter 2"
70752	70752	Tri-Bench with Chain Vise
71273	71273	Die Head Adapter 1/4" – 1-1/4" (Super Cut)
71271	71271	Adapter, ROFIX with Ring
71259	07125	SUPERTRONIC™ 2000 Machine Only







Precise guiding

ROPOWER 50R (63005) -Uses RIDGID® compatible dies, thread 1/2" - 2" pipe


CAT. NO.	UPC NO.	DESCRIPTION
63004	63004	SUPERTRONIC 2SE Threader with Automatic Die Head - NPT Alloy Dies 1/2" – 2"
63005	63005	ROPOWER 50R Threader with Automatic Die Head - NPT Alloy Dies 1/2" — 2"
00230	00230	Collapsible Folding Wheeled Stand (2SE/50R)
56511	56511	Mounting Kit for ROGROOVER


RIDGID® is a registered trademark of Ridgid Tool Co.

00230




#### **SUPERTRONIC 4SE**





ROTHENBERGER

**Automatic Oil Feed** - Provides ideal lubrication and cooling to maximize die life



**Self-Centering Pipe Cutter -**

Oil Resistant Power Cable -

Long life



**Large Plastic Chip Tray** - Catches chips and is easy to clean

63006



CAT. NO.	UPC NO.	DESCRIPTION
63006	63006	Threading Machine, SUPERTRONIC 4SE
52500	91175	Automatic Die Head 1/2" – 2"
64401	64401	Automatic Die Head, 2-1/2" – 4" NPT
89101	91176	Alloy Die Set, 1/2" – 3/4" NPT
89102	91177	Alloy Die Set, 1" – 2" NPT
59912	91179	Alloy Die Set for Die Head 64401 2-1/2" – 4" NPT
56512	56512	ROGROOVER Mounting Kit (4SE)
E-239	32054	Cabinet with Wheels for Threader Storage
04510R	04510	Cutter Wheel



CAT. NO.	UPC NO.	DESCRIPTION
00579R	91067	Collins Classic 22A with SNAP-0-MATIC™ Die Heads/Dies, 72 RPM, 115V
00592R	91250	SNAP-0-MATIC™ Die Heads/Dies, 230V
00596R	91248	UNIQUAD Die Heads/Dies, 72 RPM, 115V
00597	00597	Automatic Die Heads/Dies, 72 RPM, 115V
00575	00575	RIDGID® Compatible Automatic Die Heads/Dies
00585R	71068	Basic 22A Unit without Die Heads/Dies
01623	01623	Replacement Jaws (Set 8)
20533	20533	Low Indent Jaws for Plastic-Coated Pipe (Set 8)
00157	00157	Spare Cutter Wheel - 1 PC
00158	91070	Spare Cutter Wheel - 6 PC
00045	91072	Open Wheeled Stand with Tool Tray
00154	00154	Waterproof Cover
45001	91066	Mounting Kit for ROGROOVER - 22A Threader

RIDGID® is a registered trademark of Ridgid Tool Co.





#### $\textbf{RHINO}^{\text{\tiny{TM}}}$

- Thread up to 1/8" 4" pipe
- Thread 5/8" 2-1/4" bolt or rod

CAT. NO.	UPC NO.	DESCRIPTION
00550	91074	RHINO™ Complete Machine with 2-1/2" — 4" Automatic Die Heads & Dies
P00551C	00552	RHINO™ Complete Machine with 2-1/2" — 4" Automatic Die Heads & Dies for Plastic-Coated Pipe
00561R	91075	RHINO™ Optional 1/2" – 2" Package with Automatic Die Heads & Dies & Conical Reamer
00097	91076	Reamer 1/8" - 2" Conical, 5 Blade Reamer Assembly
00107	91077	Reamer Assembly 2-1/2" - 4" Twin-Edged Blade
00106	91078	Cutter Assembly
00104	91079	Spare Cutter Wheel (One Only)
00105	00105	Spare Cutter Wheel (3 Pk)
00548	00548	Open Wheeled Stand with Tool Tray
45004	45004	Mounting Kit for ROGROOVER (RHINO™)



#### **COLLINS 44A 4" THREAD-O-MATIC™**

- **Range** Pipe or conduit 1/2" 4" Bolt or Rod 5/8" 3"
- **Dimensions** 60" x 30" x 44-1/2" (L x W x H)
- Motor 5 H.P, 230/460V 3 phase, 50-60 Hz 1170 RPM (Instant Reversing)
- Spindle Speed While Threading -

1/2" - 1" 40 RPM

1-1/4" - 2" 26 RPM

2-1/2" - 3" 16 RPM

3-1/2" - 4" 12 RPM

- **Switches** Three-station push button switch (forward-stop-release) optional toggle type (right hand-left hand)
- Starter Magnetic with thermal overload
- Oil Reservoir 5 gallon capacity

CAT. NO.	UPC NO.	DESCRIPTION
00039	91083	44A THREAD-0-MATIC™ Die Head/Dies 1/2" — 4" NPT
00104	91079	Cutter Wheel (44A & 66A)



#### COLLINS 66A 6" THREAD-O-MATIC™

- Range Pipe or conduit 1" 6" Bolt or Rod 1-1/4" 4"
- **Dimensions** 48-3/8" x 30" x 45-3/4" (L x W x H)
- Motor 5 H.P, 230/460V 3 phase, Dual-Speed 50-60 Hz 1170 RPM (Instant Reversing)
- . Spindle Speed While Threading -

1/2" - 2" 62 RPM 2-1/2" - 3" 32 RPM 3-1/2" - 4" 16 RPM 5" - 6" 11 RPM

- **Switches** Three-station push button switch (forward-stop-release) optional toggle type (right hand-left hand)
- Starter Magnetic with thermal overload
- Oil Reservoir 5 gallon capacity

CAT. NO.	UPC NO.	DESCRIPTION
00174	91084	66A THREAD-O-MATIC™ Die Head/Dies 1/2" - 6" NPT
00104 91079		Cutter Wheel (44A & 66A)



#### NIPPLE CHUCKS

- Nipple chucks convert unthreaded or short pipe lengths into useful close-threaded nipples
- For 1/2" − 2" pipe − Up to schedule 80
- Patented mechanism expands and self-locks pipe from inside for work on short pipe lengths
- Individual nipple chucks 1/2" 2" are used with 63004, 63005 & 63006

CAT. NO.	UPC NO.	DESCRIPTION	USE WITH
R01850	01850	External Nipple Chuck Set 1/2" - 2"	2SE, 50R, 4SE, RHINO®, 22A, 44A & 66A Threading Machines
00184	00184	Nipple Chuck 1/2"	2SE, 50R & 4SE Threading Machines
00186	00186	Nipple Chuck 1"	2SE, 50R & 4SE Threading Machines
00187	00187	Nipple Chuck 1-1/4"	2SE, 50R & 4SE Threading Machines
00188	00188	Nipple Chuck 1-1/2"	2SE, 50R & 4SE Threading Machines
00189	00189	Nipple Chuck 2"	2SE, 50R & 4SE Threading Machines
00191R	00191	Nipple Chuck, 3/4"	RHINO™, 22A, 44A & 66A Threading Machines
00089	91086	Nipple Max Set 1/2" – 2" NPT	RHINO™, 22A, 44A & 66A Threading Machines
00072	91087	Nipple Chuck Assembly for 2-1/2" - 4" Pipe	44A & 66A Threading Machines
00098	91088	Nipple Chuck Assembly for 2-1/2" – 4" Conduit	44A & 66A Threading Machines
00073	91089	Nipple Chuck Assembly for 5" - 6"	66A Threading Machines



USE WITH SUPERTRONIC 2SE (63004) AND ROPOWER 50R (63005)



USE WITH SUPERTRONIC 4SE (63006)

## GREENLEE MECHANICAL SOLUTIONS ROLL GROOVING





8870922

### ROGROOVER 6"

- Portable rolling groover for standard and thin-walled steel pipes up to 6"
- Ratchet Drive R/L for Adjusting Depth of Standard Conforming Groove Convenient, easy, and fast
- Lightweight Aluminum Casing Easy to transport
- Spacer for Standard Groove Depths Adjustable and finely-controlled arrester for consistent groove depth
- Case-Hardened Knurled Pressure Drive Rollers Easy assembly/dismantling long life
- Allen Key Mount Always on hand



CAT. NO.	UPC NO.	DESCRIPTION
8870922	03673	Base Unit - ROGROOVER 6"
56511	56511	ROGROOVER Mounting Kit (ROPOWER 50R & SUPERTRONIC™ 2SE)
45001	91066	ROGROOVER Mounting Kit (COLLINS Classic 22A)
45002	45002	ROGROOVER Mounting Kit (RIDGID® 300)
45004	45004	ROGROOVER Mounting Kit (RHINO®)
56512	56512	ROGROOVER Mounting Kit (SUPERTRONIC™ 4SE)

RIDGID® is a registered trademark of Ridgid Tool Co.

#### ROGROOVER 2"-12"

- Sturdy hydraulic pump with precisely formed grips for ideal handling
- Compact & stable machine design
- Powerful yet quiet motor
- Fine adjustment for groove depth & regulation
- Pressure valve for quick modifications
- · Heavy-Duty roller pipe support included

CAT. NO.	UPC NO.	DESCRIPTION
01050	01050	ROGROOVER 2"-12" W/ Pipe Stand
88737	88737	Roll Groove Set 2"-6"
88738	88738	Roll Groove Set 3"- 6"
88739	88739	Roll Groove Set 8"-12"
15034	15034	ROGROOVER Diameter Measuring Tape









#### RATCHET PIPE REAMER

- For 1/4" 2" steel pipes, with smooth-running ratchet, cutting bit made of tempered steel
- Quick adjustment Handy, lockable reversal of the ratchet direction

CAT. NO.	UPC NO.	DESCRIPTION
70289	70289	Ratchet Pipe Reamer
70296	70296	Spare Reamer Blade

#### **BUCKET OILER**

- · Heavy-Duty steel drip pan
- · Easy, ergonomic two-finger trigger
- · Lightweight and portable
- · Sturdy construction for leak proof use
- · Swivel nozzle for easy use
- · Rust proof strainer for long life
- Includes (1) gallon ROCOOL® oil

CAT. NO.	UPC NO.	DESCRIPTION
R04270753R	70753	Bucket Oiler
R50009R	50009	Oil Gun for Bucket Oiler

#### **RONOL™ SPRAY OIL**

#### RONOL™ - High-Performance Cutting Oil

- · Mineral oil basis
- For Threading of all Materials, Including Stainless Steel
- \* Mineral-based threading oils may not be permissible in drinking water installations please check the pertinent standards in your area

#### **RONOL™ - High-Performance Cutting Fluid**

- · No mineral oils, purely synthetic
- Developed and approved for drinking water and plumbing installations

CAT. NO.	UPC NO.	DESCRIPTION
65008	01301	RONOL™ Threading/Cutting Mineral Spray 0il
65013	01553	RONOL™ Threading/Cutting Synthetic Spray Oil

#### THREADING/CUTTING OIL

- · Premium quality, high lubricity for easier cutting and long tool life
- · Choice of light or dark

CAT. NO.	UPC NO.	DESCRIPTION					
462-Q	28237	Dark Threading/Cutting Oil - 1 Qt.					
462-1	26096	Dark Threading/Cutting Oil - 1 Gal					
463-Q	28238	Light Threading/Cutting Oil - 1 Qt.					
463-1	28239	Light Threading/Cutting Oil - 1 Gal					



#### PRECISION DIE HEADS FOR SUPERTRONIC™ 2000

SIZE	NPT CATALOG	UPC	FOR PLASTIC-COATEDPIPE, NPT	UPC	DESCRIPTION
3/8"	70908X	70908	_	_	SUPERTRONIC™™ 2000 Die Head 3/8"
1/2"	70912X	70912	P70912C	70912	SUPERTRONIC™™ 2000 Die Head 1/2"
3/4"	70913X	70913	P70913C	70913	SUPERTRONIC™ 2000 Die Head 3/4"
1"	70914X	70914	P70914C	70914	SUPERTRONIC™ 2000 Die Head 1"
1-1/4"	70915X	70915	P70915C	70915	SUPERTRONIC™ 2000 Die Head 1-1/4"
1-1/2"	70849X	70849	P70849C	70849	SUPERTRONIC™ 2000 Die Head 1-1/2"
2"	70850X	70850	P70850C	70850	SUPERTRONIC™ 2000 Die Head 2"

SIZE	CATALOG	UPC	DESCRIPTION
3/8"	70917X	70917	SUPERTRONIC™ 2000 3/8" NPT Precision Threading Die
1/2"	70918X	70918	SUPERTRONIC™ 2000 1/2" NPT Precision Threading Die
3/4"	70919X	70919	SUPERTRONIC™ 2000 3/4" NPT Precision Threading Die
1"	70920X	70920	SUPERTRONIC™ 2000 1" NPT Precision Threading Die
1-1/4"	70921X	70921	SUPERTRONIC™ 2000 1-1/4" NPT Precision Threading Die
1-1/2"	70945X	70945	SUPERTRONIC™ 2000 1-1/2" NPT Precision Threading Die
2"	70946X	70946	SUPERTRONIC™ 2000 2" NPT Precision Threading Die

#### **COLLINS CLASSIC 22A**

	1/8"		1/4" & 3/8"		1/2" & 3/4"		1" & 1-1/4"		1-1/2" & 2"		1" & 2"	
DESCRIPTION	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.
Die Head, NPT	00061	91094	00062	91095	00063	91096	00064	91097	00065	91098	00066	91099
Dies, NPT	00029	91100	00030	91101	00031R	91102	00023	91103	00024	91104	00028R	91105
Dies, NPT Stainless	00225	91106	00226R	91107	00227R	91108	00053	91109	00054	91110	_	_
Die Head, NPSM	_	_	_	_	00200	91113	_	_	_	_	00203	91114
Dies, NPSM	_	_	_	_	00302R	00302	_	_	_	_	00301R	91117

#### COLLINS CLASSIC 22A - AUTOMATIC OPENING PIPE DIE HEADS & DIES

	1/2" & 3/4"		1" &	1-1/4"	1-1/2	" & 2"	1" & 2"		
DESCRIPTION	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	
Die Head, NPT	00221	91133	00221	91133	00221	91133	00221	91133	
Dies, NPT	00027	91123	00023	91103	00024	91104	00028R	91105	
Dies, NPSM	00300	91134	00301R	91117	_	_	_	_	

#### **COLLINS CLASSIC 22A - UNIQUAD™ PIPE DIE HEADS & DIES CONTINUED**

	1/8"		1/4" & 3/8"		1/2" & 3/4"		1" & 1-1/4"		1-1/2" & 2"		1" & 2"	
DESCRIPTION	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.
Die Head	00022	91163	00022	91163	00022	91163	00022	91163	00022	91163	00022	91163
Dies, NPT	00025	91121	00026	91122	00027	91123	00023	91103	00024	91104	00028R	91105
Dies, NPT Stainless	00050	00050	00051	91128	00052	91129	00053	91109	00054	91110	_	_
Dies, NPSM	_	_	_	_	00300	91134	_	_	_	_	00301R	91117
	1/	1/4"		5/16"		3/8"		7/16"		1/2"		16"

	1/4"		5/16"		3/8"		7/16"		1/2"		9/16"	
DESCRIPTION	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.
Die Head	00222	91120	00222	91120	00222	91120	00222	91120	00222	91120	00222	91120
Dies, UNC	00004	91135	00005	91136	00006	91137	00007	91138	80000	91139	00009	91140
Dies, UNF	_	_	00341	91146	00342	91147	_	_	00344R	91149	00345R	91150
	5/	<b>'8</b> "	3/	<b>'4</b> "	7/	<b>'8</b> "	1	l <b>"</b>	1-1	1/8"	1-1	/4"
DESCRIPTION	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.
Die Head	00222	91120	00222	91120	00222	91120	00222	91120	00222	91120	00222	91120
Dies, UNC	00010	91141	00011	91142	00012	91143	00013	91144	00014	91155	00015	91156
Dies, UNF	00346R	91151	00347R	91152	00348R	91153	00349R	91154	_	_	00351R	91165
	1-3	3/8"	1-1	/2"	1-5	5/8"	1-3	3/4"	1-7	7/8"	2	<u>.</u>
DESCRIPTION	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.
Die Head	00222	91120	00222	91120	00222	91120	00222	91120	00222	91120	00222	91120
Dies, UNC	00016	91157	00017	91158	00018	91159	00019R	91160	00020R	91161	00021R	91162
Dies, UNF	00352	91166	_	_	_	_	_	_	_	_	_	_

0 4	/ A II
2-1	/4"

DESCRIPTION	CAT. NO.	UPC NO.
Die Head	00222	91120
Dies, UNC	00222	91120
Dies, UNF	_	_



#### **RHINO™**, 4SE, 2SE, & 1SE

		1/	1/4"		<b>/8"</b>	1/	/2"	3/4"		1"	
DESCRIPTION	USE WITH	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.
Die Head, NPT, Manual	2SE	00121	00012	00121	00012	_	_	_	_	_	_
Dies, NPT, Alloy	1SE	89100	89100	89100	89100	89120	91173	89120	91173	89121	91174
Die Head, NPT	1SE	_	_	_	_	52091	91172	52091	91172	52091	91172
Die Head, NPT	2SE, 4SE, RHINO™	_	_	_	_	52500	91175	52500	91175	52500	91175
Dies, NPT, Alloy	2SE, 4SE, RHINO™	_	_	_	_	89101	91176	89101	91176	89102	91177
Die Head, NPT	4SE & RHINO™	_	_	_	_	_	_	_	_	_	_
Dies, NPT, Alloy	4SE & RHINO™	_	_	_	_	_	_	_	_	_	_
Die Head, NPSM, Manual	2SE, 4SE, RHINO™	_	_	_	_	_	_	_	_	_	_
Dies, NPSM, Alloy	2SE, 4SE, RHINO™	_	_	_	_	89148	91031	89148	91031	89149	91032
		1-1	/4"	1-1	/2"	2	2"	<b>2-</b> 1	/2"	3	3"
DESCRIPTION	USE WITH	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.
Die Head, NPT, Manual	2SE	_	_	_	_	_	_	_	_	_	_
Dies, NPT, Alloy	1SE	_	_	_	_	_	_	_	_	_	_
Die Head, NPT	1SE	52091	91172	52091	91172	52091	91172	_	_	_	_
Die Head, NPT	2SE, 4SE, RHINO™	52500	91175	52500	91175	52500	91175	_	_	_	_
Dies, NPT, Alloy	2SE, 4SE, RHINO™	89102	91177	89102	91177	89102	91177	_	_	_	_
Die Head, NPT	4SE & RHINO™	_	_	_	_	_	_	64401	64401	64401	64401
Dies, NPT, Alloy	4SE & RHINO™	_	_	_	_	_	_	59912	91179	59912	91179
Die Head, NPSM, Manual	2SE, 4SE, RHINO™	_	_	20172R	20172	20172R	20172	20172R	20172	20172R	20172
Dies, NPSM, Alloy	2SE, 4SE, RHINO™	89149	91032	89150	91033	89150	91033	89151	91034	89151	91034
		4	ļ"								
DESCRIPTION	<b>USE WITH</b>	CAT. NO.	UPC NO.								
Die Head, NPT, Manual	2SE	_	_								
Dies, NPT, Alloy	1SE	_	_								
Die Head, NPT	1SE	_	_								
Die Head, NPT	2SE, 4SE, RHINO™	_	_								
Dies, NPT, Alloy	2SE, 4SE, RHINO™	_	_								
Die Head, NPT	4SE & RHINO™	64401	64401								
Dies, NPT, Alloy	4SE & RHINO™	59912	91179								
Die Head, NPSM, Manual	2SE, 4SE, RHINO™	_	_								
Dies, NPSM, Alloy	2SE, 4SE, RHINO™	_	_								

#### RIDGID®\* STYLE UNIVERSAL

"R" SERIES DIES - ROPOWER 50R

	GREE	RIDGID	
DESCRIPTION	CAT. NO.	UPC NO.	PART NO.
1/2" – 3/4" Alloy Dies NPT	89162	89162	47745
1" – 2" Alloy Dies NPT	89163	89163	47750
1/4" - 3/8" H.S. Steel Dies NPT	56383	91180	47760
1/2" - 3/4" H.S. Steel Dies NPT	00125	00125	47765
1" - 2" H.S. Steel Dies NPT	00126	00126	47770
1/4" - 3/8" Stainless Steel Dies NPT	00217	00217	47780
1/2" - 3/4" Stainless Steel Dies NPT	00218	00218	47785
1" - 2" Stainless Steel Dies NPT	00219	00219	47790

#### **UNIVERSAL "R" SERIES DIE HEAD DIES**

WILL ACCEPT "R" STYLE DIES FROM 1/8" - 2" NPT FOR THE ROPOWER 50R

	GREENLEE					
DESCRIPTION	CAT. NO.	UPC NO.				
Die Head 50R Manual 1/4" – 3/8"	00121	00012				
Die Head 50R Automatic 1/2" – 2"	56265	56025				

 $\mbox{RIDGID}^{\mbox{\tiny @}}$  is a registered trademark of Ridgid Tool Co.

#### 2SE & 50R FOR BOLT THREADS - MANUAL OPENING DIE HEAD & DIES

	1/2"		5/8"		3/4"		7/8"		1"		1-1/8" – 1-1/4'	
DESCRIPTION	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.								
Die Head	20160	20160	20160	20160	20160	20160	20160	20160	20160	20160	63090	20162
Dies, UNC Alloy	89016	89016	89017	89017	89018	89018	89019	89019	89020	89020	89197	89197
	1-3/8" -	1-1/2"										
DESCRIPTION	CAT. NO.	UPC NO.										
Die Head	63090	20162										
Dies, UNC Alloy	_	_										

#### 44A THREAD-O-MATIC™ & SNAP-O-MATIC™ PIPE DIE HEADS & DIES

	1/2" - 3/4"		1" – 1-1/4"		1-1/2" – 2"		1" – 2"		2-1/2" - 3"		3-1/2" – 4"	
DESCRIPTION	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.
Die Head, NPT	00063	91096	00064	91097	00065	91098	00066	91099	00055	91183	00057	91184
Dies, NPT	00031R	91102	00023	91103	00024	91104	00028R	91105	00041	91185	00042R	91186
Dies, NPT Stainless	00227R	91108	00053	91109	00054	91110	_	_	00047R	91187	00048	91188
Die Head, NPSM	00200	91113	_	_	_	_	00203	91114	_	_	_	_
Dies, NPSM	00302R	00302	_	_	_	_	00301R	91117	_	_	00306	91192

#### 44A - UNIQUAD™ & SNAP-O-MATIC™ BOLT DIE HEADS & DIES

	5/8"		3/4"		7/8"		1"		1-1/8"		1-1/4"	
DESCRIPTION	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.
Die Head	00222	91120	00222	91120	00222	91120	00222	91120	00222	91120	00222	91120
Dies, UNC	00010	91141	00011	91142	00012	91143	00013	91144	00014	91155	00015	91156
Dies, UNF	00346R	91151	00347R	91152	00348R	91153	00349R	91154	_	_	00351R	91165
	1-3	3/8"	1-1	/2"	1-5	5/8"	1-3	3/4"	1-7	7/8"	2	<u>2</u> "
DESCRIPTION	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.
Die Head	00222	91120	00222	91120	00222	91120	00222	91120	00222	91120	00222	91120
Dies, UNC	00016	91157	00017	91158	00018	91159	00019R	91160	00020R	91161	00021R	91162
Dies, UNF	00352	91166	_	_	_	_	_	_	_	_	_	_
	<b>2-</b> 1	I/4"	2-1	/2"	2-3	3/4"	3	3"				
DESCRIPTION	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.				
Die Head	00222	91120	_	_	_	_	_	_				
Dies, UNC	00022	91163	_	_	_	_	_	_				
Dies, UNC RH Only	_	_	00330	91196	00331	91197	00332R	91198				



#### 66A THREAD-O-MATIC™ & SNAP-O-MATIC™ PIPE DIE HEADS & DIES

	1" – 1-1/4"		1-1/2" – 2"		1" – 2"		2-1/2" – 3"		3-1/2" – 4"		5"	
DESCRIPTION	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.
Die Head, NPT	00064	91097	00065	91098	00066	91099	00056	91199	00058	91200	00060	91202
Dies, NPT	00023	91103	00024	91104	00028R	91105	00041	91185	00042R	91186	00043	91203
Dies, NPT Stainless	00053	91109	00054	91110	_	_	00047R	91187	00048	91188	00049	91204
Die Head, NPSM	_	_	_	_	00203	91114	_	_	_	_	_	_
Dies, NPSM	_	_	_	_	00301R	91117	_	_	00306	91192	00307	91210
	6	6"										

DESCRIPTION	CAT. NO.	UPC NO.
Die Head, NPT	00060	91202
Dies, NPT	00043	91203
Dies, NPT Stainless	00049	91204
Die Head, NPSM	_	_
Dies, NPSM	00307	91210

#### 66A - UNIQUAD™ PIPE DIE HEADS & DIES

	1" –	1" – 1-1/4"		" – 2"	1" – 2"	
DESCRIPTION	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.
Die Head	00222	91120	00222	91120	00222	91120
Dies, NPT	00023	91103	00024	91104	00028R	91105
Dies, NPT Stainless	00053	91109	00054	91110	_	_
Dies, NPSM	_	_	_	_	00301R	91117

#### 66A - AUTOMATIC OPENING PIPE DIE HEADS & DIES

		1" – 1-1/4"		1-1/2	" – 2"	1" – 2"	
DESCRIP	ΓΙΟN	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.
Die Head		00221	91133	00221	91133	00221	91133
Dies, NPT		00023	91103	00024	91104	00028R	91105
Dies, NPSN		_	_	_	_	00301R	91117

#### 66A - DIE HEADS & DIES UNIQUAD™ BOLT DIE HEADS & DIES

	1-1	1/4"	1-3	3/8"	1-1	I/2"	1-	5/8"	1-3	3/4"	1-7	7/8"
DESCRIPTION	CAT. NO.	UPC NO.	CAT. NO.	UPC NO								
Die Head	00222	91120	00222	91120	00222	91120	00222	91120	00222	91120	00222	91120
Dies, UNC	00015	91156	00016	91157	00017	91158	00018	91159	00019R	91160	00020R	91161
Dies, UNF	00351R	91165	00352	91166	_	_	_	_	_	_	_	_
	2	2"	2-1	/4"								
DESCRIPTION	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.								
Die Head	00222	91120	00222	91120								
Dies, UNC	00021R	91162	00022	91163								
Dies LINF				_								

#### SNAP-O-MATIC™ BOLT DIE HEADS & DIES

	<b>2-</b> 1	I/2"	2-3	3/4"	3	3"	<b>3-</b> 1	1/2"	3-3	3/4"
DESCRIPTION	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.
DIES, UNC RIGHT HAND ONLY	00330	91196	00331	91197	00332R	91198	00334	91213	00335R	91214

#### **GROOVING & BEVELING DIE HEADS & TOOLS**

		HE	EAD	CENTERI	NG DIES	GROOVING & CUTTING BIT		<b>CUTTING ONLY</b>	
SIZE	<b>USE WITH</b>	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.
3/4" – 2"	22A, 33A, 44A	00471R	91216	00489	91223	00477R (SCH. 40 & 80)	91228	00478R (SCH. 40 & 80)	91230
1" – 2"	All Units	00470R	91217	00488R	91224	00477R (SCH. 40 & 80)	91228	00478R (SCH. 40 & 80)	91230
2-1/2" - 3"	33A & 44A	00472R	91218	00490	91225	00482R (SCH. 40 & 80)	91229	00483R (SCH. 40, 80, & 160)	91231
2-1/2" - 3"	66A	00475R	91219	00490	91225	00482R (SCH. 40 & 80)	91229	00483R (SCH. 40, 80, & 160)	91231
3-1/2" - 4"	33A & 44A	00473R	91220	_	_	00482R (SCH. 40 & 80)	91229	00483R (SCH. 40, 80, & 160)	91231
3-1/2" - 4"	66A	00476R	91221	_	<del></del>	00482R (SCH. 40 & 80)	91229	00483R (SCH. 40, 80, & 160)	91231
5" - 6"	66A	00474R	91222	_	_	00482R (SCH. 40 & 80)	91229	00483R (SCH. 40, 80, & 160)	91231
2-1/2" - 3"	RHINO™	00574R	00574	00490	91225	00482R (SCH. 40 & 80)	91229	00483R (SCH. 40, 80, & 160)	91231
3-1/2" - 4"	RHINO™	00575	00575	_	_	00482R (SCH. 40 & 80)	91229	00483R (SCH. 40, 80, & 160)	91231

		DOUBLE BEVEL 45		DOUBLE BEVEL 37-	-1/2"	SARAN TOOLS	
SIZE	USE WITH	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.	CAT. NO.	UPC NO.
3/4" – 2"	22A, 33A, 44A	00480R (SCH. 40 & 80)	91232	00479R (SCH. 40 & 80)	91234	_	_
1" – 2"	All Units	00480R (SCH. 40 & 80)	91232	00479R (SCH. 40 & 80)	91234	_	_
2-1/2" - 3"	33A & 44A	00486 (SCH. 40)	91233	00484R (SCH. 40)	91235	00487R (SCH. 40)	91238
2-1/2" - 3"	66A	00486 (SCH. 40)	91233	00484R (SCH. 40)	91235	00487R (SCH. 40)	91238
3-1/2" - 4"	33A & 44A	00486 (SCH. 40)	91233	00484R (SCH. 40)	91235	00487R (SCH. 40)	91238
3-1/2" – 4"	66A	00486 (SCH. 40)	91233	00484R (SCH. 40)	91235	00487R (SCH. 40)	91238
5" - 6"	66A	00486 (SCH. 40)	91233	00484R (SCH. 40)	91235	00487R (SCH. 40)	91238
2-1/2" - 3"	RHINO™	00486 (SCH. 40)	91233	00484R (SCH. 40)	91235	00487R (SCH. 40)	91238
3-1/2" – 4"	RHINO™	00486 (SCH. 40)	91233	00484R (SCH. 40)	91235	00487R (SCH. 40)	91238





WWW.GREENLEE.COM 55

#### **GREENLEE MECHANICAL SOLUTIONS SOLDERING & BRAZING**







#### **ROFIRE HAND TORCH**

- High-Performance Piezo Ignition Reliable lighting up to 30,000 ignitions
- Fiber-Reinforced Body High impact rated
- Fine Regulating Valve Allows for precise flame adjustment
- On/Off Trigger Lights instantly; shuts off if dropped or released
- Trigger Guard
- Locking Button Provides continuous flame for hands-free use
- · Longer Skirt Added stability on bottle, reducing thread damage

CAT. NO.	UPC NO.	DESCRIPTION			
35415R	35415	ROFIRE Hand Torch with Swirl-Flame Burner Tip			

#### **SUPER FIRE 3**

- High-Performance Piezo Ignition Reliable lighting up to 30,000 ignitions
- Elaborately Manufactured Brass / Stainless Steel Design Long service life
- Fast "Twist 'N' Load System" Exchange of the nozzle with one movement (5 different nozzles available)
- Fine Regulating Valve Precise flame adjustment
- Ergonomically Designed Handle Made of High-Quality Aluminum -Robust and optimum handling
- Nozzle with Swirl Flame Rapid heat-up, less use
- Dual Safety Only ignites if torch has been securely locked
- Locking Button Continued use

CAT. NO.	UPC NO.	DESCRIPTION
35431R	35431	SUPERFIRE 3 Torch

## GREENLEE MECHANICAL SOLUTIONS SOLDERING & BRAZING













#### **ROFIRE SWIVEL TORCHES**

• The latest in torches, these heads swivel 360° for hard-to-reach areas

CAT. NO.	UPC NO.	DESCRIPTION
35012	02640	ROFIRE Swivel Pro Double Barrel Torch
35014	03664	ROFIRE Swivel Pro Cyclone Torch
35016	35016	ROFIRE Swivel Pro Piezo

#### **SOLDERING AND BRAZING TORCHES**

• For shrinking up to Ø 300 mm and for heating; powerful, wind-stable soft flame

CAT. NO.	UPC NO.	DESCRIPTION
35455	35455	Pin-Point Burner
35456	35456	Standard Burner
35457	35457	Swirl-Flame Burner
35458	35458	Hot-Air Burner
35459	35459	Soft-Flame Burner

#### SWEATBOX™ II

Handy Kit that Includes the Following Tools Needed to Sweat Copper

- SUPER FIRE 3 Torch (35431R)
- 35 PRO Tube Cutter (70027)
- MINI MAX Tube Cutter (70015)
- · Carrying Case

CAT. NO.	UPC NO.	DESCRIPTION
P20023	20023	SWEATBOX™ II

#### **FLAME REFLECTOR**

- · Protects surrounding materials or walls when soldering pipes
- Mounts onto Most Burner Tips Nothing separate to hold or attach to pipe
- Evenly Heats Pipe Saves energy and time
- Durable stainless steel
- 2-1/2" wide

CAT. NO.	UPC NO.	DESCRIPTION
31043R	31043	Flame Reflector (Mounting Dia. 5/8" - 7/8")

## GREENLEE MECHANICAL SOLUTIONS SOLDERING & BRAZING





#### MAP-PRO® AND PROPANE GAS

- Extremely high flame temperature, utmost burning performance
- Guaranteed constant top burner performance
- Poses no health risks (contains no BUTADIENE)
- · Easy to use
- · Increased user safety
- · Longer periods of use

CAT. NO.	UPC NO.	DESCRIPTION
50012R	50012	Map-Pro Gas Replacement
50010R	50010	Propane Gas Replacement

MAP-PRO® is a registered trademark of Worthington Industries Inc.

#### **ROTHERM 2000**

- **High Performance in Short Amount of Time** Fast return on investment with no purchasing or handling of gas cylinders
- Thermal Overload Protection Shuts off automatically
- Flexible, 13 Foot Long Cables Provides large working radius
- Large, Stainless Steel Cooling Ribs on Both Shanks of the Tongs Prevents overheating of the handle
- **Solder without Open Flame** No risk of fire when near flammable wall or floor, or plastic parts

CAT. NO.	UPC NO.	DESCRIPTION
36701	36701	ROTHERM 2000 Soft-Soldering Unit
36711	36711	ROTHERM Flat Electrode with Holders (Pair)
36710	36710	ROTHERM Rod Electrode with Holders (Pair)
36721	36721	ROTHERM Flat Electrodes (Pair)
36720	36720	ROTHERM Rod Electrodes (Pair)
45225R	00029	ROTHERM Soldering Paste

## GREENLEE MECHANICAL SOLUTIONS PLASTIC WELDING





#### ROWELD™ P 63 S-6

- Efficient Heat Protection Isolator prevents heat transfer to the case
- 3 Holes for Mounting Heating Spigots and Heating Sockets Increased flexibility and combination options for every day use
- Control Indicator Lights All important information at a glance
- Temperature Selector Switch Process safety according to DVS
- Automatic Overheat Protection Safe operation
- Integrated Floor Stand Retractable floor stand always available
- Narrow Profile Heating Plate Simple to use in confined spaces
- Anti-Stick Coating Long service life

CAT. NO.	UPC NO.	DESCRIPTION	
R11245R	11245	ROWELD™ P63 S-6 20-63MM Set 115V	



#### ROWELD™ P 160

- · Minimum drag force
- 40% Higher stability with simultaneously optimized force distribution
- · Removable heating plates for versatility
- Precise pressure adjustment
- · Time saving set up
- Tool-less insert change
- · Compact design for easy transport
- · Electrically adjustable heating element
- · Handy welding parameter template
- · Non-slip reducer clamp inserts for safety
- Treated with DURAMANT coating

CAT. NO.	UPC NO.	DESCRIPTION
R54001R	54001	ROWELD™ P 160 Saniline Set



#### **ROWELD™ P 160 B, P 250 B, & P 355 B**

- · Three simultaneously usable welding combinations
- Process reliability with the temperature control according to DVS, CEN, and ISO standards
- High-quality, anti-stick Teflon® coating for long service life
- · Manufactured according to DVS standards
- Electronic temperature control and monitoring, as well as prevention against unintentional temperature adjustment
- Saves time and money with quick-exchange system for heating plates
- Optimum temperature distribution over the entire working area

CAT. NO.	UPC NO.	DESCRIPTION
R55838R	55838	ROWELD™ P 160 B Basic Professional Set
R11127R	11127	ROWELD™ P 250 B Basic Professional Set
R11106R	11106	ROWELD™ P 355 B Basic Professional Set


Teflon® is a registered trademark of the Chemours Company

# GREENLEE MECHANICAL SOLUTIONS NOTES





WWW.GREENLEE.COM 61





CAT. NO.	UPC NO.	DESCRIPTION
60200	60200	RP50-S Pressure Test Pump 60 Bar/860 PSI
60201	60201	RP50-S Repair Kit
60250R	60250	TP25 Test Pump 25 Bar/363 PSI
60251	60251	TP25 Repair Kit







- AC/DC voltage and polarity measurement
- Over voltage warning gives user visual notification that voltage levels have exceeded 1000V AC/ 380V DC
- · Auto-hold automatically activates when tester is removed from voltage reading
- · Continuity test and single probe detection of live conductors for added flexibility
- Safe, non-contact voltage detection
- Visual and audible continuity
- Lifetime limited warranty
- Accessories included (2) 1.5V AAA batteries and test leads

CAT. NO.	UPC NO.	DESCRIPTION
GT-95	09027	Voltage Tester, LCD & GFCI
GT-65	09025	Voltage Tester, LCD & GFCI
TSG-3	12034	Sure-Grip Test Leads

# Commission CMT-80 33005 Litting 11 13 - 800 13 - 800 15 - 800

CMT-80

GT-65

#### **AUTOMATIC ELECTRICAL TESTER**

- · Hassle-free, automatic measurement of amperage, voltage, and resistance
- · Low impedance eliminates stray or "ghost" voltage readings
- Compact design for measuring in tight spaces
- Resistance measurement
- · Audible continuity test
- Diode test
- · Data hold to capture important readings
- · Auto off for longer battery life
- · Accessories included (1) 9V battery, test leads, and carrying case
- · Lifetime limited warranty

CAT. NO.	UPC NO.	DESCRIPTION
CMT-80	07735	Automatic Electrical Tester
TC-5	07588	Carrying Case
11372	11372	Test Leads







#### ADJUSTABLE NON-CONTACT VOLTAGE DETECTOR

- Adjustable to safely detect power and low voltage
- · Safely detects AC voltage without touching the bare conductor
- Adjustable for use on power wiring plus lighting, thermostats, and other low voltage circuits
- Use to detect voltage in outlets, lighting fixtures, wires, and cables
- Finds breaks in wires
- · Identifies hot and neutral conductors
- · Low battery indication
- · Lifetime limited warranty

CAT. NO.	UPC NO.	DESCRIPTION
GT-16	12727	Adjustable Non-Contact Voltage Detector

#### NON-CONTACT VOLTAGE DETECTOR

- Single button operation
- . CAT IV 1000 V rated for maximum safety
- Patented automatic self-test runs every 2 seconds for accurate results every time
- · Automatically shuts off after 5 minutes of inactivity to extend battery life
- · Bright LEDs flash and audible alarm sounds if AC voltage is present
- Silent mode for use in quite areas
- Safe, non-contact voltage detection
- Lifetime limited warranty
- · Designed and assembled in USA

CAT. NO.	UPC NO.	DESCRIPTION
GT-12A	00890	Non-Contact Voltage Detector

#### SELF TESTING NON-CONTACT VOLTAGE DETECTOR

- Detects voltage in tamper-resistant and conventional 15A and 20A, 120V outlets
- · Patented automatic self-test verifies the integrity of the unit
- · Bright LEDs flash and audible alarm sounds if voltage is present
- Silent-mode feature for use in quiet areas
- · Safe, non-contact voltage detection
- Use to detect voltage in outlets, lighting fixtures, circuit breakers, wires, and cables
  or to find a break in a wire
- Automatically turns off after 5 minutes of non-use to conserve battery life
- · Low battery indicator
- · Designed and assembled in USA
- Lifetime limited warranty

CAT. NO.	UPC NO.	DESCRIPTION
TR-12A	02733	Self Testing Tamper Resistant Non-Contact Voltage Detector







DM-860A

## ESM™ INDUSTRIAL 500,000-COUNT DIGITAL MULTIMETER

- AC+DC True RMS, 50,000-count display for greater accuracy
- 500,000 count available in DC voltage mode
- VFD (variable frequency drive) voltage and frequency functions for accurate readings on noisy drive waveforms
- Beep-Jack™ audible and visual input alert helps avoid blown fuses or damage to meter
- 41-segment analog bar graph makes it easy to view quick changes
- · Record max, min, avg, max-min and data hold
- · Crest capture (peak hold) max and min readings
- Relative offset display mode makes monitoring relative measurement changes simple
- Performs resistance, conductance, frequency, duty cycle, temperature and capacitance measurements, plus diode and continuity tests
- Dual temperature measurement up to 1832°F/1000°C using type K thermocouples
- · Bright back-lit display is easy to read under any light condition
- Intelligent auto power off conserves battery life but will not turn meter off during measurements
- Wide AC bandwidth To 100 kHz for voltage and 20 kHz for current
- USB Interface using optional DMSC-9U cable and software allows connection to a PC for extended measurement capability
- Accessories included (1) 9V battery, bead temperature probe (400°F/ 204°C max.), test leads, protective boot and carrying case
- · Lifetime limited warranty

CAT. NO.	UPC NO.	DESCRIPTION
DM-860A	12938	Industrial 500,000-Count Digital Multimeter
TC-20	07535	Carrying Case
TSG-3	12034	Sure-Grip Test Leads
TPB	07592	Bead Temperature Probe







DM-810A

#### **ESM™ SERIES DIGITAL MULTIMETERS**

- True RMS for no-compromise
- Measures voltage, current, resistance, capacitance, and frequency
- · Tests continuity and diodes
- Backlit LCD with dual 10,000 count displays
- Beep-Jack™ warns when test leads are incorrectly inserted in current measurement terminals
- · Automatic and manual range selection
- Relative offset mode to see changes in measurements
- Data hold
- Use optional USB interface DMSC-9U for direct-to-PC logging
- · Lifetime limited warranty

CAT. NO.	UPC NO.	DESCRIPTION
DM-810A	08743	ESM™ Series Digital Multimeter
TC-20	07535	Carrying Case (Included)
TSG-3	12034	Sure-Grip Test Leads
TPB	07592	Bead Temperature Probe

#### **DIGITAL MULTIMETER**

- Measures AC/DC voltage, AC/DC current, resistance, temperature, frequency, duty cycle and capacitance
- · Diode and audible continuity tests
- · Relative offset mode to see changes in measurements
- Data hold
- Backlit; 6,000 count LCD with bar graph
- Lifetime limited warranty

CAT. NO.	UPC NO.	DESCRIPTION
DM-65	00339	CATIII, 1000V; CATIV 600V Auto-Ranging Digital Multimeter
DM-25	00334	CATIII, 600V Manual Ranging Digital Multimeter
DM-45	00337	CATIII, 600V Auto-Ranging Digital Multimeter
TSG-3	12034	Sure-Grip Test Leads









#### PDMM-20 POCKET MULTIMETER

- · Auto-select mode for hassle-free use
- Low impedance eliminates stray or "ghost" voltage readings
- AC/DC voltage measurement
- Hassle-free, automatic measurement of voltage and resistance
- Auto ranging for guick, convenient measurements
- Non-contact voltage detection for identifying live lines without contacting conductors
- Intelligent auto-off for longer battery life
- · Low battery indicator
- Resistance measurement
- Audible continuity test
- Frequency measurement in voltage mode
- Capacitance measurement
- 6-count LCD for high resolution
- · Accessories included (1) 3 V battery (CR2032) and carrying case
- · Lifetime limited warranty

CAT. NO.	UPC NO.	DESCRIPTION
PDMM-20	11689	Pocket Multimeter





#### **1000A INDUSTRIAL CLAMP METER**

- Measures AC+DC current and DC microamps
- AC and AC+DC voltage measurements with digital low pass filter for accurate readings on variable frequency drives
- Also measures DC voltage, resistance, capacitance, temperature and frequency
- · Tests continuity and diodes
- · Phase sequence & motor rotation test
- Peak-RMS measures motor in rush current
- Flashlight inside clamp jaw for easier work in dark locations
- · Backlight & relative mode for added versatility
- AmpTip<sup>™</sup> increases accuracy on small wires and low current
- Two voltage detection modes non-contact or using a single test lead
- Data hold
- · Recording of maximum, minimum and average readings
- Crest (peak hold) feature captures current or voltage peaks as short as
   5 milliseconds
- · Lifetime limited warranty

CAT. NO.	UPC NO.	DESCRIPTION
CMI-1000	02187	1000A Industrial Clamp Meter
02714	02714	Test Leads
TC-30	07536	Carrying Case







#### **HVAC TRUE RMS CLAMP METER**

- Measures AC+DC current and DC microamps
- AC voltage measurement with digital low pass filter for accurate readings on variable frequency drives
- · Also measures DC voltage, resistance, capacitance, temperature, and frequency
- Tests continuity and diodes
- Phase sequence & motor rotation test
- Peak-RMS measures motor in rush current
- · Backlight & relative mode for added versatility
- AmpTip<sup>™</sup> increases accuracy on small wires and low current
- Two voltage detection modes non-contact or using a single test lead
- · Recording of maximum, minimum, and average readings
- Lifetime limited warranty
- Flashlight inside clamp jaw for easier work in dark locations
- Crest (peak hold) feature captures current or voltage peaks as short as 5 milliseconds

CAT. NO.	UPC NO.	DESCRIPTION
CMH-1000	02209	1000A HVAC True RMS Clamp Meter (AC Clamp-On)
CMH-600	02231	600A HVAC True RMS Clamp Meter (AC Clamp-On)
02714	02714	Test Leads
TC-30	07536	Carrying Case (CMH-1000)
TC-10	07534	Carrying Case (CMH-600)





#### **AC CLAMP-ON METER**

- Measures 600 volts AC and DC, and 400 Amps AC
- Data hold to capture important readings
- · Audible continuity test
- · Auto power off for longer battery life
- Accessories included (2) 1.5V AAA batteries, test leads and carrying case
- · Lifetime limited warranty

CAT. NO.	UPC NO.	DESCRIPTION
CM-410	73420	AC Clamp-On Meter
TC-5	07588	Carrying Case







#### **CS-8000 CIRCUIT SEEKER™ CIRCUIT TRACER**

- Patented non-directional sensing technology
- Superior sensitivity for accurate tracing & locating
- · Ergonomic receiver with full-color LCD
- · Graphics and audible provide quick and easy tracing feedback
- Traces concealed wiring, locates junction boxes, and finds breakers for live or open circuits
- · Locates and identifies blown fuses
- · Finds shorts and breaks in conductors
- · Can be used on GFCI protected circuits
- Supports transmitter-to-receiver distances up to 4 miles for closed circuit tracing
- · Lifetime limited warranty

CAT. NO.	UPC NO.	DESCRIPTION
CS-8000	12126	Circuit Seeker (Kit)
12849	12849	Transmitter
12850	12850	Receiver
10057	10057	Alligator Clips (2)
10054	10054	AC Blade
12852	12852	AC Plug Adapter
12853	12853	Extension Leads (2)
12851	12851	Carrying Case



#### **TG-1000**

- Safe, non-contact temperature measurement
- Display temperatures in either °F or °C
- · Adjustable emissivity for optimum temperature reading accuracy on a wide range of materials and surfaces
- . Min, max, difference, and average temperature functions
- · Backlit display for easy readings in any environment
- Laser spot indicator showing approximate center of target measurement area

CAT. NO.	UPC NO.	DESCRIPTION
TG-1000	00103	Infrared Thermometer

- Wider temperature range
- Higher distance-to-spot (D:S) ratio for measuring
- · Smaller targets or at greater distances
- Dual lasers indicate approximate diameter of target measurement area

CAT. NO.	UPC NO.	DESCRIPTION
TG-2000	00104	Dual Laser Infrared Thermometer





TG-2000

## GREENLEE MECHANICAL SOLUTIONS NOTES





WWW.GREENLEE.COM 71

## GREENLEE MECHANICAL SOLUTIONS FREEZING

## $ROFROST^{TM} CO_2 SET$

For Quick, Easy, and CFC-Free Freezing using Carbon Dioxide of:

Copper Pipes Dia. 1/2" -2-1/8" Steel Dia. 1/8" -2"

Plastic Pipes as Well as Multilayer Composite Tube



**Carbon Dioxide Powered** 

Offers high refrigeration power up to -79°C/-110°F for extremely short freezing times

**Fast and Safe Application**No emptying of pipes required

Freezing Heads
Offer constant block clamping
of pipe diameter: No breaking of
freezing sleeve

**Plastic Freezer Heads** 

Efficient freezing in minimal space

CAT. NO.	UPC NO.	DESCRIPTION	
65030	65030	$ROFROST^{\scriptscriptstyleTM} \; CO_{\scriptscriptstyle{2}} \; Set$	
65032	65032	Handle with Feed Valve & Bayonet Connection	
65033	65048	High Pressure Hose, 6-1/2'	
65048	65048	Nozzle & Filter Piece For Feed Valve	
65035	65035	ROFROST™ CO <sub>2</sub> Freezing Head (Copper O.D. 1/2" & Steel Dia. 1/8")	
65036	65036	ROFROST™ CO <sub>2</sub> Freezing Head (Steel Dia. 1/4")	
65037	65037	ROFROST™ CO <sub>2</sub> Freezing Head (Copper O.D. 5/8" & Steel Dia. 3/8")	

CAT. NO.	UPC NO.	DESCRIPTION
65038	65038	ROFROST™ CO <sub>2</sub> Freezing Head (Copper O.D. 3/4" - 7/8" & Steel Dia. 1/2")
65039	65039	ROFROST™ CO <sub>2</sub> Freezing Head (Copper O.D. 1-1/8" & Steel Dia. 3/4")
65040	65040	ROFROST™ CO <sub>2</sub> Freezing Head (Copper O.D. 1-3/8" & Steel Dia. 1")
65041	65041	ROFROST™ CO <sub>2</sub> Freezing Head (Copper O.D. 1-5/8" & Steel Dia. 1-1/4")
65042	65042	ROFROST <sup>™</sup> $CO_2$ Freezing Head (Steel Dia. 1-1/2")
65043	65043	ROFROST <sup>™</sup> $CO_2$ Freezing Head (Copper 0.D. 2-1/8")
65044	65044	R0FR0ST <sup>™</sup> C0 $_2$ Freezing Head (Steel Dia. 2")



**Kit Includes** - 1 can quick freeze spray (64001), 2 foam pipe jackets and 4 plastic ties

#### FREEZE-PAK

- The FREEZE-PAK is the ideal way to make quick repairs without draining or interrupting the water supply - Spray produces a temporary ice plug in plumbing and heating systems and lasts up to 30 minutes
- Produces an ice plug in 10 minutes
- · Works on copper, iron, lead, or plastic pipes
- · No need to drain system
- · Works vertically and horizontally
- Safe to use CFC free
- Size range 1/4" 1" 0.D.

CAT. NO.	UPC NO.	DESCRIPTION	
64004	64004	FREEZE-PAK Kit	
64002	64002	Foam Pipe Jacket Replacement (2 Pieces)	
64001	64001	Quick Freeze Spray Replacement 17.5 OZ. (500 G)	

## GREENLEE MECHANICAL SOLUTIONS FREEZING







62205



62217 - For ROFROST™ 1-1/4"



62234 - For 2" Turbo

## ROFROST™ TURBO 2"

- High-tech pipe freezing system for copper, steel, and plastic composite pipes
- Ideal for maintenance, repair, and expansion work in plumbing and heating installations
- Portable Use Optimal for service industry
- Plastic Capillary Pipes High flexibility and uninterrupted operation
- 6 Standard Adapter Sets Covers 15 pipe dimensions

CAT. NO.	UPC NO.	DESCRIPTION
62205	62205	ROFROST™ Turbo 2"
62202	62202	ROFROST™ Turbo 1-1/4"
62231	62231	Reduction Inserts for 2" (Steel Dia. 3/4")
62232	62232	Reduction Inserts for 2" (Copper O.D. 1-1/8")
62233	62233	Reduction Inserts for 2" (Copper O.D. 1-1/4")
62234	62234	Reduction Inserts for 2" (Copper O.D. 1-3/8" & Steel Dia. 1")
62235	62235	Reduction Inserts for 2" (Steel Dia. 1-1/4")
62236	62236	Reduction Inserts for 2" (Steel Dia. 1-1/2")
62237	62237	Reduction Inserts for (Copper O.D. 2-1/8")
62230	62230	2" Expansion Set (Copper O.D. 1/2", 5/8" & 7/8" & Steel Dia. 1/4" & 1/2")
62217	62217	Reduction Inserts for 1-1/4" (Copper O.D. 3/8" & Steel Dia. 1/8")
62211	62211	Reduction Inserts for 1-1/4" (Copper 0.D. 1/2")
62219	62219	Reduction Inserts for 1-1/4" (Copper 0.D. 5/8")
62224	62224	Reduction Inserts for 1-1/4" (Copper O.D. 3/4")
62214	62214	Reduction Inserts for 1-1/4" (Copper O.D. 7/8" & Steel Dia. 1/2")
62226	62226	Reduction Inserts for 1-1/4" (Copper O.D. 1")
62215	62215	Reduction Inserts for 1-1/4" (Steel Dia. 3/4")
62227	62227	Reduction Inserts for 1-1/4" (Copper O.D. 1-1/8")
62216	62216	Reduction Inserts for 1-1/4" (Copper O.D. 1-3/8" & Steel Dia. 1")









**UNI MARKERS®** 

## KIBOSH™ - EMERGENCY PIPE REPAIR

- Instant temporary repair to minimize water damage
- Allows for pipe to be kept in use until permanent repair is done
- · Accommodates split pipes and most fittings for maximum versatility
- Easy cantilever closing action for strong seal up to 87 psi
- · Reusable and no tools required
- Ideal for frost damage or accidentally perforated water pipes
- · Safely installed for up to one week
- Use on both metal and hard plastic pipes

CAT. NO.	UPC NO.	DESCRIPTION
80007	80007	KIBOSH 1/2"
80012	80012	KIBOSH 3/4"

## **ELECTRONIC MARKER LOCATOR**

- Designed to located buried electronic markers, including Omni-Marker® and Uni-Marker®
- Five+ foot depth range
- · Detects up to seven different marker types
- · User-adjustable detection threshold
- Bar graph, numeric & audible signal strength indicators
- Headphone Jack
- · Adjustable time out feature prolongs battery life
- · Weather Resistant

CAT. NO.	UPC NO.	DESCRIPTION
EML100	60798	Marker-Mate® Marker Locator

#### OMNI MARKER® & UNI MARKER®

- Electronically marks and relocates buried facilities
- Unique design produces a uniform, spherical RF field in every direction
- Wider field with signal peak directly above maker provides precise location
- High-reliability design lasts as long as your buried plant
- Color coded by utility application

COLOUR(S)		FREQ. (kHz)	COMMON USE	UNI MARKER	UPC #	OMNI MARKER	UPC #
Yellow	Yellow Black 92.0		Fiber Optic	Model 183	07167	Model 180	05160
Purple		66.35	Non-potable Water	Model 178	11059	Model 168	11050
Orange	Black	77.0	Cable TV	Model 175	60776	Model 165	60770
Yellow		83.0	Gas	Model 174	60775	Model 164	60769
Orange		101.4	Telephone	Model 173	60774	Model 163	60768
Green		121.6	Sanitary	Model 172	60773	Model 162	60767
Red	Blue	134.0	European Power	Model 182	07161	Model 181	05160
Blue		145.7	Water	Model 171	60772	Model 161	60766
Red		169.8	Power	Model 170	60771	Model 160	60765





WWW.GREENLEE.COM 75

#### ROSPI™ H+E PLUS

#### **Closed Plastic Spiral Container** Clean use and sturdy construction



**Professional Manual and Electrical Drain Cleaning Unit** Clean and comfortable removal of obstructions in kitchen, bath, toilets, or drainage openings with drain cleaning spiral

- Removal of sinks and siphon filters is not necessary
- Switch from manual to electrical use within seconds
- Secure hold even at higher speeds during drill operation
- Impact-resistant and protected from dirt contamination
- · Hexagonal drive for conventional power drill

CAT. NO.	UPC NO.	DESCRIPTION
72095	72095	ROSPI 8 PLUS Drain Cleaner
72412	72412	Cable Replacement 5/8" X 25 Ft



Kit Includes - R600 (72869V) 5x Cables 7/8" Dia. (72441) Cable Basket (72112), Guide Hose (72541), Guide Glove, Separating Pin (72101), Straight Auger (72221), Bulb Auger (72263), Spade Head

# Cutter (72261), Funnel Auger (72222) Serrated Forked Cutter (72250)

### **R600 DRAIN CLEANING MACHINE**

For Pipes 3/4" - 6" Diameter, the R600 is Ideal for Installation and **Maintenance Work in Hospitals and Municipal Buildings** 

- Reinforced Guide Hose Sheathing with Precision Quick Coupling Safe. kink-free cable feed; prevents dirt ingress
- Die-Cast Aluminum Frame And Fiberglass Reinforced Side Panels -Extremely light and sturdy
- Clamping Device For secure lengthening/shortening of cables
- Lockable Drive Lever Serves as carrying handle
- Optional Tri-Pod Stand Provides safe, non-slip, higher position of machine when working on toilets and Inspection Holes
- Cable Size 7/8" and 5/8"
- For Pipe Sizes 3/4" 6" Dia.
- Maximum Working Length 200 Ft with 7/8" Cables, 165 Ft with 5/8" Cables
- Rating 0.4 kW (0.55 HP) RH and LH Drive
- Speed 467 RPM

CAT. NO.	UPC NO.	DESCRIPTION	
72869V	02724	R600V Drain Cleaning Machine with Guide Hose	
72676	72676	R600V with Accessories	
72541	72541	R600 Guide Hose 13 Ft	
72638	72638	R600 Clutch Jaws with Springs	
58182	58182	R600 Collapsible Tri-Pod Stand	
72101	72101	Separating Pin for 7/8" & 1-1/4" Cables/Tools	

CAT. NO.	UPC NO.	DESCRIPTION
72112	72112	Cable Basket for 7/8" Cables, 74 Max Ft
72441	72441	Cable, 7/8" Dia. 15 Ft
72431	72431	Drain Cleaning Cable 5/8" X 7.5 Ft
72451	72451	Drain Cleaning Cable 1-1/4" X 15 Ft
72110	72110	Cable Basket for 5/8" Cables, 113 Max Ft
72111	72111	Cable Basket for 1-1/4" Cables, 59 Max Ft

## GREENLEE MECHANICAL SOLUTIONS PIPE & DRAIN CLEANING











#### **SERRATED FORKED CUTTER**

- · Universal tool for sludge deposits and roots
- Hardened spring steel with teeth on both sides

CAT. NO.	UPC NO.	MATERIAL DESCRIPTION	DIA.	WORKING RANGE
72250	72250	Serrated Forked Cutter 7/8"	3" – 4"	4" – 6"
72350	72350	Serrated Forked Cutter 1-1/4"	4" – 4"	4-3/4" - 8"

## **CROSS-BLADE CUTTER, SERRATED**

- Powerful tool with hardened, break-proof, steel blades
- Use for textile or sludge obstructions and coarse removal of encrustations
- · Use as preparatory tool for chain spinning
- · Recommended for use with SMK cables

CAT. NO.	UPC NO.	MATERIAL DESCRIPTION	DIA.	WORKING RANGE
72275	72275	Cross-Blade Cutter (Serrated) 7/8"	1-3/4" – 2-3/8"	2-3/4" – 4"
72374	72374	Cross-Blade Cutter (Serrated) 1-1/4"	1-3/4" – 2-3/8"	2-3/4" — 4-1/8"

#### CHAIN-SPINNING HEADS WITH SPIKE

- Without ring improved maneuvering in pipe bends
- Intensive cleaning action: reduces risk of renewed obstructions
- · Ideal for final cleaning of pipe
- For concrete and cast iron pipes

CAT. NO.	UPC NO.	MATERIAL DESCRIPTION	DIA.	WORKING Range
72186	72186	Chain-Spinning Heads with Spikes 5/8"	1-1/8" — 6-1/8"	2" – 5"
72278	72278	Chain-Spinning Heads with Spikes 7/8"	2" – 6-5/8"	2-3/4" – 5"
72347	72347	Chain-Spinning Heads with Spikes 1-1/4"	2-3/4" – 8-5/8"	3-1/2" – 5-1/2"

#### TWO-WAY ROOT CUTTER

- · For chopping up roots and solid materials
- Hardened spring steel with teeth on front and back
- · Cuts in both directions

CAT. NO.	UPC NO.	MATERIAL DESCRIPTION	DIA.	WORKING RANGE
72265	72265	Two-Way Root Cutter 7/8"	2-1/2" – 3-1/8"	3" – 4"
72365	72365	Two-Way Root Cutter 1-1/4"	2-1/2" – 3-1/8"	3" – 4"

# GREENLEE MECHANICAL SOLUTIONS PIPE & DRAIN CLEANING









#### **GREASE CUTTER**

 Standard tool for removing grease and other soft deposits, such as soap accumulations

CAT. NO.	UPC NO.	MATERIAL DESCRIPTION	DIA.	WORKING RANGE
72169	72169	Grease Cutter 5/8"	1" – 1-3/8"	1-1/2" – 3"
72234	72234	Grease Cutter 7/8"	1-3/8" – 1-3/4"	2" – 3"
72170	72170	Grease Cutter 1-3/8" Dia 5/8"	1-3/4" – 2-3/8"	2-3/8" – 5"

#### STRAIGHT AUGER

- Standard tool for establishing the nature of an obstruction in order to determine suitable cleaning tool
- For snagging or drilling through obstructions caused by textiles, paper, cellulose materials, kitchen refuse, etc.

CAT. NO.	UPC NO.	MATERIAL DESCRIPTION	DIA.	WORKING Range
72161	72161	Straight Auger 5/8"	5/8" — 4-3/8"	1" – 3"
72221	72221	Straight Auger 7/8"	7/8" – 8-1/4"	2" – 4"
72321	72321	Straight Auger 1-1/4"	1-1/4" — 8-5/8"	3" – 10"

#### SPIRAL SAWTOOTH CUTTER

· Special tool for chopping up small roots, branches and other materials

CAT. NO.	UPC NO.	MATERIAL DESCRIPTION	DIA.	WORKING RANGE
72166	72166	Spiral Sawtooth Cutter 5/8"	1" - 1-3/4"	2" – 3"
72229	72229	Spiral Sawtooth Cutter 7/8"	1-9/16" — 1-3/4"	3" – 4"
72329	72329	Spiral Sawtooth Cutter 1-1/4"	2-1/8" – 2-1/2"	3" – 4"

#### **RETRIEVING AUGER**

• Specially designed tool with a claw for retrieving textiles, tools, cables, etc.

CAT. NO.	UPC NO.	MATERIAL DESCRIPTION	DIA.	WORKING RANGE
72162	72162	Retrieving Auger 5/8"	1-3/8" – 2-1/8"	2" – 3"
72203	72203	Retrieving Auger 7/8"	1-3/4" – 4"	3" – 6"
72325	72325	Retrieving Auger 1-1/4"	2-1/2" – 5"	3" – 10"

### **GREENLEE MECHANICAL SOLUTIONS PIPE & DRAIN CLEANING**













#### **SPADE-HEAD CUTTER**

· Special curved tool for silt and sludge deposits

CAT. NO.	UPC NO.	MATERIAL DESCRIPTION	DIA.	WORKING Range
72261	72261	Spade-Head Cutter 7/8"	2-1/2"	4" - 6"
72360	72360	Spade-Head Cutter 1-1/4" X 2-1/2"	2-1/2" – 2-3/4"	4" - 6"

#### **BULB AUGER**

- Specially designed for small pipes and drains with multiple bends
- · Standard, highly flexible tool for clearing light textile & paper obstructions

CAT. NO.	UPC NO.	MATERIAL DESCRIPTION	DIA.	WORKING RANGE
72163	72163	Bulb Auger 5/8"	5/8" – 4-3/8"	1" – 3"
72263	72263	Bulb Auger 7/8"	7/8" – 8-1/4"	2" – 4"
72363	72363	Bulb Auger 1-1/4"	1-1/4" — 8-5/8"	3" – 10"

#### **CARBIDE-TIPPED CUTTERS**

- · Carbide tipped blades clear hardest obstructions and encrustations such as cement deposits, urine and water scale
- · Blades are securely mounted to tool body for long service life
- · Recommended for use with S or SMK cables

CAT. NO.	UPC NO.	MATERIAL DESCRIPTION	DIA.	WORKING RANGE
72191	72191	Carbide-Tipped Cutter 5/8"	1"	1-3/8" – 2"
72291	72291	Carbide-Tipped Cutter 7/8"	1-3/16"	2" – 3"
72392	72392	Carbide-Tipped Cutter 1-1/4"	1-3/4"	2-3/8" – 4"

#### **FUNNEL AUGER**

- · Large grab capacity can also be used to retrieve cables
- For removing or opening up obstructions caused by textiles or paper

CAT. NO.	UPC NO.	MATERIAL DESCRIPTION	DIA.	WORKING RANGE
72165	72165	Funnel Auger 5/8"	1-1/4" — 4-3/8"	2" – 4"
72222	72222	Funnel Auger 7/8"	2-1/8" – 7-1/4"	4" – 6"
72322	72322	Funnel Auger 1-1/4"	2-3/8" – 7-5/8"	4" – 10"

# GREENLEE MECHANICAL SOLUTIONS NOTES





WWW.GREENLEE.COM 81

#### WATER PUMP PLIERS/ROLOCK™ PLIERS



CAT. NO.	UPC NO.	DESCRIPTION
70521	70521	Water Pump Pliers 7"
70522	70522	Water Pump Pliers 10"
70523	70523	Water Pump Pliers 12"
70532	70532	ROLOCK™ - Quick Adjusting Pliers 10"
70533	70533	ROLOCK™ - Quick Adjusting Pliers 12"





#### 12" PUMP PLIERS

- Forged from chrome vanadium steel for greater strength and long life of the whole tool
- · Precision-machined and hardened teeth for durability and long life
- · Right-angled teeth for assured gripping power from both directions
- Exceeds ASME/ANSI specifications
- · Note: This is not an insulated tool
- · Lifetime limited warranty

#### 0451-12M - Molded Grip Pump Pliers

Slip proof molded grips for increased comfort and reduced fatigue

#### 0451-12D - Dipped Grip Pump Pliers

Double layered vinyl handles for comfort and slip resistance

CAT. NO.	UPC NO.	DESCRIPTION
0451-10M	54709	Molded Grip Pump Pliers 10"
0451-12M	54744	Molded Grip Pump Pliers 12"
0451-10D	89259	Dipped Grip Pump Pliers 10"
0451-12D	89260	Dipped Grip Pump Pliers 12"
0451-16D	54707	Dipped Grip Pump Pliers 16"





#### HIGH LEVERAGE SIDE-CUTTING PLIERS

- High leverage design provides 46% greater cutting and gripping power
- Forged chrome vanadium steel for greater strength and long life
- Laser hardened cutting knives keep edge and last longer than induction hardened knives
- Designed to provide long life even when cutting hardened wire, ACSR, screws, bolts, and nails
- Tempered handles help absorb the 'snap' and reduce fatigue when cutting through hardened wire, bolts, and screws
- Diamond serrated jaws for superior gripping power
- Exceeds ASME/ANSI specifications
- · Note: This is not an insulated tool
- · Lifetime limited warranty

CAT. NO.	UPC NO.	DESCRIPTION
0151-08M	54701	Molded Grip High Leverage Side-Cutting Pliers 8"
0151-09M	54702	Molded Grip High Leverage Side-Cutting Pliers 9"
0151-09CM	13488	Molded Grip Crimping Pliers 9"
0151-09SM	89264	Molded Grip High Leverage Side-Cutting Pliers with Stripping Hole 9"
0151-08D	89263	Dipped Grip High Leverage Side-Cutting Pliers 8"
0151-09D	89250	Dipped Grip High Leverage Side-Cutting Pliers 9"
0151-09CD	13487	Dipped Grip Crimping Pliers 9"
0151-09FD	89262	Dipped Grip Fish Tape Pulling Pliers 9"

# 0251-08D

0251-08M

## **DIAGONAL CUTTING PLIERS**

- High leverage design provides greater cutting and gripping power
- Forged chrome vanadium steel for greater strength and long life
- Laser hardened cutting knives keep edge and last longer than induction hardened knives
- Designed to provide long life even when cutting hardened wire, ACSR, screws, bolts, and nails
- Tempered handles help absorb the 'snap' and reduce fatigue when cutting through hardened wire, bolts, and screws
- Exceeds ASME/ANSI specifications
- · Note: This is not an insulated tool
- · Lifetime limited warranty

CAT. NO.	UPC NO.	DESCRIPTION
0251-06M	54737	Molded Grip Diagonal Cutting Pliers 6"
0251-07M	54738	Molded Grip High Leverage Diagonal Cutting Pliers 7"
0251-08M	54739	Molded Grip High Leverage Diagonal Cutting Pliers 8"
0251-08AM	54740	Angled Molded Grip High Leverage Diagonal Cutting Pliers 8"
0251-06D	89256	Dipped Grip Diagonal Cutting Pliers 6"
0251-08D	89254	Dipped Grip High Leverage Diagonal Cutting Pliers 8"
0251-08AD	89258	Angled Dipped Grip High Leverage Diagonal Cutting Pliers 8"



## LONG NOSE SIDE CUTTING AND STRIPPING PLIERS

- Forged chrome vanadium steel for greater strength and long life
- Laser hardened cutting knives keep edge and last longer than induction hardened knives
- Designed to provide long life even when cutting hardened wire
- Serrated jaws for stronger gripping power
- Exceeds ASME/ANSI specifications
- Note: This is not an insulated tool
- · Lifetime limited warranty

CAT. NO.	UPC NO.	DESCRIPTION
0351-06M	54717	Molded Grip Long Nose & Side Cutting Pliers 6"
0351-08M	54719	Molded Grip Long Nose & Side Cutting Pliers 8"
0351-08SM	20958	Molded Grip Long Nose & Stripping Pliers 8"
0351-07D	54718	Dipped Grip Long Nose & Side Cutting Pliers 7"
0351-08SD	20958	Dipped Grip Long Nose & Stripping Pliers 8"







#### **HEAVY-DUTY STEEL PIPE WRENCH**

- Monoblock cast body with high strength, double T profile, forged jaw and hook, fine-polished teeth set against turning direction, induction hardened, tempered and anti-slip adjustment screw
- · Spring-supported hook
- · One-handed ratchet-like use
- · Quick preset of tube diameter using scale on hook
- Sizes available in 1", 1-1/2", 2", 2-1/2", 3", 5" and 6"

CAT. NO.	UPC NO.	DESCRIPTION
70150	70150	Heavy-Duty Steel Pipe Wrench 8"
70151	70151	Heavy-Duty Steel Pipe Wrench 10"
70152	70152	Heavy-Duty Steel Pipe Wrench 12"
70153	70153	Heavy-Duty Steel Pipe Wrench 14"
70154	70154	Heavy-Duty Steel Pipe Wrench 18"
70155	70155	Heavy-Duty Steel Pipe Wrench 24"
70156	70156	Heavy-Duty Steel Pipe Wrench 36"
70157	00122	Heavy-Duty Steel Pipe Wrench 48"

# Company of the second

70159

70154

#### **HEAVY-DUTY ALUMINUM PIPE WRENCH**

- Features similar to Heavy-duty steel pipe wrench
- Extremely light aluminum alloy with high strength approximately 40% lighter
- Aluminum pipe wrench for PVC coated conduit has specially designed jaws for gripping coated pipe; protects plastic coating
- Sizes available in 1", 1-1/2", 2", 2-1/2", 3", 5" and 6"
- Sizes available for PVC coated in 1-1/2", 2", 2-1/2" and 3"

CAT. NO.	UPC NO.	DESCRIPTION
70159	70159	Aluminum Pipe Wrench 10"
70160	70160	Aluminum Pipe Wrench 14"
70161	70161	Aluminum Pipe Wrench 18"
70162	70162	Aluminum Pipe Wrench 24"
70163	70163	Aluminum Pipe Wrench 36"
70164	00132	Aluminum Pipe Wrench 48"
P70159C	70159	Aluminum Pipe Wrench for PVC Coated Pipe 10"
P70160C	16107	Aluminum Pipe Wrench for PVC Coated Pipe 14"
P70161C	06107	Aluminum Pipe Wrench for PVC Coated Pipe 18"
P70162C	70162	Aluminum Pipe Wrench for PVC Coated Pipe 24"



#### **HEAVY-DUTY STEEL OFFSET PIPE WRENCH**

- . Offset Wrench Head Ideal for work in confined spaces or close to walls
- Features similar to Heavy-duty steel pipe wrench
- Sizes available in 1-1/2" and 2"

CAT. NO.	UPC NO.	DESCRIPTION
70166	70166	Heavy-Duty Steel Offset Pipe Wrench 10"
70167	70167	Heavy-Duty Steel Offset Pipe Wrench 14"









#### HEAVY-DUTY ALUMINUM OFFSET PIPE WRENCH

- Features similar to Heavy-duty steel pipe wrench
- Extremely Light Aluminum Alloy with High Strength Approximately 40% lighter
- . Offset Wrench Head Ideal for work in confined spaces or close to walls
- Sizes available in 2" and 2-1/2"

CAT. NO.	UPC NO.	DESCRIPTION
70115	70115	Aluminum Offset Pipe Wrench 14"
70116	70116	Aluminum Offset Pipe Wrench 18"

#### **HEAVY-DUTY CHAIN PIPE WRENCH**

- Very tough design for the most demanding applications, tried and tested in pipeline construction, forged jaws and handle; replaceable jaws
- Strong Chain Made of Tempered Special Steel Fits every cross-section
- Double-Sided Tooth System for Ratchet-Like Use For right and left-handed motion
- Sizes available in 2-1/2", 4", 6" and 8"

CAT. NO.	UPC NO.	DESCRIPTION
70243	70243	Heavy-Duty Chain Pipe Wrench 2-1/2"
70244	70244	Heavy-Duty Chain Pipe Wrench 4"
70245	70245	Heavy-Duty Chain Pipe Wrench 6"
70246	70246	Heavy-Duty Chain Pipe Wrench 8"

#### 4" CHAIN PIPE WRENCH

- Profile handle made of drop forged, chrome vanadium steel, polished head and powerful chain made of tempered special steel
- · With a double-sided teeth surface set against the turning direction
- · Works in both directions without re-inserting

CAT. NO.	UPC NO.	DESCRIPTION
70235	70235	Chain Pipe Wrench 4"

#### STRAP AND FITTING WRENCH

- · Made of special aluminum alloy, with replaceable nylon strap
- Safe to Use on Chrome-Plated Fittings No damage to polished surfaces
- Sizes available in 3" and 8"

CAT. NO.	UPC NO.	DESCRIPTION
70240	70240	Strap and Fittings Wrench 3"
70241	70241	Strap and Fittings Wrench 8"













70615

#### TELESCOPIC BASIN NUT WRENCH

- Telescopic Action 4 length adjustments
- Chrome-plated, with pivoted reversible jaw

CAT. NO.	UPC NO.	DESCRIPTION
70225	70225	Telescopic Basin Nut Wrench 3/8" - 1-1/4"
70226	70226	Telescopic Basin Nut Wrench 1-1/4" - 2-1/2"

#### STANDARD BASIN NUT WRENCH

• Chrome-plated, with pivoted reversible jaw

CAT. NO.	UPC NO.	DESCRIPTION
70236	70236	Basin Nut Wrench 3/8" – 1-1/4"

#### **SANIGRIP PL PLIER**

- Special chrome vanadium steel, drop forged, chrome-plated, 4 adjustable sizes at joint, with teethed grip jaws
- SANIGRIP PL features plastic jaws to protect fittings
- Ideal for Plastic Screw Joints up to Dia. 2-3/8" (62 mm) Optimum grip
- Secure and Gentle Grip on Precious Fittings No damage to polished surfaces

	CAT. NO.	UPC NO.	DESCRIPTION	
	70416	70416	SANIGRIP PL Plier 10"	
70417 00835		00835	SANIGRIP PL Plier Spare Plastic Jaws (Pair)	

#### PLUMBER'S 7-PIECE REPAIR KIT

- All the tools you need for a typical repair job in a sturdy carrying case; Thread, grip and cut 1/2" through 1" pipe
- Kit Includes Heavy-duty tool bag (40231), ROTRAC 42 Plus (70021), 18" aluminum pipe wrench (70161), ROCUT® 50TC shear (52010R), ROFIRE swivel torch, 10" plumber's pliers (70522), basin wrench (70225)

CAT. NO.	UPC NO.	DESCRIPTION
70615	70615	Plumber's 7-Piece Repair Kit
40231	40231	Tool Bag



#### CRIMPING COMBINATION TOOL

- Heavy-duty forged, heat treated steel for greater strength and long life of the tool
- Crimps both 10-22 AWG insulated and non-insulated terminals and connectors
- Machine hardened steel cutting blades for long life, even when cutting hardened wire
- Exceeds ASME/ANSI specifications
- Note: This is not an insulated tool
- Lifetime limited warranty

#### **Molded Grip Handles**

- Slip proof, ergonomic molded grips and half handles for increased comfort and reduced fatigue
- Location of handle ridge allows the user to "choke up" for greater control

#### **Dipped Grip Handles**

- Double layered vinyl handles for comfort and slip resistance
- Reduced handle size for easy storage in pouches and bags

CAT. NO.	UPC NO.	DESCRIPTION
KP1022	02155	Molded Grip Terminal Crimping Tool
KP1022D	10633	Dipped Grip Terminal Crimping Tool











## PRO STAINLESS STEEL WIRE STRIPPERS/CUTTERS/CRIMPERS

- Cutlery grade stainless steel prevents wear and corrosion to provide 5X longer life
- · Pliers grab, form and bend wires
- Precision ground strippers engineered for clean, easy insulation removal
- · Bolt threaders clean threads after shearing
- · Comfort grips are double molded, lightweight and easy to grab
- Professional, multi-function tool includes a crimper, looper, non-obstructive lock mechanism, spring return, and high grade shears
- Note: This is not an insulated tool
- · Lifetime warranty

CAT. NO.	UPC NO.	DESCRIPTION	SOLID STRIP	STRANDED STRIP	BOLT Shear	CRIMP
1950-SS	02241	Pro Stainless Wire Stripper/Cutter/Crimper	10-18	12-20	6-32, 8-32	16-10
1955-SS	01361	Curved Pro Stainless Wire Stripper/Cutter/Crimper	10-18	12-20	6-32, 8-33	16-10
1956-SS	02242	Curved Pro Stainless Wire Stripper/Cutter/Crimper	6-14	8-16	6-32, 8-34	16-10







1917-SS

#### STAINLESS STEEL WIRE STRIPPERS/CUTTERS

- Cutlery grade stainless steel prevents wear and corrosion to provide 5X longer life
- · Pliers grab, form and bend wires
- Precision ground strippers engineered for clean, easy insulation removal
- Other features include a looper, non-obstructive lock mechanism, spring return, and high grade shears
- Note: This is not an insulated tool
- Lifetime warranty

CAT. NO.	UPC NO.	DESCRIPTION	SOLID STRIP	STRANDED STRIP	BOLT Shear	CRIMP
1916-SS	01359	Stainless Wire Stripper/Cutter	10-20	12-22	_	-
1917-SS	01360	Stainless Wire Stripper/Cutter	16-26	18-28	_	_



#### 1927-SS

#### STAINLESS STEEL WIRE STRIPPERS/ CRIMPING COMBINATION TOOL

- Multi-functional, professional grade
- Cutlery grade stainless steel prevents wear and corrosion to provide 5X longer life
- · Multiple bolt shears and crimpers for a wide range of tests
- · Bolt threaders clean threads after shearing
- Precision ground strippers engineered for clean, easy insulation removal
- Comfort grips are double molded, lightweight and easy to grab
- Other features include a looper, non-obstructive lock mechanism, spring return, and high grade knives
- · Note: This is not an insulated tool
- · Lifetime warranty

CAT. NO.	UPC NO.	DESCRIPTION	SOLID STRIP	STRANDED STRIP	BOLT SHEAR	CRIMP
1927-SS	02243	Pro Stainless Combination Tool with Spring	8-18	10-20	4-40 to 10-24	Multiple



#### CRIMPING/STRIPPER COMBINATION TOOL

- Easily strip both solid and stranded wires, crimp terminals and cut screws and wire
- Precision ground blades ensure consistent stripping and cutting
- · Double dipped grips for superior comfort and assured grip
- Heat treated for strength with black oxide finish for rust resistance
- Cleanly cuts and strips 10-22 AWG wire
- 2 wire cutters: middle cuts copper, tip also cuts hardened wire
- Cleanly cuts #4-40, #6-32 and #8-32, #10-24, #10-32 screws
- Crimps 10-22 AWG insulated and non-insulated terminals, splices and lugs
- Splices and terminates 7 mm and 8 mm ignition terminals
- Note: This is not an insulated tool
- · Lifetime limited warranty

			CA	AP. AWG
CAT. NO.	UPC NO.	DESCRIPTION	SOLID	STRANDED
1923A	00084	Crimping/Stripping Combination Tool	8-18	10-22





#### 7-PIECE SCREWDRIVER SET

- · Heavy-duty construction for longer life
- Handle marked for easy identification of screwdriver size, type and length
- · Precision-machined tips for accurate fastener contact
- Strong, durable black phosphate tips prevent chipping of plating
- High-grade, rust resistant, chrome-plated finish
- · Cushion grip handle for extra comfort and torque
- Exceeds ASME/ANSI specifications
- Note: This is not an insulated tool
- Lifetime limited warranty
- Contains: 3/16" x 4" Cabinet, 3/16" x 6" Cabinet, 1/4" x 4" Keystone,
   1/4" x 4" Cabinet, 5/16" x 6" Keystone, #1 x 3" Phillips & #2 x 4" Phillips

CAT. NO.	UPC NO.	DESCRIPTION
0153-02C	54661	7-Piece Screwdriver Set



#### **5-PIECE SCREWDRIVER SET**

- · Heavy-duty construction for longer life
- Handle marked for easy identification of screwdriver size, type and length
- · Precision-machined tips for accurate fastener contact
- · Strong, durable black phosphate tips prevent chipping of plating
- · High-grade, rust resistant, chrome-plated finish
- · Cushion grip handle for extra comfort and torque
- Exceeds ASME/ANSI specifications
- · Note: This is not an insulated tool
- · Lifetime limited warranty
- Contains: 3/16" x 6" Cabinet, 1/4" x 4" Keystone, 1/4" x 6" Cabinet, 5/16" x 6"
   Keystone & #2 x 4" Phillips

CAT. NO.	UPC NO.	DESCRIPTION
0153-01C	56303	5-Piece Screwdriver Set





- · Precision machined tips for exact fastener fit
- Strong durable black phosphate tips to prevent chipping or plating
- · Handle marked for easy identification of screwdriver size and type
- Cushion grip handle for extra comfort and no slipping
- Designed to meet ASME/ANSI specifications
- Note: This is not an insulated tool
- · Lifetime limited warranty
- Contains: Sizes #0 Phillips, 1/16" Keystone, 3/32" Cabinet & 1/8" Cabinet

CAT.	NO.	UPC NO.	DESCRIPTION
0153	-03C	13438	4-Piece Mini Screwdriver Set (Round Shank)



#### 9-IN-1 MULTI-TOOL DRIVER

- · Versatile multi-bit screwdriver, 9 tools in one
- Drive hex nuts, Phillips, Square Recess and slotted fasteners
- High-grade, rust resistant, chrome-plated finish
- · Precision-machined, hardened steel bits
- Cushion grip handle for extra comfort and torque
- · Note: This is not an insulated tool
- Lifetime limited warranty
- Contains bits: #1 & #2 Phillips, #1 & #2 Square Recess and 3/16" & 1/4" Flat Tip, 1/4", 5/16" & 3/8" Hex

CAT. NO.	UPC NO.	DESCRIPTION
0153-43C	13490	9-In-1 Multi-Tool
9953-15	10628	Replacement Bits 9-In-1



### 6-IN-1 MULTI-TOOL DRIVER

- Versatile multi-bit screwdriver, 6 tools in one
- · Precision machined, hardened steel bits
- · High-grade, rust resistant, chrome-plated finish
- · Cushion grip handle for extra comfort and torque
- Note: This is not an insulated tool
- Lifetime limited warranty
- Contains: 3/16" & 1/4" Flat-Tip, #1 & #2 Phillips and 5/16" & 1/4" Hex

CAT. NO.	UPC NO.	DESCRIPTION
0153-42C	56308	6-In-1 Multi-Tool
9953-13	56310	Replacement Bits – 3/16" & 1/4" Flat-tip and #1 & #2 Phillips





#### **HEAVY-DUTY KEYSTONE TIP SCREWDRIVER**

- · Square shank allows use of wrench or pliers for added torque
- · Handle marked for easy identification of screwdriver size, type and length
- · Rugged keystone tip for additional strength
- · Precision-machined tips for accurate fastener contact
- · Strong, durable black phosphate tips prevent chipping of plating
- · Cushion grip handle for extra comfort and torque
- Exceeds ASME/ANSI specifications
- · Note: This is not an insulated tool
- · Lifetime limited warranty

CAT. NO.	UPC NO.	DESCRIPTION
0153-11C	54644	Square Shank 1/4" x 4" Flat Blade Screwdriver
0153-12C	54645	Square Shank 1/4" x 6" Flat Blade Screwdriver
0153-13C	54646	Square Shank 1/4" x 8" Flat Blade Screwdriver
0153-14C	54647	Square Shank 1/4" x 10" Flat Blade Screwdriver
0153-15C	56304	Square Shank 5/16" x 6" Flat Blade Screwdriver
0153-16C	56305	Square Shank 3/8" x 8" Flat Blade Screwdriver



#### **HEAVY-DUTY CABINET TIP SCREWDRIVER**

- Narrow cabinet tip for limited access applications
- Handle marked for easy identification of screwdriver size, type and length
- · Precision-machined tips for accurate fastener contact
- · Strong, durable black phosphate tips prevent chipping of plating
- · Cushion grip handle for extra comfort and torque
- Exceeds ASME/ANSI specifications
- · Note: This is not an insulated tool
- · Lifetime limited warranty

CAT. NO.	UPC NO.	DESCRIPTION
0153-21C	54652	Round Shank 3/16" x 4" Flat Blade Screwdriver
0153-22C	54653	Round Shank 3/16" x 6" Flat Blade Screwdriver
0153-23C	54654	Round Shank 3/16" x 8" Flat Blade Screwdriver
0153-24C	54655	Round Shank 3/16" x 10" Flat Blade Screwdriver
0153-25C	54649	Round Shank 1/4" x 4" Flat Blade Screwdriver
0153-26C	54650	Round Shank 1/4" x 6" Flat Blade Screwdriver
0153-27C	54651	Round Shank 1/4" x 8" Flat Blade Screwdriver





- · Precision-machined tips for exact fit
- Handle marked for easy identification of screwdriver size, type and length
- · Strong, durable black phosphate tips prevent chipping of plating
- · Cushion grip handle for extra comfort and torque
- Exceeds ASME/ANSI specifications
- · Note: This is not an insulated tool
- Lifetime limited warranty

CAT. NO.	UPC NO.	DESCRIPTION
0153-04C	13491	Stubby 2 PC Screwdriver Set
0153-28C	54648	Round Shank 1/4" x 1-1/2" Flat Blade Screwdriver
0153-32C	54657	Heavy-Duty Phillips Tip #2 x 1-1/2" Screwdriver



#### **HEAVY-DUTY PHILLIPS TIP SCREWDRIVER**

- · Precision-machined tips for exact fit
- Handle marked for easy identification of screwdriver size, type and length
- Strong, durable black phosphate tips prevent chipping of plating
- Cushion grip handle for extra comfort and torque
- Exceeds ASME/ANSI specifications
- Note: This is not an insulated tool
- · Lifetime limited warranty

CAT. NO.	UPC NO.	DESCRIPTION
0153-31C	54656	Heavy-Duty Phillips Tip #1 x 3" Screwdriver
0153-33C	54658	Heavy-Duty Phillips Tip #2 x 4" Screwdriver
0153-34C	54659	Heavy-Duty Phillips Tip #2 x 6" Screwdriver
0153-35C	54660	Heavy-Duty Phillips Tip #3 x 6" Screwdriver
0153-36C	89213	Heavy-Duty Phillips Tip #2 x 10" Screwdriver





#### **4-PIECE SQUARE-RECESS TIP DRIVER SET**

- · Precision tip for accurate fastener fit
- Handle marked and color coded for easy identification of screwdriver size and type
- · Heavy-duty construction for longer life
- · High-grade, rust resistant, chrome-plated finish
- · Cushion grip handle for extra comfort and torque
- Exceeds ASME/ANSI specifications
- · Note: This is not an insulated tool
- · Lifetime limited warranty
- Contains: #0 x 4", #1 x 4", #2 x 4" & #3 x 4"

CAT. NO.	UPC NO.	DESCRIPTION
0353-01C	54695	4-Piece Square-Recess Tip Driver Set



#### **SQUARE-RECESS TIP DRIVERS**

- · Precision tip for accurate fastener fit
- Handle marked and color coded for easy identification of screwdriver size and type
- · Heavy-duty construction for longer life
- High-grade, rust resistant, chrome-plated finish
- Cushion grip handle for extra comfort and torque
- Exceeds ASME/ANSI specifications
- · Note: This is not an insulated tool
- · Lifetime limited warranty

CAT. NO.	UPC NO.	DESCRIPTION
0353-11C	54688	Square-Recess Tip Driver - #0 x 4"
0353-12C	54689	Square-Recess Tip Driver - #1 x 4"
0353-13C	54691	Square-Recess Tip Driver - #2 x 4"
0353-14C	54693	Square-Recess Tip Driver - #3 x 4"
0353-21C	89214	Square-Recess Tip Driver - #0 x 8"
0353-22C	89215	Square-Recess Tip Driver - #1 x 8"
0353-23C	89216	Square-Recess Tip Driver - #2 x 8"
0353-24C	89217	Square-Recess Tip Driver - #3 x 8"





- Precision tip for accurate fastener fit
- Handle marked and color coded for easy identification of screwdriver size and type
- · Heavy-duty construction for longer life
- High-grade, rust resistant, chrome-plated finish
- · Cushion grip handle for extra comfort and torque
- Exceeds ASME/ANSI specifications
- · Note: This is not an insulated tool
- · Lifetime limited warranty

CAT. NO.	UPC NO.	DESCRIPTION
0353-02C	89222	2-Piece Square-Recess Tip Stubby Driver Set, Contains - #1 & #2
0353-32C	89223	Square-Recess Tip Driver - #1 x 1-1/2"
0353-33C	89224	Square-Recess Tip Driver - #2 x 1-1/2"




#### **SCRATCH AWL**

- · Integrated steel end cap for durability and long life
- · Heavy-duty construction for piercing and scribing
- High-grade, rust resistant, chrome-plated finish
- · Cushion grip handle for extra comfort and torque
- Note: This is not an insulated tool
- · Lifetime limited warranty

CAT. NO.	UPC NO.	DESCRIPTION
9753-12C	54697	Scratch Awl 3"





- · Heavy-duty construction for longer life
- Teavy-duty constituction for longer life
- Handle and shaft marked for easy identification of nut driver size
- Precision 6-point sockets for accurate fastener fit
- · High-grade, rust resistant, chrome-plated finish
- · Cushion grip handle for extra comfort and torque
- Exceeds ASME/ANSI specifications
- Note: This is not an insulated tool
- · Lifetime limited warranty
- Contains: (3" Shank): Sizes 3/16", 1/4", 5/16", 11/32", 3/8", 7/16" & 1/2"

C	CAT. NO.	UPC NO.	DESCRIPTION
0	253-01C	54671	7-Piece Nut Driver Set









## **HEAVY-DUTY NET DRIVERS**

- Rugged hollow shaft for bolt clearance
- · Heavy-duty construction for longer life
- Handle color marked for easy identification of nut driver size
- · Precision 6-point sockets for accurate fastener fit
- High-grade, rust resistant, chrome-plated finish
- Cushion grip handle for extra comfort and torque
- Exceeds ASME/ANSI specifications
- Note: This is not an insulated tool
- · Lifetime limited warranty

#### FRACTIONAL SIZES 3" SHAFT

CAT. NO.	UPC NO.	DESCRIPTION
0253-11C	54664	Heavy-Duty Nut Driver 3/16" x 3"
0253-12C	54665	Heavy-Duty Nut Driver 1/4" x 3"
0253-13C	54666	Heavy-Duty Nut Driver 5/16" x 3"
0253-14C	54667	Heavy-Duty Nut Driver 11/32" x 3"
0253-15C	54668	Heavy-Duty Nut Driver 3/8" x 3"
0253-16C	54669	Heavy-Duty Nut Driver 7/16" x 3"
0253-17C	54670	Heavy-Duty Nut Driver 1/2" x 3"

#### METRIC SIZES 75 MM SHAFT

CAT. NO.	UPC NO.	DESCRIPTION
0253-33C	89228	Heavy-Duty Nut Driver 5mm x 75mm
0253-34C	89229	Heavy-Duty Nut Driver 5.5mm x 75mm
0253-35C	89230	Heavy-Duty Nut Driver 6.0mm x 75mm
0253-36C	89231	Heavy-Duty Nut Driver 7.0mm x 75mm
0253-37C	89232	Heavy-Duty Nut Driver 8.0mm x 75mm
0253-38C	89233	Heavy-Duty Nut Driver 9.0mm x 75mm
0253-39C	89234	Heavy-Duty Nut Driver 10.0mm x 75mm
0253-41C	89235	Heavy-Duty Nut Driver 11.0mm x 75mm
0253-42C	89236	Heavy-Duty Nut Driver 12.0mm x 75mm
0253-43C	89237	Heavy-Duty Nut Driver 13.0mm x 75mm



## COMBINATION RATCHETING WRENCHES - FRACTIONAL

- Compact reversible switch allows a 15° offset of the box end for clearance of obstacles
- "Five-degree" ratcheting design for versatility and ease of use in tight spaces
- Polished chrome finish for superior corrosion resistance
- · Precision heads for accurate fastener fit
- · Hardened for durability and longer life
- Exceeds ASME/ANSI specifications
- · Note: This is not an insulated tool
- Lifetime limited warranty

CAT. NO.	UPC NO.	DESCRIPTION
0354-11	55494	Combination Ratcheting Wrench 1/4"
0354-12	55495	Combination Ratcheting Wrench 5/16"
0354-13	55496	Combination Ratcheting Wrench 3/8"
0354-14	55497	Combination Ratcheting Wrench 7/16"
0354-15	55498	Combination Ratcheting Wrench 1/2"
0354-16	55499	Combination Ratcheting Wrench 9/16"
0354-17	55500	Combination Ratcheting Wrench 5/8"
0354-18	89268	Combination Ratcheting Wrench 11/16"
0354-19	89269	Combination Ratcheting Wrench 3/4"
0354-20	89270	Combination Ratcheting Wrench 13/16"
0354-21	89271	Combination Ratcheting Wrench 7/8"
0354-22	89272	Combination Ratcheting Wrench 15/16"
0354-23	89273	Combination Ratcheting Wrench 1"
0354-24	13517	Combination Ratcheting Wrench 1-1/16"
0354-25	13518	Combination Ratcheting Wrench 1-1/8"
0354-26	13519	Combination Ratcheting Wrench 1-1/4"



## 7-PIECE COMBINATION RATCHETING WRENCH SET - FRACTIONAL

- Compact reversible switch allows a 15° offset of the box end for clearance of obstacles
- "Five-degree" ratcheting design for versatility and ease of use in tight spaces
- Polished chrome finish for superior corrosion resistance
- · Precision heads for accurate fastener fit
- Hardened for durability and longer life
- Exceeds ASME/ANSI specifications
- Note: This is not an insulated tool
- Lifetime limited warranty
- Contains Sizes 1/4", 5/16", 3/8", 7/16", 1/2", 9/16" & 5/8"

CAT. NO.	UPC NO.	DESCRIPTION
0354-01	55501	7-Piece Combination Ratcheting Wrench Set - Fractional





## COMBINATION RATCHETING WRENCHES - METRIC

- Compact reversible switch allows a 15° offset of the box end for clearance of obstacles
- "Five-degree" ratcheting design for versatility and ease of use in tight spaces
- Polished chrome finish for superior corrosion resistance
- · Precision heads for accurate fastener fit
- · Hardened for durability and longer life
- Exceeds ASME/ANSI specifications
- Note: This is not an insulated tool
- · Lifetime limited warranty

CAT. NO.	UPC NO.	DESCRIPTION
0354-51 89277		Combination Ratcheting Wrench 6mm
0354-52	89278	Combination Ratcheting Wrench 7mm
0354-54	89280	Combination Ratcheting Wrench 9mm
0354-56	89282	Combination Ratcheting Wrench 11mm
0354-59	89285	Combination Ratcheting Wrench 14mm
0354-60	89286	Combination Ratcheting Wrench 15mm
0354-61	89287	Combination Ratcheting Wrench 16mm
0354-63	89289	Combination Ratcheting Wrench 18mm
0354-64	89290	Combination Ratcheting Wrench 19mm



## 7-PIECE COMBINATION RATCHETING WRENCH SET - METRIC

- Compact reversible switch allows a 15° offset of the box end for clearance of obstacles
- "Five-degree" ratcheting design for versatility and ease of use in tight spaces
- · Polished chrome finish for superior corrosion resistance
- · Precision heads for accurate fastener fit
- · Hardened for durability and longer life
- Exceeds ASME/ANSI specifications
- Note: This is not an insulated tool
- · Lifetime limited warranty
- Contains Sizes 7mm, 9mm, 10mm, 11mm, 13mm, 14mm and 15 mm

CAT. NO.	UPC NO.	DESCRIPTION
0354-02	89274	7-Piece Combination Ratcheting Wrench Set - Metric



#### **DIPPED HANDLE ADJUSTABLE WRENCH**

- · Heavy-duty construction to handle any size job
- Double-dipped vinyl handle for user comfort and slip resistance
- Precision-machined to tight tolerances for professional feel and smooth operation
- · Wide capacity jaw design provides extra versatility
- · Measuring scale on head for easy sizing
- Corrosion resistant finish
- Exceeds ASME/ANSI specifications
- · Note: This is not an insulated tool
- Lifetime limited warranty

CAT. NO.	UPC NO.	DESCRIPTION	
0154-08D 89291 Dipped Handle Adjustable Wrench 8		Dipped Handle Adjustable Wrench 8"	
0154-10D	89292	Dipped Handle Adjustable Wrench 10"	
0154-12D 89293 Dipped Handle Adjustable		Dipped Handle Adjustable Wrench 12"	



#### T-HANDLE HEX KEY DRIVERS

- 10 piece set available for convenience and versatility (including sizes 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8")
- · Heat-treated and tempered for extra strength and durability
- Exceeds ASME/ANSI specifications
- Ergonomic molded grips for max torque & comfort
- Ball end allows up to 30° misalignment
- · Square-cut end for high torque applications
- Note: This is not an insulated tool
- · Lifetime limited warranty

CAT. NO.	UPC NO.	DESCRIPTION
0254-40	13499	T-Handle Wrench Set, 10 PC
0254-42	13500	T-Handle Wrench, 3/32"
0254-43	13501	T-Handle Wrench, 7/64"
0254-44	13502	T-Handle Wrench, 1/8"
0254-45	13503	T-Handle Wrench, 9/64"
0254-46	13504	T-Handle Wrench, 5/32"
0254-47	13505	T-Handle Wrench, 3/16"
0254-48	13506	T-Handle Wrench, 7/32"
0254-49	13507	T-Handle Wrench, 1/4"
0254-50	89187	T-Handle Wrench, 5/16"
0254-51	89197	T-Handle Wrench, 3/8"





## 9-PIECE FOLDING HEX-KEY SET - STANDARD

- 9 piece set for convenience and versatility (including sizes 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4")
- One-piece, powder-coated handle/case for corrosion resistance
- Laser-etched sizes on case for easy identification
- · Heat-treated and tempered for extra strength and durability
- Exceeds ASME/ANSI specifications
- · Lifetime limited warranty

CAT. NO.	UPC NO.	DESCRIPTION
0254-11	56323	9-Piece Folding Hex-Key Set



#### 5-PIECE FOLDING HEX-KEY SET - STANDARD

- 5 Piece folding set for convenience and versatility when stored in a pouch or toolbox
- Each hex key is heat treated and tempered for extra strength and durability
- Sizes included: 3/16", 7/32", 1/4", 5/16" & 3/8"
- Powder-coated case for corrosion resistance and long life
- Designed to exceed ASME/ANSI specifications
- Lifetime limited warranty

CAT. NO.	UPC NO.	DESCRIPTION
0254-13	56269	5-Piece Folding Hex-Key Set



#### 9-PIECE FOLDING BALL-END HEX-KEY SET - STANDARD

- 9 piece set for convenience and versatility (including sizes 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4")
- Ball-end design allows for angled use up to 30°
- One-piece, powder-coated handle/case for corrosion resistance
- · Laser-etched sizes on case for easy identification
- · Heat-treated and tempered for extra strength and durability
- Exceeds ASME/ANSI specifications
- · Lifetime limited warranty

CAT. NO.	UPC NO.	DESCRIPTION
0254-12 5548		9-Piece Folding Ball-End Hex-Key Set



#### **UTILITY KNIFE**

- Over-molded for secure, comfortable grip
- Retractable three-position blade for safety and convenience
- Easy front-loading design provides for quick blade change
- Blade storage in pop-up holder
- Packaged with three heavy-duty patented serrated blades (CAT # 9952-11)
- Note: This is not an insulated tool

CAT. NO.	UPC NO.	DESCRIPTION	
0652-11	54729	Utility Knife with Blades	
9952-11	56301	Blades for 0652-11 Utility Knife, 5 pack	

#### PROFESSIONAL POCKET KNIVES



SPECIFICATIONS	BLADE	BLADE LENGTH	BLADE SAFETY	HANDLE SIZE	HANDLE MATERIAL	SHEATH
0652-24	440C Stainless Steel	2.25" (57mm)	Lock-back	3.50" (89mm)	Desert Ironwood with Stainless Bolsters and Belt Clip	
0652-25	Titanium Coated 440C Stainless Steel	2.25" (57mm)	Lock-back	3.50" (89mm)	Anodized Aluminum with Reversible Belt Clip and Lanyard Hole	
0652-26	440C Stainless Steel	2.25" (57mm)	Lock-back	3.25" (82mm)	Rosewood with Stainless Bolsters and Swivel Ring	
0652-28	440C Stainless Steel	2.63" (67mm)	Lock-back	4.00" (101mm)	Rosewood with Swivel Ring	
0652-29	440C Stainless Steel	3.00" (76mm)	_	7.80" (198mm)	Full-length Solid Tang with Rosewood Facing, Stainless Bolster and Lanyard Hole	Reinforced Nylon with Belt Loop

CAT. NO.	UPC NO.	DESCRIPTION	
0652-24 00057 Drop Point Pocket Knife, Wood			
0652-25	00058	Titanium-Coated Drop Point Pocket Knife, Aluminum	
0652-26	00059	Coping Blade	
0652-28	00061	Hawkbill Pocket Knife, Wood Handle	
0652-29	00062	Hawkbill Fixed Blade with Sheath	





#### THREADED ROD CUTTER

- · One stroke cuts through threaded rod
- Capacity: 1/4"-20 and 3/8"-16 soft steel rod
- Cuts clean, eliminating the need to grind or file before threading a nut onto cut end
- · Wide base for stable cutting
- Includes mounting hole for fast and easy permanent mounting to work surface
- · Strong forged steel cutting head with tool steel cutting die for long life
- Includes: Threaded Rod Cutter, 1/4" 20" Cutting Die Set, 3/8" 16" Cutting Die Set

CAT. NO.	UPC NO.	DESCRIPTION		
36587	36587	Threaded Rod Cutter		
37186	37186	1/4" - 20" Cutting Die Set		
37187	37187	3/8" - 16" Cutting Die Set		



#### MINI MAGNETIC BUBBLE LEVEL

- · Professional grade level with bending offset aid
- · Mini torpedo design with handy "no-dog" attachment for bending
- · Three rare earth magnets provide superior holding strength
- Four vial design 0°, 90°, 45°, and 30°
- Machined from aluminum alloy and anodized to aircraft standards
- Compact size fits easily in tool pouch
- · Cutouts on top of level for easy view of vials

CAT. NO.	UPC NO.	DESCRIPTION
L77	11617	Mini Magnetic Bubble Level



#### MINI-MAGNET LASER LEVEL

- · Professional grade laser level
- Mini torpedo design with handy "no dog" attachment for bending
- Three rare earth magnets provide superior holding strength
- · Compact size with 80-plus yard range
- Laser is capable of working on all planes
- Four vial design 0°, 90°, 45° and 30°
- Cutouts on top of level for easy view of vials
- Offsets and calculations permanently laser engraved onto level
- V-groove on bottom for mounting on conduit
- Requires (2) "N" style batteries

CAT. NO.	UPC NO.	DESCRIPTION
L97	03582	Laser Level







- · Professional grade level
- · Perfect for pipe and conduit work
- Four rare earth magnets allow for hands-free use on metal surfaces
- Four vial design 0°, 30°, 45° and 90°
- Machined from aluminum alloy and anodized to aircraft standards
- · Cutouts on top of level for easy view of vials

CAT. NO.	UPC NO.	DESCRIPTION	
L107	03583	Level, Torpedo	



#### **POWER-RETURN TAPE MEASURES**

- · Compact housing fits easily in the hand or pouch
- · Easy to use click lock holds tape securely
- Tough ABS case with rubber over mold
- Rigid 1" wide nylon coated blade is double-sided, with 6' standout
- 16" and 19.2" stud markings
- 0155-7MA has metric and english marketings
- Note: This is not an insulated tool

CAT. NO.	UPC NO.	DESCRIPTION
0155-25A	12479	Power Return Tape Measure, Double Tang/Sided, 25 Ft.
0155-7MA	12477	Power Return Tape Measure, Double Tang/Sided, 7.5 Meter





## **ALUMINUM LED FLASHLIGHTS**

- Long-life 50,000 hour LED light source
- 1 watt LED (D size) and .5 watt LED (AA sizes)
- 2 brightness settings to extend battery life for D sizes
- Digitally regulated for constant brightness
- 4 times the battery life of equivalent Xenon
- · Aircraft grade anodized aluminum
- Rugged all-weather design
- · Anti-roll feature
- · Batteries included

CAT. NO.	UPC NO.	DESCRIPTION	BATTERIES	BRIGHTNESS
FL2AA	13494	LED Aluminum Flashlight	(2) AA Alkaline	20 lumens
FL2D	13497	LED Aluminum Flashlight	(2) D Alkaline	85/30 lumens





#### **20" TOOL BAG**

- Constructed of heavy-duty canvas for durability
- · Sixteen canvas, interior & exterior pockets for additional versatility
- Full-grain leather bottom, sides and riveted buckle straps
- · Washer rivets for extra strength
- Wrap around handles with reinforced stitching fully support bag bottom for heavy load capacity
- · Reinforced bottom helps retain bag shape, while protecting and supporting tools
- Large-opening steel-framed mouth with hinge for rugged use and easy access to contents

#### **SPECIFICATIONS**

**Dimensions** L - 20" (50.8 cm), W - 12" (30.5 cm), H - 10" (25.4 cm)

CAT. NO.	UPC NO.	DESCRIPTION
0158-11	56334	20" Canyas Bag

#### 18" HEAVY-DUTY MULTI-POCKET BAG

- · Constructed of heavy-duty nylon for longer life
- Thirty-one multi-use reinforced pockets, inside and out help organize tools and accessories
- Large-opening steel-framed mouth with hinge and zipper for rugged use and easy access to contents
- Padded handles and adjustable shoulder strap for comfort and versatility
- Large interior to easily carry power tools, fish tapes and other large tools
- Wrap around handles with reinforced stitching fully support bag bottom for heavy load capacity
- Elastic straps on outside of bag for levels, hammers and crowbars

#### SPECIFICATIONS

<b>Dimensions</b> L - 18" (45.7 cm), W - 11" (27.9 cm), H - 10" (25.4 cm)			
CAT. NO.	UPC NO.	DESCRIPTION	
0158-12	56335	18" Heavy-Duty Multi-Pocket Bag	





## 16" TOOL CARRIER WITH PARTS BIN

- Versatile 15-pocket design accommodates a wide variety of hand tools
- 13" x 9" multi-compartment plastic tray for small parts storage including connectors, wire nuts, screws, etc.
- · Padded shoulder strap and carrying handle
- Metal tool clip, electrical tape strap, tape measure clip and 4 pencil/punch tubes
- Main pocket with web loops to accommodate large tools
- · Constructed of heavy-duty fabric for durability
- · Steel-reinforced edges to maintain shape

#### **SPECIFICATIONS**

Dimensions H -		10" (25.4 cm), D - 10" (25.4 cm), W - 16" (40.6 cm)
CAT. NO.	UPC NO.	DESCRIPTION
0158-19	13388	16" Tool Carrier Bag with Parts Bin



0158-14

### 12" CANVAS ZIPPER BAG

- · Constructed of heavy-duty canvas for durability
- Strong zipper for secure closing
- Stores multiple small items or tools

#### **SPECIFICATIONS**

Dimensions	L - 12	'" (30.5 cm), H - 7" (17.8 cm)
CAT. NO.	UPC NO.	DESCRIPTION
0158-14	56338	12" Canvas Zipper Bag



#### 0159-11



### 28-PIECE TOOL KIT

- · All-inclusive tool kit
- Kit Includes: 18" Heavy-Duty Multi-Pocket Bag, Heavy-Duty 8-Pocket Leather Pouch, 2" Leather Tool Belt, 9" Side-Cutting Pliers, 8" Diagonal Cutting Pliers, 8" Long Nose Pliers, 10" Pump Pliers, Pro Plus Wire Stripper 10-18 AWG, NM Cable Ripper, Stripping/Crimping Combination Tool, Cable Cutter, Utility Knife, 12" Hacksaw, Keystone Tip Square Shank 1/4" x 4" Flat Blade Screwdriver, Keystone Tip Square Shank 5/16" x 6" Flat Blade Screwdriver, Cabinet Tip Round Shank 3/16" x 6" Flat Blade Screwdriver, Cabinet Tip Round Shank 1/4" x 6" Flat Blade Screwdriver, Phillips Tip #1 3/16" x 3" Screwdriver, Phillips Tip #2 1/4" x 4" Screwdriver, Screw-Holding Screwdriver 3/16" x 6", 3" Scratch Awl, 10" Adjustable Wrench, 9-Piece Folding Hex-Key Set, 25' Tape Measure, Torpedo Level, 18 oz Hammer, High Dexterity Gloves (L) and GT-11 Voltage Tester
- See individual product information for specifications
- · Limited lifetime warranty

CAT. NO.	UPC NO.	DESCRIPTION
0159-11	56349	28 PC Tool Kit

### 12-PIECE TOOL KIT - STANDARD

- Perfect kit for the professional or apprentice electrician
- Kit Includes: 2" Leather Tool Belt, 8-Pocket Leather Pouch, 25' Tape Measure, Phillips Tip #1 3/16" x 3" Screwdriver, Phillips Tip #2 1/4" x 4" Screwdriver, Cabinet Tip Round Shank 3/16" x 6" Flat Blade Screwdriver, Keystone Tip Square Shank 1/4" x 4" Flat Blade Screwdriver, Pro Plus Wire Stripper 10-18 AWG, 8" Long Nose Pliers, 10" Pump Pliers, 8" Diagonal Cutting Pliers and 9" Side-Cutting Pliers
- See individual product information for specifications
- · Limited lifetime warranty

CAT. NO.	UPC NO.	DESCRIPTION
0159-13	56351	Tool Kit Standard - 12 PC





### **16-PIECE TOOL KIT - METRIC**

- · Perfect kit for the professional
- Kit Includes: High Leverage Side-Cutting Pliers 9" Molded Grip, High Leverage Diagonal Cutting Pliers 8" Molded Grip, High Leverage Long Nose Pliers/Side Cutting 8" Molded Grip, Pump Pliers 10" Molded Grip, Heavy-Duty Keystone Tip, Square Shank 1/4" x 4" Flat Blade Screwdriver, Heavy-Duty Cabinet Tip, Round Shank 3/16" x 6" Flat Blade Screwdriver, Heavy-Duty Phillips Tip #1 3/16" x 3" Screwdriver, Heavy-Duty Phillips Tip #2 -1/4" x 4" Screwdriver, 75m/25' Tape measure, Heavy-Duty 8 Pocket Leather Pouch, Heavy-Duty Leather Tool Belt, Pro Plus Wire Stripper 10-18 AWG, 4 PC Square Drive (Robertson) Set, Square Tip Driver #0X4", Square Tip Driver #1 X 4", Square Tip Driver #2 X 4", Square Tip Driver #3X 4"
- See individual product information for specifications
- Limited lifetime warranty

CAT. NO.	UPC NO.	DESCRIPTION
0159-24	89239	Tool Kit - Metric - 16 PC



### **6-PIECE KIT**

- Kit Includes: 8" Long-Nose Pliers, 8" Diagonal Cutting Pliers, 9"
   High Leverage Side-Cutting Pliers, 1/4"x 4" Heavy-Duty Slotted
   Screwdriver, Cabinet Tip, #2 x 4" Heavy-Duty Phillips Screwdriver, Pro
   Plus Wire Stripper 10-18 AWG
- See individual product information for specifications
- Limited lifetime warranty

CAT. NO.	UPC NO.	DESCRIPTION
0159-36	31400	Hand Tool Kit -6 PC



### 5-PIECE INSTALLATION KIT

- Kit Includes: 5 Pocket Leather Pouch, 9" Side-Sutting Pliers, Pro Plus Wire Stripper 10-18 AWG, Insulated and Uninsulated Terminal Crimping Tool, 6-in-1 Multi-Tool
- · See individual product information for specifications
- Limited lifetime warranty

CAT. NO.	UPC NO.	DESCRIPTION
0159-34	10187	Installation Kit - 5 PC













### STARTER TOOL KIT

- Four-pocket, heavy-duty, leather tool pouch holds an assortment of four professional grade hand tools
- Kit Includes: Heavy-Duty 4 Pocket Leather Pouch, Phillips Tip #2

   1/4" X 4" Screwdriver, Cabinet Tip Round Shank 3/16" X 6" Flat
   Blade Screwdriver, Pro Plus Wire Stripper 10-18 AWG and
   9" Side-Cutting Pliers
- See individual product information for specifications
- · Limited lifetime warranty

CAT. NO.	UPC NO.	DESCRIPTION
0159-14	56352	Starter Tool Kit, 5 PC

### **4-PIECE KIT**

- Four-pocket, heavy-duty, leather tool pouch holds an assortment of four professional grade hand tools
- Kit Includes: Heavy-Duty 4 Pocket Leather Pouch, Phillips Tip #2

   1/4" X 4" Screwdriver, Cabinet Tip Round Shank 3/16" X 6" Flat
   Blade Screwdriver, Pro Plus Wire Stripper 10-18 AWG and
   9" Side-Cutting Pliers
- See individual product information for specifications
- · Limited lifetime warranty

CAT. NO.	UPC NO.	DESCRIPTION
0159-28	10191	Rasic Kit - 4 PC

### 2 PIECE KIT

- 9" Side Cutting Pliers with Dipped Grip Handles (0151-09D) and 6-In-1 Multi Tool (0153-42C) Contains 3/16" and 1/4" Flat Tip, #1 and #2 Phillips and 5/16" and 1/4" Hex
- See individual product information for specifications
- · Limited lifetime warranty

CAT. NO.	UPC NO.	DESCRIPTION
0159-42	00763	Dipped Grip 9" Side Cutting Plier, 6-In-1 Tool







Handyman

Tradesman Fingerless



Tradesman





Tradesman Smoke

Two-Tone Smoke





Tradesman Amber

Pro-View Mirror





Tradesman Clear

Frameless Clear



Overwrap Clear

### **GLOVES**

- 2 styles of top quality, high dexterity gloves 2 sizes each
- Light-duty Nitrile dipped gloves for resistance to abrasion, punctures and improved grip
- Fingerless gloves for absolute maximum dexterity and ventilation

CAT. NO.	UPC NO.	DESCRIPTION
0358-13L	00117	Gloves, Handyman L
0358-13XL	00118	Gloves, Handyman XL
0358-14L	00120	Gloves, Tradesman L
0358-14XL	00121	Gloves, Tradesman XL
06765-10L	00222	Gloves, Tradesman Fingerless L

### **SAFETY GLASSES**

- 7 styles of ANSI compliant eye wear to meet the varied needs and tastes of the trade professional
- 2 models with clear lenses for all-around activities
- 2 sunglass styles for outdoor work
- Amber lens for overcast, low-light conditions
- REVO mirror lens for ultimate style and protection
- · Overwrap-style to fit over prescription glasses or for visitors

CAT. NO.	UPC NO.	DESCRIPTION
01762-01C	00181	Safety Glasses, Tradesman, Clear
01762-01S	00196	Safety Glasses, Tradesman, Smoke
01762-03A	00197	Safety Glasses, Tradesman, Amber
01762-04M	00198	Safety Glasses, Pro View, Mirror
01762-05S	00199	Safety Glasses, Two Tone, Smoke
01762-06C	00200	Safety Glasses, Frameless, Clear
01762-07C	00201	Safety Glasses, Over-wrap, Clear

# GREENLEE MECHANICAL SOLUTIONS NOTES





WWW.GREENLEE.COM 113







### TRIBENCH WITH 6" CHAIN VISE

- Sturdy, One-Piece Steel Frame Easily folds for transport
- Includes Holes and Slots For bending, cutting, or attaching tools
- Integrated Chain Vise Up to 6" pipe capacity
- Interchangeable Jaws Works with Ridgid®\* 460 model
- Ceiling Brace for Overhead Support of the Stand Secure frame even during difficult work

CAT. NO.	UPC NO.	DESCRIPTION
70752	70752	Tribench with Chain Vise 1/8" – 6"
70716	70716	Chain Vise 1/4" – 6"

<sup>\*</sup>Ridgid® is a registered trademark of Ridge Tool Co.

## **CHAIN-TYPE PIPE VISE**

- · Sturdy, one-piece steel frame
- · Built-in pipe rest
- To prevent marring of plastic or plastic coated pipe, vise jaws can be rotated with smooth side up use serrated side for harder materials
- Chain design holds pipe securely to prevent it from twisting or turning during threading

CAT. NO.	UPC NO.	DESCRIPTION
467	27318	Chain-Type Pipe Vise







### **SUPERJACK PIPE STANDS**

- Supports full lengths of pipe, 1/2" 8", when using pipe threading machines
- · Folding stand includes carrying case

#### **SPECIFICATIONS**

Height Capacity: 27" - 50"
Weight Capacity: 2,500 lb. Max

CAT. NO.	UPC NO.	DESCRIPTION
10640	91063	Superjack with V-Head, 8"
00101	91064	Superjack with Ball Transfer Head, 8"
10641R	91044	Folding Superjack with V-Head, 8"
10642R	91042	Folding Superjack with Ball Transfer Head, 8"
00100	00100	One Set of Ball Transfer Head
10640-1	10602	Washer for Jackstand
10640-2	10601	Locking Screw Jackstand
10640-3	06403	V-Head Only for Pipe Stand 10640
10640-4	06404	Pipe Stand Sleeve - 10640





### **BENCH YOKE VISE**

 Foldable, with automatic closing hook, milled and hardened upper and lower support jaw, powerful smooth-running spindle


#### **SPECIFICATIONS**

**Pipe Capacity:** 1/8" - 4" 0.D.

CAT. NO.	UPC NO.	DESCRIPTION
70711	70711	Bench Yoke Vise, 1/8" - 4" O.D.







### **STORAGE CHEST**

- Recessed and concealed lock protectors for maximum security against drilling and cutting lock
- Finger-groove lid handle for easy opening
- · Convenient storage tray on back wall for small items
- Heavy-duty piano hinges with non-removable pin
- Patented, ergonomically designed fold-down recessed handles
- Angled 3-1/2" high support skids feature threaded holes for easy caster installation
- Recommend #1 and #5 Master Lock® padlocks or equivalent
- · Made in the USA

Master Lock® is a registered trademark of Master Lock Company LCC.

#### **SPECIFICATIONS**

Capacity	20.8 Ft <sup>2</sup>
Weight	184 lbs.

CAT. NO.	UPC NO.	DESCRIPTION
2460	23363	Storage Chest
503*	28044	4 Swivel
603*	23405	2 Rigid, 2 Swivel
703**	08420	2 Rigid, 2 Locking Swivel
696*	15341	2 Rigid, 2 Swivel


<sup>\*</sup>Each caster set includes (16) 3/8-16 x 1" self-threading mounting screws

A	В	C	D	E	F	G	Н	I	
25"	59"	24"	4"	57.5"	4"	19"	15.5"	21.75"	

<sup>\*\*</sup>Each caster set includes (16) 3/8-16 x 1" carriage bolts; (16) 3/8-16 hex nuts; (16) 3/8 lock washers Note: Screw/washer kit p/n 50062913 is necessary for mounting 703 casters in boxes other than 3548







### **SLANT-TOP BOX**

- Large capacity storage with traditional slant-top design
- Recessed and concealed lock protectors for maximum security against drilling and cutting lock
- Channel reinforcements on lid, lock side panels into lid for added security when closed
- Hinged lower shelf enables storage of larger items
- Angled 3-1/2" high support skids feature threaded holes for easy caster installation
- Angled handle recess prevents pinch points
- Features two reinforced steel shelves with large lip to prevent items from rolling off
- · Patented, ergonomically designed fold-down recessed handles
- Recommend #1 and #5 Master Lock® padlocks or equivalent
- · Made in the USA

Master Lock® is a registered trademark of Master Lock Company LCC.

#### **SPECIFICATIONS**

Capacity	34 Ft <sup>2</sup>
Weight	270 lbs


CAT. NO.	UPC NO.	DESCRIPTION
3648	23276	Slant-Top Box
503*	28044	4 Swivel
603*	23405	2 Rigid, 2 Swivel
703**	08420	2 Rigid, 2 Locking Swivel
696*	15341	2 Rigid, 2 Swivel

<sup>\*</sup>Each caster set includes (16) 3/8-16 x 1" self-threading mounting screws

Α	В	C	D	E	F	G	Н
34"	36"	30"	48"	5"	12"	27"	11"

<sup>\*\*</sup>Each caster set includes (16) 3/8-16 x 1" carriage bolts; (16) 3/8-16 hex nuts; (16) 3/8 lock washers Note: Screw/washer kit p/n 50062913 is necessary for mounting 703 casters in boxes other than 3548





### **FLAT TOP BOX**

- Flat-top design provides more storage capacity for tall, bulky items, and large work surface for jobsite plans
- Recessed and concealed lock protectors for maximum security against drilling and cutting lock
- Channel reinforcements on lid, lock side panels into lid for added security when closed
- Hinged lower shelf allows for easy storage of larger objects
- · Side wall storage
- · Double hinge cover folds up and out of the way
- Angled 3-1/2" high support skids feature threaded holes for easy caster installation
- Patented, ergonomically designed fold-down recessed handles
- Recommend #1 and #5 Master Lock® padlocks or equivalent
- · Made in the USA

Master Lock® is a registered trademark of Master Lock Company LCC.

#### **SPECIFICATIONS**

Capacity	60 Ft <sup>2</sup>
Weight	373 lbs

CAT. NO.	UPC NO.	DESCRIPTION
4872	07487	Flat-Top Box
503*	28044	4 Swivel
603*	23405	2 Rigid, 2 Swivel
703**	08420	2 Rigid, 2 Locking Swivel
696*	15341	2 Rigid, 2 Swivel

<sup>\*</sup>Each caster set includes (16) 3/8-16 x 1" self-threading mounting screws


A	В	C	D	E	F	G	Н	I	J
48"	72"	30"	11"	7"	12"	27"	2"	3"	17"

<sup>\*\*</sup>Each caster set includes (16) 3/8-16 x 1" carriage bolts; (16) 3/8-16 hex nuts; (16) 3/8 lock washers Note: Screw/washer kit p/n 50062913 is necessary for mounting 703 casters in boxes other than 3548









### **UTILITY CABINET**

- Recessed and concealed lock protectors for maximum security against drilling and cutting lock
- Flushed-mounted doors
- Finger-groove door handles
- Front-door storage
- Large, lower storage areas for bigger items
- Angled 3-1/2" high support skids feature threaded holes for easy caster installation
- Three 3-1/2" high support skids
- · Weather-resistant design
- Open storage for long-handled tools
- Patented, ergonomically designed fold-down recessed handles
- Recommend #1 and #5 Master Lock® padlocks or equivalent
- · Made in the USA

Master Lock® is a registered trademark of Master Lock Company LCC.

#### **SPECIFICATIONS**

Capacity	46 Ft <sup>2</sup>
Weight	375 lbs

CAT. NO.	UPC NO.	DESCRIPTION
5660LH	07486	Utility Cabinet
503*	28044	4 Swivel
603*	23405	2 Rigid, 2 Swivel
703**	08420	2 Rigid, 2 Locking Swivel
696*	15341	2 Rigid, 2 Swivel


<sup>\*</sup>Each caster set includes (16) 3/8-16 x 1" self-threading mounting screws

A	В	C	D	E	F	G	Н	ı	J	K	L	M	N	0
56"	59"	24"	15"	10.5"	11.5"	10"	10"	2"	14"	3"	23"	20.5"	50.5"	24"

<sup>\*\*</sup>Each caster set includes (16) 3/8-16 x 1" carriage bolts; (16) 3/8-16 hex nuts; (16) 3/8 lock washers Note: Screw/washer kit p/n 50062913 is necessary for mounting 703 casters in boxes other than 3548







### **MESH CABINET**

- High-visibility mesh screen on three sides
- Forty-eight smaller, individual compartments, enabling storage of smaller tools and accessories
- Platform for long-handle tools
- · Sturdy handle for mobility
- Supplied with two swivel casters and two rigid 4" casters for easy mobility
- Recommend #1 and #5 Master Lock® padlocks or equivalent
- · Made in the USA

#### **SPECIFICATIONS**

Capacity	37.3 Ft <sup>2</sup>	
oupuoity	07.011	
Weight	401 lbs	

CAT. NO.	UPC NO.	DESCRIPTION
5060MESH	04460	Mesh Cabinet (696 Caster Kit Included)
503*	28044	4 Swivel
603*	23405	2 Rigid, 2 Swivel
703**	08420	2 Rigid, 2 Locking Swivel
696*	15341	2 Rigid, 2 Swivel

<sup>\*</sup>Each caster set includes (16) 3/8-16 x 1" self-threading mounting screws

A	В	C	D	E	F	G	Н	I	J	K	L	
52"	48"	28"	22"	10.5"	10"	2"	4"	5"	35"	5.5"	23"	

<sup>\*\*</sup>Each caster set includes (16) 3/8-16 x 1" carriage bolts; (16) 3/8-16 hex nuts; (16) 3/8 lock washers Note: Screw/washer kit p/n 50062913 is necessary for mounting 703 casters in boxes other than 3548











### MOBILE WORKBENCH WITH CHAIN VISE

- Tough composition board work surface on top with built-in chain vise and telescoping wrench stop
- Removable self-stored shelf enables storage of larger items
- Supplied with two locking swivel casters and two rigid 6" casters for easy mobility
- Recessed and concealed lock protectors for maximum security against drilling and cutting lock
- · Finger-groove door handles
- Large lower storage areas for bigger items
- · Continuous, non-removable hinge pins to prevent theft
- · Patented, ergonomically designed fold-down recessed handles
- Recommend #1 and #5 Master Lock® padlocks or equivalent
- · Made in the USA

Master Lock® is a registered trademark of Master Lock Company LCC.

CAT. NO.	UPC NO.	DESCRIPTION
3548	31229	Mobile Workbench with Chain Vise (with 703 Caster Kit)
503*	28044	4 Swivel
603*	23405	2 Rigid, 2 Swivel
703**	08420	2 Rigid, 2 Locking Swivel

<sup>\*</sup>Each caster set includes (16) 3/8-16 x 1" self-threading mounting screws

#### DIMENSIONS

A	В	C	D	E	F	G	Н	ı	J	K	L	М
30"	48"	24"	11"	20.5"	17.5"	15"	9.5"	2"	13"	3"	17"	27"

### **WELDER'S BOX**

- Protects small tools and supplies and comes with a single lock hasp for use with padlock
- Compact side handles for easy portability
- Heavy-duty hinges, plus chain connector to hold lid in open position
- Recommend #1 and #5 Master Lock® padlocks or equivalent
- · Made in the USA

#### **SPECIFICATIONS**

Capacity	3.3 Ft <sup>3</sup>	
Height	12"	
Width	30"	
Depth	16"	
Weight	42 lbs	


CAT. NO.	UPC NO.	DESCRIPTION
1230	31510	Welder's Box

<sup>\*\*</sup>Each caster set includes (16)  $3/8-16 \times 1$ " carriage bolts; (16) 3/8-16 hex nuts; (16) 3/8 lock washers Note: Screw/washer kit p/n 50062913 is necessary for mounting 703 casters in boxes other than 3548









## **COMPACT FIELD OFFICE**

- Narrow design fits through 36" doorways
- · Automatic locking gas spring secures door in upright position
- Weather resistant stripping helps to protect against moisture getting inside the box
- Accommodates up to 55" monitors
- Two-level 45-1/2" x 26-1/2" desk allows recessed use of cable and electronics or storage
- · Shrouded padlock guard to improve security
- · Cable pass-through holes
- Non-marking 6" casters
- · Made in the USA

#### **SPECIFICATIONS**


Height with casters 78" (1981mm)
Height without casters
Weight with casters
Weight without casters
Weight without casters

CAT. NO.	UPC NO.	DESCRIPTION
7060-CF0	03964	Compact Field Office

# DIMENSIONS A B C D E F G H I 70" 34.5" 54.5" 26.8" 59" 9" 14.6" 23" 30"








## MINI COMPACT FIELD OFFICE

- · Removable shelving to accommodate larger items that may need to be stored
- · Cable pass-through holes to keep cable organized within the box
- Weather resistant stripping to prevent moisture intrusion
- · Automatic locking gas springs secure lid in upright position
- · Shrouded padlock guard for improved security (padlock not included)
- Sliding shelf for pull-out storage of laptop, keyboard, etc.
- Accommodates up to a 40" monitor (35" x 20")
- Narrow design fits through 36" doorways for easy mobility throughout the jobsite
- · Add casters for increased mobility
- · Equipped with forklift pockets
- Patented, ergonomically designed fold-down recessed handles

CAT.	NO.	UPC	NO.	DESC	RIPTIO	N		
MINI-	CF0	0647	74	Mini (	Compac	t Field	Office	
DIME	NSIONS							
A	В	C	D	E	F	G	Н	ı
48"	32"	44"	13"	6"	9.25"	10.2"	20.75"	31"



4D-CFO



### **4 DOOR COMPACT FIELD OFFICE**

- Narrow design fits through 36" doorways for easy mobility throughout the jobsite
- Cable internal pass-through holes to keep cable organized within the box
- Protected through-hole for external cable access
- · Weather resistant stripping to prevent moisture intrusion
- Doors lock into place when opened for increased safety and to prevent unwanted closing
- Shrouded padlock guard for improved security (padlock not included)
- · Shelving inside box wall and inside doors for additional storage
- Accommodates up to a 55" monitor (50" x 30")
- Two-level 45 1/2" x 26 1/2" desk allows recessed use of cable and electronics storage
- · Add casters for increased mobility
- · Forkliftable for relocating around jobsite
- Patented, ergonomically designed fold-down recessed handles

CAT. I	<b>VO.</b>	UPC	NO.	DESCI	RIPTIC	ON			
4D-CI	-0	064	75	Compa	act Fie	ld Office	)		
SPECI	FICATIO	NS							
HEIGH	T (WITH	OUT C	ASTERS	<b>6)(</b> 70.3	"	DEPT	Н		30"
WIDTH	1			59"		WEIG	HT		467 lbs
WIDTI	l (DOOR	S OPEI	N)	111'	,	DISP	LAY SIZ	E (MAX.)	55"
DIME	NSIONS								
A	В	C	D	E	F	G	Н	ı	
70"	27"	59"	27"	34"	9"	14.5"	23"	30"	





## **GMX MATERIAL CART**

- Ultimate versatility
- Base rated at 2,500 lbs. load capacity
- Removable handle
- Includes 10" casters
- Size: 57.9" L x 28.3" W x 32.7" H
- 10" casters (2 rigid, 2 swivel)

CAT. NO.	UPC NO.	DESCRIPTION
GMX-661K	02425	GMX Flatbed Cart Kit



### **GMX MATERIAL CART**

- · Carry and store full bundles of conduit and/or pipe
- Designed to fit through standard 36" doorways
- Easily loaded with a forklift unload at waist height
- Increased load capacity up to 2,500 lbs.
- Size: 48.1" L x 28.3" W x 36.4" H
- 8" casters (2 rigid, 2 swivel)

CAT. NO.	UPC NO.	DESCRIPTION
GMX-670K	02421	GMX Material Bundler Cart Kit

### **REPLACEMENT PARTS**

CAT. NO.	UPC NO.	DESCRIPTION	MODEL
CR6	02428	6" Rigid Caster (One Caster)	7060-CF0
CS6	02429	6" Swivel Caster (One Caster)	7060-CF0
CS8	01853	8" Swivel Caster with Brake (One Caster)	GMX-670K
CRT10	01843	10" All Terrain Rigid Caster (One Caster)	GMX-661K
CST10	01847	10" All Terrain Swivel Caster (One Caster)	GMX-661K
GMX-670	01835	Material Bundler Attachment Set	GMX-670K
GMX-661	01833	Flatbed Attachment Set	GMX-661K
GMX	01832	GMX Multi-Purpose Base	GMX-670K & GMX-661K

## **ALPHABETICAL PRODUCT**

A	F
AC Clamp-On Meter 68 Additional Cutters 6, 9 Adjustable Non-Contact Voltage Detector 64 Aluminum LED Flashlights 105 Automatic Electrical Tester 63 Automatic Opening Pipe Die Heads And Dies 53 Automatic Opening Pipe Heads And Dies 49 Automatic Ratchet Telescopic Pipe Cutter 4	Fitting Compatibil Flame Reflector . Flat Top Box Folding Hex-Key ! Folding Ball-End   Standard, 9-Piece   Folding Hex-Key ! Freeze-Pak Funnel Auger
_	G
Bench Yoke Vise       115         Bit Extension       20         Bolt Threads, 2SE & 50R       52         Bucket Oiler       48         Bulb Auger       79	Gator® Battery-Po GlovesGMX Material Car Gorilla™ Pressing Gorill Pressing To Grease Cutter
Canvas Zipper Bag, 12"	Greenlee Bi-Meta Greenlee Extreme
Carbide-Grit Hole Saw - 1-3/8"	Greenlee Extreme
Carbide Tipped Hole Cutters	Grooving & Bevel
Obein Dine Warrels 4"	Н
Chain Pipe Wrench, 4"	Heavy Duty Alumi
Chain-Type Pipe Vise114	Heavy Duty Alumi
Collins® 44A 4" Thread-O-Matic™45	Heavy-Duty Cabir
Collins® 66A 6" Thread-O-Matic™46	Heavy Duty Chair
Collins® Classic 22A	Heavy-Duty Hack
Collins® Classic 22A	Heavy-Duty Keys Heavy-Duty Multi
Combination Drill/Tap Bits	Heavy-Duty Nut D
Combination Ratcheting	Heavy-Duty Philli
Wrenches - Fractional98	Heavy-Duty Steel
Combination Ratcheting Wrenches - Metric 99	Heavy-Duty Steel
Compact Field Office	High Leverage Si
Compact Field Office, 4 Door	HVAC True Rms C Hydraulic Bender
Crimping/Stripper Combination Tool	nyuraulic belluei
Cross-Blade Cutter, Serrated77	I
Circuit Seeker™ Circuit Tracer, CS-800069	Industrial Clamp
D	Inline Pressing Ja Inline Pressing Ki
Deburring Tools	Intelli-Punch™ Kn
Diagonal Cutting Pliers83	Internal/External
Digital Multimeter66	Installation Kit, 5-
Dipped Handle Adjustable Wrench	K
Drill/Driver Kit         21           DTAPKIT         21	
D'versibit® 20	Keyhole/Jaw Saw Kibosh - Emerger
<i>E</i>	Kit, 4-Piece Kit, 6-Piece
Electrical Testers63	Kwik Stepper® St
Electronic Marker Locator74 ESM™ Industrial 500,000-Count	L
Digital Multimeter	Long Nose Side C
ESM™ Series Digital Multimeters66	LS100 Replacem
E-Z Bore® Self-Feed Bits Kit21	M
	Map-Pro® And Pr

F
Fitting Compatibility Chart       36         Flame Reflector       57         Flat Top Box       118         Folding Hex-Key Set - Standard, 5-Piece       101         Folding Ball-End Hex-Key Set - Standard, 9-Piece       101         Folding Hex-Key Set - Standard, 9-Piece       101         Freeze-Pak       72         Funnel Auger       79
G
Gator® Battery-Powered Bolt Cutter       11         Gloves       111         GMX Material Cart       125         Gorilla™ Pressing Tools       34         Gorill Pressing Tools       36         Grease Cutter       78         Greenlee Bi-Metal Blades       12         Greenlee Extreme™ Blade       12         Greenlee Extreme™ Ti-Metal™ Blades       12         Grooving & Beveling Die Heads & Tools       54
Н
Heavy Duty Aluminum Offset Pipe Wrench 86 Heavy Duty Aluminum Pipe Wrench 85 Heavy-Duty Cabinet Tip Screwdriver 93 Heavy Duty Chain Pipe Wrench 86 Heavy-Duty Hack Saw 14 Heavy-Duty Keystone Tip Screwdriver 93 Heavy-Duty Multi-Pocket Bag, 18" 106 Heavy-Duty Multi-Pocket Bag, 18" 97 Heavy-Duty Nut Drivers 97 Heavy-Duty Phillips Tip Screwdriver 94 Heavy-Duty Steel Offset Pipe Wrench 85 Heavy-Duty Steel Pipe Wrench 85 High Leverage Side-Cutting Pliers 83 HVAC True Rms Clamp Meter 68 Hydraulic Bender 26
•
Industrial Clamp Meter, 1000A
K
Keyhole/Jaw Saw
L
Long Nose Side Cutting And Stripping Pliers 84 LS100 Replacement Parts16
M
Map-Pro® And Propane Gas       58         Maxibender       27         Mesh Cabinet       120         Missi CEO       133

Mini Compact Field Office	103 103 5 92 121 92
N	
Nipple Chucks	46
Non-Contact Voltage Detector	
Nut Driver Set, 7-Piece	
Omni Marker®	74
P	
Pocket Multimeter, PDMM-20	67
Pex Hand Crimpers	
Pipe Cutter	5
Pistol Grip Pressing Kits	
Plastic Pipe Cutter	
Plumber's 7-Piece Repair Kit	
Portable Band Saw Blades Power-Return Tape Measures	
Precision Die Heads - Supertronic <sup>™</sup> 2000	49
Professional Pocket Knives	
Pro Stainless Steel Wire	
Strippers/Cutters/Crimpers	89
Pump Pliers, 12"	82
PVC CutterPVC Cutter Replacement Parts	
PVC Saw	
Q	
Quick Change Carbide Tipped Hole Cutters	22
Quick Change Hole Saw Kits	
Quick Change Hole Saws	24
Quick Draw® Hydraulic Punch Driver Kit	17
R	
R600 Drain Cleaning Machine,	
Ratchet Pipe Reamer	
Reciprocating Saw Blades	
Replacement Parts	
Retrieving Auger	78
Rhino™	
Rhino <sup>™</sup> , 4Se, 2Se, & 1Se	51
Ridgid® Style Universal	
Robend <sup>™</sup> 3000	
Rocam <sup>™</sup> Expander Rocut® 26TC	
Rocut® 63TC	
Rocut 110 & 160	
Rocut Gc 4, 8, & 12	10
Rocut® Pro 42TC	
Rofire Hand Torch	
Rofire Swivel Torches	
Rofrost™ Co2 Set	
Rofrost™ Turbo 2"	73
Rogroover 2"-12"	47
Rogroover 6"	17

# GREENLEE MECHANICAL SOLUTIONS INDEX



## **ALPHABETICAL PRODUCT**

ALI HADEHIOAE I RODO	<b>.</b>
Ronol Spray Oil	48
Rospi™ H+E Plus	
Rotherm 2000	58
Rotrac® 28	
Roweld™ P 63 S-6	IJ
Roweld <sup>™</sup> P 160	59
Roweld™ P 160 B, P 250 B, & P 355 B	
RP50-S Test Pump	62
C	
S	
Safety Glasses 1	11
Sanigrip PI Plier	
Scratch Awl	
Screwdriver Set, 5-Piece	
Screwdriver Set, 7-Piece	
Self-Feeding Spade Bits	
Self Testing Non-Contact Voltage Detector	
Serrated Forked Cutter	
Slant-Top Box 1	17
Slug-Buster® Knockout Kit with	
Hydraulic Hand Pump	17
Slug Splitter® Knockout Punches	17
Snap-0-Matic <sup>™</sup> Bolt Die Heads & Dies	
Soldering And Brazing Torches	
Spade-Head Cutter	
Speed Lock	
Spiral Sawtooth Cutter	
Square-Recess Tip Drivers	
Square-Recess Tip Driver Set, 4-Piece	
Stainless Steel Pipe Cutter	
Stainless Steel Tube Cutter, 35 Pro	5
Stainless Steel Wire	
Strippers/Crimping Combination Tool	90
Stainless Steel Wire Strippers/Cutters	
Standard Basin Nut Wrench	
Standard Two-Handed Bender	
Starter Tool Kit	
Step Bits	
Storage Chest	
Straight Auger	
Strap And Fitting Wrench	
Stubby Screwdriver	
Stubby Square-Recess Tip Driver	96
Stud Punches	
Super Cut Deluxe Threading Kit	40
Super Cut Ratchet Threader	40
Super Fire 3	
Superjack Pipe Stands 1	
Supertronic 2SE	
Supertronic 4SE	
Supertronic <sup>™</sup> 2000	
Sweatbox <sup>™</sup> li	57
T	
T-Handle Hex Key Drivers	98
Tee-Extractor Set	
Telescopic Basin Nut Wrench	
Test Pump, RP50-S	
Thread-0-Matic & Snap-0-Matic®	50
Pipe Die Heads & Dies, 66A	51
Thread-0-Matic <sup>™</sup> & Snap-0-Matic <sup>™</sup>	JI
Pine Die Heede & Dies 444	ΕC
Pipe Die Heads & Dies, 44A	วป
Thread-0-Matic <sup>™</sup> & Snap-0-Matic <sup>™</sup>	_
Pipe Die Heads & Dies, 66A	
Threaded Rod Cutter 1	01

Threading/Cutting Oil	4ხ
Tool Bag, 20"	104
Tool Carrier With Parts Bin, 16"	105
Tool Kit - Metric, 16-Piece	
Tool Kit - Standard, 12-Piece	106
Tool Kit, 28-Piece	106
Torpedo Level	102
Tribench With 6" Chain Vise	112
Tube Bender	27
Tube Cutter, 35 Pro	4
Two-Way Root Cutter	75
U	
Ultra Cutters	23
Uni Marker®	
Uni Marker® Uniquad™ Pipe Die Heads & Dies	74
Uni Marker® Uniquad™ Pipe Die Heads & Dies Universal "R" Series Die Head Dies	74 50
Uniquad™ Pipe Die Heads & Dies Universal "R" Series Die Head Dies	74 50 51
Uniquad™ Pipe Die Heads & Dies	74 50 51 119
Uniquad™ Pipe Die Heads & Dies Universal "R" Series Die Head Dies Utility Cabinet	74 50 51 119
Uniquad™ Pipe Die Heads & Dies	74 50 51 119 102
Uniquad™ Pipe Die Heads & Dies	74 50 51 119 102
Uniquad™ Pipe Die Heads & Dies	74 50 51 119 102
Uniquad™ Pipe Die Heads & Dies	74 50 51 119 102

OIWI +10	
CMH-600	68
CMH-1000	68
CMI-1000	67
CMT-80	63
CR6	125
CRT10	
CS6	
CS8	125
CS-8000	69
CST10	125
DDKIT-1-68	21
DM-65	66
DM-810A	
DM-860A	
DTAP1/4-20	
DTAP3/8-16	21
DTAP5/16-18	
DTAP6-32	21
DTAP8-32	
DTAP10-24	21
DTAP10-32	
DTAP12-24	21
E-239	43
EAC18120	16
EML100	74
ESP710L11	18
ETS12L11	11
ETS12L12	
ETS12L22	11
ETS12L120	11
ETS12L230	11
ETS12LB	11
FL2AA	105
FL2D	105

GT-12A	64
GT-16	64
GT-65	63
GT-95	63
HB.9864	11
INJ1CS	
INJ12CS	
INJ34CS	
INJ114CS	
INLNPRESS-TOOL19KN	
INLP-KIT001	
INLP-KIT002	
INLP-KIT003	
KK50LGL	
KP1022	
KP1022D	
L771	
L97	
L107	
LDTAP1/4-20	
LDTAP8-32	
LDTAP10-32	
LDTAPKIT	
LS100X11A	
LS100X11SB	
LS100X11SB4	
LS100X11SB4X	10
LS100X11SBSP	
LS100X11SBSP4	
LS100X11SBSP4X	
LS100X11SS	
LS100X11SS4	
LS100X11SS4X	
LS100X11SSSP	
LS100XB	
LS100XCC	
P00551C	
P20023	
P70045C	
P70159C	
P70160C	
P70161C	
P70162C	85
P70905C	
P71259C	41
PDMM-20	
PJ1CS	35
PJ2CS	35
PJ12CS	35
PJ34CS	35
PJ112CS	
PJ114CS	35
PSTLP-KIT001	
PSTLP-KIT002	
PSTLP-KIT003	
PSTLPRESS-TOOL32KN	36
PSTLPRESS-T00L32KN	
R01850	
R11106R	
R11127R	
R11245R	
R50009R	
R54001R	
R55035R	
R55063R	

# ALPHANUMERIC BY CATALOG/UPC NUMBER

R211501R	10
R211502R	10
R211503R	10
R211512R	10
R211522R	10
R211532R	10
R04270753R	
TC-5	63, 68
TC-10	68
TC-20	65, 66
TC-30	67, 68
TG-1000	69
TG-2000	
TPB	65, 66
TR-12A	
TSG-3	63, 65, 66

00005			50
00006			
00007			50
00009			50
08-03-54A			20
08-03-72A			
00010			
00011			
00012	50,	51,	52
12-04-54A			20
12-04-72A			20
00013		50,	52
00014		50,	52
00015	50,	52,	53
00016	50,	52,	53
00017	50,	52,	53
00018			
00019R	50,	52,	53
00020R	50,	52,	53
00021R	50,	52,	53
00022	50,	52,	53
00023	49,	50,	53
00024	49,	50,	53
00025			50
00026			
00027		49,	50
00028R	49,	50,	53
00029		49,	58
00030			49
00031R			49
00032			
00033			
34A-1			
34A-1/2			20
34A-3/4			
34A-3/8			
34A-5/8			20
34A-7/8			
34AR-6			
00034R			
00035R			11

00037	11
00039	
00045	
00050	
00051	
00052	
0005349, 50,	
00054	53
00057	
00058	
00059	
00061	
00062	
00063	
00064	
00065	
00066	
00069	
00071	
00072	46
00073	
00079	11
00084	
00089	
00097	
00097	
00100	
00101	
00103	
0010445, 46,	
00105	45
00106	45
00107	45
00113	
00117	
00118	
00120	
0012151,	
•	
00122	
00125	
00126	
00131	
00132	
149H2KIT	. 21
0151-08D	83
0151-08M	83
0151-09CM	83
0151-09D	83
0151-09M	
0151-09SM	
0153-01C	
0153-02C	
0153-03C	
0153-04C	
0153-11C	
0153-12C	
0153-13C	
0153-14C	
0153-15C	
0153-16C	93
0153-21C	93
0153-22C	
0153-23C	
0153-24C	

0153-25C	9
0153-26C	9
0153-27C	9
0153-28C	9
0153-31C	
0153-32C	
0153-330	
0153-34C	
0153-35C	
0153-36C	
0153-420	
0153-43C	9
00154	4
0154-08D	10
0154-10D	
0154-12D	
0155-7MA	
0155-25A	
00157	
00158	
0158-11	
0158-12	10
0158-14	10
0158-19	10
0159-11	10
0159-13	
0159-14	
0159-24	
0159-28	
0159-34	
0159-36	
0159-42	11
00174	4
00181	11
00184	4
00186	
00187	
00188	
00189	
00191	
00191R	
00196	
00197	11
00198	11
00199	11
00200	49. 11
00201	,
00203	
00206	
00217	
00218	
00219	
00221	-,-
0022250, 52,	53, 11
00225	4
00226R	4
00227R	4
00230	
0251-06D	
0251-06M	
0251-07M	
OOE4 OOAD	8
0251-08AD	8 8
0251-08AM	8 8
	8 8 8

# GREENLEE MECHANICAL SOLUTIONS INDEX



0050 010	0.0	0050 440	0.5
0253-01C		0353-14C	
0253-11C	97	0353-21C	95
0253-12C	97	0353-220	95
0253-13C	07	0353-230	
0253-14C		0353-24C	
0253-15C		0353-32C	
0253-16C	97	0353-33C	96
0253-17C	97	353-110	13
0253-33C		353-123	
0253-34C		353-156	
0253-35C	97	353-414	13
0253-36C	97	353-610	13
0253-37C	07	353-610G	
0253-38C		353-614	
0253-39C	97	353-614G	12
0253-41C	97	353-618	13
0253-42C	97	353-618G	12
0253-43C		353-618RS	
		*** * * * * * * * * * * * * * * * * * *	• • • • • • • • • • • • • • • • • • • •
0254-11		353-624	
0254-12	101	353-624G	12
0254-40	100	353-635	13
0254-42	100	353-636	13
0254-43		353-646	
		000 01011111111111111111111111111111111	
0254-44		353-656	• • • • • • • • • • • • • • • • • • • •
0254-45	100	353-656G	12
0254-46	100	353-800RDG	13
0254-47	100	353-804	13
0254-48		353-810	• • • • • • • • • • • • • • • • • • • •
		353-810G	
0254-49			
0254-50		353-814	
0254-51	100	353-818	13
00300	49, 50	353-818G	12
301A	14	353-835	13
00301R		353-956	
00302		353-969	
00302R		353-6114	
322-013	14	353-6118	
00330	52	353-6563RCT	13
00331	52	353-9114	12
00332R		353-9118	
333-1218		0354-01	
333-1224	14	0354-02	99
333-1232	14	0354-11	98
333A	14	0354-12	98
00339		0354-13	
00341		0354-14	
00342	50	0354-15	98
00344R	50	0354-16	98
00345R	50	0354-17	98
00346R	50.52	0354-18	98
00347R		0354-19	
00348R		0354-20	
00349R	50, 52	0354-21	98
0351-06M	84	0354-22	98
0351-07D	84	0354-23	98
0351-08M		0354-24	
0351-08SD		0354-25	
0351-08SM		0354-26	
00351R 50		0354-51	
0035250	), 52, 53	0354-52	
0353-01C	95	0354-54	99
0353-02C		0354-56	
0353-11C		0354-59	
0353-12C		0354-60	
0353-13C	95	0354-61	99

0354-63	99
0354-64	
00355	
0358-13L	, -
0358-13XL	
0358-14L	
0358-14XL 1	
389-24-5	
389-1014-5	
389-1418-5	14
0451-10D	82
0451-10M	82
0451-12D	82
0451-12M	82
0451-16D	
4D-CF0	
462-1	
462-Q	
463-1	
463-Q	
4671	
00470R	
00471R	54
00472R	54
00473R	54
00474R	54
00475R	
00476R	
00477R	
00478R	
00479R	
00480R	
00482R	
00483R	
00484R	54
00486	54
00487R	54
00488R	54
00489	54
00490	
503116, 117, 118, 119, 120, 1	
00533	
00534	
00535	
00548	
00550	45
00552	
00561R	
00574	
00574R	
0057544,	54
00579R	44
00585R	44
00592R	44
00596R	
00597	
603116, 117, 118, 119, 120, 1	
635	22
0652-11	
0652-24	
0652-25	
0652-261	
0652-28	
0652-291	
660	22

696	116, 117, 118, 119, 120	881CT	26	02806	23
703	116, 117, 118, 119, 120, 121	884E980	26	03363	41
00704	5, 6	885E980	26	03412	28
713	18	889	23	03413	28
00716	6	890	23, 64	03478	23
725-1-3/8	22	891	23	03479	23
00754	4, 5, 6, 7	00906	21	03480	23
00763	110	00907	21	3548	121
825-1	24	00908	21	03582	103
825-1-1/2	24	00909	21	03583	104
	24		23		22
	24		47		117
825-1-1/16	24	01139	11	03664	57
	24		28		47
	24		28		20
	24		28		20
	24		121		20
	24		21		20
	24		41		20
	24		48		20
	24		89		20
	24		48		122
		• • • • • • • • • • • • • • • • • • • •	•••••••••••••••••••••••••••••••••••••••		
	24		44		8
	24		111		120
	24		111		43
	24		111		43
	24		111		118
	24		111		120
,	24		111		10
	24		111		74
	24		125		119
	24		125		27
825-2-7/8	24	01835	125	05766	22
825-2-9/16	24	01843	125	05789	19
825-3	24	01847	125	05790	19
825-3-1/2	24	01850	46	05792	19
825-3-1/4	24	01853	125	05793	19
825-3-1/8	24	1923A	90	06107	85
825-3-3/4	24	1927-SS	90	06403	115
825-3-3/8	24	1950-SS	89	06404	115
825-3/4	24	1955-SS	89	06430	18
825-3-5/8	24	1956-SS	89	06474	123
825-3-7/8	24	02155	88	06475	124
	24	02187	67		16
825-4-1/2	24	02209	68	06482	16
	24		68		16
	24				16
	24		89		16
	24		90		16
	24		9		16
	24		11		16
	24		125		16
	24		125		16
	24		125		16
	24				16
			125		
	24		116		16
	24		9		111
	24		9		122
	23		14		41
	23		14		74
	87		14		74
	9		57		18
	8, 9		67, 68		17
	9		76		119
00870	28	02733	64	07487	118

# GREENLEE MECHANICAL SOLUTIONS INDEX



750617	1103530
0753468	
07535 65, 66	1105230
0753667, 68	1105330
0758863, 68	1105430
0759265, 66	1105530
076717	1105630
7706SB17	1105730
0773563	1105830
7806-SB17	1105974
7906SB17	1106230
079789	
079829	1112759
079879	
0837518	
0837718	
0837918	
08420116, 117, 118, 119, 120, 121	1162821
0874366	
0902563	
0902763	t t
9753-12C96	
098659	
9952-11102	
9953-13	
9953-1592	
10001	
10007	12477
10025	12477 104
10032	
10032	
10038	
10039	
10049	
1005469	
1005611	
1005769	13388107
1006311	1343892
1007522	1348883
1008711	1349092
1009411	
1010011	
1011711	13497105
1012411	
1013111	
10187	
10191110	
1021423	
10476	
10601115 10602115	
10628	
10633	
10640115	
10640-1115	
10640-2115	
10640-3115	
10640-4115	
10641R115	
10642R115	
11006	
11006R	
11006X	
1100830	1761321

1761421
1761521
1761621
1762021
1913124
1913224
1913324
1913424
1913524
1913624
1913724
1913824
1914024
1914124
1914324
1914424
19145
19146
1914724
1914824
1914924
1915024
1915124
1915224
1915324
1915424
1915524
1915724
1915824
1915924
19160
19161
19162
1916324
1916424
1916524
1916624
1916724
1916824
1916924
1917024
1917024 1917124
1917124 1917224
19171
19171       24         19172       24         19174       24         19175       24
19171       24         19172       24         19174       24         19175       24         19176       24
19171       24         19172       24         19174       24         19175       24         19176       24         19177       24
19171       24         19172       24         19174       24         19175       24         19176       24         19177       24         19178       24
19171       24         19172       24         19174       24         19175       24         19176       24         19177       24         19178       24         19179       24
19171       24         19172       24         19174       24         19175       24         19176       24         19177       24         19178       24         19179       24         19180       24
19171       24         19172       24         19174       24         19175       24         19176       24         19177       24         19178       24         19179       24         19180       24         19181       24
19171       24         19172       24         19174       24         19175       24         19176       24         19177       24         19178       24         19179       24         19180       24         19181       24         19182       24
19171       24         19172       24         19174       24         19175       24         19176       24         19177       24         19178       24         19179       24         19180       24         19181       24         19182       24         19183       24
19171       24         19172       24         19174       24         19175       24         19176       24         19177       24         19178       24         19179       24         19180       24         19181       24         19182       24
19171       24         19172       24         19174       24         19175       24         19176       24         19177       24         19178       24         19180       24         19181       24         19182       24         19183       24         19184       24         19192       23
19171       24         19172       24         19174       24         19175       24         19176       24         19177       24         19178       24         19179       24         19180       24         19181       24         19182       24         19183       24         19184       24         19192       23         20007       5,6
19171       24         19172       24         19174       24         19175       24         19176       24         19177       24         19178       24         19180       24         19181       24         19182       24         19183       24         19184       24         19192       23
19171       24         19172       24         19174       24         19175       24         19176       24         19177       24         19178       24         19179       24         19180       24         19181       24         19182       24         19183       24         19184       24         19192       23         20007       5,6
19171       24         19172       24         19174       24         19175       24         19176       24         19177       24         19178       24         19180       24         19181       24         19182       24         19183       24         19184       24         19192       23         20007       5,6         20023       57
19171       24         19172       24         19174       24         19175       24         19177       24         19178       24         19179       24         19180       24         19181       24         19182       24         19183       24         19184       24         19192       23         20007       5, 6         20023       57         20160       52
19171       24         19172       24         19174       24         19175       24         19177       24         19178       24         19179       24         19180       24         19181       24         19182       24         19183       24         19184       24         19192       23         20007       5,6         20023       57         20160       52         20172       51
19171       24         19172       24         19174       24         19175       24         19177       24         19178       24         19179       24         19180       24         19181       24         19182       24         19183       24         19184       24         19192       23         20007       5,6         20023       57         20160       52         20172       51         20172R       51
19171       24         19172       24         19174       24         19175       24         19177       24         19178       24         19179       24         19180       24         19181       24         19182       24         19183       24         19184       24         19192       23         20007       5,6         20023       57         20160       52         20172       51         20172R       51         20521       28
19171       24         19172       24         19174       24         19175       24         19177       24         19178       24         19179       24         19180       24         19181       24         19182       24         19183       24         19184       24         19192       23         20007       56         20160       52         20162       52         20172       51         20521       28         20533       44
19171       24         19172       24         19174       24         19175       24         19177       24         19178       24         19179       24         19180       24         19181       24         19182       24         19183       24         19184       24         19192       23         20007       5,6         20023       57         20160       52         20172       51         20172R       51         20521       28

	10	26715	30	41035	35
	10		114		35
21151	10		116, 117, 118, 119, 120, 121	41037	
	10		48		35
	10		48		35
	31		48		35
	4, 5, 6, 7		19		35
	4, 5, 6, 7		17		35
	7		57		44, 47
	7		57		47
	31		121		45, 47
	31		26		58
22038	31		109	47745	51
	31		121	47750	51
22062	31	32054	43	47760	51
22063	31	34209	26	47765	51
22064	31	34210	26	47770	51
22065	31	34293	17	47780	51
22066	31	34300	17	47785	51
22068	31	34361	17	47790	51
22080	31	34401C	19	50009	48
	31	34403C	19		58
	31		18		58
	27		21		58
	27		57		58
	27		57		
			57		8, 9
	27				
	27		56		9
	27		56		9
	27		56		9
	27		56		9
	117		57		8
	116		57		8, 9
	6, 117, 118, 119, 120, 121		57		8, 9
00000					
∠აღაე	14	35458	57		9
	14 14		57 57		9 9
23641		35459		52041	
23641 24002	14	35459 35884	57	52041 52042	9
23641 24002 24006	14 27	35459 35884 35884C	57 19	52041 52042 52091	9 8, 9
23641 24002 24006 24008	14 27 27	35459 35884 35884C 36587	57 19 19	52041 52042 52091 52134	
23641	1427272727	35459		52041 52042 52091 52134 52135	
23641		35459		52041	
23641		35459		52041	
23641		35459		52041	
23641		35459	57 19 19 103 18 58 58 58 58	52041	9
23641		35459	57 19 19 103 18 58 58 58 58 58	52041	9
23641		35459	57 19 19 103 18 58 58 58 58 58 58 24	52041	9 8, 9 51 11 11 11 11 18 16 11, 16
23641		35459	57 19 19 103 18 58 58 58 58 58 58 24	52041	9 8,9 51 11 11 11 11 18 16 11,16
23641		35459	57 19 19 103 18 58 58 58 58 58 58 24 24 24	52041	9 8,9 51 11 11 11 18 11,16
23641		35459	57 19 19 103 18 58 58 58 58 58 58 24 24 24 103	52041	
23641		35459	57 19 19 103 18 58 58 58 58 58 24 24 24 103 103	52041	
23641		35459	57 19 19 19 103 18 58 58 58 58 58 24 24 24 24 103 103 103	52041	
23641		35459	57 19 19 19 103 18 58 58 58 58 58 24 24 24 24 24 103 103 103 20 20	52041	9 8,9 51 11 11 11 11 16 11,16 16 43,51 59
23641		35459	57 19 19 19 103 18 58 58 58 58 58 24 24 24 24 24 24 20 20 20	52041	9 8,9 8,9 51 11 11 11 11 11 16 11,16 16 43,51 59 93
23641		35459	57 19 19 103 18 58 58 58 58 58 58 24 24 24 24 24 20 20 20	52041	9 8,9 51 11 11 11 11 11 11 11 11 11 11 11 11
23641		35459	57 19 19 19 103 18 58 58 58 58 58 24 24 24 24 103 103 103 20 20 20 20 20 20	52041	9 8,9 51 11 11 11 11 11 11 11 11 11 11 11 11
23641		35459	57 19 19 19 103 18 58 58 58 58 58 24 24 24 24 103 103 103 20 20 20 20 20 24	52041         52042         52091         52134         52135         52136         52137         52138         52165         52177         52178         52179         52180         52191         52500         54001         54644         54645         54647	9 8,9 9 51 11 11 11 11 11 11 11 11 11 11 11 11
23641	14 27 27 27 27 27 27 28 28 28 28 28 28 28 28 28 28 28 28 28	35459	57 19 19 103 18 58 58 58 58 58 24 24 24 24 24 20 20 20 20 20 20 24 24 24 24 24 28	52041         52042         52091         52134         52135         52136         52137         52138         52165         52176         52177         52180         52191         52500         54001         54644         54645         54646         54647         54648	9 8,9 51 11 11 11 11 11 11 11 11 11 11 11 11
23641		35459	57 19 19 19 103 18 58 58 58 58 58 24 24 24 24 103 103 103 20 20 20 20 20 24	52041         52042         52091         52134         52135         52136         52137         52138         52165         52176         52177         52180         52191         52500         54001         54644         54645         54646         54647         54649	9 8, 9 8, 9 51 11 11 11 11 11 11 18 18 16 11, 16 11, 16 11, 16 43, 51 59 93 93 93 93 93 93
23641	14 27 27 27 27 27 27 28 28 28 28 28 28 28 28 28 28 28 28 28	35459	57 19 19 103 18 58 58 58 58 58 24 24 24 24 24 20 20 20 20 20 20 24 24 24 24 24 28	52041         52042         52091         52134         52135         52136         52137         52138         52165         52176         52177         52180         52191         52500         54001         54644         54645         54646         54647         54650	9 8, 9 8, 9 51 11 11 11 11 11 11 18 18 16 11, 16 11, 16 11, 16 43, 51 93 93 93 93 93 93
23641		35459	57 19 19 19 103 18 58 58 58 58 58 24 24 24 24 24 20 20 20 20 20 20 20 24 24 24 24 24 27 28 29 20 20 20 20 20 20 20 20 20 20 20 20 20	52041         52042         52091         52134         52135         52136         52137         52138         52165         52176         52177         52180         52191         52500         54001         54644         54645         54646         54647         54648         54650         54651	9 8, 9 8, 9 51 11 11 11 11 11 11 11 16 16 16 43, 51 59 93 93 93 93 93 93 93 93 93 93 93 93 93
23641	14 27 27 27 27 27 28 28 28 28 28 28 28 28 28 28 28 28 31 31 31 31 31	35459	57 19 19 103 18 58 58 58 58 58 24 24 24 24 24 20 20 20 20 20 20 20 20 24 24 24 24 27 28 29 20 20 20 20 20 20 20 20 20 20 20 20 20	52041         52042         52091         52134         52135         52136         52137         52138         52165         52176         52177         52180         52191         52500         54001         54644         54645         54646         54647         54648         54650         54651	9 8, 9 8, 9 51 11 11 11 11 11 11 18 18 16 11, 16 11, 16 11, 16 43, 51 93 93 93 93 93 93
23641	14 27 27 27 27 27 28 28 28 28 28 28 28 28 28 28 28 28 31 31 31 31 31 31 31	35459	57 19 19 103 18 58 58 58 58 58 24 24 24 24 24 20 20 20 20 20 20 20 20 20 20 24 24 24 24 27 28 29 20 20 20 20 20 20 20 20 20 20 20 20 20	52041         52042         52091         52134         52135         52136         52137         52138         52165         52176         52177         52180         52191         52500         54001         54644         54645         54646         54647         54648         54650         54651         54652	9 8, 9 8, 9 51 11 11 11 11 11 11 11 16 16 16 43, 51 59 93 93 93 93 93 93 93 93 93 93 93 93 93
23641	14 27 27 27 27 27 28 28 28 28 28 28 28 28 28 28 28 28 31 31 31 31 31 31 31	35459	57 19 19 19 103 18 58 58 58 58 58 58 24 24 24 24 24 24 24 24 24 24 20 20 20 20 20 20 20 20 20 20 20 20 20	52041         52042         52091         52134         52135         52136         52137         52138         52165         52176         52177         52180         52191         52500         54001         54644         54645         54646         54647         54650         54651         54652         54653	9 8, 9 8, 9 11 11 11 11 11 11 11 18 18 16 11, 16 11, 16 11, 16 43, 51 93 93 93 93 93 93
23641	14 27 27 27 27 27 27 27 27 28 28 28 28 28 28 28 28 28 28 28 31 31 31 31 31 31 31 31 31 31 31 31 31	35459	57 19 19 19 103 18 58 58 58 58 58 58 24 24 24 24 24 24 24 24 20 20 20 20 20 20 20 20 20 24 24 24 24 27 28 29 20 20 20 20 20 20 20 20 20 20 20 20 20	52041         52042         52091         52134         52135         52136         52137         52138         52165         52176         52177         52180         52191         52500         54001         54644         54645         54646         54647         54650         54651         54653         54654	9 8,9 8,9 51 11 11 11 11 11 11 18 16 11,16 11,16 11,16 43,51 59 93 93 93 93 93 93 93 93 93
23641	14 27 27 27 27 27 27 27 27 28 28 28 28 28 28 28 28 28 28 31 31 31 31 31 31 31 31 31 31 31 31 31	35459	57 19 19 19 103 18 58 58 58 58 58 58 24 24 24 24 24 24 24 20 20 20 20 20 20 20 20 20 24 24 24 24 35 35 35	52041         52042         52091         52134         52135         52136         52137         52138         52165         52176         52177         52180         52191         52500         54001         54644         54645         54646         54648         54650         54651         54654         54655	9 8,9 8,9 51 11 11 11 11 11 11 11 18 16 11,16 11,16 11,16 43,51 59 93 93 93 93 93 93 93 93 93 93

# GREENLEE MECHANICAL SOLUTIONS INDEX



54657	94	57006	6
54658		57014	
54659		57040	
54660		57101	
54661		58182 28.	
54664		59000	-
54665		59001	
		59060	
54666			
54667		59070	
54668		59080	
54669		5991243, 5	
54670		60200	
54671		60201	
54688		60250	
54689		60250R	_
54691		60251	
54693	95	60765	74
54695	95	60766	74
54697	96	60767	74
54701	83	60768	74
54702	83	60769	74
54707	82	60770	74
54709	82	60771	74
54717	. 84	60772	74
54718	. 84	60773	74
54719	84	60774	74
54729		60775	74
54737		60776	
54738		60798	
54739		62202	
54740		62205	
54744		62211	
55035		62214	
55054D		62215	
55063		62216	
55316		62217	-
55482		62219	
55494		62224	
55495		62226	
55496		62227	
55497		62230	
55498		62231	
55499		62232	
55500		62233	
55501		62234	
55838		62235	
56025		62236	
56265		62237	
56288		63004	
56301	102	63005	42
56303	91	63006	43
56304	93	63090	52
56305	93	64001	72
56308	92	64002	72
56310	92	64004	72
56323	101	6440143, 5	51
56334		65008	
56335		65013	
56338		65035	
56349		65036	
56351		65037	
56352		65038	
56383		65039	
56511		65040	
56512	*	65041	
40	, 71	00071	_

65042	
65043	
65044	72
70007B	5. 6
70007X	
70010	,
70011	
70012	
70013	
70014	,
70015	5
70017	4, 5, 6
70017B	4. 5. 6
70017D	
70018	, -, -
70020	
70021	
70027	
70028	6
70028D	6
70029	6
70030	
70031	
70031	
70040	
70045	- ,
70046	
70046D	5, 6
70051	6
70051D	
70054	
70055	
70056	-,-
70056D	
70057	
70057D	6
70060	6
70061	6
70061D	
70065	
70070	
70075	
70086	
70087	6
70088	5, 6
70089	6
70105	
70109	
70115	
70116	
70142	
70143	6
70150	85
70151	85
70152	85
70153	
70154	
70155	
70156	
70157	
70159	85
70160	85
70161	
70162	
70163	
	ບວ

70164	85	72250	77	89229	97
70166	85	72261		89230	
70167	85	72263	79	89231	97
70188	6	72265	77	89232	
70225	87	72275	77	89233	97
70226	87	72278	77	89234	97
70235	86	72291	79	89235	97
70236	87	72321	78	89236	97
70240	86	72322	79	89237	97
70241	86	72325	78	89239	109
70243	86	72329	78	89250	83
70244	86	72347	77	89254	83
70245	86	72350	77	89256	83
70246	86	72360	79	89258	83
70285	6	72363	79	89259	82
70286	6	72365	77	89260	82
70289	48	72374	77	89263	83
70296	48	72392	79	89264	83
70401	6	72412	76	89268	98
70402	6	72431	76	89269	98
70416	87	72441	76	89270	98
70417	87	72451	76	89271	98
70521	82	72541	76	89272	98
70522	82	72638	76	89273	98
70523	82	72676	76	89274	99
70614	40	72869V	76	89277	99
70615	87	73420	68	89278	
70711	115	80007	74	89280	99
70716	114	80012	74	89282	99
7075241,	114	80280	28	89285	99
70753	48	88737	47	89286	99
70840X	40	88738	47	89287	
70901	40	88739	47	89289	99
70901X	40	88802	6	89290	99
70903	40	88803	6	89291	100
70903X	40	88806	6	89292	100
70905	40	88807		89293	100
70905X	40	88808	6	89806	9
71019	6	89016	52	90007	,
71068	44	89017	52	90614	
71259		89018		91031	
71259L		89019		91032	
71271		89020		91033	
71272		89100		91034	
7127340	•	8910143	•	91042	
71280		8910243	,	91044	
72095	/6	89120		91063	
72101		89121		91064	
72110		89148		9106644	,
72111		89149		91067	
72112		89150		91070	
72161		89151		91072	
72162		89162		91074	
72163		89163		91075	
72165		89187		91076	
72166		8919752,		91077	
72169		89213		91078	
72170		89214		9107945	
72186		89215		91083	
72191		89216		91084	
72203		89217		91086	
72221		89222		91087	
72222		89223		91088	
72229		89224		91089	
72234	/8	89228	97	91094	49

# GREENLEE MECHANICAL SOLUTIONS INDEX



91	095				49
91	096				49
91	099				49
91	103	49	9,	50,	53
		49			
		49			
		4			
		4			
		4			
91	128		•••	чυ,	50
91	139				50
91	141			50,	52
		50		,	
		50			
		50			
		50			
		50			
		50			
		50			
		50			
		50			
01	107				52

91198	52
91216	54
91217	54
91218	54
91219	54
91220	54
91221	54
91222	54
91223	54
91224	54
91225	54
91228	54
91229	54
91230	54
91231	54
91232	54
91233	54
91234	54
91235	54
91238	54
91248	44
91250	
99016	5, 6
7620521	28
8870922	47

# GREENLEE MECHANICAL SOLUTIONS NOTES



## LIFETIME WARRANTY

Greenlee Textron Inc. warrants to the original purchaser of these goods for use, that these products will be free from defects in workmanship and material for their useful life, excepting normal wear and abuse. This warranty is subject to the same terms and conditions contained in Greenlee Textron Inc.'s standard one-year limited warranty.

See below for information regarding product returns.

Greenlee Textron Inc. extends the following warranty to the original purchaser of these goods for use, subject to the qualifications indicated. Greenlee Textron Inc. warrants to the original purchaser for use that the products sold by it will be free from defects in workmanship and material for a period of one year (three years for Gator® battery-powered and corded tools, not including batteries) from the date of purchase, provided such goods are installed, operated, maintained, and used in accordance with Greenlee Textron Inc.'s written instructions.

Ordinary wear and tear, and damage from abuse, neglect or alterations are not covered by this warranty. This warranty is null and void if instructions and operating procedures are not followed.

Greenlee Textron Inc.'s sole liability and purchaser's sole remedy for a failure of goods under this limited warranty, and for any and all claims arising out of the purchase and use of the goods, shall be limited to the repair or replacement of the goods that do not conform to this warranty, and shall be in lieu of any other liability or remedy, including, without limitation, any causes of action in negligence and strict liability.

To obtain repair or replacement service under this limited warranty, the purchaser must return the product to a Greenlee Authorized Service Center, transportation prepaid. Do not send any warranty/repair product directly to Greenlee, as it will be returned to the sender. Only test instruments will be warranted, repaired, replaced, or calibrated at Greenlee with prior authorization.

Tools found defective will be replaced or repaired at no charge and returned. There are no express warranties covering these goods other than as set forth above. The implied warranties of merchantability and fitness for a particular purpose are specifically excluded. Greenlee Textron Inc. assumes no liability in connection with the installation or use of this product, except as stated in this limited warranty. Greenlee Textron Inc. will in no event be liable for incidental or consequential damages.

This limited warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Some states do not allow either limitations on implied warranties, or exclusions from incidental or consequential damages, so the above limitation and exclusion may not apply to you.

Any questions pertaining to this limited warranty should be addressed to: Greenlee / A Textron Company 4411 Boeing Drive, Rockford, IL 61109-2988 USA Greenlee Textron Inc. has elected not to make available the informal dispute settlement mechanism which is specified in the Magnuson-Moss Warranty Act.

Note: Rental units and demonstrators used for income producing purposes are warranted for 90 days. Rental units and demonstrators which are resold are not covered under warranty by Greenlee Textron Inc. Any warranty, whether expressed or implied, rests solely with the seller.

Lifetime Limited Warranty on Greenlee Electrical Test Instruments, Hand Benders, select Hand Tools and Paladin® branded items.

Greenlee Textron Inc. warrants to the original purchaser of these goods for use that these products will be free from defects in workmanship and material for their useful life, excepting normal wear and abuse. This warranty is subject to the same terms and conditions contained in Greenlee Textron Inc.'s standard one year limited warranty.

#### **Greenlee Electrical Test Instrument Repair and Calibration**

For all Greenlee Electrical Test Instrument repairs, contact Customer Service at 1-800-435-0786 and request a return authorization. An approved Authorization including shipping label and instructions will be sent.

For items not covered under warranty (such as items dropped, abused, etc.), a repair cost quote is available upon request.

Note: Prior to returning any test instrument, please check replaceable batteries or make sure the battery is at full charge.

Many end user customers require assurance of product performance. Proof of accuracy and precision of an instrument is often required. This requirement may be a result of ISO procedures or customer quality audit requirements. Greenlee Textron Inc. can provide calibration service for specifically marked hand-held electrical test equipment. Calibration assures the customer that the instrument has been checked and/or calibrated using equipment that is checked and calibrated to standards that are traceable to the National Institute for Standards and Technology (NIST). Products currently included are all clamp meters, professional series digital multimeters and megohommeters. A certificate will be provided.

To obtain this calibration service, call Customer Service at 1-800-435-0786 and request a return authorization.



#### **ROTHENBERGER LIFETIME WARRANTY**

ROTHENBERGER USA LLC warrants all our products against defects in material and workmanship for the life of the product. Warranty coverage ends when the product becomes unusable for reasons other than defects in material and workmanship. This warranty covers replacement or repair of defective parts for the lifetime of the products provided that failure is not due to abuse, misuse, abnormal use, neglect, or normal wear and tear. Motors, switches, and electrical parts, are warranted for a period of one year from the date of sale. Rental units and demonstrators used for income producing purposes are warranted for 90 days. Rental units and demonstrators which are resold are not covered under warranty by ROTHENBERGER USA LLC. Lifetime warranty excludes consumable parts such as cables, rods, and pipe and drain cleaning tools. Any warranty, whether expressed or implied, rests solely with the seller. Warranty is null and void if instructions and operating procedures are not followed or if product has been repaired or altered outside ROTHENBERGER USA LLC or our authorized service centers. No other warranty shall apply. This warranty is in lieu of other expressed or implied, of merchantability, fitness for a particular purpose, performance or otherwise. To obtain repair or replacement service under this limited warranty, the purchaser must return the product freight prepaid to an Authorized Independent Service Center. Repair or replacement will be at the discretion of ROTHENBERGER USA LLC or their authorized service center.

#### LIMITATION OF LIABILITY

ROTHENBERGER USA LLC liability does not extend beyond the repair or replacement of its product as warranted above. In no event shall ROTHENBERGER USA LLC be liable for claims based upon breach of expressed or implied warranty, negligence or otherwise for any damages whether direct, immediate, incidental, foreseeable, consequential, or special.

### FOR PRODUCT VIDEOS, DEMONSTRATIONS AND MORE, VISIT: www.youtube.com/GreenleeDEMO

