


APW *wyott*[®]

2021 PRODUCT GUIDE



Charbroilers • Griddles • Hot Plates
Conveyor & Bun Grill Toasters • Classic Insulated Warmers
Roller Grills & Roller Grill Accessories
Concession Equipment • Merchandisers • Overhead Warmers
Lowerators • Food Wells • Cold Wells

August 29, 2021 v2



2021 PRODUCT GUIDE

Inquiries / Customer Service

(800) 527-2100

Place an Order

ordercc@apwbakerspride.com

orderlp@apwbakerspride.com

orderre@apwbakerspride.com

ordersc@apwbakerspride.com

Technical Service

(800) 733-2203

techservice@partstown.com

Parts

partstown.com/apw-wyott/parts

APW Wyott

265 Hobson Street

Smithville, TN 37166

Main (800) 527-2100

Fax (214) 565-0976

apwwyott.com

**Pricing subject to change. Always
check Autoquotes for latest pricing
prior to placing an order.**

The electrical and dimensional information supplied is for reference purposes only.
APW Wyott reserves the right to modify specifications or discontinue models without incurring obligation.
Prices are subject to change.

WORKLINE SERIES

Workline Series Gas Radiant Charbroilers	1
Workline Series Gas CharRock Charbroilers	1
Workline Series Thermostatic Gas Griddles	2
Workline Series Manual Gas Griddles	2
Workline Series Electric Griddles	3
Workline Series Flat Gas Hot Plates	4
Workline Series Electric Hot Plates	4
Workline Series Equipment Stands	5

TOASTERS

ECO-4000 Energy Saving Toaster	6
AT Express Radiant Conveyor Toasters	6
X*TREME (XTRM-1) Radiant Conveyor Toasters	7
X*TREME (XTRM-2) Radiant Conveyor Toasters	7
X*TREME (XTRM-3) Radiant Conveyor Toasters	8
M-95 Vertical Bun Grill Toasters	9

CLASSIC INSULATED WARMERS

Classic Round Insulated Warmer	12
Classic Insulated Round Cookers/Servers	12
X*PERT Series Insulated 12x20" Warmers	13
X*PERT Series Insulated 12x27" Warmers	13
X*PERT Series Insulated Cookers/Servers	14
Fractional Countertop Warmers	14
Classic Insulated Warmer Accessories	15

CLASSIC WARMERS

C*Radiant Countertop Fry Holding Station	16
Countertop Display Warmers	16
Warming Shelves	17

X*PERT ROLLER GRILLS

Flat HotRod Roller Grills	18
Slanted HotRod Roller Grills	19
CE/Export Roller Grill Models	19
Digital Roller Grills (Slanted/Flat)	20
Sneeze Guards	20
Roller Grill Accessories/Options	20

CONCESSION EQUIPMENT

X*PERT Series (SPTU) ThermoDrawers	21
Bun Cabinets	21
Bun Warmers	22
Refrigerated Topping Rails	23
Countertop Cold Well	23
Drop-In Refrigerated Topping Rails	23

MERCHANDISERS

Heated Display Warming Cabinet	24
Racer Countertop Display Merchandiser	24

OVERHEAD WARMERS

Calrod Overhead Warmers	23- 26
Lighted Calrod Overhead Warmers	27- 30
Overhead Warmer Options	31
Overhead Warmer Mounting Heights	31

LOWERATORS

Drop-In Lowerator® Dispensers	32
Heated Drop-In Lowerator® Dispensers	33
Dome Cover Options	33
Drop-In Adjustable II Lowerator® Dispensers	34
Mobile Adjustube II Lowerator® Dispensers	35
Mobile Lowerator® Dispensers - Two Tubes	36
Mobile Lowerator® Dispensers - Three Tubes	37
Enclosed Mobile Lowerator® Disp - Two Tubes	38
Enclosed Mobile Lowerator® Disp - Three Tubes	39
Enclosed Mobile Lowerator® Disp - Four Tubes	40
Enclosed Mobile Adjustube II Lowerator® Disp	41
Drop-In Rack Lowerator® Dispensers	42
Enclosed Mobile Combo Lowerator® Dispensers	42
Enclosed Mobile Cantilever Lowerator® Dispensers	43
Open Mobile Combo Lowerator® Dispensers	43
Open Mobile Cantilever Lowerator® Dispensers	44
Double Open Mobile Cantilever Lowerator® Disp	44

HOT FOOD WELLS

Rectangular Top Mount, Insulated HFW-1/2	45
Rectangular Top Mount, Insulated HFW-3/4/5	46
Round Top Mount, Uninsulated SM-50-4/7/11	47
Rectangular Top Mount, Uninsulated TM-90/43	48
Rectangular Bottom Mount, Insulated BM-80/30	49
Hot Food Well Accessories	50

COLD WELLS

Refrigerated Cold Wells CW-1/2/3/4/5	51
--------------------------------------	----

INFORMATION

MAP/M.R.I.C.P. Policy	52-53
Warranty Policy	54
International Warranty Policy	55-56

APW
wyott[®]

Workline APW Wyott's renown Workline series includes a full complement of food preparation and serving equipment designed to support commercial kitchens of any size.

Workline Series Gas Radiant Charbroilers
Heavy-Duty Steel Radiants for Optimal Heat Control

Gas Radiant Charbroilers feature heat dials that turn a full 180 degrees for ultimate control! Constructed of welded stainless and aluminized steel with heavy-duty stainless radiants. One of the highest BTU ratings in the industry, reaching temperatures of up to 825°F. Easy clean-up. Field convertible gas regulators. CE models include safety pilot. Cannot ship UPS. If shipping via air freight, dimensional weights apply. Backed by APW's Two Year Parts, Two Year Labor Warranty. FOB APW Dock, freight class 70.



GCB-24S



Workline Series Gas Radiant Charbroilers

Model	Part #	Description	BTU	No. Controls	Dimensions	Ship Weight (lbs)	Price
GCB-18S	3H-GCB-18S	Convertible	45,000	1	15-1/2"H x 18"W x 29"D	call factory	\$2,169
GCB-24S	3H-GCB-24S	Convertible	60,000	2	15-1/2"H x 24"W x 29"D	186	\$2,482
GCB-36S	3H-GCB-36S	Convertible	90,000	3	15-1/2"H x 36"W x 29"D	230	\$3,551
GCB-48S	3H-GCB-48S	Convertible	120,000	4	15-1/2"H x 48"W x 29"D	350	\$4,877
Ships FOB Smithville, TN							

Radiant Advantages:

- 1) Provides a more "even heat" pattern across grill surface
- 2) Easier to maintain and clean
- 3) Less "flare-ups"



Workline Series equipment stands listed on page 5

Workline Series Gas CharRock Charbroilers
CharRock Lava Stones for a Great Smoky Flavor

Gas CharRock Broilers feature heat dials that turn a full 180 degrees for ultimate control! All stainless and aluminized steel construction. Cast iron rock holder under grates. Each unit is shipped with a supply of lava rocks. One of the highest BTU ratings in the industry, reaching temperatures of up to 825°F. Field convertible gas regulators. CE models include safety pilot. Cannot ship UPS. If shipping air freight, dimensional weights apply. Backed by APW's Two Year Parts, Two Year Labor Warranty. FOB APW Dock, freight class 70.



GCRB-24S



Workline Series Gas CharRock Charbroilers

Model	Part #	Description	BTU	No. Controls	Dimensions	Ship Weight (lbs)	Price
GCRB-24S	3H-GCRB-24S	Convertible	60,000	2	15 1/2"H x 24"W x 29"D	186	\$2,508
GCRB-36S	3H-GCRB-24S	Convertible	90,000	3	15 1/2"H x 36"W x 29"D	230	\$3,517
GCRB-48S	3H-GCRB-24S	Convertible	120,000	4	15 1/2"H x 48"W x 29"D	350	\$4,877
Ships FOB Smithville, TN							

CharRock Advantages:

- 1) CharRocks build "visual excitement" with more flames and smoke
- 2) Adds back flavor with sizzle of drippings from meats



Workline Series equipment stands listed on page 5

Workline Series Thermostatic Gas Griddles

Thermostatic Gas Griddles feature modulating thermostat, 3/4" griddle plate, commercial-grade welded stainless steel construction and 4" adjustable legs. Griddle plate is continuously welded to base. Field convertible gas regulators. If shipping via air freight, dimensional weights apply. Backed by APW's 1-Year Parts & Labor Warranty. FOB APW Dock, freight class 70.

Thermostatic Control Advantages:

- 1) Senses temperature on plate and regulates heat
- 2) Ideal for cooking a variety of products in different temperatures zones



Workline Series Thermostatic Gas Griddles

Model	Part #	Description	BTU	Dimensions	Weight (lbs)	Price
GGT-18S	3H-GGT-18S	Convertible	37,500	15 1/2"H x 18"W x 26 3/4"D	160	\$2,849
GGT-24S	3G-GGT-24S	Convertible	50,000	15 1/2"H x 24"W x 26 3/4"D	223	\$3,966
GGT-36S	3G-GGT-36S	Convertible	75,000	15 1/2"H x 36"W x 26 3/4"D	306	\$5,046
GGT-48S	3G-GGT-48S	Convertible	100,000	15 1/2"H x 48"W x 26 3/4"D	350	\$6,431
Ships FOB Smithville, TN						

Workline Series equipment stands listed on page 5

Workline Series Manual Gas Griddles

Manual Gas Griddles feature Gas Griddles feature modulating thermostat, 3/4" griddle plate, welded stainless steel construction and 4" adjustable legs. Griddle plate is continuously welded to base. Field convertible gas regulators. If shipping via air freight, dimensional weights apply. Backed by APW's 1-Year Parts & Labor Warranty. FOB APW Dock, freight class 70.

Manual Control Advantages:

- 1) Great for High Heat
- 2) Highest BTUs drive fast temperature recoveries under heavy loads
- 3) Needs "experienced cook" to manually control cooking zones



Workline Series Manual Gas Griddles

Model	Part #	Description	BTU	Dimensions	Weight (lbs)	Price
GGM-18S	3H-GGM-18S	Convertible	37,500	15 1/2"H x 18"W x 26 3/4"D	168	\$2,334
GGM-24S	3G-GGM-24S	Convertible	50,000	15 1/2"H x 24"W x 26 3/4"D	214	\$2,623
GGM-36S	3G-GGM-36S	Convertible	75,000	15 1/2"H x 36"W x 26 3/4"D	306	\$3,380
GGM-48S	3G-GGM-48S	Convertible	100,000	15 1/2"H x 48"W x 26 3/4"D	350	\$4,493
Ships FOB Smithville, TN						

Workline Series equipment stands listed on page 5

Workline Series Electric Griddles

Electric Griddles feature a 3/4" griddle plate, electronic snap action controls, welded stainless and aluminized steel construction and 4" adjustable legs. Griddle plate is continuously welded. Single phase is standard; field convertible to three phase. Available in 208/240V and 220V. Standard hardwire configuration does not include cord and plug. Cannot ship UPS. If shipping via air freight, dimensional weights apply. Backed by APW's 1-Year Parts & Labor Warranty. FOB APW Dock, freight class 70.



Workline Series Electric Griddles

Model	Part #	Electric	Dimensions	Weight (lbs)	Price
EG-24S	3G-EG-24S	208/240V, 6.75/9KW, 32.5/37.5 Amps	15 1/2"H x 24"W x 25"D	190	\$3,643
EG-36S	3G-EG-36S	208/240V, 10KW/13.5, 48.7/53.6 Amps	15 1/2"H x 36"W x 25"D	270	\$4,409
EG-48S	3G-EG-48S	208/240V, 13.5W/18, 65/75 Amps	15 1/2"H x 48"W x 25"D	383	\$6,345

Ships FOB Smithville, TN

Workline Series equipment stands listed on page 5



EG-24S

Flat Gas Hot Plates

36% More BTU Power Than Competitive Models

Heavy-Duty Stainless Steel welded construction with cast iron grates. Cast Iron burners generate 22,000 BTU/hr each. Stainless Steel drip pan. Available in 2, 4, and 6 burner versions. Field convertible gas regulators. Backed by APW's Two Year Parts, Two Year Labor Warranty. FOB APW Dock, freight class 70.



Workline Series Flat Gas Hot Plates

Model	Part #	Description	BTU	Dimensions	Weight (lbs)	Price
GHP-2S	3I-GHP-2S	Convertible	22,000	13 5/8"H x 12"W x 32"D	63	\$1,777
GHP-4S	3I-GHP-4S	Convertible	44,000	13 5/8"H x 24"W x 32"D	129	\$2,706
GHP-6S	3I-GHP-6S	Convertible	66,000	13 5/8"H x 36"W x 32"D	188	\$3,780
Ships FOB Smithville, TN						

Workline Series equipment stands listed on page 5

Electric Hot Plates

Steel construction is an attractive presentation. Recessed controls prevent product or drippings from getting to controls. Indicating lights and 4" adjustable legs are standard. SEHPS Model features solid plate burners. Single phase is standard; convertible to 3 phase. Specify voltage. If shipping via air freight, dimensional weights apply. Backed by APW's Two Year Parts, Two Year Labor Warranty. FOB APW Dock, freight class 100.



Workline Series Electric Hot Plates

Model	Part #	Electric	Dimensions	Weight (lbs)	Price
SEHPS	3I-SEHPS	208V, 4000W, 23.1 Amps	14"H x 12"W x 24 3/4"D	45	\$1,874
Ships FOB Smithville, TN					

Workline Series equipment stands listed on page 5

Workline Series Stands

Medium-duty cooking stands constructed of stainless steel top shelf, aluminized bottom shelf and stainless steel legs. Each stand is equipped with 4" legs or 5" casters. L after the model number specifies legs and C specifies casters. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 70.

Workline Series Stands

Model	Part #	Dimensions	Weight (lbs)	Price
SSS-18L	221800	24 1/2"H x 18"W x 24"D w/Legs	33	\$610
SSS-18C	221801	24 1/2"H x 18"W x 24"D w/Casters	45	\$800
SSS-24L	222400	24 1/2"H x 24"W x 24"D w/Legs	42	\$700
SSS-24C	222401	24 1/2"H x 24"W x 24"D w/Casters	49	\$883
SSS-36L	223600	24 1/2"H x 36"W x 24"D w/Legs	51	\$874
SSS-36C	223601	24 1/2"H x 36"W x 24"D w/Casters	59	\$1,053
SSS-48L	224800	24 1/2"H x 48"W x 24"D w/Legs	63	\$959
SSS-48C	224801	24 1/2"H x 48"W x 24"D w/Casters	70	\$1,137

Ships FOB Smithville, TN



Energy Saving, Radiant Conveyor & Bun Grill Contact Toasters

APW's eco-friendly, ECO-4000 Radiant Conveyor Toasters reduce energy consumption while saving money and delivering superior toasting capability. APW's Bun Grill toasters are made with removable side panels for easy service access. All APW Toasters are constructed of stainless steel with durable metal-sheathed heating elements, high-temperature insulation, wiring and bearings to guarantee dependability and durability.

ECO-4000 Energy Saving Toaster

The ECO-4000 was designed from the ground up to start fast, save electricity, produce perfect toast, and work well in the front or back of the house. It saves approximately 40% more energy than competitive products, with programmable electronic intelligence that gives "toast now" rapid response, adjustable cycling for any quantities or types of toasting products.

Bread, bagels, muffins, you name it - the ECO-4000 can toast it to perfection. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.



ECO-4000 Energy Saving Radiant Conveyor Toaster

Model	Part #	Controls	Electric	Dimensions	Weight (lbs)	Price
ECO4000 350E	21851470	Digital	120V, 1725W, 14.4 Amps	15 1/16"H X 14 13/16"W X 23 1/2"D	54	\$3,566
ECO4000 350L	21851490	Analog	120V, 1725W, 14.4 Amps	15 1/16"H X 14 13/16"W X 23 1/2"D	54	\$2,407
ECO4000 500E	21851400	Digital	208V, 2800W, 13.6 Amps	15 1/16"H X 14 13/16"W X 23 1/2"D	54	\$4,487
ECO4000 500E	21851401	Digital	240V, 2800W, 11.7 Amps	15 1/16"H X 14 13/16"W X 23 1/2"D	54	\$4,487
ECO4000 500L	21851480	Analog	208V, 2800W, 13.6 Amps	15 1/16"H X 14 13/16"W X 23 1/2"D	54	\$3,555
ECO4000 500L	21851402	Analog	240V, 2800W, 11.7 Amps	15 1/16"H X 14 13/16"W X 23 1/2"D	54	\$3,555
E = Digital; L = Analog			Ships FOB Smithville, TN			

AT Express Radiant Conveyor Toasters

The AT Express small footprint toaster is standard with front loading, variable speed control, superfeeder, and 11/2" high product opening. 10" wide conveyor belt. Produces over 300 slices per hour. If shipping via air freight, dimensional weights apply. Backed by APW's Two Year Warranty. FOB APW Dock, freight class 100.



AT Express Radiant Conyeyor Toasters

Model	Part #	Electric	Dimensions	Weight (lbs)	Price
AT EXPRESS 120v	93300000	120V, 1725W, 14.4 Amps, 60hz	13 9/32"H x 14 3/4"W x 18"D	35	\$1,960
AT EXPRESS 208v	93300001	208V, 1725W, 8.3 Amps, 60hz	13 9/32"H x 14 3/4"W x 18"D	35	\$1,960
AT EXPRESS 240v	93300002	240V, 1725W, 7.2 Amps, 60hz	13 9/32"H x 14 3/4"W x 18"D	35	\$1,960
Ships FOB Smithville, TN					

X*TREME® (XTRM-1) Radiant Conveyor Toasters

X*TREME®-1 Radiant Conveyor Toaster is standard with variable speed control, superfeeder, and 1-1/2" high product opening. 10" wide conveyor belt. Produces over 350 slices per hour. Power Saver Switch and lighted rocker switches. Special Cool to the Touch guards in the front and Cool to the Touch surfaces. If shipping via air freight, dimensional weights apply. Backed by APW's Two Year Warranty. FOB APW Dock, freight class 100.



X*TREME (XTRM-1) Radiant Conveyor Toasters

Model	Part #	Electric	Dimensions	Weight (lbs)	Price
XTRM-1 120v	93100170-BLACK	120V, 1725W, 14.4 Amps, 60hz	13 1/4"H x 15 3/6"W x 17 3/4"D	35	\$2,763
XTRM-1 208v	93100173-BLACK	208V, 1725W, 8.2 Amps, 60hz	13 1/4"H x 15 3/6"W x 17 3/4"D	35	\$2,763
XTRM-1 240v	93100171-BLACK	240V, 1725W, 7.2 Amps, 60hz	13 1/4"H x 15 3/6"W x 17 3/4"D	35	\$2,763
Export Model					
XTRM-1 230v	93100172-BLACK	230V, 1725W, 7.5 Amps, 50hz	13 1/4"H x 15 3/6"W x 17 3/4"D	35	\$3,177
Ships FOB Smithville, TN					

X*TREME® (XTRM-2) 10" Wide Radiant Conveyor Toasters

The XTRM-2 10" Wide Radiant Conveyor Toaster incorporates all of the advanced features of the leading toaster line and combines it with a stylized exterior. Produce toast in less than 30 seconds, for more than 800 slices of toast per hour! Variable speed controls combined with top and bottom heat controls give you "X-treme" versatility to handle all types of breads, muffins or bagels. Super feeder and power saver stand-by control are standard. Thermostatically controlled fan combined with high temperature insulation provide the maximum safety for your employees. Available in a 1 1/2" or 3" opening. Specify voltage. If shipping via air freight, dimensional weights apply. Backed by APW's Two Year Warranty. FOB APW Dock, freight class 100.



X*TREME (XTRM-2) Radiant Conveyor Toasters

Model	Part #	Electric	Dimensions	Weight (lbs)	Price
Standard Opening					
XTRM-2 208v	93302000	208V, 2840W, 13.7 Amps	14 3/4"H x 15 5/8"W x 23 21/64"D	50	\$3,356
XTRM-2 240v	93302040	240V, 2840W, 11.8 Amps	14 3/4"H x 15 5/8"W x 23 21/64"D	50	\$3,356
Standard Opening Export Model					
XTRM-2 230v	93302005-CE	230V, 2840W, 12.3 Amps	14 3/4"H x 15 5/8"W x 23 21/64"D	50	\$4,004
3" High Opening					
XTRM-2H 208v	93302300	208V, 2840W, 13.7 Amps	14 3/4"H x 15 5/8"W x 23 21/64"D	54	\$3,586
XTRM-2H 240v	93302340	240V, 2840W, 11.8 Amps	14 3/4"H x 15 5/8"W x 23 21/64"D	54	\$3,586
3" Opening Export Model					
XTRM-2H 230v	93302305-CE	230V, 2840W, 12.3 Amps	14 3/4"H x 15 5/8"W x 23 21/64"D	54	\$4,081
Optional Stacking Kit for XTRM-2 toasters					
Stacking Kit (XTREME 2 toaster)	93000207			5	\$586
Ships FOB Smithville, TN					

X*TREME® (XTRM-3) 13" Wide Radiant Conveyor Toasters

XTRM-3 Radiant Conveyor Toaster provides a 13" "X-treme" wide opening to allow 3-slices of toast to pass at one time, in less than 30 seconds, for more than 1000 slices of toast per hour! Variable speed controls combined with top and bottom heat controls give you "X-treme" versatility to handle all types of breads, bagels or muffins. Super feeder and power saver stand-by control are standard. Thermostatically controlled fan combined with high temperature insulation provide the maximum safety for your employees. Available in a 1 1/2" or 3" opening. Specify voltage. If shipping via air freight, dimensional weights apply. Backed by APW's Two Year Warranty. FOB APW Dock, freight class 100.



X*TREME (XTRM-3) Radiant Conveyor Toasters

Model	Part #	Electric	Dimensions	Weight (lbs)	Price
Standard Opening					
XTRM-3 208v	93303000	208V, 3340W, 16 Amps	14 3/4"H x 18 5/8"W x 23 21/64"D	56	\$4,146
XTRM-3 240v	93303040	240V, 3340W, 14 Amps	14 3/4"H x 18 5/8"W x 23 21/64"D	56	\$4,146
Standard Opening Export Model					
XTRM-3 230v	93303003-CE	230V, 3340W, 14 Amps	14 3/4"H x 18 5/8"W x 23 21/64"D	56	\$4,631
3" High Opening					
XTRM-3H 208v	93303300	208V, 3340W, 16 Amps	15 3/4"H x 18 5/8"W x 23 21/64"D	62	\$4,329
XTRM-3H 240v	93303340	240V, 3340W, 14 Amps	15 3/4"H x 18 5/8"W x 23 21/64"D	62	\$4,329
3" High Opening Export Model					
XTRM-3H 230v	93303303-CE	230V, 3340W, 14 Amps	15 3/4"H x 18 5/8"W x 23 21/64"D	62	\$4,833
Optional Stacking Kit for XTRM-3 toasters					
Stacking Kit (X*TREME 3 toaster)	93200220			5	\$628
Ships FOB Smithville, TN					

M-95 Bun Grill Toasters

M-95 bun grill toasters are available in two standard models with built-in extended grill. Optional gear speeds allow grilling 1000 bun-halves per hour. For M-95-3, Specify slow (45 seconds) or fast gear (22 seconds) when ordering (standard gear for M-95-3 is 35 seconds). Internal cooling fan keeps components cool for longer life. For dry toasting applications, PTFE sheet must be used. Super feeder included. Cannot ship UPS. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.



M-95 Vertical Bun Grill Toasters

Model	Part #	Electric	Dimensions	Weight (lbs)	Price
M-95-2 (45 and 85 gear only)	M952AB001	120V, 1800, 15.0 Amps	28 15/16"H x 21 5/8"W x 16 5/16"D	97	\$4,465
M-95-3 (45, 55 and 85 gear only)	M953AB001	120V, 1800, 15.0 Amps	30 1/2"H x 24 1/2"W x 17 1/2"D	105	\$4,870
M-95-2 (35 second gear only)	M952CC-CHI	208V, 2780W, 13.4 Amps	28 15/16"H x 21 5/8"W x 16 5/16"D	97	\$4,465
M-95-2 (55 second gear only)	M952CD-9C	208V, 2780W, 13.4 Amps	28 15/16"H x 21 5/8"W x 16 5/16"D	97	\$4,465
M-95-2 (35 second gear only)	M952ED-9C	240V, 2780W, 11.6 Amps	28 15/16"H x 21 5/8"W x 16 5/16"D	97	\$4,465
M-95-3 (35 second gear only)	M953CC001	208V, 2780W, 13.4 Amps	30 1/2"H x 24 1/2"W x 17 1/2"D	105	\$4,870
M-95-3 (35 second gear only)	M953EC001	240V, 2780W, 11.6 Amps	30 1/2"H x 24 1/2"W x 17 1/2"D	105	\$4,870
Export Model					
M-95-2 Low Profile (55 sec. gear only)	M952FC-EUR-CE	230V, 50Hz,2550W, 11.1 Amps	28 15/16"H x 21 5/8"W x 16 5/16"D	97	\$4,985
M-95-3FC-CE (35 sec. gear only)	M953FC-EUR-CE	230V, 50Hz,2550W, 11.1 Amps	30 1/2"H x 24 1/2"W x 17 1/2"D	105	\$5,095
Options for M-95 toasters					
Description		Part #	Weight (lbs)	Price	
M-95-2 Bun slide	Collects buns (for M-95-2)	83997	12	\$426	
M-95-2 PTFc Sheet Kit	for wet or dry operation. 10-sheets per kit. 11 3/4" x 35"	84177	4	\$562	
M-95-3 Bun slide	Collects buns (for M-95-3)	83994	12	\$426	
M-95-3 PTFc Sheet Kit	for wet or dry operation. 10-sheets per kit. 15" x 35"	84176	4	\$562	
55 Second Gear Kit		PS0007	4	\$264	
Ships FOB Smithville, TN					



Classic Insulated Warmers

APW's insulated Warmer Series includes a line of attractive and energy-efficient display warmers as well as back-of-the-house cooker warmers for soups, sauces and chilis. All of our classic insulated warmers are designed and constructed for ease of use and durable, long-lasting service. Insulated warmers include a one year free replacement warranty.

Classic Insulated Round Warmers

Energy Efficient design that keeps hot food at the perfect serving temperature. Designed to run with water. Available in 7 quart and 11 quart versions. Made of stainless steel in the exterior and interior. Fully insulated to protect interior controls. SP designates soup package that includes inset, hinged cover and ladle. If shipping via air freight, dimensional weights apply. FOB APW Dock, freight class 100.



Classic Round Insulated Warmers

Model	Part #	Description	Electric	Dimensions	Weight (lbs)	Price
RW-1V	54810	7 qt. insulated round warmer	120V, 500W, 4.2 Amps	8 1/4"H x 10 1/2"D	11	\$467
RW-1V-SP	54810-SP	7 qt. insulated round warmer (w/ inset, ladle, lid)	120V, 500W, 4.2 Amps	8 1/4"H x 10 1/2"D	11	\$613
RW-2V	54811	11 qt. insulated round warmer	120V, 700W, 5.8 Amps	8 1/4"H x 12 1/2"D	13	\$498
RW-2V-SP	54811-SP	11 qt. insulated round warmer (w/ inset, ladle, lid)	120V, 700W, 5.8 Amps	8 1/4"H x 12 1/2"D	14	\$683
Ships FOB Smithville, TN						

Classic Countertop Insulated Round Cookers/Servers

High performance, fast recovery design that is perfect for re-thermalizing refrigerated soup, stews, chili or other food products served out of a round inset. Thermostatically controlled heat system provides fast heat up and recovery. Exterior and interior constructed of stainless steel. If shipping via air freight, dimensional weights apply. FOB APW Dock, freight class 100.



Classic Insulated Round Cookers/Servers

Model	Part #	Description	Electric	Dimensions	Weight (lbs)	Price
RCW-7	RCW71001	7 qt. insulated round cooker/server	120V, 1000W, 8.3 Amps	10"H x 10 1/2"D	10	\$579
RCW-7SP	RCW71-SP	7 qt. insulated round cooker/server (w/ inset, ladle, lid)	120V, 1000W, 8.3 Amps	10"H x 10 1/2"D	11	\$791
RCW-11	RCW111001	11 qt. insulated round cooker/server	120V, 1200W, 10.0 Amps	10"H x 12 1/2"D	12	\$645
RCW-11SP	RCW111-SP	11 qt. insulated round cooker/server (w/ inset, ladle, lid)	120V, 1200W, 10.0 Amps	10"H x 12 1/2"D	13	\$883
Ships FOB Smithville, TN						

X*PERT™ Series Classic Insulated 12”x 20” Warmers

Energy Efficient Design that keeps hot food at the perfect serving temperature. Made of heavy-duty stainless steel. Designed to run with water. Unique heat system evenly distributes heat. Insulated to protect interior parts and countertops from heat build up. Steel element support stabilizes heating element and reflects heat toward food. Infinite temperature control. Domestic models feature “Enhanced Warranty” service. If shipping via air freight, dimensional weights apply. Backed by APW’s One Year Warranty. FOB APW Dock, freight class 100.



X*PERT Series Classic Insulated 12x20” Warmers

Model	Part #	Description	Electric	Dimensions	Weight (lbs)	Price
W-3Vi	21874000	22 qt.	120V, 1200W, 10 Amps	9 3/4”H x 14”W x 22”D	21	\$599
W-3Vi	21874100	22 qt.	208/240/277V, 900/1200/1600W	9 3/4”H x 14”W x 22”D	21	\$599
W-3Vi Export Models (UL Sanitation Only)						
W-3Vi-CE	21874600	22 qt.	230V, 1100W, 4.8 Amps	9 3/4”H x 14”W x 22”D	21	\$626
Ships FOB Smithville, TN						

Classic Insulated 12”x 27” Warmers

Provides over 35% more serving space for the same amount of counter-front. Fits four 1/3 size pans. Heats all foods evenly. Included in the “Enhanced Warranty” service. If shipping via air freight, dimensional weights apply. Backed by APW’s One Year Warranty. FOB APW Dock, freight class 100.



Model	Part #	Description	Electric	Dimensions	Weight (lbs)	Price
W-43V	57599	28 1/2 qt.	120V, 1500W, 12.5A	9 1/8”H x 14 11/16”W x 29 5/8”D	30	\$785
W-43V	57598	28 1/2 qt.	208/240V, 1200/1600W	9 1/8”H x 14 11/16”W x 29 5/8”D	30	\$785
W-43V Export Models (UL Sanitation Only)						
W-43V-CE	Contact CS	28 1/2 qt.	230V, 1375W, 6A	9 1/8”H x 14 11/16”W x 29 5/8”D	30	\$820
W-43V-CE	57599-EUR-CE	28 1/2 qt.	240V, 1500W, 6.25A	9 1/8”H x 14 11/16”W x 29 5/8”D	30	\$820
Ships FOB Smithville, TN						

X*PERT™ Series Classic Insulated Cookers/Servers

High Performance, fast recovery design that is perfect for re-thermalizing refrigerated pre-cooked products, defrosting frozen soups or cooking simple foods. Use with a variety of pan sizes or adapter plates for round insets. Units feature high wattage elements and thermostatic controls. Knob guards are standard. Heavy-Duty construction. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.



X*PERT Series Classic Insulated Cookers/Servers

Model	Part Number	Description	Electric	Dimensions	Weight (lbs)	Price
CW-1B 120V	55740	11 qt., round	120V, 800W, 6.7 Amps	10 5/8"H x 12 1/2"W x 12 1/2"D	16	\$712
CW-2Ai 120V	21873000	22 qt., full size	120V, 1500W, 12.5 Amps	9 3/4"H x 14"W x 22"D	29	\$1,050
CW-2Ai 208/240V	21873600	22 qt., full size	208/240V, 1200/1600W. 6.7 Amps	9 3/4"H x 14"W x 22"D	29	\$1,050
CW-3A 230V	57551	28 1/2 qt., 4/3 size	120V, 1800W, 15 Amps (not CSA)	10 1/8"H x 14 11/16"W x 29 5/8"D	30	\$1,457
Export Models (UL Sanitation only)						
CW-1B 230V	55770	11 qt., round	230V, 800W, 3.3 Amps	10 5/8"H x 12 1/2"W x 12 1/2"D	16	\$1,024
CW-2Ai 230V	21873400	22 qt., full size	230V, 1600W, 6.7 Amps	9 3/4"H x 14"W x 22"D	29	\$1,365
CW-3A 230V	57554	28 1/2 qt., 4/3 size	230V, 1375W, 6 Amps (not CSA)	10 1/8"H x 14 11/16"W x 29 5/8"D	30	\$1,457

Fractional Countertop Warmers

Energy Efficient Designs that fit into restricted countertop areas. Warmers are excellent for holding warm sauces near kitchen preparation or by self serve operations. W-4B is not CSA approved. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.



*pumps and covers not available.

Fractional Countertop Warmers

Model	Part #	Description	Electric	Dimensions	Weight (lbs)	Price
W-4B	56607	4 qt.	120V, 400W, 3.3 Amps	8 5/8"H x 9 1/2"W x 9 1/2"D	9	\$615
W-4B Package (ULSAN)	56622	Unlighted	120V, 396W, 3.3 Amps	10 3/4"H x 9 1/2"W x 9 1/2"D	11	\$721
W-9	56914	7 qt., 1/3 size	120V, 400W, 3.3 Amps	10 1/4"H x 14 1/4"W x 8 1/2"D	18	\$1,272
W-12	56911	11 qt., 1/2 size	120V, 800W, 6.7 Amps	10 1/4"H x 14 1/4"W x 12"D	20	\$1,093
W-6	56922	15 qt., 2/3 size	120V, 800W, 6.7 Amps	10 1/4"H x 14 1/4"W x 15 1/4"D	25	\$1,187
W-6	56968	15 qt., 2/3 size	240V, 800W, 3.4 Amps	10 1/4"H x 14 1/4"W x 15 1/4"D	25	\$1,187
Options (for W-4B)						
Decal, Hot Cheesy Nachos	21765700	(Use with W-4B) Decal, Hot Cheesy Nachos				\$64
Decal, Hot Buttery Popcorn	21765900	(Use with W-4B) Decal, Hot Buttery Popcorn				\$64
Decal, Hot Fudge	21766100	(Use with W-4B) Decal, Hot Fudge				\$64
Decal, Hot Dog Chili Topping	21765800	(Use with W-4B) Decal, Hot Dog Chili Topping (paste style only)				\$64
Ships FOB Smithville, TN						

Classic Insulated Warmer Accessories



Customize your operation with adapter plates with a variety of configurations. 12 x 20 adapter plates fit over the top edges of countertop warmers to protect against food dripping into well area. If shipping via air freight, dimensional weights apply. FOB APW Dock, freight class 85.



Classic Insulated Warmer Accessories


Description	Part #	Case	Weight (lbs)	Price
Adapter Plates To Convert 12" X 20" Countertop Warmer Openings				
One 7 qt and One 11 qt	14880	1	4	\$212
Two 7 qt	14883	1	4	\$212
Three 4 qt	14886	1	4	\$212
Four 2 1/2 qt insets	14890	1	4	\$212
Four 2 1/2 qt holes for W3Vi & CW-2Ai	14891	1	4	\$212
Adapter Plates To Convert 12" X 27" Countertop Warmer Openings				
Two 11 qt	56639	1	4	\$212
Three 7 qt	56638	1	4	\$212
Four 4 qt	56640	1	4	\$212
Converts CW1-B To Accept 7 Qt. & 4 Qt. Insets				
8 1/2" hole, accepts 7 qt inset	55707	1	2	\$131
6 1/2" hole, accepts 4 qt inset	55704	1	2	\$131
4 qt inset	21365	1	2	\$219
4 qt slotted hinge cover with Clips	56847	1	1	\$101
7 Quart Warmers/Cookers				
Inset for 7 qt warmers	21385	1	2	\$219
Hinged cover with clips for 7 qt warmers	23780	1	2	\$131
11 Quart Warmers/Cookers				
Inset for 11 qt warmers	21395	1	2	\$191
Hinged cover with clips for 11 qt warmers	23790	1	2	\$162
Ladles				
4 oz ladle	57387	1	1	\$43
1 oz ladle	56834	1	1	\$41

55707



55704

14883



23790



56834

Ships FOB Smithville, TN

Classic Warmers

APW's Classic Warmers are designed to provide energy-efficient warming solutions, extending the safe-temperature holding life of multi-batch food items including fries, rings, pizzas, fried pies and any other warm serve items. All classic warmers are designed and constructed for ease of use and durable, long-lasting service.

Classic C*Radiant™ Countertop Fry Holding Stations

The C*Radiant™ CFHS line is designed to provide the most effective “top and bottom” heat to keep Fried Foods at the optimum temperature over a longer period of time. The C*Radiant™ CFHS line includes 21” wide and 16” wide portable models. Top Heat is provided by a system of ceramic heaters that efficiently heat foods without continuing to cook them. Thermostatically controlled heated base provides uniform holding temperatures from below. Two 40 Watt coated bulbs light up the bin area, making an attractive display of product. Perforated Bin is included in both. The C*Radiant™ CFHS-21 includes a standard Fry Bag Holding Ribbon. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.



Classic C*Radiant Countertop Fry Holding Stations


Model	Part Number	Description	Electric	Dimensions	Weight (lbs)	Price
CFHS-16	95100000	16” Fry Holding Station	120V, 1130W, 6.0 Amps	21 3/8”H x 16 1/2”W x 21 15/16”D	56	\$2,988
CFHS-21	95010000	21” Fry Holding Station	120V, 1430W, 12.0 Amps	21 1/4”H x 21 3/8”W x 26 7/8”D	68	\$3,448

Ships FOB Smithville, TN

Classic Countertop Display Warmers

Attractively styled, these Warmers are designed to keep food warm before serving. All styles come with cord and plug.

PD-1A comes without lights. Note: Model PD-1A is not cUL Listed. Warmers shown with pans (not included). If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.



*Pan not included

Classic Countertop Display Warmers

Model	Description	Part #	Electric	Dimensions	Weight (lbs)	Price
DW-1A 120V	Free-standing w/base	75425	120V, 500W, 4.2 Amps	28 1/2”H x 13”W x 19 2/3”D	15	\$616
DW-1A 240V	Free-standing w/base	75441	240V, 500W, 2.3 Amps	28 1/2”H x 13”W x 19 2/3”D	15	\$616
PD-1A 120V	Free-standing w/base	75452	120V, 575W, 4.8 Amps	17”H x 13 1/4”W x 23 3/4”D	16	\$737
PD-1A 240V	Free-standing w/base	75500	240V, 575W, 2.3 Amps	17”H x 13 1/4”W x 23 3/4”D	16	\$737
Export Models						
DW-1A 230V	Free-standing w/base	75443	230V, 500W, 2 Amps	28 1/2”H x 13”W x 19 2/3”D	15	\$693
PD-1A 230V	Free-standing w/base	75500-EUR-CE	230V, 575W, 2.3 Amps	17”H x 13 1/4”W x 23 3/4”D	16	\$850

Ships FOB Smithville, TN

Classic Warming Shelves

Five different sizes available to match your space requirements. All stainless steel with infinite control. Six-foot cord and plug included. 208/240V available. Please specify voltage. Model WS-6 cannot ship UPS. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.



Classic Warming Shelves

Model	Part #	Description	Electric	Dimensions	Weight (lbs)	Price
WS-2	21670524	24" surface	120V, 200W, 1.7 Amps	2 3/8"H x 18"W x 24"L	27	\$1,374
WS-2	21671024	24" surface	208V, 200W, 1 Amps	2 3/8"H x 18"W x 24"L	27	\$1,374
WS-2	21671124	24" surface	240V, 200W, 0.8 Amps	2 3/8"H x 18"W x 24"L	27	\$1,374
WS-3	21670536	36" surface	120V, 300W, 2.5 Amps	2 3/8"H x 18"W x 36"L	38	\$1,516
WS-3	21671036	36" surface	208V, 300W, 1.4 Amps	2 3/8"H x 18"W x 36"L	38	\$1,516
WS-3	21671136	36" surface	240V, 300W, 6.2 Amps	2 3/8"H x 18"W x 36"L	38	\$1,516
WS-4	21670548	48" surface	120V, 400W, 3.3 Amps	2 3/8"H x 18"W x 48"L	49	\$1,763
WS-4	21671048	48" surface	208V, 400W, 1.9 Amps	2 3/8"H x 18"W x 48"L	49	\$1,763
WS-4	21671148	48" surface	240V, 400W, 1.7 Amps	2 3/8"H x 18"W x 48"L	49	\$1,763
WS-5	21670560	60" surface	120V, 500W, 4.2 Amps	2 3/8"H x 18"W x 60"L	56	\$2,030
WS-5	21671060	60" surface	208V, 500W, 2.4 Amps	2 3/8"H x 18"W x 60"L	56	\$2,030
WS-5	21671160	60" surface	240V, 500W, 2.1 Amps	2 3/8"H x 18"W x 60"L	56	\$2,030
WS-6	21670572	72" surface	120V, 600W, 5.0 Amps	2 3/8"H x 18"W x 72"L	70	\$2,353
WS-6	21671072	72" surface	208V, 600W, 2.9 Amps	2 3/8"H x 18"W x 72"L	70	\$2,353
WS-6	21671172	72" surface	240V, 600W, 2.5 Amps	2 3/8"H x 18"W x 72"L	70	\$2,353
Export Models						
WS-2	21670924	24" surface	230V, 200W, .9 Amps	2 3/8"H x 18"W x 24"L	27	\$1,374
WS-3	21670936	36" surface	230V, 300W, 1.3 Amps	2 3/8"H x 18"W x 36"L	38	\$1,516
WS-4	21670948	48" surface	230V, 400W, 1.8 Amps	2 3/8"H x 18"W x 48"L	49	\$1,763
WS-5	21670960	60" surface	230V, 500W, 2.2 Amps	2 3/8"H x 18"W x 60"L	56	\$2,091
WS-6	21670972	72" surface	230V, 600W, 2.7 Amps	2 3/8"H x 18"W x 72"L	70	\$2,353



X*PERT™ Series Roller Grills

As a premier manufacturer of roller grill systems, APW Wyott provides a wide range of grills well suited to almost any merchandising requirement. Our attractive Roller Grills feature easy-to-use electrical controls, convenient integrated holding drawers and a number of additional features that enable retailers to create the ideal solution for their specific roller grill need.

X*PERT™ Series Flat HotRod® Roller Grills

The Hotrod® Roller Grills are available with chrome or “Tru-Turn” non-stick rollers. Fully adjustable infinite controls and Polytetrafluoroethylene grease seals to keep mechanism clean. Note: 7/16” space between rollers. If shipping via air freight, dimensional weights apply. Backed by APW’s One Year Warranty. FOB APW Dock, freight class 70.



HRS-30

X*PERT Series Flat HotRod Roller Grills

Model	Part #	Electric	Dimensions	Weight (lbs)	Price
Flat Chrome Surface Rollers					
HR-20	21836025	120V, 750W, 6.3 Amps	9 1/8”H x 17 1/4”W x 18 5/8”D	35	\$2,637
HR-31	21834230	120V, 975W, 8.1 Amps	9 1/8”H x 23 3/4”W x 18 5/8”D	42	\$3,091
HR-31	21834330	208-240V, 1160-1550W, 5.6-6.5 Amps	9 1/8”H x 23 3/4”W x 18 5/8”D	42	\$3,091
HR-45	21831745	120V, 1450W, 12.1 Amps	9 1/8”H x 23 3/4”W x 29 9/16”D	46	\$3,629
HR-50	21836055	120V, 1400W, 11.7 Amps	9 1/8”H x 34 3/4”W x 18 5/8”D	55	\$3,390
HR-50	21836255	208-240V, 1260-1670W, 6.1-7 Amps	9 1/8”H x 34 3/4”W x 18 5/8”D	55	\$3,390
HR-75 **	21831875	120V, 1000W, 8.3 Amps	9 1/8”H x 34 3/4”W x 29 9/16”D	87	\$4,759
HR-75	21831775	208-240V, 1800-2400W, 8.7-10 Amps	9 1/8”H x 34 3/4”W x 29 9/16”D	110	\$4,759
HR-85	21838885	208-240V, 2000-2700W, 9.6-11.3 Amps	9 1/8”H x 34 3/4”W x 29 9/16”D	110	\$4,860
Tru-Turn Surface Rollers					
HRS-20	21833320	120V, 750W, 6.3 Amps	9 1/8”H x 17 1/4”W x 18 5/8”D	35	\$2,757
HRS-31	21834231	120V, 975W, 8.1 Amps	9 1/8”H x 23 3/4”W x 18 5/8”D	42	\$3,174
HRS-31	21834331	208-240V, 1160-1550W, 5.6-6.5 Amps	9 1/8”H x 23 3/4”W x 18 5/8”D	42	\$3,174
HRS-45	21831645	120V, 1450W, 12.1 Amps	9 1/8”H x 23 3/4”W x 29 9/16”D	46	\$4,198
HRS-50	21833350	120V, 1400W, 11.7 Amps	9 1/8”H x 34 3/4”W x 18 5/8”D	55	\$3,496
HRS-50	21833450	208-240V, 1260-1670W, 6.1-7 Amps	9 1/8”H x 34 3/4”W x 18 5/8”D	55	\$3,496
HRS-75 **	21833375	120V, 1000W, 8.3 Amps	9 1/8”H x 34 3/4”W x 29 9/16”D	87	\$5,477
HRS-75	21831675	208-240V, 1800-2400W, 8.7-10 Amps	9 1/8”H x 34 3/4”W x 29 9/16”D	110	\$5,477
HRS-85	21833485	208-240V, 2000-2700W, 9.6-11.3 Amps	9 1/8”H x 34 3/4”W x 29 9/16”D	110	\$7,077
**Not CUL Approved (2 power cords), 60hz, 1phase					



X*PERT™ Series Slanted HotRod® Roller Grills

Great Merchandising grill that builds product appetite appeal by facing products toward the customer. The Slanted Hotrod® Roller Grills come in chrome or “TRU-turn” non-stick rollers. If shipping via air freight, dimensional weights apply. Backed by APW’s One Year Warranty. FOB APW Dock, freight class 70.

X*PERT Series Slanted HotRod Roller Grills

Model	Part #	Electric	Dimensions	Weight (lbs)	Price
Flat Chrome Surface Rollers					
HR-20S	21831820	120V, 690W, 5.8 Amps	11 3/4”H x 17 1/4”W x 18 5/8”D	35	\$2,661
HR-31S	21831830	120V, 890W, 7.4 Amps	11 3/4”H x 23 3/4”W x 18 5/8”D	42	\$2,973
HR-31S	21832430	208-240V, 1065-1420W, 5.1-5.9 Amps	11 3/4”H x 23 3/4”W x 18 5/8”D	42	\$2,973
HR-50S	21831850	120V, 1300W, 10.8 Amps	11 3/4”H x 34 3/4”W x 18 5/8”D	55	\$3,259
HR-50S	21832450	208-240V, 1150-1500W, 6.2-7 Amps	11 3/4”H x 34 3/4”W x 18 5/8”D	55	\$3,259
Tru-Turn Surface Rollers					
HRS-20S	21831920	120V, 690W, 5.8 Amps	11 3/4”H x 17 1/4”W x 18 5/8”D	35	\$2,757
HRS-31S	21831930	120V, 890W, 7.4 Amps	11 3/4”H x 23 3/4”W x 18 5/8”D	42	\$2,959
HRS-31S	21832530	208-240V, 1065-1420W, 5.1-5.9 Amps	11 3/4”H x 23 3/4”W x 18 5/8”D	42	\$2,959
HRS-50S	21831950	120V, 1300W, 10.8 Amps	11 3/4”H x 34 3/4”W x 18 5/8”D	55	\$3,496
HRS-50S	21832550	208-240V, 1150-1500W, 6.2-7 Amps	11 3/4”H x 34 3/4”W x 18 5/8”D	55	\$3,496

CE and Export Models

The same detail-oriented design and craftsmanship that go into our domestic roller grills can be found in our export models as well. The CE and Export Roller Grills are available with either chrome or “TRU-turn” non-stick rollers. Simple to use controls and easy-clean surfaces make these roller grills ideal for merchandising and self-serve applications. Backed by APW’s One Year Warranty. FOB APW Dock, freight class 70.



X*PERT Series CE and Export HotRod Roller Grill Models

Model	Part #	Electric	Dimensions	Weight (lbs)	Price
Flat Chrome Surface Rollers					
HR-31	21833631	230V,990W, 4.5 Amps	8 1/2”H x 23 3/4”W x 18 5/8”D	42	\$3,091
HR-50	21836255	208/240V,1260/1665W, 6.2/7.0 Amps	8 1/2”H x 34 3/4”W x 18 5/8”D	55	\$3,390
HR-75	21835375	230V,1665W, 50 Hz	8 1/2”H x 34 3/4”W x 29 9/16”D	110	\$4,759
Slanted Chrome Surface Rollers					
HR-31S	21832430	208/240V, 905W, 4 Amps	11 3/4”H x 23 3/4”W x 18 5/8”D	42	\$2,973
HR-50S	21832450	208/240V, 1260/1665W, 6.2/7.0 Amps	11 3/4”H x 34 3/4”W x 18 5/8”D	55	\$3,259
Flat Tru-Turn Surface Rollers					
HRS-31	21837331	230V, 895W, 4.3 Amps	8 1/2”H x 23 3/4”W x 18 5/8”D	42	\$3,174
HRS-50	21837350	230V,1260W, 6.2 Amps	8 1/2”H x 34 3/4”W x 18 5/8”D	55	\$3,496
HRS-75	21831680	208V,1260W, 10.2 Amps	8 1/2”H x 34 3/4”W x 29 9/16”D	110	\$5,477
Slanted Tru-Turn Surface Rollers					
HRS-31S	21832530	208/240V, 895/1152W, 4.3/4.8 Amps	11 3/4”H x 23 3/4”W x 18 5/8”D	42	\$2,959
HRS-50S	21832550	208/240V, 1260/1665W, 6.2/7.0 Amps	11 3/4”H x 34 3/4”W x 18 5/8”D	55	\$3,496



X*PERT[™] Series Digital HotRod[®] Roller Grills

The X*PERT[™] Series Digital HotRod Roller Grills come with “Tru-Turn” non-stick rollers. The digital roller grill utilizes the latest control technology to improve performance. It will improve your overall operations by minimizing waste and reducing labor all while adhering to HACCP food safety standards. If shipping via air freight, dimensional weights apply. Backed by APW’s One Year Warranty. FOB APW Dock, freight class 70.

X*PERT Series Digital Roller Grills

Model	Part #	Electric	Dimensions	Weight (lbs)	Price
Flat Tru-Turn Surface Rollers					
HRSDI-31	21877030	120V, 975W, 8.1 Amps - Digital controls	8 1/2”H x 23 3/4”W x 18 5/8”D	44	\$3,842
HRSDI-31	21877032	208-240V, 1160-1550W, 5.6-6.5 Amps - Digital controls	8 1/2”H x 23 3/4”W x 18 5/8”D	44	\$3,842
HRSDI-50	21877050	120V, 1400W, 11.7 Amps - Digital controls	8 1/2”H x 34 3/4”W x 18 5/8”D	55	\$4,054
HRSDI-50	21877052	208-240V, 1260-1670W, 6.1-7 Amps - Digital controls	8 1/2”H x 34 3/4”W x 18 5/8”D	55	\$4,054
Slanted Tru-Turn Surface Rollers					
HRSDI-31S	21877130	120V, 975W, 8.1 Amps - Digital controls	11 3/4”Hx23 3/4”Wx18 5/8”D	44	\$3,842
HRSDI-31S	21877132	208-240V, 1160-1550W, 5.6-6.5 Amps - Digital controls	11 3/4”Hx23 3/4”Wx18 5/8”D	44	\$3,842
HRSDI-50S	21877150	120V, 1400W, 11.7 Amps - Digital controls	11 3/4”Hx34 3/4”Wx18 5/8”D	55	\$4,014
HRSDI-50S	21877152	208-240V, 1260-1670W, 6.1-7 Amps - Digital controls	11 3/4”Hx34 3/4”Wx18 5/8”D	55	\$4,014

Sneeze Guards Molded self-serve Sneeze Guards provide food safety while maintaining clear visibility to the hot dogs, building appetite appeal with customers. Sneeze guards also maintain heat within roller area. Options include single door access or dual door versions. If shipping via air freight, dimensional weights apply. FOB APW Dock, freight class 125.



Sneeze Guards

Model	Part #	Dimensions	Weight (lbs)	Price
Single Door Sneeze Guards				
SG-20	21751020	9”H x 18 7/8”W x 19 1/2”D	5	\$594
SG-31	21771530	9”H x 24 1/4”W x 19 1/2”D	6	\$680
SG-50	21751050	9”H x 35 1/2”W x 19 1/2”D	9	\$880
SG-75/85	21743785	9”H x 35 1/2”W x 30 21/32”D	15	\$1,852
SG-75W	21809770	One Door	15	\$1,322
Dual Door Sneeze Guards				
SG-45DD	21771550	9”H x 24 1/2”W x 30 21/32”D	10	\$1,623
Pass Through Canopy Style with Metal Frame				
SG-31XP	21772931	8”H x 26 1/2”W x 19 13/64”D	10	\$778
SG-50XP	30060080	8”H x 37 1/2”W x 19 13/64”D	13	\$967
SG-75/85XP	30059900	8”H x 37 1/2”W x 30 1/2”D	17	\$1,182
Pass Through Canopy Style with Metal Frame and Enclosed Sides				
SG-31XPC	21773931	8”H x 26 1/2”W x 19 13/64”D	12	\$993
SG-50XPC	21773950	8”H x 37 1/2”W x 19 13/64”D	12	\$1,253
SG-75XPC	21773995	8”H x 37 1/2”W x 30 1/2”D	20	\$1,551
Replacement Doors				
SG-20	21805420	Replacement Door for SG-20	1	\$131
SG-31	21805430	Replacement Door for SG-31	1	\$131
SG-50	21805450	Replacement Door for SG-50	1	\$131

Accessories/Options Expand the merchandising capabilities of Hotrod[®] roller grills with certified APW accessories and options.

Roller Grill Accessories/Options

Description	Part #	Price
4” Metal Leg Kit	4939100	\$234
6” Plastic Tongs	3029200	\$41
9” Plastic Tongs and Tong Holder	21792800	\$121
Front Cover and Decal for Control (HR-31/HRS-31)	21783930	\$226
Front Cover and Decal for Control (HR-50/HRS-50)	21783950	\$187
HR-20 Kit Divider	21794060	\$206
HR-20 Slant Kit Divider	21794061	\$356
HR-31 Kit Divider	21794062	\$190
HR-31 Slant Kit Divider	21794063	\$178
HR-45 Kit Divider	21794064	\$272
HR-50 Kit Divider	21794065	\$338
HR-50 Slant Kit Divider	21794066	\$338
HR-75/85 Kit Divider	21794067	\$326

Concession Equipment

Whether keeping grilled foods warm, buns fresh and moist or condiments cool, APW Wyott's comprehensive line of concession equipment is designed for safe food handling, simplicity of use and durable, long-lasting performance. Easy-to-clean stainless steel surfaces, simple, intuitive controls and attention-grabbing merchandising graphics make these products ideal for any retail operation.

X*PERT™ Series SPTU Thermo-Drawer

The new and improved SPTU Thermo-Drawer features; Easy to use controls; Larger, deeper drawer design; Removal drawer for easy cleaning; Slim-line design; Patent pending innovative heating system; Hold Product for up to 6 Hours. The X*PERT™ Series Thermo-drawer is the perfect complement to your roller grill. It will improve customer satisfaction with hot, fresh, quality food in a timely fashion. It will improve your overall operations by minimizing waste and reducing labor all while adhering to HACCP food safety standards. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.



X*PERT Series (SPTU) ThermoDrawers

Model	Part #	Electric	Dimensions	Weight (lbs)	Price
SPTU-30	25000130	120V, 4.125 Amps	4 3/4"H x 23 3/4"W x 19 1/4"D	55	\$2,162
SPTU-30	25000131	208/240V, 2.1/2.4 Amps	4 3/4"H x 23 3/4"W x 19 1/4"D	55	\$2,162
SPTU-30N	25000030	120V, 3 Amps	4 3/4"H x 19 1/4"W x 19 1/4"D	55	\$2,251
SPTU-30N	25000031	208/240V, 1.6/1.8 Amps	4 3/4"H x 19 1/4"W x 19 1/4"D	55	\$2,251
SPTU-50	25000150	120V, 5.8 Amps	4 3/4"H x 34 3/4"W x 19 1/4"D	80	\$2,388
SPTU-50	25000151	208/240V, 3/3.5 Amps	4 3/4"H x 34 3/4"W x 19 1/4"D	80	\$2,388
SPTU-50N	25000067	120V, 5.8 Amps	4 3/4"H x 30 1/4"W x 19 1/4"D	80	\$2,564
SPTU-50N	25000051	208/240V, 3/3.5 Amps	4 3/4"H x 30 1/4"W x 19 1/4"D	80	\$2,564
Options					
Divider kit for SPTU-30	25000109	Divider Kit (SPTU-30)			\$391
Divider kit for SPTU-50	25000110	Divider Kit (SPTU-50)			\$675

Bun Cabinets

Bun Cabinets conveniently hold unheated buns under the roller grill in easy reach of customers or clerk. The standard cabinet features stainless steel body with clear lift up Plexiglas doors, for product visibility and easy accessibility. Drawer model is a full stainless steel unit with sliding door. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 85.



Bun Cabinets

Model	Part #	Description	Dimensions	Weight (lbs)	Price
BC-20	21751500	50 bun capacity	6 3/8"H x 17 3/16"W x 18 5/8"D	16	\$582
BC-31	21773800	100 bun capacity	6 3/8"H x 23 11/16"W x 18 5/8"D	22	\$627
BC-50	21749800	144 bun capacity	6 3/8"H x 34 11/16"W x 18 5/8"D	29	\$741
Bun Cabinet with Drawer					
BC-31D	21773700	100 bun capacity	6 3/8"H x 22 11/16"W x 18 5/8"D	26	\$1,002
BC-50D	21750850	144 bun capacity	6 3/8"H x 34 11/16"W x 18 5/8"D	40	\$1,291

Bun Warmers

The Bun Warmers provide gentle warmth for buns, keeping them an ideal temperature and texture for the perfect hot dog. The BW-20, -31 and -50's are drawer-type Bun Warmers. Drawer type versions have a stainless steel bun pan that has sliding lid and infinite temperature control for optimal warmth. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.



Bun Warmers

Model	Part #	Description	Electric	Dimensions	Weight (lbs)	Price
BW-20	21741020	36 bun cap.	120V, 500W, 4.2 Amps	10 5/8"H x 17 3/4"W x 22 1/8"D	49	\$2,037
BW-31	21772800	72 bun cap.	120V, 400W, 3.3 Amps	10 5/8"H x 23 3/4"W x 22 1/8"D	60	\$2,447
BW-50	21775250	100 bun cap.	120V, 600W, 5 Amps	10 5/8"H x 34 3/4"W x 22 1/8"D	86	\$2,984
CE + Export Models						
BW-31 220V	21741104	72 bun cap.	220V, 400W, 1.8 Amps	10 5/8"H x 23 3/4"W x 22 1/8"D	60	\$2,865
BW-50 220V	21741250	100 bun cap.	220V, 600W, 2.7 Amps	10 5/8"H x 34 3/4"W x 22 1/8"D	86	\$3,495

Bun Warmers, Dry

The Bun Warmer Dry (Heated) is designed to complement our best selling Hot Dog Roller Grill Products and provide gentle warmth for buns, keeping them an ideal temperature and texture for the perfect hot dog. Available in a variety of sizes to fit your counter space: BWD-31 and BWD-50 (Use with HR(S)-31(S)- 50(S) Roller Grills); BWD-45 and BWD-75 with spacer (Use with HR(S)-45(S)-75(S) Roller Grills); BWD-75N (Use to fit between legs of HR(S)-75(S) Roller Grills with 6" Legs). Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.



Bun Warmers, Dry

Model	Part Number	Description	Electric	Dimensions	Weight (lbs)	Price
BWD-31	21858900	24 bun capacity	120v, 200w, 1.7 Amps	6"H x 23 3/4"W x 19 9/16"D	65	\$1,073
BWD-31	21859000	24 bun capacity	208v, 200w, 1.1 Amps	6"H x 23 3/4"W x 19 9/16"D	65	\$1,073
BWD-45	21858300	24 bun capacity	120v, 200w, 1.7 Amps	6"H x 23 3/4"W x 30 1/2"D	68	\$1,201
BWD-45	21858200	24 bun capacity	208v, 200w, 1.1 Amps	6"H x 23 3/4"W x 30 1/2"D	68	\$1,201
BWD-50	21858700	40 bun capacity	120v, 200w, 1.7 Amps	6"H x 34 3/4"W x 19 9/16"D	91	\$1,283
BWD-50	21858800	40 bun capacity	208/240v, 200/265w, 1.1 Amps	6"H x 34 3/4"W x 19 9/16"D	91	\$1,283
BWD-75N	21858500	32 bun capacity	208/240v, 200/265w, 1.1 Amps	6"H x 31 3/4"W x 19 9/16"D	98	\$1,309
BWD-75	21858600	40 bun capacity	208v, 200w, 1.1 Amps	6"H x 34 3/4"W x 19-9/16"D	98	\$1,281

Refrigerated Topping Rails

Refrigerated countertop system that keep everything at NSF safe temperatures. The RTR-8 holds eight 1/6th size pans, the upper section holds 4 6" deep pans and the lower section holds four 4" deep pans. The RTR-4 holds 4 pans 1/6th size, 6" deep pans. Each pan has its own hinged, removable cover. All stainless steel construction and 1/2" nonadjustable legs. Cold wall refrigeration system utilizing a 1/5 hp compressor. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 70.



Refrigerated Topping Rails

Model	Part #	Electric	Dimensions	Weight (lbs)	Price
RTR-4	21876000	120V, 360W, 60 Hz, 1 Ph, 3 Amps	17"W x 25 5/16"D x 11 7/16"H	78	\$3,068
RTR-8	31701012	120V, 480W, 60 Hz, 1 Ph, 4 Amps	27 1/2"W x 25 13/16"D x 8 1/2"H	108	\$5,470
Export Models					
RTR-4 230V	30052100	230V, 460W, 50 Hz, 1 Ph, 2 Amps	17"W x 25 5/16"D x 11 7/16"H	78	\$3,426
RTR-8 230V	31701022	220V, 462W, 50 Hz, 1 Ph, 2.1 Amps	27 1/2"W x 25 13/16"D x 8 1/2"H	108	\$6,107
Options					
COMP-5	1800100	5-year Compressor Warranty (Net Price)			\$335
4" Metal Leg Kit for RTR				2	\$234
12" Divider Bar for RTR				2	\$24
20" Divider Bar for RTR				2	\$58

Countertop Cold Wells

Countertop Cold Wells are portable and provide an economic solution that eliminates the cost of in-counter refrigeration. Designed to hold cold foods at 34°F - 40°F. Stainless steel construction with fully insulated walls using R134A refrigerant. Hinged cover included. Holds standard steam table pans. Cannot ship UPS. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 70.



Countertop Cold Well

Model	Part #	Description	Electric	Dimensions	Weight (lbs)	Price
CTCW-43	30048400	4/3 size 12x27	120V, 1/6 hp, 3 Amps	18 1/2" H (w/lid) x 15"W x 29 9/16"D	90	\$5,360
Options						
COMP-5	1800100	5-year Compressor Warranty (Net Price)				\$335

Drop-In Refrigerated Topping Rails

Flush mount refrigerated countertop system that keep everything at NSF safe temperatures. The RTR-4Di holds four 1/6th size pans, 6" deep. Each pan has its own hinged, removable cover. All stainless steel construction. Cold wall refrigeration system utilizing a 1/6 hp compressor. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 70. Prefer to ship LTL 85lb.



Drop-In Refrigerated Topping Rails

Model	Part #	Electric	Dimensions	Weight (lbs)	Price
RTR-4DI	30060600	120V, 360W, 60 Hz, 1 Ph, 3 Amps	16 13/32"W x 17 13/32"D x 18 3/4"H	67	\$3,068

Merchandising Made Easy

Presentation can make the difference between profit and loss. APW Wyatt® Food Merchandising displays make the difference between average presentation and attention-grabbing, sales-generating, “buy it now, eat it fast and come back for more” food presentation. Designed for maximum visibility and easy of use, these display products set the standard for retail food merchandising.

Heated Display Warming Cabinet

Keeps a variety of packaged foods at a safe holding temperature above 150 degrees, and provides fast, easy accessibility to the consumer. Clear front and sides, combined with slanted shelves provide total visibility. Dome light illuminates the product while attractive domed cover draws attention and can easily be merchandised with add-on ‘food decals’. Front and back doors allow the customer to “self-serve” from the front and the clerk to load from behind. Stainless steel insides wipe clean with damp cloth. Lightweight unit facilitates easy movement. Backed by APW’s One Year Warranty. FOB APW Dock, freight class 100.



Heated Display Warming Cabinet

Model	Part #	Description	Electric	Dimensions	Weight (lbs)	Price
DWCI-14 Single-Door	30057000	Single Door	120V, 208W, 2.0 Amps	22”H x 14”W x 14”D	32	\$1,391
DWCI-14 Pass-Through	30057010	Pass Through	120V, 208W, 2.0 Amps	22”H x 14”W x 14”D	32	\$1,553

Racer® Countertop Display Merchandisers

Great looking display merchandiser that keeps a variety of packaged foods hot, and provides fast accessibility to the consumer. Available in two-shelf versions, either in a flat shelf or slanted design. Racer® Merchandisers keep wrapped product at NSF safe temperatures through a system of infrared overhead heat and a thermostatically controlled heated base. The Racer® line is the most durable and sturdy merchandiser on the market. The infrastructure and support is made of solid stainless steel. Unit will not sway from side to side or sag in the middle. Heated base is designed with special coated aluminum that transfers heat efficiently, plus allows boxes and wrapped products to smoothly slide down toward the front. Tempered glass end panels for maximum visibility, while shatter-resistant incandescent lights build the overall presentation. If shipping via air freight, dimensional weights apply. Backed by APW’s One Year Warranty. FOB APW Dock, freight class 100.



Racer Countertop Display Merchandiser (Double Shelf)

Model	Part #	Electric	Dimensions	Weight (lbs)	Price
Racer® Horizontal Display Merchandiser - Double Shelf					
DMXD-30H	23050030	120V, 1380W, 11.5 Amps	27 1/2”H x 30”W x 27 1/4”D	176	\$7,515
DMXD-36H	23650030	120V, 1680W, 14.0 Amps	27 1/2”H x 36”W x 27 1/4”D	215	\$7,955
DMXD-42H	24250030	120V, 1965W, 16.4 Amps	27 1/2”H x 42”W x 27 1/4”D	235	\$8,699
DMXD-48H	24850031	208V, 2470W, 10.3 Amps	27 1/2”H x 48”W x 27 1/4”D	260	\$9,188
DMXD-54H	25450031	208V, 2725W, 11.4 Amps	27 1/2”H x 54”W x 27 1/4”D	270	\$10,362
DMXD-60H	26050031	208V, 3045W, 12.7 Amps	27 1/2”H x 60”W x 27 1/4”D	280	\$11,211
Racer® Slanted Display Merchandiser - Double Shelf					
DMXD-30S	23050040	120V, 1380W, 11.5 Amps	32 3/4”H x 30”W x 27”D	181	\$7,115
DMXD-36S	23650040	120V, 1680W, 14 Amps	32 3/4”H x 36”W x 27”D	215	\$8,092
DMXD-42S	24250040	120V, 1965W, 16.4 Amps	32 3/4”H x 42”W x 27”D	230	\$8,235
DMXD-48S	24850041	208V, 2470W, 10.3 Amps	32 3/4”H x 48”W x 27”D	260	\$9,535
DMXD-54S	25450041	208V, 2725W, 11.4 Amps	32 3/4”H x 54”W x 27”D	288	\$10,426
DMXD-60S	26050041	208V, 3045W, 12.7 Amps	32 3/4”H x 60”W x 27”D	285	\$11,227
Flip-up Door Options					
Flip-up Doors on Front or Back, 30” models			Contact Customer Service	\$223	
Flip-up Doors on Front or Back, 36” models			Contact Customer Service	\$270	
Flip-up Doors on Front or Back, 42” models			Contact Customer Service	\$312	
Flip-up Doors on Front or Back, 48” models			Contact Customer Service	\$358	
Flip-up Doors on Front or Back, 54” models			Contact Customer Service	\$400	
Flip-up Doors on Front or Back, 60” models			Contact Customer Service	\$440	

DMXD-30S Slanted

COLORS

Front Channel Holder Black
 Front Channel Red
 Side Support Red

Overhead Warmers

APW Overhead Warmers provide just the right heat to keep food warm and fresh. Available in multiple lengths and power options, they provide smooth, even heat over pass-throughs and temp food holding areas of all sizes without wasting unnecessary energy.

Single Standard Calrod Overhead Warmers

Overhead Warmers come in Standard Energy Efficient Wattage and High Performance High Heat Wattage. These Overhead Warmers are made with special “mirror finished” stainless steel reflectors that generate over 22% more heat. Pilot lights, toggle switch and mounting brackets come standard. Infinite control available for maximum temperature management. Specify 120V, 208V, or 240V. Models FD-48 through 72 are available only in 208V and 240V. Single units are 6” wide and 2 1/2” high. Add -T for Toggle or -I for Infinite Controls. For Remote, add “R” to the end of model number. For attached cord and plug, add CS after model number. Full two year warranty on elements. If shipping via air freight, dimensional weights apply. Backed by APW’s Two Year Parts and One Year Labor Warranty. FOB APW Dock, freight class 100. 60” and above must ship LTL.



Single Standard Calrod Overhead Warmers

Model	Description	Part #	Watts	Weight (lbs)	Price
High Performance, Fast Recovery					
FD-18H Toggle 120v	18” Warmer Toggle 120V	OH18HT	400	7	\$368
FD-18H Toggle 208v	18” Warmer Toggle 208V	OH18H2T	400	7	\$368
FD-18H Infinite 120v	18” Warmer Infinite 120V	OH18HI	400	7	\$412
FD-18H Infinite 208v	18” Warmer Infinite 208V	OH18H2I	400	7	\$412
FD-24H Toggle 120v	24” Warmer Toggle 120V	OH24HT	575	7	\$364
FD-24H Toggle 208v	24” Warmer Toggle 208V	OH24H2T	575	7	\$364
FD-24H Toggle 240v	24” Warmer Toggle 240V	OH24H3T	575	7	\$364
FD-24H Infinite 120v	24” Warmer Infinite 120V	OH24HI	575	7	\$422
FD-24H Infinite 208v	24” Warmer Infinite 208V	OH24H2I	575	7	\$422
FD-24H Infinite 240v	24” Warmer Infinite 240V	OH24H3I	575	7	\$422
FD-30H Toggle 120v	30” Warmer Toggle 120V	OH30HT	760	8	\$408
FD-30H Toggle 208v	30” Warmer Toggle 208V	OH30H2T	760	8	\$408
FD-30H Toggle 240v	30” Warmer Toggle 240V	OH30H3T	760	8	\$408
FD-30H Infinite 120v	30” Warmer Infinite 120V	OH30HI	760	8	\$459
FD-30H Infinite 208v	30” Warmer Infinite 208V	OH30H2I	760	8	\$459
FD-30H Infinite 240v	30” Warmer Infinite 240V	OH30H3I	760	8	\$459

* These models CSA approved
Remote units use toggle price.

Single Standard Calrod Overhead Warmers - [continued on next page](#)

Single Standard Calrod Overhead Warmers
Continued from previous page




continued....

Model	Description	Part Number	Watts	Weight (lbs)	Price
FD-36H Toggle 120v	36" Warmer Toggle 120V	OH36H1T	920	9	\$403
FD-36H Toggle 208v	36" Warmer Toggle 208V	OH36H2T	920	9	\$403
FD-36H Toggle 240v	36" Warmer Toggle 240V	OH36H3T	920	9	\$403
FD-36H Infinite 120v	36" Warmer Infinite 120V	OH36H1I	920	9	\$474
FD-36H Infinite 208v	36" Warmer Infinite 208V	OH36H2I	920	9	\$474
FD-36H Infinite 240v	36" Warmer Infinite 240V	OH36H3I	920	9	\$474
FD-42H Toggle 120v	42" Warmer Toggle 120V	OH42H1T	1100	11	\$436
FD-42H Toggle 208v	42" Warmer Toggle 208V	OH42H2T	1100	11	\$436
FD-42H Toggle 240v	42" Warmer Toggle 240V	OH42H3T	1100	11	\$436
FD-42H Infinite 120v	42" Warmer Infinite 120V	OH42H1I	1100	11	\$494
FD-42H Infinite 208v	42" Warmer Infinite 208V	OH42H2I	1100	11	\$494
FD-42H Infinite 240v	42" Warmer Infinite 240V	OH42H3I	1100	11	\$494
FD-48H Toggle 120v	48" Warmer Toggle 120V	OH48H1T	1265	12	\$450
FD-48H Toggle 208v	48" Warmer Toggle 208V	OH48H2T	1265	12	\$450
FD-48H Toggle 240v	48" Warmer Toggle 240V	OH48H3T	1265	12	\$450
FD-48H Infinite 120v	48" Warmer Infinite 120V	OH48H1I	1265	12	\$521
FD-48H Infinite 208v	48" Warmer Infinite 208V	OH48H2I	1265	12	\$521
FD-48H Infinite 240v	48" Warmer Infinite 240V	OH48H3I	1265	12	\$521
FD-54H Toggle 120v	54" Warmer Toggle 120V	OH54H1T	1425	13	\$526
FD-54H Toggle 208v	54" Warmer Toggle 208V	OH54H2T	1425	13	\$526
FD-54H Toggle 240v	54" Warmer Toggle 240V	OH54H3T	1425	13	\$526
FD-54H Infinite 120v	54" Warmer Infinite 120V	OH54H1I	1425	13	\$545
FD-54H Infinite 208v	54" Warmer Infinite 208V	OH54H2I	1425	13	\$545
FD-54H Infinite 240v	54" Warmer Infinite 240V	OH54H3I	1425	13	\$545
FD-60H Toggle 120v	60" Warmer Toggle 120V	OH60H1T	1610	14	\$520
FD-60H Toggle 208v	60" Warmer Toggle 208V	OH60H2T	1610	14	\$520
FD-60H Toggle 240v	60" Warmer Toggle 240V	OH60H3T	1610	14	\$520
FD-60H Infinite 208v	60" Warmer Infinite 208V	OH60H2I	1610	14	\$596
FD-60H Infinite 240v	60" Warmer Infinite 240V	OH60H3I	1610	14	\$596
FD-66H Toggle 208v	66" Warmer Toggle 208V	OH66H2T	1800	16	\$618
FD-66H Toggle 240v	66" Warmer Toggle 240V	OH66H3T	1800	16	\$618
FD-66H Infinite 208v	66" Warmer Infinite 208V	OH66H2I	1800	16	\$722
FD-66H Infinite 240v	66" Warmer Infinite 240V	OH66H3I	1800	16	\$722
FD-72H Toggle 208v	72" Warmer Toggle 208V	OH72H2T	1980	17	\$638
FD-72H Toggle 240v	72" Warmer Toggle 240V	OH72H3T	1980	17	\$638
FD-72H Infinite 208v	72" Warmer Infinite 208V	OH72H2I	1980	17	\$700
FD-72H Infinite 240v	72" Warmer Infinite 240V	OH72H3I	1980	17	\$700

* These models CSA approved
Remote units use toggle price.

Single Standard Calrod Overhead Warmers - continued on next page

Single Standard Calrod Overhead Warmers
Continued from previous page



continued.... Single Standard Calrod Overhead Warmers

Model	Description	Part #	Watts	Weight (lbs)	Price
Energy Efficient					
FD-18L Toggle 120v	18" Warmer Toggle 120V	OH18L1T	250	5	\$385
FD-18L Toggle 208v	18" Warmer Toggle 208V	OH18L2T	250	5	\$385
FD-18L Toggle 240v	18" Warmer Toggle 240V	OH18L3T	250	5	\$385
FD-18L Infinite 120v	18" Warmer Infinite 120V	OH18L1I	250	5	\$437
FD-18L Infinite 208v	18" Warmer Infinite 208V	OH18L2I	250	5	\$437
FD-18L Infinite 240v	18" Warmer Infinite 240V	OH18L3I	250	5	\$437
FD-24L Toggle 120v	24" Warmer Toggle 120V	OH24L1T	350	7	\$391
FD-24L Toggle 208v	24" Warmer Toggle 208V	OH24L2T	350	7	\$391
FD-24L Toggle 240v	24" Warmer Toggle 240V	OH24L3T	350	7	\$391
FD-24L Infinite 120v	24" Warmer Infinite 120V	OH24L1I	350	7	\$463
FD-24L Infinite 208v	24" Warmer Infinite 208V	OH24L2I	350	7	\$463
FD-24L Infinite 240v	24" Warmer Infinite 240V	OH24L3I	350	7	\$463
FD-30L Toggle 120v	30" Warmer Toggle 120V	OH30L1T	450	8	\$415
FD-30L Toggle 240v	30" Warmer Toggle 240V	OH30L3T	450	8	\$415
FD-30L Infinite 120v	30" Warmer Infinite 120V	OH30L1I	450	8	\$475
FD-30L infinite 208v	30" Warmer Infinite 208V	OH30L3I	450	8	\$475
FD-36L Toggle 120v	36" Warmer Toggle 120V	OH36L1T	575	9	\$426
FD-36L Toggle 208v	36" Warmer Toggle 208V	OH36L2T	575	9	\$426
FD-36L Toggle 240v	36" Warmer Toggle 240V	OH36L3T	575	9	\$426
FD-36L Infinite 120v	36" Warmer Infinite 120V	OH36L1I	575	9	\$521
FD-36L Infinite 208v	36" Warmer Infinite 208V	OH36L2I	575	9	\$521

* These models CSA approved
Remote units use toggle price.

Single Standard Calrod Overhead Warmers - continued on next page

Single Standard Calrod Overhead Warmers
Continued from previous page




continued.... Single Standard Calrod Overhead Warmers

Model	Description	Part #	Watts	Weight (lbs)	Price
FD-42L Toggle 120v	42" Warmer Toggle 120V	OH42L1T	675	11	\$467
FD-42L Toggle 208v	42" Warmer Toggle 208V	OH42L2T	675	11	\$467
FD-42L Toggle 240v	42" Warmer Toggle 240V	OH42L3T	675	11	\$467
FD-42L Infinite 120v	42" Warmer Infinite 120V	OH42L1I	675	11	\$546
FD-42L Infinite 208v	42" Warmer Infinite 208V	OH42L2I	675	11	\$546
FD-42L Infinite 240v	42" Warmer Infinite 240V	OH42L3I	675	11	\$546
FD-48L Toggle 120v	48" Warmer Toggle 120V	OH48L1T	800	12	\$447
FD-48L Toggle 208v	48" Warmer Toggle 208V	OH48L2T	800	12	\$447
FD-48L Toggle 240v	48" Warmer Toggle 240V	OH48L3T	800	12	\$447
FD-48L Infinite 120v	48" Warmer Infinite 120V	OH48L1I	800	12	\$545
FD-48L Infinite 208v	48" Warmer Infinite 208V	OH48L2I	800	12	\$545
FD-48L Infinite 240v	48" Warmer Infinite 240V	OH48L3I	800	12	\$545
FD-54L Toggle 120v	54" Warmer Toggle 120V	OH54L1T	925	13	\$493
FD-54L Toggle 208v	54" Warmer Toggle 208V	OH54L2T	925	13	\$493
FD-54L Toggle 240v	54" Warmer Toggle 240V	OH54L3T	925	13	\$493
FD-54L Infinite 120v	54" Warmer Infinite 120V	OH54L1I	925	13	\$604
FD-54L Infinite 208v	54" Warmer Infinite 208V	OH54L2I	925	13	\$604
FD-54L Infinite 240v	54" Warmer Infinite 240V	OH54L3I	925	13	\$604
FD-60L Toggle 120v	60" Warmer Toggle 120V	OH60L1T	1050	14	\$502
FD-60L Toggle 208v	60" Warmer Toggle 208V	OH60L2T	1050	14	\$502
FD-60L Toggle 240v	60" Warmer Toggle 240V	OH60L3T	1050	14	\$502
FD-60L Infinite 120v	60" Warmer Infinite 120V	OH60L1I	1050	14	\$583
FD-60L Infinite 208v	60" Warmer Infinite 208V	OH60L2I	1050	14	\$583
FD-60L Infinite 240v	60" Warmer Infinite 240V	OH60L3I	1050	14	\$583
FD-66L Toggle 240v	66" Warmer Toggle 240V	OH66L3T	1160	16	\$606
FD-66L Infinite 240v	66" Warmer Infinite 240V	OH66L3I	1160	16	\$718
FD-72L Toggle 208v	72" Warmer Toggle 208V	OH72L2T	1275	17	\$706
FD-72L Toggle 240v	72" Warmer Toggle 240V	OH72L3T	1275	17	\$706
FD-72L Infinite 208v	72" Warmer Infinite 208V	OH72L2I	1275	17	\$772
FD-72L Infinite 240v	72" Warmer Infinite 240V	OH72L3I	1275	17	\$772

Lighted

Single Standard Calrod Overhead Warmers

Single units are 9" wide and 2 1/2" high. Add -T for Toggle or -I for Infinite Controls. Remote control boxes are recommended (Add R). 18" to 48" available in 120V, 208V, or 240V. 54-60" available in 208V or 240V. Note: Unit and Light are the same voltage. Backed by APW's Two Year Parts and One Year Labor Warranty. FOB APW Dock, freight class 100. 60" and above must ship LTL.




Lighted Single Standard Calrod Overhead Warmers

Model	Description	Part #	Watts	Weight (lbs)	Price
High Performance, Fast Recovery					
FDL-18H Toggle 120v	18" Lighted Warmer Toggle 120V	OHL18H1T	480	7	\$607
FDL-18H Toggle 208v	18" Lighted Warmer Toggle 208V	OHL18H2T	480	7	\$607
FDL-18H Infinite 120v	18" Lighted Warmer Infinite 120V	OHL18H1I	480	7	\$706
FDL-18H Infinite 208v	18" Lighted Warmer Infinite 208V	OHL18H2I	480	7	\$706
FDL-24H Toggle 120v	24" Lighted Warmer Toggle 120V	OHL24H1T	480	7	\$644
FDL-24H Toggle 208v	24" Lighted Warmer Toggle 208V	OHL24H2T	655	8	\$644
FDL-24H Toggle 240v	24" Lighted Warmer Toggle 240V	OHL24H3T	655	8	\$644
FDL-24H Infinite 120v	24" Lighted Warmer Infinite 120V	OHL24H1I	655	8	\$815
FDL-24H Infinite 208v	24" Lighted Warmer Infinite 208V	OHL24H2I	655	8	\$815
FDL-24H Infinite 240v	24" Lighted Warmer Infinite 240V	OHL24H3I	655	8	\$815
FDL-30H Toggle 120v	30" Lighted Warmer Toggle 120V	OHL30H1T	840	9	\$725
FDL-30H Toggle 208v	30" Lighted Warmer Toggle 208V	OHL30H2T	840	9	\$725
FDL-30H Toggle 240v	30" Lighted Warmer Toggle 240V	OHL30H3T	840	9	\$725
FDL-30H Infinite 120v	30" Lighted Warmer Infinite 120V	OHL30H1I	840	9	\$919
FDL-30H Infinite 208v	30" Lighted Warmer Infinite 208V	OHL30H2I	840	9	\$919
FDL-30H Infinite 240v	30" Lighted Warmer Infinite 240V	OHL30H3I	840	9	\$919
FDL-36H Toggle 120v	36" Lighted Warmer Toggle 120V	OHL36H1T	1080	11	\$800
FDL-36H Toggle 208v	36" Lighted Warmer Toggle 208V	OHL36H2T	1080	11	\$800
FDL-36H Toggle 240v	36" Lighted Warmer Toggle 240V	OHL36H3T	1080	11	\$800
FDL-36H Infinite 120v	36" Lighted Warmer Infinite 120V	OHL36H1I	1080	11	\$1,010
FDL-36H Infinite 208v	36" Lighted Warmer Infinite 208V	OHL36H2I	1080	11	\$1,010
FDL-36H Infinite 240v	36" Lighted Warmer Infinite 240V	OHL36H3I	1080	11	\$1,010

* These models CSA approved
Remote units use toggle price.

Lighted Single Standard Calrod Overhead Warmers - **continued on next page**

Lighted
Single Standard Calrod Overhead Warmers
Continued from previous page




continued... **Lighted Single Standard Calrod Overhead Warmers**

Model	Description	Part #	Watts	Weight (lbs)	Price
FDL-42H Toggle 120v	42" Lighted Warmer Toggle 120V	OHL42H1T	1260	12	\$859
FDL-42H Toggle 208v	42" Lighted Warmer Toggle 208V	OHL42H2T	1260	12	\$859
FDL-42H Toggle 240v	42" Lighted Warmer Toggle 240V	OHL42H3T	1260	12	\$859
FDL-42H Infinite 120v	42" Lighted Warmer Infinite 120V	OHL42H1I	1260	12	\$1,118
FDL-42H Infinite 208v	42" Lighted Warmer Infinite 208V	OHL42H2I	1260	12	\$1,118
FDL-42H Infinite 240v	42" Lighted Warmer Infinite 240V	OHL42H3I	1260	12	\$1,118
FDL-48H Toggle 120v	48" Lighted Warmer Toggle 120V	OHL48H1T	1425	12	\$948
FDL-48H Toggle 208v	48" Lighted Warmer Toggle 208V	OHL48H2T	1425	12	\$948
FDL-48H Toggle 240v	48" Lighted Warmer Toggle 240V	OHL48H3T	1425	12	\$948
FDL-48H Infinite 120v	48" Lighted Warmer Infinite 120V	OHL48H1I	1425	12	\$1,218
FDL-48H Infinite 208v	48" Lighted Warmer Infinite 208V	OHL48H2I	1425	12	\$1,218
FDL-48H Infinite 240v	48" Lighted Warmer Infinite 240V	OHL48H3I	1425	12	\$1,218
FDL-54H Toggle 120V	54" Lighted Warmer Toggle 120V	OHL54H1T	1585	14	\$1,008
FDL-54H Toggle 208v	54" Lighted Warmer Toggle 208V	OHL54H2T	1585	14	\$1,008
FDL-54H Toggle 240v	54" Lighted Warmer Toggle 240V	OHL54H3T	1585	14	\$1,008
FDL-54H Infinite 208v	54" Lighted Warmer Infinite 208V	OHL54H2I	1585	14	\$1,257
FDL-54H Infinite 240v	54" Lighted Warmer Infinite 240V	OHL54H3I	1585	14	\$1,257
FDL-60H Toggle 120v	60" Lighted Warmer Toggle 120V	OHL60H1T	1850	15	\$1,122
FDL-60H Toggle 208v	60" Lighted Warmer Toggle 208V	OHL60H2T	1850	15	\$1,122
FDL-60H Toggle 240v	60" Lighted Warmer Toggle 240V	OHL60H3T	1850	15	\$1,122
FDL-60H Infinite 208v	60" Lighted Warmer Infinite 208V	OHL60H2I	1850	15	\$1,358
FDL-60H Infinite 240v	60" Lighted Warmer Infinite 240V	OHL60H3I	1850	15	\$1,358
FDL-66H Toggle 208v	66" Lighted Warmer Toggle 208V	OHL66H2T	2040	17	\$1,214
FDL-66H Toggle 240v	66" Lighted Warmer Toggle 240V	OHL66H3T	2040	17	\$1,214
FDL-66H Infinite 208v	66" Lighted Warmer Infinite 208V	OHL66H2I	2040	17	\$1,457
FDL-66H Infinite 240v	66" Lighted Warmer Infinite 240V	OHL66H3I	2040	17	\$1,457
FDL-72H Toggle 208v	72" Lighted Warmer Toggle 208V	OHL72H2T	2220	18	\$1,339
FDL-72H Toggle 240v	72" Lighted Warmer Toggle 240V	OHL72H3T	2220	18	\$1,339
FDL-72H Infinite 208v	72" Lighted Warmer Infinite 208V	OHL72H2I	2220	18	\$1,594

* These models CSA approved
Remote units use toggle price.

Lighted Single Standard Calrod Overhead Warmers - **continued on next page**

Lighted
Single Standard Calrod Overhead Warmers
Continued from previous page



continued... **Lighted Single Standard Calrod Overhead Warmers**

Model	Description	Part #	Watts	Weight (lbs)	Price
FDL-18L Toggle 120v	18" Lighted Warmer Toggle 120V	OHL18L1T	330	7	\$641
FDL-18L Toggle 208v	18" Lighted Warmer Toggle 208V	OHL18L2T	330	7	\$641
FDL-18L Toggle 240v	18" Lighted Warmer Toggle 240V	OHL18L3T	330	7	\$641
FDL-18L Infinite 120v	18" Lighted Warmer Infinite 120V	OHL18L1I	330	7	\$670
FDL-18L Infinite 208v	18" Lighted Warmer Infinite 208V	OHL18L2I	330	7	\$670
FDL-18L Infinite 240v	18" Lighted Warmer Infinite 240V	OHL18L3I	330	7	\$670
FDL-24L Toggle 120v	24" Lighted Warmer Toggle 120V	OHL24L1T	430	8	\$624
FDL-24L Toggle 208v	24" Lighted Warmer Toggle 208V	OHL24L2T	430	8	\$624
FDL-24L Toggle 240v	24" Lighted Warmer Toggle 240V	OHL24L3T	430	8	\$624
FDL-24L Infinite 120v	24" Lighted Warmer Infinite 120V	OHL24L1I	430	8	\$815
FDL-24L Infinite 208v	24" Lighted Warmer Infinite 208V	OHL24L2I	430	8	\$815
FDL-24L Infinite 240v	24" Lighted Warmer Infinite 240V	OHL24L3I	430	8	\$815
FDL-30L Toggle 120v	30" Lighted Warmer Toggle 120V	OHL30L1T	530	9	\$710
FDL-30L Toggle 240v	30" Lighted Warmer Toggle 240V	OHL30L3T	530	9	\$710
FDL-30L Infinite 120v	30" Lighted Warmer Infinite 120V	OHL30L1I	530	9	\$902
FDL-30L Infinite 240v	30" Lighted Warmer Infinite 240V	OHL30L3I	530	9	\$902
FDL-36L Toggle 120v	36" Lighted Warmer Toggle 120V	OHL36L1T	735	11	\$785
FDL-36L Toggle 208v	36" Lighted Warmer Toggle 208V	OHL36L2T	735	11	\$785
FDL-36L Toggle 240v	36" Lighted Warmer Toggle 240V	OHL36L3T	735	11	\$785
FDL-36L Infinite 120v	36" Lighted Warmer Infinite 120V	OHL36L1I	735	11	\$1,001
FDL-36L Infinite 208v	36" Lighted Warmer Infinite 208V	OHL36L2I	735	11	\$1,001
FDL-36L Infinite 240v	36" Lighted Warmer Infinite 240V	OHL36L3I	735	11	\$1,001

* These models CSA approved
Remote units use toggle price.

Lighted Single Standard Calrod Overhead Warmers - **continued on next page**

Lighted Single Standard Calrod Overhead Warmers
Continued from previous page



continued... **Lighted Single Standard Calrod Overhead Warmers**

Model	Description	Part #	Watts	Weight (lbs)	Price
FDL-42L Toggle 120v	42" Lighted Warmer Toggle 120V	OHL42L1T	835	12	\$844
FDL-42L Toggle 208v	42" Lighted Warmer Toggle 208V	OHL42L2T	835	12	\$844
FDL-42L Toggle 240v	42" Lighted Warmer Toggle 240V	OHL42L3T	835	12	\$844
FDL-42L Infinite 120v	42" Lighted Warmer Infinite 120V	OHL42L1I	835	12	\$1,072
FDL-42L Infinite 208v	42" Lighted Warmer Infinite 208V	OHL42L2I	835	12	\$1,072
FDL-42L Infinite 240v	42" Lighted Warmer Infinite 240V	OHL42L3I	835	12	\$1,072
FDL-48L Toggle 120v	48" Lighted Warmer Toggle 120V	OHL48L1T	960	12	\$935
FDL-48L Toggle 208v	48" Lighted Warmer Toggle 208V	OHL48L2T	960	12	\$935
FDL-48L Toggle 240v	48" Lighted Warmer Toggle 240V	OHL48L3T	960	12	\$935
FDL-48L Infinite 120v	48" Lighted Warmer Infinite 120V	OHL48L1I	960	12	\$1,167
FDL-48L Infinite 208v	48" Lighted Warmer Infinite 208V	OHL48L2I	960	12	\$1,167
FDL-48L Infinite 240v	48" Lighted Warmer Infinite 240V	OHL48L3I	960	12	\$1,167
FDL-54L Toggle 120v	54" Lighted Warmer Toggle 120V	OHL54L1T	1085	14	\$992
FDL-54L Toggle 208v	54" Lighted Warmer Toggle 208V	OHL54L2T	1085	14	\$992
FDL-54L Toggle 240v	54" Lighted Warmer Toggle 240V	OHL54L3T	1085	14	\$992
FDL-54L Infinite 120v	54" Lighted Warmer Infinite 120V	OHL54L1I	1085	14	\$1,266
FDL-54L Infinite 208v	54" Lighted Warmer Infinite 208V	OHL54L2I	1085	14	\$1,266
FDL-54L Infinite 240v	54" Lighted Warmer Infinite 240V	OHL54L3I	1085	14	\$1,266
FDL-60L Toggle 120v	60" Lighted Warmer Toggle 120V	OHL60L1T	1290	15	\$1,119
FDL-60L Toggle 208v	60" Lighted Warmer Toggle 208V	OHL60L2T	1290	15	\$1,119
FDL-60L Toggle 240v	60" Lighted Warmer Toggle 240V	OHL60L3T	1290	15	\$1,119
FDL-60L Infinite 120v	60" Lighted Warmer Infinite 120V	OHL60L1I	1290	15	\$1,388
FDL-60L Infinite 208v	60" Lighted Warmer Infinite 208V	OHL60L2I	1290	15	\$1,388
FDL-60L Infinite 240v	60" Lighted Warmer Infinite 240V	OHL60L3I	1290	15	\$1,388
FDL-66L Toggle 240v	66" Lighted Warmer Toggle 240V	OHL66L3T	1400	17	\$1,222
FDL-66L Infinite 240v	66" Lighted Warmer Infinite 240V	OHL66L3I	1400	17	\$1,480
FDL-72L Toggle 208v	72" Lighted Warmer Toggle 208V	OHL72L2T	1515	18	\$1,333
FDL-72L Toggle 240v	72" Lighted Warmer Toggle 240V	OHL72L3T	1515	18	\$1,333
FDL-72L Infinite 208v	72" Lighted Warmer Infinite 208V	OHL72L2I	1515	18	\$1,753
FDL-72L Infinite 240v	72" Lighted Warmer Infinite 240V	OHL72L3I	1515	18	\$1,753

* These models CSA approved
Remote units use toggle price.

Overhead Warmer Options

Options	Part #	Price
Remote Control Box Enclosure for (1)Toggle 120/208/240	76481	\$234
Remote Control Box Enclosure for (1) Infinite 120V	76482	\$236
Remote Control Box Enclosure for (1) Infinite 208V	76977	\$236
Remote Control Box Enclosure for (1) infinite 240V	76483	\$236
Remote Control Box Enclosure for (2)Toggle 120/208/240	76484	\$226
Remote Control Box Enclosure for (2) infinite 120V	76485	\$325
Remote Control Box Enclosure for (2) infinite 208V	76978	\$312
Remote Control Box Enclosure for (2) infinite 240V	76486	\$312
Remote Control Box Enclosure for (2)Toggle 120/208/240	70402012	\$226
Remote Control Box Enclosure for (2) Infinite 208V, (1) Toggle 120/240V, (1) Indicator Light	70402013	\$300
Remote Control Box Enclosure for (2) Infinite 120V, (1) Toggle 120V, (1) Indicator Light	70402016	\$307
Remote Control Box Enclosure for (3)Toggle 120/208/240	76487	\$318
Remote Control Box Enclosure for (3) infinite 120V	76488	\$399
Remote Control Box Enclosure for (3) infinite 208V	76979	\$399
Remote Control Box Enclosure for (3) infinite 240V	76489	\$399
Cord and Plug Set for Portability, 120V	75906	\$102
Cord and Plug Set for Portability, 208/240V	76099	\$118
Mounting Options:		
Tubular stand kit with one pair legs for permanent countertop mounting single units only. Up to 48"	76180	\$245
Portable leg kit with one pair legs and accessories so overhead stands freely single units only. Up to 48"	76200	\$278
Chain supports (per foot) to suspend overheads when flush mount won't do	75901	\$33



REMOTE CONTROL BOX
Single Remote control box measures 2 1/2"H x 4"L x 2 1/2"D
One control per strip.




CHAIN SUPPORT




PORTABLE LEG KIT

Overhead Mounting Heights

single unit, non-flammable surface




Low Watt




High Watt

single unit, flammable surface



Low Watt



High Watt

Please consult factory rep or technical service with your application questions.
* 16"-18" Low and High watt on infinite controls only, 10"-14" Low and High watt on Remote only.

Lowerator® Dispensers

APW Wyott Lowerators® provide sanitary, secure and concealed storage for plates, bowls and trays of all sizes. Easy to clean stainless surfaces and rugged, durable construction make these Lowerators® a smart investment for commercial serving centers of any size.

Drop-In Lowerator® Dispensers - Unheated

208/240V units available. Only HL-Models are CSA Certified and UL Listed. Accessories are available. Guides shown in picture are standard on L-12 model only. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100. Height 31 1/4"

Drop-In Lowerator® Dispensers

Unshielded/Unheated					
Model	Part Number	Dish Size	Cut Out	Weight (lbs)	Price
L-5	20001200	Up to 5"	7 7/16"	10	\$1,127
L-6	20001300	5 1/8"-5 3/4"	8 3/16"	10	\$1,155
L-6.5	20001400	5 7/8"-6 1/2"	8 15/16"	11	\$1,246
L-7	20001500	6 5/8"-7 1/4"	9 11/16"	12	\$1,271
L-8	20001600	7 3/8"-8 1/8"	10 9/16"	15	\$1,394
L-9	20001700	8 1/4"-9 1/8"	11 9/16"	16	\$1,401
L-10	20001800	9 1/4"-10 1/8"	12 9/16"	17	\$1,280
L-12	20001900	10 1/4"-11 7/8"	14 5/16"	20	\$1,564
L-13	20001000	11 7/8"-13"	15 7/16"	21	\$1,999
Shielded/Unheated					
Model	Part Number	Dish Size	Cut Out	Weight (lbs)	Price
SL-5	20002300	Up to 5"	7 7/16"	15	\$1,437
SL-6	20002400	5 1/8"-5 3/4"	8 3/16"	16	\$1,507
SL-6.5	20002500	5 7/8"-6 1/2"	8 15/16"	17	\$1,566
SL-7	20002600	6 5/8"-7 1/4"	9 11/16"	18	\$1,617
SL-8	20002700	7 3/8"-8 1/8"	10 9/16"	24	\$1,802
SL-9	20002800	8 1/4"-9 1/8"	11 9/16"	24	\$1,648
SL-10	20002900	9 1/4"-10 1/8"	12 9/16"	24	\$1,841
SL-12	20003000	10 1/4"-11 7/8"	14 5/16"	30	\$2,211
SL-13	20003200	11 7/8"-13"	15 7/16"	32	\$2,434



Drop-In Lowerator® Dispensers - Heated

208/240V units available. Only HL-Models are CSA Certified and UL Listed. Accessories are available.

Guides shown in picture are standard on L-12 model only. If shipping via air freight, dimensional weights apply.

Backed by APW's One Year Warranty. FOB APW Dock, freight class 100. Height 31 1/4"

Shielded/Heated						
Model	Part Number	Dish Size	Cut Out	Electric	Weight (lbs)	Price
HL-5	20003400	Up to 5"	7 7/16"	120V, 1.8 Amps	18	\$2,485
HL-6	20003500	5 1/8"-5 3/4"	8 3/16"	120V, 2.0 Amps	20	\$2,624
HL-6.5	20003600	5 7/8"-6 1/2"	8 15/16"	120V, 2.3 Amps	26	\$2,656
HL-7	20003700	6 5/8"-7 1/4"	9 11/16"	120V, 2.5 Amps	26	\$2,840
HL-8	20003800	7 3/8"-8 1/8"	10 9/16"	120V, 2.7 Amps	27	\$3,100
HL-9	20003900	8 1/4"-9 1/8"	11 9/16"	120V, 3.2 Amps	27	\$3,167
HL-10	20004000	9 1/4"-10 1/8"	12 9/16"	120V, 3.5 Amps	28	\$2,902
HL-12	20004100	10 1/4"-11 7/8"	14 5/16"	120V, 4.2 Amps	33	\$3,289
HL-13	20004200	11 7/8"-13"	15 7/16"	120V, 4.6 Amps	37	\$4,062



DOME COVER for:	Weight (lbs)	Price
Dome cover for L-5, SL-5, HL-5	12	\$361
Dome cover for L-6, SL-6, HL-6	12	\$361
Dome cover for L-6.5, SL-6.5, HL-6.5	12	\$361
Dome cover for L-7, SL-7, HL-7	12	\$361
Dome cover for L-8, SL-8, HL-8	12	\$361
Dome cover for L-9, SL-9, HL-9	12	\$437
Dome cover for L-10, SL-10, HL-10	12	\$439
Dome cover for L-12, SL-12, HL-12	12	\$461
Dome cover for L-13, SL-13, HL-13	12	\$486

Drop-In Adjustube II Lowerator® Dispensers

Field adjustable weight and diameter. Dome covers are available for heated units, consult factory. Only heated units are CSA Certified and UL Listed. Accessories are available see below. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100. Height 31 1/4"

Drop-In Adjustube II Lowerator® Dispensers

Unshielded/Unheated						
Model	Part #	Dish Size	Cut Out	Weight (lbs)		Price
L-9A	30011300	3 1/2"-9 1/8"	11 9/16"	18		\$1,468
L-12A	30011200	9 1/4"-11 7/8"	14 5/16"	22		\$1,787
Shielded/Unheated						
Model	Part #	Dish Size	Cut Out	Weight (lbs)		Price
SL-9A	30011100	3 1/2"-9 1/8"	11 9/16"	25		\$1,897
SL-12A	30011000	9 1/4"-11 7/8"	14 5/16"	31		\$2,261
Shielded/Heated						
Model	Part #	Dish Size	Cut Out	Electric	Weight (lbs)	Price
HL-9A	30010000	3 1/2"-9 1/8"	11 9/16"	120V, 3.5 Amps	29	\$2,882
HL-12A	30009800	9 1/4"-11 7/8"	14 5/16"	120V, 4.2 Amps	37	\$3,332
Export Models: Shielded/Heated						
Model	Part #	Dish Size	Cut Out	Electric	Weight (lbs)	Price
HL-9A	30010000	3 1/2"-9 1/8"	11 9/16"	240V, 1.6 Amps	29	\$2,882
HL-12A	30009800	9 1/4"-11 7/8"	14 5/16"	240V, 2.1 Amps	38	\$3,332
Options						
	Part #				Weight (lbs)	Price
Dome cover for L-9A, SL-9A, HL-9A	21782500	Dome cover for L-9A, SL-9A, HL-9A			12	\$437
Dome cover for L-12A, SL-12A, HL-12A	21782800	Dome cover for L-12A, SL-12A, HL-12A			12	\$461





Trendline Mobile Adjustube II Lowerator® Dispensers

Mobile Dish Dispenser utilizes Adjustube II self-leveling tubes that are field adjustable for weight and diameter. Open type design reduces overall weight load. Tubular frame is welded construction. Supplied with non-marking 4" hard rubber casters and rear brakes. 208/240V units are available. Units are 36-7/8" high. Electrical information is based on heated items only and is non-applicable to unheated items. Only heated items are CSA Certified and UL Listed. All models cannot ship UPS. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.

Trendline Mobile Adjustube II Lowerator® Dispensers

Model	Part #	Dish Size	Cut Out	Weight (lbs)	Price	
TL2-9A (not NSF)	30035000	3 1/2"-9 1/8"	33 1/2" x 17"	65	\$6,998	
TL2-12A	30035100	9 1/4"-11 7/8"	33 1/2" x 17"	65	\$7,307	
TL2-9A/12A (not NSF)	30035200	3 1/2"-9 1/8" (1 ea.)	33 1/2" x 17"	65	\$6,998	
		9 1/4"-11 7/8" (1 ea.)				
Heated						
Model	Part #	Dish Size	Cut Out	Electric	Weight (lbs)	Price
HTL2-9A	30035300	3 1/2"-9 1/8"	33 1/2" x 17"	6.33 Amps	88	\$7,307
HTL2-12A	30035400	9 1/4"-11 7/8"	33 1/2" x 17"	8.33 Amps	88	\$9,262
HTL2-9A/12A	30035500	3 1/2"-9 1/8" (1 ea.)	33 1/2" x 17"	7.3 Amps	88	\$6,998
		9 1/4"-11 7/8" (1 ea.)				
Options						
Model	Part #				Weight (lbs)	Price
Model + 5P	Contact CS	Standard unit with extra 5" polyurethane casters and 2 brakes packed in box (mobile units)			21	\$338
5RB	Contact CS	5" Rolling bumpers (For TL & HTL Series)			2	\$234

Trendline Mobile Lowerator® Dispensers - Two Tubes

All items cannot ship UPS. Units are supplied with 4" non-marking, hard rubber casters and rear brakes. 208/240V units are available. Units are 36-7/8" high. Only heated items are CSA Certified and UL Listed. Accessories are available. Backed by APW's One Year Warranty. All items, FOB APW Dock. If shipping via air freight, dimensional weights apply. FOB APW Dock, freight class 100.



Trendline Mobile Lowerator® Dispensers - Two Tubes

Two Tubes Unheated						
Model	Part Number	Dish Size	Cut Out	Weight (lbs)	Price	
TL2-5	20020500	Up to 5"	24" x 12 1/2"	41	\$4,855	
TL2-6	20020600	5 1/8"-5 3/4"	24" x 12 1/2"	43	\$4,881	
TL2-6.5	20020700	5 7/8"-6 1/2"	24" x 12 1/2"	50	\$5,803	
TL2-7	20020800	6 5/8"-7 1/4"	24" x 12 1/2"	57	\$5,230	
TL2-8	20020900	7 3/8"-8 1/8"	30" x 15 1/2"	63	\$5,603	
TL2-9	20021000	8 1/4"-9 1/8"	30" x 15 1/2"	69	\$5,920	
TL2-10	20021100	9 1/4"-10 1/8"	30" x 15 1/2"	78	\$6,195	
TL2-12	20021200	10 1/4"-11 7/8"	33 1/2" x 17"	92	\$6,720	
TL2-13	20021400	11 7/8"-13"	35 3/4" x 17"	98	\$7,826	
Two Tubes Heated						
Model	Part #	Dish Size	Cut Out	Electric	Weight (lbs)	Price
HTL2-5	20021600	Up to 5"	24" x 12 1/2"	3.5 Amps	65	\$7,071
HTL2-6	20021700	5 1/8"-5 3/4"	24" x 12 1/2"	4.0 Amps	67	\$7,296
HTL2-6.5	20021800	5 7/8"-6 1/2"	24" x 12 1/2"	4.5 Amps	70	\$7,385
HTL2-7	20021900	6 5/8"-7 1/4"	24" x 12 1/2"	5.0 Amps	74	\$7,852
HTL2-8	20022000	7 3/8"-8 1/8"	30" x 15 1/2"	5.5 Amps	79	\$7,821
HTL2-9	20022100	8 1/4"-9 1/8"	30" x 15 1/2"	6.33 Amps	85	\$8,138
HTL2-10	20022200	9 1/4"-10 1/8"	30" x 15 1/2"	7.0 Amps	96	\$7,462
HTL2-12	20022300	10 1/4"-11 7/8"	33 1/2" x 17"	8.33 Amps	113	\$9,161
HTL2-13	20022500	11 7/8"-13"	35 3/4" x 17"	9.2 Amps	118	\$10,004

Trendline Mobile Lowerator® Dispensers - Three Tubes

All items cannot ship UPS. Units are supplied with 4" non-marking, hard rubber casters and rear brakes. 208/240V units are available. Units are 36-7/8" high. Only heated items are CSA Certified and UL Listed. Accessories are available. Backed by APW's One Year Warranty. All items, FOB APW Dock. If shipping via air freight, dimensional weights apply. FOB APW Dock, freight class 100.



Trendline Mobile Lowerator® Dispensers - Three Tubes

Three Tubes Unheated						
Model	Part #	Dish Size	Cut Out	Weight (lbs)	Price	
TL3-5	20044700	Up to 5"	30 1/2" x 12 1/2"	63	\$6,489	
TL3-6	20044800	5 1/8"-5 3/4"	30 1/2" x 12 1/2"	65	\$6,619	
TL3-6.5	20044900	5 7/8"-6 1/2"	35" x 15 1/2"	68	\$6,877	
TL3-7	20045000	6 5/8"-7 1/4"	35" x 15 1/2"	81	\$7,147	
TL3-8	20045100	7 3/8"-8 1/8"	41" x 17"	87	\$7,563	
TL3-9	20045200	8 1/4"-9 1/8"	41" x 17"	97	\$7,835	
TL3-10	20045300	9 1/4"-10 1/8"	44" x 17"	107	\$8,412	
Three Tubes Heated						
Model	Part #	Dish Size	Cut Out	Electric	Weight (lbs)	Price
HTL3-5	20046800	Up to 5"	30 1/2" x 12 1/2"	5.25 Amps	90	\$9,420
HTL3-6	20046900	5 1/8"-5 3/4"	30 1/2" x 12 1/2"	6.0 Amps	92	\$10,002
HTL3-6.5	20047000	5 7/8"-6 1/2"	35" x 15 1/2"	6.75 Amps	96	\$10,085
HTL3-7	20047100	6 5/8"-7 1/4"	35" x 15 1/2"	7.5 Amps	100	\$10,434
HTL3-8	20047200	7 3/8"-8 1/8"	41" x 17"	8.25 Amps	106	\$10,906
HTL3-9	20047300	8 1/4"-9 1/8"	41" x 17"	9.5 Amps	111	\$11,390
HTL3-10	20047400	9 1/4"-10 1/8"	44" x 17"	10.5 Amps	123	\$12,094
Options						
Model	Part #				Weight (lbs)	Price
Model + 5P	Contact CS	Standard unit w/ extra 5" casters and 2 brakes packed in box (mobile units)			21	\$338
5RB	Contact CS	5" Rolling bumpers (For TL & HTL Series)			2	\$234



Enclosed Mobile Lowerator® Dispensers - Two Tubes

All items cannot ship UPS. Units are supplied with standard non-marking 4" hard rubber casters, rear brakes and rubber perimeter bumpers on all contact edges. 208/240V units available. Units are 36-9/16" high. Only heated items are CSA Certified and UL Listed. Accessories are available see below. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. All items, FOB APW Dock freight class 100.

Enclosed Mobile Lowerator® Dispensers - Two Tubes

Two Tubes Unheated						
Model	Part #	Dish Size	Cut Out	Weight (lbs)	Price	
ML2-5	20024000	Up to 5"	23 5/8" x 15 3/8"	92	\$6,500	
ML2-6	20024100	5 1/8"-5 3/4"	23 5/8" x 15 3/8"	94	\$6,793	
ML2-6.5	20024200	5 7/8"-6 1/2"	23 5/8" x 15 3/8"	95	\$6,828	
ML2-7	20024300	6 5/8"-7 1/4"	23 5/8" x 15 3/8"	96	\$7,115	
ML2-8	20024400	7 3/8"-8 1/8"	30 3/8" x 15 3/8"	98	\$7,231	
ML2-9	20024500	8 1/4"-9 1/8"	30 3/8" x 15 3/8"	102	\$7,529	
ML2-10	20024600	9 1/4"-10 1/8"	30 3/8" x 15 3/8"	104	\$7,859	
ML2-12	20024700	10 1/4"-11 7/8"	32 7/8" x 17"	110	\$8,200	
ML2-13	20024800	11 7/8" - 13"	35 1/8" x 18"	162	\$9,721	
Two Tubes Heated						
Model	Part #	Dish Size	Cut Out	Electric	Weight (lbs)	Price
HML2-5	20028400	Up to 5"	23 5/8" x 15 3/8"	3.5 Amps	106	\$9,192
HML2-6	20028500	5 1/8"-5 3/4"	23 5/8" x 15 3/8"	4.0 Amps	118	\$9,576
HML2-6.5	20028600	5 7/8"-6 1/2"	23 5/8" x 15 3/8"	4.5 Amps	119	\$9,618
HML2-7	20028700	6 5/8"-7 1/4"	23 5/8" x 15 3/8"	5.0 Amps	120	\$10,034
HML2-8	20028800	7 3/8"-8 1/8"	30 3/8" x 15 3/8"	5.5 Amps	122	\$9,818
HML2-9	20028900	8 1/4"-9 1/8"	30 3/8" x 15 3/8"	6.3 Amps	124	\$8,982
HML2-10	20029000	9 1/4"-10 1/8"	30 3/8" x 15 3/8"	7.0 Amps	150	\$9,112
HML2-12	20029100	10 1/4"-11 7/8"	32 7/8" x 17"	8.3 Amps	170	\$9,832
HML2-13	20029200	11 7/8" - 13"	35 1/8" x 18"	9.1 Amps	168	\$11,864



Enclosed Mobile Lowerator® Dispensers - Three Tubes

All items cannot ship UPS. Units are supplied with standard non-marking 4" hard rubber casters, rear brakes and rubber perimeter bumpers on all contact edges. 208/240V units available. Units are 36-9/16" high. Only heated items are CSA Certified and UL Listed. Accessories are available see below. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. All items, FOB APW Dock freight class 100.

Enclosed Mobile Lowerator® Dispensers - Three Tubes

Three Tubes Unheated						
Model	Part #	Dish Size	Cut Out	Weight (lbs)	Price	
ML3-5	20025100	Up to 5"	30 3/8" x 17"	113	\$8,232	
ML3-6	20025200	5 1/8"-5 3/4"	30 3/8" x 17"	115	\$8,695	
ML3-6.5	20025300	5 7/8"-6 1/2"	34 5/8" x 17"	116	\$9,177	
ML3-7	20025400	6 5/8"-7 1/4"	34 5/8" x 17"	117	\$9,624	
ML3-8	20025500	7 3/8"-8 1/8"	40 1/4" x 18 7/8"	121	\$10,102	
ML3-9	20025600	8 1/4"-9 1/8"	40 1/4" x 18 7/8"	126	\$10,434	
ML3-10	20025700	9 1/4"-10 1/8"	43 1/4" x 18 7/8"	129	\$10,998	
Three Tubes Heated						
Model	Part #	Dish Size	Cut Out	Electric	Weight (lbs)	Price
HML3-5	20029500	Up to 5"	30 3/8" x 17"	5.3 Amps	147	\$11,404
HML3-6	20029600	5 1/8"-5 3/4"	30 3/8" x 17"	6.0 Amps	149	\$12,261
HML3-6.5	20029700	5 7/8"-6 1/2"	34 5/8" x 17"	6.8 Amps	150	\$12,407
HML3-7	20029800	6 5/8"-7 1/4"	34 5/8" x 17"	7.5 Amps	150	\$13,027
HML3-8	20029900	7 3/8"-8 1/8"	40 1/4" x 18 7/8"	8.3 Amps	151	\$13,582
HML3-9	20030000	8 1/4"-9 1/8"	40 1/4" x 18 7/8"	9.5 Amps	152	\$13,753
HML3-10	20030100	9 1/4"-10 1/8"	43 1/4" x 18 7/8"	10.5 Amps	153	\$14,123



Enclosed Mobile Lowerator® Dispensers - Four Tubes

All items cannot ship UPS. Units are supplied with standard non-marking 4" hard rubber casters, rear brakes and rubber perimeter bumpers on all contact edges. 208/240V units available. Units are 36-9/16" high. Only heated items are CSA Certified and UL Listed. Accessories are available see below. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. All items, FOB APW Dock freight class 100.

Enclosed Mobile Lowerator® Dispensers - Four Tubes

Four Tubes Unheated						
Model	Part #	Dish Size	Cut Out	Weight (lbs)	Price	
ML4-5	20026200	Up to 5"	25 1/8" x 24 7/8"	131	\$10,386	
ML4-6	20026300	5 1/8"-5 3/4"	25 1/8" x 24 7/8"	133	\$11,141	
ML4-6.5	20026400	5 7/8"-6 1/2"	25 1/8" x 24 7/8"	135	\$11,523	
ML4-7	20026500	6 5/8"-7 1/4"	25 1/8" x 24 7/8"	138	\$11,930	
ML4-8	20026600	7 3/8"-8 1/8"	30 3/8" x 29 1/8"	144	\$12,645	
ML4-9	20026700	8 1/4"-9 1/8"	30 3/8" x 29 1/8"	150	\$12,834	
ML4-10	20026800	9 1/4"-10 1/8"	30 3/8" x 29 1/8"	152	\$13,380	
Four Tubes Heated						
Model	Part #	Dish Size	Cut Out	Electric	Weight (lbs)	Price
HML4-5	20030600	Up to 5"	25 1/8" x 24 7/8"	7.0 Amps	178	\$14,073
HML4-6	20030700	5 1/8"-5 3/4"	25 1/8" x 24 7/8"	8.0 Amps	180	\$14,997
HML4-6.5	20030800	5 7/8"-6 1/2"	25 1/8" x 24 7/8"	9.0 Amps	181	\$15,259
HML4-7	20030900	6 5/8"-7 1/4"	25 1/8" x 24 7/8"	10.0 Amps	182	\$15,674
HML4-8	20031000	7 3/8"-8 1/8"	30 3/8" x 29 1/8"	11.0 Amps	183	\$16,261
HML4-9	20031100	8 1/4"-9 1/8"	30 3/8" x 29 1/8"	12.7 Amps	183	\$16,419
HML4-10	20031200	9 1/4"-10 1/8"	30 3/8" x 29 1/8"	14.0 Amps	184	\$17,184
Options						
Model	Part #				Weight (lbs)	Price
Model + 5P	Contact CS	5" polyurethane casters			21	\$338



Enclosed Mobile Adjustube II Lowerator® Dispensers


Mobile Enclosed Cabinet-Style Dish Dispenser utilizes Adjustube II self-leveling tubes that are field adjustable for weight and diameter. Units are supplied with standard non-marking 4" hard rubber casters, rear brakes and contact edges are protected by heavy gauge stainless steel with rubber perimeter bumpers. 208/240V units are available. Units are 36 9/16" high. Electrical information is based on heated items only and is non-applicable to unheated items. Only heated items are CSA Certified and UL Listed. All models cannot ship UPS. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.

Enclosed Mobile Adjustube II Lowerator® Dispensers

Unheated Nsf						
Model	Part #	Dish Size	Cut Out	Weight (lbs)	Price	
ML2-9A	30036000	3 1/2"-9 1/8"	30 3/8" x 15 3/8"	104	\$9,839	
ML2-12A	30036100	9 1/4"-12"	32 7/8" x 17"	110	\$12,129	
ML2-9A/12A	30036200	3 1/2"-9 1/8" (1 ea.)	32 7/8" x 17"	108	\$9,839	
		9 1/4"-12" (1 ea.)				
ML3-9A	30036300	3 1/2"-9 1/8"	40 1/4" x 18 7/8"	151	\$10,950	
ML3-12A	30036400	9 1/4"-12"	48 1/4" x 18 7/8"	158	\$12,129	
ML3-9A/9A/12A	30036500	3 1/2"-9 1/8" (2 ea.)	48 1/4" x 18 7/8"	155	\$11,467	
		9 1/4"-12" (1 ea.)				
ML3-9A/12A/12A	30036600	3 1/2"-9 1/8" (1 ea.)	48 1/4" x 18 7/8"	156	\$11,467	
		9 1/4"-12" (2 ea.)				
Heated (Csa And UL Only)						
Model	Part #	Dish Size	Cut Out	Electric	Weight (lbs)	Price
HML2-9A	30036700	3 1/2"-9 1/8"	30 3/8" x 15 3/8"	6.3 Amps	128	\$12,129
HML2-12A	30036800	9 1/4"-12"	32 7/8" x 17"	8.3 Amps	134	\$14,130
HML2-9A/12A	30036900	3 1/2"-9 1/8" (1 ea.)	32 7/8" x 17"	7.3 Amps	132	\$13,099
		9 1/4"-12" (1 ea.)				
HML3-9A	30037000	3 1/2"-9 1/8"	40 1/4" x 18 7/8"	9.3 Amps	175	\$15,704
HML3-12A	30037100	9 1/4"-12"	48 1/4" x 18 7/8"	12.3 Amps	182	\$18,225
HML3-9A/9A/12A	30037200	3 1/2"-9 1/8" (2 ea.)	48 1/4" x 18 7/8"	10.3 Amps	179	\$16,002
		9 1/4"-12" (1 ea.)				
HML3-9A/12A/12A	30037300	3 1/2"-9 1/8" (1 ea.)	48 1/4" x 18 7/8"	11.3 Amps	180	\$16,002
		9 1/4"-12" (2 ea.)				
Options						
Model	Part #				Weight (lbs)	Price
Model + 5P	Contact CS	5" polyurethane casters			21	\$338

Drop-In Rack Lowerator® Dispensers

Drop-In Rack Dispensers use a self-leveling carrier mechanism to dispense cups, glasses or trays in a serving line or beverage service point. Easily installed by cutting an opening in countertop and dropping into place. Field adjustable for a wide range of loads. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 150.



Drop-In Rack Lowerator® Dispensers

Model	Part #	Tray Size	Cut Out	Weight (lbs)	Price
DI-1020	20007300	10" x 20"	24"W x 12 1/4"L	24	\$3,040
DI-1216	21104000	12" x 16"	20"W x 14"L	21	\$3,040
DI-1418	20007400	14" x 18"	22"W x 16 1/4"L	24	\$3,040
DI-1620	20007500	16" x 20"	24"W x 18 1/4"L	24	\$3,040
DI-2020	20007700	20" x 20"	24"W x 22 1/4"L	26	\$3,040

Options

Model	Part #	Tray Size	Weight (lbs)	Price
DIF-1020	30040100	10" x 20"	14	\$961
DIF-1216	30040016	12" x 16"	26	\$961
DIF-1418	30040200	14" x 18"	15	\$961
DIF-1620	30040300	16" x 20"	26	\$961
DIF-2020	30040500	20" x 20"	26	\$961

Enclosed Mobile Combo Lowerator® Dispensers

Units are supplied with standard non-marking 4" hard rubber casters, rear brakes and rubber perimeter bumpers on all contact edges. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.



Enclosed Mobile Combo Lowerator® Dispensers

Unheated (NSF only)

Model	Part #	Tray Size	Saucer Size	Dimensions	Weight (lbs)	Price
MCTRS-2020-5	20041000	20" x 20"	Up to 5"	36"H x 24"W x 40 3/8"L	247	\$10,933
MCTRS-2020-6	20041100	20" x 20"	5 1/8" to 5 3/4"	36"H x 24"W x 40 3/8"L	247	\$10,933
MCTRS-2020-6.5	20041200	20" x 20"	5 7/8" to 6 1/2"	36"H x 24"W x 40 3/8"L	247	\$10,933

Add 3 3/4" to height for guide posts.

Options

Model	Part #	Weight (lbs)	Price
Model + 5P	Contact CS	5" polyurethane casters	21 \$338

Enclosed Mobile Cantilever Lowerator® Dispensers

Enclosed, self-leveling, accommodates two stacks of plates in addition to trays or racks through the use of drop-in dish dispensers. Units are supplied with standard non-marking 4" hard rubber casters, rear brakes and rubber perimeter bumpers on all contact edges. Accessories are available see below. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.



Enclosed Mobile Cantilever Lowerator® Dispensers

Unheated (NSF only)					
Model	Part #	Tray Size	Dimensions	Weight (lbs)	Price
MCTR-1020	20068000	10" x 20"	36"H x 24"W x 20 1/4"L	160	\$8,274
MCTR-1418	20067500	14" x 18"	36"H x 18"W x 28 1/4"L	160	\$8,274
MCTR-1616	20067800	16" x 16"	36"H x 20 1/4"W x 26 1/2"L	175	\$8,274
MCTR-1620	20067900	16" x 20"	36"H x 20 1/4"W x 30 1/2"L	180	\$8,274
MCTR-1622	20067700	16" x 22"	36"H x 20 1/4"W x 32 1/4"L	180	\$8,274
MCTR-2020	20068100	20" x 20"	36"H x 24"W x 30 1/4"L	204	\$8,274

Options

Model	Part #		Weight (lbs)	Price
Model + 5P	Contact CS	5" polyurethane casters	21	\$338

Open Mobile Combo Lowerator® Dispensers

Self-leveling dispenser, that is easily field adjustable for dispensing racks of cups with Adjustube dispensers for dispensing saucers. Dependable, adjustable spring dispensing mechanism. Standard with four rubber corner bumpers and non-marking 4" hard rubber casters with rear brakes. Capacity: to 125 trays, 14 dozen cups, 16 dozen glasses and 12 dozen saucers. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.



Open Mobile Combo Lowerator® Dispensers

Model	Part #	Tray Size	Saucer Size	Dimensions	Weight (lbs)	Price
CTRS-2020-5 (NSF only)	20068900	20" x 20"	Up to 5"	36"H x 22 11/16"W x 38 15/16"L	199	\$10,933
CTRS-2020-6 (NSF only)	20061500	20" x 20"	5 1/8" to 5 3/4"	36"H x 22 11/16"W x 38 15/16"L	199	\$10,933
CTRS-2020-6.5 (NSF only)	20061600	20" x 20"	5 7/8" to 6 1/2"	36"H x 22 11/16"W x 38 15/16"L	199	\$10,933

Options

Model	Part #		Weight (lbs)	Price
Model + 5P	Contact CS	Standard unit with extra 5" polyurethane casters and 2 brakes packed in box (mobile units)	21	\$338
Perimeter Bumpers	Contact CS	Perimeter bumpers	18	\$349

Open Mobile Cantilever Lowerator® Dispensers

Units are supplied standard with four rubber corner bumpers and non-marking 4" hard rubber casters with rear brakes. Capacity: to 125 trays, 14 dozen cups, 16 dozen glasses, 12 dozen saucers. Cannot ship UPS. Approvals on heated units only. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.



Open Mobile Cantilever Lowerator® Dispensers

Model	Part #	Tray Size	Dimensions	Weight (lbs)	Price
CTR-1014	20037700	10" x 14"	36"H x 18 11/16"W x 21 7/8"L	108	\$6,347
CTR-1020 (NSF)	20038100	10" x 20"	36"H x 22 11/16"W x 21 7/8"L	110	\$6,347
CTR-1418	20037800	14" x 18"	36"H x 18 11/16"W x 29 7/8"L	110	\$6,347
CTR-1620	20038000	16" x 20"	36"H x 18 11/16"W x 32 1/8"L	110	\$6,347
CTR-1622	20038600	16" x 22"	36"H x 18 11/16"W x 33 7/8"L	110	\$6,347
CTR-2020	20038200	20" x 20"	36"H x 22 11/16"W x 31 7/8"L	118	\$6,347



Double Open Mobile Cantilever Lowerator® Dispensers

Units are supplied standard with non-marking 4" hard rubber casters. Backed by APW's One Year Warranty. FOB APW Dock, freight class 100.



Double Open Mobile Cantilever Lowerator® Dispensers

Model	Part #	Tray Size	Dimensions	Weight (lbs)	Price
CTRD-1014	21800000	10" x 14"	36"H x 36"W x 22"L	225	\$9,265
CTRD-1418	21800200	14" x 18"	36"H x 36"W x 30"L	231	\$9,265
CTRD-1620	21800300	16" x 20"	36"H x 36"W x 32"L	232	\$9,265
CTRD-1622	21800500	16" x 22"	36"H x 36"W x 34"L	236	\$9,265

Options

Model	Part #		Weight (lbs)	Price
Model + 5P	Contact CS	Standard unit with extra 5" polyurethane casters and 2 brakes packed in box (mobile units)	21	\$338

APW Top-Mount, Rectangular Drop-In Food Warmers

APW heavy-duty, top-mount, drop-in, modular food warmers are designed to hold heated foods at safe and fresh serving temperatures. One-piece stainless steel top flange and heavy-gauge, deep-drawn stainless steel warming pans are standard features on all models. E-Z Locks are standard for quick and easy installation.

Sides, front, back, and bottom are fully insulated for energy savings, efficiency, quicker pre-heat and faster recovery. Individual controls for each well provide maximum versatility. Thermostatic or infinite controls available, varies per model. High-limits prevent overheating. Temperature-ready indicator lights are standard on all control types. Powerful tubular heating elements located under the warming pans for quick and efficient heating and for even heat distribution.



HFW Single-Well & Two-Well with Thermostat Control (Single), Infinite Control (2-Pan)

APW **HFW-1S** models accommodate (one) 12"x20" standard food pan or equivalent fractional inset pans and are designed for wet or dry operation. **HFW-1DS** models include a drain. **HFW-43DS** model accommodates (one) 12 x 27" food pan or equivalent fractional inset pans.



HFW SERIES Single-Pan Top-Mount Modular Warmers

APW Model #	Part #	Description	Size W x D [in]	Ship Wt. [lb]	Cubic Feet	Price
SINGLE PAN 12" x 20", TOP MOUNT						
HFW-1S	3P-HFW1S-120	Thermostat control 120V, 1Ø, 1650W	13-3/4 x 21-3/4	24	4.15	\$1,001
HFW-1S	39P-HFW1S	Thermostat control 208/240V, 1Ø, 1240/1650W	13-3/4 x 21-3/4	24	4.15	\$1,001
HFW-1DS	3P-HFW1DS-120	Thermostat control, with Drain 120V, 1Ø, 1650W	13-3/4 x 21-3/4	24	4.15	\$1,099
HFW-1DS	3P-HFW1DS	Thermostat control, with Drain 208/240V, 1Ø, 1240/1650W	13-3/4 x 21-3/4	24	4.15	\$1,099
SINGLE PAN 12" x 27", TOP MOUNT						
HFW-43DS	3P-HFW43DS	Thermostat control, with Drain 208/240V, 1Ø, 1240/1650W	14-3/4 x 30-1/2	25	5.2	\$1,367

APW **HFW-2S** model accommodates (two) 12"x20" standard food pans or equivalent fractional inset pans and are designed for wet or dry operation. **HFW-2DS** model includes a drain in each well.

HFW-2S, HFW-2DS Two-Pan Top-Mount Modular Warmers

APW Model #	Part #	Description	Size W x D [in]	Ship Wt. [lb]	Cubic Feet	Price
TWO PAN 12" x 20", TOP MOUNT						
HFW-2S	3P-HFW2S	Infinite control 208/240V, 1Ø, 900/1200W each	29-1/2 x 23-5/8	51	7.89	\$2,679
HFW-2DS	3P-HFW2DS	Infinite control, with Drain 208/240V, 1Ø, 900/1200W each	29-1/2 x 23-5/8	51	7.89	\$2,840



APW Top-Mount, Rectangular Drop-In Food Warmers HFW Three-Well, Four-Well, & Five-Well with Infinite Control

APW HFW-3S model accommodates (three) 12"x20" standard food pans or equivalent fractional inset pans and are designed for wet or dry operation. HFW-3DS model includes a drain in each well.



HFW-3S, HFW-3DS Three-Pan Top-Mount Modular Warmers

APW Model #	Part #	Description	Size W x D [in]	Ship Wt. [lb]	Cubic Feet	Price
THREE PAN 12" x 20", TOP MOUNT						
HFW-3S	3P-HFW3S	Infinite control 208/240V, 3Ø (1Ø), 900/1200W each	43-1/2 x 23-5/8	73	10.54	\$3,521
HFW-3DS	3P-HFW3DS	Infinite control, with Drain 208/240V, 3Ø (1Ø), 900/1200W each	43-1/2 x 23-5/8	74	10.54	\$3,825

APW HFW-4S model accommodates (four) 12"x20" standard food pans or equivalent fractional inset pans and are designed for wet or dry operation. HFW-4DS model includes a drain in each well.

HFW-4S, HFW-4DS Four-Pan Top-Mount Modular Warmers

Food Well [Accessories](#), see page 50

APW Model #	Part #	Description	Size W x D [in]	Ship Wt. [lb]	Cubic Feet	Price
FOUR PAN 12" x 20", TOP MOUNT						
HFW-4S	3P-HFW4S	Infinite control 208/240V, 3Ø (1Ø), 900/1200W each	57-1/2 x 23-5/8	95	13.56	\$4,596
HFW-4DS	3P-HFW4DS	Infinite control, with Drain 208/240V, 3Ø (1Ø), 900/1200W each	57-1/2 x 23-5/8	95	13.56	\$5,389




APW HFW-5S model accommodates (five) 12"x20" standard food pans or equivalent fractional inset pans and are designed for wet or dry operation. HFW-5DS model includes a drain in each well.

HFW-5S, HFW-5DS Five-Pan Top-Mount Modular Warmers

Food Well [Accessories](#), see page 50

APW Model #	Part #	Description	Size W x D [in]	Ship Wt. [lb]	Cubic Feet	Price
FIVE PAN 12" x 20", TOP MOUNT						
HFW-5S	3P-HFW5S	Infinite control 208/240V, 3Ø (1Ø), 900/1200W each	71-1/2 x 23-5/8	105	16.57	\$5,754
HFW-5DS	3P-HFW5DS	Infinite control, with Drain 208/240V, 3Ø (1Ø), 900/1200W each	71-1/2 x 23-5/8	116	16.57	\$6,584

Food Well [Accessories](#), see page 50



APW Top-Mount, Round Drop-In Food Warmers 4 Quart, 7 Quart & 11 Quart with Thermostat Control

APW Wyott heavy-duty, top-mount, drop-in, round food warmers are designed to hold heated foods at safe and fresh serving temperatures. APW Wyott SM-50-4s Series accommodates standard 4-quart round inset pans, and are designed for wet or dry operation. One-piece stainless steel top flange and heavygauge, deep-drawn stainless steel warming pans are standard features on all models. E-Z Locks are standard for quick and easy installation. Models with thermostatic controls are available. High-limits prevent overheating. Temperature-ready indicator lights are standard on all control types. Powerful tubular heating elements are located under the warming pans for quick and efficient heating and for even heat distribution.



Round Warmers, Top-Mount, 4-Quart

APW Model #	Part #	Description	Dimensions [in]	Ship Wt. [lb]	Cubic Feet	Price
NON-INSULATED, 4-QUART ROUND WARMERS, TOP MOUNT						
SM-50-4 ULS	3P-SM504ULS-120	4 Quart, Thermostat control 120V, 1Ø, 620/825W, UL APPROVED	8-1/4" O.D.	6 lb. 2.8 kg	0.82	\$868
SM-50-4DS	3P-SM504DULS120	4 Quart, Thermostat control with DRAIN 120V, 1Ø, 825W, UL APPROVED	8-1/4" O.D.	6 lb. 2.8 kg	0.82	\$949

Food Well [Accessories](#), see page 50

Round Warmers, Top-Mount, 7-Quart

APW Model #	Part #	Description	Dimensions [in]	Ship Wt. [lb]	Cubic Feet	Price
NON-INSULATED, 7-QUART ROUND WARMERS, TOP MOUNT						
SM-50-7DS	3P-SM507DS	7 Quart, Thermostat control with DRAIN 120V, 1Ø, 825W	10-1/16" O.D.	6 lb. 2.8 kg	1.62	\$724
SM-50-7 ULS	3P-SM507ULS-120	7 Quart, Thermostat control 120V, 1Ø, 825W, UL APPROVED	10-1/16" O.D.	6 lb. 2.8 kg	1.62	\$784
SM-50-7DS ULS	3P-SM507DULS120	7 Quart, Thermostat control with DRAIN 120V, 1Ø, 825W, UL APPROVED	10-1/16" O.D.	6 lb. 2.8 kg	1.62	\$833


Food Well [Accessories](#), see page 50

Round Warmers, Top-Mount, 11-Quart

APW Model #	Part #	Description	Dimensions [in]	Ship Wt. [lb]	Cubic Feet	Price
NON-INSULATED, 11-QUART ROUND WARMERS, TOP MOUNT						
SM-50-11S	3P-SM5011S	11 Quart, Thermostat control 120V, 1Ø, 825W	12" O.D.	7 lb. 3.2 kg	1.62	\$656
SM-50-11DS	3P-SM5011DS	11 Quart, Thermostat control with DRAIN 120V, 1Ø, 825W	12" O.D.	7 lb. 3.2 kg	1.62	\$729

Food Well [Accessories](#), see page 50

TOP VIEW



APW Top-Mount, Rectangular Food Warmers with Thermostat Control



TM-90, TM-43 MODELS
Single-Pan Top-Mount Rectangular Warmers

APW Model #	Part #	Description	Dimensions [in]	Ship Wt. [lb]	Cubic Feet	Price
SINGLE PAN, 12" x 20" TOP MOUNT						
TM-90S	3P-TM90S-120	Thermostat Control 120V, 1Ø, 1200W	13- ¹¹ / ₁₆ x 21- ³ / ₄	16	2.97	\$795
TM-90S	3P-TM90S	Thermostat Control 208/240V, 1Ø, 900/1200W	13- ¹¹ / ₁₆ x 21- ³ / ₄	16	2.97	\$795
TM-90 ULS	3P-TM90ULS-120	Thermostat Control 120V, 1Ø, 1650W, UL APPROVED	13- ¹¹ / ₁₆ x 21- ³ / ₄	20	1.15	\$915
TM-90 ULS	3P-TM90ULS	Thermostat Control 208/240V, 1Ø, 1240/1650W, UL APPROVED	13- ¹¹ / ₁₆ x 21- ³ / ₄	20	1.15	\$915
TM-90DS	3P-TM90DS-120	Thermostat Control, with DRAIN 120V, 1Ø, 1200W	13- ¹¹ / ₁₆ x 21- ³ / ₄	15	2.97	\$845
TM-90DS	3P-TM90DS	Thermostat Control, with DRAIN 208/240V, 1Ø, 900/1200W	13- ¹¹ / ₁₆ x 21- ³ / ₄	15	2.97	\$845
TM-90D ULS	3P-TM90DULS-120	Thermostat Control, with DRAIN 120V, 1Ø, 1650W, UL APPROVED	13- ¹¹ / ₁₆ x 21- ³ / ₄	21	4.15	\$980
TM-90D ULS	3P-TM90DULS	Thermostat Control, with DRAIN 208/240V, 1Ø, 1240/1650W, UL APPROVED	13- ¹¹ / ₁₆ x 21- ³ / ₄	21	4.15	\$980
SINGLE PAN, 12" x 27" TOP MOUNT						
TM-43 ULS	3P-TM43ULS-120	Thermostat Control 120V, 1Ø, 1650W, UL APPROVED	13- ¹ / ₂ x 28- ¹ / ₂	22	3.85	\$1,262
TM-43 ULS	3P-TM43ULS	Thermostat Control 208/240V, 1Ø, 1240/1650W, UL APPROVED	13- ¹ / ₂ x 28- ¹ / ₂	22	3.85	\$1,262
TM-43D ULS	3P-TM43DULS-120	Thermostat Control, with DRAIN 120V, 1Ø, 1650W, UL APPROVED	13- ¹ / ₂ x 28- ¹ / ₂	22	3.85	\$1,243
TM-43D ULS	3P-TM43DULS	Thermostat Control, with DRAIN 208/240V, 1Ø, 1240/1650W, UL APPROVED	13- ¹ / ₂ x 28- ¹ / ₂	22	3.85	\$1,243

Food Well Accessories, see page 50



APW Bottom-Mount, Rectangular Food Warmers
with Thermostat Control, **Square** and **Round Corner** Options



BM-80CS, BM-80C, BM-80CDS

Single-Pan Bottom-Mount Rectangular Warmers with Square Corners

APW Model #	Part #	Description	Dimensions [in]	Ship Wt. [lb]	Cubic Feet	Price
FULLY-INSULATED, SINGLE PAN, 12" x 20" BOTTOM MOUNT with SQUARE CORNERS						
BM-80CS	3P-BM80CS	Thermostat Control, FULLY INSULATED 208/240V, 1Ø, 1240/1650W	13-11/16 x 21-13/16	22	2.97	\$851
BM-80C ULS	3P-BM80CULS	Thermostat Control, FULLY INSULATED 208/240V, 1Ø, 1240/1650W, UL APPROVED	13-11/16 x 21-13/16	24	2.97	\$809
BM-80CDS	3P-BM80CDS	Thermostat Control, FULLY INSULATED with DRAIN 208/240V, 1Ø, 1240/1650W	13-11/16 x 21-13/16	22	2.97	\$848

Food Well Accessories, see page 50

BM-30S, BM-30DS, BM-80S, BM-80DS

Single-Pan Bottom-Mount Rectangular Warmers with Round Corners

APW Model #	Part #	Description	Dimensions [in]	Ship Wt. [lb]	Cubic Feet	Price
SINGLE PAN, 12" x 20" BOTTOM MOUNT with ROUND CORNERS, Uninsulated						
BM-30S	3P-BM30S	Infinite Control 208/240V, 1Ø, 900/1200W	13-7/8 x 21-15/16	14	2.97	\$829
BM-30DS	3P-BM30DS-120	Infinite Control, with DRAIN 120V, 1Ø, 1200W	13-7/8 x 21-15/16	14	2.97	\$912
BM-30DS	3P-BM30DS	Infinite Control, with DRAIN 208/240V, 1Ø, 900/1200W	13-7/8 x 21-15/16	14	2.97	\$912
FULLY-INSULATED, SINGLE PAN, 12" x 20" BOTTOM MOUNT with ROUND CORNERS, Uninsulated						
BM-80S	3P-BM80S-120	Thermostat Control, FULLY INSULATED 120V, 1Ø, 1200W	13-11/16 x 21-13/16	22	2.97	\$800
BM-80S	3P-BM80S	Thermostat Control, FULLY INSULATED 208/240V, 1Ø, 1240/1650W	13-11/16 x 21-13/16	22	2.97	\$800
BM-80DS	3P-80DS-120	Thermostat Control, FULLY INSULATED with DRAIN 120V, 1Ø, 1200W	13-11/16 x 21-13/16	22	2.97	\$848
BM-80DS	3P-80DS	Thermostat Control, FULLY INSULATED with DRAIN 208/240V, 1Ø, 1240/1650W	13-11/16 x 21-13/16	22	2.97	\$848
BM-80D ULS	3P-BM80DULS	Thermostat Control, FULLY INSULATED with DRAIN 208/240V, 1Ø, 1240/1650W, UL APPROVED	13-7/8 x 21-15/16	22	2.97	\$848

Food Well Accessories, see page 50

APW Top-Mount, Rectangular
Half-Size Food Warmers
with EZ-Lock



HFW-12DS

Half-Size, Single-Pan Top-Mount Rectangular Warmers


APW Model #	Part #	Description	Dimensions [in]	Ship Wt. [lb]	Cubic Feet	Price
SINGLE PAN, HALF-SIZE 12" x 10" TOP MOUNT with EZ-Lock						
HFW-12DS	3P-HFW12DS-120	Half Size, Holds 12" x 10" pan with DRAIN, UL LISTED 120V, 1Ø, 450W, with EZ-Lock	11-5/8 x 13-7/8	18	2.16	\$1,574
HFW-12DS	3P-HFW12DS	Half Size, Holds 12" x 10" pan with DRAIN, UL LISTED 208/240V, 1Ø, 620/825W, with EZ-Lock	11-5/8 x 13-7/8	18	2.16	\$1,574

Food Well Accessories

Food Well Accessories

APW Part #	Description	Ship Wt. [lb]	Price
ADAPTER TOPS FOR 12" x 20" SQUARE CORNER WARMERS			
3P-20176	Adapter Top, Converts warmer to hold two 7 quart insets	2	\$133
3P-20434	Adapter Top, Converts warmer to hold two 4 quart and two 2 1/2 quart insets	2	\$136
3P-21615	Adapter Top, Converts warmer to hold three 4 quart insets	2	\$136
3P-21621	Adapter Top, Converts warmer to hold one 7 quart and one 11 quart inset	2	\$119
3P-21624	Adapter Top, Converts warmer to hold four 2 1/2 quart insets	2	\$143
ADAPTER TOPS FOR 12" x 27" SQUARE CORNER WARMERS			
3P-22589	Adapter Top, Converts warmer to hold three 7 quart insets	1	\$247
3P-23115	Adapter Top, Converts warmer to hold two 11 quart insets	1	\$208
BUILT-IN WARMER MISCELLANEOUS			
3P-21709	Drain Screen, Fits all models with drains, one per well required	1	\$27
3P-20385	Drain Valve Extension Kit, Extension from drain to counter front with remote handle, for use with "D" models only, excluding "DM" models. Includes 1/2" brass drain valve	1	\$338
3P-22592	EZ-Lock Extension Kit*, For UL listed Non-Insulated Round Warmers only to adapt to wood countertops up to 1 1/2" thick	1	\$100
3P-22593	EZ-Lock Extension Kit*, For UL listed 12" x 20" Warmers only to adapt to wood countertops up to 1 1/2" thick	1	\$141
EZ0330	EZ-Lock Extension Kit*, For Fully Insulated Round Warmers only to adapt to wood countertops up to 1 1/2" thick	1	\$150
Contact Customer Service	<ul style="list-style-type: none"> • Optional 72" Wiring • Thermostatically controlled warmers - one required per well • Infinite Switch controlled models - one required per well • Please contact factory for availability of optional wiring 	contact customer service	
<p>*EZ-Lock Extension Kits for UL listed units approved for installation in wood countertops. One well unit requires one kit. Two to three well units require two kits. Four to five well units require three kits.</p>			
ADAPTER PLATE for HFW-3, HFW-4, HFW-5 models			
3P-ADPTINCTRL	Adapter Plate for models: HFW-3DS, HFW-3S, HFW-4DS, HFW-4S, HFW-5DS, HFW-5S		\$75

EZ0330



APW Drop-In Refrigerated Cold Wells CW-1, CW-2, CW-3, CW-4, & CW-5

Refrigeration system is (1/5 hp) for one pan units, and (1/4 hp) for two, three and four pan units. The five pan unit is (1/3 hp).

Cold Well units are single phase, 120V, with easily adjustable temperature control and lighted power switch. Drains are standard on CW models. Cannot ship UPS. For export, add \$250. If shipping via air freight, dimensional weights apply. Backed by APW's One Year Warranty. FOB APW Dock, freight Class 70.



Drop-In Refrigerated Cold Wells CW-1, CW-2, CW-3, CW-4, CW-5

APW Model #	Part #	Description	Electric	Dimensions (in)	Cut-Outs (in)	Weight [lb]	Price
CW-1	30060100	1 pan	120V, 1/5 hp, 4 Amps	28"L x 19 1/2"W x 23 13/16"H	26 1/2" x 18"	121	\$5,311
CW-1	30060123	1 pan	230V, 1/5 hp, 2 Amps	28"L x 19 1/2"W x 23 13/16"H	26 1/2" x 18"	121	\$5,311
CW-2	30060200	2 pans	120V, 1/4 hp, 4 Amps	32 13/16"L x 28"W x 23 13/16"H	26 1/2" x 31 5/16"	179	\$5,960
CW-2	30060223	2 pans	230V, 1/4 hp, 2 Amps	32 13/16"L x 28"W x 23 13/16"H	26 1/2" x 31 5/16"	179	\$5,960
CW-3	30060300	3 pans	120V, 1/4 hp, 4 Amps	46 1/8"L x 28"W x 23 13/16"H	26 1/2" x 44 5/8"	203	\$6,298
CW-3	30060323	3 pans	230V, 1/4 hp, 3 Amps	46 1/8"L x 28"W x 23 13/16"H	26 1/2" x 44 5/8"	203	\$6,298
CW-4	30060400	4 pans	120V, 1/4 hp, 4 Amps	59 7/16"L x 28"W x 23 13/16"H	26 1/2" x 57 15/16"	233	\$6,714
CW-4	30060423	4 pans	230V, 1/4 hp, 2 Amps	59 7/16"L x 28"W x 23 13/16"H	26 1/2" x 57 15/16"	233	\$6,714
CW-5	30060500	5 pans	120V, 1/3 hp, 5 Amps	72 3/4"L x 28"W x 23 13/16"H	26 1/2" x 71 1/4"	327	\$7,300
CW-5	30060523	5 pans	230V, 1/3 hp, 2.8 Amps	72 3/4"L x 28"W x 23 13/16"H	26 1/2" x 71 1/4"	327	\$7,300

COLD WELL OPTIONS

5-Year Compressor Warranty (Net Price)	1800100	COMP-5	Cold Well Option 5-Year Compressor Warranty (Net Price)	\$335
12" Bar Divider	21807560	Cold Well Option 12" Bar Divider/Adaptor Bar		\$24
20" Bar Divider	21807565	Cold Well Option 20" Bar Divider/Adaptor Bar		\$58

APW/Bakers Pride/Star Holdings Group (Holman, Lang, MagiKitch'n, Star, Toastmaster & Wells)

Minimum Advertised Price & Minimum Resale Internet Cart

MINIMUM ADVERTISED PRICE (MAP) POLICY

This Policy applies to all means of Advertised Pricing for all Middleby Commercial Foodservice Brands

The APW/Bakers Pride/Star Holdings Group (hereinafter “the Group”) and the Middleby Corporation (hereinafter “the Corporation”) is committed to supporting our Authorized Dealers and Resellers selling the Group’s products in or into the United States & Canada by continuing to provide high-quality, premium products for the foodservice industry while maintaining its brand equity and integrity. This Minimum Advertised Price Policy (“MAP”) applies to ANY and ALL means of Advertised Pricing, to Any and ALL customers, for all Brands within the Group and the Corporation. Advertising at a price below MAP will be considered a violation of this Policy. This MAP Policy will apply to any activity which the Group or the Corporation determines, in their sole and absolute discretion, is designed or intended to circumvent the intent of this MAP Policy.

- MAP Policy pricing is the Current List Price less 45% for all Group products; and advertised at a price no less than rounded down to the nearest whole number off the Current List Price.
- If a Dealer offers or combines (i.e., “bundling”) one or more products from a single or multiple brands of the Group or the Corporation in an advertisement, the aggregate price for all products by the Group and Corporation offered for sale in combination may not be lower than the cumulative MAP for each of the products when sold separately.
- At the Dealer’s sole expense, the Dealer may offer or combine the following items of casters, warranty or freight into their product’s sell price; not to be below the product’s MAP price.

The MAP Policy applies to any advertisements of the Group’s products and designs in any and all media, including but not limited to, print advertising (e.g. magazines, catalogs, newspapers, posters, flyers and direct mail), e-mail and facsimile advertising (e.g. broadcast campaigns, flyers, coupons and similar inserts), internet or similar electronic media (e.g. Amazon, eBay, Google), Dealer websites, internet banner ads, social media blasts, social networks, search engine advertising and all other types of digital signage.

All internet advertised prices must show the product's "MAP" price or higher. Any communications stating or implying that a price below MAP may be found elsewhere on the site, that is initiated by the Dealer, would constitute advertising and would be deemed a violation of this MAP Policy. Dealers may not make any statements, displays, or communications that indicate, state, imply, or suggest that a lower price may be found at the online check out, including but not limited to: "Call for Pricing", "Chat for Pricing", "Text for Pricing", "Click for Pricing", "Email for Pricing", "Add to Cart for Pricing", "Mouse Over for Pricing", "Log In for Pricing", strike-through the price, or any of the like. This includes "shopping cart price", "chat box price" and "emailed price" that appear on the internet in any format on any Dealer's public internet website or public internet-based account, including internet search engine shopping feeds, are all subject to the Group and the Corporate MAP Policy. Website features such as automated “bounce-back” pricing emails, pre-formatted email responses, forms, automatic price display, loyalty and reward point systems and other similar features are considered “advertising” under this MAP Policy. Under this MAP Policy, the Group and the Corporation prohibit the use of split-screen, side-by-side advertising, or pop-ups to advertise a similar product of any other brand other than those that are manufactured by other brands within the Corporation. The Group and the Corporation prohibit any Dealer from redirecting (automatically, inadvertently or otherwise) a customer who is in search of a product of the Group, the Corporation or item number to any other non-Middleby brand.

No Dealer may advertise a product of the Group or the Corporation at a price in violation of this MAP Policy on any third-party platform such as Amazon, eBay, Google or any like platforms in which it may operate as a vendor or have a re-distributor operate on its behalf. No Dealer may advertise a price in violation of this MAP Policy in an effort to match or beat a competitor’s price. It is a violation of the MAP Policy to advertise a price below MAP pricing, even if such advertised price was automatically or manually generated due to a MAP Policy violation by a vendor or competition another medium or platform.

From time to time, the Group or the Corporation may discontinue certain products or engage in promotions with respect to certain products. In such events, the Group and the Corporation reserve the right to modify or suspend the MAP Policy with respect to the affected products at its sole discretion. Such changes shall apply equally to all Authorized Dealers of the Group and the Corporation.

MINIMUM RESALE INTERNET CART PRICE (MRICP) POLICY

The Minimum Resale Internet Cart Price (“MRICP”) applies to the final internet check out prices regardless of providing a customer “log in”, membership or similar (e.g., shopping cart prices, chat box prices, emailed prices, and prices on the internet website or search engines) of the Group’s or the Corporation’s products. The Group requires that when Dealers sell select products (listed below) through internet sales that these products are subject to MRICP and are sold at a price no more than a 52% discount rounded down to the nearest whole number off the current List Price. This MRICP Policy will apply to any activity which the Group or the Corporation determines, in their sole and absolute discretion, is designed or intended to circumvent the intent of this MRICP Policy.

MAP/M.R.I.C.P. Policy [continued on next page](#)

MAP/M.R.I.C.P. Policy *continued from previous page*

The MAP Policy and MRICP Policy apply only to advertised prices and do not apply to the price at which the products are actually sold or offered for sale to an individual customer at a Dealer’s place of business, including contract negotiations, or negotiations in the field. The decision to implement and enforce the MAP Policy and the MRICP Policy is solely to protect the Group’s and the Corporation’s brands, reputation and competitiveness and the Authorized Dealers who promote and sell their products based on quantitative and qualitative factors.

The MRICP policy applies to the following Group Brands and Brand product segments

Brands in their Entirety

Bakers Pride
Lang
MagiKitch’n

Star Categories

Holman conveyor toasters
(All Labeled Products)
Pro-Max Panini’s
(PST, PGT, PSC, PGC-Series Products)
Star (RTW-Series Products)
Star-Max (500 & 600-Series Products)
Ultra-Max (All Labeled Products)

Wells Categories

Drawer Warmers
Heated & Refrigerated Wells
(HT, H/RCP-Series)
Dry Wells (MDW models)
All Ventless Products

POLICY VIOLATIONS

These MAP and MRICP Policies are not intended as, nor are they to be construed as, an attempt by the Group or the Corporation to set advertised or resale prices or an agreement between the Group, the Corporation and any Authorized Dealer or other party. In addition, the Group and the Corporation will not accept any assurances of compliance with these MAP or MRICP Policies from any Authorized Dealer. Each Authorized Dealer must independently choose whether to comply with the terms of these MAP and MRICP Policies. These MAP and MRICP Policies are not negotiable and will not be altered for any individual Authorized Dealer.

The Group, the Corporation or their agent(s) will conduct a reasonable investigation in response to a suspected MAP and MRICP Policy violation. Failure to cooperate by any Authorized Dealer, including retaliatory actions by any Authorized Dealer with the Group’s or the Corporation’s investigation will be considered an additional violation.

Failure to meet the terms and conditions of the MAP and MRICP Policies will result in full, unconditional enforcement of the penalties described below. The event of a violation will be determined solely by the Group or the Corporation.

Dealer will be subject to penalties (over a 12-month period) up to and including but not limited to:

- **1st violation:** The Group or the Corporation at a minimum will issue an email communication to the non-compliant dealer requesting their compliance to the MAP and MRICP Policies. Failure to comply within 48 hours (2 days) or a repeated offense within a 3-month period will be considered a 2nd violation.
- **2nd violation:** The Group or the Corporation at a minimum will issue an email notification to the non-compliant dealer requesting their compliance to the MAP and MRICP Policies and will hold all Group shipments and/or the Corporation, until all violations are resolved. Failure to comply within 48 hours (2 days) or a repeated offense within a 6-month period will be considered a 3rd violation.
- **3rd violation** and each violation thereafter: The Group or the Corporation at a minimum will issue an email notification to the non-compliant dealer and buying group as applicable requiring their compliance to the MAP and MRICP Policies and will result in **(a) the dealer’s net pricing being increased to a price that is 50% off of the Group’s then current published List Price(s) and net pricing increased to standard market discounts off ALL Middleby Corporation Brands published List Prices and (b) any and ALL available rebates, marketing incentives, or program dollars (accrued or due in total) will be forfeited.** Failure to comply within 48 hours (2 days) or a repeated offense within a 12-month period, the Group or the Corporation at a minimum will issue an email notification to the non-compliant Dealer and buying group as applicable informing them of the a) indefinite suspension of their account with the Group and ALL Middleby Corporation Brands and b) permission to use the Group’s and the Corporation’s brand trademarks, trade names, individual brand and corporate logos, product images and product content will be indefinitely revoked. Reinstatement of the account, preferred pricing and applicable incentives or rebates may be re-evaluated by the Group and the Corporation in their sole discretion after 30 days.

DEALER ACCOUNTABILITY

In the case of a MAP or MRICP violation by a reseller who does not have an authorized relationship with the Group’s or the Corporation’s brands and instead purchases the Group’s or the Corporation’s products from an Authorized Dealer or any other reseller (i.e., dealer-to-dealer sale), the Group and the Corporation will pursue enforcement actions against the Authorized Dealer as provided above in these Policies.

OTHER PROVISIONS

These Policies are managed by the MAP/MRICP Policy Administrator(s) for the Group and the Corporation. Only the MAP/MRICP Policy Administrator(s), Group President and Group Vice President of Sales and Marketing may provide direction to Dealers concerning compliance with the MAP and MRICP Policies. And ONLY the Group Vice President of Sales and Marketing and Group President may authorize exceptions to the Policies. No other individuals, including any employee or representative of the Group or the Corporation, may provide such direction or authorizations regarding the Group’s Policies to any Dealer. It is the Dealer’s sole responsibility to remain aware of any changes to the MAP and MRICP Policies.

The terms of the MAP and MRICP Policies are confidential and are not to be disclosed to other parties. The Group and the Corporation have adopted the MAP and MRICP Policies unilaterally in furtherance of its independent business strategy and reserves, at its sole discretion, the right to change the Policies and to interpret, enforce and otherwise handle all questions and issues related to the Policies.

APW Wyott WARRANTY POLICY (USA & CANADA)

LIMITED EQUIPMENT WARRANTY

APW (as well as its subsidiaries) warrants to the original purchaser of new APW's products to be free from defects in material or workmanship, under normal and proper use and maintenance service as specified by APW and upon proper installation and start-up in accordance with the instructions supplied with each APW unit. APW's obligation under this warranty is limited to a period of one [1] year from the date of original installation, or eighteen [18] months from original invoice date, whichever occurs first. Defects that occur as a result of normal use, within the time period and limitations defined in this warranty, will at APW's discretion have the parts replaced or repaired by APW or a APW's-authorized service agency.

THIS WARRANTY IS SUBJECT TO ALL LISTED CONDITIONS

Repairs performed under this warranty are to be performed by an APW authorized service agency. APW will not be responsible for charges incurred or service performed by non-authorized repair agencies. In all cases, the nearest APW-authorized service agency must be used. APW will be responsible for normal labor charges incurred in the repair or replacement of a warranted product within 50 miles (80.5 km) of an authorized service agency. Time and expense charges for anything beyond that distance will be the responsibility of the owner. All labor will need to be performed during regular service hours. Any overtime premium will be charged to the owner. For all shipments outside the U.S.A. and Canada, please see the International Warranty for specific details. It is the responsibility of the owner to inspect and report any shipping damage claims, hidden or otherwise, promptly following delivery. No mileage or travel charges will be honored on any equipment that is deemed portable. In general, equipment with a cord and plug weighing less than 50 lb. (22.7 kg) is considered portable and should be taken or shipped to the closest authorized service agency, transportation prepaid.

CONTACT

Should you require any assistance regarding the operation or maintenance of any APW Manufacturing; phone or email our service department. In all correspondence provide the model number and serial number of the unit needing service; include the voltage or gas type.

Normal Business Hours: 8:00 a.m. to 5:00 p.m. Central

Telephone: 800-264-7827 Tech Service Option 2

Email: TechService@partstown.com

www.apwwyott.com

WARRANTY EXCLUSIONS

THE FOLLOWING WILL NOT BE COVERED UNDER WARRANTY.

APW's sole obligation under this warranty is limited to either repair or replacement parts, subject to the additional limitations detailed below. This warranty neither assumes nor authorizes any person to assume obligations other than those expressly covered by this warranty.

- Any product which has not been used, maintained, or installed in accordance with the directions published in the appropriate installation sheet and/or owner's manual, including incorrect gas or electrical connection. APW is not liable for any unit which has been mishandled, abused, misapplied, subjected to harsh chemicals, modified by unauthorized personnel, damaged by flood, fire, or other acts of nature [or God], or which have an altered or missing serial number.
- Installation, labor, and job checkouts, calibration of heat controls, air and gas burner/bypass/pilot adjustments, gas or electrical system checks, voltage and phase conversions, cleaning of equipment, or seasoning of griddle surface.
- Replacement of fuses or resetting of circuit breakers, safety controls, or reset buttons.
- Replacement of broken or damaged glass components, quartz heating elements, and light bulbs.
- Labor charges for all removable and consumable parts in gas charbroilers and hotplates, including but not limited to burners, grates, and radiants.
- Any labor charges incurred by delays, waiting time, or operating restrictions that hinder a service technician's ability to perform service.
- Replacement of parts that fail or are damaged due to normal wear or labor for replacement of parts that can be replaced during a daily cleaning routine, such as but not limited to silicone belts, PTFE non-stick sheets, control labels, knobs, bulbs, fuses, quartz heating elements, baskets, racks, and grease drawers.
- Any economic loss of business or profits.
- Non-OEM parts. Use of non-OEM parts without APW's approval will void the warranty.
- Units exceeding one [1] year from original installation date, or more than eighteen [18] months from original invoice date, whichever comes first.

ADDITIONAL WARRANTIES

- Specific/chain-specific equipment may have additional and/or extended warranties.

The foregoing warranty is in lieu of any and all other warranties expressed or implied and constitutes the entire warranty.

APW Wyott INTERNATIONAL WARRANTY POLICY**ORIGINAL EQUIPMENT WARRANTY****INTERNATIONAL****(Except U.S. and Canada)**

STAR, APW WYOTT, BAKERS PRIDE, HOLMAN, LANG, MAGIKITCH'N, TOASTMASTER, WELLS products are warranted to each original Buyer and will be free from defects in material and workmanship for the period specified below, under normal and proper use and maintenance service as specified by "STAR, APW WYOTT, BAKERS PRIDE, HOLMAN, LANG, MAGIKITCH'N, TOASTMASTER, WELLS" and upon proper installation and start-up in accordance with the instructions supplied with each. Obligation under this warranty shall be limited to repairing or replacing, at its option, any part found to be defective within the specified warranty period.

STANDARD PRODUCT WARRANTY PERIOD**One (1) Year Limited Parts only**

The warranty period begins upon the earlier of the date between proof of installation or 90 days after Invoice date or 90 days after shipping date.

No other Warranty terms are valid unless agreed and authorized by STAR, APW WYOTT, BAKERS PRIDE, HOLMAN, LANG, MAGIKITCH'N, TOASTMASTER, WELLS

Any labor expense or part failure incurred after the warranty period will be the responsibility of the end user.

WARRANTY EXCLUSIONS**THE FOLLOWING WILL NOT BE COVERED UNDER WARRANTY.**

STAR, APW WYOTT, BAKERS PRIDE, HOLMAN, LANG, MAGIKITCH'N, TOASTMASTER, WELLS sole obligation under this warranty are limited to either repair or replacement parts, subject to the additional limitations detailed below. This warranty neither assumes nor authorizes any person to assume obligations other than those expressly covered by this warranty.

- Any product which has not been used, maintained, or installed in accordance with the directions published in the appropriate installation sheet and/or owner's manual, including incorrect gas or electrical connection. STAR, APW WYOTT, BAKERS PRIDE, HOLMAN, LANG, MAGIKITCH'N, TOASTMASTER, WELLS are not liable for any unit which has been mishandled, abused, misapplied, subjected to harsh chemicals, modified by unauthorized personnel, damaged by flood, fire, or other acts of nature [or God], or which have an altered or missing serial number.
- Installation, labor, and job checkouts, calibration of heat controls, air and gas burner/bypass/pilot adjustments, gas or electrical system checks, voltage and phase conversions, cleaning of equipment, or seasoning of surfaces.
- Replacement of fuses or resetting of circuit breakers, safety controls, or reset buttons.
- Replacement of broken or damaged glass components, quartz heating elements, and light bulbs.
- Labor charges for all removable and consumable parts.
- Any labor charges incurred by delays, waiting time, or operating restrictions that hinder a service technician's ability to perform service.

International Warranty Policy [continued on next page](#)

APW Wyott INTERNATIONAL WARRANTY POLICY

International Warranty Policy *continued from previous page*

- Replacement of parts that fail or are damaged due to normal wear or labor for replacement of parts that can be replaced during a daily cleaning routine, such as but not limited to silicone belts, PTFE non-stick sheets, control labels, knobs, bulbs, fuses, quartz heating elements, baskets, racks, and grease drawers.
- Any economic loss of business or profits
- Non-OEM parts. Use of non-OEM parts without STAR, APW WYOTT, BAKERS PRIDE, HOLMAN, LANG, MAGIKITCH'N, TOASTMASTER, WELLS 's approval will void the warranty.

CONTACT

International@partstown.com

www.partstown.com

Phone: +1-630-866-4385 during normal Business Hours, 8:30 am to 4:30 pm, US Central Standard Time (CST)

In all correspondence provide:

- Serial number - **mandatory**
- Model number - **mandatory**
- Sales Acknowledgment/Confirmation or Invoice - **mandatory**
- Include Site's voltage or gas type
- Location/Company's name
- Buyer/Dealer/Distributor/Vendor/Service provider info
- Pics/tech reports
- Any useful info



2021 PRODUCT GUIDE

(August 29, 2021 v2)

Charbroilers • Griddles • Hot Plates
Conveyor & Bun Grill Toasters • Classic Insulated Warmers
Roller Grills & Roller Grill Accessories
Concession Equipment • Merchandisers • Overhead Warmers
Lowerators • Food Wells • Cold Wells

Inquiries/ Customer Service

(800) 527-2100

Technical Service

(800) 733-2203

techservice@partstown.com

Parts

partstown.com/apw-wyott/parts

APW Wyott

265 Hobson Street | Smithville, TN 37166

Main (800) 527-2100

apwwyott.com