



The Professional Photo SourceBook

Section 9

Camera Supports

Benbo	404-405
Billingham	406
Bogen-Manfrotto	407-420
Cullman	421-424
Gitzo	425-435
Linhof	436-441
Majestic	442-444
Slik	445-450
Velbon	451-457
Brom	458, 462
Arca-Swiss	459-460
Bilora	460
Foba	461-462
Schoon	462
Sachtler	462
Kaiser	463
Stroboframe	464
Graf (Studio Ball)	465
NPC	466
Miscellaneous	467

BENBO

TRIPODS

Benbo tripods are uniquely designed with the outdoor photographer in mind. Unlike conventional tripods, Benbo tripods can be set up and used on any terrain, under any conditions, in an unlimited range of configurations.

Most photo tripods open up to a single fixed angle - which is fine in the studio, but a problem when shooting outdoors. Although the environment cannot be altered to one that suits your tripod, you can change your tripod to one that suits any environment! Benbo tripod legs open independently to any angle, even right down to the ground. The camera column goes up, down, and all the way around. Controls are simple and oversized for a sure grip. Construction is of anodized, aircraft aluminum; lightweight yet tough-as-nails, impervious to the elements. Bottom line, there is virtually no place a Benbo cannot go, and as far as tripods are concerned, nothing it cannot do.



Benbo
Tripod #2
Extra Large

FEATURES

- **Benbo - short for "Bent Bolt" - is the key to incredible versatility of these tripods. The thick, precisely-curved bolt provides a central pivot point for all of the positioning components of the Benbo tripod**
- **Oversized leg lock knobs allow quick adjustment of the length - no fumbling, even while wearing bulky winter gloves**
- **Sealed, immersible lower legs overlap the upper sections and feature rugged connecting hardware. You can sink them up to their "knees" in a stream, or plant them in the mud**



Benbo #4
Tripod
shown at
a different
angle

- **Unique center column provides enhanced positioning. The column can be set vertically, horizontally and camera mounting studs are located at both ends of the column**
- **A single oversized large central control lever at the end of the bent bolt frees all three legs and the camera column for super-fast, unrestricted positioning**

Tripod Legs

#1 Standard (B1001)

Item # BEBS.....206.99

#2 XL Extra Large (B1002)

Item # BEBXL.....231.50

#4 Low Boy El (B1004)

Item # BEBLBE.....220.95

#7 Trekker 35 (B1007)

Ideal for 35mm cameras with lenses up to 210mm.

Item # BET35.....158.95

14-Day Customer Satisfaction Guarantee

TRIPODS / HEADS AND MONOPODS

TREKKER TRIPOD SPECIFICATIONS

Model	#1	#2 XL	#4 EL	#7 TREKKER 35
Load Capacity	10-20 lbs.	10-20 lbs.	10-25 lbs.	10 lbs.
Minimum Usable Height	0	0	0	0
Maximum Extension	62" (158cm)	97" (247cm)	45" (114cm)	64" (163cm)
Leg Sections	2	2	2	2
Center Column Sections	1	1	1	1
Folded Length	33" (84cm)	45" (114cm)	25" (64cm)	28" (71cm)
Weight	7.5 lbs. (3.5kg)	8.25 lbs. (3.75kg)	6 lbs. (2.75kg)	4.5 lbs. (2kg)

Subject to change without notice

Ball Heads

Ideal head for Benbo tripods, monopods or other brand tripods. 2" diameter camera platform sits atop a 1.5" ball joint that is precision-engineered and machined for smooth operation and non-slip locking. Professional $\frac{3}{8}$ " socket with removable $\frac{1}{4}$ "-20 conversion insert. Available in standard (fixed base) configuration (Cat # B3001) weighing 15 oz. (425g).



Standard Ballhead (B3001)
Item # **BEBHS****65.95**

Standard Ballhead with Panorama Revolving Base (B3004)
Item # **BEBHSP****109.95**

Trekker Pan-Ballhead (B3000)
Designed for use with the Trekker tripod and monopod, the Trekker Pan-Ballhead weighs just 8.5 oz. (240g), yet is strong enough to support heavy, professional 35mm cameras. Standard $\frac{1}{4}$ "-20 threaded mounting socket and locking panorama base.
Item # **BEBHT****96.95**



Benbo #1
Standard

Get Closer! The camera column acts as an extension rail vertically or horizontally

Monopods

Benbo monopods combine the outdoor-inspired practicality of Benbo tripods with the compactness and convenience of a monopod. Lower legs overlap upper sections, as on the three-legged version, so working in water or mud is no problem.

Trekker Monopod (B2000)
Featherweight two-section monopod based on rigid Trekker leg design. Also converts to walking stick. Its maximum height is 60½" (154cm), closed length 34" (87cm). Weighs 10 oz. (539g).
Item # **BEMPT****46.95**

Benbo 95-XL (B2001)
Maximum height is 68" (173cm), closed length 37½" (95cm). Weighs 2 lbs. (.9k).
Item # **BEMP95XL****68.99**



Benbo
Trekker
Monopod
(B2000)

Tripods with Heads

Trekker Tri-Pak (B1009)
Consists of Trekker tripod #B1007, special Tri-Pak ballhead weighing 5.9 oz. (168g), platform diameter 1.5" and Trekker soft padded case 33.5" (85cm) long.
Item # **BETK****255.50**



Trekker
Tri-Pak
(B1009)

Benbo 1 Tri-Pak (B100)
Consists of Benbo 1 standard tripod #B1001, standard ballhead #B3001 and soft padded case 36.5" (92.5cm).
Item # **BESK****269.95**

BILLINGHAM

TRIPODS

Billingham tripods are manufactured in Germany with precision. Legs are made of ash (timber tree), and heads are made of cast aluminum. Together these materials have little tendency to whip or twist, ensuring a stable camera platform.

Ash has a natural tendency to absorb vibrations. Its straight grain makes it immensely strong. Seasoned ash sections are cut and machined with precision, prompting them to slide together easily. A final coating is applied which protects the surface from ravage weather, yet allows the ash to breathe.



FEATURES

- **Rubber booted ground spikes for rough or smooth terrain.**
- **Override button allows legs to be splayed for rough terrain.**
- **Vibration absorbing ash legs, weather-proofed and comfortable to hold.**
- **Reporter models have 23" swivelling head with a built-in spirit level.**
- **Solid cast aluminum head construction.**
- **Reporter model center column can be reversed for suspending camera under the tripod.**
- **Standard 1/4" or 3/8" thread.**

Tripod Legs

Hawk 276 Tripod Natural Finish (733045)
2-column tripod with one section center column.
Item # BITH276N.....**299.00**

Hawk 276 Tripod Black Finish (733001)
Same as above, in black finish.
Item # BITH276B.....**329.00**

Reporter 355 50" Tripod Natural Finish (731045)
3-column tripod with 2-section center column.
Item # BITH355N.....**359.00**

Reporter 355 50" Tripod Black Finish (731001)
Same as above, in black finish.
Item # BITH355B.....**399.00**

Reporter 371 70" Tripod Natural Finish (731545)
3-column tripod with 2-section center column.
Item # BITH371N.....**399.00**

Reporter 371 70" Tripod Black Finish (731501)
Same as above, in black finish.
Item # BITH371B.....**449.00**

Accessories

Horizontal Bar (735601)
All models can accept the Horizontal bar for ground level photography. The bar can be stored in the central column when not required.
Item # BIEA.....**79.00**

2-Dimension Tripod Head (735001)
Item # BITH2D.....**329.00**

Swiveling ball head with built-in spirit level (Reporter Series)



ASH TRIPOD SPECIFICATIONS

Model	Hawk 276	Reporter 355	Reporter 371
Load Capacity	33 lbs. (15kg)	17.6 lbs. (8kg)	26.5 lbs. (12kg)
Minimum Usable Height	0" with Optional Horizontal Bar	0" with Optional Horizontal Bar or Reverse Center Column	0" with Optional Horizontal Bar or Reverse Center Column
Maximum Extension	62" (157cm)	50" (128cm)	70" (180cm)
Leg Sections:	2	3	3
Center Column Sections	1	2	2
Folded Length	30" (76cm)	22" (55cm)	28" (71cm)
Weight	6.2 lbs. (2.8kg)	5.3 lbs. (2.4kg)	6 lbs. (2.75kg)


Subject to change without notice

BOGEN - MANFROTTO

TRIPODS

Since no one tripod can meet every photographic need, Bogen offers a broad selection of tripods, manufactured in Italy by Manfrotto. Each tripod is available with a wide choice of heads, dollies and performance-enhancing accessories so you can select the combination that best fits your working patterns. All Bogen tripods use hard-finish, high-strength aluminum alloys. That is one reason why they resist wear and remain rigid and stable with heavy use and abuse. All models employ a clamping system for leg length adjustment that resists fouling and scoring and stays secure even under rough field conditions. And the legs are keyed internally to keep the locks aligned and accessible.

Bogen tripods feature a unique locking system to make sure that you do not remove the head unless you want to (with the exception of the Junior Tripod #390, which has a permanently mounted head.). Most models use a $\frac{3}{8}$ " (Euro) thread connector, 50% larger and much stronger than the $\frac{1}{4}$ " thread you'll find on most tripods. Whether it is features or performance you are seeking, Bogen offers both.



Basic Tripod (3011)

CAMERA SUPPORTS

407

Tripod Legs

Convertible Tripod (3001)
The lightest and smallest tripod in the Bogen line. The legs are made of sturdy, tubular hard-finish aluminum and each leg has sure-grip, quick-acting lever locks that don't foul in sand or mud. Legs have three different separately settable click-stopped spread angles for easy levelling.
Item # BO3001**60.95**

Convertible Tripod Black (3205)
Same as above, in black finish.
Item # BO3001B.....**73.90**

Convertible Tripod Short (3001S)
A short version of the 3001.
Item # BO3001S**69.95**

Convertible Tripod Short Black (3205S)
Same as above, in black finish.
Item # BO3001SB.....**69.95**

Convertible Tripod Long (3001LC)
The same as the 3001 tripod, with extra long center column.
ITEM # BO3001LC**64.95**

Convertible Tripod Long Black (3205LC)
Same as above, in black finish.
ITEM # BO3001BLC.....**79.95**

Basic Tripod (3011)
The Basic Tripod offers exceptional stability and weighs just 5½ lbs. With Bogen's professional quality, the 3011 offers high utility combined with simplicity of use and easy portability. It is compact - yet it goes up to 60" and has a reversible center post that lets you shoot at almost ground level. Sturdy, tubular aluminum legs have sure-grip, quick-acting lever locks, ideal for cameras up to medium format.
Item # BO3011**73.95**

Basic Tripod Black (3211)
Same as above, in black finish.
Item # BO3011B.....**86.90**

Convertible Tripod (3021S)
Very versatile. No matter where you want to place your camera - indoors or outdoors, rough terrain or smooth floor, the Convertible Tripod will accommodate you. It features flip-lock levers for precise height adjustment. It has three different click-stopped spread angles, as well, so levelling is easy no matter how rough the going gets. Equally important, it is ideal in confined areas where other tripods normally have to maintain an arm's or leg's distance. Folds to 17.5" and extends to 44.5".
Item # BO3021S**89.95**

Convertible Tripod Black (3221S)
Same as above, in black finish.
Item # BO3021SB.....**101.95**

TRIPOD WITH HEAD

Junior Tripod #390 (3405)

With quick release head. The only Bogen tripod with a built-on head. The 4-leg section tripod has octagonal legs and a center column. The 2-way head features quick-release and 360° panning. Perfect for cameras and video cameras weighing less than 11 lbs. (5kg.) Maximum extension is 62.6" (159cm). The minimum usable height is 0" by reversing the center column. Folds to 22" (56cm). Weighs 4.2 lbs. (1.9kg).

Item # BO3405**89.95**



THE PROFESSIONAL'S SOURCE (212) 444-6630 • FAX: (212) 239-7770

1 • 8 0 0 • 9 4 7 • 6 6 5 0

BOGEN-MANFROTTO

TRIPODS

Tripod Legs, continued

Convertible Tripod (3021)

Same construction as Model #3021S. It has a maximum shooting height of 71". The adjustable spread of the legs combined with telescoping convertible center post lets you get as low as 10 1/4".

Item # BO3021 ..**95.95**

Convertible Tripod (3221)

Same as 3021, in black finish.

Item # BO3021B.....**108.90**

Wilderness Tripod (3221W)


Same as 3221 with foam rubber covered upper legs and spiked feet for greater grip stability.

Item # BO3221W**139.95**

Professional Tripod (3033)

Most lightweight tripods are a bit shaky when extended beyond three feet. Not the Professional Tripod. It is lightweight, yet can look you steadily in the eye and give support for great, vibration-free shots. Ideal for location shooting where you need a compact, sturdy tripod. It has 3-section legs and a geared center post, which means it provides good maximum working height (67"). It then telescopes into a really manageable package for carrying. Leg adjustment is fast and easy, even when wearing gloves, due to the exclusive rocker arm leg lock and a spirit level on the shoulder. Convertible cushioned spike tip legs and rigid center bracing hold everything firm.

Item # BO3033**144.95**



Convertible Tripod (3221) shown with #3047 head

Professional Tripod Black (3233)


Same as the Professional Tripod 3033 in black finish.

Item # BO3033B.....**157.90**

The Work Horse Tripod (3036)

The Work Horse Tripod can be used at its maximum height of 80 1/4", then can be lowered to 16 1/2" or virtually to ground zero by opening the legs and mounting the camera on the column bottom. Center post is geared and features an automatic safety lock with push button release. Most importantly, this tripod maintains its stability at all heights. Stability is enhanced by independent variable-spread leg braces that allow you to obtain different angles on each leg. The three legs are continuously adjustable in relation to each other. A real plus where a level head is needed, it features a built-in spirit level. Its convertible cushion/spike tip legs give you sure footing indoors or out.

Item # BO3036**159.95**



Professional Tripod (3033) shown with #3047 head

The Work Horse Tripod Black (3236)

Same as the Work Horse Tripod 3036 in black finish.

Item # BO3036B.....**172.90**

TRIPOD LEG SPECIFICATIONS

Model Number	3001 3205	3001S 3205S	3001LC 3205LC	3011 3211	3021 3221(W)	3021S 3221S	3033 3233	3036 3236	3046 3246	3051 3251	3058 3258
Load Capacity	11 lbs. (5kg)	11 lbs. (5kg)	11 lbs. (5kg)	13.2 lbs. (6kg)	13.2 lbs. (6kg)	13.2 lbs. (6kg)	15.6 lbs. (7kg)	26.4 lbs. (12kg)	26.4 lbs. (12kg)	26.4 lbs. (12kg)	44 lbs. (20kg)
Minimum Usable Height	12.75" (32.4cm)	16.5" (41.9cm)	19" (48.3cm)	22.25" (56.5cm)	10.5" (26.7cm)	7.5" (19cm)	25.25" (64.2cm)	15.5" (39.4cm)	29.25" (74.3cm)	16.5" (41.9cm)	17" (43.8cm)
Maximum Extension	55" (140cm)	51.25" (130cm)	60" (152cm)	67.25" (171cm)	70.5" (179cm)	44.5" (113cm)	66.5" (169cm)	81.25" (206cm)	68.5" (174cm)	63.25" (161cm)	103.25" (262cm)
Leg Sections	3	3	3	3	3	3	3	3	2	2	3
Center Column Sections	1	1	1	1	1	1	Geared	Geared	Geared	Geared	Geared
Folded Length	21" (53cm)	17.75" (45cm)	21" (53cm)	24" (60cm)	25.75" (65cm)	17.5" (44cm)	28" (71cm)	33" (84cm)	31.25" (79cm)	37.25" (95cm)	41" (104cm)
Weight	3.6 lbs. (1.63kg)	3.4 lbs. (1.54kg)	3.8 lbs. (1.72kg)	5.1 lbs. (2.31kg)	5.75 lbs. (2.6kg)	4.75 lbs. (2.15kg)	7.54 lbs. (3.38kg)	9.8 lbs. (4.45kg)	8.15 lbs. (3.7kg)	12.65 lbs. (5.74kg)	17.95 lbs. (8.14kg)
Compatible Bogen Dolly	#3127 #3137	#3127 #3137	#3127 #3137	#3127 #3137	#3127 #3137	#3127 #3137	All	All	All	All	All except #3127, 3137

Subject to change without notice

Corporate Accounts Are Welcome

BOGEN-MANFROTTO

TRIPODS AND HEADS

Tripod Legs, *continued*

The Sturdy Tripod (3046)

The Sturdy Tripod weighs just 8½ lbs., yet has the features and strength normally found only in 20 pounders. It is built with a 2-section bi-post design, lightweight aluminum alloy construction and exceptional sturdiness. A single, easy to reach locking knob controls extension of each leg. Geared 19¾" center post has threaded ¾" mount on the bottom of the column to allow low angle shots. Maximum height is 68½", yet it folds to a compact 34¼". Minimum height is 29". Legs are equipped with convertible cushion/spike tips. Includes built-in shoulder spirit level.

Item # BO3046.....**139.95**

The Sturdy Tripod (3246)

Same as above, in black finish.

Item # BO3046B.....**152.90**

The Super Pro (3058)

The ideal large-format tripod - at home, in the studio or out in the field. Designed especially for use with the #3057 Professional Head. Offers a working range from 15½" minimum to a maximum height


of 106½". Center post is geared for easy, accurate adjustment. The folded length is 40½". With spirit level.

Item # BO3058**274.95**

The Super Pro Black (3258)

Same as above, in black finish.

Item # BO3058B.....**304.95**



The Automatic (3051)

Extension of each leg of The Automatic can be adjusted individually, or all three can be released simultaneously. All it takes is firm pressure on one of two separate sets of triggers. These triggers let you move from as low as 15¼" to 63¼" almost as fast as you can lift your camera. And it can all be done with a spirit level on the 3051's shoulder. Legs are equipped with convertible cushion/spike tips.

Independent continuously variable leg braces let you set each leg at a different angle. Ideal for uneven terrain, close quarters, low to the ground, just about everything.

Item # BO3051**181.95**

The Automatic (3251)

Same as above, in black finish.

Item # BO3051B.....**194.90**

Pan Heads

All pan heads fit any Bogen tripod, or any tripod with ¾" Euro thread. Pan heads screw right on and can also be locked in with the three locking screws in the center post platform of the tripod base.

3-D Head (3025)


Separately locked movements on three axes make the 3025 perfect for 35mm cameras, and the conical self-adjusting bearing surfaces on the tilt pivots provide more than enough strength to support medium format cameras.

Item # BO3025.....**29.95**

Super 3-D Head (3028)

The same three axes movement system as the 3-D Head 3025, (including a pan lock), but the camera platform is a bit wider for better support of larger camera bodies. A pair of ratchet-type handles that give you something substantial to grip can be rotated to any desired position.

Item # BO3028.....**29.95**



Pan Tilt Head (3029)

A beautifully designed easy-to-use pan/tilt head, with large knobs for cameras up to medium format. Full 3-way action with each axis movement controlled by a separate locking handle.

Item # BO3029**37.95**

Pan Tilt Head with Quick Release (3030)

The #3030 is similar to the #3029 Pan Tilt Head, plus it has a quick release to make camera changes as easy as flipping a lever.

Item # BO3030**44.95**

BOGEN-MANFROTTO

PAN - HEADS

Pan Heads, continued

Deluxe 3-Way Pan Head (3047)

With Quick Release Plate #3049. Ideal for all 35mm, medium format and view cameras. It features a hexagonal quick release plate with safety lock, two bubble levels and three large, easy-grip rubber handles for precise positioning. Mounting plate has an inlaid friction surface.

Item # BO3047**59.95**

Replacement Handles (3291)

For Deluxe 3-Way Pan Head.

Item # BO3291**14.95**

Compact Pro 3D #329 (3410)

With Quick Release Plate #3411. A low-profile head. Ideal for cameras weighing up to 17 lbs. Features a slide-in quick release plate with red safety lock and thumb screw. Three bubble levels, three large easy-grip rubber handles and large dials make this the choice of the pro.

Item # BO3410**64.95**

Heavy Duty Head (3057)

With Quick Release Plate #3297. For large format cameras. Oversized locking knobs and heavy-duty construction provide an extra measure of security for view cameras and 70mm portrait cameras. Provides tilts along lens axis from +15° to -90°. Side movement allows full vertical positioning for fixed-back cameras.

Item # BO3057**119.95**

Super Pro Head (3039)

Top-of-the-line head, finely machined for greater positioning precision with smooth, certain action. 3 built-in bubble levels for horizontal and vertical. Oversized handles have calibrated degree indicators. Quick release plate has a safety lock, making it ideal for heavy cameras and long lenses.

Item # BO3039**122.95**

Quick Release Plate (3157)

Replacement mounting plate with 1/4-20" thread. Fits the 3030, 3130, and 3160 heads, and 3405 tripod.

Item # BO3157**9.95**

Quick Release Plate (3157A)

Same as #3157, with 3/8" Euro thread. Fits the 3030, 3130 and 3160 heads and 3405 tripod.

Item # BO3157A**9.95**

Quick Release Plate (3049)

Replacement plate with 1/4-20" thread. Fits #3039 and #3047 heads.

Item # BO3049**14.95**

Quick Release Plate (3048)

Same as #3049, with 3/8" Euro thread. Fits #3039 and #3047 heads.

Item # BO3048**14.95**

Quick Release Plate (3049H)

A plate with a form-fitted groove which allows the base-plate of a Hasselblad to mount securely. The camera will not rotate on the camera screw.

Item # BO3049H**22.50**

Quick Release Plate (3048H)

Same as above with a 3/8" screw.

Item # BO3048H**22.50**

Quick Release Plate (3041)

Same as #3049 plate with small slotted wedging 1/4-20" screw which can be tightened to bear against the camera base plate. Fits #3039 and #3047 heads.

Item # BO3041**14.95**

Quick Release Plate (3042)

Same as #3041 plate, with 3/8" Euro thread. Fits #3039 and #3047 heads.

Item # BO3042**14.95**

Quick Release Plate (3411)

Replacement plate with 1/4-20 thread. Fits #3410 head.

Item # BO3411**11.95**

Quick Release Plate (3412)


Same as #3411 with 3/8" Euro Thread. Fits #3410 head.

Item # BO3412**11.95**

Quick Release Plate (3297)

Replacement 4x4" plate with 1/4-20" thread. Fits #3057.

Item # BO3297**37.95**



BOGEN-MANFROTTO

GEAR HEADS AND BALL HEADS

Compact Gear Head

Compact Gear Head #410 (3275)
With Quick Release Plate #3271 (with 1/4-20" screw and 3/8" Euro thread). Especially designed for 35mm SLR and medium format cameras, this compact geared head uses easily adjustable knobs and offers precise geared movement in three directions: Pan 360°, Tilt +30° to -90°, and side-to-side +30° to -90°. This professional head has a large camera platform, a levelling bubble and a quick release plate with both 3/8" and 1/4-20" camera screws that travel in a 2" slot to facilitate balancing at the camera's center of gravity.
Item # BO3275.....136.95

Quick Release Mounting Plate (3271)
With 1/4-20" thread screw. Replacement for #3275.
Item # BO3271.....9.95


Deluxe Geared Head (3263)
With 13, 23 and 42mm high quick release plates. Designed especially for large and medium format cameras, offering the ultimate in precision 3-way geared adjustment and control. Exclusive self-locking fold-away cranks allow 360° pans, +30° and -90° tilts. The Deluxe Geared Head features a comfortable grip handle that lets you level ±7.5° side to side with a bubble level to aid in precise positioning. To help you mount your camera quickly, there are also three quick release plates, each with a different height, to accommodate all types of cameras.
Item # BO3263.....409.95

Tripod Spacer (3261)
Allows greater tilting for the Deluxe Gear Head.
Item # BO3261.....12.95

Quick Release Mounting Plate 13mm High (3264L)
Replacement for the Deluxe Geared Head (3263).
Item # BO3264L.....12.50

Quick Release Mounting Plate 44mm High (3264H)
Replacement for the Deluxe Geared Head (3263).
Item # BO3264H12.50

Quick Release Mounting Plate 23mm High (3264M)
Replacement for the Deluxe Geared Head (3263).
Item # BO3264M12.50



BOGEN PAM AND TILT HEAD SPECIFICATIONS


Model #	3025	3028	3029	3030	3039	3047	3410	3057	3275	3263
Weight	1.1 lbs. (500g)	1.25 lbs. (565g)	1.63 lbs. (735g)	2 lbs. (900g)	4.25 lbs. (1.9kg)	4.25 lbs. (1.9kg)	2.75 lbs. (1.24kg)	4.5 lbs. (2kg)	3.12 lbs. (1.4kg)	5.75 lbs. (2.6kg)
Height	4" (10cm)	4" (10cm)	5" (127cm)	5.25" (13.3cm)	6.25" (15.9cm)	7" (17.9cm)	5.25" (13.3cm)	5.4" (13.7cm)	5.1" (13cm)	6.1" (15.6cm)
Maximum Capacity	6.6 lbs. (3kg)	11 lbs. (5kg)	13.2 lbs. (6kg)	13.2 lbs. (6kg)	26.5 lbs. (12kg)	16.5 lbs. (7.5kg)	17.6 lbs. (8kg)	22 lbs. (10kg)	13.25 lbs. (6kg)	22 lbs. (10kg)

Subject to change without notice

Ball Heads

All ball heads fit any Bogen tripod, or any tripod with 3/8" Euro thread. Ball heads screw right on and can also be locked in with the three locking screws in the center post platform of the tripod base.

Mini Ball Head (3009)
Designed for lightweight cameras, the Mini Ball Head is an excellent accessory for monopods, Car Window Pod and Table Top Tripod.
Item # BO300921.95



Double Action Ball Joint Head (3026)
With Quick Release Plate #3027. Has separate quick-acting lock for panning and tilting functions. Camera can be positioned anywhere in a 180° sphere with confidence and ease.
Item # BO302628.95

Quick Release Mounting Plate (3027)
Replacement for #3026 head. With 1/4-20" thread.
Item # BO30278.50

Ball Heads continue on next page

BOGEN-MANFROTTO

BALL HEADS

Ball Heads, continued

Medium Ball Head (3262)

This versatile ball head has a special spring-loaded, retractable dual thread (both $\frac{1}{4}$ -20" and $\frac{3}{8}$ ") for either the camera or the tripod mount.

Lightweight, yet strong enough for 35mm and medium format cameras. Features single lever operation.

Item # BO3262.....28.95

Quick Release

Medium Ball Head (3262QR)

With Quick Release Plate #3266. Same as above, with quick release.

Item # BO3262QR.....39.95

Grip Action Ball Head (3265)

With $\frac{1}{4}$ -20" Quick Release Plate #3266. By gripping the handle, camera can be positioned anywhere within a 180° sphere. Features built-in bubble level and tension adjustment. Made of enameled cast metal, $8\frac{1}{4}$ " high, weighs 1 lb. 14 oz. Capacity 6 lbs.

Item # BO3265.....63.95

Super Ball Head (3038)

With $\frac{1}{4}$ -20" Quick Release Plate #3049 and $\frac{3}{8}$ " Euro thread. This is Bogen's top-of-the-line ball head. Superbly designed for cameras as heavy as 26 lbs., it is a finely machined, very smooth operating head that features bubble levels for both axes, a 360° scale in 5° increments, tension control and pan action levers that ratchet out of the way. A locking lever sets the head as solidly and firmly as you will ever need, and for added safety and convenience, it also has a quick release plate with Safety Lock and both $\frac{1}{4}$ -20" and $\frac{3}{8}$ " camera screws.

Item # BO3038143.95

Quick Release Mounting Plate (3049)

Replacement mounting plate with $\frac{1}{4}$ -20" thread. Fits the Super Ball Head (3038) and the Heavy Duty Double Action Ball Joint Head (3055).

Item # BO304914.95

Heavy Duty Double Action Ball Joint Head (3055)

With Quick Release Plate #3049. This ball head is similar to the #3026 ball head. Uses a larger hexagonal quick release plate for better support of larger camera bodies.

Item # BO3055.....39.95

Heavy Duty Single Action Ball Joint Head (3055S)

With Quick Release Plate #3049. This ball head features all movements of the #3055 without panorama movements.

Item # BO3055S.....34.95

Quick Release

Mounting Plate (3048)

Same as the Quick Release Mounting Plate (3049), with $\frac{3}{8}$ " Euro thread. Fits the Super Ball Head (3038) and the Heavy Duty Double action Ball Joint Head (3055).

Item # BO3048.....14.95

Quick Release

Mounting Plate (3266)

With $\frac{1}{4}$ -20" thread. Replacement plate for the Quick Release Medium Ball Head (3262QR) and Grip Action Ball Head (3265). Works together with 35mm and standard thread-mounted medium format cameras.

Item # BO3266.....9.95

Quick Release

Mounting Plate (3266A)

Same as the Quick Release Mounting Plate (3266), with $\frac{3}{8}$ " Euro thread. Fits the Quick Release Medium Ball Head (3262QR) and Grip Action Ball Head (3265). Works with Euro thread medium format and large format cameras.

Item # BO3266A9.95



Heavy Duty Double Action Ball Joint Head (3055)

Grip Action Ball Head (3265)



Medium Ball Head (3262)



Quick Release Medium Ball Head (3262QR)



Super Ball Head (3038)

BOGEN - MANFROTTO

TRIPODS AND HEADS

Ball Heads, *continued*

BOGEN BALL HEADS SPECIFICATIONS

Model #	3009	3026	3055	3262	3262QR	3265	3038
Weight	.25 lbs. (113g)	1.4 lbs. (624g)	1.9 lbs. (850g)	1 lb. (450g)	1.1 lbs. (500g)	2 lbs. (907g)	3.75 lbs. (1.7kg)
Height	2.75" (7cm)	5" (12.7cm)	5.5" (14cm)	4.25" (10.8cm)	4.3" (11cm)	8.25" (21cm)	6.75" (17.1cm)
Maximum Capacity	4.4 lbs. (2kg)	8.8 lbs. (4kg)	8.8 lbs. (4kg)	8.8 lbs. (4kg)	8.8 lbs. (4kg)	5.5 lbs. (2.5kg)	26.5 lbs. (12kg)

Subject to change without notice

TRIPOD AND HEAD COMBINATIONS

TRIPOD with	#3025 Head	#3028 Head	#3029 Head	#3030 Head	#3047 Head	#3265 Head
3001 Tripod	B030013025 80.89	B030013028 90.89	B030013029 99.89	B030013030 105.89	B030013047 120.89	B030013265 124.89
3205 Tripod	B03001B3025 93.79	B03001B3028 103.79	B03001B3029 112.79	B03001B3030 118.79	B03001B3047 133.79	B03001B3265 137.79
3011 Tripod	B030113025 93.89	B030113028 103.89	B030113029 112.89	B030113030 118.89	B030113047 133.89	B030113265 137.89
3211 Tripod	B03011B3025 106.79	B03011B3028 116.79	B03011B3029 125.79	B03011B3030 131.79	B03011B3047 146.79	B03011B3265 150.79
3021 Tripod	B030213025 115.89	B030213028 125.89	B030213029 133.89	B030213030 140.89	B030213047 155.89	B030213265 159.89
3221 Tripod	B03021B3025 128.79	B03021B3028 138.79	B03021B3029 146.79	B03021B3030 153.79	B03021B3047 168.79	B03021B3265 172.79
3033 Tripod	B030333025 164.89	B030333028 174.89	B030333029 184.89	B030333030 189.89	B030333047 204.89	B030333265 208.89
3233 Tripod	B03033B3025 177.79	B03033B3028 187.79	B03033B3029 197.79	B03033B3030 202.79	B03033B3047 217.79	B03033B3265 221.79
3036 Tripod	B030363025 179.89	B030363028 189.89	B030363029 199.89	B030363030 204.89	B030363047 219.89	B030363265 223.89
3236 Tripod	B03036B3025 192.79	B03036B3028 202.79	B03036B3029 212.79	B03036B3030 217.79	B03036B3047 232.79	B03036B3265 236.79
3046 Tripod	B030463025 159.89	B030463028 169.89	B030463029 179.89	B030463030 184.89	B030463047 199.89	B030463265 203.89
3246 Tripod	B03046B3025 172.79	B03046B3028 182.79	B03046B3029 192.79	B03046B3030 197.79	B03046B3047 212.79	B03046B3265 216.79
3051 Tripod	B030513025 206.89	B030513028 216.89	B030513029 226.89	B030513030 231.89	B030513047 246.89	B030513265 250.89
3251 Tripod	B03051B3025 219.79	B03051B3028 229.79	B03051B3029 239.79	B03051B3030 234.79	B03051B3047 259.79	B03051B3265 263.79


Different combinations can be made up by checking specifications on maximum capacity.

BOGEN-MANFROTTO

MONOPODS

Monopods

All Bogen - Manfrotto monopods include a carrying strap.



Assorted
Bogen Monopods

MONOPOD AND HEAD COMBINATIONS

Monopod Heads with	#3025 Head	#3232 Head
#3016 Monopod	BO30163025 47.89	BO30163232 39.89
#3216 Monopod	BO3016B3025 54.79	BO3016B3232 46.85
#3018 Monopod	BO30183025 54.89	BO30183232 46.89
#3218 Monopod	BO3018B3025 61.79	BO3018B3232 53.79
#3230 Monopod	BO32303025 78.89	BO32303232 72.89
#3231 Monopod	BO3230B3025 85.85	BO3230B3232 79.85

Lightweight

4-Section Monopod (3006)

With clip type levers. Can be used to a maximum height of 61" (155cm). Folds to 19.5 in (50cm) and weighs only 14 oz. (390g).

Item # BO3006**24.95**

3-Section Monopod (3016)

With flip lock levers. Can be used to a maximum height of 59" (150cm). Folds to 23" (58cm) and weighs only 1 lb.

Item # BO3016**27.95**

3-Section Monopod Black (3216)

Same as #3016, in black finish.

Item # BO3016B**34.90**

Professional Monopod (3018)

A 3-section monopod featuring flip lock levers. Can be used to a maximum height of 65" (165cm). Folds to 27" (69cm) and weighs 1.8 lbs. (822g).

Item # BO3018**34.95**

Professional Monopod Black (3218)

Same as #3018, in black finish.

Item # BO3018B**41.90**

Professional Monopod (3230)

With detachable legs. A 3-section monopod, similar to model #3018, with legs to keep monopod steady. This monopod can be used to a maximum height of 67.5" (171cm), with a minimum height of 26.8" (68cm). It weighs just 2.3 lbs. (1038g).

Item # BO3230**58.95**

Professional

Monopod Black (3231)

Same as #3230, in black finish.

Item # BO3230B**65.90**

Compact Monopod (3249)

4-section monopod, featuring flip lock levers. Maximum height of 60" (165cm). Folds down to a compact 20" (51cm) and weighs only 1.7 lbs (765g).

Item # BO3249**35.95**

Compact Monopod Black (3249B)

Same as #3249, in black finish.

Item # BO3249B**42.90**

Automatic Monopod Black (3245)

3-section monopod. Bottom is extended by screwing in leg. Upper section features a grip-action release that allows the top section to be adjusted 19" up or down automatically by squeezing and releasing the grip-action handle. Perfect for quick-action shots. Maximum height 65.5" (166cm), and a minimum height of 26.5". Weighs 1.6 lbs. (710g).

Item # BO3245**59.95**

Monopod Heads

3-D Head (3025)

Separately locked movements on three axes make this head perfect for 35mm cameras, and the conical self-adjusting bearing surfaces on the tilt pivots provide more than enough strength to support medium format cameras. Thumb screw movement locks will not poke you in the eye.

Item # BO3025**19.95**

Swivel Tilt Head (3232)


Features a one axis movement which allows the camera to be tilted up or down, or to be set up for a vertical shot. Includes a reversible 1/4-20" and 3/8" camera screw. Height is 2.2" (5.7cm), weight 7.4 oz. (210g).

Item # BO3232**12.95**

Q.R. Swivel Tilt Head (3229)

Same as above, with #3266 1/4-20" quick release plate for removing camera quickly. Has a height of 2.4" (6cm). Weighs 9 oz. (254g).

Item # BO3229**24.95**



Quick Release Mounting Plate (3266)

Replacement plate with 1/4-20" thread. Fits #3229 head.

Item # BO3266**9.95**

We Exhibit at National and Regional Shows/Conventions

BOGEN - MANFROTTO

ACCESSORIES

Tripod Dollies

Portable Dolly (3127)

Designed for all Bogen tripods, and for tripods with a 20" radius. 3" wheels have a sure-lock feature that raises casters free off the ground so that the dolly rests on separate feet. Folds to a compact 22½" (57cm) and weighs 5.25 lbs. (2.4kg). Black finish.

Item # BO3127.....77.95

Variable

Leg Spread Dolly (3137)

This dolly has a special feature that allows adjustment of the radius from a maximum of 20" (51cm) to as little as 12.5" (32cm). For use with all Bogen tripods and tripods with a radius of up to 20". Has 2" casters, folds down to 15" (38cm) and weighs 5.9 lbs. (2.7kg). Black finish.

Item # BO3137.....91.95

Heavy Duty Dolly (3067)

Designed for use with the Universal and Heavy-Duty tripods. Individually braked 5" wheels and a unique leg locking system make it extremely stable. Easy to assemble and disassemble for transporting. Tripod legs are captured in a 38" (97cm) diameter circle and doorway clearance needed for the fully assembled dolly is only 39½" (100cm). Folds to 26" (66cm) and weighs 15.4 lbs. (7cm). Black finish.

Item # BO3067184.95

Auto Dolly (3056)

Features a one-touch central pedestal which can lock or release all three wheels. When the pedal is lifted, cam action raises the wheels free off the ground, and the weight of the dolly and tripod rest on separate feet. Has 2" Shephard casters. Accepts tripods with 19" (48cm) radius. Disassembles easily into three pieces, the largest being 28" (579cm). Dolly weighs 6.4 lbs. (2.9kg). Black finish.

Item # BO3056.....87.95

Folding Auto Dolly (3156)


Has same central pedal locking feature as model #3056. Has 3" Shephard caster wheels. Accepts tripods with 20" (50cm) radius. Dolly folds to 27" (69cm) and weighs 10.6 lbs. (4.8kg). Aluminum finish.

Item # BO3156124.95

Folding Auto Dolly Black (3254)

Same as above, in black finish.

Item # BO3254132.95



Tripod/Monopod Accessories

Table Top
Tripod
(3007)



Table Top Tripod (3007)

Made of rugged, heavy-duty aluminum, the Table Top Tripod folds down small enough to slip into your pocket. Features sturdy legs with sure-grip tips for stability.

Item # BO3007.....12.95

Table Top Tripod with Mini Ball Head (3008)

Same as #3007, with Mini Ball Head #3009.

Item # BO300833.95

Extension for Table Top Tripod (3007X)

Extends tripod from 6" to 10".

Item # BO3007X.....18.50

Car Window Pod (3292)

Clamps onto car window.

Item # BO329221.95

Car Window Pod with Mini Ball Head (3293)

Same as above, with Mini Ball Head #3009.

Item # BO329339.95




Car Window Pod with
Mini Ball Head (3293)

Table Mount Camera Support (3276)

Made for horizontal surfaces. Can also be used to hold surveillance cameras. Complete with Swivel Tilt Head #3232.

Item # BO327639.95

Table Mount
Camera
Support
(3276)



THE PROFESSIONAL'S SOURCE (212) 444-6630 • FAX: (212) 239-7770

1 • 8 0 0 • 9 4 7 • 6 6 5 0

BOGEN-MANFROTTO

ACCESSORIES

Tripod/Monopod Accessories, continued

Wall Mount

Camera Support (3277)

A bracket extending 9" (23cm) from wall. Used to hold surveillance cameras, etc. Complete with Swivel Tilt Head #3232.

Item # BO3277**37.95**

Table Mount Geared Column with Clamp (3253)

This versatile Table Mount Geared Column has 24" (61cm) and 1½" (3.8cm) jaws that can be clamped to any handy table, ladder or shelf to serve as a steady object on which to mount camera. It fastens securely. Its geared column allows for exact adjustments.

Item # BO3253**138.95**

All Weather Shoes (3255)

Set of 3. 5.5" diameter (14cm). Snap these all-weather shoes onto your tripod legs and be set for snow, sand or other irregular surfaces. Shoes attach easily and provide the stability needed.

Item # BO3255**17.95**

Spiked Foot Adapter (3256)

Set of 3 spiked foot adapters. Digs in to prevent the tripod from shifting on gravel, rocks, dirt, grass and more. For 3001, 3011 and 3021 series tripods, and 3016 and 3216 monopods.

Item # BO3256**14.95**

Surveyor's Spiked Foot (3257)


For all Bogen monopods, with the exception of those with detachable legs. This model allows the monopod to be firmly implanted in the ground.

Item # BO3257**15.95**

Shoes for Spiked Feet (3139)

Set of 3. Fits onto tripods with spiked feet when using indoors or in studio.

Item # BO3139**17.50**



Elbow Bracket (3288)

With 1/4-20 thread. Allows quick mounting of the camera in either vertical or horizontal plane. Also for photographers who wish to use Quick Time Virtual Reality.

Works in conjunction with the 3047, 3039, 3055, 3038, 3063 heads and 3415 QTVR Kit.

Item # BO3288**47.95**

Elbow Bracket (3288A)

Same as Elbow Bracket 3288 with ⅜" thread.

Item # BO3288A**47.95**

Side Arm (3059)

Mounts on the center post of tripods with ⅜" thread. Double-sided (¼-20" on one side, ⅜" on other), enabling cameras to be mounted on either or both ends. This allows photographers to shoot at a 90° angle without getting the legs in the picture. 23.5" (60cm) in length and weighs 2 lbs. (900g). Aluminum color.

Item # BO3059**37.95**

Side Arm (3059B)

Same as above in black color.

Item # BO3059B**39.95**

Double Head Support (3153)

Same as above, plus two adjustable head platforms with ⅜" thread. 23.5" (60cm) in length and weighs 3.5 lbs. (1.59kg). Aluminum color.

Item # BO3153**56.95**

Double Head Support (3153B)

Same as above in black color.

Item # BO3153B**59.50**

Double Camera Support Platform (3269)

With ¼-20" and ⅜" screws. Designed to fit any tripod head. Has ⅜" female socket. Holds two cameras ¼-20" or ⅜". Length 11" (28cm), weight 20 oz. (562g).

Item # BO3269**47.95**

BOGEN - MANFROTTO

ACCESSORIES

Tripod/Monopod Accessories, *continued*

Bogen Manfrotto has designed a range of heads for panoramic picture taking. These can be turned into Virtual Reality images using computer software developed by Apple called "Quick Time™ Virtual Reality".

This software, together with a new generation of easy to use and affordable Virtual Reality software such as PictureWorks Spin™, Panonimations Nodester™, RealVR and Surround Video, provide a professional solution for anyone interested in adding digital VR panoramic images to their WEB site and/or multimedia applications. There are three important requirements to achieve good panoramic sequenced shots:

1. To level the panoramic rotation plane.
2. The ability to choose the repeatable angle of rotation between each shot.
3. Easy positioning of the camera lens optical centre above the rotation point (Nodal Point).

Panoramic Head #300 (3414)

Allows the aperture to set the angle of rotation between each shot or the number of shots spanning 360° rotation using the engraved, graduated scale markings for reference. The head can be used for precise sequential and constant angle shots or simply for panning and reading the angle of rotation. The camera can be mounted directly to the Panoramic head (use adapter #120 (3054), not included, for 1/4" fitting) or on conventional Ball or 3D head which in turn is mounted on the Panoramic head. It features upper dual graduated scale to set the angle of rotation from 0° to 90° or the number of shots (from 4 to 36) spanning 360°; lower graduated scale from 0° to 360°. Accepts maximum weight of 30.8 lbs. (14kg). 2" tall and weighs 1.1 lbs. (.51kg).

Item # BO3414.....**108.50**

Levelling Base Head #338 (3416)

Make fine, finger tip adjustments of + - 4° to ensure the camera is perfectly level. There is a built-in spirit level for reference and the base has a 3/8" female thread to mount on a tripod or any other support. The camera head mounting is via a 3/8" male screw. Features spirit level with sensitivity of 0.5°, three-thumb rings for fine level adjustment and three grub screw located on top plate of base to lock camera head firmly. Accepts weight up to 33 lbs. (15kg), is 1.6" tall and weighs 1.2 lbs. (.53kg).

Item # BO3416.....**74.50**

Quick Time VR Manual Kit #302 (3415)

Designed for Quick Time Virtual Reality technology which allows virtual scenes to be created by computer from panoramic digital or digitized images that are simply stitched together. Suitable for most 35mm SLR and digital still cameras using wide angle lenses. The kit is built with a 338 Levelling Base, the 300 Panoramic Head and brackets to ensure the optical center of the lens is above the point of rotation to avoid parallax errors and ensure perfect QTVR production. Features Double Sliding Plate for "Needlepoint" adjustment, convenient camera fixing via Quick Release "Elbow Bracket" with 1/4" and 3/8" male screw, spirit level fine adjustment and graduated scale to set angle of rotation from 0° to 90° or the number of shots (4 to 36) spanning 360°. Accepts weight up to 11 lbs. (5kg), is 13.4" (34cm) tall and weighs 5 lbs. (2.25kg). With #3288 Elbow Bracket.

Item # BO3415.....**249.95**

Angoshot #372 Motorized System

Same as above.

Item #**T.B.A.**

Panoramic Head #300
(3414)



Levelling Base Head #338
(3416)

Quick Time VR
Manual Kit
#302 (3415)



BOGEN-MANFROTTO

ACCESSORIES

Tripod/Monopod Accessories, continued

Suction Grip Socket (3294)

Adheres to any flat non-porous surface with a 5.8" (15cm) suction cup. Accepts 5/8" stands, studs, etc. Features a ball-joint socket which rotates within a half hemisphere. Great for holding lights, cameras, scrims, gobos, magic arms or articulated arms. Weighs 42 oz. (1186g).
Item # BO3294**56.50**

Suction Grip with Camera Support (3289)

Same as above, featuring a camera support and an adjustable pole for additional support and stability.
Item # BO3289**94.95**

Macro Flash Bracket (3278)

Allows positioning of two shoemount flashes for macro shooting with the camera in a vertical or horizontal position. Extends to 21.5" (54.5cm). Folds to 9" (22.5cm) and weighs 12.7 oz. (360g).
Item # BO3278**44.95**

Nikon Flash Adapter (3298)

Item # BO3298**4.95**

Telephoto Lens Support (3420)

With quick release. Designed to mount both the camera and a medium sized telephoto lens onto a tripod and head. Bracket length is adjustable, from 7" to 11" to take different length and diameter lenses and weighs 1.45lbs. (.65kg).
Item # BO3420**49.95**

Quick Release Plate (3266)

Replacement for above.
Item # BO3266**9.95**

Heavy Duty Telephoto Lens Support (3421)

With quick release. This swivel/gimbal design incorporates the Pro Quick Release Adapter Assembly with sliding plate (3273), allowing you to control the balance and positioning of long lenses. Measures 8 1/2" x 7 1/2" and weighs 2.6 lbs. (1.2kg).
Item # BO3421**114.95**

Quick Release Mounting Plate (3272)

Replacement for above.
Item # BO3272**19.50**

Monopod Support (3422)

Fits on any monopod and converts the monopod into a tripod for long exposures. Mounts onto the top of the monopod and comes complete with the Mini Ball Head.
Item # BO3422**39.95**

Extension Leg Set (3052)

Set of 3. Extends both the #3046 and #3051 tripods by 19" (48cm).
Item # BO3052**38.95**

Lightweight Tripod Spreader (3155)


The quick and easy way to add stability. Its minimum radius is 16" (40.6cm). Its maximum spread radius is 25 1/2" (64.8cm). It weighs only 24 oz. (678g).
Item # BO3155**34.95**

Lightweight Tripod Spreader (3138)

Same as Lightweight Tripod Spreader (3155), for tripods with spiked feet. Weighs 25oz (720g).
Item # BO3138**44.95**

Roll-Pod (7000)

Provides photographers and videographers with the quickest way to move their tripod over virtually any terrain. A custom aluminum alloy frame with 16" ball bearing riveted spoke wheels. Can move camera bags, monitors, battery packs and other accessories. The Roll-Pod works with #3021, #3033, #3036, #3051 and #3058 photo series and #3061 and #3068 video series tripods. Specs are: Axle length 35" (89cm), leg clamp max ID 1.3" (32mm), handle clamp max ID 1.6" (40mm), load capacity 100 lbs. (45.7kg) and weighs 9 lbs. (4kg).
Item # BO7000**319.95**



All items are complete with all accessories as supplied by the manufacturer

BOGEN - MANFROTTO

ACCESSORIES, STRAPS AND BAGS

Tripod/Monopod Accessories, continued

Long Lens Support (3252)

This sturdy support attaches to the tripod with a Super Clamp (included) and telescopes to the tripod socket on the camera up to 26" (66cm) to prevent vibration. Camera sits on mini ball head (included). Weighs 24.4 oz. (692g).

Item # BO3252**36.95**

Projector Platform (3290)

The aluminum Projector Platform for projectors, speakers, etc., attaches to Bogen tripods or any tripod without head and 3/8" screw. Measures 9.75x13.75" (24.8x35cm) and weighs 2.3 lbs. (1kg).

Item # BO3290**24.95**

3-Section Center

Column Monopod (3259)

Fits all #3011, #3211 and #3021 and #3221 tripods. Allows you to remove the column from the tripod and use it as a 59" (150cm) monopod. When the Center Column Monopod is used with the #3021 or #3221, minimum height is increased. Extends from 20" to 57". Aluminum finish.

Item # BO3259**54.95**

Center Column

Monopod Black (3259B)

Same as above, in black finish.

Item # BO3259B**56.50**

Monopod

Shoulder Brace (3248)

Fits against shoulder to give extra support and greater stability to the monopod.

Item # BO3248**16.50**

Monopod Belt Pouch (3247)


Adds stability and allows use of monopod at less than full length for easy transport.

Item # BO3247**12.95**

Tripod Apron (3146)

Attaches easily to any Bogen tripod. Holds lenses, film, filters, etc.

Item # BO3146**20.95**



Long Lens Support (3252)

Monopod Shoulder Brace (3248)

Projector Platform (3290)

Monopod Belt Pouch (3247)

Padded Tripod Bag (3282)

Flanges and Plates



Converter Plate (3054)

Converter Plate (3054)

Allows any Bogen tripod or any tripod with 3/8" thread to accept cameras with 1/4-20" socket.

Item # BO3054**13.50**

Converter Plate (3154)

3/8" female thread on both sides. Allows any Bogen tripod or any tripod with 3/8" thread to accept male 3/8" thread. Also allows use of the Side Arm #3059 as a column extension.

Item # BO3154**14.95**

Adapter with Flange (3367)

Converts 1/4-20" to 3/8".

Item # BO3367**6.50**

Bags

Zippered with carrying strap. Handsome dark blue heavy-duty Cordura nylon.

Junior Tripod

Bag 23" [58cm] (3409)

Item # BO3409**19.95**

Tripod Bag 25" [63.5cm] (3279)

Item # BO3279**29.95**

Tripod Bag 35" [89cm] (3280)

Item # BO3280**36.95**

Tripod Bag 45" [114cm] (3281)

Item # BO3281**46.95**

Padded Tripod Bag (3282)

Extra large heavy duty padded back bag 46" (117cm) with a 9" (23cm) circumference. With carrying handle and shoulder strap.

Item # BO3282**69.95**

Padded Tripod Bag (3282S)

Same as above, but 33" (84cm) by 9" (23cm) diameter.

Item # BO3282S**59.95**

Straps

Lightweight Carrying Strap (3045)

With shoulder pad. Attaches to tripod via screw and loops around the legs for convenient carrying. 1" wide; adjusts to 57" (145cm).

Item # BO3045**12.95**

Heavy Duty Carrying Strap (3044)

With shoulder pad. Same as above. 2" wide strap.

Item # BO3044**19.95**

Lightweight Carrying Strap (3045)

Junior Strap (3408)

With shoulder pad. 1 1/2" wide.

Item # BO3408**12.50**



BOGEN-MANFROTTO

CASES AND PLATES

Quick Release and Mounting Plates

Compact Quick Release (3299)
With Quick Release Plate
#3266. Ideal for 35mm cameras.
Item # BO3299**24.95**

Low Profile Quick Release (3270)
With Quick Release Plate
#3271. Attaches to any head.
Provides quick release feature.
Threaded for $\frac{1}{4}$ -20" and $\frac{3}{8}$ ".
Item # BO3270**24.50**

Pro Quick Release Adapter with Slide Plate (3273)
With quick release 5.5x2" plate
#3272 and extra $\frac{3}{8}$ " screw. Base
is threaded for $\frac{1}{4}$ -20" and $\frac{3}{8}$ ".
Item # BO3273**31.95**

Quick Release Mounting System (3296)
With Pentagon Quick Release
Plate #3049 and extra $\frac{3}{8}$ " screw.
Base is threaded for $\frac{1}{4}$ -20"
and $\frac{3}{8}$ ".
Item # BO3296**30.95**

Universal Mounting Plate (3268)
With $\frac{1}{4}$ -20" and $\frac{3}{8}$ " screws. A
2.4 x 4.7" (6x12cm) mounting
plate. Fits all Bogen quick
release heads using Pentagonal
plates, such as #3038, #3039,
#3047 and #3055 heads.
Item # BO3268**23.95**

90° Alignment Mounting Plate (3267)
For architectural photography.
Assures perfect alignment in
the vertical position. Fits all
Bogen quick release heads
using Pentagonal plates, such
as #3038, #3039, #3047 and
#3055 heads.
Item # BO3267**18.95**

Anti-Theft Locking Plate (3295)
Designed for #3047, #3038,
#3039 and #3055 heads. Easy to
use. Simply remove the quick
release plate, replace with the
Anti-Theft Plate and attach
cable to stationary fixture.
Item # BO3295**54.95**


Hard Cases

Lockable tripod
cases made of
heavy-duty high-
density polyethyl-
ene with exception-
al impact resistance
outside, superior
cushioning inside.
Features aluminum
tongue and groove
closures, recessed
nickel-plated latches
and piano hinges.
Small case interior
measures 6x6x44"
(15x15x112cm) and
weighs 9.7 lbs. (4.4kg).
For #3033, #3036, #3046
and #3051 tripods with all heads, except #3066. Large case interior
measures 9.5x9.5x44" (24x24x112cm) and weighs 13.3 lbs. (6kg). For
#3062, #3065, #3194 and #3195 tripods.



Small Hard Case (3285)
Item # BO3285**139.95**

Large Hard Case (3286)
Item # BO3286**154.95**



BOGEN QUICK RELEASE MOUNTING PLATES

PLATE #	THREAD (")	FITS	ITEM #	PRICE
3027	$\frac{1}{4}$ -20	#3026	BO3027	8.50
3041	$\frac{1}{4}$ -20	#3038, #3039, #3047, #3055, #3296	BO3041	14.95
3042	$\frac{3}{8}$	#3038, #3039, #3047, #3055, #3296	BO3042	14.95
3048	$\frac{3}{8}$	#3038, #3039, #3047, #3055, #3296	BO3048	14.95
3049	$\frac{1}{4}$ -20	#3038, #3039, #3047, #3055, #3296	BO3049	14.95
3157	$\frac{1}{4}$ -20	#3405, #3030, #3130, #3160, #3063	BO3157	9.95
3157A	$\frac{3}{8}$	#3405, #3030, #3130, #3160, #3063	BO3157A	9.95
3264L	$\frac{1}{4}$ -20, $\frac{3}{8}$	#3263	BO3264L	12.50
3264M	$\frac{1}{4}$ -20, $\frac{3}{8}$	#3263	BO3264M	12.50
3264H	$\frac{1}{4}$ -20, $\frac{3}{8}$	#3263	BO3264H	12.50
3266	$\frac{1}{4}$ -20	#3229, #3262QR, #3265, #3299, #3420	BO3266	9.95
3266A	$\frac{3}{8}$	#3229, #3262QR, #3265, #3299, #3420	BO3266A	9.95
3267	$\frac{1}{4}$ -20	#3038, #3039, #3047, #3055, #3296	BO3267	18.95
3268	$\frac{1}{4}$ -20, $\frac{3}{8}$	#3038, #3039, #3047, #3055, #3296	BO3268	23.95
3271	$\frac{1}{4}$ -20	#3270, #3275	BO3271	9.95
3272	$\frac{1}{4}$ -20	#3273, #3421	BO3272	19.50
3297	$\frac{1}{4}$ -20	#3057	BO3297	37.95
3411	$\frac{1}{4}$ -20	#3410	BO3411	11.95
3412	$\frac{3}{8}$	#3410	BO3412	11.95

The new Cullman Tripod System was developed in Germany; combining modern technology and precision craftsmanship to produce a rugged tripod of minimal weight. They are distinguished by modern design, state-of-the-art concepts and functional engineering.

All Cullman tripods and accessories are covered by a 5 year warranty.



Universal
(54100)

Universal Tripods

Universal 2000 and 3000 Series

The 2000 and 3000 Series tripods are made of cobalt gray anodized aluminum finish, feature 3-section leg tripods, trapezoidal closed channel legs with maximum strength, minimum weight and quick release leg locks. A removable center column converts models 2800 and 3430 to monopods. The 3-way photo pan head comes with a quick release wide camera plate and a safety lock.

Universal 2200

Video Tripod (CU-2200)

With quick release plate. Geared column, 2-way fluid effect pan head for smooth rotation.

Item # CUU2200**96.50**

2800 Tripod (2800)

A 25mm diameter leg tripod with large 2 1/4 x 2 1/4" (60x60mm) quick release plate and removable center column. Ideal for 35mm cameras.

Item # CU2800**129.95**

Universal 3230

Photo Tripod (CU-3230)

With 3-way quick release photo head. Heavy 29mm trapezoidal legs, built-in handle with retractable shoulder strap geared crank with locking center column and bubble levels.

Item # CUU3230**129.95**

Universal 3401

Video Tripod (CU-3401)

With quick release head. Shares all of the 3230 series specifications plus. The center column can be instantly converted into a full height monopod with quick release head.

Item # CUU3401**164.95**

3430 Tripod (3430)

A 29mm diameter leg tripod with wide quick release plate and removable center column which can be converted into a 3-section monopod accepting 1/4-20" accessories, including removable fluid head. Monopod will extend to 44 1/2" (114cm).

Item # CU3430**148.95**

Universal

Macro Tripod (CU-3335)

Solid, stable tripod perfect for macro or table top photography. Center column is removable and reversible to facilitate extra low camera angles. Compact design when closed, yet reaches full height for normal tripod uses.

Item # CUUM**136.50**

Universal 3301

Macro/Ground Tripod (CU-3301)

With quick release head. This specially designed tripod has vari-position legs and can be opened to facilitate extremely low camera angles. Perfect for flowers, macro, repro photography. It can be used in normal position for "eye level" work. 2-section anodized leg segments include unique sliding/lock center column. Built-in carrying handle and retractable shoulder strap.

Item # CUU3301**178.50**



Universal
102 Tripod
(CU-54102)

2800 Tripod (2800)

Sturdy U-leg tripods. Ideal for photo, video or digital cameras. With 3-section trapezoidal legs with black anodized finish. Features crank column with air dampened brake system, center brace column support, built-in carry handle and rubber feet.

Universal 100 Tripod (CU-54100)

With quick release three way pan head. A 20mm diameter leg tripod with geared air cushion center column and built-on carrying handle. Ideal for compact cameras.

Item # CUU100**48.50**

Universal 101 Tripod (CU-54101)

With quick release three way pan head and ball joint rubber feet, a 25mm diameter leg tripod air cushioned geared center column and built-on carrying handle. Ideal for SLR's and video cameras.

Item # CUU101**54.50**

Universal 102 Tripod (CU-54102)

With heavy duty removable 3-way large pan head, 2.25 x 2.25" (60x60mm) quick release plate and ball joint rubber feet. A 28mm diameter leg tripod with air cushioned geared center column and built-on carrying handle. For medium weight photo and video cameras. Head is removable to fit other 1/4-20" accessories.

Item # CUU102**79.95**

Universal 1600 Tripod (CU-1600)

With quick release 3-way pan head. Features thick, 21mm, closed segment legs to keep out the elements.

Item # CUU1600**74.95**

UNIVERSAL TRIPOD SPECIFICATIONS

MODEL #	100	101	102	1600	2200	2800	3230	3401	3430	3335	3301
Load Capacity	7.7 lbs. (3.5kg)	7.7 lbs. (3.5kg)	8.8 lbs. (4kg)	6.6 lbs. (3kg)	7.7 lbs. (3.5kg)	7.7 lbs. (3.5kg)	7.7 lbs. (3.5kg)	7.7 lbs. (3.5kg)	7.7 lbs. (3.5kg)	7.7 lbs. (3.5kg)	7.7 lbs. (3.5kg)
Minimum Usable Height	22" (56.5cm)	22.6" (57.5cm)	26.2" (66.5cm)	23" (59cm)	23" (59cm)	23.2" (59cm)	24.8" (63cm)	24.4" (62cm)	24.3" (63cm)	0" (0cm)	15.7" (40cm)
Maximum Extension	61" (156cm)	60.6" (154cm)	64.6" (164cm)	58" (147cm)	60" (154cm)	58" (147cm)	60" (152cm)	59" (150cm)	59.5" (151cm)	59" (150cm)	60" (152cm)
Leg Sections	3	3	3	3	3	3	3	3	3	3	3
Center Column Sections	1	1	1	1	1	1	1	1	1	1	1
Folded Length	24" (60cm)	24" (61cm)	27.5" (70cm)	21" (53.3cm)	26" (67cm)	23" (58.4cm)	24" (61cm)	27" (69cm)	27" (69cm)	16" (40.6cm)	27" (69cm)
Weight	2.6 lbs. (1.2kg)	3 lbs. (1.4kg)	4.2 lbs. (1.9 kg)	27.5 oz. (780g)	3.2 lbs. (1.4kg)	4 lbs. (1.8kg)	5.25 lbs. (2.4kg)	5.25 lbs. (2.4kg)	5.25 lbs. (2.3kg)	5.6 lbs. (2.5kg)	5.6 lbs. (2.5kg)

Subject to change without notice

Touring Set - The Ultimate Outdoor Survival Set

This five-piece versatile kit will hold a still or video camera steady on virtually any surface in any situation. It contains a special compact combination tripod with ballhead, the basis of the Touring Set, a Universal Clamp, a Suction Pad, a 7" Ground Spike and a Wood Screw, which are all available separately.



Touring Kit
(1001)

Compact Combination Tripod with Ballhead (CU-1002)

The light weight and compact size of this tripod make it an ideal, take-anywhere tripod. The center-column and ball and socket head may be combined with any part of the set. Its load capacity is 6.6 lbs. (3kg), its minimum height 12.2" (31cm), and its maximum height 32.2" (82cm). It weighs only 19 oz. (540g).
Item # CUC**52.50**

Universal Clamp (CU-1004)

Allows secure mounting on any round, square or irregular surface with a diameter of up to 3.25" (8.5cm). The back of the clamp is lined with protective material, and may be used in combination with the ball and socket head and the correct column of the tripod. It weighs 12 oz. (340g).
Item # CUCU**39.95**

Suction Pad (CU-1003)

Reliable mounting to all slippery surfaces. Its maximum weight capacity is 22 lbs. (10kg) and it weighs 10 oz. (275g).
Item # CUSM**33.50**

Ground Spike (CU-1006)

This 7" (18cm) spike gives additional support. It weighs 3.2 oz. (90g).
Item # CUGS**16.95**

Wood-Screw (CU-1005)

For secure fixing to fences, logs, tree stumps, beams, etc. May be used in conjunction with the ball and socket head of the center column of the tripod. It weighs 2.5 oz. (70g).
Item # CUWS**16.95**

Touring Kit (1001)

Contains the Compact Combination Tripod with Ballhead, Universal Clamp, Suction Pad, Ground Spike, and Wood Screw.
Item # CUTS**136.50**

Magic Super Compact Tripods

The world's most compact full height tripods fold flat for easy storage. Made of light weight anodized aluminum, the Magic 2 and Video Magic tripods have the capability of also converting to monopods. Ideal for travelling.



Magic II Tripod (2722)

With quick release and removable ballhead. By removing one of the legs and center column it can be converted into a 25-45" (63-115cm) monopod which will accept 1/4-20" accessories, including supplied ballhead.
Item # CUM2**129.95**

Mini Magic Tripod (CU-2701)

A smaller sized magic tripod with the same unique "folding flat" design as the Magic II. Includes a sliding center column, with ball and socket head. Weighs only 1.5 lbs. Great for backpackers.
Item # CUMM**67.95**

Video Magic Tripod (CU-2732)

With quick release fluid effect head. Same features as the Magic II Tripod with a fluid head instead of a ballhead. It can also be used for photo cameras.
Item # CUVM**129.95**

MAGIC TRIPOD SPECIFICATIONS

MODEL #	MAGIC II	VIDEO MAGIC	MINI MAGIC
Load Capacity	7.7 lbs. (3.5kg)	7.7 lbs. (3.5kg)	6.6 lbs. (3kg)
Maximum Extension	57" (145cm)	57" (145cm)	21" (53.3cm)
Leg Sections	4	4	4
Center Column Sections	2	2	2
Folded Length	13.5 x 6 x 1.5" (34.5 x 15.3 x 3.8cm)	13.5 x 6 x 1.5" (34.5 x 15.3 x 3.8cm)	8.5 x 6 x 1.5" (21.2 x 15.3 x 3.8cm)
Weight	3 lbs. (1.4kg)	3.3 lbs. (1.5kg)	1.5 lbs. (680g)

Subject to change without notice

Titan Professional Legs

Professional tripods constructed of hollow trapezoidal legs. The advantage over an open profile leg is that these are far more resistant to twisting, yet still weigh less, while accepting a maximum load of 154 lbs. (70kg). Through the fixed pneumatic center column, the camera height is lowered by reducing the pressure. There is no possibility of the camera suddenly dropping down. The length of the legs can be quickly and easily extended with the aid of the wide snap locks on top of the tripod. The legs are sealed and waterproofed, allowing you to use them outdoors, in snow, water or sand, without fear of the elements. The lower leg has a 35mm diameter and the upper leg a 29mm diameter.



CT-110 Tripod
Leg (55110)

CT100Z with Air Dampened Center Column (CU-5100)

This heavy-duty professional grade tripod features 2 segment legs (29/35mm), extends to 69" (175cm) and includes an exclusive air brake center column. The camera rides on air pressure, easy to position and lower with the touch of one button. (No head.)

Item # CUCT100Z259.95

CT100Z Tripod with QR Head (CU-55903)

This Titan tripod features a sliding/locking center column, which can be reversed for low camera angles. It includes a three-way quick-release ball head (CT22).

Item # CUCT100ZQR.....397.50

CT200Z Tripod with Geared Center Column (CU-5200)

The CT200Z Tripod features a permanently fitted helically geared column. The precision gearing functions as an automatic column brake. The camera can be positioned at either end of column to facilitate low camera angles.

Item # CUCT200Z.....342.50

CT300 Studio Tripod without Head or Column (CU-5300)

The Titan CT300 Studio Tripod features even heavier and thicker 35/42mm leg segments, with a 25° leg spread. The tripod is supplied without a head or column.

Item # CUCT300.....299.95

CT400 Tripod - Macro/Grounder (CU-5400)

Similar to the CT300, the CT400 has extra large diameter trapezoidal legs. Low level shots are simple to achieve since the vari-position legs can be used in three stages, 35°, 45° and 55°. Includes center helically geared column for precise camera positioning.

Item # CUCT400.....399.95

Optional Accessories

CT75 Heavy-Duty Tripod Dolly (CU-5075)

Tripod dolly for use with all Titan tripods. Locking "easy roll" wheels.

Item # CUD348.95

CT60 Macro Insert (CU-CT60)

Item # CUMIT.....148.95

CT64 Extra Long 31" Crank Column Insert

Item # CUCCIT198.95

CT67 Ground Spikes

Set of three.

Item # CUGSST36.95

CT77 Large Camera Platform w/Fine Adjustment

Item # CUQRPT67.95

TITAN TRIPOD SPECIFICATIONS

MODEL #	CT100Z	CT200Z	CT300Z	CT400
Load Capacity	154 lbs. (70kg)	154 lbs. (70kg)	154 lbs. (70kg)	154 lbs. (70kg)
Minimum Usable Height	28.7" (73cm)	28.7" (73cm)	37.8" (96cm)	21.6" (55cm)
Maximum Extension	63.4" (161cm)	63.4" (161cm)	59" (150cm)	55" (140cm)
Leg Sections	2	2	2	2
Center Column Sections	1	1	1	1
Weight	8.6 lbs. (3.9kg)	8.6 lbs. (3.9kg)	8.2 lbs. (3.7kg)	10.2 lbs. (4.6kg)


Subject to change without notice

CULLMAN

ACCESSORIES

Ballheads

Ballhead
Medium
(CU-904)



Suitable for mounting on any tripod or 1/4" threaded screw mount. All models tilt 90°. Made of hardened steel for maximum strength and durability.

Ballhead Small (CU-903)
1" diameter, 2.8" height (70mm) and weighs 5.3oz (150g).
Item # CUBHS.....**29.50**

Ballhead Medium (CU-904)
1 1/2" diameter, 3.2" height (80mm) and weighs 8.2oz (230g).
Item # CUBHM.....**44.50**

Ballhead Large (CU-905)
2" diameter, 3.5" height (90mm). Weighs 13.4oz (380g).
Item # CUBHL.....**68.50**

Mini Tripods

Piccolo - 1997 Design Award Winner (CU-50001)
The Piccolo is smaller than a pack of cigarettes, yet has three-way adjustable head with 5-section legs. It weighs only 3 ounces. Includes case. Blister packed.
Item # CUP.....**18.95**

TravelPod (CU-3090)
The TravelPod is a combined shoulder/table top tripod with a unique folding shoulder stabilizer, 2-way video head with quick coupling. It is ideal for use with both cameras and binoculars.
Item # CUTP.....**44.50**

MultiPod (CU-3080)
The MultiPod is a multi-faceted mounting system. It is great for video filming in auto, ship trains or even from a small plane. Sure grip rubber feet and suction cup mounting possible. Unique.
Item # CUMP.....**59.95**

Jet Set Lightweight Tripods

Jet Set Tripod (CU-52013)
Cullman's lightweight travelling tripod. Weighs only 1.5 lbs. (750g). Locking, sliding center column with 3-way pan head. Each tripod comes complete with a carry case for fast easy transport. 4-section round legs for stability. Height is 17" (43cm) closed, 51" (130cm) extended.
Item # CUJS.....**45.95**

Jet Set 15 Tripod (CU-52015)
Similar to the original Jet Set, but includes sturdier 3-section legs with crank column and column support. Taller, extends to 56". Includes 3-way quick release head. Carry case included for easy transport.
Item # CUJS15.....**59.95**



Miscellaneous Accessories

Quick Release Platform (CU-70)
Converts any brand tripod, monopod or camera bracket to Cullman's quick release system. Supplied with 1/4" camera plate. 1/4" threaded bottom.
Item # CUQR.....**32.50**

CU-78 Spirit Level
Designed for leveling cameras and tripods. Provides horizontal and vertical leveling. Fits standard accessory shoe. 1/4" threaded bottom.
Item # CUSK.....**7.95**

Camera Plate 1/4" Standard (CU-81)
Item # CUQRP.25.....**12.95**

Camera Plate 1/4" with Stabilizer Bar (CU-83)
Item # CUQRP.25SB.....**13.95**

Camera Plate 3/8" Standard (CU-82)
Item # CUQRP38.....**12.95**

Camera Plate 3/8" with Stabilizer Bar (CU-85)
Item # CUQRP38S.....**13.95**

Camera Plate 1/4" with Video Pin (CU-3011)
Fits 2000 and 3000 Series tripods.
Item # CUQRP.25VP.....**16.50**

Camera Plate (CU-3012)
Same as above with stabilizer bar.
Item # CUQRP.25S.....**16.50**

MONOPODS

4-Section Deluxe Monopod (1747)
A most unique monopod! Includes 2-way removable fluid effect pan head with quick release camera plate. 62" (158cm) maximum height. 21" (54cm) collapsed height. Unique built-in tri-support legs are concealed inside the bottom leg for leaning monopod on its own weight. Weighs 28.5 oz. (810g).
Item # CUMPD.....**67.95**

CT-304 Titan Monopod (CU-55304)
Built the same way as the Titan tripods. 29mm bottom leg and 35mm top leg. Weighs 4 lbs. (1.8kg) and extends to 61" (155cm).
Item # CUMPCT304.....**174.50**

Magic Monopod (CU-2741)
Lightweight monopod takes up less space than an umbrella. Five segment leg locks with one twist. fast. Anodized finish for reflection-free shooting. Great for video or photo use. 1/4" threaded connecting stud on top. Closes to only 16" (41cm), extends to 56" (142cm), and weighs only 12 oz. (340g).
Item # CUMPM.....**39.95**



Gitzo tripods, monopods, heads and accessories are acknowledged by professionals all over the world to have set the industry's standard of excellence. The finest and strongest metal alloys are used in the manufacture of Gitzo products. Each tripod has been especially designed to withstand a maximum weight of equipment. This weight is determined by the diameter of the upper tripod leg. The first number in a 3-digit number, or the second number in a 4-digit number refers to the tripod upper leg and will also help in choosing the proper tripod head. For example, a discontinued G-375 or a current G-1376 head will match a G-320 tripod leg; while a G-1275 head will match a discontinued G-224 or a current G-1228 tripod leg.

Gitzo tripods are superbly engineered to withstand the most robust handling. High strength light alloy tubes resist twist and stress to provide absolute stability. Fine-tolerance telescopic legs ensure smooth silent gliding action every time. And all Gitzo tripods are easily assembled and maintained, while fiber clamping bushes will protect the metal surfaces against damage and wear.



SPECIFICATIONS

SERIES	SERIES REFERENCE	UPPER LEG SIZE Ø
Table	00	5/8" (16mm)
Weekend	0	3/4" (20mm)
Sport	1	7/8" (24mm)
Reporter	2	1-1/8" (28mm)
Studex, Inter Pro Studex	3	1-1/4" (32mm)
Pro Studex	4	1-1/2" (38mm)
Tele Studex	5	1-5/8" (42mm)

The Gitzo range of carbon fiber tripods and light-weight aluminum tripods are designed for every application in studio or location. The **Mountaineer** carbon fiber tripods are up to 30% lighter than traditional aluminum versions, while retaining strength and torsional rigidity. Ideal for the photographer or videographer on the move. The **Classic** line used by professionals around the world is engineered from the finest high-strength aluminum and hand-crafted to provide uncompromised support.

Tripod Legs

Gitzo makes two style tripods – Standard Tripods, and Performance Tripods. The leg of the Standard style tripod spreads to 24°, while the Performance style tripod has a variable leg spread of 24° and 60° on the series 0, 1, 2 and Studex Series 3. The Inter Pro Studex Series 3, Pro Studex Series 4 and the Tele Studex Series 5 have an additional leg spread of 80°. Most Gitzo tripods include a Sliding Rapid Reversible center column, or a Geared column. All columns and heads are fitted with 1/4" reversible to 3/8" screw.

SERIES 00

Table Tripod (G0011)

A very popular table or mini tripod offering maximum rigidity for compact cameras. Features effortless double lift rapid center column and can be used as a firm wall brace. Extremely portable, it fits into the smallest of accessory bags.

Item # GIG0011 **84.95**

SERIES 0

Compact and sturdy tripods for 35mm and small camcorders.

Weekend

Standard Tripod (G01)

With one section rapid column.

Item # GIG01 **123.95**

Weekend Compact

Performance Tripod (G026)

With two section rapid column.

Item # GIG026 **196.95**

Tripod Legs, continued

SERIES 1

Suitable for 35mm cameras, lightweight medium format and video cameras. Available with a fixed leg spread in the Standard series, or a variable leg spread in a Performance series.

Sport Standard Tripod (G101)
With one section rapid column.
Item # GIG101**144.95**


Sport Standard Totalux Tripod (G106)
With two section rapid column.
Item # GIG106**149.95**

Sport Performance Tripod (G120)
With two section rapid column.
Item # GIG120**194.95**

Sport Performance Totalux Tripod (G126)
With two section rapid column.
Item # GIG126**194.95**

Sport Performance Tripod (G112)
With geared column.
Item # GIG112**247.95**

Sport Performance Tripod (G118)
With short geared column.
Item # GIG118**259.95**




SPECIFICATIONS SERIES 00, 0, 1 TRIPODS

MODEL #	G0011	G01	G026	G101	G106	G120	G126	G112	G118
Load Capacity	6.5 lbs. (3kg)	5.5 lbs. (2.5kg)	5.5 lbs. (2.5kg)	10 lbs. (4.5kg)	10 lbs. (4.5kg)	10 lbs. (4.5kg)	10 lbs. (4.5kg)	10 lbs. (4.5kg)	10 lbs. (4.5kg)
Maximum Extension	18.6" (47cm)	48.5" (123cm)	54.5" (138cm)	54.5" (138cm)	52.1" (132cm)	58.3" (148cm)	53.8" (137cm)	56.5" (144cm)	51.1" (130cm)
Minimum Usable Height *	6.6" (16.8cm)	16" (40cm)	11.3" (30cm)	17.8" (45cm)	12.6" (32cm)	11.4" (29cm)	12" (30cm)	11.3" (30cm)	11" (28cm)
Leg Sections	2	3	4	3	4	3	4	3	3
Center Column Section	2	1	2	1	2	2	2	1	1
Folded Length	8.5" (22cm)	17.3" (94cm)	15" (38cm)	19.5" (50cm)	13.6" (35cm)	20.6" (52cm)	15" (38cm)	21.3" (54cm)	21.6" (55cm)
Weight	.75 lbs. (340g)	2 lbs. (900g)	2.2 lbs. (1kg)	3 lbs. (1.4kg)	2.8 lbs. (1.2kg)	3.3 lbs. (1.5kg)	3 lbs. (1.4kg)	3.8 lbs. (1.7kg)	3.5 lbs. (1.6kg)

* Minimum capacity height is with camera on top of tripod. By reversing center column, the tripod can be used even lower.

SERIES 2

Suitable for heavy 35mm, 2 1/4" (6x6) cameras and light field cameras.



Reporter Standard Tripod (G201)
With one section rapid column.
Item # GIG201**152.95**

Reporter Performance Tripod (G220)
With two section rapid column.
Item # GIG220**219.95**

Reporter Performance Monotripod (G1222)
With two section rapid column. Features a removable leg which can be used as a 4-section monopod extended to 63.8" (162cm) and closes to 21.3" (54cm).
Item # GIG1222**349.95**

Reporter Industrial Performance Tripod (G224)
With two section rapid column.
Item # GIG224**229.95**

Reporter Compact Performance Tripod (G226)
With two section rapid column.
Item # GIG226**239.95**

Reporter Performance Tripod (G212)
With geared column.
Item # GIG212**297.95**

Reporter Performance Tripod (G218)
With short geared column.
Item # GIG218**309.95**

Reporter Performance Tripod (G228)
Lightweight. With geared column.
Item # GIG228**399.95**

Mountaineer Performance Carbon Fiber Tripod (G1227)
With rapid center column. Carbon fiber is 30% lighter than equivalent aluminum tripods, yet maintains rigidity.
Item # GIG1227**499.95**

Mountaineer Performance Carbon Fiber Tripod (G1228)
With rapid center column.
Item # GIG1228**509.95**

SPECIFICATIONS SERIES 2 TRIPODS

MODEL #	G201	G220	G1222	G224	G226	G212	G218	G228	G1227	G1228
Load Capacity	13.3 lbs. (6kg)	13.3 lbs. (6kg)	13.3 lbs. (6kg)	13.3 lbs. (6kg)	13.3 lbs. (6kg)	13.3 lbs. (6kg)	13.3 lbs. (6kg)	13.3 lbs. (6kg)	13.5 lbs. (6.1kg)	13.5 lbs. (6.1kg)
Maximum Extension	57.5" (146cm)	58.3" (135cm)	73.1" (186cm)	73.8" (187cm)	58.5" (149cm)	69.5" (177cm)	63.8" (162cm)	64" (163cm)	63.3 lbs. (6.1kg)	60.9" (155cm)
Minimum Usable Height *	18.3" (48cm)	12.8" (34cm)	13.5" (34cm)	14.6" (37cm)	10.8" (27cm)	15" (38cm)	15" (38cm)	12" (30cm)	12.5" (32cm)	12.5" (32cm)
Leg Sections	3	3	4	3	4	3	3	3	3	3
Center Column Section	1	2	2	2	2	2	1	1	1	1
Folded Length	19.8" (50cm)	21.3" (54cm)	24" (61cm)	25" (64cm)	17.3" (44cm)	25.5" (65cm)	26" (66cm)	18.5" (47cm)	25.1" (63.9cm)	20.5" (52cm)
Weight	4 lbs. (1.8kg)	4.3 lbs. (2.2kg)	5.3 lbs. (2.4kg)	5 lbs. (2.3kg)	4.3 lbs. (2.2kg)	5.5 lbs. (2.5kg)	5.5 lbs. (2.5kg)	4.5 lbs. (2kg)	3 lbs. (1.4kg)	3 lbs. (1.4kg)

* Minimum capacity height is with camera on top of tripod. By reversing center column, the tripod can be used even lower.

SERIES 3 STUDEX / INTER PRO STUDEX PERFORMANCE

This series supports cameras up to 4x5", as well as heavier video cameras. The Inter Pro Series and Mountaineer 1348 and 1349

Studex Performance Tripod (G320)
With two section rapid column.
Item # GIG320284.95

Studex Performance Monotripod (G1322)
With 2-section rapid column.
Features a removable leg. Can be used as a 4-section monopod extended to 62.3" (158cm) and closed down to 21.3" (54cm).
Item # GIG1322389.95

Studex Compact Performance Tripod (G326)
With two section rapid column.
Item # GIG326354.95

Studex Performance Tripod (G312)
With geared column.
Item # GIG312374.95

Studex Compact Performance Tripod (G328)
With geared column.
Item # GIG328439.95

Inter Pro Studex Performance (G340)
Without center column. Can be used with G315, G317, G336 and G338 center columns.
Item # GIG340271.95

Inter Pro Studex Performance (G341)
With one section rapid column #G315.
Item # GIG341343.95

Inter Pro Studex Performance Tripod (G342)
With geared column #G336.
Item # GIG342476.95

Inter Pro Studex Compact Performance (G345)
Without center column. Can be used with G315, G317, G336 and G338 center columns.
Item # GIG345324.95

Inter Pro Studex Compact Performance (G346)
With one section rapid column #G317.
Item # GIG346389.95

Inter Pro Studex Compact Performance (G347)
With geared column #G338.
Item # GIG347529.95

Mountaineer Photo/Video Tripod (G1325)
With interchangeable flat plate.
Item # GIG1325629.95

Mountaineer Photo/Video Tripod (G1329)
With one section rapid column #G1318.
Item # GIG1329689.95

Mountaineer Photo/Video Tripod (G1348)
With interchangeable flat plate.
Item # GIG1348789.95

Mountaineer Photo/Video Tripod (G1349)
With one section rapid column #G1318.
Item # GIG1349844.95

SPECIFICATIONS SERIES 3 TRIPODS

MODEL #	G320	G1322	G326	G312	G328	G340	G341	G342	G345	G346	G347	G1325	G1329	G1348	G1349
Load Capacity	19.8 lbs. (9kg)	19.8 lbs. (9kg)	19.8 lbs. (9kg)	19.8 lbs. (9kg)	19.8 lbs. (9kg)	22 lbs. (10kg)	22 lbs. (10kg)	22 lbs. (10kg)	22 lbs. (10kg)	22 lbs. (10kg)	22 lbs. (10kg)	26.5" (12kg)	26.5" (12kg)	26.5" (12kg)	26.5" (12kg)
Maximum Ext	73.5" (187cm)	72.3" (184cm)	71.3" (181cm)	69.9" (177cm)	66.9" (170cm)	60.5" (154cm)	75.8" (193cm)	74" (188cm)	57.8" (147cm)	72.3" (184cm)	71.1" (180cm)	59.9" (152cm)	77.75" (197cm)	65.8" (167cm)	78.8" (200cm)
Minimum Usable Height *	16.4" (42cm)	14.8" (37cm)	13.3" (34cm)	17.1" (43cm)	13.5" (34cm)	16.8" (43cm)	18.5" (47cm)	18.5" (47cm)	14.5" (37cm)	16.8" (43cm)	16.8" (43cm)	4" (10.2cm)	15.9" (40cm)	4" (10.2cm)	15.9" (40cm)
Leg Sections	3	4	4	3	4	3	3	3	4	4	4	3	3	4	4
Cntr Col Section	2	2	2	1	1	-	1	1	-	1	1	—	1	—	1
Folded Length	28" (71cm)	24.3" (62cm)	22.3" (57cm)	28.3" (72cm)	23.3" (59cm)	27.6" (70cm)	29.5" (75cm)	29.5" (75cm)	22.5" (57cm)	24.3" (62cm)	24.3" (62cm)	28" (71cm)	30" (76cm)	24" (61cm)	25.6" (65cm)
Weight	6.5 lbs. (3kg)	6.8 lbs. (3kg)	6 lbs. (2.7kg)	7.3 lbs. (3.3kg)	6.8 lbs. (3kg)	6 lbs. (2.7kg)	7 lbs. (3.2kg)	8.3 lbs. (3.7kg)	6 lbs. (2.7kg)	6.5 lbs. (3kg)	7.8 lbs. (3.5kg)	4.4 lbs. (2kg)	5.3 lbs. (2.4kg)	4.6 lbs. (2kg)	5.5 lbs. (2.5kg)

* Minimum capacity height is with camera on top of tripod. By reversing center column, the tripod can be used even lower.

SERIES 4

Series 4 tripods will support cameras up to 8x10", as well as heavier video cameras. They also feature interchangeable column capability.

Pro Studex Performance (G410)
Without center column. Can be used with G524, G526, G526, G528 and G529 center columns.
Item # GIG410**314.95**

Pro Studex Performance (G411)
With one section rapid column #G525.
Item # GIG411**389.95**

Pro Studex Performance (G412)
With geared column #G526.
Item # GIG412**569.95**

Pro Studex Compact Performance (G415)
Without center column. Can be used with G524, G525, G526, G527, G528 and G529 center columns.
Item # GIG415**314.95**

Pro Studex Compact Performance (G416)
With one section rapid column #G527.
Item # GIG416**389.95**

Pro Studex Compact Performance (G417)
With geared column #G528.
Item # GIG417**574.95**

SERIES 5

This series tripods feature the largest diameter legs, are designed for heavy use and will accommodate cameras up to heavy 8x10" and TV cameras. They also feature interchangeable column capability.

Tele Studex Performance (G500)
Without center column. Can be used with G524, G525, G526, G527, G528 and G529 center columns.
Item # GIG500**399.95**

Tele Studex Performance (G501)
With one section rapid column #G525.
Item # GIG501**449.95**

Tele Studex Performance (G502)
With geared center column #G526.
Item # GIG502**629.95**

Tele Studex Giant Performance (G504)
Without center column. Can be used with G524, G525, G526, G527, G528 and G529 center columns.
Item # GIG504**509.95**

Tele Studex Giant Performance (G508)
With 1 section rapid column #G525.
Item # GIG508**579.95**

Tele Studex Giant Performance (G509)
With geared center column G526.
Item # GIG509**749.95**


Tele Studex Compact Performance (G505)
Without center column. Can be used with G524, G525, G526, G527, G528 and G519 center columns.
Item # GIG505**389.95**

Tele Studex Compact Performance (G506)
With one section rapid column #G525.
Item # GIG506**459.95**

Tele Studex Compact Performance (G507)
With geared center column #G526.
Item # GIG507**629.95**

Tele Studex Industrial Performance (G515)
Without center column. Can be used with G524, G525, G526, G527, G528 and G529 center columns.
Item # GIG515**406.50**

Mountaineer Photo/Video Tripod (G1548)
With flat plate. Can be used with G527 or G528 center columns. 30% lighter than equivalent aluminum tripods without compromising on strength.
Item # GIG1548**884.95**



Left to Right:
Studex Performance Tripod (G320),
Inter Pro Studex Performance Tripod (G341),
Pro Studex Performance Tripod (G411),
Tele Studex Performance Tripod (G501)

SPECIFICATIONS SERIES 4 TRIPODS

MODEL #	G410	G411	G412	G415	G416	G417
Load Capacity	26 lbs. (12kg)	22 lbs. (10kg)	26 lbs. (12kg)	26 lbs. (10kg)	22 lbs. (10kg)	26 lbs. (12kg)
Maximum Extension	64.1" (163cm)	78.5" (199cm)	75.8" (193cm)	45.5" (116cm)	59.8" (152cm)	57.3" (145cm)
Minimum Usable Height *	6.3" (16cm)	8.5" (22cm)	8.5" (22cm)	5.3" (13cm)	7" (18cm)	7" (18cm)
Leg Sections	3	3	3	4	4	4
Center Column Section	-	1	1	-	1	1
Folded Length	29.5" (75cm)	31.3" (79cm)	31.3" (79cm)	19.3" (49cm)	21" (53cm)	21" (53cm)
Weight	8.5 lbs. (3.9kg)	9.8 lbs. (4.4kg)	11.5 lbs. (5.2kg)	6.8 lbs. (3kg)	8 lbs. (3.6kg)	9.8 lbs. (4.4kg)

* Minimum capacity height is below normal use with camera on top of tripod. By reversing center column, the tripod can be used even lower.

SPECIFICATIONS SERIES 5 TRIPODS

MODEL #	G500	G501	G502	G504	G508	G509	G505	G506	G507	G515	G1548
Load Capacity	33 lbs. (15kg)	22 lbs. (10kg)	33 lbs. (15kg)	33 lbs. (15kg)	22 lbs. (10kg)	33 lbs. (15kg)	33 lbs. (15kg)	22 lbs. (10kg)	33 lbs. (15kg)	44 lbs. (20kg)	40 lbs. (18kg)
Maximum Ext	63.3" (160cm)	76.5" (194cm)	74" (188cm)	98" (249cm)	111.3" (283cm)	108.8" (276cm)	58.4" (148cm)	71.8" (182cm)	69.1" (176cm)	47.8" (121cm)	58.3" (148cm)
Minimum Usable Height *	6.5" (17cm)	8.8" (22cm)	8.8" (22cm)	6.3" (16cm)	8.8" (22cm)	8.8" (22cm)	6.5" (17cm)	8.8" (22cm)	8.8" (22cm)	7.3" (18cm)	15" (38cm)
Leg Sections	3	3	3	5	5	5	4	4	4	2	4
Cntr Col Section	-	1	1	-	1	1	-	1	1	-	-
Folded Length	28.5" (72cm)	30.8" (78cm)	30.8" (78cm)	31.5" (80cm)	33.8" (86cm)	33.8" (86cm)	23.3" (59cm)	25.5" (65cm)	25.5" (65cm)	32.5" (83cm)	23.3" (59cm)
Weight	9.8 lbs. (4.4kg)	10.8 lbs. (4.9kg)	12.5 lbs. (5.7kg)	12.3 lbs. (5.6kg)	13.3 lbs. (6kg)	15.3 lbs. (6.9kg)	9 lbs. (4kg)	10.3 lbs. (4.6kg)	12 lbs. (5.4kg)	8.5 lbs. (3.9kg)	6.4 lbs. (2.9kg)

* Minimum capacity height is below normal use with camera on top of tripod. By reversing center column, the tripod can be used even lower.

3-Way Pan and Tilt Heads

3-Way Heads are designed to carry a specific load. Large ergonomically designed hand-grips ensure effortless vertical and lateral tilting and 360° panning. Low profile heads provide solid support and flexibility for large format and video cameras. The distance from the top of the tripod to the platform is reduced to ensure that the center of gravity of the camera is kept over the middle of the tripod to avoid the possibility of overbalancing. All heads are supplied with 1/4-20" camera mounting screws.

Rationelle 3-Way Pan Tilt Head (G1171)

Platform size 1.6 x 2.1" (4.1 x 5.4cm).

Item # GIG1171 **117.95**

Rationelle 3-Way Pan Tilt Head (G1172)

Recommended for use with Series 0 and 1 tripods. Platform size 1.5 x 2" (4.1 x 5cm).

Item # GIG1172 **134.95**

Rationelle 3-Way Pan Tilt Head (G1371)

Recommended for use with Series 2 and 3 tripods. Platform size 2.8 x 2" (7 x 5cm).

Item # GIG1371 **139.95**

Rationelle 3-Way Pan Tilt Head (G1372)

With quick release plate. Recommended for use with Series 2 and 3 tripods. Platform size 2 x 2" (5 x 5cm).

Item # GIG1372 **153.95**



Rationelle 3-Way Pan Tilt Head (G1571)

Recommended for use with Series 4 and 5 tripods. Platform size is 3.8 x 2.8" (9 x 7cm).

Item # GIG1571 **184.95**

Rationelle 3-Way Pan Tilt Head (G1572)

With quick release plate. Recommended for use with Series 4 and 5 tripods. Platform size is 2 x 2" (5 x 5cm).

Item # GIG1572 **226.95**

Rationelle Low Profile 3-Way Pan Tilt Head (G1270)

Recommended for use with Series 1 and 2 tripods. Platform size 4.8 x 2.8" (12 x 7cm).

Item # GIG1270 **104.95**

Rationelle Low Profile 3-Way Pan Tilt Head (G1370)

Recommended for use with Series 3 tripods. Platform size is 4.8 x 2.8" (12 x 7cm).

Item # GIG1370 **159.95**

Rationelle Low Profile 3-Way Pan Tilt Head (G1570)

With 1/4-20" and 3/8" camera mounting screws. Recommended for use with Series 4 and 5 tripods. Platform size 6 x 3.4" (15.2 x 8.6cm).

Item # GIG1570 **199.95**

3-Way Pan and Tilt Heads, *continued*


3-WAY PAN HEAD SPECIFICATIONS

MODEL #	G1171	G1172	G1371	G1372	G1571	G1572	G1270	G1370	G1570
Load Capacity	5.5 lbs. (2.5kg)	5.5 lbs. (2.5kg)	13 lbs. (5.9kg)	13 lbs. (5.9kg)	17.6 lbs. (8kg)	17.6 lbs. (8kg)	10 lbs. (4.5kg)	13.3 lbs. (6kg)	22 lbs.. (10kg)
Height	5.7" (14.6cm)	5.7" (14.6cm)	7" (17.8cm)	7" (17.8cm)	7.75" (19.7cm)	7.75" (19.7cm)	3.3" (8.3cm)	3.5" (9cm)	3.6" (9.2cm)
Weight	1.7 lbs. (795g)	1.7 lbs. (795g)	3.3 lbs. (1.47kg)	3.3 lbs. (1.47kg)	3.8 lbs. (1.7kg)	3.9 lbs. (1.75kg)	1.5 lbs. (680g)	2.4 lbs. (1.07kg)	3.5 lbs. (1.59kg)

Subject to change without notice

Ball Heads

Exceptionally smooth rotation, positive locking and rapid camera mounting are all features common to the Gitzo designed range of ball heads. The graduated base, with independent locking facilities permits perfect panoramic photography. The design of the panoramic base permits the ball heads to be used for table top or near ground level work with or without the use of a tripod. A quick release plate with secondary safety lock and the option of a long plate provide additional flexibility on Model #G1276, G1376 and G1576; the camera can be removed from the head within seconds and fitted back on the head as easily. All heads are supplied with 1/4-10" camera mounting screw.



Ball Head (G075)

Recommended for use with Series 00 and 0 tripods. Platform size 1.4" (3.5cm) diameter.

Item # GIG07554.95

Ball Head (G1175)

Recommended for use with Series 0 and 1 tripods. Platform size 1.75" (4.5cm) diameter.

Item # GIG117589.95

Ball Head (G1275)

Recommended for use with Series 1 and 2 tripods. Platform size 1.7 x 2.5" (4.5 x 6.4cm).

Item # GIG1275109.95

Magnesium Ball Head (G1275M)

Same as above with a light-weight material.

Item # GIG1275M.....124.95

Ball Head (G1276)

With quick release plate. Recommended for use with Series 1 and 2 tripods. Platform size 2 x 1.5" (5 x 3.8cm).

Item # GIG1276139.95

Ball Head (G1375)

Recommended for use with Series 2 and 3 tripods. Platform size 2.4 x 2.7" (6 x 7cm).

Item # GIG1375149.95

Ball Head (G1575)

Recommended for use with Series 4 and 5 tripods. Platform size 2.3 x 2.3" (5.7 x 5.7cm).

Item # GIG1575199.95

Ball Head (G1576)

With quick release plate. Recommended for use with Series 4 and 5 tripods.

Item # GIG1576219.95

Ball Head (G1376)

With quick release plate. Recommended for use with Series 2 and 3 tripods. Platform size 2.3x2.3" (5.7x5.7cm).

Item # GIG1376186.95

BALL HEAD SPECIFICATIONS

MODEL #	G075	G1175	G1275	G1275M	G1276	G1375	G1376	G1575	G1576
Load Capacity	3.3 lbs. (1.5kg)	6.5 lbs. (3kg)	11 lbs. (5kg)	11 lbs. (5kg)	11 lbs. (5kg) (5kg)	13.3 lbs. (6kg)	13.3 lbs. (6kg)	22 lbs. (10kg)	22 lbs. (10kg)
Height	2" (5cm)	2.7" (7cm)	4.5" (11cm)	4.5" (11cm)	4.5" (11cm)	5.3" (13cm)	5.5" (14cm)	6" (15cm)	6" (15cm)
Weight	.3 lbs. (100g)	.5 lbs. (225g)	1 lb. (450g)	1.25 lbs. (560g)	1.8 lbs. (816g)	2.4 lbs. (1kg)	2.6 lbs. (1.2kg)	3 lbs. (1.4 kg)	3.5 lbs. (1.6kg)

Subject to change without notice


Overnight Shipping Available

GITZO

MONOPODS

Monopods

All monopods include a reversible $\frac{1}{4}$ " and $\frac{3}{8}$ " mounting stud and a hand carrying strap.



Gitzo Pod

5-Section Monopod (G558)

With adjustable shoulder brace, deluxe hand grip, and neck harness, it is a combination of a monopod, chestpod, emergency tripod and table pod. Folds like a jack knife, making it usable as a chest pod in conjunction with the neck harness.

Item # GIG558.....**224.95**

Mountaineer Reporter 4-Section Carbon Fiber Monopod (G1568)

An ideal choice for backpackers, the Mountaineer is a carbon fiber monopod that combines the advantages of exceptional light weight with strength and rigidity. It is 30% lighter than equivalent aluminum monopods, yet maintains its robustness, making it the choice for serious amateurs and busy professionals on the move.

Item # GIG1568.....**182.95**

Monotrek Hiking Stick (G1560)

An ergonomically designed lightweight monopod/walking stick. Manufactured with ultra-light strength aluminum alloy. It comes with a built-in ball head for photo or video, and has a load capacity of up to 4½ lbs. It includes a detachable all-weather shoe that slides into the Monotrek.

Item # GIG1560.....**94.95**

Sport 3-Section Monopod (G1561)

Item # GIG1561.....**74.95**

Reporter 4-Section Monopod (G1563)

Item # GIG1563.....**91.95**

Reporter Extra Long 4-Section Monopod (G1563L)

Item # GIG1563L.....**104.95**

Studex 4-Section Monopod (G1564)

Item # GIG1564.....**99.95**

Studex Extra Long 5-Section Monopod (G1564L)

With deluxe rubber hand grip.

Item # GIG1564L.....**107.95**

Studex 4-Section Monopod (G1565)

With adjustable shoulder brace.

Item # GIG1565.....**159.95**

Mini Studex 6-Section Monopod (G566)

With deluxe rubber hand grip.

Item # GIG566.....**102.95**

MONOPOD SPECIFICATIONS

MODEL #	G1561	G1563	G1563L	G1564	G1564L	G1565	G566	G558	G1568	G1560
Sections	4	4	5	4	5	4	6	5	4	3
Load Capacity	6.8 lbs. (3kg)	8.7 lbs. (4kg)	8.7 lbs. (4kg)	17.5 lbs. (8kg)	17.5 lbs. (8kg)	17.5 lbs. (8kg)	11 lbs. (5kg)	11 lbs. (5kg)	8.7 lbs. (4kg)	4.5 lbs. (2kg)
Height Range	24.8-61.1" (63-155cm)	21.3-64" (54-163cm)	22.4-80.3" (57-204cm)	21.6-62.5" (55-159cm)	22.4-78.5" (57-199cm)	21.8-62.7" (55-159cm)	14.5-53.3" (37-135cm)	26.5-60.3" (67-153cm)	21.6-65.4" (55-166cm)	30.8-63.8" (78-162cm)
Weight	1.3 lbs. (567g)	1.5 lbs. (680g)	1.5 lbs. (680g)	1.7 lbs. (794g)	2 lbs. (907kg)	2 lbs. (907kg)	1.5 lbs. (680g)	2.3 lbs. (1kg)	1 lb. (450g)	14 oz. (395g)

Subject to change without notice

Center Columns

Tripods in the series 00 to 3 come complete with Rapid (Sliding) or Geared center columns. The Inter Pro Studex, Pro Studex and Tele Studex ranges have interchangeable columns available as Rapid (Sliding) single lift reversible or double lift for extra height, or geared for superfine control. Very short columns are also available for very low angle work.

EXTRA LOW CENTER COLUMNS

Extra Low Column (G035C)
Fits Series 0 (Weekend) tripods. Measures 3.5" (8.9cm).
Item # GIG035.....**26.50**

Extra Low Column (G135C)
Fits Series 1 (Sport) tripods. Measures 5" (12.7cm).
Item # GIG135C.....**27.95**

Extra Low Column (G235C)
Fits Series 2 (Reporter & Mountaineer) tripods. Measures 5.5" (14cm).
Item # GIG235C.....**29.95**


Extra Low Column (G1238)
Fits Mountaineer #G1228.
Item # GIG1238.....**49.95**

Extra Low Column (G335C)
Fits the G320, G322, G326, G341, and G346 Series 3 tripods. The extra low column can also be used with the G340 and G345 tripods if a rapid column is purchased. Measures 5.5" (14cm).
Item # GIG335C.....**31.95**

Locking Collar (D315-101)
To be used with extra low column G335C.
Item # GID315101.....**74.50**

Extra Low Column (G435)
Fits the G411 and G416 Series 4 tripods. The extra low column can also be used with the G410 and G415 tripods if a rapid column is purchased. Measures 5.5" (14cm).
Item # GIG435.....**36.95**

Locking Collar (D525-101)
To be used with extra low column G435.
Item # GID525101.....**89.95**



PRO STUDEX AND TELE STUDEX CENTER COLUMNS

Standard Rapid Column (G525)
Extends to 13.3" (34cm).
Item # GIG525.....**89.95**

Standard Geared Column (G526)
Extends to 10.7" (27cm).
Item # GIG526.....**276.95**

Standard Double Rapid Column (G524)
Extends to 28" (71cm).
Item # GIG524.....**109.50**

Compact Geared Column (G528)
Extends to 7.5" (19cm).
Item # GIG528.....**274.50**

Compact Rapid Column (G527)
Extends to 10.3" (26cm).
Item # GIG527.....**89.95**

Long Geared Column (G529)
Extends to 24.4" (62cm).
Item # GIG529.....**434.95**

For more Center Columns see Levelling Bases, which can be used as center columns.



STUDEX INTERPRO CENTER COLUMNS


Standard Rapid Column (G315)
Extends to 13.1" (33cm).
Item # GIG315.....**89.95**

Standard Geared Column (G336)
Extends to 12.3" (31cm).
Item # GIG336.....**224.50**

Compact Rapid Column (G317)
Extends to 10.3" (26cm).
Item # GIG317.....**89.95**

Compact Geared Column (G338)
Extends to 8.7" (22cm).
Item # GIG338.....**224.50**

Carbon Fiber Column (G1318)
Converts Mountaineer G1348 to a G1349.
Item # GIG1318.....**104.95**



ACCESSORIES AND BAGS

Levelling Bases

Levelling bases have a 15° adjustment and have a built-in spirit level. Positioning is locked with a toggle lever. They are used with the center columns removed.

Levelling Base (G321)
Fits Interpro tripods.
Maximum load is 22 lbs.
(10kg).
Item # GIG321168.95

Levelling Base (G421)
Fits Series 4 and 5 Pro Studex and Tele Studex tripods.
Maximum load is 44 lbs.
(20kg).
Item # GIG421168.95

Levelling Base (G421CR)
Same as above, with geared column. Maximum load is 33 lbs. (15kg).
Item # GIG421CR.....404.95

Levelling Base (G421RA)
Same as above, with rapid column. Maximum load is 33 lbs. (15kg).
Item # GIG421RA.....216.50

Lateral Arms

Lateral arms enable cameras to be positioned above or below the tripod in a 90° position, which might otherwise be obstructed by the tripod legs. They are available in rapid and geared versions and include a reversible ¼ and ⅜" mounting stud.

Sliding Lateral Arm (G530)
Recommended for Series 1 tripods. Measures 11.3" (29cm).
Item # GIG530.....57.50

Geared Lateral Arm (G531)
Recommended for Series 1 tripods. Measures 10.1" (26cm).
Item # GIG531.....229.50


Sliding Lateral Arm (G532)
Recommended for Series 2 tripods. Measures 13" (33cm).
Item # GIG532.....98.95

Geared Lateral Arm (G533)
Recommended for Series 2 tripods. Measures 13" (33cm).
Item # GIG533.....281.95

Sliding Lateral Arm (G534)
Recommended for Series 3 tripods. Measures 13.5" (34cm).
Item # GIG534.....113.50

Geared Lateral Arm (G535)
Recommended for Series 3 tripods. Measures 12.7" (32cm).
Item # GIG535.....326.95

Right Angle Bracket (G540)
Converts Series 4 and 5 center columns into lateral arms. Requires #G349 or #G449 platform.
Item # GIG540.....39.95



Right Angle Bracket (G541)
With movable graduated base to allow panning. Requires a Circular Camera Platform G349 or G449.
Item # GIG541.....133.50

Circular Camera Platform (G349)
For Interpro Series 3 tripods. The circular camera platform can be used flat as is, (note: center column must be removed) or with either the #G540 or #G541 right angle bracket.
Item # GIG349.....19.95

Circular Camera Platform (G449)
Same as the Circular Camera Platform (G349), for Series 4 and 5 tripods.
Item # GIG449.....19.95

Tripod Bags

The durable, showerproof Gitzo padded and standard tripod bags have been designed to carry all sizes of tripods and heads. And they have been built to last. Practical and stylish, the bags all have zip fasteners for quick and easy access.

Tripod Bag for Series 0 (GE0)
Length 21.5" (55cm).
Item # GIGE0.....49.95

Tripod Bag for Series 1 (GE1)
Length 27.5" (70cm).
Item # GIGE1.....52.95

Tripod Bag for Series 2 (GE2)
Length 33" (84cm).
Item # GIGE2.....59.50

Tripod Bag for Series 3 (GE3)
Length 37" (94cm).
Item # GIGE3.....67.50

Tripod Bag for Series 4 (GE4)
Length 38.5" (98cm).
Item # GIGE4.....73.50



Tripod Bag for Series 5 (GE5)
Length 42" (107cm).
Item # GIGE5.....86.50

Padded Tripod Bag for Series 1 (GE1P)
Length 27.5" (70cm).
Item # GIGE1P.....86.95

Padded Tripod Bag for Series 2 (GE2P)
Length 33" (84cm).
Item # GIGE2P.....89.95

Padded Tripod Bag for Series 3 (GE3P)
Length 37" (94cm).
Item # GIGE3P107.95

Padded Tripod Bag for Series 4 (GE4P)
Length 38.3" (97cm).
Item # GIGE4P127.50

Padded Tripod Bag for Series 5 (GE5P)
Length 42" (107cm).
Item # GIGE5P146.95

Tripod Dollies/Spreader

Gitzo tripod dollies are foldable and feature individual locking wheels.

Dolly with 3" Wheel (G391)
Item # GIG391**301.95**

Dolly with 5" Wheel (G392)
Item # GIG392**397.50**

Universal Tripod Spreader (G1393)
Item # GIG1393**43.95**



Gitzo
Dolly with
5" Wheel
(G392)

Adapters, Platforms, Brackets

100mm Bowl Adapter (G1423)
A half shaped bowl which mounts onto Series 3, 4 and 5 tripods.
Item # GIG1423**48.50**

75mm Bowl Interface Adapter (G1422)
Item # GIG1422**44.95**

100mm Bowl Interface Adapter (G1424)
Item # GIG1424**62.95**

Double Camera Platform (G1584)
Measures 11" (28cm).
Item # GIG1584**65.95**

Double Camera Platform (G1539)
Measures 17" (43cm).
Item # GIG1539**98.95**

Offset Bracket (G583)
Used with cameras with hand grip, polaroid backs or large lenses to offset the center.
Item # GIG583**49.95**



Double Camera Platform (G1584)

Misc. Tripod Accessories



Tripod Apron Small (G088S)
Made of canvas material. Holds lenses, film, filters, etc. Fits Series 0, 1 and 2 tripod legs.
Item # GIG088S**58.50**

Tripod Apron Large (G088L)
Same as above. Fits Series 3, 4 and 5 tripod legs.
Item # GIG088L**62.50**

All Weather Shoes (G1586)
Provides stability in snow, mud, sand, etc. Set of 3.
Item # GIG1586**16.95**

Tripod Carrying Strap Black (G087B)
Single size adjustable no-slip padded strap. Fits all tripods. 44" (115cm) long.
Item # GIG087B**23.50**



Tripod Carrying Strap Green (G087G)
Same as above, in Camouflage Green.
Item # GIG087G**23.50**

Monitor Platform (G065)
A 13x15.7" (33x40cm) platform which can be fitted to any Gitzo tripod. Safely supports supplementary equipment, such as monitors, mixers, tape recorders and projectors.
Item # GIG065**68.50**

Tripod Legs Protectors

Protectors safeguards legs from damage and add comfort when carrying tripods on shoulder. They provide thermal protection during freezing weather to shield hands from frostbite. All protectors are sold in sets of three.

Tripod Leg Protectors (G090-10B)
Black material. Fits Report series tripods.
Item # GIG09010B**28.95**



Gitzo
Tripod
Leg
Protector
(G090-10B)

Tripod Leg Protectors (G09110G)
Same as above, in Camouflage Green.
Item # GIG09110G**28.95**

Tripod Leg Protectors (G09014B)
Black material. Fits Interpro series tripods.
Item # GIG09014B**28.95**

Tripod Leg Protectors (G091-14G)
Same as above, in Camouflage Green.
Item # GIG09114G**28.95**

Tripod Leg Protectors (G090-12B)
Black material. Fits Pro Studex series tripods.
Item # GIG09012B**28.95**

Tripod Leg Protectors (G091-12G)
Same as above, in Camouflage Green.
Item # GIG09112G**28.95**

Brass Bushings

Brass Bushing 4.5mm (G1140)
1/4-20" to 3/8".
Item # GIG1140**3.50**

Brass Bushing 7.5mm (G1141)
1/4-20" to 3/8".
Item # GIG1141**3.50**

Brass Bushing 8.6mm (G1142)
1/4-20" to 3/8".
Item # GIG1142**3.50**

Camera Screwing Mounts

1/4" Replacement Mounting Screw (D055-25)
For G055 head.
Item # GID05525**16.95**

1/4" Replacement Locking Wheel (D055-27)
For G055 head.
Item # GID05527**8.95**

3/8" Mounting Screw (D172-37)
For G170, G172, G272, G372, G472, G275, G375, and G376.
Item # GID17237**5.95**

1/4" Replacement Mounting Screw (D172-38)
For G170, G172, G272, G372, G472, G275, G375 and G376.
Item # GID17238**5.95**

3/8" Replacement Locking Wheel (D172-39)
For G170, G172, G272, G372, G472, G275, G375 and G376.
Item # GID17239**5.95**

1/4" Replacement Mounting Screw (D050-25)
For G270, G370, G470, G570 and G475.
Item # GID05025**5.95**

3/8" Mounting Screw (D050-26)
For G270, G370, G470, G570 and G475.
Item # GID05026**5.95**

3/8" Replacement Locking Wheel (D150-27)
For G270, G370, G470, G570 and G475.
Item # GID15027**5.95**

Replacement Collar Wrench (D340-52)
For Inter Pro, Pro and Tele-Studex Tripods.
Item # GID34052**5.95**

Brass Bushing 10mm (G1143)
1/4-20" to 3/8".
Item # GIG1143**3.50**

10mm Bushing (G1145)
For microphone adapter 3/8" to 3/8".
Item # GIG1145**6.50**




QUICK RELEASE, PLATES AND FISHPOLES

Quick Release Adapters and Plates

Quick Release Adapters are designed to be used with tripods or tripod heads which do not have the Quick Release feature.

Quick Release (G385-14)
With 3x1.7" (7.6x4.4cm)
#G387-14 mounting plate and
1/4-20" camera mounting screw.
Item # GIG38514**74.95**



Quick Release (G385-38)

Quick Release (G385-38)
Same as above, with 3/8" camera
mounting screw.
Item # GIG38538**74.95**

Quick Release (G386-14)
With 6x1.7" (15.2x4.4cm)
#G388-14 mounting plate and
1/4-20" camera mounting screws.
Item # GIG38614**79.95**

Quick Release (G386-38)
Same as above, with two 3/8"
camera mounting screws.
Item # GIG38638**79.95**

Mounting Plate (G387-14)
Replacement for #G385-14,
with 1/4-20" screw.
Item # GIG38714**27.95**


Mounting Plate (G387-38)
Replacement for #G385-38,
with 3/8" screw.
Item # GIG38738**27.95**

Mounting Plate (G388-14)
Replacement for #G386-14.
With 1/4-20" screw.
Item # GIG38814**34.50**

Mounting Plate (G388-38)
Replacement for #G386-38.
With 3/8" screw.
Item # GIG38838**34.50**

Quick Release Adapter (G1285)
With 2x1.8" (5x4.6cm) G1173-
14 mounting plate and 1/4-20"
camera mounting screw.
Item # GIG1285**76.95**

Quick Release
Adapter
(G1385)



Quick Release Adapter (G1385)
With 2.7 x 2.4" (6.7 x 6cm)
G1373-14 mounting plate and
1/4-20" camera mounting screw.
Item # GIG1385**97.50**

Mounting Plate (G1173-14)
Replacement for G1285, G1276
and G1172. 1/4-20" screw.
Item # GIG117314**25.95**

Mounting Plate (G1173-38)
2x1.8" (5x4.6cm) with 3/8" screw.
Fits G1285, G1276 and G1172.
Item # GIG117338**25.95**

Mounting Plate (G1373-14)
Replacement for G1385, G1372
and G1576. 1/4-20" screw.
Item # GIG137314**25.95**


Mounting Plate (G1373-38)
2.7 x 2.4" (6.7 x 6cm), with 3/8"
screw. Fits G1285, G1276 and
G1172.
Item # GIG137338**25.95**

Long Mounting Plate (G1174-14)
4.7 x 1.8" (12 x 4.6cm), with
two 1/4-20" screws. Fits G1285,
G1276 and G1172.
Item # GIG117414**29.50**

Long Mounting Plate (G1174-38)
Same as above, with two 3/8" screws.
Item # GIG117438**32.95**

Long Mounting Plate (G1374-14)
5.9 x 2.4" (15 x 6cm), with two
1/4-20" screws. Fits G1285,
G1276 and G1172.
Item # GIG137414**32.95**

Long Mounting Plate (G1374-38)
Same as above, with two 3/8" screws.
Item # GIG137438**32.95**



Assorted
Gitzo
mounting
plates

Fish Poles

Fishpoles acquired their name because of their resemblance to fishpoles. They are used to mount cameras, lights or microphones and to direct them into tight or crowded spots. All fishpoles feature rubber hand grips and come with 1/4-20" and 3/8" reversible mounting screws. They support up to 5 lbs. (2.26kg) of weight.

Loisir
2-Section Fishpole (G555)
Item # GIG555**76.95**

Weekend
3-Section Fishpole (G556)
Item # GIG556**82.50**

Sport 4-Section Fishpole (G557)
Item # GIG557 **108.95**

Studex 6-Section Fishpole (G7680)
Item # GIG7680**162.95**



Microphone
Shock Mount
(G11510)

Microphone Shock Mount (G11510)
Adjustable microphone stock mount. It fits all fishpoles with a 3/8"
mounting screw. The shock mount will accommodate .75 x 1.5"
(1.9 x 3.8cm) microphones.
Item # GIG11510**99.95**

FISHPOLES SPECIFICATIONS

MODEL #	G555	G556	G557	G7680
Sections	2	3	4	6
Extends to	55" (140cm)	79" (200cm)	103.7" (263cm)	150" (381cm)
Folds to	30.3" (77cm)	31.7" (81cm)	30.7" (78cm)	31" (79cm)
Weight	14 oz. (392g)	1 lb. (450g)	1.7 lbs. (794g)	3 lbs. (1360g)

Subject to change without notice

Linhof offers a complete line of compact lightweight, heavy duty professional tripods, tripod heads and accessories for photographic, video-graphic or audio visual needs. Linhof professional tripods are made to the same exacting quality standards and materials as Linhof cameras. They are respected by demanding photographers the world over, for their outstanding quality, superior design, immaculate finish, maximum stability and freedom from vibration. Oversized control

and locking levers are just some of the distinguishing features of Linhof tripods. Modern lightweight construction techniques and the use of only the finest materials, combined with hard anodizing of all tripod legs and columns, assure absolutely corrosion-proof surfaces and a long service life. Linhof professional tripods are made in different types and sizes and a wide variety of matching tripod heads, dollies and special accessories are available for all models.

Tripod Legs

Lightweight Pro 2-Section Tripod (003319)

With 003753 dual threaded 77mm top plate. Comes with removable 1/4-20" and 3/8" 77mm top plate, rapid clamp locks, a 35mm diameter sliding center column and built-in spirit level.

Item # LITLWP2S**289.95**

Lightweight Pro 2-Section Pneumatic Tripod (003320)

With 003753 dual threaded 77mm top plate. Same as above, with pneumatically damped center post for smooth height adjustment of equipment.

Item # LITLWPAC**369.95**

Profi-Port 3-Section Tripod (003449)

With 003845 dual threaded 42mm top plate. The Profi-Port is an extremely compact and portable tripod. A sliding 2-section 35mm diameter center post extends to full working heights. One of the legs has a tripod thread for close-up photography at ground level. Rapid clamp locks, built-in spirit level, removable 1/4-20" and a 3/8" top plate make this tripod perfect for the traveling photographer.


Item # LITPP**329.95**

Twin Shank Profile

Expert 2-Section Tripod (003317)

With 003753 dual threaded 77mm top plate. Features large leg mount collar and twin shank upper leg sections for extra sturdiness, removable struts for individually adjustable leg spread, sliding reversible 35mm diameter reversible center post with a reversible 1/4-20" and 3/8" 77mm top plate and extreme rigidity, making this tripod the choice for professionals.

Item # LITE**722.50**



*Lightweight
Pro 2-Section
Pneumatic
Tripod
(003320)*

*Profi-Port
3-Section
Tripod
(003449)*

*Twin Shank
Profile
Expert
2-Section
Tripod
(003317)*

L I N H O F

T R I P O D S

Heavy Duty Pro Tripod Legs

Heavy Duty Pro 2-Section Tripod (003323)

With #031482 90mm top plate and $\frac{3}{8}$ " screw. The classic and sturdiest 2-sectional heavy duty tripod for all applications, featuring robust twin-shank aluminum tubes with plastic covering. Extremely stable, oversized leg mount collar assures vibration-free camera operation. Tripod braces guarantee absolute fixed positioning, even on smooth surfaces. Leg extension can be locked to any desired height by eccentric clamps. Removable center tube and detachable struts allow variable leg spread. Incorporated spirit level. The tripod feet are convertible from metal tips to rubber pads, making it suitable for all surfaces.

Item # LITHDP1817.50



Heavy Duty Pro
2-Section
Tripod
(003323)

Profi III 3-Section Tripod (003454)

With #031482 90mm top plate and $\frac{3}{8}$ " screw. Whether way up high or close to the ground, it is no problem for Linhof's Profi 3 system with the rotating leg locks. Features three heavy duty tubular extensions, the top section protected by a durable plastic covering - the ultimate in compact professional tripod design. Variable leg spread through adjustable stops allow firm positioning of tripod legs in three different working heights. Rugged locking sleeves control leg extension. Integrated heavy duty elevator center post. Column can be inverted or removed. Gear drive is equipped with self-locking friction brake that can be adjusted to the weight of the equipment attached.

Item # LITP3.....2089.95



Profi III
3-Section
Tripod
(003454)

TRIPOD LEGS SPECIFICATIONS


MODEL #	003319/20	003414	003449	003430	003317
Load Capacity	13 lbs. (5.9kg)	13 lbs. (5.9kg)	9 lbs. (4kg)	12 lbs. (5.4kg)	26.5 lbs. (12kg)
Maximum Extension	59" (150cm)	75" (190cm)	62" (158cm)	59" (150cm)	73" (186cm)
Minimum Usable Height	6" (15cm)	0	0	0	0
Leg Sections	2	3	3	3	2
Center Column Section	2	2	3	2	2
Folded Length	24" (61cm)	25.6" (65cm)	17 (43cm)	24" (61cm)	32" (81cm)
Weight	4.4 lbs. (2kg)	5.3 lbs. (2.4kg)	4.5 lbs. (1.8kg)	4.9 lbs. (2.2kg)	6.6 lbs. (3kg)

Subject to change without notice

HEAVY DUTY PRO TRIPOD LEGS SPECIFICATIONS

MODEL #	003323	003454
Load Capacity	45 lbs. (20kg)	45 lbs. (20kg)
Maximum Extension	61" (155cm)	74" (187cm)
Minimum Usable Height	0	9.8" (25cm)
Leg Sections	2	2
Center Column Section	2	1
Folded Length	36" (91cm)	28" (72cm)
Weight	16 lbs. (7.3kg)	15 lbs. (6.8kg)

Subject to change without notice



Pan and Tilt Heads

Uni Quick Pan Tilt Head (003674)

With 003875 4x2" (10x5.3cm) quick release plate and 1/4" and 3/8" screws. Extremely smooth fluid like panning, positive locks for tilts, quick release mounting plate and a load capacity of 9 lbs. (4kg) make this an ideal choice for the photographer on the go. Height is 4.5" (11.5cm) and weight 2.5 lbs. (1.1kg).
Item # LIPHU.....**342.95**



Quick Release Plate (003875)

Replacement for Uni Quick Pan Tilt Head (003674).
Item # LIQRPQF1**39.95**



Uni Quick Pan Tilt Head (003674)

Profi III Universal Pan/Tilt Head (003669)

With 003877 quick release plate. Heavy duty levelling pan/tilt head for use with cameras or instruments requiring secure orientation. Individual oversized locks on all movements, operated by locking spindles or large clamp levers. Linear horizontal levelling motion (15° to either side), over 90° vertical tilt forward, 30° backward, extremely smooth 360° panning. Self-locking quick-change plate with dual safety catches (securely mounts to cameras with aid of Allen wrench). Maximum load capacity 26 lbs. (12kg). 90mm diameter base plate with 3/8" tripod bushing. Height 6.5" (16.5cm), weight 7.5 lbs. (3.4kg).
Item # LIPHP3**1563.95**

Profi 3

Quick Release Plate (003877)

Replacement for the Profi III Universal Pan/Tilt Head (003669).
Item # LIQRPQF2**39.95**

Profi III Universal Pan/Tilt Head (003669)



Levelling Heads

Large Levelling Head 3/8" (003659)

Heavy duty head for smooth omnidirectional 15° levelling and vibration-free support of heavier cameras, powerful tele lenses and other optical instruments. 3/8" tripod thread and camera screw. 77mm base and top plate. Maximum load capacity 22 lbs. (10kg). Weighs 16 oz. (450g).

Item # LILH38L.....**357.95**

Large Levelling Head 1/4" (003664)

Same as above, but with 1/4" tripod thread and camera screw.

Item # LILH.25L.....**357.95**

3-Way Levelling Head (003663)

Combines flexibility and light weight with extremely compact size and maximum stability. Eccentric locking levers positively secure the camera at any angle. Holds camera with tele photo lenses and view cameras up to 5x7. Especially suitable for precise camera adjustment in copy work. Tilt motions and pan rotation lock separately. 77 diameter top plate with 1/4" and 3/8" camera screws. 77mm diameter base plate. Weighs 32 oz. (900g).

Item # LILH1**684.95**



Levelling Pan/Tilt Head 77 (003667)

Compact and extremely sturdy levelling pan/tilt head with integrated dove-tail quick-lock base permitting direct insertion of Linhof Kardan ST-E/GTL/TL/TE cameras which slide back and forth to control taking ratio without moving the tripod. For other equipment, a quick-change plate (#003853) is available. Dual locking struts anchor the camera positively at any angle from 0 to over 90°. Oversized locking elements for lateral levelling (15° to either side) and pan rotation. 77mm diameter base plate; 3/8" tripod socket. Height 3" (7.5cm), weighs 3 lbs. (1.2kg).

Item # LILH77Q.....**794.50**

Levelling Pan/Tilt Head 90 (003668)

Same as above, but with 90mm diameter base plate. Height 3.5", weighs 3.5 lbs. (1.7kg).

Item # LILH90.....**781.95**

Quick Release Plate (003853)

Optional accessory mounting plate for levelling pan/tilt head #003667/68. With 1/4" and 3/8" retaining screws. Slides into dovetail base of above heads and allows attachment of other than Kardan type cameras. Safety click-stops and positive locks for secure camera positioning.

Item # LIQRP**105.95**

PAN HEADS/LEVELLING HEADS SPECIFICATIONS

Pan Heads	Load Capacity	Height	Weight
#003666	2.9 lbs. (1.3kg)	3.6" (9.2cm)	14 oz. (400g)
#003674	8.8 lbs. (4kg)	4.5" (11.5cm)	2.4 lbs. (1.1kg)
#003669	26.5 lbs. (12kg)	6.5" (16.5cm)	7.5 lbs. (3.4kg)
Levelling Heads	Load Capacity	Height	Weight
#003659/64	22 lbs. (10kg)	2.7" (6.8cm)	1 lb. (450g)
#003663	11 lbs. (5kg)	3.5" (9cm)	2 lbs. (900g)
#003667	22 lbs. (10kg)	3" (7.5cm)	2.9 lbs. (1.3kg)
#003668	26.5 lbs. (12kg)	3.5" (9cm)	3.7 lbs. (1.7kg)

Subject to change without notice

L I N H O F

B A L L H E A D S

Ball Heads

Mini

Tilttop Ballhead (003633)

Compact, extremely light, all metal ballhead. Ideal for compact 35mm cameras, double wing nut for positive lock, and 1/4" screw. Weighs just 4 oz. (100g).

Item # LIMTT78.50

Universal

Ballhead 1 (003681)

All metal ballhead with reversible 42mm top plate. Height 3.1" (8cm). Weighs 9.5 oz. (270g).

Item # LIPBH01.....86.95

Universal

Ballhead 1 Panorama (003677)

All metal ballhead with large knobs and individually lockable panorama movement. Dual threaded 42mm top plate. Height 3.7" (9.5cm), weighs 10 oz. (286g).

Item # LIPBH1134.95

Profi II Ballhead (003676)

A professional medium sized precision ballhead with a 17.6 lb. (8kg) load capacity. Oversized locking knobs for secure positioning. Calibrated friction control. Dual threaded 42mm top plate with a 63mm diameter base. Weighs 1 lb. (540g).

Item # LIBHP242289.95

Profi II Ballhead (003676)

Same as the Profi Ballhead (003676), with a 77mm diameter top plate.

Item # LIBHP277289.95

Universal Ball Head 1 (003681)



Profi II Ballhead with Quick Release (003679)

Same as above, but with built-in quick release and 2.8x2" (7x5cm) quick release plate. Height 4.5" (11cm), weighs 26.6 oz. (754g).

Item # LIBHP2QF1389.00

Quick Release Plate (003875)

2.8x2" (7x5cm) plate. Replacement for Model 003679.

Item # LIQRPQF139.95

Profi III Ballhead (003650)

Sturdy, heavy duty ballhead for precise omni-directional positioning of heavy cameras with a load capacity of 22 lbs. (10kg). Precision engineering combined with friction adjustment guarantees secure camera orientation and safe operation. Individual lockable smooth ball movement and pan rotation, panorama scale with zero index. 90mm base diameter, dual threaded 77mm diameter reversible top plate. Weighs 2 lbs. (1.4kg).

Item # LIBHP377Q648.95

Profi III Ballhead (003675)

Same as above, with an 80mm base diameter and dual threaded 77mm diameter reversible top plate.

Item # LIBHP377459.95

Profi III Ballhead (003675)

This heavy-duty precision ballhead is the same as the Profi III Ballhead (003650), with an 80mm base diameter and dual threaded 42mm diameter reversible top plate.

Item # LIBHP342449.00

Profi III Ballhead

with Quick Release (003680)

Same as the Profi III Ballhead (003675), with a 80 base diameter, but with built-in quick release and 2x3.9" (5x10cm) quick release plate.

Item # LIBHP3QF2559.95

Quick Release

Plate II (003877)

Replacement for above, Model #003680.

Item # LIQRPQF239.95



BALL HEADS SPECIFICATIONS

Ball Heads	Load Capacity	Height	Weight
003681	3.3 lbs. (1.5kg)	3.1" (8cm)	10 oz. (286g)
003677	7.7 lbs. (3.5kg)	3.7" (9.5cm)	2.4 lbs. (1.1kg)
003676/063676	17.6 lbs. (8kg)	4.2" (10.7cm)	1.2 lbs. (540g)
003679	17.6 lbs. (8kg)	4.3" (11cm)	1.6 lbs. (754g)
003650	22 lbs. (10kg)	5.4" (13.8cm)	3 lbs. (1.4kg)
003675/80/063675	22 lbs. (10kg)	5" (12.9cm)	2.8 lbs. (1.3kg)

Subject to change without notice

Precision Heads

Precision Cradle Head (003671)


Precision-engineered cradle head for ultra-precise instrument positioning, specially designed for sophisticated optical and electronic equipment like micro wave antennas, radar detection devices, tracking telescopes, extremely long lenses, etc. Tilt segments run on ball bearings and pan rotation on needle bearings for maximum smoothness. Oversized dovetail quick-change plate for safe and load-compensated instrument positioning. Forward and backward tilt $\pm 21^\circ$; 90mm diameter base retaining plate; load capacity over 65 lbs. (30kg) and weight 10 lbs. (4.5kg).

Item # LIPH2653.50

Precision Micro Drive Cradle Head (003672)

Same as the Precision Cradle Head (003671), but with additional micro drives for extremely accurate pan and tilt control providing a ± 5 minimum micro adjustment range in any position. The separate micro drives can be disengaged to allow rapid changes of basic instrument position. Vertical tilt range $\pm 21^\circ$. Vernier adjustment accuracy 5 min. Weight 11 lbs. (5kg).

Item # LIPHMD4259.95



Monopods

Minipod 4-Section Monopod (003354)

With wrist strap. Adjusts with screw locks. Rubber pad leg tip with $\frac{1}{4}$ " camera mounting screw. Extends to 61" (155cm). Folds to 18" (45cm). Load capacity 4.4 lbs. (2kg), weighs 12 oz. (330g).

Item # LIMPM115.95



Monomatic 5-Section Monopod (003458)

With wrist strap. Short and light monopod with automatic system for stepless height adjustment. Hard anodized, rubber leg tip, with $\frac{1}{4}$ " camera mounting screw. Extends to 58" (147cm). Folds to 12" (33cm). Load capacity 4.4 lbs. (2kg). Weighs 11 oz. (310g).

Item # LIMPMQ182.50

Deluxe 3-Section Monopod (003301)

A very sturdy support for heavier photo or video cameras. Adjustable to any intermediate height by means of locking sleeve. Dual leg tip (metal spike/rubber pad), with loop. 42mm diameter top plate with $\frac{1}{4}$ " camera mounting screw. Extends to 59" (155cm). Folds to 23" (61cm). Load capacity 11 lbs. (5kg). Weighs 21 oz. (590g).

Item # LIMPD204.95

Quick Release Adapters and Plates



Quick Fix 1 (003874)

With quick release plate #003875. Compact size is good for 35mm cameras or video camcorders. A universal quick-lock connection between camera and tripod, with $\frac{1}{4}$ " and $\frac{3}{8}$ " tripod bushings and tripod screws. Dual safety lock, heavy duty, solid all metal design. Weight with plate 7.8 oz. (222g).

Item # LIQF1129.00

Quick Release Plate (003875)

Replacement for the Quick Fix 1 (003874). 4 x 2" (10 x 5.3cm).

Item # LIQRPQF139.95

Quick Fix II (003854)

With quick release plate #003877. Same as the Quick Fix 1 (003874), but larger and accepts the larger plate 3.9 x 2" (10 x 5.2cm) for larger cameras. Weighs just 11 oz. (322g).

Item # LIQF2134.00

Quick Release Plate II (003877)

Replacement for the Quick Fix II (003854). 3.9 x 2" (10 x 5.2cm).

Item # LIQRPQF239.95

$\frac{3}{8}$ " Screw (056084)

Replacement for Quick Fix 1 (003874), Quick Fix 2 (003854), or either Quick Release Plate.

Item # LIS38QF219.50

$\frac{1}{4}$ " Screw (056325)

Replacement for Quick Fix 1 (003874), Quick Fix 2 (003854), or either Quick Release Plate.

Item # LIS.25QF223.95

L I N H O F

B A G S A N D A C C E S S O R I E S

Tripod Bags

Linhof manufactures matching carrying cases with a zippered closure and a handy shoulder strap for easy carrying, that is made of durable fabric and is available in neutral shades.

Tripod Case (023321)
Length 20" (52cm).
Item # LITCPP76.50

Tripod Case (023305)
Length 30" (76cm).
Item # LITCRSV87.50

Tripod Case (023304)
Length 34" (87cm).
Item # LITCLWP3S109.95

Tripod Case (023313)
Length 38" (97cm).
Item # LITCE112.50

Tripod Case (023308)
Length 41" (105cm).
Item # LITCP3349.95

Tripod Case (023309)
Length 47" (120cm).
Item # LITCHDP368.95

Tripod Accessories



Projection Accessory Platform 30mm (003762)
8.5x13" (22x34cm). Fits into 30mm center column. Includes clamp.
Item # LIPP30109.95

Sliding Zoom Rail (003858)
Rigid extrusion profile mono-rail 30" (750mm), with sliding support that allows smooth camera and instrument displacements up to 700mm/27.5" without moving the camera stand. Particularly useful for table-tops and extreme close-ups. Supplied with integrated Quickfix II connector and quick release plate.
Item # LISCZR512.95

Large Geared Center post (003755)
For Heavy Duty Pro #003323. Accessory column with friction-adjustable, self-braking rack and pinion elevator drive. Fits into 90mm diameter collar of Linhof professional tripods and has 90mm diameter clamp mount on top. Height 24" (60cm), weight 1.5 lbs. (680g).
Item # LICCL824.95



35mm Center Column (003833)
With 35mm top plate. Fits tripods with 35mm diameter center.
Item # LICC35109.95

Extension Column (003764)
At 24" (60cm), extends the working height of larger professional tripods. Fits into 90mm diameter collars of Models #003343 and #003454, or can be screwed onto any flat tripod plate. Has 90mm diameter clamp mount on top.
Item # LICE24579.95

R/A Outtrigger Adapter 90mm (003776)
For Profi III #003454 and Heavy Duty Tripod #003323, for horizontal placement of Large Geared Center post #003755 or Extension Column #003764.
Item # LIOA90609.95

Flat Tripod Top Plate (032965)
Fits into 90mm clamp mount. Flat top 1/4".
Item # LITP90.2569.50

Flat Tripod Top Plate (031482)
Fits into 90mm clamp mount. Flat top 3/8".
Item # LITP903869.50

Small Top Plate 42 (003845)
42mm diameter with 3/8" and 1/4" solid brass camera screws.
Item # LITPDT4219.95

Large Top Plate 77 (003753)
77mm diameter, with 3/8" and 1/4" solid brass camera screws.
Item # LITPDT7724.95

Reducing Bushing (004262)
From 3/8" thread to 1/4".
Item # LIRB8.95

Camera Retaining Screws

All brass retaining screws for Linhof tripod heads, with small and larger plastic locking knobs. Available in 1/4" and 3/8" sizes, as below.


Small Camera Screw 1/4" (003769)
Item # LITS.25S19.50

Small Camera Screw 3/8" (003773)
Item # LITS38S19.50

Large Camera Screw 1/4" (003774)
Item # LITS.25L23.95

Large Camera Screw 3/8" (003775)
Item # LITS38L23.95

Screw for 3-Way Levelling Head (051644)
Item # LITSLH43.50



Outtrigger Arm (003754)
For mounting Technika cameras upside down (lens drop) or close to the ground. Also, for Varioport table columns. Adjusts to 135-180mm outtrigger distance. Weighs 11 oz. (300g).
Item # LIOAT167.50

Macro/Stereo Focusing Slide (003834)
Smooth rack and pinion adjustment over 7" (18cm), interchangeable camera screw 1/4" and 3/8", triple adjustable camera positioning. Tripod thread 1/4" and 3/8", adjustable dovetail base plate. Weighs 27 oz. (700g).
Item # LIMSFD428.50

HD Projection Accessory Platform (003850)
For heavy and wide projection equipment. 3/8" tripod bushing permits mounting to any tripod. 12x17" (30x42cm).
Item # LIPPHD187.95


MAJESTIC

TRIPODS

Majestic has been producing precision camera supports for more than forty years. Traditional manufacturing techniques and hand assembly are employed, utilizing steel, aluminum tubing and precision machined alloy casting. All fasteners are removable with standard hand tools and, where appropriate, lock washers are used where vibration and long wear might loosen a part. All locking screws work against tension, ensuring that they will not release inadvertently.

Majestic International 5000 Series tripods are offered with black anodized aluminum legs, dark gray anodized center column, and include a $\frac{3}{8}$ " camera mounting screw. The Classic 5200 Series tripods come with a 1½" (3.8cm) center post, and the 5900 Series come with a 1⅞" (4.76cm) center post.

Majestic tripods are also available with two column extensions. All come with Quicklift ratchet drives which provide 2" of vertical motion for each turn of the gear driven crank.



International Series Tripod Legs with $\frac{3}{8}$ " Screw Mounts

5001 1-Section Single Leg Tripod (850-01)
Item # MA5001.....**279.95**

5003 1-Section Single Leg Tripod (850-03)
With extension.
Item # MA5003.....**309.95**

5005 2-Section Single Leg Tripod (850-05)
Item # MA5005.....**364.95**

5007 2-Section Single Leg Tripod (850-07)
With extension.
Item # MA5007.....**394.95**

5021 1-Section Single Leg Tripod (850-21)
With center brace.
Item # MA5021.....**322.95**

5023 1-Section Single Leg Tripod (850-23)
With center brace and extension.
Item # MA5023.....**352.95**

5025 2-Section Single Leg Tripod (850-25)
With center brace.
Item # MA5025.....**407.95**

5027 2-Section Single Leg Tripod (850-27)
With center brace and extension.
Item # MA5027.....**437.95**

5041 1-Section Single Leg Tripod (850-41)
With center brace and 3" casters.
Item # MA5041.....**364.95**

5043 1-Section Single Leg Tripod (850-43)
With center brace, extension and 3" casters.
Item # MA5043.....**394.95**

5085 2-Section Twin Leg Tripod (850-85)
Item # MA5085.....**394.95**

5087 2-Section Twin Leg Tripod (850-87)
With extension.
Item # MA5087.....**424.95**

SERIES 5000 TRIPODS SPECIFICATIONS

MODEL #	5001	5003	5005	5007	5021	5023	5025	5027	5041	5043	5085	5087
Load Capacity	40 lbs. (18.2kg)	40 lbs. (18.2kg)	35 lbs. (15.9kg)	35 lbs. (15.9kg)	40 lbs. (18.2kg)	40 lbs. (18.2kg)	40 lbs. (18.2kg)	40 lbs. (18.2kg)	40 lbs. (18.2kg)	40 lbs. (18.2kg)	50 lbs. (22.7kg)	50 lbs. (22.7kg)
Maximum Extension	48.5" (123cm)	70.5" (179cm)	71.25" (181cm)	93" (236cm)	48.5" (123cm)	70.5" (179cm)	71.25" (181cm)	93" (236cm)	51.5" (131cm)	73.5" (187cm)	73.5" (187cm)	94.5" (240cm)
Minimum Usable Height	30.25" (77cm)	32" (81cm)	31.25" (79cm)	33" (84cm)	30.25" (77cm)	32" (81cm)	31.25" (79cm)	33" (84cm)	33.25" (84cm)	35" (89cm)	32.75" (83cm)	33.5" (85cm)
Leg Sections	1	1	2	2	1	1	2	2	1	1	2	2
Center Column Section	1	2	1	2	1	2	1	2	1	2	1	2
Folded Length	32.75" (83cm)	34.5" (88cm)	34" (86cm)	35.75" (91cm)	32.5" (82.5cm)	34.25" (87cm)	33.75" (86cm)	35.5" (90cm)	38.25" (97cm)	38" (96cm)	36.75" (93cm)	38.25" (97cm)
Weight	6.5 lbs. (2.9kg)	8.5 lbs. (3.9kg)	7.5 lbs. (3.4kg)	9.5 lbs. (4.3kg)	7 lbs. (3.2kg)	9 lbs. (4kg)	8 lbs. (3.6kg)	10 lbs. (4.5kg)	16 lbs. (7.3kg)	18 lbs. (8.2kg)	12 lbs. (5.4kg)	14 lbs. (6.4kg)
Casters	Optional	Optional	N.A.	N.A.	Optional	Optional	N.A.	N.A.	Included	Included	N.A.	N.A.

Subject to change without notice

Corporate Accounts Are Welcome

M A J E S T I C

T R I P O D S

Series 5200 Tripods with 1½" Center Post

5201 1-Section Single Leg Tripod (852-01) <i>Item # MA5201</i> 279.95	5227 2-Section Single Leg Tripod (852-27) With center brace and extension. <i>Item # MA5227</i> 437.95
5203 1-Section Single Leg Tripod (852-03) With extension. <i>Item # MA5203</i> 309.95	5241 1-Section Single Leg Tripod (852-41) With center brace and 3" casters. <i>Item # MA5241</i> 364.95
5205 2-Section Single Leg Tripod (852-05) <i>Item # MA5205</i> 364.95	5243 1-Section Single Leg Tripod (852-43) With center brace, extension and 3" casters. <i>Item # MA5243</i> 394.95
5207 2-Section Single Leg Tripod (852-07) With extension. <i>Item # MA5207</i> 394.95	5285 2-Section Twin Leg Tripod (852-85) <i>Item # MA5285</i> 394.95
5221 1-Section Single Leg Tripod (852-21) With center brace. <i>Item # MA5221</i> 322.95	5287 2-Section Twin Leg Tripod (852-87) With extension. <i>Item # MA5287</i> 424.95
5223 1-Section Single Leg Tripod (852-23) With center brace and extension. <i>Item # MA5223</i> 352.95	
5225 2-Section Single Leg Tripod (852-25) With center brace. <i>Item # MA5225</i> 407.95	

Series 5900 Tripods with 1½" Center Post

5901 1-Section Single Leg Tripod (859-01) <i>Item # MA5901</i> 254.95	5927 2-Section Single Leg Tripod (859-27) With center brace and extension. <i>Item # MA5927</i> 373.95
5903 1-Section Single Leg Tripod (859-03) With extension. <i>Item # MA5903</i> 279.95	5941 1-Section Single Leg Tripod (859-41) With center brace and 3" casters. <i>Item # MA5941</i> 373.95
5905 2-Section Single Leg Tripod (859-05) <i>Item # MA5905</i> 299.95	5943 1-Section Single Leg Tripod (859-43) With center brace, extension and 3" casters. <i>Item # MA5943</i> 399.50
5907 2-Section Single Leg Tripod (859-07) With extension. <i>Item # MA5907</i> 327.50	5985 2-Section Twin Leg Tripod (859-85) <i>Item # MA5985</i> 339.95
5921 1-Section Single Leg Tripod (859-21) With center brace. <i>Item # MA5921</i> 299.95	5987 2-Section Twin Leg Tripod (859-87) With extension. <i>Item # MA5987</i> 364.95
5923 1-Section Single Leg Tripod (859-23) With center brace and extension. <i>Item # MA5923</i> 327.50	
5925 2-Section Single Leg Tripod (859-25) With center brace. <i>Item # MA5925</i> 348.50	

SERIES 5200 and 5900 TRIPODS SPECIFICATIONS

MODEL #	5201 / 5901	5203 / 5903	5205 / 5905	5207 / 5907	5221 / 5921	5223 / 5923	5225 / 5925	5227 / 5927	5241 / 5941	5243 / 5943	5285 / 5985	5287 / 5987
Load Capacity	40 lbs. (18.2kg)	40 lbs. (18.2kg)	35 lbs. (15.9kg)	35 lbs. (15.9kg)	40 lbs. (18.2kg)	40 lbs. (18.2kg)	40 lbs. (18.2kg)	40 lbs. (18.2kg)	40 lbs. (18.2kg)	40 lbs. (18.2kg)	50 lbs. (22.7kg)	50 lbs. (22.7kg)
Maximum Extension	50" (127cm)	72" (183cm)	72.5" (184cm)	93" (240cm)	50" (127cm)	72" (183cm)	72.5" (184cm)	94.5" (240cm)	53" (135cm)	75" (191cm)	75" (191cm)	96" (244cm)
Minimum Usable Height	31.75" (81cm)	33.5" (85cm)	32.75" (83cm)	34.5" (88cm)	31.75" (81cm)	33.5" (85cm)	32.75" (83cm)	34.5" (87cm)	34.75" (88cm)	36.5" (93cm)	34.25" (87cm)	35" (89cm)
Leg Sections	1	1	2	2	1	1	2	2	1	1	2	2
Center Column Section	1	2	1	2	1	2	1	2	1	2	1	2
Folded Length	34.75" (88cm)	36.5" (93cm)	36" (91cm)	37.75" (96cm)	34.5" (88cm)	36.25" (92cm)	35.75" (90cm)	37.5" (96cm)	38.25" (97cm)	40" (102cm)	38.75" (98cm)	40.25" (102cm)
Weight	6.5 lbs. (2.9kg)	8.5 lbs. (3.9kg)	7.5 lbs. (3.4kg)	9.5 lbs. (4.3kg)	7 lbs. (3.2kg)	9 lbs. (4kg)	8 lbs. (3.6kg)	10 lbs. (4.5kg)	16 lbs. (7.3kg)	18 lbs. (8.2kg)	12 lbs. (5.4kg)	14 lbs. (6.4kg)
Casters	Optional	Optional	N.A.	N.A.	Optional	Optional	N.A.	N.A.	Included	Included	N.A.	N.A.

Subject to change without notice




THE PROFESSIONAL'S SOURCE (212) 444-6630 • FAX: (212) 239-7770

1 • 8 0 0 • 9 4 7 • 6 6 5 0

MAJESTIC

TRIPODS AND ACCESSORIES

Gearheads provide smooth movement and positive control of cameras weighing up to 35 pounds. They fit any standard tripod or camera stand, and the interchangeable camera platform allows mounting of virtually any camera. They feature internal gears, rugged aluminum casting and an oversized, self-locking crank. They allow 90° forward tilt, 30° back tilt and 15° tilt from left to right. Weighs 6 lbs. (2.7kg).



Gearhead
with 6x7
plate

1000 Series Gearheads - 3/8" Screw Mount

1001 Gearhead (810-01)
With 6 x 7" (15.2 x 17.8cm)
camera platform.
Item # MA1001**271.95**

1003 Gearhead (810-03)
With 6 x 4.5" (15.2 x 11.4cm)
camera platform.
Item # MA1003**271.95**

1005 Gearhead (810-05)
With 3 x 3.6" (7.6 x 9.2cm)
camera platform.
Item # MA1005**271.95**

1007 Gearhead (810-07)
With 4.5" (11.4cm) round
camera platform.
Item # MA1007**271.95**

1200 Series Gearheads - 1/2" Post Mount

1201 Gearhead (812-01)
With 6 x 7" (15.2 x 17.8cm)
camera platform.
Item # MA1201**254.95**

1203 Gearhead (812-03)
With 6 x 4.5" (15.2 x 11.4cm)
camera platform.
Item # MA1203**254.95**

1205 Gearhead (812-05)
With 3 x 3.6" (7.6 x 9.2cm)
camera platform.
Item # MA1205**254.95**

1207 Gearhead (812-07)
With 4.5" (11.4cm) round
camera platform.
Item # MA1207**254.95**

1900 Series Gearheads - 1 1/8" Post Mount

1901 Gearhead (819-01)
With 6 x 7" (15.2 x 17.8cm)
camera platform.
Item # MA1901**254.95**

1903 Gearhead (819-03)
With 6 x 4.5" (15.2 x 11.4cm)
camera platform.
Item # MA1903**254.95**

1905 Gearhead (819-05)
With 3 x 3.6" (7.6 x 9.2cm)
camera platform.
Item # MA1905**254.95**

1907 Gearhead (819-07)
With 4.5" (11.4cm) round
camera platform.
Item # MA1907**254.95**

Tripod Accessories


**8040A Sidearm
with Head Mount** (880-40)
For International tripods. For
secure support at extremely
low-angle positions, although
mounting is possible at both
top and bottom of the center
column. The head mount can
be moved easily to any position
along the 18" horizontal arm.
Item # MA8040A.....**94.95**

8050 Flat Rubber Feet (880-50)
Set of 3.
Item # MA8050**69.95**

#8202 2" Caster Set (882-02)
Set of 3.
Item # MA8202**74.95**

#8203 3" Caster Set (882-03)
Set of 3.
Item # MA8203**87.50**

#8204 4" Caster Set (882-04)
Set of 3.
Item # MA8204**92.95**




Majestic
5201 Tripod
(852-01)

Majestic
5243
Tripod
(852-43)

Gearhead Accessories

Majestic has a wide array of
camera plates (platform) that
can be interchanged on gear-
heads. Created from the finest
aircraft aluminum, these plates
can support cameras from
35mm to 11 x 14" format.
Simply screw the plate into the
camera bottom and tighten via
the thumb screw. Majestic
plates are available with 3/8" or
1/4" thread.



Camera
Plates

#501 Camera Plate (805-01)
6 x 7" (15.2 x 17.8cm).
Item # MA501**29.95**

#503 Camera Plate (805-03)
6 x 4.5" (15.2 x 11.4cm).
Item # MA503**29.95**

#505 Camera Plate (805-05)
3 x 3.6 (7.6 x 9.2cm).
Item # MA505**29.95**

**#507 Round
Camera Plate** (805-07)
4.5" (11.4cm).
Item # MA507**31.95**

Adapter #800 (808-00)
1 1/8" post (1200 Series) to 3/8"
stud.
Item # MA800**41.95**

Adapter #802 (808-02)
1 1/8" post (1900 Series) to 3/8"
stud.
Item # MA802**79.95**

Most Orders Shipped Within 24 Hours

SLIK

TRIPOD



Slik's unique and patented engineering, plus a remarkably wide selection of tripods, it is easy to choose just the right one to hold your camera steady at any angle, on virtually any terrain, for applications indoors or out. Decades of experience and a wealth of accumulated photographic knowledge, combined with state-of-the-art engineering, have been instrumental in helping Slik create tripods that are amazingly light, yet offer remarkable strength and stability.

Mini Tripods with Heads

Sturdy, amazingly lightweight, compact, take-them-anywhere tripods, designed for compact cameras, give steady support at all times.

450G Minipod (611-450)

The 450G is a compact minipod (11.5" folded), that is perfect for tabletop, macro and copy photography. Great on any available ledge. Reversible center column for low angle and copy work. Double extension center column and four leg extensions allow it to rise to almost triple its size. Separate pan and tilt control follows all the action. Easy-to-grip leg locks for quick adjustments.

Item # SL450G.....**21.95**



Mini Tripod (611-200)

Ideal for use with most compact 35mm SLRs, imaging cameras and camcorders weighing up to 2¾ lbs. as either a table pod or chest pod. The Mini Tripod travels anywhere, can be easily carried in a camera case, and sets up in an instant. A suction cup located on the bottom of the center column even allows the tripod to be set up on the hood of a car. Ideal for table-top, low-angle, and close-ups.

Item # SLMT.....**22.50**

MINI AND COMPACT SPECIFICATIONS

Model	450G	Mini	Mini Pro II	Mini Pro	Compact
Load Capacity	2.8 lbs. (1250g)	2.8 lbs. (1250g)	1.8 lbs. (794g)	1.8 lbs. (794g)	2.8 lbs. (1250g)
Minimum Usable Height	0"	7" (15cm)	6.8" (17cm)	7.5" (19cm)	0"
Maximum Extension	3.4" (85cm)	8.5" (21.5cm)	8.5" (22cm)	9.5" (24cm)	38" (97cm)
Leg Sections	4	2	2	2	4
Center Column Sections	2	1	1	1	1
Folded Length	11.5" (29cm)	7.9" (20cm)	8.3" (21cm)	8" (20cm)	14.2" (36cm)
Weight	18 oz. (510g)	11 oz. (320g)	12 oz. (340g)	12 oz. (340g)	22 oz. (626g)

Subject to change without notice

Mini Pro Tripods with Heads

Mini-Pro II (611-250)

The Mini-Pro II features a two-way panhead. It has an oversized elevator locking collar which makes raising the center column fast and easy.

Item # SLMP2.....**19.95**

Mini-Pro (611-350)

With pouch case. A compact ballhead allows for orienting the camera to almost any angle. For vertical photos, the camera platform can be tilted 90° in any direction.

Item # SLMP.....**34.95**



Compact Tripod (611-460)

Lightweight and sized perfectly for fitting into a backpack, the Compact Tripod is an excellent vacation tripod when travelling. Ideal for backpackers wanting camera or camcorder support. It features a reversible center-column for low-angle or copy work, and four leg sections. Separate pan and tilt control follows all the action, while the easy-grip leg locks permit quick height or uneven terrain adjustments. Rubber-tipped legs provide non-marring sure-footing on all surfaces.

Item # SLCT.....**28.50**

SLIK

TRIPODS

Photo/Video Tripods with Fluid Effect Pan Head

The U Series tripods bring together modern design with ultra-smooth controls. All share the distinctive looking, two-tone titanium leg locks for quick, responsive leveling adjustments. The fluid effect panheads assure professional looking videos without annoying jumps and jitters, and rock solid support for your still photos.

U5000 (617-500)

Features oversized, single action locks with rubber leg tips for non-skid stability. The center column is lift-and-lock gearless with two-way photo/video fluid effect pan-head.

Item # *SLU5000***22.95**



U6000 (617-600)

Same as above, plus torsion resisting center leg braces, geared center column, tension adjustment locking collar and quick release camera platform.

Item # *SLU6000***27.95**

U8000 (617-800)

Same as above, plus 3-way photo/video fluid effect pan-head.

Item # *SLU8000***39.95**

U9000 (617-900)

Same as above, plus built-in bubble level.

Item # *SLU9000***44.95**

505QF (617-505)

A heavy-duty tripod constructed to handle the weight and size of full size video cameras. Positive action fluid head for smooth panning, separate pan and tilt control locks, single action, quick release camera platform with safety lock make this the true professional model. Center column is gear driven. Legs are tubular design with braces for maximum stability.

Item # *SL505QF***174.95**



PHOTO/VIDEO TRIPOD SPECIFICATIONS

MODEL #	U5000	U6000	U8000	U9000	505QF
Load Capacity	3.3 lbs. (1.5kg)	3.3 lbs. (1.5kg)	4.4 lbs. (2kg)	4.4 lbs. (2kg)	11 lbs. (5kg)
Maximum Extension	46" (116cm)	56" (142cm)	59" (150cm)	59" (150cm)	65" (164cm)
Minimum Usable Height	18" (46cm)	22" (56cm)	23" (58cm)	23" (58cm)	29" (74)
Leg Sections	3	3	3	3	3
Center Column Section	1	1	1	1	1
Folded Length	18" (46cm)	22" (56cm)	23" (59cm)	23" (59cm)	30" (75cm)
Weight	28 oz. (793g)	2.5 lbs. (1.1kg)	3.3 lbs. (1.5kg)	3.5 lbs. (1.6 kg)	8 lbs. (3.6kg)

Subject to change without notice

Equipment Leasing Available

SLIK

TRIPODS

Deluxe Tripods with Pan-Head

U212 Deluxe (612-212)

With quick release post. The U212 Deluxe is an all-purpose tripod. Features include rectangular legs with retractable rubber leg tips and spikes. Each leg angle can be individually adjusted to compensate for unusual surfaces and ground level shots. Geared center column tension control gives the right support for varying camera weights. Includes a bubble level and a quick release camera post that makes camera mounting and removal fast and easy. Threaded panhead mounting post on one leg is ideal for low-angle photography. For shooting vertically, a camera locking brace provides a tight camera-to-tripod mount which prevents camera slipping. Other U212 Deluxe features include the capacity to accept a lens or flash caddy.

Item # SLU212.....74.95



300 Deluxe (615-310)

With quick release platform. Features "D" shaped closed leg extensions that provide maximum strength. Each leg angle can be individually adjusted for surfaces and ground level shots. An omni-directional quick release permits easy mounting or removal. The quick release is positioned on a 3-way panhead with separate locking controls for pan and tilt. "Lift-n-Lock" center column features oversized locking collar. Rubber leg tips provide maximum traction outdoors and protection to surfaces indoors. Other features include the optional short center column, permitting tripod use as low as 14" (35cm).

Item # SL300DX.....89.95

Pro Tripod 700DX (615-315)

With Pro 700 DX Pan Head cylindrical shaped quick release. Using Tri-Titanium, a super-strength alloy comprised of aluminum, magnesium and titanium, the Pro 700 DX has a strength-to-weight ratio more than 40% greater than comparable tripods. Individual leg angle adjustments permit three distinctive settings for unusual terrain or low-angle camera use. The three-way removable pan head features individual locking controls for pan and tilt, as well as 360° rotation of its quick release platform and two bubble levels. The flat base of the quick release permits setting equipment down without concern of tipping it over.

Item # SL700DX.....174.95

DELUXE TRIPOD SPECIFICATIONS

Model	U212 DLX	300 DX	700 DX
Load Capacity	5.5 lbs. (2.5kg)	11 lbs. (5kg)	15 lbs. (7kg)
Minimum Usable Height	0	0	*24.4" (62cm)
Maximum Extension	63" (160cm)	61" (155cm)	74.8" (190cm)
Leg Sections	3	3	3
Center Column Sections	1	1	1
Folded Length	27" (69cm)	26" (66cm)	29.9" (76cm)
Weight	6 lbs. (2.7kg)	5.5 lbs. (2.5 kg)	7 lbs. (3.2kg)

Subject to change without notice

* with standard column

Sport/Professional Tripods with Pan-Head

444 Sport II (613-442)

Sturdily built, specifically for the photographer on the go. It is rugged enough for the active, outdoor, sports and nature photographer, yet compact and light enough to travel conveniently. Features individually adjustable 3-position, low angle leg locks to adapt the tripod to all types of terrain, and an optional short center column which makes it ideal for ground-level shooting. Solid metal construction. Weighs just 4 lbs. Ideal for field work, fitting easily into a backpack. Multi-action head with single handle pan and tilt. Quick release post for fast camera setup and removal. Also features speed release leg locks, geared center column for positive, precise elevation control and center column tension adjustment control for different camera weights.

Item # SL444S2104.95

Master Classic (616-725)

Surprisingly compact and remarkably sturdy, this attractively priced tripod is a professional quality instrument designed to please any pro. The heavy-duty construction makes it great for use with 35mm SLRs with long telephoto lenses, as well as with medium format cameras. Portable yet sturdy, it features a removable multi-action head with single pan and tilt adjustments. Allows for photography at any angle with no blind spots. Camera platform can be easily unlocked for panoramic assignments and smooth panning. Rugged grooved tubular design prevents legs from turning when unlocking or locking.

Item # SLMC119.95



Sport/Professional Tripods with Pan-Head, *continued*



Pro Ballhead 800 (618-708)

SPORT/PROFESSIONAL TRIPOD SPECIFICATIONS

Model	SPORT II	MASTER CLASSIC
Load Capacity	11 lbs. (5kg)	13.2 lbs. (6kg)
Minimum Usable Height	0	0
Maximum Extension	51" (130cm)	64" (163cm)
Leg Sections	4	3
Center Column Sections	1	1
Folded Length	19" (48cm)	25.5" (65cm)
Weight	4 lbs. (1.8kg)	5.5 lbs. (2.5 kg)

Subject to change without notice

Ballheads

Compact Ballhead (618-710)

Use with compact cameras. Allows orientation of camera to almost any angle without use of a panhead.

Item # SLBHC**24.99**

Standard Ballhead II (618-709)

For use with most cameras. Features a large padded camera stage for stability.

Item # SLBHS2**39.99**

Pro Ballhead (618-706)

For heavy-duty professional use. Extra large controls for easy handling.

Item # SLBHP**72.99**

Pro Ballhead 800 (618-708)

With quick release. For medium format cameras. features dual action rotating quick release platform and extra large rubberized locking knobs.

Item # SLBHP800**89.95**

Super Ballhead (618-705)

Handles diverse, ultra heavy-duty assignments with up to large format cameras. Its maximum load is 30 lbs. Provides smooth, easy to use operation. Separate pan lock and fine tuning adjustments assure precise control and minimizes the chance of tipping.

Item # SLBHS**219.95**

Panheads

Panheads feature a large camera platform with interchangeable ¼" and ⅜" camera mounting screws and a non-slip cork pad for tight, positive camera-to-tripod mounting. The smooth 3-way panhead, complete with dual axis bubble levels, permits quick and easy establishment of vertical and horizontal positions. The ergonomically designed extra large, extra long handles and knobs assure quick, responsive control of all panhead movement, and the oversized space provided under the panhead camera platforms allow you to comfortably reach the camera mounting screw to quickly secure the camera.

Standard Panhead (619-715)

The Standard Panhead is a professional 3-way panhead with a load capacity of 16 lbs. (7.3kg). It weighs 3.3 lbs. (1.5kg).

Item # SLP2H**164.95**

Heavy-Duty Panhead (619-750)

The Heavy-Duty Panhead is a professional 3-way panhead with a load capacity of 22 lbs. (10kg), weighing 4 lbs. (1.8kg).

Item # SLPH**197.50**



BALL HEAD SPECIFICATIONS

Model	Compact Ball Head	Std Ball Head II	Pro Ball Head	Pro Ball Head 800	Super Ball Head
Load Capacity	6.5 lbs. (2.9kg)	11 lbs. (5kg)	15.4 lbs. (7kg)	11 lbs. (5kg)	30 lbs. (14kg)
Height	3.2" (8cm)	3.9" (10cm)	5.1" (13cm)	4.7" (12cm)	5.8" (14.6cm)
Weight	4.6 oz. (130g)	10.5 oz. (298g)	26.5 oz. (751g)	26.8 oz. (760g)	44 oz. (1247g)

Subject to change without notice

HEADS / TRIPODS AND MONOPODS

Auto-Fast Tripod/Tripod Head

AF2100 Pistol Grip Head (618-210)

With quick release plate. A unique patented single action pistol grip head. Just squeeze the trigger, set it to the desired position, release the trigger and your camera is locked right where you want it. Can be used with all makes and models of tripods that have $\frac{1}{4}$ " x 20" or $\frac{3}{8}$ " threaded center column posts. Quick release plate allows fast action mounting or removal of the camera platform. Base diameter is 2" (51cm), height 5.3" (13.3cm) and weighs 30 oz. (850g).

Item # SLAF2100.....**59.95**

Auto Fast 322 AF II Tripod (614-555)


With quick release plate. The easiest to use, fastest operating tripod available. Includes AF2100 pistol grip head. Enables any angle movement with one touch. Head has bubble level which accurately establishes vertical position for tripod. Center column has tension control which sits on a geared elevator, to compensate different weights. Legs can be opened to a low angle for macro and close-up photography.

Item # SL322AF2.....**184.90**

AUTO FAST TRIPOD SPECIFICATIONS

Model	Auto Fast 322 AF II Tripod
Load Capacity	11 lbs. (5kg)
Minimum Useable Height	0"
Maximum Extension	64" (163cm)
Leg sections	3
Center Column Sections	1
Folded Length	29" (72cm)
Weight	6.4 lbs. (2.9kg)

Subject to change without notice



Monopods

Lighter and more compact than a tripod, a unipod offers greater mobility for fast-moving action. Ideal for use where space is limited and for traveling and back-packing, too.

Slim Pod (618-724)

Sturdy, tubular leg design, with single-action speed release leg locks for maximum rigidity and fast setup. Four leg sections offer eye-level operation. An adjustable panhead provides vertical tilt and horizontal panning action.

Item # SLSP.....**19.95**

Light Pod II (618-725)


Features a compact ballhead for quick and smooth position changes, plus easy-to-operate flip lock leg levers. Grooved design prevents leg rotation while locking and unlocking. A heavy-duty wrist strap ensures a secure grip.

Item # SLLP2.....**44.95**

E-Z Pod Jr (617-200)

With wrist strap. This unique unipod was specifically created to be compatible with today's popular, lightweight cameras and camcorders. So compact when folded, (just 20 $\frac{1}{4}$ "), it can be taken anywhere. The quick release, rubber padded platform is perfect for instant camera mounting and removal. Panhead adjusts for desired tilt movement. Five section, rigid tubular leg extends to a full 63". Single action, speed release locks.

Item # SLEZPJ.....**31.95**



E-Z Pod (617-400)

With a quick release rubber padded camera platform. Unique anti-gravity adjustment system offers easy, precise, push button controlled eye-level camera height setting, quickly and smoothly. Take it anywhere. Perfect for sporting events. Other features include an adjustable panhead for smooth tilt movement and single action, and speed release leg locks for fast setup and fold-down.

Item # SLEZP.....**41.95**

Pro Pod (618-720)

With strap. An ultra heavy-duty professional unipod, built sturdily enough to handle heavy weight. Grooved tubular leg extends smoothly and will not turn while leg locks are tightened or loosened. Wrist strap and "Sof-Touch" rubber padded grip for comfort.

Item # SLPP.....**84.95**

Monopods, continued

MONOPOD SPECIFICATIONS

MODEL	Slim Pod	Lighty Pod II	E-Z Pod Jr	E-Z Pod	Pro Pod
Sections	4	5	5	4	4
Load Capacity	2.8 lbs. (1.2kg)	6.6 lbs. (3kg)	8.5 lbs. (3.9kg)	8.5 lbs. (3.9kg)	11 lbs. (5kg)
Height Range	20-59.5" (51-151cm)	20.6-63.3" (52-160cm)	20.3-63" (51-160cm)	18.5-62.8" (47-159cm)	23.8-71.6" (60-182cm)
Weight	10 oz. (284g)	16 oz. (454g)	17 oz. (482g)	24 oz. (680g)	37 oz. (1049g)

Subject to change without notice

Tripod Accessories

Clamp Head 38 (618-020)

Attached to a tripod leg or light stand, the clamp head will hold a camera rock-steady on an otherwise impossible angle. It can be adjusted a full 360° horizontally and 180° vertically. Attach it to the lower part of a tripod leg for low level shooting, or to the upper portion of the leg or center column to mount two cameras on a single tripod. Its load capacity is 11 lbs. (5kg), the platform size is 3.25 x 2" (8.3 x 5cm) and it weighs 1.2 lbs. (544g)

Item # SLCH38.....76.50



Clamp Head 38 (618-020)

U700 Universal Tripod Dolly (617-700)

Individual leg holders lock your tripod securely in place and adjust to allow the use of virtually any size tripod.


Oversized 3" (74mm) rubber wheels provide smooth rolling action, and individual wheel locks secure tripod in place. Folds for easy carrying. Handy carry strap included. Legs are all metal construction. Opens to 19.4" (49cm), folds to 21 x 3.6 x 5.6" (53 x 9.5 x 14.5cm) and weighs 7.7 lbs. (3.5kg).

Item # SLDU70099.95

Twin Camera Platform II (618-703)

For side-by-side use of two cameras, or camera and accessory. Threaded camera posts slide apart from 4" to 9 1/2".

Item # SLTCP2.....57.95



Twin Camera Platform II (618-703)

Twin Pan Camera Platform (618-704)

Use up to three cameras and/or accessories at one time. Twin panheads allow photographs to be taken independently at any angle. Length is 16" (41cm) and weight 29 oz. (820g).

Item # SLTPCP119.95

Medium Tripod Case (618-760)

Made of heavy-duty material and has an extra outside pocket, special ID window and adjustable carry strap. 24 x 6.3 x 5.1" (61 x 15.8 x 13cm).

Item # SLTCM.....22.95

Large Tripod Case (618-765)

Same as the Medium Tripod Case, but in a larger size. 30 x 9.5 x 8.3" (76 x 24 x 21cm).

Item # SLTCL23.95

Lens Caddy (618-754)


Offers added support when using telephoto lenses. Attaches to the accessory shoe mount of the Slik U212 Deluxe tripod.

Item # SLLC.....17.95

Flash Caddy (618-753)

Set of two. A handy way to position your flash(es) away from the camera for creative lighting effects. For use on Slik U212 Deluxe.

Item # SLFC.....33.50



Twin Pan Camera Platform (618-704)

Quick Release Post (618-752)

Fits Universal U212 Tripod.

Item # SLQRP6.95

Short Center Column (615-312)

For 700 DX tripod. Minimum height will become 15.7" (40cm).

Item # SLCCS700DX24.95

Quick Release Platform (618-734)

Fits 112, 212, 322 AF tripods and 2100 AF pistol.

Item # SLQRP322AF13.95

Medium Tripod Case (618-760)

**Quick Release Shoe** (618-737)

Fits Easy Pod, 511QF.

Item # SLQRSEZP9.95

Quick Release (618-330)

Fits model 300DX tripod.

Item # SLQR300DX14.95

Quick Release Shoe (618-730)

Fits the 505QF, 506QF and 322VF tripods.

Item # SLQRS505QF13.95

Quick Release Shoe (618-731)

Fits Models U6000, U8000, U9000 tripods.

Item # SLQRSU80009.95

Quick Release Shoe (618-732)

Fits models 960G-QL, 970G-QL, 1200G-QL tripods.

Item # SLQRS960GQL13.95

Quick Release Plate (618-335)

1/4 - 20 for 700 DX Tripod and 800 Pro Ball Head.

Item # SLQR.25700DX19.95

Quick Release Plate (618-340)

Same as above, but 3/8".

Item # SLQR38700DX19.95

For the pro and amateur alike, Velbon offers a wide selection of tripods for every photographer and videographer. From the lightweight CX series to the heavy-duty Mark series, Velbon maintains a high degree of quality and consistency throughout its tripod line. Velbon prides itself on supplying the photo/video market with every style, design and feature needed in a photo/video tripod. It also provides a wide variety of accompanying accessories such as tripod bags, ball heads, cable releases and a marvelously light and reasonably priced quick-release system. Two and three-way pan/tilt heads along with camcorder alignment pins make Velbon a cost effective purchase for those with multiple needs from a reliable and user friendly tripod system.

Velbon's quick set-up system incorporates geared, as well as rapid columns with 1/4x20 head screws and quick side lever locks. Radial leg braces assure stability, while rubber tipped feet prevent unwanted slippage. Smooth, positive and friction controlled pan/tilt heads make shooting easier and more enjoyable. No matter what your photographic or videographic need is, Velbon can supply you with a tool that you can have confidence in.

CX Series Photo/Video Tripods with Heads

The CX series is a lightweight line of photo/video tripods suitable for compact 35mm and video camcorders. Along with either 2 or 3 way pan/tilt heads, the CX's feature "sure grip" controls, geared center columns, quick-release platforms, side lever locks, camcorder alignment pins and rubber tipped feet.

CX-300

3-section, 2-way panhead, 20mm tubular legged tripod with radial leg braces and geared center column. Left side positioned control handle makes camera controls easily accessible. Available in white aluminum or black.

Item # VECX30019.95

CX-440

Same as the CX-300, featuring a 3-way pan/tilt head with "Auto-Lock" quick-release mechanism (QB-4LC).

Item # VECX44029.50

CX-540

The next step in the CX series has an extra wide quick-release platform (QB-5LC), as well as a leveling bubble mounted on the tripod body. The legs are constructed of 23mm tubular aluminum. This is a 3-section tripod, as are all CX tripods. Features angled gear teeth for smoother center column operation. Weighs 3.5 lbs. (1.59kg). Available in titanium bronze.

Item # VECX54044.95

CX-544


Dual purpose deluxe tripod with a left positioned handle and right tilting camera platform for unobstructed access to camera controls. Vertical shooting in 35mm is easier, as the platform provides better support for heavier lenses. Features a large 2-positioned quick-release platform, 27mm tubular legs and a bubble level. Titanium bronze color.

Item # VECX54444.95

CX-684

Same as the CX-544, with a large 2-position quick-release camera platform (QB-5W).

Item # VECX68454.95



CX SERIES and SPECIALTY CX TRIPOD SPECIFICATIONS

MODEL #	CX-300	CX-440	CX-540	CX-544	CX-684	CX-580	CX-680F	CX-687
Load Capacity	5 lbs. (2.3kg)	5 lbs. (2.3kg)	7 lbs. (3.2kg)	7 lbs. (3.2kg)	8 lbs. (3.6kg)	7 lbs. (3.2kg)	8 lbs. (3.6kg)	8 lbs. (3.6kg)
Minimum Usable Height	20.3" (51.5cm)	20.5" (52cm)	21.5" (54.6cm)	21.5" (54.6cm)	23" (58.4cm)	22" (55.9cm)	24" (61cm)	24" (61cm)
Maximum Extension	57" (145cm)	57" (145cm)	59.3" (150cm)	59.5" (151cm)	63.3" (161cm)	59.8" (152cm)	63.8" (162cm)	64.3" (163cm)
Leg Sections	3	3	3	3	3	3	3	3
Center Column Sections	1	1	1	1	1	1	1	1
Folded Length	21.3" (54cm)	21.3" (54cm)	22.5" (57cm)	22.8" (59cm)	24" (61cm)	23.8" (60.5cm)	25.6" (65cm)	26.5" (67.3cm)
Weight	2.2 lbs. (.98kg)	2.4 lbs. (1.1kg)	3.5 lbs. (1.6kg)	3.2 lbs. (1.5kg)	3.8 lbs. (1.75kg)	3.5 lbs. (1.6kg)	4 lbs. (1.8kg)	4.5 lbs. (2kg)

Subject to change without notice

Specialty CX Video Tripods

All Specialty CX Video tripods contain 2-way fluid panheads, bubble levels, preset friction controls, angled gear teeth, 3-section tubular aluminum legs, radial braces, quick side lever locks, camcorder alignment pins, quick-releases and feature a titanium bronze finish. Additional features are listed below.

CX-580

A standard size video tripod with a reversible control handle design that allows for versatile left front or left rear panhead control. Comes with 23mm wide legs and rubber tipped feet.

Item # **VECX580**.....**51.95**

CX-680/F

A heavier duty tripod with thicker 27mm legs.

Item # **VECX680F**.....**64.95**

CX-687

The largest Specialty tripod of the series, the CX-687 features a Vel-flo 9 Mini-Pro 2-way fluid panhead with a 4-position control handle, allowing for "Follow the Action" shooting.

Item # **VECX687**.....**67.95**



DF-30 Lightweight, DF-40 Lightweight, DF-50 Standard, DF-60 Heavy Duty

DF Series "Dual Function" Photo/Video Tripods with Heads

The DF series is a dual function tripod designed for photo and video use. Along with Velbon's sure-grip pan/tilt control handle located on the left side for easy access to camera controls, these tripods feature 3-sectioned tubular aluminum legs, radial leg braces and quick side-lever locks. Very stylish in an all black pro finish.

DF-30 Lightweight

A lightweight tripod for compact 35mm cameras and mini camcorders, the DF-30 features a lift center column for easy vertical shooting, 20mm wide legs and rubber tipped feet.

Item # **VEDF30**.....**19.95**

DF-40 Lightweight

A deluxe tripod with 3-way quick-release panhead (QB-4LC), geared center column with preset friction control, plus bubble level. Excellent for smooth pans and tilts.

Item # **VEDF40**.....**29.50**

DF-50 Standard

Standard-sized heavy-duty tripod with 3-way panhead and dual position quick-release platform (QB-4W). Ideal for regular SLR's and video camcorders. Adjustable rubber tipped feet are supplied with steel ground spikes for rugged terrain.

Item # **VEDF50**.....**44.95**

DF-60 Heavy-Duty

With 3-way panhead and quick-release platform. Bulkier legs at 27mm and ground spikes offer better supports.

Item # **VEDF60**.....**54.95**

DF SERIES TRIPOD SPECIFICATIONS

MODEL #	DF-30	DF-40	DF-50	DF-60
Load Capacity	5 lbs. (2.3kg)	5 lbs. (2.3kg)	7 lbs. (3.2kg)	8 lbs. (3.6kg)
Minimum Usable Height	20.5" (52cm)	20.5" (52cm)	21.5" (54.6cm)	23" (58.4cm)
Maximum Extension	57" (145cm)	57" (145cm)	59.5" (151cm)	63.5" (161cm)
Leg Sections	3	3	3	3
Center Column Sections	1	1	1	1
Folded Length	20.8" (52.8cm)	21.0" (53.3cm)	22.8" (59cm)	23.8" (60.5cm)
Weight	2.4 lbs. (1.1kg)	2.6 lbs. (1.2kg)	3.2 lbs. (1.5kg)	4 lbs. (1.8kg)

Subject to change without notice

TABLE-TOP AND COMPACT TRIPODS WITH HEADS

Table Top and Compact Series

Mini Tripod (DF-10ML)

With its pro black finish, the DF-10ML has a 3-way quick-release panhead and radial braces for stability. The rubber tipped feet and quick side-lever locks make this dual function mini tripod a unique addition to the Velbon collection.

Item # VEDF10.....**24.95**

Compact Tripod (VTP-815)

A compact 8-section, 15mm leg tripod with 2-way panhead and carrying case.

Item # VEVTP815**24.95**

Compact Tabletop Pod (VTP1)

A table-top tripod with foldable accessory shoe and adjustable platform. Legs can be used as a handgrip. Features all metal construction.

Item # VEVTP1**33.50**

Compact Tripod (DH-20/4)

A compact, 4-section extruded aluminum tripod with geared center column and 3-way pan-head.

Item # VEDH204.....**46.95**

Mini-F Tripod (Mini F)

This full featured mini tripod has much packed into its 22" length (maximum extension). Geared center column, extra wide stance aluminum channel legs, radial braces and non-slip rubber tipped feet make this 2½ lb. deluxe system appealing.

Item # VEMF**84.95**



Mini-F Tripod (Mini F)

TABLETOP AND COMPACT TRIPOD SPECIFICATIONS					
MODEL #	DF-10ML	VTP-815	Compact TP-1	DH20/4	Mini-F
Load Capacity	5 lbs. (2.3kg)	1 lb. (450g)	3 lbs. (1.4kg)	4 lbs. (1.8kg)	5 lbs. (2.3kg)
Minimum Usable Height	11.5" (29.2cm)	10" (25.4cm)	3.9" (9.9cm)	18" (45.7cm)	6" (15.2cm)
Maximum Extension	25.2" (64cm)	40.2" (102cm)	3.9" (9.9cm)	56.5" (144cm)	22" (56cm)
Leg Sections	3	8	3	4	3
Center Column Sections	1	1	-	1	1
Folded Length	11.8" (30cm)	10.2" (26cm)	5.7" (15cm)	18.5" (47cm)	11.5" (29cm)
Weight	1.4 lbs. (.64kg)	17.6 oz. (.5kg)	12.3 oz. (.05kg)	2.3 lbs. (1kg)	2.5 lbs. (1.1kg)

Subject to change without notice

Victory Series Photo Tripods with Pan Heads

These full-featured standard size deluxe tripods are black-matte finished, all featuring 3-section 23mm sealed legs. In addition to side-lever locks, they all have steel ground spikes with retractable round rubber feet and 3-way die-cast aluminum panheads.

Victory 450 Tripod


With PH-156Q removable pan-head and quick release. The 450 features radial leg braces, as well as a friction adjustable geared column for ease of vertical shooting.

Item # VEV450.....**64.95**

Victory 550 Tripod

With PH-156Q removable pan-head and quick release. The most unique feature of this tripod is its individually adjustable leg spread for ultra-low level shooting. With a minimum height of only 8 inches, ground level shooting with maximum stability is possible on any terrain. The double center column easily supports vertical shooting.

Item # VEV550.....**64.95**




VICTORY TRIPOD SPECIFICATIONS

MODEL #	450	550
Load Capacity	7 lbs. (3.2kg)	6.5 lbs. (2.9kg)
Minimum Usable Height	21.5" (54.6cm)	8" (20.3cm)
Maximum Extension	58.3" (148cm)	59" (149cm)
Leg Sections	3	3
Center Column Sections	2	2
Folded Length	22.1" (56cm)	22.6" (57cm)
Weight	3.8 lbs. (1.75kg)	3.8 lbs. (1.75kg)

Subject to change without notice

X-Series Photo Tripods with Pan Heads

The X-series is a line of heavy-duty, full-featured extruded aluminum tripods designed for maximum stability under a variety of shooting scenarios. They feature quick-lever leg-lock and friction adjustable geared center columns.



SX-601K Tripod

Steel spiked 27mm legs with rubber tips make this tripod suitable for all 35mm and medium format cameras. Mounted removable Panhead PH-160 and a pro-black finish make this 7.4 lb. deluxe tripod a workhorse.

Item # VESX601K.....**169.95**

PX-701F Tripod

A heavier version suitable for lightweight large format cameras. Supplied with removable Panhead PH-170 in either gray or aluminum finish, with even thicker 32mm rubber tipped aluminum legs.

Item # VEPX701F**217.50**

WX-851B Tripod

The WX-851B features a W-shank leg design which eliminates lateral twisting. It also has a two-way spring counterbalanced panhead (PH-185) with dual adjustable pan/tilt handles. Heavy-duty 27mm legs with steel ground spikes and rubber tips are standard features. This tripod is also available as a leg assembly only (WX-851BA). Black and gray finish.

Item # VEWX851B**326.95**

WX851BA Tripod

Same as above. Leg assembly only.

Item # VEWX851BA.....**233.95**

X-SERIES TRIPOD SPECIFICATIONS

MODEL #	SX-601K	PX-701F	WX-851B
Load Capacity	8 lbs. (3.6kg)	10 lbs. (4.5kg)	15 lbs. (6.8kg)
Minimum Usable Height	26" (66cm)	26.5" (67cm)	36" (91.4cm)
Maximum Extension	67" (170cm)	71.5" (182cm)	63" (160cm)
Leg Sections	3	3	2
Center Column Sections	1	1	1
Folded Length	26.4" (67cm)	27.0" (68.6cm)	36.5" (92.7cm)
Weight	7.4 lbs. (3.36kg)	9 lbs. (4.1kg)	11.7 lbs. (5.3kg)

Subject to change without notice

Chaser Series Photo Tripods with and without Pan Heads

The sturdy, medium-weight Chaser tripods offer reliability and durability for the photographer who requires more of his/her tripod. The leg assembly is die-cast material and extruded aluminum. The unique design of the 3-way panhead allows for better support of longer lenses. The camera mounting threads are designed to tighten against the camera platform. The head is mounted on a friction adjustable geared center column.

Super Chaser with Panhead


The reversible panhead can be removed and reattached to the bottom of the center column for low angle shots. The Super Chaser features extra long 3-section legs, plus a center column extension of 12".

Item # VESC.....**59.50**

Handy Chaser with Panhead (HCA)

A compact version of the Super Chaser, with 4-section legs.

Item # VEHCA.....**69.95**



Mountain Chaser with Panhead (MCA)

A very functional tripod which allows individual leg spans for normal, semi-low and full low angles. A "Splittable Racked Column" makes low angle shooting even easier.

Item # VEMCA**116.50**

Chaser EL-3A Tripod Leg

More extended height than other Chaser tripods, yet it collapses to only 25.3". With the optional 3-way die-cast metal panhead (PH-157) mounted on an extra long reversible lift center column, the EL-3A is an innovative tripod. The right tilting camera platform allows 35mm vertical shooting, and long lenses will self-tighten against the camera mount. Ideal for copy work, ground level shooting and macrophotography.

Item # VECEL3A.....**54.95**

Chaser EL-3A

With PH157 3-way panhead and quick release.

Item # VECEL3A157Q.....**89.90**

Chaser EFL-3A Tripod Leg

Same as the EL-3A, but has adjustable leg spread and is capable of lower angle shooting with a minimum height of only 10.9". 2-section center column.

Item # VECEFL3A**64.95**

Chaser EFL-3A

With PH157 3-way panhead and quick release.

Item # VECEFL3A157Q ..**99.90**

Chaser EFL-4A Tripod Leg

Same as the EFL-3A, but with a trade-off of a maximum extended height of 60.4" for minimum angle shooting of 9.6". 4-section 26mm tubular aluminum leg body.

Item # VECEFL4A.....**79.95**

Chaser EFL-4

With PH157 3-way panhead and quick release.

Item # VECEFL4A157Q **114.90**

VELBON

TRIPODS

CAMERA SUPPORTS

455

CHASER SERIES TRIPOD SPECIFICATIONS

MODEL #	Super	Handy	Mountain	EL-3	EFL-3	EFL-4
Load Capacity	8 lbs. (3.6kg)	8 lbs. (3.6kg)	8lbs. (3.6kg)	8 lbs. (3.6kg)	8 lbs. (3.6kg)	8 lbs. (3.6kg)
Minimum Usable Height	0"	0"	10" (25.4cm)	24" (61cm)	10.9" (27.7cm)	9.6" (24.4cm)
Maximum Extension	60.5" (154cm)	53.5" (136cm)	60.6" (154cm)	68.0" (173cm)	65.9" (167cm)	60.4" (154cm)
Leg Sections	3	4	3	3	4	4
Center Column Sections	1	1	2	1	2	2
Folded Length	23.5" (59.7cm)	19.4" (49.3cm)	21.3" (54.1cm)	25.3" (64.3cm)	25.8" (65.5cm)	20.6" (52.3cm)
Weight	4.5 lbs. (2kg)	4.3 lbs. (2kg)	4.9 lbs. (2.2kg)	4.5 lbs. (2kg)	4.4 lbs. (2kg)	4.5 lbs. (2kg)

Subject to change without notice

Ace Series Tripod Legs

Heavy-duty pro line with all metal construction in a titanium finish. Created for 35mm and medium format cameras, they feature geared columns with angled teeth, as well as very stable 3-section 28mm tubular legs, rubber collar locks, rubber tipped feet and a carry strap.

Field Ace (A) Tripod Leg

Allows for individually adjustable leg positioning. Normal, semi-low and near ground level (8 1/4") positions are possible. This "grounder" design makes the tripod useful on a variety of terrains.


Item # VEFAA**223.95**

Super Ace (A) Tripod Leg

Similar to the Field Ace, but with radial leg braces and more maximum height.

Item # VESAA**236.50**

For Ace Series specifications, see next page



Professional Mark Tripod Legs

For the working pro, this series of tripods is the top of the ladder. With double geared columns and heavy-duty aluminum legs, the Pro series can stand up to the most rigorous demands. All feature flanged collar locks and 3-position legs spread for normal, low and near ground shooting. The round tubular legs have rubber collar locks and rubber tipped feet.

Mark 6 (A)

Standard size with 30mm legs.

Item # VEM6A.....**349.00**

Mark 7 (A)

Similar to the Mark-6, but with more extended height capability and heavier weight.

Item # VEM7A.....**419.95**

Mark-7 Mini (A)

Thick 33mm legs make this tripod a great choice for low angle or close-up photography.

Item # VEM7MA.....**379.95**

PROFESSIONAL MARK SERIES and CARMAGNE TRIPOD SPECIFICATIONS

MODEL #	Mark-6	Mark-7 Mini	Mark-7	Carmagne 640C
Load Capacity	16 lbs. (7.3kg)	18 lbs. (8.2kg)	18 lbs. (8.2kg)	11 lbs. (5kg)
Minimum Usable Height	12.6" (32cm)	7.3" (18.5cm)	15" (38cm)	5.8" (14.7cm)
Maximum Extension	55.9" (142cm)	24.3" (61.7cm)	70.1" (178cm)	59.8" (152cm)
Leg Sections	3	3	3	4
Center Column Sections	1	1	1	2
Folded Length	21.7" (55.1cm)	13.2" (33.5cm)	26.8" (68cm)	17.6" (44.7cm)
Weight	6 lbs. (2.75kg)	5 lbs. (2.3kg)	7.5 lbs. (3.4kg)	2.93 lbs. (1.3kg)

Subject to change without notice

Carmagne Tripod

In response to the demand for a durable yet lightweight tripod, Velbon has produced the Carmagne series. Made of carbon fiber and magnesium alloy, this 4-section compact tripod offers superior strength and professional specifications. It is one third lighter than conventional aluminum tripods, yet strong enough to absorb vibrations. Carbon fiber is also more resilient to temperature changes and is suitable for all 35mm and most medium format cameras.

Carmagne 640 Tripod Leg

The 640 has a 3-position leg spread for normal, semi-low and full-low angle shooting. Its 2-section center lift column features a removable lower section for full low angle shooting. The panhead has a reversible mounting stud for either 1/4" or 3/8" camera mounts. The legs are 4-section 28mm tubular cross layered carbon fiber material. Leg locks are all rubber covered for ease of handling, and the feet are rubber tipped. With its pro black finish, this tripod is a real pro tool.

Item # VEC640**439.95**



THE PROFESSIONAL'S SOURCE (212) 444-6630 • FAX: (212) 239-7770

1 • 8 0 0 • 9 4 7 • 6 6 5 0

VELBON

TRIPODS

ACE SERIES SPECIFICATIONS

MODEL #	Field Ace	Super Ace
Load Capacity	12 lbs. (5.4kg)	12 lbs. (5.4kg)
Minimum Usable Height	8.3" (21cm)	16.8" (42.6cm)
Maximum Extension	52.4" (133cm)	59.6" (151cm)
Leg Sections	3	3
Center Column Sections	1	1
Folded Length	22.6" (57.4cm)	22.6" (57.4cm)
Weight	5.1 lbs. (2.3kg)	5.8 lbs. (2.6kg)

Subject to change without notice

Monopods

UP-4000 Unipod

4-section aluminum leg with waist strap, adjustable rubber foot and concealed ground spike.

Item # VEUP400022.50

UP-4DX II Unipod

Deluxe 4-section unipod with fluid tilt head and quick-release platform (QB-4L). Available with adjustable carry strap.

Item # VEUP4DX2.....33.50

PUX-3 Unipod

A heavy-duty, 3-section extruded aluminum closed channel leg unipod with self-leveling rubber foot.

Item # VEPUX3.....43.95

UP-43 Unipod

With ball and socket panhead. Deluxe 4-section compact unipod. Features tubular legs with foam covered hand grip, quick side-lever locks, rubber tipped feet and ball head.

Item # VEUP4349.50

UP-40 Unipod

Same as the UP-43 Unipod, but without the ball and socket panhead.

Item # VEUP4032.95

MUP-4 Unipod

Deluxe 4-section heavy-duty pro unipod with rubber hand-grip, collar leg locks and adjustable carry strap. It also has a reversible camera mounting screw.

Item # VEMUP4.....99.95

Campagne CUP-40 Carbon Fiber Unipod


This is a lightweight, strong, black finished carbon fiber monopod which is ideally suited for 35mm and most medium format cameras. With four-section 28mm tubular legs, reversible mounting stud, adjustable wrist strap and foam-rubber hand grip, the Campagne CUP-40 Unipod is a great compliment to any tripod.

Item # VECUP40198.95

MONOPOD SPECIFICATIONS

MODEL #	UP-4000	UP-4DXII	PUX-3	UP-43	UP-40	MUP-4	CUP-40
Weight lbs. (kg)	14.1 oz. (400g)	24 oz. (680g)	27 oz. (765g)	16oz (453g)	12.3oz. (348g)	29oz (815g)	13.8 oz (380g)
Minimum Height	20.1" (51cm)	22" (55.9cm)	25.2" (64cm)	20.5" (52cm)	18.3" (46.4cm)	19.5" (49.5cm)	19.3" (49cm)
Maximum Height	63.2" (161cm)	65.5" (166cm)	59.5" (151cm)	63" (160cm)	60.9" (155cm)	61.8" (157cm)	60.2" (153cm)

Subject to change without notice



Pan Heads

3-Way Panhead (PH-157Q)

All die-cast metal construction with quick release and large pan handle. 4.25" (40.8cm) tall and weight is 21 oz. (582g).

Item #VEPH157Q39.95

3-Way Panhead (PH-360)

Medium size construction with sure-grip handles, side tilt control handle and bubble level. Maximum capacity is 11 lbs. Dimensions are 4 x 2.5 x 3" HWL and weight is 1.7 lbs.

Item #VEPH36075.95

3-Way Panhead (PH-260)

Metal head with separate pan/tilt and side tilt handles. Maximum capacity is 12 lbs. Dimensions are 5 x 2.5 x 3" HWL and weight is 3 lbs.

Item #VEPH260174.95

Magnesium Panhead (PH-460)

Designed for Carmagne tripods but can be used with any tripod. Constructed of light weight magnesium. 3-way with separate pan/tilt and side tilt control handles. 4.25 x 3.25 x 3.75" HWL. Weighs is 1.5 lbs.

Item #VEPH460109.95

Professional Panhead (PH-270)

A professional heavy-duty 3-way panhead with large indicator markings and two bubble levels. Large handles makes it convenient for large format cameras. Dimensions are 3.5" (8.9cm) wide, 6.5" (16.5cm) high and weighs 54oz (1532g). Also designed for Mark series tripods.

Item #VEPH270196.50

Vel-Flo 10 (PH-268R)

Heavy-duty 2-way fluid pan-head with "Camera Safe" quick-release system (QB-6R), bubble level, reversible control handle and separate pan/tilt locks. All die cast metal construction. Maximum weight capacity is 12 lbs. (815g). Dimensions are 4 x 3 x 3" (10.2x7.6x7.6cm) HWL and weighs 1.8 lbs. (815g).

Item #VEPH268R89.95

Ball Heads

Compact Ball

Head Socket (PH-243)

Mini compact ball head with single lever operation. Maximum weight capacity is 3 lbs. (1.4 kg). 2" (5cm) high and weighs 5 oz (141g).
Item #VEPH243**21.95**



Magnesium Ball
Head Medium (PH-253)

Magnesium Ball

Head Medium (PH-253)

Made of die-cast magnesium for light weight and strength. Single lever operation with panning. 3.2" (8.1cm) high and weighs 6oz (170g).
Item #VEPH253**54.95**

Medium Ball

Socket Head (PH-163)

Medium size ball head with single lever operation. Maximum capacity is 11 lbs. (5kg). 4" tall and weighs 20.7oz (587g).
Item #VEPH163**69.95**

Ball Head (PH-163Q)

With quick release.
Item #VEPH163Q**106.50**

Large Ball Head Socket (PH-173)

Pro sized ball head for use with all 35mm and medium format cameras. Maximum weight capacity is 15 lbs. (6.8kg). Weighs 1.6 lbs. (725g) and is 5" (12.7cm) tall.
Item #VEPH173**79.50**

Large Ball

Head Socket (PH-173Q)

With quick release.
Item #VEPH173Q**121.95**

Miscellaneous Accessories

Magnesium Alloy Quick-Release Adapter (QRA-635)

Specifically designed for 35mm cameras, this amazingly light adapter features an extra wide mounting platform. The camera pad is reversible. It has a flanged edge to prevent camera slippage when shooting vertically and is reversible when not needed. It features a "Camera Safe" slide mounting quick-release platform with "Auto Lock" retaining system. Its dimensions are 4.1 x 2.2" (10 x 5.6cm) and weighs just 4.3 oz. (122g).
Item #VEQRA635**39.95**

Quick-Release

Adapter Plate (QB-635)

Additional, for QRA-635.
Item #VEQB635**22.95**

Magnesium Alloy Quick-Release Adapter (QRA-667)

Same as QRA-635, but for 6x6 and 6x7 cameras. Weighs 5oz (146g).
Item #VEQRA667**49.95**

Quick-Release

Adapter Plate (QB-667)

Additional, for QRA-667.
Item #VEQB667**29.95**

DL-7 Dolly

All metal construction dolly with rubber wheel casters and carry strap. Ideally suited for most heavy-duty tripods. Folds compactly for storage. Folded dimensions are 7 x 7 x 26" (17.8x17.8x66cm) HWL. Its maximum capacity is 15 lbs. (6.8kg) and it weighs 8.5 lbs. (3.9kg).
Item #VEDL7**149.95**

DL-10 Lightweight Dolly

A lightweight dolly for standard size tripods. Features a flip-up caster system which converts dolly into a stationary platform. Collapses small for storage. Collapsed dimensions are 6 x 6 x 24" (15x15x61cm) HWL. Maximum capacity is 11 lbs. (5kg) Weighs 1.5 lbs. (680g).
Item #VEDL10**47.95**

Tripod Weight-Bag

This functional apron fits beneath any Velbon tripod and can be filled with rocks or weights to provide additional support for tripod stability. Comes with the Carmagne 630 and 640 tripods.
Item #**T.B.A.**

Quick Leveler

Installs between panhead and leg. Tilts 15° from level in any direction for precise positioning. Dimensions: 2x2" (5x5cm).
Item #VEQL**27.95**

Macro Slider


Macro stage for precise 4-way camera alignment. Maximum weight capacity is 8 lbs. (3.6kg). Dimensions are 2.5 x 4.6 x 7.6" (6.4x11.7x19.3cm) HWL and weighs 24 oz. (680g).
Item # VEMSQ**89.95**

Super Arm-7

Geared horizontal arm. 4.5 x 13.75" (11.4 x 35cm) H.L. for close-up or copy work. By adding a ball or panheads, two cameras may be mounted on the assembly. Weighs 3 lbs. (1.4kg).
Item # VESA7**319.95**

Super Plate (SP)

Two-camera mounting plate with all metal construction-which attaches to panhead. Maximum weight capacity is 10 lbs. Dimensions are 1 x 2 x 8" (2.5 x 5 x 20cm) HWL and weighs 14 oz. (396g).
Item # VESP**56.50**



QUICK RELEASE PLATES

MODEL #	FITS	ITEM #	PRICE
QB-4I	PH-148, PH-248, UP-4DX, UP-4DX II	VEQB4L	5.95
QB-4LC	PH-446 (DF-10ML, DF-40, CX-440)	VEQB4LC	7.95
QB-4W	PH-249Q, (DF-50, CX-544) PH-359Q	VEQB4W	5.95
QB-5L	PH-258, PH-252Q, QRA-5, PH-156Q (VICTORY 450 and 550), PH-556Q	VEQB-5L	8.50
QB-5LC	PH-656Q, (CX-540, CX-640) PH-458 (CX-580) PH-468 (CX-680)	VEQB5LC	7.95
QB-5W	PH-159Q, (DF-60, CX-684)	VEQB5W	8.50
QB-5RL	PH-358	VEQB5RL	8.50
QB-6	PH-268R	VEQB6	11.95
QB-6RL	PH-368 (CX-687)	VEQB6RL	8.95
QB-157	PH-157Q	VEQB157	13.95
QB-635	QRA-635, PH-163Q	VEQB635	22.95
QB-667	QRA-667, PH-173Q	VEQB667	29.95

Brom tripods are wooden tripods, precision made in Germany, of ashwood. Why wood tripods? Wood absorbs vibration, metal transmits it. Wood is weather-wise, it wears well, it feels good to the touch. It



is the tripod material of choice for astronomers, surveyors and the construction trades. Equipped with center posts, it is becoming the choice of still and video/cine photographers. Ashwood legs lock individually. Brom Tripods are available in various styles, with tilting post and extra height. All tripods, except the top-of-the-line Master tripod, have a 1.9" (4.7cm) diameter mounting plate with a 3/8" screw. The Master tripod has a large 3.3" (8.3cm) mounting plate.

Tripod Legs

Kadette Tripod (1105)

A medium-duty tripod, suitable for cameras up to 4x5. A favorite of outdoor photographers.

Item # BRTKQ**186.50**

Tilt Kadette Tripod (1104)

Same as above, with a ball tilt center post.

Item # BRTTK**233.95**

Kadette Hi Rise Tripod (1108)

Same as Kadette tripod, with longer legs and center post.

Item # BRTKHR**198.95**

Sentry Tripod (1106)

A medium-duty tripod, suitable for cameras up to 8x10".

Item # BRTS**177.50**

Tilt Sentry Tripod (1107)

Same as Sentry tripod, with a ball tilt center post.

Item # BRTTS**222.50**

Sentry Hi Rise Tripod (1102)

Same as Sentry tripod, with longer legs and center post.

Item # BRTSHR**189.95**

Tilt Sentry Hi Rise Tripod (1103)

Same as Tilt Sentry tripod, with longer legs and center post.

Item # BRTTSHR**236.50**

Master Tripod (1101)

Heavy-duty wood tripod with rack and pinion center post in a surveilling ball in socket mount. Holds cameras up to 16x20".

Item # BRTM**285.95**

Panheads

Brom Master Panhead (1113)

A heavy-duty panhead, suitable for support work up through 8x10 format. The 3x5x.5" (7.6x12.7x1.3cm) platform features interchangeable 1/4" and 3/8" camera locking screws. The 3/8" socket in the base of the panhead makes it suitable for most tripod legsets throughout the world. It has rugged controls for each of the three conventional movements. Height is 4.5" (11.4cm), weight 3 lbs. (1.4kg).

Item # BRPHM**174.95**



Miscellaneous Accessories

Majestic Adapter (1112)

Fits Majestic 1 1/4" head to 3/8" stud. Weighs 7 oz. (198g).

Item # BRAM38**48.95**

Adapter Bushing (1631)

Stainless steel bushing adapts 3/8" head to 1/4" stud.

Item # BRB.2538SS**8.95**

Adapter Platform (1114)

2.75" diameter plate adapts 3/8" head to 1/4" stud. Weighs 5 oz. (142g).

Item # BRB38.25Q**27.95**

BROMWELL WOODEN TRIPOD SPECIFICATIONS

MODEL	Kadette	Tilt Kadette	Kadette HR	Sentry	Tilt Sentry	Sentry HR	Tilt Sentry HR	Master
Load Capacity	15 lbs. (6.8kg)	15 lbs. (6.8kg)	15 lbs. (6.8kg)	15 lbs. (6.8kg)	15 lbs. (6.8kg)	15 lbs. (6.8kg)	15 lbs. (6.8kg)	40 lbs. (18.2kg)
Minimum Usable Height *	20" (166cm)	20" (166cm)	20" (166cm)	20" (166cm)	20" (166cm)	20" (166cm)	20" (166cm)	39" (99cm)
Maximum Extension	65.5" (166cm)	66.5" (159cm)	87" (221cm)	65.5" (166cm)	66.5" (169cm)	79.9" (203cm)	88.3" (224cm)	70" (178cm)
Leg Sections	3	3	3	2	2	2	2	2
Center Column	1	1	1	1	1	1	1	1
Folded Length	26.5" (67cm)	27.5" (70cm)	34.6" (88cm)	31.5" (80cm)	32.5" (83cm)	39.4" (100cm)	39.4" (100cm)	39" (99cm)
Weight	5.5 lbs. (2.5kg)	6 lbs. (2.7kg)	7 lbs. (3.2kg)	6.5 lbs. (2.9kg)	7 lbs. (3.2kg)	7.3 lbs. (3.3kg)	7.8 lbs. (3.5kg)	17 lbs. (7.7kg)

Subject to change without notice

ARCA SWISS

TRIPOD ACCESSORIES

Ever since their introduction over thirty years ago, the Arca Swiss Monoballs have been at the forefront of quality and performance. Today, Arca Swiss continues its tradition of innovation and leadership by introducing major technological breakthroughs in Monoball design.

The axial clamping mechanism provides higher load capacity and prevents even the slightest migration when the camera is locked into position. A separate control is set to apply a constant minimum friction.

The progressive cushioning feature counteracts the effect of weight transfer when the camera is tilted. It is especially useful with heavy cameras. In actuality, there are two types of ballheads available. a) The B1 Series design, which is a single axis rotation with one locking knob; b) the B2 design, which is built on the double axis rotation, allowing movement around two distinct axes due to two separate balls encapsulated into one another and two individual locking knobs. The B1 Series single action ballhead is sold various ways. The "b" economic model, without panning capabilities, the B1 Standard with panning capabilities and the "G" (gross) large model, all sold with different camera mounting devices. All Arca ballheads mount onto 3/8" tripod screw.



Arca Monoball B1 with and without a quick release

Monoballs

Monoball B1e with 1/4" Camera Mounting Screw (8010131)

Basic B1 single axis ballhead. Economic model, without panning capabilities.

Item # ARB1E.25.....**302.95**

Monoball B1e with 3/8" Camera Mounting Screw (8010111)

Same as above, with 3/8" camera mounting screw.

Item # ARB1E38.....**302.95**

Monoball B1e with Quick Set Device (8010011)

A basic B1 single axis ballhead. This is an economical model, without any panning capabilities. Complete with quick release feature for mounting and unmounting cameras in a hurry. (Requires camera mounting plate).

Item # ARB1EQR.....**289.95**

Monoball B1 with 1/4" Camera Mounting Screw (8010132)

A heavy-duty B1 standard single axis ballhead, with panning capabilities. 1/4" camera mounting screw.

Item # ARB114.....**378.95**

Monoball B1 with 3/8" Camera Mounting Screw (8010112)

A heavy-duty B1 standard single axis ballhead, with panning capabilities. 3/8" camera mounting screw.

Item # ARB138.....**378.95**

Monoball B1 with Quick Set Device (8010012)

A B1 standard single axis ballhead, with panning capabilities. The quick release feature allows for mounting and unmounting cameras in a hurry. (Requires camera mounting plate.)

Item # ARB1QR.....**379.95**

Monoball B1g with 3/8" Camera Mounting Screw (8010113)

Same as above, with 3/8" camera mounting screw.

Item # ARB1G38.....**496.95**

Monoball B1g with Quick Set Device (8010014)

An enlarged B1 single axis ballhead with panning capabilities. Complete with quick release feature for mounting and unmounting cameras in a hurry. (Requires camera mounting plate.)

Item # ARB1GQR.....**479.95**

Monoball B2 with Quick Set Device (8010013)

A B2 double axis ballhead with two tightening knobs, panning capabilities and quick release feature for mounting and unmounting cameras in a hurry. (Requires camera mounting plate.)

Item # ARB2QR.....**649.95**

ARCA-SWISS MONOBALL SPECIFICATIONS

Model	Load Capacity	Height	Weight
Monoball B1e	90 lbs. (40kg)	4.3" (10.9cm)	1.4 lbs. (650g)
Monoball B1e (QS)	90 lbs. (40kg)	4.5" (11.4cm)	1.7 lbs. (748g)
Monoball B1	90 lbs. (40kg)	4.3" (10.9cm)	1.4 lbs. (650g)
Monoball B1 (QS)	90 lbs. (40kg)	4.5" (11.4cm)	1.7 lbs. (748g)
Monoball B1g	200 lbs. (90kg)	5.8" (14.7cm)	3.3 lbs. (1496g)
Monoball B1g (QS)	200 lbs. (90kg)	6" (15.2cm)	3.5 lbs. (1588g)
Monoball B2	150 lbs. (68kg)	5" (13cm)	3.4 lbs. (1500g)

Subject to change without notice

ARCA SWISS/BILORA

TRIPOD ACCESSORIES

Quick Release Adapter

Arca Swiss quick release adapters are designed for tripods and heads that come without a quick release feature. These adapters will allow the photographer to mount and unmount cameras in a hurry. These release adapters fit all tripods and heads. They are available in both 3/8" and 1/4" screws.

84mm Quick Release Adapter 3/8" (802000)

Fits onto tripods with 3/8" screw. 3.3" long (8.4cm) and weighs 6.4 oz. (181g). (Requires camera mounting plate.)

Item # ARQRP3884**116.95**

84mm Quick Release Adapter 1/4" (802001)

Fits onto tripods with 1/4" screw. 3.3" long (8.4cm) and weighs 6.4 oz. (181g). (Requires camera mounting plate.)

Item # ARQRP1484**116.95**

60mm Quick Release Adapter 3/8" (802002)

Fits onto tripods with 3/8" screw. 2.7" long (6cm) and weighs 4.8 oz. (136g). (Requires camera mounting plate.)

Item # ARQRP3860**112.95**

60mm Quick Release Adapter 1/4" (802003)

Fits onto tripods with 1/4" screw. 2.7" long (6cm) and weighs 4.8 oz. (136g). (Requires camera mounting plate.)

Item # ARQRP1460**112.95**

Base Plate

A 7.9" (20cm) diameter plate that attaches to the bottom of any ballhead, pan head or camera, allowing head or camera to be used from a very low level or table top.

1/4" Ground Plate (810002)

With 1/4" mounting screw.

Item # ARGP.25**187.95**

3/8" Ground Plate (810001)

With 3/8" mounting screw.

Item # ARGP38**187.95**

Quick Release Plates

Universal Camera Plate (8020101)

With 1/4" camera mounting screw.

Item # ARQRP.25**44.95**

Universal Camera Plate (802010)

With 3/8" camera mounting screw.

Item # ARQRP38**44.95**

Universal Camera Plate Small (802009)

With 1/4" camera mounting screw.

Item # ARQRP.25S**44.95**

Hasselblad Camera Plate (802011)

With 1/4" camera mounting screw.

Item # ARQRPH.25**44.95**

Hasselblad Camera Plate (802021)

With 3/8" camera mounting screw.

Item # ARQRPH38**44.95**

Rollei Camera Plate (802022)

Item # ARQRPR**44.95**

Mamiya RB67 Camera Plate (802024)

Item # ARQRPMRB**44.95**

Small Camera Plate (802025)

24 x 36mm.

Item # ARQRP35**44.95**

Canon Camera Plate (802030)

Camera plate for long Canon lenses, 55mm or longer. Two 1/4" size screws, 39mm apart.

Item # ARQRPC**53.95**

Nikon Camera Plate (802031)

Camera plate for long Nikon lenses, 84mm or longer. Two 1/4" size screws at a variable distance of 32-38mm.

Item # ARQRPN**53.95**

Leica Camera Plate (802026)

With 1/4" camera mounting screw.

Item # ARQRPL.25**48.95**

Leica Camera Plate (8020261)

With 3/8" camera mounting screw.

Item # ARQRPL38**48.95**

Medium Format Camera Plate (802032)

Camera plate for medium format cameras, 55mm or longer. Two 1/4" size screws, 12mm and 27.5mm from one end of the camera plate.

Item # ARQRP3**53.95**

Long 150mm Camera Plate (802050)

Two 1/4" size screws. Adjustable.

Item # ARQRP150**73.95**

BILORA BALLHEADS

Bilora ballheads, made in Germany, are both professional and economical. They are made of all metal aluminum and feature large plastic knobs. The heads mount onto tripods with 1/4" size screw.

Medium Ballhead (1030)

With 1/4" size camera and tripod mounting screw. Has a 50mm diameter mounting plate, and with its 1/4" threaded base fits many tripods. Has full 360° panoramic movements with one large locking knob for pan and tilt movements. Height is 4.2" (10.7cm) and weighs 15 oz. (426g).

Item # BIBH1030**49.95**

Large Ballhead (1050)

With 1/4" size camera and tripod mounting screw. The large ballhead has a 65mm diameter mounting plate. Its 1/4" threaded base fits many tripods. Has full 360° panoramic movement, with a separate locking handle for tilt and a knob for panoramic movement. Height is 4.3" (11cm) and weighs 18.6 oz. (528g).

Item # BIBH1050**89.95**





Foba Superball, made with precision, is one of the strongest fixation devices on the market today. Large locking levers make the heads very easy to handle. They lock down firmly with just a twist.

User-adjustable tension allows fine-tuning the performance of the ball to suit the shooting situation, as well as to compensate for wear over the life of the ball, which sits in a Teflon collar for smooth rotation.

Superballs

Mini Superball (33-0400)


With standard head and $\frac{3}{8}$ " size camera mounting screw. Compact, without panning capabilities. Maximum load capacity 12 lbs. (5.4kg) with a base diameter of 2.5" (6.4cm). Height is 3.9" (9.9cm) and weight 20 oz. (550g).

Item # FOSBM**239.00**

Superball (33-0500)

With standard head, $\frac{1}{4}$ " and $\frac{3}{8}$ " camera mounting screws. A heavy-duty ballhead with 360° panning capabilities. Maximum load capacity 25 lbs. (11.3kg), with a base diameter of 3" (7.6cm). Height is 5" (12.7cm) and weight 46 oz. (1290g).

Item # FOSB**449.00**



Mini Superball with Quick Release (33-0404)

Same features as the Mini Superball, with a quick release plate that allows changing cameras quickly and easily. Head includes a removable safety stopper. Specs are approximately the same as for the Mini Superball. (Requires camera mounting plate.)

Item # FOSBMQR.....**295.00**

Superball with Quick Release (33-0505)

Same features as the Superball, with a quick release plate to change cameras quickly. Head includes a removable safety stopper. Specs are approximately the same as for the Superball.

Item # FOSBQR**469.00**

Superball Accessories

Universal Plate for Mini Superball (33-0517)

A 2" (51mm) diameter plate with reversible $\frac{1}{4}$ " and $\frac{3}{8}$ " screws. With this plate, the Mini Superball, with Quick Release (33-0404), can be converted to a Standard Mini Superball (33-0400). (Replacement for Mini Superball.)

Item # FOUPMSB**54.00**

Universal Plate for Superball (33-0511)

A 3" (76mm) diameter plate with reversible $\frac{1}{4}$ " and $\frac{3}{8}$ " screws. With this plate the Superball, with Quick Release (33-0505), can be converted to a Standard Superball (33-0500). (Replacement for Superball.)

Item # FOUPSB**54.00**

Quick Release for Mini Superball (33-0518)

A quick release adapter that allows changing of cameras quickly and easily. With this adapter, the Mini Superball (33-0400) can be converted to a Mini Superball with Quick Release (33-0404). Requires camera mounting plate, sold separately. (Replacement for Mini Superball with quick release.)

Item # FOQRHMSB.....**93.95**

Quick Release for Superball (33-0513)

Same as above, but larger. With this adapter, the Superball (33-0500) can be converted to Superball with Quick Release (33-0505).

Requires camera mounting plate, sold separately. (Replacement for Superball with Quick Release.)

Item # FOQRHSB**122.95**

Panorama Adapter (33-0514)

For use on either Mini Superball. Allows rotation of the camera (top) plate at any angle, in addition to the base rotation.

Item # FOPA**219.95**

Panoramic Base for Mini Superball (33-0519)


Provides 360° calibrated panning at base of Mini Superball.

Item # FOPB.....**138.95**

Base Plate (33-0507)

With $\frac{3}{8}$ " size screw. A 9" (23cm) diameter hexagon plate that attaches to the bottom of any ballhead, pan head or camera, allowing the head or camera to be used from a very low level or tabletop.

Item # FOBP.....**116.95**



FOBA/BROM/SCHOON/SACHTLER

TRIPOD ACCESSORIES

Quick Release Plates

Universal Quick Release Plate (33-0510)
With 1/4" size camera mounting screw.
Item # FOQRP.25.....54.00

Universal Quick Release Plate (33-0512)
With 3/8" size camera mounting screw.
Item # FOQRP38.....54.00

35mm Quick Release Plate (33-0508)
With 1/4" size camera mounting screw.
Item # FOQRP35.....54.00



Hasselblad Quick Release Plate (33-0506)
With 1/4" size camera mounting screw.
Item # FOQRPH.25.....54.00

Hasselblad Quick Release Plate (33-0509)
With 3/8" size camera mounting screw.
Item # FOQRPH38.....54.00

Mamiya Quick Release Plate (33-0515)
With 3/8" size camera mounting screw.
Item # FOQRPM.....54.00

Sinar A1 Quick Release Plate (33-0516)
With 3/8" size camera mounting screw.
Item # FOQRPSA1.....53.95

BROM, SCHOON, SACHTLER

Ballheads

Both Schoon and Brom Schoon ballheads mount onto 3/8" size tripod screw.



Schoon Medium Ballhead (1181)
With 3/8" size camera mounting screw. One of Western European finest ballheads. 2" (52mm) ball with one knob to control friction, a larger knob to lock the ballhead and a separate lock for panning. Has a 2.8" (72mm) diameter mounting plate that will fit on 3/8" tripods. Height is 4.4" (11cm) and weighs 25 oz. (700g).
Item # SCBHM.....279.95


Brom Schoon Medium Ballhead (1184)
With quick release, 1.7x1.2" (4.5x3cm) quick release camera plate and 1/4" size screw. Same as above, modified with a Brom-Sachtler compatible quick release head for quick mounting and unmounting cameras. Height is 4.7" (12cm) and weighs 28 oz. (796g).
Item # SCBHMQR.....338.95

Quick Release Adapter

Mounting and unmounting a camera - particularly a large one - on a tripod can be a nuisance. The two Quick Mounts cut this operation down to size. Both have a spring-loaded, quick action lever on the baseplate which allows for easy insertion of the camera plate. In the Brom Quick Mount set, this lever is held open manually; in the Heavy-Duty Sachtler it remains cocked in the open position and locks automatically when the camera plate contacts the baseplate. These truly live up to their title of "Quick" mount.

Brom Quick Mount (1155)
With 1.2x1.7" (31x45mm) camera plate and 1/4" size screw. A Sachtler compatible all-metal quick mount. Fits onto 1/4" or 3/8" tripod screw. 3x2.2x1" L.W.H. (76x57x26mm) and weighs 6 oz. (170g).
Item # BRQR.....118.95

Sachtler Heavy-Duty Quick Mount (1152)
With 2.6x3" (65x78mm) camera plate and 3/8" size screw. A larger quick mount, it fits onto 3/8" tripod screw. 4.8x2.9x1.2" L.W.H. (12.3x7.4x3cm) and weighs 13 oz. (366g).
Item # SAQRHD.....394.95




Camera Plates

Camera Plate (1151)
With 1/4" size screw. A 1.2 x 1.7" (31 x 45mm) camera plate. Additional or replacement plate for Brom Schoon medium ballhead and Brom quick mount.
Item # SAQRP.25.....39.00

Camera Plate (1154)
Same as the Camera Plate (1151), with 3/8" screw.
Item # BRQRP38.....38.95

Camera Plate (1153)
With 3/8" size screw. A 2.6 x 3" (65 x 78mm) camera plate. Additional or replacement plate for Sachtler heavy-duty quick mount.
Item # SAQRPHD.....88.95



Ball Heads

Small Professional Ball Head (20-6017)



Small Ball Head (20-6013)

With single locking knob for ball and pan, 1/4" size camera screw, 3/8" tripod socket with 1/4" adapter. Base diameter is 0.9" (24mm), height 2" (50mm) and weight 1.8 oz. (50g).

Item # KABHS29.95

Medium Ball Head (20-6018)

With single locking knob for ball and pan, 1/4" size camera screw, 3/8" tripod socket with 1/4" adapter. Base diameter is 1.2" (30mm), height 2.6" (67mm) and weight 3.9 oz. (110g).

Item # KABHM.....33.50

Small Professional Ball Head (20-6017)

With 1/4" size camera screw, 3/8" tripod screw with 1/4" adapter. A medium weight version professional ball head, sitting on a fluid system panoramic base, with a separate locking knob for ball and pan. Maximum load capacity is 10 lbs. (4.5kg), head or base diameter 1.8" (45mm), height 3.6" (93mm) and weight 10.5 oz. (296g).

Item # KABHPS.....69.95

Medium Professional Ball Head (20-6011)



Medium Professional Ball Head (20-6011)

With reversible 1/4" and 3/8" camera screw, 3/8" tripod screw with 1/4" adapter. A heavy weight professional ball head, with the same panoramic base as above, with a large locking knob for ball, plus an adjustable friction brake for fine setting and a separate panning locking knob. Maximum load capacity is 18 lbs. (8.1kg), head or base diameter 2.2" (56mm), height 4.6" (116mm) and weight 22.7 oz. (644g).

Item # KABHPM199.95

Large Professional Ball Head (20-6012)

With reversible 1/4" and 3/8" size camera screw, 3/8" tripod screw with 1/4" adapter. Same as above, but heavier, with a maximum load capacity of 22 lbs. (10kg). Head of base diameter is 3" (76mm), height 5.5" (14cm) and weight 45 oz. (1236g).

Item # KABHPL.....239.95

Large Professional Ball Head with Quick Release (20-6014)



Large Professional Ball Head with Quick Release (20-6014)

With 3.5x2.8" (88x72mm) quick release camera plate, 1/4" and 3/8" size screws and 3/8" tripod screw with 1/4" adapter. Same large ball head, with a built on Pro Quick Release head for mounting and unmounting cameras quickly. The quick release has two bubble levers built in on its side for both axis, plus an optional anti-theft feature. (An optional lock and key is available.) Base diameter is 3" (76mm), height 5.9" (15cm) and weight 52 oz. (1464g).

Item # KABHPLQR.....319.95

Quick Release Adapters

Kaiser has two types of quick release adapters. Both have a spring-loaded, quick-action lever on the base plate which allows easy insertion of the camera plate. In the small quick release, this lever is held open manually; in the professional model it remains cocked in the open position and locks when pressure from the camera plate is placed on the base plate.

Small Quick Release (20-6021)

With 1.6 x 1.6" (41 x 41mm) camera plate, and 1/4" size screw. The small quick mount fits onto 1/4" tripod screw. Measures 2.4 x 1.9 x .9" (62 x 48 x 22mm) L.W.H.

Item # KAQRS.....27.50

Small Quick Release (20-6023)

Same as above, with a thicker base to accept an optional flash lighting unit bracket. 3.3 x 2.4 x 1" (85 x 60 x 25mm) L.W.H.

Item # KAQRL36.95

Flash/Lighting Unit Bracket (20-6024)

With shoe for mounting flash or misc. lighting equipment.

Item # KABSQR19.95

Small Quick Release Camera Plate (20-6022)

With 1/4" screw. Dimensions 1.6 x 1.6" (41 x 41mm). Replacement for 20-6021 and 20-6023.

Item # KAQRPS.....19.95



Pro Quick Release Camera Plate (20-6026)

Pro Quick Release (20-6025)

Pro Quick Release (20-6025)

With 3.5x2.8" (88x72mm) quick release camera plate, 1/4" and 3/8" size camera screws, and 1/4" and 3/8" tripod screws. Has two bubble levers for both axes built on its side. Also has an anti-theft feature. (An optional lock and key can be purchased to lock your valuable camera to your tripod.) Measures 3.5 x 2.8 x 1.3" (90 x 72 x 32mm) L.W.H. and weighs 11.4 oz. (322g).

Item # KAQRP124.95

Pro Quick Release

Camera Plate (20-6026)

With 1/4" and 3/8" size screws. Dimensions 3.5 x 2.8" (88 x 72mm). Replacement for above models 20-6025 and 20-6014.

Item # KAQRPP.....44.95

Lever Locking Pin System (20-6027)

A lock and key to lock camera plate 20-6026 to Pro Quick Release or large ball head with quick release.

Item # KALLPSQR.....27.50



Lever Locking Pin System (20-6027)

STROBOFRAME

TRIPOD ACCESSORIES

These German-made ballheads are fully machined and beautifully finished for smooth operation and non-slip hold. Full movement allows virtually any camera position, including verticals. A single knob locks tilt and panning movements.



Ball Heads

Shoe Mount

Flash Ballhead (320-060)

With shoe mount and 1/4" screw, accessory shoe mount ball and socket, head, 360° rotation for accurate aim of flash units or slaves. Mounts in camera hot shoe or on tripod and accepts all shoe-type flash units or shoe-mounted accessories. Height 2", weight 1 oz. Item # STBHSM.....**19.95**

Compact Ballhead (320-010)

With 1/4" camera and tripod screw. Used with compact cameras. Head or base diameter is approximately 1.2" (30mm), height is 2.5" (6cm) and weight 2.8 oz. (80g). Item # STBHC.....**16.95**

Standard Ballhead (320-020)

With 1/4" camera screw, 3/8" tripod screw and 1/4" adapter. Slightly larger than compact model above. Head or base diameter is approximately 1.5" (38mm), height is 2.8" (72mm) and weight 5.8 oz. (162g). Item # STBHS.....**29.50**

Deluxe Studio Ballhead (320-030)

With 1/4" camera screw, 3/8" tripod screw and 1/4" adapter. Larger than standard ballhead. Head diameter is the same as standard ballhead. Base diameter is 1.7" (45mm), height is 3.8" (95mm), weight 10.8 oz. (308g). Item # STBHD.....**44.95**

Onyx Series Ball Heads

Entirely new line of ballheads from the same German craftsmen who make our Classic line. Onyx series heads feature multiple control options, contemporary cylindrical shape and deep, durable all-black finish. Large camera platforms have slip-resistant, knurled surface. Each head has reversible camera stud and tripod socket (1/4"-20 or 3/8").

Ballhead PL-1 (321-132)

Heavy-duty ball head with large knobs for pan and tilt control. Camera platform diameter is 1.5" (38mm), base diameter 1.9" (5cm), height 3.8" (9.5cm) and weight 10.9 oz. (309g). Item # STBHOPL1.....**59.95**

Ballhead FL-2 (321-232)

Same as PL-1, without pan control, but with adjustable friction control. Camera platform and base diameter is the same as PL-1, height is 4.3" (10.8cm) and weight 11.2 oz. (318g). Item # STBHOFL2.....**82.95**

Ballhead Pro-3 (321-238)

A deluxe heavy-duty ballhead with lock, friction and pan controls. All controls and pan calibrations are beautifully laser engraved in high visibility white. Camera platform is 2" (5cm), base diameter 2.4" (6cm) and weight 18.4 oz. (522g). Item # STBHOP3.....**154.95**

Quick Release

Camera Auto Quick Release "QRC" (300-QRC)

A low profile camera quick release with one-touch off/auto-on capability. For use on any tripod, copystand or studio stand for quick release of cameras or brackets. Accepts Anti-Twist AT plates, which are recommended for exact camera registration. Maximum load capacity is 6.5 lbs. (3kg). Item # STQRC.....**56.50**

Accessory Mounting Plate (300-PLT)

Replacement for Camera Quick Release QRC. Item # STQRP.....**14.95**

Accessory Base (300-BASE)

Replacement base for Camera Quick Release QRC. Item # STBUQRC.....**47.50**



Vertaflip PHD

Vertaflip PHD-Professional Heavy-Duty (300-115)

Accepts all hand-held cameras. Allows rapid camera rotation from horizontal to vertical with no change of lens position. For use on tripods, camera stands and copystands. Accepts System 2000 Anti-Twist (AT) Plates and Camera Auto Quick Release (300-QRC). Dimensions are 4x5.3x3" (10.2x13.4x7.6cm) and weighs 11.5 oz. (326g). Item # STVFPHD.....**43.44**



GRAF-STUDIO BALL

TRIPOD ACCESSORIES



Studioball
with Quick
Release
(SBQR)

The Graf-Studioball is a real Ballhead for work in studios and outdoors. Graf-Studioball ensures absolute and rock-steady support, even for heavy cameras or tele-lenses. The ball diameter of 68mm allows smooth and pin-point positioning in any selected position. In addition, Graf-Studioball is equipped with a dual friction knob and has Independent lockable 360° panorama-base (2 x 180° scale with 5° divisions). Graf-Studioball is available in two models.

Standard Studio Ball Heads

Studioball with Round Camera Plate (SB-14)

With reversible $\frac{1}{4}$ " and $\frac{3}{8}$ " camera and tripod screw. Designed with a 2" (50mm) camera plate, Polaroid camera backs can be used without any obstruction. Maximum load capacity is 40 lbs. (18.2kg), base diameter is 3.5" (88cm), height approximately 6" (15cm) and weight 3 lbs. (1.4kg).

Item # STSB.25299.00

Studioball with Quick Release (SBQR)

Same features as above, with a built-in professional quick release head, which has a special feature of an added safety lock when used with Studioball camera plates. Will lock plate even if locking knob is loose. Base diameter is 3.5" (88cm), height approximately 6" (15cm) and weight 3.7 lbs. (1.7kg). (Requires mounting plate.)

Item # STSBQR.....319.95

Mini Studio Ball Heads

A mini version of the full-size Studioball without panning capabilities. These Mini Studioballs will support 35mm and medium format cameras up to 13 lbs. (5.9kg). A $1\frac{1}{2}$ " (42mm) head assures smooth and pin-point positioning of your camera. The dual function friction knob allows for minute adjustments of the camera prior to shooting as well as assuring that the camera will not fall over if the main locking knob comes undone. These Mini Studioballs are ideal for backpackers or anyone concerned with weight or size.



Mini Studioball with
Quick Release (MIQR) shown
with optional mounting plate

Mini Studioball with Round Camera Plate (M14)

With reversible $\frac{1}{4}$ " and $\frac{3}{8}$ " camera and tripod screw. Due to its narrow $1\frac{1}{2}$ " (42mm) camera plate, Polaroid backs for 35mm and $2\frac{1}{4}$ " cameras can be used without any problem. Maximum load capacity is 13 lbs. (5.9kg), base diameter is $2\frac{1}{2}$ " (64mm), and its height is approximately $4\frac{1}{2}$ " (115mm). It weighs 19.75 oz. (560g).

Item # STMB.25.....199.95

Mini Studioball with Quick Release (MIQR)

Same as the Mini Studioball with Round Camera Plate (M14), but with a built-in professional quick release head. It accepts all Studioball Camera Plates. Maximum load capacity is 13 lbs. (5.9kg), base diameter is $2\frac{1}{2}$ " (64mm), and its height is approximately $4\frac{1}{2}$ " (115mm). It weighs 19.75 oz. (560g).

Item # STMBQR.....229.95

Studio Balls Camera Plates

Made of heavy-duty nylon, these plates have grooves on their base for safety lock, (except Jumbo). They measure 3.2 x 2.4" (80 x 60mm), and are compatible with Arca-Swiss and Foba camera plates.

Camera Mounting Plate with $\frac{1}{4}$ " Screw (CP14)

Item # STQRP.2539.95

Camera Mounting Plate with $\frac{3}{8}$ " Screw (CP38)

Item # STQRP38.....39.95

Camera Mounting Plate for Hasselblad and Rollei with $\frac{1}{4}$ " Screw (CPH)

Item # STQRPB.....39.95

Camera Mounting Plate for Mamiya with $\frac{1}{4}$ " Screw (CPM)

Item # STQRPM39.95

Quick Release Assembly (QR)

A quick release adapter that allows changing of the cameras quickly and easily. With this adapter, the Studioball or Mini Studioball with Round Camera Plate can be converted to a Studioball or Mini Studioball with a quick release. (Requires Camera Mounting Plate.)

Item # STQRSB14.....69.95

Jumbo Base Plate (CPJP)

Offers unique new applications. At 20" (500mm), it is the only Jumbo Plate for direct use on quick release plates. Free sliding adjustment over entire length if used with quick release plates. Includes additional $\frac{1}{4}$ " and $\frac{3}{8}$ " threads for direct mounting on tripods. Two reversible, $\frac{1}{4}$ " and $\frac{3}{8}$ ", round camera plates to tighten camera and lens or view camera with two tripod sockets.

Item # STBPI.....194.50

TL-130 Bracket for Jumbo Plate (TL-130)

130mm round bracket. Fits up to 130mm diameter lenses. Three tightening screws included for centering telephoto lenses.

Item # STBTL130JBP115.95

TL-180 Bracket for Jumbo Plate (TL-180)

Same as above, for lenses up to 180mm diameter.

Item # STBTL180JBP133.95

A Prohead allows more freedom of movement than existing ballheads or conventional tripod heads and does it with much greater security. It will tilt past 90° in any direction and has 360° panning capability. Two jumbo locking knobs give the photographer complete control over all camera movements. One knob locks all tilts, and the other locks the panning. Both controls are easy to locate and use. The 360° rotation control cannot be mistaken for the tilt control, even in total darkness. Rotation is graduated in 15° increments to provide convenient reference angles. Proheads can accommodate 35mm, medium format, 4x5 and 8x10 view cameras both safely and securely. The main locking knob includes a tensioning adjustment, so the amount of drag on camera movements can be adjusted for different weights. Tightening the locks does not cause the head to change location, even slightly.

Pro Heads

Prohead

With 1/4" size camera screw, 3/8" tripod screw and 1/4" adapter. A Delrin constructed professional head, of anodized aluminum and stainless steel. Head or base diameter is 3" (75mm), height 6.8" (172mm) and weight 2.5 lbs. (1.1kg).

Item # NPPH229.95

Prohead with Quick Release


With two 2.5x2.4" (63x60mm) camera plates to accept 1/4" or 3/8" cameras, 3/8" tripod screw and 1/4" adapter. Same features as regular Prohead, plus a built on quick release. (The camera plates are compatible with the Arca-Swiss and Foba style quick release systems.) Height is 6.9" (176mm) and weight 2.8 lbs. (1.3kg).

Item # NPPHQR.....284.95

Camera Plate

2.5 x 2.4" (63 x 60mm). Replacement for above.

Item # NPQRP44.95



Steadybag

Steadybag allows fast, rock-solid shooting on any surface, eliminating time-consuming tripod setup. It conforms to any uneven surface bringing a new freedom to location still and video photography. Steadybag is filled with custom-milled polypropylene beads in an outer casing made of rugged waterproof expedition-grade nylon, and it comes with a padded shoulder strap.

Steadybag Model 1 (SB1)

3 lbs. (1.4kg.)

Item # VISB135.95



Steadybag Model 2 (SB2)

7 lbs. (3.2kg.)

Item # VISB256.95

Steadybag Model Jr (SB3)

8 oz. (227g.)

Item # VISBJ15.95

Steadybag

All Seasons Camouflage (SB5)

3 lbs. (1.4kg.)

Item # VISBASC.....35.95

Suction Mount

Suction Mount makes it possible to attach light and other equipment in places where you can't position a light stand or a tripod. It works with a suction cup activated by a built-in vacuum pump. With a load capacity of as much as 75 lbs. (for the SM-6), you can mount strobe heads on windows, cameras on vehicles, and a range of grip equipment on almost any non-porous surface.

3" Cup (SM3)

With 1/4" and 5/8" thread. For loads of up to 20 lbs. (9kg.)

Item # VISM366.50

6" Cup (SM6)


With 1/4" and 5/8" thread. For loads of up to 75 lbs. (34kg.)

Item # VISM689.95

6" Cup Heavy Duty (DV6B)

With 5/8" thread.

Item # VISMHD6.....148.50



TRIPODS


MISCELLANEOUS

Two-Way Focusing Rail

Universal Micro Focus Adapter

A precision focusing tool with two separate stages. Combining the stages in one direction will double the travel of the camera. The stages are independent of each other and can be used either separately or mounted on top of one another (also at right angles) for camera movement along the x and y axis. The maximum travel on each stage is 3.5" (90mm). Scales in millimeters provide easy reference. Handy positioning and locking screws. 1/4" camera and tripod thread. A rack and pinion drive ensures accurate setting. Length of stages 5.9" (150mm). Its weight is 22.4 oz. (634g).

Item # GBMFA.....**139.95**



Universal Micro Focus Adapter


Universal Panorama Plate

Novoflex Universal Panorama Plate (PANORAMA)

Turn your camera round 360° play-free! Large number markings and a spirit-level for an optimum horizontal alignment. Ideal in combination with any ball and socket head. 3.5 x 2.4 x 7" (9 x 6 x 1.8cm) LWH. Weighs 5.9 oz. (168g).

Item # NOUPP.....**39.95**

Novoflex Magic Ball and Mini Magic Ball



Magic Ball (MB)

These extremely stable ball and socket heads, with patented construction, offer wide areas of applications. At the same time, the weight of both Magic Balls have been significantly reduced compared to similar products. Their friction control allows them to be used safely and comfortably with heavier products.

Magic Ball (MB)

Accepts load capacity up to 22 lbs. (10kg). Dimensions are 6.3 x 2.4 x 4.1" (15.9 x 6 x 10.5cm) LWH. It weighs 2 lbs. (925g).

Item # NOMB.....**299.95**

Mini Magic Ball (MBMINI)

Accepts load capacity up to 11 lbs. (5kg). Dimensions are 4.3 x 1.6 x 3" (11 x 4 x 7.5cm) LWH. It weighs 12 oz. (330g).

Item # NOMMB.....**249.95**

Miscellaneous Clamps

Slik ClampPod (618-785)

Supports compact 35mm cameras, portable flashes, compact camcorders, or any lightweight accessory with a 1/4 x 20 mounting capability. Clamps onto virtually anything and goes just about anywhere. Less than 12" in length and weighs only 9.6 oz. A flexible steel neck can be angled into a variety of positions for maximum support, as well as a separate mounting platform with a locking ball joint swivel head. Heavy duty spring clamp features offset rubberized jaws.

Item # SLCP.....**19.95**



Hi Sierra Clampette (618-785)

A versatile, strong, convenient, compact companion for small and large cameras. It mounts to books, chairs, etc. Made of die-cast aluminum alloy, it is strong, yet lightweight. Weighs just 2 oz.

Item # HIC.....**9.95**

DAVIS & SANFORD by TIFFEN

Magnum Tripod (MAGNUMXL)

Professional photo/video tripod with 3-way fluid head and quick release. Made in the USA, this Davis & Sanford tripod is made from the finest and strongest metal aluminum alloy with a superior protective black finish. The excellent strength-to-weight ratio and combined benefit of rugged durability, will give the user many years of trouble free use. Perfect for 35mm, medium format, and camcorders, this tripod features a foam cushioned 1 1/4" (30mm) insulated legs, with rugged twist-type leg locks, and spiked feet, a reversible lift-type centerpost, for low-angle work, a 3-way 360° pan fluid head, a quick-release plate for quick action, a built-in bubble level, and a 5-year warranty. Its lowest operating angle is 30" (76cm). But, by reversing the center post, you can get as low as 0".

Item # TIMXL.....**119.95**



DAVIS & SANFORD SPECIFICATIONS

Load Capacity	15 lbs. (6.8kg)
Minimum Usable Height	0" (0cm)
Maximum Extension	69.25" (176cm)
Leg Sections	2
Center Column Sections	1
Folded Length	32" (81.3cm)
Weight	5.25 lbs. (2.4kg)

Subject to change without notice