

R A N D O M U N I V E R S



ELECSTAR

**ELECSTAR Merchandising Solutions**

**Ver.0418**

## INTRODUCTION

### ABOUT US

*We are sourcing company offer refrigeration solutions!*

We built our own workshop in 2013 but still most of our products from different factories. Elecstar are China only company can offer one-stop-shop merchandising solutions for both beverage and ice cream industry.

### OUR AIM

*To creat or raise your brand!*

With our 7 years sourcing experience in refrigeration field, we would like to be your partner to creat or raise your brand!

### ELECSTAR MERCHANDISING SOLUTIONS

*The No. 1 choice of the Worlds leading brands*

If you are a brand owner, looking to find new and innovative ways of promoting chilled or frozen products, look no further.

ELECSTAR are specialists when it comes to developing merchandising solutions and we know that the correct branding is an essential factor in order to obtain results. We work hard with our clients to maximise their brand in conjunction with our products, which is why we are the No. 1 choice for the worlds premier brands when it comes to refrigerated display.

Quality display equipment is known to provide up to 30% increased revenue through the enhanced presentation of chilled and frozen product. The quality and reliability of the equipment you use is also a reflection on your brand, something the major brands have come to understand and the reason why they insist on ELECSTAR.

SERVING BRANDS



Merchandising Solutions

Visi Cooler



6 to 15

Display Freezer



15 to 19

Cooler Box & Patio Cooler



20 to 20

Licensed Cooler



21 to 23

Custom-made products



24 to 25

INNOVATION



**ICE Cooler**  
 Our ice barrel and ice box 100% export. Supplying Sochi 2014 Olympics, Heineken, Coke etc.

**POS Cooler**  
 with semicircle and ellipse appearance, 180 degree or 360 degree vision suitable as cashier cooler.

**Rechargeable Barrel Cooler**  
 under 32°C ambient, power cut, inside temperature can be kept at 6°C for 8 hours. Open top barrel also available.

**iPod Cooler**  
 firstly developed by Elecstar can connect iPhone/iPod/MP3. Volume 48L/76L/85L/118L.

**Slim Baby Cooler**  
 140mm/5.5inch width, compressor cooling. pack-out 12Cans(8.3 oz)

**LCD Cooler**  
 We now can add LCD Screen to both countertop and upright cooler.



INNOVATION



EMS system  
Our cooler can add intelligent energy saving system to save up to 60% energy.China first to use this system.

Rechargeable Chest Cooler  
under 32°C ambient, power cut, inside temperature can be kept at 6°C for 8 hours.

Long Leg Freezer  
Free standing or counter top. Fan cooling system.

Removable refrigeration deck  
Full removable instead of semi-removable.China first to develop it.

Long Leg Cooler  
Both long leg cooler and freezer is available.Don't waste the space on the curved glass freezer!

Retro Cooler  
We can offer full range of retro design cooler.



Display Cooler

BEVERAGE



iPod Cooler



LCD Cooler



Retro Baby Cooler



Mini Double Door

We have luxury cooler,star cooler, standard Cooler,basic cooler,four series countertop display cooler.

Model	C21B	C40B	C52B	C80B
Volume	21	40	52	80
Climate Type	N	N	N	N
Cooling	Static	Static	Static	Static
Refrigerant	R134a	R134a	R134a	R134a
Machine Dimension	330*415*610	400*415*733	420*460*793	463*470*933
Packing Dimension	355*445*660	455*445*777	470*490*837	510*500*977
N/G Weight	16/17.5kg	20/22g	23/25	29/32
Rated/Frequency	220V or 110V	220V or 110V	220V or 110V	220V or 110V
Loading Capacity	610pcs/40HQ	360/40HQ	276/40HQ	184/40HQ
Approval	CE/ETL	CE/ETL	CE/ETL	CE/ETL

## Beverage Cooler



Stainless Steel finish



Slimline design



3 sided glass cooler



Toolbox fridge

We have luxury cooler,star cooler, standard Cooler,basic cooler,four series countertop beverage cooler.

Model	C21	C52	C68	C98
Net Volume	21	52	68	98
Climate Type	N	N	N	N
Cooling	Static	Static	Static	Static
Refrigerant	R134a	R134a	R134a	R134a
Machine Dimension	330*410*472	435*475*500	435*475*686	480*475*853
Packing Dimension	355*445*510	478*544*544	478*544*729	531*506*890
N/G Weight	15/16.5kg	20/21kg	24/26kg	30/38kg
Rated/Frequency	220V or 110V	220V or 110V	220V or 110V	220V or 110V
Loading Capacity	480pcs/40HQ	352pcs/40HQ	264pcs/40HQ	252pcs/40HQ
Approval	CE/ETL	CE/ETL	CE/ETL	CE/ETL



Barrel Cooler

BEVERAGE



Rechargeable CC65



Open top CC48



Stainless steel PC50SS



Party Cooler PC50A

We have luxury cooler,star cooler,  
Two series barrel cooler.

Model	PC40	PC50E	PC65	PC77	PC85
Volume	40	50	65	77	85
Climate Type	N	N	N	N	N
Temperature control	Manual	Digital	Manual	Manual	Manual
Refrigerant	R134a	R134a	R134a	R134a	R134a
Machine Dimension	445*445*770	460*460*835	445*445*970	445*445*1070	560*560*820
Packing Dimension	460*460*780	560*560*880	460*460*1015	460*460*1115	580*580*880
N/G Weight	15/16.5kg	23/27kg	24/26kg	30/38kg	33/40kg
Rated/Frequency	220V or 110V	220V or 110V	220V or 110V	220V or 110V	220V or 110V
Loading Capacity	375pcs/40HQ	250pcs/40HQ	250pcs/40HQ	250pcs/40HQ	240pcs/40HQ
Approval	CE/ETL	CE/UL	CE/UL	CE/UL	CE/UL

4 Sided Glass Cooler



Full height 215/235/280/500L Top compressor T80



Pass-through door Stainless Steel finish

We have luxury cooler,star cooler, standard Cooler,basic cooler,four series 4 sided glass cooler.

BEVERAGE

Model	RT58L	RT68L	RT78L	RT98L
Climate Type	N	N	N	N
Refrigerant	R134a	R134a	R134a	R134a
Machine Dimension	427*383*772	427*383*872	427*383*1022	427*383*1022
Packing Dimension	485*450*830	485*450*930	485*450*1080	485*450*1080
N/G Weight	28/31.5	32/35.5	38/42	38/42
Rated/Frequency	220V or 110V	220V or 110V	220V or 110V	220V or 110V
Loading Capacity	258pcs/40HQ	258pcs/40HQ	258pcs/40HQ	258pcs/40HQ
Approval	CE/ETL	CE	CE	CE

Upright Beverage Cooler



W495mm Cashier Cooler    W360mm Slim Cooler



No frost type

LED engrave logo

We have luxury cooler,standard Cooler ,two series upright beverage cooler.

Model	LG136A	LG166A	LG196A	LG216A	LG276A	LG336A	LG386A
Volume	136	166	196	216	276	336	386
Climate	ST	ST	ST	ST	ST	ST	ST
Cooling	Static	Static	Static	Static	Static	Static	Static
Refrigerant	R134a	R134a	R134a	R134a	R134a	R134a	R134a
Machine	520*525*1070	545*525*1285	545*525*1445	545*525*1565	600*590*1535	600*590*1685	600*590*1935
Packing	550*520*1434	590*670*1540	620*670*1800	650*670*2000	650*670*2090	650*740*2090	650*740*2090
Rated	220V/110V	220V/110V	220V/110V	220V/110V	220V/110V	220V/110V	220V/110V
40FT	165 pcs	105 pcs	102pcs	101 pcs	79 pcs	75 pcs	57 pcs

BEVERAGE

**Upright Display Cooler**



**American and European style**



**Asia/Latin America /Africa style**

**We have luxury cooler,star cooler, standard Cooler,basic cooler,four series single door upright display cooler.**

Model	C360W	C380W	C400W	C430W	C550W	C660W
Volume	360	380	400	430	550	660
Climate	T	T	T	T	T	T
Cooling Type	NO FROST	NO FROST	NO FROST	NO FROST	NO FROST	NO FROST
Refrigerant	R134a	R134a	R134a	R134a	R134a	R134a
Machine	578*605*1980	600*620*1960	600*620*2020	600*665*2020	700*690*2056	700*790*2056
Packing	624*630*2025	645*665*2035	645*665*2095	645*710*2095	745*726*2120	750*826*2120
Rated/Frequency	220V/110V	220V/110V	220V/110V	220V/110V	220V/110V	220V/110V
Loading Capacity	75pcs/40HQ	54pcs/40HQ	54pcs/40HQ	54pcs/40HQ	48pcs/40HQ	42pcs/40HQ

**Upright Display Cooler**



**Top compressor type    Fan assisted type**



**Low height 1.4m/54”    Multi-doors**

We have star cooler,standard Cooler,basic cooler,three series double door upright display cooler.

Model	C6	C8	C10	C11	C12	C14
Volume	600	800	1000	1150	1200	1400
Climate	T	T	T	T	T	T
Cooling Type	NO FROST	NO FROST	NO FROST	NO FROST	NO FROST	NO FROST
Refrigerant	R134a	R134a	R134a	R134a	R134a	R134a
Machine	950*600*1975	1000*720*2020	1130*720*2020	1130*820*2020	1330*720*2020	1330*720*2020
Shelf	8	8	8	8	8	8
Rated/Frequency	110v/220v	110v/220v	110v/220v	110v/220v	110v/220v	110v/220v
Loading Capacity	41pcs/40HQ	33pcs/40HQ	30pcs/40HQ	26pcs/40HQ	25pcs/40HQ	21pcs/40HQ

Cashier Cooler



IM110



BR98



IM110



AC 63



CK148

We offer kind of Cashier Cooler

BEVERAGE

Model	BR98	IM90	AC63	CK148
Gross Capacity (L)	98	92	63	148
Net Capacity (L)	98	80	63	148
External Dimension (cm)	598*509*920	690*450*1050	452*470*933	760*530*1290
Packing Dimension (cm)	628*539*980	740*500*1120	512*530*993	840*600*1320
Net Weight (kg)	75	43	45	75
Climate type	N	N	N	N
Temp. Range(°C)	2~7	2~7	2~7	2~7
Shelves			Steel/2	
Loading Qty(40HQ)	126	138	184	103
Approval	CE/ETL	CE/ETL	CE/ETL	CE

Open Front Cooler



Coldflow E

Coldflow G



Coldflow B2



Coldflow C1



Custom-made service is also available for special open front cooler.

BEVERAGE

Model	B2	C1	E	G
Display Area(m2)	0.55	0.8	0.45	2.36
Capacity (L)	210	500	210	1200
External Dimension (cm)	700*700*1450	700*700*2010	655*710*1430	1300*800*2050
Packing Dimension (cm)	715*715*146	740*740*2050	660*715*1440	1305*805*2150
Weight	130/138	160/170	130/138	300
Climate type	SN, N	SN, N	SN, N	SN, N
Temp. Range(°C)	2~7	2~7	2~7	2~7
Shelves	Steel/2	Steel/4	Steel/2	Steel/4
Loading Qty(40HQ)	45	45	48	22
Approval	CE	CE	CE	CE

I C2 width 920mm C3 width 1220mm also available..

Open Top Cooler/Open Top Freezer



Cooler Box X1



Freezer Box X2



70TN/70BT



120TN/120BT



Custom-made service is also available for special open top cooler or freezer or sub-zero beer cooler.

BEVERAGE

Model	X1	X2	70BT	120BT
Display Area(m2)	0.53	0.53	0.47	0.78
Capacity (L)	100	100	90	160
External Dimension (cm)	740*750*1085	740*750*1085	740*683*970	1200*683*970
Packing Dimension (cm)				
Weight	85	85	85	160
Climate type	SN, N	SN, N	SN, N	SN, N
Temp. Range(°C)	2~12/	-18~-20	-18~-20	/-18~-20
Shelves				
Loading Qty(40HQ)	90	90	96	64
Approval	CE	CE	CE	CE



Curved Glass Freezer

ICE CREAM



Front to back sliding lid SD136



Flat glass SD250/350/450/650



All from Unilever audit freezer factory.

Optional 1.add back storage shelf or board. 2. Aluminium profiles + plastic sides door frame

Model	SD136	SD235	SD325	SD405	SD575
Capacit litres	136	235	325	405	575
Net Capacit litres/ cu.ft	103	170	240	300	430
Packing Dimension(mm)	600*770*895	880*770*890	1120*770*890	1330*770*890	1770*770*890
Units Dimension(mm)	564*694*850	800*694*850	1044*694*850	1240*694*850	1684*694*850
Test Result	<-18°C	<-18°C	<-18°C	<-18°C	<-18°C
Energ	1.68	1.7	2.3	3	4.5
Climate Classification	Class 4+	Class 4+	Class 4+	Class 4+	Class 4+
20'GP	54	36	30	24	18
40'GP	120	78	64	54	39
40' HQ(with Castors)	177	117	96	81	57
40' HQ(Canop)	177	108	87	72	54
Approval	CE/ETL	CE/ETL	CE/ETL	CE/ETL	CE/ETL

Curved Glass Freezer

ICE CREAM



**WAVE Freezer  
XS160/260/260**



**X-Freezer XS208/248/328/368**



**X-Freezer XS206/236/276/326/400/500**



All from Unilever Audit freezer factory.

Classical flat glass freezer from 100L to 550L total 13models available

Model	XS160	XS260	XS360
Net Capacit	160	260	360
Climate class	ST	ST	ST
Temperature	<-18°C	<-18°C	<-18°C
Heated frame	heated	heated	heated
Power suppl	220V/110V	220V/110V	220V/110V
Refrigerant	R134a	R134a	R134a
Net weight	55 Kg	55 Kg	61 Kg
External dimension (mm)	665*705*875	990*725*875	1260*705*875
Packing dimension(mm)	735*760*960	1060*760*950	1330*760*950
Loading quantit	135	90	73
Approval	CE ETL	CE ETL	CE,ETL

Upright Display Freezer



D55/D66



D55B/D66B



Countertop 172L D172



Height 1.5m/25" D238W

We can offer best quality upright display freezer.

ICE CREAM

Model	D55	D55B	D360F	D358W
Cooling type	Static	Static	Static	Ventilated
Total capacity	55	55	360	358
Voltage / frequency	220V/110V	220V/110V	220V/110V	220V/110V
Temperature range	<-18°C	<-18°C	<-18°C	<-18°C
Energy consumption	1.80	1.80	1.00	1.00
Unit dimensions	595*515*616	595*515*728	670*650*1980	650*690*2023
Net weight	40	34		
Packing dimensions	645*555*647	645*555*759		
Gross weight	43	37		
40 ' high cube	299	225	51	51
Approval	CE	CE	CE	CE/ETL



Shelfstar 2



Shelfstar 1

Where space is a premium these units can utilize the space up the chest showcase.

Model	Shelfstar 1A	Shelfstar 1B	Shelfstar 2C	Shelfstar 2D
Capacit litres	147	128	260	260
Net Capacit litres/ cu.ft	147	128	260	260
Packing Dimension(mm)				
Units Dimension(mm)	1210*615*412.5	990*615*412.5	1240*490*1119	1240*490*1119
Temperature	<-18°C	<-18°C	0~10°C	<-18°C
Refrigerant	R134a	R134a	R134a	R134a
Climate Classification	ST	ST	ST	ST
20'GP			17	17
40' HQ	135	165	64	64
Approval	CE/ETL	CE/ETL	CE/ETL	CE/ETL

Cooler Box & Patio Cooler



13L



13L D/P(diamond plate)



17L



17L with window



17L Barrel



24L Slant



25L



51L S/S



54L S/S(stainless steel)



60L



75L Double door



95L D/P



206



202



208 Cane



206 S/S



ICE65



ICE90



ICE120



Rechargeable mobile cooler

Licensed Cooler for Red Bull/Monster/Pepsi



BR12



BR15C



BR15



BR20C



BR20



BR50



BR56C



BR58C



BR60



BR80C



BR84C



BR84



S24L



CTM-026L



S168L



S386L (386litre)

Licensed Cooler for Pepsi



PEPSI220



PEPSI382



PEPSI 500



PEPSI 660



PEPSI 758



PEPSI982



PEPSI1400 - Sliding door



PEPSI 240



PEPSI 280



PEPSI 383



PEPSI 381A



PEPSI450

Licensed Cooler for Coca Cola



CK230A



CK230A with rack



CK230AD



CK230AB



CK108ADH1



CK108AH1



CK108AD



CK108A



CK148G



CK148GD



CK80 open



CK80



Custom-made products (Coldflow series)



XS



Mini



A



B2



Short C



Slim C



C1



C2



C3



D1



D2



D3



E



F



G



H



I

Custom-made products



Undercounter froster



Pass-through froster



Upright froster



Toolbox fridge



Safe box fridge



Wooden fridge



stainless steel fridge



Cashier Freezer(height 1.5m)



Cashier cooler



Cashier cooler without light canopy




Chest Beer Froster



Solid sliding door freezer



Can dispenser cooler



**Thank You !**