

VIKING

CAMPING TRAILERS



Camping Made Easy





Easy to Tow Set Up, Use and Store

Viking's unique, user-friendly cable support system increases leisure time. Set up in ten minutes and head out for adventure!



The easy-to-use dual drive winch and drill bit, combined with your cordless drill, raises or lowers the roof in under 30 seconds. A manual crank is also provided.



The four heavy duty scissor-style stabilizing jacks extend and retract easily using your cordless drill and provided drill bit.



This exclusive "Glide-N-Lock" cable supported bed system eliminates the need for support poles under the beds. Simply pull out the bed, click and it's locked into place.



X-Cable technology adds additional stability to the roof and prevents over cranking of the roof.



Viking's exclusive two-piece tension rafter is another example of how Viking makes set up easier.



Viking Is Easy





The E-Z Swing Stepper Door with hydraulic assist, operates in seconds and provides the largest, most stable step platform in the industry.



Viking's one piece entry door has an extra large adjustable privacy panel to let in fresh air and sunlight.




Viking's exclusive J-Track door latch maximizes stability by eliminating the flimsy nylon turn buttons traditionally used in securing the door to the roof.

More Viking Exclusive Features



Roof Side Z-Rail

Channels water away.



- A. Water tight Seal
- B. Roof's Outside Skin
- C. Z-Rail channels water away from wood
- D. Body's Outside Skin

- Z-Rails on roof perimeter and sidewalls keep wood above water level collection points.
- Others use U channel where wood and water can come in contact at the bottom of the channel.
- Channels are kept open to allow water to run out like a gutter.
- Others attempt to seal channels to keep water out; when the seal is compromised, water will collect and cannot escape.



Viking's Super Sliding Storage box enables full, easy accessibility even when the camper is set up. (Standard on Legend, Optional on V1 and V2).

Four Layer Insulated Roof

Braced for Air Conditioning.

1. One Piece Seamless Fiberglass Skin
 2. Luan Plywood Underlayment
No one else includes the extra wood layer between the top skin and internal foam that provides stiffness and reduces the probability of damage due to hail, road debris, etc.
 3. Foam Insulated Roof Structure
 4. Vinyl Coated Ceiling
Easy to clean and minimizes interior condensation
- Roof vent is placed off to the side so the A/C can be center-mounted without having to remove the vent. This design allows you to have both the vent and A/C.

Wide Trac Suspension

Better safety and stability on the road.

- Widest stance of any folding camper
- Improves towing safety and stability
- Stronger axle beams than most competitors
- Steel frame with E-coat protection



Dexter® E-Z Lube® Axles

Check Out Our Easy Set Up Video Here



4" E-Z Sleep Quilted Mattress

1-1/4" Laminated Insulated Bunkend

COLD OUTSIDE AIR

Viking

1-1/4" Laminated Insulated Bunkends

- Two times thicker than others
- Solid wood, steel reinforced frame, with 1" thick high density foam, and laminated wood panels top and bottom
- More stable bed end vs. chipboard or spliced plywood
- Insulation improves comfort and warmth



COLD OUTSIDE AIR

Competitors



Viking's one-piece, 5/8" floor structure is stronger than the industry's standard 1/2". Automotive undercoating protects from the elements. Congoleum residential grade Diamondflor with 100% adhesion adds beauty and durability indoors.



*Retractable clothes bar
(Standard on Legend and V-Trec models)*



Powerful Fantastic power roof vent moves air like no other.



*Jensen AM/FM/Bluetooth stereo with App control includes Interior/Exterior speakers
(Standard on Legend and V-Trec models)*



Exterior grill (N/A on LS series)



*The Goshen Stamping double-wide lifter system offers strength, stability and increased wind resistance.
(Limited lifetime warranty)*



LED bunk end fan lights



*The E-Z one-hand swing level galley
(Legend and V-Trec models)*

Express 9.0TD (With Deluxe Package)



Easy To Enjoy!

Viking Camping Trailer Standard Features

X = Express ■ XTD = Express 9.0TD ■ LS = LS Series ■ E = Epic ■ L = Legend ■ V = V-Trec


CHASSIS	X	XTD	LS	E	L	V
Tubular Steel Frame	■	■	■	■	■	■
Dual Drive Winch			■	■	■	■
Heavy Duty Dolly Jack with Wheel		■	■	■	■	■
Wide Trac Ultralube Spring Axle	■	■	■	■	■	■
Wide Trac Ultralube Torsion Axle						■
Electric Brakes	■	■	■	■	■	■
Radial Tires	■	■	■	■	■	■
Spare Tire & Carrier			■			
Aluminum Rims		■				■
Scissor Style Jacks with Pads (4)	■	■	■	■	■	■
Goshen Lift System with Double Arms			■	■	■	■
EXTERIOR	X	XTD	LS	E	L	V
"Zero Exposure" Bunk technology			■	■	■	■
Laminated Aluminum Skin Walls	■		■			
Laminated Fiberglass Walls		■		■	■	■
LED Exterior Lights	■	■	■	■	■	■
Diamond Plate Front and Rear Wall Protection				■	■	■
E-Z Swing Stepper Door				■	■	■
One Piece Screen Door (N/A Express)			■	■	■	■
4 Layer Laminated Seamless Fiberglass Roof Prebraced for A/C			■	■	■	■
Exterior Wall Mount LP Grill		■		■	■	■
VRX Sectionalized Tent			■	■	■	■
Laminated Insulated Bed Platforms			■	■	■	■
Glide-n-Lock Cable Supported Bed System			■	■	■	■
Above Floor 16 Gallon Fresh Water Tank (1906, 1706XLS, 1760QS)			■	■		
23 Gallon Below Floor Fresh Water Tank			■	■	■	■
25 Amp Converter with Battery Charger (12 Amp on 1706XLS, 1760QS)			■	■	■	■
120 Volt GFI Exterior Recept		■	■	■	■	■

EXTERIOR	X	XTD	LS	E	L	V
Patio Light (N/A 1706XLS)			■	■	■	■
"SST" Super Sliding Storage Compartment 2485SST (Optional on V1, V2)					■	
Create a Breeze Power Roof Vent				■	■	■
Awning			■			
INTERIOR	X	XTD	LS	E	L	V
Interior Courtesy Lights		■		■	■	■
100% Adhesion Residential Grade Linoleum	■	■	■	■	■	■
Dark Ash Cabinetry	■	■	■	■	■	■
Residential Laminated Countertops	■	■	■	■	■	■
Ultra Comfort 4" Heated Mattresses				■	■	■
Ultra Comfort 4" High Density Cushions				■	■	■
Vented Privacy Drapes				■	■	■
E-Z Swing Galley with Drawer					■	■
Deep Bowl Acrylic Sink				■	■	■
2-Burner High Output Range				■	■	■
12 Volt On Demand Water Pump				■	■	■
Built-in Shower (2485SST, V3)					■	■
Thetford Cassette Potti (2485SST, V3)				■	■	■
DSI 6 Gallon Water Heater (2108ST, 2405ST, 2485SST, V1, V2, V3)				■	■	■
20,000 BTU Furnace				■		
3-Way Dometic Refrigerator 1.9 Cu. Ft.				■		
Electric Refrigerator 1.6 Cu. Ft.		■				
12 Volt LED Interior Lights	■	■	■	■	■	■
120 Volt Interior Outlets		■	■	■	■	■
LED Bunk Fan/Light(s)	■	■	■	■	■	■
Retractable Clothes Bar					■	■
Powder Coated Interior Tent Support Poles				■	■	■
Jensen Bluetooth Stereo				■	■	■


POPULAR OPTIONS	X	XTD	LS	E	L	V
Essentials Package: 3-Way Dometic Refrigerator 1.9 Cu. Ft. (2.5 Cu. ft. on Legend, V3), 20,000 BTU Furnace, Awning, Spare Tire, Carrier and Cover				■	■	■
Deluxe Package (9.0TD): (12 Amp Converter, 7 Way Pigtail, 20,000 BTU Furnace, 5,000 BTU A/C, AM/FM Bluetooth Stereo with Speakers, 1.2 Cu. Ft. 110 Volt Refrigerator)		■				
Thetford Modular Cassette Potti with Electric Flush (2108ST, 2405ST, V1)				■	■	■
Thetford Porta Potti	■		■	■	■	■
Screen Room with Privacy Flaps		■	■	■	■	■
SST Super Sliding Storage Trunk (V1, V2)						■
13,500 BTU Air Conditioner			■	■	■	■
40 Watt Zamp Portable Solar Panel	■	■	■	■	■	■
80 Watt Zamp Portable Solar Panel	■	■	■	■	■	■
Bathroom Package (2405ST, V2)			■	■	■	■
Bolt On Swivel Tongue Jack	■					
"Jack It" Bike Rack		■	■	■	■	■
Toylok Cargo Security System	■	■	■	■	■	■
Stor-N-More Under Bunk Storage System			■	■	■	■

VIKING

VIKING EXPRESS




EXPRESS 9.0




EXPRESS 9.0TD


VIKING LS




1706XLS



1760QS




2107LS




2308LS


VIKING EPIC



1906



2108ST




2405ST




OPT. BATHROOM PACKAGE

VIKING LEGEND



2485SST



Viking Camping Trailer Specifications

	Express		LS Models				Epic			Legend	V-Trec		
Viking Models	EXPRESS 9.0	EXPRESS 9.0TD	1706XLS	1760QS	2107LS	2308LS	1906	2108ST	2405ST	2485SST	V1	V2	V3
Interior Box Size:	9'	9'	8.5'	8.5'	10'	12'	8.5'	10'	12'	12'	10'	12'	12'
Travel Length:	13'	13'	12'8"	12'8"	14'2"	18'3"	12'8"	16'4"	18'3"	18'5"	17'2"	18'3"	21'8"
Travel Width:	79"	79"	85"	85"	85"	85"	85"	85"	85"	85"	85"	85"	85"
Travel Height:	50 1/2"	71"	56"	56"	58"	58"	56"	58"	58"	55"	65"	65"	65"
Exterior Open Length:	9'	9'	17'11"	13'6"	20'5"	23'5"	17'11"	20'9"	23'5"	23'5"	20'5"	22'5"	23'5"
Interior Open Height:	100"	86"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"	6'10"
Sleeping Capacity:	2	2	6	4	7	8	6	7	8	6	6	6	6
Front Sleeping Area:	54x74	54x74	48x80	58x80	58x80	70x80	54x80	58x80	70x80	70x80	58x80	70x80	70x80
Rear Sleeping Area:	N/A	N/A	48x80	N/A	54x80	58x80	48x80	58x80	70x80	70x80	58x80	58x80	58x80
Dinette Area:	N/A	N/A	38x64	N/A	38x70	38x64	38x64	38x70	38x70	41x74	38x70	36x70	41x74
"U" Dinette	N/A	N/A	N/A	38x102	N/A	42x80	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Lounge Area:	N/A	N/A	N/A	N/A	80"	N/A	N/A	24x70	N/A	24x70	24x70	24x70	24x70
Sofa Bed:	N/A	N/A	N/A	N/A	N/A	N/A	N/A	34x76	40x72	N/A	N/A	N/A	N/A
Radial Tire Size:	ST145R12	ST185R13	ST145R12	ST145R12	ST145R12	ST185/80R13	ST145R12	ST185/80R13	ST185/80R13	ST185/80R13	ST235/75R15	ST235/75R15	ST235/75R15
Tire Load Range:	D	D	5 Bolt C	5 Bolt C	5 Bolt C	5 Bolt D	5 Bolt C	5 Bolt D	5 Bolt D	5 Bolt D	5 Bolt C	5 Bolt C	5 Bolt C
Hitch Weight (lbs.):	77	122	167	203	208	220	174	187	241	296	274	290	427
Axle Weight (lbs.):	590	958	1338	1355	1576	1962	1338	1667	2083	2403	2120	2291	2790
U.V.W. (lbs.):	761	1080	1642	1577	1801	2182	1727	1863	2396	2840	2394	2581	3217
Cargo Capacity (lbs.):	516	1042	1255	1365	1137	1353	1177	824	845	456	1380	1209	1210
GVWR (lbs.):	1277	2122	2897	2942	2938	3535	2904	2702	3241	3292	3774	3790	4427
Coupler Size:	2"	2"	2"	2"	2"	2"	2"	2"	2"	2"	2 5/16"	2 5/16"	2 5/16"

*Weights shown are approximate. †Estimated Average based on standard build optional equipment. All weights shown are in Pounds. See back page for chart definitions.



Express 9.0TD

LS

Epic/Legend

V-Trec



- 5" Tube Frame
- Reinforced Diamond Plate Front Deck
- 4000 Lb. Heavy Duty Torsion Axle for Heavy Cargo Capacity

LIMITED WARRANTY

- Lift System - Lifetime
- Vinyl Tent - 5 Years
- Roll-out System - 5 Years
- Roof Assembly - 5 Years
- Roof Exterior - 2 Years
- Dexter® E-Z Lube® Axle - 5 Years
- Refrigerator - 3 Years
- Plumbing System - 10/25 Years
- Electronic Converter - 2 Years



Off-road Camping Trailers

Heavy duty construction sets V-Trec by Viking apart from the competition!

VIKING

CAMPING TRAILERS

Viking RV

580 West Burr Oak Street ■ P.O. Box 549
Centreville, MI 49032 ■ 269-467-6321

To learn more about Viking RV and our products
and see how Viking is making camping easier,
visit www.vikingrv.com.



FREE MEMBERSHIP
to Forest River Owners' Group

www.forestriverfrog.com



Learn More
Scan this barcode using
a QR Reader on your
smart phone to learn
more about Forest River.



A Berkshire Hathaway company.

Your Viking RV Dealer

Interactive Mobile Manuals

Download our Forest River mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible ease and insight into use, maintenance and enjoyment of your Forest River product. Ranging from "How-To" videos, pictures and illustrations of various components, systems and features, to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away. View the online manual at www.forestriverinc.com/ownersmanuals, or download our FREE app from the App Store or Google Play!



GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles.
UVW (Unloaded Vehicle Weight)* - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.
*Estimated Average based on standard build optional equipment.

CCC (Cargo Carrying Capacity)** - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.


**Estimated average based on standard build optional equipment.
Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. ©2019 Viking Recreational Vehicles, a Division of Forest River, Inc., a Berkshire Hathaway company. All Rights Reserved .2/19



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.



24/7 EMERGENCY ROADSIDE ASSISTANCE WITH VEHICLE PURCHASE*

TOWING
JUMP-STARTS
TIRE CHANGES
FLUID DELIVERY
LOCKOUT
SERVICE

WINCH-OUT
MOBILE MECHANIC
TECHNICAL
SUPPORT
DEALER LOCATOR
SERVICES



*VALID FOR 1 YEAR FROM DATE OF PURCHASE