



CERTIFICATE OF CONSTANCY OF PERFORMANCE

0493 - CPR - 0021

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Tufted broadloom carpet-FR, 100% polyamide, SBR foam backing

Total mass: 1685g/m² - 1925g/m²

Effective pile thickness: 3,1mm - 4,9mm

Glued on a non-combustible substrate* according to EN 13501-1



*End use substrates of classes A1 or A2-s1,d0 (ISO 13238:2010 § 5.2.2)

produced by or for

BALSAN

Domaine Corbilly

36330 Arthon

France

and produced in the manufacturing plant(s)

BALSAN

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard


EN 14041:2004/AC:2006

under **system 1** are applied and that

the product(s) fulfil(s) all the prescribed requirements set out above.

This certificate was first issued on **November 14th, 2006** and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly and latest on **July 31th, 2018**.

This certificate consists of 1 certificate and 1 annex


Inge De Witte
certification officer

Zwijnaarde, August 04th, 2017



**Annex
of
CERTIFICATE OF CONSTANCY OF PERFORMANCE**

0493 - CPR - 0021

Tufted broadloom carpet-FR, 100% polyamide, SBR foam backing

Related commercial names to this product group are:

- ALTITUDE
- PRESTO II
- QUICK
- RESIDENTIEL

The obtained classification is based on the next test reports:

- CRET: RL 2015/409 dd 2015/08/12
- CRET: RL 2016/083 dd 2016/02/29

This certificate consists of 1 certificate and 1 annex

