

TiLite Z-Series Canadian Order Form

Effective August 1, 2020 (New Items in Red)

MONO-TUBE RIGID FRAME

Page 1 of 8

DEALER INFORMATION		RTS INFORMATION	
Dealer:	Account #:	RTS:	Phone:
PO:	Ordered By:	Email:	
Email:		SHIP TO INFORMATION	
Mark For:	User Weight:	Name:	Ship Via:
TiLite Sales Rep:		Address:	
TiLite Information:	Promo Code:	City:	Province: Postal Code:
Ship Date:	Order #:	Phone:	Fax:

More options and frame modifications may be available through our Creative Mobility Division! Please contact customer service for details or [click here](#) to view options.

Please Email or Fax to the Permobil Manual Customer Service Team at tilitesales@permobil.com or 800.736.0925, option 2.



FRAME STYLE

AZFS1	☐ Aero Z Aluminum Frame (Full Adjustability. 265 Pound Weight Limit. 150 Pound Weight Limit for Rear Seat Width A and Seat Depth B of 10"x10" to 12"x12". For Rear Seat Width A and Seat Depth B of 15" or greater, use K0005. For Rear Seat Width A and Seat Depth B of less than 15", use E1235.).....	\$3,260
Z2FS2	☐ ZRA Titanium Frame (Full Adjustability. 265 Pound Weight Limit. 150 Pound Weight Limit for Rear Seat Width A and Seat Depth B of 10"x10" to 12"x12". For Rear Seat Width A and Seat Depth B of 15" or greater, use K0005. For Rear Seat Width A and Seat Depth B of less than 15", use E1235.).....	\$4,495
Z2FS1	☐ ZR Titanium Frame Ultimate TiFIT (Minimal Adjustability. 265 Pound Weight Limit. 150 Pound Weight Limit for Rear Seat Width A and Seat Depth B of 10"x10" to 12"x12". For Rear Seat Width A and Seat Depth B of 15" or greater, use K0005. For Rear Seat Width A and Seat Depth B of less than 15", use E1235.).....	\$4,720
ZHDR1	☐ Heavy Duty Frame (Not available on Aero Z. Available on ZR and ZRA only. 300 Pound Weight Limit. No charge when 20" Rear Seat Width A and 20" Seat Depth B are selected. Includes Tension Adjustable by Straps Back Upholstery. Requires Folding Aluminum Adjustable Height Backrest, Billet Aluminum Front Wheels, Shadow or Spiner SPOX Rear Wheels. LX Rear Wheels only available with 0 or 2 degree camber. Not available with Slipstream Fork, Velcro Adjustable Upholstery, Swing Away Tubular Armrest or Swing Away Flip Back Tubular Armrest.).....	\$445
ZRFR1	☐ Reinforced Frame (No charge when 20" Rear Seat Width A and 20" B Seat Depth are selected.).....	\$400

SMARTDRIVE POWER ASSIST SYSTEM



ZMAXSD1	☐ Permobil Smart Drive MX2+ (SwitchControl comes standard. N/A with rear seat heights less than 13.5", or 20" rear wheels)....	\$7,495
ZMAXSD6	☐ NEW PushTracker E2 OR ZMAXSD7 ☐ PushTracker.....	NCO
ZMAXSD8	☐ Upgrade to SwitchControl with Mono Jack Option.....	\$194
ZMAXSD4	☐ Carrying Bag.....	\$102

TRANSIT OPTION

(Please refer to the ZRA Transit Tie-Down Option Brochure for important information regarding the Transit Tie-Down Option. Not Available with ZR.)		
ZTTDO3	☐ Transit Tie-Down (Consists of four Tie-Down Brackets, two Pelvic Belt Mounting Brackets and Reinforced Frame.).....	\$445
(Please refer to the ZR Transport Bracket Supplement for important information regarding the Transit Options. Not Available with ZR.)		
ZWTB	☐ Transport Bracket Option (Consists of four Tie-Down Brackets. Unoccupied use only.).....	\$445

FRAME FINISHES

ZFF1	☐ Satin (Available with Titanium Frame only.).....	STD
	ZSCBT1 ☐ Satin Finish Buffing Pads.....	\$20
ZFF3	☐ Tattooed Titanium™ and Aluminum (Tattoos on front frame tubes. Titanium frame finished in Satin. Aluminum frame is tattooed on blasted aluminum with a clear coat. Tattoos will be trimmed and adjusted to fit your frame.).....	\$360
ZFF45	☐ Need for Speed	
		
ZFF44	☐ Flower Garden	
		
ZFF43	☐ Mosaic	
		

FRAME FINISHES

High Gloss Paint	☐ ZFF8 Super Wet Black	☐ ZFF10 TiLite Red	☐ ZFF29 Neon Pink
Metallic Paint	☐ ZFF14 Ocean Blue Metallic	☐ ZFF15 Tangerine Metallic	☐ ZFF30 Acid Green Metallic
Pearlescent Paint	☐ ZFF17 Midnight Blue Pearl	☐ ZFF18 White Pearl	
Matte Paint	☐ ZFF19 Black Lava	☐ ZFF27 Titanium Grey	
Candy Paint	☐ ZFF22 Ruby Red	☐ ZFF23 Azure Blue	☐ ZFF25 Electric Plum
Matte Textured Paint	☐ ZFF40 Hyper Blue	☐ ZFF41 Flame Orange	☐ ZFF42 OD Green..... STD

COLOR ANODIZE PACKAGE

(Color Anodize Package includes: Aluminum Camber Tube (Color Anodize not available with Power Adaptable Camber Tube), Camber Mount, Footrest Clamp, Caster Mount, Footrest Clamp, Caster Fork, Caster Cap and Agility Carbon Back clamps. If no anodize color is selected, the default will be black.)

☐ ZANO1 Black.....	STD
☐ ZANO5 Sapphire ☐ ZANO3 Red Pepper ☐ ZANO6 Burnt Orange ☐ ZANO8 Ultraviolet ☐ ZANO9 Fuchsia.....	\$200

Permobil.com
2701 West Court Street | Pasco, Washington 99301
509.586.6117 Tel | 800.545.2266 Toll-Free
509.586.2413 Fax | 866.586.2413 Toll-Free Fax



OF0030c Z Series 0419RevO

International TiLite Z-Series Order Form

Effective August 1, 2020 (New Items in Red)

MONO-TUBE RIGID FRAME

Page 2 of 8

TiFit: TAILORED INDIVIDUALIZED FRAME

REAR SEAT WIDTH **A** Measure from outside of seat tube at back post to the outside of the opposite seat tube at back post.

ZSW4 ☐ 10" (25.4cm) ☐ 11" (27.9cm) ☐ 12" (30.5cm) ☐ 13" (33cm) ☐ 14" (35.6cm) ☐ 15" (38.1cm)
☐ 16" (40.6cm) ☐ 17" (43.2cm) ☐ 18" (45.7cm) ☐ 19" (48.3cm).....**STD**
 ZSW2 ☐ 20" (HCPCS code only applies to 20" Rear Seat Width **A**).....**\$495**

FRONT SEAT WIDTH (SEAT TAPER) **I** Measure from inside of front frame tube to inside of opposite front frame tube. (Required with V-Front End **V**. Not Available with Standard Front End **I**.)

ZFSW1 ☐ No Taper (2.5" (6.4cm) Narrower than Rear Seat Width **A**).....**STD**
 ZFSW3 ☐ 1.5" (3.8cm) Taper (4" (10.2cm) Narrower than Rear Seat Width **A**. Includes Tension Adjustable by Straps Seat Upholstery. Not available with 10" (25.4cm) and 11" (27.9cm) Seat Widths **A**.).....**\$280**

SEAT DEPTH **B** Measure from front of back post to the front edge of seat sling. Frame bend will start .5" in front of seat sling unless Custom Frame Depth is specified, or the combination of specifications affect the rolling dynamics of the chair.

ZSD1 ☐ 10" (25.4cm) ☐ 11" (27.9cm) ☐ 12" (30.5cm) ☐ 13" (33cm) ☐ 14" (35.6cm) ☐ 15" (38.1cm)
☐ 16" (40.6cm) ☐ 17" (43.2cm) ☐ 18" (45.7cm) ☐ 19" (48.3cm).....**STD**
 ZSD2 ☐ 20" (50.8cm).....**\$540**
 ZSD3 ☐ Custom Frame Depth: _____" Frame Depth Longer or Shorter Than Seat Depth **B** (Measure from front of seat sling to beginning of frame bend. Specifications can be given as specific as 1/4" increments A negative Custom Frame Depth or specified above 3" may be available through our Creative Mobility Division. A Custom Frame Depth of 20" will have an additional charge.).....**NCO**

ERGONOMIC SEAT **I** Measure from front of back post to beginning of upward bend of seat tube.

ZERG1 ☐ ZR Ergonomic Seat (Not available with Tension Adjustable Bolt On Seat Upholstery)
☐ 5" (12.7cm) ☐ 6" (15.2cm) ☐ 7" (17.8cm) ☐ 8" (20.3cm) ☐ 9" (22.9cm).....**\$425**
 ZERG2 ☐ Aero Z and ZRA Ergonomic Seat (Center of Gravity adjustment may be affected by this option. Not available with V-Front or Seat Taper, Seat Back that Locks When Folded, Desk Arms, Depth Adjustable Backrests, Fold Down Rigid Sideguards, Fendered Adjustable Sideguards, Solid Seat, Tension Adjustable Bolt On Seat Upholstery, or the Curve cushion.)
☐ 6" (15.2cm) (Minimum Seat Depth **B** 12") ☐ 7" (17.8cm) (Minimum Seat Depth **B** 12")
☐ 8" (20.3cm) (Minimum Seat Depth **B** 13")**\$520**

FRONT SEAT HEIGHT **F** Measure from floor to top of seat tube at front edge of seat sling. ZRA adjusts up and down in .5" increments.

ZFSH1 ☐ 16" (40.6cm) ☐ 16.5" (41.9cm) ☐ 17" (43.2cm) ☐ 17.5" (44.5cm) ☐ 18" (45.7cm)
☐ 18.5" (47cm) ☐ 19" (48.3cm) ☐ 19.5" (49.5cm) ☐ 20" (50.8cm) ☐ 20.5" (52.1cm)
☐ 21" (53.3cm).....**STD**

REAR SEAT HEIGHT **D** Measure from floor to top of seat tube at back post. ZRA adjusts up and down in 1/2" increments.

Rear Wheel Size	Rear Seat Height
20"	12.5" - 18.5" (31.8 - 47cm)
22"	14.0" - 19" (35.6 - 48.3cm)
24"	14.5" - 20" (36.8 - 50.8cm)
25"	14.5" - 20" (36.8 - 50.8cm)
26"	15.5" - 20" (39.4 - 50.8cm)

ZRSH1 ☐ 12.5" (31.8cm) ☐ 13" (33cm) ☐ 13.5" (34.3cm) ☐ 14" (35.6cm) ☐ 14.5" (36.8cm) ☐ 15" (38.1cm)
☐ 15.5" (39.4cm) ☐ 16" (40.6cm) ☐ 16.5" (41.9cm) ☐ 17" (43.2cm) ☐ 17.5" (44.5cm) ☐ 18" (45.7cm) ☐ 18.5" (47cm)
☐ 19" (48.3cm) ☐ 19.5" (49.5cm) ☐ 20" (50.8cm).....**STD**

FRONT ANGLE **L** Measure from frame front to floor.





ZFA1 ☐ 70° ☐ 75° ☐ 80° ☐ 85° (Not available with 6" Front Wheels.) ☐ 90° (Not available with 5" or 6" Front Wheels.).....**STD**

SEAT TO FOOTEST **E**/FOOTESTS Measure from front edge of seat sling to top rear of footrest.

Standard Footrests Measurement must be at least 2" shorter than Front Seat Height **F**.

☐ 13.5" (34.3cm) ☐ 14" (35.6cm) ☐ 14.5" (36.8cm) ☐ 15" (38.1cm) ☐ 15.5" (39.4cm) ☐ 16" (40.6cm)
☐ 16.5" (41.9cm) ☐ 17" (43.2cm) ☐ 17.5" (44.5cm) ☐ 18" (45.7cm) ☐ 18.5" (47cm) ☐ 19" (48.3cm)

ZFTR3 ☐ Angle Adjustable Footrest.....**STD**
 ZFTR1 ☐ Titanium Footrest w/Flat ABS Cover.....**\$200**
 ZFTR2 ☐ Titanium Open Loop Footrest.....**\$255**



International TiLite Z-Series Order Form

Effective August 1, 2020 (New Items in Red)

MONO-TUBE RIGID FRAME

Page 3 of 8

TiFit: TAILORED INDIVIDUALIZED FRAME

- ZFTR12 ☐ Flip-Back Footrest (Not available with 10" or 11" Rear Seat Width **A**, Heavy Duty Frame, ABS Cover with 2" Sides or Front Roller.).....\$235
- High Mount Footrest**
- ☐ 7"-9" ☐ 9"-11" ☐ 11"-13" Set at _____ (Use 1/2" increments)
- ZFTR4 ☐ Angle Adjustable High Mount Footrest.....\$145

FOOTREST WIDTH **I** or **V** Select either a Standard Front End **I** if no Seat Taper **I** is selected or a V-Front End **V** if a Seat Taper **I** is selected.

STANDARD FRONT END I Find your Rear Seat Width **A** in the Chart below and select one of the options to the right. Measure from inside of front frame tube to inside of opposite front frame tube. (Not available with Front Seat Width (Seat Taper) **I**.)



ZFE1 ☐ **NO V-Front Taper** (Required when both Heavy Duty Frame and Seat Taper **I** are selected.).....STD

REAR SEAT WIDTH A (Outside Measurement)	FOOTREST WIDTH I		
	No Taper (2.5" Narrower than Rear Seat Width)	1.5" Taper (4" Narrower than Rear Seat Width)	3.5" Taper (6" Narrower than Rear Seat Width)
10"	☐ 7.5"		
11"	☐ 8.5"		
12"	☐ 9.5"	☐ 8"	
13"	☐ 10.5"	☐ 9"	
14"	☐ 11.5"	☐ 10"	
15"	☐ 12.5"	☐ 11"	☐ 9"
16"	☐ 13.5"	☐ 12"	☐ 10"
17"	☐ 14.5"	☐ 13"	☐ 11"
18"	☐ 15.5"	☐ 14"	☐ 12"
19"	☐ 16.5"	☐ 15"	☐ 13"
20"	☐ 17.5"	☐ 16"	☐ 14"

OR

V-FRONT END V Measure from inside of front frame tube to inside of opposite front frame tube 2-1/2" above footrest. (Required with Front Seat Taper **I**. Titanium Footrests have 1" of adjustment up and down. Not available with Ergonomic Seat frames.)

- ZFE2 ☐ V-Front Taper.....NCO
- ☐ 9" (22.9cm) ☐ 10" (25.54cm) ☐ 11" (27.9cm)
- ☐ 12" (30.5cm) ☐ 13" (33cm) ☐ 14" (35.6cm)
- ☐ 15" (38.1cm)



BACK SUPPORTS

SSH3 Back Support Installation ☐ Install Back OR ☐ Do Not Install Back.....NCO

ROHO® AGILITY® ACTIVE ALUMINUM BACK SUPPORT

Shell Height ☐ 8" ☐ 10"

SBR514 ☐ Min Contour AGILITY Active Aluminum with Foam.....\$895

SBR515 ☐ Mid Contour AGILITY Active Aluminum with Foam.....\$895

ROHO® AGILITY® ACTIVE CARBON BACK SUPPORT

Shell Height ☐ 10" ☐ 13" ☐ 16"

☐ Min Contour ROHO AGILITY Active Carbon Back with Foam w/ Air Insert

SBR57 Foam w/ Air Insert.....\$1095

ACB1 AGILITY™ Active Carbon Upgrade (Not available with Bolt-on Push Handles).....\$230

Fixed Hardware (Not available with 18" Shell Height or Folding Chairs.).....NCO

☐ Mid Contour ROHO AGILITY Active Carbon Back with Foam w/ Air Insert

SBR59 Foam w/ Air Insert.....\$1095

ACB2 AGILITY Active Carbon Upgrade (Not available with Bolt-on Push Handles).....\$230

Fixed Hardware (Not available with 18" Shell Height or Folding Chairs.).....NCO

COMFORT ACTA-EMBRACE™

Shell Height ☐ 10" ☐ 12" ☐ 14" ☐ 16"

SBR516 ☐ Acta-Embrace Back with 2-PT Quick Release Compass Hardware.....\$775

CPSB1 ☐ Comfort Privacy Shield.....\$55

COMFORT ACTA-RELIEF

Shell Height ☐ 10" ☐ 12" ☐ 14" ☐ 16"

SBR513 ☐ Acta-Relief Back with 2-PT Quick Release Compass Hardware.....\$945

CPSB1 ☐ Comfort Privacy Shield.....\$55

International TiLite Z-Series Order Form

Effective August 1, 2020 (New Items in Red)

MONO-TUBE RIGID FRAME

Page 4 of 8

TiFit: TAILORED INDIVIDUALIZED FRAME

BACK UPHOLSTERY (Want more seating options? [Click here](#) to view the new TiLite Seating Order Form.)

ZBUP2	☐ Velcro Adjustable (Not available with Fold-Down Push Handles.)	STD
Tension Adjustable by Straps (Required with Fold-Down Push Handles.)		
ZBUP3	☐ Padded Nylon	\$415
ZBUP5	☐ AIR Breathable Upholstery (Not available with Ultrasuede Backrest Stripe.)	\$400
ZUPC3	Ultrasuede Backrest Stripe ☐ Black	\$105
ZBUP0	☐ Omit Back Upholstery	NCO

SEAT BACK TYPE/PUSH HANDLES/SEAT BACK HEIGHT ⑤ Measure from top of back post to top of seat tube at rear of frame.

ZSB1	☐ Folding Aluminum Adjustable Height w/Precision Lock Back (Required for Heavy Duty Frame.)	STD
ZSB2	☐ Folding Titanium Adjustable Height w/Precision Lock Back and Rounded Rigidizer Bar (Titanium back will match Frame Finish. Not available with Bolt-On Push Handles.)	\$290
ZSB15	☐ Non-Folding, Fixed Height Titanium with New Rounded Rigidizer Bar (Not Available with ZR or Transport Brackets. Titanium back will match Frame Finish. Not available with Push Handles.)	\$325

TISHAFT™ BACK RELEASE BARS (Not available with Non-Folding, Fixed Height Titanium Back.)

ZSB3	☐ Aluminum	STD
ZSB5	☐ Carbon Fiber	\$85

PUSH HANDLES

ZSB6	☐ Integrated Push Handles	NCO
ZSB7	☐ Integrated Fold-Down Push Handles (Requires Tension Adjustable by Straps Back Upholstery.)	\$115
ZSB8	☐ Bolt-On Push Handles (Includes 4" Deep Backrest Rigidizer Bar. Not available with Ti Back.)	\$200
ZSB9	☐ Bolt-On Height-Adjustable Push Handles (Includes 4" Deep Backrest Rigidizer Bar. Not available with Ti Back.)	\$410

FOLDING SEAT BACK HEIGHT ⑥ (ZSB1 and ZSB2)

Push Handles (Selected Above)	Short	Medium	Tall	Set at: (Use ½" increments)
None/ Bolt-On	☐ 9.5"-12.5" (24.1-31.7cm)	☐ 13"-17.5" (33.0-44.4cm)	☐ 17"-21.5" (33.0-44.4cm)	Set at: _____
Integrated	☐ 11.5"-13.5" (29.2-34.2cm)	☐ 14.5"-17.5" (36.8-44.4cm)	☐ 18.5"-21.5" (46.9-54.6cm)	Set at: _____
Integrated Fold-Down	☐ 14"-16" (35.5-40.6cm)	☐ 15"-19.5" (39.3-49.5cm)	☐ 19.5"-22" (49.5-55.8cm)	Set at: _____

NON-FOLDING, FIXED-HEIGHT ⑥ TITANIUM SEAT BACK with New Rounded Rigidizer Bar (ZSB15) (Titanium back will match Frame Finish. Required for fixed Side Guards. Not available with ZRA, Swing Away Tubular or Swing Away - Flip Back Tubular Armrests and Integrated Push Handles, Integrated Fold-Down Push Handles or Bolt-On Height Adjustable Push Handles.)

☐ 8" (20.3cm) ☐ 8.5" (21.6cm) ☐ 9" (22.9cm) ☐ 9.5" (24.1cm) ☐ 10" (25.4cm) ☐ 10.5" (26.7cm) ☐ 11" (27.9cm)
☐ 11.5" (29.2cm) ☐ 12" (30.5cm) ☐ 12.5" (31.8cm) ☐ 13" (33cm) ☐ 13.5" (34.3cm) ☐ 14" (35.6cm) ☐ 14.5" (36.8cm)
☐ 15" (38.1cm) ☐ 15.5" (39.4cm) ☐ 16" (40.6cm) ☐ 16.5" (41.9cm) ☐ 17" (43.2cm) ☐ 17.5" (44.5cm) ☐ 18" (45.7cm)
☐ 18.5" (47cm) ☐ 19" (48.3cm) ☐ 19.5" (49.5cm) ☐ 20" (50.8cm)

AVAILABLE ON ALL BACKS

ZSB11	☐ Backrest that Locks when Folded (Not available with Ergonomic Seat.)	STD
ZSB12	☐ 4" (10 cm) Deep Backrest Rigidizer Bar (Required with Heavy Duty Frame. Not available with a Non-Folding, Fixed Height Titanium Seat Back Type. 4" Deep Rigidizer Bar is NOT a rounded style rigidizer bar.)	NCO
ZSB16	☐ Depth Adjustable Back/Frame (Seat Depths ③ of 10"-18" allow 2" of rearward adjustment. Height Adjustable Push Handles have a limited height range with Depth Adjustable Back. Not Available with 19" or 20" Seat Depths ③, Heavy Duty Frame, Tension Adjustable By Straps Seat Upholstery or Carbon Fiber Side Guards.)	\$255

SEAT BACK ANGLE ⑥ Measure angle from front of back post to floor.

ZSBA1	Folding Back	
	☐ 80° ☐ 83° ☐ 86° ☐ 89° ☐ 92° ☐ 95° ☐ 98° ☐ 101°	STD
ZSBA1	Non-Folding Back	
	☐ 80° ☐ 81° ☐ 82° ☐ 83° ☐ 84° ☐ 85° ☐ 86° ☐ 87° ☐ 88° ☐ 89° ☐ 90° ☐ 91° ☐ 92° ☐ 93° ☐ 94° ☐ 95° ☐ 96° ☐ 97° ☐ 98° ☐ 99° ☐ 100° ☐ 101°	NCO

CENTER OF GRAVITY ⑥ Measure from front of back post at the seat tube to the center of the rear axle. If no center of gravity is selected, chair will ship with the center of gravity in the rearward-most position.

ZCOG1	☐ 0" ☐ .25" (.6cm) ☐ .5" (1.3cm) ☐ .75" (1.9cm) ☐ 1" (2.5cm) ☐ 1.25" (3.2cm) ☐ 1.5" (3.8cm) ☐ 1.75" (4.4cm) ☐ 2" (5.1cm) ☐ 2.25" (5.7cm) ☐ 2.5" (6.4cm) ☐ 2.75" (7cm) ☐ 3" (7.6cm) ☐ 3.25" (8.3cm) ☐ 3.5" (8.9cm) ☐ 3.75" (9.5cm) ☐ 4" (10.2cm) ☐ 4.25" (10.8cm) ☐ 4.5" (11.4cm) ☐ 4.75" (12.1cm) ☐ 5" (12.7cm)	STD
-------	--	-----

REAR WHEEL SPACING ⑥/PLUGS Measure from outside of seat back post to inside of rear tire. 0.5" Rear Wheel Spacing on ZR not available with 0° or 2° Camber. ZRA 0.75" Rear Wheel Spacing not available with 0° or 2° Camber ⑥. Ergonomic Seat selection may limit available center of gravity.

ZRWS1	☐ .75" (1.9cm) ☐ 1" (2.5cm) ☐ 1.25" (3.2cm)	STD
ZCBR12	☐ Adjustable Rear Wheel Spacing Camber Plugs (Not available with Power Adaptable Frame.)	STD
ZCBR9	☐ Additional Spacers to Increase Rear Wheel Spacing	NCO
ZCBR11	☐ Zero Play Aluminum Camber Plugs (Not available with Power Adaptable Frame or more than 6° of Camber ⑥.)	NCO

SEAT UPHOLSTERY

ZSUP1	☐ Tension Adjustable Bolt On (Not available with Ergonomic Seat or Tapered Seat ⑥. Black only.)	STD
-------	--	-----

International TiLite Z-Series Order Form

Effective August 1, 2020 (New Items in Red)

MONO-TUBE RIGID FRAME

Page 5 of 8

TiFit: TAILORED INDIVIDUALIZED FRAME

ZSUP2	☐ Tension Adjustable by Straps (Standard with Ergonomic Seat and Front Seat Width (Seat Taper) ① of 1", 2" or 3". Black upholstery only.).....	\$185
ZSUP8	☐ Aluminum Solid Seat (Not available with 10" or 11" Rear Seat Width ② or Ergonomic Seat ③.).....	\$285
ZSUP0	☐ Omit Seat.....	NCO

SEAT CUSHION (Want more seating options? [Click here](#) to view the new TiLite Seating Order Form.)

ZCSH2	☐ Comfort Curve Cushion.....	\$155
ZCSH23	☐ Comfort Acta-Embrace™ Comfort-Tek Zero Elevation Cushion.....	\$470
ZCSH11	☐ ROHO Single Compartment (Fits seat widths 14" to 19") Profile: ☐ Low ☐ Mid ☐ High	\$720
ZCSH4	☐ ROHO Quadtro Select (Fits seat widths 14" to 19") Profile: ☐ Low ☐ Mid ☐ High	\$720

CAMBER ④/CAMBER TUBES

ZCBR1	☐ 0° ☐ 2° ☐ 4° ☐ 6° (More than 0° of Camber ④ is not available with the Power Adaptable Frame. 8° of Camber ④ may be available through our Creative Mobility Division.).....	STD
ZCBR15	☐ Aluminum Camber Tube.....	STD
ZCBR6	☐ NEW Carbon Fiber Camber Tube (Not available with 6° of Camber ④ and seat widths greater than 18").....	\$310
ZCBR3	☐ Titanium Camber Tube (Not available with Power Adaptable Frame.).....	\$215

CUSTOM CONFIGURATION OPTIONS

FRONT WHEELS

ZFW24	☐ 3"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire ☐ Silver Hub OR ☐ Black Hub.....	\$180
ZFW14	☐ 4"x.75" Plastic Wheel w/Poly Tire (Not available with Slipstream Fork, Glide™ Single-Sided Fork or Power Adaptable Frame.).....	NCO
ZFW3	☐ 4"x.75" Light-Up Micro-Caster (Not available with Slipstream Fork, Glide™ Single-Sided Fork or Power Adaptable Frame.).....	\$80
ZFW26	☐ 4"x1.5" LiteSpeed Plastic Wheel w/Soft Roll Tire (Not available with Power Assist, Power Add-on System or Heavy Duty Frame.).....	\$95
ZFW27	☐ 4"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire ☐ Silver Hub OR ☐ Black Hub.....	\$190
ZFW6	☐ 5"x1" Plastic Wheel w/Poly Tire (Not available with 90° Front Angle ⑤, Slipstream Fork, Glide™ Single-Sided Fork or Power Adaptable Frame.).....	NCO
ZFW28	☐ 5"x1.5" LiteSpeed Plastic Wheel w/Soft Roll Tire (Not available with 90° Front Angle ⑤ or Power Adaptable Frame.).....	\$95
ZFW30	☐ 5"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire ☐ Silver Hub OR ☐ Black Hub (Not available with 90° Front Angle ⑤.).....	\$250
ZFW9	☐ 6"x1" Plastic Wheel w/Poly Tire (Not available with 85° or 90° Front Angle ⑤, Slipstream Fork, Glide™ Single-Sided Fork or Power Adaptable Frame.).....	NCO
ZFW32	☐ 6"x1.5" LiteSpeed Plastic Wheel w/Soft Roll Tire (Not available with 85° or 90° Front Angle ⑤, Slipstream Fork, Glide™ Single-Sided Fork or Power Adaptable Frame.).....	\$100
ZFW33	☐ 6"x1.5" LiteSpeed Billet Aluminum Wheel w/Soft Roll Tire ☐ Silver Hub OR ☐ Black Hub (Not available with 85° or 90° Front Angle ⑤, Slipstream Fork, Glide™ Single-Sided Fork.).....	\$250

PRECISION LOCK FRONT FORKS

ZFK1	☐ TiLite Standard Fork.....	STD
ZFK2	☐ TiLite Slipstream Single-Sided Fork (Not available with Heavy Duty Frame or Power Adaptable Frame.).....	\$185
ZGL1	☐ Out-Front Glide™ Suspension Fork (Black anodize only. Not available with Heavy Duty Frame.).....	\$545
	Rider's Weight: ☐ 125 lbs. (56.69kg) ☐ 125-180 lbs. (56.69- 81.64kg) ☐ 180-265 lbs. (81.64- 120.2kg)	
ZTFS1	☐ Titanium Fork Stem.....	\$60

STANDARD REAR WHEELS (See Rear Seat Height Ranges Chart for Rear Seat Height ⑥ limitations.)

ZRW14	TiLite SHADOW™.....	STD
	☐ 20"(451)	
	☐ 22"(501)	
	☐ 24"(540)	
	☐ 25"(559) (Requires 15" minimum Seat Depth ⑥.)	
	☐ 26"(590) (Requires 15" minimum Seat Depth ⑥.)	

PERFORMANCE REAR WHEELS (See Rear Seat Height Ranges Chart for Rear Seat Height ⑥ limitations.)

ZRW7	Spinergy SPOX ☐ Black ☐ Red ☐ Blue ☐ White.....	\$900
	☐ 22"(501) - Std. Hub	
	☐ 24"(540) - Std. Hub	
	☐ 25"(559) - Std. Hub (Requires 15" minimum Seat Depth ⑥.)	
	☐ 26"(590) - Sport Hub (Requires 15" minimum Seat Depth ⑥. Not available with Quad Release Axles.)	
ZRW8	Spinergy LX ☐ Black ☐ Red ☐ Blue ☐ White ☐ Bright Orange ☐ Flamingo Pink ☐ Purple	\$1,055
	☐ 22"(501) - Std. Hub	
	☐ 24"(540) - Std. Hub	
	☐ 25"(559) - Std. Hub (Requires 15" minimum Seat Depth ⑥.)	
	☐ 26"(590) - Sport Hub (Requires 15" minimum Seat Depth ⑥. Not available with Quad Release Axles.)	
ZRW16	Spinergy Carbon Blade (Not available with Heavy Duty Frame, Natural-Fit or Natural-Fit LT with Standard Grip or Super Grip.).....	\$1,540
	☐ 24"(540)	
	☐ 25"(559) (Requires 15" minimum Seat Depth ⑥.)	

International TiLite Z-Series Order Form

Effective August 1, 2020 (New Items in Red)

MONO-TUBE RIGID FRAME

Page 6 of 8

CUSTOM CONFIGURATION OPTIONS

ZRW17	X-Core Mag (Not available with Heavy Duty Frame, Short Tabs, Quad Release Axles, Spoke Guards or Omit Handrims Option. Requires Aluminum Silver Anodized Handrims.)	\$110
	☐ 20"(451)	
	☐ 22"(501)	
	☐ 24"(540)	

AXLES

ZAXL1	☐ Stainless Quick Release	STD
ZAXL2	☐ Titanium Quick Release	\$290
ZAXL3	☐ Quad Release (Not available with Mag or 26"(590) Spinergy Spox or LX Rear Wheels.)	\$170

PNEUMATIC REAR TIRES

ZRTR1	☐ Treaded (Not available with 25"(559) or 20" (451) Rear Wheels.)	STD
ZRTR2	☐ Airless Inserts (Not available with Spinergy Carbon Blade Rear Wheels.)	\$90
ZRTR3	☐ 25"(559) Primo Treaded (Standard with 25"(559) Rear Wheels.)	STD
ZRTR4	☐ Primo Slick	NCO
ZRTR30	☐ 24"(540), 25"(559) and 26"(590) Primo Sentinel	\$160
ZRTR8	☐ 24"(540), 25"(559) and 26"(590) Schwalbe® Marathon Plus Evolution	\$155
ZRTR9	☐ 24"(540) and 25"(559) Schwalbe® Slick	\$150
ZRTR24	☐ 24"(540) Kenda Kobra Knobby	\$95

SOLID REAR TIRES (Not available with Spinergy Carbon Blade Rear Wheels.)

ZRTR22	☐ 20"(451), 22"(501), 24"(540) and 25"(559) Primo Express	\$110
ZRTR23	☐ 24"(540) and 25"(559) Primo Active	\$135

HANDRIMS

Handrims by OUT-FRONT®

ZRIM1	☐ Aluminum – Silver Anodized	STD
ZRIM21	☐ Aluminum – Black Anodized (Not available with 20"(451) Rear Wheels.)	\$60
ZRIM12	☐ Titanium – Satin Finish (Not available with 20"(451) or 22"(501) Rear Wheels, or 24"(540) Knobby tires.)	\$490
The Natural-Fit® (Original, Larger Profile) (Not available with 20"(451) Rear Wheels.)		
ZRIM14	☐ Standard Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)	\$415
ZRIM15	☐ Super Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)	\$470
ZRIM16	☐ Without Thumb Grip	\$380

The Natural-Fit® LT (Reduced Weight, Smaller Profile) (Not available with 20"(451) Rear Wheels.)

TRIM17	☐ Standard Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)	\$500
TRIM18	☐ Super Grip (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)	\$535
TRIM19	☐ Without Thumb Grip	\$460
ZRIM10	☐ The Surge (All-In-One Oval with Gription™ Strip, Larger Profile) (Not available with 20"(451) Rear Wheels.)	\$435
ZRIM11	☐ The Surge LT (All-In-One Oval with Gription™ Strip, Larger Profile) (Not available with 20"(451) Rear Wheels.)	\$470
ZRIM20	☐ Q-Grip (Exclusive High-Friction, Anti-Slip Coating) (Not available with 20"(451) Rear Wheels.)	\$375

Additional Handrim Options

ZRIM5	☐ Plastic Coated – Black	\$160
ZRIM22	☐ Omit Handrims	NCO

Tab Length

ZRIM7	☐ Long Tabs	STD
ZRIM8	☐ Short Tabs (Not available with Mag Rear Wheels or The Natural-Fit® Handrims with Thumb Grip.)	\$35

WHEEL LOCKS

Wheel Locks by OUT-FRONT®

ZWLK7	☐ Compact Composite Push to Lock (Available with .75" to 1.5" Rear Wheel Spacing ① only.)	NCO
ZWLK8	☐ Compact Composite Pull to Lock (Available with .75" to 1.5" Rear Wheel Spacing ① only.)	NCO
Z2WLK10	☐ Extension Handles for Compact Composite Push/Pull to Lock	\$85
ZWLK9	☐ Composite Scissor Lock	\$175

Additional Wheel Locks

ZWLK3	Uni-Lock Set At: ☐ Push OR ☐ Pull	\$165
ZWLK4	☐ Extension Handles for Uni-Lock	\$85
ZWLK15	☐ Grade Aids Push to Lock (Not available with solid rear tires)	\$230

SIDE GUARDS

Aluminum

ZSDG2	☐ Rigid Removable ☐ Small OR ☐ Std	\$290
ZSDG3	☐ Quad Removable w/Hole ☐ Small OR ☐ Std	\$315
ZSDG4	☐ Fold Down Rigid ☐ Small OR ☐ Std (Not available with Ergonomic Seat.)	\$375
ZSDG6	☐ Fendered Adjustable (Available with 24" and 25" Rear Wheels. Requires Rear Seat Height ② of 14.5" to 18.5")	\$400

International TiLite Z-Series Order Form

Effective August 1, 2020 (New Items in Red)

MONO-TUBE RIGID FRAME

Page 7 of 8

CUSTOM CONFIGURATION OPTIONS

Carbon Fiber

ZSDG7	☐ Rigid Removable	☐ Small	OR	☐ Std.	\$340
ZSDG8	☐ Quad Removable w/Hole	☐ Small	OR	☐ Std.	\$375
ZSDG9	☐ Fold Down Rigid	☐ Small	OR	☐ Std. (Not available with Ergonomic Seat.)	\$510
ZSDG11	☐ Fendered Adjustable (Available with 24" and 25" Rear Wheels. Requires Rear Seat Height D of 14.5" to 18.5").				\$565
ZSDG12	☐ NEW Fendered Removable				\$595

Available on Aluminum and Carbon Fiber Non-Fendered Side Guards

ZSDG13	☐ Side Guards Custom Cut to Profile of Rear Wheels	\$315
--------	---	-------

ARMRESTS (Desk Arms come with built-in Side Guards.)

ZARM1	Swing Away Tubular ☐ 6.5" to 9.5" OR ☐ 9.5" to 12.5" (Not Available with Heavy Duty Frame or Height Adjustable Push Handles.)	\$260
ZARM4	☐ Swing Away Height Adjustable 8.5" to 11.5" - Flip Back Tubular (Not Available with Heavy Duty Frame.)	\$315
ZARM2	Removable Height Adjustable Desk Arm with Rigid Side Guard (Requires 14" minimum Seat Depth B . Not available with Ergonomic Seat.)	\$360
	☐ 9" to 12" (22.9 to 30.5cm) OR ☐ 12" to 15" (30.5-38.1cm)	
	☐ Standard Length Pad (10" (25.5cm)) OR ☐ Full Length Pad (14" (35.5cm))	
ZARM3	Removable Height Adjustable Desk Arm with Rigid Side Guard and Transfer Loop (Requires 15" minimum Seat Depth B . Not Available with Ergonomic Seat.)	\$375
	☐ 9" to 12" (22.9 to 30.5cm) OR ☐ 12" to 15" (30.5-38.1cm)	
	☐ Standard Length Pad (10" (25.5cm)) OR ☐ Full Length Pad (14" (35.5cm))	

Available Armrest Option

ZARM5	☐ Covered in Black Ultrasuede (Not available with Desk Arms)	\$115
-------	---	-------

SEAT BELTS

ZBLT1	☐ Velcro Adjustable, Black Nylon Webbing	\$55
ZBLT2	☐ Bodypoint® 2" Push-Button Buckle (Auto-Style.)	\$95
ZBLT4	☐ Bodypoint® 1" Wide Push-Button Buckle Padded (Auto-Style.) (Not available with 19" or 20" Rear Seat Widths A .)	\$170
ZBLT5	☐ Bodypoint® 1.5" Wide Push-Button Buckle Padded (Auto-Style.) (Not available with 19" or 20" Rear Seat Widths A .)	\$170
ZBLT8	☐ Q'Straint® WC-19 Wheelchair-Anchored Pelvic Belt (Recommended for use with Transit Tie Down. Not Available with ZR.)	\$200
ZBLT10	☐ Bodypoint® Optional Band Clamp Mounting Hardware	\$20
ZBLT16	☐ Bodypoint® EvoFlex® Pelvic Stabilizer Push Button	\$240

CALF STRAP

ZCLF2	Velcro Adjustable	\$45
	☐ Xtra Small (Recommended for 6" - 9" Footrest Widths.)	
	☐ Small (Recommended for 9" - 12" Footrest Widths.)	
	☐ Medium (Recommended for 11" - 15" Footrest Widths.)	
	☐ Large (Recommended for 14" - 17" Footrest Widths.)	
	☐ Xtra Large (Recommended for 16" - 19" Footrest Widths.)	
ZCLF3	Bodypoint® Padded Velcro Adjustable	\$80
	☐ Small (Recommended for 8" - 11" Footrest Widths.)	
	☐ Medium (Recommended for 11" - 15" Footrest Widths.)	
	☐ Large (Recommended for 16" - 19" Footrest Widths.)	
ZCLF1	☐ Buckle Adjustable, Black Nylon Webbing	\$30

RESIDUAL LIMB SUPPORT

ZRSL1	☐ Residual Limb Support ☐ Left OR ☐ Right (8" width x 10" length)	\$515
ZRSL2	☐ Residual Limb Support Pair (8" width x 10" length)	\$1,030

BACKPACK

ZBCK3	☐ Black Permobil Backpack	\$90
-------	--	------

SEAT POUCH

ZPCH3	☐ Black Permobil Seat Pouch	\$60
ZPCH4	☐ Bodypoint® Mobility Bag	\$130

SPOKE GUARDS

ZGRD1	☐ Clear Lexan with TiMotion Logo (Not available with Mag Rear Wheels.)	\$135
-------	---	-------

ANTI-TIPS

ZTIP1	☐ Rear Aluminum - Black	\$195
ZTIP7	☐ Black Aluminum Single	\$70
	Mount on ☐ Left Side or ☐ Right Side	NCO
ZTIP2	☐ User Friendly Flip-up Pair	\$360
ZTIP8	☐ User Friendly Flip-up Single	\$165
	Mount on ☐ Left Side or ☐ Right Side	NCO

International TiLite Z-Series Order Form

Effective August 1, 2020 (New Items in Red)

MONO-TUBE RIGID FRAME

Page 8 of 8

CUSTOM CONFIGURATION OPTIONS

ACCESSORIES

ZUEST1	Upper Extremity Support Tray ☐ 12" to 14" OR ☐ 13" to 15" Seat Widths A (Requires Armrests.)	\$290
ZLUG1	☐ Luggage Carriers	\$145
ZMPCT2	Neoprene Impact Guards with Ultrasuede Stripe ☐ Black	\$105
ZCH1	☐ Crutch Holder	\$145

GENERAL

More options and frame modifications may be available through our Creative Mobility Division! Please contact customer service for details or [click here](#) to view options.

Permobil manufactures TiLite manual wheelchairs in a wide variety of configurations to meet the varied needs of wheelchair users. The final selection of a particular model, its options and accessories, and its measurements rests solely with the wheelchair user and advising healthcare professional. These wheelchairs must be fitted by a qualified healthcare professional. HCPCS Codes are for reference purposes only. Actual coding and coverage varies by payer. Proper HCPCS coding is not a guarantee of payment. Please verify the appropriate payer's coverage policy.

Get the latest order forms at permobilus.com. Prices, standard features, options and accessories are subject to change without notice. All rights reserved. Trademarks are identified by symbols™ and ®. TiLite, TiFit, the TiLite logo, Ti, the Ti logo, and TiShaft are registered trademarks of TiSport, LLC and are licensed to Permobil. Permobil® is a registered trademark of Permobil. Adobe®, Acrobat®, Acrobat Professional® and Reader® are registered trademarks of Adobe Systems Inc. Bodypoint® is a registered trademark of Bodypoint Inc. Kenda® is a registered trademark of Kenda Rubber Industrial Co. Ltd. ROHO®, AGILITY®, Low Profile® and Quadtro Select® are registered trademarks of ROHO Inc. Schwalbe® is a registered trademark of Ralf Bohle GmbH. The Natural-Fit® and Out-Front® are registered trademarks of Three Rivers Holdings, LLC. The ACTA-BACK®, ACTA-EMBRACE™, COMFORT-TEK™, COMPASS®, CURVE®, ELEMENTS®, and STRETCH AIR™ are registered trademarks of THE COMFORT COMPANY® and are licensed to Permobil. Q'Straint® is a registered trademark of Q'Straint Inc.

NOTES

QUOTE THIS CHAIR

If you are using Adobe Acrobat, this order form may be converted into a quote request or into an order by clicking one of the buttons (this feature is available exclusively to Permobil dealers and distributors). A Quote or an Order Confirmation will be sent to you within 24 hours.

ORDER THIS CHAIR