

A single company has revolutionized the business of language, the language of business, and created the exciting new world of electronic reference works—Borland!

Which isn't bad for a 3-year-old. Turbo Pascal. our first product. now has more than half a million users, and has become a worldwide standard. And that was just the beginning.

> Since then, the Turbo Pascal family has grown to a family of 9, and today we're announcing our second language, Turbo Prolog," the natural language of Artificial Intelligence.

We've also introduced amazing business productivity tools like SideKick, Traveling SideKick, Reflex, The Analyst, and SuperKey.*

We broke new ground in 1986 with Turbo Lightning." It includes the Random House" dictionary and thessurus. Turbo Lightning is the forerunner of a complete electronic reference library, newly joined by the Word Wizard," which solves the unsolvable twists, and boggles and challenges your mind. Word Wizard Turbo Tutor*

Takes you from besic right. through advanced programming concepts and techniques. Includes 300-page tutorial and source code for every example used in the reference manual. Minimum memory: 128K.

Turbo Graphix Toolbox

Lets you create high-resolution graphics. Includes tools for complex business graphics, easy windowing, and storing screen images to memory. Complete with source code on diak, ready to compile. Minimum memory: 192K

Turbo Database Toolbox"

Perfect complement to Turbo Pascal. Contains complete library of Pascal procedures that allows you to search and sort data and build powerful database applications. Minimum memory: 128K.

Turbo Editor Toolbox" NEW!

It's all you need to build your own text editor or word processor. Provides all the routines-you decide which features you want. Source code included. Also includes the MicroStar" text editor with pulldown menus and windowing. Interfaces directly with Turbo Lightning to let you spell-check your MicroStar files. Minimum memory: 192K.

Turbo GameWorks - NEW!

Reveals the secrets and strategies of game theory. Includes source code so you can write your own games. Gives you ready-to-play Chess, Bridge, and Go-Moku, an ancient Japanese game that will provide hours of fascinating diversion. Even if you don't want to write your own games, it's a terrific value. Minimum memory: 192K.



Turbo Prolog The natural language of Aruficial Intelligence, Turbo Prolog is our second language and the latest product in the

Borland software library. Turbo Prolog is a fifth-generation language, and probably the most powerful programming language ever conceived. Includes a 200-page reference man-ual and free GeoBase," a natural query language database with commented source code on disk ready to comptle. It's all you need to know about Artificial Intelligence at a Humanly Intelligent price. Minimum memory: 384K.



An electronic reference library which includes the 80,000-word Random House Concies Dictionary

and the 50,000-word Random House Thesaurus. Checks your spelling as you type. Gives you instant synonyma. Leads the revolutionary way in electronic publishing. Minimum memory: 266K.



alan

includes Turbo

Pascal source code

so you can flature out

how the Turbo Light-

ning access system works.

synopsis of current offerings from

the Borland library of history-

The fastest Pascal compiler.

And here is a brief

making software . . .

Turbo Pascal® 3.0

plus an integrated pro-

gramming environment.

Includes a free MicroCalc"

of annotated source code,

ready to compile and run.

Minimum memory: 128K.

spreadsheet, and 1,200 lines

SuperKey Amazing keyboard enhancer for your IBM PC. With easyto-write macros that can turn 1,000 kevatrokes into 1.

Also includes powerful encryption technology that keeps confiden-tial files confidential; locks your keyboard with secret password protection. (Because of encryption technology, SuperKey is under a US Government export ban.) Minimum memory: 128K.

NEW



crosswords, and

challenges your word skills and ability to break codes and cinhers. Scrambles, uvista, turns, and boggles your mind. Includes Turbo Pascal source code and all the technical information you'll need to figure out. the "nuts and bolts" of the Turbo Lightning access system. Minimum memory: 256K.



Side Kick* Powerful desktop management program. "I best seller for the IBM" PC Includes notepad, calculator,

appointment scheduler, telephone directory and autodialer, and ASCII table. RAM-resident, it's always there to help, and stays in the background while you run other programs. One keyetroke activates it. Minimum memory: 128K.

Traveling NEW SideKick

BinderWare that includes an orstanizer, a binder, a software program, and a report generator that picks

your SideKick's electronic brain, then prints out your appointments, daily/weekly/monthly/yearly calendar, phone lists, mailing labels, or whatever else you need when you're away from your deak. It's the smart new way to take your computer with you without taking your computer with you. Minimum memory: 266K.



Reflex, The Analyst

Unique, easy-to-use database management and analysis. Shows your spreadsheet data from

1-2-3" dBase," and others in five graphic forms-including bar charts. pie charts, scauer plots, line graphs, and stacked bar charts. Answers What 1/P questions. Minimum memory: 384K.

Special Prices!

You can save even more—through September i, 1986.


- Turbo Jumbo Pack six Turbo products for only \$245.00. Turbo Pascal, Turbo Tutor, Turbo Graphix, Turbo Dauahase Tholbox, Turbo Editor Toolbox, and Turbo GameWorks
- SideKick and Traveling SideKick for
- SideKick and Traveling SideKick and SuperKey, for only \$175.00 Turbo Lightning and Word Wizard for only \$ 149.96

Turbo Passal, Ridsikick, Superióny, and Turbo Tutor are regisserosi trademarks, and Turbo Lightoning Library; Turbo Prolog, Turbo Orsphix Toolous, Turbo Desahase Toolous, Turbo Billiar Toolius, Turbo Gamelininia of Enrich International, line or Enrich/Arabytos, Inc. Rendom House in a trademark of Rendom House, Inc. (Blue in a registered trademark of Linux Desahase). Inc. Rendom House in a trademark of Rendom House, Inc. (Blue in a registered trademark of Linux Desahase). Inc. Rendom House in a trademark of Rendom House, Inc. (Blue in a registered trademark of Linux Desahase). Inc. Rendom House, Inc. (Blue in a registered trademark of Linux Desahase).

And now Borland introduces Turbo Prolog, the natural language of Artificial Intelligence.

Prolog is probably the most powerful computer programming language ever conceived, which is why we've made it our second language-and "turbocharged" it to create Turbo Prolog."

Our new Turbo Prolog brings supercomputer power to your IBM° PC and introduces you step-by-step to the fascinating new world of Artificial Intelligence. And does all this for an astounding \$99.95.



Turbo Prolog is to Prolog what Turbo Pascal* is to Pascal!

Our Turbo Pascal astonished everyone who thought of Pascal as "just another language." We changed all that—and now Turbo Pascal is the de facto worldwide standard, with hundreds of

thousands of enthusiasts and users in ROLLOG universities. research

> achools, and with professional programmers, students. and hobbyists.

centers.

You can expect at least the same impact from Turbo Prolog, because while Turbo Prolog is the most revolutionary and natural programming language, it is also a complete development environment-just like Turbo Pascal.

Turbo Prolog radically alters and dramatically improves the brave new world of artificial intelligence-and invites you into that fascinating universe for a humanly intelligent \$99.95.

Even if you've never programmed before, our free tutorial will get you started right away

You'll get started right away because we have included a complete step-by-step tutorial as part of the 200-page Turbo Prolog Reference Manual. Our tutorial will take you by the hand and teach you everything you're likely to need to know about Turbo Prolog and artificial intelligence.

For example: once you've completed the tutorial, you'll be able to design your own expert systems utilizing Turbo Prolog's powerful problem-solving capabilities.

Think of Turbo Prolog as a high-speed electronic detective. First you feed it information and teach it rules. Then Turbo Prolog "thinks" the problem through and comes up with all the reasonable answers-almost instantly.

If you think that this is amazing, you just need to remember that Turbo Prolog is a 5th-generation language—and the kind of language that 21st century computers will use routinely. In fact, you can compare Turbo Prolog to

Turbo Pascal the way you could compare Turbo Pascal to machine language.



You get the complete Turbo Prolog programming system for only \$99.95

You get a complete Turbo Prolog development system including

 The lightning-fast Turbo Prolog incremental compiler and the interactive Turbo Prolog editor. The 200-page reference manual which includes the stepby-step Turbo Prolog tutorial. ■ The free GeoBase™ natural query language database including commented source code on disk-ready to compile. GeoBase is a complete database

designed and developed around U.S. geography. It includes cities, mountains, rivers, and highways, and comes complete with natural query language. Use GeoBase immediately "as is," or modify it. to fit your own interests.

So don't delay-don't waste a second—get Turbo Prolog now. \$99.96 is an amazingly small price to pay to become an immediate authority—an instant expert on artificial intelligence! The 21st century is only one phone call away.

call (800) 255-8008 in CA call (800) 742-1133 Ratio Pascal 3.0

269.95 1 futos Pascal #/808711 Reto Pascal artiCO†† 2100 90 1 ferbe Pascal =8087, 8CD11 2724 05 5 Forbo Databeur Forobox 254.95 1 354.95 B lubo Edior Feebert 369 95 E **June Genetitats t** 1 20 000 Jule Liab 2 22.022 \$69.95 S Auto, the Assist (\$149.95 \$ Sciellick 1 584.95 # Tomestee Scholicht 169.15 1.

To order by phone, or for a dealer nearest you,

digit 8225 00 S

Outside USA add \$10 per cop CA and AAA res, add sales but

Carefully describe your comp filing is __8-bit __18-bit / use _ PC-005 _ MS-005

The disk so Payment								Ou	**
Check card						- 01		-	- Control
Card II	L	1	1	1	1	1	1	1	1
	Ī	1	I	ī	ī	1	ī	ī	ī

Hame		_
Shipping Address		_
City		
,	2p:	

rchase orders WILL NOT be accepted by Bo make payment by credit card or international

"YES, if within 60 days of purchase this product inform in accordance with our claims, call our co process in accordance with our claims, call our objectment and we will goodly wrange a miled 1886 PC, AT, KT, PCL, and true compatibles. I pMS-DOS) 2.0 or later Turbo Graphic requires birecules Memochrane Card or compatible. 1116-bit only.

1916-bit only
Turbo Prolog LD Tachaitest Specifications
Programming System Features
Compiler: Incremental compiler generating statise in-line code
and invalue object modules. The linking howard is compatible
with the PC-DDS Index. Large memory model support. Compile
over 2500 lines per minute on a standard BMA PC.
Interactive Editor: The system includes a powerful interactive
full-sovere test additor. If the compiler detects an entry, the editor
automatically produces the curror appropriately in the source
code. At one-line, Turbo Prolog programs can call the editor,
and view the saming program? source code.
Type System: A Reside object-oriented type system is
supposed.

Windowing Support: The system supports both graphic and text windows. alput: Full I/O facilities, including formatted I/O.

Numeric Ranges: integers: -32767 to 32767; Reals. 1E-307 to 1E+308




4585 SCOTTS WALLEY DRIVE SCOTTS VALLEY, CA 95066 (408) 438-8400 TELEX: 172373

Inquiry 46 for End-Users. Inquiry 47 for DEALERS ONLY.



C·O·N·T·E·N·T·S



82

142

FEATURES


INTRODUCTION	92
PRODUCT DESCRIPTION: THE MACINTOSH PLUS by Phillip Robinson	
PROGRAMMING PROJECT: A SIMPLE FILE-INDEXING SCHEME	
by Bruce Webster	92
CIARCIA'S CIRCUIT CELLAR: ADDING SCSI TO THE SB180 COMPUTER. PART 2: Bus Phases by Sleve Ciarcia Steve explains how the SCSI's bus phases are managed by the NCR 5380 chip.	107
SORTING PRODOS DIRECTORIES by Antonio C. Silvestri	
DECODING MACPAINT ON THE IBM PC by Mark Anacker	131
PROGRAMMING INSIGHT: HILBERT CURVES MADE SIMPLE	105
by Michael Ackerman	137
THEME: COMPUTERS AND MUSIC	
Introduction	142
THE CHALLENGE OF MUSIC SOFTWARE by Roger Powell	145
DIGITAL MUSIC SYNTHESIS by Robert A. Moog	155
DIGITAL SAMPLING ON THE APPLE MACINTOSH by Christopher Yavelow	171
MUSICAL FRACTALS by Charles Dodge and Curtis R. Bahn How to use fractal geometry to generate musical fractals.	185
A MIDI PROJECT by Jay Kubicky	199
MIDI PROGRAMMING by Donald Swearingen Turbo Pascal software tools for processing MIDI data stream information.	211
REVIEWS	
Introduction	228
REVIEWER'S NOTEBOOK by Jon Edwards	231
THE ATARI 520ST by Eric Jensen	233
COMPAO DESKPRO 286 by Stan Miastkowski	
TELE-286 by Wayne Rash Jr	251

BYTE IISSN 0360-3280i in published monthly with one extra issue per year by McGraw-Hill Inc. Founder James H. McGraw (1860-1948). Executive, editorial circulation, and advertising offices. One Phoenix Mill Lane, Peterborough, NH 03438, phone (e01) 924-9281. Office hours. Mon-Thur 8:30 AM. — 4:30 PM. Friday 8:30 AM. — 1:00 PM. Eastern Time. Address subscriptions to BYTE Subscriptions, POB 990, Maritanville, NI 08936. Footmasser, send address changes. USPS Form 3579 undeletverable copies, and fulfillment questions to BYTE Subscriptions. POB 990, Maritanville, NI 08936. Footmasser, send address paid at Peterborough, NH 03458 and additional making offices. Postage paid at Witnippe, Maritanville, NI 08936. Footmasser, send address of 10 roin eyes 1938 for two years and 551 for here years and the years and ye

BUTE JUNE

VOLUME 11, NUMBER 6, 1986

Mix C by Richard Grehan
FOUR MIDI INTERFACES by Roger Powell and Richard Grehan
CONCERTWARE + AND SONGPAINTER by Mario Sergio Bernardo
THE KURZWEIL 250 DIGITAL SYNTHESIZER by Christopher Morgan
Review Feedback
KERNEL Introduction
COMPUTING AT CHAOS MANOR: COLOR AND CP/M by Jerry Pournelle
BYTE U.K.: MODEM MYSTERIES REVEALED by Dick Pountain
APPLICATIONS ONLY: UPGRADE FEVER by Ezra Shapiro
BYTE JAPAN: New Tools, New Challenges by William M. Raike
According to Webster: Storage for the Masses by Bruce Webster



228

BEST OF BIX

ATARI ST	
IBM PC AND COMPATIBLES	
MACINTOSH	
EDITORIAL:	CIRCUIT CELLAR FEEDBACK54
Music and MIDI6	BOOK REVIEWS
MICROBYTES9	EVENT QUEUE
LETTERS14	CHAOS MANOR MAIL359
WHAT'S NEW	DISKS AND DOWNLOADS 445
CLUBS AND NEWSLETTERS	BYTE'S ONGOING MONITOR BOX, BOMB RESULTS
Ask BYTE50	READER SERVICE447



.. 367

292

Address all editorial correspondence to the Editor BYTE. POB 372. Hancock. NH 03449. Unacceptable manuscripts will be returned if accompanied by sufficient first-class possage. Not responsible for lost manuscripts or photos. Opinions expressed by the authors are not necessarily those of BYTE. Copyright © 1986 by McCraw-Hill fine. All rights reserved. Rademark registered in the United States Patient and Trademark Office. Where necessary permission is granted by the copyright owner for libraries and others registered with the Copyright Clearance Center (CCL to photocopy any article herein for the flut less of \$1.50 per copy of the article or any part thereof. Correspondence and payment should be sent directly to the CCC. 20 Congress States. MAR 01970. Specify ISSN 0360-528098 \$1.50. Copyring done for other than personal or internal reference use without the permassion of McCraw-Hill fine. Is prohibited Requests for special permission or bulk orders should be addressed to the publisher BYTE is available in microform from University Microfilms International. 300 North Zeeb Rd. Dept. PR. Ann Arbor. MI 48106 or 18 Bedford Row. Dept. PR. Condon WCIR 4EI England.

Subscription of questions or problems should be addressed to: BYTE Subscriber Servica. POB 328. Hancock. NH 03449

Subscription questions or problems should be addressed to: BYTE Subscriber Service, POB 328, Hericock, NH 03449

MetaComCo Languages

Atari ST . Amiga . QL

LATTICE® C

The well known LATTICE® C compiler, full featured portable implementation.

MCC PASCAL

An ISO/ANSI standard Pascal. A fast single pass compiler, Ideal for commercial, educational and personal use.

MCC ASSEMBLER

A professional standard macro assembler with many powerful features.

CAMBRIDGE LISP

LISP interpreter/compiler providing a complete LISP development environment.

BCPL

A powerful compiler offering the convenience of a high level language with the flexibility of an assembler.

APL

Keyword and symbolic versions of this important language from MicroAPL.

MCC BASIC

68000 BASIC interpreters and compilers from MetaComCo.

An easy to use program environment, with pulldown menus.

TOOLKIT

Provides useful tools and utilities. From the people who wrote AmigaDOS.

Product	Atari ST	Commodore Amiga	Sinclair QL
Lattice C	\$149.95		\$129.95
Pascal	\$99.95	\$99.95	\$99.95
Asembler	\$79.95	•	\$49.95
Lisp	TBA	\$199.95	\$79.95
BCPL	TBA	TBA	\$79.95
APL	TBA	TBA	TBA
Basic	†	•	-
MENU+	\$29.95	TBA	-
TOOLKIT	TBA	\$49.95	-

* = available from Commodore

t = available from Atari

QL Lisp includes interpreter only



The Quality Source for 68000 Software 5353 #E Scotts Valley Dr., Scotts Valley, CA 95066

Contact your local dealer or call:

Tel: US 800-AKA-META

Cal 800-GET-META, Eur (UK) 44-272-428781

Add 6.5% tax If CA resident.

Lattice: registered trademark of Lattice Inc. Amiga and AmigaDOS: trademark of Commodore-Amiga Inc., Atari ST: registered trademark of Atari Inc.

Sinclair QL: trademark of Sinclair Research Ltd.

EDITOR IN CHIEF PHILIP LEMMONS

MANAGING EDITOR, PRINT

GENE SMARTE

CONSULTING EDITORS STEVE CIARCIA

IERRY POURNELLE BRUCE WEBSTER

SENIOR TECHNICAL EDITORS

G. MICHAEL VOSE, Themes GREGG WILLIAMS

TECHNICAL EDITORS

DESMIS ALLES

ION R. EDWARDS, Renews

RICHARD GREHAN

GLENN HARTWIG KEN SHELDON

GEORGE STEWART

JANE MORRILL TAZELAAR

TOM THOMPSON

CHARLES O WESTON

EVA WHITE STANLEY WSZOLA

ASSOCIATE TECHNICAL EDITORS

MARGARET COOK GURNEY, Book Reviews

BRENDA MCLAUGHLIN. Applications Software Reviews. San Francisco

BYTE INFORMATION EXCHANGE

GEORGE BOND. Executive Editor

DAVID BETZ. Smior Editor

TONY LOCKWOOD. Associate Editor

DONNA OSGOOD Assente Editor San Francisco

NEWS AND TECHNOLOGY

EZRA SHAPIRO. Bureau Chief. San Francisco

RICH MALLOY, Senior Technical Editor, New York PHILLIP ROBINSON, Senior Technical Editor Palo Alto

ASSOCIATE NEWS EDITORS

DENNIS BARKER, Microbiles

CATHRYN BASKIN, What's New

ANNE FISCHER LENT What's New

CONTRIBUTING EDITORS

IONATHAN AMSTERDAM programming projects

MARK DAHMKE, video, operating systems

MARK HAAS at lover

RIK JADRNICEK CAD graphics, spreadsheets

ROBERT T KUROSAKA mathematical recreations

PHIL LOPICCOLO. computers in medicine ALASTAIR J. W. MAYER. SOFIN

ALAN R. MILLER, languages and engineering

DICK POUNTAIN. U.K.

ROGER POWELL computers and music

WILLIAM M. RAIKE LINGS

COPY EDITORS

BUD SADLER Chief

FAITH HANSON

NANCY HAYES

CATHY KINGERY

PAULA NOONAN JOAN VIGNEAU ROY

WARREN WILLIAMSON

PEGGY DUNHAM, Office Manager MARTHA HICKS

JUNE N SHELDON

UDY WINKLER

ROSSLYN A FRICK, Art Director NANCY RICE Associate Art Director

ALAN EASTON. Drafting

PRODUCTION

DAVID R. ANDERSON, Production Director

DENISE CHARTRAND

MICHAEL J. LONSKY

VIRGINIA REARDON

TYPOGRAPHY

SHERRY MCCARTHY. Chief Typographer

LEN LORETTE DONNA SWEENLY SENIOR VICE PRESIDENT/PUBLISHER HARRY L. BROWN

PUBLISHER'S ASSISTANT

BEVERLY JACKSON

CIRCULATION (800-258-5485)

ANDREW JACKSON, Subscriptions Man LAURIE SEAMANS Assistant Manager

SUSAN BOYD MARY EMERSON LOUISE MENEGUS

AGNES E. PERRY

IENNIFER PRICE

AMES BINGHAM, Single-Copy Sales Manager CATHY A. RUTHERFORD. Assistant Manager

CLAUDETTE CARSWELL KAREN DESROCHES

ADVERTISING SALES

DENNIS |. RILEY Director of Sales and Marketing

SANDRA FOSTER, Administrative Assistant

ADVERTISING/PRODUCTION (603-924-644R)

LISA WOZMAK, Supervisor

ROBERT D. HANNINGS. Senior Account Coordinator

MARION CARLSON KAREN CILLEY

LYDA CLARK MICHELE JACKSON

WAI CHILL LS, Quality Control Manager

THUE MURPHREE Advertising Production Condinator

MARKETING COMMUNICATIONS

HORACE T. HOWLAND DIRECT 1803-924-34241

VICKI REYNOLDS. Marketing Production Manager

LISA IO STEINER. Marketing Assistant
STEPHANIE WARNESKY. Marketing Art Director

SHARON PRICE, Assistant Art Direct

MICHELE P. VERVILLE. Director of Public Relations (603-924-9027) WILBUR S. WATSON Operations Manager, Exhibits

RESEARCH

PATRICIA AKERLEY Resourch Main

JULIE PERRON, Market Research Analysi

CYNTHIA DAMATO SANDS, Reader Service Coordinator

FINANCIAL SERVICES

PHILIP L. PENNY, Director of Finance and Services

KENNETH A. KING Business Manager

CHRISTINE LEE. Assistant VICKI WESTON, Accounting Manager

LINDA SHORT DIP Manager

EDSON WARE. Credit

MARILYN HAIGH DIANE HENRY

VERN ROCKWELL JOANN WALTER

PLANNING AND DEVELOPMENT

MICHELE P. VERVILLE. Manage FAITH KILINTZ, Copyrights Coordinator

CHERYL HURD Office Manage PATRICIA BURKE. Personnel Coordinator

BUILDING SERVICES/TRAFFIC

ANTHONY BENNETT, Building Services Manager

BRIAN HIGGINS MARK MONKTON

RECEPTIONIST

DONNA HEALEY

DONNA HEALEY

ORIGINAL MEALEY

ORIGINAL METALET STATES AND A COMPANY Presidents Frederick P dent Richard B Miller. Executive Vice Presidents Frederick P Jannout. Construction Information Group. Russell C. White. Computers and Communications Information Group. I. Thomas Ryau.

Marketing and International Sertice Vice Presidents: Francis A. Shinal, Controller. Robert C. Violette. Manufacturing and Pschnology. Senior Vice Presidents and Publishers. Lurence Altman. Electronics Week: Harry L. Brown. BYTE. David J. McGrath. Construction Publications. Group Vice President: Peter B. McCuen. Communications Information. Vice President: Peter B. McCuen. Communications Information. Vice President: Collegers of McGraw-Hell. Inc.: Marold W. McGraw, Jr., Chairman; Joseph. L. Diome. President and Chief Executive Officer. Robert N. Landes, Executive Vice President and Chief Financial Officer: Shell F. Asen. Senior Vice President. Rhance and Manufacturing. Robert J. Balbash. Senior Vice President. Finance and Manufacturing. Robert B. Balbash. Senior Vice President. Enhance and Manufacturing. Ralph R. Schulz. Senior Vice President. Enhance and Religinger. Vice President. Circulation; Ralph J. Webb. Vice President and Treasurer.

Editorial and Business Office: One Phoenix Mill Lane, Peterborough, New Hampshire, 034-16, (603), 924-9281.

West Coast Offices: NcGraw-Hill, 425 Battery St., San Francisco, CA, 941.11, (415), 362-4600.

McGram-Hill, 951 Manners, stands Blvd. San Mateo, CA, 94404, 1415), 149-9400.

New York Editorial Office: 1221 Avenue of the Americas, New York, NY 10020, (212), 112-2000.

BYTE, BYTE, and The Small Systems Journal are registered trademarks of McGraw-Hill Inc.



For only \$895, smARTWORK® lets

Easy to learn and operate, yet the design engineer create and revise printed-circuit-board artwork on the IBM Personal Computer. You keep complete control over your circuit-board artwork from start to finish.

Forget the tedium of taping It yourself or waiting for a technician, draftsman, or the CAD department to get to your project.

smARTWORK® is the only lowcost printed-circuit-board artwork editor with all these advantages:

- ☐ Complete interactive control over placement and routing
- □ Quick correction and revision
- ☐ Production-quality 2X artwork from a pen-and-ink plotter
- ☐ Prototype-quality 2X artwork from a dot-matrix printer

- capable of sophisticated lavouts
- ☐ Single-sided and double-sided printed circuit boards up to 10 x 16 Inches
- ☐ Multicolor or black-and-white display

System Requirements:

- ☐ IBM Personal Computer, XT, or AT with 256K RAM, 2 disk drives, and DOS Version 2.0 or later
- □ IBM Color/Graphics Adapter with RGB color or black-andwhite monitor
- ☐ IBM Graphics Printer or Epson FX/MX/RX series dot-matrix printer
- ☐ Houston Instrument DMP-41 pen-and-ink plotter
- □ Optional Microsoft Mouse

The Smart Buy

At \$895, smARTWORK® is proven, convenient, fast, and a sound value. Call us today. And put it to work for yourself next week.



Inquiry 376 Wintek Corporation 1801 South Street Lafayette, IN 47904-2993 Telephone: (317) 742-8428 Telex: 70-9079 WINTEK CORP UD

In Europe contact: RIVA Terminals Limited, Woking, Surrey GU21 5JY ENGLAND Telephone: 04862-71001, Telex: 859502

"smARTWORK;" "Wintek" and the Wintek logo are registered trademarks of Wintek Corporation.

MUSIC AND MIDI

Have you noticed the stir going on in the electronic music industry? Take keyboard synthesizers. A significant drop in price has been accompanied by a dramatic rise ' in capability and sound quality, opening the doors of musical exploration to multitudes of newcomers. We've also seen computer technology claim new territories in music through the advent of MIDI (musical instrument digital interface), a datacommunications protocol that lets you join synthesizers and computers into small networks for composition or performance. MIDI has stimulated the entire music industry by providing a standard for hardware and software to be used for the production of music. Creativity, efficiency, and productivity are enhanced by the development of computer-based tools aimed at the mystical process of music generation.

The current specification for MIDI has been in existence for four years. It came about through the cooperation of music synthesizer manufacturers around the world, notably those from Japan and the United States. Essentially, a large group of manufacturers got together and decided to add serial data channels to all future electronic music instruments so that events generated on one instrument could be played on remote instruments connected via the MIDI cable. Layers of sound, for example, can be produced from a single keyboard controller by driving multiple sound modules equipped with MIDI inputs. By inserting a personal computer into the middle of all this soundgenerating equipment, composers can record and manipulate scores much as word processors do text.

THE GOOD NEWS

So we now have a data-communications standard for moving music event data between a computer and sound-generating hardware. We can buy instruments from different manufacturers and interconnect them at once. Older versions of music synthesizers, having no compatibility to any other device you might be using, were doomed to eventual obsolescence as newer products were released to replace them. Now it's different—what you get

tomorrow can be integrated with what you have today, and it's reasonable to consider building an elaborate system over a period of budget-controlled time. A variety of good MIDI software is now available. We find software that can act as a kind of digital tape recorder for music data; programs that edit, store, and retrieve libraries of synthesizer voice parameters; and software that can display, print, and edit scores rendered in traditional music notation. It's a heyday for musicians of all persuasions. Or is it?

THE BAD NEWS

While the MIDI specification goes a long way toward unifying the tasks necessary to the production of music, it does not suggest any format for the storage of MIDI data files. Thus, developers of music software are on their own to adopt a structure for disk files containing MIDI performance data created by the software. And that is precisely what has happened during the development of today's MIDI music software: Each program on each computer produces a data file that cannot be instantly read by any other combination of hardware or software. Furthermore, few, if any, file-converter utilities are available to assist transportation of data between environments. (Of course, there is always the issue of differences among the underlying DOS formats for individual computers.)

A DATA FILE STANDARD

Utility programs that convert music files from one manufacturer's product to another must be seen as only an interim measure. A better approach would see all the important players get together (in a fashion similar to the one that led to the MIDI 1.0 specification) and hack out a target format for file interchange. If software developers could produce a musical equivalent of the DIF standard used for database files in the business world, users operating in different computer and synthesizer environments would benefit immensely from expanded access to the large body of music data now being stockpiled. This tactic would also let existing products "speak" to future programs designed to use the target file format.

A number of obstacles present themselves when attempting to derive a convenient, universal method of organizing music data files. That's not to say that no one is trying. Besides continuing development on the academic level at universities like Carnegie-Mellon. Stanford, and MIT, commercial concerns like Roland and Electronic Arts have worked hard in an effort to establish useful guidelines toward the goal of increased music data sharing. In its own way, each organization has faced hurdles, including:

- Some computers have a lot more memory, speed, and display resolution than others. How can a file produced on a more powerful computer be rendered on a less capable machine? What should a minimum configuration consist of?
- Should graphic data for displaying common music notation or some derivative be included with MIDI performance data? Since both types of data might exist independently, and, given that some software does not recognize both, should these two kinds of data be kept in separate, parallel files?
- Should we go further and attempt to design a full-blown operating system for music that could be ported to various computer architectures? This is ambitious but could produce long-term benefits.

Naturally, other important points need to be ironed out. At this time, we invite software and hardware developers to plug in their irons. The success of the MIDI standard offers hope for a standard for file interchange. At the moment, the consumer is getting shortchanged by the inability to move data between musicprocessing programs. The audience for computer music software is growing larger and more sophisticated, and it's up to the leaders in music technology development to provide software standards. We at BYTE want to encourage all concerned to investigate the work already done and then have a series of formal conferences involving a variety of sources. It's not going to be easy, but it has to happen (and soon, too, because I have a lot of music data on IMSAI-8080 cassettes waiting to be uploaded to my Amiga).

-Roger Powell, Contributing Editor



FLOPPY DISKS THE GOLD STANDARD

Before you invest in a DEC*VT240 terminal, consider the software alternative.

Stop and think about what you really need: A text terminal. Tektronix* graphics. ReGIS* graphics. File transfer capabilities. Communications.

Purchasing a state-of-the-art terminal may be one option, but Persoft has a smarter solution—SmarTerm® 240, the ultimate in terminal emulation software.

SmarTerm can do everything the stateof-the-art terminal can do—and more. That's why we call it **state-of-the-smart.**

With SmarTerm 240, the emulation is so exact you'll forget you're using a PC. It features superior text emulation, ReGIS graphics, Tektronix graphics, outstanding communications and file transfer capabilities.

You also get on-line help screens, remappable keyboard layouts and programmable softkeys which can simplify your most frequently performed tasks. You can even customize your own menus!

And because SmarTerm runs on your PC, you've always got a wealth of computing power right at your fingertips.

All SmarTerm products are backed by Persoft's strong technical support network. It's a service you expect from the industry leader in terminal emulation software.

No matter which terminal you're currently using—Data General Dasher* D400, Tektronix 4010/4014, DEC VT100, VT125, VT220 or even the new VT240,

DELECTION SECURITY SE

SmarTerm has a state-of-the-smart solution for you.

To find out more about the SmarTerm family of terminal emulation software, see your local dealer. Or contact: Persoft, Inc. 2740 Ski Lane Madison, WI 53713

(608) 273-6000 - Telex 759491

STATE OF THE ART

STATE OF THE SMART





M·I·C·R·O·B·Y·T·E·S

Staff-written highlights of developments in the microcomputer industry.

New Geometry Could Have Implications for Telecommunications

Dr. Donald Kreher and Dr. Stanislaw Radziszowski, assistant professors at Rochester Institute of Technology's School of Computer Science and Technology, have discovered a non-Euclidean geometry that could enhance long-range satellite transmissions and telecommunications. The two professors used a new basis-reduction computer-search technique to find a simple 6-design, the smallest such design possible.

Researchers at the University of Nebraska discovered the first two 6-designs in 1984. According to Kreher, "We were able to find this third design because the computer-search technique that we created enabled us to search a larger space of possibilities than previously searched anywhere in the world." Kreher and Radziszowski solved complex 99-integer equations in 12 hours, a process that they estimate would take several million centuries of computer time if they used a "brute force" technique.

The new geometry could help in correcting transmission errors over long distances. According to Kreher and Radziszowski, scientists can use the geometry to construct code for error reduction. When errors are received, the geometry used to construct the code gets distorted. Distortion characteristics let the scientist find and correct the error.

"Teachable" Pattern-Recognition System on IBM PC AT

Nestor Inc., a small research and development firm in Providence, RI, said it has successfully moved its prototype self-adaptive pattern-recognition system from a minicomputer to an IBM PC AT. The Nestor System, developed by two Brown University physicists interested in animal neuronal networks, is significant in that it must be taught, not programmed, to recognize new patterns. The system inherently makes use of parallel processing and distributed memory but currently emulates these capabilities on today's serial-processing computers. Interestingly, a spokesperson from Nestor claimed that the system runs just as fast on an AT as it did on an Apollo minicomputer, primarily because of the Apollo's graphics-processing overhead.

Nestor is currently investigating using a bit pad with its system to analyze free-form handwriting and is in negotiation to procure funding to develop a large-vocabulary voicerecognition system.

SIMMs: Denser Memories Through Packaging

If you think that a circuit board jam-packed with 256K dynamic RAM chips is the ultimate in dense, solid-state memory, keep reading. The new generation of chip packages—leaded chip carriers (LCCs)—is making a splash in memory chips for microcomputers. Because these packages take up far less space than their predecessors, the venerable DIPs, computer designers can fit far more memory in the same space on a board. But the chip and system makers are going even further. They are mounting several LCCs on a long, narrow circuit card that has leads on one long side. That card, called a SIMM (single in-line memory module), can then be mounted vertically onto a standard circuit board.

The first well-known micro to use this form of memory is the Apple Macintosh Plus, which has a megabyte of RAM on four 256K-byte SIMMs. The SIMMs plug into special sockets and can be easily exchanged for 1-megabyte SIMMs to create a 4-megabyte Mac Plus.

One of the first semiconductor firms to announce SIMMs for the commercial market is NEC Electronics, Mountain View, CA. The NEC SIMMs come in five configurations: 256K by 4, by 5, by 8, or by 9 bits, and I megabyte by 1 bit. Both 120-ns and 150-ns access times are available. The SIMMs are standard epoxy-glass substrates with pins or edge connectors on one long side; they are based on 256K-bit dynamic RAMs in plastic LCCs.

(continued)

Hannover Fair: Atari Shows PC Box, German Firm Announces Supercomputer

At the opening of the Hannover Fair In West Germany, Atari exhibited its IBM PC compatibility box for its 520ST and 1040ST computers. The box had its own 8088, a socket for an 8087, and 512K bytes of RAM. It connects to the ST via the DMA port. With the product's introduction at least several months away. Atari representatives wouldn't discuss pricing except to reaffirm the company's policy of producing in "high volume at low cost."

IP Systems, of Karlsruhe, West Germany, announced but did not show the TX2 series of supercomputers. The result of work done by researchers at Karlsruhe University, the parallel-configuration machine is based on the 80286 and has at least 16 chips. It can perform 10 million to 30 million instructions per second. The TX2 uses neither arrays nor vectors. Its parallel architecture is based on an extended tree structure. The machine represents a new type of parallelism that could apply to functions beyond the typical uses in floating-point math, for example, in the types of calculations used in expert systems, optimization, and other non-numeric tasks.

Toshiba exhibited three optical disk products it said will be available to consumers late this year. Toshiba also showed two plasma-screen laptop computers, the T2100 and the T3100, compatible with the IBM PC XT and AT, respectively. Ing. C. Olivetti also brought PC compatibles to the Fair. Sanyo showed for the first time its SPX-840 LED printer, said to rival laser printers in print quality and performance. The unit's method of printing involves electronic photography using an LED-array head and a selenium-tellurium photosensitive drum. Resolution is 400 dots per inch, and print speed is rated at 20 pages per minute.

A Norwegian company. Ask LCD, has come up with a flat-screen display for the IBM PC. At Hannover, it was suspended from a desk-mounted support arm. The unit measures 330 mm by 230 mm and is 25 mm thick. The screen surface is 250 mm by 160 mm.

Prospero Software, a British firm exhibiting at Hannover, announced a FORTRAN compiler for the Amiga and the Atari ST. Called Pro Fortran-77, it could help open up the 68000-based machines to technical and scientific applications.

NANOBYTES

Intel Corp., Santa Clara, CA, introduced the 80287-10, a 10-MHz version of its numeric coprocessor. The device operates at up to twice the speed of older versions.... In other Intel news, the company has enlisted the support of four software developers to provide compilers for its 80386 32-bit chip. Silicon Valley Software, Cupertino, CA, and Green Hills Software, Glendale, CA, said they will develop FORTRAN, C, and Pascal compilers for the 80386. Ryan-McFarland, Rolling Hills Estates, CA, said it's porting its standard FORTRAN and COBOL compilers to run on the chip. And Language Processors, Waltham, MA, announced it would develop COBOL, FORTRAN, C, Pascal, PL/I, RPG II, and BASIC compilers for the 80386.... Apricot Computers, Fremont, CA, said it will offer Microsoft's MS-DOS 4.0 as part of its XEN Multiuser System NEC Electronics, Mountain View, CA, and Oki Semiconductor, Sunnyvale, CA, have developed a CMOS version of NEC's μPD7720 Digital Signal Processor. The new chip, called the NEC μPD77C2 or the Oki M77C20, is a pin-for-pin replacement for the 7720 and draws only 24 mA, 80 percent less than its predecessor.... PicTel Corp., Peabody, MA, has a desktop videophone system that transmits color video images over dial-up digital lines. PicTel said calls cost just twice that of ordinary phone calls, but the videophone setup costs \$150,000.... SSI Software, Orem, UT, unwrapped an operating shell for its WordPerfect and other SSI packages. Word-Perfect Library is a RAM-resident program designed to enhance the performance of Word-Perfect, MathPlan, and SSIData.... Brown Wagh Publishing, San Jose, CA, has released a word-processing program for the Amiga. Besides standard editing capabilities, Scribble provides four windows that can each hold a separate document.... Personal Composer. Honaunau, HJ, has brought out version 2.0 of its Personal Composer music software, MIDI features include a 32-track recorder and a patch recorder.... Two United Kingdom companies have released products based on the Motorola 68020 32-bit CPU. MicroAPL of London launched a multiple-processor machine, the Aurora, that can handle as many as 64 users. Although it was designed to run the company's APL interpreter, it can be programmed in other languages. Another product using the VMEbus is the ET-68020 VME card from Integrated Micro Products Ltd., County Durham. IMP said It has managed to make the 68020 run reliably at 25 MHz, at which speed it performs more than 10 MIPS in bursts.... Apple Computer Inc., Cupertino, CA, is offering rebates to full-time teachers and college students who buy Apple hardware: \$75 on a IIc, \$150 on a IIe, \$175 on a 512K Mac, and \$200 on a Mac Plus. . . . IBM's PC Convertible is being built by robots at a plant in Austin, TX. The automated workers perform all assembly and test operations, and the assembly process reportedly takes 6 minutes.

Next to your computer,



nothing beats a Tandy printer.





Tandy printers make fine print quality, graphics and high performance affordable.

For your best value and selection in top-quality printers, shop your local Radio Shack Computer Center. We've got what you need, whatever your printing requirements.

Dot-matrix power for business

The DMP 2200 (26-1279, \$1695.00) gives you efficient, fast printing at 380 characters per second. It supports elongated, double high, bold, underline, super/subscripts, italics and double strike, plus bit-image graphics. It also has a built-in tractor for perfect paper alignment.

Versatile business printer

The DMP 430 (26-1277, \$899) is a 132-column dot-matrix printer with an 18-wire print head that delivers superior correspondence characters in a single pass. Choose from micro, italic

and double-high fonts, as well as bitimage graphics. In the draft mode, the DMP 430 delivers a fast 180 characters per second.

Low-cost, triple-mode personal printer

The DMP 130 (26-1280, \$349.95) lets you choose from word processing, data processing and dot-addressable graphics. Prints in four character styles: standard or italic cursive, in draft or correspondence modes.

Save time while printing

With a PTC 64 Printer Controller (26-1269, \$249.95), you can print one job while working on another. The print buffer" accepts and stores information from your computer.

See the complete selection of printers and accessories at Radio Shack today.

Radio ∫ha The Technology Store A DIVISION OF TANDY CORPORATION

New 1986 Computer Catalog! Send me a copy.

Mail To: Radio Shack Dept. 86-A-794 300 One Tandy Center Fort Worth, Texas 76102

Prices apply at Radio Shack Computer Centers and at participating stores and dealers. All printers shown are IBM® compatible. The DMP 430 requires special order at some locations. IBM/Registered TM International Business Machines Corp.

Introducing Six Finally, Performance



PakPremium. PakPremium. Exceeds Demand.



SixPakPremium, the new generation multifunction board designed for new generation IBM XTs, is here! Now one person and one PC have the power to meet the demands of business. AST's newest solution for new XTs, existing PCs, XTs and compatibles, SixPakPremium offers all the popular multifunction features plus two megabytes of expanded memory and the powerful software to use it.

Premium Performance. Now, run up to nine

applications simultaneously. Sort a data base, write a letter, calculate a spreadsheet, monitor



stock quotations and print labels...all at the same time...on the same PC! And, our windows let you view applications instantly.

SixPakPremium is fully compatible with all current PC applications, including expanded memory applications such as Lotus 1-2-3 Release 2.0. And DESQview, our multitasking/windowing environment is compatible with more than 200 of the most popular packages. **Premium Features.** SixPakPremium offers

Premium Features. SixPakPremium offers up to two megabytes of expanded memory, two serial ports, parallel port, game port, battery-backed clock/calendar, DESQview and SuperPak™utilities.

Premium Quality. As the leader in PC enhancement, with over a million products shipped, AST is known worldwide for its highly reliable products.

Make The Premium Choice. For performance that exceeds demand, call our Customer Information Center (714) 863-1333. Or send the coupon to AST Research, Inc., 2121 Alton Avenue, Irvine, CA 92714.



Yes, I want to learn a Please send me you mation package too	ir special SixPaki	
Name		
Title		
Company		
Address		
City	State	Zip
Phone ()		

ATARI 520ST MEMORY UPGRADE

I recently completed the Atari 520ST 1-megabyte memory upgrade modification as outlined by Gert Slavenberg on page 372 of the February BYTE. (Editor's note: Also, refer to the Atari/tech.st conference on BIX, message #239, and to ST.DOC from BYTEnet Listings.) It wasn't as easy as expected, and I'd like to share my experience with those tempted to add 512K to their machine for \$50 worth of dynamic RAM and a few hours of free time.

After piggybacking the new 120-nanosecond DRAMS. I quickly soldered them to the old ones using a 35-watt iron. The joints did not look that good, but I buzzed out the board with the ohmmeter and all connections passed. When I finally booted up, erratic operations resulted. Most common among these were

- · Black balloons on screen with system keyboard dead
- Display filled with dots
- Double menu images

After taking some aspirin, I proceeded to troubleshoot the board. Could my problems be traced to those DRAMS. which get very hot, making a cold-solder joint "colder"? My suspicions were confirmed when I shorted the connections together, one by one, and rebooting or erratic symptoms were triggered. I was able to get the modification to work properly by resoldering every connection slowly and carefully with a 15-watt pencil iron, examining each joint with a magnifying glass.

Here now are some pointers I'd like to pass on to anyone attempting to complete this memory upgrade modification.

Note 1: The modification does not work with the 16 despiking caps unconnected.

Note 2: After turning on the power, try to copy the system disk in one pass instead of two. If this works, run the memory test program outlined below.

Note 3: If you have little experience in doing chip soldering and debugging, I strongly suggest not doing this modification yourself. While being a major improvement to the ST, it can easily destroy your computer.

A simple test of system memory from BASIC can be quite informative. Issuing

the command x = fre(0):print x returned 529,492 bytes available on my system. This number may seem low, but without the added memory only small programs can be written.

The following is a diagnostic program to quickly test out memory, IK at a time. This program writes zeros and ones from the end of 512K bank I past the end (FFFFF hexadecimal) of 512K bank 2.

- 5 rem memory test should run until address 1048574
- 6 rem test ability to write 0's and 1's to all blocks
- 10 for adr = 450000 to 2000000 step 1024

20 bits = 0

30 GOSUB 200

40 bits = -32767

50 GOSUB 200

60 next

70 end

200 poke adr.bits

210 i = peek(adr)

220 print "address = "adr, "data = ",j 230 if i > bits then print "error ":stop 240 return

> TOM DOLAN Flushing, NY

SUPPORT NETWORK FOR THE HOMEBOUND

As someone who has been disabled since the age of five and who is currently telecomputing full time for a Fortune 500 insurance corporation. I would like to commend you for the excellent article "Working at Home with Computers" by Jane Morrill Tazelaar, which appeared in the March issue.

Disabled people are indeed creative, motivated, productive people. We have done excellent work in many fields over the years. We have been lawyers, doctors, teachers, and even a U.S. president, Now. thanks to the microcomputer and the modem, even the severely mobility-limited disabled person-the homebound person-is showing his or her potential.

Some of these men and women have expressed an interest in setting up a support network for homebound disabled workers. I think it is not only an excellent idea, but it could open up new worlds for many of us homebound workers who are bright and creative but also terribly isolated. Therefore, anyone interested in being a part of such a network can write to me at Disability News Online, 257 Center Lane, Levittown, NY 11756. They can also reach me via CompuServe at 76505.656, via The Source at BCG138, or via PeopleLink at IOR860. I'd like to hear anyone's ideas. comments, or feelings about setting up such a network.

By the way, Disability News Online is a national newsletter by and for the disabled. It can be read on The Source by typing the following at the command prompt:

BASICV SFILES > BCG138 > DISABILITY-NEWS-ONLINE.

> ROBERT MAURO Levittown, NY

PUTTING THE AMIGA TO GOOD USE

What's an Amiga good for? I seriously asked an Amiga salesman that question at a local Amiga Fest and the following conversation ensued.

He told me that the Amiga is the best personal computer ever made, and he asked me what I wanted a computer for. I said I was a scientist and did a lot of numerical work that required speed and accuracy. He explained to me how much faster the 32-bit 68000 Amiga is over the 8088 IBM PC family. I said that that may be and asked if the Amiga is faster or more precise than the 8087 in the IBM PCs. He admitted that the 8087 is faster and more precise, and maybe the IBM PC (continued)

LETTERS POLICY: To be considered for publication, a letter must be typed double-spaced on one side of the paper and must include your name and address. Comments and ideas should be expressed as clearly and concisely as possible. Listings and tables may be printed along with a letter if they are short and legible.

Because BYTE receives hundreds of letters each month, not all of them can be published. Letters will not be returned to authors. Generally, it takes four months from the time BYTE receives a letter until it is published.



A Hard Drive The Easy Way.

Turn your PC into an XT in seconds with OnBoard, Maynard's new hard drive card!

So your PC needs a hard drive...

When you bought your PC, you never dreamed you'd need more than floppy drive performance. But now, both you and your PC are ready for more. In fact, there's just one reason you've been putting off getting a hard drive. Admit it. It's the installation. Cables and controller and all that.

Well, relax. OnBoard is here. The hard drive card that boosts your PC's storage capacity to rival any XT or AT* on the block! OnBoard snaps easily into one of your IBM PC's expansion slots! Open your PC, plug in OnBoard, and close your PC. Just like that. Your PC will boot directly to OnBoard when you power up — no more floppy disk maneuvering.

Powerful Self-Control.

If you already have a hard drive in your PC, OnBoard's controller card will double up and run both hard drives. Which helps keep your expansion slots open for other business.

Lots of Head Room, Lots of Desk Room.

OnBoard puts up to 20MB of power into your PC, turning it into a hard drive heavyweight in seconds! If you need less storage but the same speed and fine performance, you can install OnBoard 10.



Single-Slot Installation.

Simply snap OnBoard into expansion slot 1 of your IBM PC* or XT, leaving all your other slots free for additional boards.

OnBoard is designed to work in today's leading PCs and is available at the finest computer stores. Contact your local dealer or call us today for more information.

*IBM PC, XT, and AT are trademarks of International Business Machines.



460 E. Semoran Blvd., Casselberry, FL 32707 305/331-6402

ANTHROCART."

MOBILE...

A key reason why people like the AnthroCart. Share your hardware. Move it around. Take it room to room or floor to floor.


AnthroCart. High-tech furniture for high-tech equipment. Space saver. Compact. Rugged.

The AnthroCart is designed to move. Designed so your workspace is as slick as your hardware.

Call us: 800-325-3841









A

Anthro Corporation Technology Furniture

3221 NW Yeon St. Portland, OR 97210 is better for mathematical work.

I said that I run my own business and would like to use a computer for accounting. How would the Amiga be for business work? More than anything. I need the computer to be reliable and error-free. I can't have the computer altering my accounting data. The salesman said the Amiga would be great for business use. I asked about error detecting or correcting memory, and he said the Amiga doesn't even have parity checks on memory.

That meant that a memory bit change could eat a hole in my business databases and I might not discover the error for months, and even then I won't know what happened. I can live with a computer that dies, but I can't allow it to take me with it. Business computers must have some kind of memory error detection and all the business computers I use have error detection and correction. In my opinion, lack of memory error detection rules the Amiga out as a business computer, especially since I can buy computers that do have memory error detection. The salesman admitted that this was a valid point.

I said that I do a lot of writing and could use a good word processor. The salesman said the Amiga would be a fantastic word processor. After seeing good Amiga graphics, how about some good Amiga text? Wow! The Amiga has the worst 80-column text quality I have ever seen on any computer. I couldn't write or program that thing for more than two hours without developing a bad headache. I suspect anyone could get around that problem by writing a word-processing program that uses the Amiga graphics to do the text. However, the lack of a connection for a monochrome monitor would rule out the Amiga as a good word-processing machine anyway. The composite video output would not make as good a monochrome display as a real monochrome output signal. For those of us who spend a lot of time looking at the tube, this makes a big difference. Well, Mr. Salesman didn't know quite what to say except that the graphics are fantastic.

Amiga graphics may be fantastic for a personal computer, but they are very mediocre for real graphics work. Amiga graphics are not good enough for image-processing work, and most engineering workstations in industry today have 1024-by 1024-pixel displays with 256 gray shades or colors per pixel. They cost a lot more, but the applications require it and nothing less will be productive.

So, back to my original question: What's an Amiga good for? I am not trying to pick on the Amiga, but it looks like Com-

(continued

New! Windows-Compatible In·a·Vision 1.1

Complex Drawing Made Easy

We created In a Vision just for you. The engineer who needs more productive drafting support. The designer who needs versatility for alternate ideas or quick revisions. The architect who needs to manage a variety of working drawings. And the businessman who needs first-class presentation materials as well as detailed flow charts and organization charts.

Point, Click, Draw.

Now all you do to create complex technical drawings, systems designs, blueprints, diagrams, illustrations, and proposals is point, click and draw. With In a Vision's mouse support, windowing, icons,

and pull-down menus, you produce drawings more quickly, accurately and efficiently than ever before. In a Vision's advanced technology includes many features not found on comparable systems costing thousands more. For example, you can pan around in a user-definable drawing space up to 68" x 68" and zoom in on specific areas for

greater
detail. Scale,
rotate and dimension symbols, fill an area with your
choices of predefined colors and patterns, as well as draw lines with multiple styles and widths. Other features include overlays, predefined and user-definable page sizes, rulers, grids, and templates to speed popular applications.

Multi-tasking in a PCbased CAD system.

In a Vision uses multi-tasking to enable you to continue drawing while printing hard copies or edit multiple drawings simultaneously.

FREE Microsoft Windows from MICROGRAFX!

If you purchase In a Vision directly from MICROGRAFX, we'll give you a free retail copy of Microsoft Windows so you can use In a Vision as part of a fully integrated working environment. Move instantly from In a Vision to other applications and back ... cut and paste text and drawings

between applications
... and more!
We're confident
you'll agree — In a Vision will
make your complex drawing tasks
simple and make you more productive. Satisfaction guaranteed.

TO ORDER CALL: 800-272-3729

Demo disk* or brochure available to qualified customers. In Texas or for customer support, call (214) 234-1769.

MICROGRAFX, Inc., 1820 North Greenville Avenue, Richardson, Texas 75081.

MICROGRAFX®

The Picture of Success.

Inquiry 225

InterVision and MICROGRAFX are trademarks of MICROGRAFX, Inc.

Microsoft in a trademark of Microsoft, Inc.

(Most popular graphics cards, plotters, and printers supported.) Microsoft Windows-computible. Call for specific operating environment requirements.

 Demo requires MS Windows, Full demonstration system for users without Windows available for \$49.00.

UNLOCK™Removes **Copy Protection**

RUNS YOUR SOFTWARE ON ANY HARD DISK

Guaranteed to work only with programs below:

UNlock ALBUM "A" \$49.95 (Plus \$4 ship/handling. Foreign orders \$10)

- LOTUS 1-2-3™ (1.A. 1.A. 2.0)
- dBASE IIITM (1.0, 1.1, 1.2 & PLUS)
- FRAMEWORKTM (1.0, 1.1, II)
- SYSTATTM (1.3 & 2.0)
- SPOTLIGHT** (1.0 & 1.1)
- GRAPHWRITER™ (4.3 & 4.3D)
- REALIA COBOLTM (1.2, 2.0)

UNIock ALBUM "B" \$49.95 (Plus \$4 ship/handling. Foreign orders \$10)

- · SYMPHONYTM (1.1)
- CLIPPERTM (Winter '84, Summer '85)
- ELECTRIC DESK™ (1.04)
- DOUBLEDOS™
- MANAGING YOUR MONEY™
- . SMARTWORKTM (1.0 REV 8 thru 10)
- DATA BASE MANAGER II™

UNIOCK ALBUM "C" \$49.95 (Plus \$4 ship/handling. Foreign orders \$10)

- MICROSOFT WORD™ (1.5, 2.0, 2.01)
- MULTILINK ADVANCE™
- IBM WRITING ASSISTANT™(1.01)
- LOTUS 1-2-3 REPORT WRITERTM(1.0)
- PARADOX™ (1.0)
- PFS ACCESS™ (1984 Edition)
- THINKTANK™ (2.0)

"Best of UNlock" ALBUM "D"

\$74.95 (Plus \$4 ship/handling. Foreign orders \$10)

- MICROSOFT WORD™ (1.5, 2.0, 2.01)
- dBase III™ (1.0, 1.1, 1.2 & PLUS)
- LOTUS 1-2-3™ (1.A & 1.A*, 2.0)
- SYMPHONYTM (1.1)
- FRAMEWORK** (1.0, 1.1, 11)
- CLIPPERTM (Winter '84, Summer '85)
- MULTILINK ADVANCE™

 Produce non-protected DOS copies from popular software programs

• For IBMº PC. XT. AT. compatibles

TranSec UNlock is a unique software copying disk that removes copy protection, providing standard non-protected DOS copies. UNlock runs on IBM® PC, XT, AT, and compatibles with at least 256K (or more required for some programs), DOS 2.1 or higher.

BACKUP COPIES. UNlock safely and easily makes backup copies.

RUN ON HARD DISK. Programs load faster, use less disk space and work with any hard disk, including Bernoulli Boxes, No. longer do you need the original in drive "A".

RUN ON RAM DISK. UNlock is the only software that can run copy protected software on a RAM disk or micro-floppy.

EASY TO USE. 1) Type UNlock. 2) Select program destination. 3) Insert program disk.

SAFE ORIGINAL. UNlock does not alter your original distribution disk. UNlock works by creating a copy of your distribution disk on a hard or floppy disk. It then removes copy protection from the copy!

Choice of the Critics!

"UNlock 4.7 defeats the latest Prolok and SuperLock type of copy protection scheme. It's menu-driven and works fine on the programs it's supposed to work on: Lotus 1-2-3, dBase III, Framework, Symphony, Paradox, and several others."

Jerry Pournelle, BYTE, Feb. '86

PERSONAL "UNlock has two particularly computing endearing characteristics: it works, and works simply. I was able to quickly produce unprotected copies of Lotus 1-2-3 release 2, Symphony 1.1, Microsoft Word 2.0, dBase III 1.1, and Framework II. These copies performed flawlessly, as did copies of these copies." Christopher O'Mailey.

PERSONAL COMPUTING, April '86

NEW! SPECIAL OFFER "Best of **UNLOCK**""

ORDER BY TELEPHONE TODAY!

1-305-474-7548







TranSec Systems, Inc., 1802-200 North University Drive, Plantation, FL 33322 Trademarks are the sole property of their respective owners. • UNlock is For Use Only to Improve the Useability of Legally Acquired and Operated Software.

LETTERS

modore is caught in a sandwich (poker term). A poker sandwich is a situation in which you don't have a good enough hand to win high and you don't have the right cards to win low, but you definitely are contributing money to the pot. Amiga is too expensive for the average home computer, and it's not quite up to the IBM PC AT clones for business or scientific use. The most interesting thing about the Amiga will be the reason for its survival. if it survives.

> RONALD R. MILLER Powav. CA

DVORAK VERSUS OWERTY

Your article about the Dvorak keyboard ("Keyboard Efficiency" by Donald W. Olson and Laurie E. Jasinski, February) failed to mention one major limitation: It is highly language-specific for the English language only. To be used for the German language, for example, it would have to be drastically rearranged. This rearrangement can be applied even to the "standard" OWERTY that became OWERTZ for the German typewriters, because Y is barely needed, but Z is used quite often.

This holds true, to a varying degree, for other languages as well, like Italian or some northern and eastern European languages. In addition, these languages need additional characters that are not considered in the OWERTY or Dvorak kevboards. These characters occur quite frequently in these languages. For example, ä, ö, and ü together make up about 3 to 5 percent of the characters of German or Swiss German writing. (My computer does have these characters, but they are well hidden in the graphic-shifted set.) And once we get into languages other than European, the Dvorak layout might have to be modified into a completely new system. The OWERTY and its modified/expanded variants seem to be much more usable and have found their way to the remote corners of the globe. The more effective something is for a certain task, the more limited its scope, no matter what it is. Even human beings are this way.

A. METTLER Maluku, Indonesia

MACINTOSH WINDOWS

While I'm not certain that the Macintosh windowing environment is the ultimate. I am sure that Alex Funk's proposals ("Copyrighting Icons." March Letters, page (4) are less intuitive and less useful.

His first complaint is about scroll bars. I have no idea what he means about going right to go up, unless he is referring to positioning the mouse over the scroll

(continued)



Western Computer 286 Turbo™


Standard Features

- IBM PC/AT Compatible with 512K RAM
- Up to 2 Megabytes of system memory on the main board
- Switch selectable 6 or 8 MHz operation with one wait state on memory access (80286-8)
- 6 or 8 MHz operation with no wait states on memory access available
- 6 or 10 MHz operation with one wait state (80286-10)
- One parallel port and Clock/Calendar on main board
- Mass storage options from 20 to 140 Megabyte Hard Disk Drives and 20 to 60 Megabyte tape backup systems
- EGA video options available for CAD/CAM, word processing, etc....
- One year factory warranty

Western Computer XT Turbo™

Standard Features

- IBM PC/XT compatible with 256K RAM on main board
- Up to 640K on board
- 4.77 or 8 MHz operation
- Two 360K Floppy Disk Drives
- Hercules compatible monochrome graphics controller (720 x 350) or IBM compatible color graphics adapter (320



- Monochrome monitor (Composite or TTL input)
- IBM PC/AT style keyboard
- Various hard disk drive and tape backup options
 Western Computer has high quality computers at very competitive quantity pricing. available
 - One Year Factory Warranty

IBM*, IBM PC*, IBM AT* are trademarks of International Business Machines Corporation.



"For High Technology and Performance"

TELEX 756731 -ANSWER BACK WESTERN COMP

EUROPEAN HEAD OFFICE

BELECTRONIC SA, RUE CENTRALE 43 CH-1880-BEX, SWITZERLAND

PHONE (025) 631250 TELEX 456 168 ASWERBACK BELE CH

1381 WARNER AVE., WARNER CORPORATE PARK, SUITE B TUSTIN, CALIFORNIA 92680 U.S.A. (714) 259-7755 Inquiry 369 for End-Users. Inquiry 370 for DEALERS ONLY.

bar. Since this is the only way to indicate which window to scroll in multiwindow applications (like QUED), it's hard to see how this can be avoided. Although scroll bars do take up space (16 pixels of width), this is little more than 3 percent of the screen width (and you can often resize a window. so over half of this is off-screen).

I don't consider this a problem on the Macintosh, although it might be with graphics environments like GEM, which run on low-resolution screens. The little box gives an instant visual indication of what part of the document the window portrays. A major deficiency of the alternate to scroll bars in ThinkTank was that there was no way to tell if you were at the end of a document. Funk's proposal gives no feedback to this problem. Neither does it give the ability to go instantly to an end of the document. Finally, I can't see how holding down an arbitrary key while moving the mouse is intuitive. What happens when you run out of room? The scroll bars

allow continuous scrolling.

When I resize a window. I want to be able to resize it precisely. Funk's proposal seems to be a way to get relative sizing (wave the mouse pointer around to make it bigger), rather than being able to position the window next to another. In any case. Apple's method gives visual feedback that a given window can be resized. rather than leaving the user wondering if he held down the wrong modifier key.

Funk's method for closing a window (waving the mouse pointer around with no keys held down) seems reminiscent of what I do when I want to make sure my mouse is clean and functional. Again, the close box for a window gives a visual cue that the window can indeed be closed. while if Funk's method failed, one would be left wondering if he hadn't "erased" the window vigorously enough.

What is a global zoom? That seems to imply zooming every window, which hardly makes sense. The new Macintosh ROMs do allow a window to have a zoom box. if Funk means a standard way of zooming.

I also wonder what a global abort is. Abort what? What kind of state should things be in after an abort? If Funk really wants to abort things, he can install the Programmer's Switch and press Reset.

Since, in the real world, people will be switching between different machines, it makes sense for different windowing environments to work similarly. (Since I learned the Macintosh first, I get very annoyed at the differences in the way GEM and the Amiga handle things.) I still can't figure out why Digital Research caved in to Apple's ludicrous claims to own the look I first saw on a Xerox Star. Perhaps Apple is considering the fact that they spent a lot of time and money developing a good user interface (rather than just coming up with something that seems good, as I believe Funk has), and they don't want someone stealing it. But any new product is going to be copied-just look at VisiCalc. What Apple needs to do is make sure their implementation is the best, rather than trying to cripple all others by making sure they're nonstandard.

DAVID DUNHAM Goleta, CA

LENGTHENING SHORT DELAYS

The notes in the February "Best of BIX" indicate that some users were having problems involving shortened delays of one type or another when the NEC V20 chip was installed in place of an 8088. Perhaps they can benefit from my experiences in solving a similar problem operating under MS-DOS 2.00 and 2.11.

(continued)

Why buy <u>3</u> packages to get a complete multi-user dBASE* System?



\$2385

After all, FoxBASE is a compiler, an interpreter and a multi-user dBASE system all in one. That means single vendor support and no problems with product incompatibility.

Not only that, FoxBASE actually outperforms dBASE and other dBASE compiler products: its program execution speed is far superior to the competition and its compiler runs up to 60 times faster than other compilers. And FoxBASE is available

FoxBASE does it better. For less.



for the widest variety of machines and operating systems.

In addition, FoxBASE Is interactive and 100% dBASE compatible (including full macro usage). The only thing you won't get is all those annoying dBASE bugs!

Best of all, FoxBASE costs less than half the other packages.

So call (419) 874-0162 now, and ask for a copy of our comparative analysis (including benchmarks). After all . . .

Nothing Runs Like a Fox.



Fox Software, Inc. 27475 Holiday Lane, Pertysburg, OH 43551 (419) 874-0162

"dBase is a registered trademark of Ashtoe-Tale FoxBASE is a trademark of Fox Software, Inc. Clipper " is a trademark of Nantucket



nter the world of professional CAD applications with Houston Instrument's low cost DMP-41/42 series plotters. These single-pen plotters give you the features you need-C and D size plots, extensive software compatibility, and proven reliability-for a very affordable no frills price of \$3295.*

The DMP-41/42 series' large C and D size formats are ideal for a wide range of CAD applications, from architectural elevations to assembly drawings. And a .005 inch resolution ensures crisp drawings on a variety of media—paper, matte film, or vellum.

With the DMP-41/42 series, you can choose from an impressive selection of off-the-shelf graphics software packages such as VersaCAD, AutoCAD, and CADKEY. Or, by using Houston Instrument's popular DM/PL™ language, you can create your own custom software and be assured of upward compatibility with Houston Instrument's entire line of plotters.

The DMP-41/42 series. The plotters that offer superb reliability, comprehensive graphics capabilities, and a no frills price. The proven performers for low-cost CAD.

For more information, call

1-800-531-5205 (512-835-0900 if in Texas), or write Houston Instrument, 8500 Cameron Road, Austin, Texas 78753. In Europe, contact Houston Instrument, Belgium NV., Rochesterlaan 6, 8240 Gistel, Belgium. Tel.: 32-(0)59-277445. Tlx.: 846-81399.

*U.S. suggested retail price. Pricing subject to change. DM/PL is a trademark of Houston Instrument.



A Division of AMETEK

For several months. I have used an NEC V20 in an NCR Decision Mate V, and recently the hardware clock rate was increased from the stock 5 MHz to 7.3728 MHz. The DMV uses a delay routine to allow time for the flex drive to get the motor started and to bring READY active.

After installing the V20, this delay was too brief and caused a "Drive not ready" error when the drive was accessed with the motor off. If (R)etry was pressed immediately, the drive was accessed normally (as the motor was already on) and READY was active by that time. An increase in the

hardware clock rate compounded the problem: however, a patch to the delay routine in IO.SYS increased the delay, after which it worked properly. This will not be a total solution for many users, because the DMV start-up routines are called from ROM using a Z80A, and the V20 has no control until after the operating system is loading. In most computers, the V20 always has control, so delay routines in ROM would be affected also.

MOTORCK is the routine in IO.SYS that starts the drive motor, along with similar routines in FORMAT.COM and a special DMV utility called RDCPM.COM (for reading CP/M disks). Unassembling MOTORCK using Debug yields the results shown in


listing 1.


Method #1—Use if the hardware clock rate is unchanged. Replace the AAM command with IMUL AL. IMUL AL executes in 80 or more cycles on an 8088, and only 38 on the V20, but provided enough delay for my system even though the delay was much shorter. The advantage of this method over #2 is that 8088 compatibility is retained; so if it works on your system. use it.

Inquiry 403 for End-Users.

Inquiry 404 for DEALERS ONLY.

(continued)





T.S. MICROTECH INC. (213) 644-0859 12565 Crenshaw Blvd. Hawthorne, CA 90250

Easy installation

Full 90-day warrenty

* Suggested retail price \$259

Ven-Tel's Half Card™ modem is in all the best computers. Here's why.

COMPAG

Ven-Tel gives you lots of reasons to buy our Half Card™ modem for your IBM PC or compatible. The Half Card™ is a complete system that lets you communicate with other PCs, mainframes, and databases effortlessly. It includes Crosstalk-XVI® software. It's reliable. It's got all of the features you want. And it's a good value.

Do You Own One of These Computers?

Chances are you do. And if you're thinking of buying a modern, consider the Half Card™. Because of its small size, the Half Card™ fits in more computers, including all of the models we've listed here. The Half Card™ is small, so it fits in short slots or long. That means you can save your long slots for other expansion uses.

Effortless Communication

Each Half Card ™comes with Crosstalk-XVI® communications software, by Microstuf. It's the easiest to use, whether you're a beginner or an old hand, and the most powerful. A full on-line help menu makes using Crosstalk® for the first time a snap. It can turn your PC into a terminal on a mainframe computer with its powerful terminal emulation feature. It will even operate your PC when you're not there. You can call

into an information service such as The Source or Dow Jones News Retrieval, or transfer files and electronic mail, all at the touch of a button. The Half Card™ connects your computer to the world. Effortlessly.

More Modem for Your Money

When you buy the Half Card, you don't need anything else. The Half Card is a complete communications package that includes a full-featured modern and the best known software on the market. Complete easy-to-understand instructions with full technical support on installation and use. And a very competitive price. The Half Card™ with Crosstalk-XVI® software, retails for only \$549.

Reliability

Ven-Tel has been making modems for 10 years. Our experience shows. Ven-Tel's

Half Card™ only has about 70 parts, compared to almost 300 on other modems. We reduced the parts by building the first LSI modern chip using advanced switched capacitor technology. What that means to you is greater reliability and lower power consumption, so you can load up your PC with expansion boards and not worry about heat or power problems. And we back the Half Card with a full two-year warranty on parts and labor.

Features

- . 1200/300 baud auto-dial, auto-answer.
- Uses the industry standard "AT" command set.
- Runs with virtually all communications software, including Smartcom II and PC Talk III and integrated packages such as Symphony and Framework.
- Includes Crosstalk-XVI® software.
- On-board speaker and extra phone jack for easy switching from voice to data mode.
- Selective tone or pulse dialing; full or half duplex.
- Automatic answer on any ring.
- True ring or busy signal detection.



You Can Buy the Half Card" Anywhere

You can get the Half Card™ at Computer-Land, Businessland, the Genra Group, Entré Computer Centers, Macy's Computer Stores and other fine dealers nationwide. Also from Ven-Tel: the 1200 Plus," an external modern and the PC Modern 1200™ an IBM internal with V.22 international capability.

Effortless Communication

2342 Walsh Avenue Santa Clara, CA 95051 (408) 727-5721

Crosstalkis a registered trademark of Microstuf, inc. Smartcom II is a trademark of Hayes Microcomputer Products. Symphony is a trademark of Lotus Development. Framework is a trademark of Ashton-Tate

Method #2-Use if the hardware clock rate is increased. Replace the AAM command with DB 60 61. The V20 recognizes 60 and 61 as PUSH R and POP R, respectively. While those commands are incompatible with 8088 use, the V20 takes 67 and 75 cycles to execute them, causing the duration of the delay to substantially increase. If the delay is too long, change the number of passes through the loop from FFFF to some smaller number (5FFF worked reliably at 7.3728 MHz, while

3FFF was marginal).

Incidentally, the 8087-3 is compatible with the V20 but couldn't keep up at 7.3728 MHz. Probably an 8087-2 would have worked at the higher clock rate, but the upcoming NEC 8087 replacement chip may be faster yet. Also, the DMV slowed down markedly when the hardware clock rate was increased to 8 MHz, which is why I settled on an odd rate. The crystals were purchased locally in 22,1184- and 24-MHz frequencies. The divide-by-three logic in the clock circuitry yields clock rates of 7.3728 and 8 MHz, respectively.

> CHUCK STERLING Las Cruces, NM

MISLEADING STATEMENTS

I'm writing this in protest of the IS&A ad that appeared in the March issue on page 403. The ad speaks of "the memory requirements of the monitor which in the Amiga can eat up [as] much as 70% of the unit's cycle time or speed." This just isn't true! The Amiga's memory runs at 14.2 MHz, and the 68000 and custom chips take turns accessing memory, as your past articles have explained. I think that you should read your ad copy a little more carefully.

Also, in the Atari 1040ST preview (March), you state that the Sieve of Eratosthenes runs in 85 seconds using Atari ST BASIC. My Amiga does the Sieve in 69 seconds with ABasiC and 57 seconds with AmigaBASIC. (I used your Atari version.) I'm not knocking the Atari. I wish that I could afford one, but when it is stated in the industry that the Atari is "faster" than the Amiga, I want to see proof. Actually, I expected much better results from the Atari on the Sieve.

I appreciate your coverage of the Atari and Amiga, and perhaps now the stagnation that has plagued the micro industry from the premature fixation on a standard will be overcome and we really will someday own "mainframes on a desk." (This stagnation happened in the TV industry, with the unfortunate result that we are stuck with 50-year-old technology.)


RICHARD L. SMITH Tampa, FL

PROBLEMS WITH SMALLTALK

Is Smalltalk a "dead" system? As a Smalltalk fan. I would like to think not. Unfortunately, my recent experience with Smalltalk-80 on a Xerox 1108 convinced me that it has some serious failings. More important, the lack of progressive improvements gave me the strong impression that active development ceased some time ago; I was working with a "dead" system.

It was the strong visual aspects of a product that I was designing that led to my selection of Smalltalk for prototyping. While the prototype was completed in the expected three months, the number of concessions I had to make to the system along the way left me unhappy. At first 1 put these down to my lack of familiarity with Smalltalk, but as my knowledge increased and the problems continued, it became clear that the system was the main source of the problems.

(continued on page 357)



I-MEGA **BERNOULLI BOX**

 10 meg ½ height Drive for IBM-PC/XT/AT & compatibles . . . 20 meg ½ height Drive for IBM-PC/XT/AT & compatibles289
5. 10 meg cartridges for above (3 pak special) 125

interfaces priced separately

Save 30% to 43% off Manufacturer Suggested Ret. prices on **America's most wanted Printers**



FX 85 EPSON ® LX 80..... \$ CALL FX 286. LO 800/1000CALL
DX10 Dasy Wheel 10CPS ...230
DX20 Dasy Wheel 20CPS ...320 Comrex CR420 400CPS . . . 900 **Huge Discount on** TOSHIBA OKIDATA STONE

UNBELIEVABLEM XEROX/DIABLO D-36 DalsyWheel 35CPS Mfr. Sugg. Ret. \$1495 Elek-Tek Price \$450

Diablo P-38 Dot Matrix 400CPS Mfr. Sugg. Ret. \$1995 Elek-Tek Price \$600

As above inc. MS-DOS Soliware ... 490

PRODUCTS FOR IBM-PC and COMPATIBLES

8 150
DK99
384K 169
54K 225
ded)
384K 290
d
DK 195
215/260
350
399

23. ECCELL Daughterboard . . . 135 24. ECCELL VO Board 99 Monochrome Card299 Generic version of above ...90 Hercules Color Color Graphic Card155 27. Generic version of above . 100 Novation 4905921 1200B Int. No Software 150 with MITE Software 165 Novation 490605-1

1/2 Card Modern 2400 BPS

Hayes 1200 External modern 380 32. Haves 1200B Internal modern w/software .359 33. Hayes 2400 External modern 599 Hayes 2400B rnal modern wisoltware . 525 36. US Robotics Courier 2400 Ext 2400B Smart Modem , . 460 2400BPS inc. Mile Software . 540 37. Toshiba ND 04D 1/2 ht OSDD Disk Drive 105

30. Novation 490603-1

39. Intel Above Board All Products CALL

Novetion 490503

40. XIDEX Precision DS/DD Diskette 10pk/\$7.00 5 boxes minimum

38. SEAGATE
Internal H.D. Subsystem
20 Megabyte

	Dysan	mencell	3M	MEMOREX	в.ектек
3%" SSDO	20.00	19.00	21.00	_	_
DSDD	27.00	28.00	25.00	_	_
514" SSDD	15.00	12.00	11.00		_
DSDD	19.00	15.00	14.00	14.00	12.50
SSDD96TPI	24.00	22.00	23.00	-	-
DSDD96TP1	33.00	29.00	25.00	_	_
5%" DSDOHD	33.00	28.00	26.00	_	_
8" SSDD"	22.00	32.00	22.00	_	_
8" DSDD" "Unformatted	26.00	27.00	24.50	_	***

Call for Quantity pricing for 10 boxes or more.

DISKETTES

CARTRIDGES 73. DC100A \$ 13.50 74. DC300A 17.50 75. DC300XL 20.50 76. DC300XL/P 21.50 77. DC600A 23.00 76. DC1000 14.50 79. DC2000 19.50 Call for quantity pricing for 10

cartridges or more.

3M DATA

CALL TOLL FREE 800-821-1269 EXCEPT Illinois, Alaska

CANADIAN TOLL FREE 800-458-9133

ok (2 wks. to clear) Add BADO 1st lines. (AK, gs. WRITE for free catalog. RETURN POLICY enighteria replaced only when detective on RIRBT OUALITY AND COMPLETE. Delivery :

ELEK-TEK, inc. 6557 N Lincoln Ave., Chicago, IL 60645

High-Speed Animation on Your IBM PC!


















X-1 Graphics Board

in our controligant to soffice; an imation, we've disvoloped an ulman, inscription of appears how bound to provide the performance of my multiplication graphics by the performance of my multiplication graphics by the performance of my multiplication are performed by IEM PEC The bound's 400 million are performed by IEM PEC The bound's 400 million are performed by IEM PEC The bound's 400 million are performed by IEM PEC The bound's 400 million are performed by IEM PEC The bound's 400 million are performed by IEM PEC The IEM PEC The performance of the performan

3D Graphics Software for use with the Standard IBM Color/ Graphics Adapter or X-1 Graphics Board

Cast No Granden Adhering the property

Conuter occurs up now worlds of 30 and 20 annuallors. The grogram works with both the IRM Doctor Prophible Adapter and the X-1 Graphics Board, so you can update your tanowers of stey time and maintain software competibility.

The X is Compared to the Law of the Tolerand of the Compared to the Compared t

The College College of the College o

Copyrate relation for delayers and a special heinfarms command demonstration, or can folia Colif coloring for more arterias can

House a regarded trademark of international Televisia.

Machine Con.

Sub LOGIC

PLAN SUPPLY OF THE STREET STREET STREET

Complete Rollson

March 151

YOUR
COMPUTER LANGUAGE
IS QUIETLY
BREEDING REAL BATS
IN YOUR
BELFRY.

WE'RE OUT TO SAVE ONE MILLION FRUSTRATED PROGRAMMERS

You're on a roll, really pumped, writing the best code you have ever written and then—AAARGHHH!

Freeze dried in your tracks because the language you're using just won't let you achieve what you can conceive.

And you wanted to be a programmer.

So your choices are:

1) write around the problem by creating six pages of emetic code...

leave out that incredible idea that really puts your stamp of excellence on this program or...

 get yourself a world class headache (or a stroke) by dropping into assembler.

Whatever you choose, by now you feel the language is out to get you—because it is.

Sure, no language is perfect, but you have to wonder, "Am I getting all I deserve?"

And, like money, you'll never have enough.

Pretty dismal, huh? We thought so, too. So we did something about it.

We call it CLARION.
You'll call it incredible.

With CLARION you can write, compile, run and debug complex applications in a New York afternoon.

Even if you're in Savannah.

It gives you the power and speed to create screens, windows and reports of such richness and clarity you would never attempt them with any other language.

Because YOU would have to write the code.

With CLARION you simply design the screens using our SCREENER utility and then CLARION writes the source code AND compiles it for you.

In seconds.

Likewise, you can use REPORTER to create reports. Remember, only CLARION can recompile and display a screen or report layout for modification.

And with no time wasted.

All the power and facilities you need to write great programs, faster

than you ever dreamed of.

Programs that are easy to use. Programs that are a pleasure to write.

And to you that means true satisfaction.

You've coveted those nifty pop-up help windows some major applications feature. But you can't afford the time and energy it takes to write them into your programs.

That's the way it used to be. So we fixed that, too.

CLARION HELPER is an interactive utility that let's you design the most effective pop-up help screens that you can imagine. And they're "context sensitive," meaning you can have help for every field in your application.

Unlike the other micro languages, CLARION provides declarations, procedures and functions to process

dates, strings, screens, reports, indexed files, DOS files and memory tables.

Imagine making source program changes with the CLARION EDITOR. A single keystroke terminates the EDITOR, loads the COMPILER, compiles the program, loads the PROCESSOR and executes the program. It's that easy!

Our data management capabilities are phenomenal. CLARION files permit any number of composite keys which are updated dynamically.

A file may have as many keys as it needs. Each key may be composed of any fields in any order. And key files are updated whenever the value of the key changes.

Like SCREENER and REPORTER, CLARION'S FILER utility also has a piece of the CLARION COMPILER. To create a new file, you name the Source Module. Then you name the Statement Label of a file structure within it.

FILER will also automatically rebuild existing files to match a changed file structure. It creates a new record for every existing record, copying the existing fields and initializing new ones.

Sounds pretty complicated,

huh?

Not with CLARION's documentation and on-line help screens. If you are currently competent in Basic, Pascal or "C" you can be writing CLARION applications

in a day. In two days you won't believe the eloquence of your CLARION programs.

Okay, now for the best part of all. You can say it in CLARION for \$295.00— complete. All you need is an IBM® PC, XT, AT or true compatible, with 320 KB of memory and a hard disk drive.

And we'll allow a full 30 day evaluation period. If you're not satisfied with CLARION, simply return it in its original condition for a full refund.

If you're not ready to take advantage of this no-risk opportunity, ask for our detailed 16 page color brochure. It vividly illustrates the elegance of CLARION. Consider it a preview of programming in the fast lane.

Either way, the call's a freebie.



1-800-354-5444







BARRINGTON SYSTEMS, INC. • P.O. BOX 5580 • POMPANO BEACH, FL 33074 • 305/785-4555



One IBM PC, XT/AT or compatible, plus one Advanced Digital PC-Slave II, now equals a complete 3-user (or more) system.

Do you need a true multiuser PC system?

If so, read on. The Advanced Digital solution will simply add up in your favor.

To add two or more users to your IBM PC, XT/AT or compatible, just plug in our PC-SLAVE II and two low-cost monochrome monitors and keyboards. You can now run PC-DOS" or MS-DOS" on each user with PC-NET" software to support your network. The end result is a true multiprocessor system that allows each user to run independently on their own CPU and memory, yet sharing a common data base.

Do you need networking capabilities?

The realm of IBM networks is only a step away with the

PC-Slave II and PC-NET software. An expanding network of multiuser PC's is truly cost-effective since you will be sharing data and communication between users and PCs. File and record locking are also provided so each user can run independently of others while still tied through the network.


The Ultimate Two-User
IBM PC Card

Do you need additional users?

Expand your existing supply of PC standalones into multi-user systems by simply adding more PC-Slave II's.

The PC-Slave II features two Intel 80188 CPU's @8Mhz, two 512Kb RAM per CPU and two monochrome/keyboard controllers all on a single board.

MS-DOS is a registered trademark of Microsoft PC-DOS, PC-NET are registered trademarks of IBM Corporation PC-Slave II is a registered trademark of Advanced Digital Corporation





To learn more about the multi-user solution contact:

ADVANCED DIGITAL CORPORATION 5432 Production Drive Huntington Beach, CA 92649 (714) 891-4004 (800) 251-1801 Telex 183210 ADVANCED HTBH

ADVANCED DIGITAL U.K. LTD. 27 Princes Street, Hanover Square London WIR8NQ-United Kingdom (01) 409-0777 (01) 409-3351 TLX 265840 FINEST



W·H·A·T'S N·E·W

IBM Introduces Laptop Computer

BM's laptop computer. the PC Convertible, features a fold-up, removable, 80-column by 25-line liquid crystal display: two 31/2-inch. 720K-byte floppy disk drives: and a rechargeable battery that can power the unit for 6 to 10 hours. Internally, the computer has a CMOS 8088 processor and 256K bytes of static CMOS RAM that can be expanded to 512K bytes. Other standard features are a 78-key keyboard, an AC power adapter, and software that includes SystemApps, a package with a scheduler, notepad, phone list, and calculator. The computer requires the recently announced DOS version 3.2.

According to IBM, the Convertible's performance is similar to that of the IBM PC, and in some tasks the laptop may be faster because of its static RAM. Reportedly, the static RAM also allows you to turn on the system and return to the same point in a program at which you turned the computer off.

Without the AC adapter the Convertible weighs 12.2 pounds and measures 15 by 12 by 2.6 inches. You can remove the LCD screen and attach a video display adapter (\$350) and either a 9-inch monochrome monitor (\$180) with a resolution of up to 640 by 200 pixels or a 13-inch RGB monitor (\$400) with 320 by 200 resolution. IBM says the computer's keyboard is compatible with other IBM PC keyboards. The laptop's keyboard includes an



The PC Convertible, IBM's laptop computer.



The Bondwell 8, an IBM PC-compatible laptop.

invertedT cursor keypad and a function shift key that changes the cursor keys to Home, End, PgUp, and PgDn keys and sets up a slanted numeric keypad in the typewriter keys.

The back of the system contains a system bus connector to which you can daisy-chain a number of adapters. These include a parallel/serial adapter (\$195). the video display adapter, and a thermal-transfer dotmatrix printer (\$295) that

can run off the computer's battery or with the AC adapter. The printer operates at the rate of 40 cps and can print on copier, thermal, or thermal-transfer paper.

Other options include an internal 1200-bps modern (\$450) and battery charger (\$25). To allow easy transfer of data between existing desktop computers and the new machine, IBM is offering external 31/2-inch floppy drives (\$395) for the IBM PC, XT, and AT and an internal 31/2-inch floppy drive (\$190) that can be connected to IBM's new version of the PC XT with a 20-megabyte hard drive.

Shortly after IBM unveiled the new computer, most maior software firms announced the availability of their products in the same 31/2-inch disk format that is used by the Convertible. Ashton-Tate, for example, announced 31/2-inch versions of Framework II. dBASE III Plus, and MultiMate Professional Word Processor Series 3.3. Lotus Development Corp. announced 314-inch versions of 1-2-3 and Symphony, scheduled to ship this summer and fall, respectively. Similarly. Microsoft Corp., which developed the MS-DOS 3.2 operating system for the Convertible, announced 31/2-inch versions of Microsoft Word, Project, Chart, Access, and Multiplan as well as Windows and Microsoft programming languages.

A PC Convertible with 256K bytes of RAM is priced at \$1995; each additional 128K bytes of RAM costs \$195. A Technical Reference Manual sells for \$75. and a Hardware Maintenance and Service Manual costs \$150. Contact IBM Corp., Entry Systems Div., POB 1328, 5201 South Congress Ave., Boca Raton, FL 33432, (305) 982-3474.

inquiry 550.

Bondwell's Laptop

he Bondwell 8, an 11-pound portable computer that's compatible with the IBM PC, runs on a 4.77-MHz 80C88 micropro-

(continued)

cessor. The computer comes with 512K bytes of RAM, a built-in 720K-byte 31/2-inch floppy disk drive, and a 300-bps modem. The portable's 80-character by 25-line backlit LCD displays graphics with a 640- by 200-pixel resolution and can be switched on and off to conserve power.


Other features include a built-in rechargeable battery pack that provides up to 8 hours of power, a real-time clock, RGB and composite color video outputs that are compatible with the IBM Color Graphics Adapter, an RS-232C serial port and Centronics parallel port, and a second disk drive port. A battery charger is included. The computer also comes with MS-DOS 2.11 and GW-BASIC 2.0 and runs all IBM PC-compatible software.

A second 3½-inch floppy disk drive and a 514-inch floppy disk drive are available as options.

The laptop is priced at \$1595. A second 31/2-inch floppy drive sells for \$399.95, and a 514-inch floppy drive costs \$379.95. For more information, contact Bondwell, 3300 Seldon Court #10, Fremont, CA 94539. (415) 490-4300. Inquiry 551.

Program for Computer-aided **Mathematics**

athCAD, a software package for computeraided mathematics, is designed for engineers and other technical users who need to perform numerical analysis and document the results. MathSoft says its program works like a text editor and lets you use a microcomputer as a scratch pad. You can enter and edit equations that appear on screen just as they would on paper; the software sizes brackets and fraction bars interactively as you enter an equation. MathCAD also



Screen shot of MathSoft's MathCAD.

automatically places exponents, subscripts, square roots, and summation signs in arbitrarily complex combinations.

After you've entered equations, you press the equalsign key and the software computes the results, which are displayed as a number or a plot.

Math capabilities include real and complex numbers in all expressions, iterative calculations, full dimensional analysis and error checking for undefined variables and constants and radices that are improperly formed. hexadecimal and octal conversion, and variable names of any length. Plots correspond to mathematics and change as you modify equations. You can plot data as lines, dots, steps, crosses, or error bars.

MathCAD runs on the IBM PC line under MS- or PC-DOS 2.0 or later. It requires 384K bytes of RAM and a Hercules monochrome, IBM color, or IBM Enhanced Graphics Adapter card. The software works with Intel's 8087 and 80287 coprocessors. MathCAD sells for \$189. Contact MathSoft Inc., One Kendall Square, Cambridge, MA 02139, (617) 577-1017. Inquiry 552.

Object-oriented LISP Runs on IBM PC AT

ISP Machine Inc.s ObjectLISP is an objectoriented LISP that runs under Golden Common LISP (from Gold Hill Computers) on the IBM PC AT. LMI says that unlike other objectoriented dialects, which are based on sending messages between objects, its version uses function calls. Because this "programming paradigm" uses the same syntax as normal LISP, you don't need to learn a separate syntax.

ObjectLISP's semantics don't distinguish between object classes and instances. The regular LISP environment is regarded as ObjectLISP's global object, and symbols are bound there to their ordinary global values. LMI says this function binding is similar to variable binding but associates a symbol with a definition instead of with a value.

ObjectLISP is written in. and is portable to any system that supports, Common-LISP. The software comes on a 1/2-inch magnetic tape with a user's guide and source code. A shipping and media charge of \$195 applies to the first copy, and you may make subsequent copies without obligation to LMI. Contact LISP Machine Inc.,

Marketing Dept., 6 Technology Dr., Bldg. #4, Andover, MA 01810, (617) 682-0500. Inquiry 553.

Programmable Calculators Reside in PC Memory

S ymsoft has developed a pair of pop-up calculators that reside in 95K bytes of RAM and give your machine the capability to solve simple and complex mathematical problems. Pro/Sci. for engineering and scientific applications, and Pro/Biz. for business computations, let you exit the program you're working in. solve a formula, and then return to your program and bring the answer with you. And you can take a column of figures you've typed in one program and use them as part of a calculation without retyping them.

The primary differences between the two calculators are that Pro/Sci has options for displaying results in binary, octal, and hexadecimal and has trig and integration functions; Pro/Biz has predefined financial and date functions.


The calculators have two screens for computation: The main screen provides space for entering numbers. formulas, and values: the second screen replicates a calculator with an accounting-style tape output. Both programs have standard math functions, logic operators, constants, and conditional statements built in. They also offer functions for such calculations as standard deviation, variance. min/max, and averages. You can use as many as 10 variables and 100 characters (columns) per formula and loop groups of formulas in

(continued)

SuperKey, PC Magazine's "Product of the Year"

Without SideKick, SuperKey, and Traveling SideKick, your IBM PC is only half-awake

Lt's sleepwalking instead of sprinting. Dawdling instead of dashing, because it's not getting the supercharge of a high-speed productivity booster like SuperKey,* PC Magazine's "Product of the Year." Or the real-time desktop management of SideKick, the #1 best seller for the IBM° PC. Or the electronic clout and Computer Age organizational skills of Traveling SideKick."



times every night-

You avoid repetition like getting out of bed 47 times every morning, or cooking dinner 93

> when once is obviously enough. But if you haven't vet discovered the timesaving power

of SuperKey, you'll find yourself typing the same set of keystrokes over and over again. Which makes no sense when a SuperKey macro cuts all that out. Macros are electronic shortcuts that can turn 1000 keystrokes

Aside from macros, SuperKey also gives you powerful encryption technology that scrambles your files and keeps confidential files confidential. It also lets you lock your keyboard, and foils would-be intruders with secret password protection.



Combine the electronic wizardry of SuperKey with the practical efficiency of SideKick

The best way to get the most done in the shortest time is to put both SuperKey and SideKick to work. They're designed to work hand-in-hand, and their complementary talents are astounding.

Traveling SideKick geta personal organizers out of the Stone Age into the Computer Age

If you have SideKick, you need Traveling SideKick-and il you don't have SideKick, you need them both! Traveling SideKick is a revolutionary new combination of binder and software, making a completely new category in personal organizers: BinderWare." It prints out information that's already in your SideKick files, produces it in convenient familiar forms, then lets you

What SuperKey brings to the party includes time-saving macros, encryption, secret passwords, and programmable and re-programmable keys.

What SideKick brings includes a notepad with full-screen editing and wordwrap, a phone directory, autodialer, calculator, appointment scheduler, and ASCII table. (If you don't own a wordprocessing program, don't buy one, because with SuperKey and SideKick, you probably don't need one.)

Both SuperKey and SideKick work with your existing software, like Reflex,™ 1-2-3,® MultiMate,™ Wordstar," Turbo Pascal," and dBase.

gather it all together into your Traveling SideKick binder and hit the road.

Traveling Sidelück includes reportgenerating software which produces upto-the-minute telephone lists, address lists, meeting schedules, travel itineraries, calendars, and much much more, It also includes instant reference maps, airline and hotel reservation numbers, international telephone codes, and currency units. You get preprinted daily/weekly/ monthly/yearly calendar forms, alphabetized address book forms, and even a receipt envelope that clips inside your binder. You can order relills at any time.

What's inside your Traveling Sidekick



TABLET OF EXTRA POWER
OFFOCET ON BICA FLAF FOR USE IN ANY OF THE
OFFORMATER SECTIONS
ADDRESS BOOK SECTION LAMEDUS BECTION

Of, ALL EXTRA MEMPHOTED FORMS AND

DIAL FASED RECORDS

A BALLPOINT PEN

PEN THAT FRESH PLAP FOR EASY ACCESS

4585 SCOTTS WALLEY DRIVE SCOTTS WILLEY, CA 95066 (408) 438-8400 TELEX: 172373 Vive la différence

Inquiry 48 for End-Users, Inquiry 49 for DEALERS ONLY.

Buy one, buy two, or all three at spectacular savings

Sold separately-SuperKey is \$69.95, SideKick is \$84.95, and Traveling SideKick is \$69.95 (until September 1, 1986). Incredible values, but you can save even more Here's how: SideKick and Traveling SideKick for only \$125.00; you save \$29.90! SideKick and Traveling SideKick and SuperKey, all three for only \$175.00; you save \$49.85

Whichever combination you buy, your're boosting your productivity, joining the Computer Age, prodding your IBM PC awake, and getting it to do what it can do with the right kind of help-SuperKey, SideKick and Traveling SideKicks

want the best

To order by phone, or for a dealer near y call (800) 255-8008 in CA call (800) 742-1133

Rush ma:

Copies	Product	Price	Thinks
Ino		\$175.00 \$	
	lick and ling Sidellick	*125.00 8	
Sidel	Geir -	84 95 \$	
Trave	ling Side/Gelt	*69.95	
5ира	nKey	69.95	
Outside U	SA add \$10 p	er copy des lax \$	
Amount a	nclased	S	
Prices inc	Aute shoping to	all US cities	1.
Payment	VISA MC	Bank Draft (Thecir
Credit card	expiration date _		
Card #			
		1111	11
DOS 2.0 or 1			
way confirms	's rame and model is		
The disk size	1000 to 10 319" []	514"	TR15

NOT COPY PROTECTED

	*60-DAY MONEY-BACK GUARANTEE	
Name .		_
Shipping	Aldreis	_
Otr		
Sam _		
Felipho	*	
CODS at	of purchase orders WILL HOT be accupied by Box	land.

*Limited Time Offer until September 1, 1986

*TES: if within 60 days of purchase this product does not adorn in accordance with our claims, call our customer so operiment and we will gladly amange a refund

BM PC, PCk, XT, AT, or true companie. Dis-384K Saletice-128K Touris



order to run iterative calculations.

Pro/Sci and Pro/Biz run on IBM PCs or compatibles with 128K bytes of RAM and MS-DOS 2.1 or later. Each calculator costs \$99 (plus \$5 shipping). For more information, contact Symsoft, POB 4477, Mountain View, CA 94043, (415) 962-9500. To order, phone (800) 227-6703; in California, (800) 632-7979. Inquiry 554.

UNIX for \$99

W endin's multitasking, multiuser operating system for MS-DOS computers, PCUNIX, is packaged with a version of the Bourne shell, more than 70 commands, and complete source code for \$99. It can support two additional users on remote terminals connected to your machine's asynchronous communications adapters; as a multitasking system, it supports a mix of timeshared and real-time processes with an eventdriven scheduler similar to that of a mainframe.

Wendin's microcomputer UNIX can run MS-DOS program images in both .COM and .EXE formats, and most MS-DOS system calls are translated to PCUNIX system services automatically and in real time. Extra system services for programming can be called from BASIC, FORTRAN. Pascal. C, and assembly.

The operating system, packaged on four disks, runs on the IBM PC family and compatibles with at least 384K bytes; it can be installed and run on a 5-megabyte hard disk. Contact Wendin Inc., Box 266, Cheney, WA 99004, (509) 235-8088, Inquiry 555.



The APC IV. NEC's 80286-based computer.

Relational Database Language for Atari 520ST

irage Concepts describes its H & D Base, a relational database management language for Atari's 520ST, as a dBASE II workalike that's more than a storage and retrieval package. Providing almost 300 commands for manipulating data, the program can be used for building systems that handle inventories, accounts, and lists.

H & D Base works with most dBASE II command files and with all SDF and "delimited" data files. It lets you sort on any field to any level and provides full math capability on any field or variable. The number of records per file is limited only by disk capacity. You're allowed 97 fields per record. 250 characters per field. and 2000 characters per field. Numeric accuracy is eight digits.

The software incorporates a basic text editor, a help facility, a report generator, and a sample mailing-list program. H & D Base is not

copy-protected and sells for \$99.95. Contact Mirage Concepts Inc., 4055 West Shaw #108. Fresno, CA 93711, (800) 641-1441; in California, (800) 641-1442; in a foreign country, (209) 227-8369. Inquiry 556.

NEC Announces AT Compatible

N EC Information Systems' Advanced Personal Computer (APC) IV is the firm's first computer specifically designed for the U.S. market and its first computer inherently compatible with the IBM PC family.

The APC IV uses a NEC equivalent of the Intel 80286 microprocessor with a switchable clock speed of 6 MHz or 8 MHz; an 80287 math coprocessor is optional. The computer can accommodate 10.5 megabytes of RAM, with up to 1 megabyte on the motherboard itself (640K bytes is standard). Other standard features include two serial ports, a parallel port, and eight expansion slots, of

which two are 8-bit full-size slots and six are 8/16-bit full-size slots. The APC's detachable keyboard has 84 keys and a numeric keypad. Display options include the Advanced Color Display monitor (\$800), which has a resolution of 800 by 560 pixels. The Power Graphics Display Monitor (\$1495). scheduled to be available next month, has 1120- by 750-pixel resolution. Both monitors have multiscan capability with a scan rate of 15.75 to 32 kHz.

The computer comes with a 1.2-megabyte floppy disk drive and can accommodate a total of five internal storage devices. Options include a second 1.2-megabyte floppy disk drive (\$350), a 360K-byte floppy drive (\$300), and 20- and 40-megabyte half-height hard disk drives, which cost \$1400 and \$1800, respectively.

NEC offers three optional

graphics boards with the APC IV. The Color Graphics Board (\$225) supports 640by 200-pixel resolution and is compatible with IBM's Color Graphics Adapter. The Advanced Graphics Board (\$525) is compatible with both the CGA and IBM's Enhanced Graphics Adapter. supports all of the EGA's modes as well as software written for the Hercules graphics board, and comes with 256K bytes of memory. NEC also offers the Power Graphics Board (\$995). which is compatible with IBM's Professional Graphics Adapter. Available next month, the Power Graphics Board provides a resolution

choice of 4096 colors.
The APC IV sells for \$3795 with a single 1.2-megabyte floppy drive; \$4645 with a 1.2-megabyte floppy and 20-megabyte hard disk drive; and \$5045 with a 1.2-megabyte floppy and 40-megabyte hard disk

of 1120 by 750 pixels and

can display 16 colors from a

(continued)

Why running your business without Borland's Reflex and the new Reflex Workshop is an act of blind faith

Running a successful business isn't something you can do with your eyes shut, but no matter what business you're in, Reflex" and the new Reflex Workshop™ give you all the tools and views to see what all the numbers look like.

Using Lotus 1-2-3° or dBASE° without Reflex is like driving at night without lights

Products such as 1-2-3 or dBASE can do the numbers for you, but you may still not get the picture-simply because they can't show you analytical graphs and pictures of your data, nor can they analyze and summarize all the information you manipulate like Reflex can.



The best just got better. Introducing Reflex 1.1 NEW!

The new Reflex 1.1 with extended memory support allows you to manage huge databases of up to 8 magabytes of RAM, 32,000 records, and 250 fields per record with the nowlegendary "Reflex Lightning Speed."

Furthermore, Reflex 1.1 with its BGA support displays 40 lines of information in its spreadsheetstyle List View, compared to less than 25 lines displayed by traditional apreadsheets.



SPECIAL OFFER!

If you already bought Reflex 1.0, get Reflex 1.1 and the Reflex Workshop for only

Because you bought Reflex from us, you're "our kind of people." And since we're not the "take-the-moneyand-run" kind of company, you can upgrade to Reflex 1.1 and the Reflex Workshop for only \$59.96. If you prefer to simply upgrade to Reflex 1.1, you can do that for only \$10.

NEW Rellex Workshop Introducing the Only \$69.95

A major addition to Reflex, the new Reflex Workshop gives you a wide range of analytical tools written for specific applications. You can use these tools "as is" or modify them to suit your analytical and business needs. What you have to work with right away are 25 different tools.

For Finance/Accounting:

- **Business Expanse Tracking**
- Petty Cash Tracking
- Line of Credit Tracking & Analysis Accounts Receivable Tracking & Aging
- Purchase Order Entry & Analysis
- Purchase Order Tracking System Leasing Inventory Management
- Asset Inventory Tracking
- Cash Management Trial Balance

\$199.95*

SPECIAL OFFER!

You get Reflex 1.1 and

\$149.96, totaling \$219.90—but you can get them both for a limited time only, at an amazing \$199.95. So act now, rush to your nearest dealer, call us, or clip the coupon and put Reflex! 1.1 and the Reflex Workshop to work

the Reflex Workshop for only

Sold separately, the new Reflex

Workshop is \$69.96 and Reflex is

for you right away!

For Administration:

- · Membership Dues Tracking and Armarsis
- Mail List
- Time Management
- · Appointment Scheduling
- Applicant Tracking & Inquiry System **Facilities Planning**

For Sales & Markeling:

- Sales Lead Tracking & Analysis
- Store Check Inventory Analysis
- Trend Analysis
- Research Questionnaire Analysis

For Production and Operations:

- Manufacturing Quality Assurance
- Assembly Repair Turnaround Tracking Commercial Real Estate Tracking
- & Analysis
- Project Scheduling
- · Product Cost Analysis and Control

manager. Borland has done it again.

The best database around ... at any price.

> Jean Lockwood. Computer Retail News

Everyone agrees that Reflex is the bestlooking database they've

Adam B. Green, InfoWorld

Reflex excels as an analytical tool ... this program can become everyman's database

Frank J. Derfler, PC Madazine

Sheldon L. Richman, Washington Post.



BORLAND

EFLEX THE ANALYST IN SIGN BOOK



4585 SCOTTS VALLEY DRIVE SCOTTS VALLEY, CA 95066 (408) 438-8400 TELEX: 172373

Sortand products include furbo Pascal Turbo Prolog, Turbo Database Toolben, Turbo Lightning, Turbo Graphia Toolben, Turbo Turbo, Turbo Gamethorks, Turbo Gallor Toolben, Word Wüzert, Relies, The Analysis, Relies Workshop, Soeklick, Soeklock, The Majoricho Office Manager, Traveling Soeklock, and Superking— of which are Nademarks or registered trademarks of Bortand International, Inc. or Bortand/Analytica, Inc.

Reflex and Rether Mentation are tradements of Borland/Analytica, Inc. dBASE is a registered tradement of Ashlorn-Tane, Liuss 1-2-3 is a registered tradement of Loha Development Corp. Above Beard is a fadement of Intel Corp. RAMpage Is a registered tradement of AST Research Corp. Library is a tradement of Daskram Corp. Hercules as a fantament of Hercules Computer Fech PSE Fire is a registered residement of Software Publishing Corp. IBM is a registered tradement of International Business Machines Corp.

Inquiry 50 for End-Users. Inquiry 51 for DEALERS ONLY.

drive. All models are bundled with MS-DOS 3.1 and GW-BASIC. For more information, contact NEC Information Systems Inc., 1414 Massachusetts Ave., Boxborough, MA 01719. (617) 264-8000. Inquiry 557.


Microcoded IBM PC Board

esigned for building customized processors. the MVP Microcoded CPU/16 from Mountain View Press is an add-on board for the IBM PC that implements a high-speed microcoded processor. A wire-wrapped prototype of the board. which MVP demonstrated at the West Coast Computer Faire in April, ran one FORTH test program 50 times faster than an IBM PC alone. According to the company, the processor can execute over 2 million stack operations per second.

The card's 74-chip design includes a 16-bit ALU, two hardware stacks, an interface to the IBM PC, 128K bytes of static memory, a program counter, two 16-bit data registers, and room for 256 microcoded processor instructions. Each microcoded instruction is defined by up to eight 32-bit user-definable microcode instructions.

An Engineering Prototype Kit is available for \$1500. and a printed circuit board version should be available this month. MVP includes the following software with the wire-wrap kit: MVP FORTH/16, a word-oriented FORTH that executes directly in the processor; the MVP-FORTH Programmer's Kit; a Number Extensions package; a microcode assembler: a cross-compiler: a set of diagnostic programs: and source code for all the preceding software.

For more information, con-



Rapitech Sustems' Acticon serial connector.

tact Mountain View Press Inc., POB 4656, Mountain View, CA 94040, 1415) 961-4103. Inquiry 558.

Passport's Sequencer Runs on Apple, Commodore

assport Designs has added to its MIDI Pro Series with Master Tracks. sequencing software that runs on the Commodore 64/ 128 and the Apple 11e/ II+/IIc. The package provides real-time, step-time, and song modes.

In real-time mode, you have access to all 16 MIDI channels, with solo/mute on each track and unlimited overdubbing with the mix function. MIDI thru lets you hear any of 16 sound sources from your master keyboard. Advanced tape sync writes a variable tempo pulse to tape, reading tempo changes and allowing synchronization to visuals. The memory can handle 8000 events without loops or repeats.

The step-time editor lets you input and edit notes. rests, velocity, articulation, and tempo. You can also cut, copy, and paste phrases.

Song mode lets you assemble songs using sequences created in step time or real time. It also lets you build sequences as if

using a drum machine. As many as 256 sequences can be assembled using any of 256 steps. You can play back individual sequences in any order or tempo.

Master Tracks retails for \$249.95. Besides a computer, the software requires a Passport MIDI Interface or MIDI Pro Interface. Contact Passport Designs Inc., 625 Miramontes St., Suite 103, Half Moon Bay. CA 94019. (415) 726-0280. Inquiry 559.

Single-Chip **EGA Controller**

aradise Systems introduced the PEGA 1 video controller, a singlechip implementation of the IBM Enhanced Graphics Adapter standard, which currently requires a four-chip set on the IBM and other EGA boards. According to the company, the PEGA 1 will run all EGA-compatible software, including Microsoft Windows, and all previous software written for the IBM PC and compatibles. The chip supports high- and medium-resolution IBM monochrome and color graphics. Hercules monochrome graphics, Plantronics ColorPlus graphics, and

Paradise color simulation on a monochrome monitor.

Four main modules make up the 84-pin PEGA I. These modules replace the five custom LSI parts on IBM's EGA board and a dozen supporting TTL circuits. The chip is available with a proprietary IBMcompatible video BIOS extension.

The PEGA I is available in sample quantities at a price of \$900 per sample; production quantities are slated for delivery by the end of the second quarter. For more information, contact Paradise Systems Inc., 217 East Grand Ave., South San Francisco, CA 94080, (415) 588-6000. Inquiry 560.

Miniature Serial Interface

R apitech Systems has developed a standardsized serial RS-232C connector that contains all of the circuitry usually found on a serial interface card. Called the Acticon connector, the device replaces the serial interface circuitry that, the company says, normally occupies 8 to 12 inches on a computer's motherboard or expansion board.

The Acticon connector is designed to attach to the memory bus on a motherboard through a series of pins along the bottom of the connector. The company says that the new connector will be incorporated into computers now being designed, and computers that use the connector may be available in less than a year.

The Acticon's patented design can be licensed by any computer manufacturer: licensing fees depend on volume. For more information. contact Rapitech Systems Inc., 75 Montebello Rd., Suffern, NY 10901, (800) 367-8749; in New York, (914) 368-3000. Inquiry 561.

(continued)

THE F-15 JET FIGHTER. IF THE COMPUTER GOES DOWN SO DOES THE PLANE



The F-15 served as a test bed for a flight control system written in the Ada language.

Ada was designed to meet today's dessands for a standard computer language, producing officient, reliable and maintainable code.

Does your compiler deliver?

Even if your programs don't do loops in mid air, and won't make a boom if they crash, you need a powerful programming language. It has to be easy to learn, structured yet flexible, compact and fast. Your programs should reflect the latest advances in hardware and software and be portable.

Get your software off the ground!

Meet Ada. The DoD's new language of the future. Now you can run Ada on your MS-DOS or PC-DOS computer. Artek Ada is the most advanced Ada compiler for PCs.

A new standard in software engineering

We invite you to learn, explore and use the most powerful generalpurpose programming language ever, — with Artek Ada. Artek has approached the tradeoffs of Ada compiler design in a novel way. Modern software engineering techniques are applied to produce a state-of-the-art compiler.

Artek Ada is available now

You can order the Artek Ada compiler now for only \$ 895.00 including a debugger and a screen editor. Outside the U.S.A. add \$ 20.00.

For orders or information call toll free: 1-800-PC-ARTEK, in New Jersey or outside the continental U.S.A. call (201)-867-2900, or write to our adress.

VISA, MC and AMEX accepted.

New Jersey residents add 6% sales tax. Please pay with credit card or a bank draft in U.S. dollars drawn on a U.S. bank.

Dealer and distributor inquiries welcome. Inquiry 28

Artek Ada specifications

Artek Ada implements the Department of Defense 1983 Ada standard, including generics, derived types, overloading, packages, separate compilation, dynamic arrays, standard I/O, string handling, array and record aggregates and much more. The only major featue of Ada not implemented is tasking. Minimum hardware requirements are: IBM PC or a compatible computer, running MS-DOS or PC-DOS (2.0 or later version) with 384 Kb RAM and one double-sided floppy-disk drive. Artek Ada works with the IBM PC network. For further information see our information kit.



Artek Corporation 100 Seaview Drive

100 Seaview Drive

Secaucus

SYSTEMS

NEC V40-based Computer

The JC LIPS computer from IC Information Systems is based on a NEC V40 processor running at 9.54 MHz and compatible with an Intel 80186. The computer comes with 256K bytes of RAM that can be expanded to 640K bytes on the motherboard and two 360K-byte half-height floppy disk drives. Other standard features are a 14-inch monochrome monitor, an IBM PC AT-style keyboard, eight expansion slots, an RS-232C serial port, a battery-backed clock, a floppy disk controller, and a 135-watt power supply. The computer is also equipped with a video display card that provides a parallel printer port and supports Hercules monochrome graphics and IBMcompatible color graphics.

The LIPS computer runs under MS-DOS versions 2.1 or 3.0 and later. The base model costs \$1495; models with hard disk drives, color monitors, and other options are also available. For more information, contact JC Information Systems, LIPS Division, 161 Whitney Place, Fremont, CA 94539, (415) 659-8440. Inquiry 562.

The On! Computer, a CP/M System from Oneac

CP/M-compatible computer from Oneac Corp is designed to survive power-line glitches and to be left on for long periods of time. The computer, named On!, features a 4-MHz Z80 microprocessor and 2 to 4 megabytes of memory. The computer's memory, which is set up as a RAM disk, is intended to



The IC LIPS computer, based on a NEC V40 processor.

be the system's primary data storage device. The memory is backed up with a small battery, which Oneac claims can power the memory through outages of up to 12 hours. The system's 5¼-inch, 800K-byte floppy disk is intended for backing up data in memory.

Oneac claims that the RAM disk causes the system to perform eight times faster than an IBM PC running equivalent tasks. And because the system is always on, you never have to wait for it to warm up.

The computer is bundled with the New Word word processor, the ZCPR operating system, and a number of utilities and menus. The system has internal space for four modems, which makes it useful for unat-

tended bulletin board systems. The company says that On! is compatible with most CP/M software packages.

With 2 megabytes of memory, the On! computer sells for \$2000. It comes with a TeleVideo 955 terminal, which will be priced at less than \$599 (exact price was not available at press time). For more information, contact Oneac Corp., 27944 North Bradley Rd., Libertyville, IL 60048, (312) 680-5999. Inquiry 563.

Heath Introduces AT-Compatible Kit

eath's HS-241 Advanced PC Desktop Computer kit is compatible with the IBM PC AT and uses an Intel 80286 microprocessor running at 6 MHz. Standard features include a serial and a parallel port, a single 1.2-megabyte 5¼-inch floppy disk drive, and 512K bytes of RAM, which can be expanded to 15 megabytes. The HS-241 uses a combined hard and floppy disk controller card that can accommodate two floppy and three hard disk drives.


Priced at \$2899, the kit comes with an IBM PC-compatible detachable keyboard. Options include internal hard disk drives with 20 or 40 megabytes of storage. Contact Heath Co., Dept. 150-745, Benton Harbor, MI 49022, (616) 982-3210. Inquiry 564.

Pick-based Multiuser System from Fujitsu

ujitsu Microsystems' System 2020 is an addition to the company's Series 2000 line of Pick-based multiuser computers. The 2020 runs on an Intel 80286 microprocessor and can accommodate eight users. It has 512K bytes of RAM that can be expanded to I megabyte and comes with a 54- or 86-megabyte (unformatted) hard disk drive. According to the company, the computer's operating system is fully compatible with Pickbased software and features a number of enhancements. including electronic mail. full-screen editing, and a calculator function.

Prices begin at \$8850 for the two-user system with 512K bytes of memory and 54-megabyte hard disk. Contact Fujitsu Microsystems of America, 3025 Orchard Parkway, San Jose, CA 95134, (408) 434-1160. Inquiry 565,

(continued)



Magic Card II ... Multifunction, \$199

The EVEREX Magic Card II is the multifunction card that has the features you want at a price you can afford. It can even take an original PC, with a 64K motherboard, to 640K of RAM. Installation is a snap with our unique TESTER program that runs independently and shows exactly where to install RAM and how to set the options.

Why pay almost twice as much Magic Card II in Action to get less? EVEREX combines innovative engineering, technology, and quality manufacturing to bring you a quality product that out performs the competition at a lower price. EVEREX engineering is the key ingredient that delivers **OUALITY and FEATURES without** sacrificing PRICE.

See for yourself what the Magic Card II can do. Call EVEREX today for the name of the EVEREX dealer near you.

You'll be convinced that-EVEREX is EVER for EXcellence too!

1-800-821-0806 in California 1-800-821-0807



48431 Milmont Dr. Fremont CA 94539 (415) 498-1111

Magic Card II is a trademark of EVEREX SYSTEMS, Inc. SixPak Plus is a registered trademark of AST Research, Inc.

	BANDERSK.	APPL STOUGH PAIN
A Line DiscordSW Ram China	VIOL V	
T Depart Bester Circle Calmeter		YMS
* Parallel Print American (1971 - 1919		MRS
	V	
	111	
A Add opin TAK RAN		
a MAN document of the specific extracts		
	15.00	24.0
· Comparing with the Consection	1	2013
* Little Evelue		

PERIPHERALS

Roland's Sound Samplers and Drum

oland announced two R sound samplers, the S-50 and the S-10. Both can sample sounds with a resolution of 12 bits at a rate of 32K per second. vielding a bandwidth of 17 kHz. The S-10 can store 4 samples at a time and comes with a 49-key keyboard. The S-50 can store 61 samples, one each for its 61 keys. The S-50 also has an RGB and composite monitor connection that lets you connect a monitor to display information visually. Both samplers have MIDI connections. The S-10 and S-50 cost \$1250 and \$2695, respectively.

Roland's TR-505 MIDI drum machine can emulate a wide range of drums, including Latin percussion instruments. The machine also generates MIDI information, which can be captured by a MIDI sequencer, modified. and played back through the TR-505. The drum machine costs \$295.

Contact RolandCorp U.S., 7200 Dominion Circle, Los Angeles, CA 90040, (213) 685-5141. Inquiry 566.

Dual Printer Buffer

he Proteus printer buffer and switch lets you connect two printers or other peripherals with parallel ports to your computer. The unit provides a buffer for each of the two peripherals. Both printers connected via Proteus can print at the same time, and you can switch between the two through software or manually by a switch on the front panel of the unit.

The device is available with 64K bytes or 256K bytes of memory. Each port is automatically allocated as



The TravelComm 1200 portable modem.

much memory as available. up to the maximum capacity of the buffer. With a 256Kbyte unit, for example, if you print a 64K-byte file to one port, 192K bytes of memory are automatically allocated to the other port. Each port also has multiple copy capability.

A 64K-byte version costs \$199, and a 256K-byte version costs \$299. Contact Computer Friends Inc., 6415 Southwest Canvon Court. Suite #10. Portland, OR 97221, (503) 297-2321, Inquiry 567.

Pocket-sized Modem

T nounced the TravelouchBase Design an-Comm 1200, a pocket-sized modem that communicates at 300 and 1200 bps. You can plug the 6-ounce modem directly into a computer's RS-232C port or connect it by cable to a computer via a standard RS-232C connector.

To dial, you type a phone number on your keyboard; when the modem receives two carriage returns, it turns on automatically and selects the communication rate. At the end of a connection, the modem turns off automatically. Other features include a call-progress indicator and a 9-volt battery with a 3- to 6-month life.

The modem works with most portable computers and sells for \$299. Contact TouchBase Design, 1447 South Crest Dr., Los Angeles, CA 90035, (213) 277-1208. Inquiry 568.

Robotics System

he Microbot ARMLAB System is a combination of textbooks, software, and hardware designed to teach robotics and automated manufacturing. Intended for use in junior high and high schools, college, and industry, the system leads students through robotics theory to the actual automatic manufacturing of small products.

The hardware includes two 5-axis, fully articulated robot arms; a vision system; CNC mill and lathe; rotary table; gravity feeder; conveyor; electronic and pneumatic experimenter's kits; speech system; and workcell safety barrier.

The texts include Robot Literacy and Applied Robotics by Dr. J. Larry Heath, Robotics Workcells and Systems Interfacing by Prof. R. Dean Eavey and

Dr. Heath, and The Industrial Robot and Automated Manufacturing by Dr. Del Kimbler. Prices start at \$1430. For more information, contact Microbot Inc., 453-H Ravendale Dr., Mountain View, CA 94043, (415) 968-8911. Inquiry 569.


40-megabyte **Tape Drive**

he TD440 tape backup drive provides 40 megabytes of backup capacity for the IBM PC. XT, AT, and compatibles. The drive uses 4-inch tape cartridges that are formatted into one 32-megabyte logical drive or two 17.8-megabyte drives. The unit comes with a cable and an interface card that fits in a short expansion slot

The TD440 emulates a hard disk drive, is fileaddressable, and works with DOS 2.0 and later. This means you can use DOS commands such as COPY and ERASE to manage data files and can also use the drive to store large spreadsheets or databases that might not fit on a hard disk. You can run programs directly from tape and store data on tape directly from an application program without exiting the program to use a separate backup utility. The company also provides a sector-by-sector backup utility that backs up a 10-megabyte hard disk in about 10 minutes.

The tape drive lists for \$1490. Contact Advanced Digital Information Corp., POB 2996, 10201 Willows Rd., Redmond, WA 98073, (206) 881-8004. inquiry 570.

(continued)



CLIPPER. THE dBASE COMPILER. A WINNING PERFORMANCE EVERY TIME.



Nantucket Corporation 5995 South Sepulveda Boulevard Culver City, California 90230 (213) 390-7923 Outside California call toll-free: 1-800-251-8438

dBase, dBase III, and dBase III Plus are trademarks of Ashton-Tate, Inc.
IBM PC, XT, AT, and 3270 are trademarks of International Business Machines Corporation.
Clipper and Nantucket are trademarks of Nantucket Corporation.

ADD-INS

Short-Slot EGA Board


Sigma Designs announced the SigmaEGA!. a high-resolution graphics board. Based on Sigma Designs' Color 350 board. the short-slot board supports software that runs with the IBM Enhanced Graphics Adapter (EGA), the IBM Color Graphics Adapter (CGA), the IBM Monochrome Display Adapter (MDA), and the Hercules Graphics Adapter. The board has 256K bytes of on-board RAM, which lets you run all EGA graphics modes without the need to add more memory.

The SigmaEGA! costs \$595. It works with all IBM monitors and compatible monochrome and color monitors and comes with PC Paintbrush, a graphics package by Z-Soft. Contact Sigma Designs Inc., 2023 O'Toole Ave., San Jose, CA 95131, (408) 943-9480. Inquiry 571.

Tecmar's Music Synthesis Board

ecmar has announced a 16-oscillator music synthesis board for the IBM PC. Named the Music Synthesizer System, the new board uses what Tecmar calls harmonic interpolation synthesis to create up to 16 different notes in up to 16 different voices at one time. If fewer voices are needed. oscillators can be combined to form more intricate sounds. The board can hold up to 256K words of memory, where each word is 12 bits wide. This memory can be used to hold up to 256 wave tables, each comprising IK words. The board can also play back sampled sounds that have been coded at the factory.

Output signals can be directed to either of two



The SigmaEGA! high-resolution graphics board.

stereo output ports. Input can be from either the computer keyboard, an external piano-style keyboard, or an external MIDI interface. Under MIDI, the board can support up to 16 channels.

The Tecmar board includes software that allows it to function as a 64-track note recorder that can store up to 65,000 notes in a computer with 640K bytes of RAM. Up to four boards can be connected together, yielding 64 possible simultaneous sounds.

The Music Synthesizer System costs \$795 and should be available this month. It runs on IBM PCs and compatible computers with a minimum of 256K bytes of RAM, a graphics board, and at least one floppy disk drive. Contact Tecmar Inc., 6225 Cochran Rd., Solon, OH 44139, (216) 349-0600. Inquiry 572.

Z80 Coprocessor Board for IBM PCs

arth Computers introduced the TurboSlave-PC, an 8-MHz Z80-based coprocessor board for the IBM PC, XT, AT, and compatible computers. The board features 128K bytes of RAM, two serial ports, a port-mapped FIFO, on-board diagnostics, monitor EPROM, and the SLR Z80 assembler, Z80ASM.

The board can be configured as a coprocessor under MS-DOS and is supported by the TurboDOS operating system. Compatible with CP/M and MP/M programs, TurboDOS will support up to 16 terminals with TurboSlave-PC boards.

Suggested list price is \$395. For more information, contact Earth Computers, POB 8067, Fountain Valley, CA 92728, (714) 964-5784. Inquiry 573.

Hard Disk Card Offers SCSI

The SCSI Hard Disk Card, from Micro Design International, is a 21-megabyte internal hard disk drive and SCSI interface for the IBM PC and compatible computers. The drive supports the ANSI X3T9.2 SCSI specification and is designed to plug into one and a half slots on the computer.

The SCSI section of the card can connect as many as six more SCSI peripherals, including internal or external tape or hard disk drives, optical disk drives, and printers.

The company also sells a version of the card for the Tandy 1000 computer. Both versions cost \$675. For more information, contact Micro Design International Inc., 6566 University Blvd., Winter Park, FL 32792, (305) 677-8333. Inquiry 574.

AT-Compatible Card for Kaypro PC

aypro Corp. announced the 286 PC Card, which gives the 8088-based Kaypro PC compatibility with the IBM PC AT. The card retails for \$1065; if you trade in the Kaypro PC's 8088, the card costs \$799.

For more information, contact Kaypro Corp., POB N, Del Mar, CA 92014, (619) 481-4300. Inquiry 575.

Add Megabytes to Mac Plus

The MaxPlus memory modules plug into the expansion sockets of the Macintosh Plus to provide 2 or 4 megabytes of RAM. According to the company, the modules require no special software and no hardware modifications and will work with all Macintosh power supplies.

Bundled with RAM disk and print spooling software, one set of modules provides 2 megabytes of RAM. Max-Plus costs \$499 for 2 megabytes of RAM and \$998 for 4 megabytes. Contact Mac-Memory Inc., 473 Macara Ave., Suite 701, Sunnyvale, CA 94086, (408) 773-9922. Inquiry 576.

PERFORMANCE

THAT IS OUT OF THIS WORLD...



...AT A DOWN TO EARTH PRICE

At last! Truly affordable test equipment with no compromise in design, and features you would expect to find only on oscilloscopes costing hundreds of dollars more! JDR Instruments presents two, new, high-performance models backed by a two year warranty and technical support which is only a phone call away. Perfect for the technician or advanced hobbyist, both models feature Dual Trace capability and a variety of operating and triggering modes, including CH-B Subtract and X-Y operation.

MODEL 2000 has a 20 MHz bandwidth and 20 calibrated sweeps ranging from .2s to .2µs. A convenient built-in component tester provides additional diagnostic power.



MODEL 3500 features a 35 MHz bandwidth and exceptional 1mV/DIV sensitivity. Delayed sweep and variable holdoff allow stable viewing of complex waveforms.

ORDER TOLL FREE 800-538-5000 800-662-6279 (CA)



San Jose, California 95128 (408) 995-5430

SOFTWARE • PROGRAMMING LANGUAGES AND AIDS

Modula-2 for **Z80 CP/M**

I orkman and Associates is offering the FTL Modula-2 compiler for Z80 CP/M systems. A complete Modula-2, FTL has such features as separate compilation, procedures as parameters, open array parameters, and coprocesses.

The compiler supports real numbers with 15-digit accuracy. 2-byte integers from -32,768 to 32,767, and 2-byte cardinal numbers from 0 to 65,535. It does not offer a large integer type.

FTL provides version control through the linker, type checking between modules. and chaining between programs. It supports calls to the BIOS and BDOS of CP/M. The disk-based compiler directly creates Z80 code in the form of CP/M .COM files. Most of the libraries are written in Modula-2. The package's assembler is not compatible with other assemblers.

The editor's command structure is similar to Word-Star's but adds the capability of editing three files simultaneously. You can customize the editor without getting into the source code: The install program lets you choose such characteristics as placement of the arrow kev.

Workman says FTL conforms to the standard in the third edition of Niklaus Wirth's Programming in Modula-2.

FTL requires CP/M 2.2, 3.0, or later: a Z80: at least a 58K-byte transient program area; and one disk drive. Workman will supply the compiler on any of 190 CP/M disk formats.

For \$49.95, you get the compiler, linker, editor, assembler, library modules, library source code, manual, and telephone support. Source code for the editor costs \$39.95. Or you can buy it all for \$79.95. Workman asks for no royalties on programs written in FTL. Contact Workman and Associates, 112 Marion Ave., Pasadena, CA 91106, (818) 796-4401. inquiry 577.

Modula-2 in Source Form

M odula-2 fans can now get the latest version of the compiler in source form. Modula Corporation says the new compiler, written by Niklaus Wirth, is faster because it's based on the single-pass principle. It can recompile itself in 80 seconds on a Lilith workstation, the company says.

The package includes the source to the compiler and a portable debugger in IBM PC or Lilith format, a copy of the third edition of Wirth's Programming in Modula-2, and technical reports on the structure of the compiler and debugger. The compiler consists of about 5000 lines of Modula-2 code.

Three versions are available: for the Lilith, the Motorola 68000 family, and the National Semiconductor 32000 family. The Lilith version produces M-code, a symmetric machine language for a pure stack computer. The other two versions have been derived from the Mcode version.

Modula has ported the compiler to the IBM PC and the Macintosh.

The price for each compiler in source form is \$1000. Contact Modula Corp., 950 North University Ave., Provo, UT 84604, (800) 545-4842 or (801) 375-7400. Inquiry 578.

Multitasking OS for Atari ST

icro RTX is a multitasking operating system kernel for the Atari ST series. Because it's compatible with TOS, it can run regular ST programs. The system automatically handles input, output, and memory management in a multitasking environment. Programs can make standard TOS calls to perform I/O and memory management.

Once you've installed the operating system, the ST becomes a multitasking machine in which all activities are performed by processes running under Micro RTX. The number of active processes is limited only by available memory. The system uses round-robin scheduling to keep a process from consuming too much CPU time.

Micro RTX is priced at \$69.95. Contact Beckemeyer Development Tools, 592 Jean St. #304, Oakland, CA 94610. (415) 658-5318. Inquiry 579.

Library for **C Programmers**

forCe, a library package for programming in C, offers high-level functions for manipulating windows. screens of fields, and databases as objects. The objectoriented approach is designed to facilitate maintenance of modules and also to help you program in a structured style. Among the package's subsystems for handling complicated tasks are a database system with demand paging and B-trees to store access and index information; a windowing system; interruptdriven communications: and background tasks. Source code is supplied for all functions and bundled utilities.

PforCe runs under MS-

and PC-DOS and can be used with Microsoft, Lattice. Computer Innovations, and Wizard compilers. It supports all memory modules of each compiler. The library costs \$395. Contact Phoenix Computer Products Corp., 320 Norwood Park S. Norwood, MA 02062, (617) 762-5030. Inquiry 580.


FORTRAN Utilities

ORTRAN Cross-Reference Hall ence Utility, from PIN International, reads source files written in FORTRAN 77 and generates a program listing with symbol crossreference maps of variables. subprogram calls, and labels for each subprogram. PJN says its software generates cross-reference maps with the same detail provided by mainframe compilers: for example, the variable crossreference map also shows variable type, length, allocation (array/scalar), and scope (local/common).

FORTRAN Utility Library is a collection of assembly language subroutines that can give programs such capabilities as screen and cursor manipulation, direct keyboard access, command-line access, memory peek and poke, and sound generation. There's a version for Microsoft/IBM FORTRAN and one for Ryan-McFarland/IBM Professional FORTRAN compilers.

Both utilities run on IBM PCs and compatibles under DOS 2.0 or later. The crossreference package requires 128K bytes. Cross-Reference Utility costs \$49.95. Utility Library costs \$39.95. (For each, add \$2 for shipping.) Contact PIN International. POB 201363, Austin, TX 78720-1363, (512) 837-2888. inquiry 581.

(continued)



See What You Can Do

resentations! Newsletters! Flyers! Signs! Overhead Foils! Invitations! Menus! Logos! Announcements! Banners! Layouts! When you need a goodlooking visual quickly you need FONTASY - superb typefaces and simple drawing in one easy-to-use package.

FONTASY gives you a "what-you-see-iswhat-you-get" picture, as you type and draw on the graphics screen of your IBM-PC. You can create a page at a time, see a mini-picture of that page, print it, and save it on disk. Page size is limited only by memory, not by screen size.

Features

Proportional space, justify, kern, boldface, rearrange, magnify, black/white reversal, rotate, mirror image, lines, rectangles, ovals, draw, fill-in, undo (and un-undo), online help, 200-page book, and easy control from keyboard or mouse. Corporate licenses available.

Fonts, fonts, and more fonts! We have over 275 typefaces in our growing library, and will be happy to send you free print samples on request.

When you deal directly with the manufacturer (that's us), you pay rock-bottom distributor prices. If you order FONTASY now, we will give you 28 fonts (a \$50 value) at no extra charge. With so many features at such a low price, FONTASY belongs in your software library even if you already have a "font" program.

2.00 or above.

Includes 28 Fonts and free ClipArt.

Equipment Needed

IBM-PC, XT, AT, or true compatible (Compaq. etc.) with IBM or Hercules graphics adapter and graphics monitor. 256K memory needed for partial pages, 448-640K recommended for full pages. Dot-matrix printer. Mouse optional, MS-DOS

> FONTASY supports: IBM graphics printer, Proprinter: Epson FX, JX, LX, MX, RX, and LO-1500: C. Itoh 8510, 1550, 1570, Prowriter-Jr; H-P LaserJet, ThinkJet; Microline 92, 93; Gemini 10X, 15X; Radio Shack DMP 105-430, 2100; Toshiba 351, 1340-1351; Star; and most Epson-compatibles.

Money-Back Guarantee

Fontasy is not copy-protected and has a 30 day money back guarantee. So, take advantage of our breakthrough price and order now TOLL FREE:

1-800-824-7888, operator 669	(ORDERS ONLY)
For further information and same day shipping, call: (818) 765-4444 PROSOTT® 7248 Bellaire Ave., Box 560 No. Hollywood, CA 91603-0560	FONTASY \$69.95 Tax Shipping Total
Name Compa	ny

Telephone Address City, State, ZIP Visa/MC Exp. Date Computer Memory. Printer

Terms: M/C. Visa, checks. Please add \$5.00 shipping and handling in U.S. or Canada, \$20.00 overseas, \$2.00 for C.O.D., and sales tax in Calif.

SOFTWARE . SCIENTIFIC AND ENGINEERING

Talking Scientific Calculator

The Calc-Talk program from Computer Aids Corp. combines voice output and large-print display on the Apple IIc and IIe. It turns the keyboard into a scientific-calculator keypad and provides trigonometric and logarithmic functions. The voice-output facility works with most of the popular speech synthesizers for the Apple II. including Slot-Buster, DecTalk, and the Echo line.

Calc-Talk causes each keystroke to be voiced. Numbers, letters, and symbols are displayed in figures almost an inch high.

The software runs on a IIc or IIe with 128K bytes of memory and an 80-column card. It costs \$75.

Also, the company has released a new version of Braille-Talk, its talking text-to-braille translator. The enhanced edition is ProDOS-based and can translate 10 double-spaced pages in slightly more than 2 minutes. It costs \$125. Contact Computer Aids Corp., 124 West Washington, Lower Arcade, Fort Wayne, IN 46802, (800) 647-8255. Inquiry 582.

Data Grapher for Scientists

andel Scientific has developed a program designed specifically for scientists who want to draw graphs and charts of data. Sigma-Plot, which runs on the IBM PC series and compatibles and works with HPcompatible plotters, can produce line, scatter, histogram, and bar charts. The program also features error bars, loglog scales, semilog scales, independent x, y plotting. cubic spline curve fitting. and linear regression.

The software uses menus that can be controlled with the keyboard or the cursor of a digitizer. Data can come from the keyboard, from files of programs such as dBASE II/III or Lotus 1-2-3, or from files of Jandel's Sigma-Scan measurement system.

Sigma-Plot costs \$350. Contact Jandel Scientific. 2656 Bridgeway. Sausalito. CA 94965. (800) 874-1888; in California. Alaska, and Canada. (415) 331-3022. Inquiry 583.

Electronic Design Software for Mac

dvanced Engineering
Solutions has released
the second product in its
ParaGenesis series of CAE
software. Digital MacroScope
lets you perform gate and
functional-level digital
simulations on a Macintosh
Plus or a 512K Macintosh
with an external drive.

The package enables you to run three types of simulation: 12-state logical, physical, and parametric. The 12-state mode resolves true, false, strong, weak, conflicting, and undefined logic states. The physical mode computes the gates' output rise and fall times from the source and sink current driving load and input capacitances. The parametric mode lets you vary voltages and temperatures and monitor power consumption in the network.

The package's Simulation Design Language includes state and parametric information that you can edit. You can describe logical blocks or use standard gates and MSI chips that are defined in the component libraries.

You can enter the circuit to be simulated from the

keyboard or from the company's Schematic Entry drawing program. As you design the circuit, Schematic Entry compiles a database of parts, pins, and nodes. This database automatically passes the interconnect information to Digital Macro-Scope.

Digital MacroScope sells for \$1000, or you can buy it packaged with Schematic Entry, normally priced at \$700, for \$1500. Contact Advanced Engineering Solutions Inc., 75 Manhattan Dr., Suite 302, Boulder, CO 80303, (303) 499-2910. Inquiry 584.

Package Turns Mac into Speech Lab

acSpeech Lab from GW Instruments converts the 512K Macintosh into a workstation for analyzing speech and testing people who are speech-impaired. The package lets you view, edit, play, and store speech. With GW's MacADIOS data-acquisition hardware, you can digitally record words at rates of up to 20,000 samples per second.

You can view time and frequency representations of speech at positions you select with the mouse. Segments within utterances can be amplified, offset, normalized, saved, and played. The software produces sound spectrograms showing the progression of frequency spectra with time. It also draws pitch plots to show the changes of frequency within an utterance.

A complete MacSpeech Lab consists of software (\$300), MacADIOS hardware (\$2500), and a Macintosh computer (\$2000), Contact GW Instruments, POB 547, Cambridge, MA 02142, (617) 577-1524, Inquiry 585.

Tools for Designing Transformers, Inductors

T ech Software is selling a program that automates the process of designing transformers and inductors for switching power supplies. Applications include work with push-pull, single-ended, and flyback transformers or buck, boost, and filter inductors. The company says its product relieves engineers of having to perform long-hand calculations or checking vendor catalogs to choose magnetic cores and magnet wire.

The software lets you experiment with input parameter values (such as input power, core size, and number of windings) to find their effect on program outputs. Tech Software says magnetics modeling and automatic core selection are two essential features of these tools. The package uses design equations that determine core size, wire size, magnetization inductance, permeability, flux density, and air gap length. Lookup tables contain the physical parameters that characterize each magnetic core.

The software uses menu screens to take you through the design process. These screens show I/O parameters, engineering units, current values, and program options.

The package costs \$149 and runs on these machines: IBM PC series and compatibles with 128K; CP/M 2.2 computers with 64K; and Apple II+, IIe, and IIc computers with 64K. Contact Tech Software Corp., POB 3126, Redmond, WA 98052, (206) 483-9699, inquiry 586.

(continued)



FILE RECOVERY SYSTEM

FOR THE IBM-PC

66Brown Bag Software's™ File Recovery System™... more powerful than the Norton Utility Version 3.1." -PC Magazine

We May Be Able To Save Your Job Or Your Life

Recover Erased Files Edit Any Spot On A Disk Change File Attributes

Fix A Damaged File Menu-Driven and "Goof-Proof" **Context Sensitive Help**

Recover Data From Physically Damaged Disks **Works On Hard And Floppy Disks**

YES YOU CAN RECOVER ERASED FILES, Even . . . With Brown Bag Software's" File Recovery System" for the IBM-PC and compatibles, no programming experience required. If you can erase a file, you can restore it.

MENU-DRIVEN and "FOOL-PROOF." Do you have "one-of-those" in your office...we do too! That's precisely why we developed Brown Bag Software's File Recovery System for the IBM-PC and compatibles! Our menu-driven system is a snap.

FIX A DAMAGED FILE TOO! Sometimes files can get "glitched," by a power spike, bumping into the hard disk, dropping the computer on the floor, etc. We understand. That's why we've included a full screen editor to repair any spot in any file, hidden or otherwise.

IS IT HARD OR FLOPPY? We don't care. We work with floppy disk, most hard disks, and most IBM-PC compatible computers.

HELP IS ONLINE TOO! We know that most people don't read manuals. (But we include a comprehensive one anyway.) And when you erase a file and need it recovered NOW, you're not in any frame of mind to pour through any manual. We understand. That's why we've put hand-holding online. Just hit the? key and the help appropriate to where you are and what you want to do is immediately available. The only thing better would be two aspirins!

OTHER HANDY TOOLS...HELP: WHERE'D THE FILE GO? We provide menu-driven tools to change a file's attributes, change disk labels, modify screen color, locate a lost file that you know is somewhere on the disk, but it's lost in a maze of subdirectories (you forgot which).

WITH YOUR CREDIT CARD, CALL NOW 24 HOURS A DAY, 7 DAYS A WEEK

IF LINE IS BUSY OR YOU LIVE IN CALIFORNIA CALL: 408-559-4545

SOFTWARE . BUSINESS AND OTHER

MIDI Studio for Amiga

SoundScape software combines MIDI, sampling, and multitrack recording on an Amiga computer. Mimetics says its program is actually an operating system that resides simultaneously with the Amiga's DOS and Workbench.


The main program consists of a multitrack music sequencer with an unlimited number of MIDI-compatible tracks. You can put each track in play, record, mute, thru, or "match" mode (Match mode can be used to learn or practice a piece of music; it stops playback until you've played the notes in the selected track.) A time-oriented editing system lets you cut and paste using a mouse.

SoundScape works with keyboards plugged into the second game port, the internal sound synthesizer, MIDI I/O, pitch followers, and the computer's keyboard. It costs \$149. Contact Mimetics, 16360 Stevens Canyon Rd., Cupertino, CA 95014, (408) 741-0117. Inquiry 587.

Object-oriented Drawing Program Runs on Atari ST

asy-Draw, an objectoriented art program for
the Atari ST. can be used to
create business and presentation graphics, line drawings, and multiple-layer illustrations. The package lets
you move and manipulate
objects, copy them, rotate
them, and stretch and size
them. You can zoom in on
any area, pick from
predefined patterns, use
shadowing, and use rules
and grids.

The program provides two windows for working in. You can move and copy draw-



Easy-Draw, an object-oriented program for the Atari ST.

ings between windows. Easy-Draw uses high-resolution output for printing.

The sofware runs on a color or monochrome ST. Suggested retail price is \$149.95. Contact Migraph inc., 720 South 333rd St. Suite 201, Federal Way, WA 98003, [206] 838-4677. Inquiry 588.

Music Plotter for Apples

Personal Music Engraver, described by developer Newgo Inc. as a professional music calligraphy program, automates the process of putting music to paper. The software, which works with an x, y plotter to produce music characters, runs on the Apple II+, IIc, and IIe.

Newgo says the program works like a word processor. It is smart enough to check your "musical grammar" while you type, and it automatically displays notes with the correct stem length and direction. The editor lets you change, delete, or insert measures anywhere in any part. The package also lets you transpose notes, control page format (including spacing between staves and number of staves per page). set horizontal spacing, and use 10 font sizes. Personal Music Engraver can print complete scores (with an upgrade), lead sheets, charts, exercises, and templates with blank measures.

The program requires an XY plotter with DMPL-IV language (for example, the Houston Instrument PC-695 or DMP-29). Personal Music Engraver sells for \$1395; the upgrade that lets it produce complete scores costs \$29.95. Contact Music Graphics Inc., POB 22,

Winchester, VA 22601-0022. (703) 665-0239. Inquiry 589.

Mail Program for LANs Features Multimedia Messages

CC/Systems has released cc:Mail for localarea networks of IBM PCs and compatibles. The software lets you write, store, send, and receive electronic messages that can consist of anything you can create with your microcomputer, including text, graphics, and data files. The program has a word processor and a graphics package, and it's capable of capturing screens from application programs; you can then edit these snapshots and insert them in your messages. Each message can combine as many as 20 text, graphics, and file items.

It takes one keystroke to send mail. You can request a receipt telling you when the recipient got the message. You can store mail in up to 100 personal folders, each of which can hold 500 messages. Mail can be exchanged between cc:Mall systems on dissimilar LANs. The software is designed to operate on networks with single or multiple file servers. Communications use X.PC error correction. All database files are encrypted.

The software runs under DOS 2.0 or later on IBM PCs and compatibles with at least 320K bytes of RAM and a Hayes or compatible modem. A 10-user starter version of cc:Mail for LANs costs \$995. Contact PCC/Systems, 480 California Ave., Suite 201, Palo Alto, CA 94306, (415) 321-0430. Inquiry 590. ■

WHERE DO NEW PRODUCT ITEMS COME FROM?

The new products listed in this section of BYTE are chosen from the thousands of press releases, letters, and telephone calls we receive each month from manufacturers, distributors, designers, and readers. The basic criteria for selection for publication are: (a) does a product match our readers' interests? and (b) is it new or is it simply a reintroduction of an old item? Because of the volume of submissions we must sort through every month, the items we publish are based on vendors' statements and are not individually verified. If you want your product to be considered for publication (at no charge), send full information about it, including its price and an address and telephone number where a reader can get further information, to New Products Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

LOOKING FOR THE BEST VALUE IN PC/AT COMPATIBLES?



INTRODUCING THE \$1495 A*STAR"

Looking for a lower priced, higher quality PC/AT compatible than our new A★Star™is like looking for a needle in a haystack. You're more apt to come up with a case of hayfever.

A★Star gives you features you won't get from any other vendor. Not IBM. Not Compag. Not even those foreign manufacturers. Features like a 220 watt power supply, eight available ex-pansion slots and "network ready" multi-user operation. All for only \$1495. And that price includes a 1.2MB diskette drive, 512KB memory, a fixed disk/diskette drive controller, a tactile feedback keyboard (you'll love it!) and a 6/8MHz switch/software selectable 80286 CPU.

Best of all, A+Star is quality built right here in America by Wells American Corporation - an American Stock Exchange manufacturer. So now you

can buy with confidence from a vendor you can trust, just like you've trusted IBM. And you'll get a genuine, top quality product (not a cheap imitation) for a price even less than those "questionable" mail order clones. And if that's not enough, it's all money-back guaranteed!

The \$1495 Wells American A ★ Star. The



A PC/AT FOR ONLY \$1495? THAT'S NOTHING TO SNEEZE AT!

(Hurry! This offer is limited.)

- ☐ I'm tired of sneezing! Have someone call me immediately to take my order.
- □ A ★ Star sounds terrific. Tell me more.

Name:_

Company:___

Phone:

Address:

City:



3.5" DISK DRIVE

FOR YOUR PC OR COMPATIBLE

Supports the new IBM PC Convertible

MANZANA's External Diskette
Drives now includes new low-cost models which derive power from the host computer. These carefully designed peripherals run on IBM PC. XT, AT and many compatibles including AT&T 6300, Compaq, Tandy 1000. Prices from \$355.

All Manzana systems come with our sophisticated but easy-to-use software package . . . allowing you to read & write to many 3.5" formats including:

IBM Convertible, Toshiba T1100, HP110 & 150, Atari 520 ST, DG/One, GRiDCase, Kaypro 2000, Tandy 600.

Compatible with all DOS 2.0 and above.



MANZANA . . the Industry Pioneer in 3.5" Peripherals

For more information, contact your dealer or call direct.

In Canada, please contact Quay Computer Corp. at



MANZANA

P.O. Box 2117 Goleta, CA 93118 (805) 968-1387

C·L·U·B·S A·N·D N·E·W·S·L·E·T·T·E·R·S

MICRO MUSICIAN, 11514 Ventura Blvd. #A-3. Studio City, CA 91604, (818) 508-8079. Monthly news on software, hardware, synthesizers, and MIDI information. Annual subscription: \$22.

INPUT/OUTPUT. Box 248. Station B. Ottawa KIP 6C4, Canada, Quarterly newsletter promotes peaceful uses of technology, especially computer technology.

THE SMART APPLE CLUB (TSAC), 53 Hemlock Ave., Narragansett, RI 02882, Public domain library, newsletter, and BBS.

GULF COAST COMPUTER CLUB. POB 1104. Port Richey, FL 34288-1104, (813) 868-0176. Meetings twice a month.

APPLE PORTLAND PROGRAM LIBRARY EX-CHANGE (APPLE), POB 1608, Beaverton, OR 97075. Monthly newsletter, public domain software. Send SASE.

COMMODORE-PET USER GROUP (C-PUG). John Palmer, 2308 Houma Blvd., Apt. 724, Metairie, LA 70001, Send SASE for more information.

AVIATION AND COMPUTER ENTHUSIASTS (ACE). Carl Bogardus. 1220 Birch Dr., Las Cruces, NM 88001. Open to all; \$5 annual dues includes quarterly newsletter.

DELLASONTA COMPUTER CLUB. 12 Jalan Tera, Bandung 40111, Indonesia, Special interest groups, regular meetings, monthly newsletter.

MICROTHEATER. Room 146. Fine Arts Center Building, University of Massachusetts, Amherst, MA 01003, [413] 545-0480. Free bimonthly newsletter for computerists in entertainment.

68000 CLUB, c/o Software Only, Meadow Park Plaza, 22753 Hawthorne Blvd., Torrance, CA 90505, (213) 373-0466. Newsletter, public domain library, tech support. Annual dues: \$25.

PASADENA IBM USER'S GROUP, Steve Bass. 711 East Walnut St., Pasadena, CA 91101. (818) 795-2300. Monthly meetings. Dues: \$2 per meeting.

TECH CLUB, c/o Software Only, Meadow Park Plaza, 22753 Hawthorne Blvd., Torrance, CA 90505, (213) 373-0466. News. library, and support for scientists, mathematicians, engineers, and programmers. Annual dues: \$25.

DENVER AMATEUR COMPUTER SOCIETY (DACS), POB 477, Wheat Ridge, CO 80034. Monthly newsletters and meetings.

THE DELAWARE VALLEY DEC PC USER GROUP, c/o MICRODOC, 815 Carpenter Lane, Philadelphia, PA 19119, Newsletter and meetings.

BAY AREA NEC/MODEL 100 USER'S GROUP. c/o Truly Portable, POB 2916, Oakland, CA 94609. Meetings, newsletter, public domain software library. Annual dues: \$10.

SANYO USERS GROUP OF WASHINGTON. Douglas Webbink, POB 2468, Fairfax, VA 22031, (703) 323-9663. Monthly meetings. newsletter, public domain library, SIGs: \$15 annual dues.

DIGITAL ENCRYPTION STANDARD USERS GROUP, R. M. Richardson, POB 1065. Chautaugua, NY 14772, (716) 753-2654. Newsletter for microcomputer cryptoanalysts. Send SASE for details.

MATAMATA COMPUTER CLUB, C. lames Elliot, Alameda Junior High School, 1211 Calle Luna, Santa Fe, NM 97501. Logo for students on HP 110 and Apple computers.

PUBLIC DOMAIN CLUB, POB 6877, Dept. 3. Hollywood. FL 33021. Free Apple and IBM public domain programs. Club membership free with first order.

THE III MAGAZINE, 3201 Murchison Way. Carmichael, CA 95608, (916) 485-6525. Published monthly: support for Apple III loyalists. Annual subscription: \$40.

CLUBS AND NEWSLETTERS is an acknowledgment of new clubs and newsletters received at BYTE. Allow at least four months for your club's mention to appear. Send information to BYTE. Clubs and Newsletters. One Phoenix Mill Lane, Peterborough, NH 03458.



Vol. 2. No. 2

Were just not making Macintosh™ computers like we used to make them.

We're making them better.

Now they're twice as powerful. They're more expandable. And they're significantly faster.

We call our newest Macintosh, Macintosh Plus.

By Plus, we refer to a full



Home of the mouse and other cursor took

transfer data to peripberals faster than you can say "transfer data to peripherals."

Our LaserWriter Plus printer goes bere.

By Plus, we refer to its new, 800K double-sided disk drive, that allows you to store twice as much by using both sides of a floppy.

By Plus, we refer to 128K of

Lookwhatour own engineers did hehind ŏur back.

megabyte of RAM that gives Macintosh the power to take advantage of the most powerful software programs ever driven with a point and click.

ROM that makes Macintosh perform more efficiently. And a sophisticated hierarchical filing system that enables you to find things faster than you used to lose them.

And by Plus, we refer to the added cursor keys and a built-in numeric keypad that let you do your adding, subtracting, guesstimating and bottom-lining without lifting your hands from the keyboard. Or your eyes from the screen.

But to fully understand the biggest turn-around in Macintosh Plus engineering, all you need do is turn around any Macintosh Plus.

And behold, a Small Computer Systems Interface port.



Macintosh Plus.

Better known in computer circles as a SCSI port.

The SCSI port not only allows you to transfer data six times faster, but lets you connect up to seven high-speed peripherals at once. Including hard disks and tape drives.

Needless to say we've given ourselves a considerable kick in the backside.

And if you read on, we'll show you how to turn the Macintosh that's sitting on your desk into the Macintosh sitting on this page.



Is there enough storage space in your office?

It's only 7% x 1% x 4¾ inches on the outside, yet big enough to store over 400 pages of data on the inside.

We're talking, of course, about our new and faster 800K external disk drive.

Like the internal drive in our new Macintosh Plus, our external drive also uses 800K double-sided 31/2" disks. Which virtually eliminate the words "disk is full" from the Macintosh vocabulary.

And you can even daisy chain an extra external drive off an Apple® Hard Disk 20, giving you the capacity to work at extraordinary speeds with larger documents.

Like your own personal copy of the Des Moines white pages.

Now you can buy as much Macintosh as you need.

Now that there's more than one Macintosh to choose from. you're probably wondering which one to choose.

Well, for you power-mongers out there, we recommend the Macintosh Plus. The computer whose powerful features adorn the previous page.

But if you don't need a full megabyte of memory, we recommend the newly enhanced Macintosh 512K.


By enhanced, we mean we've taken our Macintosh 512K and added an 800K internal disk drive and 128K of internal ROM.

Which makes it more than capable of handling all your computing chores. Even though it costs considerably less than a









Macintosb Plus Logic Board



Macintosh Plus Keyboard.

And should the day come that you want to sort out a database faster than you can take a sip of coffee, you can always upgrade from a 128K, a 512K or enhanced 512K to a Plus.

All at once. Or a little at a time. We recommend you start with the Macintosh Plus Disk Drive Kit. That's where we install the new 128K of ROM, the hierarchical filing system and the 800K internal disk drive (Of course, the enhanced 512K already has these features).

After that, you can bump your RAM up to 1Mb with the Macintosh Plus Logic Board Kit. And add a new rear housing and SCSI port.

And finally, you can attach our keyboard that comes with the keypad and cursor keys.

The point being, the more you put into a Macintosh, the more you get out of one.

Disk space vs. desk space.

It used to be, adding a hard disk to your computer meant giving something up: a big chunk of desktop.

Enter the new Apple Hard Disk 20. Since it has the same footprint as Macintosh Plus, it fits directly beneath it.

This not only makes Macintosh Plus a few inches taller. but about 25 times bigger. Because you can install all the programs you currently keep on floppy disks on the Hard Disk 20's disk. So you

don't have to swap disks to switch applications.

And the Hard Disk 20's Winchester, 20-megabyte technology allows you to cut and paste, switch from application to application, and access information up to three times faster than you can using floppy disks.

The Hard Disk 20 really gives you the best of two worlds.

You get more disk space to work with. And more desk space to work on.

Meet the press.

Here's all the news that's fit to print about our new LaserWriter™ Plus printer.

For starters, it isn't just a printer.
It's also a computer.
Inside is the same Motorola 68000 microprocessor that's inside Macintosh Plus. Not to mention a hefty 15-megabyte of RAM and a full megabyte of ROM.

And inside the ROM is POSTSCRIPT, the page description language that is quickly becoming the industry standard.

Translated, this means LaserWriter Plus can quickly and



POSTSCRIPT also allows the LaserWriter Plus to generate dozens of different type styles from its 11 Writer Plus to generate hundreds of different type sizes, too. So you can create legal documents with fine print as fine as 4-point. Or banners with blocks of type as big

as 720-point.

But those aren't the only pluses to the LaserWriter Plus.

When you hook one up to a Macintosh Plus, you become the proud owner of one of our Desktop Publishing Plus™ systems. A system that virtually puts a design studio, a type house and a print shop on your desk. Which means your newsletters, flyers, forms and manuals will stand out in a world full of typewritten pages thick with white-out.

We could easily go on and on. Instead, we'll let our LaserWriter Plus speak for itself in the form of the output pictured to the left.

While they may look like the handiwork of a professional artist, typesetter, and printer, we assure you they were created with nothing more than a LaserWriter Plus, a Macintosh Plus and software like our own MacDraw™ and MacPaint,™ Microsoft's Word and Excel, and Aldus' PageMaker.

And an ordinary pair of human hands.

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz mc.Avc

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopgrstuvwxyz

Helvetica Narrow

Some of the new faces you'll be seeing around the office.

quietly print an amazing 300 dots per inch, and give you complete control over every single dot on the page. Which allows you to cover an entire page with virtually any combination of near typeset quality text and high resolution graphics. built-in typeface families. Including popular business faces like Helvetica, Times, Palatino and ITC Avant Garde Gothic. And more families are becoming available all the time.

POSTSCRIPT allows the Laser-



How the people who run things, run things.

If there's one thing every business person can use more of,

it's power.

Which is why you'll be happy to hear that the most powerful personal computer software being written, is being written for Macintosh computers.

Take Excel from Microsoft, for example. It's the first spreadsheet program to combine automatic macros, user-defined functions, array-handling and two-way data



Excel from Microsoft.




Omnis 3 from Blyth.

file compatibility with Lotus 1-2-3 in one program.

Omnis 3 from Blyth is a relational database program that lets you create your own pull-down menus, on-screen buttons and dialog boxes. As well as share files over our AppleTalk™ Personal Network in the multi-user version.

And while we're on the subject of sharing, we should tell you that we've entered into a working relationship with what we consider



3Server from 3Com.

to be one of the highest ranking disk servers on the market. 3Server from 3Com.

For the uninitiated, disk servers are storage devices that allow your Macintosh Plus to share information and other services

with other computers over a network.

Which, in conjunction with the powerful new software we described earlier, makes it a lot easier to start running your business.

Instead of chasing after it.

Here's our new business card.

Now you can automate your office without draining your company's checking account down to the right side of the decimal point.

With our new Apple Business Credit Card.

As the name suggests, it's a credit card for your business, issued in your company's name.

Make an initial purchase of \$2,500, and it gives your company a line of credit that can be applied towards the Apple products of your choice."

With the Apple Business Credit Card, there's never a down payment on anything you buy. It's possible to get credit approval in 24 hours. And you don't have to pay any interest if you pay your balance within 30 days.

To apply, visit any participating authorized Apple dealer.

The Apple Business Credit Card. Don't leave the office without it.




If you own a Lisa® or a Macintosh XL computer, this is your lucky ad.

Because from April 14th to August 29th, you can trade-in these computers for a Macintosh Plus and a Hard Disk 20 at the suggested retail price of only \$1498.

So bring your authorized Apple dealer your Lisa and Macintosh XL computers.

the stock on his shelf.



© 1986 Apple Computer, Inc. Apple, the Apple logo and Lisa are registered trademarks of Apple Computer, Inc. LaserWriter, MacDraw, MacPaint, Apple Pust are trademarks of Apple Computer, Inc. Macintosh is a trademark of McIntosh Laboratory, Inc. and is being used with its express permission. Helvetica, Times and Palatino are registered trademarks of Allied Corporation. ITC Avant Garde Gothic is a registered trademark of International Typeface Corporation. PostSowri is a trademark of Adobe Systems, Inc. Microsoft is a registered trademark of Microsoft Corporation. PageMaker is a trademark of Aldus Corporation. Lotus and 1-2-3 are registered trademarks of Lotus Development Corporation. Omnis 3 is a registered trademark of Blyth Software, Inc. 3Server is a trademark of 3Com Corporation. "Subject to credit approval. For an authorized Apple dealer near you, call (800) 446-3000. In Canada, call (800) 268-7796 or (800) 268-7637.

F·I·X·E·S A·N·D U·P·D·A·T·E·S

BYTE'S BUGS

Three Wrong Notes

Three wrong notes in the April Editorial we must correct:

Computers and music is not the theme of the July issue; it's the theme of the June issue, the one you're reading right now. Look at it this way: You don't have to wait another month.

Keyboardist Roger Powell, a member of

Todd Rundgren's group Utopia, developed MIDI sequencer software, not MIDI squeezer software. The package, called Texture, runs on the IBM PC. (You can contact Roger at POB 328, Rhinebeck, NY 12572.]

And the editor of Electronic Musician is Craig Anderton, not Craig Anderson.

Sorry, readers. Sorry, Roger. Sorry, Craig.

Sorry, Wrong Number

In the April Fixes and Updates, in the table of addresses and telephone numbers relating to computer conferencing systems. we gave the wrong number for the New Jersey Institute of Technology. (NJIT runs the Electronic Information Exchange System.) The correct number is (201) 596-3437. Our apologies.

BYTE'S BITS

Hawaii Calling

The organizers of the Twentieth Annual Hawaii International Conference on System Sciences are seeking papers for their proceedings. HICSS, slated for next January 6-9 in Kona, is sponsored by the University of Hawaii and the University of Southwestern Louisiana in cooperation with the ACM (Association for Computing Machinery) and the IEEE Computer Society. The stated purpose of the meetings is "to provide a forum in which quality researchers and practitioners in the information, computer, and system sciences can exchange ideas, techniques, and applica-

Topics for papers should focus on architecture (including high-performance personal machines, knowledge-based systems, and VLSI and technology issues): software (including design tools, environments, alternative language paradigms, and models of system and program behavior); and applications (including health care systems, legal information processing, and DSS model management).

The deadline for abstracts has passed. but full papers may be submitted until July 7. Notification of accepted papers will be mailed in September. For more information on the conference, contact Ralph H. Sprague Ir., conference cochairman, at the following address:

College of Business Administration University of Hawaii 2404 Maile Way, E-303 Honolulu, HI 96822 (808) 948-7430

Nauseating

We get thousands of press releases every month, announcing all sorts of products. Some of the products sound an awful lot like some of the other products, and some of the names sound an awful lot like some of the other names. So we paused a bit when we read the release describing the Nauseater. We certainly can't explain it to you as well as the folks at MachoTech Industries can: hence, we quote their announcement.

The Nauseater is a flashlight-type device that creates a slight feeling of queasiness in the stomach of any person in its path. The proprietary Nauseater design (patent pending) utilizes a lowpowered, frequency-modulated laser humanely engineered to create just the desired effect.

MachoTech suggests you might want to use this device when waiting for a table in a restaurant. Aim it at a couple "lingering over coffee" and one of them will say, "Honey, I'm feeling squeamish. Let's leave."

The Nauseater (which is also spelled the Nauseator) is priced at \$7995. And for the nervous kind of guy, MachoTech sells the Anti-Nauseater, a "belt-worn device which is a must for anyone who doesn't own a Nauseater." Only \$995.

Uh, but before you rush out to buy, keep in mind that the announcement is dated April 1.

Houston Atariasts BBS

HASTE (Houston Atari ST Enthusiasts) is operating a public domain bulletin board system running on a 520ST with an upgraded memory of 1 megabyte. The group has an electronic newsletter that's available for downloading. The telephone number of the HASTE BBS is (713) 955-9532.

How to Access and Use BYTEnet Listings

To access BYTEnet Listings, call (617) 861-9764. When you get the carrier tone, enter two or three carriage returns so that our software can determine your operating parameters.

Optimum modem settings are 8 bits. 1 stop bit, and no parity at full duplex. or 7 bits, 1 stop bit, and even parity at half duplex. Acceptable operating speeds are 300 or 1200 bps. At this time. BYTEnet Listings does not support 2400-bps transmissions.

The BYTEnet Listings software itself is menu-driven. Programs may be downloaded using ASCII, Kermit, Tele-Link, and XMODEM protocols.

BYTE listings are also available on BIX. After connecting with the system. type join listings at the main prompt. (For more information on BIX, phone (800) 227-2983 between 8:30 a.m. and 11:00 p.m. Eastern time, weekdays.)

A·S·K B·Y·T·E

Conducted by Steve Ciarcia

COMPAQ QUESTIONS

Dear Steve

I am not very hardware-oriented, but I enjoy your articles very much, especially the one on keeping power-line pollution out of your computer (December 1983). After reading your article, I went straight to Radio Shack and purchased a voltagetransient surge protector. Since we do not have much lightning here (mostly irregular current supply), will this device protect my Compaq computer adequately?

Also, do you know of any board that would transform my Compag into a telex machine so I can send telexes without dedicated equipment?

DANIEL POHORYLES Herziya, Israel

The transient surge-protection device will protect your computer equipment from transients produced by lightning as well as those produced by the switching of equipment connected to the same power line. If your area suffers from frequent brownouts (sudden drops in the supply voltage) or power outages, I would suggest that you purchase an uninterruptible power supply (UPS). A number of UPS manufacturers advertise in BYTE.

To send and receive telex messages, you require a serial port, modem, communications software, and access to either Western Union EasyLink or the MCI Mail Network. Both networks provide access to the international telex system as well as the ability to send hardcopy letters and electronic messages to other network subscribers. Additional information regarding these services can be obtained by contacting

MCI Mail 2000 M St. NW, Suite 300 Washington, DC 20036 (800) 424-6677

Western Union 9229 LBJ Freeway, Suite 234 Dallas, TX 75243 (800) 527-5184

(Western Union) Ministry of Communications POB 23179

Tel Aviv 61231, Israel (972.3) 28 12 61 (972.3) 29 53 33

-Steve

TYPEWRITER CONVERSION

Dear Steve.

I have a Sperry/Remington Redactron word processor. I would like to convert the IBM Series 60 typewriter to stand alone as a letter-quality printer. Do you know of a company that has plans or parts to do the conversion? I can do it from scratch. but I would rather save time.

> DENNIS A. POLLOCK Albuquerque, NM

Here is the name and address of a company that advertises interfaces for your IBM Series 60 typewriter:

California Micro Computer 933 Warbler Ave. Fountain Valley, CA 92708 (714) 964-9301

-Steve

APPLE RESOLUTION

Dear Steve.

I have an Apple II+ and feel envious of the 560-dot horizontal resolution available on the Apple IIe. I've had my Apple now for years, and I have accumulated coprocessor cards, etc., that use their own memory rather than the Apple's memory.

I am interested in any modification to the Apple II+ that would permit true 560-dot horizontal resolution, either by allowing the display of both high-resolution screens at once or some other means. I am specifically interested in hardware modifications that would allow dots to be independently addressable.

THOMAS DONALDSON Canberra, Australia

The Apple lie gets its 560-dot horizontal resolution by bank-switching the two banks of video RAM and alternately displaying both banks slightly offset from each other. This produces the single image from the two 280-dot Images. Since the Apple II+ lacks the alternate bank of memory at the high-resolution screen addresses, there is no practical way to

duplicate the effect.

While it is possible to rapidly switch between the two high-resolution pages on the II+, it isn't possible to offset the pages horizontally to double the resolution as with the lie.

The colors displayed by the Apple II+ are determined by whether or not a given dot is on, the horizontal coordinate of the dot (even or odd column), whether or not an adjacent dot is on, and whether or not the high bit of the byte that dot occupies in memory is on. Because of this, an individual dot cannot be changed without changing adjacent dots. I know of no simple hardware modification that will alter this. Smooth animation is achieved on the Apple by shifting all the dots in the animated image. In order to smoothly move an Image across the screen, seven different bit-mapped shapes are required for each image. For Information on this type of animation. see the article "A New Shape Subroutine for the Apple" by Richard T. Simoni Ir. in the August 1983 BYTE. Also refer to Apple Graphics and Arcade Game Design by Jeffrey Stanton (1982, The Book Company, 11223 South Hindry Ave., Los Angeles, CA 90045).-Steve

FREE BYTES

Dear Steve.

I am currently using an IBM PC XT with two floppy disk drives, and I am programming in Pascal, CBASIC, and FORTRAN, I

IN ASK BYTE. Sleve Ciarcia answers questions on any area of microcomputing. The most representative questions received each month will be answered and published. Do you have a nagging problem? Send your inquiry to

> Ask BYTE do Steve Ciarcia **POB 582** Glastonbury, CT 06033

Due to the high volume of inquirles, personal replies cannot be given. All letters and photographs become the property of Steve Ciarcia and cannot be returned. Be sure to include "Ask BYTE" in the address.

The Ask BYTE staff includes manager Harv Weiner and researchers Eric Albert. Bill Curlew. Ken Davidson, Jeannette Dojan, Jon Elson, Roger James, Frank Kuechmann, Dave Lundberg, Edward Nisley. Dick Sawyer, Andy Siska, and Robert Stek.



Those who insist on C compiler performance are very big on Mark Williams.

And the compiler is just part of our total C Programming System.

These and other powerful utilities now included in the C Programming System:

make: compiles only what's necessary from multiple modules, a powerful programming discipline

- diff: identifies differences between two files
- m4: macroprocessor expression editing and substitution
- egrep: extended pattern search
 MicroEMACS: full screen editor with source

COMPILER FEATURES

- · Runs under MS-DOS
- · Full Kernighan & Ritchie C with recent extensions including void and enum
- · Register variables for fast, compact code Pull UNIX™ compatibility and complete
- · Large and small memory models
- · MS-DOS linker compatibility
- 8087 Support
- One-step compiling
- · English error messages
- ROMable code
- · Linker, assembler, archiver
- · Extensive third party library support

csd C SOURCE DEBUGGER

- · Debugs at C source level without assembly language
- Separate evaluation, source, program and history windows
- Can execute any C expression
- · Capabilities of a C interpreter, but runs in real time
- · Set trace points on any statement or variable

Mark Williams' C compiler has earned a place in some very big companies for some very good reasons: it proves the benchmarks right with the speed, code density, consistent performance and expert support required in professional development environments.

But a total development tool shouldn't stop with compiling. Or go on and on with extras that add up and up.


Only Mark Williams' C Programming Systems includes the csd C Source Debugger with true source level debugging to speed your programming job.

And only Mark Williams' new 3.0 version includes utilities like "make" to make quick work of even the largest projects.

From source code to final product, only one takes you all the way: Mark Williams' C Programming System. All for only \$495. Ask about our 60-day money back guarantee when you call

1-800-692-1700 to order today. You'll be big on the total C Programming system from

Mark Williams, too. °In Illinois call 312-472-6659.



1430 West Wrightwood

Chicago, Illinois 60614

Mark

Listing 1: Assembly language routine to determine free disk space.

:drive=0 - default drive DL, drive mov ;drive=1 - A drive :drive=2 - B drive

mov AH. 36H

int 21H AX. OFFFFH ; If AX returns FFFF, then drive... cmp ;...designation was in error

je 95795 ;AX contains number of sectors... sec_clust,AX mov

;...per cluster :8X contains free space in clusters MOV free_space, BX

bytes_sec,CX ;CX contains bytes/sector MOV

ret error: ret

Listing 2: Sample FORTRAN code to call the routine in listing 1.

INTEGER*2 CLUST, SEC, BYTE INTEGER*4 FREE CHARACTER*1 DRIVE DRIVE=CHAR(1)

C SUBROUTINE DISK IS DEFINED IN LISTING 1 CALL DISK(DRIVE, CLUST, SEC, BYTE)

FREE=CLUST*SEC*BYTE

haven't been able to determine how many bytes are free on the disk from within a program. Do you know of a routine in any of the above languages or assembly language that can solve my problem?

Also, I am interested in adding a removable hard disk subsystem to my computer. I have seen many ads for such systems in BYTE, but I don't know anything about their compatibility, reliability, and speed. What is your opinion on some of these devices?

> AHMAD RAZA Lahore, Pakistan

You can determine free disk space in FORTRAN or CBASIC by calling an assembly language subroutine that uses DOS function 36H (DOS 2.0 or higher). In Pascal, you can write a procedure in assembly language or use a built-in DOS interrupt function call and retrieve the results directly from the AX, BX, and CX

An assembly language code fragment to get the disk's free space is shown in listing 1. In order for this code to work, you must set up addressing in the call-

(continued)





Size, weight & looks like Compaq.

Add 10% Shipping

(Price include only case, power supply, & keyboard) **ACTORY PRICES ON** AT/XT or He cases, cards, keyboards (minimum 25) \$Call



CONCORD Technology Ltd. 47 W. Broadway, Van., B.C. Canada V5Y 1P1 Ph. (604) 879-3555 or 879-7419

\$550 XI or II e ERBOARD \$150 AT/XT KIT

> AT \$279 XT \$169

Now the biggest name in C compilers comes in a size everybody can afford.

Let's C. \$75

Introducing Mark Williams' \$75 C compiler. Want to explore C programming for the first time? Or just on your own time? Now you can do it in a big way without spending that way. With Let's C.

This is no little beginner's model. Let's C is a powerful programming tool, packed with all the essentials of the famous Mark Williams C Programming System. The one chosen by Intel, DEC, Wang

Mark Williams Let's C

- For the IBM-PC and MS-DOS
- Fast compact code plus register variables
- Full Kernighan & Ritchie C and extensions
- Full UNIX compatibility and complete libraries
- Small memory model
- Many powerful utilities including linker, assembler, archiver, cc one-step compiling, egrep, pr, tail, wc
- MicroEMACS full screen editor with source
- Supported by dozens of third party libraries
- Upgradeable to C Programming System for large scale applications development

Let's C Benchmark Done on an IBM-PC/XT, no 8087. Program: Floating Point from BYTE, August, 1983. Exec Time in Seconds

Let's C MS 3.0 134.20 347.45 and thousands of professional programmers. The one that wins the benchmarks and the reviewers' praise:

"(This compiler) has the most professional feel of any package we tested..."—BYTE
"Of all the compilers reviewed, (it) would be my first choice for product development."—David W. Smith, PC WORLD

And now for more big news. Get our revolutionary csd C Source

BY066

Use this coupon or charge by calling toll-free: 1-800-MWC-1700. In Ill. call 312-472-6659.

ORDER NOW! 60-DAY MONEY BACK GUARANTEE!

Debugger for just \$75, too. You can breeze through debugging at the C source level ignoring clunky assembler code.

Affordable, powerful, debuggable. Mark Williams Let's C is the big name C compiler at a price you can handle. Get your hands on it now.



1430 West Wrightwood Chicago, Illinois 60614

Inquiry 205

ing program for the drive designation and the returned variables, sec_clust, bytes_sec, and free_space. These can be multiplied together on return by the calling program to get the free bytes.

The sample FORTRAN code in listing 2 determines free space in drive A.

Your compiler manuals should give the information necessary to call assembly language subroutines, and you can get more information about using the DOS INT 21H functions from the IBM DOS

Technical Reference Manual.

The Bernoulli Box is reputed to be an excellent device, as are the removable hard disk drives you mention. The Bernoulli Box is a little slower than the others, and I believe its disks are a little less expensive. All are compatible with the PC XT.—Steve

IBM PC AT BUS

Dear Steve.

I was disappointed to find that the ar-

ticles in BYTE's Inside the IBM PCs issue did not include any information on the PC AT bus. I haven't been able to find any information on this bus. Bookstores have a tremendous range of material on PC software but nothing on the PC hardware design. I am interested in adding a PC-type bus to my SB180 single-board computer. I'd like to be able to plug in a high-resolution monochrome controller, an internal modem board, or any of the other boards designed for the PC. Can you help?

IBM publishes detailed technical infor-

PETER LAUGHINGWOLF Santa Rosa, CA

ALL OF OUR PRODUCTS ARE PART OF THE SAME FAMILY TREE

COMPATIBLE, DEPENDABLE & AFFORDABLE

"...masterpiece of IBM imitation ...minor masterpiece of the



circuit designer's art."

MEGA-BOARD-XTTM

Lee Konowe, American Software Club, Ridgefield, Ct. "The most compatible IBM clone I've ever worked with."



MEGA-KIT

Winn L. Rosch, Cloning Your Own SWITCHING BUFFER PC, PC Magazine, July 10, 1984.

■ MULTIPLE INPUT/ DUAL OUTPUT SWITCHING BUFFER

- 4 computers in—2 printers out • Automatically routes computer to printer • Internal buffering 64K or 256K
- MEGA-BOARD-AT™ 80286 CPU • Our own DTC-AT-BIOS
- MEGA-BOARD-XTTM
 The industry standard with our DTC-XT-BIOS

■ MEGA-NET™

Token-passing ring LAN • IBM NETBIOS Compatible

OEM QUANTITY PRICING AVAILABLE ON REQUEST

XT Bare Board	59.95
XT Assembled 256K	299.95
Mega-Case	69.95
Mega-Kit	750.00
DTC-XT-BIOS	29.95
Power Supply	89.95
Switching Buffer	399.00

AT-BIOS and XT-BIOS licensing.

Display Telecommunications Corporation

8445 Freeport Parkway • Suite 445 • Irving, TX 75063 1-800-227-8383 • For Technical Calls Only: 1-214-607-1382 TELEX 5106000176 DTC UD

Thanks for making us 1986 Small Business Exporter of the Year for the state of Texas.

mation on its personal computers in the hardware technical reference manuals. The company publishes a separate manual for each model and sells them through authorized IBM dealers and IBM Product Centers. The Graphics Display Controllers used in the PC AT are the ones made for the PC. The AT has a couple of PC-type expansion slots for display boards and other compatible PC addons, so if you want to add a PC Graphics Display Adapter to your SB180, you need only the PC bus information. This is available in the PC Technical Reference Manual and has also been published in a number of books and magazines. -Steve ■

C·I·R·C·U·I·T C·E·L·L·A·R F·E·E·D·B·A·C·K

INSTALLATION PROBLEMS

Dear Steve.

Regarding your December 1983 article ("Keep Power-Line Pollution Out of Your Computer"), I've already installed metaloxide varistors in a Radio Shack four-outlet power strip. I also have a six-outlet strip that is riveted together—this makes it tough to get inside the assembly to install MOVs. Any ideas? Radio Shack now carries an SNR-20A130K MOV. catalog #276-568. Is it adequate as a substitute?

I'd like to hook the Osborne up to a Prowriter printer via the Osborne's serial port (the Prowriter uses a parallel interface). I have read Alan Wilcox's "Serial to Parallel" article in the August 1983 issue of Dr. Dobb's Journal. but I need some help. All I need is a simple serial-to-parallel box that will work with the Osborne.

AMER NELSON Seattle, WA (continued)

AutoCAD. Now Yor 400 and Versal. Princeton SR-12 and Sigma Designs Color 400 "The Ultimate in Graphics **Resolution and Performa**

SR-12 and Color 400. A brilliant combination for super-high resolution graphics and a crisp character display.

For a brighter, sharper display with your IBM PC, XT, or AT, here's a team that can't be beat. The SR-12 super-high resolution RGB monitor from Princeton Graphic Systems and Color 400, the advanced color graphics adapter card from Sigma Designs.

A Revolution in Resolution. Begin by snapping the Color 400 into your PC. Without any software modification, text suddenly becomes readable. Graphics turn

smooth out, and annoying flicker fades away. Color 400 automatically doubles the number of lines on standard line software. It allows true high

fessional design applications. Color 400 is the answer to your graphic needs.

Turn on SR-12 for the impressive

results. The SR-12 displays your Color 400 image with unmatched clarity and brilliant color. Because the SR-12 combines a .31mm dot pitch tube and a non-glare screen with an incredible 640 x 400 noninterlaced resolution, you get a flickerless image that's as crisp and clean as a personal computer can produce.

See how impressive this stateof-the-art image can be on your own PC system. Visit your local retailer today and ask about this new color graphics team. Princeton Graphic Systems' SR-12 and Sigma Designs' Color 400. An unmatched, brilliant combination.



sharper and cleaner, Jagged edges resolution display of Lotus 1-2-3 and Symphony

charts, graphics from Dr. Halo, CadPlan, Lumena 400, and others. Also, create dazzling business charts in 16 vibrant colors with Paintbrush 400.

included with the card. Enjoy fully formed, monochrome quality characters in text mode. For word processing, spreadsheet, CAD/CAM, or pro-





SIGNA DESIGNS, INC., 2023 O'Toole Avenue, San Jose, CA 95131 (406) 943-9480. Telex: 171240



Princeton Graphic Systems, 601 Ewing Street, Bldg. A, Princeton, N.J. 08540 (609) 683-1660, Telex: 821402 PGS PRIN, (800) 221-1490 Ext. 2204

Escape the Programmer's Prison

Do you feel imprisoned by your IBM PC? Do you spend too much time wrestling with a rigid, unyielding programming language? Are you tired of clumsy programming tools that straight-jacket your creativity instead of liberating it?

If so, you're ready for Methods—a Smalltalk, object-oriented programming system for the IBM-PC and compatibles that sets you free from the constraints of other languages. Until you program with Methods, you don't know just how quick and creative programming can be on the. IBM PC.

Methods is ...

... a toolkit of over 100 classes—easily-customized software building-blocks for rapid, incremental development of real-world applications.

... an open-ended, window environment that encourages exploration while allowing recovery from any error.

... extensively documented in a four-part manual for everyone from beginners to experienced programmers—the perfect introduction to Smalltalk programming.

... ideal for software prototyping, simulation, databases, advanced user interfaces, and numerous AI applications.

Methods also offers easy access to DOS, a powerful directory/file browser system, remote UNIX¹⁹ access, an object-oriented shell for DOS programs, and much more.

Methods requires DOS and 512K RAM on IBM PC's (including AT) or "compatibles," and can be used with or without a mouse.

digitalk inc.

5200 West Century Boulevard Los Angeles, CA 90045 (213) 645-1082



To install MOVs in your riveted power strip, you need to drill out the rivets. The Radio Shack MOV you mentioned will work fine.

The article in Dr. Dobb's Journal is what you need if the Osborne supports the use of the CTS (clear to send) signal, usually found on pin 5 of the RS-232C connector. This requires provision of the necessary hardware and software by Osborne—check your manual.

Another way of controlling the data is by sending XON/XOFF codes back to the computer—often found as Control-S and Control-Q on many computers. An article describing a circuit for this appeared on page 225 of the April 28, 1983, issue of Electronic Design.—Steve

POWER

Dear Steve.


! design industrial control equipment. The company I work for has a steel-fabrication shop with a lot of heavy-duty electrical equipment. The utility bill for this shop is around \$5000 a month. I was asked to look into the possibility of reducing this monthly cost.

I first looked at the cost calculations and found that the amount due is not calculated by multiplying the total kilowatthours used by the cost per kilowatt-hour; things like kilowatt demand and periodic averaging are primary factors in the calculations. The utility company was hesitant to discuss these subjects in detail. From what they did say, it seems that the current drawn is averaged every 15 minutes. and the highest average is used to determine the kilowatt demand factor. Also, if an average of any previous month is higher than any of the present month, the higher value is used. With all this equipment, it's obvious why the bill is so high.

I decided to build a power monitor, similar to the ones you described in the September 1984 and July 1985 Circuit Cellar articles. I am dealing with 440-V AC three-phase power; the monitor therefore requires three sensing resistors. I made three sensing resistors (out of steel bolts) of 0.001 ohm each and three calibrated precision rectifiers. I would like to get an analog graph of the current waveforms. Do you have any suggestions?

Do you know of any way to reduce the heavy currents drawn from the line at turnon? I have devised a way to reduce surges in single-phase circuits using rapidly switched capacitor devices to source current pulses when required, but this particular device is not applicable with three-phase circuits.

Also, I would like to know the power (continued)



When you store all your files on floppy disks, problems pile up. First, there's time. You waste lots of it, transferring data. There's space. You sacrifice it to stacks of disks. And then, there's your mind. You lose it trying to find lost floppies. And if you get sloppy, forget it. A scratch, a cigarette

ash or punching the wrong key can cause electronic amnesia, wiping out days of hard work.

With the new NCR PC6, you're now protected. The PC6 offers a backup tape drive that insures you against data loss.

It's super fast and super compact. You can back up a 10MB hard disk in roughly 8 minutes more than an

hour faster than with floppies. And one small tape cartridge stores as much as 27 floppy disks.

What's more, the NCR PC6 runs virtually every important software program. It's megafast, has high resolution graphics, and is designed to grow as

you grow.

So droppy your floppies. You're in better shape with tape. Especially with NCR.

For your nearest NCR dealer, call toll-free 1-800-544-3333*

A BETTER PERSONAL COMPUTER. IT'S EXACTLY WHAT YOU'D EXPECT FROM NCR.





CIARCIA FEEDBACK

Try It. Then Buy It. PC-Write.

A fast, full-featured word processing package for the unbelievable price of \$10. Complete. You get a manual on disk, mail merge, split screen, keyboard macros, on-screen formatting, full printer support, and more.

Try PC-Write for \$10. Then register for \$75 to get:

- latest diskette
- printed manual
- two updates
- phone support
- newsletter

Registration supports our "shareware" concept that keeps our prices low, and allows our development of PC-Write enhancements.

Shareware means you can get PC-Write from a friend or user group to try, and give away copies yourself. Then register if you like it. No risk!

Byte June 1986

NOW

Version

with our great new manual, expanded formatting options, HP LaserJet+ support, and extended directory still \$75. Prices going up July 1, 1986.

Order PC-Write Today. Satisfaction Guaranteed.

(206) 282-0452 219 First N. #224y Seattle, WA 98109 rating of the jumbo paper clip resistor of your September 1984 power monitor. In the current monitor in the July 1985 Circuit Cellar, you state that currents up to 100 amperes can be monitored; is the power rating of the paper clip sufficient to keep it from heating at this current?

DALE NASSAR Amite, LA

First of all, let me say that I am impressed with your application of the power monitor circuit using steel bolt sensing resistors. To obtain an analog hard-copy graph, you could use one of the commercial high-speed oscillographic recorders. You can obtain these recorders with a wide variety of chart speeds and input voltage ranges. If you want to record the current of each phase at the same time, you can also obtain these recorders with multiple pen capabilities. One commercial source for this type of equipment is Hewlett-Packard. In Louisiana, you can contact

Hewlett-Packard Company 3229 Williams Blvd. Kenner, LA 70062 (504) 443-6201

Reducing the heavy current drawn from the line by a large three-phase motor at turn-on would wind up being a major job, and I couldn't attempt it here.

My paper clip was good for about 20 A continuous and 100 A with low-duty cycle.-Steve

BSR X-10

Dear Steve.

I am interested in building your Home Run Control System. However, I remember you did not speak favorably of the BSR X-10 system in your July 1983 article on the RTC-4 real-time controller. What has happened to change your mind about the BSR X-10 units? If they have improved their modules, how can I tell if I have the updated units?

> CLIFTON WOOLMAN Colorado Springs, CO

The BSR problems that I mentioned in that article were based on my experiences several years prior to that time. Since then, the modules have been improved significantly. The triac in the lamp modules was replaced with one having a higher power rating. Over the last several years, I have not had one fail, and others report the same thing. The original appliance modules had a solenoid and microswitch combination that has been replaced by a latching relay. The only way you could tell if your

modules are the older types would be to take them apart and examine them. If you bought them within the last couple of years, however, you should have the newer models.-Steve

SB180

Dear Steve.

Along with about 2 million other Americans. I own a computer that runs CP/M 2.2 as its primary DOS (the computer is an Epson QX-10, and it has a nice highresolution display). I'd love to upgrade my computer for faster speed and a more flexible operating system.

If the SB180 can be adapted as an outboard or in-board (my Epson has expansion slots) upgrade for CP/M machines, it would really put a crimp in Big Blue's bottom line by inhibiting sales to people who would otherwise dump their CP/M machines to get better performance. I resent IBM's stifling of innovation in the field. An upgrade board with the SB180 would do more to shift the marketing toward innovation.

I'm not technically competent in electronics—even so, your purpose came through loud and clear. You stimulated my interest in learning (rather than just using) computers; I've ordered ZCPR3 to explore this system.

> MICHAEL LASKY Brooklyn, NY

Thank you for your kind words about the SB180. While I haven't had the opportunity to work with the QX-10, I would guess that it might be possible to install an SB180 in it. However, you would be wise to team up with an electronics hacker to determine the true feasibility. You just might be able to salvage the disk drives, power supply, keyboard, and display.

By the way, look for an article on adding a high-resolution graphics display adapter to the SB180. It should come out

some time this fall.

I hope that you continue using and learning about computers.—Steve

Over the years I have presented many different projects in BYTE. I know many of you have built them and are making use of them in many ways.

I am interested in hearing from any of you telling me what you've done with these projects or how you may have been influenced by the basic ideas. Write me at Circuit Cellar Feedback, POB 582, Glastonbury, CT 06033, and fill me in on your applications. All letters and photographs become the property of Steve Ciarcia and cannot be returned.

MICROSOFT LANGUAGES NEWSLETTER Vol. 1, No. 6

News about the Microsoft Language Family

Your Microsoft® FORTRAN Programs Can Call Microsoft C Library Routines

Microsoft FORTRAN's long-established history includes powerful scientific subroutines drawn from a vast user community. Microsoft C has a rich operating systems background, strong string and bit manipulation support, and growing strength in the program portability arena. The following demonstrates how easily one can call C functions from a FORTRAN program.

Spawnlp creates and executes a child process. In this example, we suspend the parent program while the child program executes. When the child program terminates, the parent program

resumes execution.

Spawnlp is declared in C as follows:

int spawnlp (mode, path, arg0, arg1, ..., argn) int mode; char *path, *arg0, ..., *argn;

We declare the interface to FORTRAN with this program fragment:

integer*2 spawn

interface to integer*2 function spawn [c, varying, alias: 'spawnlp'] (mode)

integer*2 mode

end

Spawn is the function name we will use from FORTRAN. We declare the return type of spawn to be integer*2. [c] indicates the C language. [varying] tells that a variable number of arguments may be passed. An [alias] is used because the C name for the function spawnlp has 7 characters; names in FORTRAN are only significant to 6 characters. The string arguments are undeclared in the interface and assumed to be passed from FORTRAN by value.

The function can now be invoked as follows:

i = spawn(0,loc('exemod'c), loc('exemod'c), loc('demoexec.exe'c), int4(0))

The C spawnlp function expects addresses of strings, not actual characters, so we use the LOC() function. C strings differ from normal FORTRAN strings; we specify these by the "c" after each closing

quote. We use INT4(0) to pass the last parameter, a CNULL pointer (32-bit integer zero).

Starting with the release of Microsoft FORTRAN 3.3, Pascal 3.3, Macro Assembler 4.0, and C Compiler 3.0, these Microsoft languages are designed so libraries and subprograms written in any one can be used in any other. Any C routine (not just spawn) can be interfaced to FORTRAN. And they are supported under both MS-DOS® and XENIX® for additional program portability.

For more information on the products and features discussed in the Newsletter.

write to: Microsoft Languages Newsletter

16011 NE 36th Way, Box 97017, Redmond, WA 98073-9717


Or phone:


(800) 426-9400. In Washington State and Alaska, call (206) 882-8088. In Canada, call (416) 673-7638.

Latest DOS Versions:	
Microsoft C Compiler	3.00
Microsoft COBOL	2.10
Microsoft FORTRAN	3.31
Microsoft Macro Assembler	4.00
Microsoft Pascal	3.31
Microsoft QuickBASIC	1.02



XEROX





For information call Team Xerox, your local Xerox sales office or: 1-800-TEAM-XRX ext. 160A

Please send r coupon to: X	ne more information derox Corporation, PO	on Xerox Lasography. Box 24, Rochester, N	Send this Y 14692
☐ The Xerox	t 6085 Professional Co t 4045 Laser CP e a sales representativ		
NAME'	# → 1%	क्ता.व	L.
COMPANY.	T 2 3		
ADDRESS	an a	спу	-1.5
STATE	If you can't	PHONE wait, call: (RX ext. 160A	

Put Us To Work For You

DATABASE SYSTEMS

ASHTON-TATE dBase III + BORLAND A220

MICRORIM

379. R:Base 5000 NANTUCKET 359. Clipper

WORD PROCESSING

\$ 39. Easy Word
LIVING VIDEOTEXT

Ready Think Tank 109.

MICROSOFT

245. Word MICROPRO

Easy WordStar 3.3 WordStar Professional WordStar 2000 +

65. Just Write

229. 245. Multimate

Executive

Advantage SSI (Satellite) WordPerfect 4.1

SPREADSHEETS

9335.

LOTUS 1-2-3 MICROSOFT

PAPERBACK VP Planner

INTEGRATED **PACKAGES**

ASHTON-TATE

Framework II LOTUS

Symphony MICROSOFT 65.

Windows SOFTWARE PUBLISHING Proof

Report File, W File, Write, Graph, Access or Plan QUARTERDECK Desqview

DECISION RESOURCES

Sign Master

Diagram Master Chartmaster

Map Master GRAPHICS COMMUNICATION

Freelance Graphwriter Combo MICROGRAFX

109. 115. Draw Windows Draw (Req. Windows)

PC Draw In-A-Vision MICROSOFT

199.

ORDERING INFORMATION

· Mail to: 12060 SW Garden Place Portland, OR 97223

We also carry products for the Apple II series and Macintosh

Most orders shipped Federal Express Standard

Shipping Charges:
 US and Puerto Rico add 3% (\$5 minimum)

- Us and ruerto Rico and 3% (35 minimum)
- Canado add 12% (\$15 minimum)
- Foreign add 18% (\$25 minimum)
- APO. FPO & other US Territories add 6% (\$10 minimum)

Call for rates on monitors, printers, and

systems

We immediately honor cashier's checks,
Fortune 1000 and Government checks. We

must hold others for clearing.

Advertised prices reflect a discount for Conroy-LaPointe credit card or cash. Add 3% for Visa, MasterCard or American Express.

Prices subject to change without notice.
 Customer Service Department: 503-520-9877

8-5 Pacific Mon-Fri • Foreign & Local Sales: 503-620-9878

Conroy-LaPointe Computer Stores Independently owned and operated by Conroy-LaPointe Computer Stores, Inc.

San Francisco, CA 415-982-6212
 Sealtle, WA 206-455-0206

· Portland, OR 503-620-5595

1-800-547-1289

Oregon: 1-800-451-5151 . Hours: 6-6 Pacific Mon-Fri, 8-4 Sat

Business Accounts Call 1-800-4-CONROY

PROGRAMMING ANGUAGES

BORLAND Turbo Tutor

Turbo Toolbox

Turbo Graphix Toolbox Editor Toolbox Turbo Pascal

78. 79.

Turbo Pascal
Traveling Sidekick
Turbo New Pack
Turbo Prolog
Turbo Lightning
Turbo Pascal w/8087 & BCD
Traveling Sidekick Combo
Jumbo Pack
LIFEBOAT

Lattice C Compiler MICROSOFT 285.

MICROSOFT Macro Assembler Pascal Compiler C Compiler Fortran Compiler

COMMUNICATIONS

HAYES \$107. Smartcom II KENSINGTON

95.

Easy Link Mail Manager MICROSOFT

Access MICROSTUF 105. Transporter

VM 95. Relay 135. Relay Gold

UTILITIES

ALPHA SOFTWARE Keyworks

40.

BORLAND

46. 52.

Superkeys
Sidekick (copiable)
CENTRAL POINT
Copy II PC
PC Tools
PC Option Board
FIFTH GENERATION

105. FINOT GROUP

Keep Track FUNK

39. NORTON

Utilities ROSESOFT

PERSONAL FINANCE

MECA Managing The Market Managing Your Money MONOGRAM

Dollars & Sense SIMON & SCHUSTER

J. K. Lasser Money Manager Personal Financial Planner

PROJECT MANAGEMENT

HARVARD Total Project Munager MICROSOFT

ACCOUNTING

BPI GL, AR, AP or Payroll DAC \$325.

Easy Payroll Easy Accounting

One-Write-Plus REAL WORLD GL. AR. AP, PR, Inv or Payroll

MEMORY CHIPS & COPROCESSORS

RAM CHIPS 64K, 200 NS Kits 64K, 150 NS Kits 256K Kits 128K Kits for AT HAUPPAGE

8087 Chip 8087-2 Chip 80287 Fast 5 for AT 80287 Fast 8 for AT

EXPANSION BOARDS

AST SixPak Plus, 384K

Rampage for PC Rampage for AT INTEL

Above Board 64K For PC Above Board 128K for AT MAGNUM EconoRAM 384K

PC MasterCard No RAM PC MasterCard 384K PC MasterCard 1.5 MB ORCHID

Conquest No RAM

279. JRAM AT3, No RAM for AT 279. JRAM 3, 256K EMS Board, PC

VIDEO BOARDS

EVEREX The Edge HERCULES 159.

Color Graphics Graphics Card QUADRAM EGA+ Board VIDEO 7

429. VEGA Board

DRIVES & TAPE BACKUPS

CDC Floppy Drives Half Height 360K Full Height 360K IRWIN

IRWIN
10 MB Tape Backup Kil
MOUNTAIN
20 meg DriveCard Hard Disk
SEAGATE Hard Drives

SEAGATE Hard Drives
20 meg for PC
20 meg for AT
30 meg for AT
SYSGEN
60 MB Internal Tape Backup
60 MB External Tape Backup
20 MB Hard Disk, 20 MB Tape (PC)
30 MB Hard Disk, 60 MB Tape (AT)

TEAC Floppy Drives 55-BV Half Height 360K 1.2 MB Floppy Drive For AT

INPUT DEVICES & DIGITIZERS

HITACHI
Tiger Tablet II (4 Buttons)
KEYTRONICS
KB 5151 Keyboard
KB 5153 Keyboard
MICROSOFT
Mouse 319.

rial Mouse MOUSE SYSTEMS
Mouse With Soltware & PC Paint

MODEMS

1200 External

1200B Internal 2400 External 2400B Internal

US ROBOTICS Password 1200 External 2400 External 2400 Internal

299.

PRINTERS & PLOTTERS

ENTER COMPUTER Sweet P 100 Plotter Sweet P 600 Plotter

FX 85 160 cps, 32 NLQ 599.

FX 85 160 cps, 32 PLQ HI 80 Plotter FX 286 200 cps, 40 NLQ LQ 800 180 cps, 60 LQ LQ 1000 180 cps, 50 LQ, 15" LQ 1500 200 cps, 67 LQ, 15"

OKIDATA 182 S or P, 192 S or P, 193 PANASONIC

EPSON

MONITORS

AMDEK 300G 12" Green Composite 300A 12" Amber Composite 310A 12" Amber TTL Color 600 Color 722 Color 725 Color 730 NEC

159. 409. 549. 609. 795.

1280 Green 1285 Amber JC 1401P3A Multisynch

PRINCETON
MAX 12 12" Amber TTL
HX-12 12" Color RGB
HX 12e RGB for IBM-EGA
SR-12 Hi Res RGB

POWER & SURGE PROTECTION

CONROY-LAPOINTE
130 Watt Power Supply
CURTIS Surge Suppressors
Diamond, 6 outlets
Emerald, 6 outlets, 6' cord
Sapphire, 3 outlets, RFI filter
Ruby, 6 outlets, cord, RFI Filter
KENSINGTON

MasterPiece Masterpiece Plus

DISKETTES & ACCESSORIES

CONROY LAPOINTE DISKETTES

DS/HD 10 for AT DS/HD 100 for AT DS/DD 10 DS/DD 100

DS/HD 10 for AT DS/HD 100 for AT DYSAN MAXELL DS/DD 10 DS/HD 10 lor AT

Apple'lle, lic Compatible Monitor & Software

128K RAM, 32K ROM 65C02 CPU

51/4" Floppy Drive 1 Expansion Slot, Ile 1 Parallel, 2 Serial Ports

External Drive Port Numeric Keypad 4 Cursor & 10 Function Keys Supports Double Hi Res

Mouse/Joystick Port

\$995 With Monitor, Printer, 2nd Drive, Software

Conroy-La

B·O·O·K R·E·V·I·E·W·S

MUSICAL APPLICATIONS OF MICROPROCESSORS. 2nd edition Hal Chamberlin Havden Book Company Hasbrouck Heights, NJ: 802 pages, \$39.95

COMPUTER MUSIC: SYNTHESIS. COMPOSITION, AND PERFORMANCE Charles Dodge and Thomas A. Jerse Schirmer Books New York: 1985 381 pages, \$29.95

FOUNDATIONS OF COMPUTER MUSIC Curtis Roads and John Strawn, eds. The MIT Press Cambridge, MA: 1985 712 pages, \$50

ELECTRONIC AND COMPUTER MUSIC Peter Manning Oxford University Press New York: 1985 291 pages, \$29.95

anyone interested in computer music applications.

The author offers background material on the goals, history, and practice of music synthesis: fundamental sound parameters, tape and voltage-control (analog) methods, direct computer synthesis, and the growing role of computers in sound processing. Although the material is not new, it represents a fairly good overview of basic sound synthesis issues. A. brief history of microprocessors and microcomputers and a detailed discussion of the 6502 and 68000 is also included.

ANALOG


If you're constructing and interfacing to your own analog sound synthesis system, Chamberlin's discussion of computer-controlled analog synthesis will delight you. He details analog system hardware down to the level of transistors and operational amplifiers. While some

readers may not be excited by discussions of MOSFET switches and R-2R resistive ladders, those with solid technical backgrounds will find a great deal of useful material. However, I found this discussion to be the most expendable. Chamberlin seems indecisive about the level of detail he wants to expose readers to. As a result, he combines a variety of topics under the general heading of controlled analog synthesis and even includes a discussion of vector and raster display devices (with circuit diagrams). I doubt many people are interested in constructing their own digital-to-analog converters, but there is material here for those who are. In the end, however, much of this section seems vaguely dated in an era when

(continued)

MUSICAL APPLICATIONS OF MICROPROCESSORS Reviewed by Donald Swearingen

he second edition of Hal Chamberlin's Musical Applica-I tions of Microprocessors might be more accurately titled Sound Synthesis from A to Z because the contents speak more to seasoned electronic and computer music practitioners than computerists. The book is filled with a myriad of esoteric subjects ranging from the characteristics of operational transconductance amplifiers to the properties of binary arithmetic. While the book's basic orientation is often more in line with an engineering background than that of a musician, Musical Applications is nevertheless valuable for



sound synthesis is becoming almost exclusively the province of all-digital devices.

DIGITAL

The largest and by far the most useful section of the book focuses on digital sound synthesis and modification. If your primary interest is digital signal processing, this section provides a strong basis, both theoretical and practical, to explore this increasingly prevalent technology. With an eye to the trade-offs between hardware and software to best solve signal-processing problems, Chamberlin takes us on an enlightening excursion through topics central to the discipline. These include digital-to-analog and analog-to-digital conversions, digital filtering (including the simulation of reverberation), digital tone generation, and signal analysis.

In his discussion of the conversion between real-world analog signals and their numerical equivalents in digital form, Chamberlin includes an excellent overview of the difficulties involved in attempting to preserve the fidelity of the audio signal as it moves from one representation to the other. Since ultimately we perceive sound in analog form, the results of our processing of the digitized signals will of course be limited by the quality of the hardware handling the conversion. Chamberlin's discussion makes it clear that it is no easy matter to provide high-fidelity signals and that there is no one "best" approach to overcome all the difficulties inherent in the process.

The discussion of digital tone-generation techniques covers a range of useful methods, from simple table lookup to FM synthesis. Here, too, Chamberlin reminds us of the constraints imposed on our programming methods by the requirement that the signals must ultimately be converted to analog form: In the digital world we can never really ignore the fact that we are working with signals that have been sampled (or generated) in discrete time increments rather than continuously. From the generation of simple sine tones to the methods of percussive tone generation. Chamberlin provides the background to realize these functions entirely in software. However, with respect to the speed limitations of microprocessors faced with real-time signal-processing requirements, he includes a handy discussion on replacing some digital signal-processing algorithms with actual digital hardware, highlighting the trade-offs between execution speed and system complexity.

Chamberlin introduces us to digital filtering using models for the digital equivalents of several analog filters. With signal flow graphs, he shows how to construct digital filters of many types and characteristics; state-variable, allpass, notch, etc. Included are models for a practical filter for "concert hall reverberation" and a parametric chorus generator. I was struck by the relative simplicity of the digital filters as compared with their more complex (and correspondingly more difficult to implement) analog cousins.

If you're interested in digital signal analysis, you may find Chamberlin's treatment of the subject brief; nonetheless.

(continued)

THE PROFESSIONAL'S CHOICE

Lotus 1-2-3 \$319

Lotus Symphony

Plus STRO

\$279 \$249

\$ 89 \$ 85 \$ 59 \$149 \$109 \$Call \$ 99 \$ 49

\$399

\$ 69 \$ 39 \$ 39

\$899 \$459 \$799 \$999 \$450

dBase III

FrameWork Π \$369

\$179 \$299 \$ 99 \$269 \$319

MultiMate \$219

Word Perfect 4.1 \$209

Software

Word Processing Edit	ors
FANCY FONT	\$11
FINAL WORD II	\$21
MICROSOFT WORD	\$23
MULTIMATE	\$21
MULTIMATE	
ADVANTAGE	\$26
OFFICE WRITER/	420
SPELLER	\$23
PFS: WRITE	\$ 8
SAMNA WORD III	\$25
THINK TANK	\$10
TURBO LIGHTNING	\$ 5
VOLKSWRITER 3	\$15
VOLKSWRITER	913
SCIENTIFIC	\$25
WORD PERFECT 4.1	\$20
WORDSTAR 2000	\$24
WORDSTAR 2000+	\$28
WORDSTAR PRO	\$25
XYWRITE III	\$23

Database Systems
ALPHA DATA BASE
MANAGER II
CLIPPER
CONDOR III
CORNERSTONE
DBASE III PLUS
KMAN 2
PARADOX
PFS: FILE/PFS:
REPORT
POWERBASE
Q&A
QUICKCODE III
QUICKREPORT
R BASE 5000
REFLEX
REVELATION

S	preadsheets/
In	tegrated Packages
	ENABLE
	FRAMEWORK II
	JAVELIN
	LOTUS 1-2-3
	MULTIPLAN
	OPEN ACCESS
	SMART SYSTEM
	SPREADSHEET AUDITOR
	SUPERCALC 3
	SYMPHONY

	*	~		Н
Gran	hics			
	ARTI		TER	
			ASTE	A
	ECU			
	ERGI			
	EELA M DR			
	APH		ED	
	OME		EH	
	A-VIS			
	CHA		IEW	
	ERHI			
	XPAI			
	DRA		HOL	
	S: GR			
	NMA			
Proi	ect N	lana	geme	ent
			OTAL	
			MANA	

Project Management
HARVARD TOTAL
PROJECT MANAGER
MICROSOFT
PROJECT
PROJECT SCHEDULER
NETWORK
SUPERPROJECT +
TIMELINE 2.0
TIMELINE 2.0
Communications/
Productivity Tools
CROSSTALK
PROKEY
KEYWORKS
RELAY GOLD
REMOTE
SMARTERM
SMARTCOM II
SUPERKEY

Statistics
SPSS/PC
STATPAK-NWA
STATPAC GOLD-
WALONICK
SYSTAT
Desktop Environmen
DESK ORGANIZER
GEM DESKTOP
SIDEKICK

\$169 \$189 \$199 \$159 \$159 \$359 \$59 \$499

\$ 99 \$209 \$449

SIDEKICK	
Network Application	ns
DBASE III LAN PAR	(
KMAN 2	
OPEN SYSTEMS	
R BASE 5000	
REVELATION	
WORD PERFECT	

	Languages/Utilities	
\$21B	CONCURRENT DOS	
\$199	C86 C COMPILER	
\$249	FASTBACK	
\$179	LATTICE C COMPILER	
\$209	MARK WILLIAMS C	
\$149	MICROSOFT C COMPILER	
\$299	MS BASIC COMPILER	
\$259	MS FORTRAN	
\$189	NORTON UTILITIES QUICK BASIC	
\$139	TURBO PASCAL	
\$209	XENIX	
\$ 89		
\$ 89		
\$149	Accounting	
	BPI	
	COPAT OL AINIO	

Accounting	
BPI	\$299
GREAT PLAINS	\$479
IUS EASYBUSINESS	\$309
ONE WRITE PLUS	\$159
OPEN SYSTEMS	\$409
PEACHTREE	\$259
REAL WORLD	\$399
STAR ACCOUNTING	
PARTNER II	\$529

Hardware*

Multifunction Boards	
AST ADVANTAGE (128K)	\$359
AST 6 PAK PLUS (OK)	\$229
AST RAMPAGE PC	\$319
AST RAMPAGE AT	\$459
GOLD QUADBOARD (0K)	\$419
INTEL ABOVEBOARD PS	
(64K)	\$329
JRAM AT-3 (OK)	\$239
JRAM 3 (0K)	\$179
ORCHID CONQUEST	
(OK)	\$279
ORCHID ECCEL (OK)	\$459
PC TURBO 286 (0K)	\$899
PC TINY TURBO 286 PERSYST TIME SPECTRU	\$549
(384K)	\$279
QUADBOARD (384K)	\$249
SILVER QUADBOARD	*245
(OK)	\$219
TECMAR CAPTAIN	4214
(384K)	\$259
4	

Display Boards	
HERCULES GRAPHICS	
CARD	\$299
HERCULES COLOR	
CARD	\$159
PARADISE COLOR/	
MONO	\$169
PARADISE MODULAR	
GRAPHICS	\$259
QUADRAM EGA+	\$379
SIGMA EGA 350	\$379
SIGMA COLOR 400	\$449
STB EGA PLUS	\$399
TECMAR GRAPHICS	
MASTER	\$489
TSENG ULTRA PAK	\$429
TSENG ULTRA PAK-S	\$369

TSENG ULTRA PAK-S	
Emulation Boards	
AST 5251-11 +	
AST 5251-12	
AST BSC	
AST SNA	
CXI 3278/9 Plus	
IRMA	
IRMALINE	

Aodems	
AST REACH 1200	\$35
HAYES 1200	\$38
HAYES 1200B	\$34
HAYES 2400	\$57
HAYES 2400B	\$54
TRANSNET 1000	\$27
VENTEL 1200	
HALF CARD	\$36
WATSON	\$31

	44.0
Mass Storage/Backup	
EXCEL STREAM 60 TAP	E
(INT)	\$899
IOMEGA BERNOULLI	
BOX-10+10	\$2396
IRWIN 310A 10MB TAPE	
(EXT)	\$850
IRWIN 1100 10MB TAPE	
(INT)	\$479
MAYNSTREAM SOMB TA	
(INT)	\$1199
MOUNTAIN DRIVECAR	
20MB	\$898
PLUS HARDCARD 10ME	
PRIAM 42MB AT	\$1295
SYSGEN SMART IMAGE	
20 MB (INT)	\$62
TALLGRASS	S Cal
TECMAR QIC-SOAT TAP	
(INT)	\$1199

Monitors	
AMDEK 600/722	\$429/539
NEC MULTISYNC	\$599
PRINCETON HX-12	\$449
PRINCETON MAX-12	
PRINCETON SR-12	\$579
PRINCETON HX-12E	\$539
PRINCETON HX-9	\$529
TAXAN 122 AMBER	\$159
TAXAN 630/640	\$469/539

Networks	
AST PC NET ORCHID PC NET	\$Call \$Call
3 COM	\$Call
Printers/Plotters	

BHOTHER TWINWRITER	\$939
DIABLO	\$Call
EPSON FX-85	\$399
EPSON FX-286	\$589
EPSON LQ-800	\$589
EPSON LQ-1000	\$729
HP 7475A	\$Call
JUKI 6300	\$699
NEC 3550	\$869
OKIDATA 192	\$379
OKIDATA 193	\$519
TI 865	\$1025
TOSHIBA P321	\$565
TOSHIBA P341	\$829
	\$1069

Input Devices	
KEYTRONIC 5151	\$179
KOALA	\$109
MICROSOFT MOUSE PC MOUSE W	\$129
PAINTPLUS	\$139
Accessories	
CURTIS SURGE	

PHOTECTORS	2 Call
DATASHIELD BACKUP	
POWER	\$Call
GILTRONIX SWITCHES	\$Call
MASTERPIECE PLUS	\$135
MICROFAZER INLINE	
BUFFERS	\$Call
TRIPPLITE BACKUP	
POWER	\$Call
258K RAM SET	\$ 39
6087 MATH CHIP	\$135
80287 MATH CHIP	\$199

NEC Multisync

Mountain Drivecard 20



Princeton HX-12E

J RAM AT-3

IRMA Board



LOWEST PRICE **GUARANTEE!!**

We will match current nationally advertised prices on most products. Call and compare.

Diskette Library Case



In New York State call (718) 438-6057

TERMS

Checks—allow 14 days to clear. Credit processing—add 3%. COD orders—cash. M O or certified check—add \$5.00 Shipping and handling UPS surface—add \$3.00 per item (UPS Blue \$8.00 per item). NY State Residents—add applicable sales tax. All prices subject to change






MON.-THURS. 9:00 AM-8:00 PM SUN. & FRI. 9:00 AM-4:00 PM

Softline Corporation P.O. Box 729, Brooklyn, N.Y. 11230

TELEX: 421047 ATLN UI FAX: 718-972-8346



Inquiry 309 for MS DO5 Products. Inquiry 310 for all others.

it is indicative of the discipline's broad scope of application. As with the filters, we are given the basis for an alldigital approach to the problem. The section on digital synthesis and modification concludes with a brief history and discussion of several music software systems. The bulk of the discussion centers on several algorithms and programs developed and used by Chamberlin in his own computer music applications.

The final section of the book concentrates on the design and workings of several real-world (commercially available) synthesizers and concludes with the author's view of the

future of computer music synthesis.

In sum, the range of topics in the book is impressively comprehensive, though their treatment is not always as detailed as you might wish. For instance, if your interest in computer music has been piqued by the recent proliferation of MIDI (musical instrument digital interface) equipment, you will be disappointed by the all-too-brief discussion of this important subject. On the other hand, newcomers to the field of computer music should be prepared for a challenge in assimilating the book's many technical details.

Although I found the analog discussion dated, the hardware versus software issues weighted too much in the direction of hardware, and I would have liked to see more algorithms and fewer circuit diagrams, the information contained in Musical Applications is useful and instructive. You would have to collect many reference works to amass the details provided in this single volume.

Donald Swearingen (100 Valencia St. #261, San Francisco, CA 94103) is a freelance software developer, consultant, and musician.

COMPUTER MUSIC: SYNTHESIS, COMPOSITION. AND PERFORMANCE

Reviewed by Randall Graves

Judging from the level of mathematics used in Computer Music: Synthesis, Composition, and Performance, the intended reader will be significantly more a computer enthusiast than a musician. Charles Dodge and Thomas A. Jerse recommend their book as a class text, but I think most music students would have a hard time with much of the material. I envision the prime reader to be a personal computer hobbyist who would like to try some fairly involved exercises in musical physics.

This volume covers most of the commonly used methods of music synthesis, and the level of detail enables a reader to imagine what a variety of waveforms will sound like. This task is not left to the reader's imagination, however, as the authors supply several references to commercial music examples.

ISSUES

Several temperaments and the relative harmonic structures of the intervals contained therein are explored, but the authors withhold opinions on their merits or applications of their merits of their merits of applications of their merits o

ATTN: XT, AT CLONE INTEGRATORS & DEALERS

WE KEEP EVERYTHING IN STOCK

- REASONABLE PRICES
- RELIABLE QUALITY
- TRY OUR SERVICE -

POWER SUPPLY - U.L. Recognized,
Meet FCC Class B



- U.L. file #E-101115(s)
- 115/230V AC
- IBM® standard pin-out or Faraday® pin-out
- OVP, OCP
 One year warranty
- For VT AT

ADD-ON CARD – For XT, AT & Compatibles

FC 1930 (PC AT)

- 1 EIA RS-232 port
 (2nd opponal)
- Centronics port
 With game port
- Wah game port
 Wah cables

FC 1730 (PC AT) • 1 EtA RS-232 port

- (2nd optional)
 128K to 15 MB
- [Multifunction card for Expandable to 3MB (optional) piggyback
 - Game port

FC 740 (XT)

- I senal port
 (2nd optional)
- Centronic port
 Clock/calendar
- w/floppy controller

FC 550 (XT/AT) • 80×25 text mode

- 80×25 text mode
 720×348 graphic
- mode • Run Lotus 1-2-3
- (Mono/Graphic Run Lotus 1-2-3 auto cad, etc • IBM® compatible
- (RS232/clock) Batte

IXT Multi VOI

RS-232C portTo 9600 baudBattery back-up

FC 940 (XT)

FC 230 (XT) • Controll 4×5¼*

F.D.D.

• IBM® compatible

(Floppy controller)

KEYBOARD - FCC Approved

FC 427 (5150 Type) PC XT FC 437 (5151 Type) FC 447 PC AT





PC XT



COMPUTER CHASSIS - For XT or AT





R FORTRON

ORDERS ONLY: (800) 821-9771

3225 SELDON CT. IN CALIF.: (415) 490-8171 FREMONT, CA 94538 TELEX: 559291 FORTRON U.D.

BOOK REVIEWS


JUST THE FACTS . . . The Finest Products Too!

SMD; SCSI; ESDI Multifunction CONTROLLERS and Memory Systems

For all PC, XT, AT, RT, and compatible applications

Facts: NMS was and is first to:

- Bring you SMD disk controller and systems with 2.4mb/sec data rates and 17ms access times (8000A)
- Provide SMD/SCSI single board, multifunction controller compatible with all SMD disks



- 3. Break the 32mb DOS limitation
- 4. Bring you storage of up to 1,600mb
- Bring you file by file back up in quarter inch tape systems
- Bring you 1,000mb of laser optical storage that really does work
- 7. Support all major networks including Novell
- Provide selection of 5¼ inch and 8 inch memory systems
- 9. Bring all of the above to the PC-AT and RT
- NMS provides the widest selection of, high capacity, high performance, disk/tape/laser optical memory systems and controllers

You can buy our controllers . . . or complete memory systems

WHAT'S NEXT? . . .

See us at the New York PC Expo!

OH YES ... Fact #11 ...

No one is developing technology like NMS

CALL US TODAY 415-443-1669

TWX 9103866006 TELEX 821892 NMS UD The finest controllers and memory systems for:

Microvax Multibus





Livermore, California

tions. This rather aloof and cool presentation gives the book a somewhat stuffy feel.

A very good section covers the conversion of analog waveforms to digital equivalents and back again, along with the various integrating types of functions used to approximate the original signal when less than complete digital sampling is used. If your main interest is digital audio, you will find this section enlightening.

The thorough discussion of the ear and the hearing process contains sufficient examples to make clear some basic principles of "voicing." Voicing is the arrangement of pitches within a musical piece so that a listener does not tire from inappropriate clustering of pitch groups.

BASICS

Dodge and Jerse explain how the basic concepts of synthesis are interrelated. The components include amplitude envelopes, harmonic spectrums of different waveforms, and various styles of modulation, and the authors handle them in a manner that does not require a great knowledge of physics. Given the approach of the book, however, they should have included some examples of how to implement these functions in software. The advent of FM synthesis has caused many companies to rethink their hardware products, and a very good section in this book on FM will help both the computer owner and the user of performance-oriented synthesizers (such as the Yamaha DX series) to understand the programming nature of their instruments.

Subtractive synthesis is covered both conceptually and practically with the role of filters extensively discussed using mathematical computation and algorithmic examples. Music students might have trouble with this section, but I recommend it for an enhanced understanding of harmonic spectrums.

GAINS AND LOSSES

I found the chapter on speech synthesis useful only for synthesizing telecommunication recordings. I think a general reader would be more interested in sampling and musical-capture techniques whereby the limitless articulations of the human voice could be used as a direct source and, if desired, processed with a computer for a variety of effects.

Once a musical example is composed, the next thing I want is high-quality production of the sound, and that requires a good delivery system. The psychoacoustics involved in hearing a replay of a computer music score and the actual delivery itself are the focus of a section that appealed to me greatly. Some very practical help was offered in these areas, which also introduce some electronic signal processors for composition enhancement.

For my purposes, this book is strictly a reference. I would point the novice computer synthesist to a more example-oriented work. The few functional examples here are all in FORTRAN, which would not likely be the language of most personal computer owners, and they would require translation. The comprehensive glossary, however, is

(continued)

"While Symphony and Framework" approach the functionality of Open Access, neither delivers the full punch"

Wang Solutions

OPEN ACCESS Comparison Chart	/	Dal	Abase Form	Query C	Query Query	rocessor Relation	d Databa	phics 30	Spre Spre	adsheet Good S	word P	Continue.	tine Manageneral
Lotus 1-2-3	-					-		~					49500
Symphony	~	~	200			~		~		~	~		69500
Framework	-		~	-		~		~		-	~		69500
Open Access	-	-	~	-	20	~	1	1	~	-	~	1	39500*

P-E-N

INTEGRATED SOFTWARE

"U.S. Version only


The bottom line is this: compare all you get with Open Access—a powerful Relational Database, Spreadsheet, Graphics, Word Processing, Time Management and communications—add in a new low price and you'll see why you can't afford to compromise any longer.

But just in case you don't need all that Open Access has to offer . . . yet . . . we offer Open Access Entry for just \$195. You get all the Open Access modules on a less sophisticated level, plus all the documentation necessary for upgrading to a complete Open Access package. Call today.




FOR YOUR AUTHORIZED DEALER OR DISTRIBUTOR

Open Access and 📰 are registered trademarks of Software Products International, Inc.; Lotus, 1-2-3 and Symphony are registered trademarks of Lotus Development Corp.; Framework is a trademark of Ashton-Tate.



application assistance



RESEARCH CORPORATION

8620 Roosevelt Ave. • Visalia, CA 93291 209/651-1203

We accept BankAmericard/Visa and MasterCharge

doubly useful, as it assumes the reader is new to the terminology, I recommend this book as an additional reference to an existing computer music library, but not as a first or only work on the subject.

Randall Graves (542 East 400 S. Sprinaville. UT 84663) is a programmerlanalyst for Dynix Inc. of Provo, Utah. He composes, records, and performs electronic music.

FOUNDATIONS OF COMPUTER MUSIC Reviewed by Stan Czarnik

n Foundations of Computer Music, editors Curtis Roads and John Strawn bring together 36 articles demonstrating that the evolution of the "intelligent instrument" is destined to continue. The book is intended for both informed hobbyists and computer music professionals, but the sheer clarity of the contributions should quiet the fears of anybody curious enough to pull the book off the shelf.

THE BINARY BEAT

Computer music follows from a technology capable of representing sonic events in the form of binary digits. Indeed. digital conversion is what distinguishes computer music from its analog ancestor, electronic music. The first section of Foundations amounts to a survey of various digitalsynthesis techniques, including additive synthesis, frequency modulation, and waveshaping.

The roots of the additive method go back to the ancient Greeks. This technique begins by decomposing sound in much the same way as a prism decomposes light into its primitive spectral components. The digital representations of these elements can then be transformed into highly precise analog signals, or the representations can be manipulated by the composer to make musical sounds never before heard. As contributor Neil Rolnick tells us. the restrictions imposed by additive synthesis forced his computer music team to do certain things "awkwardly or not at all."

These difficulties are overcome to some extent by newer modes of control described by Curtis Roads in two elegant articles on waveshaping and granular synthesis. Waveshaping operates directly on the waveform. The key to waveshaping is known as the transfer function, which can be thought of as a line on a grid with values between -1 and +1 on the horizontal axis and corresponding values on the vertical. Granular synthesis is another way of working with the waveform, only this time with little pieces of it. The number of ways in which grain samples can be rearranged using a computer is endless, and the results are entirely unique. By systematic grain deletion a sound can be made to "evaporate" or, by reversing the process, coalesce and crystallize from the inside out.

DEDICATED TO MUSIC

Some sections of Foundations are devoted to computer music hardware and software, and joint consideration

(continued)

Two great reasons to buy Turbo Pascal:

System Builder \$9995 and Report Builder \$7500

From the Designer Series™ by Royal American Technologies.

Now, experience the magic of 5th generation software.

It's a state-of-the-art program generator that automatically builds a relational database application for you in just seconds. You just paint your screen and datafile layouts.

SO EASY. . . Ideal for entry level "coders" to produce relational database systems without coding. (Entry level guide with sample On-disk systems is provided.) SO POWERFUL . . . it provides programming professionals with more flexibility and horsepower than any development tool on the market (guide is provided.)



SYSTEM BUILDER CYCLE:

Paint the menu screens

Paint the application screens

Define the datafile(s) on the screen

System Builder automatically writes the program code and combines the datafiles into a relational database

Print your listings

 Datafile (includes screen schematics)

Compile the System Builder code using Turbo Pascal" compiler

Start using the completed system

*System Builder will generate 2,000 lines of program code in approximately 6 seconds.

ROYAL AMERICAN Technologies Corporation

REPORT BUILDER CYCLE:

Key in the report parameters on screen

Print your listings

New report format for reference Report element layout

Key in the report data elements on screen Report Builder automatically writes the program code and links it to your datafile

Report program source code listings

Compile the report builder code using the Turbo Pascal™ compiler

Attach the new report module to your

REPORT BUILDER FEATURES:

- · Automatically generates Indented, Structured Source Code ready for compiling Turbo Pascal (no programming needed)
- Automatically interfaces to a maximum of 16 Datafiles created with System Builder Supports Global Parameters such as Headings, Footers,
- s Per Page, Print Size and Ad Hoc Sorting
- Produces reports containing an unlimited number of Sub-Headings, Sub-Totals and Totals

Page breaks on Sub-Totals

- Report Builder will generate Report Programs which can contain Report Elements not just restricted to Data Elements. Reports can also include Text Strings, Variables or Computed expressions containing references from up to 16 Datafiles
- · Use range input screens produced by System Builder to allow End Users to select portions of a report as needed (i.e. specific account ranges can be requested)
- Produces standalone Report Modules
- · Easy-to-use Interface Program to access dBase Files

SYSTEM BUILDER PERFORMANCE (Typical 10 screen 8 file/index application)

TASK	SYSTEM	DBASE III"
Planning and Design	60 minutes	60 minutes
Screen Painting	15 minutes	3 hours
Programming	2 minutes	10 hours
Elapsed time to completed system	1 hour and 17 minutes	14 hours

SYSTEM BUILDER FEATURES:

- Automatically generates Indented, Structured, Copy Book Source Code ready for compiling with Turbo
- Pascal (no programming needed)

 Paint Application and Menu screens using Keyboard or Microsoft Mouse."
- Finished Application screens all use System Builder's In-Line machine code for exceptional speed
 Use fully prompted Screen Guidance Templates' to
- define up to 16 Datafiles per application, each record having an Unlimited Number of fields
- Define up to 16 Index Keys per application database
 Paint functions include:

- Center, copy, move, delete, insert or restore a line. Go straight from screen to screen with one keystroke Cut and paste blocks of text screen to screen
- Draw and erase boxes, Define colors and intensities -Access special graphic characters and character fill Supports an unlimited number of memory variables
- File Recovery Program Generator to make fixing of corrupted data files an automatic process
- Automatically modifies datafiles without loss of data
- when adding/deleting a field
 Menu Generator with unlimited Sub-Menu levels
- Experienced developers can modify the System Builder

let's work together. Your inquiries are always welcome. (415) 397-7500.

Develop systems for Floppy or Hard Disk Modify System Builder's output code to include External Procedures, Functions and Inline Code Easy-to-use Interface to access ASCII and dBase Files VARS, System Integrators and Dealers,

"I think it's wonderful . . . prospective buyers should seriously consider DESIGNER even before dBASE III." Mr. Greg Weale Corporate Accounts Manager, Computerland

"We used DESIGNER last year to program a major application. It saved our programmers so much time. We now use DESIGNER instead of dBASE III as our devel-

Mr. Peter Barge, Director Services Division, Horwath & Horwath

"DESIGNER has resulted in significant time savings . . . We use it on classical database applications!" Mr. Andy Rudevics, Director Andrasoft Corporation

Royal American Technologies 201 Sansome, Suite 500 San Francisco, CA 94104

(800)654-7766 California (800) 851-2555 Ask for Operator 105.

Please rush me: ____ copies of SYSTEM

BUILDER at \$99.95 per copy:

copies of REPORT BUILDER at \$75.00 per copy. I've enclosed \$5.00 for postage and handling. California residents add 6% sales tax.
Name
Address
City
StateZip
Phone
Payment: Check Money Order
□ Cashiers Check □ AMEX
□ VISA □ MASTERCARD
Expiration date
Card Number
Signature
30-Day Money-Back Guarantee. Not cop

opened.

System Requirements—System Builder/Report Builder: IBM PC/XT/AT³, or similar, with minimum 256K RAM, dual floppy drives, or hard disk, color or monochrome monitor, MS² or PC DOS³ version 2.0 or later, Turbo Pascal Version 2.0 or later (Normal, BCD or 8087 versions).

Trademarks of International Business Machines Corp Trademark of Microsoft Corp. Turbo Pascal is a registered trademark of Bostand Internat "dBASE is a registered trademark of Auhton-Tute.



It's the multiuser system that gives you what you've been looking for. Full IBM PC™ software and hardware compatibility. Highspeed performance. Cost savings.

It delivers full DOS 3.1 compatibility. You can run all popular PC/XT programs.

Even single-user programs run in true multiuser mode. And you can run new programs created for multiple users and networking with more sophisticated record-locking, including dBase,™ RBase 5000,™ Open Systems,™

Word Perfect™ and more.

It's fast! Three users run at mere AT speed, five users run at XT speed.

It's a true multiuser system, with DOS 3.1 record locking and file sharing. You have all the benefits of a multiuser system; Data, software and peripheral sharing. Better communication. Enhanced efficiency.

Each user is a complete PC. Simply connect an IBM or IBM compatible monitor and keyboard to your PC/XT/AT and you've added a new user with up to 640K. Each user runs independently while able to share files, records, programs and peripherals with other users.



LANs. Now you can add more users to your existing PC/XT/AT instead of buying more PCs and LANs.

In a word, it's it . . .



CLASSIC ...

Everything you always wanted in an IBM.



Real-Time Multitasking Executive

- No royalties
- Source code included
- Fault free operation
- Ideal for process control
- Timing control provided
- Low interrupt overhead
- Inter-task messages

Options:

- Resource Manager
- Buffer Manager
- Integer Math Library

Language Interfaces: Pascal PL/M Fortran

■ DOS File Access: CP/M-80 IBM PC DOS

AMX for 8080 \$ 800 US 8086 950 6809 950 68000 1600

Manual (specify processor) 75




k KADAK Products Ltd.

(604) 734-2796 Telex: 04-55670

206-1847 W. Broadway, Vancouver, B.C., Canada **V6J1Y5**

ENHANCED GRAPHICS ADAPTER



SEGA Board

- On Board 256K Display Memory
- Compatible with the IBM EGA, CGA & MDA
- Works with Monochrome. RGB & Enhanced Color Monitors
- Runs the software supporting IBM EGA card

SEGA Board SEGA with EGA Monitor \$895

> Order Toll Free (800) 826-0267 In California Call (415) 651-3355

SOURCE ELECTRONICS CORP. 45277 Fremont Blvd., #6 Fremont, CA 94538

IBM is a registered trademark of international Business Machines, Inc.

seems appropriate. This is because of a noteworthy trend in the creation of intelligent musical instruments: What once went into software is now going into hardware—the design of dedicated real-time music computers.

One reason for this phenomenon is speed. The execution of computer music in real time calls for as much processing power as performers can get their hands on. This was one major impulse behind the well-known Structured Sound Synthesis Project (SSSP) at the University of Toronto. This need for speed is also behind the appearance of Chuck Hastings's piece on do-it-yourself emitter-coupled logic (ECL), some of the quickest stuff around. The project described is a 24-bit stored-microprogram computer capable of 900,000 fixed-point multiply instructions per second.

Another reason for turning to hardware involves the nature of musical composition, as Otto Laske points out. Rarely does a composer stick very long to a "top-down" or "bottom-up" approach to the material. Abrupt shifts between different musical perspectives lie closer to the norm. A change desired in the "feel" of a score may require subtle notational alterations; by the same token, replacing four eighth notes with eight sixteenths may affect the feel. This kind of flexibility is very difficult to get in musical software. Section III, "Software Systems for Music," shows how complicated it can be to get around this problem.

The joker in the pack is John Myhill's progress report on the creation of a "semistochastic music language, a computer program designed to produce sequences of frequencies that are neither random nor non-random." Entirely random "music" is noise. No problem there. But what is nonrandom music? Myhill found the answer lies in periodicity: In a nonrandom series of sounds, any given sonic duration "says something" about the duration that follows it. Myhill can now program a computer to make polyrhythmic music in which one voice becomes increasingly coherent while another voice disintegrates.

PERCEPTIONS

Roads and Strawn end the book with three articles focusing on how computers can not only help create music but understand it as well. Stephen McAdams and Albert Bregman, for example, explain how the automated manipulation of sounds can shed light on the workings of musical perception and illusion-why we hear what we seem to be hearing.

Foundations of Computer Music is one of those rare computer books that will not be out of date by the time you get a chance to read it. The editorial philosophy is underscored consistently from cover to cover. Foundations covers the basic things that everyone with a serious interest in the automation of music needs to know before breaking new ground in this realm of limitless possibility.

Stan Czarnik (2716 West Evergreen Ave., Chicago, 1L 60622) is a teacher, musician, and technical writer whose hobbies include experimenting with high-voltage electricity.

(continued)

LAN Versions Available SWITCH IS ON!

SHARE THE EXCITEMENT!

Frustrated by the limitations of your current software? Try KnowledgeMan/2, the "Friendly Superpower." We think you'll be so excited by its power and flexibility you'll never go back to your present dead-end software. In fact, if you let us know why you prefer KnowledgeMan/2, you could be a winner in our "\$1,000,000 Switch!"

From accounting to manufacturing to sales, KnowledgeMan/2 is a data base management system providing familiar business computing features in one highly-fused software package:

- ☐ Extensive relational data base management
- □ Spreadsheet features
- ☐ Spur-of-the-moment inquiries
- ☐ Forms management
- ☐ Statistical analysis
- □ Data security
- ☐ Programming language and much more

Enhance your business presentations and communications with fully-integrated options for color graphics, text processing, forms painting, report generation, remote communications, mouse processing, natural language processing, and others. Versions for local area networks are also available.

For the beginner, KnowledgeMan/2 has our extensive menu system with supporting help screens and easy-to-use documentation. The experienced user may turn off the menus to use KnowledgeMan/2's power through its time-saving command language or procedural language. Everyone can use the optional natural language features to ask for information in plain English.

For details on how you can enter "The \$1,000,000 Switch," see your local dealer or write or call: mdbs/Marketing and Sales/P.O. Box 248/Lafavette, IN 47902; 317/463-2581.





IBM PC AT performance! PCir price!

AMPRO Little Board/186 8Mhz 16 Bit 80186 CPU 512K RAM—No Wait-States

- · 2 Serial Ports 50-38.4K Baud
 - Parallel Printer Port 4 Drive Mini/Micro-Floppy Controller
- SCSI Bus Hard Disk Interlace DOS Compatible ROM-BIOS · Boots PC DOS 2.x, 3.x
- Computer Board Assembled and Tested with Tech Manual and DOS utilities...\$499
- ★ DRI Concurrent DOS 4.1 Multi-User O/S...\$395
- Expansion Board for 512K (1Mb total) 8087-2 Socket. Real-Time Clock, 8530 SCC 2 Channel RS232/422, Buffered Expansion Bus and more...from \$295
- AMPRO Little Board (Z80) Same as 80186 board but Z80A CPU, 64K RAM, 16K EPROM, CP/M 2.2 & ZCPR3 and manuals...\$239 (\$279 w/SCSI)
- Enclosures w/Power Supply...from \$99
- Floppy Drives...call for current price
- Xebec Owl SCSI Drive-Low power 1/2 Ht Drive w/built-in Controller 10/20Mb...\$499/\$649
- Terminals: WYSE, QUME, KIMTRON...from \$395
- Power supplies, cables, connectors in stock

Complete technical support. Assembled systems available. Write or call for free catalog. Most orders shipped same day.

VISA, MasterCard, Money Order, C.O.D. Checks allow two weeks. Purchase orders and bids welcome. Prices F.O.B. Prairie View, IL.

IBM PC AT, PC_{IF}, PC DOS are trademarks of International Business Machines Corporation Concurrent DOS is a trademark of Digital Research, Inc. Xebec Owl is a trademark of Xebec. Inc.

15945 West Pope Blvd. Prairie View, IL 60069 INC (312) 537-7888



Monitor Optional

MORE® Computer

DEPT, BYTE/MAG . P.O. BOX 2320

GARDENA, CALIF. 90247-0320 OPEN: 8:30 - 5:00 Monday - Friday

Sorry, No Walk-In Orders - Strictly Mail Order Only IBM* is a registered trademark of Int'l Bus. Machines Corp

ELECTRONIC AND COMPUTER MUSIC Reviewed by Gregory Lent

n this informative treatise on the history of electronic music, Peter Manning takes us back to 1897, when the Dynamophone was patented by Thaddeus Cahill in Holyoke, Massachusetts. It was the first fully developed sound-generator system that was operated via a keyboard. It weighed 200 tons and cost \$200,000. Numerous interactions between composers and scientists prior to 1945 are highlighted at the beginning of the book. The four sections that follow cover developments from 1945 to 1960, new horizons in electronic design, the electronic repertory from 1960, and the digital revolution. A bibliography and lengthy discography are included, but unfortunately this historical perspective does not mention MIDI.

After World War II, the revival of the arts was accompanied by advances in technology that provided incentives for American institutions to support the development of electronic music. In Europe, Pierre Schaeffer's experiments led to the discovery of the amplitude envelope (attack, body, and decay). This work includes such technological leaps as the birth of the transistor in the 1950s and the first voltage-controlled synthesizer. The book contains figures showing frequency and amplitude controls. waveforms, etc., that assume the reader has a background in the science of sound. Conversely, there are also basic, almost mundane, descriptions of hardware, such as how joysticks were used to control some early synthesizers.

Computers become the focus of the book in the digital revolution section, with descriptions of hardware, languages, and the history of how computers were used to synthesize music. It seems that most of the work in the early 1970s was done at universities, with the exception of Bell Labs and IRCAM in Paris.

The desire to create interactive, real-time facilities resulted in systems such as the VOCOM, developed at EMS Studio in England, and the Synclavier, developed at Dartmouth College. Other synthesizers are discussed. although most have more memory or have been superseded since this book was written.

The main drawback of Electronic and Computer Music is its failure to mention MIDI, which became the standard after the winter NAMM (National Association of Music Merchants) show in 1982. Because this book was published in 1985, at least a mention in the "outlook for the future" concluding chapter would have contributed to its historical relevance. Of course, MIDI has advanced so rapidly since 1982 that Manning could have written another book of equal length on that topic alone.

Overall, this book is an excellent reference on the history of electronic music from the late nineteenth century to the mid-twentieth century. It fails, however, to bring the reader up to the present—an insurmountable task in an industry that doesn't stand still long enough for analysis.

Gregory Lent (POB 721, Peterborough, NH 03458) is a musician and composer currently working with the Synclavier and other MIDIeauipped instruments.

Easy Assembly - No Soldering

1-213-329-3384 • 1-800-231-6491 NO COD, No Open Account - Only Prepaid or Credit Card Orders. Add 1094 Shipping & \$2.00 Handling Fee. Credit appSed if freight is less than 1096 California Residents Add 65/96 Sales Tax

ASK FOR OUR 24-PAGE CATALOG

OUTSIDE CALIFORNIA

The price of power down. TAS+ *695 *295 *695 *295

Before you buy DBase III, QuickCode and Clipper, look at TAS-Plus

TAS-Plus just made it faster, easier and cheaper to build database applications. TAS-Plus combines the power of a Relational Database with the ease of a Program Generator. Then TAS-Plus adds a Runtime Compiler to produce lightning-fast finished code.

Relational Database 4th Generation Language Screen Painter Program Generator Report Writer Source Code Editor Runtime Compiler

Look at what TAS-Plus gives you:

TAS-Plus gives you power where it counts. You can store up to 65,000 records, open up to 16 files at a time and enter up to 10,000 characters per record. TAS-Plus even reads your old DBase files.



The following are registered trademarks of these companies: TAS-Plus, The Accounting Solution, Business Tools, Inc; DBase III, Ashton-Tale; CPIM, Digital Research; IBM PC/XT/AT, International Business Machines Corp; QuickCode, Fox&-Giller; Clipper, Nantucket Inc.

Copyright 1986 Business Tools, Inc.



TAS-Plus writes the program for you

With TAS-Plus, you can start building professional database applications on day one. Just "paint" the screen the way you want and TAS-Plus writes the program for you. You can even paint using different colors or graphic characters. And custom reports are just as easy.

TAS-Plus has over 86 commands and 200 options available in its Source Code Editor, so you won't run out of room to grow.

Easy to use features

Add new databases quickly and easily. Add, change or delete records without any programming at all.

Browse through your database and see multiple records on the screen at the same time.

Restructure capability allows you to change existing databases without loss of any data.

All this for just '69

TAS-Plus would be respectable at any price, at \$69 it's awesome.

30 day Money Back Deal

TAS-Plus comes with a 30 day money back guarantee (less \$15 handling fee). TAS-Plus is available for the IBM PCIXTIAT and fully compatible computers. Limited versions available for CPIM and non-IBM machines.

Order Today 1-800-648-6258

Call our Toll-Free Hotline. Use your VISA, MasterCard or American Express to order today. For information or Washington residents call 1-206-644-2015.

NOT CC	PY-PRO	TECT	ED	
YES! Rush r City.	ne the follow Item	ing Items	Price	Subtotal
	TAS+		889	
Shipping ad			Shipping	
WA res add	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TW		Tax	
			int Enclosed unds only)	_
Name:		,001		
Shipping Ad	dress:	_		
City:				
State:		Zip:		
State:		Zip:		Check

BUSINESS TOOLS INC. 4038-B 128th Ave. S.E., Suite 266 Bellevue, Washington 98006 (206) 644-2015







E·V·E·N·T Q·U·E·U·E

lune 1986

ENGINEERING SUMMER CON-FERENCES, Ann Arbor, MI. Engineering Summer Conferences. College of Engineering. The University of Michigan. 300 Chrysler Center. North Campus, Ann Arbor, MI 48109, (313) 764-8490. June-August

VISION '86: APPLIED MACHINE VISION CONFERENCE AND EXPOSITION, Cobo Hall, Detroit, MI. Vision '86. One SME Dr., POB 930, Dearborn, MI 48121, (313) 271-0777. June 3-5

1986 NATIONAL EDUCA-TIONAL COMPUTING CON-FERENCE (NECC '86), San Diego, CA. NECC '86, University of San Diego, School of Education, Alcala Park, San Diego, CA 92110, (619) 260-4539, June 4-6

THIRD ANNUAL CONFERENCE ON WRITING FOR THE COM-PUTER INDUSTRY, Plymouth, NH. Dr. Richard Chisholm, Reed House, Plymouth State College, Plymouth, NH 03264, (603) 536-1550, ext. 301. June 7

ASSOCIATION OF SMALL COM-PUTER USERS IN EDUCATION 19TH ANNUAL SUMMER CON-FERENCE, Myrtle Beach, SC. Jack Cundiff, Horry-Georgetown Technical College, Conway, SC 29526. June 9-11

NATIONAL DATABASE & 4TH GENERATION LANGUAGE SYM-POSIUM, New York, NY. Software Institute of America Inc., 8 Windsor St., Andover, MA 01810, (617) 470-3880. Iune 9-12

NETWORK MANAGEMENT/ TECHNICAL CONTROL, World Trade Center, Boston, MA. CW/Conference Management Group, 375 Cochituate Rd., Framingham, MA 01701, [617] 879-0700. June 9-12

SUMMER 1986 UNIX CONFERENCE AND EXHIBITION. Atlanta Hilton Hotel, Atlanta, GA. USENIX Conference Office, POB 385, Sunset Beach, CA 90742, (213) 592-3243, June 10–13

24TH ANNUAL MEETING OF THE ASSOCIATION FOR COM-PUTATIONAL LINGUISTICS, Columbia University, New York, NY. Don Walker (ACL), Bell Communications Research, 445 South St., MRE 2A379, Morristown, NJ 07960, (201) 829-4312. June 10-13

CLINICAL LABORATORY COM-PUTER SYMPOSIUM, Ann Arbor, MI. Betty Phillips, The Towsley Center for Continuing Medical Education, Box 057, The University of Michigan Medical School, Ann Arbor, MI 48109-0010, (313) 763-1400. June 12-13

C '86—INTERNATIONAL COM-PUTER EXHIBITION COLOGNE: COMPUTER. SOFTWARE. ELEC-TRONICS. Cologne, West Germany. KölnMesse, POB 210760, D-5000 Cologne 21, West Germany; telephone: (0)221-821-1; Telex: 8873426 mua d: in the U.S., Hans J. Teetz. German American Chamber of Commerce Inc., 666 Fifth Ave., New York, NY 10103, (212) 974-8836. June 12-15 MANAGING INFORMATION
SYSTEMS EFFECTIVELY,
University of Western
Ontario, London, Ontario,
Canada. Canadian Information Processing Society, 243
College St., 5th Floor,
Toronto, Ontario M5T 2Y1,
Canada. (416) 593-4040,
June 15--20

SYNERGY '86: CONFERENCE ON FUNCTIONAL INTERFACING FOR COMPUTER-INTEGRATED MANUFACTURING (CIM). Universal City, CA. Cheri Willetts, Society of Manufacturing Engineers, One SME Dr., POB 930, Dearborn, MI 48121, (313) 271-1500, ext. 374. June 16–18

1986 NATIONAL COMPUTER CONFERENCE (NCC '86), Las Vegas, NV. NCC '86, American Federation of Information Processing Societies (AFIPS), 1899 Preston White Dr., Reston, VA 22091, (800) 622-1986, June 16–19

FACULTY INSTITUTE ON STUDENT CENTERED COM-PUTER EDUCATION—COM-PUTERS: TOOLS FOR PROBLEM SOLVERS, Lincoln, NE. Mindy Brooks. Union College, Lincoln, NE 68506, (402) 488-2331. June 16-20

SECOND ANNUAL COMPUTER USERS CONFERENCE FOR DELAWARE TEACHERS, Delaware State College, Dover, DE. Dr. William J. Geppert, Department of Public Instruction, Townsend Building, POB 1402, Dover, DE 19903, (302) 736-4885. June 18

IF YOU WANT your organization's public activities listed in BYTE's Event Queue, we need to know about them at least four months in advance. Send information about computer conferences, seminars, workshops, and courses to BYTE, Event Queue, One Phoenix Mill Lane, Peterborough, NH 03458. COMPUTER VISION AND PATTERN RECOGNITION, Miami Beach, FL. IEEE Computer Society, 1730 Massachusetts Ave. NW, Washington, DC 20036-1903, (202) 371-0101, June 22–26

AutoCAD Expo '86, McCormick Place, Chicago, IL. Peggy Steffens, Autodesk Inc., 2320 Marinship Way, Sausalito, CA 94965, (415) 332-2344, ext. 703, June 24-26

1986 INTERNATIONAL CON-FERENCE ON COMPUTERIZA-TION OF MEDICAL RECORDS: SECOND GENERATION OF PATIENT INFORMATION SYSTEMS, San Francisco, CA. Institute for Medical Record Economics, 121 Mount Vernon St., Boston, MA 02108, (617) 523-4449, June 25–27

CAD AND ROBOTICS IN ARCHITECTURE AND CONSTRUCTION. Marseille. France. Viviane Bernadac, IIRIAM/CMCI. 2. Rue Henri Barbusse, 13241 Marseille cedex 1, France: telephone: 91 91 36 72; Telex: Mistel 440860. June 25–28

1986 CARNAHAN CON-FERENCE ON HARMONIZING TECHNOLOGY WITH SOCIETY, Lexington, KY. John Jackson, Electrical Engineering Department. University of Kentucky, Lexington, KY 40506-0046, (606) 257-3926. June 26-27

FORESTRY MICROCOMPUTER SOFTWARE SYMPOSIUM. Morgantown. WV. Division of Forestry, West Virginia University, Morgantown, WV 26506. (304) 293-2941. June 30-July 2

Aztec C ... The Best C Frees the genius in you

You've got a great idea . . .

... you're ready to write your programs.

You don't want to be sidetracked by all the paperwork. With Manx Aztec C and the ingenious make function, your creative processes won't get bogged down in program administration and housekeeping. Manx Aztec C has the most sophisticated, hardworking program administrator available to you. Once you've described your project, adding new features or enhancements is simple. You never have to concern yourself with the repetitive, tedious task of rebuilding your systems.

The development process moves quickly. Compiles, assemblies, link edits . . . all finish in record

Manx Aztec C is the fastest, most efficient C development system in the industry. Benchmarks show it . . . reviews commend it . . . users praise it.

You're ready to test the program. You're ahead of schedule. The Manx Aztec C Source Level Debugger shows you the exact C language statement giving you a problem. You fix the problem quickly . . . you're still ahead of schedule.

You've got some time for fine tuning. The Manx Aztec C Profiler examines your program, tells you where the slow spots are and validates your test procedure. A few changes and it's exactly what you wanted.

You've made it!

Aztec C is available for MS-DOS/PC DOS. Call for details on Macintosh. Amiga, Apple II, CP/M-80, CP/M-86, TRS-80, ROM and others.

To order, or, for information

Call Today

1-800-221-0440

In NJ or outside the USA call (201) 542-2121

30-day satisfaction guarantee. Special Discounts are available to professors, students, independent developers, and on a "trade-in" basis. Site licenses.


"... a superb linker, a profiler, an assembler, and a set of development utilities are only the beginning of this package . . . performed admirably on the benchmarks, with short compile times and the best link times in this review . . . includes the most professional make utility . . . documentation is clear and complete. There is no doubt that this is a valuable and powerful programming environment," Computer Languages Feb. '86

"... execution times are very good, close to the best on most tests . . . " PC Tech Journal Jan. '86

"Easily one of the fastest compilers overall . . . library provides a lot of flexibility . . . generates small .EXE files." Dr. Dobbs Journal Aug. '85

\$ 99. C'Prime (Compiler, Assembler, Linker) \$299. Aztec C 86-d Developer's System \$499. Aztec C 86-c Commercial System PC ROM (8086, 68000, 8080, or 6502) \$750.

Third Party Software for Aztec C: HALO, PHACT, C-tree, PRE-C. Windows for C, PC-lint, PANEL, Greenleaf, db Vista, C-terp, Plink-86, FirsTime, C Util Lib, and others.



Manx Software Systems One Industrial Way Eatontown, NJ 07724

MS is a registered TM of Microsoft. Inc., CP/M TM DRI, HALO TM Media Cybernetics, PANEL TM Roundhill Computer Systems, Ltd., PHACT TM PHACT Assoc., PRE-C, Plink-88 TM Phoenix, divista TM Raima Corp., C-terp, PC-tini, TM Gimpel Software, C-tree TM Faircom, Inc., Windows for CTM Creative Solutions, Apple II, Macintosh TM Apple, Inc., TRS-80 TM Radio Shack, Amiga TM

Simply put: THE™highest quality and best value in computer products anywhere.



THE™MULTI 384

This multi-function card features 0-384K memory, a parallel printer port, a serial port for communications, a clock/calendar with battery backup, and a software bonus that includes RAMdisk and other utilities. Relail \$155.00



THE "COLOR CARD

100% compatible with the IBM™ colorcard with display modes of 80x25 alphanumeric and 320x200 graphic. Retail Price \$105.00

THE"576K MEMORY +

Supports 0-576K of available memory and is compatible with all IBM "PC's. Retail Price \$66 00

THE "PRINTERFACE

Supports all text and graphics features and is fully compatible with third party SOftware, Resalt Price \$29.00

Special \$18.50*

THE™MODEMS

100% Hayes compatible

THE ™ 1200 COM EXTERNAL

This self-testing 1200 BPS modem comes with auto answer, auto dial, auto redial and a built-in speaker, Retail Price \$275.00

Wholesale \$129.00*



THE ™ 1200 COM INTERNAL

Features auto answer, dial and redial, with a built-in speaker, RS 232-C serial port and PC Talk III. Retail Price \$255.00*

S119.00*

THE™2400 COM EXTERNAL

Eight times the speed of a 300 BPS unit makes this 2400 Baud modern truly affordable, and we've made it truly compatible. With auto answer, auto dial, auto redial, and a built-in speaker with volume control. Retail Price \$519.00

Special \$277.00*

THE™H720 MONO

This monochrome graphics card with printer port features 100% IBM™ and Hercules™ compatibility, at a fraction of their prices. Retail Price \$155.00





THE™20MB HARD DISK

Featuring a formatted 20MB half height IBM™PC compatible internal disk drive, controller card, connecting cables and installation manual. Retail Price \$675.00

Special \$395.00*

THE "MULTI I/O

Feature for feature, THE" matches the AST" I/O + and comes up a winner, with serial/parallel and game ports standard, (a second serial port optional), a clock/calendar, RAMdisk and print spooler. Retail Price \$110.00

\$60.0(BU

THE"2MB RAM

This Intel™ spec board will give you up to 2MB's of expanded memory. Enough to run memory intensive software such as Framework, Symphony and Microsoft™ Windows. Retail Price \$225.00

Special Wholesale \$129.00*

THE "EGA PLUS

With 256K and parallel port is ideal for high resolution graphics display of Microsoft Windows, "AutoCAD," and other graphic software. IBM "EGA compatible. Result Price \$485.00

Special \$269.00*

*All Items Subject to Availability—Members Pay Thompson, Harriman and Edwards Computer 8th Over Wholesale Prices Plus Shipping

Thompson, Harriman and Edwards Computer Products Company Ltd.

THE ™PC+ COMPUTER

THE™ + is compatible with all business. professional and personal software written for the IBM™PC. It will also enhance your productivity with its ability to switch to an 8 megahertz clock rate, enabling you to run your software twice as fast as the IBM "PC. THE™PC+ also comes standard with an "AT" style keyboard, correcting the inefficiencies found by IBM™on their regular PC keyboard. 640K standard on the mother board will allow you to run memory intensive programs such as Lotus 1-2-3, DBase III and Framework without adding extra memory cards. Plenty of power, with a 135 Watt source and lots of room for expansion with 8 card slots is also

includes: 640K RAM, Computer with One 360K 5½" Floppy Drive, Dual Turbo Clock Speed, 8 Expansion Slots, 135 Watt Power Supply, "AT" Style Keyboard, Full 1 Year Warranty and 45 Day Money Back Guarantee!

standard. Base unit

Retail Price \$829.00

Special Wholesale Price

\$469.00*

All THE products in this special sale are offered

thru



THE MOST INCREDIBLE
LIMITED TIME OFFER IN
COMPUTER HISTORY, FROM
THE Mand PC NETWORK...

THE PC

640K RAM,
IBM™PC
compatible,
360K 5.25"
Disk Drive,
Turbo Speed,

"AT" Style
Keyboard

Special Wholesale Price

PC Network

All prices in this ad are wholesale—PC Network Members pay wholesale + 8% and shipping.

CALL TOLL FREE B376

(800) 621-SAVE In Illinois (312) 280-0002 \$469.00*

TM - Registered Trademarks of IBM/AST Research/Microsoft/Hercules/Hayes

Products Company Ltd.

Dealer Inquiries Call **THE™** at (312) 642-9626 319 West Ontario Street, Chicago, Illinois 60610

BUY HARDWARE AND SOFTWARE AT WHOLESALE +8%, AND GET 14-30 DAY SOFTWARE RENTALS†...

Listed below are just a few of the over 30,000 products available at our EVERYDAY LOW PRICES!

WINES & EDOOM HOUSE	SOFTWARE	FOR YOUR APPLE II & MACIN	NTOSH	GAMES & EDUCATIONAL SOFTWARE FOR YOUR IBM
(Planus and \$1 shi	ipping and handling	for each title ordered from below.)	Wholesale	(Please add \$1 shipping and handling for each title ordered from below.)
izraya Home Accountant-Mac Only	Wholesale \$65.00*	Miles Computing Mac Attack-Mac Only	22.00*	Wholesale Wholesale Wholesale ATI Intro to PC DOS Vol. I & # \$23.90* bintocom Deading or Suspended \$3
Axion Art Portfolio & Card Shoppe Bluechip Baron-Ahltionaire/Tycoon	31.00° 19.75°	Palatir Mac Type-Mac Only Penguin Graphics Magician	23.50° 28.97°	ATT Intro to BASIC 23.00" Microsoft Flight Simulator
roderbund Lode Runner	17.25	Penguin Pensate or Xyohus	20.00"	Bluebush 1 Chess (Your Toughest Opponent) 34.80' Mouse Bystems PC Paint — Turn your PC 18/19' Into A Color Macintosh!
Iroderbund Chopiliter	17.00°	Penguin Transylvania-Mac Only	20.00*	Bluechip Millionaire Oil Baron or Tycoon 19.75* Into A Color Macritosh! Broderbund Lode Runner 17.25* Scarborough Master Type
troderbund Print Shop	24.75	Professional Software Tress Fever	19.00"	CBS Goven Bridge Mado Easy 40.00" Sierra On-Line Crossine
Broderbund Dazzle Draw CBS Mastering the GRE	31.97*	Pryority Software Forbidden Quest Scarborough Master Type	19.75	CBS Mastering the SAT 50.00" Sterre On-Line King's Quest N
SS Murder by the Dozen	20.97*	Scarborough Flun for the Money	26.00"	CDEX Training for Wordster 27.29* Spectrum Holiobyte GATO Comprehensive Intro to Personal Computing 26.59* Spinnaker Apinapri Zon Keroer Cores
BS. Goren Bridge Made Easy	45.00*	Simon & Schuster Typing Tutor III	28.25° 17.25°	Devideon Math Blaster Hord Attack! 21.50° Story Machine Face Maker Hey Diddle, Diddle
Counterpoint The News Room Devideon Speed Reader II	26.97*	Sir-Tech Wizardry Sir-Tech Knight of Diamonds	18.97	Davidson Speed Reader II 31.00" Rhymes & Rapes
Davidson Math Blaster	21.50	Sir-Tech Rescue Raiders	18.971	Hayden Sargon III 24.00° b-Spinneher Detta Drawng Individual Professor DOS 28.76° b-Spinneher Most Amening Pring
Davidson Word Attack!	21.50*	Sublogic Night Mission Proball	19.25*	Individual Professor DOS 28.76" p.Spinnaker Most Amazing Thing Individual The Instructor 24.90" Sublegic Alight Mission Proball
let Byte Smooth Talber-Mac Only Hayden DaVinci-House/Interiors/Landac	44.00° capes 24.75°	Sublogic Flight Simulator II Spinnaker Alphabet Zoo Face Maker	27.25° 15.25°	Infocom Zork I or Wilmes 19.75" Virtual Combination Aficro Cashbook
Hayden Sarpon III	24.75	Kinder Caren Hey Diddle Diddle	10-40	BUSINESS SOFTWARE FOR YOUR IBM
infocom Deadline or Suspended	24.00*	Anymes & Riddles, Story Machine		(Please add \$2.50 shipping and handling for each title ordered from below.)
infocom Enchanter, Plenstfall Cutthroats, Witness or Zork I	19.75*	Spinneker The Most Amazing This	20.77*	The state of the s
infocom Hitchhiker's Guide or Seastalk	or 19.75*	Tritaker Cick Art-Mac Only	25.00"	DAShton-Tate DBase W \$345.00* MicroPro Wordstar 2000 > 24.00* MicroPro Wordstar 2000 > 2
infocum Guspect Sorcerer or Infidel	21.75*	Werner Dask Organizer	65.00*	Borland Turbo Pascal 30.00" MicroRim RBase 5000 20
nfocom Zork II or III Layered Front Desk-Mac Only	21.75*	Videx Fun Pack-Mac Only Videx Mac Checkers & Reversal	19.25° 25.17°	Borland Sciencial Protected) 24 50 Microsoft C Compler 2 Microsoft Word—Latest Version 2 0 20 20 20 20 20 20 20 20 20 20 20 20
Mirage Concepts Trivis	21.00°	Virtual Combination Micro Cookbook	17.50	Borland SuperKey 29.76° Microsoft Word—Latest Version 2.0 26 BPI GL A/Flor A/P 262.80° Microsoft Multiplan
•				BPI Aura 282.00° Microsoft Mouse 10
BUSINESS SOF	TWARE FOR	YOUR APPLE !! & MACINTOSH	11	BPI Personal Accounting 43,75" Monogram Dollars & Sense
· ·		fling for each title ordered from below.)	17	Breakthrough Timelino 230.00* Multimate Automate (Latest Version) 10 p-Central Point Copy II PC 28,00* Norton Norton Utilizes 3.1
Apple Apple Works Borland International Turbo Pascal	\$160.00	Microsoft Word for Macmiosh	\$102.00*	Conceptual instruments Dank Greation 157.00° Come The World Phys.
Borland International Turbo Pascal	30.00*	Microsoft File for Macintosh Microsoft Multiplan for Macintosh	102.00*	Digital Research DR Logo 75.00° Open Systems P/O Sales ms. 2
BPI GL. AP. AR. PR or INV Broderbund Bank Street Witter	190.00	Microsoft Basic for Macintosh Microsoft Basic for Macintosh	102.80° 79.00°	Digital Research Gom Deskiop 25.00" A.R. INV G.L. A.P. Team Mgr
Central Point Copy II Plus or Copy II	Mac 16.25"	Microsoft Chart for Maciniosh	66.00*	Digital Research Gom Draw 73.80° Power Base Power Base 11 Enertronics Energraphics 143.80° Real World GL AP AR or OE NV es.36
Funk Software Scieways	26.50"	Monogram Dottars & Sense for Apple II	55.00*	Funk Software Sideways 32.00" Research Profes Version 3
Funsoft Macasm Haba Habadex	60.00	Monogram Dollars & Sense for Macintoen Odesta Heisr for Macintosh Reg's 512K	70.00° 200.00°	Harvard Harvard Project Manager 178.00° Ryan McFarland RM COBOL (Dev System) 67
Hebs Guartet	97.00*		130.00*	Harvard Total Project Manager 225.00" Sames Sornes III Word Processor
Hervard Mec Manager	29.95*	Sensible Software Sensible Speller IV	67.50*	► Hayes Smartcon II - New VT100 Emulator ► Human Edge The Management Edge 22.00° Sames Word • 32 ■ Sames Word • 32 ■ Sames Word Perfect 16
Human Edgs Mind Prober	22.00		109.00°	Human Edge Mnd Proper 22.00' Softeraft Fancy Fonts 11
Human Edge Sales Edge Human Edge Communication Edge	110.00	Software Arts TK Solveri for Mac	134.00*	Infocom Cornerstone 65.00" Software Publishing PFS File Wide, Graph
Living Videotext Frank Fhank Mac Ro	65.00	Software Publishing PFS File Write, or i	Green 63.50°	Lifetree Volkswriter III 126.50" Software Publishing PFS Quori
Main Street Filer Mac Only	67.00	Stoneware DB Master-Mac Tool	95.00*	b Lotus Development Lotus 1-2-3 288.00° Sorcim Supercalt W 10 MDBS Knowledgeman 2 229.00° Xanaro Abitity 24
MECA Maria para your Money	87.50		85.00*	Const Division and Const Divisio
HARDWAF	RE FOR YOUF	APPLE // & MACINTOSH		HARDWARE FOR YOUR IBM
(Please add shi	pping and handling	charges found in italics next to price.)	l'	(Please add shipping and handling charges found in Italics next to price.)
DISK DRIVES		MODEMS		DISK DRIVES Wholesale MODEMS Who
	Wholesale		Wholesale	10mega Bernoulli Box \$2,100.00° (45.36) THE Internal (2008PS Modern 119.00°
Alpa AP-100A Dual Apple Drives in	\$309.00" (7.00)		125.00" (2 50)	Dual 10M8 Drives Low Cost Short Stor Haves Compatible Madern
One Case			174.45° (3.50) 276.00° (6.00)	PC Network 1048 PVTERNAL 1 346.00° (7.34) Name Smartmorten 12008 and Mary
Apple MAC 400KB External Drive Corrus 5 5MB Hard Drive	349.95° (7.50) 939.00° (20.28)		innie II	Hereful Autobood Device New Jower (Ince Smartport III/V1100 Emulator
IOmega Macnouth SMG Removable	1,250.00* (27.00)		299.00" (6.00)	
Orive for Macmiosh		w/Mac Pack		PC Network A742MB Internal Hard Dish 1,050.00° (24.95)
Micro Sci A2 143KB Drive	150.00* (5.00)	Zoom Zoom/Modem Re Micromodem Computable-Free Dow Jones	95.00* (2.50)	JSMS Access Time-Comes Complete VIDEO CARDS
Just like Apple's Own Micro Sci Floppy Controller	55.00" (2.50)			PC Network 20M9 Tape Backup 498.00* (10.80) Half Height Internal wicontroller Hercules Color Card wiParallet Port \$142.80*
Paradias Mac 10MB Hard Drive	500.00" (12.29)		- 1	PC Network 2068 Internal 1/2 Height 395.00" (8.48) b-Hercutes, Monocryome Graphics Card 283.00"
Succeystem		Apple Macrotosh Carreng Case \$8	00,001 (1.49)	Many David De Suggest of Managements Baradian Markets Granture Carri 219.00°
Paradise Mac 20MB Hard Drive	836.00° (18.06)	Apple Miscintosti Security Kit 2	29.00" (1.50)	►PC Network Half Height DS DD Drivet 85.00* (1.27) ► THE EGA Clone 249.00* Tandon 7M1002FultheightUS EDD Drivet 120.00* (2.20) ► THE H720 Mono Card Clone 73.00*
Subsystem Samuel	95.00" (2.50)		69.00° (2.50)	Tandon Tki1002FukHinghtUS CODiness 120,00° (2.20) THE H720-Mono Card Chine 73,00° 100° Hayes Compatible?
PC Network 140K Externer Drue for Apple R:	38'00. (5 30)	THE THE WHILL IN SUPPLIES.	24.50* (1.50)	MULTIFUNCTION CARDS IN THE COW COND 40 00
Rana Elite I 163K Drive	225.00° (5.00)	w/Fire Button for Ite		Persyst BOS Card Litra High Res Color 289.00"
Tecmer SMB Removable Drive for MAC Tecmer 10MB MAC Drive	999.00° (21.58) 999.00° (21.58)		7.50" [1.50]	Append AT Ram Expension Cord \$139.00" (2.50) Queerum Cood EGA + Enhanced 340.00" PAST SurhanPlus" With 644 195.00" (7.50) Graphics Adapter
Tecmar SMB MAC Drive Upgrade	1.235.00" (26.68		49.00" (3.00)	AST " PD Plus B" 120.00" (2.50)
BOARDS AND BUF			29.90" (2.50)	AST Adventage for AT JSS.90° (2.50)
				Everex Medic Card/64K 160.00* (2.50) ACCESSORIES TITE 576K Memory board w CK 37.00* (2.50) Strand Name DB/DD Dielettes 8 0.96*
ALS Z-Engine AST" Multi I/O~2 senal/ Clock	\$115.00° (2.50) 155.00° (2.50)		50.97* (1.50)	THE Multi-384 Spard 72.00" (110) Guaranteed for Life! Not Guaranteed
Microsoft Premium Softcard Re	243.67 (2.50)	Koela MacVision 15	50.00" (3.00)	A clone of the AST's "SkiffakPlus." p-DS/DD Bulk Rate Special _BFea.
Microtek Dumpling/GX	55.00" (2.50)	Koma Komapeo Touch Tablet 2	78.00° (1 50) 44.00° (1 50)	Includes up to 384Kb of expansion Packaged in 50 with pleaves and tabula memory 1 small. Tografiel, 1 pame Guaranteed for Life!
Orange Micro Grappier * Orange Micro Senal Grappier	66.00° (2.50)		25.00" (2.50)	memory 3 senal, 1 parallel, 1 game Guaranteed for Life* port a clock/calendar and b-PC Network, Replacement 130 Watt 79,00*
PC Network 280 Card	35.00" (2.50)	Protector & Dual Outlets	12.00)	software standard IBM-PC Power Supply - Gives your PC the April
Quadram APIC/G Graphics Interface	62.00" (2 50)	PC Network SSDD Diskettes (Box of 10)	7.96" (1.00)	▶ 1999 M. → TO Plus It Clone 60.00° (2.50) Capacity as an XT Good for edd in Tape Onices
Quadram e RAM-80	88.90° (2.50) 140.00° (2.50)		19.96" (1.50)	Synthur Gamer Clock standard (VS 170.00" (2.50) capacity disk drives
	140700, 15 201	viciones uses cub a use many		Quadram Quad Soret Turbo Board 360.00" SMAPC/Incumple Keybnard Terrolinies 9.88*ea
Quadram Mulbcore - I Parallell 1 Senall	104.00" (2.50)	These Diskettes are Guaranteed for Life! Sarry Alac Diskettes (Sor of 10)	18.00° (1.50)	Tecmer Captern Multifunction Card w/DK 146.00" (2.50) for Lotus/DBase-Multimate and others
		South were themselves from or 10)	10.00 (1.30)	
Quadram Multicore—I Parallell 1 Senall Clock Expandable to 256K				
Quadram Multicore—1 Parallell 1 Serial Clock Expandable to 256K				
Quadram Multicore – I Parallet 1 Senall Clock Espandable to 256K Thunderware Thunderclock		MONITORS		COMPLETE SYSTEMS
Quadram Multicors—1 Parallel/1 Senall Clock Explandable to 256K Thunderware Phunderclock MEMORY CHI	PS	MONITORS	Wholesale	COMPLETE SYSTEMS Wholesale Who
Quadram Multicors—I Parallel I Senau Clock Expandable to 256K Thunderware Thunderclock MEMORY CHI (All Memory Chips Guarantee)	PS d for Life() Wholesale	Amdek. Video 300G Composite Green \$11		Wholesale Who Apple Macrolosh Base Systems CALL P-COMPAD Marg Day Portable \$1,000.00" (
Quadram Multicore—Therafley I Senau Clock Expandable to 256X Thunderware Thunderclock MEMORY CHI (All Memory Chips Guarantee-	PS d for Life()	Amdeli. Video 300G Composite Green \$11 Amdeli. Video 300A Composite Amber 12	20.00" (3.00)	Apple Macrolosh Base Systems CALL B-COMPRO Hard Disk Portable \$1,000.00° (-
Quadram Multicors—I Parallet I Senau Clock Expandable to 256K Thunderware Thunderclock MEMORY CHI (All Memory Chips Guarentee 64K Memory Upgrade Kits (9 Chips) Quantil Paraports Avai spiel	PS d for Lifeth Wholesafe 98.00* r1 00/	Amdek, Video 300G Composite Green \$11 Amdek, Video 300A Composite Amber 13 Amdek, Video 310A IBM Five Amber 13	30.00° (3.00)	Wholesale Wholesale Apple Macrolosh Base Systems CALL PCOMPRD Hard Disk Portable St. William AT\$T 5:00 PC CPU2 \$1,810.00* (38 78) 10MB Hard Disk Poppy i 564 128W2 Poppy i Sensiri Parallel AT\$T 7:00 Unit PC Sensiri Parallel 3,698.00* (79.90*) MSR PC PORTABONAL HARD CO. 1,598.00* (79.90*) MSR PC PORTABONAL HARD CO. 1,498.00* (79.90*) MSR PC PORTABONAL HARD CO.
Quadram Multicors—I Parallel I Senau Clock Expandable to 256K Thunderware Thunderclock MEMORY CHI (All Memory Chips Guarantee -64K Memory Upgrade Kits (9 Chips) Quantity Des towns 450H -64K Quantity Des towns 450H	PS d for Life() Wholesale 98.80* r1 00/ 1.00* (1.00) 2.90* (1.00)	Amdek. Video 300G Composite Green. \$11 Amdek. Video 300A Composite Amber. 12 Amdek. Video 310A ISM Type Amber. 13 Amdek. Color 300 NEW: Composite Amdek. Color 300 NEW: Composite Amdek. Color 300 NEW: Composite Amdek. Gr	30.00" (3.00) 30.00" (3.00) 15.00" (4.64)	Apple Macrifosh Birse Systems AT\$T-50:00 PC CPU2 128W3 Papply 1 Seniel 1 Parallel AT\$T-30:00 Unit PC 128W3 Papply 1 Seniel 1 Parallel AT\$T-30:00 Unit PC 10M8 Hard Disk 1 Floogy 515K 3,698.00° (79.90) 10M8 Hard Disk 1 Floogy 515K 118M PC AT Birse System - 128E 128E System - 128E 128E.00° (19.90)
Quadram Multicors—I Parallet I Senau Clock Expandable to 256K Thunderware Thunderclock MEMORY CHI (All Intermory Chips Guarantee -64K Memory Upgrade Kits (9 Chips) Quantity Designeth Avai 4009 -64K Opparation Ram Chips (6 ach) -256K Qhamme Ram Chips (6 ach)	PS d for Lifet) Wholesale 88.80* r1 00/ 1.00* (1 00/	Amdek, Video 300G Composte Green S11 Amdek, Video 300A Composte Amber 13 Amdek, Video 310A 884 Type Amber 13 Amdek, Color 300 NEW! Composte 1 Amdek, Color 600 NEW! High Res RGB 38	30.00" (3.00) 30.00" (3.00) 15.00" (4.64)	Whodesale Who Apple Macciniosh Base Systems CALL Proceedings
Quadram Multicors—I Parallel I Senau Clock Expandable to 256K Thunderware Thunderclock MEMORY CHI (All Memory Chips Guarantee -64K Memory Upgrade Kits (9 Chips) Quantity Des touch Ava 400P -64K Oyamane Ram Chips (6 ach) -256K Qwante Ram Chips (6 ach) 128K (BM AT Piggytosch Chips (6 ach)	PS d for Life() Wholesale 98.60* r1 00/ 1.00* r1 00/ 2.90* r1 00/ 8.50* r1 00/	Amdek. Video 300G Composite Green. \$11 Amdek. Video 300A Composite Amber. 13 Amdek. Didoo 310A IBM Type Amber. 13 Amdek. Color 300 NEW Composite. 21 Amdek. Color 600 NEW High Res RGB. 34 Amdek. Color 722 Graphics Maniar. 44 Megareva. 127TL. IBM Type Amber. 7	28.00" (3.00) 39.00" (3.00) 15.00" (4.64) 65.00" (7.86) 40.00" (8.29) 79.00" (5.00)	Apple Macrotosh Base Systems AT\$T 5200 PC CPU2 12804 9 Popply 1 Sensit* 1 Parallel AT\$T 7300 Unit PC 10804 1 Pagogy 1 Sensit* 1 Parallel AT\$T 7300 Unit PC 10804 1 Pagogy 1 Sensit* 1 Parallel AT\$T 7300 Unit PC 10804 1 Pagogy 1 Sensit* 1 Pagogy 512K COMPAO DesProy Tape Backup System 1,848.00* (33.70) MEGORY 1 Pagogy 1 Sensit* 1 Pagogy 52K MEGORY 1 Pagogy 1 Sensit* 1 Pagogy 1
Oundram Multicore— Faraflett I Senali Clock Expandable to 2548 Thanderware Thunderclock MEMORY CHI (All Memory Chips Gusramtee- (All Memory Chips Gusramtee- (All Memory Chips Gusramtee- (All Memory Chips (Acc) Dusmity (Pic. Durch) Assaction (All Openium Ram Chips (6 arc) 2454 Openium Ram Chips (6 arc) 1284 (BM AT Phygripseck Chips (6 arc) 1284 (BM AT Phygripseck Chips (6 arch)	PS d for Life() Wholesale 98.80° /1 00/ 1.00° /1 00/ 2.90° /1 00/ 5.90° /1 00/	Amdek. Video 300G Composite Green. 811 Amdek. Video 300A Composite Amber. 13 Amdek. Video 310A 88H 73pe Amber. 13 Amdek. Goir 30b NEWY Composite. 3 Amdek. Color 90b NEWY Figh Res ROB. 3 Amdek. Color 722 Graphics Monitor. Milliagnevox. 12°TT. IBM 73pe Amber. 7 A great Statiship berforming genoncharante.	20.00" (3.00) 30.00" (3.00) 15.00" (4.64) 65.00" (7.86) 40.00" (8.29) 79.80" (5.00)	Apple Macrolosh Base Systems ATAT 5200 PC CPU2 12804 7 Popply 1 Senial*1 Parallel* ATAT 7300 Unis PC 10MB 1480 (Self Popply 1580 3,699.00* (79.90) ATAT 7300 Unis PC 10MB 1480 (Self Popply 1580 3,699.00* (79.90) 4181 7300 Unis PC 10MB 1480 (Self Popply 1580 3,699.00* (79.90) 4181 700 DesiPro 1800 Self Popply 1580 COMPAC DesiPro 1800 System 1,848.00* (83.70) 480 (Self Popply 1580 480 (Self Poppl
Oundriem Multicore— Faraflett I Senau Clock Expandate to 256K Thunderware Fhunderclock MEMORY CHI (All Memory Chips Guarentee GAIK Memory Chips Guarentee GAIK Memory Chips Guarentee GAIK Memory Chips Garch GAIK Memory Chips (Garch GAIK Memory Chips (Garch GAIK Memory Chips (Garch GAIK Memory Chips (Garch GAIK Memory GAIK M	PS d for Life() Wholesale 98.80° ri 00/ 2.90° (100/ 2.	Amdek. Video 300G Composite Green. \$11 Amdek. Video 300A Composite Amber. 13 Amdek. Video 310A ISBA Type Amber. 13 Amdek. Color 300 NEW Type Amber. 13 Amdek. Color 800 NEW High Res RIGB. 30 Amdek. Color 800 NEW High Res RIGB. 30 Amdek. Color 72G Graphics Monitor. 44 Magenerox. 18*TTL ISBA Type Amber. 7 A great looking-performing monochrame Princetor. NY: 12 RIGB Monitor. 33	28.00" (3.00) 36.00" (3.00) 15.00" (4.64) 65.00" (7.86) 40.00" (8.29) 79.80" (5.00)	Apple Macrotosh Base Systems AT\$T 5200 PC CPU2 12804 9 Popply 1 Sensit* 1 Parallel AT\$T 7300 Unit PC 10804 1 Pagogy 1 Sensit* 1 Parallel AT\$T 7300 Unit PC 10804 1 Pagogy 1 Sensit* 1 Parallel AT\$T 7300 Unit PC 10804 1 Pagogy 1 Sensit* 1 Pagogy 512K COMPAO DesProy Tape Backup System 1,848.00* (33.70) MEGORY 1 Pagogy 1 Sensit* 1 Pagogy 52K MEGORY 1 Pagogy 1 Sensit* 1 Pagogy 1
Quadram Multicors—I Parallet I Senau Clock Expandate to 2548 Thunderware Thunderclock MEMORY CHI (All Memory Chips Guarantee Chips I Committy Después Massacriel Committee Chips (Each 128K (BMAT Paggrade Khap (Each 128K (BMAT Paggrade Khap) (Each 128K (BMAT Paggrade Kha	PS d for Life() Wholesale 88.80* r1 00/ 1.00* r1 00/ 5.50* r1 00/ 5.50* r1 00/ 125.00* (5.00) 125.00* (5.00) 346.00* (5.00)	Amdek. Video 300G Composite Green. \$11 Amdek. Video 300A Composite Amber. 12 Amdek. Video 310A ISBA Type Amber. 13 Amdek. Color 300 NEW Type Amber. 13 Amdek. Color 800 NEW High Res. ROB. 30 Amdelt. Color 800 NEW High Res. ROB. 30 Princeton MAX-ISB Missis with Color or Mono Card. 31	20.00" (3.00) 30.00" (3.00) 15.00" (4.64) 65.00" (7.86) 40.00" (8.29) 79.80" (5.00)	Apple Macrolosh Base Systems AT\$T 5200 PC CPU2 128W3 Pappy 1 Semial* Parallel* AT\$T 5200 PC CPU2 128W3 Pappy 1 Semial* Parallel* AT\$T 7300 Unix PC 10MB Hard Disk 1 Floogy/912X COMPAQ DeskPro*Tape Backsp System (COMPAQ DeskPro*Tape Backsp System 10MB Hard Disk 10MB PC Professional Hard Disk 10MB PC Professional Hard Disk 10MB Tape DriverMonitor 1 2MB PQAT Base System - 1 2MB 2.875.00* (BM AP Pology/25MB Nard Disk/1 Ser/1 Par/512X PRINTERS
Oundram Multicors—I Parallel I Senau Clock Expandable to 256t Thunderware Thunderclock MEMORY CHI (All Memory Chips Guarantee GAIK Memory Chips (Each) EXTERNAL MOD Anchor Signalman Express Anchor Signalman Express Hayes Simarinodem 300 Hayes Simarinodem 1200 Hayes Simarinodem 1200 Hayes Simarinodem 1200	PS d for Lifety Wholesale 88.0° r1 00/ 1.00° r1 00/ 2.90° r1 00/ 5.50°	Amdek. Video 300G Composite Green. \$11 Amdek. Video 300A Composite Amber 13 Amdek. Video 300A KBM Type Amber 13 Amdek. Color 300 NEW Type Amber 13 Amdek. Color 300 NEW Type Amber 13 Amdek. Color 800 NEW High Res RGB 30 Amdek. Color 800 NEW High Res RGB 30 Amdek. Color 722 Graghts Monitor 4 Magnerow. 19-771. IBM Type Amber 7 A great lixibing barrionising annicohoman Princeton 10X-12 RGB Monitor 31 Frinceton MAV-12b 13 Wards with Color or Mono Card	28.00" (3.00) 39.00" (3.00) 39.00" (4.64) 68.00" (7.84) 40.00" (7.84) 79.80" (5.00) 88.00" (8.60) 32.00" (5.00)	## Modesale Apple Macrolosh Base Systems AT\$T 5200 PC CPU2 128047 Pappy1 Senial*1 Parallel AT\$T 5200 PC CPU2 128047 Pappy1 Senial*1 Parallel AT\$T 7200 Units PC 10MB Hard Disk Floorey*1546 3,689.00* (79.90) 3,689.00* (79.90) 4,689.00* (79.90) 4,689.00* (79.90) 4,689.00* (79.90) 4,689.00* (79.90) 4,689.00* (79.90) 5,689.00* (79.90) 5,689.00* (79.90) 6,789.00* (7
Quadram Multicors—I Parallel I Senau Clock Expandable to 2564 Thunderware Thunderclock MEMORY CHI (All Memory Chips Guarantee -64K Memory Unips Guarantee -64K Memory Disparak Riss (Arbeit -64K Dynamic Barn Chips (Sect)	PS d for Use) ***Wholesale ***9.80** / 1000 ***2.90** / 1000 ***5.90** / 1000 ***2.90** / 1000 ***2.90** / 1000 ***2.90** / 125.00** / (5.00) ***3.44.00	Amdek. Video 300G Composite Green. \$11 Amdek. Video 300A Composite Amber. 12 Amdek. Video 310A ISBA Type Amber. 13 Amdek. Color 300 NEW Composite. 24 Amdek. Color 500 NEW Figh Res. ROB. 30 Princeton MAX-ISB. 31 Within self Color or Mono Card. Quedram. Ourdchrome II. 28	28.00" (3.00) 36.00" (3.00) 15.00" (4.64) 65.00" (7.86) 40.00" (8.29) 79.80" (5.00)	Mondesale Microsophi
Oundram Multicors—I Parallel I Senau Clock Expandable to 2546 Thumderware Thumderclock MEMORY CHI (All Memory Chips Guarantee -64K Memory Upgrade Kits (9 Chrost- Ouamity Des poets Ava 400° -64K Oyamane Ram Chips (4 cc) -254K (Memory Upgrade Kits (9 Chrost- Ouamity Des poets Ava 400° -64K Oyamane Ram Chips (4 cc) -254K (Mem Ram Chips (4 cc) -128K (MM AT Paggrade Kits (9 Chrost- Ouamity Des poets Ava 400° -128K (MM AT Paggrade Chips (4 cc) -128K (MM A	PS (bit left) Wholesale (so.60° r1 00/ 2.80°	Amdek. Video 300G Composite Green. \$11 Amdek. Video 300A Composite Amber. 12 Amdek. Video 310A ISBA Type Amber. 13 Amdek. Color 300 NEW Composite. 24 Amdek. Color 500 NEW Figh Res. ROB. 30 Princeton MAX-ISB. 31 Within self Color or Mono Card. Quedram. Ourdchrome II. 28	28.00" (3.00) 39.00" (3.00) 39.00" (4.64) 68.00" (7.84) 40.00" (7.84) 79.80" (5.00) 88.00" (8.60) 32.00" (5.00)	Mondeask
Quadram Multicors—I Parallel I Senau Clock Expandable to 2564 Thunderware Thunderclock MEMORY CHI (All Memory Chips Guarantee -64K Memory Unips Guarantee -64K Memory Disparak Riss (Arbeit -64K Dynamic Barn Chips (Sect)	PS d for Use) ***Wholesale ***9.80** / 1000 ***2.90** / 1000 ***5.90** / 1000 ***2.90** / 1000 ***2.90** / 1000 ***2.90** / 125.00** / (5.00) ***3.44.00	Amdek. Video 300G Composite Green. 811 Amdek. Video 300A Composite Amber. 12 Amdek. Video 310A 88H Type Amber. 13 Amdek. Color 300 NEWY Composite. 31 Amdek. Color 300 NEWY Composite. 31 Amdek. Color 600 NEWY High Res RGB. 36 Amdek. Color 722 Graginus Alonitor. 4 Ameta Color 722 Graginus Alonitor. 4 Ameta Color 722 Graginus Alonitor. 4 Ameta Color 722 Graginus Monitor. 31 Frinceton. RVI-12 RIGB Monitor. 31 Horis with Color or Mono Card. Casadram. Outdochrome II. 28 640/200 RGB will ** Screen.' Black, Prosphor Mask-WM Case. Taxan. 630 High Res RGB Monitor. 3	38.00° (3.00) 18.00° (4.64) 68.00° (7.80) 68.00° (8.29) 79.00° (8.00) 88.00° (8.24) 88.00° (6.24)	## Modesale ## Modesale ## Modesale ## Maple Maccinlosh Bisse Systems ## AT\$T 5300 PC CPU2 ## S1,810.00* (34 76) ## T\$T 730 Unit PC ## T\$T 730 Uni
Quadram Multicors—I Parallel I Senau Clock Expandate to 2548 Thunderware Thunderclock MEMORY CHI (All Memory Chips Guarantee -64K Memory Upgrade Risk 19 Arbeit Quanny Partourts Australia 64K Opparent Ram Chips (Sect) -754K (RM AT Priggrades Chips (Each) EXTERNAL MOD Anchor Signatina Express Hayes Smartmodem 1200 Hayes Smartmodem 1200 Hayes Smartmodem 1200 Hayes Smartmodem 1200 PC Netwerk Infaram 1200 PC Ne	PS d for Lifet) Wholesale 88.80* (1 00) 1.00* (1 00) 2.90* (1 00) 5.50* (1 02) 2.90* (1 02) 2.90* (2 00) 340.00* (3 00) 340.00* (3 00) 340.00* (2 50) 340.00	Amdek. Victor 300G Composite Green S11 Amdek. Victor 300A Composite Amber 13 Amdek. Victor 300A Composite Amber 13 Amdek. Color 300 VREW Composite 13 Amdek. Color 300 VREW Composite 21 Amdek. Color 300 VREW Composite 21 Amdek. Color 300 VREW Rep Res ROS. 30 Amdek. Color 722 Graphics Monitor A great Southing-parforming monochrame Princeton 100-12 GRG Monitor 100-12 GRG Mill Screen Section 100-12 GRG Monitor 100-12 GRG Mill Screen Section 100-12 GRG Monitor Taxan 630 High Res RGS Monitor Taxan 630 High Res RGS Monitor Taxan 630 High Res RGS Monitor Taxan 640 Highest Res (740-400)	33.00" (3.00) 33.00" (3.00) 15.00" (4.64) 65.00" (7.88) 66.00" (7.88) 19.20" (5.00) 18.00" (8.60) 33.00" (8.27) 33.00" (8.27)	## Modesale Apple Macrifosh Birse Systems AT\$T 5300 PC CPU2 128W3 Pappyr 1 Seniel 1 Parallel AT\$T 5300 PC CPU2 128W3 Pappyr 1 Seniel 1 Parallel AT\$T 7300 Unus PC 10MM Hard Duk! Placepyr 2564 TOMM Hard Duk! Place Systems 1248 AP\$ PC Professional Hard Duk! TOMM PC Professional System TOMM PC Professional Nature TOMM PC Professional Hard Duk!
Guadram Multicors – Therafleti I Senau Clock Expandate to 2564 Thunderware Thunderclock MEMORY CHI (All Memory Chips Guarentee -64K Memory Chips Guarentee -64K Memory Upgrade Kits of Chips I (Quamity Después Niks of Chips I (255K I) (Quamity Después Niks of Chips I (255K I) (Quamity Después Niks of Chips I (250K I	PS 4 for Life() Wholesale 98.86° r1 00/ 2.86° r1 00/ 2.86° r1 00/ 2.86° r1 00/ 2.80° r1 00/ 2.80	Amdek. Video 300G Composite Green. 811 Amdek. Video 300A Composite Amber. 12 Amdek. Video 310A 884 Type Amber. 13 Amdek. Color 300 NEW Tomposite. 31 Amdek. Color 300 NEW Tomposite. 31 Amdek. Color 600 NEW Tipp. Amber. 13 Amdek. Color 722 Graphics Monitor. 4 Amdek. Color 722 Graphics Monitor. 4 Amdek. Color 722 Graphics Monitor. 4 Amdek. Color 722 Graphics Monitor. 31 Tipp. Amber. 13 Amdek. Color 724 Graphics Monitor. 31 Tipp. Amber. 13 Sept. 13 Sept	33.00" (3.00) 33.00" (3.00) 15.00" (4.64) 65.00" (7.88) 66.00" (7.88) 19.20" (5.00) 18.00" (8.60) 33.00" (8.27) 33.00" (8.27)	## Modesale ### Apple Macroloch Base Systems ### \$300 PC CPU2 128W3 Pappy 1 Sensit 1 Parallel ### \$1,810.00" (38 76) 128W3 Pappy 1 Sensit 1 Parallel ### \$1,810.00" (38 76) 108M3 Hard Dickl 1 Floopy 915/R COMPAC DestPro1 Tape Backup System ### \$1,000 PcsPro1 Ta
Quadram Multicors — Farafler I Senau Clock Expandate to 2548. Thunderware Thunderclock MEMORY CHI (All Memory Chips Guarentee GAK Memory Unips Guarentee GAK Memory Unips Guarentee GAK Memory Dispa Guarentee GAK Memory Dispa Garch GAK Memory Chips Garch Lizek (BM AT Prigriphes Chips (Each) EXTERNAL MOD Anchor Signalman Express Hayes Smartmodem 1200 Hayes Smartmodem 1200 Hayes Smartmodem 1200 Hayes Smartmodem 1200 PC Network Internat 1200 Expensed 100% Network Schrysia 1200 Expensed 100% Network Compatible Expensed Promodem 1200 Expensed 100% Network Compatible EXPEN	PS d for Life() Wholesale 88.80* (1 00) 1.00* (1 00) 2.50* (1 00) 5.50* (1 00) 5.50* (3 00) 346.00* (3 00) 346.00* (2 50) 346.00* (2 50) 346.00* (2 50) 346.00* (2 50) 346.00* (2 50) 346.00* (2 50) 347.00* (8 00) 118.80* (2 50) 3998. Competition 347.00* (8 00)	Amdek. Victor 300G Composite Green. S11 Amdek. Victor 300A Composite Amber 13 Amdek. Victor 300A Composite Amber 13 Amdek. Color 300 RSW Composite 13 Amdek. Color 300 RSW Composite 21 Amdek. Color 300 RSW Composite 21 Amdek. Color 300 RSW Flop Res ROB. 30 Amdek. Color 722 Graphics Monitor A great Southing-parforming monochromer Princeton RV: 12 RGB Monitor 23 Princeton RV: 12 RGB Monitor 21 Robris with Color or Mono Clad Custermon Unchromor II 21 640/200 RGB will "Screen" Black, Prosporter Mask VBM Case Taxan 630 High Res RGB Monitor Taxan 640 Highest Res (740-400) Currently Available — Works with Persys BOB Cerd & the ATST Computer	38.00" (3.00) 38.00" (3.00) 18.00" (4.64) 65.00" (7.70) 7.70 (7.70) 9.00 (8.00) 18.00" (8.00) 18.00" (8.27) 38.00" (8.27) 38.00" (8.27)	## Apple Macrifoth Bitse Systems AT\$T \$300 PC CPU2 128W3 Papply 1 Senial 1 Parallel AT\$T \$300 PC CPU2 128W3 Papply 1 Senial 1 Parallel AT\$T \$300 PC CPU2 128W3 Papply 1 Senial 1 Parallel AT\$T \$300 Units PC 10MM Hard Disk 1 Floorey 516K 48M PC Professional Hard Disk 150MPAD DeskProt Tape Backup System 150MPAD DeskProt Tabe 150MPAD DeskProt Ta
Guadram Multicors – I Parallel I Senau Clock Expandable to 2584. Thumderware Thunderclock MEMORY CHI (All Memory Chips Guarentee -64K Memory Upgrade Kits of Chips I Quamity Descende Kits of Chips I (All Memory Chips Guarentee -64K Dynamic Ram Chips (6 cm) -255K Dynamic Ram Chips (7 cm) -255K Dynamic Ram Chip	PS 4 for Life() Wholesale 98.86° r1 00/ 2.86° r1 00/ 2.80° r2 00/ 2.80	Amdek. Video 300G Composite Green. 811 Amdek. Video 300A Composite Amber. 13 Amdek. Video 310A IBM Type Amber. 13 Amdek. Dido 310A IBM Type Amber. 13 Amdek. Coid 700 NEWI Figh Res ROB. 38 Amdek. Coid 72B Carginiza-Monitor. Amdek. Coid 72B Carginiza-Monitor. Misgnevox. 18"TT. IBM Type Amber. 7 A great Modifylipserforming emonochrome Prinsecton. RV.12 RIGB Monitor. 38 Prinsecton. RV.12 RIGB Monitor. 30 Video Rob. 14" Screen. Black. Prosphor Mask IBM Casa. Taxan. 610 High Res ROB Monitor. 31 Taxan. 640 High Res ROB Monitor. 32 Taxan. 640 High Res ROB Monitor. 34 Taxa	33.00" (3.00) 33.00" (3.00) 15.00" (4.64) 65.00" (7.88) 66.00" (7.88) 19.20" (5.00) 18.00" (8.60) 33.00" (8.27) 33.00" (8.27)	## Modesale Apple Macrotoph Base Systems AT\$T 5200 PC CPU2 128W3 Pappyr Seniar 1 Parallel AT\$T 5200 PC CPU2 128W3 Pappyr Seniar 1 Parallel AT\$T 7300 Unu PC 10MM Hard Duk! Placepyr 2564 \$1,800.00* (29.76) 3,680.00* (79.90) 3,680.00* (79.90) 4,680.00* (83.70) 4,680.00* (83.70) 4,680.00* (83.70) 4,680.00* (83.70) 4,680.00* (83.70) 4,680.00* (83.70) 4,680.00* (83.70) 5,680.00* (19.90) 4,680.00* (19.90) 5,680.00
Oundram Multicore – Therafleti I Senau Clock Expandate to 2564 Thunderware Thunderclock MEMORY CHI (All Memory Chips Guarentee 64K Memory Upgrade Kits I Chross Ountry Despote Nava 4009 64K Dynamic Ram Chips (64ch) 128K IBM AT Piggrades Kits I Chross 128K IBM AT Piggrades Kits I Chross 128K IBM AT Piggrades Kits I Chross EXTERNAL MOD Anchor Signalman Express Hayes Smartmodem 1200 Hayes Smartmodem 1200 Hayes Smartmodem 1200 Hayes Smartmodem 200 Hayes Smartmodem 200 Hayes Smartmodem 200 Hayes Smartmodem 200 Hayes Smartmodem 1200 Hayes Smartmodem 1200 For Network Jahan 1200 Express For Network 1200 Express For Stort Stort Hayes Carpabills U.S. Rebotels Course 2400	PS d for Life() Wholesale 99.00" (1 00) 2.50" (1 00) 2.50" (1 00) 2.50" (1 00) 3.50" (1 00) 3.50" (1 00) 3.50.00" (3 00) 3.40.00" (3 00) 3.40.00" (3 00) 3.40.00" (3 00) 3.40.00" (3 00) 3.40.00" (3 00) 3.40.00" (3 00) 3.40.00" (3 00) 3.40.00" (3 00) 3.40.00" (3 00) 3.40.00" (3 00) 3.40.00" (3 00) 3.40.00" (3 00) 3.40.00" (3 00) 3.40.00" (3 00) 3.40.00" (4 00)	Amdek. Video 300G Composite Green. 811 Amdek. Video 300A Composite Amber. 13 Amdek. Video 310A IBM Type Amber. 13 Amdek. Dido 310A IBM Type Amber. 13 Amdek. Color 300 NEWIY Composite. 31 Amdek. Color 600 NEWIY High Res ROB. 36 Amdek. Color 722 Graphics-Monitor. 4 Missprevox. 18**TT. IBM Type Amber. 7 A great Modeling-performing enonochrome Princeton. RVX-12 RIGB Monitor. 33 Princeton. RVX-12 RIGB Monitor. 34 Vibris, with Color or Mono Card. 30 Useriam Wal-Vibra. 34 Caladram. 14 August Monitor. 34 Taxan GO Taph Res ROB Monitor. 34 Taxan GO Taph Res ROB Monitor. 34 Taxan GO Taph Res ROB Monitor. 34 Taxan 640 Highest Res (740-400). 43 Currently Available— Works with Persys BOB Card. 8 the AT&T Computer Zentit. 2VM 1230A Green. 8	38.00" (3.00) 38.00" (3.00) 18.00" (4.64) 65.00" (7.70) 7.70 (7.70) 9.00 (8.00) 18.00" (8.00) 18.00" (8.27) 38.00" (8.27) 38.00" (8.27)	## Modesale ### Apple Macroloch Base Systems ### Apple Macroloch B
Oundram Multicors — Faralter I Senau Clock Expandate to 2548 Thunderware Fhunderclock MEMORY CHI (All Memory Chips Guarantee GAI Memory Chips Guarantee GAI Memory Chips Guarantee GAI Memory Deprete Riss of Chost I County Deprete Riss of Chost I County Persons Associated GAI Charles GAI Chips (Each I 1281 RM AT Priggrade Chip	PS Mholesale 80.80 11.00 10.00 1.00 1.00 1.50 1.00 1.5	Amdek. Victor 300G Composite Green S11 Amdek. Victor 300G Composite Amber 13 Amdek. Victor 300A Composite Amber 13 Amdek. Victor 300 ASEM* Composite 24 Amdek. Color 300 ASEM* Composite 24 Amdek. Color 300 ASEM* Composite 24 Amdek. Color 722 Erzighnes Monitor Philospherol. 1877. IBM 7 ypp. Amber 7 A great Evoluting-performing monocharmer Prinsector 167.12 RIGB Monitor 23 Prinsector MAJ-129 Works with Color or Mono Card Cusadram. Outchrumer II 640x200 RGB wil 4* Screen Black, Prosporter Mask-WBM Case Taxan 630 High Res RGB Monitor Taxan 630 High Res RGB Monitor Taxan 640 Highest Res (740-400) A Currently Available — Works with Persys BGB Card & the ATET Computer Zerdth ZVM 1230A Green High Res Non Glare	38.00° (3.00) 38.00° (3.00) 18.00° (4.64) 68.00° (7.60) (4.60) (4.60) (4.60) (4.60) (5.00) (5.00) (5.00) (5.00) (5.00) (5.00) (6.24) (6.27) 38.00° (6.27) 38.00° (7.28) 51	## Apple Macrifloth Base Systems ## Apple Macrifloth Base Systems ## AT\$ 5200 PC CPU2 12804 Ppoppy Seniar Parallel ## AT\$ 7300 Units PC 10MB Hard Disk Floogy 515K COMPAG Deskhot Place Backup System ## COMPAG Deskhot Place Backup System ## AT\$ 7300 Units PC 10MB Hard Disk Floogy 515K COMPAG Deskhot Place Backup System ## AT\$ 7300 Units PC 10MB Hard Disk Floogy 515K COMPAG Deskhot Place Backup System ## APP Professional Hard Disk ## APP Professio
Guadram Multicors — Faralter I Senau Clock Expandate to 2548 Thunderware Thunderclock MEMORY CHI (All Memory Chips Guarantee Chort — Charle — Char	PS Mholesale 80.80 11.00 10.00 1.00 1.00 1.50 1.00 1.5	Amdek. Victor 300G Composite Green S11 Amdek. Victor 300G Composite Amber 13 Amdek. Victor 300A Composite Amber 13 Amdek. Victor 300 ASEM* Composite 24 Amdek. Color 300 ASEM* Composite 24 Amdek. Color 300 ASEM* Composite 24 Amdek. Color 722 Erzighnes Monitor Philospherol. 1877. IBM 7 ypp. Amber 7 A great Evoluting-performing monocharmer Prinsector 167.12 RIGB Monitor 23 Prinsector MAJ-129 Works with Color or Mono Card Cusadram. Outchrumer II 640x200 RGB wil 4* Screen Black, Prosporter Mask-WBM Case Taxan 630 High Res RGB Monitor Taxan 630 High Res RGB Monitor Taxan 640 Highest Res (740-400) A Currently Available — Works with Persys BGB Card & the ATET Computer Zerdth ZVM 1230A Green High Res Non Glare	38.00° (3.00) 38.00° (3.00) 18.00° (4.64) 68.00° (7.60) (4.60) (4.60) (4.60) (4.60) (5.00) (5.00) (5.00) (5.00) (5.00) (5.00) (6.24) (6.27) 38.00° (6.27) 38.00° (7.28) 51	## Apple Macrifoth Base Systems ATAT 5300 PC CPU2 12804 Ppoppy1 Senial*1 Parallel ATAT 5300 PC CPU2 12804 Ppoppy1 Senial*1 Parallel ATAT 7300 Units PC 10MM Hard Disk Floorey*1546 3,689.00° (79.90) 10MM Hard Disk Floorey*1546 COMPAG DeskProt Tape Backup System 10MM Rape Drive/Mondor ### Apple Macrifoth Propey*10M Hard Disk 10MM Rape Drive/Mondor ### PC Professional Parallel ATAT 7300 Units PC 10MM Hard Disk Floorey*1546 10MM Rape Drive/Mondor ### Apple Macrifoth Propey*10M Hard Disk 10MM Rape Drive/Mondor ### Apple Macrifoth Propey*10M Hard Disk 10MM Rape Drive/Mondor ### Apple Macrifoth Propey*10M Hard Disk 10MM Rape Drive/Mondor ### Apple Macrifoth Propey*10M Hard Disk 10MM Rape Drive/Mondor ### Apple Macrifoth Propey*10M Hard Disk 10MM Rape Drive/Mondor ### Apple Macrifoth Propey*10M Hard Disk 10MM Rape Drive/Mondor #### Apple Macrifoth Propey*10M Hard Disk 10MM Rape Drive/Mondor ##### Apple Macrifoth Propey*10M Hard Disk 10MM Rape Drive/Mondor ###################################
Guadram Multicore - Parallet I Senau Clock Expandable to 2568 Thunderware Thunderclock MEMORY CHI (All Memory Chips Guarantee 64K Dynamic Ban Chips Guarantee 64K Dynamic Ban Chips (2 cc) County Despots Assisted 64K Dynamic Ban Chips (2 cc) County Despots Assisted 64K Dynamic Ban Chips (2 cc) Cynamic Ban Chips (2 cc) Cy	PS	Amdek. Victor 300G Composite Green S11 Amdek. Victor 300G Composite Amber 13 Amdek. Victor 300A Composite Amber 13 Amdek. Victor 300 ASEVY Composite 21 Amdek. Color 722 Graphics Monitor 24 Amdek. Color 722 Graphics Monitor 24 Amdek. Color 722 Graphics Monitor 23 Amdek. Color 722 Graphics Monitor 23 Friesetten KV-12 Rigid Monitor 21 Horis with Color or Mono Clart 2 Custorman MAV-12b Color 12 Section 21 Asex 630 High Res RGB Monitor 31 Taxan 640 Highest Res (740-400) 43 Currently Available — Works with Persys BGB Gerd & the ATE Computer 2 Zerith ZVM 1230A Green 1 High Res Non Glare ONDITIONS price, plass shipping, All proces mitted a 3th cash contribution.	38.00° (3.00) 38.00° (3.00) 18.00° (4.64) 68.00° (7.60) (4.60) (4.60) (4.60) (4.60) (5.00) (5.00) (5.00) (5.00) (5.00) (5.00) (6.24) (6.27) 38.00° (6.27) 38.00° (7.28) 51	## Modesale ### Apple Macrotoph Base Systems #### Apple Macrotoph Base Systems #### Apple Macrotoph Base Systems #### Apple Base Systems 12 Macrotoph Base Systems 12 Macrotoph Base Systems 12 Macrotoph Base Systems #### Apple Base Systems 12 Macrotoph Base Systems 12 Macrotoph B
Guardram Multicors—Theraflete I Servali Clock Expandable to 2564 Thunderware Thunderclock MEMORY CHI (All Memory Chips Guarantee -64K Memory Chips Guarantee -64K Memory Chips Guarantee -64K Memory Chips Guarantee -64K Dynamic Ram Chips (Exchi 256K Qhamic Ram Chips (Exchi 128K IBMA Theograde Kits of Chips (Exchi EXTERNAL MOD Anchor Spraima Express Hayes Smartmodem 1200 Chips Shartmodem 1200 Hayes Smartmodem 1200 Hayes Sm	PS d for Life() Wholesale 99.00" (1 00) 2.50" (1 00) 2.50" (1 00) 2.50" (1 00) 3.50" (1 00) 3.50" (2 00) 3.40.00" (3 00) 3.40.	Amdek. Visico 300G Composite Green. \$11 Amdek. Visico 300A Composite Aminor. 13 Amdek. Visico 300A Composite Aminor. 13 Amdek. Visico 310A IBM Typie Aminor. 13 Amdek. Color 300 NEWY Composite. 31 Amdek. Color 300 NEWY Composite. 31 Amdek. Color 600 NEWY Figh. Res ROB. 38 Amdek. Color 722 Graginus Afontio. 39 Imageneoux. 12°TT. IBM Type Aminor. 3 Imageneoux. 12°TT. IBM Type Aminor. 3 A great Modeling-periformize Afontio. 33 Princeton FX-12 RGB Monitor. 32 Works with Color or Monito. Cast. 3 Guadramo MAX-12b. 31 Guadramo Aminor. 31 Taxan. 630 Figh. Res. RGB Monitor. 34 Taxan. 630 Figh. Res. RGB Monitor. 34 Taxan. 640 Figh. 84 Res. (740x 400). 43 Currently Available. — Mortas with Persys. BOB Card. 8 the AT&T Computer. 2 British. Park 1250A Crean. 8 High. Res. Non-Glane. 8 ONDITIONS price, plass shipping. All prices nellect a 3th cash for shipping. All prices a byte Crean. p. 8 price, plass shipping. All prices nellect a 3th cash for shipping & handling charges. Money Criders. p. 8 Aprices a budget to chenge. Money Criders. p. 8 Aprices a budget to chenge. Without notice!	38.00" (3.00) 38.00" (3.00) 115.00" (4.64) 65.00" (7.88) 46.00" (7.88) 46.00" (7.88) 46.00" (8.29) 15.00" (8.27) 38.00" (10.88) 10" (7.50) 10 (8.27)	## Modesile ### Apple Macrifoch Birse Systems ATST 5300 PC CPU2 128W3 Pappyr 1 Seniel 1 Parallel ### ATST 5300 PC CPU2 128W3 Pappyr 1 Seniel 1 Parallel ### ATST 5300 PC CPU2 128W3 Pappyr 1 Seniel 1 Parallel ### ATST 7300 Unus PC 10MM Hard Dukl Placepyr 2568 ### ATST 7300 Unus PC 10MM Hard Dukl Placepyr 2568 ### PC Professional Hard Dukl ### ATST 7300 Unus PC 10MM Hard Dukl PC 10MM Hard Dukl PC Professional Hard Dukl ### ATST 7300 Unus PC 10MM Hard Dukl PC Professional Hard Dukl ### ATST 7300 Unus PC 10MM Hard Dukl PC Professional Hard Dukl ### ATST 7300 Unus PC 10MM Hard Dukl PC Professional Hard Dukl ### ATST 7300 Unus PC 10MM Hard Dukl PC Professional Hard Dukl ### ATST 7300 Unus PC 10MM Hard Dukl PC Professional System 12MM ATST 7300 Unus PC 12MM Hard Dukl PC 12MM HARD Dukl PC Post 12MM PC Professional System 12MM ATST 7300 Unus PC 13MM HARD Dukl PC Post 13MM PC Professional System 12MM ATST 7300 Unus PC 13MM HARD Dukl PC Post 13MM PC 13
Guadram Multicors – I Parallel I Senau Clock Expandable to 2586. Thumderware Thunderclock MEMORY CHI (All Hemory Chips Guarranee -64K Memory Upgrade Kits of Chross (Quamity Parapede Kits) -64K Dynamic Ram Chips (Each -128K IBMA TP legypteck Chips of Each -128K IBMA TP legypteck Chips of Each EXTERNAL MOD Anchor Signalman Express Anchor Signalman Express Hayes Smartmodem 1200 Hayes Smartmodem 1200 Hayes Smartmodem 1200 Holyes Smartmodem 1200 PC Network Internat 1200BPS	PS d for Life() Wholesale (9.00° r 1 00) 2.50° r 1 00, 00° r 1 0	Amdek. Victor 300G Composite Green S11 Amdek. Victor 300G Composite Amber 13 Amdek. Victor 300A Composite Amber 13 Amdek. Victor 300 ASEVY Composite 21 Amdek. Color 722 Graphics Monitor 24 Amdek. Color 722 Graphics Monitor 24 Amdek. Color 722 Graphics Monitor 23 Amdek. Color 722 Graphics Monitor 23 Friesetten KV-12 Rigid Monitor 21 Horis with Color or Mono Clart 2 Custorman MAV-12b Color 12 Section 21 Asex 630 High Res RGB Monitor 31 Taxan 640 Highest Res (740-400) 43 Currently Available — Works with Persys BGB Gerd & the ATE Computer 2 Zerith ZVM 1230A Green 1 High Res Non Glare ONDITIONS price, plass shipping, All proces mitted a 3th cash contribution.	38.00° (3.00) 38.00° (3.00) 38.00° (4.64) 38.00° (4.64) 46.00° (4.29) 40.00° (6.29) 40.00° (5.00) 48.00° (5.00) 48.00° (5.00) 48.00° (6.24) 48.00° (6.27) 48.00° (7.20) 48.00° (7.20) 48.00° (7.20) 48.00° (7.20) 48.00° (7.20)	## Modesale ### Apple Macrotoph Base Systems #### Apple Macrotoph Base Systems #### Apple Macrotoph Base Systems #### Apple Base Systems 12 Macrotoph Base Systems 12 Macrotoph Base Systems 12 Macrotoph Base Systems #### Apple Base Systems 12 Macrotoph Base Systems 12 Macrotoph B

COMPLETE SYSTEMS

IBM PC BASE SYSTEM

IBM PC w/256K Floppy Drive Controller 2 Double Sided Double Density Disk Drives Mix and Match with your Favorite Monitor and Printer

\$1,159.00*

CUSTOM WELCOME



IBM PC HARD DISK SYSTEM IBM PC w/256K

Floppy Drive Controller 1 Double Sided Double Density Disk Drive Half Height Hard Disk

\$1,499.00*

CALL FOR LATEST IBM ANNOUNCEMENTS

PORTABLE HARD DISK SYSTEM

256K/1 Floppy/Hard Disk





FUMPAQ TM

\$1,999.00* w/20MB

call for 10MB

\$1,940.00* w/10MB \$2.025.00* w/20MB









64K IBM PC MEMORY EXPANSION KITS

Quantity Discounts Available.

Guaranteed for Life!







Set of 9 Chips \$9.00*

DISKETTES

Guaranteed for Life!

51/4" DS/DD \$8.95* Bx 10 Bx 50

ea .59*

51/4" SS/DD

\$7.95* Bx. 10 Bx. 50 ea. 47*

31/2" SS/DD Flat. 10

\$15.95* Free Flip & File Case

1/2 HEIGHT DS/DD **DISK DRIVES**



The Network buys direct and makes fantastic deals with manufacturers like MPI/ Tandon/CDC/Shugart/Oume/ TEAC and others to bring you lantastic prices on Name Brand drives for your PC/AT/ XT/jr/or Compatible

\$85.00*

INTERNAL PC HARD DISK

Low Power/Automatic Boot, Works on standard PC's and Compatibles, includes drive/controller/cables/ mounting hardware and instructions.

Full one year warranty! 10MB



6340.00* **20MB** \$395.00*

Word Perfect

MultiMate"

*Members pay 8% above this wholesale price plus shipping.

CALL TOLL FREE 1-800-621-S-A-V-E (orders and memberships)

In Illinois call (312) 280-0002 Validation code: B366

Customer Service and Order Status (312) 280-1567

TM & R.-Registered trademarks of IBM/COMPRO/APPLE/AST Research/LOTUS/Multimate Int.,/IQMEGA. Inquiry 258



NETWORK

SEE WHY OVER 150,000 HAVE JOINED MAKING US THE NATION'S #1 SOURCE FOR EVERYTHING IN COMPUTING

Our 600 Page Wholesale Catalog
Over 30,000 products priced at Wholesale + 8%. Anything
you will ever need at a Consistent low price...

Quarterly Catalog Updates
Your Catalog is never obsolete! Keep on top of the newest
products and latest price changes.

Our newsletter gives you fantastic specials alog with unbiased analysis of new products and industry trends.

10 Day Returns on any Hardware!!
If you don't like any hardware product—for any reason return it for a refund.

1000 + Title Rental Library
14 to 30 day rentals on over 1000 different titles.
Try before you buy!!

Size, Strength and Stability
The Network has over 150 employees, 45,00 square
feet of office and warehouse space, inventory valued in
excess of \$15,000,000 and is ranked the largest computer
product supplier in the nation! Our commitment is to serve
our customers and our 90% repeat business rate is proof!!

OnLine "Builetin Board
Download "Freeware" from the nation's largest single
concentration of Public Domain software available! Get tied
into the nation's largest technical information network! Place orders, get tech support or contact customer service from the Network's OnLine, "not just a bulletin board but a complete customer information network.

CALL TOLL FREE 1-800-621-S-A-V-E (Orders-Membership and Advice!)

In Illinois call (312) 280-0002 Your Membership Validation Number B366

You can validate your membership number and, if you wish, place your first money-saving order over the phone by using your VISA, MASTERCARD or AMERICAN EXPRESS, Our knowledgeable sales consultants are on duty Mon.-Fri. 8:00 AM to 7:00 PM, SAT. 9:00 AM to 5:00 PM CST.

PERSONAL COMPUTER NETWORK

320 West Ohio

Chicago, Illinois 50610
Call now...Join the PC NETWORK and start saving today!
Customer Service and Order Status (312) 280-1567
B:30 AM to 4:30 PM, Mon.-Fri. CST

PC NETWORK • MEMBERSHIP APPLICATION

YES! Please enroll me as a member in the PC N	letwork" and send my
catalog leaturing thousands of computer produ	icls, all at just 6% above
DEALER WHOLESALE PRICES. I will also period	dically receive "THE
PRINTOUT," a special up-date on merchandise	at prices BELOW even
those in my wholesale catalog, and all the other	exclusive, money-
saving services available to Members.	366
	300

am under no obliga	ition to buy anything	. My complete	satisfaction is
uaranteed. Please	check (~) all boxes	that apply:	

Basic Membership with optional 14 Day II

One-year membership for \$8 ☐ Two-year membership for

\$15 (Save \$1) ☐ Business Software Evaluation Library for \$25 add1. per year-with 14-day returns

☐ Games Software Evaluation Library for \$10 add1, per year

Special V.I.P. Membership with optional 30 Day Evaluation ☐ One-year membership for \$15

☐ Two-year membership for \$25. □ BOTH Business and Game

Software Evaluation Libraries for \$30 add'l. per year-with 30 day returns "VI.P members may receive advance notice on limited quantity

merchandise specials ☐ Bill my credit card: ☐ VISA ☐ MasterCard ☐ American Express

Account Number:								
Exo. Date:								


Number:		_	 	 	
Exp. Date_					

ands, mento-	mo.	year		
☐ Check o	y money	order enclosed	for S	

El other or though propings	1030G 107 Q.	_
Name		
Address		

City	State_		Zip_	
Telephone (
My computer(s) is: ☐ IBM PC	CI IBM-XT	CI IBM-AT	☐ Apple II	

☐ Macintosh ☐ Other Signature. (Signature required to validate membership)



Features

PRODUCT DESCRIPTION: THE MACINTOSH PLUS by Phillip Robinson
PROGRAMMING PROJECT: A SIMPLE FILE-INDEXING SCHEME by Bruce Webster
CIARCIA'S CIRCUIT CELLAR: ADDING SCSI TO THE SBI80 COMPUTER, PART 2: BUS PHASES by Sleve Ciarcia
SORTING PRODOS DIRECTORIES by Antonio C. Silvestri
DECODING MACPAINT ON THE IBM PC by Mark Anacker
PROGRAMMING INSIGHT: HILBERT CURVES MADE SIMPLE by Michael Ackerman

IN THE PRODUCT DESCRIPTION that leads off this month's Features section. Phillip Robinson introduces us to the Macintosh Plus. This enhanced Mac offers double-sided drives, an SCSI interface, a megabyte of RAM, and a larger, faster ROM, among other welcome additions.

This month's Programming Project is an easy-to-implement technique for maintaining a sorted file that Bruce Webster discovered while working on a mailing list program. He hopes that it will save beginning programmers time and frustration and help others improve their programming skills.

In the Circuit Cellar, Steve Ciarcia concludes his project for adding an SCSI interface to his single-board computer. Following up on last month's tutorial, Steve now discusses in greater detail the SCSI bus's operational characteristics: the bus phases and how they are managed by the NCR 5380 chip.

The program that Antonio Silvestri outlines in his article is designed to eliminate long catalog searches by sorting the valid filenames in the volume and subordinate directories of the Apple ProDOS disk. Written in Applesoft BASIC, the program provides you with extensive visual feedback as it reads. sorts, and updates a disk.

If you are faced with the problem of transferring graphics created on a Macintosh to an IBM PC, you'll want to read "Decoding MacPaint on the IBM PC" by Mark Anacker. His Pascal program decodes and displays MacPaint images on the PC, and, once you've accomplished the initial translation of the graphics, writing additional program code to manipulate the images is relatively easy. savs Mark.

Looking for a less complicated way to draw a Hilbert curve, Michael Ackerman set out to write an Applesoft BASIC program that would have only one subroutine with a single entry point. In this month's Programming Insight you can examine his program for producing this elegant curve.

Pickacard and get \$50.00

Putting your money on a Hercules™ Graphics Card or a Hercules Color Card has always been a safe bet.

After all, Hercules is the industry standard in high resolution graphics hardware. And we back each of our cards with a full two-year warranty.

Which explains why we've already sold more than 500,000 cards to owners of IBM* PCs. XTs. ATs and many compatibles.

But there are still some people out there who have yet to buy a Hercules card.

So we're sweetening the pot.

Between now and August 31, when you buy a Hercules Graphics Card or a Hercules Color Card,


we'll send you a check for \$50.00. See your local Hercules best deal, ask him for one of our rebate applications and send it in with your Purchaser Registration Card and dated sales dealer. When you've made your best deal, ask him for one of our rebate applications and

We'll pay off in short order.

Your Hercules card, on the other hand, will pay off for a lot longer than that.







Trademarks/Owners: Hercules/Hercules Computer Technology; IBM/IBM. Offer valid in the United States, U.S. Territories and Canada from May 1 through August 31, 1986. Rebate application, accompanied by Purchaser Registration Card and dated sales receipt must be sent to Hercules Rebate Offer, PROMARK Depot, P.O. Box 3947, Milford, CT 06461-0397 no later than September 15, 1986. Applications received after that date will not be honored. Rebate will be paid in the same currency in which the card was purchased. Offer void where prohibited, taxed or restricted. Dealers are not eligible to claim rebate. Offer limited to one rebate per product serial number and original Purchaser Registration Card. Each rebate must be applied for on an individual basis. Other application constitutes fraud. Rebate offer applies to Hercules Graphics Card (model GB102) and Hercules Color Card (model GB200). Other Hercules products are not eligible. Allow 6-8 weeks for redemption. For additional information in the United States call (800) 532-0600 ext. 708. In Canada call (800) 323-0601 ext. 708. BY PHILLIP ROBINSON

THE MACINTOSH Plus

It has more memory, double-sided disks, and an SCSI interface

Editor's note: The following is a BYTE product description. It is not a review. We provide an advance look at this product because we feel that it is significant. A complete review will follow in a subsequent issue.



he Macintosh introduced personal computer users to technology that has now become commonplace: bitmapped displays, 31/2-inch floppy disks, and iconic desktop environments. The Macintosh Plus adds welcome double-sided drives, a megabyte of RAM, an industry-standard SCSI interface, a numeric keypad, and a larger, faster ROM of operating system routines. The Mac Plus is also much faster than the 512K Mac, partly because of new software routines and partly because of the additional RAM. One feature that the 512K Macintosh had-free MacWrite and Mac-Paint software-is missing from the Mac Plus. Both programs are available separately for \$125 apiece.

SYSTEM DESCRIPTION

Most of the technical details in BYTE's February 1984 description of the original, skinny (128K-byte) Macintosh are still apt descriptors for the Mac Plus. It is a desktop, 7.8336-MHz 68000-based microcomputer in a small-footprint case containing a built-in 3½-inch floppy disk drive and a 9-inch diagonal, bit-mapped, monochrome display of 512 by 342 pixels. It doesn't have any expansion slots, and it

(continued

Phillip Robinson is a senior technical editor for BYTE. He can be contacted at BYTE/McGraw-Hill, 951 Mariner's Island Blvd., 3rd Floor, San Mateo, CA 94111.

doesn't have a cooling fan. It possesses a number of I/O ports, a detachable keyboard, and a mouse.

KEYBOARD

At first glance, the Mac Plus keyboard looks like a Mac keyboard with an added numeric keypad on the right

side. But there are other changes as well: Four cursor keys are located at the bottom right of the alphabetic section; there is only one Option key; the Enter key is placed with the numeric keypad; and the Return key is larger than on previous Macs. Other adjustments in key size and position

are minor. Incidentally, the cursor keys aren't recognized by all applications or even by the Mac's own desktop.

RAM

The Macintosh Plus has two main circuit boards, analog and digital. Although the analog board is little changed from the 512K Mac design, the digital board has been thoroughly modified. It is still designed around the 68000 CPU, but it has more RAM and more ROM—both socketed—than previous Macintoshes.

One full megabyte of RAM sits on the Macintosh Plus digital board. This memory takes up less space and consumes less power than the 512K in the Fat Mac. Apple's engineers accomplished this by employing four CMOS SIMMs (single in-line memory modules), each of which holds 256K bytes in eight 256K-bit CMOS dynamic RAMs. These RAM chips are enclosed in surface-mount packages and then soldered onto tiny PC (printed circuit) boards.

The RAMs most of us are familiar with are packaged in DIP cases. Surface-mount packages are smaller, so more chips can be squeezed into less PC board space. They are called "surface-mount" because the legs don't have to stick through a PC board to be soldered on the opposite side (as DIPs are). Instead, the legs fold over and contact the same side the chip packages sit on. For the Mac Plus, these packages are soldered onto four small boards that insert at an angle—and overlap—into special sockets on the Mac Plus digital board.

When I-megabit surface-mount CMOS DRAMs are available, it will be relatively easy for manufacturers to create SIMM strips that hold a full megabyte. Such strips could replace the current Mac Plus SIMMs to upgrade the system to 2 or 4 megabytes of RAM. Applications that follow Apple's design rules can use all of the additional RAM.

ROM

With 128K bytes of ROM code, the Macintosh Plus has twice what the 128K and 512K Macs had. The old 64K-byte ROM contained equal parts

(continued)

IN BRIEF

Name

Macintosh Plus

Company

Apple Computer Inc. 20525 Mariani Ave. Cupertino, CA 95014 (408) 996-1010

Price

\$2599

Microprocessor

Motorola 68000, 32-/16-bit microprocessor (32-bit internal data path and registers, 16-bit external data bus) running at 7.8336 MHz

Main Memory

1 megabyte of RAM, expandable to 4 megabytes in the future 128K-byte ROM containing operating system code 256-byte EEPROM for user-settable parameters

Display

9-inch diagonal built-in screen that displays bit-mapped 512 by 342 pixels

Sound

Four-voice sound from 8-bit D/A conversion (22-kHz sampling rate)

Disk Memory

800K-byte 31/2-inch double-sided floppy disk drive built-in

Keyboard

Detachable 78-key typewriter-style keyboard plus numeric keypad and cursor keys; offers 2-key rollover and software mapping

Clock/Calendar

CMOS custom chip built-in with 4.5-volt battery

Ports

Two RS-232C/RS-422 serial ports with maximum speed of 230,400 bps SCSI port capable of 320K-byte-per-second communications Mouse port (for mechanical mouse) External disk port Synchronous serial keyboard port Loudspeaker jack


Optional Peripherals

800K-byte 3½-inch double-sided floppy disk drive Imagewriter dot-matrix printer Apple Modem 1200 (300/1200-bps modem) Hard Disk 20, 20-megabyte hard-disk drive (operates through serial port)

Bundled Software

System tools

The largest selling 1200 bps modem just got smaller.



01986 Hoves Microcommuer Prod

The new Hayes Smartmodem 1200B

New you can get a lot more out of your FC, by putting a laule more in. Churchen Hayes Smartmodern 1200B melucies the same quality and wiverced features that have made if the leading 1200 bps modern. Now, advantes in Hayes technology . How us to make reavailable in a size that his either full siens or a 'nogle" half sion.

That's important news if you have an BM# ATS. I. Compag. Tendy ar other companie computer with half slots. It means with a Smanmodem 12008, who can free up one of your full shes for an additional function such as color enachies.

more memory or networking. Or, if you prefer, you can continue to use the new Smartmodem 1200B in one of the full slots. Hayes makes it easy and versatile to fit your needs.

There are many good reasons for choosing Hayes. Our new spacesaving Smartmodem 1200B is one of them. Hayes Smartcom II, the industry's best selling communications software, is another.

Smartcom II for the IBM and compatibles makes short work of

Say yes to the future

loquiry 151

communicating, while allowing you to take full advantage of the sophisticated capabilities of your Smartmodem 1200B. Together, they create a powerful, yet easy-to-use, communications system for your PC. They're made for each other. and customized for IBM PC's.

The best reasons of all for choosing Hayes are the "built-in" benefits. Advanced technology. Unsurpassed reliability. And a customer service organization that's second to none.

So, when you see your authorized Hayes dealer ask for the largest selling 1200 bps modern. Smartmodern 1200B. And remember. Now it's smaller, too. Hayes Microcomputer Products, Inc. P.O. Box 105203, Atlanta, GA30348. (404) 441-1617.

of Macintosh operating system, QuickDraw graphics routines, and the User Interface Toolbox. The 128K ROM keeps trimmed and optimized versions of those routines, adds new routines, and holds some routines that used to sit in the disk system files.

QuickDraw-which draws everything you see on a Macintosh display—was rewritten to be faster. New ROM drivers were written for the doublesided disk drives and for the Hard Disk 20. The operating system now allows the Mac Plus to boot from a hard disk, a feat the previous Macintoshes couldn't perform. And the new ROM has numeric computation routines: Applications aren't forced to have their own such routines and can depend on floating-point arithmetic and transcendental functions in the ROM.

The operating system shows up in some subtle environmental effects. An icon called a "zoom box" toggles a window between full-screen size and whatever other size it was last set to. There is also an additional choice under the View pull-down menu: Small Icon. This menu selection preserves the information about the file type that icons provide, but it allows many more icons to fit onto a single display.

The System file is listed as version 3.0, and the Finder is version 5.1. Most programs should work with both old and new ROMs, but the 128K ROM

routines are still being integrated into the calls from applications software.

DESK ACCESSORIES

The Control Panel desk accessory contains some new controls. The biggest change is the addition of a RAM cache controller that lets programs load, run, and quit up to twice as fast as conventional operational methods. Frequently used routines can be read from disk only once and then run from RAM. The cache can be turned on or off and can employ anywhere from 32K to 768K bytes of RAM.

The Choose Printer desk accessory is replaced by the more general Chooser that lets you select any of the serial ports or the SCSI port. The AppleTalk network is now connected and disconnected via the Control Panel instead of Choose Printer.

HFS

The HFS (Hierarchical Filing System) first appeared in Finder 5.0 in the fall of 1985 with Apple's HD20 external 20-megabyte hard disk drive. It is now built into the new Finder 5.1 of the Mac Plus ROM.

The previous Macintosh Finders used a flat filing system (now called MFS for Macintosh Filing System). All files were listed in a single directory. Now the HFS puts files within directories and subdirectories, just as MS-DOS does for many microcomputers. You move through the directories by

The Mac Plus's

3½-inch floppy drives are double-sided and can read and write 800K bytes per disk.

manipulating slightly more complex versions of the dialog boxes used by earlier Finders. You can pull down lists of the directories-shown iconically as nested folders on the Mac Plus-to see a path list. The number of files the HFS can handle is limited only by the disk space. Because it runs from ROM it is also faster than the MFS. Some programs will have to be rewritten to avoid path problems with the subdirectories of HFS.

The Mac Plus comes with a disk of system tools that includes an Installer utility for updating the system files on your older start-up disks.

FLOPPY DISK DRIVES

The original Mac depended on 31/2inch floppy disk drives, built by Sony, that recorded 400K bytes on a single side of the disk. The Mac Plus drives are still 31/2-inch Sonvs, but they are double-sided and so can read and write 800K bytes per disk. They can also read and write the single-sided format of the older drives. In effect, the double-sided disks provide more than twice the effective space of the old 400K-byte drives because much of the 400K was occupied by system files.

The Sony drives use a special. variable-rate rotation scheme where the spin of the disk depends on the track being accessed. The new drives use the same scheme but are twice as fast as the old drives for reading and writing. The transmission speed between the drives and the Mac (about 500,000 bits per second) hasn't changed.

PORTS


The biggest change in ports from the 512K Mac to the Mac Plus is the ad-(continued)

LASERWRITER PLUS

B ecause Apple is so interested in "desktop publishing," it was no surprise that the Mac Plus wasn't the only enhanced product introduced in January. Apple also introduced the LaserWriter Plus, an enhanced version of the laser printer described in the February 1985 product preview "The Macintosh Office" by John Markoff and Phillip Robinson. Based on the popular Canon laser engine, this printer provides 300-dpi images from the PostScript printing codes sent by a Macintosh.

The LaserWriter Plus has a full mega-

byte of ROM instead of the halfmegabyte in the LaserWriter. The extra ROM contains seven font families to add to the four families harbored by the LaserWriter. The new typefaces are Avant Garde Gothic, Bookman, Helvetica Narrow, New Century Schoolbook, Palatino, Zapf Chancery, and Zapf Dingbats. The LaserWriter Plus's driver supports the 128K Macintosh and offers downloadable fonts. The LaserWriter Plus costs \$6798. The LaserWriter price dropped to \$5999; for \$799 you can buy a Font Kit that will upgrade the LaserWriter to the Plus.



The only time our competitor's display can match ours.

All color monitors basically look the same. Until you turn them on. That's when their true colors really show. That is, if it's a Taxan. You see, the Taxan 630 RGB color monitor is so advanced, no one can match its high performance. Or its low price.

What's behind all this is the Taxan 555 Super Color Graphics Board. Interface it with the 630 and you'll get the superior performance you need for all your business applications software. Like dBASE III. Lotus 1-2-3. Wordstar.

And Symphony.

With pixel resolution of 640 x 400 and a 37mm dot pitch, you'll get the sharpest text and graphics you've ever seen. An O that really looks like an O. And colors so vivid, so true, they make the competition look drab by comparison. What's more, Taxan gives you a 24.75 Khz horizontal scanning frequency. Compared to 15.75 Khz, it's no wonder our competitors can't keep up with us.

Best of all, the Taxan 630 and 555 board are compatible with the IBM PC, AT and XT, the Compaq Portable and Deskpro, and other IBM compatibles. The 630 is also compatible with AT&T 6300 computers and boards.

But we didn't stop there. The Taxan 630 even gives you a choice of four text color modes. So if your eyes are tired of looking at amber, you can switch to green. White reverse. Or white on blue.

The Taxan 630 has everything you could ever want in a color monitor. Superior performance. High-

resolution. And compatibility. Plus, it won't strain your eyes. Or your budget. And because it comes from Taxanthe leader in quality, technology and innovation—you know it's reliable. Which makes it a color monitor that's truly worth looking into.

So go see the Taxan 630 for yourself. And you'll see a display that makes the others pale by comparison.



18005 Cortney Court, City of Industry, CA 91748

(818) 810-1291.

\$4995 Professional Word Processor

EXTRA FAST • FEATURE RICH

General: Document based • Unlimited document size • Integrated spelling-checker (with suggestions) using an updatable 90,000 word dictionary • True split-screen • Flexible main-edit screen: invoke or dismiss, in any combination, the Command Line, Tab Line, text borders, and Information Line. Change the onscreen left and right margins. • Eight sorted directory-list formats (with one-letter commands to load, copy, delete, and search) • 30 user-settable defaults (bilinking or non-blinking cursor, automatic backup, automatic timed save, etc.) • Macros (700 keystrokes per set) • Automatic ASCII import and export (makes for a solid program editor)

Entering Text: Distinction between paragraph and line (lines may be 255 wide) a No-hassles insert mode • Both ordinary and "magic diamond" cursor movement • Automatic paragraph reform • Decimal, right-justify, and begin-column tabs (storable in document) • Set buildace, underline, superscript, subscript, italics, and strike-through (unrestricted overlap)

Manipulating Text: Highlighted blockmode. Move and copy (with repetition, and across split-screen), delete, sort (by number or alpha), print, and quality (bold, underline, etc., upper-case, etc.) - Flexible column manipulations (move, copy, delete, fill) = Full backwardsforwards search-replace (case, word) singly or globalty (plus special functions to search for format-objects, excessive paragraph-blanks, etc.)

Printing: Preview page-breaks before printing (visible, scrollable, hard and soft page-breaks) • Super-easy format-control screen (automatic storage anywhere into document of automatically spelled-out format-objects) • Valuable format-control features include margins, justification, microjustification, single, double or triple line spacing. "Tows needed paragraph indents, padding and spiil-minimum; tine headings and centering; row numbering, selectable strike-through and hard-blank characters, multiple headers and footers with variables for page-number (Arabic, letter, Roman), document, dates and time. • Full widow-orphan control, including tables • Controllable print-queue • Multiple printers and ports • Edit while printing • Integrated Mail Merge • Selective page print • Drivers for Epson, Diablo 630, and other popular printers. Complete instructions allow the user to create new drivers or modify old ones.

Miscellaneeus: Redefinable keys = DOS-pathname support = Context-sensitive Help = Word, character, keystroke counts = Balance parentheses and brackets = Documentation fields = Document-summary utility = Word frequencies = Printed manual = Not copy protected

Minimum requirements: IBM PC/XT/AT or true compatible, monochrome or color, one disk drive, 256K and DOS 2.0 or 2.1 (or 320K and DOS 3.X)

\$49.95 Introductory Offer Add \$5.50 Shipping & Handling N.J. Residents add 6% Sales Tax

Send orders to/or call VANTEX DATA SYSTEMS

P.O. Box 507, Chatham, N.J. 07928 Call 1-800-524-2838 In New Jersey call 1-201-635-5686





The state of the same of the s

The SCSI interface communicates at 320K

bytes per second—

about 10 times faster than the old serial port.

dition of the SCSI port for fast communications. The other ports have been moved around, and some have different connectors. The external disk port can handle single-sided or double-sided floppy disk drives as well as the HD20 hard disk drive. The audio jack, the mouse port, and the external disk drive port retain their shape and size but have been moved.

The two serial ports typically used for modem and printer connections now employ mini DIN-8 connectors instead of the 9-pin D-type connectors used before. The new circular connectors eat up less room—a necessity with the addition of the large SCSI connector.

SCSI

The 128K and 512K Macintoshes relied upon an Apple-specific serial port that communicated at 230,400 bps using the Zilog 8530 SCC (serial communications controller) chip. Apple hoped that the generalpurpose serial port would lead to "virtual slots," with add-on devices attached to the serial port instead of inserted within the computer. Unfortunately, the port just didn't have enough speed for many peripherals. including hard disks, tape backup systems, and scanners. So the Mac Plus design team looked around for a faster, more standard interface.

SCSI is an industry-standard, parallel, system-level interface bus for connecting peripherals to a variety of personal computers. It descended from the old SASI disk drive standard to become ANSI X3T9.2. Many peripherals such as hard disk drives already contain SCSI interfaces. All the Macintosh Plus needs to use those peripherals is the proper software drivers.

Up to seven devices can be daisychained to the single Mac Plus SCSI port. If any SCSI devices are attached to the Macintosh Plus. at least one of them must be switched on for the Mac Plus to start.

The Macintosh Plus SCSI interface is designed around an NCR 5380 SCSI controller IC and communicates at 320K bytes per second: about 10 times faster than the old serial port. It uses an 8-bit parallel data connection, a variety of control lines, and a parity line for error checking.

UPGRADES

Apple devised a thorough upgrade program for those who have 128K or 512K Macintoshes and want Mac Plus power. You upgrade a system by buying and installing special kits.

The first kit—\$299—includes the new 128K ROM and an internal double-sided disk drive. This drive replaces the single-sided drive and is only available to be installed by certified Apple dealers. (External double-sided floppy disk drives sell for \$499.) This kit can be installed in Macs that have third-party RAM additions, but Apple doesn't guarantee that the upgraded Mac will be able to use all of the third-party RAM.

The second kit—\$599 for 512K Macs and \$799 for 128K and third-party-enhanced Macs—contains a new digital logic board and a new backpanel. The board replaces the old digital board. You need the panel with this kit because the new set of port connectors on the Mac Plus demands differently placed and sized openings.

The third so-called kit—\$129—is simply the Mac Plus keyboard.

The only way to get the new ROM is to buy kit 1. And you cannot use kit 2—the digital logic board—without kit 1: The new digital board is built for a system with the 128K ROM and the double-sided internal drive.


The 512K Macintosh suggested retail price was dropped to \$1999; the 128K Macintosh is no longer available from Apple. For Lisa or Macintosh XL owners, from April 15 through August 31, 1986, you can ante up \$1498 and your machine and receive a Macintosh Plus with an HD20. ■

NOW YOU CAN CREATE PROFESSIONAL PRESENTATIONS FOR LESS THAN \$1.00 PER SLIDE... USING SOFTWARE YOU ALREADY KNOW.

LIKE LOTUS 1-2-3 OR SYMPHONY.

SALES BY MONTH

	JAN	FEB	MAR	APR	MAY	JUN
NORTH	20	33	30		25	25
SOUTH	15	24	23	29	15	20
EAST	23	16	14	21	8	15
WEST	5	13	7			
TOTAL	63			0	51	71



WordStar or other popular software programs as you normally would. Then put the Bell & Howell slide printer to work, creating a professional presentation without leaving your desk.

The Bell & Howell Color Digital Imager™ IV works directly with your PC like a printer. It creates enhanced slides with the software you're using, so there is nothing new to learn.

The CDI-IV produces slides for less than \$1.00 each and will pay for itself in a few presentations.

SPECIAL INTRODUCTORY OFFER

See a demonstration of the CDI-IV slide printer at a dealer near you and get a free Popcorn Desktop™ organizer program worth \$49.95. Call now for more information.

1-800-223-5231



ELL+HOWELL

If & Howell Company, Quintur Division, 411 Amispota Avanue, Torranga, CA90501. Free offer good write supplies that Losse.) 2-9 and Symphony are Hadgmarks of Losse Development speciation. Word-Star is a trademark of Micro-Prolintermational Congenition. Micro-Soft Chart is a trademark of Micro-Prolintermational Congenition. Micro-Soft Chart is a trademark of Micro-Prolintermatic of C, E.O. Management. Bell & Howell, SELF RWELL, and Color Digital Imager are trademarks of Data Schowell Congress. Copyright Bell & Howell Company, 1986, all rights reported.

Inquiry, 408, for End-Users.

Inquiry 409 for DEALERS ONLY.

SALES BY MONTH

SALES BY MONTH



A SIMPLE FILE-INDEXING SCHEME

BY BRUCE WEBSTER

Learn how to maintain a sorted file and also improve your programming skills



This month's programming project is a simple. easy-to-implement technique for maintaining a sorted file. It's the kind of thing programmers discover on their own: I

did so while working on a mailing-list program some years ago. Given the large numbers of new programmers out there. this article just might save some of you time and frustration.

The article has a second purpose as well. again geared toward those of you who are just getting your feet wet in programming. An excellent way to improve your programming skills is to study code written by others. This exposes you to solutions—both big and little-that others have hit upon. new approaches you may not have thought of. And you can even learn from others' mistakes. I trust that the short code examples in this article will help you-though I hope you will find few mistakes to learn from.

THE PROBLEM

Let's say you have an application of some sort-mailing list, database, sales information-that requires you to keep files of records in a certain order. The order is based on some portion of the record, called the key. The records are arranged so that

the keys are ordered. For example, if the keys are names, they'll probably be in alphabetical order: if they're numbers, they'll be in numerical order.

You may be wondering why keeping the records in order is important. It has to do with searching for a given record, and, frankly, sometimes it isn't so important. If there aren't many records, you can just do a sequential search on the unsorted records by starting with the first record and looking at each until you find the one you want. Of course, you're going to have to look through the entire list to discover if the one you want isn't there-but that's why you do this only if the list is short.

As the number of records increases, the benefits of keeping the records sorted also increase. At the very least, sequential searches become, on the average, a little faster: If the record you're looking for isn't in the list, you'll know that as soon as you hit a record that would normally come after it. For example, if you were looking for "SMITH" and got to "SMYTHE," you could end your search, since "SMITH," if it were present, would have already been found.

Better still, though, is using a binary search to find the desired record. In a (continued)

Bruce Webster is a consulting editor for BYTE. He can be contacted clo BYTE, POB 1910, Orem, UT 84057, or on BIX as bwebster.

binary search, you jump to the middle of the list you're looking at and see if that's the record you're looking for. If so, you stop. Otherwise, you divide the list in half and pick the upper or lower half, depending upon whether the desired key is less than or greater than the one found. You then jump to the middle of that list and repeat the whole procedure. This continues until you either find the key you're looking for or your list has shrunk to a length of one, in which case the desired key is not in the list.

The advantage of a binary search is readily apparent. If you are searching through n sorted records, a sequential search will average n/2 comparisons, while a binary search will require, at most, n log 2. Actual numbers mean more: For a list of 1000 records, a sequential search will average about 500 comparisons; a binary search will require, at most, 10 comparisons.

One problem with sorting your list involves the size of the list itself. If the file isn't large in size, you can keep all the records in memory, as an array or a linked list. This lets you add and delete records, as well as keep the list sorted, with little trouble, However, if the list gets too big to fit in memory. you'll have to store the list out on the disk. Since sorting usually requires swapping items in the list around, this could mean a lot of disk reads and writes. And if you're adding or deleting records, things can rapidly go from bad to worse since you may have to "shuffle" large numbers of records to accommodate the changes. How, then, do you deal with-and keep sorted-a large file and/or a file with a lot of records?

THE SOLUTION

The answer is quite simple: Don't sort all the records, just the keys. To do this, you create an index list. Each item in the list contains a key and its corresponding record number. You keep this list sorted and in memory.

To find a record, you do a binary search on this list, then you use the record number to read in the corresponding record from the disk. You can easily sort and update the index list since it's always in memory. You access the disk only when you need to actually read or write a specific record.

There are complications. If the key isn't much smaller than the record itself, this approach is pointless. For example, each record might contain just a name and a phone number. with the name as the key. The index list will then be almost as large as the actual record list-in which case, your best bet is some research into diskbased sorts and merges and an investment in a fast hard disk.

Deleting records can also cause complications. The simple solution is to delete the entry in the index list. then delete the record in the file by moving all the records that follow it forward by one. Of course, that means a lot of disk I/O, especially if the deleted record is near the start of the file. However, since the disk file isn't sorted, a faster approach is to copy the last record in the file into the position of the now-deleted record.

Even with this approach, another complication occurs: How do you know where the "active" records end and the "deleted" records begin? For example, if you have 100 records in your file and you delete 10 of them, you will still have 100 records sitting out in your file; it's just that the last 10 won't mean anything. That's not a problem until you close the file, then reopen it later. The difficulty is resetting the "end-of-file" marker. Most Pascal implementations have no easy way of doing that, short of writing a new copy of the file. That will work, but if the file is very large, it will take time and disk space. Another solution is to set aside the first record in the file as a "header" record and store in it the number of active records; that's what I will use here.

THE IMPLEMENTATION

The implementation given here is neither complex nor overly developed. Most of you are going to be

Listing 1: Global definitions and declarations.

```
const
                       1000:
  IndexMax
 RecCountErr
                         -2;
 NewFileCreated
                          -1;
 NoError
                          0:
  RecordNotFound
                          1;
 NoMor eRoom
                          2;
  AlreadyExists
  OutOfRange
type
  Keytype
                = string[40];
 FileStr
               = string[80];
 DataRec = record
    case Boolean of
      True
                  (NumRece
                                : Integer):
                .
      False
                  (Key
                                : Keytype;
                   theRest
                                : Whatever;
      { this represents the rest of your data fields } );
 end:
 IndexRec = record
   Key
               : Keytype;
   Num
                : Integer
  end:
  IndexList
                = array[1..IndexMax] of IndexRec;
var
 KList
                : IndexList:
 OFile
                : file of DataRec;
  MaxRec
                : Integer;
```



HOW PEOPLE WITH COMMON INTERESTS FIND AN INTERESTING **COMMON GROUND.**

Presenting CompuServe Forums. Where people from all over get together, without even leaving home.

Now thanks to CompuServe Forums, computer owners are sharing common interests by talking to each other through their computer keyboards. Software users, computer enthusiasts, ham operators, french cooks, fire fighters, science fiction lovers and other special interest groups are already in touch, online.

Because when you subscribe to CompuServe, you're able to reach people who want to talk about the things you do. As many people as you like. For as long as you like. Whenever you wish.

Join a conversation already in

progress or start one on your own. Ask questions. And get answers.

All it takes is a modem, most any personal computer and CompuServe.

Forum members across the country are as close as a local phone call.

You can go online with just a local call in most major metropolitan areas. And normal usage fees for weekday nights and weekends are just 10¢ a minute

Of special interest to all Forum participants is software that's FREE for the taking.

Public domain software. For all sorts of activities, from games to business programs. And it's just as easy to copy a piece of software as it is to participate in a Forum.

Become a CompuServe subscriber and get a \$25 Usage Credit to start you off.

Becoming a subscriber is as easy as contacting your local computer dealer. Or you can call us and order direct. Suggested retail price is \$39.95.

And if you'd want more information about CompuServe, we'll be happy to send you a free brochure. Because with all that CompuServe offers—we think it's in your best interest.

CompuServe[®]

Information Services, P.O. Box 20212, 5000 Arlington Centre Blvd., Columbus, OH 43220

800-848-8199

An H&R Block Company

able to take what you see here and develop it into what you need. I've written it in (almost) standard Pascal; the only assumptions I've made are that a built-in procedure, Seek, exists that moves the file pointer to a particular record and that the first record is 0; that is, Seek(DFile,0) will position the file pointer at the first record in the file.

Listing I shows the global declarations—constants, data types, and variables—for these routines. An arbitrary limit (IndexMax) on the number of records has been set; I'll mention a few ways around setting this limit later on. Also, four different error codes (used in the routines) are defined.

The data types are then defined. Keytype and DataRec are whatever you want them to be; this is, after all, your application. You can even rename the field Key in DataRec, but if you do, you need to change one statement in InitStuff:

KList[Indx].Key :=
TRec.new name;

Since that's the only place in these routines that this field is actually referenced, everything else can stay the same.

You'll notice that DataRec is a variant record. It has two sets of fields occupying the same space; that is, the field NumRecs occupies the same space as the field Key. This is done so that you can use the first record in the file to keep track of the number of active records in the file. Since NumRecs and Key occupy the same space, the size of each DataRec record is not increased by the definition of NumRecs. Also, note that the field theRest is not an actual field: I just put it there to represent whatever data fields you might define for the record.

Three global data structures are declared in the variable section. KList is the list of keys and record numbers; it's an array that will be kept sorted at all times. DFile is the actual file of records that are being written or read. MaxRec is the current number of records being used.

File I/O routines vary between Pascal implementations, especially (continued)

```
Listing 2a: File I/O routines specific to Turbo Pascal.
compiler-specific file I/O routines
 these procedures are specific to Turbo Pascal. If you
 are using another Pascal compiler, you will need to
 modify them appropriately. Note that Turbo Pascal does
 not support the standard routines GET and PUT, but instead
 uses READ and WRITE.
$$I-} { turn off I/O error checking }
procedure FRead(RNum : Integer; var Rec : DataRec;
                                var Error : Integer);
      reads record #RNum Into Rec }
begin
  if (RNum < 0) or (RNum > MaxRec)
    then Error := OutOfRange
  else begin
    Seek (DFile, RNum);
    Error := IOResult;
    If Error = NoError then begin
      Read (DFIle, Rec);
      Error := IOResult
    end;
    if Error > 0
      then Error := 100 + Error
end; { of proc FRead }
procedure FWrite(RNum : Integer; Rec : DataRec;
                             var Error : Integer);
      writes record #RNum into Rec }
begin
  If (RNum < 0) or (RNum > MaxRec)
    then Error := OutOfRange
  else begin
    Seek (DFile, RNum);
    Error := IOResuit;
    If Error = NoError then begin
      Write(DFile, Rec);
      Error := IOResult
    end:
    if Error > 0
      then Error := 100 + Error
end; { of proc FRead }
procedure FOpen(FileName : FileStr; var Error : Integer);
tries to open FileName; if it doesn't exist, creates
it with the appropriate header record
const
  TurboNoFile = 1; { "no file" error code for Turbo Pascal }
var
  IOCode
                : Integer;
                : DataRec;
  TRec
begin
  Ässign(DFile,FileName);
  Reset (DFIIe);
  IOCode := IOResult;
  if IOCode = TurboNoFile then begin { file doesn't exist }
  FillChar(TRec,SizeOf(TRec),0);
    Rewrite(DFile);
    TRec.NumRecs := 0;
    FWrite(0, TRec, Error);
```

```
Close(DFile);
    Assign(DFile,Filename);
    Reset(DFile);
    IOCode := IOResuit;
    if IOCode = NoError
      then Error := NewFileCreated
  end:
  if IOCode <> NoError
    then Error := 100 + IOCode;
end; { of proc FOpen }
procedure FClose(var Error : Integer);
  closes file
begin
 Close(DFile);
  Error := IOResult;
  if Error > 0
    then Error := Error + 100
end; { of proc FClose }
|$I+| | turn on I/O error checking |
```

```
Listing 2b: File I/O routines specific to UCSD Pascal.
{compiler-specific file I/O routines
these procedures are specific to UCSD Pascal. If you
are using another Pascal compiler, you will need to
modify them appropriately.
{$I-} { turn off I/O error checking }
procedure FRead(RNum : Integer; var Rec : DataRec;
                               var Error : Integer);
  reads record #RNum into Rec }
begin
  if (RNum < 0) or (RNum > MaxRec)
    then Error := OutOfRange
  else begin
    Seek (DFile, RNum);
    Error := 10Result;
    if Error = NoError then begin
      Get(DFile);
      Error := IOResult;
      If Error = NoError
        then Rec := DFile^
    end:
    if Error O NoError
      then Error := 100 + Error
  and
end; | of proc FRead |
procedure FWrite(RNum : Integer; Rec : DataRec;
                            var Error : Integer);
{ writes record #RNum into Rec }
```

(continued)

ţ

America's

CENTECH Premium Quality Diskettes

✓ TIMELESS WARRANTY

► Sach di	ance exceeds A.F.S.I. specylication isk 100% tested and certified IRS for data organization 10. tyvek sleeves, w/p tabs, and i	
SS-00	QTY. 10 BOXES 5.25"	08-00
.78 EA	Color, 48 TPI	103
.99 EA	Calor, 96 TPI	119 EA
High Der	sity, Color, 1.6mb,	729
includes	CenTech Bulk	ID labels

8S-0D QTY. 100 5.25" DS-D0 .71 .91 ... Color. 48 TPI ... 108 .88 Color, 96 TPI . Subtract .05 per disk for black disks



America's No. 1 Name-Brand Diskettes Free! Headcleaning Disk 82/box rebate on H/C

LIFETIM	E WARRANTY		
High qua	lity and consist	ently reliable	
SS-DD	QTY. 5 BC		DS-DD
.78 5.25	, 48 TPI		1.08
.78 5.25,	48 TPI with H/	Kit	. 1.08
1.49 5.25,	96 TP1	2411200120012001	. 1.89
1.49 3.5",	135 TPI		. 2.14
1.85 3.5".	135 TPI w/Flip*	n'File	. 2.39
		npatible	
3M Headcles Plus \$2.00 l	aning Kit Rebate		6.99
3M Data Car	tridges	QTY.5	GTY. 10
DC-100A		12.10	11.99
DC-1000	\$444 04940 }####################################	12.40	12.29
DC-300XLP	***************************************	19.00	18.80
DC-600A		20.25	19.99

Nashua™ Affordable Quality Incredibl Best Prices Ever!

LIFETIME WARRANTY Factory Fresh in BOXES of 10 with sleeves, w/p tab, ID labels 58-DD DS-DD .69 5.25, 48 TPI, box of 1074 EA 2.19 1.59 3.5", 135 TP1 ... 2.09 High Density, IBM PC-AT Compatible .

Made in U.S.A. Namebrand Quality at Affordable Prices

- LIFETIME WARRANTY
- Every diskette 100% tested and certified

 Performance exceeds A.N.S.I. specifications by 62.5%

 Packaged in baxes of 100 diskettes with tyvek steeves, w/p tabs. ID labels QTY, 100 DS-DD SS-DD .55 EA.69 EA. 5.25, 48 TPI69 EA. 1.89 High Density, IBM PC-AT Compatible

Call for our low priced ribbon and disk storage boxes

ORDERING INFORMATION

TERMS: Free use of VISA, Mastercard, and American Express. P.O. orders accepted from recognized corporations rated 3A2 or better, government and schools on 2%—net 30. PAYMENT: Add \$3.00 per 100 diskettes or fraction thereol, add \$3.00 for head-cleaning kit or dozen ribbons, add \$3.00 for COD orders. PRICE PROMISE: We will better any lower delivered price on the same products and quantities advertised nationally.

Toll Free Order Line 1-800-233-2477

1-801-942-6717



199 Cottage Avenue Sait Lake City, Utah 84070 Hours: 8am to 5pm

```
begin
  if (RNum < 0) or (RNum > MaxRec)
    then Error := OutOfRange
  else begin
    Seek (DFile, RNum);
    Error := IOResult;
    if Error = NoError then begin
   DFile^ := Rec;
      Put(DFile);
      Error := IOResult
    end:
    if Frror > 0
      then Error := 100 + Error
  end
end; { of proc FRead }
procedure FOpen(FileName : FileStr; var Error : Integer);
tries to open FileName; if it doesn't exist, creates
  it with the appropriate header record }
const
  UCSDNoFile = 1; { "no file" error code for UCSD Pascal }
var
  IOCode
                : Integer:
  TRec
                : DataRec;
begin
  Reset(DFile,FileName);
  IOCode := IOResult;
  if IOCode = UCSDNoFile then begin { file doesn't exist }
FillChar(TRec, SizeOf(TRec), Chr(0));
    Rewrite(DFile, FileName);
    TRec.NumRecs := 0;
    FWrite(0, TRec, Error);
    Close(DFile,Lock);
    Reset(DFile,FileName);
    IOCode := IOResult;
    If IOCode = NoError
      then Error := NewFileCreated
  end;
  if IOCode <> NoError
    then Error := 100 + IOCode;
end; { of proc FOpen }
procedure FClose(var Error : Integer);
closes file
begin
  Close(DFile,Lock);
  Error := IOResult;
  if Error > 0
    then Error := Error + 100
end; { of proc FClose }
$$I+} { turn on I/O error checking }
```

those for opening and closing files. Also, standard Pascal does not define a method for random access of files, though almost every microcomputer-based Pascal compiler does. In addition, Turbo Pascal—which has the largest installed base of compilers—does not support the standard Pascal routines Get and Put.

Because of this, I wrote four routines—FRead, FWrite, FOpen, and FClose—to handle all the compiler-specific code. FRead lets you read a specific record (in the range 0..MaxRec) from DFile. FWrite, in much the same manner, lets you write out to a specific record, again in the range 0..MaxRec. FOpen accepts a

filename and tries to open it as DFile. If the file does not exist, it creates it, writing out a header record with NumRecs = 0. Likewise, FClose closes DFile. All four routines return an error code in Error, either one of those defined in the global constant section or a system I/O error code. If the latter is returned, an offset of 100 is added so as not to confuse, say, system I/O error I (whatever that may be) with RecordNotFound.

Listings 2a and 2b contain working versions of these routines for Turbo Pascal and UCSD Pascal, respectively. If you're using a different Pascal compiler, you'll have to write your own versions, though chances are they'll look pretty much like these routines.

A quick note on record numbers. The header record is assumed to be record 0, the first record in the file. All the data records are stored as records 1 through MaxRec. Both Turbo Pascal and UCSD Pascal consider the first record in a file to be record 0; however, some Pascal compilers consider the first record to be record 1. To adjust for this, just add 1 to RNum in your call to Seek in FRead and FWrite, that is, Seek(DFile,RNum + 1). If you make the change here, you can leave the rest of the program alone.

Listing 3 contains the routines Init-Stuff and CleanUpStuff, InitStuff should be called before doing any I/O on a given file. You pass InitStuff the name of the file you want to work with; it then calls FOpen and reads through all the records, building the list of keys and record numbers in KList. It then calls SortIndexList (also in listing 3), which sorts KList using a simple selection sort algorithm. CleanUpStuff saves the current number of active records in the header record (0), then closes the file by calling FClose. Both routines return error codes, so that your program can detect and handle any problems.

Listing 4 has three key routines: FindKey, GetRecord, and PutRecord. FindKey does a binary search on KList and returns the location in KList corresponding to the key passed to it. If no key matches, it returns -1.

(continued)

```
Listing 3: Initialization and cleanup routines.
procedure SortIndexList:
sorts the array KList using a selection sort technique
VOL
  I.J.Min
               : Integer;
               : IndexRec;
  Temp
begin
  for I := 1 to MaxRec-1 do begin
    Min := I;
    for J := I+1 to MaxRec do
      if KList[J].Key < KList[Min].Key
        then Min := J;
    Temp := KList[I];
KList[I] := KList[Min];
    KList[Min] := Temp
  end
end; { of proc SortIndexList }
procedure InitStuff(FileName : FileStr;
                   var Error : Integer);
sets everything up for indexing system. This assumes
there are no more than IndexMax (=1000) records, and the
records are numbered 1..IndexMax. Record #0 is the header
record and is used to store the current number of records
actively being used in the file
var
  Indx.TErr
                       : Integer;
  TRac
                       : DataRec;
begin
  Error := NoError;
  FOpen (FileName, Error);
  if Error <= NaError then begin
    MaxRec := 0;
    FRead(0, TRec, TErr);
    Error := TErr;
    MaxRec := TRec.NumRecs;
    for Indx := 1 to MaxRec do begin
      FRead(Indx, TRec, TErr);
      if TErr > 0
        then Error := TErr;
      KList[Indx].Key := TRec.Key;
      KList[Indx].Num := Indx
    end;
    SortIndexList
  end
end; { of proc InitStuff }
procedure CleanUpStuff(var Error : Integer);
 this just does an orderly shutdown and should be called
 before you leave your program (or open another data file)
Var
  TRec
                       : DataRec:
begin
  TRec.NumRecs := MaxRec; { save out # of records }
  FWrite(0, TRec, Error);
  FClose(Error)
end; { of proc CleanUpStuff }
```



STOP SOFTWARE PIRACY...

... with one of our new sophisticated copy prevention products.



For Hard Disk Protection

Fixed Disk Locker

For Disk Security

High Level Security

- PADLOCK II DISK
- SAFEGUARD DISKS
- COUPON DISKS

Low Level Security User Installable Protection

PC-PADLOCK

Why should your valuable data or useful software program become available in the Public Domain?

Call or write for more information.



GLENCO

ENGINEERING INC.

3920 Ridge / Arlington Hts., IL 60004 (312) 392-2492

```
Listing 4: Basic record-access routines.
function FindKey(Key : Keytype) : Integer;
looks for Key in KList; returns location in KList
If found; otherwise returns - 1
var
  L.R.MId
                : Integer:
begin
  L := 1: R := MaxRec;
  repeat
    MId := (L+R) div 2;
    if Key < KList[Mid].Key
      then R := Mid-1
      else L := Mid+1
  until (Key = KList[Mid].Key) or (L > R);
  If Key = KList[Mid].Key
    then FindKey := Mid
    else FindKey := -1
end; { of proc FindKey }
procedure GetRecord(Key : Keytype; var Rec : DataRec;
    var Error : Integer);
looks through KList for Key; if found, returns in Rec.
It and the routines that follow assume the procedure Seek
for random access of the file of records.
var
  Item
                        : Integer:
begin
  Error := NoError:
  Item := FindKey(Key);
  if Item > 0
    then FRead(KList[Item].Num,Rec,Error)
    else Error := RecordNotFound
end; i of proc GetRecord i
procedure PutRecord(Rec : DataRec; var Error : Integer);
writes Rec out to the file. If a record with that
key already exists, then overwrites that record;
otherwise, adds the record to the end of the file.
If there's no more room for records, exits with an
error code
VOL
  Item
                : Integer:
begin
  Error := NoError;
  Item := FindKey(Rec.Key);
  If Item >= 0
     then FWrite(KList[Item].Num, Rec, Error)
  else if MaxRec < IndexMax then begin
    MaxRec := MaxRec + 1;
FWrite(MaxRec,Rec,Error);
    KList[MaxRec].Key := Rec.Key;
KList[MaxRec].Num := MaxRec;
    SortIndexList
  end
  else Error := NoMoreRoom
end; { of proc PutRecord }
```

The code for this project was written with conversion to C in mind and should be pretty easy to port.

GetRecord calls FindKey to get the record number and, if found, reads it in from DFile and passes it back to the calling routine in Rec. PutRecord tries to write Rec out to DFile. It checks to see if a record with Rec.Key already exists; if so, Rec gets written out to that position. Otherwise, if there's enough space left, it puts the record at the end of DFile and adds the appropriate entry to KList (which is then resorted). If there's no room left, Put-Record returns an error code to the calling routine.

Listing 5 has two higher-level routines: AddRecord and DeleteRecord. AddRecord won't let you overwrite an existing record. If a matching key is found, it returns with an error code; otherwise, it just calls PutRecord. DeleteRecord checks to make sure that a record with the requested key exists, then it deletes that record from DFile and from KList. The file deletion is done by copying the last record in the file over the record being deleted. If the last record is the one being deleted, no movement is done. The appropriate entry is removed from KList, with all following entries shuffled forward, and MaxRec is decreased by 1.

A note for C users: This code was written with conversion to C in mind and should be pretty easy to port. You'll probably use fseek() for your random access, which requires a byte offset from the start of the file. Because of this, you may want to set up KList with byte offsets instead of record numbers. You can do this by changing the assignment to KList[Indx]. Num in InitStuff and


(continued)

THE NEW PRIMAGE 100 "DAISYGRAPHER PRINTER SYSTEM!

• 100 CPS • GRAPHICS • TRUE LETTER QUALITY • EASY LOADING

Now you can get a complete printer system (printer plus a two bin cut sheet and envelope feeder) that gives you true letter quality printing at 100 CPS <u>AND</u> sharp, accurate bit mapped GRAPHICS. Forget about the near letter quality printers at premium prices with their exorbitant costs of ownership, service charges and supplies.

The Primage 100 "DAISYGRAPHER" Printer System is the answer! Quality, Reliability, and Easy Loading Sheet Feeders all add up to a cost effective printer system. The user friendly Primage 100 "DAISYGRAPHER" ... spirited with office automation! Engineered to endure! Call Toll Free 800-821-0066 (in New York 516-585-8200) for more information and location of the dealer nearest you!



```
Listing 5: Higher-level record-access routines.
procedure AddRecord(Rec : DataRec; var Error : Integer);
adds a record to the file. If a record with the same
key already exists, then exits with an error code
Var
  Item
                 : Integer;
begin
  Error := NoError:
  Item := FindKey(Rec.Key);
  If Item > 0
    then Error := AlreadyExists
else PutRecord(Rec,Error)
end; { of proc AddRecord }
procedure DeleteRecord(Key : Keytype; var Error : Integer);
deletes the record with 'Key' by copying the last record
in the file to that slot, then modifies KList by shuffling
all the key entries up
var
  Item, Last, Max, MVal
                             : Integer:
  TRec
                             : DataRec;
begin
  Error := NoError;
  Item := FindKey(Key);
  if Item = -1
    then Error := RecordNotFound
  else begin
    Max := 1; MVal := KList[Max].Num;
    for Last := 2 to MaxRec do
if KList[Last].Num > MVal then begin
         Max := Last; MVal := KList[Last].Num
       end:
     if Max \diamondsuit Item then begin
      FRead(MVal, TRec, Error); { get last record in file }
FWrite(KList[Item]. Num, TRec, Error); { write over it }
       KList[Max].Num := KList[Item].Num
     for Last := Item to MaxRec-1 do { delete KList[Item] }
       KList[Last] := KList[Last+1];
    MaxRec := MaxRec - 1
                                          adjust # of records }
  and
end; { of proc DeleteRecord }
```

PutRecord to read

KList[Indx].Num = (Indx) *
sizeof(DataRec);

Similar adjustments to the calls to fread() and fwrite() should make things work fine.

VARIATIONS

You may chafe a little under having to set an arbitrary limit (IndexMax) on the number of records. The main reason for this is that Pascal does not support dynamic array allocation, and you thus have to fix the size of KList at compile time. There are a few ways around this. One is to make KList a linked list rather than an array. You lose the speed advantage of the binary search, each entry in the list will take up more space (because of pointers) than the corresponding entry in the array, and you will need the additional code and data-type defini-

tions to support the linked list. On the other hand, you not only get rid of the arbitrary limit, but if you have a small number of records, you allocate only as much space for the list as needed, instead of always setting aside space for the entire array.

A trickier approach involves these modifications to the declarations:

type ...
IndxList = array[1..1] of IndxRec;
IndxPtr = "IndxList;
var
KList : IndxPtr;

You now create KList on the heap in the routine InitStuff with the call New(KList), and all references to KList are modified to show that it's now a pointer, for example, KList [Indx]. This is a somewhat dirty approach to dynamic array allocation and requires several things. First, you must be able to turn off range checking when indexing into KList; that way, your program won't bomb when you try to reference any element other than KList[1]. Second, you must not dynamically create (using New) any other data structure after creating KList. Third, you must somehow verify that KList has a large enough block of contiguous memory to meet your needs. As I said, this is definitely a tricky approach.

CONCLUSIONS

Please note that this solution is a simple one. It is not the best or the fastest, but it is one of the easiest to understand and implement. Once you've mastered it, you can always go on to explore the indexed sequentialaccess method, virtual sequentialaccess method, B-trees, M-trees, and other techniques. But most programmers will find that this is an acceptable solution that gets rid of many problems without a lot of work. More important, it will give you a working foundation to build upon as you develop your own more complex solutions.

The listings in this article, along with a miniapplication written in Turbo Pascal using them, can be downloaded from BYTEnet Listings at (617) 861-9764. They are also available on disk (see page 445).

A CROSTALK SAN Klone For \$4995

The Closer You Look, the Better We Look!



MIRROR is the mirror image of Crosstalk XVIV3.6, the industry standard in data communications software for small business computers. MIRROR's design closely reflects Crosstalk XVI's menus, commands and features. In fact, if you have used Crosstalk XVI before, you will feel right at home with MIRROR. The one thing you will not find reflected in MIRROR is Crosstalk XVI's \$195.00 price. Because we control the reflection, MIRROR costs only \$49.95. If you are new to data communications, if makes sense to go with the industry standard in data communications software, but why pay the industry standard price. MIRROR lets you have the industry standard at 1/4 the price. If you or your company have already standardized on Crosstalk XVI, then consider MIRROR for future purchases and upgrades, you'll realize significant savings, without sacrificing on qualify, standardization or features.

MIRROR.

For New Users, MIRROR Provides:

- Menu/Command Driven
- Complete Crosstalk XVI V3.6 Compatibility
- New User Script File (Enables you to sign-on to your favorite online service in minutes)
- Auto-dial/Auto-answer
- Alphabetized Help-Command Summary
- Money Saving Offers From Online Information Services

THE RIGHT DATA COMMUNICATIONS CHOICE FOR ANY USER!

For Experienced Data Communications Users, MIRROR Provides:

- Complete Background Operation (concurrent operation/memory resident)
- Programmable Script/Command Language (Crosstalk XVI V3.6 compatible with extensions)
- Extended Error-checking Protocol Support (XMODEM-single, XMODEM-multi-file, Crosstalk, HAYES and KERMIT)
- Integrated Wordstar-like Text Editor
- Multiple Terminal Emulations (VT-100/52, IBM 3101 Televideo 912C/920/925, TI 940, ADDS Viewpoint, ADM-3A)
- Enhanced Individualized Password Protection



lo Order Call foll-Free



ational

7 1-800-672-347(

Not Conv Protected

1210 East Park Avenue Tallahassee, Florida 32301

For Information Call 1-904-878-8564

TLX: 6714280 KLON

\$49.95, plus \$5.00 postage/handling (\$8.00 for COD orders) ea. Florida residents must add 5% sales tax Overseas orders: Add \$18.00 for shipping.

MIRPOR, KlennWare and Betfillone are trademarks of Betfillone Distributing Corporation. Created XVII and Microstations splatted trademarks of Microstations and Indemarks of Microstations of the Company of the Company

DISTRIBUTED IN CANADA BY: Saraguay Software Distributors 121 Avenue Road, Suite 202 Toronto, Ontario, MSR 2G3 Ph: (416) 923-1500



When we introduced the CX5M[™] computer, it was the only computer dedicated to compose, record and play music.

And it's still the only music computer with an FM digital tone generator built into it. The same kind used in our famous DX synthesizers. So you get full, rich, authentic instrument sounds.

Now the CX5M is back for its first curtain call. With a broader repertoire.

THE SOFTWARE HAS GROWN.

As you know, a computer is only as powerful as its software. And the CX5M started with some powerful software. Like the FM Voicing program, the FM Composer program, the FM Music Macro program and the DX7™Voicing

program.

Now, with TeleWord, the CX5M can do words as well as music. This powerful word processing/telecommunications program has such features as global search and change, cut-and-paste text transfer and on-screen page layout. As well as auto-dialer with re-dial function, computerized "phone book" with 50-entry capacity and complete adaptability to all 300- and 1200-baud operations.

So whatever you create with Tele-Word's word processor (or other CX5M programs), you can send to computers anywhere in the world.

But back to the world of music with the new MIDI Recorder program. With its four banks, each containing four recording tracks, you can use this program to compose and arrange music in steptime or real-time from any MIDI keyboard. Edit. Then synchronize playback through DX synthesizers or FM tone generators such as the TX7.

And if you have an RX11, RX15 or RX21 digital rhythm machine, get the

new RX Editor program. Because it makes programming easier and more versatile.

Other new programs include DX21 Voicing. Keyboard Chord Master, **Keyboard Chord Progres**sion and Guitar Chord Master. Even a Graphic Artist program. As well as second generation FM Music Composer, FM Voicing and FM Music Macro programs. And all the other MSX™software that MSX computers like the CX5M can run.

THE HARDWARE HAS GROWN. But the CX5M's hardware is not about to be overshadowed by the

software.

Not with such new additions as the SFG05. This module has an FM tone generator with 46 of its own preset voices, an 1800-note sequencer and room for 48 user-programmed voices.

Add the SFG05 to the CX5M and use either the YK01 or YK10 keyboards and you've got a real-time synthesizer. Or with any MIDI keyboard, it becomes a slave module with all the rich, accurate sound of FM digital.

To increase the storage capacity of your CX5M, add the new FD05 or FD03 Micro Floppy Disk Drives.

Each uses 3.5-inch floppy disks for fast access and high storage capacity. And the MSX-DISK

BASIC language is built into the disk drive interface cartridge.

All you need now is a printer and

a mouse.

MIDI Recorder program.

Graphic Artist program

14 A CH 2 10 OF

Which is why we have the PN101 dot-impact printer. It doesn't need any special paper to print out your letters,

compositions, voice data and other music data to

hard copy.

And the MU01 Mouse that you can use to move the cursor around quickly and execute most commands without having to go to the CX5M's keyboard.

THE PRICE HASN'T. Yet with all this going for it, the basic CX5M computer doesn't go for any more than it did at its debut.


See your Yamaha **Professional Products** dealer. Or write: Yamaha

International Corporation, Professional Products Division, P.O. Box 6600, Buena Park, CA 90622. In Canada: Yamaha Canada Music Ltd., 135 Milner Avenue, Scarborough, Ontario M1S 3R1.





CX5M and TeleWord are registered trademarks of Yamaha International Corporation. MSX is a registered trademark of Microsoft Corporation.
The music aheet was produced using the Graphic Artist program.





You've analyzed the research. You've agonized the numbers. And plugged in every "what if" scenario ever invented. Now all you have to do is convince the powers that be that you're right.

So it's all down to you. And how well

you present it.

That's where we can help. We're OKIDATA. And we're introducing the most exciting new series of computer printers in years. The MICROLINE® 290's.

They're here to take a lot of pressure off when the going gets tough. For example, the MICROLINE 290's will help you get your presentation word perfect by giving you more time to rehearse.

That's because they print presentation quality reports twice as fast as other printers in their class.



lined and full color charts to top it off. We could go on, but, when a thousand jobs are riding on your presentation. we don't think you need a million reasons to know we're the best people to put it on paper for you. So remember . . . when you need all the help you can get, our new MICROLINE 290's can be there when you need

And everyone will know you've done your homework due to the more im-

pressive report you'll leave behind.

them. Call I-800-OKIDATA today for the dealer nearest you.



We put business on paper.

ADDING SCSI TO THE SB180 COMPUTER

PART 2: BUS PHASES

BY STEVE CIARCIA

How bus phases are managed by the NCR 5380 chip



In this second half of my I article on the SCSI bus. I will discuss in greater detail its operational characteristics: the bus phases and how they are managed by the NCR 5380

chip (see photo 1). I will even step through what happens if we issue a command to a hard disk attached to the bus and request the disk to write a sector of information. Be warned, though, that things will get intricate. and I urge you to keep last month's article on hand as a reference.

BUS PHASES

The bus protocol can be divided into the following phases: bus free, arbitration. selection, reselection, command, data in, data out, status, message in, and message

The arbitration, reselection, and messageout phases are used only in systems that support multitasking. Since the SB180 BIOS supports a single-user/single-tasking system, these phases are not supported. Also, in a single-user/single-tasking system, the message-in phase is used only for sending the command complete message.

In my upcoming descriptions of these phases, I will follow the common SCSI usage and refer to the host as the initiator and the peripheral device as the target. The

directions in and out are always used with respect to the initiator.

BUS FREE

Bus free, as you might guess, is the idle state of the SCSI bus. No device is actively using the bus, and it is available for subsequent users.

ARBITRATION

Systems using the COMM180 with the current SB180 BIOS enter the selection phase directly without going through the arbitration phase. On systems that support multiple hosts or the disconnect/reconnect capability (a configuration not supported by the current SB180 BIOS), this phase is used to decide which device gains access to the bus when two or more devices request use of the bus at the same time.

Once the bus is determined to be free, a device may wish to arbitrate with other devices for use of the bus. For systems in which only one device initiates bus activity, the arbitration phase is optional and need not be implemented. A device places

Steve Ciarcia (pronounced "see-ARE-see-ah") is an electronics engineer and computer consultant with experience in process control, digital design, nuclear instrumentation, and product development. He is the author of several books about electronics. You can write to him at POB 582, Glastonbury, CT 06033.

Each device has an ID between 0 and 7 that corresponds to one bit on the data bus.

the bus in the arbitration phase by asserting the BSY signal and the appropriate bit on the data bus that indicates that device's ID. Since up to eight devices can use the bus, each device is assigned an ID between 0 and 7 that corresponds to one bit on the data bus. For example, if a device's ID was 3, it would assert bit 3 on the data bus along with BSY during arbitration.

A device loses arbitration if it detects either SEL true or a higher-priority ID active after allowing for an arbitration delay. Bit 7 is the highest-

priority device. If a device loses arbitration, it must wait until the next bus free phase before reentering arbitration.

If after allowing for an arbitration delay and a higher-priority ID is not active, that device wins arbitration and asserts SEL. This indicates to all other arbitrating devices that arbitration has been won, causing them to release the bus.

SELECTION

When the initiator has determined that the SCSI bus is free, SEL is asserted, and the initiator enters the selection phase, which is optional for single-user/single-tasking systems like the SB180. The selection phase is used to establish a communications link between the initiator and a target device for the purpose of performing an SCSI command. Where a host computer needs to write a sector of information to a disk drive, the host, acting as an initiator, would select the appropriate disk drive to perform the command.

An SCSI target is considered selected when SEL, the target bus device ID, and, optionally, the initiator bus device ID are active. When these conditions are met, the selected target asserts BSY, and the selection phase is complete. If the target is not ready to be selected (e.g., it may be running a power-up or reset sequence), it cannot assert the BSY line. In this case, the SCSI specification recommends that the initiator abort the attempted selection if the target does not respond within 250 milliseconds. This time-out is especially important because a nonexistent device will act as one that is not ready to be selected.

INFORMATION TRANSFER PHASES

The remainder of the bus phases are collectively referred to as information transfer phases. The selected target device controls the flow of information with the initiator by setting the signals $\overline{\text{MSG}}$. C/ $\overline{\text{D}}$, and I/ $\overline{\text{O}}$ to the proper information transfer phase. These signals, known as phase signals are used to determine the type of information being transferred and the direction of the data. Table 1 describes how the phase signals are coded.

These phases are used to transfer the necessary data and control information to complete an I/O operation. For each byte of information transferred, the following sequence of actions (called a REQ/ACK handshake) is required.

First, the target sets the phase lines (see table I) to the desired bus phase and asserts the REO signal either to request data from the initiator or to send data to the initiator; the direction is determined by the I/O signal. (I/O is true for in and false for out.) If the data is being sent from the target to the initiator, the data is asserted on the SCSI bus at this time.

Next, in response to the REQ signal, the initiator asserts ACK to send data to the target or accept data from the target. If the data is being sent from the host to the target, the data is presented on the SCSI bus at this time.

The target, in turn, will deassert $\overline{\text{REO}}$, and the initiator will respond to




Photo 1: The NCR 5380 SCSI chip, shown here next to an SCSI-compatible 10-megabyte hard disk drive.

a deasserted REO by releasing ACK.

This handshake is referred to as the asynchronous data transfer and is used in all the information transfer phases I will discuss below. A different handshake sequence is in effect when the synchronous transfer mode is used. However, since the COMM180 does not support this mode, I will not cover it.

COMMAND

An SCSI bus enters the command phase when C/D is asserted while MSG and I/O are inactive. This phase is used to inform the target device of the I/O function to be performed. The command blocks defined in the SCSI proposed standard are 6, 10, or 12 bytes in length. The length is determined by the group code located in the first byte of the command block.

DATA

The data phases are entered by deasserting C/D and MSG. The state of the I/O line determines the direction of the data transfer. SCSI is a block-oriented bus, and data is usually transferred in segments. Consequently, when a computer is communicating with a disk drive via an SCSI bus, the data segment size is usually chosen as a multiple of the physical sector size.

STATUS

The status phase is entered when the target asserts C/\overline{D} and I/\overline{O} while \overline{MSG} is inactive. The target uses this phase to transfer a status byte to the initiator at the termination of each command.

MESSAGE

The message phase is entered by asserting MSG and C/D; 1/O determines the direction of the message. This phase provides a means of managing the SCSI bus in complex system configurations. Only the command complete message is required in all SCSI designs. SCSI-bus devices indicate their ability to support messages other than command complete by asserting or responding to the ATN signal.

TYPICAL SASI TRANSFER

To give you a greater appreciation for the SCSI bus, I will examine in detail

Table 1: The SCSI bus phase signals and what they mean.

Phase	MSG	C/D	I/Ō	
data out	0	0	0	
data in	0	0	1	
command	0	1	0	
status	0	1	1	
unspecified	1	0	0	
unspecified	1	0	1	
message out	1	1	0	
message in	1	1	1	

Table 2: The address location of the NCR 5380's internal registers. The R/W column indicates whether the register is read only, write only, or read/write.

Address lines					
Register name	A2	A1	AO	R/W	
current SCSI data	0	0	0	R	
output data	0	0	0	W	
nitiator command	0	0	0	R/W	
mode	0	1	0	R/W	
target command	0	1	1	R/W	
current SCSI bus status	1	0	0	R	
select enable	1	0	0	W	
bus and status	1	0	1	R	
start DMA send	1	0	1	W	
input data	1	1	0	R	
start DMA target receive	1	1	0	W	
reset parity/interrupts	1	1	1	R	
start DMA initiator receive	1	1	1	W	

what occurs when a computer requests a disk drive to write a sector of information. I'll take the case of the computer and disk drive communicating through a SASI bus first, and then I'll look at a full SCSI implementation.

SELECTION PROCESS

Since the system contains a single host and the peripherals are not capable of disconnection and reselection, the host is the only bus master and can enter the selection phase without arbitrating. It does this by asserting SEL and the data bit of the device being selected (the disk drive). The peripheral device operating as a bus target asserts BSY to complete the selection process.

To accomplish this with the NCR 5380, you write the bus device ID of the controller to the output data register. Then, to assert this ID bit onto the SCSI bus, you set the assert data bus bit in the initiator command reg-

ister to a 1. Finally, you set the assert SEL bit, also found in the initiator command register, to activate the SEL line as described above. (Refer to table 2 and figure 1.)

SEL and the ID are concurrently active, and only a BSY from the controller is needed to complete the selection process. The SB180 BIOS polls the current SCSI bus status register waiting for the BSY signal to become active. If BSY is not asserted within 250 ms, the attempted selection is aborted.

If everything is operating properly, BSY will go active, and the processor resets the assert SEL bit in the initiator command register to 0. It then resets the assert data bus bits in the initiator command register to zeros.

COMMAND PHASE

Once connected, the target asserts the C/D signal, indicating command (continued)

phase, and then asserts REQ to request the first byte of the command block. The first byte (byte 0) of the 6-byte command block contains the operation code OA hexadecimal for the write command (see figure 2). The initiator sends the first byte by completing the REQ/ACK handshake and waits for the target to request the next byte. Upon receipt of the operation code, the target determines how many bytes to request from the initiator and decodes the operation to be performed. Using the REO/ACK handshake, the initiator sends the remaining portion of the command block.

The information contained in bytes I through 3 of the command block provides the logical unit number and the logical block address (by incorporating the idea of a logical unit number, the SCSI protocol allows a single controller to control several physical disk drives). The logical block address is consequently converted by the target into the physical head. track, and sector locations to be addressed on the disk drive. Byte 4 contains the transfer length that specifies the number of logical blocks to be transferred. One logical block is often the size of the physical sector on the disk drive. The last byte of the command block, byte 5, is the control byte. which may contain vendor-unique information.

The firmware now polls the current bus and status register looking for the command phase and REQ to be asserted. Once the bus is in the proper phase, the software writes an 02 hexadecimal to the target command register. The 5380 will not allow data to be asserted on the SCSI bus unless the contents of the target command register reflect the current SCSI bus phase.

The command block can be transferred with the 5380. using programmed I/O, pseudo direct memory access, or normal DMA operation. Due to the small number of bytes to be transferred, the BIOS uses the pseudo DMA mode, which acts as programmed I/O operation but does not require the SCSI REQ/ACK handshake to be implemented overtly in the software. It therefore requires

fewer I/O operations.

To implement this mode, the system asserts the DMA mode bit in the mode register of the 5380, sets the assert data bus bit in the initiator command register, and writes the

start DMA send register. When the CPU addresses the start DMA send register with a write strobe, the 5380 begins the DMA process by asserting the DRO signal to request the first byte of information to be transferred.




Figure 1: Internal detail of some of the 5380's more important registers:
(a) The initiator command register; (b) the mode register; (c) the target command register; (d) the current SCSI bus status register; and (e) the bus and status register. Refer to table 2 for address locations.

(The data written to the start DMA send register is not significant.) This initialization sequence is identical to normal DMA operation. The primary difference is that the DMA channel is not controlling the transfer of data,

the CPU controls the transfer.

The CPU samples the DRO signal by reading the DMA request bit in the bus and status register. If this bit is active, the CPU knows that the 5380 is ready to receive data, and the first

byte of the command block is written to the output data register at I/O address FO hexadecimal.


Once the data is written, the 5380 loads the data onto the SCSI bus and asserts ACK. In response to ACK, the target reads the data on the SCSI bus and deasserts REQ. The 5380 subsequently requests the second byte of data from the CPU by issuing the next DRO. (This also sets the DMA request bit. BIOS polls this bit before issuing the next byte.) After the 5380 receives the second byte from the CPU, it deasserts the SCSI ACK signal, which has remained active since the first transfer. Subsequent to ACK going false, the disk controller issues the second REQ. The cycle above is repeated for the remaining bytes of the command phase.

As you can tell from the above description, the ACK signal asserted for the sixth command byte will remain asserted until an additional byte is issued to the 5380 or it is reset by other means. The SCSI bus, according to the proposed standard, cannot proceed to the next bus phase until ACK is deasserted. The SB180 BIOS resets the ACK signal by resetting the DMA mode bit in the mode register.

DATA-OUT PHASE

Having received the command block, the disk controller knows the location the data will be written to and performs a seek operation to position the heads over the proper track. Since the seek operation requires many milliseconds to complete, higher-performance controllers disconnect from the SCSI bus at this point and reconnect once the head is properly positioned. However, SASI designs remain connected to the host for the duration of the seek. When the head is properly positioned, the target changes the information transfer phase to data out and requests the initiator to send the number of bytes specified in byte 4 of the command block.

While the seek is being performed by the attached disk drive, the SB180 BIOS prepares the 5380 and DMA channel 0 of the Hitachi 64180 for the data-out phase. The DMA channel is programmed to respond to DMA re-






Figure 2: Format of the write command. The op code (OA hexadecimal) is in the lower 5 bits of the first byte. The command's group code, which indicates how many bytes compose the command, is in the first byte's upper 3 bits.

GLOSSARY

BYTE: Eight bits of data.

CONNECT: This function occurs when an initiator selects a target to start an operation.

DISCONNECT: This function occurs when a target releases control of the SCSI bus, allowing it to go to a bus free phase. This can be done at the end of an operation or when a target releases the bus during an operation (such as during a seek).

INITIATOR: An SCSI device (usually a host system) that requests an operation to be performed by another SCSI device. For this system, the NCR 5380 on the COMMI80 is the initiator.

LOGICAL UNIT: A peripheral device addressable through a target.

LOGICAL UNIT NUMBER: An encoded 3-bit identifier for the logical unit.

LUN: Abbreviation for logical unit number.

PERIPHERAL DEVICE: A piece of equipment that can be attached to an SCSI bus, for example, a disk, streaming tape, optical disk, or printer.

RECONNECT: This function occurs when a target reselects an initiator to con-

Table A: SCSI device IDs and their corresponding bits on the data bus.

	SCSI ID							
	D	D	D	D	D	D	D	D
	В	8	В	В	В	В	В	8
SCSI address	0	1	2	3	4	5	6	7
0	1	х	х	×	х	X	х	х
1	×	1	X	×	X	X	X	X
2	×	х	1	×	X	X	X	×
3	×	X	X	1	×	X	×	X
4	X	X	X	X	1	X	X	X
5	x	×	X	×	X	1	X	X
6	X	X	×	×	×	×	1	X
7	х	×	x	x	х	X	x	1

tinue an operation after a disconnect.

RESERVED: Bits, bytes, fields, and code values that are set aside for future standardization.

SCSI Address: The representation of the unique address (0 to 7) assigned to an SCSI device. This address is normally assigned and set in the SCSI device during system installation.

SCSI DEVICE: A host computer adapter a peripheral controller, or an intelligent peripheral that can be attached to the SCSI bus.

SCSI DEVICE ID: The bit-significant representation of the SCSI address referring to one of the signal lines. This translates into one SCSI bus bit being set during the selection phase. Table A shows which bit on the SCSI bus (DBO to DB7) is set for the different SCSI addresses. This configuration is placed on the bus during the selection phase to indicate which device is being selected. The bits set to x in the fields are set to 0 by the SB180 BIOS because it supports only a singleuser/single-tasking environment. On systems that support multitasking, the ID of the initiator is also asserted so that when the target disconnects and reconnects, it will know who to reconnect to

SIGNAL ASSERTION: The act of driving a signal to the true state.

SIGNAL NEGATION: The act of driving a signal to the false state or allowing the cable terminators to bias the signal to the false state (by placing the driver in the high-impedance condition).

SIGNAL RELEASE: The act of allowing the cable terminators to bias the signal to the false state (by placing the driver in the high-impedance condition).

STATUS: One byte of information sent from a target to an initiator upon completion of each command.

TARGET: An SCSI device that performs an operation requested by an initiator.

VENDOR-UNIQUE: Bits, fields, or code values that are vendor-specific.

quests from the 5380 by fetching data from a defined memory location and writing this data to the output data register of the 5380 (at I/O address FO hexadecimal).

With the DMA mode bit reset and the assert data bus bit still active in the 5380, the BIOS writes a 00 to the 5380's target command register. This tells the 5380 that the current phase on the SCSI bus is data out (if it isn't, the 5380 issues a phase mismatch interrupt). The BIOS then reasserts the DMA mode bit and issues an I/O write to the start DMA send register; this initiates the DMA transfer process. As in the pseudo DMA transfer, the first DRO is asserted after writing this register. Since the seek being performed by the disk drive can be a lengthy operation, it may be a long time between the first and second DMA requests. Data is transferred identically to the pseudo DMA mode except that the DMA channel responds to the DRO signal and transfers the data from the SB180's memory to the 5380 rather than the CPU polling for the DMA request bit being active.

The BIOS supports sector lengths of 512 bytes. When the last byte is transferred, the DMA channel asserts the TENDO signal, which is fed to the EOP pin on the 5380. This sets the end-of-DMA bit in the bus and status register and signals the completion of the data-out transfer phase. The DMA mode bit is again reset to deassert the last ACK signal prior to the ensuing status phase.

MESSAGE AND STATUS PHASES

The target then switches to the status phase, sends a "good" status code to the host, changes to the message-in phase, and transfers the obligatory command complete message to end the I/O transfer. The BSY line is now released, disconnecting the target from the initiator and returning the bus to a bus free condition. Bus free allows the initiator to begin the next I/O transfer.

The SB180 reads the data of the status and message-in phases, using the pseudo DMA method previously described. In each case, the assert data bus bit is reset and the target command register is updated to the

proper phase before reading the data from the 5380.

SCSI TRANSFER

Now for the SCSI version of the example. The SCSI bus differs from SASI in that it supports multiple bus masters through bus arbitration, and the disconnection and reselection of target devices are supported through the optional message-in and message-out bus phases.

In full SCSI implementations, the arbitration phase precedes the selection phase so that a device can gain control of the SCSI bus. When the selection phase is entered, the host asserts SEL, its device ID, the target's device ID, and the ATN signal. The host presents its own device ID so that the target can know which device performed the selection. This is important in case the target disconnects from the SCSI bus for a lengthy I/O operation—it must know which host to reselect (this might be a multiprocessor system). The presence of the ATN signal informs the target of the initiator's desire to send a message and that the initiator is capable of supporting more than the mandatory command complete message. If the target is capable of supporting the additional messages required for disconnection and reselection, it responds by entering the message-out phase. Otherwise, the target replies by entering the command phase described in the SASI example.

Once the target issues REO for the message-out phase, the initiator sends an identify message to the target. The identify message establishes a physical path between the initiator and the target for a particular logical unit and notifies the target of the initiator's ability to support disconnection and reselection. This message is also used by the target to reestablish the physical path with the initiator in a subsequent reselection.

After the identify message is transferred, the target requests the command block from the initiator by entering the command phase. (I will use the write command for this example, as I did in the SASI example.) If we assume that the write command will require the disk drive to perform

a time-consuming seek operation. once the target receives the command from the host, it will disconnect from the SCSI bus. This frees the bus. for other I/O operations. To disconnect from the bus, the target switches to the message-in phase and issues a disconnect message to the initiator. If the target was transferring several logical blocks of information and decided to disconnect between segments, it would issue a save data pointer message before issuing the disconnect. After the message is sent across the bus, the target releases BSY to complete the disconnection.

Although the target has broken the physical path with the host, the logical connection is maintained through the use of data pointers supported by the initiator. This concept is referred to as a logical thread. As long as the bus is free, the host can establish as many logical threads as can practically be supported by the system. Data pointers must be maintained for each logical thread.

When the head of the disk drive is positioned over the correct track, the target attempts to reestablish the physical path with the initiator by arbitrating for use of the SCSI bus. Once

it has gained control of the bus, it reselects the host to complete the write command. When the reselection phase is complete, the target enters the message-in phase and sends the identify message to inform the initiator which logical unit is reconnecting. Since the initiator may have started several I/O operations, it performs an implied restore data pointer message to continue the I/O operation at the point of disconnection.

After the identify message has been transferred, the bus operation proceeds identically to the SASI example. Data-out, status, message-in, and bus free operational phases are consecutively performed on the SCSI bus. completing the write command.

IN CONCLUSION

You'll be seeing many computers and peripherals that are SCSI bus-compatible in the future, from peripheral manufacturers and the Circuit Cellar as well (see photo 2). In the early days of personal computing, it was enough for me to design projects that connected to a user's parallel port. Since then, however, personal computing has evolved to include a cornucopia

(continued)




Photo 2: The complete COMM180 board installed in a functioning SB180 computer system. The SCSI controller chip (note white outline) can be seen next to the larger MOSART modem chip.

MIDI EVERY MONTH!

Don't stop nowl If you're enjoying this special **Byte** issue on Computers & Music and want to take your interest further, here's the magazine that will take you as far as you want to go:

Electronic Musician



Electronic Musician is your complete guide to the use of electronic musical instruments and personal computers in the creation and recording of music.

Edited by musician-author Craig Anderton, Electronic Musician brings you both basic and advanced articles that de-mystify MIDI, Music Software, and Synthesizers.

Now you can face the music every month and enjoy itl

FREE Issue!

Send for a free issue and reserve your oneyear subscription at the special introductory rate of \$14.95 (\$24.95 foreign). You'll save over 50 percent off the single copy price. If you're not completely satisfied with the first issue, simply write "cancel" on our invoice and that will be the end of the matter. The first issue will be yours to keep.

Send coupon or fecsimile to: Electronic Musician, Dept. B 2608 Ninth St., Berkeley, CA 94710

YES	Send me a FREE issue of Electronic Musician and reserve my one-year subscription.
Name	
Address	
City	
State	Zi p

I expect that the

SCSI standard will

be heartily adopted.

I am looking forward

to using it again.

of backplane buses and interface standards that makes writing articles more like the Bus of the Month club. Presenting a project that is specifically IBM PC-compatible negates its value to Atari or Macintosh owners.

I expect that the SCSI standard will be heartily adopted. I for one am looking toward my next opportunity for using it.

SOFTWARE BLACK BELTS TAKE NOTICE

The current SB180 BIOS supports single-user/single-tasking systems. With thousands of SB180s in use among the software gurus of the world, no doubt one of you is going to implement the higher-level SCSI functions while I'm still drafting the specification. If you do, the North American One-Eighty Group (NAOG), software and hardware manufacturers associated with the SB180, and I would be very interested in obtaining such driver code, either through public domain or license.

CIRCUIT CELLAR FEEDBACK

This month's feedback begins on page 54.

NEXT MONTH

I'll look at peripheral interface adapters. ■

Diagrams and information specific to the NCR 5380 are reprinted with the permission of National Cash Register Inc.

Special thanks to Mike McBride and Harry Mason for their contributions to this project.

There is an on-line Circuit Cellar bulletin board system that supports past and present projects. You are invited to call and exchange ideas and comments with other Circuit Cellar supporters. The 300/1200-bps BBS is on-line 24 hours a day at (203) 871-1988.

The following items are available from

The Micromint Inc. 25 Terrace Dr. Vernon, CT 06066 (800) 635-3355 for orders (203) 871-6170 for information

 Complete SB180 computer board with 256K bytes of RAM, user's manual, ROM monitor, and the Z-System, including ZRDOS. ZCPR3, an editor and utilities, BIOS source, ROM monitor source, ZAS assembler, ZDM debugger, and user's manuals. Provided on four 5¼-inch SB180 format DS/DD disks. Assembled and tested.

COMM180-M01-S\$479

SCSI hard disk drives, enclosures, cable sets, and various SBI80 enhancement products are now available. Call for a price list.

Please include \$10 (on items 1 and 2) or \$6 (on items 3 and 4) for shipping and handling in the continental United States (\$4 additional for Canada), \$15 for surface or \$35 for air mail elsewhere. Connecticut residents please include 7.5 percent sales tax.

Editor's Note: Steve often refers to previous Circuit Cellar articles. Most of these past articles are available in book form from BYTE Books, McGraw-Hill Book Company, POB 400, Hightstown, NJ 08250.

Ciarcia's Circuit Cellar, Volume I covers articles in BYTE, from September 1977 through November 1978. Volume II covers December 1978 through June 1980. Volume III covers July 1980 through December 1981. Volume IV covers January 1982 through June 1983. Volume V covers July 1983 through December 1984.

To be included on the Circuit Cellar mailing list and receive periodic project updates and support materials, please circle 100 on the Reader Service inquiry card at the back of the magazine.

SOLID CITIZENS.



Presenting four upstanding Citizens who give faithful service above and beyond the call of duty. Citizen dot matrix printers, precision-engineered by the people who've become a wristhold word in fine, precision-engineered watches.

The Citizens are sleek, quiet, and reliable. They're extremely easy to use. And feature a unique push-feed paper system that makes paper loading a breeze. What's more, the Citizens are IBM® and Epson® compatible. Can print graphics.

Can dash out output at 160 cps (40 cps correspondence-quality) or a blazing 200 cps (50 cps correspondence quality). And offer a comprehensive 18-month warranty on *all* parts and labor, including the print head.

The Citizen MSP-10/15 and MSP-20/25. Four solid reasons to stop by your dealer.

And watch what the Citizens can do for you. For more information, call 1-800-556-1234, Ext. 34.

In California, 1-800-441-2345, Ext. 34. CITIZEN "Or write Citizen America Corporation, 2425 Colorado Avenue, Santa Monica, CA 90404.

© 1986 Citizen America Corporation. Citizen and the Citizen logo are trademarks of Citizen Watch Co., Ltd. IBM is a registered trademark of International Business Machines Corporation. Epson is a registered trademark of Epson Corporation.



For \$2495,* what you see is what you get.

MANUFACTURER	SUGGESTED RETAIL PRICE*	PROCESSOR SPEED	EXPANSION SLOTS	MONEY-BACK GUARANTEE †
VICTOR V286	\$2495	6 to 8Mhz	8	YES
IBM PC/AT	\$4705	6Mhz	6	NO
COMPAQ DESKPRO 286	\$4244	6 to 8Mhz	6	NO

The simple fact is, you get more with the Victor V286." More speed. More features. More for your money. You also get more peace of mind. Because the Victor V286 comes complete with nationwide servicing through Xerox. And a 30-day Money-Back Guarantee, an offer you won't see from anyone else. You won't see any software compatibility problems either. The V286 runs most every program faster than the IBM, but a flip of a switch will slow it down to mirror the AT and let you run the most finicky programs flawlessly. We've also equipped the V286 with features IBM considers options. Features you'll consider necessities. You can even expand the memory to 1 MB without using option boards. Those are just a few of the reasons the Victor V286 should be your next computer. For a more complete picture, and your nearest Victor dealer, call Marty at 1-800-248-5252.



^{*} DOES NOT INCLUDE MONITOR OR VIDEO BOARD.
Totals for comparably equipped models as of 3/26/86. IBM and IBM Personal Computer AT are trademarks of International Business Machines Corporation. COMPAQ and COMPAQ DESKPRO are trademarks of COMPAQ Computer Corporation.
1 Available from participating dealers.

SORTING **PRODOS** DIRECTORIES



Sort subdirectories and files for cleaner catalogs

f you use Apple ProDOS, you have probably discovered that as files are added to and deleted from a disk its directory becomes filled with filename entries that the CATALOG command displays in a chaotic order. This is because Pro-DOS directories are simply built

sequentially-the operating system does not sort by filename. Thus if you forget the exact spelling of a filename. you must catalog the disk and inspect each filename until you find the one you want. This procedure can be a nuisance when you are examining a long catalog, but many micro users take this in stride and dismiss it as part of operating a personal com-

The program I describe in this article is designed to eliminate long catalog searches by sorting the valid filenames in the volume and subordinate directories of the ProDOS disk. It also permanently stores the sorted filenames on the disk so that an alphabetically sorted directory is displayed each time you request a catalog.

PROGRAM FEATURES

ProDOS, Apple's Professional Disk Operating System, is more sophisticated than its older but respected counterpart, DOS 3.3. Among Pro-DOS's features are an enhanced command set and support of a hierarchical directory structure that allows separate directories to coexist on the same disk. My program, for Apple IIc, Ile, and II+ computers with 64K bytes of RAM, will individually sort the volume, or root, directory and any of its subordinate directories that reside

Antonio C. Silvestri is a professor of computer and information science at Springfield Technical Community College in Springfield, Massachusetts. He is also president of Systems Consultants Inc. (955 Sumner Ave., Springfield, MA 01118-2146), an engineering company that specializes in the design of computer hardware and software interfaces that control manufacturing machinery.

Table 1: The format of a ProDOS directory block. **Byte Offset** in Directory Block Entry Description 000-001 Block number of the previous directory block (low byte first). These bytes equal 0 if this is the first directory block. 002-003 Block number of the next directory block (low byte first). These bytes equal 0 if this is the last directory block. 004-042 Directory entry #1 or, if this is the first block of the directory (bytes 000 and 001 equal 0), the directory header. 043-081 Directory entry #2 082-120 Directory entry #3 121-159 Directory entry #4 Directory entry #5 160-198 199-237 Directory entry #6 238-276 Directory entry #7 277-315 Directory entry #8 316-354 Directory entry #9 355-393 Directory entry #10 394-432 Directory entry #11 433-471 Directory entry #12 472-510 Directory entry #13 511 < Not Used >

Table 2: The format of a ProDOS directory header. Notice the differences in some bytes that distinguish a volume directory from a subdirectory.

Byte Offset in Directory Header	Description
00	The high 4 bits equal 15 for a volume directory or 14 for a subdirectory. The low 4 bits equal the length of the directory name.
01-15	Directory name in ASCII.
16-23	Reserved.
24-25	The date that this directory was created (format:MMMDDDDD YYYYYYYM).
26	The minute at which this entry was created.
27	The hour at which this entry was created.
28	The version number of ProDOS that created this directory.
29	The lowest version of ProDOS that is capable of using this directory.
30	Directory access code.
31	The number of bytes occupied by each directory entry. This byte equals 39.
32	The number of entries that can be stored in each block. This byte equals 13.
33-34	The number of active files in this directory not including the directory header.
35-36	If this is a volume directory, these bytes specify the block where the volume bit map is located. If this is a
	subdirectory, these bytes specify the block in which the entry defining this subdirectory is located.
37-38	If this is a volume directory, these bytes indicate the size of the volume in blocks and equal 280. If this is a subdirectory byte 37 is the directory entry number within the block specified in bytes 35 and 36. Byte 38 contains the number of bytes in each entry of the parent directory and equals 39

on a ProDOS disk.

I wrote the program in Applesoft BASIC because speed is not important. The routine also includes some machine language code that is poked directly into memory.

To create a user-friendly utility. I have provided extensive screen output that allows you to monitor program execution. The routine takes some time to read, sort, and update a disk, particularly when you are working with a disk with numerous subdirectories containing many filename entries. This visual feedback gives you confidence in the utility's execution.

Any files you delete from a directory will still have an entry in that directory. However, since these entries are not viable files, the program does not include them in the sorting process. Updated directories are purged of deleted entries, which results in more efficient disk access.

PRODOS DISK DIRECTORIES

ProDOS organizes disk files by blocks, a block being a group of 512 bytes. An initialized ProDOS disk has 280 blocks numbered from 0 to 279 that can be used to store files, directories, etc. Any block can be allocated to a file or directory; this means that any long file or directory can be physically scattered throughout the disk.

All directories are accessed from the volume or root directory, which always resides at a fixed location, blocks 2 through 5, on the disk. Unlike the volume directory, subdirectories, which are treated as files, can be stored anywhere on the disk.

Since each directory block can hold thirteen 39-byte file entries, the volume directory can contain up to 52 entries. These entries describe a file's attributes by specifying its name, type, size, and disk location. The format of a directory block is shown in table 1.

The first block allocated to the volume directory (or a subdirectory) is called the key block and is arranged slightly differently than succeeding directory blocks. The 39-byte entry that normally describes the first file in the block is instead used to describe the directory itself. This entry is called the directory header. The

format of a directory header is shown in table 2.

The remaining directory entries represent binary, text, Applesoft program, or subdirectory files. The offset byte map for these entries is shown in table 3. To determine what type of file a particular entry corresponds to. simply examine the file-type code that appears at offset 16 within the entry. Table 4 lists a few of the most common file-type codes.

DISK INPUT/OUTPUT

Data transfers to and from the disk occur on a block basis using the ProDOS MLI (machine language interface) protocol. This standard makes it simple for you to write small assembly language programs to perform disk I/O functions.

A typical subroutine to invoke disk I/O looks like this:

JSR \$BF00 DB command__index DB low_para_addr DB high_para_addr BCS error

ProDOS's entry point is at BF00 (hexadecimal). Command_index is the command number assigned to a ProDOS function. Low_para_addr and high_para_ addr are, respectively, the least significant byte and the most significant byte of the address of the parameter list associated with the command. The parameter list contains the values of variables that the command needs to execute properly.

After ProDOS executes the command, control passes to the instruction immediately after the 3 bytes that follow the ISR instruction. If an error occurs in processing the command, ProDOS sets the carry flag-hence the BCS instruction as shown in the example.

The MLI command to read an individual block on a disk is command number 128. To write a block, you issue command number 129. The parameter lists for these two commands are identical and are constructed as shown in table 5.

Short machine language routines can be safely loaded at 300 (hexadec-

(continued)

Table 3: The format of a ProDOS directory entry


Byte Offset in Directory Entry	Description
00	The high 4 bits equal 0 for an inactive file or nonzero for ar active file. The low 4 bits equal the length of the directory name.
01-15	Entry name in ASCII.
16	File-type code (refer to table 4).
17-18	If this entry is a subdirectory, these bytes specify the location of its key block. If this entry is a standard file, this entry points to the first block where file data is stored.
19-20	File size in blocks.
21-23	File size in bytes.
24-25	The date that this file was created (format:MMMDDDDD YYYYYYM).
26	The minute at which this file was created.
27	The hour at which this file was created.
28	The version number of ProDOS that created this file.
29	The lowest version of ProDOS that is capable of using this file.
30	File access code.
31–32	If this entry specifies a binary file, these bytes contain the load address for the file. If this entry specifies a random-access text file, these bytes contain its record length.
33-34	The date on which this file was last modified (format:MMMDDDDD YYYYYYM).
35	The minute at which this file was last modified.
36	The hour at which this file was last modified.
37-38	The key block number of the directory that holds this file entry.

Table 4: Some important ProDOS file-type codes.

File-Type Code	Catalog Mnemonic	File Description	
001	BAD	Bad block file	
004	TXT	ASCII text file	
006	BIN	Binary file	
015	DIR	Directory file	
252	BAS	Applesoft program file	
255	SYS	ProDOS system file	

Table 5: The format of the parameter list used in ProDOS MLI calls to read and write disk blocks. (For disk block read and write calls, the first bute-the number of parameters—is always 3.)

Byte #	Contents	
1	Number of parameters	
2	Disk slot and drive to be accessed (128 - drive # + 16 • slot #)	
3	Low byte of the address of a 512-byte data buffer	
4	High byte of the address of a 512-byte data buffer	
5	Low byte of the block number to be accessed	
6	High byte of the block number to be accessed	



Let Lab Boss[™] turn your IBM PC into a powerful instrument controller.

Lab Boss

ou can spend thousands of dollars for a dedicated instrument controller. Or a few hundred for a controller that's dedicated to you and your IBM PC.

Lab Boss™ from National Instruments puts you and your IBM PC (or compatible) firmly in charge of GPIB instruments. From sophisticated laboratory equipment, like digitizing oscilloscopes and spectrometers, to standard printers, plotters, tape drives and more. At data transfer speeds

that are the highest in the industry.

And Lab Boss products offer a direct data link from your measuring equipment to a full range of analysis software, including RS/1, Lotus 1-2-3, and Symphony. So you can easily report your findings on the same system you used for

instrument control, data acquisition and analysis. Try that on a dedicated controller So - you want to be the boss? Call National Instruments. 800/531-4742.

NSTRUMENTS 12109 Technology Blvd.

512/250-9119 Austin, TX 78727

SORTING PRODOS DIRECTORIES

imal) since ProDOS reserves only a few bytes toward the end of this memory page for its own purposes.

You must allocate a 512-byte block in memory for block transfers. A program can make use of the buffer that is assigned for ProDOS activities. This buffer is pointed to by the contents of page zero locations 115/116 and is usually found at 38400 (9600 hexadecimal).

THE SORTING TECHNIQUE

The task of sorting a single directory involves three main steps. First, directory blocks are read into memory from the disk and the active directory entries are placed in an array. Next, the array is sorted by an algorithm such as the bubble sort algorithm. Finally, the sorted array of directory entries is written back in blocks to the original directory locations on the disk.

You have to modify this technique in order to sort a disk with a hierarchical directory structure. You must have a data structure such as a stack to keep track of subdirectory entries as they are encountered in the sorting process.

Each time a subdirectory entry is encountered, information about the subdirectory is saved on the stack. This information includes the key block location of this subdirectory as well as the path name of its parent directory. After sorting a directory, the program pops the next directory to be sorted, if one exists, from the stack. The information removed from the stack will be sufficient to repeat the three-step sorting process on this current directory. The entire sorting process ends when no directories are left on the stack.

THE BUBBLE SORT ALGORITHM

Although there are more efficient array-sorting techniques, the bubble sort method is one of the easiest to program. The bubble sort is so named because it causes elements to "bubble" upward in the list being sorted. The routine moves through a list, comparing adjacent pairs of elements one at a time. If it finds an element that is greater than its higher-

Build your own programming powerhouse

With the Power System™ from Pecan, you can now create the ideal environment for your programming needs.

Whether you're an experienced programmer or an enthusiastic newcomer, the right program development environment is essential to creating software that effectively delivers the capabilities you need. The optimum development environment includes your choice of tanguage compilers, an integrated system of basic programming capabilities, and a specially selected group of utilities which fulfill your own unique requirements

Start with a fullfeatured development environment

With the Power System from Pecan, you start with one of four compliers: Choose Pecan's powerful and highly versatile UCSD Pascals or build your system on our BASIC, FORTRAN-77 or Modula-2 compilers. (Additional language compilers are on the way.) With your Pecan compiler, you get a total program development environment which delivers a full range of integrated development capabilities.

- · Sophisticated text editor
- · Versatile print utility
- · Easy-to-use file management
- Program Ribrary manager
- · Special program execution
- Turtiegraphics

With other program development systems, you'd have to purchase

UCSD Pascal Fortran-77

some or all of these capabilities separately. With the Power System from Pecan, they're standard equipment.

Modula-2

Add the specialized capabilities you want

Developing specialized software calls for the right tools. Pecan offers a wide selection of optional program development aids to help you write programs that work just the way you want. These tools include:

- Program debugger
- · Keyed file access (KSAM) · Automatic print sponier
- · Assemblers and
- cross assemblers
- Speed and space optimizer

These and Pecan's many other

Run programs on virtually any mini or micro

The programs you develop through the Power System are completely portable. This means that a program you write on one computer can actually be run on anothereven if the second computer is not compatible with the first. No other program development environment gives you this kind of flexibility.

Total programming power at a price you can afford

Build your ideal pro-

gramming powerhouse today. For the incredibly low introductory price of only \$79.95, you get the complete Power System with its important program development capabilities, including the compiler of your choice. You can add a second Pecan compiler for just \$59.95, or select two additional compilers for only \$99.95. Once you have the Power System, you can then customize it as your programming requirements demand - with Pecan's powerful development aids.

Order the unique Power System -avallable exclusively from Pecas - by mail today. Or call us at 1-800-63-PECAN. You won't find a better price/performance value anywhere. And you'll never build a better program development environment - no matter what price you pay.

enable you to build your own "customized" Power System, a system which is ideally suited to your individual programming

Create multi-language programs

Some languages are better for certain kinds of programming than others. For this reason, the Power System lets you write part of any given program in UCSD Pascal, additional parts in BASIC FORTRAN-77 and Modula-2. All you need is a Pecan compiler for each language you want to use. Once you've written your program, it can then be executed exactly ____ as if you'd written it all in one language. Only the Power System from Pecan offers you this capability.

THE THE

The UCSD Pascal Company

Pecan Software Systems, Inc. 1410 39th Street, Brooklyn, NY 11218

UCSD Pascal Not copy protected Not copy protected 60-day money-back guarantee CREDIT CARD ORDERS CALL TOLL FREE 1-800-53-PECAN 800-45-PECAN

ican Software System WE SYSTEM from PECES \$79.95 (FOR PC-DOS, MS-DOS, AMIGA, APPLE, ATAPI ST,
TITING RAIMORN TAKEN 25 well 30 revises resoluter affactive, but exchanged POWE 1410 39th Street Broaklyn, NY 11218 The Power System from Peces \$79,95 (for PC-DOS, MS-DOS, AMIGA, APPLE, ATA
MACNTOSH, RANNOON, TANOY, 35 Well as most popular 8/16/32-bit systems).
MACNTOSH, RANNOON, TANOY, 35 Well as most popular by the second party and second TT Telex No. 494 8910 Compassive Code 18103, 500

on, hainheum, tanux, as weil as most dopular B(16/32-bit system). Price includes bust support bad BCD on PC(compatible. copies of the Proper System for my Character aviseous

BASIC | FORTRAN-77 | Please send me -Include Pecaris UCSO Pascal CO

Card Number:

bakweur ph -

(First compiler of your choice, included with your order, For a second compiler, and \$59,95; for two additional compilers, and \$99,95.) Modula-2 (Armente Sur US Bank Check ____ Bank Dreft Total amount (NYS add appropriate text) My disk ston is 30%" ____ 514°__ Credit Card Expiration Date: --

Call or write for UNIX. VAX or other power System versions — and ask about our other owners a numerous numerous development aids. SUPPLIES: Contact us for special educational discounts.

Standard Standard Standard Special Educational Present Chick with this count on the U.S. Foreign the County of the Power System whithin the U.S. Foreign is an order. Call tolit-tree, or encices your chick within the U.S. Foreign is an order. Call tolit-tree, or encices your chick special tolitics and from the power of the Power System which the U.S. dollars and make payment by bank forth subjects and orders and U.S. dollars on U.S. bank. New York State residents and U.S. dollars on U.S. bank. New York State residents and U.S. dollars on U.S. bank. New York State residents. Daw or write ith trink, vex or creek rower (; powerful programming development aids. SCHOOLS: Contact us for special courational discounts.

JUNE 1986 . BYTE 121

B

```
Listing 1: The ProDOS Catalog Sort Routine.
10
      REM
                           PRODOS CATALOG SORT ROUTINE
                           ANTONIO C. SILVESTRI
SYSTEMS CONSULTANTS INC.
20
      REM
30
      REM
      CLEAR: TEXT: HOME: DB = PEEK(115) + 256*PEEK(116)
40
      FOR I=768 TO 792: READ H: POKE I,H: NEXT
50
      DIM DIM NA$(55), ST(30), ST$(30), DL(10): N = 0:
60
      V = 2: V$ = **; GOSUB 460
      VTAB 2:HTAB 6:PRINT "PRODOS FILENAME SORT UTILITY":
      VTAB 9: HTAB 10: PRINT "INSERT DISK IN "::
      FLASH: PRINT "DRIVE 1":: NORMAL: PRINT:
      HTAB 9: PRINT "HIT ANY KEY TO CONTINUE"
80
      POKE - 16368.0: WAIT - 16384.128: POKE - 16368.0
      HOME: PRINT "SEARCHING FOR VALID FILENAMES": PRINT
90
      IF N <= 0 THEN 450
100
      GOSUB 480: BL = V: HE = V: HE$ - V$: CO - 0: BC - 0
110
      POKE 791,BL - 258*INT(BL/256):POKE 792, INT(BL/256):
120
      POKE 776, 128: CALL 768: IF PEEK(786) 0 THEN
      PRINT "ERROR IN READING BLOCK NO. ";BL: STOP
      BC = BC + 1: DL(BC) = BL
FOR J=0 TO 12: IF J 		 0 THEN 180
130
140
      IF BL=HE THEN DR$ = "":
 150
      FOR I=0 TO 38:DR$=DR$ + CHR$(PEEK(D8 + 4 + I)):NEXT:
      HE$ = HE$+"/"+MID$(DR$,2,PEEK(DB+4)-16*
INT(PEEK(DB+4)/16)):PRINT "READING DIRECTORY: ";HE$
PRINT "BLOCK NO. ";BL;" READ"
160
      IF BL = HE THEN 210
170
      IF PEEK(DB + 4 + J * 39)=0 THEN PRINT "D";:GOTO 210
PRINT ".";: CO = CO + 1: NA$(CO) = "":
180
190
       FOR I=0 TO 38:
      NA$(CO)=NA$(CO)+CHR$(PEEK(DB+4+J*39+I)): NEXT

IF ASC(MID$(NA$(CO),17,1))=15 THEN

V = ASC(MID$(NA$(CO),18,1)) +

256*ASC(MID$(NA$(CO),19,1)): V$ = HE$: GOSUB 460
200
      NEXT J: PRINT: PRINT: X = FRE (0):
210
      BL=PEEK(D8+2) + 256*PEEK(D8+3): IF BL > 0 THEN 120
220 IF CO=0 THEN HOME: VTAB 10: FLASH:
PRINT "**WARNING**"; CHR$ (7);: NORMAL:
         PRINT "NO FILENAMES CAN BE FOUND": GOTO 298
      IF CO=1 THEN 290
230
      HOME: VTAB 10: PRINT CO; " FILENAMES FOUND"; : HTAB 29:
240
      PRINT "NOW ":: FLASH: PRINT "SORTING": NORMAL:
      NX = CO
250
      VTAB 17: HTAB 8: PRINT "FILENAMES HAVE BEEN PLACED"
      VTAB 17: HTAB 7 - LEN(STR$(CO - NX)): PRINT CO - NX
260
     FLAG = 0: FOR I = 2 TO NX:
270
        \begin{array}{ll} \text{MID}\$(\text{NA}\$(I),2,15) < \text{MID}\$(\text{NA}\$(I-1),2,15) \text{ THEN} \\ \text{H$\$$ = NA$$(I): NA$$(I) = NA$$(I-1): NA$$$(I-1) = H$\$$:} \end{array}
         FLAG = 1
      NEXT: X = FRE(0): NX = NX - 1:
280
      IF FLAG = 1 AND NX <> 1 THEN 260
      HOME: PRINT "STORING PURGED AND SORTED DIRECTORY":
290
      PRINT
300
      A = 1: B = 0: FOR J = 1 TO BC
      PRINT "NOW FORMING BLOCK NO. "; DL(J)
310
320
      IF J = 1 THEN AX = 0: GOTO 340
        AX = DL(J-1)
330
      IF J = BC THEN BX = 0: GOTO 360
340
350
         BX = DL(J + 1)
      POKE DB, AX-256*INT(AX/256): POKE DB+1, INT(AX/256):
360
      POKE DB+2,BX-256+INT(BX/256):
      POKE DB+3, INT(BX/256): POKE DB+511,0
                                                                  (continued)
```

positioned neighbor, it exchanges these elements. The algorithm compares the next two elements and exchanges them if required. This process of comparing and exchanging positions continues throughout the entire list.

If any exchanges are made, the list is processed again. However, not all the elements need to be included in subsequent passes. Since each pass assures that the largest-valued element has been moved to the end of the list, time need not be wasted on checking these elements. When no exchanges are made in a pass through the list, it is sorted.

THE BASIC PROGRAM LISTING

The program is given in listing I, [Editor's note: The ProDOS Catalog Sort Routine and a short test routine are available for downloading from BYTEnet Listings at (617) 861-9764 and are also obtainable on disk: see page 445 for details.] Lines 40 through 60 perform program-initialization tasks, which include setting the variable DB equal to the address of the I/O data buffer and poking the MLI interface routine into memory. Line 60 defines some important arrays such as NA\$, which is used to store directory entries.

Line 60 also defines and initializes a stack that is implemented using the stack pointer variable N and arrays ST and ST\$. Array ST holds the block numbers of subdirectory key blocks, while ST\$ stores the path names of a subdirectory's parent directory. The GOSUB 460 instruction pushes values on the stack and starts the sorting process with the volume directory.

Lines 70 and 80 give you the opportunity to remove the program disk and insert in drive 1 the disk to be sorted. The program issues a prompt and waits for a key press before continuing.

Line 100 checks the status of the stack: If it is empty, execution halts; if not, line 110 executes the GOSUB 480 instruction to pop the stack. Line 120 reads the retrieved directory block into the data buffer, and lines 130 through 200 extract directory entries from the buffer and store them in array NA\$. Notice that line 200 ex-

(continued)

Now! Tek quality and expert advice are just a free phone call away!

The industry standard in CRT

performance. Crisp, easy-toread, bright CRT; 14kV accelerating potential, provides high writing rate and small spot size. Full size 8x10 cm display for measurement accuracy.

Display controls are flexible and easy to use. Separate intensity controls reduce blooming in alternate sweep mode. Focus tracking minimizes control adjustment and BEAM FIND elimi-

nates confusion.

Vertical system provides measurement

assurance, Flat transient response and high accuracy ensures true reproduction of your signals. Fast risetime and high bandwidth is well suited for a variety of measurement.

Perform delayed sweep measure ments accurately and easily. Both sweeps can be displayed alternately making differential measure-

ments easy and accurate (1%). An interlocking SEC/DIV control simplifies set-up. Stable hands-off triggering. P-P

AUTO detects signal peaks, then sets the trigger level for you. Display asynchronous signals using **VERT MODE trig**gering. Indepen-dent TV field and line selection.

Front panel laid out by function for ease of use. Color coding aids the user in opera-

tion. Functions and modes are placed logically. All nomenclature is clearly labeled. and protected behind a scratchless Lexan surface.



you the industry's leading price/performance portables... and fast answers from experts!

The 60 MHz single time base delay 2213A, the 60 MHz dual time base 2215A and the 100 MHz dual time base 2235 offer unprecedented reliability and affordability, plus the industry's first 3-year warranty' on labor and parts, CRT included.

The cost: just \$1275 for the 2213A, \$1525 for the 2215A, \$1750 for the 2235.† Even at these low prices, there's no scrimping on performance. You and analog circuits. The sensitivity for low signal measurements. The sweep speeds for fast logic families. And delayed sweep for fast, accurate timing measurements. All scopes are UL Listed and CSA approved.

You can order, or obtain literature, through the Tek National Marketing Center. Technical personnel, expert in scope applications, will answer your questions and expedite delivery. Direct orders include comprehen-

sive 3-year warranty*, operator's

manual, two 10X probes, 15-day return policy and worldwide service backup.

Order toll free: 1-800-426-2200. Ask for Rick.

In Oregon, call collect: (503) 627-9000. Or write Tektronix, Inc. P.O. Box 1700 Beaverton, OR 97075



```
370
     IF J = 1 THEN
     FOR K=1 TO 39: POKE DB+3+B+39+K, ASC(MID$(DR$,K,1)):
     NEXT: PRINT ".";:B = B + 1
     IF A <= CO THEN
380
       FOR K=1 TO 39:
       POKE DB+3+B*39+K,ASC(MID$(NA$(A),K,1)): NEXT:
       PRINT ".";: GOTO 400
     FOR K=1 TO 39: POKE D8+3+B*39+K,0: NEXT: PRINT "Z";
390
400
     A = A+1: B = B+1: IF B < 13 THEN 380
410
     PRINT: PRINT: 8 = 0:
     POKE 791,DL(J)-256*INT(DL(J)/256):
     POKE 792, INT(DL(J)/256): POKE 776,129: CALL 768 IF PEEK(786) <> 0 THEN
420
       PRINT "ERROR IN WRITING BLOCK NO.";DL(J): STOP
430
     NEXT J: GOTO 90
     DATA 169, 0, 141, 18, 3, 32, 0, 191, 0, 19, 3, 176, 1, 96, 238, 18, 3, 96, 0, 3, 96, 0, 150, 0, 0
440
450
     END
     IF N >= 30 THEN
460
       PRINT "STACK OVERFLOW": STOP
470
     N = N+1: ST(N)=V: ST$(N)=V$: RETURN
     IF N <= 0 THEN
PRINT "STACK UNDERFLOW": STOP
480
     V = ST(N): V = ST (N): N = N-1:
490
     RETURN
```

```
Listing 2: This program creates a scratch disk that you can use to test the sort program of listing 1.
```

```
"/SCRATCH", "/SCRATCH/MASS", "/SCRATCH/RHODE",
10 DATA
             "/SCRATCH/VERMONT", "/SCRATCH/MASS/NY", "/SCRATCH/MASS/NJ", "/SCRATCH/RHODE/PA"
   "/SCRATCH/VERMONT/MAINE"
DIM A$(40): D$=CHR$ (4): ONERR GOTO 100
20
     READ H$: PRINT D$; "PREFIX "; H$:
30
     PRINT D$; "SAVE TESTFILE"
     J=0: L=INT(40*RND(1))+1: PRINT: PRINT
PRINT L;" FILES TO BE CREATED": PRINT
40
                                      PRINT: PRINT:
    FOR K=1 TO L: TY$=**: FOR I=1 TO INT(10+RND(1))+1:
50
     TY$=TY$+CHR$(65+26*RND(1)): NEXT: X=FRE (0)
PRINT K;" ";H$+"/"+TY$: PRINT D$;"OPEN "+TY$:
    PRINT K;"
60
     PRINT D$; "CLOSE "+TY$: IF RND(1) < .30 THEN J=J+1:
     A$(J)=TY$
    NEXT K
70
80
    PRINT J; " FILES TO DELETE": IF J=0 THEN 30
    FOR I=1 TO J: PRINT D$; "DELETE "+A$(I):
90
                  ";H$+"/"+A$(I): NEXT: GOTO 30
     PRINT 1:"
100 END
```

plicitly checks each entry to see if it is a subdirectory. If it is, the program pushes that subdirectory's information onto the stack.

After the program processes each directory block, line 210 checks to see if that block is the last block of the current directory. If not, execution loops back to line 120 to read and process the next block; otherwise execution continues with line 220.

When program execution reaches

line 220, variable CO contains the number of directory entries stored in NA\$, DR\$ contains the directory header, BC contains the number of blocks in the directory, and array DL contains the actual block numbers that form the directory.

Lines 220 through 280 perform the bubble sort of array NA\$. Lines 290 through 430 write the sorted array back to the disk. After the program has written the directory to the disk,

the entire procedure is repeated by a jump to line 90.

TESTING THE UTILITY

Because you are dealing with a program that directly accesses disk blocks, you should take care to verify that the copy you have acquired (either by typing or downloading) works properly. One small error can destroy a disk containing weeks of hard work. Listing 2 gives a small program you can use to test the utility.

This program creates a dummy disk with a random number of active and inactive entries stored in different subdirectories. To use this program, first format a disk with volume name /SCRATCH using the ProDOS Utilities Disk, then create the following subdirectories:

/SCRATCH/MASS /SCRATCH/MASS/NY /SCRATCH/MASS/NJ /SCRATCH/RHODE /SCRATCH/RHODE/PA /SCRATCH/VERMONT /SCRATCH/VERMONT/MAINE

Then run the program in listing 1.

Now run the sort utility program on this disk. This will give you a chance to get accustomed to the prompting. If the utility runs with no apparent problem, catalog each subdirectory to see if each catalog is sorted.

Next, go into each subdirectory using the PREFIX command and type LOAD TESTFILE. TESTFILE is the BASIC program that created the dummy disk and is stored in each subdirectory. If you can successfully load TESTFILE from each subdirectory without I/O errors, go through the following final test, which checks if data can be stored on the disk. Try to store a dummy program in each subdirectory, then reload the stored programs and verify that they are uncorrupted. If you can successfully store programs on the disk, this proves that all data pointers on the disk are intact and that the utility works reliably.


BIBLIOGRAPHY

Little. Gary B. Inside the Apple IIe, Bowie, MD: Brady Communications, 1985. ProDOS Technical Reference Manual. Apple

Computer Inc., 1983.

SO YOU THINK YOU KNOW ALL THE REASONS TO DUMP YOUR OLD PRINTER?

WELL, HERE'S ONE MORE REASON.





You can think of plenty of reasons to dump your old printer.


It's too slow. Too finicky. Too limited. Or it's simply down too often.

Well, here's one more reason.
The new Alps P2000 Dot Matrix
Printer. It's everything your old
printer's not.

It's dependable. If you give it reasonable care, it'll give you five or more years without a breakdown.

It's fast. It prints drafts at 250 cps. Memos at 125 cps. And near letter quality correspondence at 50 cps. All with perfect clarity.

It's versatile. It prints everything



from letters and graphics to 16-inch wide spreadsheets. And it runs with all the most popular PCs and software.

What's more, it comes with all the extras office automation gurus look for. Like a paper-saving push/pull tractor feed. Multiple type fonts and sizes. Bi-directional printing. And more. We could go on. But you get the point. The best reason to dump your old printer is a better printer.

Especially one from a better

printer company.

The P2000. From Alps.



AND HERE'S THE BIGGEST REASON.



That's pronounced "Ālps."
As in Ālps Electric Co., Ltd., the
Japanese company that manufactures
the new Ālps P2000™ Dot Matrix

Printer. Which happens to be the perfect PC printer for companies who've outgrown their old ones.

Fine. But who's Alps Electric? And what difference does it make? Alps Electric is an International Fortune 500 company. A \$1.5 billion manufacturer of computer and electronic products.

A company that has been making computer printers for a decade and selling them in countries throughout the world. Including this country

(under the brand names of major computer manufacturers).



What's more, Alps Electric is the parent company of Alps America, the company that sells, services and supports Alps printers in America.

And the difference all that

makes is this.

Whether you're buying one printer or a thousand, you really ought to buy them from a solid, experienced company you can depend on.

Which is exactly what we are. Alps. Now that you know how to say it, perhaps you'd like to dial it.

(800) 828-ALPS. In California, call (800) 257-7872.

Better yet, send us the attached coupon for a free Alps P2000 demonstration.

One given in plain English.

ALPS

CAD — \$299!

Finally you can get a complete CAD package at a reasonable price! For only \$299, ProDesign II provides the advanced features you get on CAD systems costing thousands of dollars. But there is another, very important reason you should get ProDesign II. ProDesign II is very unique among CAD packages. It is easy to learn and use. When we call ProDesign II "The Easy to Use CAD System", we're not joking. You will be productive with ProDesign II in an hour or two instead of a week or two.

What else does ProDesign II offer? Compatibility. Compatibility with over 100 printers. Compatibility with over 50 plotters. Compatibility with most graphics adapters, digitizing tablets, and mice. Compatibility with most display adapters. Compatibility with any software that can produce HP plotter commands. Compatibility with mainframe CAD systems (IGES). All at no extra charge!

What additional hardware do you need? None! An IBM PC compatible and 512K RAM is all you need. ProDesign II produces high resolution drawings on your dot matrix printer — better than .005" resolution on an IBM/Epson compatible printer. In fact, the drawings on this page were printed on a \$299 dot matrix printer! You don't have to get a mouse or digitizing tablet. ProDesign II is designed for easy and efficient keyboard use. You won't even need a math coprocessor, although it is supported. From a small drawing on a dot matrix printer to an E-Size drawing on a large plotter, ProDesign II is the one to use!


ProDesign II
Affordable, Compatible, and Usable!

Where can you get ProDesign IP See your local computer dealer, or contact:

American Small Business Computers

118 South Mill Pryor, OK 74361 (918) 825-4844

Inquiry 23



DRAWN USING PRODESIGN II THE EASY TO USE CAD SYSTEM ONLY \$299!




SR-71 BLACKBIRD

WORLD'S FASTEST JET - 3500+ MILES PER HOUR

DECODING MACPAINT ON THE IBM PC

Transfer graphics created on the Macintosh and manipulate them on your PC



I've written a Pascal program for the IBM PC called MacView that decodes and displays MacPaint images on your PC display. [Editor's note: MacView, which was written in Turbo Pascal, is available for downloading from BYTEnet Listings at (617) 861-9764. It is also available on disk: see page 445. Moreover, this software provides the foundation to a bridge between Macintosh and PC graphics; once Macintosh graphics are translated for the PC, it is relatively easy to write additional program code to manipulate the images.

First, of course, you must get the MacPaint file from the Mac to the PC. For the Mac, you can use a communications package such as MacLink or MacTerminal. For the PC, nearly any of the common asynchronous PC communication packages will do. As for connecting the Mac to the PC, you could use a dial-up modem link, but a direct cable between the two machines is best. Figure 1 is a cable schematic for a direct hookup.

Once you have completed the transfer, the MacPaint file can be decoded.

(continued)

Mark Anacker (4920 200 Southwest A204, Lynnwood, WA 98036) studied computer science at Seattle Pacific University.



Each image occupies 720 horizontal scan lines of 72 bytes each, for a total of 51,840 bytes. Each byte represents 8 horizontal points on the screen, with the highest bit to the left (see figure 2). A 1 bit indicates a dark pixel, and a 0 indicates a white one.

To save disk space, however, Mac-Paint stores its images in a compressed bit-map format-reducing the image data to only about 10K bytes. (The subsequent decoding, which requires a great deal of processor power, is the reason the Mac takes so long to bring an image up on the screen.) The bytes in each scan line are encoded into two types of records: mixed-data and repeatingdata (see figure 3).

A mixed-data record consists of a byte indicating the record length (from 1 to 72 bytes) and the raw data. This type of record is used when each byte in a scan line is different from its neighbor. Such a record actually takes up one more byte than the original scan-line data.

Repeating-data records are more efficient. Most images consist of repeated bit patterns, which can be represented easily with just a byte that indicates the number of bytes to repeat, followed by the actual bit pattern. This method allows you to com-

press as many as 127 bytes into as few as 2 bytes. And you can store a single scan line using a combination of mixed-data and repeating-data records. The eighth bit in the first byte of the record, the counter byte, distinguishes the record type; specifically, that bit is set to indicate a repeating record.

In addition to image data, the first 512 bytes of a MacPaint file contain some header information and the bit maps of the paint patterns that are displayed along the bottom of the MacPaint screen. For our purposes, that information is not necessary, and MacView begins reading the MacPaint

file at the 513th byte.

As MacView reads the MacPaint file one byte at a time, it decodes the mixed-data and repeating-data record types. Since the Mac has a black-onwhite display, the program must flip the bits with a NOT operator to make the image appear the same on a PC. The program then puts the resulting bits in a buffer that can be accessed via an array of pointers.

Once the image is in the buffer, the program displays part of it on the screen. I chose to write the image

(continued)




Figure 1: Schematic for direct cable hookup.




Figure 2: The bit-mapped layout of a MacPaint image contains 51,840 bytes.




Figure 3: Left, repeating-data record; right, mixed-data record.

Turbo Pascal® Source Code Included


Borland's new Turbo Editor Toolbox, "Best of the Year" award winner, lets you build your own word processor for only \$69.95!

Turbo Editor Toolbox™ lets you build the best of all word processors into your own word processor. All the modules, techniques, instructions, and Turbo Pascal source code are at your fingertips. You'll quickly learn how to integrate editor procedures and functions into your programs, or you can use Turbo Editor Toolbox "as is," because it has everything.

You get Turbo Pascal source code and everything you need to build your own word processor

The modules, the manual, readyto-compile source code, and a fullfeatured word processor called MicroStar," which we probably ought to sell separately because it's an excellent text editor. But anyway, you get it free as part of our new Turbo Editor Toolbox. (Maybe this is why Jerry Pournelle of BYTE magazine recently wrote that "Borland International is a public benefactor. The company continues to pour out good, well-documented products at reasonable prices.") Your free MicroStar includes a complete pulldown menu user interface which you can use "as is," or you can modify it for inclusion in your Turbo Pascal programs.

As well as MicroStar, you also get a complete editor ready to include in your programs. Windows, block commands, and memory-mapped screen routines come with it.



How to turn good stuff into great stuff-maybe even green stuffl

With your new Turbo Editor Toolbox, you can make WordStar* behave like MultiMate." You can support windows just like Microsoft's" Word. And do it as fast as WordPerfect® does it. In other words, you can do what they should have done. You just go in there, tinker, fiddle, fool around, and come up with your own version-which will be the best word processor you've never seen before. (And if you want to sell it, go for it; we're not the kind of company that'll send bean-counters and ambulancechasers after you for royalties.)

Standard Turbo Editor Toolbox features include:

- Wordwrap
- UNDO last change
- Auto-indent
- Find & Find/Replace with options
- Set left and right
- Block mark, move
- Tab, insert and overstrike modes. centering, etc.

How to do windows without

techniques are part of our new Turbo

Editor's repertoire. Sophisticated but

of the same document-all at once. Turbo Editor Toolbox lets you

open the windows you want-

price that won't make you want

You get a lightning-fast

and a 60-day money-back

wherever you want them-at a

editor, innumerable features,

guarantee** for only \$69.96

For only \$69.96, you can build your

own word processor and make it

do whatever you want it to do. This

already popular new program is just

one more way that Borland helps you

help yourself. So call us or the dealer

numbers and ordering information

nearest you. All the telephone

are in the adjacent coupon.

- Multiple windows
- Multitasking
- RAM-based editor

Paging, scrolling and text display

margins and copy

Turbo Pascal source code to just about anything you ever wanted a PCcompatible text editor to do, along with a really excellent book of instructions on what text editors are and how to use the Toolbox to build a custom text editor you can't afford to be without this." Jerry Pournelle, BYTE Magazine, discussing Turbo Editor Toolbox, to which he gave his "Best Of "

The new Turbo

Editor Toolbox is the

the best

Rush me Turbo Editor Toolbox at:

9 95

To order by phone, or for a dealer near you, call (800) 255-8008 in CA call (800) 742-1133

Send me _				ares ar	1 —	-	
Outside US CA and MA			y		\$_		
Amount end	losed				s _		
Prices inclu	de shippii	ig to all t	J.S. 1	cities			
Payment:	VISA	MC	Ba	ok Draft		Che	
Credit card	expiration	date	1_	_			
Card 0	Ш	11	_1				
	1 1 1	1.1	1	1 1	-1	ı	
fYou must he later. My computer				, and a	MAC E	***	
The disk size	l use is: 🗆	3W () 5	W°		1	E	
**60	NOT C	OPY PRI NEY-BA			VTEE		
Name:							
Shipping Ac	fdress: _						

CODs and purchase orders WILL MOT be accepted by Bor Outside USA make payment by credit card or International

"TES, if within 60 days of purchase this product does not perform in accordance with our claims, please cull our custo service department and we will gladly arrange a reland.

Minimum System Requirements on IBM PC, XT, AT, PC/r., and



4585 SCOTTS VALLEY DRIVE SCOTTS VALLEY, CA 95066 (408) 438-8400 TELEX: 172373

Inquiry 395 for End-Users. Inquiry 396 for DEALERS ONLY.





F O R E W E R

WHAT'S IN IT FOR YOU!



Now more than ever, there's more for you when you buy BASF Qualimetric™ FlexyDisks." There's a special two-part game ticket that not only gives you 100 chances to win an Apple Ilc Computer in our Apple-a-Day Sweepstakes, but is also an exciting scratch-off game with 14,110 chances to instantly win cash prizes up to \$1,000. What else is in it for you? Only the best...the BASF FlexyDisk, certified 100% error-free and warranted forever. See your BASF dealer today and look for the specially-marked boxes of 5.25" and 3.5" BASF FlexyDisks.




The one thing MacView can't handle is the difference in aspect ratio between the PC and the Mac.

directly to the graphics adapter memory for faster performance and easier scrolling. You can scroll the image using the cursor keys, shifting the section of the image currently displayed. In this way you can quickly view the entire picture. When you scroll up or down, however, the image moves two scan lines at a time, which is due to the way the graphics memory is organized. So that you know what part of the image you are viewing, the program displays the number of the top scan line in the upper right corner of the display.

The one thing my program can't handle is the difference in aspect ratio between the two systems. The pixels on the Mac screen are square, while the PC's are rectangular. This means that the images on the PC screen appear vertically stretched. Of course, you could compensate somewhat for the aspect ratio by skipping every other scan line when the image is displayed, but doing so causes a loss of detail. Some IBM PC compatiblesparticularly those that use LCDs. which inherently use square pixelsmay correct the aspect ratio problem.

I wrote the program in Pascal for speed, but you could translate it into BASIC or another language as well. But no matter what language you use, once you've made sense out of a MacPaint image on your IBM PC, you can begin to do things with it. I have written programs that enlarge and compress the images as well as print them on an IBM PC-compatible laser printer. I also use the large hard disk on my PC to archive the MacPaint images. There's really no limit to what you can create when you combine the graphics of the Macintosh and the IBM PC. ■



With Network Revelation, you're not alone.

Span the void that separates you from other PC's. Be as one with a universe of data. Be a true network with Network Revelation.

Network Revelation is more than a relational database management system. It's a complete applications environment for most microcomputer networks. That's not dreaming about the future. It's low-key raving about a capability of the present.

With Network Revelation, you can send and receive data on local area networks and remote file servers. Rev's data dictionaries let you add or restructure fields at will, saving ages of programming time. And our menudriven applications generator and procedural language are eons ahead of other databases.

The possibilities are infinite. Distributed processing systems linking worlds. Accounting, inventory and order entry systems connected for instant access to data by a galaxy of users. And your data is secure with complete file or record locking.

REVELATION co-exists with MS-DOS.™ So you can transport Lotus 1-2-3™ Multiplan® or other data from

PC to PC-using IBM®'s new PC Network or any network hardware running Novell NetWare™ You can even evolve files from primitive, single-user databases into a powerful Rev application.

Encounter the future of distributed data processing today. Revelation costs just \$950* And a four-user upgrade to Network Revelation is only \$495. So call us and we'll arrange for an unforgettable demonstration with a Cosmos rep in your area.

MS" and Multiplan® of Microsoft Corporation. 1-2-3" of Lotus Development Corporation. NetWare" of Novell, Inc. IBM® of International Business Machines. "Suggested U.S. list price.



Cosmos, Inc., 19530 Pacific Highway S.

Seattle, WA 98188, 206-824-9942

Inquiry 96

HILBERT CURVES MADE SIMPLE

BY MICHAEL ACKERMAN

This one-subroutine BASIC program uses only global variables

IF YOU ARE INTERESTED in fractal shapes, you are probably familiar with the Hilbert curve. It was among the first of many wild but "self-similar" shapes that astonished mathematicians around the turn of the century.

Hobbyists have discovered the beauty of David Hilbert's creation, and several have written programs to draw it on the high-resolution screens of personal computers. Unfortunately, most of the programs that produce the curve are quite complicated. The demonstration program that comes with the Apple Pascal system contains a procedure that itself contains two more procedures. I had a difficult time following the program's logic.

Niklaus Wirth, author of the Pascal and Modula-2 programming languages, includes a Hilbert curve program in his book Algorithms + Data Structures = Programs (Prentice-Hall, 1976). While this program is easy to understand, it contains four procedures that call each other again and again. I decided that there had to be a simpler way to

(continued)

Michael Ackerman (1539 Van Dyke Rd.. San Marino, CA 91108) is a senior majoring in history at the University of California at Santa Barbara. Listing I: A simple Applesoft BASIC program to generate Hilbert curves.

```
1 GOTO 1000
2 REM *************************
3 REM * HILBERT BY MICHAEL ACKERMAN - 8/27/85 *
4 REM **************************
100 RDER = RDER - 1
110 TURN = - TURN
120 TEMP = DY:DY = - TURN * DX:DX = TURN * TEMP
130 IF RDER > 0 THEN GOSUB 100
140 X = X + DX:Y = Y + DY: HPLOT TO X,Y
150 TURN = - TURN
160 TEMP = DY:DY = - TURN * DX:DX = TURN * TEMP
170 IF RDER > 0 THEN GOSUB 100
180 X = X + DX:Y = Y + DY: HPLOT TO X.Y
190 IF RDER > 0 THEN GOSUB 100
200 TEMP = DY:DY = - TURN + DX:DX = TURN + TEMP
210 TURN = - TURN
220 X = X + DX:Y = Y + DY: HPLOT TO X,Y
230 IF RDER > 0 THEN GOSUB 100
240 TEMP = DY:DY = - TURN + DX:DX = TURN + TEMP
250 TURN = - TURN
260 RDER = RDER + 1
270 RETURN
1000 TEXT:HGR:HCOLOR=3:INPUT "ORDER <1-7>":RDER
1010 POKE 49234,1
1020 DY = 192 / 2 ^ RDER
1030 TURN - - 1
1040 DX = X = Y = 0
1050 HPLOT X,Y
1060 GOSUB 100
1070 END
```

draw this elegant figure.

Since recursive programs are hard enough to follow. I decided to write an Applesoft BASIC program that would have only one subroutine with a single entry point. The final program (see listing I) not only helped me to understand the Hilbert curve better, but also let me use some interesting programming tricks. [Editor's note: HILBERT.BAS is available on BYTEnet Listings at (617) 861-9764. The program is also available on disk (see page 445).]

A first-order Hilbert curve is very simple (see figure I) and can be drawn by following the rough outline shown in table 1. I inserted four recursive calls into this outline so that the procedure could draw higher-order curves. These calls are conditional on the variable ORDER, which is decremented each time the procedure calls itself and incremented each time the procedure issues a return. Thus, the number of nested gosub statements is determined by the original value of ORDER (see table 2).

The final refinement was to insert commands to swap left for right. To understand this, it might be useful to compare a first-order curve (figure 1) to a second-order curve (figure 2). The first line segment in the first-order curve is horizontal, but the first segment in the second-order curve is vertical. In a third-order curve (figure 3), it is horizontal again. To remedy this flip in orientation, the program includes the variable TURN, which in-

Table 1: A rough outline for generating first-order curves.

turn left draw forward turn right draw forward turn right draw forward turn left

hill

Table 2: A modified procedure showing the placement of recursive calls.

ORDER = 2
ORDER = ORDER - 1
turn left
gosub hil if ORDER > 0
draw forward
turn right
gosub hil if ORDER > 0
draw forward
gosub hil if ORDER > 0
turn right
draw forward
gosub hil if ORDER > 0
turn left
ORDER = ORDER + 1
return

dicates a left turn when it equals 1 and a right turn when it equals -1. It also includes commands to invert TURN each time the curve routine flips direction.

You may notice that both table 1 and table 2 are almost palindromes;

that is, they read the same backward as forward. The main subroutine in the BASIC program in listing 1 (lines 100 through 270) is palindromic as well. This symmetry is visible in the Hilbert curve itself. You can take a curve of any order and fold it so that one half exactly covers the other.

Another advantage of this program is that it runs well without using local variables. Both Pascal programs that I referred to earlier depend on local variables, which are neatly stored each time a procedure calls itself and restored when it issues a return. This program has only global variables, which are not stored automatically. The other BASIC implementations of the Hilbert curve that I have seen store variables in arrays each time the programs recur. This program eliminates the need to store variables by making sure that all relevant variables have the same values at the beginning and end of the main routine.

Since the program outline in table I has two left turns and two right turns, you end up pointing in the same direction you started in. ORDER also remains the same in table 2 because it is first decremented, then incremented. In listing I, TURN is inverted four times, so it too is the same upon leaving the routine as it was upon entering. Most important, the variables are not changed by the GOSUB statements because they call only the routine itself.




Figure 1: A first-order Hilbert curve. Note that the first line segment is horizontal.




Figure 2: A second-order Hilbert curve. Note that the first line segment is vertical.




Figure 3: A third-order Hilbert curve. Note that the first line segment is horizontal again.



Triple your PC speed for only \$599!

8087 Upgrades™

MicroWay is the world leader in 8087 support. Our 8087 development software has been in use since 1982. By 1984 we had become Intel's 97th largest OEM account. When you buy from us, you can be confident that you will receive the 8087 chip designed for your PC and that our unique diagnostics will instantly verify that your processor works correctly as installed. Call for current prices.

287Turbo™

This card plugs into the 80287 socket on your AT or COMPAQ, doubling the 80287 clock from 4 to 8 Mhz. It does not change the 80286 clock speed or affect your warranty. The card comes with an 8 Mhz 80287 and has provisions for faster crystals as better 80287s become available. It also has a reset button and circuit that provide a hardware alternative to CNTRL-ALT-DEL. 287Turbo with Diagnostics and Reset\$395

Number Smasher™

Number Smasher gives you AT speed and 100% compatibility with all PC software and hardware. It comes with a 10 Mhz 8086 and 512K of no wait state RAM. Most are shipped with an optional matched 10 Mhz 8087 and 128K daughterboard. The card runs programs a factor of 2.5 to 4.0 faster than the PC, XT or compatibles it runs in. Other features include FASTROM, a Ram Disk, Print Spooler and Disk Cache. Revision 2 of the Smasher is designed and manufactured by MicroWay in the U.S.A. and has the best service and support of any accelerator card.

MegaPage™



Inquiry 229

The World Leader in 8087 Support

P.O. Box 79, Kingston, Mass 02364 USA (617) 746-7341 Tempo House, London, U.K. call 01-223-7662



Ada just moved into a smaller place.

We have some very good news for you.

You can now get a validated, full Ada® compiler for the IBM® PC AT. From the people who designed the Ada language. For just \$3,000.

Which means you and your company can now program in Ada without tying up a big, expensive computer.

And you should program in Ada. And not just because the DoD says so.

The DoD mandates Ada for their software principally because Ada is considerably easier and less expensive to maintain.

Does more reliable and easier to maintain code sound attractive to you? If not, just look at how your programmers are spending 80% of their time.

People who know Ada are calling it "the only logical language for



Ada & 4-MB of memory* for the price of 4-MB of memory. the eighties land nineties." The point is, they're not thinking of

Ada as "the DoD language." It's simply because Ada supports good, solid software engineering practice.

And now you can try full Ada programming for less than the cost of a two week training program.

The Alsys[™] Ada compiler for the PC AT is not only validated, it's actually written in Ada. And produces code so efficient it executes faster than C or Pascal on tested benchmarks.

And if that's not enough, the Alsys PC AT Ada compiler runs in protected mode. So you can use the full amount of memory available to the PC AT. This means you can run a program using

up to 16 megabytes of memory for code and data without worrying about DOS. overlays and all that stuff.

1432 Main Str	reet, Waltham, MA 02154
Send me m	ore information about C AT Ada compiler.
	ore information about Ada
Title	
Company	
Address	
City	State Zip

Lastly, this compiler comes with a 4-megabyte memory upgrade board. That, by itself, is worth the price of admission.

At this point, we suspect you might be tempted to pull out a

to talk to TBM in Ada

Knowledge is good. Especially when it's free.

credit card and give us a call.


Or at least fill out the coupon. Write: Alsys, Inc., 1432 Main Street, Waltham, MA 02154, U.S.A., Telephone: (617) 890-0030, Telex: 948536.

In France: Alsys, S.A., 29, Avenue de Versailles, 78170 La Celle St. Cloud, France, Tele-

phone: 33(1)3918 12 44,

Telex: 697569.

In England: Alsys, Ltd., Partridge Hse, Newtown Road, Henley-on-Thames, Oxon RG9 1EN, England, Telephone: 44 (491) 579090, Telex: 846508.



Computers and Music

THE CHALLENGE OF MUSIC SOFTWARE by Roger Powell
DIGITAL MUSIC SYNTHESIS by Robert A. Moog
DIGITAL SAMPLING ON THE APPLE MACINTOSH by Christopher Yavelow
MUSICAL FRACTALS by Charles Dodge and Curtis R. Bahn 185
A MIDI PROJECT by Jay Kubicky
MIDI PROGRAMMING by Donald Swearingen

THE LAST TIME BYTE PRESENTED a Computers and Music theme issue was back in April 1980. Developments in that area have been so dramatic since then—particularly in the last two years—that we decided a concentrated look at computers and music was long overdue.

Many of our readers are already aware of the growing enthusiasm generated by the MIDI (musical instrument digital interface) specification; new software and MIDI-compatible devices seem to appear daily. However, if you need an introduction to what the infusion of computers into the art of musicmaking is going to mean, refer to our lead article, "The Challenge of Music Software" by Roger Powell.

"Digital Music Synthesis" is an overview of the different techniques currently used by today's popular synthesizers. It is authored by Robert Moog, whose name is synonymous with music synthesizers.

Christopher Yavelow offers more insight into the realm of digital synthesis, in particular, digital sampling on the Macintosh. He even provides us with enticing glimpses of some available sampling software.

Fractals are always turning up in unusual and interesting places in the computer world. We often find them associated with graphics, but Charles Dodge and Curtis Bahn introduce us to another application in "Musical Fractals."

We are particularly happy to present Jay Kubicky's "A MIDI Project." Not only does the author give an overview of the software end of MIDI and include the schematic for an IBM PC MIDI hardware interface, he also throws in multitrack MIDI recording and playback software.

Finally, Don Swearingen returns with a software follow-up to his MIDI recorder article, which appeared in the Fall 1985 special issue Inside the IBM PCs. This time, Mr. Swearingen shows us some Turbo Pascal software tools for modifying MIDI data stream information after it has been captured in your computer's memory.

Other related articles in the Reviews section include an excellent review of the Kurzweil 250 by former BYTE editor in chief Chris Morgan and a look at four MIDI interfaces by Roger Powell and myself. Mario Sergio Bernardo reviews the capabilities of two music software packages for the Macintosh. ConcertWare+ and SongPainter. In addition, four books dealing with computers and music are critiqued in this issue's Book Reviews section.

The industry is changing far too rapidly for us to examine every aspect of computers and music, but I would like to take this opportunity to point out Roger Powell's appearance on the masthead as a contributing editor. We are fortunate to have someone with Roger's considerable talents associated with BYTE, and we hope to call on him regularly to provide ongoing coverage of computers and music.

-Richard Grehan, Technical Editor

ENGINEERED TO EXCEED INDUSTRY STANDARDS

Tech PC Desktop computers are engineered to exceed industry standards. Each unit is housed in an attractive and sturdy steel case designed to blend in with the office or home environment and at the same time protect the system components from damage. The units' built in fans are designed for maximal cooling and minimal noise. A full compliment of expansion slots and extra capacity power supply give each of the Four Desktop models the ability to add additional accessory boards and peripherals to the unit without difficulty. The Intel 8088 and 80286 microprocessor based motherboards used in the Tech Personal Computers meet or exceed IBM compatibility standards with respect to processing speed and memory capabilities. All of the four desktop models are designed to function for a wide variety of people in a wide variety of situations.

The state of the s



TECH PC DESKTOP COMPUTERS are available now in 4 different base models:

TECH PC/XT DESKTOP\$ 749
Options:
Tech PC/XT with 20MB Hard Disk ..\$1249
Tech PC/XT with 20MB Hard Disk,
Monochrome Monitor, Hercules® Compatible
Mono/Graphics Card\$1449

TECH TURBO PC/XT DESKTOP\$899
Options:

 TECH PC/AT DESKTOP\$1699 Options:

Tech PC/AT with 20MB Hard Disk ...\$2099
Tech PC/AT with 20MB Hard Disk,
Monochrome Monitor, Hercules® Compatible
Mono/Graphics Card\$2299

TECH TURBO PC/AT DESKTOP\$1799
Ontions:

All TECH PC DESKTOPS available with tape backups, hard disks up to 280 megabytes, networking systems, and hundreds of other hardware and software accessories.

TECH PERSONAL COMPUTERS is a full service manufacturer of Micro Computer Products and offers a complete line of Desktop, Portables and Multi-User Computer Systems as well as an accessory line of over one hundred enhancement products. TECH PERSONAL COMPUTERS are all backed by a full one year warranty with additional maintenance coverage and extended maintenance contracts available through Mohawk Data Sciences. For more information concerning hundreds of MDS Service Centers throughout the United States, contact TECH PERSONAL COMPUTERS at (714) 754-1170.

TECH PC 714/754-1170

2131 S. Hathaway, Santa Ana, California 92705
TELEX: 272006 Answer Back-TECH FAX: 714/556-8325

Inquiry 342 for End-Users. Inquiry 343 for DEALERS ONLY.

THE CHALLENGE OF MUSIC SOFTWARE

BY ROGER POWELL

An overview of the current state of computers in music

THE MID-SIXTIES marked the beginning of an exciting new era in the field of music. At that time, both Dr. Robert Moog at his Trumansburg, New York, laboratory and Dr. Max Mathews at Bell Laboratories in New Jersey were creating electronic tools for the production of music. The Moog Synthesizer, although not the only device of its kind under development at that time, became universally accepted as a valid musical instrument, revolutionizing the electronic sound industry. But the Moog and other analog synthesizers are based on analog building blocks like oscillators, filters, and amplifiers-circuits that may tend to drift out of calibration, especially under environmental stress.

In another camp, Dr. Mathews and his colleagues were exploring the possibilities of digital sound reproduction using a general-purpose computer equipped with a D/A converter. They reasoned that sound could be sampled at regular intervals, much like a motion-picture camera snapping frames of images. The resulting stream of audio data represents a plot of the amplitude over time and can

be faithfully "played back" by sending the data back out of the computer through the D/A converter. (This is the principle behind today's compact disk technology.) Of course, the cost and size of computing equipment at that time posed a serious deterrent to the average musician's or composer's desire to use computer techniques in his or her art. And, similarly, the early analog synthesizers were bulky, expensive instruments whose most natural environment seemed to be the university laboratory, a domain not normally frequented by the musically inclined. However, the economic barrier between sophisticated electronic tools and musicians no longer exists in today's world of high-performance personal computers and the new generation of music synthesizers, which now includes MIDI, a communications standard for music.

MIDI represents a formal set of hardware and software rules for sending and receiving musical-event data between computers and synthesizers. Music data such as notes or other performance parameters such as pitchbending are typically input by the

musician using a keyboard synthesizer equipped with a MIDI hardware interface. This MIDI hardware encodes the key depressions and transmits them serially at 31,250 bits per second over the MIDI port. The output of this port may be connected to the input of another MIDI port that is either attached to a computer or another synthesizer. The ability to "slave" remote synthesizers to the movements occurring on a master instrument is reminiscent of the antiphonal design of early pipe (continued)

Roger Powell (Magnetic Music, POB 328, Rhinebeck, NY 12572) is a professional musician and computer programmer. He has been involved with music synthesis as a consultant for the Moog Synthesizer Company and Bell Laboratories, where he was introduced to computer music. A longstanding member of Todd Rundgren's band Utopia. Roger has also played keyboards for David Bowie and Meat Loaf and has released two solo sunthesizer albums, Cosmic Furnace (Atlantic, 1973) and Air Pocket (Bearsville, 1978). Recently, Roger has been producing his own line of MIDI-related software tools for music, including Texture, a 24-track MIDI sequencer for the IBM PC.

organs found in the world's great cathedrals. The organist, seated at the console, could control distant multitudes of pipe ranks located throughout the building.

If you insert a computer into this network, data from the master instrument can be collected, stored, analyzed, and passed on to other devices. Here it's important to distinguish between musical-event data and

sound-sample information. The MIDI standard currently focuses on slower-moving performance data like that which the musician's keyboard movements describe. Musical notes consist of key numbers and times of depression and release updating on the order of seconds and milliseconds. Sound samples, on the other hand, represent a quantification of an analog signal, and the data rate for

any degree of high fidelity must approach the order of microseconds. MIDI encodes control signals that may be used to drive external sound-generating devices or fed into music-processing software.

While performing, a musician normally does more than just activate the notes to be heard. Personal inflections may be added by varying the "touch" or velocity with which keys are struck. Other devices on the synthesizer may influence the brilliance of the sound or produce a steady vibrato. All these parameters are defined in the MIDI standard, although not all are implemented in every synthesizer. Continuous controller devices such as pitch-bend and modulation wheels generate large quantities of inflection data. Musicians must use these devices judiciously to avoid clogging the MIDI serial channel or using excessive memory when recording into the computer. Nevertheless, the Japanese and American synthesizer manufacturers who cooperated to design the MIDI specifications were wise to include the ability to "capture" these multiple dimensions of a real-time musical performance as rendered on a MIDI-equipped instrument.

Once the synthesizer, performer, and computer have established a MIDI link, the musical process is open to deeper exploration through software utilities that manipulate musical phrases. Of the many applications programs that are presently offered to musicians, the largest category could be described as "sequencers"programs that act as tapeless, multitrack recorders allowing you to create layers of sound data one track at a time. Using the virtual tracks established in software, a single musician/ composer can build and refine musical structures in the same way that an author uses word-processing software to create literary works. Sequencer programs generally offer a rich set of editing and transformation functions for massaging music data into shape. There are cut-and-paste operations that allow you to move fragments of melody and rhythm around to desired locations earlier or later in the piece, copy functions for repeated phrases.

(continued)

Hassle-Free Programming...

JCL FOR IBM® VSE SYSTEMS A Self-Teaching Guide

Ruth Ashley Judi N. Fernandez

Using the proven STG format of reviews, self-tests, objectives, and exercises, this guide to the operating system that controls IBM's new 4300 series will enable application programmers to handle virtually any communication and control requirement encountered on the job. \$12.95

THE 80286 ARCHITECTURE

Stephen P. Morse Douglas J. Albert

An in-depth guide to Intel's new 80286 and 80287 microprocessors, the chips used in IBM's PC/AT and many compatibles. Shows how to program the chips to perform a wide range of business, scientific, and microcomputer applications. \$24.95

FILE FORMATS FOR POPULAR PC SOFTWARE A Programmer's Reference

Jeff Walden

Unlock the complex file formats of programs like Lotus 1-2-3, Multimate, and dBase. With this information—difficult to find and impossible to get in one place—you can easily move information, intact, from one software program to another. \$24.95



Coming soon two new titles on expert systems...

EXPERT SYSTEMS APPLICATIONS Paul Harmon

PROGRAMMING

Brian Sawyer and Dennis Foster

Available now at your local bookstore. For a complete list of Wiley's computer titles, write to Gwenyth Jones, Dept. 6-0970.

JOHN WILEY & SONS, INC. Business/Law/General Books Division 605 Third Avenue, New York, N.Y. 10158

Prices subject to change and higher in Canada

WILEY PRESS



PROGRAMMED FOR PROFIT.

NOW THE PANASONIC® SOFTWARE DEVELOPMENT TOOL MAKES IT EASY TO CREATE CUSTOM SOFTWARE—AND CUSTOMERS—FOR OUR NEW HAND-HELD COMPUTER.

Introducing the Panasonic Software Development Tool (SDT) for our new 16-bit hand-held computer, the Panasonic® Personal Partner.™

Designed to help you create new customers by providing them with custom software, the SDT provides you with a programming environment which allows you to design,

develop and de-bug custom ROM-based software on the Panasonic® Exec. Partner,™ Sr. Partner™ and other IBM-PC* compatible computers.

You'll be writing software for our one-of-a-kind Personal Partner, It's the two-pound computer with the power of a desk-top, an 8-line by 80-character display



and the option of expanding up to 128K memory. The Personal Partner even has an optional 1200/300 baud modem for mainframe communication (available 2nd half 1986).

The Personal Partner provides your clients with the on-site answers they need. And the optional 80-column battery-operated printer makes it possible for them to create professional,

computerized presentations wherever they are.

When you develop software for the Personal Partner with the Panasonic SDT, you know you're programmed for profit.

	o create professional
Send for more information 1(201)392-4645	on on the SDT, or call:
Name	
Company	
Address	
City	StateZip
Panasonic Computer Products Division 333 Meadowlands Pkwy	anasonic Office Automation

B686

Most popular music features repetition of a few basic phrases.

transpose utilities for shifting the key signature, and other tools modeled after the text-editing environment. Beyond this, some programs have commands to assist composing using algorithmic methods. This set of tools performs extended manipulations on the phrases stored in memory; melodies may be rotated (end notes of phrase appear at beginning), inverted (high notes become low notes and vice versa), and compressed or expanded (pitch range of melody made narrower or greater). Note and performance streams of several tracks may be merged into one for dense patterns, and phrases may be overlapped with delays for echo effects. Most popular pieces of music feature repetition and variation of a few basic phrases. The task of the composer is to develop these fragments into a seamless whole. By assigning the mechanical work of actually moving and altering the note patterns to the computer, a high degree of spontaneity can be achieved during the creative process.

Music data can be represented graphically in several different ways. each with its own benefits and drawbacks. Common music notation—the normal character set of music symbols that musicians can readprovides a well-proven methodology and is an obvious choice for an operator interface given its large user base. There are roughly 80 symbols that you should know to be able to decipher a musical score. Half of these symbols are used frequently, suggesting that some counterpart of the NAPLPS graphic-communications standard could be adopted for lowlevel music-graphics applications. The formatting of music data to a video screen seems straightforward until you want to translate real-time performance data into common notation. The problem is that a human cannot play the prescribed notes of a musical

score precisely on time or for the exact duration indicated, forcing the computer that is reading the incoming events to make decisions about note values and placement. The process of composing is reversed here (decomposing?) and the software has to make musically appropriate decisions regarding the player's intentions. Dr. Roger Dannenberg of Carnegie-Mellon University has made significant progress in the development of real-time heuristic techniques in this area. He has produced algorithms that actually can follow a musician's performance and continuously ascertain the proper rhythmic context, speeding up and slowing down as a human accompanist might react to the actions of a soloist. This information can also be used to draw a screenful of music notation entered via a MIDI host instrument.

In some applications, common music notation is either unsuitable or unnecessary and is replaced by other display means. Simple list editing of timed events may be sufficient, or you may be presented with a piano-rolltype notation where note events are shown as vertically spaced lines and dashes indicating pitch and duration. This depiction more accurately shows the exact timing relationships between notes and doesn't require familiarity with objects like stems and dotted 32nd notes indigenous to standard notation. Ideally, you would like the ability to switch-select the appropriate view and produce hard copy to match. I suspect that future software will support such options.

In a professional or semiprofessional studio environment, it is often necessary to synchronize the playback of tape machines and computer sequencers to run in tandem. The motion-picture industry has been synchronizing sound to film for years and has developed a time-code protocol called SMPTE (Society of Motion Picture and Television Engineers) specifically to assist that procedure. Unlike simple FSK (frequency-shift keyed) sync signals used to drive sequencer devices from tape, each block of SMPTE signal bits contains a unique time stamp to facilitate precise location for sound or film editing. In a

sound lab, one track of a multitrack tape will be "striped" with SMPTE code for the length of the musical selection. Although MIDI does not recognize SMPTE directly, any time code may easily be translated into a MIDI-format message (the song position pointer) that the software may use to find a point in the score data. Several companies now manufacture units to read SMPTE and generate the MIDI location data. By using only a single track of tape, a computer sequencer can be "clocked" and made to send its data to an ensemble of synthesizers, freeing the other tape tracks for sounds that must be recorded through microphones (vocals, guitars, flutes, etc.). Instruments can be played by the computer as the final master tape is created (mixdown) preventing the loss of fidelity caused by analog-tape limitations.

MIDI has become useful in other applications in the sound and entertainment industry. MIDI control has been built into mixing consoles for automating computer-controlled mixdowns. A special MIDI interface can control stage lighting, both spotlight and laser-oriented. The growth in the use of MIDI-controlled equipment has also made it clear that the MIDI standard needs to be developed further to accommodate the things imaginative people have envisioned for it. Bandwidth will have to be increased or multiport interfaces will have to be designed to overcome the bottleneck that occurs at 31.250 bps when many devices are interconnected. Data delays are noticeable in large systems. especially when devices are "thru"connected (chained). Several manufacturers produce MIDI data-distribution boxes to help eliminate this particular problem.

You may have the impression that MIDI is useful only to those with access to keyboard-controlled synthesizers, but, in fact, there exists a device that can track the sounds made by acoustic instruments (including the human voice) and produce MIDI data signals. By using such a pitch-to-MIDI converter, instrumentalists or vocalists can access electronic music tools without having to

(continued)

ONCE IN A LIFETIME A NEW PRODUCT APPEARS ON THE HORIZON THAT SHINE ABOVE ALL OTHERS

THE CREATOR™

APPLICATION GENERATOR

by Advanced Development Technologies

- ★ FOURTH GENERATION PRODUCTIVITY
- FLIMINATE DATABASE MANAGMENT SYSTEMS
 - * A COMPLETE APPLICATION GENERATION ENVIRONMENT
 - DEVELOP APPLICATIONS IN LESS TIME
 - * REDUCE CODE REQUIREMENTS BY 90 PERCENT .
- TRAPS ERRORS WITH DETAIL ANALYSIS
 - ★ MULTIPLE FILE ACCESS WITHOUT PROGRAMING
- 99 INDEXES PER DATA FILE
- AUTOMATIC RECORD LOCK
 - ★ UNLIMITED FILE AND **RECORD SIZE**
- * PRODUCES COMPLETE DOCUMENTATION

MASTERCARD/VISA

INCLUDES:

Internal Expression Compile Relational File Structure ISAM File Access Method Screen and Report Generator Rich Library of Functions **Data Dictionary** System and User Defined Variables

For Only \$99 The CREATOR™ Lets You Develop Applications Without Being Bogged Down By A Lot Of Code. Regardless Of How Simple Or Sophisticated The Applications, Save Hundreds Of Hours Of Programing By Using This Advanced Method Of Application Development, Manages All Phases Of Program Development:

- Program Generation
 Database Definition
- Screen And Report Formation
 Multiple Levels of Menus. A Complete Development System Available For IBM, PC, XT, and AT Requires 256K RAM Includes Unlimited Run Time

800-528-6060

EXT. 239

CHECKS AND MONEY ORDERS ACCEPTED

®THE CREATOR™ IS A TRADEMARK OF ADVANCE DEVELOPMENT TECHNOLOGIES 2720 N. 68th St., Suite 5379 Scottsdale, Arizona 85257

602-945-1375

IBM PC, XT, AT is a Copywright of International Business Machines, Inc.

CopyWrite

BACKS UP IBM PC SOFTWARE

Hundreds of the most popular copy-protected programs are copied readily. CopyWrite needs no complicated parameters. It needs an IBM Personal Computer, or an XT or an AT, 128k bytes of memory, and one diskette drive. CopyWrite will run faster with more memory or another drive.

CopyWrite is revised monthly to keep up with the latest in copy-protection. You may get a new edition at any time for a \$15 trade in fee.

CopyWrite makes back up copies to protect you against accidental loss of your software. It is not for producing copies for sale or trade, or for any other use that deprives the author of payment for his work.

To order CopyWrite, send a check for \$50 U.S., or call us with your credit card. We will ship the software within a day.



Quaid Software Limited

45 Charles Street East Toronto, Ontario M4Y 1S2 (416) 961-8243

Ask about ZeroDisk to run copy-protected software from a hard disk without floppies. learn keyboard techniques. The act of playing or singing into the converter causes standard MIDI signals to be generated and sent to a receiving MIDI port on a synthesizer or computer. A flutist, for example, may control a bass-guitar sound on a synthesizer. The educational paths opened by the pitch-to-MIDI converter include intonation training, sight-reading drills, music theory, and tutoring of instrumental techniques—in short, the learning of any traditional instrument can be enhanced to make the process more enjoyable and effective.

The history of MIDI software development can be compared to that of business software. During the early period, business software consisted of a host of stand-alone programs. each fulfilling a particular task such as word processing or telephone communications. Later, integrated packages were produced that combined the most useful programs into one. MIDI software is currently undergoing the transition from a plethora of stand-alone products to integrated programs that combine the features of sequencing, notation, and synthesizer voice librarians. As in the business world, not everyone will be drawn to an integrated packagesome may prefer to use a collection of favorite single-job programs installed into a desktop or workbench environment. In any case, the issues of music data structures and file compatibility gain more and more importance as the industry evolves. At this time, unfortunately, the musical-score data produced by most programs cannot be shared by other programs, a factor that limits the usefulness of the data generated. Imagine the consequences if there were no accepted standard format for ASCII text files! Of course, music files are far more complex than simple text files and a standard is more difficult to design, although not impossible. Getting software developers to agree on a proposed standard is another matter.

The chief focal point of computer software up to now has been the visual aspect. With computer hardware designers and manufacturers now realizing the advantages of combining sound and visuals, you can expect more emphasis on this previously overlooked asset in the form of more sophisticated internal sound generation for personal computers.

For example, software that allows creation of animated musical storyboards is already available for Commodore's Amiga computer. These storyboards may be used in designing motion-picture scenarios or actually producing complete video animation segments accompanied by a professional-quality sound track.

There is little doubt about the stimulating effect that MIDI has had on the electronic music field; activity among manufacturers and consumer musicians is at an all-time high. It's hard to stay abreast of the new developments in MIDI hardware and software occurring every few months. The ultimate beneficiary of this technological onslaught is the average person who has always wanted to experiment with music but felt there were too many financial and psychological obstacles. By increasing the productivity of professionals, the developers of music software have also provided affordable, comprehensible tools for the amateur. Flexible software can extend the useful life of musical equipment by allowing older gear to be used with newer instruments. A user can realistically plan to build a system piece by piece over a period of time and not be forced to discard last vear's model because it can't talk to the newcomers. For these promises to be fulfilled, awareness of what's available and what it can do must increase among the targeted end users. This awareness must then grow into a two-way communications channel between the developers of software and the artists who use it. The realm of music is no longer off-limits to anyone with a personal computer.

BIBLIOGRAPHY

Buxton, W., and G. Fedorkow. The Structured Sound Synthesis Project. Toronto, Ontario: University of Toronto, 1981.

Chamberlin, Hal. Musical Applications of Microprocessors. Rochelle Park, NJ: Hayden Book Co. Inc., 1980.

Computer Music Journal. Boston, MA: MIT Press.

Mathews, M.V., et al. Technology of Computer Music. Boston, MA: MIT Press, 1969.

Orchid's TurboEGA[™] The world's fastest EGA



Introducing the only Enhanced Graphics Adapter with PCturbo™ speed.

The experts agree: the EGA is the breathtaking new graphics standard, but the sophisticated software written for it places a big burden on the PC's processing speed. Beautiful graphics, crisp text, but too slow.

Everyone else rushed their EGAs to the market, but Orchid Technology took the time to do it right. Orchid's TurboEGA™, from the *inventors* of PC TurboProcessing, packs a high-speed Turbo and an EGA into one slot, for the world's fastest EGA.

Graphics with Speed

TurboEGA makes IBM PCs and XTs run faster than an AT. It brings dazzling speed to sluggish graphics programs. All types of software run faster, so you finish more quickly. Transparent to the user, you won't know it's there until you see its speed.

We are so confident that our TurboEGA is the ultimate graphics card that we decided to give away a free copy of Microsoft's Windows with each TurboEGA*. Even Microsoft recommends that you run Windows on an AT. Now Orchid's TurboEGA gives you AT speed so XT users can use this number one windowing software at the speed they demand.

The Complete Solution

Only Orchid puts this much performance into one slot and comes fully loaded with 256K of RAM, so there's no hidden cost. TurboEGA is the *complete* graphics solution.

Pick up the phone and find out how you can have the EGA the competition wishes they had: Orchid's Turbo EGA, the world's fastest.

If you have an AT or a system with 80286 speed, ask about the Orchid EGA™—four graphic-card compatibility in one slot.


Features:

- Powered by 7.2MHz 80286
- Optional 5 or 8MHz 80287
- 256K of on-board RAM
- Four graphics modes: EGA, CGA, MDA, Hercules
- Supports the long list of EGA software:
 Microsoft Windows & Word
 Lotus 1-2-3 & Symphony
 Topview
 Framework
 Chart-Master
 AutoCAD
 PC Paint Plus
 and more...



*Offer good only on TurboEGA purchases until July 31, 1986.

At last, the world's best-selling portable computer has a little competition.



Introducing the remarkable new COMPAQ PORTABLE II



Now there's a portable personal computer so small, so light, and so fast it defines a new industry standard. From the same company that set the standard—COMPAQ.

The new advanced-technology COMPAQ PORTABLE II™ has all the advantages of the world's best-selling full-function portable—the original COMPAQ Portable—plus it's even more portable. And it's far more powerful than most desktop computers.

With its 80286 microprocessor, the COMPAQ PORTABLE II can run all the popular business software written for IBM* Personal Computers. At speeds three to five times faster than the COMPAQ Portable, IBM PC/XT, and other compatibles.

It's more computer in less space

Never before has a computer this small been capable of so much. Making the COMPAQ PORTABLE II 30% smaller and 17% lighter—with no reduction in monitor size and a big gain in functionality—was an engineering triumph. The result is a full-function, advanced technology personal computer that's easy to take on business trips or carry from desk to desk.

A computer for now and for the future

The COMPAQ PORTABLE II excels in compatibility. And because of its standard 360-Kbyte diskette drive format, your data diskettes will be fully interchangeable with other COMPAQ, IBM, and compatible personal computers.

Expandability? An optional 10-Megabyte fixed disk drive stores over 5000 pages of data; the optional 20-Megabyte fixed disk drive, twice that. RAM expands to 2.1 Megabytes without an expansion slot, and with one expansion slot RAM can expand to 4.1 Megabytes. Since interfaces for the most popular peripherals are already built in, the two expansion slots can be

used for connecting your computer to others: add a modem, a networking board, or a board for communicating with your mainframe.

No compromises

The COMPAQ PORTABLE II puts tremendous computing potential within the grasp of every computer user. It's backed by the service and the support of over 2900 Authorized COMPAQ Computer Dealers worldwide. Plus, it's made by the undisputed world leader in portable personal computers. And for that title, there's no competition.

For the name of the dealer nearest you, call toll-free 1-800-231-0900 and ask for Operator 16. In Canada, call (416) 449-8741. In Europe, telex 84117898630AB; 898630 COMPAQ TTX D.

IBM* is a registered trademark and IBM PC/XTTM is a trademark of International Business Machines Corporation. **9186 COMPAQ Computer Corporation. All rights reserved.

COMPAQ

Stat Magic The Report The Report

Statistics, reports and plots happen magically with SPSS/PC+** —the enhanced and expanded Statistical Package for IBM PC/XT/AT's:*

SPSS/PC+ is the most comprehensive statistical program for performing simple or complex tasks. For nearly 20 years, SPSS Inc.'s reputation and reliability as the leading producer of mainframe statistical and reporting software is unsurpassed. SPSS/PC+ carries this reputation into the PC environment.

SPSS/PC+ — Fully integrated: report writing, plotting, file management, communications with mainframes. Statistics: descriptives, crosstabulation, multiple regression, ANOVA. Simple facilities allow transfer of files between SPSS/PC+ and programs like Lotus 1-2-3, dBASE III, and SAS."

SPSS/PC+ Advanced Statistics — Factor, cluster, discriminant and loglinear analyses, MANOVA.

SPSS/PC+ Tables — Presentation-quality tabular reporting. Produce stub and banner tables. Handle multiple response survey data. Control content and layout completely.

SPSS/PC+ documentation is rated Number One by both novices and experienced analysts. SPSS Inc. also offers a full training schedule and a customer support hot-line.

To order, contact our Sales Department at 312/329-3500

SPSS Inc., 444 N. Michigan Avenue, Chicago, IL 60611, 312/329-3500. In Europe: SPSS Europe B.V., 4200 AC Gorinchem, The Netherlands, Phone: + 31183036711 TWX: 21019.

SPSS inc. PRODUCTIVITY RAISED TO THE HIGHEST POWER

*SPSS/PC+ runs on the IBM PC/XT/AT with hard disk. Contact SPSS Inc. for compatible microcomputers.

IBM PC/XT and PC/AT are trademarks of International Business Machines Corporation. dBASE III is a trademark of Ashton-Tate. 1-2-3 is a trademark of Lotus Development Corporation.

SAS is a registered trademark of SAS Institute, Inc. SPSS, SPSS/PC+, SPSS/PC+ Tables, and SPSS/PC+ Advanced Statistics are trademarks of SPSS Inc. for its proprietary computer software.

DIGITAL MUSIC SYNTHESIS

BY ROBERT A. MOOG

The many different shapes of the waveform of the present

MUSIC IS ONE of the most information-rich (wide-bandwidth) forms of human communication. A compact disk, for instance, uses nearly 1.5 megabits per second to faithfully transmit a stereo recording, as opposed to the several hundred bits per second needed to transmit a written message as fast as you can read it. Only video, the faithful transmission of which requires over 50 megabits per second, has a significantly higher information density.

Music is also a highly structured form of human communication. The hierarchy of a piece of music may be as deep as that of the federal bureaucracy: Notes, phrases, lines, sections, and movements are carefully arranged to heighten and clarify the intent of the music.

These two general properties of music, wide bandwidth and complex structure, happen to match the information-handling capabilities of today's personal computers. In addition to the personal computer's wide bandwidth (or high speed) and information-organizing and -processing capabilities, you can access a growing list of instruments, accessories, and components designed specifical-

ly to produce musical tones in response to high-level digital instructions. These devices owe their existence to rock 'n' roll, the consumerization of digital audio, and dramatic advances in LSI (large-scale integration). They employ a wide variety of sound-producing techniques, each with its own set of features and limitations. This article discusses the general attributes of musical sound and how to produce it, the capabilities of specific sound synthesis techniques, how musicians are using these techniques, and what you can expect the future to bring to digital music.

THE PROPERTIES OF MUSICAL SOUND

Music is an arrangement in time (and, to a lesser but still important extent. in space) of a collection of sonic events generally called notes. This is actually a subjective description of music. We hear individual notes only because our ears and mind pick acoustic information apart into events that we perceive to be distinct. What actually exists outside our ears is an ongoing series of vibrations of the air. The graph of air pressure versus time

is the waveform, an unbroken pattern, present even in the quietest of sound-proof rooms. The ratio between the height of a sound waveform that you can barely hear and one that is so loud that it begins to hurt is about one to a million. That's about 120 decibels. Music, speech, and other normal sounds occur in the upper 60 dB of your hearing range.

You can describe any waveform that tends to repeat as a collection of frequency components, each one of which has a sine waveform. This is the spectrum of a sound.

Thus, any sound has two complementary, equivalent representations: its waveform and its spectrum. The waveform is the sound's time-domain representation; the spectrum is its frequency-domain representation. Together they are capable of fully describing a sound. The relation of the waveform to the spectrum is

(continued)

Robert A. Moog is vice president of new product research at Kurzweil Music Systems (411 Waverly Oaks Rd., Waltham, MA 02154). Known as the developer of the first commercial electronic music synthesizer, he has a Ph.D. in engineering physics from Cornell University. described by a mathematical relationship called the Fourier theorem.

The waveform of a very simple sound-for example, a tone from a laboratory audio oscillator-does not change with time. Real musical sounds, however, are never steady. They constantly change as they evolve. Piano tones, for instance. begin loud and bright and then decay to silence in a complex way that's characteristic of the instrument. These variations are essential determinants of the sound's characteristic tone color. They are neither entirely random nor entirely regular, nor are they undesirable deviations from a perfectly steady tone.

In the early days of musical acoustics, the importance of the details of a tone's evolution was not generally recognized. Acoustics textbooks often showed a single cycle of a waveform and labeled it violin or oboe. Musical-instrument engineers now recognize that, in determining a sound's tone quality, or timbre, the

steady-state waveform takes a back seat to the parameters that describe how sound changes as it evolves. For this reason, many synthesis techniques are important primarily because they allow important parameters of the generated sounds to be precisely and continuously varied. The exact shapes of the sound-parameter variations may be generated explicitly by a musician's real-time control or may be determined by a set of function generators that are connected to, but separate from, the sound-waveform generator itself.

Figure 1 illustrates this notion. The rightmost block indicates the audiowaveform generator, which produces the audio waveform itself. It may, for instance, be an analog synthesizer module, a hard-wired digital oscillator, or a waveform-generating routine run by a microprocessor. The block to its left represents the control-function generators, a set of time-varying function generators whose outputs continuously control the properties of the

audio waveform. In general, the control functions are simpler and more slowly moving than the sound waveform and are often (but not always) produced by software routines.

The leftmost box on the bottom. representing coefficients and boundary conditions, produces the commands that specify the shapes of the control functions. Generally (but not always) these commands are a brief set of time-invariant numbers that provide the initial boundary conditions and coefficients of the control functions. Finally, the box on the top, real-time control, represents timevarying functions of arbitrary shape. such as those that a musician may wish to impart by hand. Real-time control may change the coefficients of the control functions or may be added to the control functions themselves to directly modify the sound waveform.

Figure 2 shows one specific example of this type of control hierarchy. The waveform generator is an analog (continued)




Figure 1: Control hierarchy of a typical sound synthesis system. The audio-waveform generator produces an evolving waveform in response to a set of slowly varying control functions. The control-function generator produces control functions in response to a set of numerical coefficients and boundary conditions. The real-time

control module allows the musician to shape continuous changes, either in the waveform itself or in the control-function parameters. The coefficients and boundary-conditions module defines the perceived tone color, while the real-time control module enables the musician to "play" the sustem.

PC 3780 FILE TRANSFERS STAY ON THE TRACK



305/372-9332

Telex 4947306

MIAMI, FLORIDA 33131

voltage-controlled oscillator (VCO) coupled to a voltage-controlled amplifier (VCA). Control functions consist of a low-frequency oscillator (LFO), two exponential rise-and-fallor envelope (ENV)-generators, and slowly varying functions that control another VCA. The tone setup is a "tone-color preset" whose numbers give the time constants of the envelopes and the frequency of the LFO output. The real-time control is a keyboard controller whose outputs give the VCO's center frequency (musical pitch) and provide the trigger that starts the ENVs. The resultant tone has a frequency modulation (vibrato) that builds up at the rise time of the first ENV output; the tone itself builds up at the rise time of the second ENV output.

DIGITALLY CONTROLLED ANALOG CIRCUITRY

The first synthesizers were analog. In analog synthesizers, VCOs produce

waveshapes such as sawtooth and square because they are easy to produce and are rich in harmonicsspectrum components whose frequencies are whole-number multiples of the waveform's repetition frequency. One or more VCFs (voltage-controlled filters) alter the relative strengths of the harmonics, thereby modifying the overall brightness or quality of the sound. VCAs dynamically shape the amplitude of the tone as well as the amplitudes of control signals. The resultant class of tone colors from analog synthesis includes some interesting approximations of traditional instrumental sounds. More commercially important, however, were new sounds that fit into the emerging electronic pop music of the sixties and seventies. Smooth pitch glides of swept VCOs, the vocal-like 'wow" sounds of swept VCFs, and the fat, rolling sound of several sawtooth waveforms at nearly the same frequency became basic weapons in the rock 'n' roll keyboardist's arsenal.

Microprocessor-controlled analog synthesizers first appeared commercially just eight years ago and continue to be popular today. The Oberheim Xpander, for example, is an advanced six-voice instrument with its own self-contained microprocessorbased programming panel (see photo 1). The Xpander is specifically designed for sophisticated communication with the outside world through MIDI. In fact, you can activate virtually all of the Xpander's panel features externally through Oberheim's MIDI system-exclusive code set. The panel features provide complete control over 15 analog operating parameters per voice (one of which is a 15-position filter-mode selector), as well as literally hundreds of microprocessorcomputed control functions. Thus, although the actual generation and modification of the Xpander's musical tones are performed by analog circuitry, the amount of control that is accessible via MIDI gives this instrument (and many other contemporary analog synthesizers as well) the same order of programmability and versatility as many all-digital synthesizers.

PHASE DISTORTION: THE CASIO CZ SERIES

About three years ago. Casio introduced the CZ-101, the first in its line of fully digital, fully programmable synthesizers (see photo 2). It is a four-voice multitimbral instrument that has some similarity to analog synthesizers, both in the way it is programmed and in the sorts of sounds that result.

Like analog sound chains, the CZ algorithm has one parameter that determines the tone's pitch, a second that determines its brightness or tone color, and a third that determines its overall loudness. The main difference between the CZ and analog synthesizers lies in exactly how the tone's brightness is shaped. In the analog world, the VCF performs brightness control. Analog filtering is a frequency-domain operation, which, in analog technology, is no harder than time-domain operations.

The digital world, however, generally avoids frequency-domain operations




Figure 2: A simple analog-synthesis control hierarchy. The audio waveform is produced by a voltage-controlled oscillator (VCO) followed by a voltage-controlled amplifier (VCA). There are three control functions: a number from the keyboard that tells which key is pressed (which pitch to produce), a slow periodic wave that builds in amplitude to provide delayed vibrato, and an amplitude-shaping envelope (ENV) function. The tone setup provides values for vibrato speed, rate of vibrato buildup, and rate of audio-tone buildup. A gate signal that goes on when a keyboard key is pressed starts the two ENV function generators.

because of the expensive hardware required to perform the many highprecision multiplications per waveform point. The time-domain operation of waveshaping, on the other hand, can achieve the same sort of spectral variation as dynamic filtering with little or no multiplication. Casio engineers designed their algorithm to produce waveforms whose shapes can be swept continuously from pure sine to one of eight user-selectable high-brightness "analog sound-alikes." The algorithm centers around a lookup table in which the instantaneous amplitude of a cycle of a sine wave is plotted against uniform increments of the sine wave's phase angle. When a pure sine-wave output is desired. the phase angle is advanced in equal increments per unit time; when a waveform of higher harmonic content. (i.e., a somewhat distorted sine wave) is desired, the phase angle is incremented first more rapidly, then more slowly, during each cycle. Figures 3a and 3b show how the resultant waveform changes as the rate at which the phase angle changes is modulated during a single cycle. Casio calls this algorithm PD, for phase distortion.

By using the concepts of analog synthesis as a starting point but employing an algorithm that is efficiently matched to the capabilities of digital technology, the Casio CZ series instruments offer the musician many stock synthesizer effects, with the versatility and accuracy of control that you associate with any well-designed microprocessor-based operating system, at a low price. The CZ-101, for instance, sells for less than \$500, an amount that, just 10 years ago, would barely have bought a medical minimum analog synthesizer with one voice and no program memory.

FM SYNTHESIS: THE YAMAHA DX SERIES

Frequency modulation (FM) is the variation of the frequency of one repeating waveform, the carrier, by an amount proportional to the instantaneous amplitude of a second waveform, the modulating wave. The simplest application of FM is the modulation of one sine wave with another.




Photo 1: The Oberheim Xpander microprocessor-controlled analog synthesizer.



Photo 2: The Casio CZ-101 phase-distortion, programmable digital synthesizer.




Figure 3: Changing an audio waveform by varying the rate at which a sine lookup table is read out; (a) shows a constant rate of readout, while (b) shows a readout whose rate changes twice per cucle, distorting the sine wave into a sawtooth waveform.

MEETING YOUR COMPUTER NEEDS FOR OVER A DECADE

TURBO XT

Dual Spd CPU, 2-FD, 640K Grn Monitor, complete

\$995



Complete systems shipped overnight.

SOFTWARE	
ANDREW TOBIAS MANAGING	3
YOUR MONEY	\$129
ASHTON TATE FRAMEWORK	\$439
ASHTON TATE dBASEIII plus	
ASTITUTI IATE OBASEIII PIUS	\$429
BORLAND SIDEKICK	\$39
BORLAND TURBO PASCAL	\$45
BORLAND TURBO LIGHTNIN	
BORLAND SUPERKEY	\$35
BORLAND REFLEX	\$59
CLIPPER dBASE COMPILER	call
COMPUTER ASSOCIATES	
	\$299
DECISION RESOURCES	4200
CHARTMASTER	****
	\$239
DECISION RESOURCES	
SIGNMASTER	\$189
DECISION RESOURCES	
DIAGRAMMASTER	\$259
DIGITAL RESEARCH GEM	
DRAW/COLLECTION	call
DIGITAL RESEARCH	
GEM COLLECTION	call
FUNK SOFTWARE SIDEWAYS	
HARVARD TOTAL PROJECT	940
MANAGER	call
HAYES SMARTCOM II	\$89
IBM DISPLAYWRITER III	\$369
LATTICE C-COMPILER LIFETREE VOLKSWRITER	\$298
LIFETREE VOLKSWRITER	
DELUXE	call
MICROSOFT WINDOWS	\$179
MICROSOFT WORD	call
MICROSTUFF XTALK XVI	\$99
MULTIMATE latest	call
MULTIMATE ADVANTAGE	
NORTON UTILITIES	call
	\$59
OPEN SYSTEMS ACCOUNTIN	
SERIES	call
ROSESOFT PROKEY	\$99
SATELLITE SOFTWARE	
WORDPERFECT 4.1	call
SOFTWARE PUBLISHING CO.	
	m \$79

AT&T*† 6300

2-FD, 256K, Keyboard, AT&T Hi-Res Mono Monitor



\$1,795

MASS STORAGE

MASS STORAG	
floppy drives	
MITSUBISHI 1/2 ht 360k	
	\$98
(bl/gry) ·MITSUBISHI 1/2 ht	
1.2 mb (gry)	\$147
TANDON TM100-2	\$125
TOSHIBA 1/2 ht.	call
internal hand drives	

All hard drives complete with controllers, mounting hardware & instructions. All are formatted, tested & have 1 year warranty.

	,
SEAGATE 10MB	\$497
SEAGATE 20 MB	\$596
SEAGATE 30 MB	call
SEAGATE 20 MB for	
SEAGATE 30 MB for	AT \$796
PRIAM 40MB/60MB	\$1395/1595
PRIAM 40MB/60MB	
for AT	\$1425/1625

disk cards

NANUGARU	
10MB/20MB	\$625/895
CMS 10MB/20MB	call
MOUNTAIN 10MB/20MB	

disk subsystems
BERNOULLI BOX 20MB/40 MB
\$2695/3595
SYSGEN FLATPACK call
TALLGRASS all models call

IALLIGHASS all models	CBI
tape drives IRWIN 10MB/20MB inter. IRWIN 10MB/20MB exter. TALLGRASS 4060	cal cal

BOARDS

multifunction	1
QUADRAM QUADPORT AT	
QUADRAM LIBERTY	cal
QUADRAM EMS+	cal
AST SIXPAK 384k	\$288
AST RAMPAGE XT/AT	cal
QUADRAM QUADBOARD	
384k cell-new low	low price

384k call; new low, low price THESYS FASTCARD V Ok NEWI RAM BOARD 384k half card \$169

IBM* PC

2-FD, Graphics mono monitor, 256K, list 2810



\$1,679

video/graphics	
AST PREVIEW	\$289
HERCULES COLOR	\$188
HERCULES GRAPHICS	\$319
IBM COLOR	\$198
IBM MONOCHROME	\$198
QUADRAM EGA +	\$399
QUADRAM QUADCOLOR I	
COLOR CARD w/par.	call
MONOCHROME GRAPHICS	
Herc comp	\$19R

network ORCHID PCNET call QUADRAM QUADNET IX call

emulation	
AST 5251 mod 11/12	call
DCA IRMA	call

MONITORS

monochrome	
AMDEK 310a	\$168
IBM MONOCHROME	\$224
PRINCETON MAX 12	\$178
QUADRAM AMBERCHROME	\$166

GONDININ ANDENOTING	JIVIL PAU
color	
AMDEK 600/772	call/\$52
IRM ENHANCED COLOR	450

PRINCETON
HX12/H12E \$436/\$526
QUADRAM QUADCHROME II call
QUADRAM ENHANCED Color NEWI

MODEMS

HAYES IZUU IZUUB \$3	36/329
HAYES 2400/2400B \$5	96/526
US ROBOTICS PASSPORT	
1200/2400	cal
PEACHTREE P1200 exter.	\$196
VENTEL 1200 w/XTALK	call

SUPPLY HOUSE

PC MART DISKETTES box	\$18
case	\$159
VERBATIM DISKETTES box	\$28
case	\$258

IBM* AT-Enhanced

20-Megabyte Hard Disk, 1.2-MB FD, 512K, Keyboard, Amber Monitor



\$3,995

Specialists in complete computer systems for business applications.

PRINTERS

dot matrix			
BROTHER HR1509	\$398		
EPSON LX-80	call		
EPSON FX-85/FX-286	call		
EPSON LQ-800/LQ-1000	call		
IBM PROPRINTER	\$425		
OKIDATA 182	\$268		
OKIDATA 192/193	\$399/545		
OKIDATA 2410	call		
TOSHIBA 321	call		
TOCHIDA 241/251	\$959/1150		

HOUSTON INSTRUMENTS call models available for quick delivery

MISCELLANEOUS

MOUSESYSTEMS PC	
MOUSE w/PAINT	\$159
MICROSOFT MOUSE	
serial/bus	\$129
KEYTRONICS	¥
5151/5153	call
AT Keyboard	\$149
QUADRAM MICROFAZER 8k	\$129
QUADRAM MICROFAZER II	New
TRIPPLITE ISOBAR from	m \$45
TRIPPLITE UPS 400w/800w	call
	m \$29

CHIPS

64k/128k/256k	call for
8087/80287	market price call for
	market price



Personal Computer Centers

\$197

1-800-241-0286 ORDERS 1-404-634-5995 INFORMATION

1485 Northeast Express NE • Atlanta, GA 30329

Visit our showrooms in Atlanta, Charlotte, Durham and Raleigh

SALES · SERVICE · FINANCING · DELIVERY · SUPPORT

SORCIM SUPERCALC III

^{*}Registered Trademark

[†]Some systems available to qualified accounts only.

The mathematical expression that describes this is $W(t) = P \sin(At + I)$ sin Bt). This equation tells us that waveform W is a sine wave of peak amplitude P and frequency A and is being sped up and slowed down a peak amount I at a frequency B. A is the carrier frequency. B is the modulating frequency, and I is called the modulation index.

The spectrum of W is a series of sidebands, or sum and difference frequencies: $A \pm B$: $A \pm 2B$, $A \pm 3B$, and so on. Calculation of the amplitudes of each of the sidebands requires an understanding of Bessel functions, which are mathematical functions describing how the amplitude of a harmonic changes. This is a complex subject in itself. The general results of these calculations, however, can be stated simply.

- 1. As I increases, the amount of energy in A goes down, and the amount of energy in the sidebands goes up.
- 2. As I increases, more and more frequencies become audible. In other words, the bandwidth of the total spectrum of W increases.


If you set the modulating frequency B equal to the carrier frequency A, the sideband frequencies are then wholenumber multiples, or harmonics, of the carrier frequency. Starting with two sine-wave generators and tying the instantaneous frequency of one to the instantaneous amplitude of the other, you can generate a single complex tone with a large number of harmonics. Furthermore, you can change the overall harmonic content of the tone simply by varying one parameter, the modulation index I. By invoking this simple algorithm that operates in the time domain, you gain convenient control over the sound's spectrum.

The Casio PD algorithm uses timedomain processing to generate and control harmonics too. But the advantages of FM over PD lie in what you can do in FM by changing the ratio between the carrier and modulating frequencies.

Most acoustically generated musical sounds have a complex internal motion that makes them interesting and pleasant to listen to. An important part of this motion is due to the slight deviations in the frequencies of the harmonics from "perfect" wholenumber ratios with the fundamental pitch. For instance, the harmonics of a piano tone are all slightly sharp (high). Translated into the time domain, this means that a piano waveform does repeat exactly every cycle but changes slowly and continuously

as the tone evolves. The ability to detune the harmonics by slightly shifting the modulating frequency gives FM the ability to generate a wide variety of continuously changing waveforms that musicians often describe as warm, fat, or acoustic. Serious synthesists prize this capability and spend a lot of time exploiting it.

(continued)



The advantages of FM were understood by analog-synthesizer designers, but the analog technology of the sixties and seventies did not permit accurate, wide-range, and efficient production of FM waveforms. John Chowning was one of the first people to experiment with digital production of FM sounds. Using a research computer at Stanford University in the early seventies, he systematically explored the relationships between the values of the coefficients of the FM algorithm (A. B. and I) and the resultant tone colors. His work led to the development of a series of commercial keyboard instruments by Yamaha, the latest of which are the DX and TX series digital synthesizers. One of these, the Yamaha DX-7, has become enormously popular among electronic keyboardists; well over 100,000 DX-7s reportedly have been sold.

In the DX-7, the basic algorithmic element is a digital oscillator whose output is shaped by a four-segment envelope. Yamaha calls this element an "operator." Six operators are

available for each voice; the complete instrument can simultaneously produce up to 16 voices. The musician may choose one of 32 preprogrammed algorithms, which are configurations of operators. Figure 4a shows what an operator is; figure 4b is an example of a simple algorithm; and figure 4c is an example of a more complex algorithm.

HARMONIC SYNTHESIS

The most powerful of all synthesis techniques, and the least amenable to intuitive exploration, is harmonic synthesis. This is where the musician explicitly specifies the amplitude envelope and frequency of each harmonic of the tone. In theory, harmonic synthesis is the only way to accurately synthesize arbitrarily complex, pitched tones. In order to do it, however, you have to specify as many as 100 or more harmonic amplitude envelopes for every tone color.

In the mid-seventies, Dr. Hal Alles of Bell Laboratories developed a sophisticated music system based on harmonic synthesis. The harmonics were generated by incrementing through a high-precision sine-wave lookup table at different rates. The problem became how to shape the amplitudes of all those harmonics without spending a fortune on high-speed multipliers. Alles's solution was ingenious: For every harmonic, read out two sine waves that are of the same frequency but displaced by a slowly varying phase angle. Subtract one from the other. The result is a sine wave whose amplitude is determined by the phase angle.

Alles's design eventually entered the marketplace as the computer-based General Development System and later as the Synergy, a keyboard synthesizer with limited internal programming capability but with a computer interface that provides full programming access (see photo 3). Few people ever met the programming challenge of these instruments. One person who did is Wendy Carlos, perhaps best known as the producer

(continued)




Figure 4: FM waveform-generating building blocks used in Yamaha DX and TX instruments: (a) shows the basic "operator," which you can think of in analog terms as containing a control-summing circuit, oscillator, amplifier, and envelope generator; (b)

diagrams a simple FM algorithm in which one operator modulates the frequency for another; (c) contains a more complex FM algorithm using six operators.

You've chosen Reflex." Now choose the fast way to learn it:

FastStart REFLEX: the only way to produce as you learn. Only McGraw-Hill's FastStart has the advanced technology that lets you really use your software from the moment you open the package. As soon as you start learning, you start producing databases, reports, graphs, and chartsanything you've bought REFLEX to do! And only McGraw-Hill puts a training window right on REFLEX-actual on-screen instructions that guide you through the program.

FastStart REFLEX: the fun and fast way to learn. Only FastStart leads you gently through three levels of training; beginning, advanced, or expert. Each lesson builds on the last. painlessly reinforcing what you've




learned as you go. And all along, you're actually using REFLEX. With the help of FastStart, even the most inexperienced user can start producing with REFLEX, fast. FastStart is also available for Lotus 1-2-3,™ dBase II,® and DOS.® In fact, FastStart tutorials are being created for all the most popular software programs. Look for FastStart dBase III,™ MultiMate,™ SuperCalc® 3, and Symphony™ soon. No matter how complex the program. FastStart makes learning simple.


To order, call toll-free (800) 421-0833, Ext. 288 (in California, (800) 662-6222) or send in the coupon to:

MAR McGRAW-HILL Training Systems P.O. Box 641, Del Mar, CA 92014

The fastest way to save up to \$30:



REFLEX is a trademark of BORLAND/Analytica Inc. MS-DOS is a registered trademark of Microsoft Corporation. dBase III, and MultiMate are trademarks of Ashton-Tate Louis 1-2-5 and Symphony are trademarks of Louis Development Corporation. SuperCalc 3 is a registered trademark of Computer Associates International, Inc.



Honeywell synchronous
VIP emulation and file
transfer (FTF an option).
Compatible with Topview.
Honeywell VIP
asynchronous emulation
and file transfer.
Compatible with Topview.

ASYNCHRONOUS \$399 SYNCHRONOUS \$499

1-800-826-7839



Rivergate Plaza, 444 Brickeli Ave Sulte 902, Miami Florida 33131 Telephone 305/372-9332, Telex 4947306

Connections IBM PC—Honeywell mainframe.

DPS 4, 6, 7, 8, LEVEL 6, 66, ETC

of Switched-on Bach. A few years ago, Wendy combined her programming skills with unique musical intuition to develop a set of orchestral-like tone colors for the Synergy. She spent some 3000 hours over a two-year period to develop the sounds, which have been made available to Synergy owners. These sounds can be heard on Carlos's record Digital Moonscapes (the compact disk is Columbia MK 39340).

More recently, harmonic synthesis is being used in commercially available musical instruments whose sounds are preprogrammed by the manufacturer. One example is the Kurzweil 150, a MIDI-controlled expander that produces high-quality piano and similarly complex sounds by using proprietary synthesis techniques in addition to harmonic synthesis. Another recently announced product along the same lines is the Roland MKS-20. Both instruments provide the musician with access to a few global sound parameters but not to the fine details of the envelopes of the individual harmonics, which are factory-programmed.

SAMPLING INSTRUMENTS

A sampling instrument records, encodes, and stores one or more musical sounds from the external "real world" and then replays those sounds on command. Some sampling instruments-for example, the Kurzweil 250 (see photo 4 and "The Kurzweil 250 Digital Synthesizer" by Christopher Morgan on page 279)use proprietary data-compression schemes to reduce the amount of waveform memory without degrading the quality of the sound. All, however, produce their sounds from completely general digital representations that allow any sound short enough to fit in the instrument's memory to be played back. The differences among the various sampling instruments lie in the sound quality an instrument's hardware is capable of and in the sound modification and manipulation algorithms it can perform.

Some musicians assert that sampling instruments are not really synthesizers because the waveforms are not generated by algorithms. I don't believe that algorithmic generation of waveforms is a necessary feature of synthesizers. The term synthesize means "to produce by combining separate elements." The more sophisticated sampling instruments enable the musician to mix waveforms, reverse their direction in time, displace them both in time and in frequency, and impart slow frequency modulation and complex envelopes. All of these are perceived as "separate elements" that the musician combines at his or her discretion. Ergo,

sampling instruments are definitely synthesizers.

CHIP-LEVEL SYNTHESIS HARDWARE

There are also some music synthesis chips available if you would like to experiment with high-quality music synthesis but would rather build it yourself.

Complete high-performance analog functional modules exist as single chips that require a minimum of sup-

(continued)



Photo 3: Wendy Carlos, in her studio, illustrating the Synergy, Hal Alles's harmonic-synthesis synthesizer. (Photo by Vernon L. Smith.)



Photo 4: The Kurzweil 250 sampling synthesizer, which includes an optional user-sampling program.



Copying diskettes will never be easier than pushing one button.

While your computer is busy doing other things, your Victory Duplicator can be making as many as eight copies of a diskette at once—producing up to 400 copies in an hour. DualMaster'" models can even make multiple copies of two different diskettes simultaneously. Just insert the diskettes and press one button.

Copy different formats, flawlessly.

An automatic format analysis program makes it possible for the Victory Duplicator to

copy virtually any 5¼, 3½ or 8-inch diskette. The system tests for quality and accuracy at every stage of the process.

It practically services itself.

Each drive has a separate controller to maximize uptime. Simple diagnostics to verify drive alignment and industry standard drives allow you to maintain your system without waiting for outside service.

All at an attractive price. Victory Duplicators offer fast copying, serialization, copy protection, a communications port, a four-month warranty and much more all for one low price.

Call 1-800-421-0103. Call today for more information. (In Texas, call 512-450-080L)




Technology, Inc

8910 Research Blvd., Suite B2 Austin, Texas 78758

1 1986 Victory Enterprises Technology, Inc.

The 10-minute expert.



1st-Class"expert system development program.

You can learn to use it in minutes, yet it can build systems of thousands of rules.

Easy. As simple to use as a spreadsheet.

Sophisticated. Captures expert know-how, works

as decision support, makes diagnoses, controls programs and equipment, and more.

Talks with software. Takes data from databases or spreadsheets.

Tells all. Tells how decision was reached and gives probabilities of success.

Finds correlations. Even makes predictions from confusing data.

1st-Class. Only \$495. Demo disk available, \$20. Call 617/653-5093 for literature or to order. For IBM-PC



Programs in Motion 10 Sycamore Road Wayland, MA 01778 port circuitry. Voltage-controlled oscillators, filters, and amplifiers, and an assortment of other musical functions, are available from Curtis Electromusic and Solid State Microtechnology. You program these chips with analog-control voltages, so you will need a high-resolution (at least 12-bit) multichannel D/A converter to go between your computer and the chips. The chip outputs are high-quality audio.

In the class of digitally controlled synthesis chips, there are programmable waveform generators that accept high-level mode-select and frequency commands and deliver waveform points in real time. The Cybernetic MicroSystems CY360, for instance, generates all the stock synthesizer waveforms, and much more, over the audio and subaudio frequency range.

If you'd like to try your hand at some sampling hardware, consider the Oki MSM 5218 real-time data-compression/expansion chip. Used with a conventional audio A/D converter and a modest amount of support circuitry, this chip reduces a 12-bit data stream (representing the uncompressed audio waveform) into a 3- or 4-bit data stream for efficient storage in your computer's memory and then restores the audio to its 12-bit glory upon playback.

There are many more chips that fulfill music synthesis functions. Many are proprietary designs that are used in commercial products. Generally, neither the applications data nor the chips are available to experimenters. For those of you who enjoy reverse-engineering custom LSI, that's an irresistible challenge.


SOFTWARE MUSIC SYNTHESIS ALGORITHMS

Most music synthesis devices use dedicated high-speed hardware to produce sound waveforms in real time. If you are interested in synthesizing music off-line at slower than real time, you need little more than a personal computer with plenty of memory and a high-quality D/A converter to turn the computer's waveform data into audio. This is where synthesis programs come into play.


continued


STATGRAPHICS. ONE KEYSTROKE TURNS LIFELESS DATA...














INTO VITAL STATISTICS.

Data. You live with it every day. What you need are the tools to make it come alive. Comprehensive analytical tools. Mathematical precision. And graphics capabilities to broaden your insights—to help you visualize, analyze, and communicate your findings quickly and convincingly.

And now you've got it. With STATGRAPHICS—a new PLUS*WARE™ product from STSC. STATGRAPHICS is the only PC software to fully integrate a wide variety of statistical functions with high-resolution color graphics. Giving you the power and precision you used to find only with mainframe software.

STATGRAPHICS' unique interactive environment allows you to generate graphs from within the statistical procedures. You can change a variable and see the effect—immediately. So your job is easier and you're more productive.

MORE OPTIONS FOR MORE COMPREHENSIVE ANALYSIS.

STATGRAPHICS features over 250 functions for analyzing data—including analysis of variance, regression analysis, experimental design, quality control procedures, multivariate techniques, nonparametric methods, and extensive forecasting and time series analysis.

It also lets you enter data at the keyboard or access data stored in standard ASCII files, LOTUS® 1-2-3 worksheets, and DIF files used by other popular software packages.

TELL A CLEARER, MORE DRAMATIC STORY.

STATGRAPHICS includes a wide variety of graphics programs such as two and three-dimensional line and surface plots, bar and pie charts, histograms, time sequence plots, and quality control charts.

The graphics are supported on color and monochrome graphics boards, dot-matrix printers, and pen plotters for presentation quality graphics.

SOPHISTICATED STATGRAPHICS IS SURPRISINGLY SIMPLE TO USE.

STATGRAPHICS is completely menu-driven, and includes a comprehensive user's guide, online HELP screens, tutorial, and handy reference card. And STSC's HELP-Line is only a phone call away—giving you ready access to our staff of technical experts.

TAKE A LOOK AT STATGRAPHICS. AND LOOK NO FURTHER.

STATGRAPHICS is the most advanced statistical graphics software available for PC's. And the complete system is just \$695.

To order STATGRAPHICS, or for more information, contact your local dealer or call 800-592-0050 (in Maryland, 301-984-5123). Or write STSC, Inc., 2115 E. Jefferson St., Rockville, MD 20852. Major credit cards accepted.

Inquiry 330

Problem-solving at the speed of thought.



STATGRAPHICS operates on IBM PC's and compatibles under DOS, Version 2.0 or later. A minimum of 384K RAM, a graphics adapter and compatible monitor, and two double-sided disk drives or a hard disk are required. An 8087 math coprocessor and 512K RAM are recommended.

STATGRAPHICS is a registered trademark of Statistical Graphics Corporation. PLUS * WARE is a trademark of STSC, Inc. LOTUS is a registered trademark of Lotus Development Corporation.

Pressure-sensitive keyboards will allow keyboardists to control every note expressively.

Vosim, which stands for voice simulation, is a program that assembles waveforms from single sine cycles to create a wide variety of vocal-like tones. You specify three slowly varying control parameters: the number of sine cycles per waveform cycle, the time spacing between the sine cycles, and the rate at which the sine cycles die out within a single waveform cycle.

The Karpius-Strong algorithm provides an easy way of synthesizing sounds that evolve from bright to muted, like a plucked string. You start with a wave table of a single waveform cycle, then read the numbers out to create the sound. As you take a number from the table, you replace it with an average of that number and the one that was pulled out before it. This smooths out the sound waveform

as it evolves, thereby reducing the high-frequency content of the sound.

FM produces a waveform by varying the rate at which numbers from a sine-wave table are read out. A wave table is a one-dimensional array. If you used a two-dimensional array of numbers instead and superimposed a closed, or almost closed, curve on that array, you could read numbers from it by following the curve. By changing the shape, size, and position of the curve, you change the resulting waveform. This is called "synthesis by functions of two variables." This is a wide-open area for exploration and would certainly yield sounds that we haven't heard vet.

TRENDS FOR THE FUTURE

As semiconductor memory prices continue to drop, it becomes feasible to increase the amount of memory devoted to waveform storage in sampling synthesizers and control-function storage in harmonic synthesis instruments. In both cases, the achievable sound quality improves.

Along with semiconductor memory, bulk data storage prices are dropping dramatically. In particular, the storage capacity of CD-ROMs (over 500 megabytes) allows instrument manufac-

turers to supply enormous sound libraries for any digital synthesizer, but especially for sampling synthesizers. In the near future, we can expect CD-ROMs to be common components in many types of synthesizers.

As the synthesis capability and sound quality of synthesizers continue to grow and the hardware goes down in price while traditional acoustic instruments continue to go up in price, microprocessor-based musical instruments will assume an increasingly larger role in our everyday music making. The next few years will see wide acceptance of home synthesizers, complete with authentic simulations of traditional tones, user-friendly operating systems, and provision for computer interfacing through MIDI.

More and more musicians of all persuasions will come to regard computers as basic music-production tools. Music will be composed directly on the monitor screen, and publication-quality scores will be generated on a laser printer.

Finally, the proliferation of highperformance, 16-bit microprocessors enables musical-instrument designers to build in sensitive, real-time performance control. More and more keyboards will be pressure-sensitive. allowing keyboardists to control every note expressively. And, as musicians accept the idea of pressure-sensitive keyboards, adventurous experimenters will design and build multidimensional user interfaces, allowing musicians to control several tone parameters with each finger. An example of this potential exists today in the Notebender (see photo 5), a keyboard on which each key moves up and down and back and forth, thus allowing the player to continuously control two parameters of each key that he or she plays.

The popular attitude is that there is something subhuman and mechanical about digital electronics. Today's musicians know that just the reverse is true—that the fantastic capabilities of microprocessors and synthesizers, and all the devices they connect to, offer musicians new and exciting resources, greater human control, and heightened creative potential.



Photo 5: The Key Concepts Notebender keyboard with two axes of touch sensitivity. (Photo by Jonathan Goell.)

THE NEW PAPYRUS

A fascinating, one-of-a-kind book on the emerging compact disc read-only memory technology. Published in conjunction with Microsoft's First International CD ROM Conference, CD ROM: THE NEW PAPYRUS includes 44 newly commissioned articles from today's leading CD ROM authorities. Every facet of CD ROM technology is thoroughly examined: hardware, software, applications, publishing systems, marketing, the user interface, and opportunities for the future. Included is introductory information for those new to CD ROM technology as well as technical information for CD ROM specialists. Edited by Steve Lambert and Suzanne Ropiequet. Foreword by William H. Gates

626 pages, 9-1/4 x 7-3/8 hardcover, ISBN 0-914845-75-6, \$34.95 softcover, ISBN 0-914845-74-8, \$21.95

The current and future state of the art.

Microsoft Press 16011 NE 36th Way, Box 97017 Redmond, WA 98073-9717

MICROSOFT. P R E S S

VIVA DaVINCI! Jeonardo DaVinci was not only a great artist, he was also a great engineer and architect. His innovative designs which blended art. **ODP PRESENTS** science and technology stressed efficiency and THE ULTIMATE IN GRAPHICS CARDS detail and were years ahead of their time. Today, Da Vincia spiris lives on in QDP Computer Systems I in what I viva was designed for PC graphics software developers by providing graphics primitives in hardware, increasing productivi-ty and reducing application development VIVA was designed for graphics software users by providing compatibility with existing PC/AT software packages, ultra high resolution color and vastly increased drawing speed over standard graphics cards. over standard graphics cards. VIVA, like DaVinci, is now the new standard by which all other graphic cards must be measured. This is VIVA · Compatible with IBM, PC/XT, PC/AT and clones. On-board video multiplexer On-board video multiplexer Allows a single monitor to be used for both normal text and graphics. Simply plug the output of your standard color graphics card into VI 4 s in rull port. The display selection is outtrolled through software. On-board 16 bit graphics coprocesses Performs all screen drawing the display functions at high speed leaving your computer's CPU free to perform other tasks. priling a white • Use with standard IBM color THEREB monitors. Supports analog RGB monitors on the paic card. (You get ultra high resolution color marks normally only available on mini and mainframe computers.) Standard resolution of 640 by 400, 16 colors with 128K of video ram on the Silver Card. Maximum resolution of 1024 by 1024, 16 l with 512K of video ram on the Gold Card. Expansion connector: Allows upgrades which extend and enhance features of the basic card—no more obsolete hardware. Planned extensions include: 256 colors (8 bits/pixel) displayable from pallete of 262,144 colors. • 512 colors (9 bits/pixel) displayable from a pallete of 16,777,216 colors. Display characteristics are fully programmable • Interlaced mode allows use of low cost monitors. • Non-Interlaced mode for flicker-free display • Display size up to 1024 by 1024 (40MHz bandwidth.) בשת וות לדי שאן מוסור • Flash hardware enable/disable on 4 colors (Layers) allows any of 4 specified layers to be temporarily "disabled" i.e., erased, then later can be "enabled", i.e., put back on the screen without being redrawn. This greatly increases speed of use. Light pen input port. (Permits a light pen to be used as a pointing or pick device) · Hardware pan and zoom support. (Allows smooth panning, and zoom up to 16 times magnification) Compatible with existing software including AutoCAD p-cad, VERSACAD, MasterCAD, etc. Software support. Planned software includes Tektronix emulation, Graphics support library. Get VIVA and bring your PC to life! VIVA is versatile, state of the art quality at a price Inquiry 281 you can afford. Call today and we'll be there-QDP! **VIVA Da VINCI!** · This card accepted by over 3 million PCs nationally. QDP Computer Systems, Inc. 10330 Brecksville Road

Cleveland, Ohio 44141 (216) 526-0838 Telex 241596

DIGITAL SAMPLING ON THE APPLE MACINTOSH

BY CHRISTOPHER YAVELOW

Uses of digital sampling for music applications

THE APPLE MACINTOSH is widely accepted as the best microcomputer for musical applications. If sheer numbers of software and hardware products alone are taken into consideration, the past year's nearly four dozen releases would provide ample evidence that this micro is the computer of choice for developers of musicware. Contributing to this fact are the Mac's high-resolution screen graphics, extra-friendly user interface. 32-bit MC68000 microprocessor running at 8 MHz, functional internal synthesizer, and portability.

Microcomputers are used to control sound that they produce themselves or to control other sound-generating devices. In either case, microprocessors are used with oscillators to create sounds for musical use. Sound can be created through additive or subtractive synthesis, FM synthesis, and waveshaping. Digital sampling and wave-table lookup are two similar techniques (see reference 1). In addition, analog oscillators can be placed under digital control and digital oscillators can be operated through analog control.

Both sound generation and sound control may play a role in computer music applications, of which there are five fundamental categories:

- 1. Score editing: to copy and edit musical scores for eventual printed output.
- 2. Performance: providing control of an external sound-generating device. 3. Sound laboratory: as a sound-gen-
- erating/editing/analyzing device.
- 4. Composition/CAC (computer-aided composition): to generate or assist in the musical composition.
- 5. Music education: for a variety of CAI (computer-aided instruction) purposes.

All of these types of applications are currently supported by Macintosh musicware.

MACINTOSH MUSIC SOFTWARE

The first wave of Macintosh musicware focused primarily on score editing and secondarily on control of the Macintosh's internal four-voice synthesizer. Score editing, or using a Macintosh to deal with musical notes in a manner analogous to word processing, was released with varying degrees of success within Mark of the Unicorn's Professional Composer, Great Wave's ConcertWare, Utopian Software's MacMusic, Triangle Resources' MusPrint, South Bay's Music Character Set. Shaberazam's Music Type, and Hayden's Music-Works. While only Mark of the Unicorn's Professional Composer provides score editing and printing capabilities on the level and quality demanded by serious musicians, other products such as ConcertWare, MacMusic, and MusicWorks offer integrated manipulation of the Macintosh's internal synthesizer and score editing (reference 2).

The current second wave of music software for the Macintosh is focusing on using the Macintosh to control external sound-generating devices. The three-year-old industry standard for communication between com-

Christopher Yavelow (POB 821, Cambridge, MA 02238) is a professional performericomposer of computer-assisted music whose works have received awards in 19 international competitions.

puters and musical instruments that use microprocessors is MIDI. The primary concern of MIDI is the recording of sequences of notes, including information about pitch, timing, on velocity, off velocity, patch change. and various front-panel synthesizer controls. As the term suggests. MIDI sequencers allow for this information to be played back precisely through an external sound-generating device or synthesizer. In addition, because MIDI data consists entirely of numerical information, this data can be edited and manipulated in real time or as files at the composer's convenience (reference 3).

MiDI sequencer software offering both MIDI in and MIDI out is available with Mark of the Unicorn's Performer, Southworth's Total Music, Opcode's MIDIMAC Sequencer, Musicworks' MegaTrack, Great Wave's Concert-Ware+ MIDI version, Creative Solutions' StudioMac, and Assimilation's MIDI Composer. Electronic Arts'

Deluxe Music Construction Set and Hayden's MusicWorks offer MIDI out only. Some packages (e.g., Performer, Total Music, ConcertWare+, Deluxe Music Construction Set, and Music-Works) provide for the conversion of MIDI data into conventional music notation, or sheet music. Finally, Musicworks Inc. markets a utility program called MIDIWorks, which converts files to and from the various formats used by the different manufacturers (reference 4).

The possibility for special "system-exclusive" (i.e., synthesizer-specific) information is also built into the MIDI specification. Through system-exclusive data, MIDI may also be used to edit patch parameters for specific synthesizers, usually of the FM synthesis-based variety. Opcode Systems markets a patch editor for the Yamaha DX/TX series and Casio CZ series of synthesizers. Patches may be saved to Macintosh disks providing storage space for up to 50 or more banks of

patch information at a fraction of the cost of RAM cartridges. Musicworks Inc. has released a Macintosh-based patch librarian program storing and manipulating patches from the Yamaha DX/TX series, and Opcode sells librarian software for practically all the major brands of synthesizers.

An even more recent development is the provision that allows passing digitally sampled information via MIDI for subsequent waveform editing. Both Emu's Emulator II (using Digidesign's Sound Designer) and Ensoniq's Mirage (using Blank Software's Sound Lab) offer this capability. Other sampling keyboard manufacturers such as the renowned Kurzweil are following suit using both MIDI and non-MIDI communication (references 5 and 6).

Last but not least, the Macintosh is a flexible sampling machine in its own right. The remainder of this article will be concerned with the sound-sampling capabilities of the Macintosh and the various uses of sounds digitized thereby.

MACINTOSH SOUND HARDWARE CAPABILITIES

To understand the Macintosh in its aspect as a sound-sampling device, you must first consider the hardware. The Apple Macintosh generates sound in three ways. All Macintoshes come with a built-in ROM-resident sound driver that consists of three different synthesizers:

- 1. The four-tone synthesizer, which can produce four tones simultaneously and utilizes 50 percent of the microprocessor's time.
- The square-wave synthesizer that does just what it implies, using about
 percent of the processor's time.
- The free-form synthesizer that is used to generate complex music and speech and requires about 20 percent of the processor's time.

Of these three possibilities, only items 1 and 3 have serious musical applications. Furthermore, when considering the Macintosh as a sampling machine, an application may utilize the free-form synthesizer or send sound samples to the built-in audio

(continued)



We have over 1000 Software and hardware items in stock. Shipments on almost all items within 24 hours?

Call for programs not listed



FREE SOFTWARE!

With over \$100 purchase you will receive a free diskette for your IBM PC with label maker, checker game and banner programs.

Technical & Other Info. (602) 246-2222

TOLL-FREE ORDER LINE 1-800-421-3135

INCREDIBLE
VALUE!
Nationally advertised boards for IBM PC and most compatibles at

Printshop ... PFS Graph

TOLLTITLL	
SOFTWARE	
DATA BASE MANAGERS	
Clipper\$3	15
Clout 2 1	29
Condor III	10
Fox and Geller Quickcode	15
Fox and Geller Quickreport 1 Knowledgeman II	99
K Paint	80
K Graph 1	35
K Text	35
K Report	all
PFS: File	78
RBase 5000	29
Tim IV	59
WORD-PROCESSING	
	89
Easy (Micro Pro) Leading Edge w/Merge/Spell	75
Microsoft Word 2.01	29
Multimate 3.31	all
Oasis Word Plus	
	45
PFS: Write	78
Samna III 3.0	65
Volkswriter 3 C	all
Word Perfect 4.1	99
Wordstar Propac	38
Wordstar 2000 2	38
Wordstar 2000+ 2	85
SPREADSHEETS	
Microsoft Multiplan 1	
PFS: Plan Supercalc III 2.1 C	78 ali
VP Planner	
ACCOUNTING	
BPI Accounts Payable 2	99
BPI Account Receivable	99
BPI General Accounting	99
Cyma	all
Dollars and Sense	95
Tobias Managing Your Money	94
The state of Breekens	7
TCS. Big Four equivalent of Peachtree	
tomized for your IBM PC Terminal and	
Series 4 - Specially augmented and cus- tomized for your IBM PC Terminal and Printer - GL, AR, PA, AP, CP/M-80, CP/M-	
86 for PC X1, DOS 1.1, 2.0.	
Each Module \$65 For All Four \$249	
INTEGRATED	
Enable Ci	Ile
Smart Software	all
TRANSFER PROGRAMS	
Crosstalk XVI	89
Hayes Smartcom II	19
Move-It	
Remote	
GRAPHICS	
Charlmaster 2	06
Dr. Halo II	70
Energraphics w/Plotter	20
Fancy Font 1:	29
Fontrix	99
Graphwriter/Combo	10
Freelance 1: Graphwriter/Combo 3 Microsoft Flight Simulator	30

IDIVI PC and most compatibles at	l.
giveaway prices. 1 year warranty	
Keyboards (similar to 5151)\$89	
Monochrome Board	
w/Printer Port\$79	
Graphic Board with parallel port	
(similar to Hercules Graphics) \$95	
Expansion Board 0 to 576K\$42	
Multifunction Board w/game port	
(similar to AST Six Pack)\$99	
Four Drive Floppy Controller \$45	
Color Card without printer port. \$79	
Color Card with printer port \$89	
MULTITECH IBM Compatible	
Computer 256K, dual drives, 8MHZ,	L
Ports-parallel -2 serial-clock-game.	П
5151 type keyboard,	
6 month warranty\$995	
14110114.050	
LANGUAGES	
Lattice C Compiler 3.0 Cal	
Run C Professional 169	
Microsoft C Compiler	5
Microsoft Fortran 200 Microsoft Macro Assembler 85 Microsoft Pascal Compiler 76 Microsoft Quick Basic 55	3
Microsoft Macro Assembler 89	3
Microsoft Pascal Compiler	3
Microsoft Quick Basic 59	3
Multi Halo146	2
UTILITIES	
O 11 DC 11	
Copy II PC 19	
Copy II PC Board 79	9
Copy II PC Board	5
Copy II PC Board	5
Copy II PC Board 79 Copywright 45 Desqview 55 Fastback 91	5
Copy II PC Board 75 Copywright 45 Desqview 55 Fastback 91 Norton Utilities 3.1 52	5 5 5 2
Copy II PC Board 75 Copywright 45 Desqview 55 Fastback 95 Norton Utilities 3.1 52 PC Tools 15	5 5 2 9
Copy II PC Board 79 Copywright 41 Desqview 55 Fastback 91 Norton Utilities 3.1 52 PC Tools 11 Prokey 4.0 71	5 2 9 5
Copy II PC Board 75 Copywright 41 Desqview 55 Fastback 91 Norton Utilities 3.1 52 PC Tools 15 Prokey 4.0 71 Superkey 31	5 2 9 5
Copy II PC Board 75 Copywright 41 Desqview 55 Fastback 91 Norton Utilities 3.1 55 PC Tools 15 Prokey 4.0 71 Superkey 31 —PROJECT MANAGEMENT —	5 5 2 9 5 5
Copy II PC Board 75 Copywright 41 Desqview 55 Fastback 91 Norton Utilities 3.1 55 PC Tools 15 Prokey 4.0 71 Superkey 31 —PROJECT MANAGEMENT —	5 5 2 9 5 5
Copy II PC Board 75 Copywright 45 Desqview 55 Fastback 91 Norton Utilities 3.1 52 PC Tools 15 Prokey 4.0 75 Superkey 31 —PROJECT MANAGEMENT 4 Harvard Total Project Manager 26 Microsoft Project 23	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
Copy II PC Board 75 Copywright 41 Desqview 55 Fastback 91 Norton Utilities 3.1 55 PC Tools 15 Prokey 4.0 71 Superkey 31 —PROJECT MANAGEMENT —	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
Copy II PC Board 75 Copywright 45 Desqview 55 Fastback 91 Norton Utilities 3.1 52 PC Tools 15 Prokey 4.0 75 Superkey 31 —PROJECT MANAGEMENT 4 Harvard Total Project Manager 26 Microsoft Project 23	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
Copy II PC Board 75 Copywright 45 Desqview 55 Fastback 95 Norton Utilities 3.1 52 PC Tools 15 Prokey 4.0 75 Superkey 35 —PROJECT MANAGEMENT 4 Harvard Total Project Manager 26 Microsoft Project 23 Super Project Plus Cal HARDWARE	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
Copy II PC Board 79 Copywright 48 Desquiew 59 Fastback 99 Norton Utilities 3.1 52 PC Tools 19 Prokey 4.0 79 Superkey 39 ——PROJECT MANAGEMENT— Harvard Total Project Manager 269 Microsoft Project 923 Super Project Plus Cal HARDWARE ——HARD DRIVES—— Bernoulii 20 MB ½ ht. 2266	5 9 5 9 5 1
Copy II PC Board 79 Copywright 48 Desquiew 59 Fastback 99 Norton Utilities 3.1 52 PC Tools 19 Prokey 4.0 79 Superkey 39 ——PROJECT MANAGEMENT— Harvard Total Project Manager 269 Microsoft Project 923 Super Project Plus Cal HARDWARE ——HARD DRIVES—— Bernoulii 20 MB ½ ht. 2266	5 9 5 9 5 1
Copy II PC Board	5 9 5 9 5 1
Copy II PC Board 79 Copywright 48 Desquiew 56 Fastback 99 Norton Utilities 3.1 56 PC Tools 19 Prokey 4.0 77 Superkey 39 ——PROJECT MANAGEMENT— Harvard Total Project Manager 269 Microsoft Project 239 Super Project Plus Cal HARDWARE ——HARD DRIVES— Bernoulli 20 MB ¼ ht. 2266 Seagate 20 MB Internal w/Controller 439 ——MODEMS— Anchor Express 239	5 9 5 9 5 1
Copy II PC Board 79 Copywright 48 Desquiew 56 Fastback 99 Norton Utilities 3.1 56 PC Tools 19 Prokey 4.0 77 Superkey 39 ——PROJECT MANAGEMENT— Harvard Total Project Manager 269 Microsoft Project 239 Super Project Plus Cal HARDWARE ——HARD DRIVES— Bernoulli 20 MB ¼ ht. 2266 Seagate 20 MB Internal w/Controller 439 ——MODEMS— Anchor Express 239	5 9 5 9 5 1
Copy II PC Board 75 Copywright 45 Desqview 55 Fastback 95 Norton Utilities 3.1 52 PC Tools 15 Prokey 4.0 71 Superkey 31 ——PROJECT MANAGEMENT — Harvard Total Project Manager 26 Microsoft Project Plus Cal HARDWARE ——HARD WARE ——HARD WARE ——HARD WARE Seagate 20 MB Internal w/Controller 43 ——MODEMS — Anchor Express 23 Hayes 1200 Cal Hayes 1200B w/Software Cal	5 9 5 1 9 5 1 1
Copy II PC Board 75 Copywright 45 Desqview 55 Fastback 95 Norton Utilities 3.1 52 PC Tools 15 Prokey 4.0 71 Superkey 31 ——PROJECT MANAGEMENT — Harvard Total Project Manager 26 Microsoft Project Plus Cal HARDWARE ——HARD WARE ——HARD WARE ——HARD WARE Seagate 20 MB Internal w/Controller 43 ——MODEMS — Anchor Express 23 Hayes 1200 Cal Hayes 1200B w/Software Cal	5 9 5 1 9 5 1 1
Copy II PC Board 79 Copywright 48 Desquiew 56 Fastback 99 Norton Utilities 3.1 56 PC Tools 19 Prokey 4.0 77 Superkey 39 ——PROJECT MANAGEMENT— Harvard Total Project Manager 269 Microsoft Project 239 Super Project Plus Cal HARDWARE ——HARD DRIVES— Bernoulli 20 MB ¼ ht. 2266 Seagate 20 MB Internal w/Controller 439 ——MODEMS— Anchor Express 239	5 9 5 2 9 5 1 1 9 1

HARDWARE
AST Sixpack (384K) Call
Hercules Color Card 145
Hercules Graphics Card 299
J RAM III (Tall Tree)Call
J RAM III AT (Tall Tree)
J Lazer (Tail Tree)
Paradise Five Pak
Quadram Board with Par/Ser
and Game Port
Quadcolor I
Sigma Maximizer Multifunction 149
STB Chauffeur Board
STB EGA Plus 320
STB Mono Board
AB Parallel Print Switch w/cables 75
Mini Micro Parallel Print Buffer 69
IBM 120 Watt Power Supply
COMPUTERS
Corona PC Call
Sperry PC Mono 256K Dual Drive
Serial Port, Clock, MS/DOS 2.11
Call
ITT Computers PC Compatible 256K Dual Drive, Mono, MS/DOS Call
ITT XP 80286 IBM/PC Compatible, 512K,
10 MB Winchester, 3 times faster than an
XT. 30% faster than an AT Call
Sharp Portable Call
PRINTERS

FASTI ALL NEW PRINT SELECT PROGRAM VERS. 2.0 Written in assembly language for most MS-DOS computers. With purchase of any printer you will receive at no charge this menu driven program to set print characteristics or to make your computer function as a correcting typewriter. Retail value \$35.

CITIZEN
MSP-10 255
MSP-15 355
MSP-20 329
Citizen 120D 169
Premiere 35 Daisywheel 415
EPSON - Call on all models
JUKI
Juki 6100 349
Juki 6300 685
NEC
3550 785
8850 1135
P5 Parallel
Elf 360
OKIDATA - Call on all models
PANASONIC
1091 239
1092 316
1592
KXP3151 410
STAR MICRONICS - Call for prices
TOSHIBA
1340
P351 975
P341 799
MONITORS
AMDEK Call for price
Taxan 121 Green Cal
Taxan 122 Amber Cal
Princeton Max 12 159
TERMS: Add 3% for C.O.D. orders. Shipping on most soft- ware is \$5.00. AZ orders +61/% sales tax. Personal check-
I ware is \$5 III 07 organs +5.4% sales fay Personal check.

No Charge for MasterCard or Visa





TOLL-FREE ORDER LINE 1-800-421-3135
WAREHOUSE DATA PRODUCTS

--RAM-

--BOARDS--

2701 West Glendale Ave. . Phoenix, AZ 85051

Hours 7 A.M. to 5:30 P.M. M.S.T. - Mon. thru Fri. Saturday 10:00 A.M. to 3:00 P.M.

wate (\$ 55.00. Az orders "orms sales las. Fel solial circleallow fourteen (14) days to clear. Prices are subject to change. We accept purchase orders from authorized companies. All returns are subject to our approval. There will be a 20% restock charge.

We do not guarantee compatibility

output jack in a unique way to exceed the four-voice limit that item 1 seems to imply.

Due to hardware limitations, the highest frequency the Macintosh can currently produce is 11.116 Hz. Inside Macintosh (reference 7) gives the following explanation for this limitation: The sound driver and disk-motor speed-control circuitry share a 740-byte buffer, of which the sound driver uses the 370 even-numbered bytes. Every horizontal retrace interval (i.e., every 44.93 microseconds, when the beam of the video screen moves from the right edge of the screen to the left), the MC68000 automatically fetches 2 bytes from this buffer and sends the high-order byte to the speaker. Thus, all frequencies generated by the sound driver are multiples of this 44.93-microsecond period. The highest frequency physically possible for the sound driver is twice this period, or 89.96 microseconds, which translates to a frequency of 11.116 Hz. Likewise. every vertical retrace interval (every

16.6 milliseconds), the sound driver fills its half of the 740-byte buffer with the next set of values.


These limitations notwithstanding, the Macintosh also comes with a built-in monophonic audio output jack that can be attached to any standard stereo system or cassette.

INTRODUCTION TO DIGITAL SAMPLING

Digital sound sampling is a new enough field that an explanation of the technique might be in order. It can be easily understood by making an analogy to motion pictures. In a film, many consecutive still photographs of a continuous (analog) motion are projected rapidly to recreate the illusion of continuous motion. Sound also exists within an analog continuum. and sound sampling, or digitizing, captures a specified number of "snapshots" of a sound that are subsequently played back at a rate typically between 5000 and 100,000 samples per second in order to recreate the original sound (see figure 1).

Regarding questions of fidelity of the reproduction to the original, both sound and film share common concerns. You must consider two factors with respect to sound sampling: rate and resolution. To clarify these two considerations. I will return to the motion-picture analogy. The size of a single frame in a film represents its resolution and thus places actual physical limitations on the fidelity with which a film can reproduce visual information. Varying degrees of quality are dependent upon whether 8mm. 16mm, 35mm, or 70mm film is used to capture the still photographs of analog motion. Working hand-in-hand with resolution is the rate of speed at which the still photographs are projected. Typical 35mm film used in commercial movie houses is projected at 24 frames per second, and the general audience accepts this rate as adequate to achieve the illusion of continuous motion.

Sampling rate and resolution play an even larger role in determining the degree of credibility within the do-



Flgure 1: Digital sampling of an analog sound wave: (a) The analog wave; (b) digital samples taken of the wave; (c) digital reconstruction of original waveform.




Figure 2: The number of digital values used to represent samples affects the accuracy of the reproduction of the sound wave. Note the difference in the reconstruction of the waveform, even though the sampling rate is identical.




Figure 3: A minimum of two samples are required to represent a sound wave.

main of sound reproduction. Average listeners are far less forgiving than film-goers. The "size" for resolution) of each sound sample is analagous to the size of film in a motion picture. Since a single sample consists of the measurement of an analog (i.e., continuous) voltage via an A/D converter. using a larger range of numbers for measuring this voltage permits a more accurate representation of the voltage. Digital computers use binary bits to represent numbers, so the maximum number of bits available for each measurement will determine the highest number of voltages that can be represented and thus the incremental range within which all measurements must be scaled. The largest number that can be represented by 8 bits is 256; thus, 8-bit sampling requires that all voltages be rounded off to only 256 different values. Twelve-bit sampling offers resolution to 4096 different steps and 16-bit sampling provides a range of 65,536 (see figure 2). Theoretically, each additional bit adds approximately 6 decibels to the signal-to-noise ratio. However, in practice, many sampling devices periodically send an additional 4. 6. or 8 bits of data along with their samples for the purpose of providing additional information about the sound's waveform. This process may raise the dynamic range considerably.

The rate at which sound samples are captured, as well as how fast they are output, is almost as important as sample resolution when considering the fidelity of a digitally sampled sound to the original analog signal. According to Nyquist's theorem, a minimum of two samples per sound wave is necessary to represent a given sound wave. Therefore, to represent a pure sound with a frequency of 440 Hz (cycles per second), you are required to sample that sound at a minimum rate of 880 samples per second (see figure 3). In reality, most sounds are complex waveforms with overtones extending well beyond the average human range of hearing, or 20,000 Hz. Thus, for the accurate reproduction of most musical sounds, a minimum sampling rate of 40,000 samples per second would be optimum. On the other hand, the degree to which overtones of frequencies higher than 10,000 to 12,000 Hz contribute to one's perception is debatable. These high overtones are of such low dynamic intensity (i.e., volume) that many people argue that a sampling rate of 25,000 samples per second is adequate. As a reference point, the fundamental frequency of the highest note on a piano (C8) is 4186 Hz.

SAMPLING WITH THE MACINTOSH

The hardware capabilities of a Macintosh computer limit the sampling rate to approximately 22,000 samples per second with an 8-bit resolution. The internal speaker of the Macintosh is unable to handle sound of this quality, although the backpanel monophonic audio output jack can send a signal of this quality to an external amplifier such as a typical home stereo system. For purposes of comparison, most CDs (compact disks) use a 44.1-kHz sampling rate with 16-bit sample resolution.

At the time of this writing, there are three sampling packages available for the Apple Macintosh, All products include both software and the necessarv A/D-converter hardware. MacNifty's SoundCap is a low-cost hobbyist/ hacker-oriented product with distinct third-party applications. GW's Mac-ADIOS is a high-end digitizer geared toward scientific laboratory applications. Finally, the Berkeley Mac Users' Group markets a low-cost do-it-vourself digitizer kit. Due to the fact that the purpose of this article is to examine computer music applications. MacADIOS will be described only

MACADIOS

MacADIOS (Macintosh Analog/Digital Input/Output System) is a professional hardware/software package consisting of a waveform-oriented, general-purpose data-acquisition system providing oscilloscope, spectrum analysis, and XY recorder functions. In the oscilloscope function, 25 milliseconds of analog voltage data sampled at a rate of 20.833 samples per second is plotted on the screen three times per second. Other applications are limited only by the available RAM. Uses include controlling and monitoring scientific experiments and processes. The hardware provides four analog voltage outputs (12 bits), eight analog voltage inputs (12 bits), 16 digital outputs. 16 digital inputs, timer, programmable clock, and a 20.833-values-persecond maximum sample rate (see photo II.

Included with the hardware is a general-purpose data-acquisition program called MacADIOS Manager. This software provides a Monitor Window. a Graphic Editor Window, a Value Editor Window, and a View 4 Window tsimilar to a programmable four-trace digital oscilloscope). In some applications, three snapshot windows may be opened to allow the user to quickly view waves in low resolution. The software can also produce sonograms in seconds and spectrograms in minutes. Fifty routines are provided

(continued)



Photo 1: The MacADIOS digitizer unit.

for executing highly specific tasks with MacADIOS from a user's C or Microsoft BASIC program (see figure 4).

MACNIFTY AUDIO DIGITIZER WITH SOUNDCAP SOFTWARE

The MacNifty audio digitizer package consists of a hardware digitizer (A/D) and associated SoundCap software. The hardware includes an RCA audio input jack, a ½6-inch remote-control jack, a gain control, and a 9-pin male connector with cable for the Macintosh's modem or printer RS-232C ports. The primary SoundCap program was developed by Fractal Software. Other secondary applications

included in the package are Sound-Init, BeepInit, Type Writer, and Sound-Play.

The primary software, SoundCap, permits 8-bit sampling at four sampling rates: 22. 11, 7.4, and 5.5 kHz. Therefore, the Nyquist frequencies (the highest recordable frequency) are 11, 5.5, 3.7, and 2.75 kHz, respectively. Because fewer samples are taken for slower sampling rates, as the Nyquist frequency drops, the maximum sampling duration increases. With 512K-byte RAM, sampling at 22 kHz will allow 15 seconds of sound to be recorded. The lower sampling rates will permit 30, 45, and 60 seconds of

sampled sound, respectively. Owners of Macintoshes with more than 512K RAM can expect longer sampling durations limited only by the amount of linear RAM available to SoundCap for usage. Once sounds have been sampled, an option to save the soundfile using data compression is provided for conserving disk space. Furthermore, an option to save the soundfile as a "Studio Session" (discussed below) instrument is available. In addition, you can open standard Studio Session instrument files for precise editing in SoundCap (see figure 5).

SoundCap's main screen displays five mode buttons. The buttons are labeled with icons representing record, playback, oscilloscope, reverberation, and spectrum-analysis modes. Pressing the record button with the mouse pointer presents you with a request for a record duration to be specified in seconds and milliseconds. Pressing playback initiates playback. The other three buttons address real-time functions. One use of the real-time oscilloscope mode is to allow you to take accurate record levels prior to sampling. The reverberation mode turns the Macintosh into a real-time digital reverberator and also permits you to test out reverb parameter settings prior to applying them to a soundfile (an operation that cannot be "undone"). The real-time spectrum analyzer may be used to ascertain the optimum sampling rate for the sound being recorded. Spectra are displayed as a bar chart-the vertical axis represents amplitude, and the horizontal axis. frequency ranging from 0 to 9740 Hz. The user may specify the resolution. in samples (128, 256, 512, or 1024), used for the Fourier transform.

Sampled sounds are displayed graphically on the main screen, with amplitude as the vertical axis and time as the horizontal axis. The sound may be both horizontally scrolled through or "zoomed" into or out of for viewing more samples on the screen at once. As you zoom into the sound at various resolutions, the waveform's amplitude envelope (attack or growth, sustain, and decay




Figure 4: Two of the many screens of MacADIOS.

(continued)

PC Magazine Year

acro Assembler

The quickest. Bar none.

Our Macro Assembler has long been the most complete package on the market. Now it's also the fastest. Three times faster than before. And faster than anyone else. Period.

Of course, it's still the most powerful assembler on the market. It supports the standard 8086/8087 opcodes. And the new 186/286/ 287 instruction set. So you can make the

most of the new machines.

Debugging is quicker, too. Thanks to our interactive symbolic debugger, SYMDEB. Now you can refer to variables and source code instead of getting lost in hex dumps. And this debugger also works with Microsoft languages like C, FORTRAN and Pascal. So now you can set breakpoints and trace execution—using source code for reference.

(1)) GO TO 91 .

Cut your development time dramatically. Microsoft Macro Assembler's Symbolic Debug utility lets you debug your Macro Assembler programs, or debug your Microsoft C, FORTRAN or Pascal programs using your original source code or the resulting disassembly. For example, you can set breakpoints on line numbers and observe the contents of variables or expressions.

SYMDEB is just part of our complete set of utilities. Tools that make programming as fast as it should be. There are the linker and library managers you'd expect. Plus a new version of MAKE, our maintenance utility, with improvements like macro expansions and inference rules.

We've also revised the manuals. Our new Macro Assembler has a lot to offer, so we added more examples. Now our manuals are not only thorough, they're clearer than ever before.

For quick development and assembly, the choice is obvious. Microsoft. There's nobody faster.

Microsoft® Macro Assembler Version 4.0 for MS-DOS®

- Fastest macro assembler for MS-DOS computers.
- Supports the 8086/8087/8088 and the 186/286/287.
- Define macros.
- Conditional assembly.
- Optional case sensitivity for symbols.

 100% upward compatibility from earlier versions of both the Microsoft and IBM® Macro Assemblers.

Interactive Symbolic Debug Utility

- Source level debugger for programs written in Microsoft Macro Assembler, C Compiler, FORTRAN, and Pascal.
- Screen swapping helps debug highly visual applications.
 Set breakpoints on line numbers and symbols.
- Single step to follow program execution.
 Disassemble object code.
- Display and modify values.
 Full I/O redirection.

- Program Maintenance Utility
 Rebuilds your applications after your source files have
- Similar to UNIX MAKE utility.
 Supports macro definitions and inference rules.

Library Manager

- Create, organize and maintain your object module libraries created with Microsoft languages.
- Set page size from 16 to 32678, to create compact and granular libraries

Object Code Linker

- Simple overlaying linker combines relocatable object modules created using Microsoft languages into a single
- program.
 Load Map generation.
- Specify from 1 to 1024 segments.

Cross-Reference Utility

- · Creates a cross-reference listing of the definitions and locations of all symbols used in an assembly language program, which makes debugging programs easier.
 Microsoft EXE File Compression Utility
- Packs EXE files for smaller size on disk and faster loading at execution time.

Microsoft EXE File Header Utility

Display and modify EXE file header, allowing you to tune the stack size and initial memory allocation.

For the name of your nearest Microsoft dealer call (800) 426-9400. In Washington State and Alaska, call (206) 882-8088. In Canada, call (416) 673-7638.



Microsoft and MS-DOS are registered trademarks and The High Performance Software is a trademark of Microsoft Corporation. IBM is a registered trademark of International Business Machines Corporation, UNIX is a trademark of AT&T Bell Laboratories. phases) becomes evident.

Sounds may be modified in a number of ways. Dragging over a portion of the sound with the mouse selects that region for editing and changes the edit region into reverse video. In this manner, regions of samples may be cut, copied, and pasted anywhere in the soundfile in the normal Macintosh fashion. A second horizontal scroll bar at the bottom of the screen (referred to as the "scratch bar") may be used to finely adjust the output speed of the samples and thus the pitch.

Once a soundfile or region of a soundfile has been selected for editing, a number of operations may be applied to it. Accessing the Sound Effects menu presents you with 12 options for sound modification. Sounds or portions thereof may be reversed or amplified. In the latter case, you can specify the coefficient by which all sample values will be multiplied for amplification. Reverb and flange operations may be applied to the selected region. You can also specify reverberation parameters, delay (in milliseconds), echo loss fraction, and regeneration normalization. In addition, the flange delta may be defined in terms of a specified number of samples. The amplitude envelope of a selected region of samples may be ramped up or down and the sound may be retuned via the scratch bar. Retuning recomputes the samples at the selected rate. Other edit operations include transferring sound to the clipboard for subsequent mixing within the same or a different soundfile. Mixing is accomplished through additive synthesis. Silence or digitally simulated "white noise" may be inserted at any point in a soundfile or may be used to replace a portion of a sound.

Finally, two time-consuming edit operations may be performed on a soundfile or region thereof. Sound may be "downsampled" to one of the available lower sampling rates for purposes of reducing the size (in kilobytes) of a soundfile. Also, a "lowpass" operation may be applied to the sound while downsampling in order to eliminate frequencies that exceed the Nyquist frequency of the lower sampling rate.

The Options menu is where you set amplification, reverberation, and flange parameters as well as the number of repetitions of the soundfile (similar to looping an analog tape). Through this menu, it is possible to specify a sustain loop in the soundfile of up to 6 seconds. A sustain loop repeats a selected portion of the soundfile indefinitely and is of particular use when sampled sounds are to be sustained for varying rhythmic durations in a musical context. This is an absolute necessity when saving sound files as "instruments" in the Studio Session format discussed helow

USES OF MACINTOSH-SAMPLED SOUNDS

Sound sampling is in its infancy and thus provides fruitful territory for a wide range of applications. Many of the uses for sampled sounds have yet to be imagined by innovative thinkers. I will discuss a few of the current applications in the following paragraphs.


PITCH RECOGNITION AND TRANSCRIP-TION: Developers of Macintosh sampling software consider pitch recognition and subsequent automatic transcription into conventional music notation (CMN) to be inevitable. The relatively simple conversion of this information into MIDI data would allow easy control of much more complex sound-generating devices or an expensive dedicated sampling keyboard such as the Kurzweil 250.

Through digital sampling, the Kurzweil 250 can credibly recreate all the sounds of a full symphony orchestra. including any single instrument or combination of instruments. Through pitch recognition and MIDI conversion, it would be possible to access these sounds without using a pianostyle keyboard. Vocalists could control an entire symphony orchestra in this way as well. The implications inherent in the freedom for creative expression brought about by the separation of instrumental technique from sound source are just beginning to be realized (reference 8).

VOICE RECOGNITION AND REPRODUC-TION: Other ideas related to pitch recognition include MacNifty's plans

The ability to sample the human

(continued)







Figure 5: The main screen of MacNifty's SoundCap for editing of sounds sampled with the MacNiftu audio diaitizer.

MICRO CAP and MICRO LOGIC put your engineers on line... not in line.



MY OWN WORKSTATION



How many long unproductive hours have you spent "in line" for your simulation? Well, no more. MICROCAP and MICROLOGIC can put you on line by turning your PC into a productive and cost-effective engineering workstation.

Both of these sophisticated engineering tools provide you with quick and efficient solutions to your simulation problems. And here's how.

MICROCAP: Your Analog Solution

MICROCAP is an interactive analog circuit drawing and simulation system. It allows you to sketch a circuit diagram right on the CRT screen, then run an AC, DC, or Transient analysis. While providing you with libraries for defined models of bipolar and MOS devices, Opamps, transformers, diodes, and much more, MICROCAP also includes features not even found in SPICE.

MICROCAP II lets you be even more productive. As an advanced version, it employs sparse matrix techniques for faster simulation speed and larger net-




"Typical MICROCAP Transient Analysis"

works. In addition, you get even more advanced device models, worst case capabilities, temperature stepping, Fourier analysis, and macro capability.

MICROLOGIC: Your Digital Solution

MICROLOGIC provides you with a similar interactive drawing and analysis environment for digital work. Using standard PC hardware, you can create logic diagrams of up to 9 pages with each containing up to 200 gates. The system automatically creates the netlist required for a timing simulation and will handle networks of up to 1800 gates. It provides you with libraries for 36 user-defined basic gate types, 36 data channels of 256 bits each, 10 user-defined clock waveforms, and up to 50 macros in each network. MICROLOGIC produces high-resolution timing diagrams showing selected waveforms and associated delays, glitches, and spikes-just like the real thing.



"Typical MICROLOGIC Diagram"

Reviewers Love These Solutions

Regarding MICROCAP..."A highly recommended analog design program" (PC Tech Journal 3/84). "A valuable tool for circuit designers" (Personal Software Magazine 11/83).

Regarding MICROLOGIC... "An efficient design system that does what it is supposed to do at a reasonable price" (Byte 4/84).

MICROCAP and MICROLOGIC are available for the Apple II (64k), IBM PC (128k), and HP-150 computers and priced at \$475 and \$450 respectively. Demo versions are available for \$75.

MICROCAP II is available for the Macintosh, IBM PC (256k), and HP-150 systems and is priced at \$895. Demo versions are available for \$100.

Demo prices are credited to the purchase price of the actual system.

Now, to get on line, call or write today!

Spectrum Software

1021 S. Wolfe Road, Dept. B Sunnyvale, CA 94087 (408) 738-4387 Inquiry 326 voice has other applications as well. Language instruction programs could make use of this feature to illustrate correct pronunciation at the touch of a button. There are applications for children's reading programs, too. Finally, the possibility for sending voice mail over a network is already a reality using MacNifty's digitizer.

Fun: The MacNifty audio digitizer comes with four additional applications that use their sampled soundfiles in purely fun ways. SoundInit does to soundfiles what Bill Atkinson's public-domain utility Screen-Maker did for MacPaint files. With ScreenMaker, you can substitute a screen of your own creation for the normal Welcome to the Macintosh startup screen. With Soundinit, bootup will automatically be accompanied by a soundfile of your choice that could be anything from Albert Einstein saying "Good morning, let's get down to serious business;" spliced together in SoundCap from old videotapes, to the full orchestral introduction to Wagner's "Flight of the Valkyrie" (as is the case with Silicone Beach's Airborne game).

Beepinit allows for similar personalization of the Macintosh's beep sound. Instead of a dull computer beep, you can substitute anything from a digitized "Oops!" to the opening notes of Jimi Hendrix's Purple Haze. Finally, the application Type Writer allows the injection of usersampled sounds at each keyboard strike, providing for different sounds to be played through the space bar and return keys. With an ironic sense of humor, the developers have included sample files for this purpose that substitute the sounds of a noisy keyboard, space bar, and carriage return typical of an IBM Selectric typewriter.

Animations: The latest version of MacroMind's popular VideoWorks program, which is currently published by Hayden Software, includes the option to import sampled soundfiles for synchronization with user-created animations. VideoWorks permits the quick and easy creation of Walt Disney-quality animations. The original release supported adding a

PRODUCTS DISCUSSED

MACADIOS
Audio digitizer and software \$2500
GW Instruments
POB 547
Cambridge, MA 02142
(617) 577-1524

STUDIO SESSION
Digitized sampled sound
editor......\$89.95
Bogas Software
(Distributed by the Kette Group;
see address below)

synchronized soundtrack from a selection of 80 melodies and sound effects provided in the program. Sounds could be synchronized to animation in two ways. First, a sound or melody could be selected to play at a designated point, from beginning to end, at its original tempo and pitch. Secondly, sounds could be "synergistically interfaced" with the animation, in which case the position and motion of a specific sprite (animated object) would affect the pitch and/or tone quality of the sound attached to it.

The new VideoWorks lets you incorporate up to 16 digitizer soundfiles in the VideoWorks music palette for soundtrack use. Other new features include the ability to import whole music files from MacroMind's Music-Works application (mentioned above) and the ability for speech synthesis through use of either of the two available Macintosh speech drivers: First Byte's SmoothTalker or Apple's own MacinTalk.

SOFTWARE AUTHORING SYSTEMS: MacroMind's VideoWorks Guided

Tour Authoring System has been chosen by Apple for the creation of the company's popular "Guided Tours" of various software applications for the Macintosh. Third-party developers are taking advantage of this program as well. This authoring system, which is currently the only extensive software authoring system available for the Macintosh, is essentially identical to the new VideoWorks described in the preceding section of this article and thus provides access to all of the innovative approaches to sound offered by the Macintosh, including sounds sampled with Sound-Cap.

One significant feature makes this an entirely new product: A Do menu is added to the VideoWorks environment that permits the creation of interactive VideoWorks animations. This menu allows you to define any Video-Works object (sprite) as a button for branching to other parts of the same VideoWorks animation or to altogether different VideoWorks files. In addition, any screen object defined as a button may be set to cause another application or desk accessory to open. Because of this feature. Macro-Mind has realized the possibilities for creating interactive animated guided tours of any software product available, hence the name "VideoWorks Guided Tour Authoring System." This title is perhaps a misnomer, since the program is equally applicable for extending the range of interactive educational software to include truly astounding possibilities. At least one third-party developer is currently using this system to author a softwarebased interactive music-theory instruction program.

Music: At the time of this writing, only one music software application makes use of soundfiles sampled with SoundCap. This program is Bogas Software's Studio Session, and its implementation of digitized sounds is truly fascinating. Studio Session has undergone some name changes throughout its development, having first been titled Sideman and later Jam Session. The developers consider their package to be "the MusicWorks"

(continued)

For you, good is just not good enough.

For serious programmers, good isn't good enough. You need the best ... the best tools, the best advice and the best support.

At Lifeboat, we've been selling to programmers since 1976, so we know quality when we see it. And we're committed to a full-service program that goes beyond just selling you the best software at competitive prices. Our expert staff can help you decide which programs are best for your needs and provide you with all the technical support you may require. You can rely on Lifeboat for the complete solution to your programming needs.

LANGUAGES

Lattice CNew 3.0 Version

The best selling C Compiler has been upgraded to give you more functions and features. Lattice C 3.0 contains 200 new library functions, better code generation, support for new data types (void, enum, unsigned char, unsigned long), support for the 80186/80286 instruction set and the ability to generate in-line 8087/80287 instructions. Lattice C is the C Compiler for professional developers.

RUN/C—The C Interpreter Upgraded Version

Learn C the natural way with RUN/C. The user interface is similar to BASIC with easy familiar commands. The new 2.0 version of RUN/C comes with a full-screen editor and other enhancements.

RUN/C Professional New

All RUN/C's capabilities plus powerful features for program development. Load your favorite object libraries with RUN/C Professional. Contains a full-screen editor and source code debugging facilities.

Mark Williams C Programming System

A complete C development environment.

Pro Pascal

A truly standard Pascal. Produces fast, tight code with plenty of compile time options and simple one-line commands.

BetterBASICNew Version

Now you can program in BASIC and use the full memory of your PC, create structured programs using functions and procedures, make your own library modules and more.

Now compatible with Microsoft BASIC.

LANGUAGE UTILITIES

Plink86 Plus

INTERNATIONAL

an Microprocessor Assoc. ne: (61) 3699-3899 ada: Scantel Systems ne: (416) 449-9252 land: Brey Matter, Ltd. ne: (44) 364-53499

an: Lifeboat Japan ne: (03) 293-4711 in: Micronet, S.A.

The Netherlands: GISA Computer Products Phone: (31) 10-771846 SCOS Automation BV Phone: (31) 20-106922

55 South Broadway

Tarrytown, NY 10591

Lifeboat

An overlay linkage editor for linking 8086/8088 object modules. Supports an unlimited size file, unlimited number of modules and up to 4095 hierarchical overlays stacked as many as 32 levels deep. Plink86 Plus contains new features for memory caching, library allocation, file merging and overlay reloading.

Pfix86 Plus

A symbolic and source level advanced debugger for programming professionals.

Inquiry 186

The names of products listed are generally the trademarks of the sources of the products.

© 1986 Lifebout Associates

C-SPRITE

Symbolic debugging at both source level and machine level. Monitor your program by setting breakpoints, examining registers and variables, or single-stepping through code. Handle a set of commands as a macro. C-SPRITE and the Lattice C Compiler are a natural pair for program development and debugging.

BASTOC

A BASIC to C translator for the BASIC programmer who wants to upgrade to C.

EDITORS

LSE

A powerful yet inexpensive full-screen editor designed for efficiency and ease of use. Its speed is optimized by writing directly to video memory. The Lattice Screen Editor provides a multi-window environment, ability to reprogram keys, support for keyboard macros, an undo command, an error tracking mode, on-line help and more.

VEDIT Plus

A full-screen text editor for program development and word processing. It contains powerful features including use of macros, on-line help facility, paragraph formatting, and file comparison.

Pmate

The programmer's editor with an extensive macro command language. Compile in the background while you continue to edit files.

EMACS

Customizable editor including windowing, multi-tasking and special modes for C and Pascal.

FUNCTIONS

C-Food Smorgasbord

Library of time saving utility functions including a BCD package, an IBM PC BIOS interface, level 0 I/O functions, a terminal independence package and more.

Essential C Utility Library

Over 300 functions, with special attention given to screen handling, windows and business graphics. Source code is included.

PforCe Brand New

An optimized library of an impressive 400 plus functions and subsystems. Included is a window management system with overlapping or tiled windows and a database system with 8-tree file structure. Several pre-coded screens including "Lotus" style are supplied. And there's much more! Routines for interrupt driven communications, background tasks, and string/table parsing, along with functions for field/screen editing and validation are all part of this superbly written and documented software. Complete source code is included.

The Greenleaf Comm Library

A library of over 120 communication routines. Contains functions to create interrupt driven routines or perform direct I/O to multiple Comm Ports. Its strengths are in asynchronous communications, interrupt mode, modem control, XMODEM, XON/XOFF and flow control. Interfaces with Lattice, Microsoft, Wizard, Desmet, C186, Aztec and Mark Williams C compilers.

The Greenleaf Functions

A mature library of over 200 functions. Version 3.0 offers all new indexed documentation, with an abundance of examples. Source code included.

GRAPHICS and SCREEN DESIGN

GSS*CGI GRAPHICS New

The GSS Computer Graphics Interface is designed for creating high performance graphics-based applications. GSS*CGI speeds up application development and provides compatibility with a wide range of peripherals. It's the only CGI implementation that provides true device-independence for both raster and vector graphics. Language bindings are available to support development of GSS*CGI based applications using Lattice C, Microsoft C, FORTRAN, Pascal, BASIC Compiler and Macro Assembler. Products in the GSS*CGI GRAPHICS line include the GSS Graphics Development Toolkit, the GSS Kernel System, the GSS Plotting System and the GSS Metafile Interpreter.

Essential Graphics New

A brand new graphics library for C programmers with the emphasis placed on ease of use and portability. No royalties.

Multi-Halo

Library of over 200 graphics functions, supporting all of the popular graphics boards.

Pane

A powerful tool for interactive screen design.

For more information on these and other products in our complete line call:

1-800-847-7078 In NY: 914-332-1875



The Full-Service Source for Programming Software.

of sampled sounds," referring to MacroMind's largely intuitive music editing program that uses the Macintosh's internal synthesizer for play-

Bogas's package includes a music editor (Studio Session Editor) and both the player (Studio Session Player, see figure 6) and a miniplayer (which allows for a larger number of soundfiles or instruments to be saved on a

17 22 25

25 24 27

single disk by sacrificing some of the animated graphics of the main player application). With Studio Session it is possible to play back pitched music in six parts through the Macintosh's internal speaker or through an external sound system connected to the Macintosh's audio output. The software uses linear interpolation to recompute the sampled soundfiles at various pitches.

Several disks included with the package provide nearly 70 presampled instruments, and you can edit these or create new instruments using MacNifty's SoundCap Idiscussed above). The program can access up to 16,000 different instruments, although between 20 to 25 seems to be a practical limit for the 512K Macintosh.

Music is entered using the Studio Editor program, which functions in two modes. In the note-editing mode, notes and symbols may be dragged from a palette containing 32 items. The cursor assumes the symbol of the selected item until a new symbol is selected. Note values range from a whole note to a triplet 32nd note, and putting them on the staff is as easy as point and click with the mouse. Note placement is facilitated by the fact that the cursor jerks to both horizontal and vertical grid steps. The horizontal grid steps correspond to insertion or replacement locations and the vertical grid corresponds to musical half-steps on the staff. During editing, each instrumental voice is thought to be a separate track, with up to six tracks possible. Regions of tracks may be looped for up to 999 repetitions, and loops of varying length may be occurring at different places on separate tracks simultaneously. Loops, which are represented by musical repeat signs, are nestable for up to 10 levels. Cut, copy, and paste operations are supported, as are transposition and the insertion of tempo indications on the score and in real time.

The second type of editing provided by the Studio Editor is called block editing and is extremely innovative. It uses a database approach to the organization of musical ideas and the manipulation of musical data on the phrase level. I have repeatedly stressed the necessity for incorporating database-like library, sorting, and searching operations in MIDI sequencer software, but it seems that the first constructive implementation of this concept is destined to come to us from the sampled sound world.

The block-editing mode lets you view your musical composition in a display similar to a Multiplan spread-

ATRON BUGBUSTERS GREASE BORLAND LIGHTNING

"If I were starting a software company again, from scratch, Atron's AT PROBE™ would be among my very first investments. Without Atron's hardware-assisted, software debugging technology, the flash of Turbo Lightning would be a light-year away." Philippe Kahn, President, Borland

HOW BORLAND DOES SO MUCH SO WELL, SO FAST

We asked Borland International president Philippe Kahn to share his secrets for rapidly taking a good idea and turning it into rock-solid reality. How does the Borland team do so much, so well, so fast?

He begins, remember when Atron used the June 24, 1985 Wall Street Journal chart of top-selling software in an ad." [Note: At that time, seven of the top ten software packages were created by Atron customers; it's now now nine out of ten.] "Side-Kick was number four, and I let Atron quote me in saying that there wouldn't have been a SideKick without Atron's hardwareassisted debuggers.

"You might say lightning has literally struck again. Turbo Lightning made number four on

SoftSel's Hotlist within weeks of its introduction! And again, I say we couldn't have done it without Atron debugging technology.

"Cleverly written code is, by definition tight, recursive, and terribly complex," he continues. "Without the ability to externally track the execution of this code, competent debugging becomes very nearly impossible."

Concludes Philippe, "And after Turbo Lightning was solid and reliable, Atron tuning software turned our Probes into performance analyzers. How do you think we greased our lightning?"

Philippe, along with a couple million or so of your satisfied customers, we say congratulations on yet another best-selling product. We can't wait to see what awesomely useful technology will come shooting out of Borland International next.

Cognital o PMS by Anna Cop. FC PROBE* and AT PROBE* Asson. Sub-Rich*

HOW BUGBUSTERS KEEP YOU FROM GETTING SLIMED The AT PROBE is a circuit board that plugs into your PC/AT. It has an umbilical which plugs into

the 80287 socket and monitors all 80286 activity. Since AT PROBE can trace program execution in real time, and display the last 2048 memory cycles in symbolic or source-code form, you can easily answer the questions: "How did I get here?" and "What are

those silly interrupts doing?" It can solve spooky

debugging problems. Like finding where your program overwrites memory or I/O impossible with software debuggers.

You can even do source-level debugging in your favorite langunge, like C. Pascal or assembler. And after your application is debugged, the AT PROBE's performance measurement software can isolate perfor-

mance bottlenecks. Finally, the AT PROBE has its own 1-MByte of memory. Hidden and write-protected. How else could you develop that really large program, where the symbol table would otherwise take up most of memory. LOOK AT IT THIS WAY.

History shows that non-Atron customers don't stand a very good chance of making the Top Ten list. Lightning

really does have a way of striking twice!

The PC PROBE is \$1595 and the AT PROBE is \$2495. So call Atron today. You can be busting some really scarey bugs tomorrow. And maybe, just like Borland, you can also bust some records.



20665 Fourth Street Saratoga, CA 95070 408/741-5900

sheet. Phrases are labeled with one of 32 descriptive names (16 of which may be user-defined). The names of the phrases appear in the various spreadsheet cells in the proper spatial (i.e., temporal) relationship to one another. It is possible to zoom in or out of this display from 2-bar resolution to 4-bar or 16-bar resolution. Phrases are stored in the phrase

library, which may hold up to 16.384 phrases. Sorting and searching are available by specifying type, meter, phrase length, or multiple search criteria. Phrases may be dragged with the mouse into the spreadsheet-like block editor display. In addition, phrases may be dragged around and placed into new juxtapositions within the block editor itself in a manner and

philosophy similar to dragging headings and text windows around in Living VideoText's ThinkTank idea processor. A "draft play" window on the left of the screen includes the options of real-time soloing or muting for individual tracks with the click of a mouse. In the block editor display all looped phrases display all their repetitions, but saving the file compacts the loops (see figure 7).

Such an approach to musical composition is truly ground-breaking. The ability to organize musical ideas in database fashion fosters creativity and experimentation by allowing us to view our musical ideas on a more global level. Bogas Software must be wholeheartedly commended for having the foresight to take the first step in unlocking a door to the true creative potential of a microcomputer.

CODA

The possibilities opened up by the capability of sound sampling with a personal microcomputer interpenetrate many different disciplines, both musical and otherwise. New and farreaching applications for these techniques are being discovered every day. As with any creative tool in its infancy, with respect to applications of sound digitizing it is safe to say that the best may be yet to come with regard to music composition.

File Transfer The Jam Session Player 1.0 4. Rhythm 2 Drums 2 Bass Drums 1 072 A Broken Axel ō J7 SEARCH EJECT REW F Gan (3)

Figure 6: Bogas Software's Studio Session Player with animated cassette recorder emulation.

File Edit Window Key Sig Transfer **Block Editor** Instrument Palette Trombone D E Bass A Instruments Available SynLe E Voilin Hinla Cello Phrase Library Bass Phrase 4 Basso Phrase 5 Bb Clarin Phrase 6 Eb Remo Oboe Phrase 7 Ab Flute Phrase B Track1 Bor R Ob Add Phrase 9 Track 2 Bor Gb Phrase 10 Cb Track 3 Play Phrase 11 Blues Bass Track 4 8 Bar E Piano Delete Track 5 Stort Bar Piano Accents Track 6 Lepd Stop 19- 26

Figure 7: Bogas Software's Studio Session Editor showing typical database menus.

REFERENCES

- Roads, Curtis. and John Strawn (eds.).
 Foundations of Computer Music. Cambridge,
 MA: The MIT Press. 1985.
- 2. Yavelow, Christopher. "Music Software for the Apple Macintosh." Computer Music Journal, vol. 9, no. 3, 1985, page 52.
- 3. Loy, Gareth. "Musicians Make a Standard: The Phenomenon of MIDI." Computer Music Journal, vol. 10, no. 1, 1986.
- 4. Yavelow, Christopher. "MIDI and the Apple Macintosh." Computer Music Journal. vol. 11, no. 4, 1986.
- 5. Milano, Dominic. "Digidesign Sound Designer Emulator II Software:" Keyboard, vol. 11, no. 10, 1985, page 112.
- Aikin, Jim. "Sound Lab from Blank Software for the Ensoniq Mirage." Keyboard. vol. 12. no. 1, 1986, page 126.
- 7. Inside Macintosh. Cupertino. CA: Apple Computer Inc., 1985.
- 8. Byrd. Donald and Christopher Yavelow. "The Kurzweil 250 Digital Synthesizer." Computer Music Journal, vol. 10, no. 1, 1986.

From the Father of Personal Computers Comes...

A New Set of Building Blocks For The Creative Mind.

Introducing DataBlocks[™] – A Modular Computerized Personal Control System.

Dr. Ed Roberts. creator of the first personal computer, the Altair, introduces a new functional concept for **Robotics and Computer** Enthusiasts, OEM's and Engineers.

The DataBlocks A-II™ modular control system features stackable modules (blocks), which plug together in any customized combination.



The A-II Control System interfaces with any standard data terminal or terminal program.

The unique DataBlocks hardware, coupled with its user-friendly PCL™ (Process Control Language) make monitoring and personal control of virtually any device or function, easier and more affordable.

To order your A-II control system and a free software tool kit, call today: DataBlocks toll-free 1-800-652-1336. Georgia residents call 1-912-568-7101. VISA and Mastercard accepted.



DataBlocks, Inc. 579 Snowhill Road P.O. Box 449 Alamo, GA 30411



Available blocks include:

Central Processor Unit
 System Memory
 PROM/RAM Memory

4. RAM Disk


HAM DISK
 PROM DISK
 PROM Programmer
 Parallel Input/Output
 Dual Serial I/O

B. Dual Serial I/O
 Stack Power Supply
 Stack Power Suppl

16. Control Master
17. Interrupt Expander
18. Stack LCD Display
19. Stack CRT Controller
20. Stack Graphics Control
21. Stack Relay
22. Stack 16 channel A/D
23. Stack Dual D/A Driver
24. Stack Dual D/A
25. Stack 1 Amp Driver

24. Stack Dual D/A
25. Stack 1Amp Driver
26. Stack 4Amp Driver
27. Stack Wire Wrap Board
28. Slave Relay
29. Slave 16 channel A/D
30. Slave Dual A/D Driver
31. Slave Dual A/D Driver
31. Slave Dual D/A
32. Slave Universal
33. Slave LCD Display
34. Slave Parallel I/O
35. Slave DC Driver 1Amp

Specifications subject to change without notice.



MUSICAL FRACTALS

BY CHARLES DODGE AND CURTIS R. BAHN

Mathematical formulas can produce musical as well as graphic fractals

FRACTAL GEOMETRY has exerted a strong influence on a remarkable variety of disciplines in recent years. The sciences are using fractal structures to study a diverse range of phenomena from turbulence to bone structure. In the arts, fractal geometry provides computer graphics with unprecedented possibilities for creating a new universe of visual forms, many of which have an astoundingly realistic, natural look. In music, you can employ the same principles to take advantage of a panoply of new relationships.

In The Fractal Geometry of Nature (see reference 1). Benoit Mandelbrot is careful to point out that the realistic and natural-appearing fractal graphics are not modeled on photographs of nature: rather, they are graphics of mathematical relationships that come surprisingly close to resembling occurrences in nature. So it is with examples of computer-aided composition. They do not sound like rock, or bebop, or symphonies. Rather, they embody abstract relationships that assume the characteristics of certain kinds of music.

There are a number of parallels between computer graphics and computer music. Discussions about fractals and computer graphics usually distinguish between the high-resolution pictures made on powerful institutional computers and those made at home. The same schism exists between highest-quality sound synthesis and home synthesis.

This article discusses some of the basic techniques of computer-aided musical composition and includes some programs for generating musical fractals on home computers. |Editor's note: The programs WHITE.BAS, BROWN, BAS. IOVERF, BAS. VARI-ATN.BAS, and RANDOM.BAS are written in MSX BASIC using MUSIC MACRO commands for the Yamaha CX5-M music computer. Their source code is available for downloading from BYTEnet Listings at (617) 861-9764. They are also available on disk (see page 445).] The output of the software shown in this article is a list of commands for the computer's internal synthesis hardware rather than actual music. Other details can be found in the text box "About the Programs" on page 196.

A LONGSTANDING RELATIONSHIP

Since the time of ancient Greece, Western music has embodied proportions and abstract numerical relationships. There are many examples. A famous motet of 1436, Nuper Rosarum Flores by Guillaume Dufay, uses the same relations of tempo between its sections as the ratios in size between parts of the Florentine cathedral for whose dedication it was composed. Numerology played a part in certain choices of elements in some of the religious music of J. S. Bach.

In our own era. Bela Bartok, the great Hungarian composer and folk music expert, used the Fibonacci numerical series to govern pro-

Charles Dodge is the director of the Center for Computer Music (Brooklyn College, CUNY, Brooklyn, NY 11210). He has a B.A. from the University of lowa and an M.A. and a D.M.A. from Columbia University. He is a recognized composer of computer music and coauthor of Computer Music: Synthesis, Composition, and Perfor-

Curtis R. Bahn is a research assistant and student at the Center for Computer Music. He is also an adjunct assistant professor teaching computer music at NYU. He attended Interlochen Arts Academy, has a B.A. from Indiana University, and is currently working on his M.A. at Brooklyn College.

IUNE 1986 . BYTE 185

WE TOP IBM BEAUTIFULLY





BM's Personal Computer is the standard of the industry, but a Thomson monitor gives your IBM's great body a beautiful face. A Thomson monitor atop your IBM simply outperforms the IBM Color Display.

Here's proof:

Who is Thomson? Thomson is a six billion dollar multi-national company. Unlike our competition, we design and build our own monitors with stringent quality control. We offer monochrome or color monitors from TV-grade to high resolution.

FEATURE THOMSON.38mm COLOR IBM COLOR DISPLAY BENEFIT
Dot pitch (in mm) 38 A3 Superior resolution
Screen Non-glare Glare Less eyestrain
Switch for green/amber text Yes No Improved legibility
All major controls up front Yes No Greater convenience
Warranty 1 yr. 90 days Greater confidence
List Price 9549 \$560 A bargain

Call 1-800-325-0464. In California call 1-213-568-1002 (Monday-Friday, 9 a.m. to 5 p.m. PST) for your local Thomson dealer, and start looking at a beautiful face.

THOMSON O

© 1986 Thomson Consumer Products Corporation 5731 W. Slauson Avenue, Suite 111, Culver City, CA 90230

FANTASTIC, PRECISE, ANIMATED SOFTWARE GRAPHICS.

FREE! WHEN YOU BUY A THOMSON MONITOR.

The much-prized Show Partner™ software. It gives you scrolls. Wipes. Fades. Brilliant screen performances. Normally, Show Partner costs \$149. But you can get it free when you buy a Thomson CM36382SI or CM31311 SI high-resolution color monitor.

See your Thomson dealer for details. And hurry! This offer is for a limited time only.

THOMSON 🕸 A SIGHT FOR SORE EYES!"

Share Pertner is a trademark of Brightbill Roberts and Company, List and distributed by The Marketing Channel. Thomson is a reademark of Thomson S.A.

C 1986 Thomson Company Products Corporation

portions in a number of his works. More recently, Charles Dodge's computer music composition Earth's Magnetic Field (Nonesuch Records, 1970) interprets an index of solar radiation's effect on the magnetic field surrounding the earth to create its melodic and rhythmic activity.

In the mid-fifties, Lejaren Hiller and Loren Isaacson wrote their first programs for computer-aided composition (see reference 2) and Max V. Mathews created his widely used algorithm for the digital oscillator (see reference 3). Today, computer-based audio synthesis, processing, and recording pervade all styles of music. Even classical concert music now includes a wide variety of computer music, as evidenced by the New York Philharmonic's three-day minifestival of computer music within its landmark contemporary music festival, Horizons '84.

After an initial flurry of activity in computer-aided composition (CAC), however, musicians and engineers have concentrated on digital synthesis and processing of sound. Only recently have a number of composers begun to reexamine some of the possibilities of CAC. If you define computer-aided composition as the use of a computer program to calculate some aspect of a musical score, you can eliminate the common misconception that the words "computer music" are limited to the computer performance, or realization, of music composed in the past (by this definition, "switched-on" classics are not new compositions but new realizations). A composer commonly uses computer programs to compose and then makes electronic realizations of the composition on the computer. You can describe this process as computer-realized CAC.

There is an obvious analogy between this and the field of computer graphics, in which you use computer programs to create visual structures to be realized by computer technology. Because of the parallel structures within the two fields, you can adapt recent applications of Benoit Mandelbrot's fractal geometry to computer graphics (see reference 4)

for use in computer-aided composi-

COMPOSING BY COMPUTER

Using the computer to compose raises a number of issues about the nature of the creative process and the nature of music itself. Many of the best musicians in various epochs have incorporated mathematical relationships into their music. No one would argue, however, that all you need for effective composing is a well-developed mathematical technique. Any musical application of mathematical relationships must take into consideration the interactions of the basic elements of musical texture: pitch. rhythm, loudness, and tone quality. The way in which a composer structures these basic elements determines to a large degree the nature of the music created. Figures 1b, 2b, and 3b come from random processes that provide the means of choosing values for some of the necessary building blocks. Figure 4c is a musical fractal that elaborates and builds on the elementary motivic structure shown in figure 4b. All the examples given use the 12-tone equal-temperament pitch collection. Mapping the results of the programs given onto different pitch collections will make a most significant difference in the sound of the music.

Three types of random processes are often associated with CAC. These processes have been widely applied to the choice of compositional parameters-pitch, for example. You can characterize each process by its powerdensity spectrum, the variation of the random sequence's energy versus its frequency. The spectral characterization applies only to the random variable's sequence of values; it says nothing about the acoustical spectra of the music's actual sounds. These spectra depend on the characteristics of the instruments-electronic or otherwise-used to play them.

The first and most basic random process is white noise, which by definition has a flat spectrum. This means that its spectral energy is dispersed evenly with the frequency. and thus it varies with the frequency


(continued)

MUSICAL FRACTALS

DO IT YOURSELF IBM XT/AT COMPATIBLE SYSTEMS

Introducing XT64 Basic System

- 640K Motherboard
- 135 Watts Hard Disk Ready Power Supply
- Color Graphic Card
- One DS/DD Slim Drive





\$595.00

CASE



135 Watts Hard Disk Ready Heavy Duty Power Supply . \$65.00

Flip Top Metal Cabinet With Built In Speaker \$45.00

XT/AT KEYBOARD



* Enlarge Return, Shift & Control Key & LED Indicators for Caps, Num Lock & Scroll Lock \$65.00

FLOPPY DISK DRIVE

- Pop-Up Mechanism
- Direct Drive Brushless Spindle Motor
- High Speed Data Access
- All Japanese Name Brand




\$85.00

MOTHERBOARD

- 640K Motherboard
- IBM XT Fully Compatible
- 8088 CPU
- · 8 I/O Slots
- Turbo 8 MHz

Optional



#W/Memory Chips\$188.00

MONITOR, ADD-ON CARDS

- ★ High Res. TTL Green/Amber .\$95.00
- High Res. Color Monitor ... \$310.00
- Disk I O Card for 2 Disk Drives W Serial, Parallel, Game Port
- & Clock \$108.00
- Color Graphic Card\$70.00
- Monochrome Graphic Card...\$90.00
- Floppy Disk Controllers\$35.00

JM SYSTEM INC.

1580 Industrial St., Los Angeles, CA 90021 * IMMEDIATE DELIVERY *

Please Call For Our Special Dealer Price Mail Orders Hot Line

(213) 624-9986

European Customers Contact: Hong Kong Office - FAX No. 7988360 U.S. Office FAX No. (213) 624-8826

IBM XT AT Are Registered Trademarks of International Business Machines Corp.

in a 1/fo relationship. Figure 1a shows a graph of the power-density spectrum of white noise (see reference 5). Figure 1b is a musical example made by selecting pitches and rhythms at random using the white-noise mathematical relationship. The range of pitches used is the two octaves above middle C. using all chromatic pitches of 12-tone equal temperament. The four rhythmic values used are the quarter, the half, the dotted-half, and the whole note. The music notation shows conventional pitch and rhythmic values, along with bar lines and meter signatures.

As with all our BASIC language programs, we used the internal clock to seed the random generator, resulting in a completely new sequence on each run. Regardless of the seed, a passage of music generated by white noise exhibits little internal coherence

or relatedness. If you generate whitenoise music several times with the program in listing 1, you will notice that the melody is different each time. If you use the diatonic-pitch collection (the pitches of a major scale), for example, and a different group of rhythmic values, you get other melodies as well.

A random variable, whose next value is generated by adding a Gaussian-distributed random variable with a mean value of 0 to the current value, creates noise with a spectrum of 1/f2. Figure 2a shows a graph of 1/f2 noise, sometimes called Brownian noise. Due to the Gaussian distribution, small changes in value are more likely than large ones. Figure 2b is an example of Brownian music. We chose the same ranges of pitch and rhythmic values to project the musical line that we selected for figure 1b. The Brown-




Figure 1a: The power-density spectrum of white, or 1/fa, noise.




Figure 1b: A musical example created by random selection of pitches and rhythms using the white-noise mathematical relationship.

```
Listing 1: WHITE.BAS, a program to generate white noise.
10 _INIT:_INST(1)
20 X=RND(-TIME)
30 FOR X = 1 TO 25
35 REM notes in range of 25 to 120
40 N = INT(RND(1)*95)+25
45 REM lengths in range of 1 to 4
50 L = INT(RND(1)*4)+1
   _PHRASE(1, "L=L; ", "N=N; ")
60
70 NEXT X
80 _PLAY(1,1)
90 _WAIT(1)
100 INPUT "AGAIN"; DD:GOTO 80
```

ian music moves along from one pitch to another within a small span of intervals. The music seems to wander around with no clear direction. The code in listing 2 will generate Brownian music.

Both white noise and Brownian noise are members of a class of processes called fractional noises, whose spectrum diminishes following the formula 1/f', where $0 \le y \le 2$. A particularly interesting case occurs when y = 1, also known as 1/f noise. Figure 3a contains a graph of the powerdensity spectrum of 1/f noise. Surprisingly, the 1/f relationship occurs naturally in a great many ways: as variations in annual amounts of rainfall, in patterns of sunspot activity, and as noise in electronic devices, to name only a few. In fact, physicists Richard F. Voss and John Clarke analyzed several recordings of nonrandom music in various styles and found the loudness and frequency distribution was nearly 1/f (see reference 6). Figure 3b shows a musical line with the same range as figures 1b and 2b but with a 1/f correlation between successive pitches and rhythms.

Values in a sequence generated by the 1/f formula correlate logarithmically with past values. Thus, for example, the averaged activity of the last 10 values has as much influence on the current value as does that of the last 100, the last 1000, and so on. This remarkable property means that the process has a relatively long-term memory. In fact, it has the best memory of any fractional noise-generating formula.

Figures 1b. 2b, and 3b show monophonic (single-line) music. Since most Western music is polyphonic (more than one line), these examples are perhaps better for illustrating the differences among the generating processes than for creating compositions. Because of 1/f's superior memory. lines of music generated with 1/f noise, such as the one shown in figure 3b, have the best overall musical effect of the lines created using fractional noises. Relating note and rhythm choices to both the recent past and the more distant past seems (continued)




Figure 2a: The power-density spectrum of Brownian, or 1/f2, noise.





Figure 2b: An example of Brownian music using the same range of pitches and rhythms as figure 1b but with the Brownian formula.






Figure 3a: The power-density spectrum of 1/f noise.



Figure 3b: A line of 1/f music generated from the pitches and rhythms in figures 1b and 2b but using the 1/f-noise formula.

```
Listing 3: IOVERF.BAS, a program to generate 1/f noise.
    INIT:_INST(1):LL=8:LN=16:S=60:X=RND(-TIME)
20 FOR X = 1 TO 25
30 D=N:GOSUB 130
40 N=D:SN=N+S
50 D=L:GOSUB 130
60 L=D:SL=LL+1
   _PHRASE(1, "L=SL; ", "N=SN; ")
80 NEXT X
  _PLAY(1,1)
90
100
110 INPUT"AGAIN":DD
120 GOTO 90
           1/F ROUTINE
130 REM
135 REM L is last value.
                           K is 1/2 poss
                   PROBIT=1/K
         values.
140 L=D:D=0:K=16:PROBIT=.03125
150 J=INT(L/K)
160 IF J=1 THEN L=L-K
170 U=RND(1)
180 IF U < PROBIT THEN J=1-J
190
    D=D+J*K
200 K=K/2
210 PROBIT=PROBIT+2
220 IF K>1 THEN GOTO 150
230 RETURN
```




Figure 4a: The Koch snowflake, a scaling fractal.



Figure 4b: A "generating motif" of music composed of a few intervals and durations (analogous to the largest triangle in the Koch snowflake).

to be an important part of musical coherence. Listing 3 provides the code to generate some 1/f music. Even musical lines made from the first two types of fractional noise have their possible applications. You can use them in simple musical contexts and together with other lines in more complicated ones.

Although 1/f noise may have the same power-density spectrum as a recording of a symphony by Mozart, the raw application of 1/f noise to compositional choices leaves out an important aspect of composition: musical structure. The application of fractals can be significantly useful in this area and provides an excellent point of departure for helping to mold the overall form of a piece of music.

FRACTALS AND MUSICAL STRUCTURE

Scaling, the space-filling curve, and self-similarity are three important concepts in fractals. Figure 4a shows a very regular fractal, the Koch snowflake. It is made from an equilateral triangle in the following way: Add another equilateral triangle of smaller scale to each side of the original, then add still smaller and smaller equilateral triangles recursively down to the resolution of the display. The Koch snowflake is a scaling fractal because it is made from the same shape reapplied at different scales. It is a space-filling curve because the edge of the snowflake-when you add an infinite number of triangles recursively-becomes infinitely long. (The edge assumes a form in between a one-dimensional line and a twodimensional plane. This defines the snowflake as having a fractional dimension-thus, it is a fractal.) The Koch snowflake also exhibits selfsimilarity; that is, the small detail is



Figure 4c: The first and second layers of a polyphonic musical composition. The first layer is the original motif, while the second layer is merely a faster repetition of that motif added to each of its notes.

similar to the large detail. Selfsimilarity, although not a mathematical requirement of a fractal, is characteristic of all the fractals that we have found to be musically interesting.

The awareness of self-similarity abounds in studies of musical structure. In the early twentieth century, Viennese music theorist Heinrich Schenker developed a way of analyzing classical music that reflects the parts of a musical form as self-similar structures. Schenker's analytical techniques have had a growing influence in recent decades on a variety of musical ideas. Certain long-standing compositional procedures, such as those of canon, fugue, and motivic development, depend entirely on making new musical material by systematically transforming previous musical material. In many instances. these procedures result in clearly selfsimilar musical structures.

You can make an analogy in polyphonic music to the space-filling curve. If you choose a "generating motif" of a few intervals and durations (see figure 4b), it will serve as the slowest moving line in your musical fractal. (Its purpose is analogous to that of the largest triangle in the Koch snowflake.) Then, using the program in listing 4, you add a faster repetition of the motif to each of the notes in the original motif (see figure 4c). Then you add still faster motivic repetitions to each of the notes generated in the previous step as well. The result is a time-filling musical structure analogous to the space-filling curve of the Koch snowflake.

The program in listing 4 generates a three-line polyphonic composition. You can create an entire piece of music out of essentially one motif. The program places that motif in a self-similar structure by displaying it simultaneously in three different time spans.

You can change the nature of the resulting music radically by altering the motif. Changing only one pitch or time relationship can result in very different music because the change is perpetuated through every occurrence of the motif in all three layers

Listing 4: VARIATN.BAS, a program for determinate fractal and Brownian variation. 6 REM Copyright 1986 Curtis Bahn, Creative Associates Inc. 7 REManagements

10 CLS 20 DIM P(6):DIM AP(6):DIM BP(36):DIM CP(216) 30 DIM D(6):DIM AD(6):DIM BD(36):DIM CD(216) 40 DT=0:CC=0:BC=0:AC=0:GP=0:R=0:HP=100

50 _INIT:_INST(1):_INST(2):_INST(3)
100 INPUT"HOW MANY NOTES IN SET?"; IF PN>6 OR PN<1 THEN GOTO 100 110 PRINT"INPUT"; PN; "PITCH RELATIONSHIPS"

120 FOR LOOP=1 TO PN 130 INPUT P(LOOP): IF ABS(P(LOOP))>12 THEN PRINT"TOO BIG":

GOTO 130 135 IF GP<P(LOOP)THEN GP=P(LOOP): IF BP>P(LOOP)THEN BP=P(LOOP)

140 NEXT LOOP 150 PRINT "INPUT"; PN; "TIME RELATIONSHIPS"

160 FOR LOOP=1 TO PN 170 INPUT D(LOOP)

180 NEXT 185 INPUT "BROWNIAN RANDOMIZER APPLIED TO PITCH (1 OR 0)";

R: IF R>2 GOTO 185 190 PP=ABS(BP)+ABS(GP) 195 LP=HP-(3*GP):SK=100/(3*PP)

200 REM FRACTAL ROUTINE

205 PRINT"COMPUTING FRACTAL"

210 FOR A=1 TO PN 220 AP(A)=P(A)+RC:AD(A)=D(A) 230 FOR B=1 TO PN

240 BC=BC+1: IF R =1 THEN GOSUB 700

245 BP(BC)=AP(A)+P(B)+RC:BD(BC)=D(B)+D(A)

250 FOR C=1 TO PN 260 CC=CC+1: IF R=1 THEN GOSUB 700

270 CP(CC)=BP(BC)+P(C)+RC:CD(CC)=D(C)*BD(BC):DT=DT+CD(CC)

280 NEXT C: NEXT B: NEXT A 290 TS=255/DT

300 REM PLAYING ROUTINE

310 BC=0:CC=0 320 FOR A=1 TO PN

330 SOUND(1,1,AP(A)+LP):CIRCLE(TC,90-(AP(A)*SK)),6

340 FOR B= 1 TO PN

345 BC=BC+1 _SOUND(2,1,BP(BC)+LP):CIRCLE(TC,90-(BP(BC)*SK)),3 350

360 FOR C= 1 TO PN 370 _SOUND(3,1,CP(CC)+LP):CIRCLE(TC,90-(CP(CC)+SK)),1

380 FOR LOOP=1 TO CD(CC):TC=TC+TS 385 REM all play statements for mono playback

SOUND(3,0,CP(CC)+LP) 390 400 NEXT LOOP

410 NEXT C: NEXT B: NEXT A
420 _STOP(1): _STOP(2): _STOP(3)
430 INKEY\$=DD\$:IF DD\$="" THEN GOTO 430

440 GOTO 300

BROWNIAN ROUTINE 500 REM 510 S=0

520 FOR I= 1 TO 12

530 S=S+RND(1) 540 NEXT I

550 RC=INT(2*(\$-6))

560 RETURN

of the musical structure.

In listing 4, we have limited the number of layers to three, but given the hardware, you could add layers to the musical structure until you achieve a point of aural saturation. You reach saturation when the input exceeds your aural resolution (when an additional layer makes the music move so fast that its tones become blurs) or surpasses the limitations of the synthesis system (when the tones in a new layer are too high for the synthesizer to play).

You can make a musical fractal that sounds less mechanical by incorporating a certain degree of randomness into the previous, nonrandom example. The idea is to produce random offsets of the original, nonrandom values. The program shown in listing 4 gives you the op-

tion of calling for Brownian random offsets in the selection of pitch intervals on the second and third layers. For the second layer the program will impart a change in the range of 0 to 6 semitones above or below the pitch value specified. The same range and distribution are applied for the third layer to those tones produced for the second layer.

The technique for creating this musical fractal is quite closely related to the technique in computer graphics for making fractal, Brownian mountain ranges (see reference 7). This complex computer graphic is made by nesting triangles, where the sides of the triangles are offset by some random amount proportional to the length of that side. In the musical fractals produced by the Brownian variation that is given in listing 4, an analogous

technique is applied.

The final musical fractal uses a technique similar to the one described above: You generate an original layer and then add faster layers to it. You generate all layers through a l/f-noise algorithm producing self-similar patterns. Because it is a random process, its similarity is statistically, rather than literally, the same. This fact lends a varied yet consistent surface to the resulting music. (The code is provided in listing 5.)

A LAYERED STRUCTURE

To understand how the layers are made, you need to understand the concept of pitch class. A pitch class is a C or an F#, for example, without regard for its register. In other words, the highest and lowest Cs on the piano keyboard share the same pitch class, C; they differ only in octave.

You don't specify the number of notes in the first layer directly. Instead, you begin by specifying the number of different pitch classes you want to generate in the first layer. You may have noticed that the 1/f algorithm commonly produces repeated notes. Therefore, the contents of the layer are related to pitch-class diversity, not simply to the number of pitches in the layer. The number of pitches in the layer does determine the perceived (continued)




Figure 5a: The relationship in time of four levels of generated notes.




Figure 5b: A four-layer musical structure generated using the 1/f-noise algorithm.

```
Listing 5: RANDOM.BAS, a program to generate 1/f random fractals.
```

```
6 RFM
         Copyright 1986 Charles Dodge, North Cape Music
10 CLS
20 DIM AP(10):DIM BP(100):DIM CP(255):DIM DP(2,255):TC=20
30 DIM BD(10):DIM CD(100):DIM DD(255)
 40 DT=0:DC=0:CC=0:BC=0:AC=0:DIM CT(4)
50 DIM CF(4,12):DIM LAST(4):KN=50
60 X=RND(-TIME):LAST(1)=INT(RND(1)*32)
70 _INIT:_INST(1):_INST(2):_INST(3):_INST(4)
80 _MODI(1,5):_MODI(2,40):_MODI(3,15):_MODI(4,16)
100 FOR LOOP = 1 TO 4
110 PRINT"ENTER PITCH CLASS LIMIT OF LEVEL #";LOOP
120 INPUT PL(LOOP)
130 IF PL(LOOP)>6 THEN PRINT"TOO BIG":GOTO 120
140 IF PL(LOOP)<1 THEN PRINT"TOO SMALL":GOTO 120
150 NEXT LOOP
 160 L=1
170 FOR A = 1 TO 10
180 GOSUB 820
190 IF CT(L)>PL(L) THEN GOTO 230
200 AC=AC+1
210 AP(A)=LAST(L)
220 NEXT
230 REM
            FRACTAL ROUTINE
240 SCREEN 2
250 FOR A = 1 TO AC
260 CIRCLE(DI/2,197-(AP(A)*5+20)),9
270 LAST(2)=AP(A)
280 FOR B = 1 TO 10
290 L=2
300 GOSUB 820
310 IF CT(L)>PL(L) THEN GOTO 570
320 BI=BI+1:BP(BI)=LAST(L)
330 CIRCLE(DI/2,197-(BP(BÍ)=5+20)),6
340 LAST(3)=BP(BI)
350 FOR C = 1 TO 10
360 L=3
370 GOSUB 820

380 IF CT(L)>PL(L) THEN GOTO 550

390 CI=CI+1:CP(CI)=LAST(L):IF CI=255 THEN AC=A:GOTO 590

400 CIRCLE(DI/2,197-(CP(CI)*5+20)),3
410 LAST(4)=CP(CI)
420 FOR D = 1 TO 10
430 L=4
440 GOSUB 820
450 IF CT(L)>PL(L) THEN GOTO 530
460 DI=DI+1
470 CIRCLE(DI/2, 197-(LAST(L)+5+20)),.5
480 IF DI>255 THEN GOTO 500
490 DP(1,DI)=LAST(L):GOTO 520
500 DP(2,DI-255)=LAST(L)
510 IF DI=510 THEN AC = A: GOTO 590
520 DC=DC+1:NEXT D
530 DD(CI)=DC:DC=0:CT(L)=0:GOSUB 1020
540 CC=CC+1:NEXT C
550 CD(BI)-CC:CC-0:CT(L)-0:GOSUB 1020
560 BC-BC+1:NEXT B
570 BD(A)=BC:BC=0:CT(L)=0:GOSUB 1020
580 NEXT A
590 LINE (0,0)-(255,0):LINE (255,0)-(255,197):
LINE(255,197)-(0,197):LINE(0,197)-(0,0)
600 DD$=INKEY$:IF DD$="" GOTO 600
            PLAY LOOPS
610 REM
640 FOR A - 1 TO AC
650 _SOUND(1,1,AP(A)+KN)
```

(continued)

Switches to make your PCs powerful.

Reliable and affordable port expansion without memorizing complicated software commands. Switch your PC between peripherals with the push of a button. Is MFJ good? Jor Campbell in his book. The RS 232 Solution said. "Switch boxes are sold by many suppliers, but by far the two best values are from MFJ Enterprises." Below are just some of those values.

CO VOO metch between two peripherals




two computers share the same peripheral... MJ-1240/979.95

The 1240 has a built-in

transmit/receive switch that allows 2-way information flow LEDs monitor data lines while built-in surge protectors guard them. Can be used as a null modern. MrJ's No. 1 setler!





When you need 1-to-4 computers to share one peripheral or 1-to-4 peripherals to share s MFJ-1243/8119.95

11


The perfect office switch. Save money. Don't buy Connect 1-to-4 computers to a single printer or let a PC share up to four peripherals. LEDs monitor data lines; surge protectors guard them. Two way communication is allowed.



and four peripherals at one time! The MFJ-1294 gives you a computer

system... MFJ-1294/8299.95

With the MFJ 1294 you



Seven additional models to choose from including MFJ's IBM and Centronies Parallel Switches. All RS-232 switches have RS-232 connectors. LEDs to monitor data lines. MOV surge protectors and transmit/receive buttons that allow 2-wa

And Power Strips to make them safe.

Your fine computer and peripheral equipment can be damaged by electrical surges much smaller than too use been led to betteve. Save them and your valuable data with an MFJ Power Center. Multi-filters isolate equip-



1-800-647-1800

For technical/repair information, or in Mississippt or muside ne Continental United States, please telephone...

1-(601) 323-5869 or telex 53-4590 MFJSTKV

All MRJ products come with a double guarantee we think is unmatched. Order from MRJ and try any product for 30 days. If

unmatched. Order from MFJ and try any product for 30 days. I doesn't satisfy your needs, just return it for a full refund less shipping. If you keep it you can be assured of continued service and our One Year Unconditional Guarantee.

Call toll-free 1-800-647-1800 and change the products you need to your VISA or MasterCard, or send a check or money order, plus 85,00 shipping, and our shipping department will promptly have your computer peripheral on its way to you.



MFJ Enterprises, Inc. 921 Louisville Road Starkville, MS 39759


```
660 FOR B = 1 TO BD(A):BC=BC+1
670 _SOUND(2,1,BD(BC)+KN)
680 FOR C = 1 TO CD(B):CC=CC+1
690 IF CC>255 GOTO 770
700 _SOUND(3,1,(CP(CC)+KN)
710 FOR D = 1 TO DD(C):DC=DC+1
720 IF DC>255 GOTO 740
730 _SOUND(4,1,DP(1,DC)+KN):GOTO 760
740 _SOUND(4,1,DP(2,DC-255)+KN)
750 IF DC=510 THEN GOTO 770
760 NEXT D:NEXT C:NEXT B:NEXT A
770 _STOP(1):_STOP(2):_STOP(3):_STOP(4)
780 DD$=INKEY$:IF DD$="" GOTO 780
790 BC=0:CC=0:DC=0
800 GOTO 610
                  1/F ROUTINE
820 REM
830 LL=LAST(L):NP=0:K=16:PROBIT=.03125
840 J=INT(LL/K)
850 IF J=1 THEN LL=LL-K
860 U=RND(1)
870 IF U<PROBIT THEN J=1-J
880 NP=NP+J*K
890 K=K/2
900 PROBIT = PROBIT+2
910 IF K>=1 GOTO 840
920 LAST(L)=NP:TEST=NP
930 REM
                 PITCH CLASS TEST
940 FOR I = 0 TO 11
950 IF INT((TEST+I)/12)=(TEST+I)/12 THEN CF(L,I)=1:GOTO 920
960 NEXT I
970 CT(L)-0
 980 FOR I = 0 TO 11
 990 CT(L)=CF(L,I)+CT(L)
 1000 NEXT I
 1010 RETURN
```

form of the resulting composition. however, because each note of the first layer, when elaborated with the notes of the subsequent layers, is heard as a section of the composition.

You choose the notes of the second laver by the same method as the first-indirectly-by specifying the number of new pitch classes to generate before going on to the next note. Thus, each first-layer note will be elaborated, on the average, by a different number of second-layer notes. Therefore, the whole composition will sound less geometrical and more natural. The number of pitch classes you specify for each second-layer elaboration of first-layer notes is important. Too few (one or two) may sound too uniform, and too many (more than five or six) may make the first-layer notes too long. You use a similar method to indicate the pitchclass diversity of the third laver. Here again, you specify the number of new pitch classes for the third-layer notes to be played in the same time span as a second-layer note. The fourth layer is also created in exactly the same way as the earlier ones.

The means for calculating rhythm in this example is quite simple. The program assigns a short duration to each fourth-layer note. The duration of a third-layer note equals the total time

(continued)



We are the reliable manufacture of ADD-ON card and peripheral:

All our products are superior than our competitors in multi-wise and function-wise.

Good quality, Reasonable price,

WHOLESALER, DEALER, RETAIL, STORE AND 2. Peripheral: **OEM ENQUIRES WELCOME ***

- 1. ADD-ON card
 - a. Video card
 - b. I/O card
 - c. Memroy expension card
 - d. Hard disk controller card

Monitor, Keyboard, Driver, Modern, Cable, Power supply, P/C case.

■ "STOCKS AVAILABLE"



ADDRESS: 3020, SCOTT BLVD, SANTA CLARA, CA 95054, U.S.A. TELEX: 1561096 PECO UT TEL: (408) 980-9511 (2 LINES) ATTN STANLEY FAX: (408) 980-1530

IBM is a regestered trade mark of international business machines corp.

Blaise Computing ©c. introduces the PERFORMANCE PACKAGE™ for Turbo Pascal programmers.

Turbo M With Turbo ASYNCH, you can be in constant touch with the world without ever leaving the console. Rapid transit at its best. Turbo ASYNCH is designed to let you incorporate asynchronous communication capabilities into your Turbo Pascal application programs, and it will drive any asynchronous device via the RS232 ports, like printers, plotters, modems or even other computers. Turbo ASYNCH is fast, accurate and lives up to its specs. Features include...

Initialization of the COM ports allowing you to set all transmission options. • Interrupt processing. • Data transfer between circular queues and communications ports.

Simultaneous buffered input and output to both COM ports. • Transmission speeds up to 9600 Baud. • Input and output queues as large as you wish. ◆ XON/XOFF protocol.

The underlying functions of Turbo ASYNCH are carefully crafted in assembler for efficiency, and drive the UART and programmable interrupt controller chips directly. These functions, installed as a runtime resident system, require just 3.2K bytes. The interface to the assembler routines is written in Turbo Pascal.

The Turbo Pascal PERFORMANCE PACKAGE* Is for the serious Turbo Pascal programmer who wants quality tools to develop applications. Every system comes with a comprehensive User Reference Manual, all source code and useful sample programs. They require an IBM PC or compatible, utilizing MS-DOS version 2.0 or later. There are no royalties for incorporating PERFORMANCE PACKAGE functions into your applications.

Turbo POWER TOOLS and Turbo ASYNCH sell for \$99.95 each, and they may be ordered directly from Blaise

Computing, Inc. TO ORDER, call (415) 540-5441

Turbo POWER TOOLS is a

steek new series of procedures designed specifically to complement Turbo Pascal on IBM and compatible computers. Every component in Turbo POWER TOOLS is precision engineered to give you fluid and responsive handling, with all the options you need packed into its clean lines. High performance and full Instrumentation, including...

 Extensive string handling to complement the powerful Turbo Pascal functions. Screen support and window management, giwing you fast direct access to the screen without using BIOS calls. Access to BIOS and DOS services, including DOS 3.0 and the IBM AT. . Full program control by allowing you to execute any other program from within your Turbo Pascal application. • Interrupt service routines written entirely in Turbo Pascal. Assembly code is not required even to service hardware Interrupts like the keyboard or clock.

Using Turbo POWER TOOLS, you can now "filter" the keyboard or even DOS, and create your own "sidekickable" applications.

Zio: Shipping Address: Exp. Date VISA OF MC #

BLAISE COMPUTING INC.

BERKELEY, CA 94704 (415) 540-5441

10NE 1986 . BYTE

inquity 44 for Each Users Inquiry 45 for DEALERS ONEX


ABOUT THE PROGRAMS

The programs in listings 1 through 5 are written in MSX BASIC extended with the MUSIC MACRO commands for the Yamaha CX5-M music computer. We chose this particular machine because it is the most accessible computer that allows polyphonic (multivoice) sound production. Since most BASIC dialects contain commands to generate only monophonic (single-line) music, we wrote these programs so they could be modified easily for monophonic performance.

The programs in listings 1 through 3 produce short, monophonic musical segments by applying random processes to the parameters of musical pitch and time. In MUSIC MACRO, you prepare a short PHRASE that you then PLAY. Depending on the requirements of the system you use, you can fill an array or character string and send it later to your sound generator.

In listings 4 and 5, the longer fractal algorithms, the 64 rhythmic values of MUSIC MACRO were not enough for the exponential character of the relationships of the scaled time. Therefore, we introduced another scheme to produce many more time relationships. It uses a series of four nested loops, the indexes of which are either a result of the generating motif, as in figure 4b, or the result of a random process, as in figure 5b.

If your machine allows only mono-



phonic sound generation, you can still realize the polyphonic music. Just place all your sound generation statements at the center of the nested loops, separated by small time factors. This will arpeggiate the example. By listening closely you will hear the differing rates of change of the layers articulated in this single line.

The program in listing 4, for making the first fractal, scales a given motif to three layers. The theme is entered as a series of relationships to an abstract reference pitch. This is like entering the x-axis values in relationship to zero for a linear graph in either a positive or negative direction. For example, the values 0, 3, and -2 will create a string of pitches starting on the reference pitch, moving to a pitch three semitones above it, and ending on the pitch two semitones below it. The program in listing 4 provides a "switch" to pro-

duce a Brownian random displacement of pitch on layers two and three. Using this feature will result in a less strictly patterned musical segment.

The program handles time as a ratio of values greater than 1, such as 1:1:2:3:1:1. Because of the exponential character of the relationships between the layers of the fractal, small numbers seem to provide the best results. Relationships of pitch and time are scaled to a range of values appropriate to the system. The notes of the score are displayed graphically during the performance. Hitting any key will repeat the performance.

The program in listing 5, to produce the second fractal, asks for the limit of pitch classes allowed for each layer of the fractal. A call to the 1/f subroutine chooses a note based on the previous note of that layer or the last note of the previous layer. As the various arrays of durations and pitches are filled, they are graphically displayed on the screen. When the segment is completely generated, a border appears around the screen. Hitting any key initiates a performance. If the number of notes in the fastest layer exceeds 510, the program stops filling arrays. The performance is truncated at the last note of the first layer reached before the array of fastest notes was filled. You can alter the program for larger arrays, according to your machine's capabilities.

span of all the fourth-layer notes generated to play with it. Then, the total duration of all the third-layer notes for a given second-layer note determines its duration. Similarly, the total of all the second-layer notes for a given first-layer note determines its duration, and so on until all notes in the piece have an assigned duration. The relations in time of the various layers is illustrated in figure 5a.

We chose 1/f noise to select the elements in figure 5b because of its unique memory. However, you can obtain interesting results if you mix the fractional noises used to generate

the various layers. For example, using white noise to calculate the fourth layer would lead to a greater diversity of timing.

CONCLUSION

The exploration of fractal geometry's musical applications is in its infancy. The musical fractals offered above are relatively simple. There remains a large universe of fractal geometry yet to be broached by musicians.


REFERENCES

1. Mandelbrot, Benoit B. The Fractal Geometry of Nature. New York: W. H. Freeman, 1982.

- Hiller, Lejaren, and Loren Isaacson. Experimental Music. New York: McGraw-Hill, 1959.
- Mathews, Max V. The Technology of Computer Music. Cambridge, MA: MIT Press, 1969.
- Sørensen, Peter R. "Fractals." BYTE.
 September 1984, page 157.
- Dodge, Charles, and Thomas A. Jerse. Computer Music: Synthesis, Composition, and Performance. New York: Schirmer Books, 1985.
- Voss, Richard F., and John Clarke. "1/f Noise in Music: Music from 1/f Noise." Journal of the Acoustical Society of America. 63(1). 1978, page 258.
- 7. DeVries, Peter. "Computer Graphics." Scientific American. September 1984.

dPOWER without dPRICE.

ITS AND INDEXES ANY IL MINE R OF PIELIES SENSITIVE METHERSE



"The PractiBase report writer is a decided improvement over dBase II!' PC Week

"PractiBase is an inexpensive but relatively powerful data base manager that provides a reasonably attractive alternative to dBase...And at the \$99 price it appears to be a real bargain." New York Times

ONLY

Until now, there were only two kinds of databases on the market. Powerful databases with powerful prices. And file managers that cost very little-and gave you very little in return.

Now you can get the power you want at the price you want to pay. With PractiBase. The first inexpensive database that truly compares with any base at any price-especially at its low price of \$99.95.

Skeptical? We don't blame you. But consider some of PractiBase's features:

- A powerful relational database management system, including memo writer, forms generator, entry forms and page report generator
- · Advanced dBase II*-compatible programming language-including JOIN, UPDATE and TOTAL commands
- · Reads and writes dBase II files
- . Runs dBase II programs! (.PRG and .FMT files)
- Sorts on multiple keys in a single operation
- · Handles up to three data files at one time
- Menu- or command-driven (vou never have to stare at a dot!)
- Includes time-saving abbreviation macros

© 1986 PractiCorp International Inc.

- Context-sensitive, multi-level HELP
- Includes 200-page manual, case study and command summary card
- NOT copy-protected
- · For the IBM PC, XT, AT* and compatibles
- Requires 256K minimum (hard disk optional)

Whether you're a first-time user or a power user, we believe you'll find PractiBase the equal of databases costing up to ten times its price.

You can buy PractiBase alone. Or save even more by buying it with PractiWord*-our full-featured word processor that gives you all the power of WordStar*-for a combined price of only \$149.95.

Either way, you'll get dPower you need. Without dStroying your budget.

No-Nonsense Software

The Silk Mill. 44 Oak Street, Newton Upper Falls, MA 02164 (617) 965-9870

*The following are registered trademarks of the respective companies indicated: dBase and dBase II, Ashton-Tale; WordStar, Micro-Pro International; IBM, PC, XT and AT, International Business Machines Corp. PractiCorp, PractiBase and PractiWord are registered trademarks of PractiCorp International Inc.

COMING SOON: PRACTIGRAPH!" ORDER NOW!

To order by mail: Complete this coupon and return to PractiCorp International, The Silk Mill, 44 Oak Street, Newton Upper Falls, MA 02164

To order by phone: Call TOLL FREE 1-800-858-2727 or call 617-965-9870

Yes! Rush PractiBase to me:

PractiBase @ \$99.95 each \$ PractiWord @ \$99.95 each PractiBase/PractiWord bundle @ \$149.95 each Subtotal

MA residents add 5% sales tax . Shipping and handling \$5.00

TOTAL S. Payment: Check Visa MasterCard

Card No.

Expiration Date

Shipping address.

Allow four weeks for delivery. Outside U.S.A., add \$10 and make payment by bank draft in U.S. dollars only.

"Notduring a full myon"." I wont."

-Computer backup excuse #243

People can get very superstitious about when they do their computer backup. Especially if it gives them an excuse for not doing it at all.

Because, after all, backing up is about as exciting as watching paint dry.

One way to take the curse off is to do it first thing in the morning. If you're one of those slow starters who has to have coffee and push some papers around for awhile when you get to work, that dead time could be perfect for backup.

As for how to do it, the floppy disk is fine if you have a limited amount of memory, and the data cartridge for 5 to 10 Mbytes or over.

Mbytes or over.
To learn more about backup and other applications of the data cartridge, a 3M developed technology

whose time has come, contact your local computer products dealer.

And maybe you won't be one of those people who does his backup only once in a blue moon.

When you run out of excuses.™

A MIDI PROJECT

BY JAY KUBICKY

A MIDI interface with software for the IBM PC

BEFORE 1 DESCRIBE my project, I'd like to discuss the MIDI specification. This standard defines a hardware interconnection scheme with a software specification for the purpose of connecting electronic musical instruments to a computer.

As the name implies, an electronic musical instrument is any instrument that produces sound electronically. The most common electronic musical instrument is the synthesizer. The first synthesizers looked like part of a piano keyboard attached to a long, flat box covered with dials and switches. But today there are many other forms; a modern synthesizer might well have no keyboard but might have a MIDI-in jack.

All synthesizers produce sound through a system of oscillators, filters, and other wave-shaping devices. One way to classify synthesizers is by the number of voices they have. At any given instant, each voice can produce one individual note. For example, an eight-voice synthesizer can produce eight simultaneous notes. In synthesizers with multitimbral capability each of these voices can produce a different sound.

On a modern synthesizer, the con-

trol values of the voices are stored within the synthesizer in what are known as "patches" or "programs." These programs hold all of the values for each sound the synthesizer can produce. Different sounds can be loaded into the synthesizer's sound-generating circuitry by changing the program. Most synthesizers can store from 32 to 128 programs.

Sequencers are a particularly interesting class of devices associated with MIDI interfaces. These allow you to store sequences of notes played from a MIDI-compatible keyboard or other MIDI device. Since only the codes for the notes are stored and not the actual notes, the sequencers can later play back this music at any speed without altering the pitch.

Besides synthesizers, MIDI also ties together drum machines, guitar synthesizers, and other MIDI-compatible devices.

THE MIDI PROTOCOL

The MIDI protocol is a complex set of messages pertaining, in general, to various functions of the MIDI system, and, in particular, to functions of synthesizers

Two types of bytes can be sent over

the MIDI interface bus—status and data. Status bytes are 8-bit bytes with their most significant bit being bit 7, always set to 1. Data bytes may never have their MSBs set.

Messages are made up of a combination of these two types of bytes. The status byte is sent first, and usually it is followed by one or more data bytes. Real-time messages have no accompanying data bytes and may be sent at any time, even inside of other messages.

MIDI messages are generally divided into two types—channel messages and system messages. The channel voice messages are an important subset of the channel messages. They are used to alter the status of the synthesizer's voices.

The note-on channel voice message is sent whenever a key is pressed. The data bytes in this message specify the number of the note and its velocity, which is determined by how hard the key was struck (this only applies to velocity-sensitive keyboards). The note-

(continued

Jay Kubicky (934 North Orange St., Media, PA 19063) is a high school sophomore. He has studied music since age five and has been interested in computers for five years.

Fast Forward.



When you use your AT&T Card at a public phone, you don't have to hang up after each call. Just hit this button after your first conversation, and dial the number of your next long distance call. The phone automatically remembers your AT&T Card number. So you have more time to take care of business.



AT&T
The right choice.

off message is sent whenever a note is released. As with note-on, there is an accompanying note byte and velocity byte (again, only pertinent on velocity-sensitive keyboards). The program change message is sent whenever a program is changed. The data byte is the new program number.

The polyphonic key pressurelafter-touch message is sent after a key is pressed if the key pressure is reduced. Accompanying the status byte is the note number and pressure. The channel pressure message designates the volume for a given channel.

Most synthesizers have at least some sort of note-bender or pitch wheel built into them. In terms of MIDI, this is known as a continuous controller. A special MIDI code known as a control change pertains to all continuous controllers in the MIDI system. The control change message is meant for any type of controller in the MIDI system other than the keyboard or pitch wheel (such as pedals, modulation controllers, etc.). After the status byte, the controller number and value is sent. Controller numbers 122 through 127 are reserved (these codes are explained in the section on channel mode messages).

Since the pitch-bender is the most commonly used controller, it is assigned a pitch wheel change message of its own. This message is sent when the value of the pitch-bending device (wheel, joystick, etc.) is changed. Two accompanying data bytes are sent, giving a 14-bit resolution.

CHANNEL CONTROL

Since the MIDI system can support many synthesizers at once, message arbitration must be accomplished through the use of "channels."

A channel is designated by the lower four bits of the first byte of any of the channel voice messages. These four bits direct the MIDI message to one of 16 devices that may be attached to the MIDI interface bus. Each device is responsible for recognizing its channel number and responding to its assigned messages. This allows up to 16 separate parts (voices) to be simultaneously played over a single MIDI interface bus.

There are four channel modes gov-

erning how devices will respond to channel-oriented messages.

CHANNEL MODES

The following four channel modes apply to transmitter/receiver voice messages:

- Omni-on poly: Voice messages are received from all channels and are assigned to the voices polyphonically.
- Omni-on mono: Voice messages are received from all channels and control only one voice, monophonically.
- Omni-off poly: Voice messages are received from only one channel and are assigned to voices polyphonically.
- Omni-off mono: Voice messages are received in voice channels N through N+M-1 and are assigned monophonically to voices 1 through M, respectively, where M is the number of voices and N is the start channel (usually 0).

Channel modes are set by sending a control change message to controllers 122 through 127.

The channel-oriented scheme lets you play up to 16 separate parts at once. There are many ways this can be accomplished. For instance, you could have 16 synthesizers hooked up to a single MIDI system bus (a rather expensive setup), or you could connect a few multitimbred synthesizers to a single MIDI interface bus.

On a multitimbred synthesizer, voice one could be strings, voice two could be brass, etc. A typical multitimbred synthesizer allows you to assign each of its six voices to a separate channel and to give each voice a different sound. Then you simply play different parts over different channels.

The only disadvantage with this type of setup is that you can assign only one voice per channel. This allows only one note to be played in each channel at any given instant.

[Editor's note: Be sure to check your synthesizer channel numbers. Channel 0 in Jay Kubicky's program corresponds to channel 1 on most synthesizers.]

SYSTEM REAL-TIME MESSAGES

System real-time messages apply to all devices in the system and can be sent

(continued)

Friendly Face.



When you're traveling on business, look for this friendly face—the AT&T Card Caller. It'll give you simple instructions on any call, including AT&T Long Distance Service calls. And you can use it with or without your AT&T Card. The AT&T Card Caller—a face you should get to know.



AI&I
The right choice.

any time, even between the bytes of another message. These messages control timing and synchronization of the system and are especially important when dealing with sequencers and drum machines.

The timing clock message synchronizes all time-relevant devices in the system such as sequencers, drum machines, etc. This message is sent at the rate of 24 beats per quarter note.

The start message tells all real-time devices in the system, such as sequencers and drum machines, to start. The continue message tells all stopped devices in the system to continue at the time of the next clock. The stop message tells all real-time devices to stop.

The active sensing message is optional. It is a dummy status byte sent at least every 300 milliseconds, regardless of other activity on the bus. Once the first active sensing message is received, all other devices on the bus that are capable will respond. If 300 milliseconds passes without the occurrence of a data transfer, the receiver will turn off all voices and return to normal operation.

The sustem reset message initializes all receivers to the condition of just having turned on system power. It is to be used sparingly, preferably under manual control only. It should not be sent automatically on power-up.

SYSTEM-COMMON MESSAGES

Sustem-common messages are not channel-oriented and apply to all devices in the system. They implement the following functions:

The song position pointer message sets the internal beat-counter of sequencers, drum machines, etc., to a specific value. The two data bytes (with their MSB set to 0) contain the new beat-counter information and are sent with this code.

The song position pointer is really an internal register that contains the number of MIDI beats since the beginning of the song. It is normally set to 0 when the start message is sent.

The song select message defines the song to be played in sequencers, drum machines, etc. The one data byte used allows one of 128 possible songs to be selected.

The tune request message requests that all analog synthesizers in the system tune their oscillators.

SYSTEM-EXCLUSIVE MESSAGES

The sustem-exclusive message makes up for all of MIDI's deficiencies. After a system-exclusive message and appropriate manufacturer identification is sent, any amount of any type of data can be sent over the bus (just as long as the MSBs of all data bytes are set

Upon receiving any sort of status byte other than a real-time message. the receiver automatically terminates system-exclusive mode.

The main purpose of the systemexclusive mode is to send actual program and sequencer data to be stored, analyzed, or changed in another synthesizer or computer.

An EOX (end of exclusive) message terminates the system-exclusive mode (manufacturer ID numbers are supplied by the MIDI committee).

THE MIDI PROJECT

My MIDI project consists of two phases. In phase one I will show you how to build the hardware interface board and explain its inner workings. In phase two I will describe the software, how it works, and how to use it.


PHASE 1: BUILDING THE HARDWARE

At the hardware level, MIDI is an asynchronous serial interface (see photo 1). Typically, a MIDI-compatible device will have a MIDI-in port that receives MIDI data, a MIDI-out port that transmits MIDI data, and optionally a MIDI-thru port that echoes data received at the MIDI-in port back out again.

The operating speed of the serial interface is 31,250 bits per second (plus or minus 1 percent), with one start bit, eight data bits, and one stop bit. This speed is a convenient breakdown of 2 megahertz.

The interface circuit is a 5-milliampere current loop (see figure 1). The receiver is optoisolated and should require no more than 5 mA to drive. The MIDI interface cables use 5-pin DIN male plugs and the total bus length should be no more than 50 feet.

Since the MIDI interface transmits in a serial data format, a UART is needed to transfer data to and from it. The Zilog DART (dual asynchronous receiver/transmitter) serves this purpose nicely. The DART provides two






Photo I: Jay Kubicky's MIDI interface board.




Figure 1: The MIDI 1.0 IBM Board.

channels of asynchronous communication at speeds up to 800,000 bps (only one channel of this chip is needed for the interface).

One of the major software goals of this project is to implement a sequencer that stores notes in a digital format for later playback. To do this you must keep track of when notes are received so you know when to play them back.

To keep track of the incoming data I used a dedicated timer, an Intel 8253 programmable interval timer (PIT), in the IBM PC. This timer provides three programmable down counters. This MIDI interface uses two of them.

The interface circuit consists of three major parts: selection circuitry, DART and MIDI bus interface circuitry including the synchronizer interface, and the 8253 PIT and associated crystal oscillator.

SELECTION CIRCUITRY

Almost everything else in the IBM PC uses nine bits to select an I/O address, but I used 15 bits to avoid having conflicting addresses with anything else in the system.

The DART has a status and a data port for each channel. The data ports (for channels A and B) are located at addresses FFA0 and FFA1 (all addresses are in hexadecimal notation). The status ports are at addresses FFA2 and FFA3.

The counter has a port for each timer plus one control port. The counter registers are at addresses FFA4 and FFA6, and the control register is at address FFA7. The DART, not being native to the IBM PC's Intel heritage, requires an IORO (input/output request) signal that is generated by performing an OR operation on SYSIORD (input/output read) and SYSIOWR (input/output write).

The DART serves as the main link to the MIDI interface bus. Channel A receive data (RxDa) of the DART is connected to the bus by a Sharp PC-900 optoisolator. The incoming MIDI signal is protected by a 1N751 diode (DI) and buffered by inverters IC3 pin 10 and IC3 pin 12.

(Note: The MIDI 1.0 specification calls for an interface circuit using the Sharp PC-900 optoisolator. The

TIL-111 could cause problems when used with certain synthesizers.)

Channel A transmit data (TxDa) drives NAND gate IC6 pin 11 and is then buffered by inverters IC3 pin 4, IC3 pin 6, and IC3 pin 8. The outputs of these inverters are serially terminated by 220-ohm resistors to match the MIDI interface bus impedance. This configuration gives you two extra outputs at very little cost. Most experimenters will find these extra outputs very useful.

The DART also provides sync outputs from DTRa (data terminal ready) and DTRb. The sync output (DTRb) provides a constant pulse of 24 beats per quarter note to external sync devices such as drum machines.

The sync interface also uses a 5-pin DIN connector. Pin ! (DTRa) is start/stop (which starts and stops the external MID! device), pin 2 is ground, and pin 3 is sync. Sync is a positive TTL-level square wave pulse. DTRa and DTRb are inverted (and buffered) by IC4 pin 10, and IC4 pin 12, respectively.

The 8253 PIT is used by the 16-track digital recording software that I will discuss later. The PIT has three programmable down counters capable of counting at over 2 MHz each. Note: The three gate leads (gate 0, gate 1, gate 2) of the PIT (pins 11, 14, and 16) must be tied to a logic high for the counters to function properly.

Timer 0 is clocked by the 2-MHz crystal oscillator circuit composed of crystal Z1. resistors R8 and R9, and IC6 pin 3. IC6 pin 6, and IC6 pin 8. Timer 0 divides the 2-MHz frequency down to the 24-beat-per-quarternote level, which is then used as the clock for timer 1.

Timer I is used in conjunction with the music-recording software and sync interface.

Counter 2 (the third counter) may be optionally tied to the 2-MHz clock along with counter 0, and its output may be wired to the clock input of channel B of the DART, yielding an additional high-speed serial port.

PHASE 2: THE MIDI SOFTWARE

My software implements a 16-track polyphonic recording system (I will sometimes refer to tracks as buffers).

With this software you will be able to record up to 16 tracks of polyphonic music and later play them all back together. Music can be entered to one track while other tracks are being played. Combine this capability with multiple synthesizers and you can simulate a whole band.

This software is written in C and 8088 assembly language and consists of three major parts—the receive-MIDI-data portion, the transmit-MIDI-data portion, and the support portion. [Editor's note: Jay Kubicky's MIDI programs MIDI111.C (source code) and RXINT11.A can be downloaded from BYTEnet Listings at (617) 861-9764. They are also available on disk as explained in Disks and Downloads on page 445, or in hard copy by writing BYTE. One Phoenix Mill Lane. Peterborough, NH 03458.]

RECEIVE FUNCTION

The receive portion of the program is responsible for receiving all incoming MIDI data and then storing the data in a buffer in the correct format (with two accompanying timing bytes from counter I of the 8253). Since counter I is clocked by counter 0, the music's tempo can later be altered by changing the preset of counter 0.

The receive portion of the program consists of two function levels. The top level is the record function, known as recbuff(), which asks you which track you wish to record to. If there is data already in that track, recbuff() gives you an option to abort. If you decide to record to a track, recbuff() shows you the Track Enable screen. This screen allows you to choose which buffers are to be enabled to play and which channels they will be played on.

After selecting a track (buffer) and a channel, you select a metronome speed. This is presently from 40 to 200 beats per minute but would probably still work at around 300 beats per minute.

Next you are given various sync options. The first is audio sync, which beeps the IBM PC's internal speaker. The problem with this option is that it takes a long time, and if you are trying to play any other buffers while you record, it sounds choppy.

(continued)

Why your next generation of products should use our 5th generation tools.

The Arity Expert Systems Development Package

The Arity/Prolog Compiler and Interpreter V4

Arity's integrated family of programming tools allows you to combine software written in Arity/Prolog, the best of the fifth generation languages, with Arity SQL, the best of the fourth generation languages, and with conventional third generation languages such as C or assembly language to build your smarter application.

You can use Arity/Prolog to build expert systems using the Arity Expert Systems Development Package. Or to build natural language frontends. Or to build intelligent information management systems. Arity/Prolog lets you build advanced technology into your vertical applications package.

And more...

That's not the whole story. Arity's products are all designed to be fast, powerful, serious. Each of our products contains unexpected bonuses. Such as a one gigabyte virtual database integrated into Arity/Prolog. The most powerful of its kind on a PC.

Quality first. Then price.

In order to be the best, we had to prove it to our customers. Our tradition of quality software design is reflected in every product we sell. Quality first. Then price. And we always provide the best in customer support.

Our products are not copy protected. We do not charge royalties. We offer generous educational and quantity discounts. And we have a 30 day money back guarantee.

Try us to know that we keep our promise on commitment to quality and reliability. Try us by using our electronic bulletin board at 617-369-5622 or call us by telephone—you can reach us at 617-371-2422.

Or fill in this coupon. Whether you order today or not, let us send you full descriptions of our integrated family of Arity products.

Inquiry 27

arity

We design and distribute high quality, serious application software for the IBM PC, XT, AT and all MS-DOS compatibles.

Please complete this form to place your order and/or request detailed in	nformation.	Quantity	Info only	
Arity/Prolog Compiler and Interpreter V4	\$795.00			
Arity/Prolog Interpreter V4	\$350.00			
Arity Standard Prolog	\$ 95.00			
Arity SQL Development Package	\$295.00			
Arity Expert System Development Package	\$295.00			
Arity Screen Design Toolkit	\$ 49.95			
Arity File Interchange Toolkit	\$ 49.95			
TOTAL AMOUNT (MA residents add 5% sales tax) (These prices include shipping to	n all U.S. cities)	5		
NAME				
SHIPPING ADDRESS				
CITY/STATE/ZIP				
TELEPHONE				
Payment: Check PO AMEX VISA MC				
Card #Exp. date				
Signature				
ARITY CORPORATION • 358 BAKER AVENUE • CONCORD	, MA 01742		- 0	irity

The next option is drum sync, which sends 24 pulses per quarter note out over the sync-out connector. The last option is MIDI sync, which sends out 24 MIDI timing clocks per quarter note, as well as accompanying MIDI starts and stops.

When you have finished selecting options, the program lets you enable the interrupt and start the play() routine. The receive function is interrupt-driven so that data may be played and recorded at the same time. The DART is programmed to interrupt on all RxDs (receive data) and then Rxint (receive interrupt) is enabled.

The receive-interrupt function is ideal for this, since it operates independently of, and concurrently with, the rest of the program, and it takes up little time. The function setint() sets up Rxint as interrupt OA. The functions inton() and intoff() turn the interrupt on and off by enabling it or disabling it in the DART. This is important because any extraneous playing at the keyboard might otherwise prove disastrous.

The use of multiple segments in the program presents a problem to the interrupt operation. For instance, when Rxint is called, there is no telling what the processor was doing prior to the MIDI interrupt. Thus, the DS (data segment) could be set at anything, and the program would have no access to

external variables of buffer space. To avoid this potential problem, I store the DS at a fixed spot in low memory so that Rxint knows where to find it when it is called. This spot is located at 04FA and is reserved by DOS as a space for "intra-application communication."

Since the 8088 disables further interrupts when it executes any interrupt, you must be careful to turn the interrupts back on when entering Rxint so that system tasks such as supporting a timer can still be supported. The program must also issue an EOI (end of interrupt) to the 8259 PIC (programmable interrupt controller) just before returning. The Rxint function records the following types of MIDI data: note-on, note-off, program change, control change (all types), channel velocity, and notebender. Figure 2 shows the format used to store MIDI data in memory.

As you can see from figure 2, four bytes are required for both note-on and note-off bytes. This stores a high resolution 16-bit timing byte and the note velocity. I chose to implement the sequencer this way because it is the easiest and most straightforward way possible. It is also possible to simply store a note and a duration byte (and perhaps one or two velocity bytes), but this would require much more complicated software.

To save memory, I chose to store (continued)

Message Type:	First	Second	Third	Fourth	Fifth	
note-on	0000000	LLLLLLL	мммммммм	Innnnnn	~~~~~~	
note-off	00	LLLLLLLL	ММММММММ	Onnnnnn		
control change	11000000	LLLLLLL	MMMMMMMM	ONNNNNNN	Occcccc	
program change	01000000	LLLLLLL	ММММММММ	Орроррор		
channel velocity	01000001	LLLLLLLL	МММММММ	Oaaaaaaa		
note bender	10wwwwww	LLLLLLLL	МММММММ			
	vvvvv - top 6 bits of velocity byte					
	LLLLLLL - low-order byte of time					
	MMMMMMM - high-order byte of time					
	nnnnnn - note number					
	NNNNNN - controller number					
	cccccc - controller value					
	ppppppp - new program					
	aaaaaaa - channel pressure					
	wwwww - top 6 bits of high-order byte of pitch-bender					

Figure 2: Memory format for MIDI program data.

Advanced Authorized Dealers

(Eastern U.S.)

Aardwolf Microsystems 217 East 85th, Suite 102 New York, NY 10028 212/538-7840

Advanced Information Systems, Inc. 1336 Edna S.E. Grand Rapids, MI 49507 616/243-1312

Corporate Micros, Inc. 333 West 52nd St., Suite 1204 New York, NY 10019 212/315-2853

Crest Systems, Inc. 2101 Magnolia Ave., Suite 208 Birmingham, AL 35205 205/328-4882

Fast Forward, Inc. 129 Adams Street Louisville, KY 40206 502/589-0301

ICS Software P.O.C. 359015 Brooklyn, NY 11235 718/743-4050

INACOMP Computer Centers 700 Remmington Road Schaumburg, IL 60195 312/519-1900

Micro City Computers 110 West 31st Street New York, NY 10001 212/563-6110

Mitech Corporation #1 Perimeter Park South, Suite 335-S Birmingham, AL 35243 205/967-0605

Modular Management Systems, Inc. 451 Bloomfield Ave. Caldwell, NJ 07006 201/228-3838

National Al Lab, Inc. 1800 Century Blvd., Suite 770 Atlanta, GA 30345 404/633-3900

Network Data Systems, Inc. 3419 Pierson Place Flushing, MI 48433 313/732-6340

PRISM Computer & Consulting Services, Inc. 2100 Riverchase Center, Suite 420 Birmingham, AL 35244 205/988-5111

Southeastern Systems, Inc. 619 East Price Ave., Suite #12 Gastonia, NC 28054 704/866-8048

TRIMARC Systems, Inc. 11716 Parklawn Drive Rockville, MD 20852 301/231-4991

Upen Computer Systems 4701 N.W. 72nd Avenue Miami, FL 33166 305/594-2980



To Over 30,000 Installations, MultiLink® MEANS Multi-User.

At over 30,000 sites, as many as one-quarter of a million users tap into the power of MultiLink® Advanced everyday.

Since 1981, they've come to rely on our multi-tasking, multi-user system for compatibility with their favorite software, and the ability to share disks, files, printers, and programs in a *true* PC-DOS environment.

From the largest of the Fortune 500 to the smallest in small business, MultiLink* has provided a cost-effective multi-user solution that's available from no one else.

MultiLink* Means Cost-Effective Timesharing on a PC. MultiLink* Advanced utilizes the principle of timesharing by sharing a central PC's peripherals, files, and processor time among nine users. Up to eight inexpensive terminals can be connected to a single non-dedicated IBM PC, XT, AT or 100% compatible using standard RS-232 ports. Each terminal effectively emulates a PC having up to 512K RAM.

PC-Shadow™ Workstations, shown below, even have an AT look-alike, as well as work-alike, keyboard, display, and serial port. In addition, password-protected remote access via modem can be made with either dumb terminals or PCs running our terminal emulation software.

MultiLink® Means PC-DOS Compatibility with a Software-Driven System. Lotus 1-2-3, Symphony, WordStar, dBASE III, & Multimate are just a sampling of the wide variety of PC-DOS software that's fully compatible.

Our software-driven system is also IBM NETBIOS compatible, so programs that are written for IBM's Token Ring will run on our multi-user system, as well.

MultiLink Means Multi-User to Leading Computer Publications. Whether you read PC Magazine, "MultiLink" Advanced delivers on...convenience, speed, and flexibility," or InfoWorld, "If you want a low-cost multiuser system with up to eight terminals, MultiLink" Advanced is worth a serious look," it becomes clear that MultiLink Advanced is a formidable contender in the multi-user marketplace.

See What MultiLink Can Mean to You. Learn, firsthand, how our multi-user system can benefit your company. Call The Software Link TODAY for complete information and the authorized dealer nearest you. MultiLink Advanced is \$495 and comes with a money-back guarantee.



WALTZ

The universal, superefficient LISP for MS-DOS and CP/M.

Waltz Lisp is a very powerful and complete implementation of Lisp. It is substantially compatible with established mainframe Lisps such as Franz (the Lisp running under Unix), Common Lisp, and MacLisp.

Ultra fast.

In independent tests, Waltz Liso was up to twenty(!) times faster than competing microcomputer Lisps.

Easy to use.

Built-in WS-compatible fullscreen file editor. Full debugging and error handling facilities are available at all times. No debuggers to link or load.

Random file access, binary file Practical. support, and extensive string operations make Waitz Lisp suitable for general programming. Several utilities are included in the

package.

Full Lisp.

Functions of type lambda (expr). nlambda (fexpr), lexpr, macro.

Splicing and non-splicing character macros. Full suite of mappers, iterators, etc. Long integers (up to 611 digits). Fast list sorting using user defined comparison predicates. Built-in prettyprinting and formatting facilities. Nearly 300 functions in all.

Transparent (yet programmable) Flexible. handling of undefined function references allows large programs to reside partially on disk at run time. Automatic loading of initialization file. Assembly language interface.

Superbly documented.

Each aspect of the interpreter is

described in detail. The 300+ page manual includes an exhaustive index. Hundreds of illustrative examples.

Order Waltz Lisp now and receive free our PROLOG Interpreter

Clog PROLOG is a tiny (but very complete) PROLOG implementation written entirely in Waltz Lisp. In addition to the full source code, the package includes a 50 page Clog manual.

16-bit versions require DOS 2.x or CP/M-86 and 128K




RAM (more recommended). Z-80 version requires CP/M 2.x or 3.x and 48K RAM minimum. Waltz Lisp runs on hundreds of different computer models and is available in all disk formats.

\$169

"Manual only: \$30 (refundable with order). Foreign orders: add \$5 for surface

mail, \$20 for airmail. COD add \$3. Apple CP/M, hard sector, and 3" formats add \$15. MC/Visa accepted.

For further information or to order call



In Oregon and outside USA call 1-503-684-3000.



15930 SW Colony Pl. Portland, OR 97224

INTERNATIONAL .

only the top 6 bits of the 14-bit pitchbender code. To store all 14 bits would have required 5 bytes, and since pitch-bends don't usually take up a lot of space, 6 bits is enough. Control changes, however, do take up a lot of space (5 bytes). So I recommend that anything that outputs a control change be used sparingly.

Channel pressure (or velocity) is simply a way to transmit overall volume control over MIDI and is generally implemented on remote keyboards only.

PLAY FUNCTION

The play portion of the program compares the timing bytes of the data stored in each track against the value of the 8253's counter 1 and sends out the appropriate codes when it finds a match.

The playnote function consists of four levels. The first level (pbuffs()) is used for setup. This function asks you to select buffer assignments, metronome speed, and sync options, just like the recbuff() function. When the selection process is completed, the program starts the play() routine.

This function loops through all the active tracks (up to 16 tracks). (A track doesn't have to be active, even if it has music in it.) If the program finds an active track, the program then calls playfrom(). If all active tracks, or just track 0 (the conductor track), have run out of data, the playfrom() function returns. Otherwise, it loops through each track and checks timing information after each loop. Then after all 16 loops, it polls the keyboard and checks for a critical-error return from

Playfrom() compares the next message stored in the buffer with the current timing value of the 8253. Then it decides if the counter value is equal to or less than the value in memory fremember, the 8253 is a down counter). If it is time for a given message to be sent out, the playfrom() function switches the top two bits of the first byte of the message to create the necessary MIDI function required.

The final layer of the play loop contains three functions that are written in machine language for the speed advantage. The rest of the program is devoted to support and added features.

RUNNING THE PROGRAM

When executed, the program seizes all contiguous RAM until it runs out of either buffers or memory. A minimum of two and a maximum of sixteen 24K-byte (3200-note) buffers are available for recording and playback.

After the memory allocation, a main menu displays all available options: Erase a Track, Record to a Track, Play from a Track, Track Information, Save a Track, Load a Track, Set MIDI Modes, Modify Input Filter, and Quit.

Only one option requires explanation. Track Information displays the transmit channel number, the memory used, memory remaining, and total memory in a given track. This is important information because Rxint has no memory-size checking and will let you play over track boundaries, "bleeding" onto the next track(s). This means you must be careful not to record onto tracks that have been "bled on." The input filter is associated with the Rxint routine and filters out certain commands (such as pitch-bend, etc.) before they are saved in the buffer.

My MIDI interface program provides no editing capabilities, but these could easily be added. It also does not provide auto-correction, which is the process of rounding notes off to the nearest eighth note. sixteenth note, etc., to make up for sloppy playing.

The entire MIDI interface program was written with the DeSmet C compiler, and certain elements of it may be compiler-dependent.

Other MIDI interfaces are available for the IBM PC, and the software associated with them provides added features, but they are often expensive. Typical MIDI interface hardware for the IBM PC costs \$200. The software needed for the interface can cost from \$50 to \$500. This entire interface can be built for under \$75 including the software.

Editor's note: Copies of the MIDI specification can be obtained by sending \$35 to the International MIDI Association, 11857 Hartsbrook St., North Hollywood, CA 91607, (818) 505-8964.

When a PC's Limited Turbo PC is on your desk, you'll think it's a headliner too.

"...a good machine. And a heck of a buy... a fine box. One I'd happily choose over Big Blue's original... no status... beyond the status that attaches to getting twice as much for your money."

—Jim Seymour, PC Week, August 13, 1985 "It almost sounds unbelievable."

> -MIS Week, August 21, 1985

TOTAL SATISFACTION GUARANTEE WARRANTY

For Warmen, Sorvey: One sport Limited Warmen; on PC's Limited products. Contact We hasked Support for a Between Auditorisation Number (RMA). Resonations must be accompanied by your RMA, the invoice, and a belief explination. During the Warmen; Period, PC's Limited will regard or explore invoice on explore.

No-DAY TOTAL SATISFACTION GUARANTEE
Are true brought from PCI, Linted may, be required within 10 days from the done
are, and multiple of damagne, which were required
are, and multiple of damagne, which were represented
are to the contract of the second proposal and mouved, and next leave a PCI
diamagnet from mum to believe or proposal and mouved, and next leave a PCI
diamagnet from the means, relative trained or CRA to en the belying label. Cell PCI
diamagnet from the contraction of CRA to enthe belying label. Cell PCI
diamagnet from the contraction of the c

CONSUMER TIP

"We tested a wide variety of software on the machine and everything ran well... The bottom line for anyone considering buying one of these computers would seem to be this: PC's Limited sells quality systems for extraordinarily low prices."

—*PC Week*, October 29, 1985

- 16-bit 8088-2 System Unit (runs at 4.77 or 6.66MHZ)
- 640K on Mother Board
- 360K Floppy Drive
- AT Keyboard
- 130W Power Supply
- Operations Manual
- One Year Limited Warranty

\$795

Microsoft GW Basic ** \$95 • IBM DOS 3.1 \$85 • 8087-2 \$149



Our Turbo PC™ has sold in large quantities since the first week we introduced it. Of course, that's not surprising, since we were the first company to break the \$800 barrier with a machine that outruns the "Big" name by a 40% speed factor. Now, we're going to extend the margin even further by offering a 30-day money back guarantee. If that sounds good, it'll look even better when one of our Turbo PC's is on your desk. So call us today. We're guaranteeing you'll like what you get.

Same questions that for limited. PC's Limited wife registered serviced in the compliant with PCC Claim in same flatds. Where equipment manufactured in PC's Limited but not not increased coefficients, PC's Limited will substitute equipment, according equipment, All process on subject in change without nature. We get us







SALES CALLS OUTSIDE TEXAS, 1-800-426-5150 SALES CALLS INSIDE TEXAS, 1-800-252-8336 1611 Headway Circle, Building 3, Austin, Texas 78754

Sales Calls from anywhere in the country, (512) 339-6962
Technical Support Calls, (512) 339-6963 Customer Service Calls, (512) 339-6964

**Country Country Cou



Read what the experts say about the PC's Limited AT.

"I have no qualms recommending this system to experienced users who need the added speed."

> —Sol Libes, Micro/Systems Journal, January/February 1986

> > 30 DAY

"The PC's Limited AT" proved to be the functional equivalent to the IBM[®] product, only faster. Priced at roughly one-third less, it rates as one of the best bargains available."

—Winn L. Rosch, PC Magazine, February 25, 1986 "If price is your primary consideration, skip both AT&T" and TI® and choose this issue's best buy, the PC's Limited AT". Check its benchmark results—you won't be sacrificing performance to save money."

—PC Magazine, Editor's Choice, February 25, 1986

And if that's not enough to convince you, now we've got a 30-day money-back guarantee.

- One Year Limited Warranty
- 80286-based System Unit (Runs at 6MHZ. 8MHZ option included at no extra charge.)
 - 1024K on Mother Board
 - 1.2 Meg Floppy Drive
 - Combined Floppy/Hard Drive Controller Card
 - AT Keyboard
 - 192W Power Supply
 - 2 Serials and 1 Parallel Port
 - Clock/Calendar with Battery Backup
 - Operations Manual

\$1995

Microsoft GW Basic * \$95 • IBM DOS 3.1 \$85 • 80287 \$195

I'm Michael Dell, President of PC's Limited. And I want you to know about your latest industry-leading step. We're so sure that you'll like everything about our PC's Limited AT that we're willing to offer you a 30-day money back guarantee on it. This machine, with 1024K on the Mother Board and an 8MHZ option included at no extra cost, has been a standout since we introduced it. So give us a chance to show you what it can do for your operation. With a deal like this, there's no way you can lose. (And see the opposite side of this page for information about our Turbo PCTM, plus details on our guarantee.)

milas Dell

THE SECOND SECOND SECOND

FREE SHIPPING

NO SURCHARGE FOR (MOSTICO) O

Floppy Disk Drive



Also available for ATin Gray Color.

S109

MITSUBISHI

Half-Height, DS/DD

PANASONIC

Half-Height, DS/DD

TEAC

55-B, Half-Height, DS/DD

64K RAM

Set of 9 chips, 200 or 150 Nanosecon

256K RAM \$29

Set of 9 chips

150 Nanoseconds

PC's Limited AT Multifunction Card

- Expandable To 3 Meg (1.5 on Board/1.5 on Piggy Back Board)
- · Supports 64 or 256K Rams
- 4 Parallel Port
- * Serial Port (2nd Serial Optional)



Piggy Back w/OK Board \$59 w/OK

PC's Limited Mini I/O

- Serial Port
- Parallel Port
- + Clock
- Software Fits In Short Slot

300/1200 Baud Haves **Compatible Modem** Fits in Short Slot



PC's Limited Monochrome Graphics Fully Hercules Compatible

- Text Mode 80 × 25
- Graphics Mode 720 X 348 Pixels
- · One Parallel Printer Port

Seagate

20, 30 and 40 MEG **High Speed 40 MS Access Time** Hard Drives for AT™

Voice Cail




Heads park automatically at power down.

20 MEG \$579 30 MEG \$699 40 MEG \$819

Includes Sengate Full Reight Hard Disk, Cable, and Mounting Ralls. ons from Hard Disk. One Sear Warrants

PC's Limited PC-576 RAM Board

- Expandable to 576K
- Supports 64K or 256K RAMS
- · Fits in Short Slot



SOLVE YOUR POWER PROBLEM.

XT POWER 130W



Directly replaces power supply in PC. Fully XT" compatible. One Year Warranty

PC'S LIMITED Six Function Card

- Upgradable to 38-iK
- Clock/Calendar
- Includes Software e Parallel Port
- Secial Poet

Game Post

Two Year Warranty

w/384K \$149 w/OK \$99

PC'S LIMITED PC'S LIMITED **MONO-1 MONITOR RGB-1 MONITOR \$459** S169



- Companies with m

TOTAL SATISFACTION GUARANTEE

WARRANTY

For Warranty Service: One year Limited Warranty on PC's Limited products. Contact Technical Support for a Return Authoritation Number (BMA). Returns must be accompa-tical by your BMA, the invoice, and a brief explanation. During the Warranty Period, PC's Limited will repair or re-

30-DAY TOTAL SATISFACTION GUARANTEE 30-DAY TOTAL SATISFACTION GUARANTEE
Ans item bought from PCV Limited may be returned with
30 days from the date it was shipped for a full refund of
your purchase peier. Recurred items must be anyre, not
modified or demaged, with all warranty cards, manuals, an
packaging intact. Returned items must be shipped prepaid
and instured, and must bear a PCV Limited Credit Return
Authorization (CRA) on the shipping label. Call PCV
Limited's Customer Support Department for CRA. No
credits issued after 10 days from date of shipment.

CONSUMER TIP

When shopping for PC products, ask our competitors about their refund policies.

Seagate HD > Western Digital Controller 20 MEG Hard Disk System for PC



Internal \$449

For Nobec 1220 Combined Floppy/Hard Disk Controller add \$75.

Includes Seagate Hard Disk, Western Digital Controller, Cables, Manual, Software, and Mounting Hardware. Boots From Hard Disk 65 W5 Access Time One Year Warrants

Hand Dick Aystems are composible with the latest ceroisons of the following Lomputers: 18th Fr. V.F. JERF 6-100, Company Deckpro, Tondy 1010. Tonds 1200. PCv Limned Turbo Fr. Zeuich 160 of 1831. Exclaing Falge PC (first) Modelst, Spreys PC, Two PC. Trivition PC. Introduce Mother Houseful and PC. Lagin PC. 1317 PC. and more under Composition.

PLEASE SPECIFY YOUR COMPUTER TYPE WHEN ORDERING.

and block than it









SALES CALLS INSIDE TEXAS, 1-800-252-8336 1611 Headway Circle, Building 3, Austin, Texas 78754

Sales Calls from anywhere in the country, (512) 339-6962 Technical Support Calls, (512) 339-6963 Customer Service Calls, (512) 339-6964 Telex No 9103808386 PC LTD FAX (512) 339-6721

Parasonie, T.E.A.C. Mitsubishi, Intel. IBM, Hercules, Plantonics, Xebev, Seagaie, Western Digital, Alfolt, Compaq. Indo., Leading Edge. Sperry, Wyer. Etlevideo, Faradin, Cooma, Engle, 171. and Zenth are registered Engle, 171. and Zenth are registered to the Compaque of the Compaque Compaque

Ad Number 406/86

Unitex AT

Unitex PC





UNITEX PC

- * System Board Expandable to 640K
- * 256k Random Access Memory
- * 8 Expansion Slots
- * 360k Floppy Disk Drive
- * 135 Watt Power Supply
- * 5150 Type Keyboard
- * Runs IBM PC Software
- * One Year Warranty*

Same System Plus 10 MB Hard Disk

UNITEX

- * System Board Expandable to 1024K
- * 512k Random Access Memory
- * 1.2 MB High Capacity Floppy Disk Drive
- * Combined Floppy and Hard Disk Controller
- * 230 Watt Power Supply
- * Battery Backup Clock/Calendar
- * AT Keyboard

UNITEX **TURBO**

- * System Board Expandable to 640K
- * Keyboard Selectable 4.77Mhz and 8 Mhz Speeds
- * 256K Random Access Memory
- * 360K Floppy Disk Drive
- * 135 Watt Power Supply
- * 5150 Type Keyboard

El Camino Real Los Altos.





Free Shipping we UPS Broand in Continental United States. United reserves all rights to substitute convision demo-All prices subject to cromps without notice

MIDI PROGRAMMING

BY DONALD SWEARINGEN

Processing the MPU-401 track data stream

IN A PREVIOUS BYTE article ("A MIDI Recorder," Inside the IBM PCs, Fall 1985). I described a software system. written in FORTH, for recording and playing back keyboard music using a MIDI-equipped synthesizer and Roland Corporation's MPU-401 MIDI interface for the IBM PC. The program in that article, MPU401.PCF, handles the communication requirements of the MPU-401 device and the MIDI protocol to store and play back MIDI data. MPU401.PCF stores the MIDI data received from the MPU-401 for each of eight "tracks" (which make up the track data stream) in the memory of the IBM PC as an array of 4096 contiguous bytes.

In this article, I will present a number of software algorithms, written in Turbo Pascal for the IBM PC, for processing such a track data stream. Among these are procedures for transposing MIDI pitches, scaling MIDI velocity values, modifying MIDI channel information, and quantizing timing values.

MIDI PROCESSING CONSTANTS

The MPU-401 track data stream consists of a succession of track events (see figure 1). To simplify the processing of the track data stream, I have defined a number of constants and data structures that are useful in manipulating the basic track events and MIDI information in the track data

The program constants (listing 1) establish certain values that are used throughout the track data stream processing procedures. (Good programming dictates that you isolate such values in a single section of the program rather than scatter "magic numbers" throughout your code. This way, you only need to make modifications to any quantities in question in one place.)

The MPU-401 constants are values expected in track events received from the MPU-401. They represent either a special timing overflow byte or one of several MPU "marks" that the MPU-401 transmits in the track data stream. The MPU-401 default timebase and tempo constants will be used to calculate actual track event times as a function of the relative event timing bytes contained in each track event.

The MIDI command constants represent the eight basic MIDI commands that are contained within MIDI status bytes (figure 2). Listing 1 also defines a text string for each MIDI command, to be used in translating the track events within a track data stream into a readable format.

Following the MIDI text, listing 1 defines a number of general-purpose constants that the MIDI processing functions require: error flags for function results, the size of data files containing track data, some MS-DOS file system constants, and text for hexadecimal conversions.

MIDI PROCESSING DATA TYPES

The MIDI data types (listing 2) define the basic structures around which the MIDI processing functions will be de-

The hex_str type is used for conversion of a single byte to its hexadecimal equivalent in ASCII.

The track_event_type summarizes the various types of track events the program may expect to receive from the MPU-401. The track_event structure is designed to store a single

Donald Swearingen (100 Valencia #261, San Francisco, CA 94103) is a freelance software developer, consultant, musician, and composer.

		Track Eve	ents			
	Timing byte	Event	message	bytes	Event type	Description
I-byte event	F8				OVFL	Timing overflow
2-byte events	00-EF 00-EF	F8 F9 FC			MARK	MPU Marks NOP (F8), Measure end (F9) Data end (FC)
3-byte events	00-EF 00-EF 00-EF	00-7F 00-7F C0-DF	00-7F 00-7F		MIDI	MIDI messages using current running status
4-byte events	00-EF 00-EF	80-BF E0-EF	00-7F 00-7F	00-7F 00-7F	MIDI_RS	MIDI messages establishing new running status

Figure 1: The MPU-401 track data stream consists of track events, which may be one of four types and may be from 1 to 4 bytes long.

```
Listing 1: Constants used in processing the MPU-401 track data stream.
const
                               MPU-401 Constants }
  TIMING_OVERFLOW = 248;
  NOP = 248;
  MEASURE_END = 249;
  DATA_END = 252;
  MAX_TIMING_COUNT = 240;
                                 MPU-401 Default Timebase }
  TIMEBASE = 120.0:
                                 MPU-401 Default Tempo }
  TEMP0 = 100.0;
                                 Minimum MIDI Data Value
  MIN_MIDI_DATA = 0;
                                 Maximum MIDI Data Value }
  MAX MIDI DATA = 127:
                               MIDI Commands
  NOTE_OFF = 0;
  NOTE_ON = 1;
  AFTER_TOUCH_K = 2;
  CONTROL_CHANGE = 3;
  PROGRAM CHANGE = 4:
  AFTER_TOUCH_P = 5;
  PITCH_WHEEL = 6;
  SYSTEM_EXCLUSIVE = 7;
  MIDI_MESS_TEXT :
                                MIDI Command Text Strings }
    array[0..7] of string[20]
('Note Off',
     'Note On'
     'After Touch (key)',
     'Control Change
     'Program Change'
     'After Touch (poly)',
     'Pitch Wheel'
     'System Exclusive');
                                { Function error flags }
  ERR = -1:
  NOERR = 0:
  TRACK_DATAFILE_SIZE = 4096; { MPU-401 track data file }
  FILENAME_LEN = 14;
                                  MSDOS filename length }
  RECORD_LEN = 128;
                                  MSDOS record length
                                Hex conversion digits }
  DIGITS :
    array[0..15] of char =
       0123456789ABCDEF':
```

track event. The track_event_block structure (figure 3) contains a single track event and the "environment" in which the event occurs, including the running status for the track from which the event was extracted, the event length, and the event type.

The track_data_stream structure simply provides storage for a single track data stream. The track_data_block structure (figure 4) contains a complete track data stream (tds) and several other items useful in stepping through the track events contained in the track data stream: a pointer to the next byte to be accessed in the track data stream (tds_ptr), an end-of-data indicator (edat), and the track event currently being processed in the track data stream (curr).

A final track event block constant (OVFL_EVENT) is defined for use as a timing spacer in a track data stream.

SIMPLE MIDI UTILITIES

You can use the basic MIDI utility functions (listing 3) apart from the MPU-401 processing environment. They operate strictly on MIDI data, independent of track data stream considerations.

The Boolean function midi_status determines whether a prospective MIDI data byte is a MIDI status byte. Function midi_chan returns the MIDI channel (0–15) from a MIDI status byte. Function midi_cmnd returns the MIDI command portion from a MIDI status byte. Function nmdat


(continued)

BIT	7	6	5	4	3	2	1	0
VALUE	1	co	MMA	ND		CHAN	INEL	

Figure 2: A MIDI status byte contains a 3-bit figure that represents one of the eight basic MIDI commands and a 4-bit figure that directs the MIDI message to one of up to 16 MIDI devices connected to the system.

```
Listing 2: Data tupes used in processing the MPU-401 track data stream.
```

```
type
                         { Result of byte-->hex conversion
 hex_str = string[2];
                                MPU-401 Track event type }
 track_event_type =
                                         Timing Overflow
   ÒVFL,
                                                  MPU mark
   MARK,
   MIDI.
                           MIDI using curr. running status
                           MIDI setting new running status
   MIDI_RS,
                                   Undefined track event
    UNKNOWN
                                      Single track event
  track_event =
    record
                                     Event relative time
      time : byte;
                                          Event directive
      mess : orray[1..3] of byte;
    end:
                          { Track event access environment }
  track_event_block =
    record
      running_status : byte; { Current track running status
      event_len : 1..4; {Event length, including timing byte }
      event_type : track_event_type;
      event : track_event;
    end:
                        { In memory track data stream file }
  track_data_stream =
    grray[1..TRACK_DATAFILE_SIZE] of byte;
  track_data_block ={ track data stream access environment }
    record
      tde : track_data_stream;
                                               i track data
      { track data read pointer } tds_ptr : 1..TRACK_DATAFILE_SIZE;
                             Indicates end of track data
      edat : boolean;
      curr : track_event_block;
                                      | current track event
    end;
const
                           { Track overflow event constant }
  OVFL_EVENT : track_event_block =
                           used to insert timing spacers
                                   Into Track Data Stream
    running_status:0;
    event_len:1;
    event_type:OVFL;
    event:
      time: MAX_TIMING_COUNT;
      mess: (0,0,0)
    );
```



Number One in Performance 68010/68000 Coprocessor for IBM/AT/XT/PC-

8/10/12.5mz No Walt States

\$ 129500 Oty. 1

- 1-2 MB RAM (1MB Standard)
- 16K-64K EPROM
- 2-8 Serial Ports
- Async/Sync/Bisync Communications

 Battery-backed Real Time Clock
- Battery-backed 2K-8K RAM
- 2 Parallel Ports
- 68881 Math Coprocessor
- Memory-mapped Dual-port BUS
 3-9 Users Per Board (3 Standard)
- Up To 16 Boards Per AT/XT/PC Can Operate As Standalone Processor

SOFTWARE

- OS9 (Powerful UNIX-like Multi-user OS)
- CPM/68K
- Software selectable OS including concurrent
- PC DOS/OS-9 or CPM/68K operation
- Support Module for IBM Graphics
- High-speed Local/Global Disk Caching Basic, Pascal, Fortran, C. and COBOL.
- e Reporte Sale (1996 (1994) e a republica i nationale y Re



West: 4704 W. Jennifer, Suite 105, Fresno, CA 93711, 209/276-2345 East: 67 Grandview, Pleasantville, NY 10570, 914/747-1450 Distributor: Telemarketing Services, Inc. 1897 Garden Ava., Eugena, CH 97403, 503/345-7395

returns the number of data bytes associated with a given MIDI running status. Function midi_data_limit limits MIDI data to values within the accepted MIDI data range, as necessitated by certain types of processing of MIDI data values (e.g., scaling velocity data).

Use of these basic MIDI utilities enhances the understandability of the source code while providing for a more efficient MIDI programming environment.

MANAGING THE TRACK DATA STREAM

The procedures and functions for managing the track data stream (listing 4) move track data between MS-DOS files and track data blocks. They also provide access to data bytes within the track data stream and allow you to display (dump) a track data stream in hexadecimal format.

The Turbo Pascal routines described in this article can process the unaltered track data stored by the FORTH program MPU401.PCF. However, the data arrays used by MPU401.PCF for storage of track data must somehow be made available in the Turbo Pascal environment. To accomplish this, you can store a track data stream array (all 4096 bytes) from the FORTH environment into an MS-DOS block file. Then you can easily read the file into a track data block structure for processing in Turbo Pascal. You can then load the output files created by the Turbo Pascal routines back into the FORTH environment for playback.

The procedure reset_track_data resets the "environment" variables in a track data block so that the track data block can be accessed from the beginning. Procedure load_track_data prompts the user for the name of the MS-DOS file to be loaded and then loads the file into a target track data block. Procedure save_track_data saves a track data block in a specified MS-DOS file.

The function this_byte returns the current data byte in the track data stream within a track data block. The procedure advance moves the track data stream pointer in a track data (continued)





Figure 3: The track event block contains the running status for the track from which the event was extracted, the event length (from 1 to 4 bytes long), the type of event, and the actual track event.



Flgure 4: The track data block structure (as defined by listing 2) contains a complete track data stream (up to 4096 bytes long) made up of variable-length track events, a pointer to the next byte to be accessed, an end-of-data indicator, and the track event currently being processed.

```
Return true if input is a MIDI status byte

function midi_status(midi_data_byte:byte):boolean;
begin
if (midi_data_byte > MAX_MIDI_DATA) then
    midi_status:=true
else
    midi_status:=false;
end;

Return the channel # from a MIDI status byte

function midi_chan(running_status:byte):byte;
begin
midi_chan:=running_status and 15;
end;

Return the command portion of a MIDI status byte

function midi_cmnd(running_status:byte):byte;
begin
```

```
midi_cmnd:=(running_status shr 4) and 7;
end:
Return # of data bytes associated
 with a given MIDI status byte
function nmdat(running_status:byte):byte;
begin
   (midi_cmnd(running_status) in
  [PROGRAM_CHANGE, AFTER_TOUCH_P]) then
  nmdat:=1
else
  nmdat:=2;
end;
 Limit input to valid MIDI data range
function midi_data_limit(midi_data_byte:integer):byte;
begin
if midi_data_byte < MIN_MIDI_DATA then
  midi_data_limit:=MIN_MIDI_DATA
else if midi_data_byte > MAX_MIDI_DATA then
 midi_data_limit:=MAX_MIDI_DATA
else
 midi_data_limit:=midi_data_byte;
end:
```

```
Listing 4: Basic track data stream procedures and functions.
```

```
Reset status and pointer variables in track data block
procedure reset_track_data(var tdt:track_data_block);
begin
with tdt do
  begin
  tds_ptr:=1;
  edat:=false:
  curr.running_status:=0;
  curr.event_type:=UNKNOWN;
  end:
end:
{ Load track data stream from user
  specified file into track data block
procedure load_track_data(var tdt:track_data_block);
  tdf : File;
  tdfn : string[FILENAME_LEN];
begin
reset_track_data(tdt);
write('Track data filename; ');
readIn(tdfn);
assign(tdf,tdfn);
reset(tdf);
blockread(tdf,tdt.tde,TRACK_DATAFILE_SIZE div RECORD_LEN);
close(tdf);
end;
Save track data stream from track
  data block to user specified file
procedure mave_track_data(tdt:track_data_block);
  tdf : File;
                                                            (continued)
```



Number One In Performance

Hard Disk Intelligent VCR Backup for AT/XT/PC

FEATURES

- High speed microprocessor controlled backup (68000)
- Two channel interface
- Built in LAN channel
- Software control of most VCR functions including Fast Forward, Rewind, and auto backup using VCR timer capabilities
- Economical VHS or Beta formats



West: 4704 W. Jennifer, Suite 105, Fresno, CA 93711, 209/276-2345 Est: 67 Grandview, Pleasantville, NY 10570, 914/747-1450 Distributor; Telemarketing Services, Locate 1837 Garden Ave., Eugene, OR 97403, 503/345-7395

The track event management functions constitute the core of the MIDI data processing routines.

block forward to point to the next data value.

The function itox and the procedure dump_track_data work together to provide a hexadecimal dump of a track data block on the console device.

TRACK EVENT MANAGEMENT

The track event management functions (listing 5) constitute the core of the MIDI processing routines. These functions and procedures serve to simplify the actual processing of the track events in the MPU-401 track data stream.

The procedures track_event_message and next_track_event work together to copy the next track event in the track data stream within a track data block into its current track event block. The action of these procedures is built entirely around the structure of the MPU-401 track event (recall figure 1), which can be from 1 to 4 bytes in length.


Procedure next_track_event scans the next byte of the track data stream (assumed to be a timing byte) to determine the appropriate action to take. If the byte represents a timing overflow event, the procedure places the single-byte event in the current event block and the procedure takes an exit. If the track event is a multibyte event, the procedure passes control to track_event_message so that the message bytes of the track event can be placed in the current event block.

Procedure track_event_message handles MARK, MIDI, and MIDI_RS track event types. In the case of MARK events, the practice stores the single message byte in the current

(continued)

```
tdfn : string[FILENAME_LEN];
begin
write('Track data filename: ');
readin(tdfn);
assign(tdf,tdfn);
rewrite(tdf);
blockwrite(tdf,tdt.tds,TRACK_DATAFILE_SIZE div RECORD_LEN);
close(tdf);
  Return current track data byte from track data block
function this_byte(tdt:track_data_block):byte;
begin
this_byte:=tdt.tds[tdt.tds_ptr];
end:
Advance pointer to next track data byte
  in track data block
procedure advance(var tdt:track_data_block);
tdt.tds_ptr:=tdt.tde_ptr+1;
end;
  Convert byte to hexadecimal ASCII string
function itox(i:byte): hex_str;
begin
itox[0]:=chr(2);
itox[1]:=DIGITS[1 div 16];
itox[2]:=DIGITS[1 mod 16];
  Dump track data stream in hexadecimal format
procedure dump_track_data(var tdt:track_data_block);
label
  return:
VOL
  n,st,off : integer;
begin
writeln('Track Data Stream Dump...');
writeln;
write(
for n:=0 to 15 do
  write(itox(n):4);
writein:
n:=0;
while (n < TRACK_DATAFILE_SIZE div 16) do
  niged
  st:=n*16;
  write(itox(st div 256):2,itox(st mod 258):2,' ');
  for off:=0 to 15 do
    begin
    write(ltox(ord(tdt.tds[st+off+1])):4);
    if (tdt.tds[et+off+1] = DATA_END) then
      goto return;
    end:
  writein;
  n:=n+1;
  end:
return:
writein:
end:
```

```
Listing 5: Procedures and functions for processing track events.
[ Fill in the message bytes of the current
  Track Event in a Track Data Block
procedure track_event_message(var tdt:track_data_block);
  i : byte; { Index counter }
lobel
  return;
begin
with tdt.curr do
  bealn
  case this_byte(tdt) of NOP, MEASURE_END, DATA_END:
      begin
      event_type:=MARK;
      if (this_byte(tdt) = DATA_END) then
        tdt.edat:=true;
      event.mess[event_len]:=this_byte(tdt);
      event_len:=event_len+1;
      odvance(tdt);
      goto return;
      end;
    128..239: | MIDI status byte |
      begin
      running_status:=this_byte(tdt);
      event_type:=MIDI_RS;
      event.mess[event_len]:=thls_byte(tdt);
      event_len:=event_len+1;
      advance(tdt);
      end;
      event_type:=MIDI;
    end; | case |
  fill in MIDI data bytes }
  for i:=1 to nmdat(tdt.curr.running_status) do
    begin
    event.mess[event_len]:=this_byte(tdt);
    event_len:=event_len+1;
    advance(tdt);
  end;
end; { with tdt.curr }
return:
end;
  Advance to the next Track Event in a Track Data Block
procedure next_track_event(var tdt:track_data_block);
lobel
  return;
begin
if (tdt.edat) then { end of data }
  goto return:
with tdt.curr do
  begin
  event_len:=1; { count event time } case this_byte(tdt) of
    TIMING_OVERFLOW:
      begin
      event_type:=OVFL;
       event.time:=MAX_TIMING_COUNT;
      advance(tdt);
      goto return;
       end:
    0..239: { timing byte }
      begin
                                                           (continued)
```



Number One in Performance



IBM/AT/XT/PC- 8mz No Wait States FEATURES

- 64K-256K RAM
- 2K-8K EPROM/Static Ram
- 2 Serial Ports
 Async/Sync/Bisync Communications
- Real Time Clock
- Memory-mapped Dual-port BUS
- On-board/Remote Reset NMI capability
- Up To 32 Boards Per AT/XT/PC
- Can Operate As Standalone Processor
- Less Than Full Size Board (will fit other compatables.)

SOFTWARE

- ZP/M tm CP/M Emulation Software (Supports Most CP/M Software)
- Multiuser Capability If Used As A Slave Processor

did or a regulated trainment of original opening the tree DRA directly regulated framework of Depth Revision Corp.



West: 4704 W. Jennifer, Suite 105, Freeno, CA 93711, 209/278-2345 East: 67 Grandview, Pleasantville, NY 10570, 914/747-1450 Distributor: Telemarketing Services, Inc. 1897 Garden Ave., Eugene, OR 97403, 503/345-7395

1-800-222-8324





Totally IBM Compatible A Full 1 Year Warranty

Basic Atai W/2 Drives \$695.00 **Atai Super Unit**

- 2-360 K Floppy 135 Watt power supply Amper tilt swivel monitor 640 K memory
 Serial/Parallel Part Clock Calendar MS/DOS 2.11 1200/300 Internal Modem
- Monochrome **Graphics Card** • 100 CPS NLQ Printer w/tractor
- All cables General Ledger Software Word Processor Database

Communications

Software A Truly Complete System, only \$1495.

Compare Against IBM, Att, Leading Edge!!!

BROTHER M-1509 180 CPS Wide Column Beats Epson FX-286 For Price/Performance. Standard NLQ mode w/tractor Call For Lowest Price.

Brother Printers

• LQ-800 \$545

• LQ-1000 \$765

• M-1109 \$195	• HR-35 \$680
• HR-15XL \$360	Twinriter-5 Dugl
• HR-25\$499	Head \$ Call

Panasonic

EPSON

• LQ-1000 \$765 • LQ-1500 \$999 Accessories Available	• KXP 1080 \$199 • KXP 1091 \$239
Epson Products	Okidata
• LX-80 \$220	• 182 \$299
• LX-90 \$240	• 192 \$399
• FX-80+ \$259	
	• 193 \$599
• FX-85 \$ Call	• 84 \$699
• JX-80\$349	+ 2410 \$1499
 FX-286 \$ Call 	
HAPD DRIVE & P	LACKLIPS

• 10 Meg \$385	 20 Meg External Hard
• 20 Meg \$475	\$635
• 30 Meg \$690	 20 Meg Tape . \$595
• 40 Meg \$795	• 60 Meg Tape . \$795
 10 Meg external Hord 	All Drives Seagates w/
\$545	Controller

CARDS & ACCESSORIES for IBM

Mono/Printer \$95.00	• RS-232
 Color/Printer \$99.00 	• RS-232/
 Mono/Graphics/ 	 Parallel
Printer \$99.00	

.. \$59.00 Clock \$69.00 \$59.00

VISA

1-800-222-8324 : CALL NOW!!!!

OMPUTER INTERNATIONAL 6619 U.S. 1 Migmi, Fl 33143

```
event.time:=this_byte(tdt);
      advance(tdt);
      track_event_message(tdt);
      end:
    end; { case }
  end; { with tdt.curr }
return:
end;
 Store a Track Event in a designated Track Data Block
procedure store_track_event(var tdo:track_data_block;
                              eblk:track_event_block);
  i : byte; { index counter }
begin
case ebik.event.time of
  MAX_TIMING_COUNT:
    begin
    tdo.tds[tdo.tds_ptr]:=TIMING_OVERFLOW;
    advance(tdo):
    end:
  0..239:
    begin
    tda.tds[tdo.tds_ptr]:=eblk.event.time;
advance(tdo);
for [:=1 to eblk.event_len - 1 do
      tdo.tds[tdo.tds_ptr]:=ebik.event.mess[i];
      advance(tdo);
      end;
  end; { case }
end;
 Display a track event on the user console
procedure disp_event(eblk:track_event_block);
  I : byte;
             Index counter }
label return;
hegin
with eblk do
  begin
  write(event.time:4);
  if (event_len = 1) then
      begin
      write(' Timing Overflow':16);
      goto return;
      end;
  if (event.mess[1] in [NOP, MEASURE_END, DATA_END]) then
    begin
    case event.mess[1] of
      NOP :
        begin
        write('NOP':16);
        goto return;
        and:
      MEASURE_END:
        begin
        write('Measure End':16);
        goto return;
        end;
      DATA_END:
        begin
        write('Data End':16);
        goto return;
        end;
    end; [case]
end; [f]
```

```
if (midi_status(event.mess[1])) then
    begin
    write(MIDI_MESS_TEXT[midi_cmnd(event.mess[1])]:16);
    i:=1+1;
    end
  6 | 86
    write(' ':16);
  while (i <= (event_len - 1)) do
    begin
    write(event.mess[i]:4);
    i:=i+1;
    end;
  end; { with ebik }
return:
writeln:
end:
  Display all of the Track Events in a Track Data Block
procedure disp_track_data(var tdt:track_data_block);
  time : real; { Actual time of current track event }
begin
time:=0.0;
reset_track_data(tdt);
while not(tdt.edat) do
 begin
 next_track_event(tdt);
  time:=time+tdt.curr.event.time;
  write( ((time *60)/(TIMEBASE *TEMPO)):8:3 );
  disp_event(tdt.curr);
  end;
end;
```

```
Listing 6: Procedures and functions for processing MIDI key (pitch) data.
{ Return offset of MIDI key data in
  Track Event message, if present
function midi_key_offset(var eblk:track_event_block;
                           chan:byte):integer;
midi_key_offset:=ERR; { default return value }
with ablk do
  begin
  if ((event_type in [MIDI, MIDI_RS])
    and (midi_cmnd(running_status)
in [NOTE_OFF, NOTE_ON, AFTER_TOUCH_K])
    and (midi_chan(running_status) = chan)) then
      begin
      midi_key_offset:=1;
      if (event_type = MIDI_RS) then
      mldi_key_offset:=2;
      end;
  end; | with abik }
and:
 Return MIDI key data from Track Event, if present
function get_midi_key(var eblk:track_event_block;
                        chan:byte):Integer;
  key_offset : integer;
begin
```

Instant-C: The Fastest Interpreter for C

Runs your programs 50 to 500 times faster than any other C language interpreter.

Any C interpreter can save you compile and link time when developing your programs. But only *Instant-C* saves your time by running your program at compiled-code speed.

Fastest Development. A program that runs in one second when compiled with an optimizing compiler runs in two or three seconds with *Instant-C*. Other interpreters will run the same program in two minutes. Or even ten minutes. Don't trade slow compiling and linking for slow testing and debugging. Only Instant-C will let you edit, test, and debug at the fastest possible speeds.

Pastest Testing. Instant-C immediately executes any C expression, statement, or function call, and display the results. Learn C, or test your programs faster than ever before.

Fastest Debugging. Instant-C gives you the best source-level debugger for C. Single-step by source statement, or set any number of conditional breakpoints throughout your program. Errors always show the source statements involved. Once you find the problem, test the correction in seconds.

Fastest Programming. Instant-C can directly generate executable files, supports full K & R standard C, comes with complete library source, and works under PC-DOS, MS-DOS, or CP/M-86. Instant-C gives you working, well-tested programs faster than any other programming tool. Satisfaction guaranteed, or your money back in first 31 days. Instant-C is \$495.

Rational

P.O. Box 480 Natick, MA 01760 (617) 653-6194

The range of actions you might want to perform on the track events is limited only by your imagination.

event block (edat is set to true if the mark is a DATA_END mark) and the procedure takes an exit. For MIDI event types, the procedure copies the proper number of MIDI data bytes for the track data block's current running status into the current event block's message field. In the case of MIDI_RS event types, the procedure updates the track data block's current running status.

Procedure store_track_event stores a single track event from a track event block into a target track data block. This procedure completes the set of functions for accessing and storing track events contained within track data blocks. You can now manipulate the track events between the time they are accessed and the time they are stored without considering the access and storage mechanisms.

I have included two additional utility procedures for displaying a translated track data stream: disp_event displays a single track event on the console device, and disp_track_data displays all the track events in a track data block. Note that disp_track_data makes use of the MPU-401 TIMEBASE and TEMPO constants to display the actual time offset (in seconds) of each event from the beginning of the track data stream.

MIDI INFORMATION PROCESSING

Given the constants, data structures, procedures, and functions discussed above, you now have the resources to begin processing the track events in the MPU-401's track data stream. While the range of possible actions you might want to perform on the track events is limited only by your imagination, the following examples may

```
get_midi_key:=ERR; { default return value }
key_offset:=midi_key_offset(eblk,chan);
if (key_offset <> ERR) then
  get_midi_key:=eblk.event.mess[key_offset];
Set MIDI key value in a Track Event,
  if Track Event is of appropriate type
procedure set_midi_key(var ebik:track_event_block;
                          chan, key:byte);
vor
  key_offset : integer;
begin
key_offeet:=midi_key_offset(eblk,chan);
if (key_offset <> ERR) then
ebik.event.mess[key_offset]:=key;
{ Transpose all MIDI pitch (key) data for a channel in a Track Data block
procedure transpose_pitch(var tdl,tdo:track_data_block;
                              chan, trans: integer);
  curr_key : integer;
                          MIDI key value from
                             current track event }
beain
reset_track_data(tdi);
reset_track_data(tdo);
while not(tdi.edat) do
  begin
  next_track_event(tdi);
  curr_key:=get_midi_key(tdi.curr,chan);
  If (curr_key > ERR) then
    set_midi_key(tdi.curr,chan,
                   midi_data_limit(curr_key+trans));
  store_track_event(tdo,tdi.curr);
  end;
end;
```

```
Listing 7: Procedures and functions for processing MIDI velocity data.
{ Return offset of MIDI velocity data in
  Track Event message, if present
function midi_vel_offset(eblk:track_event_block;
                          chan:byte):integer;
VOF
  offset : integer;
begin
midi_vel_offset:=ERR; { default return value
          only MIDI key events have velocity
offset:=midi_key_offset(eblk,chan);
if (offset \Leftrightarrow ERR) then
   midi_vel_offset:=offset+1;
end;
  Return MIDI velocity data from Track Event, if present
function get_midi_vel(eblk:track_event_block;
                       chan:byte):integer;
  vel_offset : integer;
begin
get_midi_vel:∞ERR; { default return value }
```

```
vel_offset:=midi_vel_offset(eblk,chan);
if (vel_offset \Leftrightarrow ERR) then
  get_midi_vel:=eblk.event.mess[vel_offset];
{ Set MIDI velocity value in Track Event,
  If Track Event is of appropriate type
procedure set_midi_vel(var ebik:track_event_block:
                         chan, vel: Integer);
  vel_offset : Integer;
begin
vel_offset:=midi_vel_offset(eblk,chan);
if (vel_offset <> ERR) then
eblk.event.mess[vel_offset]:=vel;
end:
Scale all MIDI velocity data for
  a channel in a Track Data block
procedure scale_vel(var tdi,tdo:track_data_block;
                      chan:integer; vel_fact:real);
 curr_vel : integer;
begin
reset_track_data(tdi);
reset_track_data(tdo);
while not(tdi.edat) do
  begin
 next_track_event(tdi);
curr_vel:=get_midi_vel(tdi.curr,chan);
  if (curr_vel <> ERR) then
    set_midi_vel(tdi.curr,chan,trunc(curr_vel*vel_fact));
  store_track_event(tdo,tdi.curr);
  and:
end:
```

serve as an introduction to the subject.

One of the most common actions you might want to apply to MIDI data is to change the pitches in a track data stream by a constant factor (transposition). The procedures and functions for processing MIDI key data (listing 6) provide the necessary tools. The functions get_midi_key and midi_key_offset work together to return the key (pitch) value from a track event's message portion. These functions check to determine whether the track event is of the proper type (i.e., whether it represents a MIDI command where a key value is present) and return an error flag if no key data is present so that the track event can be skipped in any MIDI key processing. Procedure set_midi_key sets the MIDI key value of a track event (if the event is of the appropriate type). Finally, the procedure trans-

pose_pitch transposes the key (pitch) values in all of a track data block's (tdi) track events, creating a new track data block (tdo) containing the pitch-altered track events. Note that all the key processing routines accept a MIDI channel input (chan) as the targeted MIDI channel for the transposition action. Also note that the transpose__pitch uses the function midi_data_limit to ensure that the transposed key data does not fall outside the range of valid MIDI data.

Another useful MIDI processing action is to scale or change (multiplying by a constant) all MIDI velocity (loudness) values in a track data stream. The MIDI velocity data procedures and functions (listing 7) provide this capability. These routines are written and function analogously to the MIDI key processing routines discussed above

(continued)



DOBERMAN SOFTWARE

A completely integrated accounting package for MS-DOS computers.

EASY TO USE!

This is the accounting system for people who are not accountants! No debits, credits, accounting lingo, difficult reports to wade through and become confused and frustrated.

Free VCR training tape.

GENERAL INFORMATION

Menu driven

Strigle or Multi-user (DOS 3.1)

Complete
Manual

Phone support available

Not copy protected

Password protection

GENERAL LEDGER

Complete chart of accounts. Out of Balance entries not ermitted • Income Statement, Balance Sheet, Activity eports • Entries can be corrected after posting • Cash or cerual basis • Any fiscal period

ACCOUNTS RECEIVABLE

• Aging Schedule • Single & multiple invoke statements •
Monthly Billing • Partial Payments • Customer List

ACCOUNTS PAYABLE
• Check printing • Vendor List • Multiple or single invoices

PAYROLL • All federal or

All federal and state deductions • Customized deductions Quarterly reports • W-2, Payroll Llability Report INVENTORY

Point of Sale * Involcing * Purchase orders * Activity reports Number of Inventory Items limited only by disk space

SYSTEM REQUIREMENTS
IBM or compatible with 256K RAM.DOS 2.1 or higher.

ACCOUNT-EZE To Order Call Toll Free 24 hrs.

1-800-824-7888

Ask For Operator 137

M/C, Visa, Am. Exp., C.O.D. or send check or money order to:

Doberman Software

3025 Alhambra Dr. Cameron Park, CA 95682

Add \$7.50 for shipping and handling. CA residents add 6% sales tax.

Satisfaction Guaranteed! If for ANY reason you are unhappy with ACCOUNT-EZE, we will gladly refund the pur-chase price within 30 days.

H and MS DOS on rega

```
Listing 8: Procedures and functions for processing MIDI channel data.
Redirect MIDI channel data in a
  Track Data Block to a new channel
procedure change_chan(var tdl,tdo:track_data_block;
                         old_chan,new_chan:byte);
begin
reset_track_data(tdi);
reset_track_data(tdo);
while not(tdi.edat) do
  begin
  next_track_event(td1);
  with tdi.curr do
    begin
     if (event_type = MIDI_RS) and
       (midi_chan(running_status) = old_chan) then
    event.mess[1]:=((event.mess[1] and $F0) or new_chan);
store_track_event(tdo,tdi.curr);
    end;
  end:
end:
Extract a single MIDI channel from a Track Data Block
procedure extract_chan(var tdl,tdo:track_data_block;
                          chan:byte);
reset_track_data(tdl);
reset_track_data(tdo);
while not(tdl.edat) do
  next_track_event(tdi);
  with tdi.curr do
    begin
     if (event_type in [MIDI_RS,MIDI])
       and (midi_chan(running_status) <> chan) then
         begin { convert to NOP }
event_type:=MARK;
event_len:=2;
event.mess[1]:=NOP;
         end:
      end:
  store_track_event(tdo,tdi.curr);
  end:
end:
  Filter a MIDI channel from a Track Data Block
procedure filter_chan(var tdi,tdo:track_data_block;
                         chan:byte);
begin
reset_track_data(tdl);
reset_track_data(tdo);
while not(tdi.edat) do
  begin
  next_track_event(tdi);
  with tdi.curr do
    begin
     if (event_type in [MIDI_RS, MIDI])
      and (midi_chan(running_status) = chan) then begin { convert to NOP }
         event_type:=MARK;
         event_len:=2
         event.mess[1]:=NOP:
    end:
  store_track_event(tdo,tdi.curr);
  end;
end:
```

The channel processing routines modify the portion of a status byte that sends a MIDI message to one of 16 possible MIDI devices.


The MIDI channel portion of the MIDI status byte directs a MIDI message to one of 16 possible destinations (synthesizers or other MIDI devices). Often, you need to modify the channel information in one way or another. The MIDI channel processing routines (listing 8) provide a number of useful routines of this nature. Procedure change__chan redirects all of a track data block's (tdi) track events for a given MIDI channel (old_chan) to another channel (new_chan), creating a new track block (tdo). Procedure extract_chan extracts a single MIDI channel's track events from a track data block. The procedure passes that channel's track events unaltered to the output track data block while turning track events for all other MIDI channels into NOP (no operations) events. Procedure filter_chan performs the inverse of the operation performed by extract_chan, passing track events for all channels except the channel designated for filtering.

EVENT TIME QUANTIZATION

A final example of MIDI processing involves the "quantization" of the relative timing bytes in track events received from the MPU-401. This process consists of synchronizing the track event to the nearest multiple of a fixed timing constant quantum. While there are many possible ways to approach this problem, I have selected an algorithm that seeks to minimize the difference in the total elapsed time between the input track data stream and the output track data stream.

(continued)

Osborne/McGraw-Hill Computer Books Your Link to Future Technology



by Rowland Archer

Learn how to evaluate and select a LAN so you can avoid unexpected surprises after you make a purchase. Archer discusses five of the most popular LANs available for the IBM* PC and compatible computers: 3Com Ethernet, Corvus Omninet, Orchid PCnet, Novell Netware, IBM* PC Network and IBM* Token Ring.

\$21.95, Order #0-07-881190-2, 283 pp. 6½ x 9¼





Micro-to-Mainframe Links

by Ronald F. Kopeck


Sort out all the complex issues involved in linking microcomputers to mainframes for sophisticated, high-powered applications. Thoroughly explains the planning and evaluation process, the real and hidden costs of linking, maintenance, service, and monitoring.

\$18.95, Order #0-07-881228-3, 300 pp. 7¼ x 9¼











Desktop Publishing From A to Z

by Bill Grout, Irene Athanasopoulos, and Rebecca Kutlin

Create newsletters, catalogs, conference brochures, news releases, and more! This book helps you choose the software, equipment, and procedures you need to achieve professional-looking results.

\$17.95, Order #0-07-881212-7, 225 pp. 7¾ x 9¾



by Harvey A. Levine

Describes state-of-the-art project management techniques than can be applied to every business and to almost every computer system. Includes many application examples.

\$18.95, Order #0-07-881221-6, 350 pp. 7% x 9%



- Osborne/McGraw-Hill books are available at bookstores and computer stores everywhere.
- To order by mail, complete the coupon and send it to: Osborne/McGraw-Hill P. O. Box 400

Hightstown, NJ 08520

- All orders must be prepaid and should include local tax.
- Checks, money orders, VISA and Master-Card are acceptable for payment. No postage or handling charges are required.
- Books will be shipped via UPS. Allow 4-6 weeks for delivery. Books will not be delivered to post office boxes.

This order is subject to acceptance by McGraw-Hill. Offer is good only in the U.S.A.

Osborne McGraw-Hill

ZIP
ECK/MONEY ORDER
ASTERCARD/EXP DATE
PRICE
SUBTOTAL
SUBTOTAL

```
Listing 9: A procedure for quantizing timing values for track events.
procedure quantize(var tdi,tdo:track_data_block;
                      quantum: Integer);
VOL
                                  Actual elapsed time,
  in_time : real;
                                  Input track data block
                                  Actual elapsed time,
  out_time : real:
                                  output track data block
  etime : integer;
                                  Temporary storage for
                                  adjustment of event time
  ground : integer;
                                  Rounding term
begin
reset_track_data(tdi);
reset_track_data(tdo);
ground:=quantum div 2:
in_time:=0.0;
out_time:=0.0;
while not(tdl.edat) do
  begin
  next_track_event(tdl);
with tdl.curr do
    begin
     etime:=event.time;
     Adjust in/out time variance }
     etime:=etime - trunc(out_time-in_time);
     quantize
     etime:=trunc(quantum + ((etime + ground) div quantum));
in_time:=in_time+event.time;
     out_time:=out_time+etime;
     event.time:-etime;
     while event.time > MAX_TIMING_COUNT do
       begin
       store_track_event(tdo,OVFL_EVENT);
       event.time:=event.time-MAX_TIMING_COUNT:
     store_track_event(tdo,tdi.curr);
    end:
  and:
end:
```

```
Listing 10: A sample program using several of the MIDI processing routines
discussed.
VOL
  tdt1,tdt2 : track_data_block;
begin { main }
load_track_data(tdt1);
disp_track_data(tdt1);
readin:
writein('Transposing pitch for channel 0');
transpose_pltch(tdt1,tdt2,0,6);
dump_track_data(tdt2);
save_track_data(tdt2);
writein('extracting channel 0');
extract_chan(tdt1,tdt2,0);
disp_track_data(tdt2);
save_track_data(tdt2);
writein('flitering channel 0');
filter_chan(tdt1,tdt2,0);
disp_track_data(tdt2);
save_track_data(tdt2);
end. | main }
```

Procedure quantize (listing 9) maintains running totals (in_time, out_ time) of the elapsed time in the input track data stream and the output track data stream, respectively. The procedure uses these totals to adjust the relative time of an output event before actually quantizing the event to the nearest multiple of the quantum value. If the quantization results in a relative time for the new event that exceeds the maximum possible timing count, timing overflow (null) events are placed in the output stream to represent the excess timing value before the track event in question is actually stored.

While the most accurate means of quantizing timing values would be to convert all the relative event times to actual event times before the quantization is applied, the algorithm presented here yields acceptable results.

MIDI PROCESSING EXAMPLE

Listing 10 illustrates the use of several of the MIDI processing functions in an actual program. In each case, a track data block is read from an MS-DOS file, the MIDI processing action is applied, and the resulting track data block is written to a new file for further usage. The routines dump_track_data and disp_track_data are used to display the results of the various processing actions.

CONCLUSION

While ambitious readers will surely find room for improvement and expansion on the ideas I have presented here, these Pascal routines provide a solid basis for understanding the requirements of MIDI data processing in the MPU-401 environment. I hope this introduction will serve as a useful stimulus to further MIDI programming activities. [Editor's note: The programs described in this article are available for downloading from BYTEnet Listings at (617) 861-9764 or from BIX (BYTE Information Exchange). The programs are LIST1.PAS, LIST2.PAS (etc.), through LIST10.PAS, written in Turbo Pascal for the IBM PC, and MPU401.PCF, written in PC/FORTH. You will need Turbo Pascal and PC/FORTH to run them. The listings in this article are also available on disk. See page 445 for details.

There's a Familar Face Behind the New Name



NANAO MONITORS. The name is new to the American market. That's because for the first time in history, a huge new line of computer monitors is available to the U.S.—factory direct. 26 different models offered in three series, bringing you a range of features broader than any other. Color resolution from 480 dots x 200 lines up to 720 dots x 480 lines. And Fh scanning from 15.75 to 24.75 KHz. But the truth is that Nanao has been around for a long time. For over a decade we've supplied OEM's worldwide, designing and manufacturing monitors recognized for their outstanding performance and reliability. Now that same quality, selection and value is yours—right from the source. Nanao. The old standby with a new name.

NANAO CORPORATION

153 Shimokashiwano-Cho Matto-City, Ishikawa, Japan

NANAO USA CORPORATION

373 G. Vintage Park Drive Foster City, California 94404 Phone (415) 341-7055

Distributor Inquiries Welcomed

Princeton Gra In a class ab

When you put Princeton Graphic Systems Monitors to work with IBM's new graphics cards, you step up to a new class of performance. Exciting RGB color, sharp, crisp graphics and text and Princeton's quality and dependability...all at a great price! Our full line of monitors clearly demonstrates why Princeton is an industry leader in high-resolution technology.

Princeton SR-12P Color Monitor

The first IBM compatible monitor available for the IBM Professional Graphics Controller.*



COMPARE:	Princeton SR-12P	IBM 5175	
Dot Pitch (The lower, the better.)	.26 mm	.31 mm	
Sugg. Retail Price (The lower, the better too!)	\$999	\$1295	
Warranty	1 Year	90 Days	

Designed for demanding professionals who won't settle for anything less than the finest color graphic capabilities. Displays more than 4,000 brilliant colors... features an anti-reflective coated black matrix tube for less fatigue and eye strain. You get the sharpest graphics and text... at a substantial savings!

Princeton HX-12E Color Monitor

The superior choice for use with IBM's Enhanced Graphics Adapter.*



COMPARE:	Princeton HX-12E	IBM 5154	
Dot Pitch	.28 mm	.31 mm	
Sugg. Retail Price	\$785	\$849	
Tinted Black Matrix Tube	Yes	No	
Warranty	1 Year	90 Days	


Ideal for most computing applications, the HX-12E offers 64 high-resolution colors and easy-to-read text. It gives you sharp colors, crisp characters...for less eye strain and easier viewing, hour after hour. Built-in versatility also allows you to display 16 colors with the IBM Color Graphics Adapter* automatically.



phic Systems ove the rest

Princeton HX-9 Series

For more performance in less space, the Princeton HX-9 series is in a class by itself.



Nobody else-not even IBM-offers a 9", high-resolution RGB color display. The HX-9 and HX-9E feature a supersharp .28mm dot pitch tube for crisp, clear text and graphics. Nonglare screens for less eye strain. The builtin tilt-and-swivel base allows you to adjust the screen to a comfortable viewing angle. Select green or amber display modes with built-in green/amber switch.

Full IBM compatibility enables you to use the HX-9 or HX-9E with the IBM Color Graphics Adapter.* The HX-9E gives you added flexibility of full compatibility with the IBM Enhanced Graphics Adapter.*

Our other monitors also give you full IBM compatibility:

Princeton SR-12 Color Monitor -- boasts twice the vertical resolution of the IBM Color Display...when used with graphics adapter cards such as the Sigma Designs Color 400.

Princeton MAX-12 Amber Monochrome Monitorergonomically designed to give you up to 15** shades of high-resolution amber...plus high-resolution text and graphics when used with a monochrome card.



Princeton HX-12 Color Monitor—16 sharp, clear colors and superb character definition make the HX-12 the winning choice among monitor users...



COMPARE compare

Princeton HX-12

IBM 5153

COMPARE:	Princeton HX-12	IBM 5153	
Dot Pitch	.31 mm	.43 mm	
Nonglare Screen	Yes	No	
Warranty	1 Year	90 Days	

See the clearly superior Princeton Monitors at your Authorized Princeton Graphic Systems Dealer. For the dealer nearest you, please call: 800-221-1490 (Extension 1604), 609-683-1660 (NJ only), Telex: 821402 PGS PRIN.

Princeton Graphic Systems, 601 Ewing Street, Bldg. A, Princeton, NJ 08540.

* Or equivalents.

^{**} When used with IBM Color Graphics Adapter or equivalent. IBM is a registered trademark of International Business Machines Corporation. Sigma Designs Color 400 is a registered trademark of Sigma Designs, Inc.



Reviews

REVIEWER'S NOTEBOOK by Jon Edwards	. 231
THE ATARI 520ST by Eric Jensen	. 233
COMPAQ DESKPRO 286 by Stan Miastkowski	. 243
TELE-286 by Wayne Rash ir	. 251
Mix C by Richard Grehan	. 257
FOUR MIDI INTERFACES by Roger Powell and Richard Grehan	. 265
CONCERTWARE + AND SONGPAINTER by Mario Sergio Bernardo	. 273
THE KURZWEIL 250 DIGITAL SYNTHESIZE by Christopher Morgan	LER
Device French	200

ACCORDING TO ERIC JENSEN, the Atari 520ST is a very appealing machine and may well become popular. His praises and concerns are similar to those voiced in BYTE's product preview (January, page 84), but Eric also adds some special insight. And while he concludes that he would not be comfortable with the 520ST as his primary machine, the newly released Atari 1040ST does address many of his concerns.

The Compaq Deskpro 286 resembles the IBM PC-compatible Deskpro but has many more options. Stan Miastkowski reviewed the Model 1, whose basic configuration includes 256K bytes of RAM, a 1.2-megabyte floppy disk drive, and five expansion slots.

Wayne Rash reviews the TeleVideo Tele-286, an IBM PC AT compatible that runs at 8 MHz and comes with a standard 44-megabyte hard disk drive. He enjoyed working with the clone, although he found the documentation wanting.

The price of the Mix C compiler seemed too good to be true, so Richard Grehan, a BYTE technical editor, took a long hard look. He discovered that the product was full-featured and that the documentation alone was worth much of the cost. We should note also that Mix now provides a utility that clears up one of Richard's main reservations. Using their \$10 MASM utility, you can now link object files created by Microsoft's MASM or M80 assemblers into your Mix C programs.

We have three reviews in support of the music theme. Roger Powell and Richard Grehan have investigated four MIDI interfaces that will allow you to use powerful MIDI-equipped keyboards and hardware with your Commodore 64, IBM PC. Apple II, or Macintosh.

Mario Bernardo examines two music software packages for the Macintosh. As a musician, he recommends Concertware+ as a fine tool for music composition but has serious reservations about SongPainter.

Finally, Christopher Morgan presents the Kurzweil 250 Digital Synthesizer, an impressive, sophisticated machine with 3.6 to 6 megabytes of ROM, 68000-based hardware, and a grand-piano sound. The price is high, but the technology providing the state-of-the-art music-development environment has lasting implications.



A FRIEND INDEED.

Face it. Everybody needs somebody sometime. And even the best PC occasionally needs help with faulty power.

So give your hard disc or critical-use system LINE 2° power conditioning. And eliminate those nagging problems that your PC can't prevent. Like voltage sags and surges. Brownouts. Spikes.

LINE 2 Power Conditioners are designed

specifically with your PC in mind. High inrush currents don't affect them. Neither do power problems. And they're amazingly economical.

A LINE 2 Power Conditioner can be your PC's best friend. And a friend in need is a friend indeed. Call us today at (619) 279-0831, or contact your local Square D distributor.



R·E·V·I·E·W·E·R'S N·O·T·E·B·O·O·K

here were many interesting products at the West Coast Computer Faire in San Francisco. Without a doubt, the most intriguing was David Small's MacCartridge, a cartridge-disk combination that allows 1-megabyte Atari STs to run Macintosh software faster, without modification, and using Atari's excellent and larger monochrome monitor. The product is real. but it may never be marketed, because Apple must approve its use of the Macintosh ROM. Still, I had to suppress a chuckle at the thought of using MacCartridge to run Meacom's Apple II emulator.

Speaking of which, I was also impressed with Mimic Inc.'s Spartan, an Apple II+ emulator for the Commodore 64. The \$299 unit includes eight standard Apple-compatible peripheral slots, and it runs DOS 3.3, Applesoft, Integer BASIC, Apple Pascal, and CP/M (with a Z80 card). A DOS card allows your 1541 drive to read both Apple and Commodore disks and, because the emulators have their own CPU and two video outlets, you can run both Commodore and Apple software at the same time (to different monitors, of course).

There are yet more peripherals for both the Amiga and the ST. Micro Forge showed a seven-slot expansion box for the Amiga. The system can hold two 10- to 40-megabyte hard disk drives and comes with a 130-watt power supply. Developers in need of RAM disks and workspaces for use with audio and video digitizers may also appreciate Comspec's \$1079 2-megabyte memory board, which comes with a pre-installed RAM test.

For the ST. Supra is now supplying 10- and 20-megabyte hard drives, the latter at the Faire for \$799. The display unit at the Faire impressively flashed 32K-byte Neochrome images on a color monitor. Finally, LogiKhron

has perhaps the first cartridge utility for the ST. a \$50 clock card with an internal battery that automatically loads the date and time into the ST when you boot.

Two applications stand out. For the Amiga, there is Aegis's Animator, which is bundled with their Images. The Animator, a color animation tool, allows you to create 32-color objects, animate them, and create storyboards with backdrops from Images. You can alter the position, shape, size, and color of objects and rotate them or plot their path around the screen.

For the ST, there is Migraph's Easy Draw, a "professional drawing program" that requires TOS in ROM. The list of features is very impressive. In addition to conventional capabilities, you can adjust the size of the drawing surface, add shadows, and use wedges and arcs. The software can support many professional needs, from the creation of floor plans to the presentation of intricate three-dimensional shapes.

There were yet more IBM PC AT clones and at ever-decreasing prices. The Ceptre PC-galaxy is a \$1995 AT compatible with eight slots (three of which are PC-compatible), a 6-MHz clock upgradable to 8 MHz, a 1.2-megabyte drive, and a 195-watt power supply. The Cranium 286/10 AT clone costs \$3050, which includes a 235-watt power supply, 12 slots, 6-MHz or 10-MHz clock speed, and a 31-megabyte hard disk drive.

For IBM users, there is Software Carousel from SoftLogic Solutions, a \$50 utility that accesses extended memory, allowing you to run up to 10 programs, each at the touch of a key. Every program can use all available system RAM because the software employs a virtual memory manager that can use lower RAM, AT extended RAM, "above board" RAM, or even


disk space as a reservoir. And by establishing the amount of RAM each program will use, you can switch immediately among applications, pausing one while running the next.

And, for the PC, there is Finally!, a subroutine library for compiled BASIC from Komputerwerk that contains over 100 utilities that you can include in your souce code or link to your object code at run time. The utilities include a variety of general and geometrical mathematical functions, file and directory control, medium- and high-resolution graphics, hardware interfacing, number conversions, keyboard, printer and screen control, string handling, and sorting routines.

Lest Macintosh users feel slighted. I have enjoyed Affinity's Tempo, version 1.1, a macro facility that allows you to record and later replay keystrokes and mouse clicks. There are some special features. For example, you can make the playback of a macro conditional upon text in a document or the value of a spreadsheet cell. Macros are indispensable for carrying out repetitive tasks, but you will also enjoy automatically opening applications from the Finder and including dialog boxes within your macros. Unlike many macro facilities on the IBM PC, macros will only play back within the application in which you created them. You can suspend them by simply holding down the mouse button and even edit them during the pause.

And the reviews business goes on. We are organizing a joint review of new Modula-2 compilers for the Atari ST, Macintosh, and IBM PC. A Laser 128 is en route to a reviewer, and we are preparing in-house the formal review of the Amiga.

—Jon Edwards Technical Editor, Reviews



Amdek challenges you to read between the lines.

All 350 of 'em.

Not all monitors are created equal. And no monitor in this price range can equal the new Amdek Color 722.

What makes the 722 RGB monitor so distinctive? For one, a dual frequency output that is capable of supporting IBM's Enhanced Graphics Adaptor. The result is 350 lines of resolution, assuring you of a sharper, crisper image that makes your graphs and charts look more like a work of art, and less like a rough sketch. For another, the fact that the 722 is made by Amdek—where monitors are our only line, not just a sideline.

The high performance 722 features an etched glass, non-glare screen that's easy on the eyes, plus front-mounted controls that are easy on the operator. This means less eye fatigue and greater productivity.

What's more, the 3-position text switch enables you to choose green, amber or full-color type — up to

80 characters in width x 25 lines of text. There's even an optional tilt/swivel stand that allows you to select a viewing angle that's most comfortable for you.

It all adds up to more monitor for the money, and is backed by more warranty for your peace of mind. Amdek's warranty protects your investment for three full years on the CRT, and two years on all other parts and labor. No other monitor warranty offers you more.

For high resolution performance, see the new Amdek Color 722. We know you'll be impressed. After all, everytime an Amdek monitor is sold, we know that we are putting our image on the line.



Inquiry 19

Clearly the finest in monitors.

THE ATARI 520ST

BY ERIC JENSEN

The Atari 520ST is a very appealing machine. It is a good engine for bit-mapped graphics, with a good user interface and an attractive price. Still, the review machine had too many rough edges to serve as my primary machine. It is far from portable. A two-drive system put seven boxes on my tabletop and required four wall outlets.

The processor and each disk drive have separate power supplies and the four power switches are inconvenient. I don't like leaving the power supply plugged in while its output is turned off. It draws some power, and I worry that the system will be susceptible to power-line glitches even while turned off. The practical solution seems to be to use a switched outlet box.

HARDWARE

The hardware appears clean. The 8-MHz clock rate (a bit faster than either Macintosh's or Amiga's) probably translates to about half a million typical instructions per second. There is no other special display support hardware, and none is needed for windowing applications. The display appears to be properly interleaved with the processor so that they do not have to wait for each other. The display generator is an interesting compromise. For the monochrome display, it fetches a word of data and shifts it out a bit at a time to determine the color for 16 successive pixels. For the color displays, it fetches either two or four words in sequence and shifts out a bit of each to develop a color lookup-table index. Again, there are 16 shift cycles before the

A good engine for bit-mapped graphics at an attractive price



next words must be fetched. Thus you have neither the situation in which all the bits describing one pixel are in one word, nor that in which the most significant bits for all pixels are contiguous in memory.

As long as this arrangement is hidden under GEM—as it should be for almost all users—this is fine, but there are a couple of cases in which it could be inconvenient. If you were to use multiple planes of memory (with a degenerate color map) to represent multiple overlayed images, then the images would be inconveniently intertwined. If you have to mask out an irregular region in a picture, then you have to know not only the number of words in a scan line but also the spacing between words, which may not be the same in the image and the mask.

The 512K bytes of RAM is enough for most programming, although the operating system for the reviewed machine used more than 200K. [Editor's note: The latest production units for the 520ST and 1040ST have TOS in ROM.] In addition, the screen uses at least 32K more.

The displays are very crisp and clean, with enough resolution to draw pictures of good quality. The 12-inch screens provide almost twice the area of the 9-inch Macintosh screen. The SM124 monochrome monitor provides a 640- by 400-pixel display. This allows 22 lines of 110 characters in the directory font, or 20 lines of 77 in the standard font used in BASIC windows (allowing window borders), which is enough to do a fair job of emulating a dumb terminal. There are about 77 dots to

the inch horizontally by 65 vertically, which is fine enough resolution to make the jagged edges of diagonal lines fairly unobtrusive.

You can run the SC1224 color monitor in two modes (640 by 200 pixels with 4 colors or 320 by 200 pixels with 16 colors). The lower resolution mode is the operating system's initial choice. This keeps the aspect ratio of icons the same as on the monochrome monitor and simply doubles their sizes. The jagged edges are noticeable here but not particularly offensive. I was very impressed by the lack of colored "shadow" edges on

(continued

Eric Jensen (50 Carriage Lane, Bedford, NH 03102) is a programmer for Hastech Inc. His interests include artificial intelligence, math and logic, and displays.

windows are not erased as neatly as they might be—you often see that every underlying window gets a "please clean up" signal.

window borders and characters. Another plus is that you can work in black and white on this color monitor without eyestrain.

The disk drives use 356K-byte 31/2inch floppy disks. They seem reliable, but I had several problems. First, the cables are so short that most users will choose to put the drives to the left of the keyboard. If you try to put them on the right, they will block the mouse connector or sit at an uncomfortable angle. Second, you can press the eject button to remove disks, but the manuals do not explain whether it is safe to reset the machine or power down without first ejecting the disk. The eject button was also a bit inconsistent-crisp one time and mushy the next. Finally, the documentation does not explain that, in a twodrive system, the drive closer to the processor automatically becomes drive A. There are no switches to set or jumpers to connect. There is also no comment indicating that you cannot daisy-chain a third drive.

The two-button mouse has a good feel. You can remove the ball for cleaning, which is a nice feature not present on some professional workstations. However, I had one problem: I found double-clicking the buttons to be very difficult, even after adjusting the delay with the control panel. Perhaps Atari should be measuring up-to-down transition time rather than down-to-down. Perhaps button debouncing logic gets in the way.

Finally, the keyboard has about the same key feel (and exactly the same key spacing) as the Digital keyboard I use every day, so I like it. The oddest feature of the keyboard is the rhom-

boid shape of the function keys, which are almost impossible to hit without hitting their neighbors.

GEM

GEM appears to be a solid product. with a few excesses and inconveniences, but pretty well on target for anything short of animation. It includes calls equivalent to most of the Graphics Kernel System (GKS) used in many standard graphics programs, but it may be weak in the area of partially redrawn pictures.

Windows are not erased as neatly as they might be—you can often see that every underlying window gets a "please clean up" signal. And after clicking the mouse on any of the window-change bars, the cursor was not redisplayed until the mouse was moved. One of the few bugs I encountered here was a requirement that a window be retitled after it is moved. It seemed to acquire a new name on its first movement but not thereafter.

Atari's TOS, on the other hand, has a number of holes. I haven't documented any crashes. (It appears that memory may not completely recover when you change disks, leading to eventually running out of storage, but I haven't proved it. If so, it takes quite a few disk changes to run out of space.) I have, however, stumbled over a fairly steady stream of minor nuisances and cosmetic inconveniences. Exiting from a program back to the operating system, for example, does not reinitialize the color map; if, therefore, a program changes the colors to black and white, you might get back to the desktop and not see anything. Selecting textual instead of Icon directory displays and then changing from low resolution to medium resolution leaves both icon and textual formats selected for the next directory display (and picks icon).

As a whole, though, TOS is a reasonable operating system. It provides a file system that looks almost identical to that in MS-DOS, with directories and subdirectories (called "folders" in the desktop idiom) and files with date and time stamp. (This latter feature is less useful than it should be because the clock resets with the processor,

and it is easy to forget about it.)

The desktop command interface does a pretty good job of providing most of the commands possible with MS-DOS. My MS-DOS manual lists 31 commands. Fourteen translate directly, eight are simply calls to standard utility programs (two of which are provided here), six make no sense in translation (such as setting the prompt on the command line), and the last three are more difficult. Renaming a file requires selecting the file, getting a menu of "File Info," and overtyping the filename in the menu. Defining environment variables and creating batch jobs seem impossible, and commands that take arguments are a bit inconvenient. (The developer's package includes most of the missing utilities and a textual command interface that looks a lot like MS-DOS.1

The desktop is clearly much simpler than that provided with the Macintosh. Most of the basics are there, but, for example, there is no choice of font or type size from the main menu bar.

ATARI BASIC

The only languages that come bundled with the machine are Logo and BASIC. The BASIC on the review machine is modern, flashy, and huge. It will be more usable with the operating system in ROM, but with TOS in RAM, I had to disable graphics buffering and dimension the array as an integer array in order to use an array of 7000 elements. Still, Atari BASIC was considerably more than the minimal textbook language. It performed the BYTE computational benchmarks about twice as fast as an IBM PC, while apparently accumulating fewer floating-point errors, and it moved files about a third as fast.

The most obvious feature of the BASIC is its use of four windows—a command window at the bottom, a listing window at the upper left, an output window at the upper right, and an edit window pushed behind all of the above. Atari BASIC is smart enough to fill the screen on either the monochrome or the color monitor—a feature missing on the TOS desktop. There is an inconvenience here.

(continued)

AT A GLANCE

Name

Atari 520ST

Company

Atari Corp. 1196 Borregas Ave. Sunnyvale, CA 94086 (408) 745-2000

Components

Processor: Motorola 68000 Memory: 512K bytes of dynamic RAM

Display: 12-inch monochrome

or color

Graphics: Three modes, 640by 400-pixel monochrome, 320 by 200 with 16 colors, and 640 by 200 with 4 colors Keyboard: 94-key Selectricstyle QWERTY keyboard with numeric keypad, cursor controls, and rhomboid

function keys Sound: Three independent sound channels from 30 Hz

to 125 kHz

Floppy disk drive: Bundled, external 3½-inch single-sided double-density drive with capacity of 360K bytes; system supports maximum of two floppy disk drives

Interfaces

MIDI-in and MIDI-out ports
Monitor port (supports RGB
analog, high-resolution
monochrome)
Centronics parallel printer port
(supports Epson-compatible
printers)
RS-232C serial port
Floppy disk port
Hard disk port (10-megabitper-second DMA transfer rate)
128K-byte ROM cartridge port
Ports for mouse or two
loysticks

Bundled Software

Atari Logo, Atari BASIC


Optional Peripherals


SF354 single-sided drive \$199 SF314 double-sided drive \$299

Price


Monochrome system \$799 Color system \$999








DISK STORAGE (K BYTES)













The Memory Size graph shows the standard and optional memory available for the computers under comparison. The Disk Storage graph shows the highest capacity for a single floppy disk drive and the maximum standard capacity for each system. The Bundled Software Packages graph shows the number of software packages included with each system. The Price graph shows the list price of a system


configured with two disk drives, a monochrome monitor with connection apparatus, a printer port and serial port, 256K bytes of memory (64K bytes for 8-bit systems), the standard operating system for the computers under comparison, and the standard BASIC interpreter. Note that the price of the Atari 520ST includes 512K bytes of memory and a second single-sided drive.








The ST ports include MIDI in and MIDI out, a Centronics parallel printer port, an RS-232C serial port, and a DMA port.

Inside the Atari 520ST.









The graphs for Disk Access in BASIC show how long it takes to write and then read a 64K-byte sequential text file to a blank floppy disk. (For the program listings see BYTE's *Inside the IBM PCs*, Fall 1985, page 195.) The Sieve graph shows how long it takes to run one iteration of the Sieve of Eratosthenes prime-number benchmark. The Calculations graph shows how long it takes to do 10,000 multiplication and 10,000 division operations using single-precision numbers.

The System Utilities graphs show how long it takes to format and copy a 40K-byte file using the system utilities. The Spreadsheet graph shows how long it takes to load and recalculate a 25- by 25-cell spreadsheet in which each cell equals 1.001 times the cell to its left. Tests for the Atari 520ST were done using TOS and Atari BASIC. Running the Sieve on the Atari required that we dimension the array as an integer array.

This is the Modula-2 compiler everybody's been waiting for...



Now, you can cross the bridge to Modula-2 with ease.

This is Modula-2 at its absolute best. It's a fully integrated development that takes into account what you need as a programmer. Without leaving the Editor, you can call the compiler, linker and utilities.

With Logitech's Modula-2, you'll have the ability to edit several files at once, comparing, window to window, various code modules. You can even move from window to window compiling, linking, debugging and running.

The compiler has the kind of power and room to breathe that you really need in today's complex applications. It is as easy to use as Turbo Pascal, without your programs being limited to 64K of code.

At your command will be the libraries of modules that make Modula-2 a programmer's dream. It has essentially the same structure as Pascal with the major addition of a library organization of code modules that allow you to put together programs on a solid, block-by-block, foundation of proven code.

Whether you're working with a module of your own making, or one of the many in our library, you'll find the system by which each module is identified, described and stored an organizational masterpiece. And that's at the heart of Modula-2.

Underneath the sophisticated system is a Modula-2 compiler that is the result of years of development and proven use in industry. We run on the Vax*, and we run on the IBM PC. And the code is portable-from one to the other.

Best of all . . . you can have it right now!

Logitech Modula-2/86 Complete with Editor, S89 Run Time System, Linker, Cursor-positioning debugger, 8087 Software Emulation, BCD module, Logitech's extended library, Utility to generate standard. EXE files, Turbo Pascal (and standard Pascal, too) to Modula-2 translator (included without charge until 8/1/86), and much, much more!

Logitech Modula-2/86 with 8087 support Even if S129 you haven't yet gotten an 8087 co-processor, you can still use this version.

Logitech Modula-2/86 Plus For machines with 5189 512K or more. Takes advantage of the larger memory to increase compilation speed by 50%! Supports 80186 and 80286 as well as 8086 and 8088. Includes 8087 and 80287 support, too.

Window Package Now you can build true win-49 dowing into your Modula-2/86 code with ease, too. Very powerful and very full, yet only 15K in size. Features virtual screens, color support, overlapping windows and a variety of borders. Run Time Debugger (source level) Much more powerful than just a symbolic RTD. Display source code, data, procedure call chain and raw memory. Set break points, assign values to variables, pinpoint and identify bugs in your source. The ultimate

professional's tool!

Utilities Package Features a post-mortem de-549 bugger for static debugging. If a program you've written crashes at run time, the situation is frozen, and you can pinpoint, in source, the cause of the error and the data at that moment. Also includes a disassembler, a cross reference utility and a "version" utility that allows conditional compilation.

Make Utility Automatically selects modules affected by code changes for quick and minimal re-compilation and relinking. Even figures out dependencies for you.

Library Sources Source code for our major tibrary modules is now available-for customization or exemplification.

ROM Package If you need to produce rommable code, call our 800 number for further information on this package.

To place an order call our special toll free number

800-231-7717 in California 800-552-8885

Special offer until \$11,861

Prec! \$40.95 salue Turbo Pascal translator! Now you can take your library with you!

Yes, logical step in programming.

Please send my copy of Logitech Modula-2/86 to the following address:

J VISA	☐ MasterCard	☐ Check Enclose

Card Number	Expiration Date
Signature	
Name	
Address	
City	
StateZip	Phone ()

Here's the configuration Γd like:
☐ Logitech Modula-2/86 \$89

☐ Logitech Modula-2/86 \$129 with 8087 support

☐ Logitech Modula-2/86 Ptus \$189 Please add \$6.50 for shipping and handling.

And include the indicated items

U Window Package \$49

☐ Run Time Debugger \$69 (source level)

☐ Utilities Package \$49 ☐ Make Utility \$29 ☐ Library Sources \$99

Total enclosed \$______(California residents, please add applicable sales tax)



LOGITECH, Inc. 805 Veterans Boulevard Redwood City, California 94063 Telephone (415) 365-9852

For European priong, please contact: LOGITECH SA Box 32, CH-1143 Apples, Switzerland Telephone 41 (21) 774545

Please call our 800 line for:

Information on our *VAX version

Site License and University Discounts

Dealer and Distributor information

The developer's package includes a C compiler, linker, and debugger, and the glue to hold them together.

though. The BASIC automatically wraps text to the next line after 80 characters, but a color window line holds only 38, and monochrome 77, so you can never see all of a long line without panning. All the normal window controls are available, so each window can be repositioned, resized. or even closed. You will soon discover the convenience of being able to keep an old listing on the screen in one window while you type modifications into another.

The editing features are woefully short of general word processing. You can move the cursor (with the cursor keys but not the mouse) and overtype characters fairly easily, but inserting new characters requires cursor positioning with the cursor keys, menu selection with the mouse, and finally the insert from the keyboard.

Perhaps the most useful extension of this BASIC is its ability to call a large number of the standard GEM display functions. For example, you can draw graphs and pictures from BASIC without resorting to obscure hieroglyphics or pokes. Other modern constructs include named subroutines and WHILE.

The developer's package includes a C compiler, linker, and debugger, and the glue to hold them together. There is an adequate editor. It took me about 8 minutes to get around the edit-compile-link-run loop, with a surprisingly large portion of that time spent in the linker searching the extensive GEM libraries. The compiler used the standard three passes and passed its output to an assembler, resulting in at least four trips through files. The linker took almost as long. Note in the benchmark graphs that disk I/O is about three times as slow as on the IBM PC: a hard disk would help considerably.

CONCLUSION

The Atari 520ST is a very appealing system in need of some further software development. The user interface is easy to learn and use, and the system is powerful enough for serious work. The developer's package appears to offer enough tools and access to the system internals to suggest that software will get written. The computer brings the convenience and naturalness of the "desktop metaphor" down to a lower price bracket. and thus a larger audience. It has a good chance of becoming a very popular machine.

SHIPPING ON

COMPUTERS

HEWLETT-PACKARD PACKAGE HP110, Thinkjet, Disc Drive ... \$ 2295.00" 2225B 7440A 9114A 82143A 82161A 82162A 82164A Thintyet Printer 8-Pen Plotter 710K Disc Drive Thermal Printer Cassette Drive 379.00 969.00 625.00 295.00 423.50 346.50 IL Printer IL/RS-232 Interface . . . Laser Jet Toner (Black) Font Cartridge *(Limited quantities)

HP-15C HP-16C	Financial
HP-41CV HP-41CX	Scientific
HP-71B New	Handheld Computer \$ 389.95 CMT 32K RAM for 71B \$ 139.00

	AST	
SixPekPlus RAMpage Advantage Preview RAMvented	w/64K RAM w/256K RAM w/128K RAM	\$ 215.00 \$ 295.00 \$ 359.00 \$ 239.00 \$ 299.00

	AST	
	w/64K RAM	\$ 215.00
l.Wpage Ivantage	w/256K RAM	\$ 295.00
Astron	WIZER RAM	\$ 239.00
	ew/128K	\$ 299.00

Sperry "IT" AT compatable Monitor • 1MB RAM • 80286 • 1.2MB Floppy • 44MB Fixed Drive \$3695 Sharp PC7000 XT Portable 25 line LCD • Detachable Keyboard • 320K RAM • 8086 • 2-360K Floppy Drives \$1395 AT&T Modem



WASHINGTON, D.C. 20017 (800) 544-4442

> in Maryland, call (301) 565-3595

	PRINTERS	
	Xerox/Diablo	
D-25 635 4045CP	25cps Daisywheel	*449.00 *895.00 CALL
	*Price Afte	r Hebate
ML182 ML192 Ok 20 ML193 ML292 ML293	Okidata 120cps Dot Matrix \$ 160cps Dot Matrix \$ Color Dot Matrix \$ 160cps Wide Carriage \$ 200cps Dot Matrix \$ 200cps Wide Carriage \$	219.00 349.00 189.00 499.00 CALL CALL
	Brother	
M1109 M1509 HR-10 HR-15XL HR-25 HR-35	100cps Friction/Tractor \$ 180cps Wide Carnage \$ 10cps Daisywheel \$ 17cps Daisywheel \$ 25cps Daisywheel \$ 36cps Daisywheel \$	209.00 369.00 249.00 339.00 489.00
2024L Twinriter 5	200cps & NLO	CALL #15.00
	Panasonic	
KXP1091		249.00
120D MSP-10 MSP-15 MSP-20 MSP-25 Premier35	Citizen 120cps Dot Matrix \$ 160cps Dot Matrix \$ 160cps Wide Carriage \$ 200cps Wide Carriage \$ 200cps Wide Carriage \$ 35cps Dassywheel \$	179.00 259.00 365.00 345.00 499.00 439.00
P321	Toshiba 24 Pin-head/216cps \$	479.00

ı		EPSON	
١	LX-80 JX-80	100cps & NLQ Dot Matrix \$ Color Dot Matrix \$	215.00 369.00
	New LQ-800, LQ-1000		CALL
		K-286, HS-80, AP-80 X-20, DX-35	CALL

Look at what we're plugging now.

Plug-in Teacs.

We offer a full line of PC compatible components to increase your floppy storage, to add Winchester drives, or to include a streaming cassette back-up.

Our FD-55 Series, half-height, low power, 5¼-inch floppy disk drives are the world-wide standard of excellence with over 3 million in service to date. A quick and easy way to double your capacity.

Our MT-2st Kit is all you need to plug-in a streaming cassette back-up system. With 90 ips performance, you can store up to 20 megabytes of back-

up incredibly quick.





PROBLEM: There's just no easy way to move from one software program to another.

THE SOFTLOGIC SOLUTION: Software Carousel

Now you can keep up to 10 programs loaded and ready to run.

Hard to believe, but some people are happy with just one kind of PC software. Well, this is not a product for them.

But if you're someone who depends on many packages, all the time—someone who'd use several programs at once if you could, well now you can. With Software Carousel.

Why call it "Software Carousel"?

In some ways, Software Carousel works like the slide projector you're used to. You

load a handful of pictures, view one at a time, then quickly switch to another. A simple idea, with powerful possibilities for computing.

Here's how it works. When you start Software Carousel, just tell it how much memory you have, load your software and go to work.

Need to crunch numbers? Switch to your spreadsheet. Need your word processor? Don't bother saving your spreadsheet file. Just whip over to your document and do your work. Snap back to your spreadsheet, and it's just like you left it.

With up to ten different programs at your fingertips, you'll have instant access to your database, communications, spelling checker, spreadsheet, word processor, RAM resident utilities, languages, anything you like.

Reach deep into expanded memory.

This could be the best reason ever for owning an expanded memory card, like the Intel Above Board, AST RAMpage, or any card compatible with the L/I/M Extended Memory Standard.

Software Carousel puts programs into this "high-end" memory for temporary storage when they're not in use. And

switches them back out when you want them. It's fast, efficient, and easy.

If you want, Software Carousel will even use your hard drive for swapping. Just allo-

cate a portion for storage, and go to work.

Sidekick, Superkey and Ready. All at the same time.

You know what happens if you try loading two or more RAM resi-

dent utilities at once. You get crashed keyboards, frozen screens, all kinds of interference between programs fighting for control.

With Software Carousel, you can have as many accessories and utilities ontap as you want. Just load different ones in different Carousel partitions. Since they can't see each other, they can't fight.

The easy way to maximize PC power.

With all this power, you might think Software Carousel is complicated and difficult to use. Not so. Set it up once, and it will remember forever. Better still,

Carousel will look for the programs you use most often, and optimize them for the quickest access.

You can spend a lot more money, and still not get the convenience and productivity increase of Software Carousel.

The way we see it, there are certain things you have the right to expect from your computer. Access to your software is one of them. And at our special introductory price of just \$49.95*, Software Carousel is the best way to get it.

But hurry. This price won't last long, Order today at 800-272-9900 (603-627-9900 in NH) or send the coupon below.

Special combination pricing is available for the purchase of Software Carousel and other SoftLogic products, including Cubir, DoubleDOS and Disk Optimizer.

Word Star 1-2-3 BPI With Software Carousel running in, RAM, you can load a program and retrieve a file up to 15 times faster. Test conducted on an IBM XT



Name______Company

Address

City_____State/Zip____

Check Enclosed □ VISA □ MC □ AMEX □

Card # Exp. Date

SoftLogic Solutions, Inc. 530 Chestnut Street Manchester, NH 03101 800-272-9900


(603-627-9900 in NH)

Signature_

SOFTLOGIC SOLUTIONS

Calltoday: 800-272-9900

*plus \$5.00 shipping and handling.



PROBLEM: The more experience your hard disk has, the harder it has to work.

THE SOFTLOGIC SOLUTION: Disk Optimizer™

RETRIEVAL TIME

PERCENT FRAGMENTATION

ore fragmented your files get, the k they take to retrieve.

Your hard disk will run faster when it's not chasing around after files.

Remember the old days when your hard drive was new? Remember that smooth, fast, slick performance? Those quick retrievals, rapid saves, lightning-like database sorts?

Well ever since, DOS has been doing its best to slow your hard drive down. Not by slowing down the motor, but by breaking your files up into pieces. Storing different chunks in different places. Data files, programs, overlays and batches that started out in one seamless piece are now scattered all over.

Loading is slower. Sorting is slower. Retrieving, backing-up. Everything takes longer because

your disk has to work harder. Problem is, it's something that happens so gradually you may not notice the difference. At least, not until you see the dramatic improvement after using Disk Optimizer.

File fragmentation—It's a problem you can see.

Watch your hard drive the next time it reads or writes a file. Each "blip" of the LED means the drive-head is moving to another place on the disk-either to pick up or lay down another chunk of data.

And the truth is, head movement takes time. Far more time than actual reading and writing. What's worse, all this head movement causes extra wear and tear that can shorten the life of your drive.

Disk Optimizer-Tunes up your disk by cleaning up your files.

Disk Optimizer works by finding all the scattered pieces of your files and putting them back together where they belong. Next time your drive reads it, there's just one place

to look. And the results are often dramatic. Reading and writing times may be cut by as much as two thirds. Database sorts that used to take hundreds of head moves now proceed quickly and efficiently. And since head movement is now at an absolute minimum, your disk drive will lead a longer, more productive life.

Analyze, scrutinize, optimize,

wa sho

fragment entire dis directorie files you spe or wildcard names.

Plus, there's built-in data security that lets you assign passwords to as many files or file groups as you want.

And the File Peeker gives you an inside look at the structure of files. It's a great way for non-programmers to learn more about computers, and a powerful tool for professionals who want to analyze the contents of their

Get your hard drive back in shape—at a special low price.

When you think about it. it's simple. The longer you

own your hard drive, the more you come to depend on it. But the longer you wait to get Disk Optimizer, the less performance you'll

And the less chance you'll have to buy Disk Optimizer at the special introductory price of just \$49.95*

That's a small price to pay to get back the speed you depend on. But it's a price that won't last long.
Ask for Disk Optimizer at your computer

dealer.

Or order today by calling SoftLogic Solutions at 800-272-9900 (603-627-9900 in NH), or send the coupon below.

vailable ng with bleDOS,

efore you optimize, you'll probably	Special combination pricing is a		
nt to analyze. So Disk Optimizer	when you buy Disk Optimizer alo		
ws you, in percentages, how much	other SoftLogic products like Dou		
ation has taken place—on the	Software Carousel and Cubit.		
k, in individual	Ask for details.		
s, or for groups of	10		

Please send me_ at this special introduce	co		
Name			
Company			
Address			
City	State/Zi	p	
Check Enclosed	VISA	MC	AMEX □
Card #	Exp. D	ate	
Signature			
SoftLogic Solutions, I: 530 Chestnut Street Manchester, NH 03101 800-272-9900 (603-627-9900 in NH)		OFTL OLUT	OGIC
Call today	1:800	-272	.9900

*plus \$5.00 shipping and handling.



The C for Microcomputers

PC-DOS, MS-DOS, CP/M-86, Macintosh, Amiga, Apple II, CP/M-80, Radio Shack, Commodore, XENIX, ROM, and Cross Development systems

MS-DOS, PC-DOS, CP/M-86, XENIX, 8086/80x86 ROM

Manx Aztec C86

"A compiler that has many strengths ... quite valuable for serious work"

Computer Language review, February 1985

Great Code: Manx Axtec C86 generates fast executing compact code. The benchmark results below are from a study conducted by Manx. The Dhrystone benchmark (CACM 10/84 27:10 p1018) measures performance for a systems software instruction mix. The results are without register variables. With register variables, Manx, Microsoft, and Mark Williams run proportionately faster, Lattice and Computer Innovations show no improvement.

	Execution Time	Code Size	Compile/ Link Time
Dhrystone Benchmarl	•		
Manx Aztec C86 3.3	34 secs	5,760	93 secs
Microsoft C 3.0	34 secs	7,146	119 secs
Optimized C86 2.201	53 secs	11,009	172 secs
Mark Williams 2.0	56 secs	12,980	113 secs
Lattice 2.14	89 secs	20,404	117 secs

Great Features: Manx Aztec C86 is bundled with a powerful array of well documented productivity tools, library routines and features.

Optimized C compiler
AS86 Macro Assembler
80186/80286 Support
8087/80287 Sensing Lib
Extensive UNIX Library
Large Memory Model
Z (vi) Source Editor -c
ROM Support Package -c
Library Source Code -c
MAKE, DIFF, and GREP -c
One year of undates -c

Symbolic Debugger
LN86 Overlay Linker
Librarian
Profiler
DOS, Screen, & Graphics Lib
Intel Object Option
CP/M-86 Library <
INTEL HEX Utility <
Mixed memory models <
Source Debugger <
CP/M-86 Library <

Manx offers two commercial development systems, Aztec C86-c and Aztec C86-d. Items marked -c are special features of the Aztec C86-c system.

Aztec C86-c Commercial System	\$499
Aztec C86-d Developer's System	\$299
Aztec C86-p Personal System	\$199
Aztec C86-a Apprentice System	\$49

All systems are upgradable by paying the difference in price plus \$10.

Third Party Software: There are a number of high quality support packages for Manx Astec C86 for screen management, graphics, database management, and software development.

C-tree \$395	Greenleaf \$185
PHACT \$250	PC-lint \$98
HALO \$250	Amber Windows \$59
PRE-C \$395	Windows for C \$195
WindScreen \$149	FirsTime \$295
SunScreen \$99	C Util Lib \$185
PANEL \$295	Plink-86 \$395

MACINTOSH, AMIGA, XENIX, CP/M-68K, 68k ROM

Manx Aztec C68k

"Library handling is very flexible ... documentation is excellent ... the shell a pleasure to work in ... blows away the competition for pure compile speed ... an excellent effort."

Computer Language review, April 1985

Aztec C68k is the most widely used commercial C compiler for the Macintosh. Its quality, performance, and completeness place Manx Aztec C68k in a position beyond comparison. It is available in several upgradable versions.

Optimized C Macro Assembler Overlay Linker Resource Compiler Debuggers Librarian Source Editor

MacRam Disk -c

Library Source -c

Creates Clickable Applications
Mouse Enhanced SHELL
Easy Access to Mac Toolbox
UNIX Library Functions
Terminal Emulator (Source)
Clear Detailed Documentation
C-Stuff Library
UniTools (vi,make,diff,grep) -c
One Year of Undates of

Items marked -c are available only in the Manx Aztec C86-c system. Other features are in both the Aztec C86-d and Aztec C86-c systems.

Aztec C68k-c Commercial System	\$499
Aztec C68d-d Developer's System	\$299
Aztec C68k-p Personal System	\$199
C-tree database (source)	\$399
AMICA CP/M-68k 68k UNIX	call

Apple II, Commodore, 65xx, 65C02 ROM

Manx Aztec C65

"The AZTEC C system is one of the finest software packages I have seen"

NIBBLE review, July 1984

A vast amount of business, consumer, and educational software is implemented in Manx Aztec C65. The quality and comprehensiveness of this system is competitive with 16 bit C systems. The system includes a full optimized C compiler, 6502 assembler, linkage editor, UNIX library, screen and graphics libraries, shell, and much more. The Apple II version runs under DOS 3.3, and ProDOS, Cross versions are available.

The Aztec C65-c/128 Commodore system runs under the C128 CP/M environment and generates programs for the C64, C128, and CP/M environments. Call for prices and availability of Apprentice, Personal and Developer versions for the Commodore 64 and 128 machines.

Aztec C65-c ProDOS & DOS 3.3	\$399
Aztec C65-d Apple DOS 3.3	\$199
Aztec C65-p Apple Personal system	n \$99
Aztec C65-a for learning C	\$49
Aztec C65-c/128 C64, C128, CP/M	\$399

Distribution of Manx Aztec C

In the USA, Manx Software Systems is the sole and exclusive distributor of Aztec C. Any telephone or mail order sales other than through Manx are unauthorized.

Manx Cross Development Systems

Cross developed programs are edited, compiled, assembled, and linked on one machine (the HOST) and transferred to another machine (the TARGET) for execution. This method is useful where the target machine is slower or more limited than the HOST, Manx cross compilers are used heavily to develop software for business, consumer, scientific, industrial, research, and educational applications.

HOSTS: VAX UNIX (\$3000), PDP-11 UNIX (\$2000), MS-DOS (\$750), CP/M (\$750), MACINTOSH (\$750), CP/M-68k (\$750), XENIX (\$750).

TARGETS: MS-DOS, CP/M-86, Macintosh, CP/M-68k, CP/M-80, TRS-80 3 & 4, Apple II, Commodore C64, 8086/80x86 ROM, 68xxx ROM, 8080/8085/Z80 ROM, 65xx ROM.

The first TARGET is included in the price of the HOST system. Additional TARGETS are \$300 to \$500 (non VAX) or \$1000 (VAX).

Call Manx for information on cross development to the 68000, 65816, Amiga, C128, CP/M-68K, VRTX, and others.

CP/M, Radio Shack, 8080/8085/Z80 ROM

Manx Aztec CII

"I've had a lot of experience with different C compilers, but the Aztec C80 Compiler and Professional Development System is the best I've seen."

80-Micro, December, 1984, John B. Harrell III

Aztec C II-c (CP/M & ROM)	\$349
Aztec C II-d (CP/M)	\$199
C-tree database (source)	\$399
Aztec C80-c (TRS-80 3 & 4)	\$299
Aztec C80-d (TRS-80 3 & 4)	S199

How To Become an Aztec C User

To become an Aztec C user call 1-800-221-0440 or call 1-800-832-9273 (800-TEC WARE). In NJ or outside the USA call 201-530-7997. Orders can also be telexed to 4995812.

Payment can be by check, COD, American Express, VISA, Master Card, or Net 30 to qualified customers.

Orders can also be mailed to Manx Software Systems, Box 55, Shrewsbury, NJ 07701.

How To Get More Information

To get more information on Manx Aztec C and related products, call 1-800-221-0440, or 201-530-7997, or write to Manx Software Systems.

30 Day Guarantee

Any Manx Aztec C development system can be returned within 30 days for a refund if it falls to meet your needs. The only restrictions are that the original purchase must be directly from Manx, shipped within the USA, and the package must be in resalable condition. Returned items must be received by Manx within 30 days. A small restocking fee may be required.

Discounts

There are special discounts available to professors, students, and consultants. A discount is also available on a "trade in" basis for users of competing systems. Call for information.

Inquiry 200



To order or for information call:

800-221-0440

COMPAQ DESKPRO 286

BY STAN MIASTKOWSKI

The Compaq Deskpro 286 comes in two standard configurations. The Model I comes with 256K bytes of RAM, a single 1.2-megabyte floopy disk drive, and five expansion slots. It retails for \$4499 with a dual-mode (green or amber) monochrome monitor that supports graphics. The Model 2 has 512K bytes of RAM, a single 1.2-megabyte floppy disk drive, a 30-megabyte hard disk drive, and four expansion slots. It retails for \$6254 with a monitor.

Externally, the Deskpro 286 bears a more-thanpassing resemblance to the company's PC-compatible Deskpro. It has a large 19.8-by 16.5-inch footprint, and heavy-duty construction is evident throughout.

THE KEYBOARD

The Deskpro 286 keyboard's

84-key layout is virtually identical to the Selectric-style keyboard on the IBM PC AT. Unlike the AT's keyboard. which has LED indicators for the Caps Lock, Num Lock, and Scroll Lock keys located on a panel above the main keyboard, the Deskpro 286 has LEDs for these functions physically located on the key caps. The keyboard weighs 3 pounds, 6 ounces and has a slightly spongy feel that I don't like. The sharp-edged "ears" used to tilt the keyboard upward left a series of marks on the furniture. Unlike the loud "clacks" that come from the IBM PC keyboard, the Deskpro 286 uses soft tones to let you know that you've successfully pressed a key. You can adjust the volume of the key tones by pressing a combination of three keys. The partially coiled keyboard cable

An IBM PC AT compatible
with a switchable
6-MHz/8-MHz clock speed



was a bother; it kept getting in the way and made it nearly impossible to push the keyboard flush to the system unit.

BASIC OPTIONS

The unit I reviewed came with a single 1.2-megabyte floppy disk drive, a 30-megabyte full-height hard disk drive, and a tape backup unit for the hard disk. If you're interested in customizing your system peripherals. Compaq has a wide range of options (see the "At a Glance" box for details). There are three hard disk drives available (20, 30, and 70 megabytes), and all are full-height, which generally have faster access times and greater reliability than half-height hard disk drives. You can fill the remaining two spaces with any combination of half-

height 1.2-megabyte drives, 360K-byte drives, or the magnetic tape backup.

Like the IBM PC AT, the Deskpro 286 has a key lock on the front panel, which, when locked disables the keyboard and prevents the system unit cover from being removed. For most users, it's probably more trouble than it's worth. It won't prevent the unit from being carted away: but since it's good standard operating procedure to keep a hard disk unit running full time to minimize disk damage on power-down, the key will enable you to leave the office at the end of the day and keep unauthorized (though not malicious) hands off your data. But woe be unto you if you loose the keys; they're not duplicatable and you'd need to order a new set from an address supplied in the manual. All these

precautions with the lock and keys are probably necessary so that Compaq dealers bidding for corporate or government business can match the specifications of the IBM PC AT.

INSIDE THE SYSTEM UNIT

The cover of the system unit slides forward after you remove three screws on the rear of the Deskpro 286. The screws, which are a strange combination of slotted and Torx head, are also used to hold in the option cards. If you purchase the Deskpro 286 with a hard disk, you'll need to remove the

(continued

Stan Miastkowski is a freelance writer, northeast bureau chief for Newsbytes, and editor in chief of the McGraw-Hill Microcomputer Handbook. He can be reached at POB 548, Peterborough, NH 03458.

The system runs IBM PC software so fast, it's hard to imagine what the

speed gain would be with

the 80287 coprocessor.

cover, unlatch the hard disk shipping lock, and then plug in the hard disk power connector. This is a sensible precaution for making sure that the

is disengaged. It's a bit difficult for the large-fingered to connect the hard drive power, but it can be done.

drive isn't powered on before the lock

The top of the massive power supply (165 watts) is sloped slightly to allow easier (though not easy) access to the rear connectors of the disk drives. The high-capacity fan is extremely quiet, and the Deskpro 286 never became warm to the touch even after extended periods of use.

The processor board has the 68-pin 80286 microprocessor and the peripheral circuitry. Sitting next to the processor is an empty slot for the optional 80287 numeric coprocessor. Since the system runs IBM PC software so fast, it's hard to imagine the speed gain using the coprocessor with software designed to work with it.

CIRCUIT CARDS AND MEMORY

There are eight slots in the system bus, six of which have the additional 36-pin connectors for AT-type cards that contain extended address lines for additional memory. One of the two 62-pin connectors is located behind the floppy disk drive and can only hold a half-length card. Compaq claims that most PC-type I/O boards will work in the Deskpro 286, although the high clock speed and different timing can cause problems with some. Memory-expansion cards designed for the IBM PC also won't work. The same goes for multifunction cards. These limitations shouldn't be a problem, however, since most of the functions those cards would handle are already performed by cards included with the Deskpro 286.

The unit I reviewed came with four cards installed: an RGB/composite/monochrome video graphics board, floppy controller with parallel and serial interface, hard disk controller, and the basic system memory board. The Deskpro 286 will handle a maximum of 8.2 megabytes of RAM. The memory board must be fully populated with 2176K bytes before you can add more memory-expansion boards. You can have up to three memory-expansion boards, each holding a maximum of 2048K bytes in 512K-byte increments.

Since PC-DOS currently supports a maximum of 640K bytes of RAM, the VDISK utility is included with PC-DOS. which enables you to use the extra memory as a virtual disk. VDISK lets you specify the virtual disk size, sector size, and the number of entries. Memory size in excess of I megabyte must be accessed by using a /E option. The usual precautions about copying data from virtual disk to floppy or hard disk applies. If power is lost or you turn the machine off, the data on the virtual disk will be lost. With a system like this, a backup or uninterruptible power supply is an important accessory.

THE DISPLAY

The Deskpro 286 comes with a 12-inch green or amber monochrome monitor. Compaq calls it "dual mode"—when used in combination with the Deskpro 286's monochrome/color graphics board (which is standard in the 286), it will also display graphics as shades of amber (or green). You can change display modes by keyboard commands. Compaq eliminated a great deal of confusion about display boards by putting all the features on one board.

SPEED

The Deskpro 286 runs with a primary clock speed of 8 MHz. Toggling between the primary and the secondary speed of 6 MHz is a simple matter of pressing three keys simultaneously. You hear one beep when you're at 6 MHz, two beeps for 8 MHz. I ran a large variety of IBM PC software

(WordStar, MultiMate, R:base 5000, and Lotus 1-2-3) at the primary speed with no problems whatsoever.

IBM's recent decision to change the ROM BIOS on 30-megabyte versions of the PC AT to prevent the installation of "speedup" kits (the PC AT runs at 6 MHz) makes the Deskpro 286 an even more attractive alternative to the IBM AT. Though most users can get along fine with a 6-MHz machine, the extra speed afforded by the Deskpro 286's 8-MHz primary speed is something that you get used to quickly.

DISK DRIVES

The IBM PC AT-style 1.2-megabyte floppy disk drive is handy for storing large amounts of data, although with the Deskpro 286's optional hard disk drive, the floppy is not really needed. The 1.2-megabyte floppy disk drive is capable of reading and writing either 1.2-megabyte floppy disks or 360Kbyte floppies. The disk-access light glows green when the drive is writing the high-density format and red when it's writing a 360K-byte floppy. The 1.2megabyte drive has no problems reading 360K-byte format disks; but occasionally when it was writing data to a 360K-byte disk, the disk was unreadable by the 360K-byte drive on another machine. If you intend to swap data with another machine, you should purchase a Compaq 360K-byte

My review unit came with a tape backup unit for the hard disk. This unit uses 3M DC 1000 tapes and each tape holds 10 megabytes of data. Compaq claims it takes about 16 minutes to fill the tape, and it takes 8 minutes to restore the data to the hard disk. The MS-DOS version 3.0 included with the unit has several tape commands for formatting and using backup tapes. For all the operations, the tape command prints a bar across the top of the screen to indicate how much longer the tape operation has to go. The most time-consuming part of the process is formatting a blank tape, which takes about 40 minutes. I was slightly annoyed the first time I formatted a tape because I had not noticed that the tape's write-protect switch was on and it was 20 minutes

(continued)

AT A GLANCE

Compaq Deskpro 286, Models 1 and 2

Company

Compaq Computer Corp. 20555 FM 149 Houston, TX 77070 (713) 370-0670

6.4 by 19.8 by 16.5 inches

Components

Processor: 80286, 6 MHz or 8 MHz (switchable) Memory: 256K or 512K bytes, maximum 2176K bytes on system board: up to 8.2 megabytes available Mass storage: Model 1: One half-height 1.2-megabyte 51/4-inch floppy disk drive; Model 2: One 1.2-megabyte floppy disk drive and a 30-megabyte full-height hard disk drive

Display: 12-inch amber or green monochrome display: dual-mode display adapter monochrome/color, text/graphics (switchable) Keyboard: IBM PC AT-compatible

Optional Hardware

360K-byte disk drive 1.2-megabyte disk drive \$650 20-megabyte disk drive \$2095 30-megabyte disk drive \$2595 70-megabyte disk drive \$5195 Tape backup system for \$899 hard disk 80287 numeric \$195 coprocessor \$150 128K RAM upgrade \$695 512K RAM upgrade Monitor tilt-and-swivel \$50 adapter

Optional Software

MS-DOS/BASIC version 3.0 or 3.1


Documentation


Operations guide


Price


(standard configuration with monitor) Model 1 \$4499 Model 2 \$6254














COMPAQ DESKPRO 286 (MODEL 1)



APPLE TE


The Memory Size graph shows the standard and optional memory available. The Deskpro 286 Model 1 was used in this comparison. The Disk Storage graph shows the highest capacity for a single floppy disk drive and the maximum standard capacity for each system. The Bundled Software Packages graph shows the number of packages included with each system. The Price graph shows the list price of a system configured with two drives (one 1.2megabyte floppy disk drive for the Deskpro 286 Model 1), a monochrome monitor, graphics and color display capability, a printer port and a serial port, 256K bytes of memory (64K bytes for 8-bit systems), and the standard operating system for the computers under comparison.



The back pannel of the Compag Deskpro 286. Note the 3-pin DIN power connector for the Compag monitor.



Inside the Compaq Deskpro 286.



COMPAQ DESKPRO 286, 6 MHz

The graphs for Disk Access in BASIC show how long it takes to write and read a 64K-byte sequential text file to a blank floppy disk. (For the program listings, see "Benchmarking the Clones" by Jon R. Edwards and Glenn Hartwig, BYTE's Inside the IBM PCs, Fall 1985, page 195.) The Sieve graph shows how long it takes to run one iteration of the Sieve of Eratosthenes prime-number benchmark. The Calculations graph shows how long it takes to do 10,000 multiplication and 10,000 division operations using single-precision numbers. The

COMPAQ DESKPRO 286.8 MHz

System Utilities graph shows how long it takes to format and copy a disk (adjusted time for 40K bytes of disk data) and to transfer a 40K-byte file using the system utilities. The Kaypro was tested using the drives in double-density mode. The Spreadsheet graph shows how long it takes to load and recalculate a 25- by 25-cell spreadsheet where each cell equals 1.001 times the cell to its left. The spreadsheet used was Microsoft's Multiplan. A 360K-byte disk was used in the Deskpro's 1.2-megabyte floppy disk drive.

IBM PC

APPLE DE

REVIEW: COMPAQ DESKPRO 286

into the formatting before the operation failed. It would have been nice if the write-protect status of the tape could have been sensed earlier.

SOFTWARE

The only software that comes standard with the Deskpro 286 is a selfbooting User Programs disk that contains both demonstration and diagnostic programs. Included on the disk are graphics, word processing, and music demos, as well as an arcadetype game and biorhythm chart. All are impressive examples of how fast the Deskpro 286 runs. The diagnostic program is a complete system test. though the status messages leave more than a little to be desired. Instead of telling you which test is being performed, you're told to refer to a number, which you'll find in the operations guide. Tests that take a great deal of time (such as the memory test) display a cryptic message that says, "This test may take an extended period of time. Please stand by." There are no messages to indicate the status of the test.

Compaq sells their customized DOS version 3.0 for \$65. Version 3.1 is also available for the same price. Included are BASICA and the usual contingent of utilities and sample programs.


DOCUMENTATION

Documentation is one area where the Deskpro 286 doesn't shine. The only manual that comes with the unit is an 80-page operations manual that is grossly inadequate. It contains a bare minimum of information designed for the naive. Numerous pages are involved with showing how to hook up the system. After that, you're pretty much left on your own. Gorgeous color photographs show you what wonderful add-ons you can spend your money on, but there's no additional information. The only useful part of the manual is a section on keystrokes needed to change processor speed, key-click volume, etc. It could have been better covered on a reference card, and one isn't included.

The MS-DOS manuals (included with the purchase of the operating system) are much better. Three

(continued)

The Only EGA



A fully compatible 256k EGA card with a parallel port for only \$259. If you buy any display card: Color, Monochrome, Hercules, or EGA, without reading this ad, you're probably throwing away a lot of money.

BT/EGA Enhanced Graphics Adapter: 256k of memory, and parallel printer port. Works with all standard IBM displays, and compatible displays. 5150 Monochrome Display: Both text and 640x350 bit mapped graphics.

B153 Color Display: 640x200 and 320x200. B184 Enhanced Display: Color 640x350

8184 Enhanced Display: Color 640x350 16 simultaneous colors from a palette of 64.

A Clear Upgrade Path

This really is the only display board you may ever need. Regardless of what monitor you buy today, this card is a clear upgrade path for the future, and the best choice today, even if you are only going to use a Monochrome Display. This means one board today does monochrome 640x350 bit mapped graphics and text, and provides a clear upgrade path to 640x350 Enhanced Color Display with no change of display board. It also runs with the 640x200, 320x200 Color Display.

Killer Features

All boards come with a full 256k of memory, and a parallel printer port. That means no extras for later, and 16 simultaneous colors displayed from a palette of 64 colors, and crisp clear text on both Mono-

No Risk Guarantee

If you are not completely satisfied with your purchase, you may return it within 30 days of purchase for a complete retund, including the cost to send it back. If you can get any dealer or competitor to give you the same No Min Secretary, buy both and return the one you don't like.





For fastest delivery, send cashier's check, money order, or order by MasterCard/Vise. Personal Checks allow 18 days to clear. Company purchase orders accepted, call for prior authorization. California residents add 6% sales tax. chrome and Enhanced Color Displays - features or options that are not available on other EGA boards. Since all your current software will run, you're set for today, and prepared for the standard of the future.

The Display Deal

Of course many of you will want to take advantage of the EGA card right away, so we are offering a special deal when you buy the board together with a Basic Time HR 31-350 monitor - you get both for just \$749, or the card only for \$259. This means that you can equip all your PC's now and in the future with displays and EGA cards and get the Qubic' "No Risk Guarantee", our one year warranty, and 48 hour turnsround on warranty repairs. The price is the whole price, there are no extras for freight, insurance, or credit cards.

QUBIE


Department B 507 Calls San Pablo Camarillo, California 93010

Inside California 805-987-9741

Outside California 800-821-4479

London (01) 223-4569 Sydney (02) 579-3322 Paris (01) 321-5316 Canada (403) 434-9444

Hours: M.F Sam - Spm PTZ Sat Sam - 12pm PTZ



VideoShow MAKES Presentations

With VideoShow you'll make the best presentations of your career.

VideoShow is the only complete hardware and software presentation system available today. VideoShow:

Makes Your Presentations Powerful

Use 1000 colors to brighten your images... hundreds more than with any other PC-based system. Plus 5 times better resolution. Add VideoShow's dynamic visual effects and you are guaranteed high impact and professional quality.

Makes Presentations Easy

Select from a variety of software, and use your IBM® PC or compatible to create or update any chart, graph, diagram, or illustration in minutes. Even if you've never used a computer before and

can't draw a straight line. All you do is fill in the blanks.

Makes Any Kind of Presentation

VideoShow lets you use any color monitor or video projector. Plus, you can get slides, overheads, or hardcopy. All in 1000 brilliant colors.

VideoShow Makes Sense

At \$3150* it pays for itself after just a few presentations. And you get the superior quality previously available only from expensive services.

VideoShow Puts You in Control

No longer will your presentations be a terrific struggle. They'll just be terrific!

Find out about it. Call 1-800-556-1234, Ext. 234. In Calif., call 1-800-441-2345, Ext. 234.





*Suggested retail price for VideoShow 150. IBM is a registered trademark of International Business Machines Corporation. The Deskpro 286
has nearly all the
features that a
serious user needs.

manuals are included: a 527-page MS-DOS version 3.0 reference guide, a 182-page BASIC reference guide, and a 311-page BASIC guide to statements, functions, commands, and variables. All three are well written and organized so that information is easy to find. The examples used are a far cry from the head-scratching ones in early PC documentation.

All Compaq manuals are in a spiralbound 7½- by 9-inch horizontal format, which is handy for use on a crowded desk. A technical reference manual is available for \$60.

SUMMARY

The Compaq Deskpro 286 is a high-powered professional-quality computer that has nearly all the features that a serious business or scientific user needs. In keeping with Compaq's reputation, it's extremely well thought out and built to withstand full-time heavy use. Its speed advantage alone recommends it over its closest competitor—the IBM PC AT. The price of the Deskpro 286 is slightly higher than a comparably equipped PC AT, and unlike the AT, the Deskpro 286 is unlikely to be available at anything other than list price.

If you buy a Deskpro 286, the usual caveat applies about choosing your dealer carefully. (Compaq has over 2500 in the United States alone.) Compag has been very successful and has acquired some of the arrogance that often comes with success. They've continued to be secretive about technical matters, and getting information over the telephone is often difficult. A knowledgeable dealer can help Compag Deskpro 286 users deal with any problems or questions. Despite its high price, the Deskpro 286 is an outstanding personal computer. It's a system whose technology will not quickly become obsolete.

Hard Solutions



Expanding your PC to include a 20 Megabyte hard drive has never been simpler with Qubie' internal or HardPack 20 slot mounted drives.

PC 20: Standard, internal mounted 1/2 height unit for use in floppy disk area of a PC, PC XT or compatible.

HardPack: Card Mount for slot mounting, 1/2 slot length to mount behind floppy drive, on a PC, PC XT or compatible.

Data Transfer Rate: Access Time: Power Requirements:

Capacity: Reliability: 5 Megabits/Sec 65 Milliseconds +8 VDC 2.0 A +12 VDC 9 A Max 20 Megabytes 14,000 Hours

The Pentagon Ashtray

The military is famous for paying \$450 for ashtrays. A lot of companies are asking the same kind of outlandish sums for a hard disk mounted on a card. You get a hard disk, a controller, and a bracket, and they charge you hundreds more than you pay for a Qubie' 20 Megabyte hard disk system. Unlike the others, our HardPack 20 fits into a single slot and nestles in behind your floppy drives. If you buy any other hard drive, you may simply pay more and get a whole lot less.

The Choice

We offer both types, an internal mounted like your floppy, or a card mount for the same \$499 price.

Let's face it, the bracket doesn't cost us 450 bucks. While some people prefer the standard mounting, (like a floppy) so they can see the read/write light, others want a card mount so they can use both floppies they now have. Both drives boot directly from the hard disk, and require no software patches. They run all the popular software, and

No Risk Guarantee

If you are not completely satisfied with your purchase, you may return it within 30 days of purchase for a complete retund, including the cost to send it back. If you can get any dealer or competitor to give you the same No link dearants, buy both and return the one you don't like.





For fastest delivery, send cashier's check, money order, or order by MasterCard/Visa. Personal Checks allow 18 days to clear. Company purchase orders accepted, call for prior authorization. California residents add 6% sales tax.

are low power. Our format software allows changeable interleaving that gives you noticeable speed improvement over the standard XT drive. Both have the ability to run a second drive from the controller, (Part Number 2nd-20HP \$399), giving you 40 megabytes of storage for under \$900.

The Goodies

We give you some software that really enhances the use of a hard disk. I dir is the hard disk organizer that really makes DOS a snap, and our special Qubie' version of ZyIndex, the super searcher is also included. Easy to read manuals make installation a snap. Of course the drives are backed by our "No Risk Guarantee", our one year warranty, and 48 hour turnaround on warranty repairs. The price is the whole price; there are no extrast for freight, insurance, or credit cards. Order part numbers PC20 for IBM PC and compatibles. PC20-1000 for Tandy 1000, or HardPack 20. By popular demand we still offer the matching ashtray for just \$450, (Part No. PCKIDDING).

QUBIE

507 Calle San Pablo Camarillo, California 93010

Inside California 805-987-9741

Outside California 800-821-4479

London (01) 223-4569 Sydney (02) 579-3322 Paris (01) 321-5316 Canada (403) 434-9444

Hours: M-F Sam - Spm PTZ Sat Sam - 12pm PTZ

5 MEGABYTES

FREE software

PC HARD
DISK KITS
10 MEGABYTES
\$475
20 MEGABYTES
\$495
30 MEGABYTES
\$675



AT HARD DISK KITS 33 MEGABYTES \$750



HIGH CAPACITY
AT & XT
HARD DISK KITS
70 MEGABYTES
\$1995
120 MEGABYTES
\$3995



TAPE BACKUP 40 MEG INTERNAL MT40 \$595 40 MEG PORTABLE MT40P \$695



TAPE BACKUP 60 MEG INTERNAL MT60 \$795 60 MEG EXTERNAL MT60E \$895



TANDY 1000 MULTI-FUNCTION CARD SERIAL PORT/ DMA CONTR/ UP TO 512K RAM TMP-1 \$255




PC/AT OR TANDY 1000 HARD DISK CARD 21 MEG HARD DISK FREE SCSI PORT THC-21 \$675 PCHC-21 \$675



MASTER MEMORY
SYSTEM
HARD DISKS:
30 MEG FIXED
15 MEG REMOVABLE
POWER
DISTRIBUTION
\$2295





SCSI HOST
ADAPTER CARD
CONNECTS YOUR
PC TO 7 OTHER
DEVICES
SCSI-1 \$190



CALL FOR OUR FULL LINE OF HALF CARDS COLOR GRAPHICS MEMORY CARD FLOPPY CONTROLLER CALL

NEW! 21 MEGABYTE SCSI HARD DISK CARD for your PC, AT or TANDY 1000





only \$675

IMAGINE!!! MDI'S 21 MEGABYTE HARD DISK CARD simply plugs into your system and is ready to run!!! The hard disk card also contains a...
"FREE SCSI PORT":

A **SCSI** port which allows you to tie (daisy chain) up to seven external (peripheral) devices to your computer.

INCLUDED FREE

Direct/Assist \$49°5 R/Assist \$49°5 Light Speed \$79°5 SCSI Board \$190°0

TANDY 1000 HARD DISK CARD



21 MEG HARD DISH

NOW IN OUR 8TH YERR

ORDER LINE 800-228-0891 305-677-8333



VISA

1 YEAR WARRANTY, 30 DAY MONEY BACK GUARANTEE

Micro Design International, Inc.



6566 University Boulevard, Winter Park, Florida 32792 305-677-8333 telex 332559 MDII ORLUD

TELE-286

BY WAYNE RASH IR.

The TeleVideo Tele-286 is designed to be compatible with the IBM PC AT. Like the IBM, the Tele-286 is large and heavy, and its hard disk is hidden within the cabinet. with space for two floppy disk drives in the upper right of the front panel. Also like the IBM machine, the Tele-286 is based on the Intel 80286 microprocessor, and it accepts an 80287 math coprocessor. However, both processors in the Tele-286 run at a clock speed of 8 MHz-about one-third better than the IBM PC AT.

For this review I used the Tele-286 Model 2 (\$5395), which is roughly equivalent to the enhanced IBM PC AT. The Model 2 system includes one high-capacity floppy disk drive that holds 1.2 megabytes, a 44-megabyte hard disk, and 512K bytes of RAM, which can be expanded to 15

megabytes. The monitor I tested was TeleVideo's optional HRM-I00, a high-resolution monochrome graphics monitor.

EXAMINING THE HARDWARE

The system unit measures a whopping 21 by 16 by 6.5 inches, and it will dominate any regular-size desk. You can open the case by removing four screws at the rear of the machine and sliding the cover forward. Inside, you will find eight expansion slots, two of which accept standard IBM PC boards. The other six are designed to accept boards made for the 16-bit bus of the IBM PC AT. The disk drive controller board is already installed in a slot.

To the right of the expansion-card area is the power supply. In front of

An IBM PC AT compatible with a standard 44-megabyte hard disk drive



the power supply are the disk drives. The primary hard disk is mounted in the front center and does not show when the cover is in place. To the right of the hard disk drive, the system can accommodate two half-height floppy disk drives placed one above the other. Below the floppy disk drive locations is room enough for a concealed half-height hard disk. The system provides sufficient cables to support two floppy and two hard disk drives.

The high-capacity floppy disk drive is similar to that of the IBM PC AT's—it can read from and write to a standard double-density (360K-byte) MS-DOS disk. Some other computers may have trouble reading data written by the Tele-286 to 360K-byte disks, however, since the tracks created by the high-

capacity disk drive are more narrow than those used by double-density disk drives. TeleVideo also warns that floppy disks formatted on the high-capacity drive will not work on other machines, although they worked fine on my Zenith Z-100. To ensure disk compatibility, TeleVideo offers a standard double-density disk drive.

The front of the machine is unremarkable except for the lack of the key-operated power switch that the IBM PC AT and most other compatibles have. With the Tele-286, you have to be content with a rocker switch on the rear of the machine.

On the rear, next to the power switch, is the power cord and an additional AC power outlet, which is the same kind used by the IBM monochrome monitor. Also on the back panel are con-

nectors for the serial and parallel ports and the keyboard. Like the IBM PC AT, the Tele-286's RS-232C serial port uses a 9-pin connector, and the parallel port is Centronics-compatible.

The keyboard connects to the computer via a six-foot coiled cord and is much like that of the IBM PC AT. The only difference worth noting is that the LEDs indicating the position of the Caps Lock, Num Lock, and Scroll Lock keys are on the keys themselves rather than the keyboard bezel. Like the IBM PC AT, the Tele-286's keyboard is somewhat larger than that of

Wayne Rash Jr. (10431 Collingham Dr., Fairfax, VA 22032) is a member of the professional staff of American Management Systems Inc., where he consults with the federal government on microcomputers.

SHIPPING NOW !!!



The power of dBASE III for the Macintosh has arrived!!!

III SHIPPING

MON

SHIPPING

MON

17

SHIPPING

This new software product, named dMac III, is fully compatible with dBASE III and is three times faster.

dMac III features a powerful programming language that offers its owners the ability to develop professional business applications for the Macintosh.

In addition, you can transfer your dBASE III applications and databases to the Macintosh where dMac III will allow you to use them without modification.

Of course you can use dMac III along with the other popular Macintosh software products such as Microsoft WORD and Microsoft FILE.

As a dMac III owner you get the best of both worlds. All of the features of the most popular programmable database for the IBM PC plus the user friendprogrammable database for the liness of Apple's Macintosh.

To order dMac III contact:

FORMAT SOFTWARE 11770 BERNARDO PLAZA CT. SAN DIEGO, CA 92128 (619) 487-6946

Macintosh is a trademark of Apple Computer

dBASE III is a trademark of Ashton-Tate IBM PC is a trademark of IBM Microsoft WORD and Microsoft FILE are trademarks of Mircosoft dMac III is a trademark of FORMAT Software

the IBM PC-meaning, of course, that some keyboard templates designed for the PC may not fit.

TeleVideo's HRM-100 monitor sells for \$595 and comes with its own display adapter, which provides power and video signals to the monitor through one 9-pin connector. freeing your computer table of one more cable. You may want to check the pin assignments before you attach a monitor from another manufacturer. Another nice feature is its attached stand that allows the monitor to tilt and swivel. The display adapter allows the monitor to display color images as shades of green with a resolution of 640 by 400 pixels. Its character set is crisp and much easier to read than that of the IBM. In fact, the clear characters coupled with the 14-inch diagonal measurement of the screen make for one of the best monitors I have used.

SLOW STARTING

The hardest part about using the Tele-286 is setting up the system and formatting the hard disk-tasks that can be made simpler with clear instructions. Unfortunately, the instructions provided with the Tele-286 are no help.

The problem is letting the operating system know the system configuration-specifically, what kind of disk drives are installed in the unit. A special setup program stores that information in a section of memory that is kept alive by a lithium battery, which also powers the clock. Without the proper configuration data, the hard disk cannot be formatted or used.

First, I had to hook up the battery. The battery is attached to the side of the power supply with Velcro, and it has a connector that you attach to some pins on the motherboard—a job that requires a pair of long-nose pliers and a great deal of patience.

When you connect the battery, you have to be particularly careful to choose the correct set of pins. The directions in the manual are less than explicit, and you might accidentally connect the battery to what appears to be a set of jumper pins on the disk controller only an inch away. The battery connector will indeed fit onto the

disk controller, and it would be an easy mistake to make. While I didn't want to find out what happens when a battery is connected to the disk controller. I suspect it's not good.

Then I had to run the setup program. On the face of it, the process seems simple; you simply indicate to the setup program which disk drives are installed. But the setup program does not provide a menu of choices. And although the manual depicts a menu, the choices listed do not include a 44-megabyte hard disk. which is standard equipment on a Model 2.

To make matters worse, the drive selections are listed by the number of cylinders and the number of heads on the disk-information that's not readily available. It's not even clear whether the disk drive capacities that are listed are formatted or unformatted capacities. (The 44-megabyte hard disk in my review unit has an unformatted capacity of 53 megabytes.) After two weeks of frustration and telephone calls to TeleVideo, I managed to partition and format the hard disk, which took about an hour with the proper instructions.

SOFTWARE COMPATIBILITY

The Tele-286 comes with MS-DOS 3.1 and GW-BASIC 3.1. Both of these are versions of the software offered for the IBM PC AT. Unfortunately, the version of MS-DOS I received could not access all 44 megabytes on the hard disk-it was limited to only 32 megabytes, which makes disk partitions necessary. TeleVideo says it has a modified version of MS-DOS 3.1 that will support all 44 megabytes, but none was available for this review.

Like the IBM PC AT, the Tele-286 is not fully compatible with the IBM PC. For example, some versions of Microsoft's Flight Simulator will not run on the Tele-286, nor will some games and educational programs. However, the most serious compatibility problem is the Tele-286's failure to run Digital Research's Concurrent PC-DOS. However, every other IBM business program that I tried did run.

This deficiency suggests there might be compatibility problems with other

AT A GLANCE

Name

Tele-286 Model 2

Company

TeleVideo Systems Inc. 550 East Brokaw Rd. San Jose, CA 95150-6602 (800) 521-4897 (800) 821-3774 (California)

System Unit Size

21 by 16 by 6.5 inches 45 pounds

Components

Display: Text 80 columns by 25 lines; graphics resolution 640 by 400 pixels with shades of green using optional TeleVideo HRM-100 Keyboard: Detached 84-key IBM PC AT-style QWERTY keyboard with 10 function keys; numeric/cursor-control keypad; LEDs in Caps Lock, Num Lock, and Scroll Lock keys

Processor: 8-MHz Intel 80286 Memory: 512K bytes expandable to 15 megabytes

Mass Storage

44-megabyte hard disk drive 1.2-megabyte floppy disk drive

Expansion

Six IBM PC AT-compatible plug-in board slots, two IBM PC-compatible plug-in board

Software

MS-DOS 3.1 GW-BASIC 3.1

Options

Memory expansion 360K-byte floppy disk drive Additional hard disk Color monitor


Documentation


Owner's manual MS-DOS 3.1 manual GW-BASIC manual


Price


Model 2 HRM-100 \$5395 \$595











TELE-286

IBM PC


APPLE DE

The Memory Size graph shows the standard and optional memory available for the computers under comparison. The Disk Storage graph shows the highest capacity for a single floppy disk drive and the maximum standard capacity for each system. The Bundled Software graph shows the number of software packages included with each system. The Price graph shows the list price of a system with two


disk drives, a monochrome monitor with connection apparatus and graphics capability, a printer port and serial port, 256K bytes of memory (64K bytes for 8-bit systems), the standard operating system for the computers under comparison, and the standard BASIC interpreter. Note that the Tele-286 Model 2 comes with 512K bytes of RAM and one of its two disks is a 44-megabyte hard disk drive.





The rear of the Tele-286 showing the power cord receptacle, monitor power cord socket, serial and parallel ports, and access slots for expansion boards with the TeleVideo HRM-100 monitor adapter installed.




The inside of the Tele-286 showing the floppy and hard disk drives, power supply, and main circuit board with expansion slots.









The graphs for Disk Access in BASIC show how long it takes to write and then read a 64K-byte sequential text file to a blank floppy disk. (For the program listings see BYTE's *Inside the IBM PCs*, Fall 1985, page 195.) The Sieve graph shows how long it takes to run one iteration of the Sieve of Eratosthenes prime-number benchmark. The Calculations graph shows how long it takes to do 10,000 multiplication and 10,000 division operations using single-precision numbers. The System Utilities graphs show how long it takes to copy a 40K-byte

file using the system utilities. (The Disk Copy test was not run because our review unit had only one floppy disk drive.) The Spreadsheet graph shows how long it takes to load and recalculate a 25- by 25-cell spreadsheet in which each cell equals 1.001 times the cell to its left. The spreadsheet used was Microsoft's Multiplan. Tests on the Tele-286 were done using MS-DOS 3.1 and GW-BASIC 3.1. Our review system had 512K bytes of RAM, a 44-megabyte hard disk drive, and a 1.2-megabyte floppy disk drive.

programs. You should have your dealer demonstrate any software you are considering using on a Tele-286.

THE BENCHMARKS

The machine's speed is noticeably good with programs such as WordStar 2000, which is sluggish on the IBM PC. The benchmark tests support that feeling of speed. Memory-resident programs execute in one-third to onefourth the time required on an IBM PC. Operations requiring floppy disk access execute in about half the time.

Some of the benchmark times depend heavily on the type or format of the disk drive being used. For example, the load time for Multiplan took only about one second from the hard disk. (Of course, timing accuracy is limited at such short intervals because of the time it takes to actually start and stop the stopwatch.)

Format and file-transfer times vary with the format in use. Naturally, formatting the 1.2-megabyte highcapacity disk takes longer than the 360K-byte double-density disk. Also. file transfers took slightly less time with the high-capacity disk.

CONCLUSIONS

The Tele-286's most glaring weak point is its documentation. The problems I had in getting the machine running were entirely due to an inadequate owner's manual, and the same problems await any user who tries the do-it-yourself route. Once you get past the problems with setting up the system, the owner's manual improves some. The book is well illustrated and covers most routine activities adequately. There is also very complete coverage for such activities as adding additional disk drives and memory.

The manuals for MS-DOS and for GW-BASIC are also adequate. It appears that TeleVideo has simply reprinted the standard Microsoft manuals and has made no effort to expand or clarify them or to give additional instructions. As a result, new users will find the manual tough to understand at first, but experienced users will be disappointed by the lack of advanced programming support.

Still, the Tele-286 performed most of the tasks I tried, endured frequent moves between my home and office, and persisted through days of constant disk-drive activity while I developed a diagnostics program that exercises the disk drives.

There are a number of good reasons to consider the Tele-286. The standard hard disk is considerably larger than that supplied with the IBM PC AT. The machine operates faster than the IBM, the monitor is easier to read. and it costs less. Cost may well be the major factor, since TeleVideo equipment is frequently sold at a considerable discount. While there are a number of IBM PC AT compatibles available, and more are on the way, it's difficult to find one much better than the Tele-286.



ADDA NEW MERCEDES-BENZ TO YOUR EUROPEAN VACATION PLANS. AND SUBTRACT SOME OF THE COST.

Plan to make European delivery of a new Mercedes-Benz part of your 1986 European vacation plans. Select any 1986 gasoline or diesel model,* pick it up at the factory European Delivery Center-and embark on a deluxe driving vacation. Avoiding costly rentals while saving on the price of your new Mercedes-Benz. Send coupon for a free European Delivery brochure today.

*Subject to availability.

Send coupon to: Mercedes-Benz of No Marketing Communi	MHMA86-5 orth America, Inc.
One Mercedes Drive, A	Montvale, NJ 07645
Name	
Address	
City	
State	7in

© 1986 Mercedes-Benz of N.A., Inc., Montvale, N.J.



MAKE THE CONNECTION . . .

Our Connection systems will solve your problem of trying to read and write diskettes or tapes from almost any computer system using your PC.

The Diskette Connection is a hardware system that enables the IBM PC or compatible to read and write most 8 inch, 5¼ inch, or 3½ inch diskettes.

With our File Connection software programs you can transfer data files between most computer systems, including CP/M, DEC, Honeywell, Univac, IBM 3740, S/1, S/3, S/23, S/32, S/34, S/36, and S/38. Our Word and Typesetting Connection programs

Our Word and Typesetting Connection programs use IBM standard Document Content Architecture (DCA-RFT) to transfer document files between most word processing and typesetting systems, including Compugraphic MCS, CPT, Displaywriter, OS/6, Multiset, NBI, Quadex, Xerox, and Wang.

Our Tape Connection system will read and write IBM or ANSI standard ½ inch 1600 BPI magnetic tape. A full size 2400 foot tape can store a 45 MByte file and be written in 6 minutes.

Since 1982, we have supplied thousands of systems to customers around the world, including IBM, NASA, AT&T, Kodak, and General Motors.

Our specialty is conversion systems and we can provide a solution to your problem. Call us today to discuss your requirements.

This ad is one of a series featuring NASA missions. For a free poster, send us your written request.

Box 1970 Flagstaff, AZ 86002 (602) 774-5187 Telex 705609

. . . FLAGSTAFF ENGINEERING

Mix C

BY RICHARD GREHAN

Not long ago I was perusing BYTE and discovered an advertisement for a \$39.95 C compiler. I was struck by the potential value of a standard Kernighan and Ritchie C compiler for the IBM PC for less than \$50. Of course, it's wise

to be wary about a software product that promises so much at such a value, so I ran both versions of Mix C down the guantlet. (They also make a version for Z80 CP/M machines—I got the Kaypro version and ran the CP/M benchmarks on a Kaypro 10.)

WHAT YOU DO AND DON'T GET

What arrived were two shrinkwrapped large blue-covered manuals of over 400 81/2- by 11-inch pages. Stuck within the pages of one of the manuals were two Kaypro-readable floppies, and within the other was one iBM PC-compatible floppy. The disks are not copy-protected, so you can make backups or copy the contents onto a hard disk (which I did for the Kaypro 10). It isn't possible to get all the files plus boot information onto a single floppy disk, even for the MS-DOS version. Fortunately, the manual saved me from having to experiment with the distribution of files onto multiple disks: there is a section in chapter I that gives a file-by-file list of the recommended disk arrangement.

Many C compilers extend the compiler across several programs that are executed in succession. Mix C's compiler is an all-in-one file for the MS-DOS version and two for the CP/M version, a root file and an overlay. The disks also contain the Linker program and RUNTIME.OVY (both described below), as well as Mix C's library file, CLIB.MIX, and the standard I/O header and library files: STDIO and STDLIB.H. respectively.

A C compiler

for the IBM PC that costs

less than \$50

Other files present on the MS-DOS disk (and on the second of the two CP/M floppies) consist of programs used for code optimization—both speed and size—and source files. STDLIB.C. PRINTF.C. and SCANF.C contain most of the source code for the standard C system; you can actually add or modify routines to these files and use them to create your own CLIB.MIX library file.

What you don't get with Mix C is any assembly source code output from the compiler that might aid you in debugging programs. Nor do you get the ability to link object files written in assembly language with Mix C functions. Additionally, as you may have guessed, you don't get a separate assembler program with Mix C, as you do with some of the other popular C compilers.

A peculiar program, CONVERT.COM, can be used, according to the manual, to convert object files to ASCII and back. I assumed that by this the manual meant CONVERT.COM could transform unreadable object code to text that was more or less understandable and from which I could glean the machine code generated by the compiler. However, what comes out of CONVERT.COM is a file consisting of streams of ASCII digits with function names sprinkled throughout. The only apparent use of an ASCII object fileas outlined in the manual-was that it provided a means for you to actually use a text editor to cut and paste functions from one object file to another. This seems to me to be at best an abstruse exercise, and it certainly gets you no closer to the generation of machine code that would be useful for debugging.

COMPILING

Producing an executable program from a source code file is typically an easy two-step process with Mix C; you simply execute the CC program to generate an object file, then execute Linker to create the final .COM file. There are, however, a variety of options available that enable you to optimize the resultant code for either space or speed.

Executable files created as described above do not contain lowlevel run-time routines (system I/O, for example) and as such they require the presence of a run-time support file called RUNTIME.OVY. The obvious advantage of this arrangement is that the resultant .COM files are smaller; a disk with numerous program files will show a real space savings due to the factoring out of common system routines. You can, however, request Linker to include run-time support in the resulting .COM file and so eliminate the necessity of moving RUN-TIME.OVY about with all your C programs. Any gain in execution time is almost negligible, as demonstrated in the benchmarks, but the ability to create programs not requiring the presence of RUNTIME.OVY is certainly a necessity for anyone considering marketing products developed with Mix C.

If you are really cramped for space, you can optionally replace RUN-TIME.OVY with SMALLCOM.OVY. This is a file identical to RUN-

(continued)

Richard Grehan is a BYTE technical editor. He can be reached at One Phoenix Mill Lane, Peterborough, NH 03458.

AT A GLANCE

Name

Mix C

Type

Language

Company

Mix Software 2116 East Arapaho Suite 363 Richardson, TX 75081 (214) 783-6001

Computer

PC-DOS and MS-DOS machines (DOS version 2.0 or later) and CP/M 80 (version 2.2 or later)

Documentation

Mix C reference manual, bound, 400 + pages

Price

\$39.95

TIME.OVY except that it is missing routines for long and floating-point data types.

Two programs provided with Mix C. Shrink and Speedup, allow you to optimize an object file for size or speed, respectively. The documentation is mysterious about the internal goingson of Shrink, and I wasn't very impressed with its results. Speedup, however, improved execution times remarkably and at a small expense of space. The manual indicates that Speedup will have its most dramatic effects on integer arithmetic.

I ran the benchmarks with Speedup and Shrink files; you should note for these particular benchmarks I did include run-time support in the final executable files and that I did not speed up or shrink the system library code.

I was curious about the effects of speeding up and shrinking a file, so I tried running both programs on the Sieve object code on the IBM PC. After shrinking and then speeding up. Sieve weighed in at 13,058 bytes and ran in 20 seconds; after speeding up and then shrinking. Sieve was 13,064 bytes and ran in 21 seconds. I won't even begin to try to explain the significance of the figures, but I would like to know what those 6 bytes are.

LINKER

Not only does the Linker program operate similarly to other object code linking programs of its kind (Microsoft's Link, for example), but if you simply execute Linker with no filenames as arguments, it enters a special menu-driven mode. Commands from Linker's menu allow you to selectively load object files, specify libraries to search for unsatisfied references, and build executable files. There is even a timesaving Find All command that will search and research a library file until all references have been satisfied. (The necessity for

(continued)


Sourcecode Software for Computer-Aided-Design

20 in radius + 20 in dia - 40

File "BRACKET"

CAD/BASIC is a professional quality CAD program with source code supplied fully documented in BASIC. Create any 2-dimensional drawing using simple keyboard commands. Use real physical units - feet, millimeters, etc. Move a cursor around the screen with X,x Y and y keys. Coordinates are printed on the screen as it moves. Place node points, connect by solid or dashed lines, arrows or dimension lines, draw circles and arcs, add text, symbols and dimensions. Fit curves through node points with a unique B spline curve fitting routine. Create standard shapes and store on disk. Recall and place them anywhere on the screen. Scale drawings, rotate, store on disk, dump to a dot matrix printer or pen plotter. CAD/BASIC is the perfect low-cost solution for professionals and educators.

- ☐ IBMpc(64K) CAD/BASIC- \$120 ☐ Z-100 CAD/BASIC- \$120
- □ MAC(512K) CAD/BASIC- \$120
 □ IBMpc/Hewlett Packard 7470A Interface- \$50
- ☐ IBMpc/Hewlett Packard 7470A Interface- \$50☐ IBMpc/Houston Instruments 595 Interface- \$50☐



Designer is a 3-dimensional CAD program with source code supplied fully documented in BASIC. Interactively create 3D drawings with keyboard commands. Move cursor with X,x, Y,y and Z,z keys. Real physical coordinates (feet, millimeters, etc) printed on the screen as cursor moves. Place node points and connect by lines. Fit curves with automatic 3D B-spline routine. Move a point and all drawing elements move with it. Rotate, translate, scale, store drawings on disk. Recall and display up to 5 drawing simultaneously. Add physical data to drawing elements such as weight, inertia, resistance etc. to create a true graphics data base. "... inexpensive, versatile, a very powerful design package..can do things Autocad can't."-Boatbuilder Magazine.

- ☐ IBMpc(64K) Designer³⁰- \$120 ☐ Z-100 Designer³⁰- \$120 ☐ MAC(512K) Designer³⁰- \$120 ☐ Apple Designer³⁰- \$120
- ☐ IBMpc/Hewlett Packard 7470A Interface- \$50
- ☐ IBMpc/Houston Instruments 595 Interface- \$50


Kern International, Inc, PO Box 1029, Duxbury, MA 02331 (617)826-0095

This is all you'll ever need to use the System 488 Instrument Control Computer.

If you need to solve engineering problems you want System 488TM. System 488 is faster than an IBM PC/AT® and more powerful and flexible than dedicated instrument controllers. System 488 is complete and ready to run when it arrives, yet there's plenty of room for future expansion.

Ready To Use

Finally, an IBM PC/AT® compatible designed for engineering applications. System 488 is packed with all of the hardware and software you need to meet a tight schedule on a low budget.



Easy To Use

System 488 was designed for you. Our Co-Operator™ software and help windows are included to put problem solving information on your screen at the touch of a key.

High Power, Low Price

System 488 has the power you need, backed by a technical staff that can give you straight answers to tough questions.

The complete system is just \$3980.

Call today

Capital Equipment Corp. 99 South Bedford St. #107 Burlington, MA. 01803 (617)-273-1818

Hardware

8 MHz 80286 processor 512K RAM Serial and parallel ports Floppy disk drive IEEE-488 interface Mono/color/EGA display interface Monochrome monitor Built-in... not added on.

Software

MS-DOS and BASIC
Superkey®
Full feature wordprocessor
hp85 graphics emulation
IEEE-488 applications library
Co-Operator™



this is as follows: Suppose the Linker is searching a library file for routine A. It locates routine A and links it into the final run-time code. However, routine A calls routine B, which is defined in the same library, but appears before routine A. Linker will have to make another pass through the library to find routine B. The Find All command tells Linker to make multiple passes through the library file as required.)

Linker's Build command offers additional options: You can specify how much stack space the execution file will be allotted and whether or not it will include run-time support.

A special section in the manual describes the mechanics behind overlays and how you command Linker to create overlay files. This is a tricky process and requires that you give some forethought to how your program will juggle overlay modules in memory, but the instructions are laid out in a step-by-step fashion and I had no trouble building several programs with overlays.

MACHINE LANGUAGE INTERFACE

Arising out of the fact that Mix C operates with its own peculiar format for object files are the difficulties you face when you try to interface a C program to an external routine. Specifically, the object file of an assembly language program processed through, for example, the MS-DOS MASM assembler (an equivalent example for CP/M would be the M-80 assembler) cannot be linked to the object file of a C program created by the Mix C compiler. Also, the Mix C compiler provides no #asm directive found on many other C compilers for in-line assembly source code.

This means that if you have some module that requires coding in assembly language, you are faced with either hand-assembling your code into an array or explicitly poking it into memory from some external file.

However you manage to get a machine language routine into memory. at least Mix C provides functions for transferring control to your routine. You call your machine language subroutine using functions asm() and asmx(), and these functions accept arguments used to transfer the contents of the CPU registers to and from the routine.

Mix C also includes functions for calling the operating system's BDOS directly from C. The MS-DOS version of Mix C has functions for calling the BIOS (specifically, the IBM PC's BIOS, though most compatibles have identical BIOS entry points) in addition to functions for controlling system firmware such as the cursor and sound channels on the IBM PC.

Table 1: Benchmarks for Mix C run on a Kaypro 10. The benchmarks were run on the Kaypro's hard disk. Also, the benchmarks using Speedup and Shrink did include run-time support. Note that no compile times were given in the last three sections, as these compilations required considerable operator intervention. The benchmark programs are available on BYTEnet Listings, (617) 861-9764.

Mix C Benchmarks - Kayoro 10 Without Bun Time Support Included

Benchmar	k Compile time	(seconds) Execute time (minutes:	seconds) File size (bytes)
Sieve	:39	3:22	13056
Fib	:41	16:09	4864
Intmath	:51	2:28	5120
Sort	:56	5:31	9216
Fileio	:58	9:02	6016

With Run Time Support Included

Benchmark	Execute time (minutes:seconds)	File size (bytes)
Sieve	3:22	31232
Fib	16:09	23040
Intmath	2:28	23296
Sort	5:31	27392
Fileio	9:02	24192

Using Speedup

Benchmark	Execute time (minutes:seconds)	File size (bytes)
Sieve	:41	31488
Fib	13:23	23168
Intmath	1:14	24320
Sort	3:42	28160
Fileio	8:46	24960

Heinz Chrink

Benchmark	Execute time (minutes:seconds)	File size (bytes)
Sieve	3:31	31232
Fib	15:57	22912
Intmath	2:33	23168
Sort	5:34	27392
Fileio	9:04	24192

DOCUMENTATION


The Mix C manual is a large bound volume that actually consists of five manuals in one. It begins with "Getting Started," a 19-page guide to the basics of using the Mix C package. This section touches on some of Mix C's optimization abilities and how to manipulate heap and stack space.

The "Tutorial" section follows, and it is an admirable 120 pages including an index. I was especially impressed by the range of topics covered; these include pointers, dynamic memory allocation, and structures. The level of presentation seems aimed for intermediate programmers.

Next is a 178-page reference manual that also contains an index. It is a robust guide to the use of C in general, dealing primarily with the standard function calls. "Functions." the 99-page section that follows, includes descriptions of the other functions that Mix C supports: UNIX functions.

(continued)

Multiuser & LAN Solutions For IBM PC/XT/AT



MULTIUSER

KT-7/PC² PC Work-a-like Terminal Compatibility: Multilink Advanced³, PC-Slave/16⁴

Display: 80 x 25, IBM PC character set, PC look-a-like attributes, 14" green or amber

Keyboard: AT style std. IBM scan/ASCII codes. 5161/AT and RT style opt.

Pages of memory: 1 std. 2 or 4 opt. Communications: 2 bi-directional RS-232C serial (data & printer) ports

Operating systems: works with PC-DOS¹, MS-DOS⁵, QNX⁶, UNIX⁷, XENIX⁵, THEOS⁸, PICK⁹, and Concurrent DOS¹⁰.

Retail price: \$695.00

QUARTET² 4-port I/O card,

RS-232C

Retail price: \$299.00

LAN

K-Net² Local Area Network Compatibility: **NETBIOS**, Token-Ring¹ software, (Advanced Netware¹¹ 8/86)

Data Rate: 1 million bps Cable: Twisted-pair/phone wire Distance: Up to 4000 ft. Addressable users: Up to 255

Physical: Half-sized card Operating systems:

PC-DOS¹/MS-DOS⁵ 2.0 or later Dedicated file server: Not needed Message communication:

Interactive
Multiuser solutions supported:
Multilink Advanced³
PC-Slave/16⁴

Other features: electronic mail, network data management, and print spooling

Retail price: \$395.00

WORKSTATIONS

KW-1 8088, 4.77 MHz, 512 Kbytes Retail price: \$995.00

KW-2 8088-2, 8 MHz, 512 Kbytes Retail price \$1,195.00

KW-3 80286, 6 or 8 MHz, 640 Kbytes Retail price \$1,995.00

All the above include: monochrome monitor with video board, AT style keyboard, 8 slots, built-in K-Net² with remote boot, upgradeable to "complete" PC.

(800) 828-8899 (408) 436-6550 (In CA) 1705 Junction Ct., Bldg. #160 San Jose, California 95112



Trademarks: 'IBM 2Kimtron 2Software Link Alloy Microsoft Quantum 2Bell Labs THEOS Software PICK Technologies 12Digital Research 11Novell © Copyright 1986 by Kimtron Corp.

Table 2: The same benchmarks run on a dual-floppy IBM PC using PC-DOS version 2.0.

Mix C Benchmarks — IBM PC Version Without Run Time Support Included

Benchmar	k Compile time	(seconds) Execute time (minutes	seconds) File size (bytes)
Sieve	:38	3:20	12921
Fib	:40	12:14	4682
Intrath	:51	1:46	5017
Sort	:55	4:56	9122
Fileio	:58	8:54	5922

With Run Time Support Included

Benchmark	Execute time (minutes:seconds)	File size (bytes)
Sieve	3:23	31628
Fib	12:12	23389
Intmath	1:45	23724
Sort	4:55	27829
Fileio	8:48	24629

Speedup

Benchmark	Execute time (minutes:seconds)	File size (bytes)
Sieve	:20	31771
Fib	3:51	23675
Intmath	:11	24002
Sort	1:07	28489
Fileio	7:55	25406

Shrink

31571	
COACE	
23355	
23581	
27770	
24569	
	27770

functions specific to the operating system (MS-DOS or CP/M-80), and a special chapter on functions for direct communication to the IBM PC BIOS.


Finally, the 17-page "Tools" section is a close look at the Mix C's software components. It is really an extension of the first section, with the addition of a description of the overlay mechanisms provided with Mix C.


CONCLUSION

I ran the benchmarks on a Kaypro (see table 1) and an IBM PC dual-floppy system with 512K bytes of memory (see table 2). For the Kaypro. I ran all the benchmarks on the computer's internal 10-megabyte hard disk. There was no 8087 math coprocessor in the IBM PC; in fact, if Mix C provides 8087 support, it isn't mentioned anywhere in the documentation.

Compared with other C compilers I have seen. Mix C doesn't break any speed records. Devoted programmers will be unhappy with its inability to generate machine source code, the lack of a compiler directive for in-line assembly code, and the fact that object files created by other compilers or assemblers cannot be linked with Mix C object files.

Still, the compiler supports the K & R standard, it works, and it is certainly affordable. Therefore, I am willing to overlook its inadequacies.





The IBM Quietwriter Printer Model 2 for whisper-quiet quality graphics and text.

Quality. That's the word that springs to mind when describing the "Quietwriter" Printer Model 2.

Its letter-quality printing, for example, gives you all the crispness and deep, rich gloss of IBM Selectric® Typewriter printing. The quality of its high-resolution graphics makes for full curves and sharp detail. And, of course, its whisper-quiet operation improves the quality of your work environment.

The "Quietwriter" Printer's other qualities? Speeds of up to 60 characters per second, depending on pitch and application. And interchangeable plug-in fonts that support the full 252-character set of the IBM Personal Computer. (Perfect if you need output in more than one type style.)

The IBM "Quietwriter"
Printer attaches to IBM PCs and to many other personal computers.
And it's part of our growing

family of personal printers.
All designed to serve a single purpose: To give everything you do the finishing touch.

For the authorized IBM dealer or the IBM Product Center nearest you—or for free literature—call 1800 IBM-2468, Ext. LC/104. Or contact your IBM marketing representative.



Inquiry 157

15,000 SAVED FROM CRASH.

No hysteria. No panic. No reports of data loss. No wonder more than 15,000 Alpha Micro users have chosen our Videotrax™ backup technology over streamer tape or floppies.

The best news is it's now available for the IBM® PC-AT, XT and true compatibles.

BETTER TO BE FAIL-SAFE THAN SORRY.

Exhaustive testing and long term use of Videotrax technology prove it more reliable than any other backup

High-tech. Open your PC and slide the controller board into any expansion slot Low-tech. Hook up VCR to computer with standard connector cables.

option available.

Even more reliable than the hard disk you're backing up.

At the heart of the system is a patented video tape controller board that employs a standard video cassette recorder for copying data. Which means Videotrax offers the sophisticated technology of today's VCRs. And the depend-

ability of a durable consumer good.

EASY DOES IT.

If you own a VCR, you already own half the system. And you already know how to use it. Or you might opt for the complete subsystem (controller board plus enhanced VCR) and

Kour basic video cassettes. Reliable, cheap, easy to find

experi-

ence the

joy of its automatic, unattended backup capabilities.

Either way, our menu driven software, clear documentation and wide range of backup modes keep it simple: Insert a blank video cassette tape and follow the directions that appear on your screen.

You can copy or restore your entire hard disk, specific files, or only files modified since the last backup, while the system busily self-monitors for proper functioning.

And for the price of taping your favorite TV shows, you can record your most valued computer data. Up to 80MB can be stored on a single cassette at less than a third of the cost of streamer tape.

Of course, if you ever require service, your authorized Alpha Micro dealer and our worldwide network of factory service centers will provide all

the support you need.
For more information on how Videotrax can keep you off the crash course, call your local dealer or Alpha Micro at 1-800-992-9779 (in California call 1-800-821-0612).

VIDEOTRAX

DATA BACKUP FROM ALPHA MICRO.





Corporate Headquarters: 350! Sunflower, P.O. Box 25059, Santa Ana, CA 92799 © 1986, Alpha Microsystems. All rights reserved IBM is a registered trademark of International Business Machines. U.K. Headquarters: Berkshire House, 56 Hershel St., Slough, Berkshire, Great Britain. European Headquarters: 130 Chaussee de la Hutpe, Box 14 1050 Brussels, Belgium.

FOUR MIDI INTERFACES

BY ROGER POWELL AND RICHARD GREHAN

Let's assume you have a personal computer and you want to connect it to a MIDIequipped keyboard or other instrument. One of the first things you will need is interface hardware to send your MIDI signals through your

computer. The MIDI specification requires a current-loop serial interface operating at 31,250 bits per second. so it is going to take something more than just retrofitting an RS-232C port.

In this article, we will look at four MIDI interfaces currently available for some of the most popular microcomputers. The TDS-AP for the Apple II+/ He and the TDSC-64 for the Commodore 64 are from Syntech Corporation. The MPU-401 for either the IBM PC or the Apple II machines is from RolandCorp. The MIDIMAC for the Macintosh or Mac Plus is from Opcode Systems. The interfaces all include at least a high-speed UART with some sort of clock-generation circuitry, a buffered output stage, and an optoisolated input stage. (The MIDI-MAC is an exception; it requires no special UART, since the Macintosh's serial ports can operate well above the speed required by MIDI.) However, most of the interfaces we'll look at in this article add extra features such as drum machine trigger signal outputs and tape synchronization inputs and outputs.

Of course, if you are an Atari ST owner, you are probably reading this with a bit of smugness, because the Atari ST has built-in MIDI ports.

TDS-AP

Syntech Corporation's TDS-AP is a MIDI interface on a board that plugs into the Apple 11+/IIe. It includes a pair of DIN jacks-one for MIDI in and one for MIDI out-as well as five mini phone jacks: tape in, tape out, foot-

MIDI interfaces for the Commodore 64. IBM PC. Macintosh, and Apple II family

switch, clock out, and start/stop.

The tape-in and tape-out jacks allow for synchronization with a tape deck. If you have a multitrack tape recorder, you connect the tape-out signal to a line-in signal on a track of your tape machine: this track will become the click track. You then program whatever MIDI software you're running to output a sync tone and record this on the click track. Now connect the line-out signal from the click track to the tapein port on the MIDI interface, and the sync tone that you have just recorded becomes the master clock for the system when you begin to record onto the other tracks of your tape recorder.

You can opt for some hands-off event control by attaching a footswitch to the TDS-AP's footswitch jack. For example, we tested the interface with multitrack recording and sequencer software that enabled us to halt the recording process by pressing the space bar or footswitch. If you have both hands busy on a synthesizer's keyboard, it's much easier to operate a footswitch than an Apple II's space bar.

The clock-out and start/stop lines of the interface can be used to drive a drum machine. The clock-out line connects to the clock-in line of the drum machine, and pulses on this line control the machine's tempo. The start/ stop line-just as its name impliesprovides trigger signals to begin and halt whatever sequence you have programmed into your drum machine. Of course, you could also use the clock-out and start/stop lines to control a sequencer.

The clock-out and start/ stop lines add features that may not be immediately apparent. Not only do they permit you to control drum machines that are not equipped with a MIDI interface, but

they provide a direct control path to a drum machine that might otherwise be at the end of a line of daisychained MIDI devices (and would therefore suffer from signal-transmission delays). They also alleviate the problem that arises if you don't have enough MIDI-thru connectors available and are unable to hook the drum machine into the MIDI circuit at all.

The TDS-AP's documentation is a small 10-page pamphlet filled mainly with simplistic diagrams showing how to connect the interface to a tape deck, a drum machine, and a sequencer (they presume you already know how to connect the MIDI ports to whatever musical instrument you're using). We were happy to find an elaborate description of the procedure you must go through to create a click track. We rate the documentation as adequate: It provides you with

Roger Powell (Magnetic Music. POB 328, Rhinebeck, NY 12572) is a professional musician and computer programmer. He has been involved with music synthesis as a consultant for the Mooa Sunthesizer Company and Bell Laboratories, where he was introduced to computer music. A long-standing member of Todd Rundgren's band Utopia, Roger has also played keyboards for David Bowie and Meat Loaf and has released two solo sunthesizer albums. Roger has been producing his own line of MIDI-related software tools for music, including Texture, a 24-track MIDI sequencer for the IBM PC. Richard Grehan (One Phoenix Mill Lane, Peterborough, NH 03458) is a technical editor at BYTE.

AT A GLANCE

Name	TDS-AP DS-AP TDSC-64 DSC-64	MPU-401	MIDIMAC	
Туре	TDS-AP: for Apple II + /IIe, with tape and drum sync DS-AP: for Apple II + /IIe, with drum sync only TDSC-64: for Commodore 64, with tape and drum sync DSC-64: for Commodore 64, with drum sync only	MPU-401: External processing unit, requires interface card for attachment to host computer MIF-IPC: Interface card for the IBM PC MIF-APL: Interface card for the Apple II	MIDIMAC: one in, three out MIDI interface for Macintosh Opcode Systems 707 Urban Lane Palo Alto, CA 94301 (415) 321-8977	
Company	Syntech Corporation 23958 Craftsman Rd. Calabasas, CA 91302 (818) 704-8509	RolandCorp U.S. 7200 Dominion Circle Los Angeles, CA 90040 (213) 685-5141		
Documentation	10-page pamphlet included Technical documentation for any of Syntech's interfaces \$5			
Prices	TDS-AP \$199.95 DS-AP \$129.95 TDSC-64 \$199.95 DSC-64 \$129.95	MPU-401 \$200 MIF-IPC \$110 MIF-APL \$110	MIDIMAC \$125 MIDIMAC version for Mac Plus \$175 MIDIMAC upgrade for Mac Plus \$50	

just enough to get going. If you are a programmer anxious to do some MIDI application software of your own, Syntech will send you the TDS-AP's technical documentation for an additional \$5.

TDSC-64

The TDSC-64 MIDI interface for the Commodore 64, also from Syntech Corporation, is functionally almost equivalent to the TDS-AP interface (in fact, the same manual is packaged with both devices); the only major difference is that the Commodore version does not have a footswitch lack.

The TDSC-64 is about the size of a deck of playing cards and plugs into the Commodore 64's cartridge expansion slot. It has three DIN jacks and two mini jacks. One DIN jack is MIDI in, another is MIDI out, and the third carries the clock-out and start/stop signals. The phone jacks provide connections for tape in and tape out.

The third DIN connector mentioned above is compatible with Roland drum machines, but with some minor cable building you should be able to adapt the TDSC-64 for use with other brands of drum machines. You have

to bring out the clock-out and start/ stop signals to a pair of phone plugs. Fortunately, the pin assignments for the DIN connector, along with a brief construction guide, are provided in the manual.

MPU-401

Roland has been manufacturing the MPU-401 MIDI interface in versions for both the Apple and IBM PC for about three years. The package consists of an internal interface card that is specific to the host computer bus (called the MIF card), a multiwire cable with DB-25 connectors, and an external box (the MPU or MIDI processing unit) containing the actual MIDI serial hardware and custom support circuitry. [Editor's note: For more information on the MPU-401, see "A MIDI Recorder" by Donald Swearingen in BYTE's Inside the IBM PCs, Fall 1985.] The MPU-401 was designed to offload timing and synchronizing operations from the computer and is, therefore, known as an intelligent interface as contrasted with other passive, UARTonly devices used for MIDI communication between synthesizers and computers. However, the MPU-401

may also be used in UART mode for applications that do not require the additional intelligence that the custom ROM and timers provide. Straightforward jobs like sending and receiving bulk voice data to and from synthesizers can easily be accomplished using only the basic UART.

For applications such as recording and playing MIDI data sequences back, the MPU-401 provides eight programmable timers and circuitry for interrupting the host computer to initiate data transfers. Normally, each timer is associated with a single track of MIDI data to be sent from the host to the MIDI receiving channel of an external synthesizer. As data is consumed by the receiver, the timer for that track will interrupt the host computer and request new information. This information packet starts with a timing byte to indicate an entry delay for the MIDI event that follows. The timer is armed with a countdown and will not send the MIDI packet until the count reaches zero. Thus, the MPU-401 acts as an event scheduler and allows the host computer to do other tasks in the foreground, such as dis-

(continued)

State of the Smart.

SmarTEAM 2400



SmarTEAM 1200AT (BELL)

100% compatible with Hayes 1200 plus full call progress detection (dial tone, ringing, busy). 300, 1200 full duplex.




SmarTEAM 1200BH (BELL)

Half card for IBM PC. XT, AT and compatibles.Communication software included. 300, 1200 full duples.



SmarTEAM V.21/22 (CCITT)

300, 1200bps full duplex Hayes commands compatible.



TEAM TN.

Quality Communication Products

HEAD OFFICE: TEAM TECHNOLOGY INC.

10F, 270, NANKING E. RD., SEC. 3, TAIPEI. TAIWAN, R. O. C. TLX: 19725 PETRCHEN ATTN TEAM TEL: (02)7414270, FAX: (02)771-2985

U.S SALES & SERVICE

MORRISON &DEMPSEY COMMUNICATIONS

19209 Parthenia SI SIe D Northridge, CA 91324 TEL: (818) 993-0195 FAX: (818) 993-7209 TLX: 325524 MODEM NTGE SINGAPORE:

PET Computers Service (5) Pto Ltd. Tel: 5331313

HONG KONG:

RAINBOW COMPUTER PERIPHERALS

Tel: 3-7281819

SOUTH AFRICA:
SPARTAN MICRO MANAGEMENT

SPARTAN MICRO Tel: (011) 788-5177

* Hayes is a registered trademark of Hayes Microcomputer Products, Inc.

★ MITE is a registered trademark of MYCROFT LABS INC.

CANADA BUDGETRON INC.

1320 Shawson Drive Unit 1 Mississaugo, Ontario Canada L4W 1C3 TEL: (416)6737800 TLX: 06-968080

Get the Picture with COLORPHOTOBASE



PHOTOBASE is a software package that works with data base management systems such as: dbase il*, R:Base 4000* and the IBM Filing Assistant*





PC-EYE is a high speed, high resolution video digitizer board that lets you capture anything you can see.

Now you can open up a whole new dimension in data base applications by merging real-life color pictures with popular data base management systems. Pictures of people, products, diagrams, maps, company logos — whatever you want to photograph — can be integrated with your data base. Consider these typical applications:

Security — verify those employees who have authorized clearance to limited access areas. A data base containing employee pictures and personnel records can be searched and displayed for visual verification.


Real Estate — add pictures of houses to on-line real estate listings for faster property identification and improved sales presentations.


Electronic Cataloging — pictures of products can be combined with a data base system containing product specifications, pricing, availability and much more.

Medical Files — Existing data base systems containing patient histories can incorporate pictures of x-rays, cell slides and external body disorders. The ability to visually inspect previous medical problems of patients can greatly enhance the speed and accuracy of future diagnosis.

Customers, distributors and sales personnel can quickly search data and view the resulting product/ picture information on one screen. Files can be updated easily, quickly.







It's Easy

With a simple keystroke, pop-out of your data base system and into the PHOTOBASE menu. Capture images of text, photos, artwork and 3-dimensional objects with an ordinary video camera and our high resolution PC-EYE™ video digitizer. Pop back into your data base system and add the picture name to your data base like you would any other piece of information. The full functionality of the data base system is preserved, but the resulting display is text and picture information on one screen.

Pictures are displayed in the upper right quadrant of the screen or at a full screen resolution of 320 x 200 with 256 optimized colors. Screen display can alternate with text, images, or both simultaneously viewed.

Call or write and we will send you information on PHOTOBASE, PC-EYE, compatible cameras and other imaging equipment in the Chorus Family of products.

(603) 424-2900 or 1-800-OCHORUS.

TM PHOTOBASE and PC-EYE are trademarks of CHORUS Data Systems.

*dBase ti la a trademark of Ashton-Tate; R-Base 4000 is a trademark of Microrim, inc.; IBM Filing Assistant is a trademark of International Business Machines Corporation.



playing a musical score or loading disk files, while the playback progresses in the background via interrupts.

In actuality, a ninth timer exists for what Roland calls a conductor track. This counter operates similarly to the other timer tracks, but it is suggested in the MPU-401 reference manual that tempo changes or other events outside the data streams of the individual music tracks be scheduled using this

The MPU external box is outfitted with one MIDI-in jack, two MIDI-out lacks, tape-sync-in and -out connectors. Roland DIN-sync output jack, and a metronome audio-out connector. The functions of the MPU-401 may be controlled by sending one of a number of specific commands to it. These commands break down into several categories, which are described below.

Start/Stop, Record, and Playback: After the host has initialized MIDI event data pointers for each track. sending a START command will commence playback of the MIDI data streams. You restart playback after a STOP command by sending CON-TINUE, which does not reset any timers or status registers before beginning to play again. By sending a RECORD command, the MPU-401 will interrupt the host whenever data has been received from the MPU-401's MIDI-in port, typically coming from a MIDI keyboard device. The host must save the incoming event data in a buffer in order to have it available for further processing.

Enable/Disable MIDI Thru: Since the MPU-401 is connected between the host computer and MIDI-equipped synthesizers, there is a choice of whether or not data received from MIDI in is to be echoed to MIDI out. If, for example, a remote keyboard controller is being used-one which contains no sound-generating circuitry of its own-then you want the data sent from the keyboard to be passed on to the synthesizer receiving on the proper channel. On the other hand, if the control keyboard is also a sound synthesizer, you do not want the data sent from the keyboard to be returned, which would create double-triggering of notes.

MIDI-format system-exclusive messages dealing with synthesizer voiceparameter data may also be echoed through to instruments that are connected to the MPU-401 MIDI-out port.

Timebase: The internal counting functions of MPU-401 must be based on

a standard timing interval, and there are seven selections ranging from 48 pulses per beat to 192, graduating by increments of 24. A whole beat is thus subdivided for rhythmic accuracy into timebase units. Roland recommends. a setting of 120 pulses per beat in order to provide high enough resolution for real-time sequencing opera-

(continued)



USRobotics' COURIER 2400™ ...The most dependable at 2400- or 1200-bps

ou get 2400/1200/300-bps data communications and every first-class feature you'd expect in an auto-dial, autoanswer modem...at a surprisingly affordable price.

But a modem at any price is only as good as its performance...And that's where Courier 2400 really shines. Don't take our word for it. Ask any of the nearly 2,000 electronic bulletin board system operators who have chosen the Courier 2400 for one of the most demanding modern applications imaginable.

Listen to the unanimous chorus of praise for the Courier 2400 from tough reviewers at more than a dozen highly respected computer magazines.

Consider Courier 2400's performance record—less than one percent of all Courier 2400s sold have been returned for service, a record we challenge the industry to match. And we back up our confidence in Courier 2400 with a full two-year parts and service warranty.

Quality, performance, value—your modem should be this good. It is, if it's the Courier 2400 from USRobotics.

The Intelligent Choice in Data Communications

8100 McCormick Blvd., Skokie, Illinois 60076 Phone toll free 1 (800) DIAL USR In Illinois (312) 982-5001

To learn more, send for our FREE booklet: "24 Questions and Answers on 2400-BPS Modems."	
NAME	
ADDRESS	
CITY	
STATEZIP	
COMPANY	
TITLE	
PHONE ()	
PERSONAL USE D BUSINESS USE	

Tempo and Metronome Functions: One of the most significant features of the MPU-401 is its ability to control the speed of playback automatically by sending simple tempo-setting commands from the host. Not only can you set tempo from an absolute range of 8 to 240 beats per minute, but you can specify relative tempos using signed offsets. Additionally, you can control the rate of the new rela-

tive tempo, producing gradual speedups or slowdowns (accelerando or decelerando) in the music.

The MPU-401 has an internal, audible metronome with an external output jack for connecting to a mixing console. The metronome has several programmable modes for modifying the number of beeps per beat and placement of metric accents by alternating metronome pitches.

Internal Parameters: A variety of commands, such as read, set, and clear, are provided for altering the contents of the parameters internal to the MPU-401. Reference tables are kept for keeping track of notes-on for certain MIDI channels as well as buffers for the play timers. Note-on tables are necessary for producing notes-off in the event of stopping play while notes are locked on.

Are you a victim of the RS-232
CARLE FARLE?



Which one have you heard? For example: "It has a 'standard' RS232 interface," or "All you need is a standard printer cable," or "If you have the manuals, I can probably figure it out with my breakout box."

The truth is that RS232C is one big nonstandard. There are literally hundreds of possible configurations. Which one's for you?

THE SMART CABLE 817 — Here's the one cable to connect virtually any computer to nearly any serial peripheral. No more "standard" cables. It's easy! It's the SMART CABLE SC817 from IQ

Technologies. Just plug it in, flip a switch, and its ingenious electronics do the rest. Instantly. Automatically.

SMART CABLE 817 is lightweight and compact and has a built-in male or female connector (you specify). The cable end has both a male and a female connector. Smart Cable does not require batteries or its own power source.

Smart Cable is the first truly universal connector for RS232 interfaces. Use it to connect any computer to any RS232 device. Don't let "cable fables" confound you any longer. Start making intelligent connections with Smart Cable.

"Another beaven-sent

accessory." —PC Week

"A marvel of ingenuity."

-Microcomputing Magazine
"4 excellents, I good."

—InfoWorld Report Card Rating

"The answer to a costly problem." —PC Magazine

Just \$49.95 plus shipping





Call 1-800-227-2817

Dealer inquiries invited MASTERCARD/VISA ACCEPTED IQ TECHNOLOGIES, INC. BELLEVUE, WA

OTHER SMART PRODUCTS: SC 807 (IBM PC)r), SC 809 (Apple IIc), SC 821 PLUS (Smart CableMaker), SC 880 (IBM PC-AT), SMART SWITCH BOX 1000, SMART SWITCH BOX 1300, SMART DATA METER 931.

Synchronizing Functions: The MPU-401 may be used as the source of all timing signals in a multiinstrument MIDI system, or it may be slaved to the timing output of an external device. For using the unit as a master timing source, you may opt for MIDI timing clocks, which are transmitted over the standard MIDI-out port; FSK (frequency shift key) tape sync coming from the tape-out jack: or Roland DIN sync coming from the DIN-sync output jack. External sync signals may be derived from either MIDI timing clocks received at the MIDI-in port, or FSK tape sync coming into the tape-sync input jack from an audiotape track. (DIN sync refers to a voltage-pulse output signal at a rate of 24 pulses per quarter note |beat| and conforms to the standard that is used in many drum machines.)

By using tape sync, you may drive the computer sequencing software to play back along with the taperecorded tracks, which has been synchronized via the click track. Likewise, MIDI timing-clock sync may be employed to lock the computer sequencer to the clock of another sequencing device. SMPTE time code, which is used throughout the film industry, can be translated to MIDI timing clocks through an additional piece of hardware (such as a Roland SBX-80) and sent to the MPU-401, thus linking the computer sequencer to any other SMPTEoriented device.

MIDI Data Filtering: The MPU-401 can be set so that the generous amounts of data created by continuous controller devices (including pitch-bend wheels, modulation

(continued)

/IERICA'S

The best

THE BEST HARDWARE:

LOGITECH has been the leading OEM mouse company for years, quietly providing mice to companies like AT&T, DEC, and H-P. We've designed LOGIMOUSE C7 just for the retail marketplace. And poured all our years of

hardware engineering into it. You simply can't find a better mouse.

■ IBM PC/XT/AT compatible through any serial port

■ NO pad, NO external power supply

■ HIGH (200 dpi) resolution ■ Tactile feedback switches

THE BEST SOFTWARE:

LOGIMOUSE is now available with all new software that sets new performance standards for the mouse:

LOGIMOUSE Base Package

■ LOGIMOUSE Driver Version 3.0: Faster and smaller. Makes LOGIMOUSE compatible with all Microsoft applications.

LOGIMOUSE Plus Package

- LOGIMENU Programmable Pop-Up Menu System: Customizable for all your favorite keyboard-based applications. Fully compatible with Microsoft Menu, only better.
- CLICK: A new concept in mouse software! It resides in memory, detects which application you are running and sets the mouse to your predefined setting. You define macros for the mouse buttons, set the mouse baud rate and protocol, define the pop-up menus to be used by LOGIMENU. Just add CLICK to your autoexec file and LOGIMOUSE will be ready to go with each of your favorite applications. So you can get down to work.
- POINT-AND-CLICK SHELL for Lotus 1-2-3: No more jerky cursor movement, no more delays, no more beeping. To select a cell, execute a command, scroll your spreadsheet, or call up context sensitive pop-up menus, just point with the mouse and click!
- POINT EDITOR Mouse Based Program Editor: If you think a mouse was not meant for editing, POINT will change your mind.

LOGIPAINT SET With Base Package With Plus Package

LOGIMOUSE C7 plus PC Paintbrush 3.0 is the most advanced paint set available for the PC. Use LOGIPAINT to design a logo, paint, or draw

> a picture of a product you're developing. You won't believe its power with either free hand drawing or graphics.

To place a credit card order call our special toll-free number:

Call toll-free in California:

800-231-7717

800-552-8885

-										
Ĺ	7	C	1	1	want	A	merica	à's nex	t favorite	mouse!

- I LA! Please send me: ☐ LOGIMOUSE Base Package
- ☐ LOGIMOUSE Plus Package
- ☐ Plus Package Software ☐ Base LOGIPAINT SET
- ☐ Plus LOGIPAINT SET
 - **DMASTERCARD**

8 99

9119

8 29

- shipping & handling. Calif. residents add applicable sales tax. MONEY BACK
- \$149 \$169 **GUARANTEE**
 - ☐ CHECK ENCLOSED

Card Number

Expiration Date

NAME.

□ VISA

ADDRESS

SIGNATURE.

CITY, STATE,

PHONE

DEALER INOUIRIES WELCOME



LOGITECH, Inc.

805 Veterans Blvd., Redwood City, CA 94063, USA Telephone: (415) 365-9852

LOGIMOUSE is a registered trademark of LOGITECH, Inc. Lotus and I-2-3 are trademarks of Lotus Development Corp. Microsoft is a trademark of Microsoft Corp. PC Paintbrush is a registered (midemark of ZSoft Corp.

wheels, keyboard pressure sensors) will not be transmitted to the host. In certain cases, the sequencing software does not want to receive all this data in order to conserve memory for higher-priority note data.

Another type of filtering, called channelizing, may also be enabled. By telling the MPU-401 which channels are acceptable to receive from, it's possible to reject or reassign signals

emanating from particular source channels.

MIDIMAC

Opcode System's MIDIMAC interface is the ultimate in simplicity. It is a narrow metallic box measuring 1½ by 6½ by 1 inch that attaches to either the Mac's modem or serial printer port. Just plug it in and tighten it with a couple of large thumbscrews. The MIDI-

MAC box houses four MIDI jacks—one MIDI in and three MIDI out.

There isn't much we can say about this device: You plug it in and it works. Since the Macintosh is equipped with serial ports that can operate well beyond MIDI's 31.25 kHz, the only hardware required for a MIDI interface will be clock circuitry and optoisolators, hence MIDIMAC's compact design. There are no extra features on the MIDIMAC beyond the two extra MIDIout ports; we were particularly unhappy to find no drum machine and tape-sync signal jacks available.

Also, if you have purchased the MIDIMAC interface and decide to upgrade to a Mac Plus, you will discover that not only has Apple made the Plus's new serial ports' mini DIN-8 jacks incompatible with MIDIMAC's connector, but even if you could make an adapter cable, the Mac Plus does not provide 5 volts on any of the new ports' pins. (The Macintosh does, and this is where the MIDIMAC gets its power.) Opcode Systems will upgrade a MIDIMAC to function with the Mac Plus for \$50, and since this requires modifications to the MIDIMAC's circuit board, you have to mail it in to have it "fixed." (You can purchase the MIDIMAC in a Mac Plus-compatible form to begin with for \$50 more than the Macintosh version.

Does your interface give you

A LONG FACE?



It's sad! The hours that people spend trying to get two pieces of hardware interfaced through the serial ports. They buy "standard" cables that don't work! They call the "Tech Assistance" line and that's busy. They fiddle for hours with a breakout box and still don't get the correct pin configuration.

Well, now they can smile and use those hours for something productive!

The SMART CABLEMAKER SC821 has arrived.

Unlike other cable devices claiming to resolve RS232 connections, SC821PLUS's LED

display gives a complete graphic display of the interface. And you know the interface is correct because your system is already up and running.

Total time to interface 2 pieces of equipment and figure the correct interface? About 30 seconds! Try that with a breakout box. Features:

- Instantly interfaces all RS232 serial asynchronous equipment.
- Displays the correct cable configuration of the equipment being interfaced.
- Reconfigures for each RS232 application needed.
- Comes with 2 cables with male and female DB25 connectors on each end.
- Does not require batteries or power supply, derives power from attached devices.
- Tri-state LED's. Smart Cable logic.

Just 449.95 plus shipping





Call 1-800-227-2817

Dealer inquiries invited MASTERCARD/VISA ACCEPTED IQ TECHNOLOGIES, INC. BELLEVUE, WA

OTHER SMART PRODUCTS: SC 807 (IBM PCir), SC 809 (Apple IIc), SC 817 (Universal RS-232 Interface), SC 880 (IBM PC-AT), SMART SWITCH BOX 1000, SMART SWITCH BOX 1300, SMART DATA METER 931.

CONCLUSION

Since we purposefully selected devices for different machines, it would not be fair to perform head-tohead comparisons; an interface's capabilities depend largely on the machine for which it is designed. For example, although we mentioned our displeasure with MIDIMAC's lack of anything beyond MIDI ports, it's obvious that MIDIMAC's limitation is due to the fact that the only kind of ports Macintosh provides are serial ports. (If you're going to have a footswitch connector, a clock out, and a start/stop trigger as on the TDS-AP. you're either going to have to use a parallel port or a very high-speed serial port with some serial-to-parallel conversion hardware.)

Still, we hope that we have given you an idea of some of the interfaces available for your computer.

FREE OVERNIGHT DELIVERY & GUARANTEED LOWEST PRICES ON IBM-PC & COMPATIBLE HARDWARE AND SOFTWARE.

FREE OVERNIGHT DELIVERY

Buy it today . . . use it tomorrow! Only Logicsoft ships your order the same day via overnight courier* . . . at no additional cost to you.

OUR LOWEST PRICE GUARANTEE.

We're so confident about our low prices that if you can find a lower price, we'll beat it by \$10[†]. This includes any bonafide advertised price or quote on any of the hundreds of products we stock. Our Corporate Accounts Program also offers attractive volume discounts.

Credit cards and PO's accepted.

TOLL-FREE CUSTOMER SERVICE.

Customer service and technical support are only a toll-free call away. It's another reason why Logicsoft has become the major supplier of hardware and software to more than 50,000 companies worldwide, including over 90% of the Fortune 1000.

LOGIC SOFT

To order or receive technical assistance, call our National Hotline:

110 Bi-County Blvd., Dept. 543 Farmingdale, NY 11735 CANADA: 416-283-2354 Domestic/Int'l Telex 286905 SoftUR 1-800-645-3491

NY STATE: 1-800-235-6442 (516) 249-8440 Customer Service: 1-800-431-9037 FAX # 516-249-5289

Circle #400 on reader service card.

EUROPE: 020-83 48 64
Telex: 10759 Logic NL
Mail orders to:
LOGICSOFT EUROPE BV
pb 9460, 1006 AL Amsterdam, Holland

"Applies to order totaling over \$100. Shipped UPS—free if under \$100 (within Cont. U.S.). Due to weight restrictions, printers and monitors are shipped UPS—free.

This offer does not apply to items under \$100, American Express or Terms orders. In these instances, we will meet any lower price. (We reserve the right to request a current written price quote.)

NOW LEASE OR PURCHASE SYSTEMS FROM LOGICSOFT.

THE ECONOMY AND FLEXIBILITY OF A LOGICSOFT LEASE.

High tech without high cost. Outstanding flexibility. Plus substantial tax benefits. Logicsoft's new leasing program gives you them all and much more. Lease the computer system you need now for 36 months (customized lease programs also available) at one of our low, low rates. At the end of the term, you can purchase the system for only 10% of the original purchase price. Or negotiate a lease extension. Give Logicsoft a call. We'll begin processing your lease agreement right over the phone. And deliver your system within three days. First and last lease payments required in advance. Lease proposals subject to credit approval. Rates based on current cost of funds.

FREE 90-DAY, ON-SITE SERVICE ON ALL SYSTEMS.

Whether you lease or purchase a system from Logicsoft, you get a unique bonus: a free 90-day, on-site system hardware service contract. We've contracted with one of the nation's largest and most respected independent computer maintenance firms to provide you free service in most metropolitan areas. If a problem arises, it'll be corrected quickly and efficiently. At your facility. And at no additional cost to you. There's no inconvenience of transporting your system to and from a service center. Wherever you are. Whatever the problem. Expert assistance is only a phone call away.



To order or receive technical assistance, call our National Hotline:

110 Bi-County Blvd., Dept. 543 Farmingdale, NY 11735 CANADA: 416-283-2354 Domestic/Int'l Telex 286905 SoftUR 1-800-645-3491

NY STATE: 1-800-235-6442 [516] 249-8440 Customer Service: 1-800-431-9037 FAX# 516-249-5289

Circle #400 on reader service card.

EUROPE: 020-83 48 64 Telex: 10759 Logic NL Mail orders to: LOGICSOFT EUROPE BV pb 9460, 1006 AL Amsterdam, Holland

No surcharge for MasterCard, VISA, American Express. C.O.D., money order check or PO's (please call for price verification) - No sales tax on orders shipped outside N.Y. State - Please add 2% for insurance and handling [Int'l orders add1) - We do not bill until we ship. All products covered by migs warranty. Defective merchandise may be returned for repair or exchange only. We do not guarantee compatibility. Any goods returned for credit are subject to a 15% restocking charge.

CONCERTWARE+ AND SONGPAINTER

BY MARIO SERGIO BERNARDO

The ConcertWare+ and SongPainter software packages for the Apple Macintosh allow you to experiment with sound and learn more about composing music. ConcertWare+, which includes a complete sound-

manipulation toolkit for experimentation, can be educational for both experienced and novice users. The SongPainter software package, on the other hand, has serious limitations.

CONCERT WARE+

ConcertWare+ includes three integrated music utilities. Music Player. Music Writer, and InstrumentMaker, as well as 22 demonstration selections and 40 preset instrument sounds.

MUSIC PLAYER

Music Player is a separate songplaying file with over one hour of demonstration musical selections. Short sentences identify each selection and its composer. Also, the sound quality is very good. You cannot edit the music from the player mode, but you can select demonstration songs, repeat them, and combine the songs in any order. You can change the tempo and choose any four instruments for playback. Unfortunately, the Music Player's "scrolling display" does not display real music notation; it displays only dots and dashes.

One other annoyance with Music Player is the lack of a volume control on the play-mode screen; you have to exit to the Apple control panel in order to modify volume. If you connect the audio output in the back of the Macintosh to your stereo unit, you can control the volume from the

Two software

packages for making music

on the Macintosh

stereo as well as produce better sound quality.

MUSIC WRITER

With the Music Writer utility, you can input traditional music notation using the complete 88-key piano range. You can use all note and rest values from sixteenth to whole notes (including dotted notes and triplets), dynamic (volume) markings, all major and minor key signatures, as well as any individual pitch or accidental (sharp, flat, or natural). There is also a mode for quick vertical chord entry. You can play every possible combination of four-voice parts for any of the demonstration or user-created musical selections.

Music Writer's display supports real music notation with a large staff format appropriate for those unfamiliar with music notation. An additional, smaller split-screen format above the score displays the voice part currently being edited. Unfortunately, the display does not scroll the music as it's being played. You hear the entire selection, but you are left looking at the first few measures of the written score.

The creators of Music Writer took care to use terms and procedures that let you edit music without great difficulty. There are shortcuts for experienced users, including keyboard entry for note and rest durations, accidentals, and octave shifts, and a

very useful sound-with-entry mode that uses the bottom two rows of the Macintosh keyboard as piano keys. You can use this feature to review changes you make to an instrument's vibrato, to a waveform, or to an attack-decay-

sustain-release (ADSR) envelope. Another welcome feature for experienced users is a basic form of real-time input of note values using the keyboard or mouse. However, you must insert rest values manually, and you can only input one voice at a time.

In entry mode, a rhythmic autocorrection feature will correct notes to valid values. The program supports time signatures from 1 to 16 beats per measure and the choice of half, quarter, eighth, or sixteenth notes as the beat unit. Tempo control in ConcertWare+ could be improved. The program has 14 stepped values with gaps between values. Since there are 34 traditional metronome markings, many of these fall between Concert-Ware+'s values and are not available.

The editing features in Concert-Ware+ are easy to use and include cut and paste, transpose, delete, slurred and tied notes, and a quick way to change multiple note durations simultaneously. You can change instrument sounds and dynamic markings anywhere in the score. You can also edit and manipulate Music Writer scores with MacPaint, perhaps to in-

(continued)

Mario Sergio Bernardo (35 Hill St., Naugatuck, CT 06770) is a concert saxophonist and instructor of music at Keene State College in Keene, NH. He is currently performing and doing music research on a Fulbright Grant in Portugal.

sert lyrics, note beams, and so on. [Editor's note: Beaming is a new feature in the latest release of Music Writer.]

ConcertWare+ has excellent printing options. It allows full use of margins and varied paper and type sizes (see figure 1). It also lets you print individual voices or any combination of voice parts, providing a basic version of instrumental-part extraction. This is useful for chamber ensembles, quartets, or four-part vocal scores. You can print entire scores or just specific pages.

INSTRUMENT MAKER

InstrumentMaker lets you manipulate the sound parameters of the Macin-

tosh sound chip. You can create new or edit existing instrument waveforms, ADSR envelopes, harmonic-overtone envelopes, and vibrato, all by drawing the desired contour on the screen. You can combine different parameters of existing preset instruments into a new sound and get instant sound feedback on your changes by using the keyboard.

You can draw waveforms with the mouse on screen or create them from their individual harmonic content, starting with the fundamental tone and adding the next 19 harmonic overtones in any mix you desire. Similarly, you can draw the ADSR envelope directly on screen, without

getting directly involved with numeric values or parameters as on professional music synthesizers.

The vibrato controls are equally flexible. You can change width, modulation midpoint, length, and sustain.

Concertware+'s documentation is generally excellent, although it would be helpful to first-time users to include more detailed backup procedures and directions for the organization of working disks. This information is found in an appendix, not at the beginning of the manual.

SONGPAINTER

SongPainter has very attractive screen graphics, packaging, and an impressive manual, but it is a disappointing program. The SongPainter manual cover claims that you will be able to write from "simple songs to software symphonies." The maximum composition length, however, is 48 measures in 4/4 time. At the slowest of tempos, 48 measures generally accounts for only a few minutes of music. Traditional symphonic form ranges from 20 minutes on up in duration and includes hundreds or thousands of measures and complexities in harmony, rhythm, and orchestration, beyond the very rudimentary capabilities of SongPainter.

SongPainter is an icon-driven music package that represents instrument sounds and note lengths on the screen with icons rather than traditional music notation. The instrument icons are placed in "frames" along four horizontal "tracks," each representing an available voice part. You select notes by their names (C, C#, D, etc.). When selected, each note sounds so that you can determine its appropriateness. There are also help menus with descriptions of the various options available. The many demonstration selections are grouped by category.

DEFAULT VALUE

A control window lets you select note volume levels and durations. However, SongPainter's default duration value of one frame equaling a sixteenth note can be rather awkward, since

Concerto in D minor (for two violins)

Johenn Sebastian Bach (1685–1750)

Now known as a composer, Bach was renowned by his contemporaries as a violinist and organist. This "Bach Double" concerto is a favorite among violinists.

Figure 1: An example of a printout using ConcertWare+'s printing options, which allow full use of margins and varied paper and type sizes.



YOUR PC WANTS YOU TO GIVE IT THE SAME ADVANTAGE YOU GIVE YOUR TAPE DECK AND VCR.

It's only fair. Not to mention logical. PC's want to perform as well as all your other sophisticated electronic equipment. If you're like millions of informed people throughout the world, you rely on the ultimate in audio and video recording performance. You rely on TDK.

Well, you should also rely on TDK when it comes to your computer. TDK's Floppy Disks provide the same consistently high performance. The same level of absolute quality. Which is understandable since all TDK products share an unparalleled level of technical superiority that spans over 50 years.

In fact, TDK is the world's largest manufacturer of magnetic media.

What's more, they're also a major producer of electronic component parts, including the most sophisticated heads for disk drives. What a strategic advantage! With vital "inside" information like that, it's no wonder their disks provide error-free performance.

So, if you want to put a smile on your computer's face, choose from TDK's family of 5.25-inch standard, 5.25-inch High Density and 3.5-inch No-Risk" Disks. It's to you and your PC's advantage.







1986 TDK Corporation

AT A GLANCE Name ConcertWare + SongPainter Music processor Music processor Type Rubicon Publishing Great Wave Software Company 6300 La Calma, Suite 123 **POB 5847** Stanford, CA 94305 Austin, TX 78752 (415) 325-2202 (512) 454-5004 Disk Format one 31/2-inch disk one 3½-inch disk 128K Apple Macintosh 128K Apple Macintosh Computer 40 preset instrument sounds, 32 preset instrument sounds, **Features** custom instrument sounds, 37 demonstration songs, 23 demonstration songs. playback of individual parts, 3 keypad play and real-time meters, 7 tempos, all minor keys available, and input, playback of individual parts, visual metronome. 64 miniature dictionary definitions meters, 14 tempos, all major and minor keys available, output as MacPaint document. and traditional music notation including ornaments and special markings Documentation Manual Manual, help function \$69.95 \$39.95 Price

music usually uses both longer and shorter note values than a composition's basic beat. It would have been more practical for the default value to equal a quarter note (four SongPainter frames), a more usual beat in popular music. As it stands, if you decide toward the end of a composition that you need a faster note value than the present one-frame value, you have to first convert the entire song by doubling all the note durations and the tempo, followed by your new quicker note values. If the quarter note were the default value, you would have two faster values to fall back on.

WRITING A SONG

To write a song, you first select an instrument (perhaps a clarinet) from the voice window. To enter a sixteenth-note D for the first voice, you would choose the note name D from the tone window and the desired volume and duration (in this case one frame) from the control window. Finally, click

the mouse over frame 1, track 1 of the song window (the grid of four horizontal tracks upon which you place the instrument, duration, and pitch-icon information). For an eighth note, you would select a duration of two (frames) from the control window. A playback window allows you listen to pause during, or repeat your song.

The height of each instrument icon corresponds to the individual note volume: a blank frame indicates silence or rest. SongPainter remembers the last combination of selected values, allowing you to enter repeated note characteristics very quickly. In addition, you edit on the same song window used for writing. You can see the names of the notes you have chosen, but this does not, in my view, serve as a satisfactory substitute for real music notation.

Some basic elements of music, such as measure and beat, have been stretched to accommodate Song-Painter's bizarre method of music notation. The frames used in Song-Painter's notation do not correspond to beats. They are subdivisions of the beat, usually one real musical beat equal to four of SongPainter's frames. In addition, the completed song, often with dozens of different icon blocks on the screen, makes it impossible to detect music elements such as pitch, duration, and rhythm. The tapestry of icon shapes is a nice effect but has little or no value musically.

There are many other problems. There are only seven tempos available, with wide gaps between them. The only time signatures available are 4/4, 3/4, and 2/4. Therefore, you cannot set such important and often used time signatures as 6/8 and 2/2. Similarly, there are only nine preset changes available to modify the timbre envelope. Also, the only four-part harmonies allowed are major, minor, augmented, diminished, and seventh chords. More disturbing still, the chords labeled as major seventh sound like dominant seventh chords and vice versa, a very serious mistake since both serve different musical functions.

Unlike ConcertWare+'s musical dynamic markings (pp. p. mp. mf. etc.), SongPainter's volume markings are labeled quiet, medium, and loud. With accenting on, you can emphasize any sixteenth division of a measure, one of SongPainter's nicer features.

CONCLUSION

In conclusion, I would highly recommend ConcertWare+ for educational and musical exploration. Its strengths are the InstrumentMaker section and MusicWriter's ease of editing and entry of music. In addition, ConcertWare+ is also compatible with professional music synthesizers that have MIDI-to-Macintosh interface capability.

I find SongPainter restrictive and confusing, and I cannot recommend it, especially not for educational purposes. Those with the slightest musical knowledge will find themselves bored and frustrated by this music package, and novices will erroneously believe they are learning correct musical concepts.

THIRD GENERATION PROGRAMMERS FROM GTEK

GTEK MODEL 9000 (E)(E)PROM/MPU PROGRAMMER IIIIIIII If time is money, then let us save some for you. The new model 9000, using its quick pulse algorithms, can program a 2764 in 10 seconds. The 9000 offers higher performance than the competition has even begun to think about. Baud rates to 57,600. Supports thru 512K standard, 8 meg wordwide parts with adapter, Cypress proms, mpu's. NO personality modules. As with our other programmers, RS-232, ASCII data formats, and flexible hand-shaking make the model 9000 compatible with virtually any computer. Introductory price \$749.

MODEL 7228 (E)EPROM/MPU

PROGRAMMER The standard by which other other programmers are judged. With thousands in the field, the time proven 7228 has become our most popular programmer. Intelligent al-gorithms standard. Programs a 2764 in one min-ute. Supports devices thru 512K, mpu's, eeproms. cmos. NO personality modules. Price \$599



MODEL 7956 GANG (E)EPROM/MPU PROGRAMMER

The 7956 can program eight 2764's in one minute using intelligent algorithms. Standard support thru 512K, eeproms, cmos, mpu's. A must for production emvironments. Available in \$1099

MODEL 7128 (E)EPROM/MPU PROGRAMMER The programmer that won't die. Thousands manufactured since 1982. Supports thru 256K. PRICE REDUCED to \$389 including free PGX communications software, a \$95 value.

MODEL 705 Motorola 68705 family programmer. Transfers object code to 28 and 40 pin mpu's. Single key stroke operation. . \$299

MODEL 7324 PAL PROGRAMMER The 7324 has a built-in compiler. It supports 20 and 24 pin pals by MMI, NATIONAL, and TI, including the new shared product parts 20S10, 20RS10, 20RS8, 20RS4. It operates stand alone or via RS-232 with PALX communications

MODEL 7322 Same as 7324 but no stand alone capability. \$1249

UTILITY PACKAGES

PGMX High Speed Communications Package. For IBM PC, AT and compatibles. Bi-

PGX Utility Package. For PCDOS, CPM, TRSDOS, ISIS, MSDOS. Use with 9000, 7956, 7228, 7128.

PALX Utility Package. Provides communication, download of Palasm source, JEDEC and AHS object files to models 7324, 7322, 7316 pal programmers. \$95

CROSS ASSEMBLERS and SIMULATORS

You name the cpu, we've got the assembler. Simulators allow target software development and testing on your computer. Versions available for PCDOS, MSDOS, CPM. . Start at \$200

ERASERS-We stock both Ultra Violet Products and Spectronics for your selection. MODEL CHIPS TIMER LAMP PRICE DE4 89 Tube \$80 PE14T Tube \$129 Grid

ACCESSORIES CABLES—serial \$30, parallel \$30, custom Call For Quote MODEL 481/482/483 8048 family MODEL 755/756 8755 adapter ... \$135

SPECIAL REQUIREMENTS? Call Us For A Quote On Custom OEM Programmers.

\$599

Grid



If you are a CPM user who wants to convert to MSDOS or PCDOS or a PC user who would like access to the thousands of CPM programs in existance, here is the perfect solution to the problem: CPEmulator from GTEK.

CPEmulator is the only field proven emulator which emulates the complete Z-80 instruction set. Terminal attribute emulation is Televideo, Lear Siegler, or the AMSI standard. CPM .COM programs reside under PCDOS and are executable under PCDOS as well as 8086 porgrams.

Comes complete with COPYCPM, a disk conversion utility which allows transferring data and programs to and from 54 different CPM disk formats. Free CPM utility programs are also included.

Need speed? CPEmulators Speed Kit includes NEC V20 processor. (8080 opcodes only)

CPEmulator Z80 emulator CPEmulator 8080 emulator w/V20 \$199 Both versions . . . \$298

Call GTEK's CPM Hotline 1-601-467-9019

The Printing Solution: Model 8014 Programmable Printer Switch



Finally a way to have as many parallel printers as you need even when you only have one parallel port. With GTEK's programmable parallel switch, you can expand as you require. Perfect for networks.

With the spooling version, you can allocate available memory to fit your requirements, get multiple copies and more.

Both use ordinary IBM type parallel printer ca-bles, expand one port to four, and may be cascaded in Star or Daisy Chain configurations for as many ports as desired. The desired port is selected with a simple escape sequence. For networks, previous selected port is saved on Port Stack and returned to with Return Escape Sequence. Complete with power supply.


Model 8014 Four port programmable REDUCED \$199 Model 8014-128K with 128Kspool memory \$399 memory.



Development Hardware/Software P.O. Box 289, Waveland, MS 39576 U.S.A. 601/467-8048; telex 315-814 (GTEK UD) , INC.

GTEK, PALASM, CPM, MS-DOS, PC-DOS, ISIS, TRSDOS, & CPEmulator are registered trademarks.

C50





The ITT XTRA XP desktop personal computer

You can't buy time.

Long before Queen Elizabeth I, man began his quest to hoard that most precious and elusive of commodities. Time.

> He can only make better use of the few hours he already has.

Hence, the development of today's business computer.

The ITT XTRAM XP. Our crowning achievement.

By matching memory to the muscle of the Intel 80286 microprocessor, we're able to achieve "no wait states."

Processing never pauses for slower

Making the ITT XTRA XP thirty percent faster than the IBM AT. And fully XT-compatible.

Giving you speed and flexibility.

Because, being a corporation of many businesses, we're in a unique position to better understand what you need to grow.

Today, as well as tomorrow.

	ITT XTRA XP	COMPAQ 286	IBM PC/AT
Lotus 1-2-3	11sec	13sec	15sec
dBase	36sec	52sec	56sec
FormSort	52sec	1min 5sec	1min 10sec

All comparisons are for purposes of illustration only. User's application performance is dependent on application.

A moment's investment today can pay off royally tomorrow.

Call (800) 321-7661. In California,

(800) 368-7300. And call quickly. Every moment wasted

is a potentially profitable moment you'll never possess again.



BECAUSE TIME IS THE ULTIMATE BOTTOM LINE

O 1986, ITT Information Systems. IBM, PC/KT and PC/KT are registered trademarks of international Business Machines. Intel 80286 is a registered trademark of Intel Corporatio Compaq 286 is a registered trademark of Compaq Computer Corporation. Lottes and 1-2-3 are registered trademarks of Lottes Development Corporation. dBure is a registered trademark of Ashton-Title.

Inquiry 166 for End-Users. Inquiry 167 for DEALERS ONLY.

THE KURZWEIL 250 DIGITAL SYNTHESIZER

BY CHRISTOPHER MORGAN

The Kurzweil 250 Digital Synthesizer means many different things to different people.

- For the performing musician, the 250 is a fully equipped real-time performance instrument that lets you switch instantly from one voicing to another. No disk calls are involved, since the machine has no disk drives; digital samples come directly from RAM and 3.6 to 6 megabytes of ROM. The 250 also lets you store custom voicings on disk using an optional Macintosh interface.
- For hardware and digitalsound aficionados, the 250's state-of-the-art software and 68000-based hardware produce a fine imitation of a nine-foot concert grand—to say nothing of other instruments and effects. (It does not imitate all of these

sounds consistently well, but who's quibbling when the results are this spectacular!)

- For sound engineers and musicians, the 250 has an excellent sequencer program for digital recording and mixing of tracks. You can easily record your own sounds and add them to the synthesizer.
- The Kurzweil 250 gives would-be musicians the chance to sound like virtuosos by using tricks like speeding up the music without raising its pitch, quantizing sequences of notes to clean up the rhythm, and so on.
- The 250 is a first-class MIDI machine that can drive or be driven by dozens of other MIDI devices, including

A system that
offers users sampling,
sequencing, transposition,
MIDI, and a grand-piano sound



scores of MIDI software programs for the Mac and other computers.

 For programmers, composers, and students, the 250 offers a complete music development language.

DESIGN METHODOLOGY

Designer Raymond Kurzweil wanted to develop a machine capable of reproducing the subtle tonal complexity of a piano or other instrument and also allowing you to create, edit, and perform new sounds with complete artistic freedom and control. The Kurzweil design team has succeeded on virtually every count.

The main problem with digitally sampling and reproducing a complex

sound like the piano is that the tone changes dramatically when the notes get louder and louder. The ratios of the overtones and the quality of the attack change, so that a loud piano-tone waveform is not a linear extension of the same note struck softly. If you have access to a piano. try hitting one key progressively harder and harder. Note that even the hammer hitting the string becomes a factor in the overall sound as volume changes, particularly in the treble notes.

Such complexity poses a dilemma to the digital designer: How do you capture the sound of the piano without digitizing the entire range of dynamics for each note—a process that would require huge amounts of ROM storage (30 billion bits according to Kurzweil)? The 250 solves this problem with novel data-

compression techniques that use proprietary algorithms.

The technique is briefly described in "The Kurzweil 250 Digital Synthesizer" by Donald Byrd and Christopher Yavelow (Computer Music Journal, September 1985). "The K250 stores samples in a modified floating-point format with 18-bit words. In effect, the fractions contain the waveform with its dynamic range compressed as much as possible; most of the

Christopher Morgan is a part-time professional musician and a former editor in chief of BYTE. He is currently the editorial director of Lotus Publishing. He can be reached at POB 829, Brookline, MA 02146.

AT A GLANCE

Name

Kurzweil 250 Digital Synthesizer

Company

Kurzweil Music Systems Inc. 411 Waverly Oaks Rd. Waltham, MA 02154 (617) 893-5900

Size

Keyboard, 57 by 27 by 9 inches; pedal pod, 17¾ by 11½ by 4½ inches

Components

Keyboard: 88 notes, velocity-sensitive

Channels: 12

Power: AC 110 volts, 50/60 Hz, 380 watts

(220-volt option available)

(AZU-Vott option available)
MIDI (in, out, thru): 16 channels, userassignable; each sequencer track can be
assigned to a separate MIDI channel;
special MIDI mode slaves one Kurzweil 250
to another

Price

Basic Kurzweil 250, \$12,970; soundmodeling program, \$1995; Sound Block Module A, \$1995; MacAttach software and interface, \$195; stand, \$195; plexiglass music rack, \$75

An expander system is also available and comprises a Kurzweil 250 without the keyboard unit. Three versions can be supplied: a basic system (\$9980); base system plus enhanced instrument voices (\$11,975); and a base system plus voices, sampling, sound modeling, and Macintosh software (\$13,970)

dynamic information is in the exponents. For typical musical sounds, the K250's separation of the original sound into compressed waveform and exponent uses the sample bits much more efficiently than would be possible through uniform compression systems such as those of dbx or similar compandors."

Besides its data-compression capability, the 250 offers new levels of performance in sound quality, user sampling, sequencing, transposition, and MIDI utilization.

OVERALL DESIGN

The Kurzweil 250 is a true digital instrument. That is, it contains millions of digital samples of musical-instrument sounds (called "soundfiles" in Kurzweil nomenclature) stored in ROM. Pressing a musical key on the 250 causes the processor to extract digital samples from ROM. The samples are converted to analog signals in the channel board.

The basic instrument contains 40 soundfiles in ROM—including the grand piano. Also built into ROM is a series of factory-generated "instruments," Kurzweil's term for the effects (envelope, tremolo, vibrato, etc.) used to alter a soundfile that affects its sound.

To hear sound on the Kurzweil, you assign a keyboard setup to the physical keyboard. The keyboard setup contains one or more instruments. each of which is a modified soundfile. A keyboard setup can be simple (the grand-piano soundfile by itself, for instance), moderately complex (piano on the right side of the keyboard. string bass on the left), or quite complex (clarinet, oboe, stereo vibes, and bass on one layer, and organ on the other, with the restriction that the organ will sound only if you press the velocity-sensitive keys with sufficient force). It's easy to edit keyboard setups with the keyboard editor.

HARDWARE

The Kurzweil 250 Digital Synthesizer comes in a compact case that looks like an electric piano or an organ at first glance. It is quite a handful to transport and requires two people to lift it. Beneath the main unit is a

separate module, or pod. containing the power supply and two footpedals that normally control sustain and mute. The functions of these two pedals, like virtually every other knob and slider on the 250, are user-assignable. By isolating the power supply in the pod. the designers have helped to reduce possible hum in the system.

The action of the 88-note, velocity-sensitive wooden keyboard is strikingly similar to that of a grand piano. Directly above the keyboard is the control panel containing 38 buttons and sliders and, in the center, a 24-character-per-line, two-line LCD that serves as the main user interface. (A close-up of the 250's keyboard and control panel is shown in photo 4 of "Digital Music Synthesis" by Robert Moog on page 165 of this issue.) A standard calculator-style keypad is used to maneuver through command menus.

At the far left of the control panel are four sliders used to tune the instrument, to pan sounds between the two stereo output channels, and to adjust overall volume. To the right of these sliders is a group of six buttons and three more sliders used to control chorusing (a whole set of pseudoreverberation and echo effects to enrich the sound of the synthesizer), to assign alphanumeric names to files and keyboards, and to adjust brightness, detuning, etc. Buttons in the center of the panel control transposition, the footpedals, and so on.

To the right are the controls for the sequencer, the sound-modeling program (digitizer), the various editors, the MIDI interface, and the interface to the optional Macintosh computer (via Kurzweil's MacAttach software). The interface is used to store custom soundfiles, keyboards, and keyboard setups on Macintosh disks, enabling you to build up a library of custom sounds and to trade sounds with other users via disk or modem.

There are three main microcomputer boards inside the Kurzweil 250: the central processor, the channel-group processor, and the channel board (see figure 1). The central processor is a Motorola 68000 running at 10 MHz. It has 128K bytes of ROM

(continued)



Remember the first time you upgraded your color graphics hardware? The thrill is still the same.

The discovery of color graphics. As a child, it was a significant event. As a business person, it will change the way you use your personal computer.

Genoa Systems proudly introduces a new and colorful technology for the PC called Spectra EGA. The Enhanced Graphics Adapter that lets you rediscover the benefits, and the thrill, of color graphics on your PC.

An EGA with a better vision.

EGA compatibility is an art that only Spectra has mastered. And, while other EGA hardware is incompatible with current industry standards, Spectra EGA fully supports hardware and software designed for the IBM Enhanced Graphics Adapter, Color Graphics Adapter and Monochrome Graphics Adapter. And the Hercules Board.

This means that you don't have to wait around for new

software updates in order to begin enjoying your EGA today.

A lot more than just pretty pictures.

The first thing you'll rediscover

with your Spectra EGA is color. There is a whole lot more than ever before. Sixty-four separate colors, in fact, from which any sixteen can be displayed at once.

Next, you'll notice a higher resolution in both text and graphics modes.

The real fun comes in putting the board to work. You'll see soft scrolling, panning and windowing that was never before possible on a PC. And the flicker-free display will allow you to regulate these movements at any speed, or in any direction.

There are 512 characters carried in Spectra's memory that can all

be displayed at once. Which is twice as many as previously possible on a PC.

And if you wish to use other characters, or even create your own alternate character set, Spectra will support those, too.

More colorful features.


Each Spectra EGA comes fully equipped with a parallel printer port, light pen interface and 256K RAM on the single board. This is especially good news because a full 256K RAM is needed to run most popular graphics software effectively.

One thrilling price.

Perhaps the best news is Spectra's price.

Upon first glance you may find that the Spectra EGA and the IBM EGA seem to be very closely priced. But look again. Because the standard IBM EGA only comes with 64K RAM, whereas Spectra EGA comes with a full 256K.

Now, you may purchase the extra memory board you'll need from IBM at an additional cost of about 70–80 percent. Or you can buy Spectra EGA from Genoa...and rediscover the thrill of a bargain.



Spectra Enhanced Graphics Adapter

To find out more about Spectra, or a qualified Genoa distributor near you, call 408-945-9720. Or write to Genoa Systems Corporation, 73 E. Trimble Road, San Jose, CA 95131.

Spectra EGA from Genoa. Evolution in color graphics.



Inquiry [4]

Pitches can be changed on each channel independent of the other channels

and 128K bytes of battery-backed RAM for sequences, keyboard setups, instrument definitions, and general use. The system is extremely fast: Switching from one instrument sound to another is virtually instantaneous. By comparison, the MacAttach program plods along, taking from 2 to 4 minutes to load a custom soundfile.

The conversion to analog sound takes place in the channel board. which contains 12 channels, each with its own digital-to-analog converter, low-pass filter, and voltage-controlled amplifier. A mixer combines the 12 tracks down to 2 stereo outputs. For studio sound work, the Kurzweil offers balanced XLR inputs and outputs as well as unbalanced high- and low-level connections. The Kurzweil 250 samples at a variable rate, meaning that pitches can be changed on each channel independent of the other channels.

The entire main chassis slides out of the unit at the rear for easy access. The engineers obviously put a lot of thought into the design of the boards and connectors. They are particularly easy to remove for servicing or up-

To augment the sounds described for the basic 250, you can add the optional Sound Block A or B modules, which contain a set of 15 additional voices and 84 new factory-defined keyboard setups. The new keyboard setups also combine several of the new and old sounds. Further sound blocks are planned for the 250. including the recently introduced Sound Block C, which features several new pipe-organ sounds.

SOFTWARE

The possibilities for sound control on the Kurzweil 250 are virtually limitless. You control it by selecting commands from a large menu tree. The commands appear in the two-line LCD. The simplest way to move around the menu is to use the four cursor-control arrows. Pressing the left and right arrows moves you back and forth within a given level of the tree; pressing the up and down arrows shifts you up and down the various levels of the tree.

You can also access any function directly by punching its code number into the numeric keypad or by using "shortcut" keys, a technique similar to that used in the Apple Macintosh when you want to avoid using the mouse to click on menu items. You can then access commands without having to step through the menus. However, you need to remember that certain Kurzweil keys get reassigned when you're using the various software editors.

KEYBOARD-SETUP AND INSTRUMENT EDITORS

The keyboard-setup editor lets you create your own keyboard setups out of combinations of instruments and soundfiles. Up to 40 such keyboards can be stored in the keyboard library. which is in battery-backed RAM, or on

(continued)




Figure 1. Block diagram of the Kurzweil 250 Digital Synthesizer, showing the three main microcomputer boards: the central processor, with its on-board Motorola 68000 microprocessor; the channel-group processor, used to extract and combine soundfiles; and the channel output board, which mixes as many as 12 channels of information into 2 and also serves as the input section for the digitizer.

AT ONLY 80K ... IT'S A WHOLE NEW BALLGAM

Now, you can have it all . . . all the software you need resident in RAM and plenty of memory to spare! Because if you've got a hard disk, RAM disk or extended memory, Homebase now sets up a data space to swap data out when you call up one of Homebase's features. It's simple, very powerful and very sophisticated. And it allows us to give you the kind of Homebase you've been asking for . . . one that needs less than 80K!

In February, PC Magazine said, "Homebase is so elegant that it has one up on SideKick. One way to look at it is to say that Borland's product is a first generation organizer, while Amber's is second or third generation. This is one of those rare software offerings you have to see to believe. Each of Homebase's services could make it in the marketplace as a full featured stand alone product." And that was before we reduced the impact on RAM from 176K to 80K (and added a voice autodialer and an online editor)!

Imagine all these features, with so little overhead:

Type-Ahead Keyboard Buffer . . . User definable size, accepts control characters. Online Editor ... Open a notepad, or edit a text file. Autodialers . . . (voice and data) ASCII Table . . . and Home-base allows you to add any other table you'd like, easily.

Quickterm Terminal ... Now, you'll have the ability to set up your computer to answer the modem and receive Electronic mail in the background while you're working in another application. You'll even be able to bring up Lotus

while you're online! Hit Alt Shift Q and jump right into the terminal no matter what other software you're running or plan to run while you're online. Includes Autodialer that saves and implements entire configurations. Scroll-back, X Modem file transfer and

more. On-Line Context-Sensitive Help Calculator ... handles formulas, simple and complex math. Onscreen tape keeps track for you, converts between hex and dec, adding machine mode . . . and much more. Variable window displays up to 26 variable values at once.

Multiple Calendars ... a system so powerful that it can keep track of a whole office, or a busy individual. Daily, weekly and monthly ... you can track appointments and business expenses ... even set alarms that show text from appointment slots. (alarm now automatically re-sets at re-boot.) Includes full search facility and coupled, daily to-do list.

Online Databases ... both free-form and structured databases available at the touch of a hotkey. The template maker allows you to create structured entry forms for your Homebase databases in minutes and the full search facilities let you manipulate the data easily.

Phone Message Pads ... just like the paper ones, but searchable, sortable and printable.

On-Screen Clock **Cut and Paste** Screen Saver

Mobile Homebase . . . Homebase's Report Generator sorts, composes and prints information from your Homebase databases and calendars to clip into your appointment book when you're on the road. In addition, it can print out mailing labels, continuous form Rolodex™ cards... it can even do mail merge.

DOS Services ... View up to four directories onscreen at once copy or erase groups of related or unrelated files, view and even edit ASCII files . . . and lots more. Create, delete and move between subdirectories visually.

Phone Directory . . . you can search, sort, Autodial from and even print your phone directory.

Available at better dealers . . . worldwide.

PC Magazine Top Software Product of the Year!

\$29.95 Homebase Updates Homebase mas

SAFE!!!

Homebase Version 2.0 is compatible with most popular software, including Lotus, Word, DBase III+, WordStar 2000, and peripherals such as the Hercules monographic card, and EGA.

Call Toll Free 800-538-8157 ext. 824

SPECIAL OFFER Trade in your SideKick! Get Homebase 2.0 for \$49.95 (until July 15, 1986) Just Send Us Your SideKick Disk!

in California 800-672-3470 ext. 824

Card # A		Send to: Amber Systems 1171 South Saratoga-Sunnyvale R San Jose, CA 95129	
Please add \$5 shipping and handling CA resident	s add 61/3% sales tax.	30 day money-back guarantee.	
Amount enclosed \$	For the IB	IM PC, XT, AT and compatibles.	
Name			
Address			
City	State	Zip	
Phone: (Home) Phon	e: (Office)	Ext	
Dealer, distributor and corporate qu			

*Orders outside the U.S., please add \$20 shipping and handling, (U.S. funds, please)

SideKick is a trademark of Borland International. Vicrosoft Word is a trademark of Microsoft Word star 2000 is a trademark of Microsoft Lotus 1-2-3 is a trademark of Lotus Corporation. dBase lif+ is a trademark of Ashton-Tale

More terminals without more computer



The advantages are clear. A BayTech port contender adds more users to your computer and does it at a price that's far less than expensive hardware or software modifications. A Model 5218B, for example, doubles your users by allowing 12 terminals to contend for 6 ports. Simple to set up and use, with easy-to-understand messages, the port contenders feature protocol conversion; user queue; disconnect by operator, computer or time-out; hardware or X-ON/X-OFF handshaking; and more.

Seven models. \$629 to \$1.750.



Bay Technical Associates, Hwy. 603, P.O. Box 387, Bay Saint Louis, Mississippi 39520 (601) 467-8231 Telex: 9103331618 (BAY TECH)

DO YOU KNOW WHERE YOUR PROGRAM HAS BEEN?

If you know where your program is spending its time, you can improve its performance.

The Watcher makes it easy.

The Watcher collects data from one or more runs of your program. You can then instruct it to display as a histogram the percentage of time spent in different parts of your program and in DOS functions.

The Watcher uses symbolic information from the link map, including line numbers, or information you provide to relate the data to your source program.

THE WATCHER KN@WS!



\$3995

Story Brook INC.

Forest Road, P.O. Box 107 Wilton, New Hampshire 03086 MC or Visa orders: (603) 654-2525

For any . COM or .EXE on PC, XT, AT or competibles DOS 2.X or 3.X. Not for use with Basic or other interpreters

a Macintosh disk using the MacAttach interface program.

The degree of freedom you have in creating keyboard setups is almost frightening. You can create your own sounds, musical or otherwise, and assign them to keyboards.

The instrument editor lets you control the chorusing, vibrato, tremolo, voicing, global parameters, and, via the envelope editor, the shape of the envelope waveform. The latter can consist of up to 255 separate segments, each of which can be a logarithmic-attack, exponential-growth, exponential-decay, or delay segment. Throughout, you have precise control of how quickly segments change in amplitude, what their absolute limits are, and so on.

GLOBAL PARAMETERS

There are 10 user-controllable functions that affect the Kurzweil 250 globally. They are sustain, brightness, keyboard dynamics, tremolo, vibrato, pitch-bend, channel stealing, maintenance, chorus, and transposition. Some are straightforward, such as tremolo and vibrato. Others, such as chorus, are complex and can have a profound effect on the 250's sound.

Chorusing. as defined on the 250. involves combining a sound with altered versions of itself that are delayed in time or changed in pitch or volume. Chorusing can create the impressive illusion that an entire group of instruments is being played instead of just one.

Chorusing should always be applied iudiciously, since certain keyboard setups used in the chorus mode quickly use up the available 12 channels. At that point the software must "steal" channels by selectively silencing some of the notes currently being played in order to play the newly struck keys. You have control over what algorithm the software uses to choose the notes to be "abandoned." Channel stealing is helpful in some situations but cannot get around the absolute hardware limitations of the basic system. (Still, compared to the monophonic, or one-note-at-a-time, synthesizers of the 1960s, today's polyphonic synthesizers are a plea-

(continued)



easy-to-use structured programming language they call True BASIC.

True BASIC offers a full selection of control structures. External procedures can be compiled into libraries, making True BASIC faster and more powerful than any other programming language.

True BASIC has a complete matrix algebra package and the best graphics ever in a higher level language. And there are optional libraries for things like sorting and searching and 3-D

True BASIC programs run on any computer which runs True BASIC, good news for users with more than one kind of PC.

You'll love True BASIC. Whether you're programming for your own applications, teaching others, or developing products to go to market, send in the coupon below to receive a free demo disk.

To order, talk to your local dealer or call (603) 643-3882 TODAY!

BASICina	DIST
39 South Main Street, Hanover, NH 03755 (603) 643-3	1882
My computer is: ☐ IBM-PC/com ☐ Apple Macint ☐ Commodore.	patible osh Amiga
☐ I'D LIKE TO GET MY FREE ☐ I'd like more information on the language products.	DEMO DISK.

I'm ready to buy. Call me and tell me how. ☐ I'd like information on True BASIC

Mathematics Series and other products.	
Name	_
Title	
Company/University	
Address	

City, State, ZIP. Telephone.

Suggested retail price \$149.90 Educational site licenses available from

Addison-Wesley Publishing.
True BASIC Language Sevtem is a trademark of True Basic, Inc.
Macintosh is a trademark of Apple Computer Corp.
Annuga is a trademark of Commission Business Machines.
IBM is a trademark of International Business Machines Corp.

sure.) One way to get around the limitation of 12 channels is to use the 250's MIDI capability to drive external slave synthesizers such as Kurzweil's expander (which is essentially another 250, but without the keyboard).

TRANSPOSITION

The 250's transposition feature is a particularly successful design. Let's say you learned a piece of music in the key of C, but you need to accompany someone in the key of B-flat. Simply hit the transpose-down key twice, and the synthesizer will play in B-flat. There's no need to learn a new arrangement of the piece. Then if you hit two more keystrokes on the transpose-up key, you're back in the key of C. There are five modes of transposition; octave-pitch shift, chromatic-

pitch shift, octave transpose, chromatic transpose, and timbre shift.

SEQUENCER

The 250 comes with a sequencing program that lets you store note sequences in much the same way as you would with a tape recorder, although the process is entirely digital. The sequencer does not record actual tones. Instead, it records which keys are struck on the keyboard and how hard they are struck. It also preserves the effects associated with each voice being played. You can play a piece of music, then replay it to edit mistakes or change effects. The sequencer is extremely easy to use; it even lets you store a sequence on a Macintosh disk using the MacAttach interface program. You can control every parameter of a sequence with great precision.

With the 250 sequencer, you don't need a separate drum machine, since you can quickly create your own "loops." A loop is a sequence of music that repeats continuously. You create the first loop, then instruct the sequencer to play it over and over. Also, since the sequencer is recording keystroke events rather than actual musical pitches, you can speed up or slow down a sequence with a few keystrokes. This enables you to record difficult passages at a slow tempo and then speed them up to Vladimir Horowitz specifications. Another practical application is the so-called "time-compression/expansion" technique used to create commercials that are exactly one minute long. The sequencer lets you lengthen a piece of music that is, for example, 58 seconds long to exactly 60 seconds.

THE SOUND-MODELING **PROGRAM**

The sound-modeling program, or digitizer, lets you create your own soundfiles from tape recordings, records, or even a live microphone plugged into the 250. The user interface for the digitizer is cleverly designed and particularly easy to use. I found I could create an entirely new keyboard of sounds in just a few minutes. You can have someone speak or sing into a microphone, then digitize that voice into the 250 to

Don't get burned by surge protection alone.

Now get total power protection...for as little as \$139...with the Personal Computer Line Tamer™ Power Conditioner.

Why risk any power trouble?

You will if you buy just a surge protector, Translents and spikes cause less than haif of all power prob-lems. Overvoltages, brownouts and Just plain power noise can mess up your system just as badlyTHE PROPERTY OF THE PARTY OF TH

Choose from 150, 300,450, or 600 VA models for the Line Tamer that's right for

Does It make sense to you to be half safe ... especially when so few dollars are involved?

You won't find this total power protection

from anyone else at anywhere near the price, so contact us for complete specifications and the dealer nearest you.

SHAPE MAGNETRONICS INC THE CLEAN **POWER** SOURCE

901 DuPage Avenue, Lombard, IL 60148 Phone 1 312 62O-8394 • TWX 91O-991-2352



create an Uncle Harry voice, or whatever. The 250 automatically calculates the pitches of adjacent notes. The process is the culmination of the venerable practice of composing with "musique concrete," or modified sounds taken from nature.

You can store user-created soundfiles on disk (through MacAttach) and modify them just like you can the factory-installed files, and you can combine them with the factory-installed files to create striking effects.

Several features are worth pointing out in the digitizer. One is the high fidelity that is possible with the highest sampling rate of 50 kHz. The other is the ease with which you can edit the sampled sound. Once sampled, a sound can be "trimmed" to remove unwanted material at the beginning or end of the sample.

You can trade soundfiles, instruments, and keyboard setups with other Kurzweil users via disk or modem. I belong to PAN (the Performing Artists' Network), a database bulletin board for electronic musicians and audio engineers. The Synthesizer and MIDI Development Network keeps several soundfiles in the library, which members can download. I recommend PAN to anyone seriously interested in computer music synthesis. For more information, call (215) 489-4640.

MIDI INTERFACE

MIDI is the ubiquitous communications scheme for digital music devices that has become a de facto standard in the music industry.

The Kurzweil 250 offers a particularly full implementation of the MIDI specification and allows the synthesizer to control or be controlled by a variety of other synthesizers, hardware devices, or computers. The 250 has MIDI-in, MIDI-out, and MIDI-thru jacks on the back panel.

DOCUMENTATION

Considering the complexity of the machine, the 250's documentation is surprisingly good, although there were gaps in the earlier versions—no comprehensive diagrams of the software command trees, for instance.

Need Research That Utilizes Computer-Assisted Telephone Data Gathering?

Want to gather information rapidly using state-of-the-art computer-assisted telephone interviewing? Need fast access to tabulated results? Require integrated graphics with sophisticated analysis? Are you seeking real-time information?

Call Research McGraw-Hill Research

ResearchNet is the leading edge approach to research that integrates study design, computer-assisted telephone interviewing, on-line tabulation, and report analysis capabilities as well as real-time data gathering. ResearchNet links together McGraw-Hill Research project teams, interviewers' terminals, respondent input, and you—to produce timely, accurate and meaningful study results.

For a quote or proposal call Sheryl R. Fox (609) 426-5946 (Information Data Gathering) or Joseph T. Collins (212) 512-3264 (Full-Service Research) or write David P. Forsyth at McGraw-Hill Research, 1221 Avenue of the Americas, NY, NY 10020



If it's a marketing research problem, we probably pioneered the solution.

Save \$5.00 with this ad

ISN'T IT TIME TO TRADE IN YOUR NORTON UTILITIES™*

or any other favorite utility, for the next generation disk and file management system?

DMS/The Disk Management System is THE ANSWER!!

DMS is an Easy to Use, Menu-Driven, Full Screen software package that will help you:



- INCREASE SYSTEM SPEED AND RELIABILITY using the Align and Pack Commands
- EFFICIENTLY LOCATE AND REORGANIZE INFORMATION with Search and Sort commands.
- QUICKLY EXECUTE applications using function keys.
- GET A FULL PICTURE of information on your disk with Tree, Dump, and Map commands.
- RECOVER WITH EASE, erased files using the Recover command.
- CUSTOMIZE attributes of files and directories.
- INCREASE YOUR EXPERTISE with these and many more functions.

Over 40 Disk and File Management Functions at your finger tips.

WARNING: YOU MAY NEVER HAVE TO BUY ANOTHER DISK/FILE UTILITY AGAIN!!

'in fact, you can save an additional \$10 by mailing in the distribution diskette of your obsolete utility. Norton Utilities is a trademark of Peter Norton.

All these features normally priced at \$99.00 now only \$94.00 with this ad

Demo diskette available for only \$5

Maryland Residents please add 5% sales tax.

To order direct call: (301) 384-1425 or Toll Free: 1-800-524-1081

Send order and payment to 12904 Olivine Way

Silver Spring, MD 20904



DMS runs on IBM PC, PC/XT, PC/AT and most compatible systems, running DOS 2.0 and above.



\$149.95

prop this battery powered printer into your briefcase and you have an office on the road. On-The-Go is loaded with features that give your printed output an extra touch of professionalism.

- it's small, just 19"x4'4"x2"
- It's light, less than 21/2" pounds . 40 cps for two hours on 4 "C" batteries
- Normal, enlarged, double width, double strike, condensed, and shadow printing Quiet, reliable thermal printing
- 81/2" wide roll or single sheet paper
- Epson MX-80 graphics compatible
- Industry standard parallel interface
- 5x7 character matrix with lowercase decenders & underlining
- 90-day limited warranty • 30-day money back guarantee



MEMORY LAPTOPP

5249 96k for Tandy 600 5 89 5 29

24K for Tandy 200 8K Tandy 100, NEC 8201

visa & Mastercard accepted. Include 4% for UPS shipping and insurance DEALER & DEM INQUIRIES INVITED

California (805) 482-9699 Toll Free (800) LAP-TOPP



The biggest bottleneck to using the 250 is the MacAttach program.

This situation has since been alleviated by the excellent diagrams in the Byrd and Yavelow paper, copies of which have been sent to all Kurzweil

One drawback to the documentation is that it's hard to find things when you need them. However, those sections describing the sequencer and the sound-modeling programs are particularly well written.

NEW DEVELOPMENTS AND MISCELLANEOUS NOTES

The biggest bottleneck I found to using the 250 is the MacAttach program. At 56,700 bps, MacAttach version 2.0 (which I used for this review) is far too slow, taking from 2 to 4 minutes to load one custom soundfile. This would be prohibitively slow for the live performer. To compound things, MacAttach makes no use of the Macintosh's graphics, and its functions are restricted to loading files to and from the synthesizer's memory and making disk copies. However, this past winter the Kurzweil people told me that they plan to announce Fastlink, an interface card for the Kurzweil that will increase MacAttach data transmission tenfold, making it possible to load a file in 5 to 10 seconds. instead of 2 to 4 minutes.

They are also optimizing the Kurzweil 250 for use with a Macintosh equipped with a hard disk drive, and in particular, to work more efficiently with sophisticated MIDI-based music software such as Mark of the Unicorn's Performer and Southworth's Total Music.

In response to criticism that the piano voice has some weaknesses (slight pitch aberrations, certain tubbiness in the midrange, and slight discontinuities from one keyboard region to the next), the company has remasked the ROMs containing the piano voice (and several others). It is now much smoother and more accurate. The new harpsichord voice is also excellent, as are several other new voices in the upgraded software. The approximate charge for retrofitting to the new voicings is \$2500.

Redoing the ROMs gave the designers the chance to convert from 256K-byte chips to 1-megabyte chips. freeing up several slots on the motherboard for more sound blocks. Announcements of new sound blocks should be forthcoming.

The currently available Sound Block B features 10 new rock-drum sounds. all recorded in New York with the help of such musicians as Phil Collins and the Thomson Twins. It also includes an electric piano, electric guitar, and other voices.

I have a library of about 20 custom sounds for the 250 that I obtained from the company and from users groups. Most of them are adequate; a few are standouts. It's great fun to create your own.

CONCLUSIONS

For a variety of reasons. I feel the Kurzweil 250 Digital Synthesizer is the most important advance in the art of computer music synthesis in the past 10 years. Other approaches may have their particular advantages, but nowhere else have I found a machine that can do all the things the 250 can do for the price.

The 250 is not cheap, but combined with a good analog or digital multitrack tape recorder, it's just about all you need to create a high-powered electronic music studio. The design innovations contained in the 250 will undoubtedly be copied by others, and it's only a matter of time before the Japanese begin to upgrade their designs. (Kurzweil is in fact working with a Japanese company to create a new. lower-priced design.) When the next wave of machines arrives, the state of the art will really take off.

BIBLIOGRAPHY

Kurzweil, Raymond, "The Goals of the Kurzweil 250." August 1984, unpublished.

Loy, Gareth, "Musicians Make a Standard: The Phenomenon of MIDI." Computer Music Journal, Winter 1986, 1This article is the best treatment of MIDI I have seen to date.)

STANDARD BRAND PRODUCTS

STD-AT

IBM_® PC-AT_™
COMPATIBLE
COMPUTING
AT AN
AFFORDABLE
PRICE...



- Intel 80286 Processor
- MS DOS 3.1 Included
- 640K RAM On Mother Board
- 1.2 MB Floppy Drive
- Dual Floppy & Hard Drive Controller
- Clock/Calendar With Battery Back-Up
- Optional 80287 Math Co-Processor Available

\$1699

- Compatible
- Full Documentation
- Reliable
- Extended Burn-In Testing

STANDARDIE PC/XT

STANDARDIE Turbo-XT

- Intel 8088-3 (4.77 MHz)
- STD-5150 Keyboard
- 1-Half-Height Floppy Drive
- 640K Ram
- 135 Watt Power Supply
- 8 Expansion Slots

\$629



"Runs Major Software Written For The IBM+ PC & XT"

- Intel 8088-2 (4.77 or 6.66 Mhz)
- Keyboard Selectable Clock Speed
- Up To 40% Faster Processing Speed
- STD-5160 AT Style Keyboard
- 640K Ram
- One Half-Height Floppy Drive
- 8 Expansion Slots

\$729

All Standard Brand
Products Carry A
1 Year Warranty!





TM

Setting The Import Standard!!

STANDARD BRAND PRODUCTS

Enhancement Products For The IBM. PC Market...

STANDARD MFC

w/384K

Multifunction Card



- 384K Ram
- Clock/Calendar
- Serial Port
- Parallel Port Game Port
- Software

\$129

STANDARD MonoGraphic Card

Hercules Compatible Monochrome Graphics Card



- Text Mode 80X85 Characters
- Graphics Mode 720X348 Pixels
- Parallel Port

BID (C

Floppy Disk Controller



Controls Un to 4 Floppy Disk. Includes Internal Cables

\$49

5151 Keyboard

For The IBM - PC or XT



With Separate Numeric And Curser Keypad

\$99

Multifunction Card for IBM AT



UpTo 1.5 MB Memory Expansion. Portfor IBM AT. . w/OK\$189 Serial & Parallel

Power Supply

150 Watt



Replacement Power Supply.

\$85

Monitor

Monochrome Monitor



80X25 Lines 720X350 Pixels. \$99

I/O Board



Serial Port, Parallel Port & Clock/Calendar . .

\$99

ColorCard

Color Display Card



ColorCard \$99 w/Parallel Port . . .

MonoCard

Monochrome Display Card



MonoCard w/Parallel Port . . .

PowerMaster AC Center

Three Important Functions In One Unit!





Rear Panel

4 Separate Power Outlets With On/Off Switch On Front Panel

Surge Suppressor

Swivel Base Monitor Stand

No Charge For UPS Ground Shipping. No Surcharge For MasterCard or VISA. Fortune 1000 Purchase Order Welcome. Warranty Work Requires Proof-Of-Purchase And Return Authorization Number.

tandard Brand Products" are not sponson M, PC, PC-XT & PC-AT are registered trad



12303-G Technology Blvd. Austin, TX 78727



R·E·V·I·E·W F·E·E·D·B·A·C·K

POCKET APL

In response to the review of STSC Inc.'s Pocket APL (March, page 237). I think Eric Johnson should have made the following two points: One, the program does take advantage of the 8087, if installed. There is a section in the supplied manual that shows the user how to change the program to software floating-point math if the 8087 default is not installed.

Two, APL's strength is in array processing, and the Calculations benchmark, as written, is not the best test of the calculating power of the program. For example:

		♥CALC2
	[1]	A+1000p+1
	[2]	B+1000e01
	[3]	C+1000e1
	[43	N+5
	[5]	I+i
	[6]	C+C×A
	[7]	C4-C×B
	[8]	C+C+A
	[9]	C+C+B
	[10]	I÷I+1
	[113	+6×LI(N
١.	[12]	'DONE'

This function performs 10,000 multiplication and 10,000 division operations in 64-bit double-precision numbers in 12 seconds. Compare this with the 7:18 time (see table 1, page 238) in the review. Also, with an 8087 installed, the correct figure for the Calculations benchmark as written in the review is 6:16, which illustrates how much time is spent calculating.

KEVIN DOWNING Evanston, IL

The review gives examples of APL's use of arrays. The benchmark was structured to compare APL's mathematical abilities with BASIC's.

JON EDWARDS Technical Editor, Reviews

COLOR FOX

We would like to correct one minor misconception and point out one major

(and almost universally overlooked) virtue in John D. Unger's review of the Color Fox (January, page 301).

He states that the machine without the video board is slower for screen operations because it uses BIOS scrolling routines. It is definitely slower, but that's not the reason. The unaugmented Sanyo actually has to draw the dot configuration for each character on the screen using the main CPU.

A unique capability is buried in the Sanyo equipped with a video board, however. If you have two monitors available you can configure it as a two-screen system (e.g., text in monochrome using the video board and high-resolution color graphics using the Sanyo video circuitry; that's 640 by 200 pixels by 8 colors). We have recently sent some notes and software to SanPic Users Group (1967 Defiance Avenue, Las Cruces, NM 88001) showing how to use this capability for 320 by 200 pixels by 27 colors. We are not aware of other available software that exploits this capability.

KURT RUDAHL SALLY GOLDIN Bangkok, Thailand

ECO-C88 C COMPILER

In the review of the Eco-C88 C compiler (January, page 307), David D. Clark uses a popular factoring algorithm—the Pollard rho method—as a benchmark (listing 3) to test the implementation of long integers. While the program may have dubious usefulness as a benchmark, it is not a correct implementation of this algorithm. The problem arises in the line

$$x = (x*x + 2) \%p;$$

and in the two subsequent similar lines. The variable x may take any value less than p; therefore, the multiplication $x \cdot x$ will eventually cause an overflow if p^2 is much greater than $2^{31}-1$, the greatest positive number that can be represented in 32 bits. This is true for the number given, and indeed for most larger numbers of interest. Most C compilers do not incorporate the code necessary for overflow checking, so no error is reported.

For the number used, 1394761, and using the program given, the factor 1181

is found after 871 iterations. A correct implementation takes only 38 iterations. It is a credit to the robust nature of this algorithm that it still works at all! A correct implementation can be obtained by declaring a double variable *d*, and by replacing the above line (and the two subsequent lines analogously) by

d = (double) x*x + 2;x = d/p;

x = d - (double) x*p;

This is awkward and will not work for the largest values of p, but it works correctly for the given number.

Since the way in which a program reacts to an overflow situation may vary from compiler to compiler (and certainly will for different sizes of long int), I think it is dangerous to use this program as a benchmark.

MICHAEL SCOTT Dublin, Ireland

The changes you suggest do correct the overflow problem and cause the program to operate as it should. Of course, they also destroy the utility of the program as a long integer benchmark. Also, if an argument in the range appropriate to the program is used, the program runs too fast to be useful as a benchmark. After experimenting with several other arguments. I am also amazed that the program works when overflow occurs. The value in the program is not unique in that respect. Factors of other large numbers can be found even when intermediate calculations overflow. The only difference is the unusually large number of Iterations required to find a factor (the number of iterations required should have been a clue that the original program was not functioning as expected). I am not mathematically astute enough to explain why the algorithm still works with a pathological argument.


DAVID D. CLARK

REVIEW FEEDBACK is a column of readers' letters. We welcome responses that support or challenge BYTE reviews. Send letters to Review Feedback. BYTE Publications, One Phoenix Mill Lane. Peterborough. NH 03458. Name and address must be on all letters.

The database used now be used

Introducing dBASE III PLUS."

The PLUS stands for all the improvements we've made to the world's number one selling database management software.



The Assistant helps beginning users accomplish day-to-day data management tasks without programming.

Mind you, dBASE III PLUS still has the powerful dBASE programming language, dot prompt, and all the features that have made dBASE III the standard of the industry.

We've simply raised the standard.

And just as dBASE III introduced more power to the people, our new dBASE III PLUS introduces more people to the power.

People who aren't all that crazy about

programming, for example.

The Assistant feature in dBASE III PLUS now provides them with new easy-to-use pull-down menus for creating, using and modifying multiple databases.

So now anyone who can manage a simple cursor can manage day-to-day data management tasks. Without programming.

And by using our new Screen Painter,

anyone can create custom screens. Without programming.

Or using View, access related information in several databases at one time. Without


programming.

With Advanced Query System, another new non-programming feature, any user can build complex queries just by selecting from the dBASE III PLUS pull-down menus.

For rapidly creating entire programs, there's even a new Applications Generator.

And for all those who wish to learn to program, the Assistant can be of further assistance. By teaching you programming commands as you go along. Without disrupting your work flow.

These are only a few of the dBASE III PLUS features that can help new users quickly get up to speed. And experienced users quickly increase their speed. (Sorting, for example, is up to two times faster and indexing up to ten times faster than dBASE III.)



Advanced Query System lets you set up and answer complex queries without programming.

by more people can by more people.

And it's the fastest way to network those users, too. Because now, true multi-user capabilities for local area networking are built right in.

dBASE III PLUS can also help put developers in the fast lane. With a new Data Catalog and more than 50 new commands and functions. Plus code encryption and linking, improved debugging aids, assembly language calls and much more.

For the name of the Ashton-Tate*dealer nearest you, call 800-437-4329, Extension 0282.**


And get your hands on dBASE III PLUS. It's the software more people can look forward to using. Inquiry 30

*Upgrades are available to all dBASE III owners. **In Colorado call (303) 799-4900, Extension 0282, Requires IBM*PC or 100% compatible. Trademarks/owners: Ashton-Tate, dBASE III PLUS/Ashton-Tate, IBM/International Business Machines Corp. © Ashton-Tate, All rights reserved, 1986.

ASHTON TATE

dBASE III PLUS

The data management standard.





Kernel

COMPUTING AT CHAOS MANOR: COLOR AND CP/M by lerry Pournelle	. 295
BYTE U.K.: MODEM MYSTERIES REVEALED by Dick Pountain	319
APPLICATIONS ONLY: UPGRADE FEVER by E2ra Shapiro	. 329
BYTE JAPAN: New Tools, New Challenges by William M. Raike	. 339
According to Webster: Storage for the Masses by Bruce Webster	.347

COLOR AND CP/M ARE the major themes of Computing at Chaos Manor this month. Looking at a new color monitor from NEC, the MultiSync, leads Jerry to the conclusion that the era of color text is here. And wondering whether he should finally retire Zeke, he comes to the conclusion that CP/M isn't dead. There are a lot of CP/M machines out there, they're good at what they do, and there's plenty of CP/M software. Jerry also looks for a macro editor and has the BDS 630/8 laser printer fixed.

In BYTE U.K., Dick tells us what happened when he added a WS3000 multistandard modem to his computer system. Miracle Technology Ltd.'s new family of WS3000 modems are just about the state of the art in personal computer modems.

In Applications Only, Ezra tells us about four new versions of old, familiar programs: WordStar 2000 Release 2, dBASE III Plus, Volkswriter 3, and Keeptrack Plus.

Our correspondent in Japan also added a modem to his system this month. Bill describes his experiences with his new Hayes Smartmodem and also with the DeSmet C development package, a C compiler.

Bruce Webster takes another pause from the 68000 wars. He begins the article with an industry update, in which he looks at what some of the major computer companies are up to. Bruce then looks at a couple of storage devices: MacBottom and the DASCH external RAM disk. MacBottom proves to be his product of the month. Bruce concludes by making some comparisons of mass storage devices, including a correlation between speed and fragility.

That's right! Now up to eight PCs, word processors, CAD systems, or whatever can share two printers automatically.

In addition to eight serial input ports, the PSU-81B gives you two output ports—one serial, one parallel—that can operate simultaneously.

You also get lots of other convenient features, including a pause button, clear button, memory test, TOF, and of course, a 256K dynamically allocated buffer.

So for under \$800, make your laser printer eight times more cost effective.

Check into our new PSU-81B, and other low-cost automatic printer sharing units, from the leaders in data communications technology.

Call or write WTI today for a complete catalog. In California, call (714) 979-0363. Telex 467741.

800-854-7226





COLOR AND CP/M

BY JERRY POURNELLE

I've started this four times. There's no easy way. I ended last month's column just before going out to Caltech's Jet Propulsion Laboratories for the Voyager encounter with Uranus. It was an absolutely wonderful weekend. Many

friends and colleagues came down for the encounter. We had a wild party here at Chaos Manor, and then all got together out at JPL to watch Voyager do its stuff. Charley Kohlhase, whose programs control Voyager's flight, joined us—Voyager arrived one minute early after more than five years and billions of miles in transit! Marvin Minsky showed up at JPL, found out where the science fiction writers were, and spent the rest of the day with us. We ended up at Burger Continental for dinner. Sunday was similar. A wonderful weekend.

Then came Tuesday morning and Challenger, and it wasn't so much fun anymore.

Since then I've received a lot of mail from readers saying the same thing: we've always thought we ought to support the space program, but we never got around to it. What should we do?

I've no room for the long answer. The short answer is, send \$30 to join the L-5 Society Promoting Space Development, 1060 East Elm St., Tucson, AZ 85719. Tell 'em Pournelle sent you. They'll tell you the rest.

Meanwhile, I've been busy. The space movement has known for a long time that we'd lose a shuttle one day; but we weren't really prepared when it happened. There's so much to do: press releases; news interviews, some sane and some absurd; and organizing the policies we ought to advocate. You can see what's coming: I didn't do anywhere near as much puttering around with small computers as I would have liked. On the

Jerry looks at the prospects for color and shows that CP/M isn't dead

other hand, by making use of BIX, BYTE's electronic conferencing system, I was able to put together a national conference bringing together people from the White House staff, the National Commission on Space, the aerospace industry, major universities, and the space advocacy groups. I expect something will come of all that.

MULTISYNC

The official name is the NEC JC-1401P3A MultiSync Monitor. With a name like that, it's got to be good? In any event, it certainly is. NEC calls the MultiSync "the intelligent monitor," and it pretty well lives up to the billing.

The MultiSync isn't very large: I measure 12 inches diagonal of useful area. It comes with a neat swivel stand; when you set it up, it's about 14 inches high by 14 inches wide by some 18 inches deep (if you leave room for the cables). The stand swivels and tilts so that you can partially pack a keyboard under it for storage.

The MultiSync's resolution is 800 horizontal dots by 560 lines. Eighty-column text could have 10 dots horizontal width per column by as many vertical dots as you like. I've no real feel for those numbers. Subjectively, it looks good; more on that later.

The distinguishing feature of the MultiSync is that you can use it with a wide range of color boards. I took mine out of the box and plugged it into Big Kat, the Kaypro 286i IBM PC

AT clone that normally drives a 19-inch high-resolution Zenith monitor. No adjustments needed: MultiSync worked fine.

Not only did it work fine, but I was tempted to leave it in place. The MultiSync display

is crisp and sharp. Text looks good on this monitor. The only problem, for me, is that the text is a little small. I'm farsighted, sufficiently so that I'm most comfortable sitting 30 to 35 inches from an eye-level monitor. The MultiSync is sharp enough that I can see and read text at those distances. but it's not really large enough for comfort; and due to the layout of my office, the screen for Big Kat is most conveniently placed 36 inches from my schnozz. I left the MultiSync connected to Big Kat for a day or so, but eventually I went back to my enormous Zenith, which doesn't look as sharp but is certainly large enough.

Next I connected MultiSync to the Golem, our monster CompuPro S-100 286/Z80 SPUZ system. The Golem can drive up to four physical consoles. One of those consoles is Old Reliable. the TeleVideo 950 I bought the first year I did this column. (Incidentally: anyone out there know where I can get some key caps for a 950? The only problem with my Telewidget is that the housekeeper dropped the keyboard last month and lost two key caps.) The other physical console for the Golem isn't exactly a console. It's the CompuPro S-100 PC Video board, which apes the IBM PC color system. With the PC Video board, a properly equipped CompuPro running Concurrent CP/M will also run about 85 per-

Jerry Pournelle holds a doctorate in psychology and is a science fiction writer who also earns a comfortable living writing about computers present and future. cent of the software developed for the IBM PC, including Lotus 1-2-3 and Flight Simulator.

The MultiSync works splendidly with the PC Video board. Text looks nice—once again, a bit small for people who like to sit as far away as I do; but it's readable, and everything is as steady as if it were painted on.

MultiSync will, without modification, work with the Enhanced Graphics Adapter PC board that is rapidly becoming the business standard; and also, I'm told, with the Professional Graphics Controller. I'm getting a Professional Graphics Controller, and I already have a Princeton Graphic PGC monitor; I'll provide a comparison when the Princeton board comes.

Meanwhile, the MultiSync is trouble-free. The instructions are clear. It works fine with the Perma Power Color Commander gadget (which lets you reprogram the color outputs; see last month's column). MultiSync has a text mode that lets you add color to text or background; not as flexible as the Color Commander, but likely to be all you'd need. Finally, MultiSync runs cool compared to some color monitors I've had here. I do wish it were about two inches larger.

COLOR TEXT?

I'm convinced that the era of color text is here. On the other hand, I've been convinced before. Maybe it's the atmosphere at computer shows—I go to them, see text in color on screens, and come away convinced that it's something I could work with. Then I get it home, and it isn't.

It's likely I'm not trying the right stuff. It has taken me a long time to realize that the problem isn't the monitor, it's the computer hardware that drives the monitor. The standard PC color boards, including Compu-Pro's PC Video board, just are not good enough; not for me at any rate. Examining them closely shows why. My ancient Processor Technology VDM board—probably one of the last in the world still in operation-has about 11 vertical by 9 horizontal dots in the matrix that forms each letter. (I don't know exactly; I've mislaid the documents, and it's nearly impossible to count them on screen because they run together, which, of course, is what you want them to do.)

While the MultiSync monitor could handle that, the IBM PC color and PC Video boards don't have that many dots forming each letter. The edges of the letters are therefore fuzzier. The better the monitor, the less fuzzy it is, but even with the best monitors there's still too much fuzziness. That's something I should have known (and heaven knows enough people tried to tell me); I can only plead that with the construction and other distractions, I wasn't paying attention. Worse: last spring during construction a Hercules color board came in here, but it got separated from its documents, and both got lost in the swim. I've started a search, but it hasn't turned up, and it's deadline time: so I can't even report on how that board looks with MultiSync.

I've more to confess. For months we have had a Princeton Graphic SR-12 color monitor sitting in the storage room. It arrived during hectic construction, when I was hounded from room to room by carpenters tearing down walls faster than I could move computers. At a show, I thought that the Princeton monitor had some of the best color text I'd ever seen; it arrived and wouldn't work with the standard color board in Big Kat. It isn't supposed to, of course. It needs a special color-video board. Somehow that board never arrived, and due to alternate waves of sloth and frantic activity here we forgot to remind anyone. Consequently, the SR-12, which friends assure me is one of the world's great monitors, has blushed unseen like the flower in the crannied wall. That too will be remedied, but not before I turn in this column.

So: it's probably my fault I don't have good color text for a PC AT. On the other hand, when I check with knowledgeable friends, they say they haven't really solved the problem either. On the gripping hand, as the Moties say, I know it can be done. By "good" color text I mean letters large enough for me to see and as well formed as those I have on my 1978 VDM board and my even older 14-inch Hitachi monitor; in other words, text that I could stand to look

at hour after hour; text that won't distract me when I'm trying to write books. I know it's possible, for two reasons.

First, the standard color output from the Kaypro 286i is almost good enough now. It would be good enough for most people, I think. I use Big Kat for my on-line communications, particularly BIX. I spend at least an hour a day at that. It doesn't take the concentration that creative writing demands. but I'd much rather write books on Big Kat than on, say, the original Kaypro II with built-in screen, and I did manage a novel on the Kaypro. Not only that, but a number of good writers, including Norman Spinrad and Roland Green, have done the same, and indeed continue to work with the older Kaypro machines to this day.

Second, the color outputs of both the Atari 520ST and the Amiga are already good enough to write books on. So far I haven't found a good enough (for me) text editor for either machine, but that's only a matter of time. Not only are there some really good programmers writing editors for both machines, but some of those programmers are in communication with me through BIX. They may not follow all my prejudices, but they're at least aware of them.

LOOKING AHEAD

"I'm getting old, boss."

"Eh?" I woke from dozing. Zeke was nattering.

"Old. You just said it yourself. My VDM board was part of Zeke I. That's nine years old! I've got 8-inch disk drives. Noisy. And I'm big, huge, take up a whole corner of your new office. Big Kat there is no bigger than my disk drives! Time to retire. The boys would like to have me. Or Mrs. Pournelle. Or Notre Dame. It's silly. All those columns about the future of computers written on an obsolete CP/M wreck like me."

"You're no wreck, and you're not obsolete;" I shouted, and woke up; but it gave me pause to think. Not that Zeke II can't do everything he was bought for. He can. Visitors are generally startled at just how fast he is at handling text and at saving it, if they're used to 5¼-inch floppies;

(continued)

THE PROGRAMMER'S SHOP

helps save time, money and cuts frustrations. Compare, evaluate, and find products.

RECENT DISCOVERY

dBASE Tools for C - incorporate C functions as extensions to dBASE III Plus. Also functions for business graphics, arrays, math, stats.

MS C, Lattice, Aztec. PC Graphics \$ 79

Tools \$ 79

AI-Expert System Dev't

Arity System - incorporate w/C. PC \$295
Experteach - Improved, samples PC \$399
EXSYS - Improved, Debug, file &
external program access. PC \$339
Ist Class - by example, interfaces \$250
Insight I - Probabilities, fast MS \$79
Insight 2 - dB2, language MS \$399
Others: APES (\$359), Advisor (\$949),
ES Construction (\$100), ESP (\$845),
Expert Choice (\$449)

AI-LISP

List Our

GC LISP Interpreter - "Common", rich.
Interactive tutorial \$495 Call

GC LISP 286 Developer - 2 to 15 meg

RAM, compiler & interp. \$1195 Call

Microsoft MuLisp 85 \$199

TLC LISP - "LISP-Machine" - like,
all RAM, classes, compiler. MS \$225

TransLISP - Good for learning MS \$ 75

WALTZ LISP - "FRANZ LISP" like, big nums, debug, CPM-80 MS \$149

Others: IQ LISP (\$155), BYSO (\$125),
UNX LISP (\$59), IQC LISP (\$269)

AI-PROLOG

ARITY Standard - full, 4 Meg PC \$ 350 PC \$ 795 Interpreter - debug, C, ASM \$ 795 COMPILER/Interpreter-EXE PC With Exp Sys, Screen - KIT \$1250 MicroProlog - enhanced MS \$ 229 MProlog - Improved, Faster PC \$ 475 MS \$ 359 Professional MicroProlog Prolog-86 - Learn Fast MS \$ TURBO PROLOG by Borland PC \$ Others: Prolog-1 (\$365), Prolog-2 (\$1795)

Editors for Programming

BRIEF Programmer's Editor -PC Call undo, windows, reconfigure Screen with source 80/86 \$ 75 EMACS by UniPress - powerful Source: \$949 \$299 multifile, MLISP. Epsilon - like EMACS PC \$169 FirsTime by Spruce - Improve productivity. Syntax directed for Turbo (\$69), Pascal (\$229), or C (\$239) Kedit - like XEDIT PC \$115 Lattice Screen Editor-multiwindow Amiga \$100 MS \$125 multi-tasking PMATE - power, multitask 80/86 \$159 VEDIT - well liked, macros, CPM-80-86 MS \$119 XTC - multitasking PC \$ 85

FEATURE

Dan Bricklin's Demo Program. Prototype quickly. User feedback without programming. All 250 ASC characters plus attributes. Subsetting, macros. PC \$ 75

Free Literature Compare Products

Evaluate products. Compare competitors. Learn about new alternatives. One free call brings information on just about any programming need. Ask for any "Packet" or Addon Packet DAID ADA, Modula DBASIC C"C" DCOBOL DEditors FORTH DFORTRAN DPASCAL DUNIX/PC or Debuggers, Linkers.

Our Services:

Compare Products
 Reip find a Publisher
 Evaluation Literature FREE

Newsletter
 Rush Order

BBS - 7 PM to 7 AM 617-826-4086

Over 700 products
 National Accounts

C Support-Systems

Basic-C Library by C Source C Sharp - well supported, Source, realtime, tasks PC \$600 C ToolSet - DIFF, xref, source Lattice Text Utilities PC \$99 The HAMMER by OES Systems PC LINT - checker MS \$125 SECURITY LIB - add encrypt to MSC. C86 programs. Source \$250 PC \$125

Fortran & Supporting

ASC Time Series	\$469
Forlib + by Alpha - graph, comm.	\$ 59
MACFortran by Microsoft - full '77	\$229
MS Fortran	\$219
No Limit - Fortran Scientific	\$129
PolyFortran - xref, pp, screen	\$149
Prospero - '66, reentrant	\$349
RM Fortran - enhanced "IBM Ftn"	\$399
Scientific Subroutines - Matrix	\$149
Strings and Things - registers, shell	\$ 59

MultiLanguage Support

BTRIEVE ISAM	MS	\$1	99
BTRIEVE/N - multiuser	MS	\$4	69
CODESIFTER - Execution PRO-			
FILER. Spot bottlenecks.	MS	\$1	09
HALO Graphics- Multiple video			
boards, printer, rich. Animation			
Any MS language, Lattice, C86	PC	\$2	49
Pfinish Performance Analyzer	MS	\$2	279
PLINK-86 - a program-independe	ent		
overlay linker to 32 levels.		\$2	:79
PLINK-86 PLUS - incremental	MS	\$3	169
PolyLibrarian	MS	\$	85
PVCS Version Control	MS	\$3	159
Screen Sculptor - slick, thorough	PC	\$	99
ZAP Communications - VT 100,			
TEK 4010 emulation, full xref.	PC	\$	85

ATARIST & AMIGA

We carry full lines of Manx, Lattice, Metacompo and Prospero.

Call for a catalog, literature and solid value

800-421-8006

THE PROGRAMMER'S SHOP™

128-B Rockland Street, Hanover, MA 02339 Mass: 800-442-8070 or 617-826-7531 4/86

RECENT DISCOVERY

dBrief, the dBASE Assistant optional syntax directed editing,
screen gen, graphics, speed coding,
dBASE II, III, Clipper. PC \$ 95

C Language-Compilers

AZTEC C86 - Commercial	PC	\$399
AZTEC C65 - Personal App	ple II	\$199
C86 by CI - 8087, reliable		\$299
Consulair Mac C w/toolkit	MAC	\$299
Lattice C - from Lifeboat	MS	\$289
Lattice C - from Lattice	MS	\$339
Mark Williams - w/debugger		\$399
Megamax - tight full ATAR	L/ST	\$179
Microsoft C 3.0 - new	MS	\$259
Q/C 88 by Code Works - Compil	ег	
source, decent code, native	MS	\$125
Wizard C - Lattice C compatible	•	
full sys, III, lint, fast.	MS	\$389

C Language-Interpreters

C-terp by Gimpel - full K & R,		
.OBJ and ASM, large progs.	MS	\$249
INSTANT C - Source debug,		
Edit to Run-3 seconds	MS	\$399
Interactive C by IMPACC Associa		
Interpreter, editor, source, debug	. PC	\$225
Introducing C - learn C		
fast, self paced tutorial	PC	\$109
Professional Run/C - Run/C plus		
create add-in libraries,		
load/unload them.	MS	\$199
Run/C - improved	MS	\$109

C Libraries-General

Application Programmer's Toolkit Mi	\$ \$349
Blaise C Tools I (\$109), C Tools 3	
	\$ 85
C Food by Lattice-ask for source MS	
C Power Windows by Entelekon PC	\$119
C Utilities by Essential - Comprehens	sive
screen graphics, strings. Source. PC	\$139
Entelekon C Function Library PC	
Entelekon Superfonts for C PC	\$ 45
Greenleaf Functions - portable, ASM	\$139
Polytron - for Lattice, ASM source	\$ 85
Software Horizons - Pack I PC	\$129

C Libraries-Communications

Asynch by Blaise	\$149
Greenleaf - full, fast	\$139
Software Horizons - pack 3	\$119

C Libraries-Files

Source - Multiuser

FILES: C Index by Trio-full B+		
Tree, vary length field, multi con	npiler	
/File is object only	MS	\$ 89
/Pro is partial source	MS	\$179
/Plus is full source	MS	\$349
CBTREE - multiuser record lock	ing.	
sequential, source, no royalties		\$ 99
CTree by Faircom - no royalties	MS	\$339
dbVISTA - full indexing, plus op	tiona	1
record types, pointers, Network		
Object only - MS C, LAT,		\$179
Source - Single user		\$429

MS \$829

"BRIEF has improved my productivity tenfold. It paid for itself in 2 weeks!"

David Norwood, Microsystems Manager

Tailor Editing to Your Style

- · A high-level, readable Macro Programming Language - allows customization for programming languages . . . Complete, unlimited variables, etc.
- Edit multiple files of unlimited size (2 Meg is OK)
- Multiple Windows on screen with different or same file, fragments, etc.
- · A bona-fide UNDO stack (up to 300) of all operations: deletions, reading files, search, translate, more.

For PC. AT. compatibles and Tandy 2000.

Only 8195

- Full "regular expression search" wild cards, complex patterns
- Reconfigurable keyboard
- Adjustable line length up to 512.
- Keystroke macros for common typing sequences
- Suspend BRIEF to execute, exit to DOS - run another program (like a compiler, dir, XREF, DIFF, or DEBUG) then resume BRIEF session
- Compiler-specific support like auto indent, syntax check, compile within BRIEF

335-B Washington St., Norwell, MA 02061 617-659-1571

CALL 800-821-2492.

LEARN LISP

Interactively and Write Real Programs with TransLISP for Only \$75

A "COMMON LISP" compatible Tutorial, Interpreter, Debugging, and Pretty Printer plus a Fast, Full Screen Editor, Samples and Help

☐ Start Easily and Quickly:

A complete, modular tutorial helps you learn LISP at your own pace. An integrated, interactive environment provides all of the elements needed to enter, modify, analyze and debug programs.

Natural Language, Expert Systems and Symbolic Manipulation:

Natural Language concepts are illustrated by a phone number retrieval program. Choose the best word processing program for you with the Expert System. Arithmetic expressions are translated to Assembler using a code generation program.

☐ Write Realistic Programs:

Short examples and substantial programs of about 10 pages in length help you learn by modifying, studying and using the key concepts needed to write programs of 1000 lines or more.

☐ The "COMMON LISP" Standard:

TransLISP includes a 300 + function subset of the "COMMON LISP" Standard. Use extras like the MSDOS interface and graphics. Or use "strict compatibility" to make programs written in TransLISP, upwardly compatible with other COMMON LISP systems like VAX LISP, GC/LISP or LISP Machine LISP.

Recent Improvements: 640K Memory use supports 12000 line programs. Full 8087 and 8086 floating point included.

Runs on any MS/PCDOS System with 256K. It is not copy protected. The best LISP I've ever used. Three times before, I tried to Jearn LISP, but until now I could never break through the surface." W.L. Whipple, User

Sall telling is not a series ONLY \$75

335-B Washington St. Norwell, Mass. 02061 617-659-1571 800-821-2492

Zeke's 1.2-megabyte 8-inch drives are just about twice as fast as Big Kat's floppies, I'm used to him.

On the other hand. Zeke has become a dedicated word processor. Not that he can't do anything but write. I still have lots of CP/M Z80 programs for accounting, making calendars and keeping my schedule, and all the other things I expect small computers to do for me: but both PC-DOS and Concurrent DOS are so much faster. and it's so much more convenient to have those programs memory-resident and readily available, that I haven't fired up Zeke for anything but writing since we moved upstairs.

In fact, when I finish this column, I'll save it on Zeke's 8-inch disk, then turn around and put that disk in the Golem to check the spelling. I check spelling with The Word Plus, and, frankly, I don't even remember if I have a Z80 version or if it was upgraded to run on the 8086 family. The Golem has both, and they operate invisibly; and he's terribly fast, especially when I run the spelling program from the CompuPro M-Drive/H memory drives, I can then save the corrected column on the Golem's 514-inch drive in PC-DOS format, insert the PC floppy into Big Kat, and send it all off to Peterborough through BIX.

That's absurd. Three computers to get the column out? Surely one can go-but which?

Probably Zeke. What I should do is start a quest for a really good terminal I can run off the Golem at 38.4 kilobaud (or kilobits per second, as they want you to say now, although I can't guess why). Last time I looked, there weren't any that would scroll text fast enough for me: when I flip a screen page, I want that to happen right now. But surely there are new terminais that will do the job. Once I've found one, I'll have to look at the keyboard. Of course, the screen has to be large enough, and bright enough, and the letters properly formed, and-

And if we're going to do that, it can't be long before we have good color boards and monitors and editors for the AT, and-

And at that point I say to heck with

DON'T LOOK FOR PRODUCTIVITY IN A PRODUCT.

The purchase of a data base system should be the beginning of a relationship.

That relationship should include planned product upgrades, experienced technical support, vertical application templates, informational seminars, training programs, user groups, newsletters, special marketing programs...and much, much more.

Demand a Relationship

At Software Solutions, the relationship begins as soon as you contact us. We'll help you find answers to your questions about DataEase™—or about any information management issue.

The product evaluator at

Manufacturer's Hanover Trust summed up the experience of tens of thousands of users by calling DataEase "the most impressive productivity tool I have seen."

When you talk to us, ask for our sample diskette. See for yourself why Data Based Advisor points to DataEase as "the easiest to understand and use full-featured data base program," calling it "a program which could easily set the industry standard."

Discover us. Find out how important the company behind the product can be.

☐ IBM ☐ Winclude mater	te for my PC (chi /ANG DEC ials relating to:	п
	Client D Retail Professional D	
Name:		
Title:	Phon	e:
Company:		
Street:		
City:	State:	Zip:
Mail to: Software So 12 Cambric Trumbull, C		Telex: 70397: 800-243-512
Marrieda, C		ATAEASE
	to to	
	- X	Bron.
later later		

Software Solutions. Get into a relationship that works for you.

Computerlinks, Toronto, Ontario; (416) 231-1270

United Kingdom West Germany, Austria Scandinavia Switzerland, France Sapphire Systems. Essex: 01-554-0582 M&T Software Verlag, Munich, 089-4613-0 West Soft A/S, Alexand, Norwey, (47) 71-46166 Softsource, S.A. 1209 Geneve, Switzerland; 9851526985-153

it and do nothing. Which brings me to the point: CP/M isn't dead.

VERY MUCH ALIVE

Mrs. Pournelle has finished the outline and several chapters of a new book. She's using an Ampex terminal and a CP/M system built out of Amoro Little Boards by Don Castella of Disks Plus in Chicago. For some time, she's had her pick of computers and systems to use as word processors. She has used a Z-150: a Z-160: Adeline the Otrona (about whom more later): a Z-100; Lucy Van Pelt, the IBM PC; and a Macintosh. The system she likes best is the one she has now: CP/M. hard disk. Ampex terminal, and the WRITE text editor. Of course, all she does with that machine is write and edit, so it's hardly a fair test; but it does confirm my impression: given a

number of systems to choose from. a good CP/M system with WRITE is still about the best creative writer's word processor around.

Incidentally, her Ampex terminal does run at 38.4 kilobaud. It won't scroll as fast as Zeke does with his memory-mapped video, but then no terminal does. The amber screen is nice, the letter set is pleasing, and the letters are large enough. I could certainly live with it as my major system for writing books. I'm not too happy with where the arrow keys were put on the keyboard, but I'm not too hapby with anybody's keyboard arrangement. She likes the terminal a lot, and I'm sure I would once I got used to it. Maybe I ought to get one and hang it on the Golem. But that's for another time. The point is that for writers a CP/M machine is not only good enough, there are ways in which it's superior to more "advanced" equipment: and built up from Little Boards the way Castella built Roberta's machine, a CP/M system certainly costs less than most comparably equipped "advanced" systems.

Don Castella periodically shows me the new stuff they're doing with Ampro Little Boards. There's a Little Board using the Intel 80186 chip; Don built up a system with a hard disk and a Link PC-emulation PC-Term terminal and brought it around. It seems quite nice. Castella and the Ampro people claim they can put together fast multiuser PC-DOS and Concurrent DOS systems at a lower cost per user than anyone else in the business, and I expect that's right. Of course, the Little Board systems are no more than 85 percent compatible with an IBM PC; about like a CompuPro, although the incompatibilities aren't the same.

Some of the incompatibilities may be due to the terminal. The Link PC-Term is supposed to emulate the IBM PC monochrome system, and perhaps it does: I haven't done any extensive tests. In fact, I have a confession: I've done almost nothing with the Little Board/186 system.

It isn't the Little Board's fault. If I don't sound enormously enthusiastic about partial clone systems, it's not because I don't think they have their

(continued)


RightWriter® Version 2.0 For Your IBM PC or Compatible **THE Intelligent** Grammar and Style Checker

RightWriter is a new tool to help you produce lean, powerful BUSINESS WRITING. RightWriter uses advanced artificial intelligence technology to flag errors in GRAMMAR, STYLE, USAGE, and PUNCTUATION.

RightWriter is the first office automation package aimed at producing better writing. not more writing.

- Messages are Inserted directly into text to point out possible errors and problem areas.
- Easy to Use only one command to learn, your word processor does the rest.
- Works with Leading Word Processors including WordStar®. Volkswriter®, PFS:write®, MultiMate®, and others.
- Readability Index measures the reading grade level of the document using the D.O.D. standard Flesch-Kincaid formula.
- Uncommon Word List lists misspelled, slang, and uncommon words.
- Recommends never decides. RightWriter is a writing aid. The final decision is always left to you.





Available from your local dealer or: DECISIONWARE, INC./RightSoft Division 2033 Wood St. • Suite 218 Sarasota, FL 33577

Phone Orders Call: (813) 952-9211 Add \$4 for shipping and handling. VISA & MASTERCARD accepted 30 Day Money Back Guarantee

trademark of DecisionWhre, Inc., WordStar is a tradema econal Corporation. MultiMate is a trademark of Multi PSawrite is a trademark of Software Publishing Corpora trademark of Lifetree Software, Inc.

Your first color monitor should be good enough to be your last.

NEC introduces the only color monitor you need. Superb resolution plus MultiSync for across-theboard compatibility with all three PC graphics boards made by IBM, for business graphics, CAD/CAM, computer art, and text.

> Now there's one high resolution color monitor that does things your way. The MultiSync™ monitor from NEC.

> > It gives you the best color resolution available at the price.

Compatibility with the IBM **Professional Graphics** Adapter, the IBM Enhanced Graphics Adapter, and the IBM Color Graphics Adapter.

Compatibility with the IBM® Enhanced Graphics Adapter Board




 MultiSync, the NEC feature that automatically adjusts to color adapter board scanning frequencies from 15.75 KHz to 35 KHzsuggesting the possibility that the MultiSync monitor might be compatible with all color graphics boards that are fully compatible with the IBM PC, PC/XT, and PC/AT, now and in the future. Full implementation of

high resolution graphics software for business and other applications, now and in the future.

 And color capability limited only by the board being used.

See Things Our Way

Until now, you had to choose different color monitors for



compatibility with all three PC color graphics boards made by IBM. With so many board and monitor configurations, folks didn't know which way to look.

The new MultiSync color monitor gives you unique compatibility. As well as TTL and analog color. With 7 switchable text colors. And resolution up to maximum 800 horizontal dots and maximum 560 vertical lines, on a large, 13" diagonal viewing area.

All that, priced at just \$799. All from NEC, a name respected around the world for advanced, reliable products backed by nationwide service.

Compatibility with the IBM® Protessional Graphics Adapter Board



It's the one color monitor that does everything your way.

Compatibility with the IBM® Color Graphics Adapter Board



But why talk more about it? Visit your nearest dealer and see a graphic demonstration of the new NEC MultiSync monitor's capabilities. Then draw your own conclusions.

For information dial I-800-447-4700

NEC HOME ELECTRONICS (U.S.A.) Inc. **Personal Computer Division** 1401 Estes Avenue Elk Grove Village, IL 60007





The only breaks printers are the



Rebate for the D80IF







"Average mean time between failure is 4000 hours.

Xerox," Diablo" and the identifying numbers berein are trademarks of the XEROX CORPORATION.

IBM" is a trademark of International Business Machines Corporation.

Apple" is a trademark of Apple Computers, Inc.



Rebate for the P32CQI

When you buy a Xerox printer, what you get are breakthroughs. Not breakdowns.

You see, Xerox has been a leader in developing hardworking, reliable printers from the very beginning. We even invented daisywheel printing.

One of our latest printer innovations, however, doesn't stress higher tech, but rather lower prices.


Because from now until July 31 we're offering substantial rebates on our entire line of Xerox Diablo dot matrix and daisywheel printers.


So you'll be able to save from \$25 up to \$500, depending of the model you choose.


And choosing is easy since all of these Xerox printers are compatible with a wide range of personal computers, including Xerox, Apple and IBM.

Our Xerox Diablo dot matrix printers let you print in near letter quality, or high-speed draft quality. And graphics can be merged right in with the text.

you'll get on Xerox ones you want.







001881 Xerox Rebate Check

The Xerox Diablo daisywheel printers offer letter quality printing that can easily meet all your word processing needs.

You'll also have your choice of today's most advanced features. Like extended character sets, varied printing styles, and flexible paper handling capabilities.

And every Xerox Diablo printer is backed by a one-year limited warranty on parts and service.

So why not get a big break on the printers that don't break?* Call your local participating Xerox dealer or sales office for details today. Or call 1-800-TEAM XRX ext. 158A. Or just fill out the coupon and send it in. We'll take



Steamfield Hills, NR 40913		114700	11470001						
PARY	Madigan Pratt	GEORGE IN	58125.002						
PACE	1545 Lenore Avenue Philadelphia, PA 22161 FORT HYDROGOMAN, NOWN MAN STREET, NO CONTRACT 1:07 2000005	frie	per jour						
	Rebate for th	e PI2CQI							
		,	KERC)X					
	Yerov dive me	a hra	ak.						

☐ Have a dealer of	or Xerox Sales Representation on Xerox prire Program.	ive contact me.
Name	Title	
Company		
Address	City	State
Zip	Phone	
call 1-800	D-TEAM XR	

place. They do: it's just not here. I don't much like multiuser systems (One user, at least one CPU!), but then I don't have to. I operate a small business, but it's not like most: I have a small number of products, not many customers (i.e., publishers), and a very small staff. I don't have inventories to maintain or shared databases to update, nor must I find the lowest-cost computer system to do the job. If I did, I'd look at the situation a lot differently. As it is, though, I'm much more excited about Roberta Pournelle's Little Board Z80, and what I'd like to see would be a Little Board 8/16 that would run both Z80 and 8086/8088 software.

There is, after all, a lot of CP/M software out there. You don't see it so much because dealers don't stock it. Dealers don't stock CP/M software because the word is out that CP/M is dead or dying; and as that word spreads, fewer dealers stock CP/M software. The spiral is deadly. I don't know if the trend can be halted. I do know it's wrong. There are a lot of CP/M machines; they're very good at what they do; and you can get an awful lot of bang for the buck from them.

NOT EXACTLY FREE...

There's plenty of CP/M software, too. Much of it is in the public domain: free if you can find it. The trouble with free software is that it's not generally in anyone's interest to tell you about it. Dealers like Don Castella try to provide it with systems they sell. Barry Workman bundles some into packages he calls the Software Anthology Series. There are users groups, too, although fewer than there used to be.

Besides the public domain stuff, there's a mountain of CP/M software that has become what I call "pseudo public domain." I guess I can best explain that by an illustration.


Consider the Scrimshaw Company. Scrimshaw was started in a garage by four guys. One had a CompuPro "boat anchor" S-100 system; they used it to develop a Pascal compiler. The compiler worked and was out there early: if you wanted to do Pascal on your 8080 system, you bought Scrimshaw or you went without. They sold a lot of them.

Eventually competition came along. But by the time better compilers had appeared, the Scrimshaw people had got into another kind of programming entirely. Their new stuff—call it the SuperDuper Accounting System—took off like a rocket. Then came the IBM PC. SuperDuper got ported over to the PC and continued to sell like fury.

For a little while they continued to sell the Scrimshaw compiler, but it wasn't really worth the effort. It cost too much to update and support for the revenue it brought in. They stopped selling it and eventually ceased to support it.

The Scrimshaw compiler is now pseudo public domain. It isn't really public domain, because Scrimshaw never officially put it there; but it may as well be, because they don't care how many people pass it around. They'll never give you permission to copy it and give it away, because they don't want to support it; and if all copies are in theory illegally obtained, they have no obligations toward it whatever. On the other hand, they sure aren't going to waste resources tracking down and suing pirates.

That's one case. Less complex is the case of the FuddyDuddy calendar program. The FuddyDuddy Company consisted of Duane and Arlene Goodhacker working off their kitchen table. They sold 71 copies of FuddyDuddy at \$87.50 each (thus doing better than a lot of start-up companies). Nobody was unhappy with the program, but it never took off. Expenses, including advertising, came to 93 percent of what they took in, so their effective remuneration was on the order of 40 cents an hour. Eventually, Arlene went into real estate sales, and Duane became a programmer at the Huge Aircrash Company. The FuddyDuddy Company never exactly went out of business, it just ceased to operate for



Minoreda and Gare trademarks of Motorola, Inc. Codex is a registered trademark of Codex Corporation.

© 1986 Codex Corporation.



The Word is Out...

It's going to break your heart if you already own a PC.



JC LIPS features the advanced-technology CMOS NEC V40 processor running at 8 MHz with an equivalent throughput of at least 9.5 MHz. The systemboard has 256K of RAM, expandable to 640K, a built-in floppy disk controller, a socket for a high speed floating.

a socket for a high speed floating point processor, and 8 I/O expansion slots. Also included as standard on systems are 360K floppy disk(s), a serial interface, a parallel printer interface, a battery backed-up clock, a keyboard, and a 135 Watt power supply, capable of handling all of this plus any accessories you may add later.

JC LIPS' display system includes a quality 14" high resolution monochrome monitor, with a dark

background non-glare screen and a tilt and swivel base for easy viewing. The multi-function display card provides an IBM PC compatible interface for a monochrome display with Hercules compatible graphics or a RGB color graphics display.

JC LIPS is also available with high speed 20 MB hard disk with 2K cache buffer memory controller, Enhanced Color Graphics display adapter, high resolution RGB color monitor, local area networking controller, and more. These options can be added at any time, and with the teatures we supply as standard, it will be a difficult system to outgrow.

NOW *the word is out.* Another superb product is available from the high-performance, multi-user systems company, JC Information Systems.



JC INFORMATION SYSTEMS

161 Whitney Place Fremont, CA 94539 (415) 659-8440 TWX 910-381-7041

There are a lot of orphan programs out there in the CP/M world.

lack of interest; and FuddyDuddy became an orphan program.

There are a lot of orphan programs out there in the CP/M world. Some are really excellent. The real problem is finding them.

One solution would be for people like Duane and Arlene to turn their programs into shareware and let people who sell CP/M systems know they've done it. The word can be put out on bulletin boards, too. Shareware works this way: you can get a copy of the program from anyone who has it. You can pass it on to anyone you like. If you do like it and use it, send some money to the authors of the program.

Of course, the Scrimshaw people aren't about to make their programs shareware. On that one, you just have to let your conscience be your guide. The important thing is that there's a lot of CP/M software. Some is not bad, some is very good, and nearly all of it is cheap.

V WEAPONS

Into that complex situation comes the NEC company with its V20 and V30 chips. These chips replace the CPU chip in PClones and do two things: they make the PClone run a bit faster, and they emulate an 8080 so that you can run very nearly all the old CP/M software. The V20 replaces an 8088, and the V30 replaces the 8086. V20 chips work fine in PClones, including the Zenith Z-100, Z-150, and Z-160. They don't work in partial clones, including the DEC Rainbow, TI Professional, and Victor 9000.

Accelerate 8/16, which is CP/M software for using NEC V-series chips, is available from Walt Bilofsky's Software Toolworks. Intersecting Concepts of Moorpark, California. has a cooperative arrangement with Software Toolworks to copublish; the Media Master program lets a V20-equipped PClone handle a wide variety of 5¼- and 8-inch disk formats, including, of course, PC-DOS. About the only major format it can't handle is Osborne single-density. Double-density works fine.

The result is wonderful for owners of CP/M machines: if you want to upgrade to a PClone, send \$99.95 to Software Toolworks and you get Accelerate 8/16, which includes the V20 chip, instructions, and Media Master. With that, you can not only transfer all your old CP/M files onto your new Zenith or Compaq or whatever, you can also run all your old CP/M programs. You don't need to go buy all new software.

Now for the bad news: we don't know precisely what CP/M software will run on the PClones. We do know that most will. If a program doesn't make really tricky BIOS calls, or subroutines embedded in specific locations in CP/M, it should work fine. Barry Workman reports that he has sold a number of copies of FTL Modula-2, his low-cost CP/M Modula-2 compiler with integral editor, to people with V20 PClones. I haven't tried that myself, but so far Barry has heard no complaints.

It's a bit hard to estimate the effect of the V-series chips. They don't cost a lot, and they definitely improve the performance of PClone machines. Reports of 20 to 25 percent speed improvements are probably exaggerated, but certainly WordStar and other I/O-bound programs go 10 to 15 percent faster; a significant upgrade for 20 bucks or so. Walt Bilofsky has done a lot more testing than I have; he reports that nothing runs slower, and most things run somewhat faster.

Thus, it makes sense to upgrade your PClone just for the speed improvement; and it also gives you access to a vast array of CP/M software.

If you have a PClone, you could do a lot worse than to get Accelerate 8/16. Then send for Workman's cata-

\$445.

A small price to pay for a full-duplex 2400 bps dial modem from the company preferred by more communications managers than any other.

The Codex 2233 dial modem. Find out about it. Call 1-800-426-1212. Ext. 230.

Motorola and @are trademarks of Motorola, Inc. Codex is a registered trademark of Codex Corporation.

© 1986 Codex Corporation.

MORE PERFORMANCE

In a multi-user system, performance is the most important ingredient.

Introducing the top-of-the-line in our 286 series, the CompuPro 286/80™ with more performance built in than ever. For starters, our new 8 MHz 80286 processor gets data from memory in only two clock cycles, compared with the three or four required by other systems. In addition to the 768K of high speed memory, the system's high performance 80 Megabyte hard disk has a dedicated 512K byte cache buffer that boosts its performance even more. Tape back-up and floppy drives are included along with nine serial ports, Concurrent DOS 816™ multi-user multi-tasking operating system and NewWord™ word processing software. The system includes a 16 slot S-100R




motherboard, which means there's plenty of room for adding options such as memory expansion to a megabyte, more cache memory, additional I/O ports, slave processors, graphics, networking and more.

All this tech-talk translates simply to this: The CompuPro 286/80 has the power to solve your business computing needs today and tomorrow as your business grows.

The price? A lot lower than you'd expect to pay for all this performance. Just \$12,500 suggested list. To find out how the CompuPro 286/80 (or any of our other multi-user systems) can give your business more performance, call today for the name of your nearest CompuPro dealer.

10 MHz available with AMD 80286! Dealers have details.

MORE NET PERFORMANCE



CompuPro has been providing networking solutions for years with our NET 100™ and NET 101™ products, and we're proud to introduce the latest member of our network family—The NET PC™. Simply plug the NET PC into your IBM® PC, XT, AT or 100% compatible and your personal computer now becomes an integrated part of high performance multi-user network. The NET PC includes the CPLINK™ requestor program that lets your PC become a part of the network while still running DOS.

CompuPro multi-user systems (like the 286/80) make ideal file-servers for networked PCs, and they're still fully functional as multi-user

computers. Your problem of how to move up to a true multi-user system and keep your existing PCs is now solved.

TECH-TALK: All our network products use the high speed (2.5 MBPS) ARCNET® token passing hardware protocol and DR NET™ software protocols (except a PC with CPLINK, which emulates DOS 3.1 conventions). The network may contain up to 255 nodes. The NET PC is a fully compatible super-set of the SMC ARCNET card and therefore may be used with other network software systems.

#ET PC with CPLINK: \$550. NET 100 (for S-100 systems and the 286 series): \$495. NET 10 (for the CompuPro 10 Plus™): \$495. All prices are

suggested list.

AT COMPUPRO, PERFORMANCE IS NOT JUST ANOTHER BUZZWORD.

SUMMER HOT FLASH! Get a super summer deal on a CompuPro 10 Plus four user system with a 40 megabyte hard disk. For a limited time we're slashing the price to just 15995! See your nearest dealer for more details.



Viasyn Corporation, 26538 Danti Court Hayward, CA 94545-3999 (415) 786-0909 log of CP/M software: there's an amazing amount of it, much of it packed 20 programs to a disk, and all cheap (Workman and Associates, 112 Marion Ave., Pasadena, CA 91106). Software Toolworks also has a ton of CP/M stuff.

NEC sent me a pile of V20 chips, which we're busily installing in every PClone we have. The Challenger disaster interrupted our tests. Full reports another time, but we're very excited.

INTEGRATION?

When IBM brought out the PC with PC-DOS rather than CP/M-86. it splintered the micro community. Nowadays, it's no big deal to transform files from CP/M to PC-DOS (although not everyone can do it), but for a while it was. PC-DOS, warts and all, became the mainstream. CP/M didn't vanish, but it sure got a lot less attention.

The V-series chips can bring those streams back together. There may even be a sort of renaissance through hybrid vigor. More: I'm told that NEC is working on a chip that can run everything from Z80 through 80386 software. And someone will bring out a chip that has 68000 capabilities.

Integration of the micro community means larger customer bases for software. A larger market base means lower prices. Lower-priced, powerful software interests more people in small computers.

The only real question is, why did it take the Japanese to bring us together?

THE GREAT EDITOR HUNT

It all started when I was talking with Don Castella about what I might do with the Little Board/186 machine.

"I do have an idea," I said. "I've collected some enormous files of stuff off BIX. I'd like to go through and edit them down. Delete blocks of nonsense. What I really need is a good macro editor, like WordMaster. What do we have?"

It turns out that I don't have anything. I might be able to tailor Borland's Turbo Editor Toolbox; although it won't hold files larger than memory, that's not such a severe limitation for PC-DOS as it was for CP/M. Alas, I haven't time to do the tailoring. I want something I can use now. WordStar in nondocument mode doesn't have proper macros. VEDIT would probably work—I recall I was pretty happy with it under CP/M-86—but I don't have a PC version.

Don suggested Pmate, which apparently is quite popular with programmers; but, alas, that's one of the few editors I don't have, and I'm not convinced it has the command processing I want.

Connie Kageyama brought over an editor called KEDIT, which looks all right; but in reading the manual I can't find out how the macro system works and whether search-and-replace mode lets you match control characters and delimiters and suchlike. I'm told that you can, but the documents don't explain it very well. I'll try again.

One problem is that I've been spoiled by WordMaster. (My mad friend MacLean dubbed it Word Masher long ago, and to this day I invoke it under the command MASH file.ext.) WordMaster not only lets you search and replace for carriage returns and linefeeds and other control characters, but it also has a way to insert any character you like into the text stream. (Well, there is one exception: if you try to insert a Control-Z. which is the CP/M "end-of-file" mark, WordMaster not only won't do it, but the screen flashes "Turkey!") There is a small buffer in which you can set up quite complicated commands, including conditionals. Finally, WordMaster lets you edit as long a file as your disk can hold. It was an early CP/M version of TECO and is, in a word, one of the best programming editors ever written.

There's only one problem. Word-Master was the first CP/M program published by MicroPro. When Word-Star took off, MicroPro abandoned WordMaster. Not only is there no PC-DOS WordMaster, you can't get anyone at MicroPro to admit they ever took time the continued.



Motorola and @are trademarks of Motorola, Inc. Codex is a registered trademark of Codex Corporation.

© 1986 Codex Corporation.


MICROWAY'S 8087 RUNS 1-2-3 11.

MicroWay is the world's leading retailer of 8087s and high performance PC upgrades. We stock a complete selection of 8087s that run at 5 and 8mhz. All of our coprocessors are shipped with a diagnostic disk and the best warranty in the business - one year! We also offer daughterboards for socketless computers (NEC PC) and 287Turbo which increases the clock speed of the 80287 from 4 to 8 mhz. Our NUMBER SMASHER™ includes 640K ram. It will run the IBM PC at clock speeds up to 10mhz and achieves a throughput of .1 megaflops with 87BASIC/INLINE, Intel

Fortran, or Microsoft Fortran, Software reviewers consistently cite MicroWay software and 8087 expertise as the best in the industry! Our customers frequently write to thank us for recommending the correct software and hardware to meet their specific needs. They also thank us for our same day shipping! In addition to our own products which support the 8087 and 80287, we stock the largest supply of specialized software available. For information call us at

617-746-7341

FASTBREAK employs the 8087 to increase the speed of Lotus 1-2-3" Version 1A or 1A* by up to 36 to 1 \$79 FASTPAK" includes FASTBREAK software and a 5mhz 8087 \$179 87SFL** MicroWay's Scientific Function Library contains 170 scientific and engineering functions. Callable from most 8087 compatible compilers. First Language \$250; Additional \$100 A2D-160 MicroWay's Data Acquisition Board performs 160,000 12 bit Analog to Digital conversions per second! Includes software drivers. The fastest 12 bit A to D board available. For the IBM PC or XT.......\$1295



8087 Support

For the IBM PC, PC XT, PC AT and Compatibles.

NUMBER SMASHER™ The World's Fastest Accelerator Card for the IBM PC, XT, and Compatibles! Includes an 8086 and 8087 pair tested to 10mhz, and 640K bytes of high speed ram. Compatible with all software, operating systems and hardware! Your program speed is increased by a factor of 2.5 to 4.0. Floating point programs run up to 2.8 times faster on the PC than on an 80287 equipped PC AT. One of the few accelerators on the market which is compatible with all EMS cards. Includes FASTBREAK......\$1099

87/88Turbo™ is a stubby card which includes a clock calendar and a speed controller which changes the speed of your motherboard from 4.77 to 7.4mhz. Its use requires your PC to have a socketed 8224. Typical speed increase is 1.6. Some programs run up to 2.5 times faster. The card overcomes the problem of slow hardware by slowing up only when slow devices are accessed and running at full speed otherwise. It includes an 8087-2 \$350

286TurboCache™ This new MicroWay accelerator uses 8K of cache memory and 80286/80287 processors to provide an average speed increase of 3 to 1 for most programs. Call for specifications, benchmarks and price.

MATRIXPAK manages a MEGABYTE!

87FFT" Written in assembly language, performs Forward and Inverse FFTs on real and complex arrays which occupy up to 512K bytes of RAM. Also does convolutions, auto correlations, hamming, complex vector multiplication, and complex vector multiplication, and complex vector multiplication, and complex vector multiplication. to radial conversions. Callable from m 8087 compatible compilers\$200

87FFT-2" performs two-dimensional FFTs. Ideal for image processing. Requires 87FFT \$100

P.O. Box 79 Kingston, Mass. 02364 USA (617) 746-7341

DFixer Our disk utility which thoroughly checks PC or AT hard disks for bad sectors and updates the MS DOS file allocation table accordingly, Solves the AT hard disk problem! ... \$149

87 Verify" For users who have to be absolutely sure of their results! This background task periodic ally performs an 8087 accuracy and stress test.849

87MACRO/DEBUG™ Contains all the pieces needed for writing 8087/80287 assembly code including 8087 macros, object libraries for commonly used functions, including transcen-

OBJ → ASM™ A multipass object module translator and disassembler. Produces assembly language listings which include public symbols, external symbols and labels commented with cross references, ideal for patching object modules for which source is not available.....\$200

87BASIC* includes patches to the IBM Basic or MS Quick Basic Compiler for USER TRANS-PARENT 8087 support. Provides super fast performance for all numeric operations including trigonometrics, transcendentals, addition, subtraction, multiplication, and division..... each \$150

87 BASIC/INLINE® converts the output of the IBM Basic Compiler into optimized 8087 inline code which executes up to seven times faster than 87 BASIC. Supports separately compiled inline subroutines which are located in their own segments and can contain up to 64K bytes of code. This allows programs greater than 128KI Requires the IBM Basic Compiler Version 1 and Macro Assembler. Includes 87 BASIC\$200

8087 UPGRADES

All MicroWay 8087s include a one year warranty, complete MicroWay Test Program and accurate

Installation Instructions.	
8087 5mhz	\$109
For the IBM PC, XT and compatible	68.
8087-2 8mhz	\$149
For Wang, AT&T, DeskPro, NEC, Le	eading Edge.
80287-3 5mhz	\$179
For the IBM PC, AT and 286 comp	atibles.
80287-8 8mhz	\$295
For the Tandy 3000 and ITT-XP	

287Turbo™ 8mhz if you own an AT, Deskpro 286 or AT compatible, this is the card you need to get reasonable numeric performance. It plugs into your 80287 socket and includes a specially driven 8mhz 80287. The card comes in three configurations. The IBM AT version includes a hardware RESET button\$395 NEC V20, V30 CALL

64K RAM Set 150ns......\$10

256K RAM Set 150ns	. \$34
128K RAM Set PC AT	.\$49
JRAM, AST, INTEL	CALL
DCache plus 64K ABOVE BOARD PS	375
DCache plus 128K AT ABOVE BOARD	475
Microsoft Fortran Version 3.31	
IBM Professional Fortran	
Ryan-McFarland Fortran Version 2.0	399
FORLIB+ or STRINGS and THINGS	65
Grafmatic for Fortran or Pascal	125
Plotmatic	
NAG Fortran Library	

IUNE 1986 . BYTE

269

OMPUTER WAREHOUSE

0-528-1054

ress Shipping

PRINTERS

Anadex All Models

Brother All Models	
Cannon Laser Printer	51949
Citizen MSP-10.	
MSP-15	5349
MSP-20	
MSP-25	\$485
Premier 35	\$409
Datasouth All Printer Mode	ds Call
Diablo D-25	\$519
635	\$1079
Other Printer Models	Call
All Printer Models	
	Call
, Juki	
6100 ,	5349
6300	
3510, 3550, 3515, 3530	
8810, 8830, 8850	51039
P5. P6. P7	Call
EII 360	5379
Elf 370	5379
OKIDAT	
All Printer Models	

STAR MICRONICS All Printer Models

\$199 \$239 \$309 \$425

5399

Call

\$449 \$769 \$969

lomega Bernoulli 10 meg

Bernoulli 20 meg ...

outti 40 meg

MONITORS	
Amdex All Monitors NEC All Monitors	Call
Princeton Graphics	Call
VIDEO TERMINALS	
Qume QVT Green 101	5299
QVT Amber 101	5314
Wyse 30	\$299
50	5419
75	5559
Wyse 85 .	5439
Wyse 350	9859
Zenith Z-22	\$455
Z-29A	5559
7-49	Call
MODEMS	
ATAT	
4000 External	\$309
Anchor Automation	
Anchor Express .	9235
HAYES	
All Modems	Call
Prometheus All Models	Call
US Robotics Courier 2400	
Password 1200	5175
Microlink 2400	5379
DISK DRIVES	
Alpha Omega Turbo 10	S465
Turbo 20	5509
Turbo 30	3659
lomage	

MONITORS

10M No Charge for Bank Cards

PANASONIC

ľ	Zamláh Camundan	
	Wyse pc 1100-20 \$15	
	Wyse pc 1100-1	
	WYSE	
	T-1100\$15	
	TOSHIBA	
	Exec. Partner Dual Orive\$21	Ì
	don't manner to sent manner	

Zenith Computer **Products** SAVE Up to 50% Z-All Models

DISKETTES

Maxell MD-2 Plastic Box (Oty 100)	3125
Sony MD/2 (Oty 100)	3120

BOARDS

AST Advantage	5329
Rampage PC	5295
Six Pack Plus	\$210
Harcules Color Card	\$149
Graphic Card	\$305
Above Boards	Call
Maynard Hardcard	\$549
Paradise Modular Graphic 06-1	\$239
Five Pak	\$115
Quadram	
Gold & Silver Boards	Call
Quadlink	\$329
Quad EGA+	
	\$445
Cantain No Memory	\$155

PLOTTERS Epson HH80 ... KEYBOARDS





COPIERS

Canon (((PG))

_		ı	6	,			4	a.		٠		
Canon Pi	C-10		p		ě	P	۰			,	\$509	
Canon Pi												
Canon Pi												
Canon Pi	C-25	o			ю			a			5939	
		_										

XEROX\$1099



Call

TRAINING

Toshiba 321

1092

Flight Simulator	\$29
PC Logo	575
Typing Instructor	528
Typing Tutor III	\$28
LANGUAGES	
C Compiler (Microsoft) \$	227
Fortran Compiler (Microsoft) S	
Lattice C Compiler	242
Macro Assembler (Microsoft)	587
Pascal Compiler (Microsoft)	
Quick Basic	857
Run C Interpreter	\$82
Turbo Pascal 3.0	
Turbo Dalabase Tool Box	
PROJECT MANAGEMENT	
Harvard Total Project Manager S	262
Microsoft Project S	
Super Project Plus \$	
Timetine 2.0	219

COMMUN	11	C	A	۲	ı	(0	P	ì	į	ì											
CompuServe	8	ta	rte)r	K	Û	١.					ا	1	k	H		ŧ	ı	P	r	ic	24
Crosstalk XVI												e		-						ş	9	á
MS Access.	á	6	4 4		6	4	4	0				ş							5	1	4	ŀ
PFS Access Remote				4	7	ų	4	11	*	4	4	e					۰	٠	*	ē	á	
Hemore		2. /			- 66											+				•		54

IBM PC and 100% Compatibles

\$3039

INTEGRATIVE SUPTWA	ME
Enable 1.1	Call
Framework if	Call
Smart Software System Best	:Price
Symphony	Call
GRAPHICS	
Chartmaster	\$205
Diagram Master	\$189
Energraphics	\$159
Energraphics w/Plotter Option	\$205
In-A-Vision	\$249
Microsoft Buss Mouse	
w/PC Paintbrush 3.0	\$107
Microsoft Chart	\$169
Microsoft Serial Mouse	
Newsroom	. \$32
PC Draw	5199
PC Draw Light Fon	5102
PC Mouse w/Dr. Halo II	. \$104

PC Paint w/Mouse PFS Graph

Turbo Graphix Tool Box.....

WORD PROCESSORS	
Leading Edge Word Processor \$4	41
Leading Edge W/P w/Spell & Mail St	9
Lightening \$1	5
Microsoft Word 2.01	2
Multimate 3.3	0
PFS Write w/Spell Checker	7
Wordstar w/Tutor \$10	6
Wordstar Pro Pack \$2	3
Word Perfect (Ver.4.1)\$196 Wordstar 2000 2.0\$233 Wordstar 2000 + 2.0 \$276	3
UTILITIES	
Copy II PC	4

UTILITIES	
Copy II PC	519
1 DIA	. 547
Fastback	587
Norton Utilities 3.1	
Printworks	. 536
Sidekick	
Sidekick (Unprotected)	547
Sidekick-Superkey (Bundle)	
Sideways 3.1	
diameter and a second	-

SPREADSHEETS

	Call
	582
	549
Supercalc 3(Ver. 2.1).\$1	79

HONEY MANAGEMENT	
Dollars & Sense w/Forcast	594
Tobias Managing Your Money	
DATA BASE MANAGEMEN	
Chipoer	1339

Clipper	2335
Cornerstone	575
dBase II	Call
dBase III Plus	Call
Extended Report Writer	\$79
Knowledgeman II	
Knowledgeman Upgrade Kit	\$145
Nutshell 2 0	595
PFS File	. \$76
PFS Report	567
Quickcode	\$138
QuickReport	\$138
Reflex	. \$55
Think Tank	

R:Base 5000 \$319 Many other titles available.

inquiry 83 for MS DOS Products. Inquiry 84 for all others.



Order Line: 1-800-528-1054 Order Processing: 602-224-9345

2222 E. Indian School Rd. Phoenix, Arizona 85016 602-954-6109


Store Hours: Mon-Fri 10-5:30 Saturday 9-1

Order Line Hours: Mon-Fri 7-5:30

Saturday 9-1 Order Processing Hours: Mon-Fri 10-3







published Word Masher in the first place. It has become pseudo public domain.

The Golem lets me edit PC-DOS files: which is what I finally ended up doing. I capture the file on Big Kat's hard disk; write to a PC-DOS floppy; take the floppy out of Big Kat and insert into the Golem; copy the file into RAM disk (because I sure don't want to scroll back and forth through long files on 5¼-inch floppies!); use WordMaster to do the edit; copy back to floppy; put floppy in Big Kat; copy back to hard disk...


It all works, but I keep thinking there has got to be a good macro programming editor for a PC AT. I do wish MicroPro had ported WordMaster to PC-DOS. I wonder—what editor do they use for programming? I'm sure it's not WordStar. Oh well.

GET IT FIXED!

We dearly love the BDS Model 630/8 laser printer. Some of you may recall that we temporarily connected it to my wife's system. The idea was that we'd later set her up with a good dot-matrix printer and move the 630/8 in for the staff. I suppose you can guess what happened next. Just as jewelry is never really an investment—you can't ever sell it ("You want to sell my diamonds?")—there is no such thing as "temporarily" connecting a really first-class bit of machinery to your wife's computer.

However, compromise is possible. The BDS 630/8 has both serial and parallel input ports, and both can be active. Given a long enough shielded cable, we can connect the staff's PC up to Roberta's BDS machine when she isn't using it. A better solution is to network the printer using Applied Creative Technology's Systemizers. These are wonderful little boxes that let you connect up to 15 computers to a number of different printers so that you can choose whether to get fast, low-quality dot-matrix listings or high-quality stuff from the laser printer. The Systemizers have their own memory, too. You'll hear a lot more about the Systemizers in a future report; meanwhile, if you've got printer network problems, you could

(continued)



Introducing the Lattice MS-DOS C Compiler, Version 3.

There's never been a better time to buy Lattice C. Professional programmers the world over have made Lattice C the standard compiler for serious MS-DOS programming. Now Version 3 offers even more of the features that have made our previous versions so popular. Our new compiler features include:

ANSI language constructs including, *unsigned* as a modifier, *void* data type, *enum* data type, structure assignments, structure arguments, structure returns, and argument type checking.

The compiler also contains better aliasing algorithms, more efficient code generation, and more flexible segmentation, in-line 8087 code generation, and 80186/80286 code generation.

The library contains more than 200 new functions, including: ANSI/UNIX/XENIX compatibility; extended support for MS-DOS; extended support for networking including file sharing, file locking, and I/O redirection; and flexible error handling via user traps and exits. Plus the library has also been re-engineered to produce much smaller executables.

Try the new Version 3 C Compiler from Lattice. Because C-ing is believing.



Lattice, Incorporated P.O. Box 3702 Glen Ellyn, IL 60138 312/858-7950 TWX 910-291-2190

INTERNATIONAL SALES OFFICES: Benelux: Ines Datacom (32) 2-720-51-61 Japan: Lifeboat Inc. (03)293-4711 England: Roundhill (0672)54675 France: SFL (1)46-66-11-55 Germany: (49)7841/4500 (49)8946/13290 do a lot worse than call Tim Wylde's people at Applied Creative Technology.

All very well; but the bottom line is that Roberta has become dependent on the laser printer. The other night she was using it to do the final submission copy for her book outline when it unaccountably stopped working. It would print a couple of pages of text, then rapidly go through a series of error messages and shut itself down in the middle of the third page. Turning it off and back on naturally got a "paper jam" error. When we cleared that it would work again, but only if we sent it fewer than two pages of text.

Roberta thought something was wrong with her file and tried fixing

that, but the problem persisted, so she called me. It took me about five minutes to deduce that the problem had to be the printer: it simply wasn't doing the hardware handshaking with her computer. The result was her computer kept pumping text out; the BDS printer's buffer would overflow; something within the BDS would detect that; and wham, it would shut itself off.

We solved the immediate problem by taking her text upstairs and printing it on my Hewlett-Packard LaserJet. (I've offered to swap with her: I get the BDS and she gets the HP. She isn't interested.) The next morning I called BDS. I described my problem to the telephone receptionist; a minute later, I had someone from technical sup-

port. Two minutes after that, they not only understood the problem but knew what to do about it. So far, no one at BDS had the remotest idea of who I was.

I had two choices. They'd send me a kit I could use to fix the machine myself, or they'd send a local technician out. I was ready to choose the do-it-myself route, but when they found out who I was they insisted on sending the technician.

They needn't have bothered. All, or nearly all, the electronics in the BDS laser printer is contained in the "lid." This two-inch-thick lid sits on top of the machine and is connected with eight screws. Remove the screws and the lid lifts off. There are some cables, well marked, that you must disconnect. You then put the new lid on, connect the cables, and replace the eight screws. It took the technician nine minutes. It would have taken either me or Roberta no more than double that

The BDS 630/8 is built around the Canon laser-printer engine. Most of that is in a cartridge. With 85 percent of the electronics in the lid, fixing the BDS is a breeze. Their normal policy is to send you a new lid; you replace yours and send them the old one in their box. They fix the lid at their shop and recycle it. Fascinating. I wish more computer companies had a system like that.

Except for that incident—which was covered by warranty—the BDS 630/8 has been in heavy use for five months with nary a glitch. We've even discovered the secret of making it feed envelopes, which it does very well.

The BDS laser printer is terrific. It's quiet and fast, and it turns out good-quality work. As I noted in a previous column, the computer thinks it's a Diablo 630, meaning that almost everyone has software that can drive it; it took us about five minutes to hook it up. I can now testify that it's both reliable and easy to fix. If you need a good printer, be sure to consider the BDS.

ADA

It was a Sunday morning. I was watering my lawn. Up pulls a rented Buick.

ITEMS DISCUSSED

AMPRO LITTLE BOARDS, start at \$289 Ampro Computers Inc. 67 East Evelyn Ave. Mountain View, CA 94041 (415) 962-0230

BDS 630/8 LASER PRINTER . . . \$2995 BDS Corporation 800 Maude Ave. Mountain View, CA 94043 (415) 964-2115

JANUS/ADA COMPILER C-PAK . . \$99.95 RR Software POB 1512 Madison, WI 53701 (608) 244-6436

MEDIA MASTER

for most PCompatibles ... \$39.95 for DEC Rainbow ... \$99.95 Intersecting Concepts 4573 Heatherglen Court Moorpark, CA 93021 (805) 529-5073 NEC MULTISYNC MONITOR\$799 NEC Home Electronics Inc. 1401 Estes Ave. Elk Grove Village, IL 60007 (800) 323-1728

SR-12 COLOR MONITOR \$799 Princeton Graphic Systems 601 Ewing St., Bldg. A9 Princeton, NJ 08540 (800) 221-1490

V20 AND V30 CHIPS ... Prices vary; call for nearest distributor NEC Electronics 401 Ellis St.
Mountain View, CA 94039 (415) 960-6000



This is good news for anyone who owns a Macintosh. Or a HyperDriven Macintosh. And an act of unprecedented generosity for those who own both.

General Computer introduces HyperNet, software that gives other Macs access to HyperDrive's vast 10 or 20 megabytes of hard disk storage.

It means that, using the AppleTalk network, you can link a HyperDriven Mac with other Macs in your office. Creating a network you can easily expand, adding Macintoshes and/or HyperDrives as your needs change.

It means that you can use any Mac in your network to call up files from your HyperDrive. Editing, transmitting and other-

wise managing the data they contain. (It also supports multiuser database software.)

And it means that you can not only multiply the amount of information your Macs can manage, but divide the cost of HyperDrive accordingly.

Which could leave you with no economically viable alter-

native but to visit your authorized General Computer dealer. Or call (800) 634-9737. (In Illinois, call (800) 854-9737)*



The leading edge starts here.

"In Canada, cell our distributor at (800) 565-1287 © 1980 General Computer Corp. HyperDrive, HyperNet. The leading édgir starts here, and the General Computer Corp. logic are trademarks of General Computer Corp. Apple and Apple and Apple Computer, Inc.

"In Canada, cell our distributor at (800) 565-1287 © 1980 General Computer Corp. Apple and Apple Computer, Inc.

"In Canada, cell our distributor at (800) 565-1287 © 1980 General Computer Corp. Apple and Apple Computer, Inc.

"In Canada, cell our distributor at (800) 565-1287 © 1980 General Computer Corp. Apple and Apple Computer, Inc.

"In Canada, cell our distributor at (800) 565-1287 © 1980 General Computer Corp. Apple Computer, Inc.

"In Canada, cell our distributor at (800) 565-1287 © 1980 General Computer Corp. Apple Computer, Inc.

"In Canada, cell our distributor at (800) 565-1287 © 1980 General Computer Corp. Apple Computer, Inc.

"In Canada, cell our distributor at (800) 565-1287 © 1980 General Computer Corp. Apple Computer, Inc.

"In Canada, cell our distributor at (800) 565-1287 © 1980 General Computer Corp.

"In Canada, cell our distributor at (800) 565-1287 © 1980 General Computer Corp.

"In Canada, cell our distributor at (800) 565-1287 © 1980 General Computer Corp.

"In Canada, cell our distributor at (800) 565-1287 © 1980 General Computer Corp.

"In Canada, cell our distributor at (800) 565-1287 © 1980 General Computer Corp.

"In Canada, cell our distributor at (800) 565-1287 © 1980 General Computer Corp.

"In Canada, cell our distributor at (800) 565-1287 © 1980 General Computer Corp.

"In Canada, cell our distributor at (800) 565-1287 © 1980 General Computer Corp.

"In Canada, cell our distributor at (800) 565-1287 © 1980 General Computer Corp.

"In Canada, cell our distributor at (800) 565-1287 © 1980 General Computer Corp.

"In Canada, cell our distributor at (800) 565-1287 © 1980 General Computer Corp.

"In Canada, cell our distributor at (800) 565-1287 © 1980 General Computer Corp.

"In Canada, cell our distributor at (800) 565-1287 © 1980

It was Randy Brukardt, one of the R's of RR Software, the company that produces the best—darned near the only—Ada compiler for PCompatibles. Randy lives in the land of ice and snow, which is probably why he spends nearly all his time writing compilers. He was in town for the Ada Faire

Randy had a bone to pick: when I mention low-cost Modula-2 compilers, I generally haven't mentioned RR's Janus/Ada Compiler C-Pak. It's also low-cost. Randy says, "The real war isn't between Ada and Modula-2, it's between modular languages and everything else. Ada and Modula-2 have much more in common than they have differences."

Niklaus Wirth, inventor of both Pascal and Modula-2, would disagree. To him, Ada is a language designed by a committee and, horror of horrors, includes exception handling. Wirth's opinion of exception handling is somewhat lower than my opinion of Boy Scouts who put live frogs in my sleeping bag.

On reflection, though, I think Randy is right. There really is more in common than in contention between Modula-2 and Ada. They have many of the same strengths and weaknesses. In both cases, the weaknesses are generally solved with faster machines and more memory—modular

programs sacrifice both speed and memory to ease of comprehension and maintenance. Both languages are worth knowing, and if you have to write a very large program and coordinate the work of many programmers, either is better than any other language that I know of.

If you want to know more about Ada, you could do a lot worse than to buy the RR Janus starter package. (They no longer sell the CP/M version, but you can get it through Workman and Associates.) The Janus package has good introductory materials and is more than enough to let you learn guite a bit about the language. Since the Department of Defense has mandated Ada for many of its programs. and the Janus/Ada package is now used as the teaching program in many military programming schools, it might be a good investment in job security as well.

SPIN AND POP?

The Otrona Attache was one of the nicest small computers ever made. When it first came out I called it the "BMW of the portables;" and I've had no real reason to change that view. It really was the best small CP/M machine ever made. If Otrona had just stuck to developing portables, they'd have come up with a laptop machine compatible with the Attache and

gone on from there, and they'd have owned the portable market. Alas, the company abandoned its safe niche and tried to swim out in the big ocean with the other IBM PC compatibles and is no more.

Unlike those who bought other orphans, Otrona owners are in luck. Jim Pope and his partners have acquired the manuals, spare parts, and partially completed machines dumped when Otrona's assets were liquidated. Jim tells me it was a real horror story: mounds of unsorted manuals, circuit diagrams, component boards, all in a heap in a warehouse, all sold by the pound. The result was good, though: they founded Spin and Pop Enterprises (POB 6458, Denver, CO 80206). I have mixed emotions about the name

Spin and Pop can service, refurbish, and upgrade your Otrona. They even have a few Attaches to sell. Do understand: buying an Otrona Attache nowadays is a little like buying an old Duesenberg. It looks great and it will work fine, but it won't have a stereo tape player or fuel injection. I wouldn't give up my Attache for anything, and, indeed, we often carry her along on trips.

If you have or want an Otrona, you simply must make contact with Spin and Pop. Get your Otrona upgraded and use it! That machine is far too

DEVICE PROGRAMMING WORKSTATION: \$2900.



14 DAY FREE TRIAL OFFER

ALLPRO—a total PROM/PLD/ PAL* software driven device programming workstation when integrated with an IBM PC.

*Each socket pin is individually programmable for voltage, current, and slew rate to eliminate the need for active modules/adaptors

*New devices require only software updates via floppy disc and/or modem

Compare features, compare price; then make the Logical choice

IT'S LOGICAL

For details, write or call: 1321 NW 65th Place, Fort Lauderdale, FL 33309; (305) 974-0975; toll free 800-EE1-PROM TELEX 383142

*PAL is a registered trademark of Monolithic Memories, Inc.

LOGICAL DEVICES, INC.

nice to be left languishing in a closet.

BEAUTIFUL DREAMER

Are you tired of trying to remember WordStar commands? Are you weary of asking Lotus 1-2-3 for help? Does the IBM PC keyboard drive you nuts? Are you often in Num Lock when you shouldn't be, and vice versa? Is that your trouble, Bucky?

If so, help is at hand.

T. S. Microtech's Dreamer for the IBM PC is a neat little 7- by 10-inch box that plugs between your PC keyboard and the PC. It has a numeric keypad, plus arrow keys and 30 more keys. These do about 70 WordStar and Lotus 1-2-3 functions.

There are things about the Dreamer that I'd have done differently, but if I were running a data-entry shop. I'd certainly look into this gadget. It takes up room, and you'd want to think about the design of workstation furniture; but properly used, it could save a lot of time. TSM keeps upgrading to make other business programs easy to learn and easy to use. Definitely worth looking into. You'll hear more about this in the future.

WINDING DOWN

As usual, there's a huge mess of stuff I ought to look at and won't be able to get to. Real Soon Now.

The book of the month is John Mc-Phee's La Place de la Concorde Suisse, which isn't in French; it's about the Swiss military defense system. With a population no larger than New Jersey's, the Swiss can put a fully equipped army of 650,000 in the field in less than 48 hours.

Addison-Wesley has a bunch of new computer books, all excellent. There's a new edition of Programming in Ada by J. G. P. Barnes (\$21.95), the book for experienced programmers who want to learn what Ada is all about; and a new release of Peter Grogono's Programming in Pascal (\$24.95), one of the best introductions to that language you'll ever find, and certainly the best explanation of pointers and event rings I've seen. Finally, Grogono, with Sharon Nelson, has written Problem Solving and Computer Programming (\$18.95). Carefully read that as well as Niklaus Wirth's Algorithms + Data Structures = Programs (from Prentice-Hall). and you'll have a better computer science education than many university graduates.

Today's mail disclosed another V20 chip and CP/M program from Micro Solutions, another outfit that I know produces good stuff. Their UniForm program enables Kaypros (and other machines) to read and write foreign disk formats, and it was nearly unique when it first came out; I thought it a

real boon at the time, and I would probably still use it if the Golem didn't have the ability to read a variety of disk formats. Now they have UniDOS. which they claim will run unchanged CP/M programs on an IBM PC. You don't even have to copy the data to PC format; Micro Solutions' new Uni-Form can run CP/M programs from about 200 different disk formats as if they were native to the PC. The Micro Solutions package can also run Z80 CP/M programs on an AT (no V20 there, but the program checks for the presence of a V20 or an 80286, as well as whether or not your program expects a Z80). It does this in software, of course, and slows things down, but actually, a fast PC AT can emulate a 3-megahertz Z80 pretty well. More on that next month, and now I'm really out of time.

Do write the L-5 Society. What if we lose another shuttle? The nation must always have access to the frontier. I don't expect I have to explain that to micro people. ■

Jerry Pournelle welcomes readers' comments and opinions. Send a self-addressed, stamped envelope to Jerry Pournelle, clo BYTE Publications. One Phoenix Mill Lane, Peterborough, NH 03458. Please put your address on the letter as well as on the envelope. Due to the high volume of letters, Jerry cannot guarantee a personal replu.

The Advanced Programmer: \$895



PROMPRO-8X—an advanced EPROM, EEPROM and Single Chip Micro programmer with a 512k-bit RAM buffer

*Supports MOS, HMOS, and CMOS 2716 thru 27512 and most other available EE/EPROMS

*RAM Image editing via keypad/ display in 8 or 16 bit word formats.

*Mini-gang, set program two EPROMs simultaneously.

*Complete Stand-Alone and RS-232 interface capability. Compare Features, compare price; then make the Logical choice

IT'S LOGICAL

For details, write or call: 1321 NW 65th Place, Fort Lauderdale, FL 33309; (305) 974-0975; toll free 800-EE1-PROM TELEX 383142

LOGICAL DEVICES, INC.

1-800-268-3974

Ontario/Quebec 1-416-828-0866

In Toronto

1-800-268-4559

Other Provinces

TELEX: 06-218960

2505 Dunwin Drive. Mississauga, Ontario Canada LSL1T1

All prices shown are for U.S.A. orders. Call the

Canadian Office for Canadian prices.

THE CMO ADVANTAGE

Next day shipping on all in-stock items.

Orders from outside Pennsylvania save

Free technical support from our factory

- There is no limit and no deposit on C.O.D.

- There is no extra charge for using your

No waiting period for cashier's checks.

We accept purchase orders from qualified corporations. Subject to approval.

Educational discounts available to qualified institutions. (See the toll free

educational phone number above.)

FREE CATALOG MEMBERSHIP

Visa or MasterCard and your card is not

Free easy access order inquiry.

state sales tax.

trained technicians.

charned until we ship

HOME COMPUTERS

		A	TARI
6	5 X	E (64K)	
13	OX	E (128K)	\$139.6
52	05	T (512K)	\$369.0
52	08	T Monoch	rome System
		520ST with	modulator
		disk drive	
		mouse	LOW, LOW
	-	logo	SYSTEM PRICE

• Basic \$64900 1st Word

 monochrome monitor 520ST Color System

. 520ST with modulator disk drive

• mouse

LOW, LOW SYSTEM PRICE • logo . Basic \$79900 • 1st Word

 color monitor BOOXL 64KCALL ... \$49 99 1010 Recorder 1050 Disk Drive. \$149.00 1020 Printer... ..\$29.99 1027 Letter Quality Printer......\$129.00 1030 Direct Connect Modem.....\$59.99 Comrex 220 Atari.....\$89.99

APPLE

APPLE	ileCALL
APPLE	NoCALL
lic LCD	Display\$329.00

COMMODORE

Amiga Package . 512K . 2 Dave

 RGB Monitor.......\$1599.00 C64 Package

• C64 • C1541

\$499.00 Taxan 220.....

C126 Package

• C128 • C1571

 NAP8562 Monitor \$779.00 C128 Computer.....\$269.00

C1571 (Disk Drive for C128).....

C1902 (RGB 13" Monitor for C128.....

C1670 (Modern for C128)\$179.00 C1530 Datasette......\$39.99 C1860 Auto Modem..... DPS 1101 Daisy Printer.....\$339.00 Comrex 220 (C64 Interface)......\$89.99 Xelec SuperGraphix 8K.....

PORTABLE COMPUTERS

NEC

PC-8401	LS\$699.00
PC-8201	Portable Computer\$339.00
PC-8231	Disk Drive\$599.00
PC-8221/	A Thermal Printers\$149.00
PC-8281/	A Data Recorder\$99.99
PC-8201-	-06 BK FIAM\$79.99

SHARP

PC-1350\$149.
PC-1261\$149.0
PC-1500A\$169.
PC-1250A \$89.5
CE-125 Printer/Cassette\$129.0
CE-150 Color Printer Cassette.\$149.
CE-161 16K RAM\$129.

PACKARD

41045-1116-1116-1116-1116-1116-1116-1116-11
41CX\$199.00
HP 11C\$49.99
HP 12C\$75.99
HP 15C\$75.99
HP 16C\$89.99
HPIL Module\$98.99
HPIL Cassette or Printer\$359.99
Card Reader\$143.99
Extended Function Module\$63.99
Time Module\$63.99

We stock the full line of **HP** calculator products

MODEMS NCHOR

Volksmodem\$59.99
Volksmodem: 300/1200\$189.00
Signalman Express\$259.00
Lightning 2400 Baud\$399.00
Expressi (PC Halfcard)\$169.00
6470 (64/128) 300/1200 Baud\$139.00

45T

Reach 1200 Baud Half Card . \$399 00

DIGITAL DEVICES

AT300 - 300 Baud (Atari)......\$99.99

EVEREX

1200 Baud Internal (IBM/PC)...\$179.00

Hayes

Smartmodern 3005139.00
Smartmodem 1200\$389.00
Smartmodem 1200B
Smartmodem 2400\$599.00
Micromodem IIe\$149.00
Smart Com II\$89.99
Chronograph\$199.00
Transet 1000\$309.00

Novation 5

Smart Cat Plus\$299.00	þ
J-Cat\$99.99	į
Novation 2400\$499.00	ı
Apple Cat II\$219.00	
212 Apple Cat II\$379.00	
Apple Cat 212 Upgrade\$229.00	

QUADRAM (SOE)

a parantia partiti ti	
300/1200	\$339.00
300/1200/2400	\$499.00

SUPRA

MPP-1064 AD/AA (C-64) \$69.99

ACCESSORIES

AMARAY

CURTIS Side Mount SS-1.

\$19.99

Side Mount AT SS-2\$34.9
Universal Stand SS-3
Diamond SP-1\$29.9
Emerald SP-2\$39.9
Sapphire SPF-1\$49.9
Ruby SPF-2\$59.91
// ·

DATA SHIELD

300 Watt Backup	\$379.00
500 Watt Backup	\$589.00
Turbo 350 Watt E	Backup\$449.00
P125 Power Direc	ctor\$99.9
P150 Power Direc	ctor w/Modem\$119.0

KENSINGTON

Master	Piece	+\$119.0
	3.00	

KEYTRONICS

KB5150/KB5151/KB5151Jr	CALL
KB5152B/KB5153/KB5149Jr.	CALL

MEMORY CHIPS 4164 RAM Chips......(ea.) \$1.99

128	RAM	Chips	(ea.)	\$12.8
256	RAM	Chips	(en.)	\$10.9
		ChipsPolaroid	1	

I	Palette \$1399.0
I	Power Processor\$229.0
I	Power Processor
ı	Polacolor 2 Pack film\$18.9

DISKETTES

Dennison Elephant 5%" SS/SD......

Elephant !	5%" SS/	DD	\$11.99
Elephant !	54" DS/	DD	\$14.99
Elephant f	muimes	DS/DD(50)	\$69.99
Elephani :	31/2" SS/	DD	\$24.99
	II	BM	
5%" DS/0	O floppy	disks	
104 40	a.b.		

GENERIC

OS/00 w/Flip'n'File 10.....\$11.99

maxell

372	33/17/1	(10)	465000	*******		.00
31/211	5 pack	58/DI	D/Ca	SO	\$9	.99
314"	DS/DD	(10)	******	********	\$29	.99
54"	MD-1	DEVE	(10)		\$11	.99
54"	MD-2	DS/DD	(10))	\$16	.99
54"	MO-2-1	ID for	AT	(10)	\$29	.99

Verbatim.

5'A'	' SS/DD	112	.99
514"	' DS/DD	124	.99
Oisk	Analyzer	124	.99

DISK HOLDERS AMARAY

30	Disk							
	IN	NOV	ATIN	Æ	COR	ICE	PTS	

ı	Flip'n	File	10\$2.49
ı	Flip'n	File	50\$14.99
ı	Flip'n	File	50 w/lock\$19.99
١	Flip'n	File	Data Case\$9.99

DRIVES

HARD CORE

A120-A1	/SMA	., GALL
	EVEREX	
60 Meg li	nternal Backup Sy	stem\$799.00
_	IOMEGA	
A110H S	ingle 10	CALL
ARIONI M		CALL

A210H 10 + 10.... A120H Single 20. CALL A220H 20 + 20.. CALL Save on 10 & 20 Carts CALL IRWIN Tape Backup.... CALL

KITS 10 Meg with controller. \$399.00 20 Meg with controller PRIAM 40, 60 MB Inner Space Shared Data... CALL

Shared Space.. **TALLGRASS** 25, 35, 50, 80 meg (PC) from \$1299 00

FLOPPY

ALLIED TECHNOLOGY Apple II,II + ,Ite ½ height.......\$109.00

	GT\$199.00 /128 GT\$199.00
0.00	Wen.

SD1 C-64 Single... \$219.00

TANDON

320K 5¼" (PC)..... .\$119.00 TEAC

320K 516" .\$119.00

SOFTWARE FOR IBM	PRINTERS	MULTIFUNCTION CARDS	IBM Inquiry 80	6
ANSA SOFTWARE		AST	IBM PC SYSTEMS	
Paradox\$499.00	Canon	RamVantage \$349.00 Rampage-PC \$379.00	Configured to your specifications.	
ASHTON-TATE Framework II	A40,A50,A55CALL	Rampage-ATCALL	Call for Best Price!	
dBase III Plus\$389.00	LBP-8A1 LaserCALL	Six Pack Plus	IBM-PC, IBM-XT, IBM-AT	
Isgur Portfolio\$159.00	CITIZEN	Advantage-AT\$399.00	Safari (7300)	
	MSP-10 (80 col.)\$279.00	Preview Mono\$299.00 PC Net Cards\$379.00	6300	
BORLAND Lightening\$59.99	MSP-15 (132 col.)\$389.00 MSP-20 (80 col.)\$349.00	5251/11 On-line\$669.00	corona	
Sidekick (unprotected)\$57.99	MSP-25 (132 col.)\$509.00	5251/12 Remote\$579.00	PPC400 Dual Portable\$1289.00 PPCXT 10 meg Portable\$1989.00	
Reflex\$59.99 Travelling Sidekick\$44.99	C.ITCH	IRMA 3270 CCC \$879.00	PC40022 Dual Desktop\$1389.00	
CENTRAL POINT	Prowriter 7500\$169.00 Prowriter 1550P\$349.00	IRMA Print	PC400-HD2 10 meg\$1989.00	
Copy II PC-Backup\$29.99	Starwriter 10-30\$349.00	Edge Card\$259.00	ITT X-TRA ITT	
PC Option Board\$84.99	3500 Tri Printer\$1499.00	Graphics Edge\$219.00	256K, 2 Drive SystemCALL 256K,10 meg Hard Drive System CALL	
DECISION RESOURCES	corona	Magic Card II\$159.00 Magic Card I\$99.99	XP5, 20 megCALL	
Chartmaster \$229.00 Signmaster \$159.00	Lazer LP-300\$2799.00	HERCULES	KAYPRO	9 9
Olagram Master\$209.00	DIABLO	Graphics \$299.00 Color \$159.00	KP-2000 Portable	
FIFTH GENERATION	620 Daisywheel			
Fast Back99.99	635 Daisywheel,\$1099.00	IDEA 5251 \$549.00	MBC 550-2, MBC 555-2, MBC 675 Por-	
FUNK SOFTWARE	D80IF DaisywheelCALL	INTEL	table, MBC775, MBC 880 DesklopCALL	(100)
Sideways\$44.99	d ≢is ywriter	PCNCB087 5MHz	∜ SPERRY	
HARVARD SOFTWARE INC. Total Project Manager	2000\$699.00	PCNC80287 6 MHzFOR	Sperry-ATas low as \$1749.00	
Presentation Graphics\$239.00	EPSON	1010 PC-Above Board	Sperry-ITas low as \$2699.00 Call for Specific Configuration!	
LIFETREE	Homewriter 10, LX-80CALL	2010 AT-Above Board	All ModelsCALL	
Volkswriter III	FX-85, FX-286, RX-100CALL	MYLEX The Chairman\$439.00	DC 128 Codes DC 148 Codes DC 158	
Think Tank\$109.00	DX-10, DX-20, DX-35CALL SQ-2000, Hi-80, HS-80, AP-80CALL	PARADISE	PC-138 Series, PC-148 Series, PC-158 Series, PC-160 Series, PC-171 Series,	
Ready\$64.99	LQ-800, LQ-1000CALL	Color/Mono Card\$149.00	AT-200 SeriesCALL	
Symphony		Modular Graphics CardCALL Multi Display Card\$199.00	MONITORS	
1-2-3 Version 2CALL	8000 Letter QualityCALL	Five Pack C, S, 0-384K\$99.99	AMDEK	10
MECA SOFTWARE	8100 Letter QualityCALL	High Res MonoCALL	Video 300 Green\$119.00	
Managing Your Money 2.0\$99.99 Manage Your Market\$89.99	6200 Letter QualityCALL	8ob Board\$359.00	Video 300A Amber\$129.00)
MICROPRO	6300 Letter QualityCALL	QUADRAM Quadport-AT\$119.00	Video 310A Amber TTL\$159.00 Color 600 Hi-Res. RGB\$399.00	
Easy\$94.99	5510 Dot Matrix Color	Liberty-AT (128K)\$349.00	Color 722 Dual Mode\$529.00	
WordStar 2000\$239.00 WordStar 2000 +\$289.00		The Gold Quadboard\$449.00 The Silver Quadboard\$239.00	Color 725CALL	
WordStar Professional\$189.00	LEGEND	Expanded Quadboard\$199.00	Color 730CALL	
MICRORIM SOFTWARE R:Base 40005249.00	808 Dot Matrix 100 cps\$179.00 1080 Dot Matrix 100 cps\$259.00	Liberty	8562 RGB/Composite\$279.00	
R:Base 5000\$359.00	1380 Dot Matrix 130 cps\$259.00	QuadLink \$399.00	613 TTL Green	
Clout 2.0\$129.00	1385 Dot Matrix 165 cps\$339.00	QuadColor	623 TTL Amber	
MICROSOFT Flight Simulator\$34.99	NEC	8600 E.G.A. card\$399.00	NEC	
MultiPlan\$129.00	3000 Series\$779.00	STB EGA Plus	JB1205A\$79.99 JB1270G/1275A(ea.) \$99.99	
Word\$249.00 Mouse\$139.00	8000 Series	TECMAR	JB1260G TTL Green5129.00	
MICROSTUF	Pinwriter 560\$999.00	Captain - 64	JB1285A TTL Amber\$129.00 JC1401 Multi Sync RGBCALL	
Crosstalk XVI\$89.99 Crosstalk Mark (V\$149.00	OKIDATA	VIDEO-7	- Construction Construction Co.	
Remote\$89.99	OKIDATA	EGA\$429.00	PRINCETON	
MULTIMATE	182, 183, 192, 193, 2410, 84CALL	INTERFACES	MAX-12 Amber5179.00	
Multi Male Word Proc\$219.00 Advantage\$289.00	Okimate 10 (Specify C64/Atari)\$189.00 Okimate 20 (IBM)	AST	HX-9 9" RGB	
On File\$89.99	Panasonic	Multi I/O (Apple II)\$149.00	HX-12 12" RGB\$469.00	
Just Write\$89.99	KX1080 NEW	DIGITAL DEVICES	HX-12E Enhanced\$559.00 SR-12 Hi-Res\$599.00	
Intuit\$69.99	KX1091\$259.00	Ape Face (Atari)\$49.99	SR-12 Professional \$699.00	
NORTON	KX1092\$369.00 KX1592\$469.00	U-Print A (Atarl)\$54.99 U-A16/Buller (Atarl)\$74.99	QUADRAM	
Norion Utilities 3.1\$57.99	KX1595\$659.00	U-Call Interface (Atari)\$39.99	W	
ONE STEP	QUADRAM	U-Print C (C64)\$49.99	8400 Quadchrome 1	
Golf's Best\$34.99	Quadjet \$399.00	P-16 Print Buffer	8420 Amberchrome	
Proof	Quad LaserCALL	MICRO R & D	8500 Quad Screen	
File/Graph(ea).\$84.99	SILYER-REED	Apple IIc Parallel\$49.99	* TAXAN	
Report\$74.99 Write/Proof Combo\$84.99	500 Letter Quality\$219.00 550 Letter Quality\$419.00	Kaypro 2000 Parallel\$49.99	115 12" Green\$119.00	
PROFESSIONAL SOFTWARE	800 Letter Quality\$699.00	C64/128\$59.99	116 12" Amber	
Write-N-Spell	stor	Orange Micro	122 TTL Amber	
THE SOFTWARE GROUP	SG-10C (C64 Interface)CALL	Grappler CD (C64)	220 14" Color Composite\$179.00	
Enable\$329.00	SB/SD/SG/SR Series	Grappier C (ilc)\$89.99	620 640x200 RGB\$439.00 630 640x200 RGB\$489.00	
Word Perfect 4.1\$219.00		Grappler 16K (IIe, II+)\$139.00	840 720x400 RGB\$539.00	
SORCIM/IUS	Texas Instruments	E PROPERTY.	THEON	
Accounting AP/AR/GL/INV/OE(ea.) \$299.00	T1850	Graphicard\$69.99	ZVM 1220 Amber599.99	
AP/AP/GL/INV/OE(ea.) \$299.00 SuperCelc III\$199.00	T1865	Serial Card \$99.99	ZVM 1230 Green\$99.99	
EasyWriter II System\$239.00	TOSHIBA	Microbuffer II + 84K\$189.00	ZVM 1240 IBM Amber\$149.00 ZVM 135 RGB\$459.00	
Super Project\$199.00	P321 (80 column)\$499.00	QUADRAM (A)	ZVM 1330 RGB\$459.00	
Jat\$37.99	P341 (132 column)\$799.00 P351 (132 column)\$1049.00	Microfazerfrom \$139.00 Elazer (Epson) from \$79.99	ZVM 1360 RGBCALL	
	4	Eleter (Epson)	ZVM 1380 E G CompCALL	
		37 00 E		
			DEPT. A206	

VREDEASE

Ecosoft's Eco-C88 Rel. 3.0 C Compiler




Release 3.0 has new features at an unbelievably low price. ECO-C88 now has:

- Prototyping (the new type-checking enhancement)
- enum and void data types
- structure passing and assignment
- All operators and data types (except bit fields)
- A standard library with more than 200 functions (many of which are System V compatible for greater code portability)
- cc and mini-make that all but automates the compile process
- 8087 support (we sense the 8087 at runtime no dual libraries)
- ASM or OBJ output for use with MSDOS linker
- Tiered error messages enable-disable lint-like error checking
- Fast compiles and executing code
- Expanded user's manual
- Enhanced CED program editor (limited time offer)

We also offer the following support products for Eco-C88.

CED Program Editor

CED now supports on-line function help. If you've forgotten how to use a standard library function, just type in the name of the function and CED gives you a brief summary, including function arguments. CED is a full screen editor with auto-flagging of source code errors, multiple windows, macros, and is fully configurable to suit your needs. You can edit, compile, link, and execute DOS commands from within the editor. Perfect for use



C Source for Standard Library

Contains all of the source code for the library functions that are distributed with Eco-C88, excluding the transcendentals and functions written in assembler.

Developer's Library

Contains the source code for all library functions. including the transcendentals and those written in assembler. Perfect for the developer that wish to write their own custom functions or learn how we implemented the Eco-C88 library.

ISAM Library

Contains the code from the C Programmer's Library in relocatable format (i.e., .OBJ) including the delete code for the ISAM file handler.

with order)

with order)

(\$30 if not with order)



C Programming Guide \$

After reading the 1st edition. Jerry Pournelle (BYTE Magazine) said: "I recommend this book ... Read it before trying to tackle Kernighan and Ritchie." The second editon expands this best seller and walks you through the C language in an easy-to-understand manner. Many of the error messages include references to this book making it a perfect companion to Eco-C88 for those just starting out with C.



C Self-Study Guide

(Purdum, Que Corp.). Designed for those learning C on their own. The book is filled with questions-answers designed to illustrate many of the tips, traps, and techniques of the Clanguage. Although written to complement the Guide, it may be used with any introductory text on C.



C Programmer's

(Purdum, Leslie, Stegemoller, Que Corp.). This best seller is an intermediate text designed to teach you how to write library functions in a generalized fashion. The book covers many advanced C topics and contains many useful additions to your library including a complete ISAM file handler.

Eco-C88 C compiler requires an IBM PC, XT, or AT (or compatible) with 256K of memory, 2 disk drives and MSDOS 2.1 or later. Call today: 1-800-952-0472 (for orders)

1-317-255-6476 (tech. info.)



Ecosoft, Inc. 6413 N. College Ave. • Indianapolis, IN 46220









MODEM MYSTERIES REVEALED

BY DICK POUNTAIN

BYTE U.K. has finally been dragged kicking and screaming into the electronic age. This is the second column to be wholly transmitted to the U.S. over the telephone, using a 1200-bits-per-second modem, British Telecom's In-

ternational Packet Switching Service, and a BIX (BYTE Information Exchange) mailbox. The changeover was relatively painless despite a certain initial apprehension on my part. Nevertheless, it did uncover one of those wonderfully obscure hitches that seem to accompany serial communications the way that black cats used to accompany witches.

I have owned a 300-bps acoustic coupler for several years now, but I've never really used it much. One reason is that until recently there has been little worthwhile to access in the U.K. The bulletin boards that do exist seem to be filled either with information relevant only to various computers that I do not own, or with trivia and a puerile form of humor that might have escaped from the pages of a school magazine.

But another reason is that the U.K. has a lot of catching up to do in communications. Until two years ago the state-owned telephone authorities forbade private citizens to connect any apparatus directly to the telephone network. As a result, the 300-bps acoustic coupler represented the state of the art in hardware for quite a while, unless you were a corporate user with a leased line. In addition, the low-cost home computers that have dominated the market here are seldom equipped with serial ports as standard features. and this also hindered the growth of communications.

Since the privatization and subsequent liberalization of the telephone network, some progress has been

Our U.K. correspondent struggles into the electronic age with the WS3000 modem

made. Direct-connect modems are now becoming available at reasonable prices, and we are even starting to see speeds of 1200 and 2400 bps full duplex in the latest models. British modem manufacturers still complain that the approval procedure required by British Telecom takes too long and hinders their competitive efforts, but movement is visible nevertheless.

Also complicating the matter is the fact that the U.K. has a wider variety of communications standards to support than the U.S. does. Moreover, even when our standards appear to use the same speed as yours, ours are in fact based on different carrier frequencies than yours. Ours are based on CCITT standards rather than Bell; for example, our 300-bps standard is CCITT V21, whereas yours is Bell 103.

Although our bulletin board systems are mainly 300 bps, we have a major public teletext network called Prestel that uses the CCITT V23 standard, which operates at the split rate of 1200/75 (that is, 1200 bps receive and 75 bps transmit). This curious standard was chosen because Prestel was not designed to be a fully interactive system. It is mainly an information source for business data, weather reports, and the like. The 1200-bps receive speed gives reasonably quick screen updating, while the 75-bps transmit rate is adequate for sending short command sequences to turn to the required page.

With the advent of home computers, several vendors rented space on Prestel for electronic computer magazines and encouraged home computer owners to use the service. So for several years one was faced with a choice of buying either a 300-bps or a 1200-/75-bps modem. The split tended to be 1200-/75-bps modems for

home computers such as the Sinclair Spectrum and Commodore 64, and 300-bps modems for CP/M users who were probably using U.S. telecommunications software.

In 1984 the British firm Miracle Technology Ltd. produced a multistandard (i.e., 300 and 1200/75 bps) modem called the Minor Miracle at what was then a very competitive price of just over £100. In 1985 the firm followed up on the success of this model with a new family of WS3000 modems that, in their various configurations, are just about state of the art in personal computer modems.

STRANGE INTERACTIONS

The basic model in the WS3000 series operates with the V21 (300 bps full duplex) and V23 (1200/75 bps) standards as well as the equivalent Bell standards, at a price of £250. It comes with auto-dial and auto-answer facilities, uses the widely accepted Hayes protocols, and is highly intelligent. It also has internal storage for 60 telephone numbers.

The two more expensive models are identical to this model, except that they add 1200 full duplex (the V22 model) and 2400 full duplex (the V22bis model). Both lower-priced models can be upgraded to higher specifications after purchase.

I decided to purchase the V22

(continued)

Dick Pountain is a technical author and software consultant living in London. England. He can be contacted clo BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

model, at a cost of £495, because I anticipate using BIX a lot, and uploading large text files at 1200 bps rather than 300 bps will save money in the long run. And to be honest, using BIX at 300 bps with my old acoustic coupler is a real pain. Most of the system's interactivity evaporates when you have to sit drumming your fingers waiting for the text to unfold on the

My purchase decision was slightly complicated by the fact that Hayes launched a U.K. version of their bestselling Smartmodem 1200 just about the time I decided to buy, priced almost exactly the same as Miracle Technology's V22 model. However, a couple of factors (patriotism apart) made up my mind. The U.K. version of the Haves operates only at 1200 bps full duplex, whereas the WS3000 operates at every standard you can think of, including Prestel's split rate. At a more trivial level, the WS3000 comes with a built-in phone jack to

connect the telephone handset. whereas the Haves doesn't and so forces you to buy a doubling adapter.

I received my WS3000 V22 in the last week of 1985, after a lengthy wait due to production delays with the plastic cases. It's a smart-looking unit and, like the Hayes, slim enough to sit under the telephone. It has no mechanical controls, just a set of red lights that reveal the current status of the lines and operation modes.


I quickly got the unit set up and working faultlessly at 300 bps and spent a couple of days playing around on BIX and various U.K. bulletin boards. But try as I may, I simply could not make it work at 1200 bps. It took a while to discover this fact because a lot of commands and various registers can be altered on the device, and I had to play around for several days to be convinced that I was using the modem correctly. It is, in fact, very easy to use, and most of the stuff I was doing was quite irrelevant, but I discovered that only later.

The symptoms were simply that at any speed involving 1200 bps (including 1200/75 and 1200 full and half duplex) only garbage appeared on the screen, even though it was clear that the modem was dialing correctly and logging on successfully to the various services (including BIX). The obvious conclusion to draw was that the 1200-bps chip in the modern was faulty, but some hunch told me that this wasn't so. If that were the case. how could the modem dial and log on correctly? A painful process of detective work began, which involved several phone calls to Miracle Technology's patient and helpful customer service department.

The first two things to suspect when faced with an RS-232C-related problem are always communications parameters and cabling. It was easy enough to try all the possible combinations of parameters, and the (continued)

X-VIEW 86

Application Program



Dynamic Execution Information

X-VIEW 86 profiles the execution of DOS software, and displays information needed to improve program performance, identify compatibility issues, and pinpoint conversion problems.

Profiles DOS application software and solves problems Debug can't touch.

X-VIEW 86 is a DOS software X-ray machine.

X-VIEW 86 monitors internal software operations during execution to help you debug, test, port, or convert programs. X-VIEW 86 adds new features to Debug to profile either your own applications software or top-sellers like 1-2-30, You get fast, reliable results.

Real solutions to technical challenges.

Save hours of time-consuming, tedious work using data from X-VIEW 86's built-in reports that identify:

- Execution hotspots
- I/O port references
- Segment usage

- Interrupt calls
- Memory map references
 Instruction set usage Report information is displayed on screen. And new breakpoint commands added to Debug stop a program on:
- I/O port references
- Interrupt calls
- Memory data references

Hardware and software requirements.

X-VIEW 86 runs on the IBM PC and compatibles with DOS Debug 2.0 or 2.1. Even if you use a different debugger, X-VIEW 86 turns Debug into your program profiler. And it's not copy protected.

Priced at an affordable \$59.95.


Get a whole new outlook on your work with X-VIEW 86. We've made it easy. Order today by calling 1-800-221-VIEW (in Texas, or outside the U.S., call 1-214-437-7411). We accept Visa, MC, DC, and AmEx cards. Or order by writing to: McGraw-Hill CCIG Software, 8111 LBJ Freeway, Dallas, Texas 75251. X-VIEW 86 is just \$59.95 plus sales tax and \$3.00 shipping (\$9.00 outside the U.S.). Be sure to include credit card number and expiration date with mail orders. Orders paid by check are subject to delay. To order call

1-800-221-VIEW

Mr McGraw-Hill CCIG IIII Software

8111 LBJ Freeway, Dallas, Texas 75251

X-VIEW 86 is a trademark of McGraw-Hill, Inc.; IBM is a registered trademark of International Business Machines: 1-2-3 is a registered trademark of Lotus Development Corporation.



"Attention shoppers. Our image processing dept. has been expanded again. Repeat...

Welcome to Data Translation, home of the image processing board. Here you'll find the industry's most complete line of products for the IBM PC, IBM PC AT and the MicroVAX II.

Data Translation can furnish high and low resolution products for

real-time applications requiring user-defined convolutions, histograms, frame averaging, windowing, arithmetic and logic operations, graphic overlays, and even video animation. And all at prices that are often assumed to be misprints at first glance.

Naturally, you can depend on our standard five-day delivery and extensive

software support. Have a productive day and thank you for shopping Data Translation.

Call (617) 481-3700

	/ 4	1	1	1/2/2	\$ 1	5/4		1	1		1	1	\$ A	1		1
DT2803 Low Cost Frame Grabber	IBM PC, PC XT, PC AT	256x256	64	Yes	Yes		8.	Yes	Yes	1 buffer 256x256x8 (64 Kbyles)					VIDEOLAB PC SEMPER	\$1495
DT2851 + DT2858 High Resolution Frame Grabber and Auxiliary Frame Processor	IBM PC AT	512:512	256			Yes	8°			2 buffers, 512x512x8 each (512 Kbytes), and 1 buffer, 512x512x16 (512 Kbytes)	Yes	Yes	Yes	Yes	DT-IRIS	DT2851 \$2995 DT2858 \$1495
DT2603 Low Cost Frame Grabber	MicroVAX II	256x256	64	*	+		4	*	*	1 builer 256x256x8 (64 Kbytes)					Coming Soon	\$1895

"With DT2859 Eight Channel Video Multiplexer (\$395)
"All frame processor boards operate in near-real-time with 16-bit internal accuracy, all 512x512 frame grabber boards process in real-time with 4-bit and 8-bit internal accuracy



RAN

World Headquarters: Data Translation, Inc., 100 Locke Dr., Mariboro, MA 01752 (617) 481-3700 Tix 951 646. European Headquarters: Data Translation, Ltd., 13 The Business Centre, Molly Millars Lane, Wokingham Berks, RG112QZ, England Tix: 851849862 (#D) In Canada (416) 625-1907. IBM PC and IBM PC ATare registered trademarks of IBM. MicroVAX II is a registered trademark of Digital Equipment Corporation. Data Translation is a registered trademark of Data Translation, Inc. IBM PC and IBM PC ATare

Inquiry 108

cable had been specially made to fit my serial port. Both checked out OK.

Next 1 presumed that my communications software was at fault. Trying several different packages, including the communications module of Symphony, convinced me that this was not the case.

Then a clue appeared. After a benchmarking session one evening. while the stopwatch was still in my hand, it occurred to me to time the rate at which the garbage emerged from the modem. A convenient standard text source was at hand in the shape of the modem's internal telephone directory. This can be listed by sending the command ATN? to the WS3000, and it worked fine at 300 bps but produced garbage at 1200 bps. The stopwatch revealed that the garbage was indeed being transmitted at 1200 bps, and a character count of the directory revealed that only one character in four was getting through properly, hence the garbage. This suggested that my serial port might not be receiving properly at 1200 bps. Discussions with Miracle Technology further encouraged this theory.

My workhorse computer is an IBM PC with a serial port provided by a Microsoft Systemcard multifunction board. A friend lent me a brand-new serial card, and I replaced mine with it. It displayed exactly the same symptoms. At this point, having put my own board back in place. I gave up rational thought and howled at the moon for a while.

Eventually, my courage returning, I decided that since the top of my computer was still off, I would take the whole darned thing apart bit by bit until I made it work. One by one, I removed boards from slots and tested the modem by logging on to BIX. When I removed the Microsoft Mouse card, the modem worked like a charm.

Those of you who have the bus version of the Microsoft Mouse know that the interface card has a jumper on it with four positions that let you choose which hardware interrupt the mouse will operate with. My mouse is an early version, and the jumper is not documented in the manual (it was mentioned on a piece of loose paper

ITEMS DISCUSSED

WS3000 V22 PROFESSIONAL

BRITISH TELECOM PACKET SWITCHSTREAM British Telecom Customer Service Group G07 Lutyens House 1-6 Finsbury Circus London EC2M 7LY England

Tel: (01) 920 0661

in the box, which I lost within a week). The jumper had actually been moved once, when I tried out Digital Research's GEM, because the GEM manual clearly tells you to set the mouse on interrupt 3. I had, though, subsequently moved it back to 4. Moving it onto interrupt 3 again solved my problem, and both mouse and modem now work just fine.

There must be a moral to this story, but I don't know what it is. Perhaps you could say it's a warning that these open-architecture machines, of which we are all so much in favor nowadays, are not an altogether unmixed blessing. Maybe the ideal would be a closed machine that got everything right the first time.

THE WS3000

The phantom bug having been defeated. I am now very happy with my choice of modem. The WS3000 is a very smart modem indeed, and the days of wrestling with an acoustic coupler (the handset popping out of the cup halfway through a call) seem like the dark ages.

The modem responds to commands that for the most part are the same as those of the Hayes Smartmodem. All such commands are prefixed by the letters AT (for attention), and the modem squeaks through its loudspeaker to acknowledge that its attention has been gained. A set of 32 nonvolatile internal registers holds all the modem's parameters, and most of them can be read and written by the user. After you've messed them up so badly that the modem no longer works, the command ATZ will restore the original factory settings from ROM, for which I have been truly grateful several times.

The WS3000 differs from the Haves Smartmodem in that it supports many more communications modes. There are 21 in all, when CCITT and Bell, half and full duplex, originate and answer. equalized and unequalized are taken into account. The six registers S25-30 hold codes that determine what settings will be used for each of the speeds: 75, 150, 300, 600, 1200, and 2400 bps. When the modem receives its first AT command during a session. it senses the speed being used and copies the appropriate code from one of these registers into S18, the currentmode register. So the user can fill registers S25-30 with the codes to be used as default settings. If visiting America, for example, I would load the appropriate Bell standard set.

In auto-answer mode the WS3000 is speed-sensing; in other words it tries to determine what speed the caller is using by comparing the carrier tone with all the ones it knows about, starting with the fastest. I haven't yet been able to test this facility as I don't get many calls from other modems.

One very powerful feature is the provision of a parallel control port. This port is brought out on the back panel of the case as a 26-pin connector and can be configured by software to emulate a Centronics printer port or a variety of other 8-bit ports. By writing suitable software (which can be put in ROM and added to the command set), you can use the port for remote control of machinery and instruments. It's possible for an instrument hooked up to the port to autodial a number and send its readings. or for a machine to auto-dial engineers and make a fault report. Those who are enthusiastic about the home of the future could use it to alter the central heating, for example, or reset

(continued)

Actually, we give you two things free.

Our source code. And your freedom.

Just buy part or all of our excellent integrated business accounting system, the SBT Database Accounting Library.

We'll give you our source code absolutely free. Which, in turn, gives you the freedom to customize our software to fit your business needs.

Say, for instance, you want to change the way a management report is formatted. Our free source code enables you to change it.

What's more, the change will be quick and simple because our software is written in easy-to-use dBASE.

In fact, the entire SBT Database Accounting Library runs with dBASE III or dBASE II,* so you get the power and flexibility of those best-selling programs. Plus the freedom to use any computer that runs dBASE.

The SBT Database Accounting Library.

Great software and freedom. All in the same box.

Call today for our demo disk and brochure. (415) 331-9900.

THE SBT DA	TABASE ACCOUNTING LIE	BRARY.
dProfessional	Time & Billing	\$395
dOrder	Sales Order processing	\$195
dInvoice	Billing/Inventory Control	\$195
dStatement	Accounts Receivable	\$ 95
dPurchase	Purchase Order	\$195
dPayable	Accounts Payable	\$295
dPayroll	Payroll/Labor	\$395
dLedger	General Ledger/Finance	\$395
dAssets	Asset/Depreciation	\$295
dProject	Project/Job Accounting	\$395
dBackup	Menu/Backup	\$ 65



Three Harbor Drive Sausalito, CA 94965 (415) 331-9900

Call today for the name of the SBT consultant in your area.

Free source code in every box.



the burglar alarm while on vacation.

I have found the WS3000 to be as transparent as a modem can be. I use a simple dumb-terminal program. configured to 1200 bps full duplex; the WS3000 then sets itself to this speed automatically. My keyboard enhancer program, Software Research Technologies' SmartKey, assigns modem command strings (e.g., ATDN1 for "dial stored phone number 1") and log-on strings to single keys. so I can get onto BIX with just two keystrokes, one to get a PSS (Packet SwitchStream) line and the other to do all the logging on. Borland's Side-Kick serves as an editor and, with its Paste facility, a means of transferring documents.

A nice bonus is that SideKick lets me use the WS3000 as an auto-dialer for both voice and data calls. By keeping all my phone numbers in Side-Kick's PHONE.DIR file, I can search the directory for a number and dial it by hitting a carriage return. This is a pretty good test of the WS3000's Hayes compatibility, since SideKick is designed to work with the latter.

This string-and-sealing-wax setup works just as well as any of the expensive blockbusting communications programs I've seen. The only feature I miss is the ability to call the terminal program, SideKick-style, from inside another application, and I understand that there are now products in the U.S. that will do this.

COMMUNICATING IN THE U.K.

Before I finish, a little elaboration on British Telecom's Packet SwitchStream network would be useful, especially for British readers who are contemplating joining BIX.

The British Telecom services are called Packet SwitchStream (PSS) and International Packet SwitchStream (IPSS), and both can be obtained merely by opening an account, just like a regular telephone account. The cost of opening such an account is very reasonable indeed-a one-time connection charge of £25 and a quarterly rental charge of £6.25. For this you receive a password called your NUI, or network user identity. which will be recognized at one of the Packet Switching Exchanges that are situated in all the U.K.'s major cities. You also get an NUA, or network user address, by which other modem users can reach you.

By dialing the number of your Packet Switching Exchange (a local phone call) and giving your NUI, you will be connected to a computer called the PAD (packet assembler/disassembler). Once connected to the PAD you can gain access to other users or networks in the U.K., or abroad by entering their NUA just like a telephone number. For example, BIX can be accessed via the U.S. Tymnet network, whose NUA is 31069.

With packet switching, your message is chopped up into small packets (usually 128 bytes), and these packets are then mixed in with packets from other users and sent over a highspeed data link. Each packet contains an address that enables your whole message to be reassembled again at the other end. By this means the data rate of the system can be kept very high, and so the cost to you is low.

For example, if you dial the U.S. directly by public telephone it costs about £45 per hour; most of the time is wasted, too, since the gaps between words (or typed characters in a data call) are much longer than the actual information. With packet switching there is no such waste, and the cost is much less. Tymnet, for example, costs £4.80 per hour and £3 per kilosegment (1000 packets) transmitted. To that you add the cost of the local phone call to your PAD, which goes on your ordinary phone bill. Inland calls on PSS and European calls are much cheaper still.

Assuming you have an IPSS account, the complete sequence to access BIX from the U.K. is as follows:

< your own NUI> A9 31069 to get onto Tymnet BYTENETI at the Tymnet prompt MGH password BIX to log onto BIX

To go through the registration procedure, type new when BIX asks for your user name. You'll need a Master-Card or Visa (Barclaycard) credit-card number to pay the registration fee, so have it on hand before you start. Any BIX users who want to reach me can send mail to dickp.

|Editor's note: Starting with last month's column, BYTE U.K. is available on BIX in the Bute.uk conference. Dick encourages readers to add comments and queries about his columns to the conference.

mainframe powered CROSS ASSEMBLERS now under MS-DOS

The UniWare™ family of cross assemblers. Fully relocatable, of course, but absolute listings are no problem, even in loads with many source files. With a linker so capable that even multiple overlays are a breeze. Lots of macro power. And all tools have unlimited symbol capacity.

COMPLETE

8085, 80186, 80288, 8051, 8048, 8080/5, 8041

Motorola

68000, 68010, 68020, 68HC11, 6809, 6805, 6801, 6800

HD64180, 6305, 6301

Hitachi Zilog

780 78

Others 6502, 1802, TMS7000, 3870/F8


Software Development Systems, Inc.

(312) 971-8170

Visa & Master Charge Accepted (U.S.A.) England: Unit-C, Ltd., (0903) 205233

Minimum 320K memory recommended; discounts available on purchases of multiple assemblers; prices subject to change without notice. MS-DOS is a trademark of Microsoft.

HOW TO GET A FREE COPY OF R:BASE 5000.



LEGALLY.

t's simple. Buy one copy of R:base[™] 5000 through any of the regular retail channels, from April 15th until June 30th. Then, send us your proof of purchase, and bingo! We'll send you another copy, free. Documentation and all. Just like that.

Here's your chance to double your productivity with the database management program that Datapro calls the best in the business. Use both copies at the office. Or bring one home. Give one to a

friend (or split the cost!). There are lots of ways you'll come out ahead.

Just send us your warranty card and a copy of the sales invoice (showing your name and date of purchase) to Microrim, P.O. Box 2606, Redmond, WA 98073. And start enjoying twice the benefits of the best DBMS around.

Oh sure, there are probably other ways you could get free copies of R:base 5000.

But none lets you sleep so well at night.

R:BASE 5000

Datapro Report on Microcomputers is published monthly by Datapro Research Corporation.

The personal computer that continues to raise high performance to new heights.

If you work with high volumes of information, you need answers fast.

Which is why IBM created the Personal Computer AT. The PC designed to push high performance even higher.

The power of Advanced Technology.

Turn on the power, and you'll notice the

advances right away.

To begin with, the Personal Computer AT can compute with astonishing speed. That's something you'll appreciate every time you recalculate a spreadsheet. Or search through a data base.

It can store mountains of information—up to 15,000 pages' worth—with a 30-megabyte "hard file" (fixed disk). And when business gets bigger, you can double your capacity to 60MB with a second hard file.

Advanced Technology advances again.

Fast as it is, new models of the Personal Computer AT run up to 33% faster.

Plus, you can now select an enhanced keyboard. It has separate cursor keys, a separate numeric keypad (for easier data entry) and twelve function keys. It also has a main typing section patterned after the classic IBM Selectric keyboard, which makes word processing easier than ever.

In addition, you can also choose a new option that lets you use 3.5-inch diskettes with your Personal Computer AT.

Family ties.

The Personal Computer AT is compatible with the IBM PC and PC/XT. So it can run many of the thousands of programs written for the IBM PC family.

And with new IBM products, the Personal Computer AT can more easily communicate with other PCs.

IBM's networking options, for example, let you share files from a variety of popular programs.

While the IBM PC 3270 Emulation programs let you retrieve information from a

mainframe.

You can also use the Personal Computer AT to run IBM PC XENIX —an enhanced multi-user, multi-tasking operating system.

A powerful value.

Only the Personal computer AT offers these capabilities and IBM's commitment to quality, service and support. A combination that can't be cloned.

Better still, you'll find that the new models offer higher performance without a higher price. And if you qualify, you can conveniently charge your Personal Computer AT on IBM's Credit Card. Or lease one with the IBM Commercial Lease Agreement.

See the Personal Computer AT at an Authorized IBM PC Dealer or IBM Product Center. Or call your IBM representative.

For the name of a store near you, call 1-800-447-4700. In Alaska, call 1-800-447-0890.

The IBM Personal Computer AT, for Advanced Technology.


Little Tramp, character licensed by Bubbles Inc., s.a.
IBM, PC/XT and Personal Computer AT are trademarks of International Business Machines Corporation. XENIX** is a trademark of Microsoft Corporation. Based on SYSTEM V.

326 BYTE • JUNE 1986 Inquiry 159



Copyright IBM Corporation 1986

Kiss Your Daisywheel Goodbye Forever.



It's had a good life, but it's time to bury your old printer. Because now you can have a KISS™ instead. It can take the place of your dot matrix and daisywheel printers—and you'll never miss them.

KISS is the first intelligent laser printer that's both smart and simple. And at the unbelievably low price of \$1,995*, it won't put you in the hole.

KISS is sophisticated. It's ten times faster than your old daisywheel and dot matrix printers. And it's very quiet. It produces crisp, near typeset-quality output at up to 400 characters per second. And it has its own cut-sheet feeder.

KISS has nine resident fonts. You can mix them on a single page, and even on one line for a lively style of your own.

Plus, it's smarter than your old printer. It works with WordStar, Lotus and any other software that will print to a Diablo 630, Epson FX 80 and QUME Sprint. And at up to 6ppm, KISS is unmatched in efficiency and versatility.



Aren't you dying to have a printer that can perform like that?

KISS is just one way QMS is meeting today's needs with proven technology.

Call us toll free at 1-800-245-KISS. Or write: QMS INC., P.O. Box 81250, Mobile, Alabama 36689. One Magnum Pass, Mobile, Alabama 36608.



Inquiry 282

* This price good in the domestic United States only WordStar is a registered trademark of Micropro International. Lotus is a registered trademark of Lotus Development Corporation. Diablo is a registered trademark of Xerox Corporation. Epson is a registered trademark of Epson America. Inc. OUME Sprint is a registered trademark of QUIME Corporation. © 1986 OMS⁵ Inc.

Upgrade Fever

BY EZRA SHAPIRO

Writing this month's column has not been fun. None of the products is new; you and I have seen them all before. So I've been faced with a tough question: Should I base my evaluations on how the products have changed,

or should! treat them as if they were brand new? Well. I've taken the dumb way out and tried to do both.

IN THE CENTER RING

Imagine you're at the circus. It's time for the moment you've been waiting for-the elephant act. The elephants come marching out. They dance. They wave their trunks in the air. They roll giant colored balls across the ring. And then-the grand finale! The overhead lights dim. A spotlight shines on a curtain at the far side of the ring. which opens to reveal an elephant on roller skates! Fantastic! The crowd cheers! The elephant raises his trunk and slowly, majestically, skates around the ring. He's not very steady, but he manages to maintain his balance. You notice the expression on his face; he looks sad. Everyone applauds; you go home thinking about that poor, sad elephant.

A year later the circus comes to town again. You've been reading reports in the local paper about how the elephant act has been improved for "enhanced," as we say in the computer biz). You go to the performance. You watch the elephants; strangely, nothing seems very different from last year. On schedule, the lights dim, the curtain opens, and out comes that same forlorn elephant on roller skates, only this year the roller skates are motorized! The sad elephant buzzes around the ring (steadier than last vear because he doesn't have to pump his legs). The crowd cheers. You feel cheated. You shake your head in

WordStar 2000 Release 2. dBASE III Plus. Volkswriter 3. and KeepTrack Plus

disbelief, and...

...and you put WordStar 2000 Release 2 back on the shelf, that's

Yes, friends, WordStar 2000 Release 2 (MicroPro. \$495) is with us at last, with all the charm of an elephant on motorized skates. It's faster than last year, to be sure, although it's still so ungainly and hungry for disk space that I wouldn't recommend running it on anything less than an IBM PC AT with a fast hard disk. The fact that MicroPro is so concerned about speed that it's offering a RAM version for users with 512K bytes or more Isent as a premium when you mail in your registration card) is a signal to me that the program still has problems.

After several weeks with the product, I find it clumsy, overdesigned, and uninviting, although the list of features looks terrific on paper. The program isn't absolutely ghastly, but I can't come up with a reason why I'd want to use it.

In all fairness, the program does give you everything you need for professional word processing, plus a number of bonuses. The documentation is clean, and the tutorials on disk are helpful. CorrectStar is still an excellent-and possibly the best-integrated spelling checker. The database-like mail-merge feature is very nice, as is the ability to store layout formats. You get great macro/abbreviation facilities. Two new features. arithmetic functions and multicolumn lavouts, are welcome additions. And MicroPro supports just about every printer ever made.

Yet I remain unsatisfied. Part of the problem is the interface, loosely (very loosely) based on original WordStar's use of Control-character prefixes. The prefixes have been changed to be more

mnemonic; block operations are triggered with Ctrl-B, exit options with Ctrl-Q. This makes more sense than the original, which used Ctrl-K for both. As a result, a veteran WordStar user like myself finds the landscape of WordStar 2000 familiar but unsettling. MicroPro contends that the transition is easy; I argue that if I'm going to have to learn a new system, I might as well learn something entirely new.

Menus or submenus fill nine lines at the top of the screen. Add the status and ruler lines, and nearly half the display is gone. This was ugly when WordStar did it; why not change with the times? I'd vastly prefer almost any other system-pull-down menus, pop-up menus, a command line, or anything that doesn't cause as much visual clutter.

I suspect that what I'm encountering is part of a master plan to make the program easily grasped by the computer-uninitiated in the business environment. After they become adept, the theory goes, they can turn off all the visual noise and get on with life. Well, I'm what is known as a "power user"-I don't need all the help-but I'm learning, too, and every time I have to ask a question I'm forced to confront all this stuff. There's no way around it.

Drawing another analogy, I expect a top-of-the-line word processor to

Ezra Shapiro is BYTE's West Coast bureau chief. He can be contacted clo BYTE. McGraw-Hill, 425 Battery St., San Francisco. CA 94111.

behave like a luxury sports sedan. I want good handling, quick response, fast acceleration to cruising speed, a sense of security and comfort, and I don't want convenience features to distract me from driving. The parallels to word processing are obvious. If WordStar 2000 were a car, it would be a limousine with tail fins.

With Release 2. WordStar 2000 has become an acceptable word processor at last, but there are at least half a dozen word processors on the market I rank as outstanding, including WordPerfect, XyWrite, MultiMate, Framework, Volkswriter, and even lowly, original WordStar (which you can get with CorrectStar). If you want to settle for "acceptable," be my guest. But think about that elephant.

AN IMPORTANT PRODUCT

Make no mistake, when you buy dBASE III Plus (Ashton-Tate, \$695). you're not just purchasing a database management program—you're joining an institution. Over the years, the dBASE phenomenon has grown from a small cult happening to a massive superstructure. Although Ashton-Tate has built strong customer loyalty by providing excellent support for the product, you don't need it. Just look at the number of dBASE books, dBASE users groups, dBASE bulletin boards, dBASE consultants, dBASE utilities, dBASE program generators, dBASE compilers, dBASE . . . vou get the idea. I often find myself recommending the program not because it's particularly suited to a given use, but because of all the support. There's a snowball effect, too. As dBASE becomes increasingly dominant, fewer competitors have the guts (or the budget) to challenge it head on. so they attempt to chip away at the edges of Ashton-Tate's market. As a result, I could probably pick out products that beat dBASE in any specific category (this one has a better query language, that one is more portable to minicomputers and mainframes. the other one is easier for a novice. and so forth), but nobody beats dBASE overall.

Each upgrade to the original dBASE product has broadened its scope. The current move, from dBASE III to dBASE III Plus, adds the regular performance improvements thas a database manager ever been enhanced without an announcement of faster sorting and indexing?), networking capabilities, a few new programming commands, rewritten documentation, and a mild sprucing up of the user interface.


The networking will further solidify the product's position in the business community. You have file and record locking, eight levels of password protection, and encryption/decryption on any network that runs with PC-DOS 3.1, including networks from 3Com, Novell, AT&T, and IBM, Since I didn't have access to anything but a few single-user computers, I have no idea whether any of this works, but it sure sounds impressive.

As to the other stuff. I have mixed reactions. I've never found dBASE all that difficult to use in its rawest form. the infamous "dot prompt" interface. At that level, the program works like a language, and you can accomplish a lot with a limited number of commands. It's a bit confusing at first, but you can build a pretty straightforward card file without too much effort. Things get trickier as your needs become more complex, but if you can take the time to learn gradually it's no big deal.

However, software companies seem to feel that they have to prove that their products can be operated by the subayerage dunderhead, so Ashton-Tate has bolted on a "Framework-like" menu system, a query aid, a view mode, a Screen Painter, and an Applications Generator. It's here that dBASE III Plus lacks punch.

The menu system is okay, but database manipulations are rather arcane. and the menus will not save you from yourself if you don't have a clear idea of what you're trying to accomplish and how the program works. They do save a little time when you're building







The Best C Book A Powerful C Compiler

One Great C Value \$39.9

A good C book just isn't complete without a good C compiler to go with it. That's why we give you both. You get a comprehensive 450 page book and a standard, full feature C compiler. It's everything you need to take advantage of this powerful, portable

Our book is filled with sample programs. You'll learn how to use pointers to functions with a program that computes the time value of money. A simple data base program illustrates dynamic memory allocation and linked lists. Sample programs are included with the description of all functions.

Our compiler works fast because it makes only one pass through your program. Unlike other C compilers, it doesn't require a separate program to control the compile process. And it won't wear out your disk drives creating intermediate files. One fast pass and you've got an object file that's ready to be linked.

You also get our fast linker and an extensive library of standard C functions. In addition to the portable C functions you get a large number of computer specific functions so you won't have to write them yourself. The library includes an interface to the BDOS and BIOS routines so you can easily add your own special functions when the job demands it.

You can't learn to program in C without a good book and a good compiler. You can buy other C books but they don't include a compiler. You can buy other C compilers but they don't include a book. Either way you spend a lot of bucks and the compiler might not do what the book says it should. With MIX C you don't have to worry. You get both a good book and a good comiler for just a few bucks. And we guarantee that the compiler does what the book says it should.

Language Features

- Data Types: char, short, int, unsigned, long, float, double, void
- Data Classes: auto, extern, static, register
- Typedef, Struct, Union, Bit Fields, Enumerations
- Structure Assignment, Passing/Returning Structures

abe
asm.
asmx
atan
atof
atol
ato1
bdos
bdosx
bios
blosx
calloc
cell
cfree
chain
character
chdir
chmod
clearerr
close
chacra
cmpere
embarr

CODE ferror fflush ígets filena curshik flletrap floor delete exect Rell

exitms

fdopen

exp fabs

gettime getw heapsiz iofilter

isalpha

Functions

Isla outchar len malloc reach alloc math writech weitedor

emdie settime sprintf sqrt srand

streme stracet exit

MIX Editor

When you're programming in a high level language you need a high powered editor. That's why we created the MIX Editor. It's a powerful split screen text processor that works great with any language. It has auto indent for structured languages like Pascal or C. It has automatic line numbering for BASIC. It even has fill and justify for English.

You can split the screen horizontally or vertically and edit two files at once. You can move text back and forth between the two windows. You can also create your own macro commands from an assortment of over 100 predefined commands. It

comes configured like WordStar but you can customize it to work like other editors or word processors.

fwrite

The editor works terrific with our C compiler. The MSDOS/PCDOS version has a macro for compiling direct from memory. If your program has an error the editor positions the cursor to the error and displays an error message. You can also run other programs and execute DOS commands. Because the editor works so well with our C compiler we want to make sure you have both. For a limited time we're offering the editor for only \$15 when purchased with the C compiler.

ASM Utility

The ASM utility allows you to create your own assembly language function libraries. It works with Microsoft's MASM or M80 assemblers. It provides macros for function entry and exit so you don't have to worry about environment details. It also provides a macro for calling C functions from assembly language. Lots of useful assembly language functions are included as examples.

ORDERS ONLY 1-800-523-9520 IN TEXAS 1-800-622-4070

Canadian Distributor

30 Day Money Back Guarantee	NOT COPY PROTECTED	3araguay Sonware: 410-923-1500
Editor \$	□ PCDOS/MSDOS (2.0 or later) □ IBM PC Single Side □ IBM PC Double Side □ Tandy 2000 □ 8 Inch □ Other □ CPM 80 (2.2 or later/Z80) □ 8 Inch □ Kaypro II □ Kaypro 4 □ Apple (Z80) □ Osborne I SD □ Osborne I DD □ Morrow MD II	Name Street City State Zip Country Phone 2116 E. Arapaho Suite 363 Richardson, TX 75081 (214) 783-6001 Ask about our volume discounts.

or editing a simple database, but if you want a full accounting system you have to read all the documentation anyhow.

The query thing (is "structurer" a real word?) is a good shortcut. You get to select fields and filter criteria, and you can get your results much faster using it than you could if you had to type out queries in the dBASE language.

The view mode is merely a euphemism for file-join capabilities. You can build new tables from as many as 10 open files. I do not see this as helping the dunderhead; again, you have to know what you're doing.

The Screen Painter is a full-screen report/entry form editor. It's useful and self-explanatory.

The Applications Generator is a development tool aimed at helping people who don't know what they're developing. That's a snide remark, but this add-on is not going to construct a project that requires any real sophistication with no assistance from the operator. It's helpful for quick and dirty development, and I suppose you can use it to generate some blocks of code that would be boring to write out, but I still see the heavy-duty stuff as requiring programming expertise.

So, conclusions.

One: Database management is not an arena for idiots. It takes planning and intelligence.

Two: dBASE III Plus is not a program for idiots either. It comes with tools that make it simpler to build a baby

accounting system or an automated address book, but if that's all you're up to, there are cheaper, friendlier products on the market.

Three: If you use the tools as shortcuts while developing something, you're pretty smart. I salute you.

Four: The main point (to me) of this upgrade is the network support. If you need those capabilities, or want to buy into the dBASE culture, check this one out.

A SOLID PERFORMER

Volkswriter 3 (Lifetree, \$295) is one of the great forgotten programs. People don't seem to get excited about it, probably because it doesn't do anything flashy. But I don't know if you want fireworks in your everyday word processor; Volkswriter 3 gets the work done and lets you move on to the next job. It's a good product that shouldn't be neglected, particularly considering the price tag.

Basic features: Function-key command set. Uncluttered screen. Decent mail merge. Remapping of ASCII keys. Import and export. Support for a wide variety of printers. TopView-compatible.

New features in this version: Automatic paragraph reformatting. Quick spelling checker with large dictionary. Ability to store multiple layouts, either within individual documents or as templates. Columnar math functions that make it possible to create a small spreadsheet within a document.

Liabilities: There are three things

about the program that I don't like. First, I wish it were possible to remap the command keys. I have a tough time with more than a couple of levels of function keys; Volkswriter 3 uses all four levels. Even though punching FI gives me a diagram of the layout across the top of the screen, I still have trouble remembering the difference between Alt-something and Ctrl-something. Second, if the spelling checker decides that what you've typed is a botched abbreviation, it will demand that you repunctuate it. If the mistake is just a typo, you can't ask Volkswriter 3 to suggest alternatives. Finally, it's another one of those programs that lets you put a character anywhere on the screen. You position the cursor, type a character, and Volkswriter 3 fills the intervening area with spaces or returns as necessary. I'm willing to accept this as a mode, but in general I prefer having to put in the spaces myself so I can use the right arrow key to get from one line to the next.

Overall reaction: Volkswriter 3 is a solid workhorse of a word processor. If you demand lots of zippy features like windows and outlining and such, look elsewhere. But if you're on a tight budget (and who isn't?) and you need a businesslike editor, Volkswriter 3 is worth a long look.

CUTE AND HANDY

There are dozens of hard disk management utilities for MS-DOS machines. As a rule, these programs are designed to simplify file handling and directory organization, and they all look pretty much alike. You can usually show the tree structure of your directories in some sort of graphics representation (useful!) and move from one directory to another by cursoring around the branches of the tree. Individual directories can be displayed when sorted by any reasonable criterion (name, size, age, attributes, etc.). Specific files can be viewed on screen, sent to your printer, copied, moved, deleted, renamed, tagged for mass operations (copying a selected group of files to a floppy disk, for example), and so on, and so on, and so on. In practice, the novice

(continued)

ITEMS DISCUSSED

WordStar 2000 Release 2 ... \$495 (MS-DOS) MicroPro International Corp. 33 San Pablo Ave. San Rafael. CA 94903 (415) 499-1200

SAVE BIG ON 1200 AND 2400 BAUD MODEMS

Now you can save big by purchasing a modem for your personal computer DIRECT.

Sunnyvale Communications Company has aquired a wide range of products that will enable your computer to communicate with the outside world. These products are of outstanding quality and value. Check these features:

1200 LC \$199

- Hayes[™] command compatible
- 1200/300/110 bps
- · Auto dial. Auto answer
- Built-in speaker
- RS-232 to any computer



1200 TPC \$129

- Hayes[™] command compatible
- 1200/300/110 bps
- Auto dial. Auto answer
- IBM[™] internal
- Built-in speaker
- Software included



1200 SPC \$175

- Hayes™ command compatible
- 1200/300/110 bps
- Half-slot size
- · Auto dial, Auto answer
- Built-in speaker
- Built-in diagnostics

Hayes is a registered trademark of Hayes Microcomputer Products, Inc. 18M is a registered trademark of International Business Machines Corp. Apple and Mac are registered trademarks of Apple Computer, Inc. Crosstalk is a trademark of Microstuf, Inc.



AppleMate 1200 \$199

- Apple™ U , U+, He internal
- Hayes™ command compatible
- 1200/300/110 bps
- Auto dial, Auto answer
- Built-in speaker
- Super serial card equivalent



MacModem 1200LC \$229

2400 MODEM

2400 \$495

Built-in speaker

 Hayes[™] command compatible • 2400/1200/300 bps Auto dial, Auto answer Synch or Asynch operation Originate and Answer buttons

- Mac™ compatible standalone
- Haves[™] command compatible
- 1200/300/110 bps
- Auto dial. Auto answer
- Built-in speaker
- Mac modem cable included

MIRROR \$40

- Crosstalk™-like software
- Multi-tasking
- Menu-screen command structure



Communications Company

1398 Borregas Avenue Sunnyvale, CA 94088-3565 408/752-5095

800 835-9009 in CA OUISING CA



Attention all FX80, FX100, JX, & RX owners:

You already own half of a great printer



Now for \$79.95 you can own the rest. You see, today's new dot matrix printers offer a lot more.

Like an NLQ mode that makes their letters print almost as sharp as a daisy wheel. And font switching at the touch of a buttonin over 160 styles. But now, a Dots-Perfect upgrade kit can make your printer work like the new models in minutes. At a fraction of their cost.

Call now and use your Visa or Master Card. Don't replace your printer, upgrade it!

1-800-368-7737

In California: 1-800-831-9772

Sample of letter with Dots-Perfect







& Dresselhaus

837 E. Alosta Ave., Glendora, CA 91740 Tel: (818) 914-5831 An upgrade kit for EPSON FX, JX and RX printers

EPSON is a trademark of EPSON America, Inc.



user is insulated from the cryptic world of the DOS command line, and the expert is given a shortcut through tedious disk-maintenance tasks.

I usually don't recommend paying money for any of these programs for two reasons. First, a lot of good public-domain and shareware utilities do exactly what the commercial ones do. Why pay for a commercial product when most of your money is going for packaging and promotional costs? You sure aren't buying originality or brilliant programming. The second reason is a matter of personal honor—I don't recommend products when I can't keep their names straight.

At first glance, **KeepTrack Plus** (The Finot Group, \$79) is yet another program of this type. It does all the expected things, and does them well, and who cares?

However, buried somewhere off on a submenu is a nice file-by-file backup-and-restore system that I haven't seen anywhere else yet. You select a branch of your directory tree (or your whole disk) for backup, and KeepTrack Plus duplicates your disk structure on the backup medium. That is, it will create the necessary directories so that the file C: \ COMM \ TALK \ BIX.DOC will be copied to A: \ COMM \ TALK \ BIX.DOC. Keepīlack Plus creates a master index in your root directory that shows where the backup of each file has gone and another index file on your target medium that shows what it contains. Both indexes are in plain ASCII, and they can be edited or viewed with no hassle. If you want to exempt certain files from the backup process, you create an ASCII file in your root directory that lists exceptions. The system is ideal for backing up on sequentially numbered floppies but will work with streaming tape, cartridge hard disks, and so on. I am far more comfortable with this file-by-file arrangement than with the standard DOS process that does not let you get at individual

The original KeepTrack is still available at \$39, but it lacks the backup system, and I won't recommend it for the reasons stated previously. For convenience software, KeepTrack Plus is pricey, but it makes life easier.



640 x 350 16 COLOR



FLIGHT SIMULATOR



EGA PAINT



GEM



PAINT BRUSH



Auto CAD

NO Low-End Graphics Adapters. MORE

Why Settle for Less?



IBM sets the standards for Monochrome, Color/Graphics and the Enhanced Graphics Adapter. Hercules sets the Monochrome

Graphics standard. And the MegraGraph-Plus simply redefines the standard for what the Graphics Adapter is supposed to be: Monochrome text, Hercules graphics, color graphics, enhanced graphics. And most importantly . . . No software driver patches required.

Fully Compatible

You can run almost all software from your early investment. Including Flight Simulator, Pin Ball, Jet and Lotus 1-2-3 Version 1A.

And it will still run all the business software packages written for IBM Enhanced Graphics Adapter (EGA). Examples include Auto CAD, IBM Drawing Assistant, Gem Draw, Microsoft Window, Word & Chart, Lotus 1-2-3 and Symphony, Dr. Halo, PC Paint Brush, EGA-Paint and many, many more.

ATronics is dedicated to the technical excellence of computing devices. To find out more about ATronics and our superhigh performance ATI-1000 & ATI 2000 AT system compatible boards call or write:

Features



Half size, fits in any slot of PC/XT/AT	X	X		
EGA compatible	X	X	X	X
CGA compatible	X	(1)	(2)	(2)
MDA compatible	X	X	X	X
Chip count	24	29	86	40
Hercules compatible 720 x 348 graphics	X	X		
No Software Patches required	X		X	X
Boot from: — Flight Simulator — Pin Ball — Jet	X X X			
Runs Lotus 1-2-3 version 1A: — Hercules mode — Color mode	X	(1)		
Two Video Jacks	X	X	X	
Display Memory	256K	256K	64K	256K
Light Pen connector	X	X	X	X
List Price	\$549	\$599	\$624	\$595

(1) Needs software driver patches.

⁽²⁾ Compatible only to the BIOS level, but not the hardware level. Will not be compatible with most games software.



Mega Graph

ATronics International Inc. 491 Valley Way Milpitas, CA 95035 (408) 943-6629 TLX: 510-600-6093

nquiry 34

BYTE Invites You to Join BIX

BYTE is the world's leading high-tech microcomputer magazine. Its readers collectively possess more information about personal computers and related topics than any other group in the world. BIX is BYTE's brand-new electronic information exchange, a computer conferencing system that puts you in touch with BYTE readers and other computer enthusiasts on a daily basis.

YOU AND BIX

BIX goes far beyond electronic bulletin boards to give you all the advanced features of true computer conferencing. It's the first major system dedicated to microcomputer information. Check these features:

- You can join ongoing discussions about your favorite computers, programming languages, operating systems, and applications programs, exchange information, ask questions, and offer opinions.
- You can read what others have already entered, add your own thoughts, and download information.
- You can participate when it's convenient for you, from home or office or while you're traveling.
- You also get electronic mail with BIX, putting you in direct, private contact with BYTE editors and BIX users everywhere.

CUSTOMIZE BIX TO MEET YOUR NEEDS

As a BIX user, you select only the conferences and topics that are of real interest to you. You may join a new conference or leave an old one anytime you want. Each time you log on to BIX, you're immediately notified of any electronic mail messages waiting for you, and you see which of the conferences you've joined have had new activity since the last time you logged on. BIX keeps track of your interests.

With BIX, you're an active participant in a giant microcomputer information exchange.

WHAT BIX COSTS...HOW YOU PAY

ONE-TIME REG	15	5		R	A	T	K	1	1	F	1		Ε				
BYTE Subscriber								4	•								.\$25
Nonsubscriber .			_	_								_	_				539

Off Peak (6 p.m7 a.m. plus weekends
and holidays)\$9
Peak (7 a.m6 p.m. weekdays)
TELECOMMUNICATIONS CHARGES:

BIX HOURLY USAGE FEES (All times are local):

BIX is available via Tymnet from anywhere in the United States.

TYMNET (Continental U.S.):
Off Peak \$2/hr. Peak \$6/hr.
PAYMENT:

BIX and Tymnet charges are billed through either VISA or MasterCard. No cash, checks, or money orders.

START USING BIX NOW!

With our easy on-line registration, you can start using BIX in the next few minutes. No lengthy waiting for your registration to be processed by mail. (Step-by-step instructions on how to log on to BIX follow. Reading this material before you log on will speed you through the registration process.)

LOG-ON INSTRUCTIONS AND REGISTRATION INFORMATION

BEFORE YOU CALL BIX:

Having your credit card handy (VISA/MasterCard) before you log on will speed you through BIX registration. You will not be billed for the time you spend on line registering for BIX. If at any time during the on-line process you decide not to register for BIX, just hang up.

HOW TO LOG ON TO BIX:

Step 1: Set your computer's telecommunications program for full duplex using 8-bit words, no parity,

and 1 stop bit, or 7-bit words, even parity, and 1 stop bit. You may call at either 300 or 1200 baud.

Step 2: To reach BIX via Tymnet.*

- * BIX is accessible from anywhere in the country through local Tymnet numbers. If you don't know the Tymnet numbers for your area, contact the BIX Customer Service Line (see below). At other times, numbers can be obtained by calling Tymnet at 800-336-0149.
- Call your local Tymnet number and log on.
- Depending on your baud rate, Tymnet will respond with "garble" or request a terminal identifier. Enter the letter "a". (Ignore quotation marks in this and succeeding entries.)
- Tymnet will ask you to log on. Enter "byteneti" and a carriage return (CR).
- Tymnet will ask you for a password. Enter "mgh" and (CR). You will then be at the door to the BIX computer.

Step 3: (If there is no prompt requesting a login at this point, hit a (CR) which should produce it.) When you see a phrase ending in "login:", enter "bix". (Echoing of this response is normal.)

You should now see the BIX logo scroll onto the screen and a prompt asking you to enter your name. Since this will be your first time on the system, enter "new" and a carriage return. This will

take you to a special section where you enter the information we need to register you as a BIX user. Follow the on-line prompts and supply the information requested. BIX lets you re-enter data if you make a mistake.


When you've completed your registration, BIX will automatically take you to a special "Learn" conference where you'll get a quick tutorial on how to use the system. (Typing "help" or "?" at any prompt while you are on BIX will give you an immediate review of available commands.)

ACCESSING BIX FROM FOREIGN COUNTRIES

To reach BIX from other countries, you need an account with your local Postal Telephone & Telegraph (PTT) company. From your PTT, enter 310600157878. Then follow instructions starting at Step 3. A list of PTT addresses and contacts for most foreign countries is available by calling or writing BIX.

CUSTOMER SERVICE


If you follow these instructions but still are unable to log on to BIX, call the BIX Customer Service Line for assistance at 800-227-2983, 8:30 a.m.—11 p.m. eastern time weekdays. In New Hampshire and outside the U.S., call (603) 924-7681.



We'll Send You a BIX User's Manual and Subscriber Agreement As Soon As We've Processed Your Registration

BYTE INFORMATION EXCHANGE ONE PHOENIX MILL LANE PETERBOROUGH, NH 03458 (603) 924-9281

OEM & OWN BRAND COMPOSITE & TTL COMPATIBLE COLOR & MONO MONITOR





SEOUL OFFICE

6~BTH FL, THE JOONG-ANG DAILY NEWS BLDG., 7 SOONHWA-DONG, CHUNG-KU, SEOUL, KOREA TEL: 7516-955/7, 7516-959/961 TLX: STARNEC K22596 CABLE: "STARNEC" SEOUL

LONDON OFFICE

6TH FLOOR, VICTORIA HOUSE SOUTHAMPTON ROW W.C. 1 LONDON, ENGLAND TEL: (01) 831-6951/5 TLX: 264606 STARS LG FAX: (01) 430-0096

SANTA CLARA OFFICE

3003 BUNKER HILL LANE, SUITE 201 SANTA CLARA, CAL. 95050, U.S. A. TEL: (986)8473 TLX: 171685 SAMSUNG SNTA

TOKYO OFFICE

KASUMIGASEKI BLDG., 2522 KASUMIGASEKI 3-2-5 CHIYOTA-KU, TOKYO, JAPAN TEL: (03) 581-5804, (03) 581-9521~4 TLX: 228009 SANSEI

New Tools, New Challenges

BY WILLIAM M. RAIKE

Last month I went into detail about EM/3+, the "operating-system unification adapter" from Megasoft that lets me run both MS-DOS and CP/M-86 software and handles disks recorded under either operating sys-

tem in more than two dozen formats. After living with it for another month, I'm even more enthusiastic than before: I've gained all the benefits of MS-DOS while retaining the use of much of my CP/M-86 software library. And I've had time to get used to two new acquisitions—a C compiler and a modem. But converting to a different operating system hasn't been all peaches and cream...

THE DESMET C DEVELOPMENT PACKAGE

Almost all of my CP/M-86 software now runs under the combination of MS-DOS and EM/3+ on my computer (see May BYTE Japan, page 329) except for the Digital Research C compiler. It had been cumbersome to use, vielding bloated object code, so I welcomed the excuse to switch to a more suitable compiler. I finally decided to order the latest version (version 2.5) of the DeSmet C development package from CWare (POB C, Sunnyvale, CA 94087, (408) 720-9696). It includes a full C compiler, assembler, linker, and library files; I added the optional D88 symbolic debugger. Considering the compilation and linking speed, the small size of the compiled object programs, the exceptionally clear documentation, and especially the tremendously useful symbolic debugger, the whole package is a terrific bargain at \$159.

This column is definitely not intended as a full-scale product review, but I can't pass up the chance to give the DeSmet C compiler/debugger

Bill's conversion process continues as he adds a C compiler and a modem to his system

combination a pat on the back. If you've ever gritted your teeth in exasperation because of your C compiler and linker while tracking down some elusive bug in a C program. you'll greet the D88 symbolic debugger with a huge sigh of relief. When you run your C program under the debugger, you can set breakpoints: list the C source code: display the contents of variables, registers, and memory; calculate the values of C expressions; and stop your program at crucial points to see what it's actually doing instead of what you think it's supposed to be doing.

Although the DeSmet C package is really designed for use with the IBM PC and compatibles, the compiler and linker ran with no modifications at all on my Fujitsu FM-168 computer. which makes no pretensions at all toward IBM PC compatibility. To use the D88 symbolic debugger. I had to make some minor modifications to the CONFIG.C file that's supplied on the distribution disk. Although the standard library has console functions that are specific to the IBM PC. the distribution disk includes easily understandable assembly language source code you can modify for any machine. And my Fujitsu, now running under the combination of MS-DOS and EM/3+, had no trouble reading CWare's IBM PC-formatted disks. The package even has a full-screen editor, but I prefer to stick with my usual

I haven't run extensive benchmarks, but some statistics follow to give you a rough idea of the DeSmet C compiler's performance. One of my small text post-processor utility programs, XPAG.C, contains 167 lines of C code. The DeSmet C compiler and linker took 5.36 and 2.95 seconds, respectively, or

a total of 8.31 seconds, to produce an executable program file. The size of the executable file was 12,288 bytes. compared to 22,528 bytes under Digital Research C. (Digital Research C produces over 10K bytes of code even for the smallest possible C program: main(){}. DeSmet C produces 1536 bytes for the same program, partly because the compiled program doesn't need to keep track of I/O redirection, which is handled automatically by MS-DOS.) I never did run Digital Research C on the well-known Sieve of Eratosthenes benchmark, but DeSmet C produced an executable program file only 7168 bytes long; it took 2.24 seconds to compile and 2.44 seconds to link. The printf() function accounts for over 5000 bytes of the final program size; it also represents about half of the compilation time. The execution time (to find 1899) primes 10 times) was 4.46 seconds. The times I've just quoted were measured on my Fujitsu FM-16\beta. which has an 80186 main processor running at 8 MHz, with all files residing in a RAM disk.

A NEW MODEM AND ITS DOCUMENTATION

During a recent trip back to the U.S., I bought the Hayes Smartmodem 2400, and I'm already spoiled. After

William M. Raike, who has a Ph.D. in applied mathematics from Northwestern University, went to Japan in 1980 looking for 64K-bit RAMs. He has been there ever since as a technical translator and a software developer.

using my old Epson 300-bits-per-second acoustic coupler, it's a real joy to be able to sit down at the computer, let the Smartmodem dial the number for me, and then communicate at 1200 bps, four times faster than before. I wonder how I ever put up with waiting for characters to plod across the screen at 300 bps.

Since the Smartmodem supports both the U.S. and international CCITT modem standards at 1200 bps and the CCITT standards at 2400 bps, I have no problem using it over here. Although there are still few chances to use the 2400-bps rate here in lapan, I now routinely use 1200 bps when communicating with BIX and other information utilities. It looks as if this modem will meet my communication needs for the foreseeable future.

Not only is the Smartmodem 2400 a well thought out, flexible, and powerful device, but it has the best

hardware documentation I've ever seen, bar none. In addition to the sections that provide clear descriptions of the operation of each of the common commands used for ordinary communication tasks, the manual contains detailed technical sections and appendixes that explain how to make the modem do practically anything imaginable. There's even a technical appendix that gives connection diagrams for modular telephone jacks (which I found essential to make the two-wire connection to my telephone junction box, since modular jacks aren't vet in widespread use in Japan). I also found specifications for pulse dialing, tables of touch-tone frequencies, and detailed descriptions of the RS-232C signals and how the modem uses them.

The descriptions of the RS-232C signals turned out to be indispensable for me. After rewriting my communications program in Turbo Pascal

under MS-DOS, 1 discovered that I could communicate readily with my laptop computer, but not with the Hayes modem. I eventually deduced that the RS-232C driver under Fuiitsu's MS-DOS, unlike the CP/M-86 driver, won't output a character unless it senses that the DSR (data set ready) line (pin 6) is active. Since the Smartmodem holds pin 5 (the CTS, or clear to send line) active at all times but only activates the DSR line when a valid phone connection has been established. I surmised that everything would work just fine if I cut the DSR line (pin 6) in the cable and shorted pins 5 and 6 together at the computer side. This would fool the computer into thinking it had a valid DSR signal. It was a satisfying, if minor, bit of detective work. Sure enough, after minor surgery on the ribbon cable, I was able to communicate just as well under MS-DOS (and EM/3+) as I had before making the

The Canon Bubble-Jet Printer is very compatible with all these units.



conversion from CP/M-86. I had a kludge that worked!

SOME KLUDGES WORK BETTER **THAN OTHERS**

But it turned out that I had congratulated myself just a wee bit early. The next problem that emerged was a direct result of what is, in my opinion, poor software design.

It seems obvious to me that devicedriver routines ought to be "quiet" programs. That means that they shouldn't do anything that isn't absolutely necessary, and in particular they shouldn't produce any console output and shouldn't interfere with the execution of an application program, except in the event of an absolute catastrophe. The serial port driver under Fujitsu's version of MS-DOS displays a message on the console, in ever-so-polite Japanese, any time I turn the modem power on or off. Not content to foul up the screen.

any application program that happens to be running is interrupted and control returns to the operating system command processor. I was not amused one day when I flipped the modem power switch to "off" and my word processor immediately bombed out, returning me to the operating system minus the text I had created.

The solution seemed easy: Instead of using a modem signal line (pin 5) to pull up the DSR line, make a cable adapter that shorts pin 4 to pin 6 on the computer side. The computer always holds pin 4 (RTS, or request to send) high, so this second solution accomplishes the same thing, regardless of the state of the modem. But so much for theory: the problem persists. and I may just have to learn to live with it.

But I'm still annoyed by the software design process that allows such "error" handling in the first place. The same kind of problem crops up in

other places. For example, if I try to write a block of text to a disk file from within my word processor and make a typing mistake that indicates I'm trying to access a nonexistent disk drive. the operating system (again, politely) informs me of that fact and aborts the word processor without saying so much as "Excuse me." The sensible way to handle such errors would have been to have the operating system (or the BIOS) return from the I/O service request with an error indication and let the application program (word processor, communications program, or whatever) handle the error gracefully. There's no need for gratuitous messages on the screen, and certainly no excuse for aborting a program.

FUNCTION KEYS DON'T

It seems to me, for Japanese computer companies to compete successfully in the world software arena, they

(continued)



Because high-speed, high-quality printing should be seen, not heard.

The Canon Bubble-Jet Printer uses an exclusive system that combines thermal and ink-jet technology to print an ultra-fast 220 cps. While keeping the decibels down to a whisper.

For professional word processing, the Near Letter Quality mode (NLQ) churns out crisp, clear copy at a brisk 110 cps. And the BJ-80 has three graphic

image modes for high-resolution printouts of charts, graphs and diagrams.

Of course, the Bubble-Jet is fully compatible with Canon's fine line of Personal Computers and plug-compatible with the IBM PC. It's compact, lightweight and surprisingly affordable.

Ask your dealer about the full line of fast, efficient, economical Canon Printers. Find out what all the quiet excitement is about. PRINTERS Printouts that stand out.

© 1986 Canon U.S.A., Inc.
For more information: call 1-800-441-1313. (Or in Utah, call 800-922-3131.) Or write Canon U.S.A., Inc., Printer Division, P.O. Box 619865, Dallas/Fort Worth Airport, TX 75261.







The right place at the right price.

Make reservations at any Best Western, see your travel agent, or call toll-free

1-800-528-1234

"World's largest chain of independently owned and operated hotels, motor inns and resorts"

should pay more attention to design criteria that avoid such problems. Another criticism I have concerns the keyboard driver for my machine under MS-DOS. My Fujitsu has 10 programmable function keys. Under CP/M-86, I used them frequently and effectively at both the level of the operating system and the level of applications programs. Fujitsu chose, under MS-DOS, to dedicate all 10 function keys for use with a "feature" that lets you edit the command lines you enter for the operating system. But Fujitsu's documentation doesn't mention any way to redefine them, either.

Under CP/M-86, it was possible to make BIOS system calls to have complete control over the console coprocessor (an MBL68B09) that manages the keyboard and the screen in the FM-16\beta. You'd load some registers, execute software interrupt 220. and the function keys get set to whatever you want. Obviously, Fujitsu must use some kind of BIOS interface to the coprocessor to accomplish the same functions under MS-DOS. but the documentation should say something about how it's done. I'll find out eventually, but in the meantime, no one I've been able to reach seems to know anything about it. And now, because the tricks you can use with the IBM PC to redefine keys using ANSI escape sequences don't work on the Fuiltsu (see Best of BIX. February BYTE, page 386), I've got a computer with 10 useless function keys.

This kind of shortsighted design, combined with poor or nonexistent documentation and technical support from the factory, is a real problem. Hopefully, computer manufacturers will realize that foresight, good technical documentation, and support for software developers sells more computers.

NEXT MONTH

I'll discuss a couple of new computers from NEC that retain their compatibility with earlier models, and I'll tell you about a new laptop from Oki that has a built-in modem. I'll also share a quick overview of my reactions to the COMDEX show in Japan.

Conquest: Two Cards for the Price of One



One Card, One Slot, One Choice

Introducing Orchid's Conquest, the first PC multifunction card with 2 megabytes of the new Lotus EMS Expanded Memory. It's like having a multifunction card and an EMS card in one slot, but it costs less than you'd expect to pay for either.

Multifunction Card

Conquest is a multifunction card with serial/parallel ports, clock/calendar, and DOS Memory. And Orchid's Switchless Installation gets you up and running in minutes.

Expanded Memory Card

Conquest breaks the 640K DOS memory limit with 2 megabytes of Lotus EMS Expanded Memory. Orchid's Productivity Software lets you use this memory for RAM Disk and Caching, so you take advantage of it with your existing software.

Whether you're buying the first expansion card for your PC or an add-on for Lotus EMS Expanded Memory, Conquest is your choice:

- ▲ First Card Buyers: Conquest is a multifunction card with EMS.
- ▲ Multifunction Card Owners: Conquest is an EMS card with ports.

Features:

up to 2 megabytes of RAM DOS & EMS Memory 1 Serial, 1 Parallel Port Clock/Calendar

Productivity Software: RAM Disk Disk Caching **Print Spooling** Alarm & clock display

Optional PCnet connection



HAVE YOU STRIPPED YET?

It's a question more and more PC owners are asking. And no wondet. What everyone is talking about is Softstrip. The revolutionary technology that is changing the shape of computer software.

The Cauzin Softstrip System is more than just software or data on paper. Because when you invest in this system, you can do much more with your computer, and for far less than you are probably spending now. You can even create and print out your own data strips.

But that's only the beginning of an offer that's going to make you wonder why you haven't stripped yet...




TAKE OUR ADS (SUCH AS THIS ONE)

It's part of our expanding StripWare M Library containing programs, data, art, spreadsheet, macros and templates. The Library features a variety of software applications and you'll find new material appearing each month in such leading computer magazines as Lotus, PC, PC Tech Journal, and PC World.

BUT THERE'S STILL MORE...

When you invest in the Softstrip System, you get the Softstrip reader, a special storage base, and a full one-year replacement warranty. Also included with your purchase is a complete Accessory Kit for your PC containing connector cables and communications software to link your computer to the reader.



In addition, you'll find a Strip Ware Sampler with 48 programs from a line-up of popular authors and publishers that includes Addison-Wesley,

David Ahl, Family Computing, Tim Hartnell, Hayden Books, PC Tech Journal, Osborne/McGraw-Hill, The Waite Group, and John Wiley & Sons.

When you become a Softstrip reader owner, you also get a FREE one year StripWare Club membership with programs mailed to you monthly. You'll even receive a FREE Cauzin Effect Newsletter filled with the latest updates and news about Softstrip developments.

AND IF THAT'S NOT ENOUGH TO START YOU STRIPPING...

You'll find StripWare brand software in authorized Softstrip dealers across the country. Our collection of titles include everything from

The Softstrip System StripWare Strip

StripWare packages offer utilities, games, business programs, templates and much more.

utilities, graphics and entertainment to business programs. All for only \$2.98 to \$19.98!

Do you want to create your own data strips? Well, now you can with a special StripWare package called "STRIPPER" that lets you print your disk files as strips using your own Epson dot matrix printer.

The printing

software is only \$19.95, but just think of the things you could be stripping. Store backup files on paper. Print, copy and mail your own programs to others easily and

inexpensively.

The Cauzin Softstrip System is just that, a complete system that opens up a new world of computer programs and data on paper. And it's all yours for only \$199.95!

For the Softstrip System Dealer nearest you, (or if there isn't one in your area, to order), call toll free: 1-800-533-7323 (in Connecticut: 203-573-0150)



Cauzin Systems, Inc. 835 South Main St., Waterbury, CT 06706

Epson is a registered trademark of Epson America, Inc. IBM and IBM PC are registered trademarks of International Business Machines, Inc., Softstrip® and the Softstrip® System Reader are trademarks of Cauzin Systems, Inc.

BIORHYTHM CHART

What kind of day is it going to be for you today? Are you at your peak physically, emotionally or intellectually? Which day this week will be ideal for beginning that new project you've been purting off? Is next Torsday the right night to take that certain someone out to dianer, and pop "the question"?

Let's face it, on given day of our life there are any stumber of important decisions or options to consider. The data strips on the right commin a Lotus template, from the public domain, called BIORYTHM CHART that could help.

Use the Canzin communications program to mad the strips to a data disk. The Locus Retrieve command brings the model into Lotus 1-2-3.7°. Enter your birthdate and the current date into the appropriate cells and your personalized BIORHYTHM CHART will appear on the acreen. You are given data for 15 days prior, and after, the current date which is shown as zero.


Run your spouses, friend's, or child's chart and figure out which days you should be doing things together, and which days to avoid one mother. If you know your hors' birthday, you can figure out what mood he'll be in before he comes to work . . . and plan accordingly.

GOOD LUCK!

WORKSHEET OPTIONS VERSION LO
O 1946 STELEE MANAGE
IBM is a trademark of International Susiness Machines Corporation
1-2-3 in a condemark of Lorus Development Corp. All rights sourced-

StripWare Library No. 250

1





THE IBM XT[®] COMPATIBLE WITH 60% MORE SPEED

HIGHLIGHTS INCLUDE:

- 640K-bytes RAM on a four layer high reliability motherboard
- 2 Megabytes of expanded memory on the the American Above-Function Card™
- Turbo speed 4.77 to 7.37 MHz selectable without power down
- High Performance, high speed 8088-2 microprocessor
- Eight expansion slots; power-on auto self-test of system components
- Two 360K-byte DS/DD diskette drives
- 20M-byte hard disk drive
- 10M-byte formatted tape back-up included
- Serial, parallel, game ports, graphics card and real-time clock
- American Mouse[™] with American Paintbrush[™] for CGA and EGA graphics
- MS* DOS 2.11 and Macro-Assembler software included
- 1 year limited warranty covering parts & labor

Salesman Incentive Program Available, FREE American Paintbrush Software.

AMERICAN XTsr.™ PERFECT SYSTEM

MAXIMIZE EXPANSION SLOT USAGE WITH THE AMERICAN ABOVEFUNCTION CARD!

- Increase memory to 2 Megabytes RAM
- Based on Lotus", Intel® and Microsoft® specifications
- Serial, parallel and game ports and real-time clock
- One year limited warranty



AMERICAN ABOVE-FUNCTION CARD™

Authorized Distributor and Service Center:

PC Land, Inc.
Tustin, CA (714) 730-6723
Micro Configuration East, Inc.
Brooklyn, NY (718) 941-2512
Computer Peripheral Warehouse, Inc.
Deerlield Beach, FL (305) 481-2170
PC Express
Burnville, MN (612) 894-9153
Columbia Data Systems, Inc.
Columbia, TN (615) 881-4650
Imagine Computers
Golda, CA (800) 344-2964

O.L. MacNet EN Grove, IL (312) 952-8300 The Supre Source Norcross, GA (404) 441-3451 Poser House Sales Sioux Falls, SD (605) 335-7181 Good Pasture Computer Dalas, TX (214) 966-1151 Omega Data Hillsboro, OR (503) 640-3995 Microsel Bethany, OK (405) 787-4354 Computer Wholesalers
Lincoln. NE (402) 466-1692
Computer Profussionals
Laltenood, CD (303) 232-4009
Omega Data
Kirkland, WA (206) 823-9769
Culifornia Aflicro, Inc.
Los Angeles. CA (213) 671-6075
Mid America
Carmel. IN (317) 846-3101
Paris Sud Electronique Composants
Paris, France (1) 68-206699
Inter-Micro Distributor, Inc.
Alberta. Canada (403) 436-6933

Manufactured by:

American

COMPUTER & PERIPHERAL, INC.

2720 Croddy Way, Santa Ana, CA 92704 Tel: (714) 545-2004 • Fax: (714) 545-2146

Inquiry 384 for End-Users. Inquiry 385 for DEALERS ONLY.

STORAGE FOR THE MASSES

BY BRUCE WEBSTER

I'm writing this column in the last half of February, and the industry seems to be largely catching its breath after the Christmas season and the January trade shows. I'm doing a little breath-catching myself. after juggling dif-

ferent languages, compilers, and machines for last month's column. Once again, it's time to pause from the 68000 wars and look at a few of the products that have shown up over the past few months.

INDUSTRY UPDATE

Apple, much to its dealers' surprise and delight, has wasted little time shipping the Macintosh Plus in significant numbers. No indication yet as to how the Mac Plus is selling with its hefty \$2600 price tag: I would suspect that dealers are having little trouble selling what they can get, though. In the meantime, some interesting rumors about the Apple IIx (next generation of the Apple II line) continue to surface. Over on BIX, one alleged description was posted that made the lix appear to leapfrog the Amiga and the Atari ST machines: 4-megahertz 65C816 processor (which has a 16-megabyte address space and a 6502 emulation mode), Mac-equivalent ROMs, 4096 colors, high-resolution display, 32-voice sound synthesizer. I megabyte of RAM (expandable to multiple megabytes), Apple II and Macintosh emulation modes, and an affordable price tag (less than \$1500).

That rumor is wild enough to just possibly be true. especially if Steve Wozniak is indeed involved in the machine's design. Woz knows what hackers and developers want and—more important—knows that hackers and developers are the ones who write all the software that sells the machines. Rather than deliver a closed, crippled machine like the original 128K-byte Macintosh, which has gone through two generations in two years, Woz and Apple together just might have the brains and vision to put together a machine that can survive through the next ten years, just as the original Apple II has survived the last ten.

Atari, in the meantime, is having delays in shipping the 1040ST and the new 520ST. The word from Atari is "any minute now," and I suspect its people are working very hard to meet that, lest they fall victim to the famed Osborne syndrome. For those of you unfamiliar with microcomputer history, the Osborne I was a marketing innovation: a cheap, portable CP/M computer with lots of bundled software. Unfortunately, it had a number of limita-

An industry update, and Bruce also looks at some storage devices

tions, like a tiny screen (5 inches) that displayed only 52 characters on a line and disk drives that didn't hold a whole lot (90K bytes). Osborne, feeling the heat of competition from Kaypro (which had entered the mar-

ket with a similar but better system), announced the Osborne Executive, which corrected most of the problems of the Osborne I. Unfortunately, production problems prevented Osborne from shipping the Executive for a few months, and sales of the Osborne 1 dropped to almost zero as dealers and customers waited for the new, improved version. Osborne was already on shaky financial ground, and that turned out to be the coup de grace, pushing Osborne into Chapter 11 financial reorganization (i.e., bankruptcy). Osborne emerged from bankruptcy a year or two ago but hasn't been able to make any significant market penetration.

So why would the people at Atari announce the 1040ST and the new 520ST before they could ship them? A combination of reasons, probably. Conflicting reports continue to come in on how the Amiga and the 520ST did during the Christmas season, but most sources indicate that the Amiga outsold the 520ST. Whatever the actual numbers. the 520ST was not the runaway success that many (including myself) thought it would be. That, combined with Apple's pending announcement of the Mac Plus and the lack of a good trade show forum during the spring, probably enticed Atari to make the announcement at the Winter Consumer Electronics Show in early January, even though they weren't ready to ship yet. At that time, they were saying "end of January," which was a reasonable and acceptable delay. Unfortunately, it's now late February. significant editorial coverage of the 1040ST has been appearing for a month now-with more to come-and the machines still haven't been shipped. I'll wager that 520ST sales have dropped off sharply, partly because of the announcements and partly because inventories of the "old" 520ST have been exhausted and Atari is (very understandably) unwilling or unable to produce more "old" units.

It would be a shame to see Atari hurt by this delay, especially since the 1040ST and the revised 520ST possibly represent the best price/performance deals in the history of microcomputers. Atari is probably better able to sur-

(continued)

Bruce Webster is a consulting editor for BYTE. He can be contacted c/o BYTE, POB 1910, Orem, UT 84057, or on BIX as bwebster.

The FIRST Interactive Prolog for the IBM and Macintosh.

PROLOG/i

A new enhanced Interactive Prolog for MS-DOS. Upwardly compatible with PROLOG V and V-plus.

PROLOG/m

Prolog for the Macintosh! Edinburgh syntax.

Floating point, math functions.

THREE GREAT APPLICATIONS

READY TO RUN NO PROGRAMMING EXPERIENCE NECESSARY.

NFL X-pert

\$4995

Expert system for professional football handicapping.

TOOLBOX

\$2,995

Including subroutines that speed and compress list handling, searches, sorts, reversal algorithms.

TOYBOX

\$2995

A collection of games and puzzles that make learning Prolog fun.

MIX AND MATCH FOR ADDED SAVINGS

	PR4	OLOG/i	PROLOG/m	'SAVE"
Interpreter plus				
Toolbox or Toybox	5	79.95	\$109.95	\$20
Toolbox and Toybox		99.95	129.95	30
NFL X-pert		99.95	129.95	20
NFL X-pert and				
Toolbox and Toybox		119.95	149.95	30
BUY ALL 4 AND SAVE \$50		129.95	159.95	50
Applications Only				

\$49.95

69.95

89.95

Toolbox and Toybox NFL X-pert and Toolbox or Toybox

BUY ALL 3 AND SAVE \$20 COMPATIBILITY

Applications fully compatible with Prolog compilers and interpreters with Edinburgh synlax.



etem Requirements C-DOS/MS-DOS er. 20 or . 56K RAM

5580 LA IOLLA BLVD. SUITE 126 D LA IOLLA CA CHALCEDONY SOFTWARE INC 92037

		 -	 	
- DHONE	OPDERS.			

☐ PAYMENT ENCL	OSED \$		PROLOG/i \$69.95
CA rest	dents add 6% sales tax MasterCard	□ Visa	PROLOG/m 99.98 If you own PROLOG V or PROLOG V-plus, call for upgrade information.
Signature	Lap. Dale		SHIPPING: \$ 5.00 U.S. 7.50 Canada
Mr./Mrs./Ms Address	(please print full name	ı)	10.00 Carribean, Hawati Air 20.00 Overseas Air
City/State/Zip			COD Orders Not Accepted

ACCORDING TO WEBSTER

vive the sudden drop in sales than Osborne was, but they need to get those machines out the door soon; no company can survive dramatically reduced sales for long . . . except, possibly, IBM, which reputedly has a few billion dollars in the bank.

Commodore, in the meantime, seems to keep dodging the bullet that everyone thought would have been fatal by now. The bankers are apparently convinced that a live but ailing Commodore stands a better chance of paying off its debts than a dead one and that sales of the C-64. C-128, and Amiga are sufficient to keep Commodore alive for now, Smart folks, those bankers. The two big problems still appear to be lack of software and Commodore itself. Little new software has shown up in the past month. though a number of companies (like Aegis) claim to be on the verge of shipping several titles, and I still don't know if a decent word processor is available for the Amigaespecially critical because of Commodore's attempts to position the Amiga as a business machine.

Commodore seems to be hurting its own cause by throwing up roadblocks for developers. The latest obstacle: Commodore apparently wants software firms to pay \$500/product/year for the privilege of putting the Workbench (desktop interface) on their product disks. This strikes me as unnecessary and counterproductive, since every Amiga owner already has the Workbench. Developers can, of course, not put that stuff on their disks and just have the users make working copies, like most CP/M and MS-DOS software, but it is in both Commodore's and the developers' interest to make things as easy as possible.

IBM, as always, goes right along being IBM, comfortable in its view of the marketplace and its position therein. The question is how closely that view corresponds to reality, since the clone makers continue to eat away at IBM's market share. On the other hand, the real question might be whether or not it matters, since for large sections of the computer market, IBM has the apparent power to define just what reality is, with hordes of analysts and MIS managers following in its wake. Still, it was Zenith's portable, not the much-rumored (and still unannounced) IBM laptop computer, that won the key IRS contract. And the large inventories of unsold IBM PCs and XTs appear to be keeping IBM from introducing any new PC systems. Big Blue may just have painted itself into a corner.

PRODUCT OF THE MONTH: MACBOTTOM

To be honest, I was hesitant about picking the MacBottom 20-megabyte hard disk as product of the month. I'm sure there are Macintosh hard disks that are newer, or cheaper, or faster, or have more sophisticated system software. And there isn't much about it that's flashy or exciting. In fact, in the few months I've had it, I've given very little thought to it. Ironically, that's exactly why I did pick it as product of the month; because, day after day, week after week, it has quietly, unobtrusively done its job and done it very well. No crashes. No bugs. No lost files. No lost desk space. No power switches to fiddle with. Easy boot-up. Nice utilities. Fast performance. In short, just

(continued)

Amazing New Advance ments for an Old Friend.

ZBasic is an incredibly advanced and powerful BASIC-but-it's still the old BASIC you're used to. Instead of spending 6 months of your life learning another complicated language, let ZBasic put your programs into light-speed, now! (If you know BASIC, you know ZBasic.)

How Fast is ZBasic?

Lightening fast. Four years of intense development have produced the ultimate BASIC.
ZBasic is "Compiled BASIC," and generates stand-alone applications that make any other BASIC completely obsolete. Just look at these apeed comparisons.

Macintosh TM Apple IIe, IIc			
ZBasic™ 7.4 sec. Mbasic™ 684 sec.	ZBasic™ 486 sec. Applesoft™ 5,401 sec.		
IBM® PC (8088)	Z-80 (CP/MTM-80, TRS-80TM		
ZBasic™ 13.7 sec. ZBasic™ 30 sec. BASICA™ 2,190 sec. Mbasic™ 2,520 sec.			

10 iterations of the Sieve from Byte, January, 1983

Compiler Speed/Interpreter Ease,

Like a BASIC Interpreter, ZBasic allows you to write and execute your programs immediately! No messy "Linkers," "Loaders," or clumsy "Subroutine Packages" like most other compilers. To compile and edit, simply type "RUN." Debugging works the same as the interpreter, too. Just type "BREAK" or "CTRL C" to get back to the editor.

Lightning-Fast Compilation.

Computer Language Magazine says.
"Compilation is amazingly fast..." After typing "RUN," ZBasic compiles your program at blinding speed-40 lines per second.

Works the Same on All Computers.

If you're tired of throwing away your old programs everytime you switch to a new computer, ZBasic Is for you. Source code is portable from one computer to another, and since ZBasic uses Device Independent Graphics and Disk File commands, your programs automatically "Adapt" to any other computer. And the ZBASIC editor is the same on all versions-regardless of the computer.

Einstein Math.

ZBasic offers programmers a math package that surpasses anything else in the industry! (Yes, ZBasic is even better than FORTRAN, PASCAL, MODULA-2 or any other language available!) You will have up to 54 digits of user-selectable accuracy at your power.

"Superb Documentation!"

"The 387 page ZBasic manual is a model of clarity and organization. The documentation is superb, solidifying our impression that someone worked incredibly hard to make ZBasic a benchmark for all other BASIC Compilers."

PC WEEK, Nov. 12, 1985

Easy Structure—If You Want It.

ZBasic helps you "Structure" your programs in a way that's easy and simple...you may use GOSUB or GOTO with names or line numbers, Supports multi-line LONG IFs and LONG FNs. LIST programs with-or without-line numbers! ZBasic automatically indents loops and structures in LISTings, too.

FASTEST, EASIEST, MOST RFUL BASIC EVE



ZBasic Users Say:

Awesome! It's about time! Great! Unbelievablel

J.R. CPA Seymour, MO

"....fast, generates stand alone programs, requires only modest amounts of memory, has outstanding compilation speeds and...was bug free and felt solid. And the price is very

Bruce W. Tonkin COMPUTER LANGUAGE

44 ZBasic is a powerful offering for BASIC programmers. It provides the flexibility of Turbo Pascal and the speed of compiled BASIC, all at a price that can't be matched. Kudos to Zedcor and to all users who make wise decisions to use ZBasic to the fullest. PC WEEK

16 The best I have ever seen. I love it! You should be proud of this product. R. R. Manager Mess, AZ

ff Mind-blower Easily the best BASIC I've ever Baltimore, MD

Versions shipping now!

Macintosh , Apple Ile - Ilc (128K & DOS 3.3) • IBM PC and MSDOS 2.1 & Compatibles • Kaypro Graphics version (CP/M-80) • CP/M-80 2.0 or greater (Z80 only) • TRS-80 Model 1/3, Model 4/4p •

Customized for YOUR Computer:

MSDOS™ and Compatibles: Including PC, XT, AT, jr., Tandy™ 500-1200-2000-3000 and all Compaqs™ Creates last stand-alone. COM files. Supports a mouse, highlights keywords and lots more.

Macintosh TM: Complete Toolbox ROM calls support, creates 68000 Native Code, Macintalk and Appletalk support, program size to 4 megabyte, math accuracy from 8 to 240 digits. Incredible program speeds!

Apple TM lie, lie: Mouse support for both the lie and lic. Apple ™ IIe, No: Mouse support for both the IIe and IIc, Super Hi-Res graphics support (560x192 and 280x192 and lo-RES support tool). Advanced Graphics commands like CIRCLE, BOX, FILL etc. and you can Mix Graphics and Text on the screen like a PC. DOS 3.3 support (PRODOS coming this summer) Requires Apple I/le or I/c with 128K but programs created with ZBasic™ will run on a 64K Apple II +.

Machines: CP/M™-80 2.0+, TRS-80™ model 1, 3 or 4 and a special graphic version for Kaypro CP/M.

ONLY ZBASIC GIVES YOU THESE FEATURES:

- Highlights errors...makes debugging easy!
- Not Copy Protected
- Never any Royalties or Runtime fees for programs you sell.
- Direct commands (Speeds logic testing like an Interpreter)
- Super Single-Step debug
- · CHAIN with variable passing. (Share all or some
- Create transportable subroutines and functions
- Multi-line LONG IF, Multi-line LONG FNs. (argument passing)
- Decimal, HEX, OCTal or BINery support.
- Device-independent Graphics and File I/O.
- Never does String "Garbage Collection"
- Comes with "Quick" and "Shell" sort source
- Built in "HELP" screens lets you get answers fust.
- Long variable name (15 characters)
- Loops: WHILE-WEND, DO-UNTIL, FOR-NEXT-
- Serial Port and Modern support
- Easily load your old BASIC programs saved in ASCII

Send me ZBasic right away! \$89.95 complete. CREDIT CARD-MASTERCARDIVISAIAMEXIC OD Card Expiration Date: . My computer is a. MAIL TO: ZEDCOR, INC. 4500 E. Speedway, # 93 Tucson, AZ 85712

30 day money-back guarantee.

1-800-482-4567 Technical Support: (602) 795-3996

Compatibility without Compromise!!

PC/AT, XT Compatible

All included 50%FASTER \$1995



Made in JAPAN

TOMCAT 3200-AT MODELIII

- CPU INTEL 80286 6/8MHz
- RAM 512KB on Mother Board
- 2 X 1.2MB (360KB) Floppy Drives
- Floppy and Hard Disk Controller Card
- Turbo Display Color/Monochrome Card
- 1 Serial and 1 Parallel Card
- AT Keyboard
- Monochrome Display Monitor
- User's Manual & Technical Reference
- System Utility Disk (Setup, Diagnostic)

TOMCAT 3200-AT MODEL [[(Hard Disk System 20MB) \$2,795



OEM Acceptable

Dealer Inquiry
"Welcome"

TOMCAT CORPORATION

Suite 304,3820 Del Amo Sivd., Torrance, CA 90503

TEL:(213)642-6846 FAX:(213)214-0276

TOMCAT COMPUTER Inc.

Yaguchi Bidg., 3-6-4 Nishiwasada Shinjuku-ku, TOKYO TEL:(03)208-2511 TELEX:J28984 FAX:(03)208-2662

ACCORDING TO WEBSTER


about everything I want out of a hard disk, and all done so well that I take it for granted . . . or, at least, I will until I have to send it back and suddenly do without.

The MacBottom (built by Personal Computer Peripherals Corporation) sits underneath the Macintosh. It has the same "footprint" as the Mac; that is, it takes up the same amount of desk space. It's about two inches high, whichby adding that much height to the Mac-only serves to make the screen easier to see. It plugs into either the printer or modern port. If the printer port is used, the Mac-Bottom will act as a printer buffer. You never have to turn the MacBottom on or off; instead, it senses (through the RS-422 port) whether or not the Mac is on and turns itself on or off accordingly. As most (all?) hard disks do, it makes some noise, but not an objectionable amount. It has a small, pleasantly green LED on the front that blinks during disk access (just so that you know it's doing something). The unit I have holds 20 megabytes; a 10-megabyte version has been available but is being phased out.

Since there is no way (at least none I know of) to boot off a hard disk connected to one of the serial ports, you do have to use a special boot disk to start things up. However, the boot-up program is smart enough to make a user-defined volume on the hard disk the default (start-up) volume and to eject the boot disk, leaving you with a hard disk-based system and no dreary floppy disks lying about.

MacBottom comes with MB Utilities. The boot-up program installs an important utility, the MacBottom Panel, as a desk accessory. You'll use this utility most often. As such, it is the easiest to access. It lets you "insert" (mount) or "eject" (dismount) volumes at will. It also shows any print buffering in progress and allows you to flush the buffer if desired. Three other MacBottom utilities let you create and delete volumes, change their size, change (without rebooting) the default volume, change the size of the printer buffer, and modify the boot sequence (which volumes are to be mounted, which one is the default, which port to use). Volumes do not automatically grow

Figure 1: The Create & Grow Volumes Utility of MB Utilities. You can allocate and deallocate space for a volume 400K-byte chunks at a time. These chunks are shown as little floppy disks.



UNIX SYSTEM POWER FOR PEOPLE WITH **BIGGER THINGS IN MIND.**

You know what UNIX™ System V can do.

But now you don't need a mini to do it. The AT&T UNIX PC puts room-size computing power right on a desktop. Its Motorola 68010 chip, 10 MHz

clock speed and up to 4MB RAMwith virtual memory support and internal hard disk options from 10 to 67MB—give you 75% of the power of a VAX* 11/780.

For only 7% of the cost. Development tools? The AT&T UNIX PC puts you in a UNIX System V environment complete with system utilities, the shell, C compiler and 68010 assembler. As for languages, you get the full range: C, Cobol, Fortran, Pascal, BASIC and the LPI** high-performance suite. Not to mention C-ISAM†. INFORMIX† and sort/merge for database development.

All, with the convenience of built-in text editors, debuggers and graphics tools, including the GSS Virtual

Device Interface.

Up- and downloading your work from minis or mainframes is easy. Thanks to the standard internal 300/ 1200 bps modem, RS-232 port, VT 100* terminal emulation software and optional 3270 terminal emulation. You also get two jacks for phone lines and built-in communications software

All of which make the AT&T UNIX PC ideal for ongoing voice/data communications and remote access to shared corporate databases.

ONE OF THE COMPUTERS WITH THE FUTURE BUILT IN.

and storage options, the AT&T UNIX PC still has room to grow. With three

Even with all its available power

expansion slots and the ability to connect up to seven serial devices.

Because when you have big ideas, accommodating them shouldn't be a big deal.

To find out about the AT&T UNIX PC and our SPECIAL LIMITED TIME OFFER call your AT&T Account Executive, authorized AT&T supplier or 1 800 247-1212.



*VAX and VT 100 are trademarks of Digital Equipment Corporation. **LPI is a trademark of Language Processors, Inc. tC-ISAM and INFORMIX are trademarks of Relational Database Systems, Inc. @ 1986 AT&T Information Systems.

AT LAST: Professional Typesetting Capability For PC Users

With $\mathbf{PC} \mathbf{T}_{\mathbf{E}} \mathbf{X}^{\mathsf{TM}}$ — the best-selling full implementation of Professor Don Knuth's revolutionary typesetting program $\mathbf{T}_{\mathbf{E}} \mathbf{X}$.

FINEST Typeset Quality Printing From:
dot matrix laser phototypesetter

 $\sum_{i=1}^{\infty} \frac{1}{i} \quad \begin{pmatrix} a_{11} & \dots & a_{1n} \\ a_{21} & \dots & a_{2n} \\ \vdots & \ddots & \vdots \end{pmatrix} \int_{-\infty}^{\infty} e^{-x^2} dx$

WIDEST Range Of Output Device Drivers:

- Epson FX, LQ
- HP LaserJet*
- Toshiba
- Apple LaserWriter
- Corona LP-300*
- APS-5 phototypesetter
- · Screen preview, with EGA or Hercules card

MOST COMPLETE Product Offering:

PCTEX (not copy protected) includes the following:

- Our specially written PC TEX Manual, which enables you to start using TEX right away.
- Custom "macro packages" that provide formats for letters, manuals, technical documents, etc.
- The LATEX document preparation system, a full-featured macro package for preparing articles, books, reports, etc., and LATEX User's Manual.
- AMS-TeX, developed by the Amer. Math. Society for professional mathematical typesetting.

Site licenses, volume discounts, and interfaces to PC Paintbrush, PC Palette, FancyFont and Fontrix are also available.

PRICED FROM ONLY \$249.00!

(Printer drivers and interfaces additional.)



Laser printer, fonts & software from \$2995.00

For IBM PC/XT, AT or compatible, DOS 2.0 or higher, and 512K RAM. Hard disk required for printer drivers and fonts. *HP LaserJet and Corona require additional interface boards.

For more information call or write: Personal T_FX, Inc.

20 Sunnyside, Suite H. Mill Valley, CA 94941 (415) 388-8853

This ad, with space for the photograph, produced by PC TeX. Typeset on the Epson FX80, the Corona LP-300 laser printer, and the Autologic APS-5 phototypesetter.

TeX is a trademark of the American Mathematical Society. Manufacturers' product names are trademarks of individual manufacturers.

and shrink: instead, you allocate space in 400K-byte chunks, shown as little floppy disks (see figure 1). Also, shrinking a volume will cause the files thereon to be lost, since there is no clean way of "compacting" the volume before lopping off chunks of it.

This isn't as convenient as systems that handle all this automatically, but I've had no directory or file problems—nothing lost—so I can't complain. Besides, you can increase the size of a volume without affecting the files, and that's usually what you want to do anyway. One other function of the utilities: You can lock or unlock the Finder on a given volume. If you lock the Finder on the default volume, it will remain the default volume, even if you use applications on other volumes and those volumes have their own copies of system files. If you unlock the Finder, when you run an application on another volume, the Mac operating system will select that volume as the new default (provided the system files are there as well).

The backup program, MB Backup, is intelligent and easy to use. You can back up an entire volume, just files that have been changed since the last backup, or files of your own choosing. If you select the entire volume option, Backup prompts you to put in and label as many disks as are needed, since the contents of a given volume probably won't fit on a single 400K-byte disk. As Backup fills each disk, it ejects the disk and asks for a new one. If the disk is unformatted. Backup automatically formats it for you. My only quibble is that for each file it copies to the floppy disk, it puts up a box on the screen with the filename in it, then erases the box when the file has been copied. A lot of time is spent erasing and redrawing this box. I would have preferred the box to remain and just the name of the file to change or-better yet-that the names of the files being copied should form a scrolling list.

The changed files option lets you update the disks that form a complete volume backup by saving out (to the appropriate disk) just those files changed since the last backup. The selected files option, as you might guess, lets you scroll through a list of all the files on that volume and select which ones are to be saved onto the disk.

Backup has three restore options. If a file being restored already exists, a dialog box prompts for an overwrite/skip/cancel decision; if the file is in use, the options are just skip and cancel. This lets you restore to the volume in use, that is, the default volume. One important fact to be aware of: The files backed up on a floppy disk are special "MB Backup documents" and can be restored to normal format and use only by the restore options.

Another utility included with the MacBottom is Floppy Copy, which uses available disk space to speed duplication of floppy disks. This is intended primarily for single-drive systems and does a single-pass copy in around 1 minute 45 seconds. It does this by copying the source disk onto the hard disk itself, then writing the disk "image" onto the destination floppy disk, doing any initialization or formatting necessary. Having done that once, it asks if you want to make another copy of that same disk and will format and write a new copy of the disk in a little more than a minute.

I am pleased with the MacBottom hard disk. It does what I want it to, and it does it well and (to date) with no failures. problems, or glitches. The folks at PCPC assure me that it works fine on the Mac Plus and that they have a new

system software release to support Apple's Hierarchical File System: I may have a follow-up on that in a month or so. At \$1595, MacBottom is a bit pricey, but if you're interested in worry-free, thought-free hard disk usage, it's RTE COMPUTERS, INC.

IBM XT 512K Floppy	ZENITH 148\$1098
IBM XT 512K 20 Meg Hd\$2488	ZENITH 158 \$1598
IBM AT 512K Floppy\$3288	ZENITH 177 \$1988
IBM AT 512K Floppy 20 Meg Hd. \$3788	ZENITH 200 AT \$2888
512K (OK) Memory Card\$ 48	20 MEG Seagate Hd w/Cnt \$ 448
384K (OK) XT Milifet. Card \$ 98	10 MEG Irwin Tape Back-Up \$ 448

MONITORS

III WILLIAM III
AMDEK Color 600\$388
SONY IBM Hi Res Color\$398
SONY w/V Tuner\$498
TAXAN IBM Hi Res Color\$395
ZENITH Amber ITL\$159
RF MODULATOR IBM or Apple\$9,**
Color Graphics Card RGB \$ 78
ADDI FASSON N

LIMITERS	
CITIZEN MSP10s	248
EPSON FX85S	368
OKIDATA 182\$	216
IBM Printer Cable (Hi Quality)\$	15
DAISY Laser Printer (Cannon)\$	2098
APPLE 2+ or 2e Cable\$	15
NP Laser Printer\$	2535
OTHER DRICES	100

PRINTERS

NTRODUCING THE NEW SUPER SPC ·XT PORTABLE KIT FITS ANY IBM, PC, XT or APPLE II+, IIE or (AT - CALL) COMPATIBLE MOTHER BOARDS

KIT INCLUDES:

- TITL OF COMPOSITE (AMBER/GREEN)
 HARDWARE RESET
- POWER ON INDICATOR
 KEYED POWER SWITCH
 AUTOMATIC BRIGHTNESS CONTROL
 EASY TO ASSEMBLE

INCLUDES:

- 9" HIGH RES. MONITOR
 135 W. SWITCHING POWER SUPPLY
- ABS CASE, ACCESSORIES, MOUNTING HARDWARE, ASSEMBLY MANUAL. UP TO 6 EXPANSION SLOTS

ONLY......**5398**



TOTALLY IBM AT HARDWARE & SOFTWARE COMPATIBLE

MOTHER BOARD 80286 MICROPROCESSOR 80287 COPROCESSOR (OPTIONAL) 512K STANDARD MEMORY 8-1/10 EXPANSION SLOTS	DRIVE MFG	FORMATTED CAPACITY	ACCESS SPEED	PRICE
ONLY (OK)\$688	SEAGATE	21	65	\$ 448
. SUPER AT KEYBOARD \$ 89	SEA/CDC		40	\$ 688
SUPER AT CASE	SEA/CDC		40	\$ 845
SUPER AT 200 WATT	CDC	40	28	\$1145
POWER SUPPLY\$149	SEAGATE	40	40	\$ 988
 25M MULTI-FUNCTION 	CDC	50	28	\$1399
CARD (OK)\$229	CDC	70	28	\$1598

SUPER COMPATIBLE PC-XT MOTHERBOARD

TOTALLY IBM XT HARDWARE & SOFTWARE COMPATIBLE

256K MOTHER BOARD (OK)\$108 MONOCHROME GRAPHIC	SPECIAL THIS MONTH ONLY!	
PRINTER CARD	5150 KEYBOARD	

★ APPLE COMP	AT
APL IIe + Compatible Mother	
Board \$22	28
 APL. Ile + Compatible 80 Column 	-
Card w/64K Memory\$ 4	18
APL, lie + Case, Keyboard	
w/Keypad	19
w/Keypad\$11 SS SERIAL CARD\$6	38
APL lie + Replacement	
Keyboard\$	58
· APL. Ile Replacement Case\$ 5	58
Power Supply (replacement	-
II + or IIe)\$	39 1
APL, lie + Detachable Keyboard	
w/Keypad	99
APL, II + Compatible Mother	· •
Board	89
APL. II + Replacement Case\$	
· APL. II + Replacement Keyboard\$ 3	38
APL II + External Keyboard \$ 7	
APL, II + Functional, Numerical	
Keypad & Case\$ 7	79
EPROM Writer Card	38
• Z-80 CP/M CARD \$ 3	
GRAPPLER Compatible Printer	
Card \$ 3	39

RFF LHANAGI2 *
PRINTER CABLES \$ 13
• 80 COLUMN CARD FOR II +\$ 42
Disk Controller Card II + or IIe\$ 39
 16K Memory/Language Card \$ 29
Joystick II + or IIe
* Fancy Joystick II + or IIe\$ 19
 Half Height Disk Drives II + or IIe.\$118
• Ile Drives
 Super Cooling Fans II + or Ite \$ 24
 APL, Video 7 RGB\$158



2e CASE & KEYBOARD

MAIL TO BTE Computers, Inc.

14644 N. CAVE CREEK RD. #6 • PHOENIX, AZ. 85022 P.O. BOX 30705C • PHOENIX, AZ 85046-0705 • PHONE (602) 867-8962 MASTER CHARGE, VISA, ARE WECLOME. COD 3.9%. \$5.00 MINIMUM SHIPPING A HANDLING NOT RESPONSIBLE FOR TYPOGRAPHICAL ERRORS. ALL PRODUCTS SUBJECT TO AVAILABILITY OR STOCK ON HAND. ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE! ALL SALES ARE CASH DISCOUNT PRICES! REFUNDS ARE CREDITED ONLY

DASCH RAM DISK

worth it.

If, on the other hand, you're more interested in speed than in storage space, you might want to look at the DASCH (disk acceleration/storage control hardware) external RAM disk from Western Automation Laboratories Inc. Now. RAM disk software for the Macintosh is nothing new, but this is an actual external box that-like the MacBottomconnects to the printer or modem port and looks to the system like an extra disk drive. Also, like the MacBottom, it can double as a printer buffer. It has its own external power supply, so you can crash or turn off the Mac without affecting what's being stored on the DASCH. Unlike Mac-Bottom, the DASCH is not made to fit under the Mac. Its dimensions are 7½ inches wide by 9 inches long by 2 inches high, and it must be placed either on top of or to the side of the Mac. It comes in three versions: 500K. 1000K, and 2000K bytes (the prices are \$495, \$795, and \$995); the smaller versions are upgradable to the larger versions for the difference in price plus 10 percent of that difference.

The start-up program, Start, will automatically copy files from the boot disk (or any other disk) to the DASCH, afterward selecting the DASCH as the default volume and ejecting whatever disk is in the drive. Again, like the MacBottom, this makes the start-up process relatively painless. Even more interesting is that the DASCH remembers what disks its files came from. If you then run the Backup utility that comes with the DASCH, you'll be prompted for each disk, and the appropriate files will be copied out. Another program, Configure, lets you modify Start in all sorts of ways: which port to use, whether or not disks other than the start-up disk are to be copied, whether or not existing files on the DASCH should be overwritten by their counterparts, and so on.

The DASCH is fast, easy to use, and can save lots of time. While my experience with it hasn't been quite as flawless as with the MacBottom, the few problems I've experienced have been minor and were easily dealt with. My only real criticism is the lack of a battery backup to protect against power drops and outages. Aside from that, I really like the DASCH.

One interesting problem I've had with both the DASCH and the MacBottom deals with restoring files previously backed up (or, in the case of the DASCH, copying files onto a "blank" RAM disk). If those files were originally in folders, they end up in folders on the destination volume. Unfortunately, those folders are unnamed (literally: "Unnamed #1," etc.), and they overlap with icons of (continued)

RE TO COMPARE!

IBM® PC/XT-COMPATIBLE COMPUTER SYSTEM

COMPARE OUR SYSTEM COMPONENTS TO OTHERS & SAVE!



OURS

- -25K Memory included -150-Watt Power Supply
- Monochrome Graphic Printer included Name-Brand Disk Drives such as TEAC
- A QUME MAGNAVOX High-Resolution TTL Monitor Full Warranty on all products: 1 yr. Warranty on boards, 2-yr, on

MAGNAVOX monitors

THEIRS

- Only 128K or OK -135-Watt unit
- -w/o Graphics or Print
- capability
 -Brand XYZ, "Mamasan," or worse
- -Low resolution,
- no-name monitors -90-day Warranty (if you're lucky)

IBM PC-XT Type Case No. 90180	.8 33.00
150-Watt Power Supply No. 90155	65.00
5150 IBM-Type Keyboard No. 90130	45.00
Mother Board expandable to 640K	
with 256K installed No. SPCLO3	135.00
Monochrome Graphic Printer Board No. 99010	75.00
Floppy Controller Board No. 92260	29.00
2-Floppy Disc Drives at \$95 each No. 93140	190.00
12" TTL High Resolution Monitor	
by MAGNAVOX No. 96710	67.00
Complete with Instruction & Assembly Manuals.	

YOUR COST. Any of these components may be purchased separately. All boards guaranteed for 1 year. IBM, PC/XT are trademarks of International Business Machines, Inc. Some assembly required.

SmarTeam Modem



No. 91990.

103/212A - Operates at 300 Baud & 1200 Baud

· Hayes Compatible Auto Answer, Dial Uses RS 232-C & Redial Connector

\$165.00

MAGNAVOX



Monitor •RGB High Resolution •14" diagonal

Color

+640 Dots/H-240 lines/ 80 column

·Built-in Tilt Stand \$318.00

Avatex 1200 Modem

- *Auto Answer, Dial & Redial
- FCC Approved
- ■PC TALK III Software included
- *Automatic Self Test on Power-Up

COMPARE AT \$199,00

No. 97070...... \$87.00

No. 97890

Key **Boards**

5151 IBM Type Key Board Caps and Num Lock No. 51515 \$76.00 5150M XT Key Board—looks like AT, has big return key & LED Indicators

ADD-ON BOARDS FOR IBM® COMPATIBLE SYSTEMS

Monochrome Graphic **Printer Board**

·Built in Parallel Printer Port •Text: 25 line x 80 column *Graphics: 720 x 348 resolution *TTL High Resolution Output

No. 92270...... \$75.00

Multifunction Board

*Expandable to 384K RAM *Serial Port. Game Port . Parallel Printer Port . Clock Calendar w/Battery Backup *Software, Manuals and Cables

No. 92290...... \$75.00

Color Graphics Board

•RGB and Composite Port •Light Pen Interface •Graphics: 320x200 (color); 640x200 (BW) •Text: 25x80

Multi VO Card

Built-in Floppy Controller that can drive 2 floppy drives *Two RS 232 Serial Adapters *Timer Port *Parallel Printer Port *Joystick Adapter

No. 96770....... \$84.00

RS 232 Serial Board

•1 Serial Port •2nd Port optional

\$27.00 No. 92310.....

Parallel Printer Card

·Also may be used as I/O Port

No. 92700...... \$21.00

Floppy Disk Controller Drives 2 internal drives *includes cable

«IBM PC compatible No. 92280......\$65.00 No. 92260.....\$29.00

PLUS A HUGE SELECTION OF CABLES & ACCESSORIES!

THE WHOLESALE OUTLET

DEPT, BY, 1 INTERSTATE AVENUE, ALBANY, NY 12205. To order call 1-800-344-4387 (Non-NYS Res.) or 518-459-7883 (NYS Res.)

Personal and company checks accepted (on mail-in orders). Customer pays freight & handling FOB Albany, NY. Non-credit card orders shipped UPS, C.O.D. Minimum order \$25. Dealer and

large quantity orders call 518-459-7883. Ask for Computer Dept. Some items not as pictured. Prices subject to change.



Benchmarks that I ran

on different mass storage

devices showed an

interestina correlation

between speed and fragility.

files already on the volume. Furthermore, when you open the folders on the DASCH, the icons inside are widely scattered, requiring (at least) a "Clean Up" command to get things straightened out. The clue seems to be in how the desktop file is created or restored. If you're doing a Restore command on the MacBottom, answer "yes" when it asks you if you want to update the desktop file. Of course, if you have folders already sitting on that volume, they'll end up being unnamed, and special icons may be lost. All in all, it points to some inadequacy in the utilities. the Mac operating system, or both.

MASS STORAGE COMPARISONS

lust to compare the relative speeds of different mass storage devices, I ran a set of "benchmarks" consisting of performing typical user actions: copying a file, duplicating a file, opening an application, opening a document (by double-clicking it), and exiting back to the desktop. I used Microsoft Word (version 1.00), which fits the bill nicely because of its size and popularity. Note that all tests were run after having opened Word a few times, so that it no longer checked for the master disk.

The tests were run on a standard 512K-byte Mac, except for the internal RAM disk, which was run on a Levco Monster Mac (2 megabytes) using Assimilation Process's Mac Memory Disk software. For that test, I sized the RAM disk so that only 512K bytes of application memory was left, so that there would not be an "unfair" advantage in copying files. All tests were run under Finder 4.1; both Macs had the old (64K-byte) ROMs and single-sided (400Kbyte) drives. The hard disk was the 20-megabyte MacBottom, and the external RAM disk was the I-megabyte DASCH.

Part of what made the timings so difficult was their variability. Generally, times tended to get better when they were repeated with few or no actions in between. For example, repeatedly opening a document, then exiting back to the desktop, tended to yield the best time for both actions. However, the times didn't always keep going down; they would occasionally jump back up by a second or two (or more).

A few interesting features of Word showed up as well. For example, the time to open Word on a two-drive floppy disk-based system is shown as 12.4 seconds. That was with disks in both drives. If I removed the disk from the

(continued)



THE MOS1 AFFORDABLE. IBM / COMPATIBILITY **40% FASTER QUANTUM™** AT TURBO with HARD DISK



QUANTUM XT TURBO \$89900

- BOARD, MADE IN USA)
- ☐ 4.77-8 MHz speed switch selectable
- □ 256K expandable up to 1MB on board
- ☐ Two-360K Floppy Drives ☐ Mono or Color Graphics
- Card ☐ Hi-Res Mono Monitor
- ☐ Parallel Printer Port
- ☐ AT style keyboard
 ☐ Full (1) One Year Warranty

- □ 80286-8 Processor (CPU BOARD MADE IN USA)
- □ 6-8 MHz speed switch selectable
- □ 512K RAM expandable up to 2MB on board
- □ 1.2 MB Floppy
- □ 20 MB Hard Disk
- ☐ Parallel Printer Port on board
- □ 200 W. Power Supply
- ☐ AT style keyboard
- ☐ Fully assembled, tested and 48 hour burn-in.

and FULL ONE WARRANTY

call

(714) 259-1127

for

QUANTITY DISCOUNTS

QUANTUM XT \$799**

- ☐ 8088 Processor
- ☐ 256K expandable up to 640K on board
- Two 360K Floopy Drives
- ☐ Mono or Color Graphics Card ☐ Hi-Res Mono monitor
- Parallel Printer Port
- ☐ AT style keyboard
- ☐ Full (1) One Year Warranty

☐ 20 MB Hard Disk Sub System (Controller & Cable) \$ 465.00 □ 20 MB Hard Disk (40MS) For AT \$ 650.00 ☐ 33 MB Hard Disk Sub System (Controller & Cable) \$ 695.00 ☐ 68 MB Hard Disk (25MB Voice Coil)\$1499.00 ☐ 60 MB Tape Streamer Back Up\$ 899.00 ☐ 14" TTL Mono Monitor..... \$ 149.00

FTON COMPUTER INC.

24825 CALLE EL TORO GRANDE • EL TORO, CALIFORNIA 92630 • TELEPHONE (714) 259-1127

Table 1: Some comparative times indicating relative performance of different types of mass storage on the Macintosh. The file used is Microsoft Word (version 1.00) and is 125K bytes. The document is the Memo file included on Word's master disk. The figures in parentheses are normalized times that tell you how much faster the internal RAM disk is than the other means of storage.

	Floppy Disk (single-sided)	Hard Disk (MacBottom)	External RAM Disk (DASCH)	Internal RAM Disk (Assimilation Process)
Copy File from Floppy	35.0	23.6	13.2	7.9
Duplicate File	16.9	9.2	4.3	0.7
Open File (application)	12.4	7.9	5.2	5.0
Open File (document)	23.6	10.6	6.8	. 6.4
Exit to Desktop	29.0	11.6	6.8	4.7
Combined Time (copy, open doc, exit)	87.6 (4.6)	45.8 (2.4)	26.8 (1.4)	19.0 (1.0)

external drive but left the drive connected, the time increased to 20.6 seconds. If I then disconnected the external drive, the time remained about the same (i.e., around 20.5 seconds). However, no such variation occurred with the other configurations, except that the time to open Word increased somewhat the first few times it was opened with disks in the drives. Strange.

The timings, found in table 1. confirm what you'd suspect: Internal RAM disks are faster than external RAM disks (though not by much), which are faster than hard disks, which are faster than regular floppies. The last row in the table—Combined Time—adds together the first, fourth, and fifth rows to give you a feeling for just how these time differences can accumulate.

The interesting correlation here is between speed and fragility. An internal RAM disk is the fastest form of mass storage, but it's also the most vulnerable. Files can be irreparably lost or damaged by power glitches, system crashes, or even programs that run amok. And, of course, if you turn the machine off without saving all your files to more permanent storage, they're gone for good. Some firms are developing software to preserve the contents of RAM in case of a system crash, allowing you to do a "warm" boot and still find the RAM disk and your files there, but that's no help against the other dangers.

External RAM disks shouldn't be affected by system crashes, rogue programs, or turning the computer off. Power glitches and outages can still cause a problem, though, unless the RAM disk has some sort of battery backup. As mentioned, the DASCH unit I have has no battery backup, though the folks at Western Automation claim to be working on one.

Hard disks shouldn't be affected by much of anything, but, unfortunately, they are. Power glitches at the wrong time (e.g., during a write operation) can cause problems, as can turning off the computer at the wrong moment. Physical shocks or movement can also affect them, causing the dreaded head crash, where the read/write head of the disk drive actually touches the surface of the disk itself. The MacBottom has some protection against both problems. The desktop Special menu has a Shut Down option

that moves the heads off the disk, then reboots the system; you should select this before turning the Mac off. I would be happier with a design that didn't require this shutdown step, but the MacBottom has survived power glitches and many power-downs without the Shut Down, so it doesn't appear to be overly sensitive in this area. As for shocks or movements, the under-the-Mac location does a great job of preventing accidental bumping or jostling.

Floppy disk drives are the heartiest form of mass storage (except, of course, for cassette tape, which we can safely ignore), least affected by crashes and other physical events. What few floppy disk problems I've had are related primarily to software (usually operating system) errors during reads and writes—and those will affect all forms of mass storage equally. Of course, the floppy disks themselves can be physically damaged, but the advent of the 3½-inch not-so-floppy disk has done much to eliminate those dangers. (A friend of mine, Matt Yuen, once put an address label and a stamp on a 3½-inch disk and dropped it in a mailbox. It arrived at its destination in working condition, with all data intact.)

So which is best for you? Well, that depends upon what you want and how much money you have to spend. These four options are not mutually exclusive; as I type this, the Mac at my left shows on its desktop three hard disk volumes, a floppy disk volume, and two RAM disk volumes, one internal and one external. My personal preference would be a 1- to 4-megabyte Mac with a 20-megabyte hard disk and running an internal RAM disk. On the other hand, if you have a lot of Macs in a network sharing a hard disk, giving each Mac an external RAM disk would improve performance of each workstation while reducing susceptibility to crashes and (with battery backup) power glitches or failures.

WRAP-UP

Next month, I will continue my attempt to catch up with the backlog of new products. I may also start a follow-up on last month's 68000 benchmarks, giving timings comparing different compilers on the same machine. But no promises. Until then, I'll see you on the bit stream. ■

(continued from page 24)

Let me describe some of the specific problems, such as the one with overlapping windows. This occurred specifically with small windows that had completely disappeared behind larger windows. There is an "under" menu selection to bring out hidden windows, but the mouse must be positioned over the hidden window, which is hard to do and rather frustrating. There are much better ways to do this. Overlapping windows represent sheets of paper lying on top of each other. The way one looks for hidden papers is to move the top papers. This suggests a simple solution: Move the top window to the bottom and thus uncover the hidden windows.

The window-frame moving algorithm follows the mouse while continuously flashing or painting the entire frame in white, which presents another problem. Since it takes a noticeable length of time to paint the frame, it is impossible for the system to follow the mouse with acceptable speed. The flashing effect is unpleasant, and in larger windows it deteriorates into nauseating waves of white. A simple rectangular outline is fast and adequate. as demonstrated by the Macintosh and

a number of other systems.

The Smalltalk-80 documentation is far from adequate. The system is not selfexplanatory. Despite heavy use of the "explain" tools and the various books and manuals, figuring out what classes and their methods actually did was a frustrating experience.

On the other hand, the power and elegance of the documentation tools is quite impressive. Perhaps someone mistakenly thought that automatic documentation might make up for a lack of standard documentation. The fact is, Smalltalk requires documentation every bit as much as any other large system, and perhaps even more so because Smalltalk is dynamic. The Smalltalk books are excellent, but the nature of the system demands far more internal reference material.

I find it surprising that graphics are so little used for documentation. Smalltalk-80 suffers from a lack of graphics tools in general and is desperately in need of painting and drawing facilities along the lines of MacPaint and MacDraw. The existing paint facility is too slow and cumbersome for any significant work. With basic graphics tools, it would be possible to add graphic documentation tools, which in turn would make high-quality internal documentation possible.

After years of work with various low- and high-level systems. I am quite used to working with poorly documented ones. There is no doubt that much of Smalltalk-80 is better documented than the average system. What is different, though, is the dramatic contrast in relative quality of various parts of the system. The textoriented documentation tools are outstanding, but the documentation itself is poor. Smalltalk is a graphic system, but graphics are used only minimally for documentation. When a system has so many fine components, any flaws stand out. Smalltalk-80 did make me more productive; possibilities were opened that I would not have considered otherwise. Yet, I should have been even more productive. The flaws were so much in evidence that using Smalltalk was not the enjoyable experience it should have been. Such a system is unlikely to enjoy any significant success with a wider audience.

I. GANAPATHY Vancouver, British Columbia, Canada

Princeton Graphic Systems-the choice in PC monitors.


High resolution. Sharp, crisp text. Bright, vibrant colors. Full PC compatibility. Rugged dependability. We design our monitors to meet your most demanding computer needs.

From sophisticated business graphics to basic word processing, we make sure there's a Princeton monitor for you.



For the second year in a row, you've voted our high resolution HX-12 RGB color monitor the number one color monitor in the world." Thank you for your vote of confidence...

* Results of PC World's "World Class PC Contest" for 1984 and 1985.



And it's simple and inexpensive.

Now a powerful **GridNet™**Local Computer Communications Network is as close as your nearest electrical outlet.

Thanks to GridComm's Communicators, virtually any office can create its own high speed, error-free GridNetTM... instantly! There's no need to purchase special system software. And there's none of the expense

and inconvenience of installing additional wiring. Because a **GridNet™** utilizes your existing electrical grid as a highly-effective data transmission medium.

And a **GridNet™** will support IBM PC, XT, AT, and all IBM compatibles, Apple and Macintosh, Hewlett-Packard, Tandy, AT&T, Epson, NEC...all the most popular micros and peripherals, in the

same network. Freely sharing data, with complete connectivity and effective compatibility.

The cost? As much as 60% below that of specially-wired systems.

Find out just how easy it is to increase your office's productivity. See your local dealer, or contact "The Great Communicator" for more information.



inquiry 401

P.O. Box 2779, Danbury, Connecticut 06813-2779. For information call 203-790-9077

Conducted by Jerry Pournelle

CREATIVITY OR STRUCTURE?

Dear Jerry,

I couldn't help writing after reading the letter to you in the March BYTE ("Language." page 293). As best I can tell, David Suits and you share the view that the balance between creativity and structure in programming leans more toward creativity than structure. Both of you seem to find that structure is at least as much of a burden as it is an aid. Truly, with no offense intended, this makes no sense to me-and I suspect at least a few others. feel the same. After some thought, I think I have the real answer to the creativity/ structure debate.

When I read the letter, I considered how I might make the light of reason dawn on both of you. Now I am sure that I cannot. I am convinced that my best arguments in favor of structure (as embodied in my favorite language, Modula-2) would make only a little sense to you. It could not make sense because I claim that structured programming provides exactly those benefits Mr. Suits claims for his approach.

There must be at least two different kinds of programmers in the world. I don't mean good ones and bad ones. The difference is not one of skill, but of approach. Some prefer a structured approach, and some prefer a fluid approach. Since I find the structured approach the only reasonable way to program, I cannot imagine why anyone would willingly suffer under the anarchy of fluid programming. No doubt, I seem to Mr. Suits to be willing to go through my programming life wearing

the straitiacket of structure. Il refer to David Suits because I have his letter before me, aithough I also remember your article ("Come to the Faire." July 1985).

I think I see this difference between our two camps most strongly in Mr. Suits's use of the term uncreative to describe those of us who thrive on the structure of Pascal and Modula-2. I resented the use of such a pejorative term when I first read it, but I suddenly realized that I was thinking of equally pejorative terms to describe the approach to programming that Mr. Suits advocates. I think we're dealing with a relative issue here.

I'm not alone in thinking the only real way to program requires structure. I work with people who love Modula-2. To us, the (continued)

Princeton monitors set the pace.

To become a leader, you've got to keep ahead of the crowd. At Princeton, we set the pace. We delivered a color monitor for the IBM PC before IBM. And continue with a full line of state-of-the-art quality monitors. Monitors that deliver the features you demand.

High resolution. Sharp, crisp characters. Bright, colorful graphics.

Take a close look at a Princeton monitor. You'll see the sharp, crisp characters and fully formed graphics that make our monitors stand out against the competition.

Add to it a fine dot pitch. A



nonglare screen. Our flicker free technology. And you've got an image that makes you

more productive, less fatiqued.

Easy to use.

Our monitors are compatible with the leading brands of personal computers. IBM™, Compaq and more. But we go one step further. By paying close attention to ergonomic detail, we make monitors compatible with you.

Dependability.

You can count on Princeton monitors when you need them. They're rigorously engineered and manufactured under the

highest quality control standards. Backed by a full oneyear warranty. Supported by a nationwide service network. The result: monitors you can depend on.

Princeton's HX-12E gives you brilliant 64-color displays and extra sharp text.

Bringing you the future.

Princeton continues to set the industry pace with products like our HX-12E, the first IBMcompatible high resolution RGB color monitor with a .28mm dot pitch to support IBM's Enhanced Graphics Adapter. And our SR-12P, the first IBM-compatible analog color monitor, with a .26mm dot pitch to support IBM's Professional Graphics Controller...



Buy The New Toshiba P351C. Get Microsoft Chart Free.



Introducing a P351 that will make you look great in black and white and in color—P351C.

It sells for only \$150 more than the industry's best selling full-function dot matrix printer, our own P351.

Toshiba 3-in-One printing means striking letter quality text, high speed drafts, and graphics that make your message *crisp and clear*.

Like the P351, the P351C is very compatible, gives you a 24-pin printhead, and our 200,000,000-character printhead MICROSOFT life—the most reliable printer you can buy.

And if you buy before September 30, 1986, you get Microsoft Chart version 2.01, for free.

Microsoft Chart makes it easy to create a variety of commanding graphics. And Toshiba gives you the persuasive power of *color*. You'll be printing high-quality

presentations, business graphics and overhead transparencies in no time.

Microsoft Chart is just part of a terrific \$350 value Start Up Kit, which also includes ribbon, overhead transparency sheets, and handy starter guides. All *free* if you buy the P351C before September 30, 1986.

Act now. Call for the name of your nearest Toshiba printer dealer. See this great new printer. And take advantage of this great offer fast. Microsoft is a registered trademark of Microsoft Corporation.

Call 1-800-457-7777.

In Touch with Tomorrow



360 BYTE • JUNE 1986 Inquiry 407

structure built into Modula-2 lets us express our creative ideas more quickly, make modifications more easily, and avoid details that detract from the problem at hand. David Suits (and the people who feel as he does) expresses exactly the opposite experience when working in a highly structured language.

I'm almost sure that this is a never-thetwain-shall-meet issue. The only remaining question is to decide whether it's a matter of nature or nurture. (This could

take a few hundred years!)

I want to go on record as coming down on the nature side: I think preferences in approach to programming are due to temperament more than to whatever traditions are passed down to us or the long-term consequences of first experiences. I first learned BASIC and then dabbled in FORTRAN. My first experience with ALGOL was a great relief; I had found the language I'd been wanting all along without knowing it. Now, although I get along all right in Pascal. I like Modula-2 best.

It is possible that appreciating structure is an acquired taste and that enough experience with it might change the mind of some of Mr. Suits's camp. This is the

common assumption of people in the structure camp, but I suspect they may be dead wrong. Proponents of both camps may be speaking only to those who already agree with them.

For instance, in the March issue you say you still use BASIC for much of your work in spite of expressing an affinity for Modula-2. I have a friend who may be a more extreme case, he programs in BASIC and then converts to Pascal. BASIC is his working language, but he likes the speed of Pascal. My friend also finds Modula-2 attractive, but he plans to continue developing in BASIC and then translating into some other language.

I simply could not function that way. I would not dream of using BASIC for more than 25 or 30 lines of code (and would prefer to never be stuck with using it). I just can't follow BASIC. Unlike you, I would never choose BASIC over Modula-2. Although I am willing to allow that other factors are involved, part of that difference in the way you and I operate seems to be a matter of temperament. You and I both profess a liking for Modula-2, but that liking means quite different things to the two of us.

By the way. I think the analogy to the writing process that you presented in July 1985 ("How Do We Really Do It?" page 322) was quite apt. I didn't agree with the conclusions you drew with regard to programming; now that I think about it, I don't approach writing in the way you described either. (Writing is my profession, too.)

It seems clear to me that different approaches to programming can be attributed (at least in part) to temperament. This suggests that particular programming languages are best suited to particular programmers, not to programming per se.

JOHN M. CRAIG Technical Support Specialist Modula Corporation Provo, UT

You've misunderstood, which is probably my fault. First: I don't do much programming any longer. I'd very much like to, and now that I'm not fleeing carpenters every couple of days, I may have time to; but until then, any programs I do are very much in the quick-and-dirty category. Often they can be tacked onto a structure I've already written: and since

(continued)

Princeton outperforms the industry.



modern ergonomics (like a nongiare screen) for a superior performance monitor.

We build them with quality components to work day in and day out, even in the toughest conditions.

We're looking better and better.

Your support during 1985 enabled Princeton to grow three times faster than the personal computer industry as a whole. Our installed base of high resolution monitors in this segment alone grew beyond a quarter of a million...

those are mostly in CBASIC, I can either take time off to convert everything to Modula-2 or continue with CBASIC. I haven't time to make the conversions. I very much wish I did.

Second: It's only recently that there have been Implementations of Modula-2 that provided an endurable programming environment. When I had the Lilith here—alas, your company has reclaimed it-it was a snap to do programming in Modula-2. Given that kind of environment where the machine manages all the gory details, you can be quite creative; but, alas, most people in the micro world find that structured programming requires that we keep track of some pretty onerous details by hand.

Lately I find myself more a moderator than a participant in language debates. Programming is fun, and I try to keep track of what's going on. But until I have more time, I'm likely to remain a moderator. Alas.-Jerry

CAVEAT EMPTOR

Dear Jerry,

The trouble with Pournelle's law (February Chaos Manor Mail, "Know Your Dealer," page 315) is the assumption that the average home computer buyer can find a vendor whose staff knows anything about computers, much less a vendor with more expertise than the purchaser. The industry may have been started by hobbyists who understood every solder joint, but it has long since been taken over by business types whose idea of "long term" is 90 days and whose idea of "technical" is the copious use of buzzwords (note that I said use, not understanding!). The industry is now dominated by mass merchandising operators, many of whom are snake oil salesmen. So even if you find a store with knowledgeable personnel, you may have serious problems.

My advice to a new buyer is to adopt an attitude of caveat emptor. More concretely, do all the following:

Learn about the hardware and software before you do anything rash.

If you somehow find an honest and competent dealer, stick with that dealer; it's cheaper than mail order in the long run.

Pay by credit card (not debit card); this will give you certain legal rights you will not have if you pay by check or cash. If you can arrange for the purchase to be legally considered a mail-order transaction, you can get the USPS to help you if you are sold a lemon.

If you don't have a trustworthy dealer. order from the cheapest source you can find: You probably won't get any meaningful support anyway. The well-known and high-priced manufacturer will swindle you on service as cold-bloodedly as anyone else. But forget the Brand X product that is not serviced by any independents.

Read the instructions. Follow them, even if you know "shortcuts." You can always burn out your motherboard later, if the need arises.

Order all available documentation. Yes, I know it's expensive; so is not having it when you need it!

If a dealer proposes a package, ask for a demonstration that will show if all the pieces work together. If the dealer starts to tell you that the "ABC 666" monitor is "Just the same" as the "XYZ 456," that "I don't have this but do have that," that a certain printer is equivalent to another, or tries any other substitution, walk out. If you don't, you will learn more than you ever wanted to know about the Tower of Babel.

Ask somebody who owns one, especially if that person is dissatisfied. Get into a BBS and ask about skeletons in the closet.

Find out what the vendor means by "compatible"; it may not be what you mean.

Get it in writing. Make sure that you include all representations made by the dealer and that you specify both a full refund and a penalty for delay. But don't expect the dealer to stand behind claims made by the manufacturer: The dealer can't afford to and has no control over the manufacturer's flackery anyway.

Don't buy any copy-protected software. It will interfere with backup; it will cause you problems if you go to a faster machine, a faster disk, or a faster clock on the same machine. It may even give you grief just for installing a new version of your operating system.

Beware of terms like "high-res": They are just so much snake oil. In practice, "highres" means "the resolution offered by what I am pitching." Metz's law states: "If it's really high-res, the manufacturer will tell you what the resolution is: if numbers aren't given, the manufacturer is ashamed of them." Practically, anything less than 640 by 200 in color or 720 by 350 in monochrome is suitable only for masochists.

Consider your intended use, then evaluate the trade-offs of resolution versus number of colors versus speed. Also consider the relative importance of horizontal and vertical resolution for your appli-

Don't equate a requirement with a proposed solution. For instance, you do not require a mouse, but you may require the ability to point at data and to drag it around the screen. A mouse is a solution. but so are other methods. Identify all solutions, then select the one that best fits your needs and budget. The first solution proposed by a vendor will be the one that best achieves the vendor's objectives. (continued)

NEW! DEVELOPMENT SYSTEM Laboratory turns your IBM PC or look-alike into a complete Development System. Supports more than 120 microngroupes the period of the property turns and the period of the per

Value-rich, low-cost UniLab II Universal Development 120 microprocessor types!



Up to 128K bytes of EMULATION ROM allows you to make program patches instantly. Since the target ROM socket connects data and address lines to both the analyzer and the emulator, no expensive adaptors or personality modules are needed.

The powerful BUS STATE ANALYZER features four-step sequential triggering, selective trace, and pass and delay counters. Symbolic trace disassemblers and debuggers are available for Z-80, 8048, 6500, 6800, 8031, 8085, Z-8, 1802, 8068/80188, 8086/80186, 68000 & more!

Bonus! Built-in PROM PROGRAMMER and STIMULUS GENERATOR. Call today, toll free 1-(800) 254-8500 or (415) 361-8883 (in CA)

ORION 702 Marshall Street Instruments Redwood City, CA 94063 USA

Princeton is the best choice in PC monitors.

When you're looking for a personal computer monitor, look at Princeton Graphic Systems. Our growing family of high quality

personal computer monitors delivers compatibility, brilliant colors, high resolution, and dependability. Whether you're designing sophisticated business graphics or number-crunching a financial spreadsheet. That's why Princeton is number one in the minds of more

and more personal computer owners every year.

For the very best in PC monitors, the choice is clear: Pick the com-

pany that's at the top. Princeton Graphic Systems.









HX-12E. Our EGAcompatible monitor gives you 84 vivid colors. Extra sharp toot and graphic displays. The linest dot pitch (.28mm) of any IBMcompatible enhanced monitor. Nonglare screen. Fully compatible with IBM's " Enhanced Graphics Adapter (or equivalents).



SR-12P. Top-of-the-line analog color monitor features utira high resolution (640 x 480). 4,096 colors for superb graphics. The finest dot pitch (.26mm) of any PGC-compatible monitor. Laminated nonglare panel.



HX-12. High resolution RGB color monitor with .31mm dot pitch gives you better graphics, better text than IBM's Color Monitor (5153). Nonglare screen. Voted "Best in the World" two years running in PC World's "World Class PC Contest".



SR-12. Super high resolution RGB monitor with a .31mm dot pitch. Compatible with Sigma Designs Color 400 board and others. Gives you 400 lines of resolution. Nonglare screen.



max-12. High resolution amber monitor. When used with an IBM-compatible monochrome adapter delivers 720 x 350 resolution. With an IBM-compatible color adapter, 640 x 200 resolution with 15 shades of amber. The monitor automatically adjusts to either card.



HX-9/HX-9E. Compact ninelnch high resolution RGB monitor. Perfect for workstations where space is at a premium. Both feature a .28 dot pitch and an etched dark glass screen. Ergonomic features like a builtin till / swivel base, nonglare screen, and a builtin green/amber switch. HX-9E is compatible with IBM's EGA (or equivalents).

Visit your local computer store today and ask about our full line of high resolution color and monochrome monitors.

Monitors that live up to the Princeton Graphic Systems tradition of quality, performance, and value.

Princeton Graphic Systems, 601 Ewing Street, Bldg. A, Princeton, NJ 08540; (609) 683-1660; TLX 821402PGSPRIN; (800) 221-1490, ext. 104.

IBM is a trademark of international Business Machines, Inc. Color 400 is a trademark of Sigma Designs, Inc. QuadiEGA + is a trademark of Quadizm Corp. Compaq is a trademark of Compaq Computer Corp.

All monitors come with free data and power cables.

He who travels much appreciates daily service.



United

which may not be compatible with yours. Once you have your system, get in the habit of backing up disks.

> SEYMOUR I. METZ Annandale, VA

Well-there are still some dealers who understand what they're doing; as you say, if you find one, it's worth a lot to keep that dealer. But recall that Pournelle's law says: "If you don't know what you're doing, deal only with people who do." It doesn't condemn you to perpetual ignorance.

It's still a good idea to learn something about these little machines. It's fun, too. -lerry

P-SYSTEM

Dear Jerry.


I've read BYTE for years and love it; I've read your column since it started and loved it. Yes, loved it, because today I read that the p-System is "the original userhostile operating system." Never! It may be unconventional—after all, a prompt line that shows you all the possible options at any stage is not like CP/M's or MS-DOS's wonderfully user-friendly A> prompt. After all, the standard p-System screen editor isn't at all like those with 574 different keystrokes, and it does work well with both free text and programs, and it does leave the cursor at a syntax error (optionally, not compulsorily). Differentves: user-hostile-never! You praise MOSYS, but its editor is reported to have many shortcomings.

Finally, at \$79.95 (available from Pecan). the UCSD p-System with compiler, editor. and native code generator (with 8087 and BCD support) should have been named product of the month.

> STUART A. BELL Cambridge, United Kingdom

Surely you are not so fickle as to abandon me after all this time? I do agree: with the new price and, more important, the new support provided by Pecan. p-System is quite a bargain.

As to its hostility, I remain unrepentant. The problem with p-System is that it's thoroughly menu-driven; and while that does give you lots of on-screen prompts. It also makes you go around red robin's barn to get anything so simple as a directory. Indeed: it's the problems I have getting a directory (call the filer; specify devices by number, and the device number is never intuitive) that caused me to neglect p-System. You will note, though, that I always try to point out that a lot of people do love it, and they're not all masochists.-jerry



Diskette Connection

Delaware 1-800-451-1849 - Oklahoma 1-800 654-4058

TERMS: Menmum 20 datas or 135 and 2^{sp} for special ha every 100 Diskettes or y 100 Diskettes or any





31 DISKS 51 DISKS 2095 2595 S-Side S-Den PHEONIX

skette / Connection

- Delaware 1-800-451-1849 Oklahoma 1-800 654-405B - Meyada 1-800-621-6221

TERMS: Menimum 20 dalks or #35° — VISA or MasterCard as COD orders and 2°0 for spaces handling SHIPPING 3½,5 % to Add 3°0 for every 100 Dalkettes or any faction intered 8 Delkette 4°0 for every 100 Dalkettes or any faction intered 8 Mes abor UFS. or every 100 Dalkettes or any faction intered Wes shou UFS. or every 100 Dalkettes or any faction intered Wes shou UFS.

No Manufacture Label or Pretty Box Single Side Double Density Double Side Double Density

.**35**ea.

(MIN.)

Manufactured 100% by one of the BIG BOYS. IF you need a good Disk this is it. IF you need a name, we call them GOOD.

Diskette Connection

- Delaware 1-800-451-1849 Oklahema 1-800 654-4058 · Nevada 1-800-621-6221

TERMS: Monthum 50 Diskett SHIPPING: - 5 Descri



5½"Disks

8" Disks

ALSO AVAILABLE 32 Sectors, 1024 FM, MICOM, CPT, WANG, LANIER, DEC RX50.

Data Cartridges DC100A DC300A DC300XL Call

Connection-

* Delayare 1-800-451-1849 Oklahoma 1-800 654-4058 • Nevada 1-800-621-5221

or 135* — VISA or MasterCard accord transleing SHIPPING: 34 a 54 Date or any fraction thereof. 8 Desturities



LIFETIME 5½ Disks **7**95 S-Side D-Den. 1195 D-Side D.Den. D-Side 96tpi

315 Disks

8"Disks

Diskette Connection

HIGH Den.

- Delaware 1-800-451-1849 Okiahoma 1-800 654-4058 · Hevada 1-800-621-6221

SHIPPING: 33, 6 54 Disker fraction thereof 8 Deskettes FRMS: MA

795 D Side 1195 5-Side 1695 D-Side 1995

1595 | 2295 HEAD LEANERS 5½"Kit — 475 5½"Refills - 720

Digital Cassettes Diskette / Connection

Delaware 1-800-451-1849 · Oklahoma 1-800 654-4058 · Merada 1-800-621-6221

8"Kits

8"Refills-800

TERMS: Min SHIPPING: 3% a 5% Disks traction thereof 8 Diskstes

McGraw-Hill introduces the affordable solution to the 640K limit.

Non

Why spend more than \$700 for an expanded memory board with 256K and new software versions that may be incompatible with your current software?

MAXIT™ is a 256K memory board, with software, that works above or below 640K to increase memory for 1-2-3® 1A and other popular memory-intensive programs, and allows RAM-resident and custom programs to run above 640K.

It's priced at an affordable \$195.
With MAXIT, you don't have to buy new

software versions like 1-2-3 Release 2. No matter how much memory your computer has now — even 512K or 640K

— MAXIT can increase available memory.

It can work above 640K, using memory

that was reserved for the operating system but isn't being used. MAXIT software adds memory above 640K to DOS, and enables 1-2-3 1A, memory-

resident software,

or custom programs to use it.

And if you already have software that works with expanded memory, you can use MAXIT's special driver software. It emulates costly expanded memory boards — giving you increased power at a fraction of the cost.

MÄXIT works on the IBM PC, XT, the Portable PC, and many compatibles. It requires DOS 20 or above.

MAXIT works on the IBM PC AT, too. It fills out the AT's memory from 512K to 640K, and even goes beyond that.

MAXIT includes a 256K parity-checked memory card that uses the latest technology. It's a half-size card, too, so you can use it in a short XT slot.

Installation is a snap. Just follow the instructions in the illustrated Owner's Manual. The menu-driven setup software also gives you screen prompts. And if you have questions, our customer service department will answer them fast.

Once installed, MAXIT loads automatically. You don't have to learn a single new command to use it to its fullest.

Get the affordable solution to your PC's memory crisis. We've made it easy. Order MAXIT today by calling our toll-free number: 1-800-221-8439. (In Texas, call 1-214-437-7411.)

We accept VISA, MasterCard, American Express, and Diners Club cards.

Or order by writing to: McGraw-Hill CCIG Software, 8111 LBJ Freeway, Dallas, Texas 75251.

MAXIT is just \$195 plus \$4.00 shipping (\$12.00 outside the U.S.) and applicable state sales tax.

Be sure to include credit card number and expiration date with mail orders. Orders paid

by check are subject to delay.

MAXIT is covered by a 30-day money-back guarantee and a one-year warranty.

1-800-221-8439

(In Texas 1-214-437-7411)

McGraw-Hill CCIG

8111 LBJ Freeway, Dallas, Texas 75251

MAXIT is a trademark of McGraw-Hill CCIG Software. IBM is a registered trademark of International Business machines Corporation; 1-2-3 is a registered trademark of Lotus Development Corporation.

366 BYTE . JUNE 1986

THE BEST OF BIX is a selection of the most interesting messages from BIX, the BYTE Information Exchange conferencing system. The conferences covered for this month include those for the Commodore Amiga, Atari 520ST and 1040ST, the IBM PC family and compatibles, and the Macintosh computers. These pages represent only a small fraction of the material discussed in these conferences.

For information on joining BIX, see the instructions on page 336.

AMIGA

The highlights of the Amiga conference this month include a benchmark comparison of two popular C compilers for the Amiga, 68020 upgrade VMEbus adapters, and GenLock and LIVE! digitizers.

Bugs and Fixes includes discussion of Amiga ABasiC speech functions, Alink linker improvements, disk "hashchain" tables, and more about the terminal program MaxiComm. Bugs and Fixes concludes with a short tutorial on Tymnet log-on procedures and file chopping, and the author of the Aegis Animator describes a minor glitch.

COMPILER BENCHMARKS

amiga/product.dcsn #706, from ricks [Rick Schaeffer]

Benchmarks for Aztec C versus Lattice C Compilers Well, I finally got my Aztec C compiler! Of course, the first thing I did was run a whole series of benchmarks to compare it with my Lattice C compiler. Since there's been so much interest in Lattice vs. Aztec, I ran

all the benchmarks I could get my hands on and made up the table below for anyone else who is interested.

The rules under which the benchmarks were run were as follows: First, I used the default selections of both compilers as far as compiletime options go, since I wanted to compare "apples to apples" as much as possible. The Aztec compiler comes set up to take advantage of RAM disk during compiles, so I used the "cc2" program with Lattice (which I've modified to, likewise, take advantage of RAM disk for terriporary files).

The Azlec C compiler automatically runs all passes of its compiler; cc2 does the same thing except it costs time to load cc2 itself, so I ran cc2 from RAM disk, again attempting to compare apples to apples. Compile times and link times were timed with a stopwatch, and time was measured from hitting Return after typing the command line to see-

ing the CLI prompt after the compile completed.

Run time was obtained by calls to the AmigaDos Current_Time function. The source code for all the programs except the Dhrystone program was obtained from the November 1985 BYTE. The source code for the Dhrystone program was obtained from the CompuServe Amiga Forum database. A large comment header was removed from the Dhrystone program. Other than that, the programs were entered verbatim as published in BYTE except for the timing routines, which were for the Macintosh. I modified these to work with the Amiga.

The Aztec compiler, by default, generates code that uses 16-bit integers, and the Lattice compiler uses 32-bit integers. However, the Aztec compiler has a compile-time switch that causes it to use 32-bit integers, and there is a set of 32-bit libraries supplied with which to link such a program.

(continued)

	Frame	Intmath	Pointer	Qsort	Sieve	Float	Fib	Dhryston
Compile								
Aztec(16)	21.44	26.58	23.29	27.07	24.70	26.07	23.67	36.26
Lattice	44.16	61.42	45.00	70.74	76.60	48.03	45.49	68.46
Aztec(32)	23.48	26.19	23.96	26.78	26.01	25.23	23.74	35.14
Link								
Aztec(16)	33.95	33.47	33.97	43.79	39.11	38.92	31.52	42.64
Lattice	112.34	109.79	111.73	112.00	116.49	114.34	115.35	112.64
Aztec(32)	35.52	30.64	33.64	41.86	40.49	38.42	32.99	39.47
Executable Mod	tule Size (no regi	ister variables)						
Aztec(16)	5012	5532	4996	9504	13432	5428	5124	6488
Lattice	13470	14108	13712	18224	22216	14336	13876	16040
Aztec(32)	5212	5772	5196	9684	13640	5628	5328	6812
Executable Mod	tule Size (with re	gister variable:	s)					
Aztec(16)	5012	5252	4988	9448	13380	N/A	N/A	6328
Lattice	13744	14088	13704	18204	22184	N/A	N/A	15996
Aztec(32)	5208	5488	5184	9628	13588	N/A	N/A	6644
Run Time (no r	egister variables)					(Dhrystone	in Dhrysto	nes/second
Aztec(16)	0.00	4.34	19.77	55.23	4.80	15.90	19.55	1000
Lattice	0.10	21.77	16.85	56.40	5.96	118.32	22.70	454
Aztec(32)	0.10	9.82	19.88	61.55	5.87	15.90	22.59	704
	regieter variable	s)				(Dhrystone	in Dhrysto	nes/second
Run Time (with	register rainable		40.54	42.00	2.68	` N/A	ŃΑ	1041
	0.00	2.70	10.54	42.00	2.00	13873	INC	1071
Run Time (with Aztec(16) Lattice		2.70 21.40	10.54	44.60	3.98	N/A	N/A	462

Therefore, I ran the benchmarks twice for the Aztec compiler: once with the default of 16-bit integers and again with the 32-bit option and libraries selected. All timings are in seconds and hundredths except the run time for the Ohrystone benchmark, which is in Ohrystones per second. I did not include timings for compile and link of the register variables versions of the benchmarks. They were insignificantly different from the times shown, which are for the nonregister versions.

A couple of notes about these timings:

First, the run times are shown to the hundredth of a second, but I doubt the accuracy of the Amiga's clock at that resolution. I am confident, however, that the timings are accurate to the tenth of a second.

Second, the Aztec compiler supports and uses the Motorola Fast Floating Point (FFP) library, whereas the Lattice compiler uses Lattice's own IEEE-compatible floating-point library. The Lattice compiler can be linked with the FFP libraries, but it doesn't use them by default (you have to do the function calls yourself). That is the reason there is such a large difference in the floating-point benchmark for run time. It is my understanding that the FFP library will be supported by the Lattice compiler in a future release.

The Lattice compiler version I used for these benchmarks was 3.02. I understand that Lattice is now shipping version 3.03, but I have not, at the writing of this message, received my upgrade. The Aztec version used for the benchmarks was 3.20a.

amiga/product.dcsn #708, from duck [Dale Luck, Commodore-Amiga] a comment to 706

The Green Hills C compiler, running on a 14.4-MHz CSA board gives 2100 Dhrystones per second. I just found this out yesterday. For those who do not have the source code, a VAX-11/785 pumps them out at about 2050 per second.

amiga/product.dcsn #709, from ricks a comment to 708

You might be interested to know that a Convergent Technologies Mightyframe (12-MHz 68020) running their flavor of UNIX (called CTIX) checked in at 2931 Dhrystones per second.

TENFOLD PERFORMANCE BOOST

amiga/tech.talk #407, from theo [Ted Inoue, Universal Imaging Corp.]

Anybody know of a Multibus adapter for the Amiga? Our company is looking into making the Amiga the front end to an image-processing system, but the boards come in Multibus format.

We'd like to use the Amiga to talk to our set of Multibus imageprocessing boards, and it would allow a really nice system for a reasonable price (reasonable being relative; in this market, \$25,000 to \$35,000 is very reasonable). So, if anybody knows of some way to adapt the output from the Amiga to talk to a Multibus system, I'd like to hear about it. Also, if there is any info on VMEbus capability, that would be nice. However, VME has a full 32-bit data and address path, so things might have to be hacked very hard to squeeze the Amiga to talk to VME boards.

amiga/tech.talk #410, from sassenrath [Carl Sassenrath] a comment to 407

Commodore-Amiga in Los Gatos, California, makes boards that interface the Amiga to Multibus. This is how the Amiga talks to the Sun hosts. Send mail to "duck" for more info.

amiga/tech.talk #411, from jdow [Joanne Dow] a comment to 410

Better yet-please, Dale, post the info in Amiga/hardware if this can be

used as a special-purpose product. There are many, many here who'd like to do such a thing. I can see multiprocessing on the horizon.

amiga/tech.talk #413, from duck a comment to 407

Maybe this would be another application for our "BillBoards"; they are boards that we hacked together. One plugs into the Amiga and the other board plugs into our Sun-2's Multibus. We run "wack" remote on the Sun-2, peering into the Amiga's memory. Call Bill Kolb at Amiga, (408) 395-6616. Maybe he'd be willing to let out the design or schematics. The Arniga board does not run with anything else except our kludge-o RAM cards.

amiga/tech.talk #415, from sparta [Gary Bonham, Sparta Inc.] a comment to 407

You might try CSA (Computer System Associates) in San Diego, (619) 566-3911. They make the 14.4-MHz 68020/68881 board that I have in my Amiga. They have been working on coming off of their piggyback board with a full 32-bit VMEbus (they already have a 32-bit-wide RAM board up there). They may repackage the entire system in a larger box to accommodate it.

amiga/tech.talk #416, from sparta

Yesterday I took my friend (Amiga) to CSA in San Diego for open heart surgery. It had already had a transplant a while ago resulting in a 68020/68881 running at the usual 7 MHz. Now, all operations up on the 68020 board occur at 14.4 MHz. At this rate there are not many computers out there that can keep up (in the price range). The Mandelbrot timing (in P3 mode) I have quoted before is now down to a shade over 3 minutes (versus about 37 minutes on a normal Amiga).

GENLOCK AND AMIGA-LIVE! amiga/product.dcsn #710, from duck

There seems to be a little confusion regarding these two separate peripherals. They are each complete peripherals in their own right. Neither depends on the other being on the Amiga. You can GenLock Amiga graphics to external video without doing frame-grabbing. Conversely, you can do video digitizing with Amiga-LIVE! without the GenLocker. They each have their own synchronizing circuitry. These two peripherals can also be coupled to achieve certain effects not possible when using either of them separately.

BUGS AND FIXES

SOUND ADVICE

amiga/softw.devlpmt #1067, from duck

Audio Response, from a conversation with Sam Dicker, Commodore-Amiga

QUESTION: Why can't I SAY "JAH4"? When I TRANSLATE\$ "ja", it prints "JAH4"; but when I SAY "JAH4", I get an illegal function call message. ANSWER: You have found a bug in the SAY command which will be fixed in the next release. It looks like SAY can't handle strings ending in a number (the 4 in "JAH4"). I recommend, as a work-around, that you append a space to all strings that you SAY. The TRANSLATE\$() function does this for you, which is why the bug was never reported.

QUESTION: Can WAVE be used to get very different sounds? ANSWER: All square, sawtooth, and random waves sound alike.

QUESTION: Please excuse the following waveform ignorance, but

(continued)

Lyco Computer Marketing & Consultants



1091 \$228

PANASONIC

1091 3131 (NEW)

JUKI

C. ITOH Prowriter 8510 sp+ 15505 sp+ Printmaster

BROTHER

LEGEND

EPSON

HR-15XL-P359 HR-15XL-S359 SEIKOSHA
SP-1000 VC (C-64)
SP-1000 A Centronics
SP-1000 A IBM
SP-1000 AS RS-232
SP1000 AP Apple lic
BP-5200 I
BP sheet feeder
SP-1000 ribbon
BP-5200 ribbon
II 185 199 199 199 199 649 199 8 50

CORONA

LP300 2495 200361 Toner Cartridge 89

MINIME

SG-10....\$205

STAR MICRONICS SG-10 SG-10 SG-15 SD-10 SD-15 SR-10 SR-15 SB-10 Powerty

CITIZEN

COLOR RIBBONS NOW AVAILABLE!!

MONITORS

PANASONIC
DTH103 10" RGB Hr Res
TX12H3P 12" Color
TR120MBPA 12" Amber
TR122M9P 12" Amber 109
TR122MYP 12" Amber IBM
148

PRINCETON GRAPHICS

TEKNIKA MJ-10 Composite...... 179 MJ-22 255

AMDEK

AMDEK 300 Green 300-Amber 310 Amber IBM Color 300 Audio Color 500 Composite. Color 800 Color 700 Color 710 118 128 155 234 369 397

SAKATA
SG 1020 12" Green 99
SA 1000 12" Amber 109
SG 1500 12" Amber TTL 119
SA 1500 12" Amber TTL 129
SC 100 13" Color Comp 209
SC 200 13" RGB 389
STS1 Till Stand 29

COMMODORE

THOMSON CM36512V1......269 CM36632......159

ZENITH
ZVM 122A Amber
ZVM 123G Green
ZVM 124 Amber IBM
ZVM 131 Cotor
ZVM 133 RGB
ZVM 135 Composite
ZVM 136 Hi Res Cotor
ZVM 120
ZVM 1230
ZVM 1240 75 75 129 275

DRIVES

INDUS

TYMAC MDD-640 3%" Apple Drive 640K..... 289

TANDON

DISKETTES

DENMISON ELEPHANT 514" SSSD ELEPHANT 514" SSDO ELEPHANT 514" DSDO SUNKYONG SKC 5%" SSDD SKC 5%" DSDD MAXELL 516" MD1

MODEMS

115

SILVER REED

OKIDATA

DIABLO

D25 630 API 630 ECS D 80 IF P 32 CO1 P 38 C 150

ANCHOR

Volksmodem 12 ,...

DIGITAL DEVICES

Pocket Modern AT.....Call Compuserve......18.95

RACAL-VADIC 2400PC 549 2400PA 789 2400V 554 1200PC 329

HAYES

narlmodem 300 narlmodem 1200 narlmodem 12008

KYOCERA 12008

US ROBOTICS Password 1200 Password 300 Courier 2400

IBM-PC COMPATIBLE

BRODERBUND (IBM)

Bank St. Writer 48.95 The Print Shop 34.95 Graphics Library 1 22.95 Ancient Art of War 27.95 Champ Lode Runner 22.95 Karateka 22.95

LEADING EDGE

Nutshell Filer 149.00

SUBLOGIC (IBM)

MICROPROSE (IBM)

F-15 Strike Eagle 20.75 Solo Flight 20.75 Silent Service 20.75 Decision in Desert 24.95 Crusade Europe 24.95

1-800-233-8



TO ORDER

CALLTOLLFREE 1-800-233-8760

In PA 717-494-1030

Customer Service717-494-1670

VISA

or send order to Lyco Computer P.O. Box 5088 Jersey Shore, PA 17740

RISK FREE POLICY

In-suck items shipped within 24 hours of order. No deposit on C.O.D. orders Free shipping on prepaid cash orders within the continental U.S. Volume discounts available. PA residents and sales lax. APO. PPO and international orders add \$5.00 plus 3% for priority mail service. Advertised prices show 4% discount for cash, add 4% for Mester-Card or Visa. Personal checks require 4 weeks' clearance before shipping. Ask along U.PS Blue and Red state shipping. All merchandise carried under manufacturer's warranty. Free catalog with order. All items subject to chance without notice.



could I get a piano sound out of BASIC?

ANSWER: AmigaBASIC has very limited sound capabilities. It is designed to play fixed sine or custom waveforms at a fixed volume and fixed frequency. Fixed, that is, during the duration of the musical note. The sine or custom waveform represents one cycle of the "fundamental." This severely limits how interesting you can make your sounds.

The WAVE command defines the waveform before the SOUND command starts it playing. This makes it impossible to modify the waveform while the sound is playing. The SOUND command sets a constant volume for the entire duration of the sound. You cannot define an envelope (i.e., attack-decay-sustain-release). This gives all sounds an organlike quality.

The SOUND command also sets a constant frequency for the entire duration of the sound. You cannot add vibrato or bend the pitch of a note. AmigaBASIC is really designed to support only one synthesis technique: using the waveform to represent one cycle of the fundamental. This turns out to be the most serious restriction. A custom waveform (nonsinusoidal) can produce any set of harmonics. But they are fixed frequencies and exact harmonics, and not very interesting to the ear.

These are, by no means, limitations of the Amiga hardware and ROM kernel software. Dedicated music programs and even high-level languages can provide much better access to the hardware. For example, ABasiC, the BASIC that was shipped with the first machines had none of these limitations. Simply adding the ability to play a large waveform, either recorded digitally or synthesized, as the entire sound can produce just about any sound, including a piano sound.

Despite my criticisms of the design of AmigaBASIC's sound support. there are ways of "tricking it" into producing more interesting sounds. This may give you some ideas:

DIM wavelorm%(255) FOR i%=0 TO 255 waveform%(i%) = 127 NEXT FOR i%=0 TO 255 waveform%(i%) = 0 WAVE 0.waveform% WAVE 1.waveform% SOUND 60, 5,255 - 196,0 SOUND 60, 5, 1%, 1

NEXT

Good luck.

ALINK PROBLEMS amiga/main #2371, from jriley a comment to 2367

FFP support is ready. Dropping Alink is in the works, but you gotta realize that you pay a price for playing by AmigaDOS's rules. No library format?

Editor's note: Jriley is the log-on for the Lattice Support Group. Lattice Tech Support can be reached through the Lattice conference, the Lattice BBS [at (312) 858-8087 2400 bps, no parity, 8 data bits, 1 stop bit], and voice [(312) 858-0073]. Jriley is here to answer any questions you may have on Lattice products.

amiga/main #2372, from idow a comment to 2371

Even with no library format, Dale let slip that Alink can be sped up materially by allocation tricks. If the hacks that allocate OK but don't deallocate on exit are cleaned up, Alink might not be quite so objectionable.

amiga/main #2376, from jriley a comment to 2372

The price you pay for that hack can be more than it's worth. With a large link job going, Alink will effectively kill any multitasking due to lack of memory.


We don't need to complain about Alink, we need to fix it. After all, we are programmers (I hope).

amiga/main #2377, from jim_kent [Jim Kent] a comment to 2376

I am not very familiar with linkers. However, I believe that they would not start freeing memory until they started resolving references, after the high point of memory allocation. If this is the case, then they really might as well hang onto everything until the end, in which case a









slightly modified hack of the faster option would be OK. I wonder what Aztec's secret is.

amiga/main #2379, from jdow a comment to 2376

I said the hack had to be cleaned up properly so that things worked correctly. The ideal algorithm might be this: Allocate in 128K hunks until they don't have room, then try 64K on down until memory is gone.

Keep careful track of the allocations granted and deallocate on the way out. The way I understand things, Alink wastes an excessive amount of time allocating and deallocating small pieces of memory. Done slightly differently this could be made faster without significantly altering the operation of Alink.

Of course, an even faster linker has its advantages as well. The fix to Alink could proceed very quickly. The other, maybe and maybe not.

REHASHING DISKS

amiga/main #2351, from gsipko [Gord Sipko]

I am the not-so-proud owner of a "corrupt" sys: disk. I've been using DiskEd to repair the pointers and have been having great success. I almost have the disk usable again-only the :c directory to finish.

Now, here's the problem: When I recalculate the hash numbers for each of the commands in :c, I end up with 11 pairs of commands that hash to the same number and three other commands that have the same number. What gives?

Presumably the hash number must be unique! Does DiskEd have a problem? I'm stuck! Is there anyone out there that will own up to DiskEd?

amiga/main #2352, from mmorris [Martin Morris, Computer **Toolsmith** a comment to 2351

The hash numbers are not unique; those files with the same hash code are chained together. The "hashed" entry points to the first file with that hash code. The "hashchain" field in the first file header points to the next, and so on. "Hashchain" is word 124/128 in the file header block, described on pages 1-4 and 1-5 of the Amiga technical reference manual.

MORE ABOUT MAXI

amiga/main #2375, from idow a comment to 1435

Here's a reposting of 1434 and a couple of notes to help people doing Amiga downloads (thanks again to Willie):

amiga/main #1434, from langeveld [Willem Langeveld]

' this version is for MaxiComm format uploads

a\$ = INPUT\$(128.1) discard these 128 FOR I=1 TO n

n is determined by the file size a\$ = INPUT\$(10000,1) 10000 seems like a good number PRINT# 2,a\$: Don't forget the ";"-it will insert a space

otherwise

NEXT I

a\$=INPUT\$(<nnn>,1)' <nnn> is the number of leftover bytes to be

PRINT# 2.a\$: Seems to work also without ";" you get one

byte extra CLOSE etc.

this version is for normal XMODEM uploads with no MaxiComm header block

FOR 1=1 TO n 'n is determined by the file size a\$ = INPUT\$(10000,1) ' 10000 seems like a good number PRINT# 2.as: Don't forget the ";"-it will insert a space

otherwise

NEXT I

a\$=!NPUT\$(<nnn>,1)' <nnn> is the number of leftover bytes to be

copied

' Seems to work also without ";" you get one PRINT# 2.as:

byte extra

CLOSE etc.

Hope this helps. The version of TxEd currently in Listings needs the second version (above) with the length mentioned in the bad.doc file.

CHOPPING FILES

amiga/main #2339, from efreedus [Eric Freedus]

Running TxEd

I ran TxEd through the AmigaBASIC program listed to trim off the end. Apparently I had to allocate enough memory first. In any event, now I can't get it to run. I'm getting an "Unable to load TxEd: file is not an object module."

Second, when logging in through Tymnet, if I use the Backspace key to correct a typo, all console output is shut down thereafter. I'm sending, but I don't see my own keystrokes. Is there a key sequence to correct that during the Login procedure? The shutdown carries right through to when I'm on-line with BIX.

amiga/main #2340, from tom_thompson [Tom Thompson, Technical Editor, BYTE) a comment to 2339

A backspace entered on the Tymnet log-on sequence kicks the system (for you) into half-duplex mode. Solution: Either abort the log-on if you make an error, or put your terminal program into half-duplex mode.

As for the chop problem, what was the file size of the output file versus the input file? The error message you're getting indicates that the chop failed (this is also the same error message you get with the unchooped file, that's why I suspect chop).

Also, TxEd may be one of those files where some of the code looks like an end-of-file character, so BASIC quits prematurely. Suspect this as the problem if your output file is a lot smaller than the input file.

amiga/main #2342, from jdow a comment to 2340

Make sure the chop number is the same as the chop number in Charlie Heath's message re TxEdDemo. He has uploaded two versions, and the BASIC program trimmed the "old" TED version to working size, not the new TxEd version.

amiga/main #2343, from jdow a comment to 2340

Also re Tymnet Log-on

"H sets Tymnet into a mode where you must generate a local echo of characters you send. If your terminal program can do this, I highly recommend it for good typists (or even mediocre typists). A "X and "R enables XON/XOF ("Q/"S) flow control through the Tymnet node.

The only way to abort the "H mode is to hang up and redial Tymnet for a fresh start.

ANIMATOR

amiga/product.dcsn #685, from jim_kent

My First Bug

Actually, this is just my first documented bug. When running Animator

(continued)

a message to our subscribers

From time to time we make the BYTE subscriber list available to other companies who wish to send our subscribers material about their products. We take great care to screen these companies, choosing only those who are reputable, and whose products, services, or information we feel would be of interest to you. Direct mail is an efficient medium for presenting the latest personal computer goods and services to our subscribers.

Many BYTE subscribers appreciate this controlled use of our mailing list, and look forward to finding information of interest to them in the mail. Used are our subscribers' names and addresses only (no other information we may have is ever given).

While we believe the distribution of this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive such promotional literature. Should you wish to restrict the use of your name, simply send your request to the following address.

> BYTE Publications Inc. Attn: Circulation Department, 70 Main St., Peterborough, NH 03458

NOVAS

BEYOND IBM COMPATIBILITY MORE POWER PLUS RELIABILITY AT LESS COST

NOVAS TURBO 286 MOTHERBOARD

- * Fewer ICs For Greater Reliability-Only 36 Compared to IBM's 131
- * Dual Speeds-6 & 8 MHz-Keyboard Selectable
- * 4 Serial and 1 Parallel Ports On Board
- * Expandable to 1 Megabyte RAM
- * Fully Compatible BiOS
- * Socket for 80287
- * Complete with Installation Program
- * One Year Warranty

\$595 OEM Quantities

NOVAS 1000 EGA BOARD

- * Supports EGA, RGB, & Monochrome Monitors
- * 640 x 350 Pixels EGA
- 640 x 200 Pixels Color
- 320 x 200 Pixels Color
- 720 x 350 Pixels Monochrome
- Parallel Port on Board
- * 256K RAM on Board
- * One Year Warranty

\$250 OEM Quantities

NOVAS

COMPUTER SYSTEMS & COMPONENTS **Since 1983**

COMPUTRADE COMPANY

780 Trimble Road, Suite 605 San Jose, CA 95131 Tel: (408) 435-2662 Fax: (408) 435-5458

CALL FOR OTHER COMPONENTS & SYSTEMS

* IBM is a trademark of International Business Machines Corp

BEST OF BIX • BEST OF BIX • BEST

or Images from the Workbench, if you change directory, you must change directory back to "sys:" or the Workbench will crash when you exit. CLI is fine. I'm not sure if I will be able to fix this bug as it appears to be in the Workbench. See topics "software" and "flames" for more discussion of this problem.

In the meantime I would really suggest for this and many other reasons that you get rid of the Workbench and run things from the notas-pretty but far more reliable CLI. There is a batch file "noworkbench" included on the Animator disk that when run should keep Workbench from appearing when you reboot.

amiga/product.dcsn #686, from jdow a comment to 685

Rather than having the program automagically relog to "sys:" the more proper route is to note where it is when your program starts and relog to that. Somehow, I agree with you, A well-behaved program should not have any effect on the underlying system parameters after it exits unless it is something like CD, which must have that effect because of its function.

(CP/M is something like that-a program can log new "drives" and "users" all it wants. The only way it affects the CLI environment is to change the value at location 4. Well-behaved programs leave this alone unless appropriate.)

amiga/product.dcsn #687, from jim_kent a comment to 686

Well, anyway, got my CD back to work. Bug fixed in 1.10 release of Animator

ATARI ST

This month's discussions include answers concerning Atari ST graphics and programming languages. Once again, the problem of resolution switching is addressed, and several conference members have made considerable progress in solving the problem. Also, a few helpful hints in graphics programming are offered. But the debate over which language to use rages on, as conference members discuss the prosand cons of Modula-2, C, and Pascal.

GRAPHICS COPROCESSOR

atari.st/main #28, from dbetz [David Betz, Senior Editor, BIX]

Are the 1040STs being delivered with the sockets for the enhanced graphics chip?

atari.st/main #29, from neilharris [Neil Harris, Atari Corp.] a comment to 28

According to Sam Tramiel, the graphics chip is not intended for the 1040ST. It will go into a future product in the ST line, at a higher price point than the current model. However, the graphics coprocessor will be available as an upgrade board for the current models.

atari.st/main #30, from jruley [John Ruley, University of Dayton] a comment to 29

Whoa! That is directly opposed to what we've been hearing here and in the BYTE article [March 1986]-are you sure you mean that?

If it is a board-level operation, then is there going to be an upgrade for the 520ST as well? You could make a lot of friends that way!

HARMONY COMPUTERS 2357 CONEY ISLAND AVE. (Bet. Aves. T. & UJ BKLYN. NY. 11223 800-VIDEO84 or 800-441-1144 or 718-627-1000



29-59-23: 20:50:50:50:50:50:50: \$232.95 \$232.95 \$TAR 10X \$159.00 PANASONIC 1091 \$219.95

IBM P.C. Bare No. Drives \$1084.50

"PRINTER SPECIALS"

	is come to the first of the	America		
4	54# SG 15	331	Star SD 10	254
4	NEC 8850	989	Star SD 15	305
2	Olodata 192	319	Star SR 10	418
5	Oludata 2410	1639	Star SR 15	539
	Olodata 193	449	Star 88 10	489
4	Oludata 182	208	Silver Reed Exp 550	279
9	Panasonic KXP 1091	220	Silver Reed Exp 500	149
	Panagonic KXP 1092	292	Silver Reed Exp 800	619
	Panasonic KXIP 3151	369	Silver Reed Exp 400	189
	Panasonic KXP 1080	187	Toshiba 1340	349
2	Panasonic KXP 3131	238	Toshoa 341	809
3	Panasonic KXP 1592	399	Toshoa 351	963
	Star SG10	197	Tochipa 321	445

WOW!WOW!WOW!

IBM		IBM		MONITORS	
AT Unenhanced	2912	Hand Orluss web application		Amdak 300 Green	104
AT Enhanced by IBM	3563	10 Mag	229	Amdek 300 Amber	100
IBM Monitor	219	20 Meg.	299	310 Amber	129
IBM PC No Drives	1085	30 Meg.	500	Color 300	148
PC XT	1459	40 Mag.	609	Color 600	384
PC KT Clone	419			Color 722	452
IBM Pro Printer	358	ATARI		Princeton HX12	390
AST SIX Pack 64K	198	13ID XÉ	118	Princeton HX12E	450
Tall Grass 25 Meg	2392	55 XE	82	Princeton Max 12	142
Quad Board	164	1027 Printer	69	9R12	E10
Hercules Color	139	1050 Drive	112	Scan Doubler	150
Hercules Monochrome	269	Indus Clave	189	EGA Card	292
Color Card	109	Graphic Printer	100	Timen 200	140
Multifunction Card	109	520 ST Color	759	Taxan 620	349
Paradise Graphics	160	620 ST 6.W	629	COMPAG	
Paradise Multi Dis.	182	Land englated	-		
Paradise 5 Pack	109	MODEMS		200	4399
STB Graphics 4 2	505	N 1000		Portable	2500
STB R10 + 2	172	Hayes 1200	349	Destpro I	2319
STB Mono Board	145	Mayes 12008 w Smartcom	323	Penadoric Exec Part	1799
Tecmar Graphics	411	Hayes 300	123	COMMODOR	E
Tecmar Capten	139	Hayes 2400	548	Commodore 128	233
Persyst Monocaet	122	Hayes 24008 w Smertcom	409	1571 Orne	205
Bernout Box	1589	Micromodern 2E Promethias 1200	123	Commodore 64	149
Taligrass 35 Mag	3120	Promptnes 1200	234	1541 Disk Drive	172
8087 Chip	108	APPLE		1802 Montor	168
80287 Chip	174			1902 Montor	275
Everex Graphics Edge	199	2E	549	MSP 1000 Profer	228
Everex Edge	221	000 444 44	75.0	Connex Printer	100
Everex Graphics Pacer	219	800-441-114	L'I	today Cons	100

flems reflect 4% cash or check discount. For your protection we check for stolen credit cards

ACC & VISA website Baranas charles muse à mask dater Sheries & Handles charts debr

atari.st/main #36, from neilharris a comment to 30

Coprocessor Upgrade

If you read the BYTE article carefully, you will see that the interview [with Shiraz Shivii] mentions a possible socket, not a definite one. There is no socket in the production 1040ST. The official Atari response on the coprocessor upgrade board is that it will be available for the 1040ST.

atari.st/main #40, from cheath [Charlie Heath, MicroSmiths Inc.] a comment to 36

How does one access the coprocessor? Is it a switch in ROMs, and do the ROM calls use the coprocessor instead of the CPU? Is the software ready? Does the coprocessor give any new video output modes, or is it just a fast memory mover and line drawer?

atari.st/main #41, from neilharris a comment to 40

The coprocessor requires a new set of ROMs, currently under development. All system calls are identical, but some work faster. The extra functions will be accessible through the BIOS. In addition to the blit functions, the chip will handle halftoning and horizontal and vertical line drawing.

atari.st/main #43, from jim_kent [Jim Kent] a comment to 41

So it looks like no lines and much less fills. I assumed the blitter would pick up on the unused instruction trap that now calls the a-line. Oh well. We are still going to get some blazing graphics on this beast if we have to code it in 68000 ourselves.

atari.st/main #59, from philemon [Philip Lemmons, Editor in Chief, BYTE]

a comment to 29

In Hannover, I spoke to Shiraz Shivji, the principal 1040 designer. He said future 1040s will have the socket for the graphics coprocessor. He also promised us an article on how the coprocessor works.

atari.st/questions #15, from dnorton [Duane Norton]

Could someone in the know give us all some hard information on the capabilities of the graphics coprocessor which may or may not be on the 1040ST? Is it just a boundary-oriented blitter, capable of moving arbitrary blocks of memory from here to there, or will it be more like a NEC 7220, with line-drawing primitives and its own op codes?

atari.st/questions #19, from neilharris a comment to 15

The graphics coprocessor is primarily a blitter, with the usual complement of move functions with Boolean operators. It is also capable of halftoning during the blit. Horizontal and vertical line drawing are included (actually, these are subsets of a blit anyway—rectangles with a width or height of 1). Graphics operations are between two and ten times faster with this chip. We expect this to be most noticeable in the day-to-day text operations (including scrolling) as well as graphics animation.

atari.st/questions #20, from dnorton a comment to 19

Many thanks for the information, Neil. Hmmm...so is this new chip a truly general memory-to-memory DMA device? On a bit, not word, boundary? Sounds like it could be used for more than graphics, such

(continued)

New Quark'/PC



Base model 5.75" × 8"

Roard

Computer

Only \$495.

IBM PC® compatible single board computer mounts to 51/4" drive

 Includes Floppy Disk & Color Graphics CRT Controllers plus more

Also includes: Legal BIOS • Boots PCDOS® 2.1 • Printer Port • 2 Serial Ports • 256K RAM • Clock Speed at 4.77 MHz • Alphanumerics and Graphics Modes for Color Video Controller • Standard IBM® Keyboard Port.

Options include: 512K RAM • Piggyback #O channel OEM Expansion Board • XT - Compatible Hard Disk SCSI Interface • Real Time Clock with battery-back-up • Clock speed of 9.5 MHz (Twice as fast as a PC)

The Megatel Quark/PC is for OEM and end user applications that require PC compatibility in a compact single board computer. The Quark/PC BIOS will run most IBM PC® software including Flight Simulator and Latus®. To meet your specifications a set of options let you add memory, speed and an XT-compatible hard disk interface. Not only does it quickly mount to a 5 % " drive, It also comes with floppy disk and CRT color graphics controllers — all for just \$495.

To order or enquire call us today. Dealer enquiries welcome. Megatel Computer Technologies (416) 745-7214 150 Turbine Drive, Weston, Ontario M9L 2S2 Telex: 065-27453 U.S. Address: 1051 Clinton St., Buffalo N.Y. 14206 Distributors: NCS Electronics — Varese, Italy SES Electronics — Nordlingen, Germany * Perdix Microtronics — Biggin Hill, U.K. * Microcomputing — Ghent, Belgium. Quark no regulatered modermals of Fond K MFG CO (10 BM, BMPC and PCDOS are regulatered modermals of Imparational Business Machines Corp Labors to a registered trademark of Labors Development Corp MSDOS is a registered indemark of Microsoft Corp.

megate



So you can't get Toshiba Printer Accessories, Bunkie?

Any time (24 hours) grab your VISA or MasterCard

IN CALIFORNIA CALL 800/432-7257 EXT 837

Type Font Cartridges for Toshiba P351, P341 and P321 Printers

T/FC 011 \$69 T/FC 015 ORATOR1 Orator2 T/FC 016 \$69 Letter T/FC 012 SES T/FC 016 \$69 Outline Scalpt T/FC 017 \$89 T/FC 013 \$69 Greek / Math / Apl Litalio

Ribbon for 3-in-One Printers

T/R 001 \$12: Ribbon lits Toshiba dot matrix printers.

Start-Up Kit

T/SK \$99: Accessory sample kit contains Type Font Cartridge (Bold Face, Letter Gothic), Type Font Disk (Extended Word Processing), Printer Ribbon, Data Disk, Enhancement Catalog, Type Font Catalog and much, much more

P351 Dual Emulation Kit

T/DE 351 \$99: Upgrade your early model P351 to add (8M Graphics Printer emutation. Complete instructions included.

User's & Technical Reference Manuals

Complete fine of manuals to support Toshiba Printers; P1340, P351, P341, P321. White for complete catalog.

Type Font Disks (Downloadable)

G/F0 051 \$50: Designed especially for scientific applications; 4 lonts. G/FD 053 \$30: Maxiset (oversized characters for headlines); 1 font.

T/FD 016 \$89: Extended word processing package, Ideal for desktop publishing; 5 tonts. T/FD 011 \$49: Standard word processing T/FD 014 \$49: Presentation size type fonts.

2 Orators & 1 Outline. T/FD 015 \$49: Correspondence quality type tonts; 1 Roman, 1 Script &

T/FD 013 \$69: Math and Scientific fonts; 2 Math; 1 Application & 1 Scientific. T/FD 021 \$49: Quality Pack: 1 Regular and

1 8old halic & 1 Gothic. F/FD 001 \$95: 2 Micro (10 & 20 cpi), Copper, Reg. (talic, Bold Italic, Zip &

F/FD 002 \$95: Demi Gothic, Gothic (15 cps), Boss, Serif Italic, Gothic Italic, F/FD 004 \$95: Roman, Bite Natic, OCR A & B.

Pres. Pica, Greek, Micro (15 cpi). A minimum shipping and handling clarge of \$4.75 will be added to each order, 6% sales the will be added to California order.

PRINTER ACCESSORIES

WRITE FOR A COMPLETE CATALOG

DIRECT INC. / P.O. BOX 19608-347, IRVINE, CA 92713

FORTRAN PROGRAMMERS

Downloading from mainframes or developing on the PC the choice is F77L - Lahey Fortran.

"Lahey's F77L FORTRAN is the compiler of choice... F77L compiled the five files in a total of 12 minutes which was 4 times as fast as MS FORTRAN and an astounding 6 times as fast as Pro FORTRAN." PC Magazine

"The manual that comes with this compiler is well put together. The messages are clearly explained, the compiler's unique features are well documented... All in all, F77L is a fine, well supported product that we think will do very well in the marketplace."

Computer Language

VERSION 2.0 NOW AVAILABLE — \$477

Full ANSI FORTRAN-77 Source On-Line Debugger Extensions for easy mainframe porting Common/Array greater than 64K Lattice C and other 3rd Party Compatibility

To order or for more information

(213) 541-1200

Lahey Computer Systems, Inc. 31244 Palos Verdes Drive West, Suite #243 Rancho Palos Verdes, CA 90274

Requires MS-DOS and 8087 MS-DOS and MS FORTRAN are trademarks of Microsoft Corporation Pro FORTRAN is a trademark of international Business Machines

BEST OF BIX • BEST OF BIX • BEST

as quick structure assignment in languages and operating system jobs such as garbage collection and memory reorganization. Oh joy!

RESOLUTION SWITCHING

atari.st/tech #23, from swestrup [Stirling Westrup, Xuclid Research]

According to previous messages in the technical section of the old Atari conference (see April BYTE, page 367), you can change from low to medium resolution without rebooting if you poke the desired screen resolution into the hardware register ShiftMd. What is the address of this register? The only reference I could find to it was in the Hitchhiker's Guide to the BIOS, where they say that it is shadowed by SShiftMd at location \$44C.

atari.st/tech #25, from jtuermer [Joerg Tuermer] a comment to 23

The address of ShiftMd is \$FF8260. I have no color monitor, so I can make no tests, but the XBIOS function 5 (_SetScreen) also mentioned in the Hitchhikers Guide should do the changing without booting. Changing by direct setting of ShiftMd may leave the machine with some problems concerning cursor, fonts, etc.

atari.st/tech #55, from swestrup a comment to 25

Of course __SetScreen should change resolution without rebooting, but it doesn't! And here I am wanting to change resolution while booting. That's so programs in the Auto directory come up in the right resolution.

atari.st/main #39, from cheath

We asked Digital Research Inc. if it was possible under software control to even switch from 320- by 200-pixel, 16-color resolution to 640 by 200 resolution so we could present 80-column text and then switch to a multicolor graphics display. The folks at DRI told us we'd have to reboot.

atari.st/main #44, from swestrup a comment to 39

I have now successfully switched the Atari from low to medium resolution and back again without crashing the system or rebooting. My current problem is that GEM still thinks it's in the wrong mode and all of the fonts and windows are garbled. I tried poking the correct resolution into SShiftMd, but that didn't work.

atari.st/tech #70, from swestrup

I am uploading a listing of a 68000 assembler program that switches the Atari ST into medium-resolution mode without going through BIOS or XBIOS. It can be assembled and linked with the standard DRI assembler and linker that come with the developer's package. I have no idea what this program will do to a monochrome monitor. Are there any brave souls out there?

atari.st/listings #5, from swestrup

I wrote this test program to change the screen resolution from low to medium without having to reboot the system. This program has to operate in supervisor mode so that the hardware register ShiftMd (\$FF8260) can be set. The value \$F9 corresponds to Medium Res. while \$F8 is Low Res. Unfortunately, GEM does not recognize the change and behaves as if the old resolution is still in effect. In addition, this program will occasionally cause a few bombs to appear on the screen. I don't know why,

TEXT MOVE.L. #0. - (A7) PUSH A REQUEST FOR MOVE.W SUPERVISOR STATUS #\$20, -(A7)TRAP AND TRAP FOR IT #1 ADDQ.L THEN FIX UP THE STACK #6,A7 MOVE SR.D0 READ THE STATUS REGISTER MOVE.B #\$F9.\$FF8260 * GO TO MEDIUM RES MODE AND #SDFFF.DO CLEAR THE SUPERVISOR BIT MOVE D0.SR AND SET US BACK IN USER MODE

RTS

atari.st/tech #71, from jtuermer a comment to 70

My documentation says that a return from supervisor mode should be made with another call to Super (BDOS \$20). After the first trap you should save D0 and push it on the stack before the second one. This is the old value of the supervisor stack pointer (SSP). The present program leaves the SSP at the same value as the User SP before the RTS. Maybe this is producing the bombs.

I have looked carefully through a BIOS listing and cannot find where the _SetScreen routine could possibly reboot. But if you try to set to a resolution not supported by your monitor, the next Vertical Blank Interrupt will branch through the routine pointed at by swv_vec (\$46E), which is initially pointing to the system reset handler.

This is in fact what happens to the "brave souls." The system reboots and they are back in monochrome.

atari.st/tech #77, from sak [Sal Magnone, CIA Software]

I read the messages about changing screen resolution without rebooting or other troubles and thought I'd mention a new program. I just got a demo of a game called Pawn that's got some really great low-resolution pictures. The significance is that the game operates in medium resolution. It pulls the low-resolution 16-color picture down from almost the top of the screen, waits, then slides the picture back up, revealing the medium-resolution text that it covered coming down. My guess is raster interrupts. Can an ST do that? When you try and dump the pictures, they get scrambled as though the interrupt got turned off. The dump routine probably does kill video interrupts, because the picture looks like someone just switched modes on it. Then it goes back to normal after the dump stops.

atari.st/tech #78, from ituermer a comment to 77


You can enable the HBLANK (autovector level 2) interrupt. This will give you an interrupt on every scan line. If you revector it to your own handler, you can decrement a counter set at VBL interrupt to the number of the scan line you want to change resolution, color, and so forth. If your counter reaches zero, make your changes. You may have to revector the other interrupts. This is described in the Hitchhiker's Guide to the BIOS (August 26, 1985, page 30).

atari.st/questions #22, from jruley

Do you still have to turn the machine off to switch between the highresolution monitor and the modulator output? That is, can you have a black-and-white monitor and the RF modulator on at the same time? I know that would mean you'd have garbage on one or the other-but you'd be able to switch from the desktop.

(continued)

Little Board™/186....\$ High Performance, Low Cost PC-DOS Engine



- Three times the COMPUTING POWER of a PC
- Data and File Compatible with BM PC, runs
- · B MHz 80186 CPU, DMA, Counter/Timers, 198/519K RAM, zero welt states, 16-198K EPROM
- Mini/Micro Floppy Controller (1-4 Drives, Single/Double Density, 1-9 sided, 40/80 track)
- 2 RS239C Seriel Ports (50-38, 400 basel), 1 Centronics Printer Port
- Only 5.75 x 7.75 inches, mounts directly to
- er Requirement: +5VDC at 1.95A: +19/DC at .05A; On board -19V conver

COMPUTERS. INCORPORATED

Expansion board with: • 198 or 519K additional RAM

were included:

DOS 9x and 3x

A OPTIONS.

- 2 Sync/Async RS232/492 serial ports
 Battlery backed Real Time Clock . 8087 Math Co-Process
- Buffered I/O Bus

■ SCSVPLUS** multi-meeter I/O expans

- STD Bus Adapter
- Utilities source cod
- TurboDOS / Networking

Bisse, Biss Corp.; 801869, Intel, Corp.; Turbo DOSA, Software 9000, Inc.

BUILD YOUR OWN IBM XT & AT COMPATIBLE SYSTEMS

67 East Evelyn Ave. • Mountain View, CA 94041 • (415) 962-0230 • TELEX 4940302 =

XT AT Case

\$59.00......FLIP-TOP (XT look like) \$65.00......FLIP-TOP (AT look like) (in cluding keyboard lock & reset SW) \$65.00.....SLIDE-IN (XT look like) \$69.00......SLIDE-IN (AT look like) (in cluding keyboard look & reset SW) \$109.00.....SLIDE-IN (AT)

XT AT Power Supply \$89.00....XT 135W

\$159.00.....AT 200W XT AT Keyboard

\$75.00......5160 XT (AT look like)

.5160 AT \$109.00... XT AT Mother Board

XT 640K (&K FIAM)


.....\$159.00 2 layers 4.77 MHZ. 4 layers 4.77 MHZ.....\$195.00

XT 640K (&K RAM) Turbo 2 layers 4.77 MHZ/8MHZ....\$195.00

4 layers 4,77MHZ/8MHZ....\$229.00 AT (1MB/eK) 4 layers......\$ CALL

PC/XT AD-ON-CARD

Floppy Controller.....\$49.00







Disk I/O Card	\$129.00
Color Graphics Card	-
Monitor	2007.00

Color RGB (TVM) 14".....\$395.00 TTL Monitor (Mctek) 12" Amber. \$110.00

U.B.A. OFFICE NKY HIGH CO., INC. WHOLESALE (415) 549-3479 RETAILER (415) 843-0714

3D MICRO WHOLEBALE & DISTRIBUTION

SID PALIFOL AVENUE WILLOWDALS, ONTARIO MEM SEI CARAGA
MANUFACTURER BAST DIGITAL CO., LTD.
SNO Ph., NO. 428 KUAMS-PU S. RO. TAIPE), TAVANI, R. O. C.
TELIDEI 703-8841, 703-8471, 708-8015 TLN 10091 GERMONG, IBM is a trademark of International Business Machines Corp.

NEW PRODUCTS

SOFTWARE & PERIPHERALS

NEW CHIP RUNS CP/M ON IBM PC's

Your IBM PC or compatible can run 1,000's of CP/M80 programs with NEC's new V-20/30 microprocessor and RUN/CPM software interface from Micro Interfaces Corporation. Features include ability to run CP/M or MS-DOS programs from same prompt, disk emulation allows PC to run CP/M programs from CP/M disks and directly READ, WRITE, and FORMAT approx. 100 of most popular formats, ability to run CP/M from Hard Disks or Ram Disks, run MS-DOS background programs on top of CP/M programs, 13 Logical or Physical drive assignments, approx. 100 CP/M terminals emulated. RUN/CPM sells for \$99.95 and includes NEC V-20/30, to order contact M.I.C. at 1-800-637-7226 or for Tech Info 1-305-823-8088.

NEW Z-80 CO-PROCESSOR BOARD ONLY \$199.95

Lowest priced Z-80 board currently available runs CP/M programs on IBM PC's and AT's. Comes complete with 5.0 Mhz clock, 64 K of memory, and includes all of the features of the RUN/CPM product listed above. Price is only \$199.95 and includes RUN/CPM software interface. Contact Micro Interface Corporation, 6824 N.W. 169th St. Miami, Fi 33015, 1-800-637-7226 or 1-305-823-8088

Advertisement

• BEST OF BIX • BEST OF BIX • BEST

atari.st/questions #24, from neilharris a comment to 22

Since the video shifter puts out a 60-Hz signal for color and a 71-Hz signal for monochrome, the two modes are not at all compatible. If you fed the wrong signal into a monitor, you would be likely not only to get garbage on the screen but also to damage the flyback transformer.

atari.st/questions #26, from al (Alastair J. W. Mayer, author of BIX's CoSy software)
a comment to 24

That's no worse than feeding a 50-Hz PAL signal into an NTSC monitor (or vice versa), something I've done more than once. Garbage, yes—like a severe case of out-of-adjustment horizontal and vertical hold—but my monitor still works fine. (Mind you, I don't make a habit of it and only did it for a few minutes at a time.)

atari.st/questions #27, from jim_kent a comment to 26

What sort of plans does Atari have for a standard video output? As it is, video-types are the only people left I can in good conscience recommend an Amiga to. (I'm a concerned animation programmer with a VCR.)

atari.st/questions #28, from neilharris a comment to 27

The latest model of the 520ST has both RF and composite video outputs.

LANGUAGES

atari.st/main #52, from swestrup

Modula-2

Where can I get a good book on Modula-2? I'd like to decide whether I like the language before I go out and buy a copy of it.

atari.st/main #53, from jruley a comment to 52

As to a book—it sounds corny, but I recommend Modula-2: A Seafarer's Guide and Shipboard Manual by Edward Joyce (Addison-Wesley, 1985). Not only is it a fairly complete reference on Modula-2 with a good index, it is actually fun to read!

atari.st/main #54, from neilharris a comment to 53

Personally, I found the [Niklaus] Wirth book, *Programming in Modula-2*, 2nd edition, indispensable as a reference, and the Knepley and Pratt book, *Modula-2 Programming*, a good tutorial textbook. I will try to upload the sample program that comes with TDI's Modula-2/ST, which they have permitted to be passed around. It does use the GEM features.

atari.st/tech #33, from wbaker [Bill Baker]

Just started playing with Lattice C from Metacomco. My overall first impressions are that the language implementation is good, but I think the linker is a dog. A small hello-world program took five minutes to link. (I use double-sided drives.) There is a full AES and VDI library implementation with source in assembler but no real documentation other than function names and arguments.

Having tried Hippo C, Megamax C, and now Lattice, [I find] none of the C implementations anywhere near as good as TDI's Modula-2/ST. Looks like I may have to learn a new language if I want to have development tools anywhere near as good as others I am used to (IBM) PC family, Microsoft C, Brief editor, Make, and PLINK86).

atari.st/tech #34, from dmenconi [Dave Menconi] a comment to 33

Everyone is raving about Modula-2. My problem is that I will have to learn a new language. I will probably go for it because I really like developing in Ada, and I understand that Modula-2 is like Ada. Until I get around to it, I plan to develop in Personal Pascal by OSS. This Pascal is out for the ST and is coming out for the Mac RSN. They say that something that runs on the ST can be compiled and run with no modification on the Mac (of course it will need to be tweaked to be aesthetic and efficient). If true, OSS is really going to clean up!

atari.st/tech #49, from bwebster [Bruce Webster, Consulting Editor, BYTE!

a comment to 34

No. no. no. Modula-2 is not like Ada, though both are derived from Pascal, In fact, Modula-2 and Ada represent diametrically opposed trends. Modula-2 is a very minimal language; just about everything beyond the basic language syntax is a user-defined library, though most Modula-2 implementations come with a set of standard libraries to save you the hassle of writing them yourself. Ada is a "kitchen sink" language, as in having everything but the kitchen sink. Modula-2 really resembles a hybrid of Pascal and C.

atari.st/tech #52, from wmiller [William Miller, Stratus Computer] a comment to 49

The similarity is in the concept of modules (Ada "packages") with separate definition and implementation sections. Other similarities exist due to the fact that both have Pascal as an immediate predecessor. But as Bruce said, there is a major difference in the design philosophy.

atari.st/tech #54, from bwebster a comment to 52

Thanks. Couldn't have said it better myself. I haven't done any actual Ada programming, though I was almost on the industry review board (read: "enormous group") back in 79 when I was leaving General Dynamics and they were offering that as an incentive to stay. (Almost worked.) I have gone through a few books on Ada, though, and have carefully read Tony Hoare's talk, "The Emperor's Old Clothes," in which he describes his horror at the thought of ICBMs guided by programs written in Ada. There is a definite dichotomy of design, despite the resemblances.

atari.st/tech #61, from jerryp [Jerry Pournelle, Consulting Editor,

a comment to 52

There are great similarities between Ada and Modula in that they are both highly structured and programs can conveniently be written in small independent packages or modules.

The difference is that Ada was designed by a committee of bright people, and Modula was designed by a single genius.

atari.st/tech #38, from jruley a comment to 33

Looks like it's Modula or nothing. That really gripes me-is there no decent C for the machine short of the \$300 Alcyon in the developer's kit? I'd appreciate any comments-I am trying to replace Hippo C on my (continued)

DESMET C COMPILER

Australia Micromart, N.S.W. Tel: (02) 568 2564 (PCLIMIC)

Botswana Hi-Tech Services, Gaborone Tel: 4540 (PC)

Britain MLH Tech., Cheshire Tel: 0606-89 11 46 (PCAMAC)

Denmark Ravenholm Comp., Lyngby Tel: 02-88 72 49 (PC)

Finland Holosoft, Toivakka Tel: (9) 41 871 201 (PC)

France PG Soft, Paris Tel: (1) 205.39.47 (PC)

France R. P. M. I., Vincennes Tel: (1) 43654056 (HAC)

Iceland Hugbunadur, Kopavogur Tel: (354)-1-64 10 24 (PCI

Japan JSE International, Tokyo Tel: (03) 478-8271 (PC)

Norway Abacus Dala, Oslo Tel: (472) 38 50 20

Sweden Escort Data, Vallingby Tel: 08-87-33-55 (PC&MAC)

U.S.A. C Ware Corporation, California (408) 720-9696

Ask about distributors in Germany (PC), and New Zealand (PCSNAC)

C Ware Corporation

505 W. Olive, Suite 767, Sunnyvale, CA 94086 U.S.A. (408) 720-9696 Telex: 358185 We accept VISA, MasterCard & American Express

Computers For The Blind

Talking computers give blind and visually impaired people access to electronic information. The question is how and how much?

The answers can be found in "The Second Beginner's Guide to Personal Computers for the Blind and Visually Impaired" published by the National Braille Press. This comprehensive book contains a Buyer's Guide to talking microcomputers and large print display processors. More importantly it includes reviews, written by blind users, of software that works with speech.

Send orders to:

National Braille Press Inc., 88 St. Stephen Street, Boston, MA 02115 (617) 266-6160

NBP is a nonprofit braille printing and publishing house.

Expansion Chassis/ Sub-System





Specification

Model No.	No. of	Half Height Drive	Power Supply	Dimension DxWxH(cm)	Price
M-1*	0	1	A or B	30×15×6.5	\$149
M-2	3	3	С	42×25×16	\$299
M-3	5	3	С	39×30×15	\$259
M-4	12	2	D	40×39×14	\$299
M-5	0	2	E	39×18×15	\$149
M-6	0	1	A or B	26.5 x 18 x 13.5	\$169
M-7	5	2	С	38.5×30×13.5	\$299
M-8	0	2	E	39.5 × 18 × 13.5	\$149
M-9	0	2	F	38.5×49×9	\$249
M-10	8	4	G or H	43×49×14	\$259

^{*} Extra space for a stand alone controller

EXT and RCV Adapters

- Connecting master expansion chassis to PC, XT or AT
- Fully buffered address, data and control signals.
- 3 feet shielded flat cable.

Price \$159

Power Supply

	Watt	+57	+12V	-12V	-5V
A	50	5.0	2.5		
В	50	1.8	3.5		
С	100	8.0	5.0	0.3	
D	100	10	3.5	0.5	0.5
E	45	4.0	2.0		
F	60	5.0	3.0		
G	135	15	4.2	0.3	0.3
H	150	15	6.0	0.3	0.3

ORDER TOLL FREE: (800) 826-0267 In California Call (415) 651-3355

DEALER INQUIRIES INVITED SOURCE ELECTRONICS CORP.

45277 Fremont Blvd., Unit 6 Fremont, CA 94538

Telex: 279366 FAX: (415) 791-0935

• BEST OF BIX • BEST OF BIX • BEST

520ST. If I don't get any kind of good news on a C by next weekend, I'm going to get Modula and chuck C for good.

atari.st/tech #46, from dmenconi a comment to 38

I am going to do my first project on the ST in Personal Pascal. I think it is a strong alternative to Modula-2 because it has a nice library for the ST and I understand it will soon be implemented on the Mac. As far as I know, Modula-2 isn't out on the Mac yet, and when it is, there will still be the question of portability.

The questions that remain are: How optimized is the code generated by these two languages? Personal Pascal has an optimizer, and from the manual it looks like they did some intelligent things. How soon will compilers for other machines be out?

So far I have rooted for this Pascal for a couple of reasons: coming soon on the Mac, nice ST interface, most people know Pascal better than Modula-2, and Pascal's been around longer, so its compilers are better understood. But Modula-2 has some nice features, too. First, it is likely to be more portable on future machines because there is one complete language definition instead of several (the original Pascal definitions had neither strings nor good I/O). Second, Modula is, I believe, more structured than Pascal. For instance, it has packages that allow a programmer to divide a program into modules and really keep track of which packages use which routines. This is a tremendous aid in avoiding spaghetti code.

A disadvantage that awaits the unsuspecting C programmer who would use either of these languages is that they're designed to protect the programmer from himself. For example, consider the strong typing; characters are type "char"-not integer or "char" depending on how the programmer feels that day, as in some languages.

So, there you have it, a long-winded dissertation on the other two choices. I highly recommend a careful examination of both languages before a choice is made.

atari.st/tech #48, from jruley a comment to 34

Well, I went with the Modula-maybe we should compare notes after we've both had some time to work with them. With respect to choosing between the two, I spent today reading a book on Modula-2, and it looks to me like it's possible to do anything in Modula-2 that you can do in C-although the implementations vary, they have all the same features. It's been awhile since I looked at Pascal, but unless yours has a lot of extensions (separate compilation, based variables, coroutines). there are quite a few things that will give you trouble if you try to do low-level stuff.

RAM DISK AND C FUNCTIONS atari.st/tech #40, from mmanlove [Mike Manlove]

Here are a couple of problems that have been bugging me for a week. I'd sure appreciate any insights that you might have.

First, is there a RAM disk that works with the TOS ROMs? I've got the Hippo RAM disk, which works fine with TOS.IMG but bombs when I boot ROM. Thinking about it, it seems like most RAM disks would perform brain surgery on the BIOS/XBIOS, which is most likely in ROM.

Second, has anybody had any luck with the C library functions Malloc() and Calloc() which come with the developer's kit? The application I'm working on really wants to play around in the heap, but right now it can't. Even a trivial program can get only a little memory allocated (504 bytes for my Malloc tester), and you don't get a null pointer if there's not enough memory-you get cherry bombs. Do 1 need to do something magical before using these functions?

Random comments: I'm running a 1-megabyte ST with the ROMs. two double-sided floppy disk drives, and both monitors (I couldn't

decide). I've been having a fine old time with the developer's kit, but the compile/link times off floppies are getting out of control, which is why I'm after all the RAM disk I can get. The TDI Modula-2 compiler may be the next step.

Thanks again for any help you can offer. I just got here, and BIX looks great!

atari.st/tech #42, from iim kent a comment to 40

I use the Michetron RAM disk with the same hardware configuration (except only a color monitor). Works like a charm, I'm also curious about Malloc problems.

atari.st/tech #56, from swestrup a comment to 40

As to the Malloc/Calloc problem: I am told that when your C program is loaded by TOS, it gives all of the memory to the program, which doesn't want it. In order to have Malloc have something to allocate, you have to do a Memfree call (I think that's what it's called) so that the memory is given back to TOS. The kicker is that the call requires the address of the last byte of memory that you want to keep. I have yet to figure out how to get this address from either the compiler or the linker.

atari.st/tech #57, from jim_kent a comment to 56

I read in an addendum to my developer's kit (November 1985 or so) that in fact the start-up routine freed up almost all of memory and doing so was the cause of the problem. In any case I have since switched to the Lattice C compiler, its start-up leaves your program with all but 4K bytes. Malloc calls seem to function well. I wrote a little C preprocessor (long story, it was a front end to a menu-maker package) just last week using lots of dynamically allocated memory with no problem.

Unfortunately, there was a file trashed in all versions of Lattice C that I could get my hands on-clib.bin. This is forcing me to use the "-t" option to produce to output so I can use link68, the DRI linker. My general impression of Lattice C other than this has been a massive improvement in compile time, error reporting, and symbol size (31 characters) over Alcyon.

atari.st/tech #66, from mmanlove a comment to 56

This is just a hip-shot (I haven't read the remaining comments yet), but the standard C "sbrk()" function seems to be implemented. Would this give the end of the program itself or the end of all the memory that TOS handed over to it? I'll do some experiments.

atari.st/tech #67, from cheath a comment to 66

We had some problems with those memory management functions. too. I'll see if I can get my partner, the ST hack, to tell me what he figured out about them.

atari.st/tech #73, from jtuermer a comment to 56

If you have the developer's kit, you should look at a file called APSTART.S (if it is included in your version). Or look at the source of whatever module you mention first in your link run. It starts by adding up the length of text, data, and uninitialized data segments. This information comes from the base page. The address of the base page is handed over as 4(A7) to any program. The length of the base page (continued)

640K ON IBM/XT MOTHERBOARD

for \$ 39.95

Now you can have 640K Ram memory on your IBM XT motherboard without using any slots or taking any power. Easy to install two prom chip set lets you replace two banks of 64 chips with two banks of 256k chips, right on your motherboard!

- NO software or changes needed. NO soldering.
- Works like a memory card but costs much less!
- Requires two banks of 256K Ram memory.
- Memory is checked and counted by IBM's built in P.O.S.T.
- Satisfaction Guaranteed or your money back.
- MOTHER-MEM/XT Prom set with

instructions \$49.95

- * \$10.00 rebate when you send in your old 64K chips
- Set of two banks (18 chips) 256K Ram memory tested and burned-in \$64.95.
- Add \$2.00 shipping, Check, COD, MASTERCARD, VISA
- TOLL FREE ORDERS: (800) 541-2255 wait for tone. then dial 4314311 (touch tone only)

DEALERS INQUIRIES WELCOME.



12062 S.W. 117 Court Suite 121 Miami, Florida 33186



Dent. B-01

COMPETITIVE EDGE

631 S. MAIN ST. • PLYMOUTH, MI 48170 • (313) 451-0565 FEATURING S-100 COMPONENTS FROM:

COMPUPRO®

RAM 22[®] \$446 DISK 1A[®] \$446

CPU 286® \$671 MDRIVE-H® \$371

EARTH

TURBOMASTER 256K W/HDC TURBOSLAVE-1 8MHZ 128K

\$895

LOMAS

THUNDER 186 \$895 256K STATIC \$412 COLOR MAGIC \$476 NVDISK 512K \$371

TELETEK

SYSTEMASTER®II 8MHZ 128K SBC-1 6MHZ 128K \$350 K \$795 HDC \$375

ALSO FEATURING OUR AT COMPATIBLE:

VELOCITY 286



10 MHZ OPERATION 1024 K ON MOTHERBOARD - 20MB FAST HARD DISK HI RES. MONOCARD STANDARD . 1.2MB FLOPPY DRIVE

WITH DOS 3.1 \$3095 MONITOR EXTRA OPTIONS:

INDUSTRIANT EXTER OPTIONS: UP TO 18 MEGABYTES OF MEMORY PENHANCED GRAPPIC ADAPTERS HARD DISK SUPPORT TO 240MB SCO XENIX* SYSTEM FIVE AUTOCAD READY SYSTEMS 227879

TERMINAL EMULATION

ALSO **CE 20MB XT W/512K** \$1095

Includes floppy, hard disk, 512K memory, monocard w/parallel

Now it costs even less to look good.



The Cordata Desktop Printshop™ has always been the best value in PC-compatible laser printers.


With speed and flexibility that the others can't match. For example, we put 38 type fonts on diskette, not expensive cartridges. And let you mix up to 32 fonts in a single document. Automatically,

A high-speed graphics interface transfers data up to 30 times faster than Hewlett-Packard's LaserJet +, and because most Desktop Printshop features are implemented in soft-

ware, they're easy to update.

And because Epson[™] emulation is standard, the Desktop Printshop has a readyto-run solution for many programs that other laser printers can't use.

> But now the Desktop Printshop is an even better value.



t to mention

A new forms design software program comes with the Desktop Printshop that lets you create documents quickly—and easily using pull-down menus, not complicated commands.

> We've also included the industry-acclaimed Wordstar 2000™ word processing program. So you can start producing near-typeset quality memos, reports, and correspondence right away.

> > Last, but not least, we've lowered the price of the Desktop Printshop to \$2995, including forms design software, Wordstar 2000 and 38 fonts on diskette.

> > > So don't settle for just any laser printer. Demand the Desktop Printshop.

All it takes is a call to Cordata at: (800) 621-6746 (in CA: (805) 495-5800; in Canada: (604) 984-0641) for the name of your nearest Desktop Printshop dealer.

After all, how can you afford not to look your best?

CORDATA, 275 E. Hillcrest Drive, Thousand Oaks, CA TELEX 650-2696270; in Europe: Holland 032-18111





(\$100) is also added to the total program length. A SetBlock (BDOS \$4A) then reduces the total space allocated for the program to this amount. You can change this start program or make a Malloc in your program to get more room. Someone told me that the DRI C compiler makes its Malloc allocations in the third segment (BSS). But the length of this seament is initially set to zero.

NDC COORDINATES

atari.st/tech #74, from jruley

I've just finished a frustrating couple of hours with Hippo C, trying to make my graphics terminal program resolution-independent. The Abacus GEM book lists an option on the open virtual workstation function for NDC instead of RC screen coordinates, but this does not appear to work. Is this a problem with Hippo C or with the ST?

atari.st/tech #75, from neilharris a comment to 74

NDC coordinates are not supported on the ST version of GEM.

atari.st/tech #83, from timoren [Tim Oren, KnowledgeSet Corp.] a comment to 74

You can't use NDC with the ST's VDI, because it doesn't have a full GDOS implemented. That also prevents you from opening workstations on other physical devices (other than the screen) and prevents doing loads of new fonts. Atari is supposed to be testing a RAM-resident GDOS which will work by stealing the VDI trap. The MiGraph EasyDraw package uses an early version of the GDOS.

GRAPHICS PROGRAMMING

atari.st/tech #79, from jruley

Help!

I am still, unfortunately, programming in good of Hippo C with the wonderful Abacus documentation. I need to do two things:

1. Read out the currently set color palette values. I can get the RGB representation of these values using one of GEM's inquiry functions, but how can I convert the RGB values to the color numbers (0-511)? 2. Save and restore the screen-specifically, I need a way to avoid the ugly gray blob that appears when the "fsel_input" function's dialog box disappears from the screen. I can do this by getting the screen address using "physbase" and treating the screen as an array, but the documentation led me to believe that I could use the "vro_cpvfm" function to do this.

So far as I can tell, the blasted function does not do anything. Here's how I am trying to use it:

static short int handle, screen[8], *sMFDB, *dMFDB;

usual GEM set-up

screen(0) = 0;

screen[1] = 0;

screen[2] = 639;

screen(3) = 399;

screen[4] = 0;

screen[5] = 0;

screen[6] = 639;

screen[7] = 399;

vro_cpylm(handle,3,screen,sMFDB,dMFDB);

all sorts of stuff, including fsel_input

vro cpyfm(handle,5,screen,sMFDB,dMFDB);

My understanding from the documentation is that the first call to vro_cpylm should save the screen to a memory area and that the second call should restore it. This is not happening-in fact, I've tried several variations, and so far as I can tell, the function simply does not work! Any suggestions?

atari.st/tech #80, from jim_kent a comment to 79

Well, I can maybe help you some with the first problem. Presumably, the 0-511 value is a 16-bit word divided into four 4-bit nibbles: 0 red

Personally I don't use GEM much, but try this:

Or maybe the same thing with the r, g, b reversed. You also might need to scale down (probably divide by 16) the GEM component values before you fold them into the register value.

atari.st/tech #84, from itittsler [Jim Tittsler, Atari Corp.] a comment to 79

I don't know how you get there from Hippo C, but if you can do an extended BIOS call, you can also get the value of each palette register. The extended BIOS call 7, setColor(colornum, color), sets the color register colornum to the given color. The old color is returned (and if "color" is negative, the hardware register is not changed, so there is a nondestructive way of inquiring the value of each of the palette

From Hippo C, can you do something along the lines of: for(i=0; i < 16; ++i) colorreg[i] = xbios(7, i, -1):?

atari.st/tech #85, from iruley a comment to 84

No, you can't using Hippo. But as I'm writing my own XBIOS, that'll work just fine-thanks!

atari.st/tech #86, from jruley a comment to 85

Well, I went off and tried it-looks like it'll work! Anybody else out there still using Hippo? If so, I'll post my XBIOS routines in Listings.

POWER PROBLEMS atari.st/questions #2, from dbetz

I have a new Atari 520ST and have been having some problems that seem to be related to the power supply. Whenever the machine is running, the display jitters. I don't think it is related to the power in my house, since I have used many other computers without any similar problems. Also, my ST seems to be very sensitive to static electricity. I have it set up in my living room and whenever I walk across the carpet, I get a burst of "key clicks" from the ST, and if I am in an editor, I get a burst of garbage characters on the screen. I suspect that the problem is related to the power supply. Anybody have any idea what the problem is or what I can do about it?

atari.st/questions #9, from neilharris a comment to 2

Are you running a monochrome monitor? If so, a color monitor in close proximity will cause some screen jitter due to 60-Hz vs. 71-Hz beating. Just turn off the other monitor.

atari.st/questions #10, from dbetz a comment to 9

I was running the monochrome monitor and didn't have any other



monitors (color or otherwise) anywhere near the one I was using. I tried this in several locations in my house, so I don't think it was because I was too close to some sort of RF source. I have never had any trouble with any of the other computers I've used (including an Atari 520ST that I borrowed for a while). It really seems like this problem is related to the power supply or the main keyboard unit (I tried a different monochrome monitor also). Neil, thanks for your suggestion, but I don't think it's the source of my problem this time.

atari.st/questions #13, from mmanlove a comment to 10

I had a similar problem with the color monitor at first. Moving the CPU power supply away from the monitor (like, down on the floor) took care of it. Don't know if this could be the problem with the mono monitor, though.

atari.st/questions #14, from dbetz a comment to 13

Thanks for your suggestion. I didn't think of the possibility of interference from the power supplies. I had all three of them stacked right in back of the monochrome monitor! I don't have the machine anymore, so I can't check your theory, but I'll call the people that I sent it to tomorrow and suggest that they try it.

IBM PC AND COMPATIBLES

The summary of events in the IBM conference this month includes a discussion on the V series of microprocessors, coping with hard disk problems, memory expansion for the PC XT, Trojan Horse programs, and programming the IBM 5550 Japanese PC.

V20 HARD DISK PROBLEM

ibm.pc/pc.hardware #629, from lowellt [Lowell Tuttman]

I thought that I would relate an interesting V20 experience I had in the last week. I got a "General Failure reading drive C:" on my 22-megabyte hard disk (Micro Design) and decided it was time to reformat and reload the disk. At this time I had a V20 in place. I ran a good backup (32 floppies' worth) and then reformatted the disk. All was going well at this point. After restoring the files (many hours later) I found that I got "Parity check 2" at boot time on the hard disk. I was able to boot from a floppy and then go over to the hard disk without problems but definitely no boot. I replaced the 8088, reformatted the disk, reloaded it, and was able to boot OK with the 8088 in place. I then put the V20 back in and all is still fine. The boot process works fine, as does everything else. It is curious that I can format floppies with the V20 in place but not the hard disk.

ibm.pc/pc.hardware #631, from ucivms725 [John Leonard] a comment to 629

I had the same problem when I reformatted my hard disk. The problem was narrowed down to the RESTORE procedure. When I backed up my hard disk, I also backed up the hidden system files of DOS (a package deal when you back up the entire hard disk). When restored over the top of the newly formatted hard disk, these hidden files overwrite the already existing DOS files from the format. My disk would not boot from the hard drive, but the files were there A-OK if the system was booted from a floopy. I found two solutions: Back up each hard disk subdirec-

tory one at a time (if you can remember them) or unhide the two system files from the first backup disk and delete them.

My V20 is working perfectly, there appears to be no problem with any operation, and I found that when used in conjunction with an 8087 I cut the processing time of a large SPSS-PC (statistical program) run from 63 minutes to 13 minutes! (I would not have believed it had I not had a copy of the printout with the start and end times right in front of me!)

ibm.pc/pc.hardware #633, from naro [Richard Naro, NEC Electronics] a comment to 631

I would be interested in hearing the details of benchmarks with the V20. While it speeds up its internal operations, the only effect it can have on an 8087 is the time spent computing the effective address.

My guess is that much time is spent doing integer multiply/divide and string operations, which are highly optimized on the V20/V30 microprocessors.

ibm.pc/pc.hardware #634, from naro a comment to 629

Format routines are notorious for having CPU timing loops. My guess is that the format routine is the cause of the problem, but this is the first time I've heard of it on a hard disk. The 765 floopy disk controller chip is much more susceptible to this problem.

ibm.pc/pc.hardware #635, from conniek [Conrad Kageyama] a comment to 631

I don't know which DOS you are using, but in 3.x, there is a /P switch to the RESTORE function which will prompt you before replacing any existing files.

ibm.pc/pc.hardware #636, from lowellt a comment to 634

I think that the problem I had was what was described in message 631. The system files were restored over the newly formatted one, and I did get a DOS error message saying "target disk may not be bootable". I was curious about its being a timing loop because my floppies were fine after formats with the V20.

By the way, I ran all the benchmarks in the "V20.arc" files from NEC and I'll be glad to post the benchmark times that I got as soon as I can find the printout.

ibm.pc/pc.hardware #638, from dgookin [Dan Gookin] a comment to 635

Sometimes, depending on your flavor of MS-DOS, /P prompts only for hidden or system files. Very misleading and somewhat pointless.

ibm.pc/pc.hardware #639, from billn [Bill Nichols] a comment to 638

/P is supposed to prompt for two things: attempting to overwrite a readonly file or attempting to overwrite a file of the same name but a later date. Both cases work (for me) and are valuable. /P is necessary to avoid clobbering the hidden system files. If you skip /P but restore over them, you may not be able to reboot.

ibm.pc/pc.hardware #642, from lowellt

I think I'm a little confused about the V20 and the V20-8. I gather that these are the 4-MHz and 8-MHz versions, respectively. What happens if you put a V20-8 into a regular PC?

(continued)



ibm.pc/pc.hardware #643, from naro a comment to 642

Early versions of the V20/V30 that were marked with no speed info were 8-MHz devices. Currently, devices are marked as follows: 70108-5 = 5 MHz; 70108-8 = 8 MHz; 70108-10 = 10 MHz.

The latest mask level is M (it is found in the date code). This level is fully compatible with the 8086/8088 it can replace except for the -10 devices. This is because it is difficult for CMOS to use a 33% dutycycle clock, so the 10-MHz devices still require a 50% duty-cycle clock (although below 9.5 MHz they are OK).

The device speed is only the clock at which the manufacturer will guarantee operation and does not affect the throughput of the microprocessor. The most noticeable impact will be on your wallet since there are price premiums for faster devices.

ibm.pc/pc.hardware #648, from billn a comment to 643

Do you have access to info on V60 and V70 chips? I'm interested in comparing them with the 80286 and 80386 on a performance basis. Thanks.

ibm.pc/pc.hardware #649, from naro a comment to 648

Yes, but the information is not in a form easily distributed yet. Send BIX mail with a request to be added to the mailing list, and I will send out information as it is published.

As for performance, the V60 can do 2 to 3 MIPS (million instructions per second)-but remember that a MIPS is not constant from machine to machine-and the V70 can do 4 to 6 MIPS. I prefer elapsed time as a better measure of performance. For example, the V60 floating point can do 32-bit reals in under 5 µs (divide in under 8 µs), and there is no penalty for the MMU [memory-management unit] since it is included in the internal pipeline.

HARD DISK POWER FAILURE

ibm.pc/pc.hardware #667, from asantic [Alexander Asantic]

I have a Rodime 20-megabyte full-height drive in an expansion unit attached to a PC. I've been having a problem lately with the disk drive spontaneously losing power while in use. This has never happened in many months of use but appears to be occurring with greater frequency as time goes by. So far, no damage to the disk or the data on it.

It seems that a circuit breaker is tripping for some reason and probably needs to be replaced. The expansion unit has a very adequate 135-W power supply, and only one slot is filled. This slot contains a modern that has been there from the beginning. No other part of the computer besides the drive itself is affected when this problem occurs, and cycling the system power brings the disk back up.

The longer the system has been running, the more reliable the hard disk appears to be, so I am currently leaving the machine on 24 hours a day to insure that some important work gets done by Thursday. That's Murphy's Law for you! Anyway, any suggestions as to how to go about diagnosing/solving the malfunction would be appreciated.

ibm.pc/pc.hardware #668, from bbrown [Bob Brown] a comment to 667

Does your disk have a "power delay unit" between the power cable and the disk proper? This is a gizmo which is intended to "sequence" the hard disk on after the rest of the circuitry is stable, primarily to limit the amount of current drawn from the power supply at power-up.

Power sequencing is quite common on "real" computers, and a flaky sequencer can drop the attached device and anything that's "behind" it on the power circuit. I've never seen a power delay on a micro, so I

don't know what to tell you to look for to discover if you have one, but I know they exist because my MicroKit HD lists such a thing as an option in the documentation. If you've got one, I suspect it could cause the problems you are seeing, and I'm pretty sure you don't need it with your expansion box almost empty.

Anybody know what one of these jobbies looks like?

ibm.pc/pc.hardware #670, from billn a comment to 667

Circuit breakers also trip due to overheating and voltage spikes/surges. Are you using unfiltered power? If so, get a spike filter at least to protect your equipment. Breakers also get old and trip for no reason. It should be cheap to replace.

ibm.pc/pc.hardware #676, from asantic a comment to 668

Interesting suggestion! If there is a sequencer, it doesn't appear to delay power-up for very long, and it would have to be built into the innards of the drive chassis somewhere. I don't see anything likelylooking in plain sight. I still suspect a circuit breaker, but I haven't dismounted the unit yet to look around. I'm not really sure what to look for. There's something that looks like a relay in partial view (small case, clear plastic, metal inside), and I hope that's not the bugger causing the disk to crap out because he's soldered to a board. Thanks for the reply.

ibm.pc/pc.hardware #677, from asantic a comment to 670

The power is filtered, and there has never been a problem with power quality before. Overheating is unlikely since the drive becomes more reliable after the system has been powered up for a while. The expansion unit has a hefty power supply and lots of room and ventilation. (Sigma DynaFrame-ever meet one? Built like a tank.)

On the circuit-breaker assumption, how would you suggest I proceed?

Oh, by the way, there's a click when the power cuts out, and somelimes a click when the drive powers up.

ibm.pc/pc.hardware #678, from billn a comment to 677

That click could be most anything. One possibility is that the load in your expansion box is too small. The power supply puts out x watts, most of which has to be dissipated as heat. The regulators overheat and automatically cut out to prevent damage. Test: Move a peripheral board into the expansion box (not memory). Second possibility-flaky breaker. Breaker cuts out due to overheating because of highresistance contacts. Test: Next time the system cuts out, carefully put your fingers on the breaker case. If it's more than warm, replace it. Third possibility: Check the grounding. But try the other two first.

ibm.pc/pc.hardware #682, from bbrown a comment to 676

Sequencers on real computers delay for several seconds, long enough for drive motors to reach 80% of full speed. I'd expect a "delay" on a PC disk to hold power for a second or so, long enough to notice. I'd also expect it to be separate from the drive proper.

ibm.pc/pc.hardware #683, from smack [Steve Mack] a comment to 677

I have just started using Rodime drives, and while I have not had the specific problem you mentioned, I have noticed a defect in these drives that might cause such a problem. The shock-mounted drive/printed-



circuit-board assembly is attached to the mounting frame in such a way that the pins on the underside of the PC board extend to or below the mounting frame at one point. They could easily short to the cabinet's mounting frame, possibly happening due to vibration/head movement or due to the gradual deterioration of the rubber shock mounts and consequent settling.

Who knows what shorting out random drive logic pins might cause? I always insert washers between the drive frame and cabinet frame to keep the PC board pins just enough farther from shorting that I can sleep well. Paranoid but plausible.

P.S.; I should mention, I use 30-megabyte, not 20-megabyte, so the layout may differ.

HARD DISK SINGS THE BODY ELECTRIC ibm.pc/pc.hardware #672, from mhaas [Mark Haas]

My hard disk has recently started chirping. It's a high-pitched squeaky sound that comes, usually briefly, and then goes. If I press gently on the rear shock mounts (between the drive and its chassis), the chirp stops. The drive is a new Microscience 20-megabyte unit, and so far this seems to have no effect on the drive's performance or reliability.

Anyone have any suspicions about this? Should I be worried or just get out the screwdriver?

ibm.pc/pc.hardware #673, from dondumitru [Donald Dumitru] a comment to 672

My SysGen 30-megabyte (in an IBM PC) started chirping a couple of months ago. I set it out on a table with a power supply and fiddled until I found what piece was vibrating. Then I took a piece of tape and just taped the annoying part to the drive's frame with a bit of tension. (This assumes the chirper isn't a moving part.) Haven't heard it chirp since!

ibm.pc/pc.hardware #681, from conniek a comment to 672

I'd suggest checking all the screws first, naturally, but most likely the source of your squeak is the antistatic spring on the bottom of the drive, attached to the spindle. If you just tweak it a tad to change the tension on it, your noise should go away. At least that's the problem on most of the Microsci 20s.

ibm.pc/pc.hardware #688, from jshifrin [Jerry Shifrin]

One suggestion I've heard (but not tried) is to run the drive on its side for a while, presurnably to move the lubricant around a bit.

ibm.pc/pc.hardware #689, from mhaas a comment to 681

I'll check that out as soon as possible. The chirping sound seems to be worst when the machine is dead cold, when it's first turned on. The noise essentially disappears after several minutes and then only occasionally reappears briefly. Is that consistent with the antistatic spring you mentioned?

ibm.pc/pc.hardware #690, from mhaas a comment to 688

This raises another question I have about hard disks. Are hard disk drives designed specifically to be mounted either horizontally or vertically? Thus, would you have to choose a specially designed drive to add into a Compaq Portable (vertical mount)? Can you have problems if you mount a PC with a hard disk vertically, as with one of those Curtis stands?

ibm.pc/pc.hardware #691, from barryn [Barry Nance] a comment to 690

I'm embarrassed to say this, but I installed my 20-megabyte disk upside down. Once I found out, I didn't bother to turn it around. It works just fine in that position, and I'm not going to tamper with success.

ibm.pc/pc.hardware #692, from conniek a comment to 689

I can't say for sure on that one. Now it's beginning to sound more like a bad bearing/bushing, though it could simply be a matter of the frequency of the vibration of the antistatic spring changing with the temperature.

ibm.pc/pc.hardware #695, from conniek a comment to 690

Well, the drives are supposed to be tested in all planes, but, really, you can do only so much to compensate for gravity. The word that I got was that you should do the low-level FDISK and FORMAT with the drive in its intended position, i.e., if you plan to set the machine on its side on the floor, then do all of the above with the machine in that position. I understand that this was very critical with the earlier CMI drives in the AT.

ibm.pc/pc.hardware #704, from petewhite [Pete White] a comment to 690

My Seagate has been running in a vertical configuration for over three months without being powered down for more than a few hours. Nary a problem, yet.

ibm.pc/pc.hardware #705, from petewhite a comment to 689

I have an external drive with a spring that exhibited the same noises. the same way. Drove me bananas! Turned out to be the antistatic spring. (Where were you when I needed you, Connie?)

ibm.pc/pc.hardware #706, from mhaas

Cure found for dreaded chirpies. Yes, a cure has been found for that dreaded disease inflicting thousands of hard disks, the chirples. Connie was right. I removed the hard disk from the chassis, turned it over, and bent back the small brass spring that contacts the platter spindle. This relieved some of the springiness, just a tad, and cured the chirples. Thanks, Connie.

For those with similar symptoms, don't bend the spring enough to actually deform it. You just want to reduce the spring's pressure on the spindle a slight amount.

MEMORY MODIFICATION

ibm.pc/xt.hardware #102, from ikilgore [Jerry Kilgore]

I recently acquired a how-to note that had been extracted from a bulletin board somewhere. By adding an LS-158 chip, closing a jumper, and replacing the chips in banks 0 and 1 with 256K chips, 1 have 640K on the motherboard of my XT. Does any one know (1) why this works and (2) will it harm anything? The XT tech manual shows the empty LS-158 chip socket and the jumper but makes no other comment.

ibm.pc/xt.hardware #106, from dono [Donald Osgood] a comment to 102

Later-model XTs come with that capability built in. They don't mention it (continued)



because they want to sell you the memory, I suppose. It certainly is a normal capability of recent-vintage XTs.

ibm.pc/xt.hardware #111, from conniek a comment to 102

We have a number of members using that mod, and the file, I believe, was probably called MB640K or some such. That particular file, if I am correct, involved soldering an additional jumper, which is a little scary to me. There is a later mod that involves simply adding an additional chip to an empty socket, which negates the need for the soldering. Unfortunately, I don't recall the chip number.

ibm.pc/xt.hardware #112, from dondumitru a comment to 102

I have 640K on the motherboard—exactly as described in that mod. The modification involves (1) soldering a jumper between two solder pads (there just for the purpose of soldering a jumper to); (2) inserting a "decoder/multiplexer chip" into an empty socket (sorry, I don't remember the chip number); and (3) putting 256K chips into banks 0 and 1. Ta, dahl 640K for minibucks. For an XT, this has to be the best way to upgrade your memory. For me, memory and the decoder/ multiplexer cost around \$80. I had it installed in less than 45 minutes.

ibm.pc/xt.hardware #114, from rschnapp [Russell Schnapp] a comment to 112

I have the text of that mod in my SideKick Notes file. The mux chip is a 74LS158. If you'd like me to repost it (I don't know the original author's name or the message number), I will.

AVOIDING TROJAN HORSES

ibm.pc/pc.software #632, from mwelch [Mark Welch]

I am uploading to the Listings conference a nifty little program called CHK4BOMB (in a file called CHK4BOMB.ARC). This program goes through a program and lists out all ASCII strings and also checks the program to see if it is doing any direct disk accesses through the ROM BIOS. In other words, it checks to see if a program that shouldn't be going to the disk drive actually does. I just ran it on a nifty-looking disk directory utility, and it came up with the following warning message (after listing out all the ASCII strings in the program): [clipped from output of CHK4BOMB.COM]

****WARNING****

This program uses the ROM BIOS routines for direct disk access. This program COULD format a disk or write to certain sectors without updating the directory or File Allocation Table. DO NOT RUN this program until checked by an expert, unless you are familiar with the author or

****WARNING****

This program writes to absolute sectors. The possibility exists to overwrite important datal

ibm.pc/pc.software #633, from petewhite a comment to 632

Sounds like a program that should be described in the Sysops conference. I'll have it as soon as it's listed; thanks for bringing it over. Right now I use the utility program ASCII to list and another utility to lock out disk access when testing. This one sounds a bit more simple to use.

ibm.pc/pc.software #635, from barryn a comment to 632

That does sound nifty. But I bet it would go nuts on Norton's Utilities.

ibm.pc/pc.software #639, from mwelch a comment to 633

Tell me about (and tell me where to get) the utility to lock out disk access when testing. I've heard that there is a program that tells the system that there is no hard disk; I would like to get that.

ibm.pc/pc.software #647, from conniek a comment to 632

We've been using it for some time now, and it is definitely handy. However, it's a tad slow, so what I usually do is to redirect its output to a file so that I can start it up and go away. Then a quick LIST of the output file does the trick if anything less than kosher is in there.

ibm.pc/pc.software #653, from petewhite a comment to 639

It's on the Cul-De-Sac, (617) 429-1784. File named DPROTECT.ARC. It tells you if anything wants to write to disk and locks it out so it can't. I'll have it in Listings as soon as a few problems are addressed. (In the Cul-De-Sac it's in Misc. Utilities #2, File #65-1 minute at 1200 bps.)

IBM 5550 (Japanese PC) Help! ibm.pc/pc.software #748, from gperfect [George Perfect]

We are currently working on some windowing software for the IBM 5550 (Japanese PC) and have a small problem (apart from not understanding Japanesel).

We would like to display kanji-2-byte-characters on screen without using the BIOS. That is, we would like to place the character codes directly in the screen buffer and avoid the speed penalty incurred when using the BIOS calls.

To date, all attempts to do this have failed miserably. If anybody can assist with information or suggestions on speeding the display of kanji characters, I would be most grateful.

ibm.pc/pc.software #750, from barryn a comment to 748

George, there's some material in the Pascal conference that's related to direct-screen I/O. The assembler conference (topic cou8088) has some as well, I believe. Neither set of material talks about kanji in particular, but you may be able to make use of the data anyway.

Two questions: What's the layout of the video memory (screen buffer) for kanii, especially in relation to the usual-English-layout of character/attribute byte pairs? And exactly what happens when you try writing to the screen-what symptoms do you get?

ibm.pc/pc.software #766, from gperfect a comment to 750

Thanks for the info. I think we understand how to write to a normal screen buffer (we do it all the time on other machines), but the problem with kanji is different. Kanji characters are stored in 16 bitsnormally treated as 2 discrete bytes. The first byte (if within certain ranges of high-order ASCII, i.e., > 127 decimal) acts as a lead-in to tell the display software that the next byte will complete a 16-bit kanji code.

With regard to the buffer format, it is basically the same as a standard PC (i.e., first byte for character code, second byte for attribute). The standard procedure for writing characters to an IBM screen buffer works for display of ASCII characters and single-byte Japanese (kana characters mainly), but the process fails with 2-byte codes.

The 5550 has a second display buffer which appears to work in APA graphics mode at all times. It appears that the BIOS fills this buffer with the FONT image of each character-read from disk if necessary (another small problem)-and, so far, we have only succeeded in making this happen by sending kanji characters via the BIOS calls.



Our problem is that we do not understand the operation of the 5550 BIOS (IBM does not publish it) and so cannot fathorn the format of the character-display buffer or even if it is used by the BIOS in the display of kanii at all. There is a wealth of technical information available for the 5550 and several good books, but our Japanese partners have fought shy of translating it for us.

In terms of symptoms, our main problems are speed (using the 5550 BIOS is extremely slow) and clipping of characters on window boundaries, i.e., if a 2-byte character straddles a window border. The second problem is solved with a little searching (and a few curses at the JIS codes, which could make the process of identifying kanji mixed with single-byte characters much easier), but the first is a real problem to windowing software.

Right now, it would be a great help if someone who really knows the 5550 could tell us that what we want to do is impossible—at least we would save the effort of trying. Ideally, if somebody has worked the machine and knows the literature, we would appreciate a pointer to the answer. Thanks again for your help.

ibm.pc/pc.software #769, from barryn a comment to 766

I've never seen the Japanese PC, so I'm on thin ice here. All I can tell you is how I'd approach the problem if I were in your shoes.

I think you hit the nail on the head when you say the problem is the mystery of what the BIOS is doing-obviously it works, it's just too slow.

What do you think of this idea? Locate the Interrupt 10H vector in lower memory (assuming, as on a regular PC, that it's the one doing video-related functions) and use either DEBUG.COM or a product like ASMGEN (available here on BIX in the IBM section of the Listings conference) to reverse-assemble the BIOS code that's pointed to by the Int 10 vector. Print out the result and go through it, analyzing the code for video-buffer updates and accesses. This process should eliminate the mystery of what the BIOS is doing.

Then you can proceed to use what you've found out to construct your own video-memory-buffer control routines and bypass the BIOS code for the too-slow functions.

MACINTOSH

This month the Mac conference covers questions about hard disks, a debugger, a font, and some hints on using Word. There are also some questions concerning the Mac Plus.

REQUEST FOR SCSI INFORMATION macintosh/hardware #77, from cfuller [Clayton Fuller]

Where can I find more information on the SCSI standard? A source for the published standard would be nice, but if there are any articles describing its use, that would be better.

macintosh/hardware #79, from tcantrell [Tom Cantrell] a comment to 77

There are two SCSI info sources:

ADSI (Adaptive Data Systems Inc.) 2627 Pomona Blvd. Pomona, CA 91768 (714) 594-5858

NCR Microelectronics Division Logic Products Marketing

ADSI has a very complete SCSI Guidebook.

1635 Aeroplaza Drive Colorado Springs, CO 80916 (303) 596-5612 Ask for all info on the NCR 538x SCSI chips

[Editor's note: ADSI's SCSI Guidebook costs \$16.95 plus tax and/or shipping costs.)

MACAPP, MUSIC DRIVERS, MAC PLUS COMPATIBILITY, AND **TMON**

macintosh/softw.devlpmt #145, from spmpuvol [Robert Puvol]

About MacApp

I'm a certified developer in France, and I have two questions. What is the latest MacApp version? (Mine is 0.3, a Pascal Workshop alpha release.) Are Macintosh MacApp and Macintosh Smalltalk available?

macintosh/softw.devlprnt #146, from mondrejko [Michael Ondrejko] a comment to 145

There is a Smalltalk available for the Macintosh from Apple, mostly unsupported, but for \$50 definitely worth it. For an order form, contact: Smalltalk Request, c/o Eileen Crombie, Apple Computer Inc., 20525 Mariani Ave., Cupertino, CA 95014.

macintosh/softw.devlpmt #147, from dsharp [Doug Sharp]

Mac Music Driver?

Anyone know of a good way to output good multivoice music from a Mac program? I have heard Jazz Musician-Jam Session and got real excited until I heard what they wanted to license it for I'd like a driver that could take a MusicWorks or Deluxe Music Construction Set type of file as input so I could use a decent editor to try out the sounds. It can't be purely digitized tunes because of memory-size and processoruse considerations. Any hints or pointers would be accepted.

macintosh/softw.devipmt #148, from petter [Petter Gustad]

What is the latest version of Megamax C (any after v2.1)? Has anyone seen an updated version of Edit that runs on the Mac Plus?

macintosh/softw.devlpmt #150, from tom_thompson [Tom Thompson, Technical Editor, BYTE1 a comment to 148

I don't know about Megamax C. I think the MOS editor works on the Mac Plus, but I haven't used it sufficiently to be sure. Stuff that I've checked so far:

Application or Desk Accessory Finder version # MockWrite 3.0, 4.0 4.1 Macintosh Pascal 1.0 1.1g Consulair Mac C 4.0 4.1

The MDS editor refused to print to the Imagewriter II on the Consulair disk, but that may be due to the super-stripped system file on the disk. MockWrite wrote to the Imagewriter II with no problems.

Oddly enough, TurboControl, with autostart set, didn't cause a crash on the Mac Plus. I can only conclude that it has something to do with the "old" Finder (4.1). It will be interesting to try it with the Mac Plus version to see what happens. I'm trying to do a compatibility study here to see what software will work without upgrades. Any info would be appreciated, as I want to see what impact it will have on the boxes of software I already have.

macintosh/softw.devlpmt #152, from rkaapke [Richard Kaapke] a comment to 150

I have used Bill Duvall's editor under Finder 5.1 with HFS. His editor (continued)



(MDS Edit) doesn't open files across HFS folders correctly. If you use the HFSOPEN patch program put into the public domain by Andy Hertzfeld, MDS Edit will open files correctly but save them to the "root directory" by using explicit filenames like "HD20:file".

macintosh/softw.devlpmt #153, from kschmucker [Kurt Schmucker] a comment to 145

I am also a MacApp tester/user. I think it is great. As a small test, I developed a program that uses multiple documents, the standard File and Edit menus, is compatible with multiple desk accessories, prints on the LaserWriter and the Imagewriter, and has all the standard window controls. Only 87 lines of (object) Pascal.

The first MacApp users meeting was held at the MacWorld Expo. About 50 people were there, and there was a high level of enthusiasm among many of the other MacApp users. Several serious applications were also shown: a shipboard navigation package, a re-implementation of MacPaint that supports multiple documents, auto-scrolling, and fullscreen windows, and a crossword puzzle program.

Version 0.4 will be out soon. If you want an interim version (0.39) that lacks documentation and a couple of features, you can request it. Personally, I'd wait.

My guess is that after MacApp hits the street, it will be the only way to develop new end-user applications (end-user applications, not new device drivers or stuff like that) because it cuts your development time down so much (by a factor of 4 usually) and impacts your application (performance and space) so little.

macintosh/softw.devipmt #155, from ccrawfor [Chris Crawford] a comment to 153

I'm a little surprised at your assertion that MacApp impacts an application's performance and space so little. This certainly violates common experience with high-level languages. I attended a presentation on MacApp at a Software Entrepreneur's Forum meeting, and the lecturer seemed to acknowledge that MacApp did exact a considerable performance penalty.

macintosh/softw.devlprnt #156, from roberts [Guy Roberts] a comment to 148

I've been using Megamax C version 2.1b for about three weeks now on both a Mac 512 and a Mac Plus with no problems.

macintosh/softw.devlpmt #159, from ccrawfor

TMON RAM Usage?

I am curious about using the TMON debugger. I have been using MacsBug for the last few months (before I got my Mac fattened I simply didn't debug-that's a tale of discipline). There seems to be a consensus that TMON is one of the best around, but I am curious about its consumption of RAM. How much disk space does it require? How much RAM does its resident portion require? Are there any constraints or gotchas in using it to debug production code?

macintosh/softw.devlpmt #160, from brecher [Steve Brecher] a comment to 159

TMON can take from 20K to 50K+ of RAM, depending on how you configure it and what "user area" (set of user-customizable routines) you use. Disk consumption is likewise variable depending on what you include/exclude (doesn't a guy like you have a hard disk?). I always have TMON loaded-it's my start-up application (I've altered it so that after loading the monitor it launches my "real" start-up application). Last time I used MacsBug was about 1947. Get TMON. Then get Darin Adler's public domain Extended User Area.

macintosh/softw.devlpmt #161, from kschmucker a comment to 155

Quantification of "little impact" = 10K to 20K in space and between 10% to -20% performance hit. (By that I mean the MacApp version can be from 10% slower than a non-MacApp-written application up to 20% faster.) Maybe I'm spoiled, but that seems like a good trade for a bia reduction in development time.

macintosh/softw.devlpmt #163, from tom_thompson a comment to 160

I've located the source for the Extended User Area and will upload it for you if you're interested.

macintosh/softw.devipmt #164, from lloeb [Larry Loeb] a comment to 160

Darin's EUA fixes some minor TMON bugs as well. Gee, if it's not in Listings, I'll put it there.

macintosh/softw.devlpmt #167, from ccrawfor a comment to 163

Yes, please do so; I just today ordered TMON from ICOM, so I will be very interested in the Extended User Area.

macintosh/softw.devlpmt #171, from hedges [Tom Hedges, Fractal Software1

a comment to 147

Studio Session is supposed to sell for less than \$100, not a particularly high figure. It is due out by the end of April and would be your logical first step toward high-quality music output by the Mac.

macintosh/softw.devlpmt #175, from dsharp a comment to 171

I wasn't talking about a music program but a music driver to use from within a game I'm working on. If Studio Session is the same as the program I saw called Jam Session, then it is indeed a wonderful music machine, but the developers wanted mucho bucks to license a driver for developers. If they drop their prices considerably, I'd jump at it, but meanwhile I'm still looking for a good, reasonably priced Mac music driver.

macintosh/softw.devlpmt #176, from frankb [Frank Boosman] a comment to 175

I understand that MacroMind is now licensing code for developers to use in their programs, MacroMind produces VideoWorks and Music-Works, and I seem to remember a sliding scale of royalty charges, up to a max of about 60 cents per unit. What they charge depends on what use you want to make of their code; it's handled on a case-bycase basis. Call the people at MacroMind for a MusicWorks driver.

macintosh/softw.devlpmt #177, from hedges a comment to 175

Oh, OK, I didn't think their retail price was that high. The music output code (which I have personally worked on) is sort of the "family jewels" of the Studio Session product, so it makes sense they don't want to license for cheap.

You can use a single digitized sound from SoundCap, a product from Fractal and MacNifty, but it would require lots more space if you wanted to output complex melodies. On the other hand, if you are content with sound effects and short bursts of music, the SoundCap digitized sounds might be the way to go. The SoundCap file unpack and output code is in the public domain and is posted in the Listings area.



macintosh/softw.devlpmt #178, from dsharp a comment to 176

I've talked to Mark Cantor of MacroMind, and they are licensing a VideoWorks driver with very minimal sound abilities for a reasonable sum. I am looking for a four-voice music driver. Sorry.

ANOTHER PROGRAM BUG

macintosh/softw.devlpmt #183, from ccrawfor

Odd Bug

I've got a pretty good programming problem here. I have a call to CautionAlert that causes the system to crash. It always crashes the system, with one exception: If I have installed MacsBug and if I crash the system once, get thrown into MacsBug, execute an Escape to Shell (ES) command, and then restart the program from that point, the CautionAlert will not subsequently crash. Moreover, I found that the crash occurs only when I set my program as the start-up program on the disk.

The ALRT definition in the resource file is fine and good, I checked it with the resource editor. So is the DITL for the ALRT. I thought that perhaps I wasn't initializing one of the many managers properly, but I am calling InitGraf, InitForts, InitWindows, InitMenus, and InitDialogs, in that order, so it doesn't seem that I am leaving anything out.

This is not a make-or-break problem; I can leave the Minifinder as the start-up. I am curious, though, as to the cause of this odd little bug. Any ideas?

macintosh/softw.devlpmt #184, from brecher a comment to 183

You need to call TEInit.

macintosh/softw.devlpmt #185, from ccrawfor a comment to 184

Are you sure that I need to call TEInit? I am not using any part of the text edit package—at least, I didn't think that Alerts were part of the TE package. Am I wrong?

macintosh/softw.devlpmt #189, from ccrawfor a comment to 184

Oh, mortification! You were right! That's what I get for trying to save two lousy bytes that I thought were unnecessary because I wasn't directly using the text editor package. A great big OOPS!

INSTALLER TIP macintosh/news #290, from lloeb

How to Fix the Installer

If you have read the errata to the latest Software Supplement (errata.wrt in Listings), you know the System Installer that Apple supplies wants to install 3.1 instead of 3.1.1. Here's how to rewrite the script to install the correct system file: Open System Installier with ResEd and find the INSC resources. In these resources there is a hex string that represents the date of the system to be installed. You paste here the date you got from the system you wish to be installed (by opening the destination system with FEdit and copying it from there). Save your changes (this is a backup disk, isn't it?). Open the Imagewriter (and LaserWriter if you have them) system files with ResEd again and paste the correct INSC resource (that hex date string) in those as well. Save your changes and you're done.

APL FOR THE MAC macintosh/software #170, from jbaker [John Baker]

PortaAPL Version 3.0a For the last two weeks I have enjoyed the immensely rewarding experience of working (day and night) with what may be the best "power user" problem-solving tool running on the Macintosh today.

I am speaking about version 3.0a of PortaAPL. The first two versions of this product, 2.0 and 2.1, were very satisfying pieces of software. The latest release pushes PortaAPL into the front line of top-quality APL systems. In my opinion PortaAPL is the best APL system buy on the market today. It compares very favorably in all respects to STSC's APL*PLUS, the best MS-DOS APL.

At this point you may wonder who I am and what makes my opinion about APL systems worth anything. I run a small successful APL consulting firm in Edmonton, Alberta, Canada (home of the best hockey team in the NHL). My major clients are large mainframe APL shops in private industry, the Alberta government, and the University of Alberta. I have programmed in APL for over ten years.

Having worked on all of these systems, I can state without hesitation that PortaAPL is a very sound and thorough implementation of standard IBM VS/APL with many STSC extensions. It's the first complete APL system that costs less than \$300 and yet delivers the power and capacity required to run many mainframe-developed APL systems. I have ported hundreds of APL functions and one complete database system from VS/APL environments to PortaAPL with no difficulties or incompatibilities. Of course, the Mac cannot keep up with an Amdahl mainframe, but the amazing thing is this little interpreter is fast enough, running mainframe code, to still be useful.

If you want to experience real power on the Mac, do yourself a favor and get PortaAPL. You will not regret it. Take it from a very satisfied customer. PortaAPL is produced by Portable Software, 60 Aberdeen Ave., Cambridge, MA 02138, (617) 547-2918.

[Editor's note: PortaAPL costs \$275 plus \$10 handling charges.]

macintosh/software #175, from kerskine [Keith Erskine] a comment to 170

What kind of graphics does PortaAPL allow you to do?

macintosh/software #177, from jbaker a comment to 175

PortaAPL supplies a workspace of cover functions that allow you to access most of QuickDraw from APL. The system comes with a small plot demo that shows one how to set up a simple technical plotting system. I have modified this system to plot engineering graphs, log normal, splines, etc. The performance is quite adequate. It's not as fast as commercial plotting packages; however, the APL environment is more flexible and adaptable than some of the plot packages I have used. If you have a need for "nonstandard" plots, PortaAPL is a good tool to program them in.

BOSTON II FONT INFO macintosh/software #179, from joeleben [Joe Leben]

For those that don't know about it, acquire the shareware package called the Boston II font. It's a collection of fonts that are much better that any I've seen, and I've got a lot of fonts. It's optimized for producing normal-sized text on an Imagewriter printer and has to be seen to be believed. The italics are even more legible than the normal characters. It comes with a well-formatted on-disk manual and other miscellaneous software, including a RAM disk package that can be used to speed up the printing of the heavily formatted manual. Best \$10.50 I've spent in a long time. It can probably be found on bulletin boards, but I got mine by mail by sending a blank disk and a check for \$10.50 (U.S.) to the following address: Charles E. Maurer, 31 Forsyth Ave. S. Hamilton, Ontario LBS 2A4, Canada.

P.S.: The manual is worth the \$10.50 for the typographics tips and techniques that it presents.

(continued)



macintoshi/software #182, from lioeb a comment to 179

I heartily concur. Best usable font I have for real correspondence.

macintosh/software #192, from bwebster [Bruce Webster, Consulting Editor, BYTEI a comment to 179

I'll second the comments about Boston II. I wrote nice things about it in a recent column (February BYTE), for which Charlie sent me a nice letter (as did Paul Rapoport, creator of the International font). Boston is now the font I use for word processing on the Mac. (Be sure to get Boston II; there's an older Boston running around.)

macintosh/software #233, from jamurphy [Joe Murphy]

Macintosh Pascal 2.0

Macintosh Pascal 2.0 has been finally released as an update for those of us who have Macintosh Pascal 1.0. The update should be available at any Apple dealer. It comes on two disks, one with the new version of MacPascal and the other with documentation about the update, some new sample programs, an installer to put the program on a hard disk (or to make backup copies), and a shell program. The shell program is a 75K run-time file that allows programs to be executed without running

The notorious copy protection is gone, but there are invisible files on the disks which make it necessary to use Copy II Mac, the utility included with the program or any copy program that copies invisible files to make backups.

They appear to have fixed all the bugs and have added some features. The program comes with Finder 5.2, but if you try to execute a file with the PSHELL (run-time file), it crashes unless you use Finder/System 4.1. I thought it was really amazing when I tried to run a file as an application, and my Mac did a very vicious crash. It was only when I tried the old Finder that I realized the problem. It seems incredible, but the PSHELL is not compatible with the version of the Finder it comes with! Overall, though, it is a free update (you need your master copies to get the update, although my dealer put the copies on two disks I brought because I didn't want to lose version 1.0), and Apple should be commended for that. It is a well worth getting and, aside from the one problem with the run-time file, is a great improvement over 1.0.

SOME TIPS ON UNPRINTABLE CHARACTERS IN WORD macintosh/software #236, from lloeb

Word Tidbits

It is possible to find and change certain unprintable characters in the Find/Change dialogs. It requires the following special codes:

- "W white space
- 8 fixed-size nonbreaking space
- "t
- ^p paragraph (RETURN character)
- new line (Linefeed?) ^n
- optional hyphen
- Word document division

MAC PLUS PIN-OUTS macintosh/tech.talk #144, from rkaapke

Mac Plus Peripheral-8 Pin-out

Since checking the connections between a Macintosh Plus and an Imagewriter II, I have found that the pin-outs are identical. For those without an Imagewriter II manual handy (see page 88, appendix C): B 7 6

5 4

2 1

(You should recognize this pattern only in one orientation, which is looking at the pins in the male connector, holding it so that the flat part is pointing up.)

Pin 1: DTR Data Terminal Ready Output

2: CTS Clear To Send Input

3: TxD-Transmit Data - Output

4: SG Signal Ground

5: RxD-Receive Data - Input

6: TxD+ Balanced Transmit + Output

7: NC No Connection

Balanced Receive + Input 8: RxD+

Shield: PG Protective Ground

I have no idea where to get these connectors other than on a Macin-

tosh or Apple II peripheral-8 cable.

If you want to adapt a 9-pin to the peripheral-8, try using the Mac 512K to Imagewriter II cable (which has a 9-pin on one side and a peripheral-8 on the other). Plug the 8-pin connector into the Macintosh Plus port, then get a "gender bender" 9-pin female to 9-pin female straight-through cable. Plug your 9-pin connector into one end of the gender bender and the Imagewriter II cable's 9-pin connector into the other end. Note that the voltages found on the 9-pin connector are not supplied on the peripheral-8, so don't expect this to work with a ThunderScanner or Koala MacVision, or with any other device that requires power from the Macintosh and not from its own source.

This is theoretical-I have not tried it; as soon as my Plus arrives. I'll

post any corrections that I needed to make.

Incidentally, I have a ThunderScanner and I will be thinking about

the power problem.

All you brave souls who dare to try this out, please leave us a note telling of your success or corrected failures.

macintosh/tech.talk #150, from rkaapke a comment to 144

When consulting this diagram, reverse the positions of the transmit and receive connections. When I used an Imagewriter II to Macintosh 512K (DB-9 to peripheral-8) cable, I needed to exchange my transmit and receive lines for all the connectors I wanted to mate to the DB-9. The diagram in message 144 is for an Imagewriter II; the Macintosh Plus has the transmit and receive lines (four in all) reversed. (Exchange TxD+ for RxD+, and so on.)

macintosh/tech.talk #151, from tom_thompson a comment to 150

Your pin-outs are correct. Possibly what's going on is the null modern (transmit-receive pair swap) in the cable. Can you confirm? To recap: pin 3 is TxD-, pin 5 is RxD-, as specified in message 144.

macintosh/tech.talk #152, from rkaapke a comment to 151

Aha! Yes, of course—it's obvious now that I look at the connections! The Macintosh Plus peripheral-8 pin-out on message 144 is correct; an Imagewriter II to Macintosh DB-9 is a "null modern" cable, and so if you use it with a Macintosh Plus to bring the peripheral-8 out to a male DB-9, the transmit and receive lines are reversed. You have to keep this in mind if your way of making an adapter from the Macintosh Plus peripheral-8 to a DB-9 is using the Imagewriter II cable. Thanks for clearing that up for me.

THE BUYER'S MAR A Directory of Products and Services

THE BUYER'S MART is a monthly advertising section which enables readers to easily locate suppliers by product category. As a unique feature, each BUYER'S MART ad includes a Reader Service number to assist interested readers in requesting information from participating advertisers.

RATES: 1x-\$475 3x-\$450 6x-\$425 12x-\$375 Prepayment must accompany each insertion.

AD FORMAT: Each ad will be designed and typeset by BYTE. Advertisers must

furnish typewritten copy. Ads can include headline (23 characters maximum). descriptive text (250 characters maximum), plus company name, address and telephone number. Do not send logos or camera-ready artwork.

DEADLINE: Ad copy is due 2 months prior to issue date. For example: June issue closes on April 1. Send your copy and payment to THE BUYER'S MART, BYTE magazine, 70 Main Street, Peterborough, NH 03458. For more information call Karen Burgess at BYTE 603-924-3754.

ACCESSORIES

SOFTWARE PACKAGING, DISKS

Cloth binders & slips like IBM's Vinyl binders, boxes, and folders-many ages. Disk pages, envelopes, & labels. Low qty. imprinting. Bulk & branded disks. Much Morel Low onces. Fast service. Call or write for FREE CATALOG.

Anthropomorphic Systems Limited 376-B East St. Charles Road Lombard, IL 60148 1-800-DEAL-NOW (312) 629-5160

Incurv 657

ACCESSORIES

. . . SOFTWARE PUBLISHING. . .

GDS offers a wide vanety of services that will help get your software to the market. Address your needs with GDS. IBM style clothvinyl 3-ring bindertabs
 Labels, steeves, disk pages, bulk distrates.
 Dask duplication with 100% ventication
 Shinik wrapping and product assembly
 Ouck turn-around
 A well packaged product can make the difference in making a sale Call us now! VISA/MIC
 GLENCO Derum necessary.

GLENCO DEVELOPMENT SYSTEMS(312) 392-2492 3920 Ridge Ave. Artegion His. U. 80004

Incury 770

BOOKS / DISKS / VIDEOS

NOW THERE ARE TWO BOOKSE NOW THERE ARE TWO BOOKSI

Programmers' Hendbook of
Computer Printer Commends
Vol. 1 — pris through 36 — \$37,95
Vol. 11 — pris torough 36 — \$37,95
Vol. 11 — pris torough 36 — \$28,95
Set — 1 & II — \$88,95
'80 + Manufa. of DWYDMPColor "450 pgs./Table Form
MCVNSACKPO - \$2 COD + \$2.50 SH
ORDERS CALL: 1-809-828-2828 srt. #534 OR WRITE:

CARDINAL POINT INCORPORATED

PO Box 596, Elletteville, IN 47429 (812) 878-7811 (M-F 9-5)

Inquiry 671

COMPUTER PROTECTION

- . UPS . LINE CONDITIONERS . ISOLATORS MODEM PROTECTORS
 - · AC POWER INTERRUPTERS - HUNDREDS OF HINTS & PRODUCTS -

FREE CATALOG 1-800-225-4876

ELECTRONIC SPECIALISTS, INC. 171 So. Main St., POB 389, Natick, Mass 01780 (617) 655-1532

Inquiry 691

FREE CATALOG OF FLECTRONIC PARTRI

Thousands of parts and new surplus electronic parts at super low prices FAST ORDER PROCESSING AND SHIPPING (95% of all orders shipped within 4R hours

CALL OR WRITE FOR A FREE CATALOG.

ALL ELECTRONICS CORPORATION POB 20406, Los Angeles, CA 90006-0406

(213) 380-8000

Inquiry 654

BUSINESS OPPORTUNITIES

VIDEO STORES

We need ambitious dealers in all U.S. states and Canada to market a powerful system to computerize video tape rental stores.

WINCHESTER DATA PRODUCTS INC.

3301-Executive Drive., #204, Raleigh, N.C. 27609

(919) 872-0995

Inquiry 763

Self-Inking Printer Ribbon

For users of Olddata and other open spool ribbon printers. Controlled Printout Devices are a new kind of printing ribbon that re-ink themselves, and will last 15 times longer than the ribbon you are now using. For further information please call or write.

CONTROLLED PRINTOUT DEVICES, INC. POB 869, Baldwin Rd., Arden, NC 28704

(704) 664-9044

Inquery 678

LASER PRINTERS

I will pay you cash for your used toner cartridges!!! (HP, Apple, Canon, etc.) PC Corporation, Laser Printer Products 11 Freeman Street, Stoughton, MA 02072 (617) 893-9000 (24 hours) (617) 341-3005 (9-5 pm Eastern) Dealer inquiries wetcome

inquiry 731

Do you know businesses or people that buy IBM hardware, software, accessories and supplies? If so. you could make commissions just for recommending our national firm. Full or part-time positions available We discount most major brand name products 20-50%, which makes our prices most appealing. Plus you get \$ for the sale. Call or write for more info.

WGGB 316 North Owen Street Mount Prospect, IL 60058 312-392-2621

Incurv 762

FREE CATALOG

Outstanding prices on computer accessories for your computer and workstation. Our catalog features a wide selection of quality products to meet all your accessory needs. Call or write today to receive your free catalog.

LINTEK COMPUTER ACCESSORIES POB 8056, Grand Rapids, MI 49508

(616) 241-4040

Inquiry 712

DATA SWITCHES

Stop recabling forever, with our Senal or Parallel AB or X Data Switches. Two printers can share one computer or two computers can share one printer or plotter, or modern, or monitor, or etc. Prices start as low as \$42.00. Send for our catalog or see our ads in Jan /Mar /May issues To increase your systems productivity loday, call 602-623-5716

Via West, Inc. 534 N Sione Ave., Tucson, AZ 85705

Inquiry 759

TELETERM

COMMUNICATIONS

Sophisticated Terminal Emulator of most popular terminals including DEC VT100, plus build your own up/download direct to disk/printer...error free hie transfer protocols...full screen ASCII text editor remote print...unaltended file transfer mode.

Telexpress, Inc. P.O. Box 217, Willingboro, NJ 08046 (609) 877-4900

Inquiry 755

LOWEST PRICES ON DISKETTES

SSDD \$45, DSDD \$55, High Density \$1.65. 312" SSHD \$145, DSHD \$1.85

- Litetime warranty | Includes tysek steeves |
 100% error free | Reinforced hub ring |
 Finest quality | Labels & write protect tabs |
 Free UPS shipping. Minimum 100 distettes. |
 2 check or call. CA residents and 63% sales tax

Data Bureau Inc. 1633 Westwood Bivd., Ste. Los Angeles, CA 90024

213-479-0345

BAR CODE

BAR CODE READERS/PRINTING

Programs \$49-\$299. Readers-\$325 up PRINT Bar Codes on PC and Epson/Oxidata or IBM Proprinter - Code 39, 1 2015. UPC, MSI, DOD-LOGMARS, AIAG Graphics drs up to 1". Labels, Cetalogs from files Subroutines for BASIC. Cobol. Clipper, Turbo. Pascal. C, dBASE III Plus

Worthington Data Solutions 130 Crespi Court. Santa Cruz. CA 95060 (408) 458-9938

Inquiry 764

TURBO/COMMUNICATION

- 2. Auto angeon/ 3. XModem pro
- ed Source Code included.
- For CPM/M8-DOS/PC vice \$30.00

Larry Chrysikos 6500 South Washtenaw Chicago, IL 60629 312-778-3146 after 6:00 pm

Inquiry 711

DISK CONVERSION

CONVERSION SERVICES

Convert any 9 track magnetic lape to or from over 500 formats including 31/2", 514", 8" disk formats & word processors. Disk to disk conversions also (312) 459-6010 available Call for more info

Pivar Computing Services, Inc. 165 Arlington Hgts. Rd., Dept. #B * * Buffalo Grove, IL 60089 * *

Inques 733

DISK AND TAPE CONVERSIONS

High quality conversion services for Dedicated Word Processors, Mini and Microcomputers. Over 600 3½". 5½". and 8" formats. Also 800-16008Pt taps. Included: Wang, NBI, CPT, DEC, Vydec, Lanier, CS/6. Xerox, IBM Sys/34/36/38/5520, Mac. Victor, TRS, Apple, NSTAR, IBM PC/67, HP, and most of the other microcomputers. We can convert directly into word processing software such as: DW3, WP, MSWRD, WS, Samna, MM.

DATA FORMATS, INC.

(408) 972-1830

INCOMPATIBLE WORD PROCESSORS?

We convert to and from: XEROX, DEC, IBM, LANIER, WANG, PC-DOS, CONVERGENT TECHNOLOGY, WORDSTAR, MULTIMATE, SAMNA ASCII, MICOM, TAPE TO DISK. Also most CPIM systems. LOWEST PRICES

DATA CONVERSION INC. 6310 Caballero Blvd. • Buena Park, CA 90520 (714) 522-7762 (800) 824-4851 in CA.

Inquiry 682

Disk/Disk * Tape/Disk

Over 600 formats! 31/2, 51/4, or 8 inch disks, 9 track mag tape; 10 MB Bernoulli cartridge. Data base and word processor translation specialists.

Computer Conversions, Inc.

9580 Black Mountain Rd., Ste J San Diego, CA 92126 (619) 693-1697

Inquety 678

CONVERT

CP/M <--> MS-DOS

Final, write and formst CPM disbattes on an IBM PC or compatible. Over 115 CPIM formats on the menu and you can add your own. Use Convert to copy text and data files (such as WordSar and Disease II) between CPIM and MS-DOS. Or use it to manufacture CPIM dislettes.

Only \$69 from Selfware, Inc. 3545 Chain Bridge Rd., Suite 3 Fairfax. VA 22030 703-352-2977

Inquiry 739

DOCUMENTATION

COMPUTER ASSEMBLY MANUALS

BIG BLUE SEED for IBM* BUILDERS: parts list, placement diagrams, instructions for assembling over 65 IBM-compatible bara cards - \$14.94 ment diagrams, instructions for assembling over 65 IBM-compatible bare cards 514.95.

APPLE SEED II for APPLE" BUILDERS: instructions for assembling 77 Apple-compatible bare cards including the II + and IIe motherboards - \$12.95.

OVER 40 DIFFERENT BARE CARDS

IN STOCK FOR THE HOBBYIST

NuScope Associates
PO Box 790 • Lewiston NY • 14092

DUPLICATING SERVICES

WESTERN TRANSDATA, INC.

Why risk duplicating your important programs on your computer, when our equipment is disagned solely to duplicate disks a verify their perfection 100447 Owe 600 formats 31% 5% 5% 8. Phis senalization, copy protection labeling packaging shrink-wrapping and fast personakzed service.

WESTERN TRANSDATA, INC.

1701 E. Edinger Ave. A-4 Santa Ana, CA 92705 714/547-3383 (collect)

Inquity 761

BLANKET SERVICES

Diskette duplication • Packaging • Stocking/Drop shipping • 48 hour delivery • SUPERLok copy protection • No mastering lee • No charge for standard labels • Place a blanket order with releases as you need them for any quantity at a fixed price.

Star-Byte, Inc. 2564 Industry Lane, Norrislown, PA 19403 215-539-4300 800-243-1515

Inquity 750

DUPLICATION SOLUTIONS

We have the answer to your duplication needs. no matter what the volume. We supply autoloaders, disks, and technical support. We provide copy protection, serialization, package assembly, and distributive shipping

MegaSoft

P.O. Box 710, Freehold, NJ 07728 1-800-222-0490 201-462-7628 (in NJ)

Inquiry 719

HARDWARE

USED APPLES & IBM's

Laser 128 (new) - call PC Jr as low as \$325.00 Motherboards & accessories -We buy, sell, & horsetrade - Apple, IBM, & CBM.

SHREVE SYSTEMS

845 Lark Ave., Shreveport, LA 71105 318-865-6743 4-9 p.m. C.S.T. VISA/MC

POWERLINE GREMLINS?? **POWER FAILURES??**

The MEIRICK STANDBY POWER SYSTEM is the TOTAL SOLUTION to your powerline problems. 240 watt system - \$365, 400 watt system - \$495, 800 watt system - \$785

MEIRICK Inc., POWER SYSTEMS DIV. Box 298, Frisco, CO 80443 303-668-3251

Inquity 720

Tandy 1000 Hardware

TanPak Multifunction Cards
Memory to 512K, RS232 Clock, DMA
TanPak Secondery.
Memory to 256K, RS232, Clock
Wemory to 256K, RS232, Clock
Weg Hard Drive with Controller
Weg Hard Drive with Controller.

Hard Drive Specialist 1-800-231-6671

900-231-8671 or 1-713-480-6000 16208 Hickory Knoll, Houston, Texas 77059

Inquity 702

HARDWARE

DON'T LET POWER PROBLEMS DESTROY YOUR FILES.

GET UNINTERRUPTIBLE POWER SUPPLIES FOR YOUR PC'S. CALL FOR BEST PRICINGS.

Everett/Charles* Marketing Services 6101 Charry Avenue Fontana, CA 92335 800-443-1860 Calif. 800-821-0589

Inquiry 694

SINGLE BOARD COMPUTER INDUSTRIAL STRENGTH

INDUSTIFIAL STREMSTIF

FORTH OS, Editor, Assembler, Target Compiler, RAM
Dek • 8085 CPU • 16 A/D Channels • RS232 • Realtime
Clock • Buffered Digital II/O • Battery Backed RAM
• Single Supply • Watchdog Timer • Full Line of Support Hardware/Software • Counter/Timer • IBM/CPM
Support • RS422 • FROM \$285.00 •

EMAC, INC. 1400 West Main, Carbondale, Illinois, 62901 (618) 529-4525

Inquiry 692

EPROM/EEPROM PROG. \$250

Programs 2716-27512 25xx and 68764/66 eproms via RS-232 Also 874x micros and 28xxA & 528xx EEPROMs. Automatic baud rate select, built in help menus, no personality module

18 BIT VO MODULE \$75 Low cost control via RS-232 Expands to 5121

INTELLITRONICS P.O. Box 3263, Tustin, CA 92680 (714) 669-0814

Inquery 707

The BG-Boards

and well-crafted books teach you how to construct circuits for interfacing external devices to IBM. Apple, TRS-80, Tandy, Commodore, Timex-Sinclair micros for monitoring and control \$35 to \$350. Free catalog.

> Group Technology, Ltd. Route 1 Box 83, Check, VA 24072 703-851-3153

Incurry 701

WESTERN INFORMATION SYSTEMS Phoenix, Arizona

Distributors of Wyse, Televideo Diablo, Case/Rixon Paradyne, Prenice. Also Canon laser and other

LOWEST PRICES Leasing Available 1-800 824-3086 Dealers Only

Inquity 760

68000 COMPUTERS

Single board computers, 128K to 1M RAM, 4 senal lei ports (expandable to 22 ports total), floppy 2 parallel ports (expandable to 22 pons total), supply controller for 2 to 4 drives, SASI interface for Win-chester addition, limer/clock, real time multi-tasking multi-user operating system, assembler, line aditor, 2 screen editors, spreadsheet. From \$995.00

AAA Chicago Computer Center 120 Chestnut Lane - Wheeling, IL 60090 (312) 459-8450

HARDWARE

\$79 MONO/GRAPHIC/PRINTER BOARD

Hercules compatible * 720 x 348 pixel Lotus 1-2-3 compatible * 80 x 25 text Printer, Monitor port

1 year warrarny
in stock delivery

2-9 \$89

SUGAR INTERNATIONAL

12015 NE 8th Ste. 3, Bellevue, WA 98005 (206) 462-9283, Mo-Sa, 9-6

Inquery 152

TANDY-EPSON

Our 10th year of DISCOUNTS Ed or Joe McManus Fot, Prepaid, Save Tax Toll Free 800-231-3680

MARYMAC INDUSTRIES, INC.

22511 Katy Fwy., Katy (Houston), TX 77450 1-713-392-0747 Telex: 774132

GBA

Full function IEEE-488 bus analyzer with 12,287 byte memory. Controlled from any RS-232 computer or terminal. Also provides full bus control and message sending capability. \$995.00

Connecticut microComputer, Inc. 568 Danbury Rd., New Millord, CT 06776

Phone: 203-354-9395 Telex: 710-456-0052

Inquiry 679

1-800-826-0843 THE COMPUTER BARN

Wyse 50 \$409. Wyse PC - \$995. Wyse 85 \$459. (Dual Floppy) Televideo 905 - \$285. Televideo At I - \$2095. We Will Beat Any Published Price Call for FRÉE Brochure

HARDWARE ADD-ONS

RS-232 RS-422

*149** *199

1299

Four Port RS-232

 RS-232/422 with 24 Parallel I/O RS-422 Synchronous

Call About Custom Designed Boards ADAMS

PO. Box 17525 Greenville, South Carolina 29608 (803) 297-9630

Inquiry 652

Inquiry 688

FAST GRAPHICS COPROCESSOR

50,000 vector/second card for PC, XT or AT with CGA. Draws in hardware: 200m, pan, area fill, dithering, arcs etc. Turbo Pascal & MS-Fortran libraries. 14 day trial, 90 day warranty 640×400 to color: \$582. 640×200: \$378. Manual only: \$10, refundable

E-Heart Engineering 18103 Sky Park South #D, Irvine, CA 92714 (714) 261-1725

HARDWARE ADD-ONS

640K for IBM XT and Portables Expand your memory board with MAXRAM. Easy plug-in installation, does not violate IBM's warranty, 100% software compatible. MAXRAM-Ri includes two banks of 256K chips MAYRAM

Call (318) 478-0722 to order.

LOGICAL SYSTEMS CORPORATION 6184 Teall Sta., Syracuse, NY 13217

Inquiry 713

INFORMATION SERVICES

TURBO S.I.X.

The Turbo Pascal Software Information eXchange offers its members megabytes of Turbo Pascal code for only \$6 per diskette. Also a monthly newsletter. Send \$1.95 for the TURBO S.I.X. catalog. Deductible from the \$19.95 membership fee when you join. MC/Vlsa.

TURBO S.I.X. P.O. 80x 8373, Depi 82, Waco, Texas 76710 3101 Mitchell, Waco, TX (817) 753-2182

Inquity 757

MULTIUSERS

MULTIUSER CLIPPER (OR C)!

With NOVELLIB and Nantucket's Clipper or Lifeboat Lattice C Compiler.

NOYELL or PC Networks
Record & File Locking
Dead-Lock Avoidance
NOYELLIB only 389. (specify Clipper or C).

Communication Horizons

701 7th Ave., Dept B, New York, NY 10036 Tel: (212) 724-0150 Source: NAN285

DBASE HI PLUS PLUS

NOVELLIB-2O gives you what Ashton-Tate left out: higher level Network functions:

NOVELLO PC Naturain : a Semaphore Locks
 Print Spooling & Banness
 Electronic Mail
 NOVELLIB-2D only 399.

Communication Horizons 701 7th Ave., Depl B, New York, NY 10036 Tel: (212) 724-0150 Source: NAN285

PROGRAM/GENERATORS

WINDOW.LIB

An easy to use comp and wrong in • BASIC IBM, M-I

and writing in

BASIC IBM, M-S, CB95 C LATTICE, M-S COBOL M-S, RMF PASCAL M-S, TURBO FORTHAN M-S, RMF

Window editor included Create catable pop-up menus, help screens. The line selector features auto reverse highlighting and cureor control. No royalties. Ask about our BIOS/DOS LIB VISA/MC

GLENCO ENGINEERING [312] 392-2492 3920 Ridge Ave., Arlington His., IL 60004

SOFTWARE BUSINESS

dFELLER Inventory

A business inventory program written in modifiable dBASE source code. The menu-driven program lets you locate items by inventory name or number. It keeps track of reorder points, ven-dors, average cost, and other info. Requires dBASE II or III. PC-DOS/CPM \$150.

Feller Associates 550 CR PPA, Route 3, Ishpeming, MI 49849 (906) 486-6024

Inquiry 696

SOFTWARE/BUSINESS

PC-Write" Shareware

Fast, powerful word processor/text editor for IBM PC. New Version 2.6 with auto reformal, optional menus, on screen help, laser printer support, new expanded manual. Mailmerge, split screen, ASCII files, macros. All software, tutorial/guide on diskette, \$10. OK to copy. Register for full manual, support \$75. 90-day money-back guarantee.

Quicksoft (206) 282-0452 Visa/MC 219 First N. #224J, Seattle, WA 98109

Inquiry 737

PC-File III™ Version 4

Search, sort, browse, global changes, macros, maring labels, format reports with selection & calculations, subtotals, totals, averages, encryption. Exchange data with 1-2-3, WORD, WordStar Over 190,000 users. \$59.95 + \$5 9h For IBM PC

> ButtonWare, Inc. P.O. Box 5786, Bellevue, WA 98006 1-800-J-BUTTON

Inquiry 663

PC-File/R"

All the power of PC-File III plus. Relational link to other databases, integrated letter writing & mail-merge, context sensitive pop-up help windows. New search retrieves data hundreds of times faster \$149.95 + \$5 s/h

> ButtonWare, Inc. P.O. Box 5786, Bellevue, WA 98006 1-800-J-BUTTON

SMITH'S INVOICE

Invoices, shipping labels, customer database Customer & product making lists and labels. Menu driven—easy to use. For IBM PC with 128K and 2 DS/DD drives or hard disk. All software, manual on disk \$15 Same-day shipment on personal checks.

Smith Consulting

Route 1, Box 213, Greensburg, IN 47240

The Andsor Collection"

Unique concept: creates complete, self-contained, window-based data management environment, in one DOS file. Simplifies everything Combine functions to create your own solutions in any application calculations, database management, modeling, text processing, charts, data analysis, statistics, reports ple enough for a PC_ir. sophisticated enough for a PC AT.

SEE ALSO THE AD BELOW

The Andsor Collection"

From simple calculations files incuries to complex models data structures reports. Superb 400 page hard cover manual with many examples. 18 ##5 4, \$5, 60 doi:10.100/money-back-guerantee. VisafMC/AmEu/ChiWO/COD. Cell of wisto now to IBM PC/XT/AT/PCjr 128K, one drive or hard disk ochrome and/or color DOS 2.0+ Not copy-protected

ANDSOR RESEARCH INC. 181 University Avenue , Suite 1202, Toronto, Onterio, Canada M5H 3M7

(416) 364-8423

Inquiry 656

SOFTWARE/BUSINESS

CUSTOM PAYROLL

All systems have multiple pay calegones, calcula-tion of all taxes, user defined deductions, 401(k) handling, many reports, peychecks, W-2 forms, and much more. Custom features are available. Prices start at \$895 for system, manual, and PC Basic source code

Datasmith, Inc. Box 8036, Shawnee Mission, KS 66208 (913) 381-9118

Inquiry 684

Programmers:

We guarantee our products to be solid, bugtree.
* CorrectForth - Very professional.
* Correct_Datamizer - 50.1 data compression.

guaranteed SaleModem - Hackerproof \$80.75 per program MC/VISA/MO/Check. Specify computer

Correct Software, Inc. RR1 Box 140, Black Hawk, SD 57718 (605) 787-5904

Inquiry 680

LP88-LINEAR PROGRAMMING

A powerful menu-driven system for solving linear programs will up to 510 constraints & 2510 variables. Features include interactive & batch operation, spreadsheet-style input & editing storage of problems & bases. Simplex Algorithm restart, report generator, sensitivity analysis. Req. IBM PC, 192K. \$99 w/B067 support, user's guide. VISA/MC.

EASTERN SOFTWARE PRODUCTS INC. P.O. Box 15329, Alexandria, VA 22309 (703) 549-5469

trousy 689

PC-Calc* Version 3

64 columns x 256 rows, math and stat. functions honzontal ber graphs, title locking, individually ad-justable column widths, IF ...THEN, link to other spreedsheets or PC-File databases, much more. Requires 256K IBM PC. \$59.95 + \$5 s/h.

ButtonWare, Inc. P.O. Box 5786, Bellevue, WA 98006 1-800-J-BUTTON

Inquiry 665

PC-Type"

Fast, compact, capable & easy! Help panels, hands-on tutorial, macros, multiple-line headings & foolings, DOS path support, print spooling, block operations, sic. ASCI Bles. Install program allows customization \$59.95 + \$6 s/h. For 128K IBM PC.

ButtonWare, Inc. P.O. Box 5786, Bellevue, WA 98006

1-800-J-BUTTON

Inquiry 666

BILINGUAL WORD PROCESSOR

Duanglan, a special word processor for English and; European, Greek, Lao, Portuguese, Russian, Spanish, Thal, Vielnamese, your own language, or more. For IBM PC/XT/AT/Clones with graphics & IBM/Epson/Citoh printer. \$59 + \$4 S&H in US&Can (+10 others)

MEGACHOMP COMPANY 3524 Cottman Ave., Philadelphia, PA 19149, USA

(215) 331-2748/8138

SOFTWARE/BUSINESS

MoneyCounts™ Version 3.0

Everything you need to take charge of your finances. Checking/Credit Card Mgt., Budgeting, Exp. Analysis, Financial Ripts., Graphics, Tutorial, much more Great for home/business CPA designed IBM PC/XT & Compatibles with

DOS 2.0 or later and 192K - \$69.95

PARSONS TECHNOLOGY 8925 Surmey Dr. NE., Cedar Rapids, IA 52402

(319) 373-0197

CHECKVISAMC

DATA ENTRY SYSTEM

Heads-down data entry with two-pass verification for the PC/XT/AT & competibles. Loaded with features The PLIXITAL & COMPARIANE. LORDS and the children in the child

COMPUTER KEYES

21929 Makah Rd., Woodway, WA 98020 (206) 776-6443

Inquiry 677

FORECASTING + MODELING + PLANNING +

le with IBM PC & Apple II

NIFAMETRICS*

A * Econometrics package forecast \$195.00 Compatible MICRO-BJ* lenkins ARIMA fy, estimate, forecast \$295,00

PROFESSIONALS CHOICE
• Link to Lous, Visicalc
Multiple order discount
50% off Apple II order XTRAPOLATOR-tomatic forecasting STRATIX

P.O. Box 4413 • Burlingame, CA 94011 MCNISA (415) 697-0573

Inquiry 75t

TIME & BILLING \$89 JOB COST OPTION \$50.

30 Day Money-back Trial
Virtually unlimited number of jobs, direct cost, direct labor
and overhead categories. Provision for job estimating is
included in JOB COST OPTION. Very flexible and very
easy to learn to use. Phnts your statements, many reports
including Job Summary and Job Detect, and more! For MS-DOS/IBM-PC & compatibles. VISA/MC/Prepaid/COD.

Accounting Systems
1148-5 Executive Circle, Cary, NC 27511 (919) 467-3428

Inquiry 651

EC EDITOR - FOR IBM PC

Nt enul im 2 decribe the slick edit! EC regularly displaces editors and WPs 4 & 5 times its price. Most ly sold by word of mouth, w/companies coming ba for more. Best value at \$49.50 + \$5 s/h! DEMO \$5: complete EC, bt cn't sy fles pyr 65 lns.

C SOURCE

12801 Frost Rd., Kansas City, MO 64138

(816) 353-8808

VISA/MC/COD

Inquiry 669

FIXED-ASSETS ACCOUNTING

Provides for multiple asset inventories. Supports all depreciation methods, 150 ACRS schedules supplied on disk Several report formats including Tax Form 4562. CP/M-80 & DOS DEPRECIATION-MASTER II V4.0

DEMO DISK
MC, VISA, COD Add \$4 for shipping/manding
Generic Computer Products, Inc.
P O Box 790, Marquette Michigan 49856

(906) 249-9801

Inquery 697

SOFTWARE/CHURCH

Church Package

Panshioner Time, Talent and Treasure System pro-gram is written in modifiable dBASE source code.

Contributions • Disbursements • Ledger

Names with mailing labels

Personal Information dalabase.

Requires dBASE II or III, PC-DOS/CPM-80 \$200.

Feller Associates

550 CR PPA, Route 3, Ishperning, MI 49849 (906) 486-6024

Inquery 695

SOFTWARE/EDUCATION

"War or Peace? You Decide!"

Stimulates discussion on the role of nuclear weapons in national security. Players choose U.S. or Soviet side. Six crisis situations. High school or home use, both teacher and student manuals included. IBM or Apple. \$48.95 MC/VISA/AMEX. For Info. call. 207-775-1330, For orders call. 1-900-628-2828 ext.

Bright Ideas, Inc. 52 Exeter St., Portland, Maine 04102-2839

SOFTWARE/GENERAL

Dr. T's MUSIC SOFTWARE YOU CAN USE A WORD PROCESSOR YOU CAN MAKE MUSIC!

MIDI music-composition software for Commodore and Apple computers. Also, algorithmic composition pro-grams for computer generation of sequences. Fully editable Bach songbook, Keyboard, Bass, and Drum delse, Patch libraries available for Yamaha and Cesio syn-thesizers. Reviewed in Jan. 185 COAPUTE. 68 Louise Rd., Chestnut Hill, MA 02167

(617) 244-6954

Inquiry 687

MicroGANTT®

Control your project! You describe the work MicroGANTT calcutates the schedule and budget Op-imize the schedule interactively Customize the reports Sub-tasting, livind and variable costs, multi-project resource allocation, unlimited size and scope. GANTT, PERT, CPM, DOD-7000. Cell or write for free catalog.

Earth Data Corporation P.O. Box 13188, Richmond, VA 23225

(804) 231-0300

Al for the IBM PC

TOPSI is a full version of OPSS which runs under MS-DOS, Unix or CP/M. A fast, efficient expert system

reent tool
Prototyping: \$125
Production: \$250
Protessional: \$375
; version, add \$20 Shipping, add \$5
DYNAMIC MASTER SYSTEMS
POB 566456, Atlanta, GA 30356
(404) \$65-0771 C version, add \$20

Inquiry 685

NAMEBRAND SOFTWARE, CHEAP!

"At least 50% off!"
IBM PC clone company goes out of business, and we at GIL ELECTRONICS buy their software inventory! Microsoft Basic Compilers, & Interpreters, Multiplan, Wordstar, Spellstar, & Mailmerge, dBASE II, CCPIM-88, RM Cobol, Real-World General Ledger, Sales Analysis, Payroll, much more! All software is new, in original factory sealed packages. Send for FREE CATALOG today!!

GIL ELECTRONICS P.O. Box 1828-B, Soquel, CA 95073

SOFTWARE/GENERAL

► SOFTWARE FOR PENNIES

GET BEST AND LATEST PC.DOS, CPIM-80 AND CPIM-86 PUBLIC DOMAIN PROGRAMS FOR BUSINESS, PERSONAL, EDUCATION, SOFTWARE DEVELOPMENT, MODEMING, SCIENCE, AND MORE. AT LOW COST OF COPYING 3-1/2, 5-1/4 AND 8" DISK FORMATS ARE SUPPORTED SEND \$5.00 FOR CATALOG

MULTIPATH, INC. Box 395, Montvike, NJ 07045 (201) 575-5880

inquery 725

POWERFUL FILE MANAGEMENT

IDT'S Féeklanagerê for people senous about their systems. No kid stuff—only powerful managing tools File sort copy move delete search à change attributes. Undelete and clear file. EDLIN enhancer à batch mode clean up and more.

\$34.95 (about 1/2 Norton's)

AMC/VISA

INTEGRATED DATA TECHNOLOGY, INC. 4775 Bunchberry Lane, Colorado Springs, CO 80917

ORDERS: 303-488-2583

MORNEY 704

THE BEST OF THE BEST!

Public Domain & User Supported Software for IBM PC or compatible Word Processing, Database, Spreadsteets, Utilities, Games, Accounting, etcl 50 disk package \$205.00, or rent 2 wks. \$75.00. Info & Super Sampler Disk \$8.50, Defuxe Word Processor \$6.50, both \$12.00. MC/VISA

BLUE CIRCLE GROUP, INC.

Box 23502, Minneapolis, MN 55423

(612) 823-4111

Inquiry 659

Does your hard disk seem like a vast and uncharted land?

JOBS

Job \ Organization \ Backup \ System
Clearly superior! Now with MACRO capability and user
defined pop-up windows \$49 M/C & VISA Walcome

RCT Design

P.O. Box 179, Nipomo, CA 93444

(805) 934-2905

Advanced disk management for IBM PC/XT/AT & compatibles.

SOFTWARE/GRAPHICS

SCIENTIFIC GRAPHS

SCI-GRAF produces high res graphs (1680 x 1712 pixels) on Epson or IBM graphics printers Supports logitines scales, eror bars, overlays, batch-mode operation. Very flexible data entry from disk or keyboard. User customizable Requires DOS 2 or 3, 256K.

899.95 (Sorry, no credit cards)

Microcomputer Systems Consultants

27 Forest Ave., Port Jefferson Station. New York 11775-1820.

(516) 928-7493

Inquity 722

Inquity 685

PLOTTER SOFTWARE

Save time and money by creating your own presentation quality text skides. THE DGI SIGNMAKER is an easy to use menu driven program for your IBM or APPLE computer and most piotters (Eoson, HI. HP, HP-GL, IBM and others) for only \$75.

DECISION GRAPHICS, INC.

P.O. Box 2775-B Littleton, Colorado 80161

Phone (303) 798-0341

SOFTWARE/GRAPHICS

Z-100 TURBO SOFTWARE

-ZGL- Color graphics library with windows. -ZPORTS- Directly control your I/O ports. Full source code! Risk-free 15 day trial. -ZGL- \$39.95 -ZPORTS- \$24.95

Zimbazi Products

7405 BERKMAN DRIVE, AUSTIN, TEXAS 78752

FORTRAN PROGRAMMER?

Now you can call 2-0 and 3-0 graphics routines within your FORTRAN program.

GRAFMATIC: 75 callable routines for screen output. \$135.

PLOTMATIC: Pen plotter driver: \$135.

For the IBM PC, XT, AT and compatibles. We support a variety of compilers, graphics boards and plotters.

MICROCOMPATIBLES 301 Prelude Drive, Dept. B Silver Spring, MD 20901 (301) 593-0683

Inquiry 721

CREATE UNIQUE GRAPHICS

Go where no man has goes before. Explore the MANDELBROT set as described in Aug. 85 issue Sci. Am. Infinitely complex. Easy zoom. 8087 code and DRAGON CURVE included. COM file \$25. w/140K of 50% comment TURBO PASCAL source \$50. Liberal copyrite no protect. Shipping included. IBM color, TIPC 3 plane.

Fractured Fractals
P.O. Box 1782, Lewisville, TX 75067

MAPIT

Make your own MAPSII

Simple to produce maps with your data includes most country and state outlines
Any printer or HP plotter
Only \$85 for MS-DOS or PC-DOS
US Country Outlines available for \$95.

QSC Box 778, East Lansing, MI 48823 (517) 641-4428

SOFTWARE/LANGUAGES

REFER SAVES HOURS

REF cross references program variable, values. keywords, linenumbers, and/or labels ENTER adds languages to supplied: asm, basic, c, cobol, pascal, ada, fortran, dbase, rbase. FINDREPL updates programs. \$45.

> James Halstead & Asc. 1551 Plainfield, Jollet, IL 60435

(815) 725-0346

Higury 709

Tools for CB80 & CB86

BOOS, DOS, and BIOS calls from CB80 and CB86I CBC Tools includes functions for directory access, string ops, a debugger, radix conversion, command line parsing, quicksofts, bit and byte ops, and more for CP/M-80, CP/M-86, and PC-DOS, \$180.00. Ask about our Pascal MT+ products

Minnow Bear Computers POB 2233 Sta. A, Champaign, IL 61820-8233 (217) 398-6883

SOFTWARE/LANGUAGES

BASIC PROGRAMMERS

BASIC PROGRAMMERS

Add SALT & PEPPER to your existing/new programs

Create dazzling Menus, intelligent Input Screens Walking Strings, ASC/Desc Sort, PRT, SCR Date processing

more SALT & PEPPER has 28 modules (in MS-DOScompatible interpretive BASIC). They merge with your
program in minutes 5 & P. performs all the tincks, YOU
get the appliause \$59.95. Demo disk, \$2.50, (\$2.50 s&h).

MCIVISA.

COMPUTER GURLI.

COMPUTER GURU

40 Wagner Ave., Piscataway, NJ 08854

201-356-6477

Inquiry 769

CROSS ASSEMBLERS

top microprocessor programs on your IBM PC or MS DOS computer.

* Macros * Conditional Assembly * Editor * Complete support for most 8 bit microprocessors

Linker and EPROM Programmer Driver MicroComputer Tools Co. 1255C Kenwal Rd., Concord, CA 94521

(415) 825-4200

LISP for the MACINTOSH"

MacScheme* implements the Scheme dialect of LISP It features a fast byte code interpreter, debugger, editor that understands LISP syntax, multiple windows, and Quickdraw graphics. University site ircenses available. \$125. (+\$10 overseas). MC/VISA To order, call or write:

Semantic Microsystems 4470 S.W. Hall St., Ste. 340, Beaverton, OR 97005 USA (503) 643-4539

Inquery 740

MAC BASIC **COMPILER \$100**

+ McAssembly \$150 BASIC compiler generates asm, rel, or obj. Link, resource comp with assembler. ALL for \$1501

PTERODACTYL SOFTWARE

Box 538, Fairfax, CA 94930

415-485-0714

est. 1982

Minnesota SNOBOL4 Language

Powerful string & data handling facilities. Interpreter compatible with maintrame SNOBOL4. 32K strings, 32 bit integers, 8087 for float & targe memory modal. Sample poms include ELIZA. For > 128K ISM PC & DOS or equivalent. Definitive "green" book by Grisswold et al available. Guide + 5½* SSDD diskette. \$44.95 Guide + 5½* SSDD diskette. \$49.95 Green" book only \$24.95 Postpaig in USA. In NY add 12x. VISAMIC (\$14) 271-5855

BERSTIS INTERNATIONAL POB 441, Millwood, NY 10520

BetterBASIC Programmers
BetterTOOLS" SPEEDS BetterBASIC" development.
Includes: 150 + useful tools in 17 modules/manual/ source code/no royalties. Quicksort/screen builder/ extended math/directories/display and printer routines/ powerful input/much much more. Only \$89. VISA/MC/COD

SOFTWARE ASSOCIATES 6220 W. Airport Blvd., Houston, TX 77035

(713) 726-0706

Inquiry 745

SOFTWARE/LANGUAGES

BASIC => PASCAL
(1) converts BASIC to PASCAL.
(2) transform spagheti-code to structured state
(IF-THEN-ELSE, REPEAT, WHILE, CASE)

automatically.
(3) separate one big program into many procedures

hierarchically.

BPCONV MS-DOS version \$199.00. (Sample conversion \$10.00)
GOTOLESS CONVERSION
P.O. Box 50068, Denton, TX 76206 PH (214) 221-0383

CROSS ASSEMBLERS with "UNIVERSAL" LINKER and **POWERFUL LIBRARIANS** for IBM PC MS-DOS

Full featured for most microprocessors

ENERTEC, INC. BOX 1312, Lanadale, PA 19446

215-362-0966

MCNISA

Inquiry 693

EXPERT SYSTEMS!

You can develop expert systems with KNOWOL, the Knowledge Oriented Language from IMCO. Includes a tutorial, unlimited development capability, and a smart rules editor. Not copy protected. An incredible introductory offer at \$39.95 plus \$2 s&h (\$4/COD).

Intelligent Machine Company 3813 N. 14th St., Arlington, VA 22201 (703) 528-9136

Inquiry 706

SOFTWARE/SCIENTIFIC

\$10 SCI CALCULATOR

Power-packed, RAM resident, full-function infinitely programmable sci. calculator with matrix capability al \$10 (\$2 s&h).

Turbo Pascal source + utilities for sparse matrix handling \$10 w/calculator purchase.

SoftTech Inc. 18505 W. 8 Mile, Detroit, MI 48219

1-313-544-8544

Inquiry 744

FORTRAN SOURCE CODE PROFESSIONAL SIGNAL PROCESSING & MATRIX ANALYSIS UTILITIES

35 PROGRAMS WITUTORIAL & EXAMPLES
FFT, AR Modeling, Digital Filters Matrix: SVD, Conj Gradient, Psaudo-Inverse. Root Finder, Cubic Spine Interp.
Graphics, Random Numbers More, Dela/Hard-copy
Documented, 130 pages. Bibliography. Send for Into
No. 888 Pig \$99 CLAREN SOFTWARE
P.O. Box 5333 • MESA, AZ 85201
(802) 820-3877

Industry 672

Inquity 741

forMath® text-formatter

- Equations, matrices, ratios, integrals, diagrams
 Macros, fonts, Greek/math symbols
- Hyphenation, secr/eqn/rel numbering
 Indexes, table of contents, footnotes
- Dol-matrix daisywheel, laser printers, all monitors \$400 \$50 for demo

SHANTHA SOFTWARE INC 50 West 97th St. Room 11N, New York City 10025

(212) 222-SNIP
Touchtone toll free: 950-1085-wait-FORMATH

SOFTWARE/SCIENTIFIC

BEAM ANALY. & SPRING DESIGN

Beam analysis program calculates shear, moments, reactions, slopes and deflections in beams, Price: \$50.00. Helical spring design program for compression, extension and forsion springs. Price: \$75.00. Both packages include disk end documentation For Apple II series of computers or IBAI PC, PCyr and

SYLCA CORPORATION

33-47 14 Street, Dept B, Long Island City, NY 11106 718-278-4604

Inquiry 753

► MATRIX 100 ◀

Powerful Matrix operations with single statements in IBM PC BASIC Perform multiple regression, solve simultaneous equations, invert matrices, etc. MATRIX 100 commands are last, reliable and easy to use. Price \$80, 8087 support \$125; compiler support \$250. (\$4 s&h. CA res. add sales tax).

STANFORD BUSINESS SOFTWARE, INC. 4151 Middlefield Rd., Suite 215, Palo Alto, CA 94303

To Order Call (415) 424-9499

ENGINEERING SOFTWARE WRITTEN BY ENGINEERS FOR ENGINEERS

Highest power per dollar. Highest power per K of memory, Satisfaction guaranteed. Electronic Circuit Analysis\$450.

TATUM LABS

33 Main St., Newtown, CT 06470

(203) 426-2184

Inquiry 754

Affordable Engineering Software

CALL OR WRITE FOR FREE CATALOG Circuit Analysis . Root Locus . Thermal Analysis • Plotter Drivers • Graphics • Signal Processing • Filter Design • Report Proofreader . Transfer Function Analysis.

BV Engineering

2200 Business Way Suite 207, Riverside, CA 92501 (714) 781-0252 VISAMIC

TIRED OF SEARCHING!!

Can't find that special conversion factor? You get thousands in the giant disk of units constants and conversion factors. No need for a calculator, conversions are calculated for you. Menu driven with color & printout leatures. Only \$19.95 including shipping. R. D. ASSOCIATES

P.O. Box 820, Rogue River, OR 97537 503-479-1248

inquiry 738

UPGRADE YOUR IBM PC TO A STORAGE OSCILLOSCOPE!

Do Data Acquisition, Frequency Spectrum Analysis, Transfer Functions, Analysis with Lotus 1-2-3, and more—inexpensively and all without programming!

For Info on SNAPSHOT Storage Scope: HEM Data Corporation 17025 Crescent • Southfield, MI 48076 (313) 559-5607

Industry 203

SOFTWARE/SCIENTIFIC

PC TECHNICAL GRAPHICS

TEKMAR is a graphics library for the Tecmar Graphics Master. Similar to PLOT-10, includes WINDOW, VIEWPORT, AXIS. Support for HP, HI plotters. Curve fitting, complete plotting program. Log, semi-log, multi-exis, 3-D, contours. Demo disk, literature available.

Advanced Systems Consultants 21115 Devonshire St., Sulte 329, Chatsworth, CA 91311 (818) 407-1059

Inquiry 653

► SCIENTIFIC CALCULATOR ◀

Memory resident emulation of the HP-11C plus direct insertion of results in foreground program, graphically presented, decimal, hex, binary, & octal operations, boolean functions and more. Mouse support 8087 or Standard versions \$49.95 + 3.00 s&h.

K SOFTWARE HOUSE

Rt. 2, Box 8381 Unionville, TN 37180

(615) 294-5090

Digital Logic Design on the Macintosh

The LogicWorks" series allows you to create, test and document digital circuitry on your Macintosh Full simulation capability lets you catch design errors re committing your circuit to hardware. From \$79.95 (US). Demo pkg. \$10. Visa/MC Accepted

Capilano Computing Systems Ltd. Box 86971, N. Vancouver, B.C., Canada, V7L 4P6 (604) 669-6343

Inquiry 670

SOFTWARE/SYSTEMS

CPM-80 LIVES on your PC
CP/Mulator puls a 4mhz 8 bit CP/M emulator in your IBM
PC for \$99. (\$3 s + h).

A great 8 bit development system
 Saves expensive CPM-80 applications
 Increases PC speed 10% to 8088 programs
 Priced less than most software only products
 Uses no valuable board stots

Source Information P.O. Box 2974, Warminster, PA 18974 VISA

Phone (215) 528-4718

LASER TYPOGRAPHY \$495.

Typographic composition software to drive the Cordata L300 Laser Printer as a typesetter. H & J 76 proportional space fonts, widths for 150 fonts available. Mix face & point size on any line. multicolumn capability.

> Micro Print-X, Inc. P.O. Box 581, Ballinger, TX 76821

(915) 365-2343

List Price \$95.

Dealer Inquiries Welcome

Multi-Terminal

Disk Operating Systems GASS-General Accounting Scientific Switching system. Multitasting. Can handle 12 terminals off IBM PC. Used in min's since 1976. Dealers wanted

Maxey Systems, Inc. 5910 Youree Dr. Suite D, Shreveport, LA 71105

(318) 868-5422

Inquiry 714

STATISTICS

STATISTIX"

\$75 - Satisfaction guaranteed

A comprehensive, powerful, yet easy-to-use statistical analysis system for IBM PC/XT/AT's, Apple II's, and MS DOS machines. Clear 200p manual. Write for

> NH ANALYTICAL SOFTWARE West lows Ave., St. Paul, MN 55117

(612) 488-4436

Inquery 727

RATSI

RAIS is a fast, accurate & complete regression package with unsurpassed POWER. Has both time-series & cross section analysis. Includes Box-Jenkins, logit & probit. Spectral analysis & graphics also available. Requires 256K RAM, IBM PC or compatible. \$200 **VAR Econometrics**

PO. Box 19334, Minneapolis, MN 55419 (612) 822-9690

Inquiry 758

The Statistician

includes: Multiple Regression (Stepwise, ridge, all subsets, backward elimination)

- subsets, backward elimination)
 ** Time series mallysis ** descriptive statistics
 ** transformations ** survey research ** nonparametrics
 ** XY plots ** ANOXI ** random samples ** data base
 ** data editor ** search ** sort ** hypothesis tests
 ** For IBM, MS-DOS, XENIX, CPM, TRS-DOS.

QUANT SYSTEMS Box 628, Charleston, SC 29402

Please call 1-800-334-0854 (Ext. 814)

803-571-2825

STATISTICS CATALOG!

If you need statistics for IBM PC or Apple II, call us and let our technical advisors help you find the statistics programs you need. Write or call now to get a FREE catalog of statistics and quality control software.

HUMAN SYSTEMS DYNAMICS 9010 Reseds Blvd., Ste. 222 Northridge, CA 91324

(800) 451-3030

(818) 993-8536 (CA)

Inquiry 704

NUMBER CRUNCHER STAT SYS

Menu-driven Multiple & stepwise regression ANOVA, time series Discriminant, cluster, and fac tor analysis. Principal components, scaller plots, histograms. I-lests, contingency tables, non-parametrics import export data. Spreadsheet, sort, jon, marge. \$78. IBM PC/Macinicish. Quantity

NCSS-B

865 East 400 North, Kayaville, UT 84037

801-546-0445

Inquiry 726

TEXT SCANNING

ELIMINATE KEYBOARDING CONVERT TYPESET AND TYPEWRITTEN COPY TO DISK OR TAPE CALL

MEDIA CONVERSION CORPORATION 312-346-0102

UTILITIES

"USER-FRIENDLY" REDEFINED

Don't laugh Now if your P.C.'s aren't friendly, it's your own tault. Meet TheEMCEE, your application manager Replaces DOS prompt with custom menus. Runs programs, batch files and menus. 99 levels of password protection. Fast, friendly interface for users, powerful access and control for systems managers. Only \$49.95. What could be friendlier than that?

COMMAND SOFTWARE SYSTEMS, INC. 1-800-423-9147 or 1-818-707-7100

PADLOCK/PADLOCK II DISKS

PADLOCK furnishes the user with a method for providing protection against unauthorized duplication from DOS commands \$99, PADLOCK II disks come preformatted with tinger-print and senalization. PADLOCK II disks offer superior protection. Ask about our HARD DISK protection with uninstall capability. MC/VISA

GLENCO ENGINEERING 3920 Ridge Ave. Arlington Hts., IL 60004 (312) 392-2492

Incurry 699

SOURCE CODE LIBRARIAN & REVISION CONTROL SYSTEM

TLBS** keeps ALL versions of your program in ONE compact library file, even with hundreds of revisions.

5 times faster than SCS • LAN compatible Free public domain MAME (with source) by L. Dyer MS/PC-DOS 2.x & 3.x. \$99.95 + \$3 S&H, VISA/MC

BURTON SYSTEMS SOFTWARE

POB 4156, Cary, NC 27511 (919) 469-3068

Inquiry 662

DOS USERS.

"Save time and irrestration" - J.E. Pournelle Still River Shell. Powerful full screen file / direclory manager. Faster and easier than DOS. Full range of features. PC/MS-DOS 2.0+, \$29 complete. \$9 shareware diskette. MC/VISA.

Bob Howard

PO Box 57, Still River, MA 01467

617-458-3899

Inquiry 680

RAMbak or WARP-TEN - 9.96

PAMbak automates the saving of new or changed RAM disk files to floppy disks and/or hard disk subdirectories. WARP-TEN is a programmable disk cache. PC, XT, AT, compatibles with 256K DOS 2.0+. Introductory price is only 9.95 each. (MN Fles. + 8%).

Software Brewing Company

P.O. Box 12094, St. Paul, MN 55112

612-636-2727

Innuine 247

SUPERCOPY

The most EFFICIENT-INTELLIGENT-USER-FRIENDLY POWERFUL AUTOMATIC BACKUP UTILITY of protected CHARLETTY BURN THE POST OF THE PROBLEM OF THE PROBL IN VISAMC/CHI

YETIWARE CORP.

P.O. Box 21152, Mid Town Station New York, NY 10129 DEALERS CONTACT US

UTILITIES

BTrees with C Source

These are powerful, portable, dependable file utility libraries. Thousands of programmers worldwide rely on our quality code. All source code included, no royalty fees, works with any K&R compatible C compiler

Biree only \$75.00

· ISAM only \$40.00 additional. SOFTFOCUS

1343 Stanbury Dr. Oskville, Ontano, Canada L6L 2J5 (416) 825-0903

ZERODISK

ZeroOsk runs dozens of copyprotected business packages from your hard disk without floppies. Call for the latest list of software it handles. Needs IBM AT, XT, PC, or compatible, DOS 2.0 or higher. ZeroOisk is revised monthly and is not copy protected. \$75 US. Check or Credit Cards accepted.

QUAID SOFTWARE LIMITED

45 Charles St. E. 3rd Fl. Toronto, Ontario, Canada M4Y 1S2 (416) 961-8243

MEDIA MASTER PLUS

READ, WRITE, and FORMAT over 60 CP/M disks and run most CP/M-80 programs on your IBM PC! Two program package includes ZP/EM, a CP/M-80 emulator prom that transforms your IBM PC into a 1-2 MHZ CP/M 2.2 computer. \$59.95 + \$3.00 S/H (CA 6%)

INTERSECTING CONCEPTS, INC. 4573 Heathergien Ct., Ste. 10 Moorpark, CA 93021 (805) 529-5073

Inquiry 708

GENSCREEN
For Microsoft Cobol/IBM Cobol
Generales Cobol Source Code For Your Screen
Section and Data Divisions Fastill
Genecrean is a powered new programmers productively tool winch
salams is acrean smape last the produced from your own editor. This
harn's in in through our infrarche utifity to produce 100th syntax-fee Cobol source code Geneceen set produce "genenc" or custom
data names for your code automatically. Genscreen is avisiable for
prify \$88,98 from.

Personal Computer Development Corp. POB 8556, Warwick, RI 02888 8556 56 Warwick, RI 028 (401) 333-8704

Incury 732

PAL FOR SIDEKICK!

Personal Appointment Locator automatically shows coming appointments, searches your file, maintains to-do list, examines multiple files. Resident alarm tool Only \$45. Cheap at twice the price!

PAL SOFTWARE

Ste. 12B 110 Green St., New York, NY 10012 212-925-1843

Incurry 729

XENIX/UNIX

XENIXAINIX SOFTWARE

TELETERM-X XPD X-MENG

MIX SUFTWARE
Multi User Telecommunications
Print Manager/Spooler
File Transfer Utility
System Administration Utility
and Manu Package
Tentinal Emulator to turn your

TELETERM-EM MSDOS/TRSDOS micro into a workstation

Telexpress, Inc. P.O. Box 217, Willingboro, NJ 08046 (609) 877-4900

SUN-XT/PLUS COMPUTER

(ASSEMBLED & TESTED)

Dealer & Computer Group **CALL FOR SPECIAL PRICE**



- □ One 360 KB 1/2 Height Disk Drive
- □ 256K RAM (Expandable to 640K)
- □ Enhanced Keyboard (AT Style)
- ☐ Hercules Compatible Mono Graphic Card (720x348)
- □ 12" High-Resolution TTL Mono Monitor
- □ 8 Expansion Slots □ Parallel Printer Port
- □ Uses MS & PC DOS Operating System
- P Meets FCC Class 'A' Regulations for Industry & Business Use

SUN-XT **Mono System**

2 Disk Drives • 640K RAM Mono G Card • 12" TTL Monitor Enhanced Keyboard • 135W P.S Parallel Port

SUN-XT **Color System**

2 Disk Drives • 640K RAM Color G Card 13" RGB Color Monitor (640x240) Enhanced Keyboard • 135W P.S

SUN-ST Mono System (8MHz Turbo)

2 Disk Drives • 640K RAM Mono G Card • 12" TTL Monitor Enhanced Keyboard • 135W P S Parallel Port (Switchable to 4 77 MHz)

SUN-ST Color System (8MHz Turbo)

2 Disk Drives + 640K RAM Color G Card 13" RGB Color Monitor (640x240) Enhanced Keyboard 135W P.S. (Switchable to 4.77MHz)

AT COMPATIBLE SYSTEM (8MHz)

One 1.2MB FDD • 640K RAM Keyboard • HDD FDD Controller 200W P.S. Case A&T (Call for other Configuration)

SPECIAL SALE ITEMS

SUN-XT CPU (4.77MHz)	s145
SUN-ST CPU (8MHz Turbo)	
FDC w Cable	
CABINET	149
MULTI I O PLUS	
(Serial, Par, Clock, Game)	*95
POWER SUPPLY 135W	\$75
AT STYLE KEYBOARD	*65
OTHER PARTS AVAILABLE	



SUNTRONICS CO., INC.

12603 Crenshaw Blvd. Hawthorne, CA 90250.

(Orders Only) 1-800-421-5775 (CA Orders & Tech Info.) 213-644-1140

STORE HOURS HON - FRE MON - FRI 9:00am - 6:00pm SATURDAY 10:00am - 5:00pm

REBAS: VISA, MasterCard (No Surcharge) COD, Cash or Certified Check (VISA or MC Bet, Required), School & Cov., Contracto repted. Shipping & H/C \$4.00 for 3 lbs. plus \$.40 for each all b. CA residents add CA Sales Tax. \$10.00 Min. Order. Dealer & OEM Inquiries Invited WARRANTY: 91 Days Warranty Labor Parts Replacement Only



- COMPUTER AND MUSIC SPECIALISTS!
- ALL MAJOR BRANDS AVAILABLE!
- THE BEST PRICES!
- TECHNICAL AND NOT-SO-TECHNICAL SUPPORT TOO!

KEYBOARDS, SYNTHESIZERS, SAMPLERS, DRUM MACHINES, REVERBS, DELAYS, INTERFACES, SOFTWARE AND MORE.

IBM PC PRODUCTS	List	Sale	APPLE II SERIES PRODUCTS	List	Sale
MPU IBM Interface	\$ 310	5223	Passport Midi 8+ Software	169	129
TECMAR Music Card	CALL	CALL	Passport Master Tracks	249	199
Textures I	149	125	Passport Leadsheeter	149	109
Textures II	349	295	Syntech Interface		
Jim Miller			w/Drum Sync	129	99
Personal Composer	495	425	Syntech Studio 2 Sequencer	225	175
SDA Pro Midi System	599	449	Yamaha Editors	CALL	CALL
Many More "New" Products	CALL!	CALL!	CZ Series Editors & Librarians	CALL	CALU
APPLE MACINTOSH PRODUCTS	1		Digital Sampling on the IE	CALL	CALL
Deluxe Music Const. Set , , .	49	32	Commodore 64/128 Products	CALL	CALL!
Midi Conductor Interface	89	69	KEYBOARDS, SYNTHESIZERS, E	TC.	
Opcode 128/512 Interface.	125	95	DX7/TX7 Programs (1000sl)	\$1	1ea.
Opcode Mac Plus Interface	200	160	DX/RX 128 Ram Carts	125	95
Opcode Sequencer V2.0	200	175	CZ Series 64 Ram Carts	89	69
Mark of the Unicorn			4 Track Recorders	CALL	CALL!
Performer	295	260	Studio Effects Devices	CALL	CALL
Concertware Plus Midi	CALL	CALL	Midi Keyboards	CALL	CALL
Digital Sampler Editors	CALL	CALL	Drum Machines	CALL	CALL
ATARI, AMIGA, CALL FOR L	ATEST	INFO!			

BYTE SPECIAL ISSUE \$ SALE \$

START YOUR COMPUTER MUSIC SYSTEM TODAY

5299 CASIO CZ101 \$200

PROFESSIONAL SYNTHESIZER SOUND, UP TO 4 UNIQUE SOUNDS AT ONCE, MIDI, PROGRAMABLE, PORTABLE, EASY TO USE - THE STANDARD

FREE AC ADAPTER & SHIPPING

BOOKS ON MIDI, MIDI PRODUCTS

- Understanding Midi 82 Pages 3.95 w/Product Guide
- How to Understand & Program the DX7. . 24.95 Synthesizer Technique 8.05
- Send cost plus \$1.50 postage and handling to the address below or call foll free to order

SPECIAL PRICE ON ATARI SYSTEMS! CALL


FUTURE MUSIC IS THE ONLY MUSIC STORE DEVOTED TO COMPUTER ENTHUSIASTS & HOME MUSICIANS, WE HAVE MANY MORE PRODUCTS AVAILABLE. IF YOU DON'T SEE WHAT YOU WANT HERE, CALL US

MASTERCARD AND VISA ACCEPTED

CALL 24 HRS. TOLL FREE! -800-FOR-N


FUTURE MUSIC, 1465 Terminal Way. Mail Orders and Correspondence to: Box 1090, Reno, NV 89504. Nevada Call 702-826-MiDI, Cust. Service 702-359-MiDI; 9-9 PDT

BUTE LIMITED EDITION #A LIMITED EDITION JANUARY LIMITED EDITION



INTELLIGENT REFLECTIONS

Beautiful 16" X 20" Limited Edition Prints, each signed and numbered by the Artist.



Fascinating...And Unique!

The two 1985 Byte covers shown above are now available as 16" X 20" limited edition prints. Each edition is strictly limited to 1000 prints, which are individually inspected, signed and numbered by the artist, Robert Tinney. These excellent reproductions are made from the original paintings (not from transparencies or photos) to ensure accurate color fidelity.

Byte Limited Edition Classics are printed on select 100% cotton fiber stock. This is a museum grade acid free paper, highly resistant to yellowing and cracking; you will be assured of a print which will retain its color and beauty for generations. Accompanying each print is a handsome Certificate of Authenticity, which is also personally signed and numbered by the artist, and which certifies the quality and limited number of the edition.

Price and Shipping

The price of each Byte Limited Edition Classic is \$55; if two or more prints are ordered, the price of each is only \$45.

Byte Limited Edition Classics are shipped flat, and are guaranteed to arrive undamaged or be immediately replaced. In fact, if for any reason you are not satisfied with your order, you may return it within 30 days for a no questions asked refund. Your prints will be shipped UPS Blue Label (two day delivery), and will usually be shipped within one week of receipt of order.

Ordering

To order your Byte Limited Edition Classic(s), Just clip out and mail the coupon below. If you prefer, you may call in a MasterCard or Visa order to Robert Tinney Graphics, 1-(504)272-7266.

Send : Qiy.		\$55(\$45 each for two or more). Amount	 I have enclosed check or money order to Robert Tinney Graphics Please just send me your free color brochure. 	Mail this coupon to Robert Tinney Graphics
			Ship To:	1864 N. Pamela Drive Baton Rouge, Louislana 70815
-				
	postage & handling \$		Address: C	isa or MasterCard orders ALL 1-504-272-7268
Bill n	ny 🗌 Visa or 🗌 Master	Total \$charge: Exp. Date:	City:	-504-272-72ers
	No		State: Zio:	466

MEMORIES

ADD-IN BOARDS PIN-FOR-PIN COMPATIBLE **EASY INSTALLATION**

HP 150 (All Versions) 512K \$660 \$460 WANG PC 256K

3**B**4K \$635 512K \$750

GFK

Amandastr. 60, 2000 Hamburg 6 West Germany

Phone (40) 4301051

Telex 2162272

Dealers are invited

US Distributor: HyPoint Technology (216) 526-0323

Inquiry 406

Set up a complete graphics workstation on your PC for under \$100!

MicroPlot's enhanced PC-PLOT-III graphics emulator software package enables IBM PC and compatibles to appear to a mainframe as a DEC VT-100/VT-52, a Retrographics VT-640, a Tektronix 4010/4014 or a partial Tektronix 4027. Over 12,000 copies are currently in use world-wide at major corporations, educational facilities, research labs and independent consulting firms.

For more information call toll free 1-800-338-0333, Ohio call 1-800-242-0333 Give operator this ID number: 766-8501.



659-H Park Meadow Road Westerville, Oh 43081 614/882-4786

Inquiry 226



TIME SAVING — MONEY SAVING PRINTER BUFFER



POOL-2-O PLUS in a parallel pr or are really big jobs. A spiritude of the control of the control

(WHINDUT LADIE! 128K-530Y 256K-533Y 512K-539Y Inc. Ladie Called 128K-530Y 256K-533Y 512K-539Y 59OOK-20 BILK PILKO PRINTER BUFFER FOR 15K ACT AND A COMPATIBLE COMPANY OF THE ACT AND A COMPA

DEALER INQUIERS INVITED.

1601 Filton Ave., Suite 10A Sacramento, CA 95825 (916) 483-0709

Inquiry 178



SAFEWARE® Insurance provides full replacement of hardware, media and purchased software. As little as \$39/yr. covers:

• Fire • Theft • Power Surges

· Earthquake · Water Damage · Auto Accident

For information or immediate coverage call: 1-800-848-3469

In Obio call 1-614-262-0559



SAFEWARE, The Insurance Agency Inc.

Inquiry 304

TURBOLINK +

"TURBO Pascal hackers will like this program."

Jerry Pournelle Byte Magazine

Add 512K of TURBO Pascal* to your code
Call up to 8 memory resident TURBO
Pascal modules from programs written in:
—BASIC, BASICA, Compiled BASIC
—MS Pascal, C, MS FORTRAN
—Standard, 8087 and BCD TURBO Pascal

Add TURBO Pascal's 8087, BCD and

graphic capabilities to other languages Automatically generate TURBO Pascal compatible inline machine code

Use all TURBO Pascal variants in a single

program For IBM PC and compatible

\$6995

Foreign orders add \$10.00 S&H included

VISA/MC: 1-800-835-2246 x 123 KANSAS CALL: 1-800-362-2421 x123 Inquiries and Technical Information (303) 971-0729

PATHFINDER SOFTWARE, INC. P.O. Box 43, Littleion, CO 80160

*TURBO Pascal is a registered trademark of Borland Internalic

F PC/XT USERS!

■ COGTREE Utilities by Cogitate \$129.95 LYNC by Norton-Lamber \$199.95 DATAFLEX by Data Access...Varies RM/COBOL by Ryan/ McFarland Varles Universe by Omnitrend.... \$ 98.50 Blue Macl by Cogitate.....\$599.00 CadPower + by Trilex.....\$995.00 Softext Teaching Aids.....\$ 95.00 PrintSet by Cogitate.....\$ 79.95 CogiTAPE by Cogitate CALLII Anti-Static Products......Varles **■** Uninterruptible Power Backups......Varies **■** TeleVideo Software......CALLII

COGNATE

"A Higher Form of Software" 24000 Telegraph Road Southfield, MI 48034 (313) 352-2345/Telex 386581

VISA/MASTERCARD ACCEPTED Dealer Inquiries Welcomed

Inquiry 71

Softerm PC emulates over 30 popular terminals including the:

- DEC VT102, VT220
- Data General D200, D410
- IBM 3101-20 (block mode)
- Hewlett-Packard 2622A
- Honeywell VIP7801, VIP7803 Guaranteed Compatibility Call for free product brief \$195 MC-VISA-COD For the IBM PC/XT/AT, DG1, NEC.

Wang PC, TI Pro, Gridcase, Tandy SEIFTRONICS

7899 Lexington Dr., Ste 210 Colorado Springs, CO 80918 (303) 593-9540

Inquiry 314

SINGLE M68000 BOARD COMPUTER NEW LOW PRICE

On board 6-10 MHz CPU, 20K RAM, 32K EPROM, two RS-232, 16-bit port, 5-counter/limers

expendence and mounts to proper	
M68K CPU (bare board)	\$ 89.95
M68K CPU A&T (6MHz)	\$495.00
MD512K Memory/FDC (bare board)	\$ 89.95
MD512K Memory/FDC (128K)	\$495.00
FDC/Hard Disk Interface option	\$150.00
M68KE Enclosure w/power supply.	\$249.00
M68K Monitor EPROM's	\$ 95.00
M68K Macro Cross Assembler	\$195.00
4XFORTH OS w/assembler, editor	\$295.00
CP/M 68K OS w/"C" compiler	\$395 no

EMS Educational Microcomputer Systems

P.O. Box 16115 Irvine, CA 92713 (714) 854-8545

¢ompu\$ave

Call Toll Free: 1-800-624-8949

A DIVISION OF ADLANKO CORPORATION

MONITORS
Hilachi 1455S525 Amdek 310A.145
Milsuba/TTL 109 Amdek 722 499
NEC Multisynch. 542 PGS MAX 12.162
Tatung 1370 449 PGS HX12E. 515
Tatung 1380519 Taxan 620385
Tatung 1222A122 Taxan 640455
Thom 36382St 375 Wyse 620 399
Zenith 1240155 Zenith 123092
Roland/12"/RB8/640x240/.37299
Thomson/14"/Color Comp/Apple 139
Sakata/13"/RGB/800x400/.31529
Mitsubishi/Quadram/Tecmar CALL
MARKET

Mitsubishi/Quadram/Tecmar CA	L
MODEMS	
AST Reach Half-Card W/Soft3	2
Anchor Volksmodern	41
Anchor Express Half-Card W/Soft 1	8
Hayes Smartmodem 12003	61
Incomm 2400 (Upgradable 4800+). 3	9
Novation 212 Apple Cat II3	7
Prac. Per. 1200 Half-Card W/Soft1	5
Promethous Promodem 120081	
Prometheus Promod 12008 W/Solt.2	
Racal-Vadic 1200V2	
Racal-Vadic 2400 Half-Card W/Soft.3	
Zoem HE Internal/Apple	
Codex/Rixon/UDS/Ven-TelCA	u

COMPUTERS Altos 986T-80 Multiuser System. . 10695 Corona PPC400 Port./2 Drives. 1125 Sharp PC7000 Pert./2 Drives..... 1295 Sperry IT/1M/40M Hard Drive. . . . 2995 Televideo AT/1.2M/20M/Monitor.. 2385 Wyse PC1100/256K/1 Drive......965 Zenith ZF138 Part./1 Drive......1195

Zenith ZF148/256K/1 Drive......899 Zenith ZF158/256K/1 Drive...... 1399

Corvus/Molecular/Panasonic CALL

PC XT CLONE \$599 640K/4.77 MHz/1 Floppy Drive/135 W Power Supply/XT-Style Keyboard/ User Documentation/6 Months Warranty

OLIVETTI M-24 \$1645 (FROM THE MAKERS OF AT&T 6300) 640K/8MHz/1 Fipppy Orive/250 Watt Power Supply/Kayboard/Clock/Calendar 640x400 Mono & Color/7 Empty Slots Par & Serial Ports/Monochrome Monitor

TERMINALS

Televideo 905299	Altos IV, 385
Televideo 955 449	Ampex 210., 365
Wyse 30289	Ampex 219.,465
Wyse 50418	Qume 1016., 293
Wyse 85438	Visual 65, 425
Adds/CIE/IBM/Kimtr	on/Liberty CALL

PRINTERS/PLOTTERS

CRIZON 1200 179	CARON M40 233
Citizen MSP10 248	Canon Lazer, 1975
Corona Lazer 2265	Diablo D25 : 519
Epson FX286549	Diablo 635 1065
Epson LX90245	Juki 6100 , . 345
Epson L01000689	NEC P5 975
Panasonic 1080.199	NEC P5XL., 1125
Panasonic 1091.235	NEC P7 585
Toshiba 321495	Star NX10245
Toshiba 341795	Tally MT86425
Fujitsu Color Printer/2	20CPS 495
Anadex/C. Iloh/Data	Prod/QumeCALL
Genicom/Okidata/Teli	video/TlCALL
Buffers/Cables/Sheet	Feeders CALL
Stands/Switch Boxes	/TractorsCALL
Houston/Ioline/Roland	d Platters SAVE
Houston/Kurta/Summ	a Digitizers. , SAVE

DISK DRIVES

Apple Compatible Floppy Drives 121
IBM Compatible Floppy Drives 89
IOMEGA Dual 20M Bernoulli Box. , 2995
Tandon 20M Hard Card
Seagate 20M Hard Orive Kit 439
Seagate 30M AT Hard Drive695

OTHER FLOPPY AND HARD DRIVES

Archive . CDC . Corvus . Gamma . Irwin Maynard . Micro Sci . Mitsubishi . Priam anasonic • Shugart • Tallgrass • Teac Tecmar • Toshiba • Western Digital

BOARDS

DUANDO
AST Rampage PC298
AST Six Pack Plus/64K212
Six Pack Clone/Game Port/OK99
ATI Graphics Solution
Hercules Color Card143
Color Card Clone95
intel Above BoardsCALL
Orange Grappier + (Apple)69
Paradise Modular Graphics Card235
PC Monochrome Graph (Par Port)99
PC 576K RAM Board (OK)67
Ouadram Vega EGA +
Sigma 400 High Res Card455
Taxan 555 High Res Card
Tecmar Captain/OK119
Microtek/Orchid/Persyst/STB CALL
Prac. Peripherals/Thesys/Vulek CALL

ALL TYPES OF BUSINESS. CAD AND RECREATIONAL SOFTWARE VERY LOW PRICES. CALL

WE ALSO CARRY

Maynard Mouse W/Soltware 122
Intel 8087-2 Coprocessor Chip 152
Keytron 5153 Keyboard/Touch Pad. 265
Disk Controllers/Joysticks/Labels
Power Supplies/Surge Protectors
Cables/Graphics Tablets/Light Pens
VERY LOW PRICES FOR DS/DD DISKS

HOURS: MON - FRI BAM - 6PM/SAT 9AM - 2PM IN ARIZONA CALL (602) 437-4855

CompuSave: 4207 S. 37th St., Phoenix, AZ 85040/For Customer Service Call (602) 437 4856/Prices Reflect Cash Discounts And Are Subject To Change Without Notice/Minimum Shipping Charge \$4 Purchase Orders & Major Credit Cards Welcome

BYTE CONNECTION IN (714) 778-6496

EDS! = **Who you gonna call?**


BOTTOM LINE PRICE BUS	П
PRINTERS	
BROTHER M-1509	25
PREMIER 35 \$ 450 CORONA LASER \$230 DIABLO 835 \$1250 INKJET \$ 895 34LQ \$105	15
LAZER/COPIER 4045	LL
OATA PRODUCTS CALL FUJITSU MAX24	45
######################################	2
HP LASER 500 Plus \$4145 NEC PS60 \$ 895 P760 \$ 50	3
OKIDATA 192 \$ 369 193 \$ 479 PANASONIC P1592 \$114	49
P1592 \$ 625 TOSHIBA P351 \$1095 P341 \$ 75	50
PLOTTERS & DIGITIZERS	
CALCOMP 1042 While Supplies Last , \$8395 1043 \$735	59
1044 \$11,195 GOIJLD 6320 11 x 17 \$1550 IO LINE 3700 \$386	95
HIDMP56 84596 DMP40 8 775 DMP51/52 8414	
HP 7475	3
NICOLET ZETA 824 \$8995 ZETA 836CS \$13,21 GTCO 3648L \$3095 1117A \$1195 2436TL \$590	H
KURTA 12 x 12 \$ 595 12 x 17	95
CHEMACOADUICC 11 - 11	E C
HITACHI 36 x 48 \$4195 TIGER 11 x 11 \$ 675 15 x 15 \$129	15
GRAPHIC CONTROLLERS & MONITORS	
HITACHI HM 3719 & BNW 15	90
MICROVITEC 905CNQ GRAPHPORT D	н
TAXAN 640 & COLOR 400L	4
GALAXY 800 & MITSUBISHI 6469	15
VERTICOM CD-1 & VERTICOM M-16 \$230	95
BNW ADAPTER \$1950 ARTIST-IT \$225	13
CONOGRAPHICS 400 & MITSUBISHI 3479 LP\$226	
MITSUBISHI 1341 & SIGMA 400	25
HARD DRIVES & BACK UP SYSTEMS	
UBM 10 M8 H0, 10 M8 Tape 8/U 5 Cont	30
UBM 20 M8 HD, Controller \$ 479 UBM 30 MB HD & Controller \$ 61 UBM 70 M8 HD 28 M5 for A1 . \$1550 UBM (Archive) 60 M8 7ape 8/U \$ 75	10 10
RHODIME 40 MR HD \$ 875 PRIAM 60 MB HD	
FUJITSU 55 MB HD \$2095 MOUNTAIN 60 MB \$22!	50
THE STATE OF THE S	

\$2095 \$1295

PERSONAL COMPUTERS
JBM ± 1 (IBM Compatible), 840K, AT or 5151 Look Alike Keyboard, Two 360 Floppies, reprice Board & Monitor. \$ 8 BJBM ± II Turbo, all the above with 360 Floppy, 20 M8 H0
BM PC, with 255K K.H. Two 162 Floopies. \$12: BM PC XT, with 256K 350 Floopiy, 20 MB HD, K.B., Graphics Card, Monitor. \$23: BM PC AT, with 512K K.B. 20 MB HD. \$37: BM PC Convertible 80 C. 88 Processor, with 512K, Two 720KB Floopies. CA BM Proprinter. \$475 IBM Quietwriter. CA BM EGA, with 256K Memory. \$775 IBM EG Monitor. \$6:
COMPAO PORTABLE II with 51.2K, 80286 Processor, Two 360 Floppies . \$26: COMPAO DESK PRO, with 640K Two 360 Floppies, Graphics Card & Monitor . \$1.8i COMPAO DESK PRO & PORTABLE 286, with 640K 1.2 Floppy, 20 MB HD footilor . \$38i For 86 MB, instead of 20 MB, add . \$9i
AT & T 6300 PC, with 256K, K.B., Two 360 Pioppies, AT & T Graphics Card & Monitor,
SPERRY PC-IT, with 640K, 1.2 MB Floppy, 40 MB HD, K.B
OFTWARE
Counting Package. B 4 AUTOCAD. AUTOCAD. AUTOCAD. AUTOCAD. B19 ALVANCE, VERSACAD, HITACHI & ANVIL. CA RIMOR SYSTEM'S Excellibur & Plue Series. COMPUTER ASSOCIATE (IUS) A/R, A/P, G/L. BACTOMPUTER ASSOCIATE (IUS) A/R, A/P, A/P, A/P, A/P, A/P, A/P, A/P, A/P
CALL FOR WHAT IS NOT LISTED, WE GUARANTEE THAT YOUR CALL WILL NOT BE A WASTE.

(714) 778-6496


FUJITSU 55 MB HD MOUNTAIN 30 MB HD ...



Outstanding prices on computer accessories for your computer and workstation. Our catalog features a wide selection of quality products to meet all your accessory needs. Call or write today to receive your free cataloo.

LINTEK COMPUTER ACCESSORIES POB 8056, Grand Rapids, MI 49518 (616) 241-4040

Inquiry 187





To find out more about software that lets your PC emulate TEKTRONIX 4105/6/7/9 and DEC VT100" terminals, call or write:



4340 Stevens Creeks Blvd., Suite 280, Sen Jose, CA 95129 (408) 249-795)

Inquiry 146

DATA ACQUISITION TO GO INTERFACE FOR ANY COMPUTER FREE IBM SOFTWARE



Connects via RS-232. Fully IBM compatible. Built-in BASIC. Stand alone capability. Expandable. Battery Option. Basic system: 16 ch. 12 bit A/D, 2 ch. D/A, 32 bit Digital I/O. Expansion boards available. Direct Bus units for many computers.

(201) 299-1615

P.O. Box 246, Morris Plains, NJ 07950



PRESENTED BY PROFESSOR JONES

Thoroughbred "Gold" Edition "
A "Ful" teatured thoroughbred analysis designed for the professional and the serious notice.

\$159.95 complete withsite Better "\$199.95

Limited "Gold" Enables Professional Handicappers to assign spocific values to recing valuables (they leed, and lime tune to maximum win percentage. Program designed to "assed of use "User needs no programming experience.

(Contains Integrated Better") \$299.95 complete Gold Dog Analysia"

The ONLY professional grey-hourd analysis available that wintegrated Better \$199.95

Neede Handicappers Lieuted Version \$299.95

Itented Version \$299.95

Itented Version \$299.95

valuates ALL variables laster Harnesse Handiscapper Polessonal software designed o provide a Horough analysis of all trotter and pacer races in the United States and Canada Wintegrated Bettor \$199.95 Limited \$229.95

Lottery Analysis. Statistical comparison program designed to detect subtle patterns in winning numbers and digits. Lottery (3-4 digit) \$79.95 w/Lotto (Max 99 Digit) \$99.95

Your BEST BEY in Handicapping Software Beviewed by Whole Earth Software Guide and Corona Data Systems

Inquiry 276

DATA SWITCHES



SHARE computers, printers, any persitlet or serial device ELIMINATE ceble swapping INEXPENSIVE way to network COMPATIBLE with sil computers

ee, Schools, Ho

WE ALSO OFFER
Data Butlers, Line Drivers,
Modems, Protocol Converters,
Parallel - Sanst Converters,
Cables, Computers, Printers,
Disk Drives, and more.

AUTOMATIC - CARETAKER is ideal for a business or school to share a printer or modern among many computers. Operation is fully automatic with no software required. Parallel or Sarial 4 channels - \$295 8 channels - \$395

MARUAL - HANDSWITCH is operated with the flip of a switch, 22 and 2:4 models allow simultaneous commun-

Serial 1:2 - \$59 1:4 - \$ 99 2:2 - \$109 2:4 - \$169 Parallel 1:2 - \$79 1:4 - \$139 2:2 - \$119 2:4 - \$199 LED and spike protection on serial models add \$20.

CODE ACTIVATED - PORTER connects one computer to multiple peripherals. A software code selects the peripheral. Parallel or Seriel 4 channels - \$295 8 channels - \$395 Buffer option 64K - \$100 256K - \$250

ROSE ELECTRONICS (713) 933-7673

P.O. BOX 742571 HOUSTON, TX 77274

(713) 933-7673 MC & VIBA Accepted CALL US FOR ALL YOUR INTERFACE NEEDS

Inquiry 298

LOW COST UNIVERSAL PROGRAMMER KITS



NO PERSONALITY MODULES REQUIRED ON LINE HELP AND MENU SELECTION ON BOARD 110/220V POWER SUPPLY FAST PROGRAMMING MODE AT 6V VCC BUILT IN MONITOR FOR 1/O DEBUG CAD PCB. SILKSCREEN & SCHEMATIC SOFTWARE DRIVERS FOR MOST PCS SUPPORTS ALL 5V EPROMS EEPROMS AND INTEL MICROCOMPUTERS


KITS FROM \$125 ASSEMBLED \$295 DRIVERS \$35 SHIPPING \$4 VISA & MASTER CARD ACCEPTED

B&C MICROSYSTEMS

6322 MoJAVE DR. SAN JOSE CA 95120 PHONE (408)997-7685 TELEX 4995363



Inquiry 349





Your System/Controller should fit you like a good suit.



LET MICROMINT CUSTOM FIT YOU

Whether it's suits or system controllers, you can't buy off the rack when you need a custom fit.

That's why Micromint individualizes its system controllers to meet your particular needs and budget. What's most important to you? Software compatibility? Speed? Everything on one board? Economical computing power?

#1: "I want software compatibility."

Solution:

THE \$B180 COMPUTER/CONTROLLER

The SB180, only 4" by 7%", offers a Z80 compatible CPU running at 6MHz, 256K bytes of RAM, up to 32K bytes of ROM, two serial ports, a parallel port, Z80/6800 I/O expansion bus, and an industry standard 765A-compatible disk controller for up to four disk drives — any combinations of 3%", 5%" or 8" drives. The SB180 is based on the Hitachi HD64180 CPU, a microcoded CMOS chip which provides high performance, reduced system cost, and low power operation while maintaining complete compatibility with the large base of standard CP/M software.

SB180-1 w/8K ROM monitor . . \$369.00 SB180-1-10 w/8K ROM monitor, BIOS source and Z-system \$418.00

#2:"I need speed."

Solution:

THE Z8 FORTH SYSTEM/CONTROLLER

The ZB FORTH System/Controller is only 4" by 4\%" and includes a custom masked Z8 version of the FORTH

language with a full screen editor, cassette I/O driver primitives, EPROM programmer primitives, and other utility words. It also contains up to 4K bytes of RAM or EPROM, an RS-232 serial port with selectable baud rates, and two parallel ports. Additional Z8 peripheral boards include memory expansion, a smart terminal board, serial and parallel I/O, real time clock an A/D converter, and an EPROM programmer. It's perfect for data reduction and high speed control applications.

BCC21 w/utilities . . . \$225.00

#3:"Let me have an entire development system on one board."

Solution:

THE BCC52 SYSTEM/CONTROLLER

The BCC52 is a new stand alone single board microcomputer which is bus compatible with the Micromint BCC11 /BCC21 Z8 System/Controllers and expansion boards. The BCC52 features the Intel 8052AH-BASIC microprocessor which includes a ROM resident 8K byte floating point 8ASIC inter-



For a System Controller suited to your needs, give us a call.

preter with extensions for process control work, it contains sockets for up to 48K bytes of RAM/EPROM, an "intelligent" 2764/128 EPROM programmer, 3 parallel ports, a serial terminal port, and a serial printer port.

BCC52 ... \$239.00

#4: "Give me lots of economical computing power."

Solution:

THE BCC11 BASIC SYSTEM/CONTROLLER

The Z8 BASIC System/Controller is nearly identical to the FORTH System/Controller but contains a tiny BASIC interpreter, up to 6K bytes of RAM and EPROM, an RS-232 serial port with switch selectable baud rates, and two parallel ports. Add a power supply and terminal to start programming in BASIC or machine language. Programs can be transferred to 2732 EPROMS with the optional EPROM programmer for auto-start applications. It can also use any of the expansion boards mentioned under the Z8 FORTH System/Controller.

BCC11 ... \$149.00

Additional information on peripheral boards and OEM pricing is available.

Order Toll Free
1-800-635-3355
In Connecticut call: 1-871-6170



JUNE 1986 . BYTE 403



COMPUTER PRODUCTS.

ORDER TOLL FREE

(800) 538-8800.

(CALIFORNIA RESIDENTS)

(800) 348-8008



STA	TIC		DYNAMIC									
21144	200ne	.99	4116	200ns	.35							
2016	200ns	.99	4116	150ns	.45							
2016	150ns	1.35	4154	200ns	1.05							
HM6116 P	150ms	1.35	4164	150ns	1.20							
HM8116LP	150ne	1.45	41128	150na	4.95							
Z-6132	300ns	19.89	41258	150na	2.89							
HM8164 P	150ns	3.36	41258	120ns	3.89							
HME164LP	150ns	3.45	4418	150ns	3.95							
HM6184LP	100ns	12.45	4464	150ns	6.95							


EPROMS								
2516	450ns	2.95	2732 A	250ns	2.95			
2532	350ns	3.75	2764	450ns	2.95			
2708	450na	2.95	2764	250ns	3.45			
2716-5	490ns	1.95	27128	250ns	3.95			
2716	450mm	2.45	27256	250ns	6.99			
2716-1	350ns	-2.95	27512	250ns	29.99			
2732	450ns	2.95	MC68764	450ns	15.99			
2732 A-2	200na	3.95	MC68766	350ns	16.99			

8088 / 8086 UPGRADE

V-20...5 MHz...13.95 V-20...8 MHz...19.95

- High Speed -

DP-25 Solder Cup



Male, Female, Hoods. 99¢ ea.

UV ERASERS

QUV-T8/1 \$49.95 ECONOMY Model



•	Ereses	15	EPROMS	in	20	minutes
	Plantic	En	closu ra			

PHICES:										
	74LS00									
7413100 34 741501 34 741502 34 741503 34 741503 36 741508 36 741508 36 741508 36 741513 36 741512 38 741512 38 741513 36 741513 36 741514 24 741515 36 741515 36 741515 36 741515 36 741516 36 741517 36 74151	741.8128 741.8132 741.8133 741.8133 741.8133 741.8133 741.8133 741.8148 741.8148 741.8155 741.8155 741.8156 741.8167	36 36 36 36 36 36 36 36 36 36 36 36 36 3	74LS260 74LS273 74LS273 74LS273 74LS293 74LS293 74LS293 74LS293 74LS393 74LS393 74LS393 74LS395 74LS395 74LS395 74LS395 74LS395 74LS396 74LS396 74LS396 74LS396 74LS397 74LS39 74LS39 74LS39 74LS39 74LS39 74L	.46 .36 .76 .1.96 .36 .36 .36 .36 .36 .36 .36 .36 .36 .3						
	74LS242 74LS243 74LS244 74LS245 74LS247 74LS248 74LS261 74LS251 74LS253 74LS253 74LS258	85 58 58 58 56 56 56 56 56 56 56 56 56 56 56 56 56	74LS684 74LS865 74LS689 74LS689 74LS783 81LS96 81LS96 81LS97 81LS98	2.86 2.86 2.86 21.96 1.36 1.36 1.36 1.36						
74LS124 2.60	74LS259	1.18	25L82569	2.48						

MEMORY EXPANSION KIT



41256 150ns \$2.89 each!

6000	8200 (continued)
6031 4.95 6035 1.45 6039 1.89	8253-5 1.79 8255 1.50 8255-5 1.79
8080A 2.89 8085 2.35 8085A-2 4.89 8086 7.89	8257 1.99 8257-5 2.29 8258 1.89 8250-5 1.99
8087-3 124.95 8087-2 139.95 8088 5.95	8271 48.95 8272 4.79 8274 4.79
8100	8275 24.99 8279 2.29 8279-6 2.79 8282 3.79
8181 2.90 8155 2.35 8156-2 3.89 8156 2.99	8283 3.79 8284 2.79 8286 3.79 8287 3.79
8185	8288 4.79 8289 19.89 8292 12.90
8200 8202 A.M	8300
8203 29.89 8205 280 8212 1.35 8214 3.59 8216 1.35 8224 2.89	8303 1,79 8304 1,79 8307 1,79 8308 1,79 8310 229 8311 229
8226 1.59 8228 3.29 8237 4.79 8237-6 5.29 8238 3.99 8243 2.39	8700 8741 5.89 8748 5.99 8749 9.89 8755 18.89
8243 2.39 8250 5.95 8251 1.49 8251A 1.89 8253 1.89	80000 80186-4 48.89 80185 48.89

CRYSTALS

ALL STANDARD VALUES 1.00



CRYSTAL CLOCK OSC. ALL STANDARD VALUES 4.89

DIP Switches 79¢



ORBITAL SYSTEMS:

EXTENDED 80-Col. Cará for Apple Ile 64K to 128K Upgrade; 2-Yr. Warranty \$88.96

Z-80 (CP/M) CARD, for Apple 11+, 11e Compatible with all Apple CP/M

Liteume	warranty	• •	•		•	• •	•		•	U	3.	36	•
IBM	AC	C	E	1	3	S)	C		R	lE	S	

8087-3																	
8087-2	8	MI	12		+								1	3	9	.5	15
80287	1	MH	łz	,			,					,	1	7	9	.0	00
80286.				,			,							9	9	.(00
Power S	up	ply	, 1	3	ŀ	Ŋ	۷							8	9	.0	00
Monochi	ron	ne I	Gra	al	pl	h	C	(ì	àI	d	١,	1	1	9	.0	00
Memory	C	ard											1	3	9	.c	Ю
Multifun																	
AT Cryst	al:	16	, 1	8	, 2	2(9	N	I	H	2				4	.9	15

MACINTOSH UPGRADE

(1) 74F253; (17) 16-Pin Sockets Resistors and Capacitors ALSO INCLUDED

APPLE ACCESSORIES

Develle Drieter Cord 40 05
Parallel Printer Card 49.95
80-Col. card for Apple II+ 149.95
80-Col. card for Apple IIe 69.95
Cooling Fan
Power Supply 69.95
Joystick 29.95
RF Modulator 13.95
Disk Drive Full Height 159.95
Disk Drive 1/2 Height 129.95
Controller Card 49.95
16K Card
7-80 Card 69.95

* DISKETTES *

\$\$/DD 25/\$17.25 D\$/DD 25/\$19.75 AT disks 25/\$50.00 3½" disks 25/\$50.00 ALL DISKETTES HAVE A

FULL 1-YEAR WARRANTY

6500 6500 A 6502A 249 8520A 249 8522A 499 8532A 9.89 6545A 689 ******* ******** 4.89 **6500 B** 5.89 65028 6500 B 1 MHz 2 MHz 68800 68802 5.89 68809 58B09E 6.99 68B10 2.99 68821 3.89 68845 68850 68000 68000-8 68047 12.89 6852 6860 68652 68661 14.89 10.89 6.89 1.49 21.89 8.59 68784 15.89 68766 16.89 Z-80 Z-80A (continued) Z80-CPU Z80-CPU Z80-DART Z80-DART Z80-DMA Z80-PI0 Z80-SI0/0 Z80-SI0/1 Z80-SI0/9 Z80-Si0/9 Z80A-DMA ... Z80A-PIO ... Z80A-SIO/0 ... Z80A-SIO/1 ... Z80A-SIO/2 ... Z80A-SIO/9 ... Z-80 B Z808-CPU Z808-CTC Z808-PIO Z808-DART Z808 S10/0 Z80 S10/2 Z-80 A

POWER SUPPLY

(Switching)

+12¥ 0.4 Amp -12¥ 0.3 Amp + 5¥ 5.5 Amp

19.95



1986 — The IC Master —

Your ticket to fast and easy IC selections

\$ 119.00

MACHETORN, APPLE II, APPLE III" and "APPLE II+" are Trademarks of APPLE COMPUTER, INC. "AT" is a Trademark of IRM COMPORATION.

HOURS: Mon-Fri. 7:30 to 5:00

VISIT OUR RETAIL STORE 2100 De La Cruz Bivd Santa Clara, CA 95050 (408) 988-0697

ALL MERCHANDISE IS 100% GUARANTEED

DoKay

NEW LOW PRICES!

NEW LOW PRICES!



Bullet-286 8-MHz 80286 XT Motherboard

- · Faster and more compatible than turbo expansion cards
- 9 times faster than XT, 65% faster than AT
- Completely XT hardware and software compatible*
- Up to 1 MB onboard RAM with no wait states
- 10-minute, screwdriver-only installation
- · One-year warranty

Marchand International 1240 N. Van Buren, Unit 108, Anaheim, CA 92807 (714) 630-3382

Inquiry 203

NEC PRINTERS

(1 Year Factory Warranty)

Pinwriter	P5							\$	925
Pinwriter	P5)	KL		*				\$1	100
Pinwriter	P6							\$	445
Pinwriter	P7							\$	575
Elf 350/3	60.		-0				4	\$	380
3510/15/3	0/50).		4			4	\$	715
8810/15/3	0/50).						\$1	040

Optional Forms Handling Devices CALL

QUALITY PRINTERS 8415 Cement City Road Brooklyn, Michigan 49230 Phone: 517-592-3749

inquiry 287

Computer Parts Mart

634 North 8th St

STEPPER ENSEMBLE

108 Step High Procision Meta

By Applied Methon. Stepper driver with bipolar windings, 26 ohrss/15mh. 3/4" x 2.1" ground shaft with helical fol-lower groove in 0.182" pitch. This is



an extremely high accuracy assembly good to better than 50 microns absolute. Ball bearings, 5-5m/cm inertia, 10 oz. in holding terque @ 400 ms. New, never used. Driver I.C.s.: 3717 for P.W.M. Microstepping allow efficient use of any supply voltage up to 40v 0.C. Meter and Two I.C.s including data sheets

STD-BUS





5¼" DS/DD with hub ring and slet factory warranteed, packaged in 50's Shipping Extra. Quantity 50, 85¢ each

The same low price our volume copying customers pay!

each 100

We sell 3½" & 5¼" disks--all types, major brands. Call toll free:

1-800-321-4668 VISA, MASTERCARD, OR COD ACCEPTED



1315-F Nelson St. Denver, CO 80215

inquiry 14



PORTABLE DISK DRIVE \$229 3%", batt. oper., TS-DOS, 100K storage

24K RAM CHIP for Tandy 200 \$89 8K RAM CHIP for Model-100 \$29 and NEC 8201. . .3 for \$79, 6 for \$149

SIDESTAR for NEC Starlet \$399 128K Ram Disk Cartridge

SIDECAR for NEC PC-8201A \$259 4 banks of 32K in one cartridge

CALL TOLL FREE 1-800-732-5012

Calif. ROS-QR7-1742

Canada: 604-856-8858, Australia: 02-419-8899

PURPLE

VISA M/C & AMER.EXP.

420 Constitution Ave., Camarillo, CA 93010

Inquiry 280

The Integrated Console Utility TM All the little things IBM forgot! for IBM—PC, XT, AT & clones.

- 1.2 to 3.0 times faster DOS & BIOS
- 1.2 to 3.0 times taster DOS & BIOS screen writing more ascape sequences than ANS'.SYS usable in any language scroll recall facility compatibility w/PC & AT software full EGA support

- vuil EGA support
 255 character typeahead buffer
 Increase key repeat rate
 no scroll blink for some adaptors
 VT 100/52 emulation
 auto dual screen disable
 keyboard induced breekpoints

- window support
 support for 50 line display
 many many more little features

400p Manual (w/slip case) & disk \$75, or Just Shareware disk \$25. As described in PC-11 orlat February 86, pg. 282 and in Lotus June 85, pg. 8.

HERSEY MICRO CONSULTING, INC. Box 8276J, Ann Arbor, MI 48107 (313) 994-3259 x525 VISA/MC

IMPORT DIRECT **SAVE 30%**

MASTER PACKS

SAMPLE IMPOST IMPOST-

1-4 5-49 50+ \$1505.00 \$1406.00 \$1200.00

512K RAM (Up to 1M on Bo

1.2 M FLOPPY - FLOPPY & HARD DISK CONTROLLER AT KEYBOARD - CLOCK WITH BATTERY BACKUP 195W POWER SUPPLY - DOS 3.10 & MANUAL

SAMPLE 5-40

PE-AY COLOR \$1809.05 \$1789.00 \$1550.00

SAME AS ABOVE WITH COLOR MONITOR AND COLOR/GRAPHICS CARD

SAMPLE 10-99 100+ PC-XT TURBO \$200.00 \$200.00 \$595.00

640K RAM, 8088-2, (4.77 MHZ et 6.86 MHZ) 360K FLOPPY - KEYBOARD - MONOCHROME/ GRAPHICS PRINTER - 12" TTL HIGH RES MONITOR

PC-XT \$888.00 \$595.00 \$465.00

256K RAM - 360K FLOPPY - KEYBOARD MONOCHROME/GRAPHICS/PRINTER CARD (Hercules Comp.) - 12" TTL HIGH RES MONITOR

DRIVES

	1-49	50+
XT 360K FLOPPY	\$80.00	\$85.00
AT 10 MED INTERMAL 1/2 MEIGHT	\$305.00	\$385.00
XT 20 MED INTERNAL V. NEIBNT	\$478.00	\$425.00
AT 1.2 MB FLOPPT	\$148.00	\$120.00
AT 20 IDES INTERNAL 40 MISEC	\$579.00	\$565.00
AT 30 MEG INTERNAL 40 MSEC	\$679.00	\$595.00

INDIVIDUAL PART PRICING FOR TAIWAN

10-99

100+

LAB-TILEMEN & STRIP (STUDELY) GINS	Si did'in	\$60,00
136W POWER SSPPLT	\$51.75	\$45,00
FLIP-TOP CLONE BOX	\$26,45	\$23.00
MONO/GRAPHIC/PRK (Hero comp)	\$52.90	\$48.00
KEYBOARD	\$36.00	\$32.90
PLOPPY BISK CONTROLLER	\$23.00	\$20.00
BAM KITE 200K	\$25.38	\$22.00
12" TTL MIGH RES MONITON	\$65.00	\$80.00
SUBTOTAL BASIC PC NO DRIVES	\$360.70	\$313.00
BUTT	\$14.79	\$13.00
OCEAN FREIGHT	\$24.00	\$20.00
AUR FREIGHT \$100 extrs AGS IMPORT FEE \$350.00/ENTRY+1	os \$71.00	\$34.60
TOTAL LANDED COST. LA. HARBOR	\$479.40	\$350.80

MONITORS

	SAMPLE	10-49	50+
CL-008 12" TTL 00000	\$96.00	\$85.00	\$50.00
MD-3 14" COLOR RGD	\$381.00	\$276.00	\$235.00
.20 30T 848 x 200			
MD-7 14" COLOR BOB	\$400,00	\$356.90	\$335.00
21 KM 867 728 v 256			*

AND ON BOARDS - PARTIAL LIST

	10-99	100+
PC-RT-648K MOTHER BRARS & SLOT	\$78.00	\$75.00
PC-XT-040K TERMS 4.77/0.08 MHZ	\$89.00	\$95.00
TRANS-NET (LANDCARD 1.0 MMZ	\$190.00	\$185.00
304K MULTI-FUNCT (AST6 comp)	\$60.70	\$58.00
BAID ESTE SOAK	\$36.00	\$32.00
MODER CARD 300/1200 (Hayes comp)	\$118.00	\$105.00
COLON STAPPICS CARD	\$42.55	\$37.00
AD SENTER BOX (Centronics 2:1 or 1:2)	\$27.00	\$24.00
AR SWITCH HAZ WITH DAK BUFFER	\$65.55	\$57.00
AT SERIAL/PARALLEL CARB	\$61.00	\$58.00
AT COLOR/GRAPHICS	300,00	\$81.00
64 MPUT ANALOS/BIGITAL SACO	\$200.00	\$358.00
128 LINE PARALLEL 1/0 CARD	\$495.00	\$371.00

100 UNIT ORDERS MAY BE SCHEDULED OVER 6 MONTHS

ACS IMPORTERS

5911 DERRY AVE, UNIT A ABOURA HILLS, CA 91301 HOURS 9 AM - 6 PM PST WIR 699-1992

TELEX: 299353 POST UR

What's New at

AMERICAN DESIGN COMPONENTS?

"The Source" of the electro-mechanical components for the hobbyist.

INTEGRATED CIRCUITS

e warehouse 60.000 ltems at American Design Components - expensive, often hard-to-find components for sale at a fraction of their original

You'll find every part you need - either brand new, or removed from equipment (RFE) in excellent condition. But quantities are limited. Order from this ad, or visit our retail showroom and find exactly what you need from the thousands of items on display.

Open Mon. - Sat., 9-5

THERE'S NO RISK.

With our full 90-day warranty, any purchase can be returned for any reason for full credit or refund.



Originally designed for use in Atari cointube, focus and brightness controls. Res external X-Y inputs, 250-0-24V transformer for power. May be used for oscilloscopes, reprogrammed for game use, or modified with the use of external vertical and horizontal oscillators to a rastor scan display or TV monitor for computer use. (IBM competible.) Transformer supplied. Item #5449 \$99.00 New

ADAM COMPUTER KITI



Build it yourself from subassemblies. No Hook-up disgram included, Includes: 2 game controllers, power supply, all memory boards, and one cassette. Is capable of running CP/M, has built-in

\$99.00 (complete) Item #7410

500 VA MICRO-**COMPUTER REGULATOR**



Output: 120V/60Hz. Input range: 95-130V ± 3% Sinusoidol wave output contains less than 3% harmonic distortion. Meintains output addi-Ultra isolator for microprocessor-based / eoffice south of histopicessor-based equipment; includes 6 ft. line cord. Input with dual 3-conductor "U" ground output. Dim.: 16 ½ "L x 8 ½ "W x 7 ½ "H. Mfr. - Sois #63-13-150

Item #8007 \$199.00 New



1/2 HT 96 TPI DS/Quad Tandon #TM55-4 Item #1904 \$79.50 ea.

or 2 for \$150.00

115VAC/60Hz., 21W., 28 amps.

3100 RPM. 5-blade, eluminum housing, sleeve bearing. Can be mounted for blowing or exhaust. Dim.: 41% as x, x 1 % deep

Item #5493 \$10.95 New

ADAM REPLACEMENT

Mfr. - Rotron #030173

KEYBOARD

(ASCII 75-Key)

108 CFM

MUFFIN

FAN

FULL HT 96 TPI DS/Quad Tandon #TM101-4

Item #1901 \$99.00 ea.

27 CFM



115VAC/60 Hz. Low noise level fan. Can be mounted for blowing or exhaust. Fits standard 3% " Dim.: 3¼ " sq. x 1 ½ " deep. Mfr. — Torin TA 300

\$6.95 New Item #1873

48-KEY KEYBOARD



Replace the membrane keyboard on your Timex/Sinclair Z-81/1000 puter" keyboard from Texas In-struments, Simple to Install complete instructions and sche-

\$5.95 New Item #6712

#5431

POWER SUPPLY (Linear)

ADAM PRINTER



- 6V @ 200 ma. + 5V @ 3 amps + 12V @ 2.9 amps OC Output:

Input: 115V/60 Hz. Chassa Dim: 11"W x 4"H x 8"D Item #6642 \$14.95 New

MPI 52S (IBM® Compatible) 5¼ " FULL HEIGHT DISK DRIVE



Double sided/double density, full height drive. 48 T.P.I., 80 tracks. \$79.50 New Item #7928 2 for \$ 150.00

COMPUTER TAPE DRIVE (For Adam)



Serial format, Search 808PS d/Write 20IPS, 12V motor. 5V logic, 8 & 9 pln connector cables. Originally designed for Dim: 5"W x 3% "H x 4" deep

\$9.95 Ne Item #6841

Video Display Processor MC68A09EP **B-Bit Mic** 5.25 P8255A Programmable Peripheral Interface 8259A Programmable Interrupt Controller Z8530PC 2.49 Multi-Protocol Serial Controller (UPD7201) Dynamic Ram 4116-2 16384 x 1 200 N.S. .99 4816 16384 x 1 200 N.S. 4.00 2114-45 1024 x 4 450 N.S. 6167P-6 16384 x 1 85 N.S. .99 8.00 2716 2048 x 8 450 N.S. 2732 3096 x 8 450 N.S. 8192 x 8 250 N.S. 3.00 2764-3 8192 x 8 300 N.S. 2.75 8192 x 8 450 N.S. 2.45 58701 8-Bit with Eprom 15.00 Please call us for 74XX, 74SXX, 74LSXX, and 74HCXX.

12" COMPOSITE **VIDEO MONITOR**



Green phosphor; 40/80 column, 1000-line resolution, 18MHz bandwidth. Compatible with IBM, Apple, Commodore, and more, Includes external transformer for operation on 115 VAC & video cable. Mfr - Elston Elec. #DM30 Item #6602 \$29.95 New

PUMPS - COMPRESSORS - BLOWERS - MOTORS - POTENTIOMETERS - COUNTERS TIMERS - RELAYS - VOLTAGE REGULATORS - POWER SUPPLIES

#5272

STEPPING MOTORS for ROBOTICS

21 user-defined keys. 7-pin con-

nection. ASCII 8-bit serial output.
Originally designed for the Adem.
Dim.: 15 "W x 2½ "H x 6½ " D

Precision steppers with increments from

\$19.95 New

Step Angle	DC Volts	Staff Torque oz/in	Dimensions H x W x D (in.) 1) Body 2) Sheft	Mfr. & Part No.	Price
1	5	17*	1) 1% x 1% x 1 2)16 x %	N.A. Phillips A82310-M2	2/\$ 9.9
1.8	1.3	200	1) 4% dia x 4% 2) % dia. x 1%	Sigma 4742TD- 200F1.3	2/ 59.5
7.5	9	36	1) 1% Lx 2% dia 2) % dia, x % L	N.A. Phillips 882916	2/ 17.9
1.8	1.8	72	1) 2% L x 2% die 2) % dia, x % L	Superior Elec. MO61-FF-6201B	
	1 1.8 7.5	1 5 1.8 1.3 7.5 9	Step Angle DC Volts Torque oz/fn 1 5 17° 1.8 1.3 200 7.5 9 36	Step DC Torque H x W x D (in.)	Step DC Torque H x W x D (in.) Mfr. & Part No.

#5269

#5275



STEP UP-DOWN **AUTO-TRANSFORMER**

3.5 KVA with taps at: 100-115-120/200-208-220-230 & 240V.

Ideal for boosting low line voltage, or for use in converting 115 to 230V and 230 to 115V. Dim.: 7"H x 6"W x 5%" deep. Mfr. — Hyde #3575 \$69.00 New Item #8006

MINIMUM

MERI	CAN DESI	3N COMPONEN	I TS , 62 J	OSEPH	STREET, MOONACHIE, N.J. 07074
SI Ple	ease send m	ne the following i	tems:		My check or money order is enclosed.
No.	How Many?	Description	Price	Total	☐ Charge my credit card. ☐ Visa ☐ Master Card ☐ Amex

Tota	Price	Description	Many?	No.
_				
	Total			
	Total p UPS unless is 10% total. Charge only.	ping & handling, we sh se specified. Add \$3 pk dian: \$3 plus P.O. cost.	Shipp otherwis Caned	PREE CATALO Sectro-mechan vices sent with ry order.
	8% of total)		the desired	A OLOGAL MAIL
	DOCO TOYAL		/	-

Shipping & handling, we ship UPS unless otherwise specified. Add #3 plus 10% total. Canedian: #3 plus P.O. cost. Charge only. Sales Tax (N.J. residents only, please add 6% of total) ORDER TOTAL

Byte-66 Card No. Exp. Date Signeture Telephone: Ares Code Number Name Address City State

All inquiries and free catalog requests call 201-939-2710. For all phone orders, call TOLL-FREE 800-524-0809. In New Jersey, 201-939-2710.

ORDER

\$15.



Inquiry 144



0 SS MAYBE THE ONLY DEVELOPMENT SOFTWARE YOU'LL EVER NEED

- Table based 8 bit cross-assembles
- Tables/Source files included for: 8048 8051 COP400 1802 6502 3870 8801 280 6805
- ModifutCreate tables for most 8 bit micros Create your own instruction sets
- INTEL, MOTOROLA, TEKTRONIX output formats
- Use with any EPROM programmer
- 36 page manual, full instructions
- Available in the following disk formats: 8" IBM-PC PC/MS-DOS 2.0 or greater, compa 5" APPLE II+/IIa CPIM-80 (Softcard), compati 8" SSSD CP/M-80 (280 only)

\$9996 US \$12995 CDN

Credit card orders: Include card no., name on card, expiry data sonature. Nove Scotte residents add 10% sales tax.



UNIVERSAL CROSS ASSEMBLERS PO BOX 384 BEDFORD NOVA SCOTIA

Inquiry 359

72 Digital I/O



PXB-721 Parallel Expansion Board

- For IBM-PC & Compatibles
- 72 Digital I/O Lines
- Simple Programming
- Uses One Expansion Slot
- **Fast Delivery**

\$195



478 E. Exchange St. Akron OH 44304 (216) 434-3154 TLX: 5101012726

Communications Board



- For IBM-PC/AT/XT and compatibles
- Dual RS-422 serial interface
- Programmable to 56k baud Differential drivers to 4000 ft.

\$345.00 QUA TECH, INC. 478 E. Exchange St. Akron OH 44304 (216) 434-3154 TLX: 5101012726

Inquiry 283

DATAFLEX...

- Multi-user Databasel
- Powerful!
- Multiple Operating System Compatibility
- Attractive Dealer Pricing!
- Full Dealer Support! Dealer Inquiries Invited



24000 Telegraph Road Southfield, Michigan 48034 USA (313) 352-2345

Inquiry 72

64K=128K=256K DRAMS

80287-8 - 80287-3

8087-3 = 8087-2

8087-1

BITTNER



899 SOUTH COAST HIGHWAY LAGUNA BEACH, CA 92651 (714) 497-6200 CALL NOW FOR FREE CATALOG

ORDER TOLL FREE 24 HOURS EVERY DAY 800-662-2686

HARDWARE. COMPUTERS **IBM** Compatible

ATARI, PANASONIC, OLIVETTI COMPUTERS.... CALL

-MODEMS, BOARDS, DRIVES -

PRINTERS, PLOTTERS & MONITORS

SOFTWARE

-ACCOUNTING & DATABASE

Reflex 59
Revelotion 549

SPREADSHEETS & INTEGRATED SOFTWARE

Ins/Symptomy CALL Smart SW System 489 americal 3 369 Mutilplon 2.0 119 percels 3 209 Monaic Terin 89 -WORD PROCESSING

- GRAPHICS

 Chartmoster
 219 In*A*Vision
 289

 Energraphics w/ Plot
 229 Microsoft Chart 2
 179

 Freelance
 209 Dr. Hoto II w/Mouse
 119
 - UTILITIES & LANGUAGES -

Fostback 92
Fostback 115
Sidewoya 37
Traveling Sidekick 39
Windows 39 Microsoft Project 2. 209 Superproject 209 Timeline 2 259 95 39 59 55 59

Pop-Up Decksel Desqview Prokey.... icrosoft Fortran 205

Call Toll Free 24 hrs Every Day 800-662-2686 orders only for Ca. Orders, Tech Support, Price Quotes, Info 445-668-9350 9-5 pacific time, m-f Call or Write for Free Catalog

PAYMENT: (No Fee For Credit Carda.) Visa, MasherCard, Cashler's Checks, Personal Checks with 2 wk. hold. Qualified P.O.'s. Ca. residents add sales tax. SHIPPING: UPS ground-2% per order, \$4 min. FREE for SW arders over \$1000. UPS Blue-3% per order, \$5 min. FREE for SW orders over \$1000. Printers, Monitors, Disk Drives, computers — Call for charges.

All Products New with full warronlies.

Price & availability subject to change without notice.

THE BEST PRICES

THE BEST SERVICE

584 CASTRO ST., SUITE 487 SAN FRANCISCO, CA 94114



Lowest Price Ever! on 3M Data Products LIFETIME BARRANTY

SS-DD	Oty - 5 8x (lesser qty add 3%)	08-00
754	\$	+ 07
104	5.25*	
\$1 52	5.25 96 TPI	3 ¶ 92
\$4 52	3.50°/135TPI°	\$2 ¹⁵
DS-HD 96	TPI (For the "AT")"	. \$222
*Pre-pac	kaged in 3M's Flip'n'File for :	\$4./box
2-4 20	8.00° SS-SD W/Wp	
5184	8.00" W/WP	\$2 05
3M Head C	leaning Kit	\$699
3M Data Ca	wiridges - Oty 10/case (lesser qty an	id 5%)
DC-100A .		· *12**
DC-1000 .		· \$1 235
DC-300XLP		¥1900
DC-600A .		\$20∞
June .	SUPER SPECIAL!	freely
3	M Bulk Diskettes 5.25" DS-DD 50	¢ 2mil
DACE	An Annia A D	O.L.



An Apple A Day

Win FREE Apple IIc Computer and CASH!

LIFETIME WARRANTY

SS-DD Qty 5 Bx (lesser qty add 3%)

5.25° Oty 50 (10/8x) \$1329 3.50° Qty 50 (5/plastic case) OS-HD for "AT" Qty 50 (10/Bx)

BASF diskettes are factory packed in boxes of 10 with Tyvek sleeves, user ID labels and write-protect tabs.



68¢

\$1 69

Best Deal Ever



DS-DD

DS-DD

SS-DD (lesser Qty add 10%)

> 5.25° Qty 10 8X (volume discounts available)

\$729 3 501/135 TPL OS-HD for the "AT"

BULK

Incredible Value! Made by a leading magnetic media manufacturer LIFETIME WARRANTY

88-00 100 500 1000 500 10000 .50 5.25" w/hub ring . .62 .62 .59 1.52 1.50 1.48 3.60"/135 TPI . . 1.86 1:83 1.80 5.25° DS-HD for the "AT" 1.72 1.65 1.55

Bankesk COLOR DISKETTES

Pack DS-DD

\$S-DD 65¢

408

5.25" W/hub ring

AIBBONS STORAGE Epson MX 70/80 \$244 Amaray Media Mate . . \$844 Epson MX 100 . . *3** Disk Minder II-75 . . . *6** Okidata 80/82/83/92/93°1** Micro Disk Minders-36.*6**

Apple Image Writer ... *3** Plastic Library Case ... *1** TERMS: VISA, MasterCard, American Express. C. O. D. orders add \$4.00. Pre-pald orders deduct 2% discount. POs accepted from corporations rated 342 or better, government, and schools on Net 30 basis. FPO, APO, AK, Hi and PRI orders add 5%. No sales tax notiside Utahl Mainmum order 330.00. \$48PPIARS: Minimum \$4.00 for 100 or fewer disterties or first 5 pounds TOLL FREE ORDER LINE:

-800-523-9681

1-801-942-22

■ DISKCOTECH

BYTE - JUNE 1986

DISKCO TECHNOLOGIES, INC. 2034 East 7000 South Salt Lake City Utah 84171 Mours, 7 AM-5 PM (Min. Terret

Quelo*68Q,U Software **Development**

Quelo Assembler Packages are Motorola ce Quelo Assembler Packages are interesta competible. Each package includes a macro assembler, (linker/ locator, object librarian, utilities for producing ROMable code, extensive indexed typeset manuals and produces 8-records, intel hex, extended TEK hex, UNIX COFF and symbol cross references. Portable source written in "C" is available. It has been ported to a variety of maintrames and minis including VAX.

68020 Assembler Package For CP/M-86, -88K and M8/PC-DOS \$ 750

68000/68010 Assembler Package For CP/M-80, -86, -88K and MS/PC-DOS \$ 595

68000 "C" Cross Compiler

For MS/PC-DOS by Lattice, Inc.

With Quelo 68000/68010 Assembler Package \$1095 With Quelo 68020 Assembler Package \$1250

Call Petrick Adams today:

Quelo, Inc. 2464 33rd W. Sulte #173 Seattle, WA USA 96199 Phone 206/285-2528 Telex 910-333-8171

COD, Viss, MasterCard

Inquiry 291

PICTURES THAT THINK

Boxes & Arrows" is an IBM PC-based block diagram editor and computing system. If you are looking for some-thing more than a spreadsheet, Boxes & Arrows will let you combine computation with pictorial representation.

- Automatic box & line drawing Labels and algebraic formulas
- Any printer, any display No limit to diagram size
- Call or write for full details



Inner Loop Software 5456 McConnell Avenue Los Angeles, CA 90066

soft ware (213) 822-2600

Inquiry 161

MODULAR



- For IBM & Compatibles
- Flexible and Inexpensive
- Money Back Guarantee

Fast Delivery

478 E. Exchange St. Akron OH 44304 (216) 434-3154 TLX: 5101012726


DATA ACQUISITION

- Free Technical Support

QUA TECH, INC.

Inquiry 285

An RS-232 Break-Out-Box at a Fraction of the Cost.



R8-232 Multi-Adaptor Board: 9 LED's for signal monitoring. 24 switches to open any line (except line t). 20 jumper wires allow re-wiring to any configuration, 1 male and 1 female connector. Order direct! Only \$59.95. All cash orders postpaid. (IL res. add 6% sales tax). We Accept MC, Visa. Free Illustrated catalog of RS-232 interface and testing equipment. Phone: 815-434-0846. Make checks payable to:

P.O. Box 1008B, OTTAWA, IL 61350

OC8000



EXPANDS PC PERFORMANCE AT A FRACTION OF NETWORKING COST

- Adds four to eight serial communication ports to IBM PC, XT, AT or compatibles.
- Standard RS-232 or optional RS-422 ports for increased transmission speed and distant
- Supported by Xenix, Multi-Link, RTCS, QNX, and other multi-user, multi-tasking operating


STAR GATE TECHNOLOGIES, INC.

Suite 109 33800 Curtis Blvd. • Eastlake, OH 44094 Call: (216) 951-5922

Inquiry 328

/EFORM





- For IBM-PC/XT/AT and compatibles
- Generates user-definable signal



478 E. Exchange St. Akron OH 44304 (216) 434-3154 TLX: 5101012726

Software Selectable for HIGH SPEED 12 MHZ OPERATION 6,8,10, and 12 MHZ!

- · FULL IBM PC-AT* COMPATIBILITY!
- · FOUR MEGA-BYTE RAM CAPACITY ON MOTHERBOARD! USING 1 MEGA-BIT DRAMS

QUANTITY DISCOUNTS AVAILABLE FOR **QUALIFIED DEALER. OEM. UNIVERSITY** AND CORPORATE ACCOUNTS.



HIGH SPEED INDUSTRIAL **GRADE COMPUTER FOR:**

- Scientific
- Engineering
- Industrial
- Medical
- University/Education
- Artificial Intelligence
- · Etc., Etc., Etc.

Keyboard Interface (Same as PC-AT)

On Board Battery

CMOS Clock Calendar

Standard Power Connector

80287 Math Processor (Same as PC-AT)

Runs Intel 80286 at 6.8.10&12 MHZ!

(Software selectable)

Peripheral Support Circuits

Extended ROM Capability

(Operates on all compatible BIOS ROMS)

Eight Compatible I/O

Interface Connectors

Extended Memory Capacity!

Full Four Mega-Byte
Capacity on Motherboard!
(Uses 256% or NEW 1 Mega-Bit Drams)



EVALUATION BOARD KIT

ONLY!

Board Size: Standard IBM-AT* Dimensions: 12 inch × 13.8 inch with 6 mounting holes to fit all AT compatible cases.

ATTAK-286™ evaluation board kit highest quality multi-layer PC board with full assembly instructions and parts lists!

☐ ATTAK-286" FULLY ASSEMBLED (LESS ICS)\$499.95 ☐ AT CASE 100% COMPATIBLE.....\$129.95 ☐ AT POWER SUPPLY 192W......\$129.95 ☐ ATTAK-286" TECHNICAL REFERENCE MANUAL....\$ 29.95

☐ TURBO-SCOPE™A/D BOARD \$ 99.95

100% SATISFACTION GUARANTEED.

10 DAY MONEY BACK GUARANTEE IF NOT COMPLETELY SATISFIED!







ADVANCED INTELLIGENCE TECHNOLOGY

4100 Spring Valley Road Suite 400 Dallas, Texas 75244 (214) 490-0344


TERMS: We accept cash, checks, money orders and credit cards. Prices and availability subject to change without notice. Shipping and handling. harges via UPS ground 500/lb UPS all \$1,00/lb. Minimum charge \$3.00.

IBM and IBM PC-AT are trademarks of International Business Machines

1986 AIT CORP.

P.C. Computer Brokers Inc.

The Place To Buy Your **Epson Printers**





EPSON EPSON FX-286

List \$52900

Epson Printers	List	SALE		
Homewriter Printer	*249**	· 199°		
AP-80 Printer	4379 ⁰⁰	CALL		
LX-90 Printer	*329**	. 55800		
RX-100 Printer				
SQ-2000 Ink Jet Printer				




Call Toll FREE 1-800-245-4122

Epson Printers		List	8/	ALE
Spectrum LX-80	\$	299°	\$	21900
LQ-800 Printer	\$	799∞		549°
HS-80 lnk Jet Printer				33900
DX-10 Daisywheel	8	29gm		
DX-20 Daisywheel	&	459∞	C/	ALL
DX-35 Daisywheel	\$	89900	C/	ALL
Comrex High Speed				
	\$2	1950	51	4490
HI-80 Four Pen		.,		
Distance	•	E0000	-	



THE MOST ESSENTIAL CARD FOR THE EQUITY I



- Able to bring the mother board to 512K
- . 1/2 the size of other cards Save up to
- \$70.00 3 year warranty Only 9900

-HOICE

These Prices Are Good For Mail Order Dept. Only

P.C. Computer Brokers Inc. 3879 East 120th Ave. Thornton, CO 80233 [303]450-6727

Call Toll FREE 1-800-245-4122



Inquiry 252

Heritage Systems Corp.




HSC-9128 Video Terminal Card 80 by 24 Alpha-numeric video display ANSI X3.84 command set TTL/CMOS serial port (50 to 38.4K baud) Off card line drivers (RS-232, Fiber optic) IBM PC compatable keyboard input On Screen configuration utility 100 by 10mm, 5V only, 200mA

HSC-9128 video terminal card \$120 HSC-9128 with RS-232, cables \$159 HSC-9129 keyboard Amdek 300G Video monitor (Green) \$139 Amdek 300A Video monitor (Amber) \$149

PO Box 10588, Greensboro, NC 27404-0588 (919) 274-4818

Inquiry 153



(619) 298-9349

EPROM PROGRAMMER



The EP-1 is a great value, here's why:

- ISM PC Competible, Communication Dels included.
 Also works with CPRM and Development Systems
 Supports over 100 oppes including 2716 through 27512,
 CMOS, and ASuffic Persis.
 Menu Driven Chip Selection by Manufacturer and Pers.

- No Personalty Modules Fest Programming Algorishm Gold Vectori ZIF IC Sociat RS-232, 7 baud retes to 9600
- Full One Year Warrenty U.V. Ereaers from \$34.95

BP Microsystems 5325 Glenmont, Suite E, Houston, TX 77081 (713) 867-1838

Inquiry 52

"CPYAT2PC"

IS LIKE HAVING A EREE 360K FLOPPY DRIVE

Allows copying of IBM AT file for use on IBM PC's & compatibles with no modification of existing hardware or software. A 360K floppy drive is not required. CPYAT2PC may reside on your IBM PC/AT hard disk and copies 1 file or entire subdirectories in 1 step. Also runs on other AT compatibles such as COMPAQ 286, ZENITH Z-200, and KAYPRO 286i. Dealer inquiries welcome. ONLY \$79 + shipping.

MICROBRIDGE COMPUTERS

Sky Way Building, Suite 125 655 Sky Way. San Carlos. CA 94070




(415) 593-8777 • (415) 595-2150 CHECK, COD WELCOME (Prepayment Required)



Inquiry 223

You need a **Printer Sharing Unit.**



Not another printer.

Save the cost of your next printer with our Printer Sharing Unit Up to 8 computers can use one

printer, sutomatically, without changing cables.
This rotating electronic switch scans the input ports. When it finds one ready to transmit, it locks-on and puts the printer to work. Printing completed, It starts scanning again

For a demonstration or more information call us at (206) 355-0590, and we will give you the name of our dealer nearest you



Datacom Northwest, Inc. 3303 112th St. SW, Everett, WA 982

WHEN IT ABSOLUTELY, POSITIVELY HAS TO BE THE BEST QUALITY AND PRICE ... CALL D&D!

2% DISCOUNT ON ALL ADVERTISED PRICES WITH PREPAYMENT (800) 662-7253

1 0 000

SPECIAL #1

PC XT Compatible Turbo

- 640K 8 MHz Keyboard
 Flip Top Case Two 360K Drives
 135 Watt 8 Slots DOS 2.1

\$659

SPECIAL #2

IBM PC 256K

Two 360K Drive

\$1449

SPECIAL #3 10 MEG HARD DISK

For IBM or Compatible
 Controller and Cables

Complete \$359

SPECIAL #4

NEW SPERRY IT

IBM AT compatibility for an affordable price!

 1 Meg Ram included
 1.2 MG floppy • 44 MG Hard Disk 8 MHz Operations • Monitor
 DOS 3.1 • Printer Port

 Two Serial Ports • 100% AT Compatibility

ONLY \$3799

SPECIAL #5 XT COMPATIBLE

8 Slots
Two 360K Drives
Keyboard
135 Watts 256K

\$569 \$489

SPECIAL #6 IBM AT COMPUTER SYSTEM

· 20 Meg hard Disk • 1.2 Meg Floppy • DOS 3.1 • 512K Ram D & D IBM

\$3699 \$4299

SPECIAL #7 **CORONA PORTABLE**

• IBM Compatible • 256K • 2 Drives • Monitor • Keyboard • DOS

\$1179

SYSTEMS

IBM

PC	256K,	2	Drives						\$	1395
XT	256K,	1	Drive .							1699
XT	256K,	1	Drive 1	-1	l()	N	1	G	2099

COMPAQ

Portable, 2 Drives, 640K . \$1875 Call on Desk Pro's & 286 Systems

CORONA

Portable\$1195 Desk Top, 2 Drives, 256K w/monitor 1395

MONITORS

PRINCETON GRAPHICS

Max 12	E										*	\$159
HX-9 .	я.	a			*	10.		4.			nt	Call
HX-12												425
SR-12.			ı		44	*			*	æ		749

TAXAN

Call for best price

AMDEK

310A			•		4					\$145
600 Color.		я		4					н	389
722 Color.		u	+			4	+	6		519

MODEMS

HAYES

Micromodem IIE Apple				.\$149
300 External	٠		7	. 129
1200 External				
1200B IBM Internal				
2400 External	+	٠	٠	. 639
DDOMETHE	-	ò		

	OLINE INDO		
Promodem	1200 External		\$289
Promodem	1200A Apple.		269
Promodem	1200B IBM		269
Promodem	1200MAC		339

DISK DRIVES

IBM COMP	1	١	T	Ί	E	I	L	É	
Teac 55B			4.						\$99
Mitsubishi 4851	4			g		4		16	99
Tandon TM 100-2									99
Qume DT142									
Okidata 1/3 HT									
10 MG Hard Card									
20 MG Hard Card			4						Call

PRINTERS

EPSON

LQ 800
LQ 1000689
OKIDATA
182, 120 cps\$218
192, 160 cps, w/Roms 349
193, 160 cps, IBM 499
84, 200 cps, IBM 658
OKI-MATE 20, Color, IBM .
Apple & Amiga 199

TOSHIBA

P321			 	 New
P341			 	 Call
P351			 	 .\$1059
P351	Tractor	= 0	 	 . 159

317	-1	1		1	ч	•	2		•	4	L			\mathbf{x}			
SG10/15																	
SD10/15 SR10/15					p							-	35	5	10	16	9
SR10/15	*	*			è					,		1	18	39	/:	8	19
		(2	ľ	ľ	Ľ	7	E	1	٧							

MSP-10\$249

MSP-15																359
MSP-20		4			4				,	+		*	4	b		389
MSP-25							P	,						9		539
Premier	3	5	يا	Q	!	N	lę	V	,	, ,	, ,		, ,	. 1	. ,	 469

IBM EXTRAS

AST RESEARCH

SixPak + , 64K w/Side Kick . \$209 Reach wCrosstalk 369

HERCULES

Color Card w/Printer Port . . \$149 Mono Graphics Card 299

GOODIES

IBM Printer Cable	١
64K Ram Set of Nine Chips . 15	
256K Ram Set of Nine Chips 39	9
Power Supply 135 Watts 75	ŝ
8087 CoProcessor 129)
DOS 2.1 65	á
DOS 3.1 69	9
Flip Top Case w/speaker 49	9
Disk Controller w/cable 39	
Color Card w/printer89	
Monochrome Card w/printer . 100	
Keuboard 015189	

All Sales Are Warranteed for 90 Days, Parts & Labor

WE SERVICE WHAT WE SELL! LL SYSTEMS INCLUDE ASSEMBLY AND TESTING

VISIT OUR NEW RETAIL LOCATION: 12824 INGLEWOOD AVE., HAWTHORNE, CA 90250 PLEASE CALL: (213) 676-0815

MAIL ORDER:

13324 HAWTHORNE BLVD., SUITE 201 HAWTHORNE, CA 90250

Inside California (213) 970-0206 Outside California (800) 662-7253

Open Saturdays

SPECIAL #8

APPLE DISK DRIVE 100% APPLE

COMPATIBLE 51/4"

525A for Ile and II\$99 .. 109 350M for Mac Special

SPECIAL #9 NEW COMPAO PORTABLE II

LIST D & D \$2749 MODEL 1 \$3599 MODEL 2 \$4699 \$3649 MODEL 3 Call

IN STOCK

SPECIAL #10

MULTIFUNCTION CARD

- Serial and Parallel Ports
 Clock/Gameport
 Ram disk/Printer spool Software
 1 Year Warranty
- w/384K only \$154

SPECIAL #11

PC XT COMPATIBLE

- 640K 360K Drive Keyboard 20 MG Hard Drive • Monochrome
- 8 Slots Card w/printer port
 135 Watt Power Supply
 Green Monochrome Monitor
- . DOS 2.1 . 120 Day Warranty

ONLY \$1249

SPECIAL #12 20 MEG HARD DISK

FOR IBM

 Seagate Drive · Western Digital Controller

TESTED\$469

SPECIAL #13

COMPAQ 286 PORTABLE

• IBM AT Compatible • DOS • 1.2 Meg Floppy • 640K • 20 Meg Hard Disk • Monitor

\$3989

MAKE THAT CALL!

Order Desk(800) 662-7253 In California (213) 970-0206 Customer Service .. (213) 970-0215 Technical Support .(213) 970-0215 Retail Store (213) 676-0815

Service Contracta Available



ORDER DESK:

Hours: Monday-Friday 7 am to 6 pm

WE CARRY TOO MANY ITEMS TO LIST. PLEASE CALL FOR A QUOTE ON ANY ITEM.







Termat: Prices reflect a cash prepaid discount. All merchandise new We accept MC, Visa, Wire Transfer, Certified Check, P.O.'s from qualified firms. P.O. subject to approval & 3% surcharge. Terms: 2% 10 net 20. UPS Shipping: minimum \$4.00 first 5 pounds. We also ship U.S. Mail and Federal Express. Call for exact shipping cost. Tax: California residents only add 6½% sales tax. All refurns subject to 15% restock fee.

COMPUTERBANC



DRIVES

20 MB Seagale drive\$439 30 MB drive for AT\$699 360 K Floppy for AT......\$110 Teac 55B\$109

IBM COMPATIBLE HARDWARE

Multifunction card 384K, S, P, CLK\$139 AT Multifunction card OK-3MB\$169 MONOCROME graphics card \$99
Color Graphics card \$89
ComBo CARD ser, par, clock \$69
EXPANSION CHASIS 7 skots \$569

TAPE DRIVES

Everex Stream 60\$899

SYSTEMS

COMPAG 286, 20MB Portable, 512K, DOS

COMPAR Deskpro 20MB 640K, Monitor, DDS

S2499

SPERRY IT 44MB LEADING EDGE

CALL CALL IBM AT COMPATIBLE 8MHZ, 512K, 20meg Monitor, graphics, ser, par \$2399

IBM XT COMPATIBLE

256K, 20 meg, Monitor graphics, ser, par \$1195

IBM AT 30MB\$4259

512K, DOS, Monitor

IBM XT 20MB\$2349 256K, DOS, Moniter

EQUITY ITT XTRA

> Citizen MSP-10 . 264.08
> MSP-15 . 355.00
> MSP-25 . 439.00
> SSTAR MICRONICS SG-10 . 219.00
> SG-15 . 309.00
> EPSON LX-80 . Call Citizen MSP-10 . , , , , . . .

IBM SOFTWARE

LOTUS 123	CALL
Symphony	GALL
ENABLE	0.00
V P Planner	
V P Planner	
dBASE II	
dBASE III Plus	00
PAWERRASE	2011
CLIPPER dBASE III Compiler 36	5 00
LATTICE C COMPILER	4.00
MINITIMATE 91	5 00
MULTIMATE 21 MULTIMATE ADVANTAGE 21	0 00
SORCIM SUPERCALC III	
MICROSOFT Multiplan	1 44
Word	1 44
Windows	2 00
Project 23	2.00
FOX & GELLER Quickcode 14	4 00
DORELAND TURBO PASCAL	4 00
REFLEX	
LIGHTENING	2.00
SUPERKEY	
SIDEKICK (unprotected)	2.00
ASCII PRO Comm Software	
CROSSTALK XVI	
MIRROR Comm Software	
PEACHTREE Back to Basics	
SPI GENERAL ACCOUNTING 29	
OPEN SYSTEMS	40.0
REAL WORLD	
ONE-WRITE PLUS14	ALL.
IN-NOUSE ACCOUNTANT	1.00
ACCOUNTING PARTHER	
MORGGRAM DOLLARS & SENSE 10	
TOBIAS MANAGING YOUR MONEY 10	0.00
SATELLITE WORD PERFECT 22	1
MICROPRO WordStar PRO 24	
MILETER TOUGOUT FILE	

WordStar 2000 PLUS	285.00
SAMNA WORD III	279.00
RBASE 5000	359.00
PRINTMASTER	. 35.00
BREAKTHROUGH TIMELINE	255.00
DECISION RESOURCES CHRYMSTER	211.00
ENERGRAPHICS w/plotter opt	
FUNK SIDEWAYS	
LIFETREE VOLKSWRITER DELUXE	149.00
HARVARD TYL PROJECT MNGR	
THINKTANK	
IBM HARDWARE	

IBM HARDWARE	
AST 6 Pack Plus w/384k	.250.1
Advantage W/128k	399.1
STB Rio Plus 384K 5 function	.230.0
RIO Grande 3 function for AT	289.0
Companion PC 0-2 MB LIMS	189.0
Chauffeur monographics	
EGA - Plus Color Board	328.0
JRAM 3	175.0
JRAM AT3	225.0
JRAM AT3 HERCULES Mone Braphics	319.0
Color Card	159.0
ORCHID Turbo 286E	450.0
QUADRAM Quadboard O-K	198.0
EGA +	379.4
QuadPort for AT ser & par	125.0
TECHMAN Graphics Master	CAL
PARADISE Modular Graphics Card	CAL
SIGMA High Res Color 400	CAL
130 WAT Power Supply	79.0
TALLGRASS W/Tape	GAL
Graphics Edge Card	248.0
1.2MB FLOPPY for AT	.169.9
MOUSE SYSTEMS Mouse	.135.0
FIELDMOUSE	113.0
MICROSOFT Mouse w/sitwr	117.0
KOALA KAT	149.0

MODEMS

ANCHOR Express 300/1200	225 08
Volksmodem 1200 (5 yr wrnty)	160 05
EXPRESS 300/1200	170.00
EAFRESS 1300/ 1200	. 179.00
Lightning 2400 Baud	GALL
MAYES 1200	
1200B	. 349.00
2400	CALL
Micromodem //e	CALL
PROMETHEUS 1200	269.00
Promodem 1200B	219.00
Promodern 1200A	749 80
Promoden 300 lic	115.00
PROMETHEUS 1200 Promodem 12008 Promodem 1200A Promodem 300 lic Promoden 2400	PALL
PTUHOOBH 2400	WALL
MONITORS	
AMDEK 300A	139.00
310A Hi-Res Amber	155.00
Color 722 RGB 720 X 350	CALL
PRINCETON GRAPHICS HX-12	200 00
LATINGE I OU MUNICIPIES UV. 15	. 200.00
HX-12E RGB 720X350	. GALL
SR-12	GALL
MAX-12	149.00
TAXAN: ALL MODELS	CALL
PANASONIC DT-S101 Color	141.80
DT-H103 10" High Res RGR	389.66
IBM COMPATIBLE Monocrome	99.00
Color RGB Monitor (640X200).	349.00
(arease)	

PRINTERS

PANASOI	HIC		Z	¥	ľ	v	T	U	7	8	n	ľ	۲	ì					
KX-P1080							4					ď							199.00
KX-P1091		4							į	į		Ī					į	i	.229.9
KX-P1092				20.0															315.00
KX-P1592							Ī							ì		ì			439.0
KX-P1595	24	IÔ	C	PS				į	Ĵ				ï	·					625.00
KX-P3131	17	C	05	D	ai	SE	,	í	ì	ì		ì		ï		i		ì	269.00
KX-P3151	22	2	p:	6	a	il	á	y			p.		î	Ī	+				395.00
KX-P1592 KX-P1595 KX-P3131	24	10 'C)	C	PS D	ai	50					4 4 6						9 4 4		439.0 625.0 269.0

MON Express 300/	1200 220.00	
modem 1200 (5 yr	wrnty) 160.85	
ESS 300/1200 .	179.00	
ning 2400 Raud	CALL	
R 1200	379.00	
A		
	CALL	
modern file	CALL	
AIRPORTING AND	**************************************	
METMEUS 1200	269.00	
odem 1200B	219.00	
oriem 1200A	749 80	
oden 300 lic	CONT.	
orien 2400	269.00 219.00 249.00 115.00 CALL	
008H 2400	A STATE OF THE PARTY OF THE PAR	
MONIT	TORS	
Ul Con Amber	172.54	
HI-NES ARIDEI	155.00	
722 RGB 720 X 35	O CALL	
ICETON GRAPHIC	S HY-12 386 08	

APPLE PRODUCTS

Digitizers

APPLE Compatible Brive lie 98.00 lic compatible drive 98.00 MAC Compatible 3 % drive 229.00 SERNOULLI 5MB MAC drive GALL MICROSOFT Macenhancer GALL


Call for catalog. Thousands of products available. Volume discounts.



COMPUTERBANC

16783 Beach Blvd., Huntington Beach, CA 92647 TELEX #350757 ANSWER BACK—COMPUTER UD 714/841-6160

For Customer Service Call 714-847-BANC



Orders Oak

800/332-BANC **OUTSIDE CALIFORNIA**

indicated. Ril products are in factory seeled packages. Use guarantee all items for 30 days. Within this period, defective merchandise returns must anied by Rillin number. All other returns will be subject to a 10% restabling fee. For prepaid orders, there will be a 3% shipping change; 5% for UPS at 85.00 minimum; all orders outside U.S.A. at 15% shipping. California residents add 6% sales tax. Prices subject to change without notice. GCapunght 1985 COMPUTENBRIC. All Rights Reserved.

A COMPUTER PROGRAM THAT SPEAKS YOUR LANGUAGE



The Computer Chronicles, a halfhour weekly television series brings you news and information from Silicon Valley andaround the world. Correspondent Stewart Cheifet and Gary Kildall, creator of CP/M cover today's headlines and the stories behind them. Find out what is, what was and what will be. with the only

computer program you're ever going to need. **The**

Computer Chronicles,

every week on a public television station near you. (Check local listings for time and channel.)

Produced by KCSM, San Mateo, CA and WITF, Harrisburg, PA with funding from AFIPS and McGraw-Hill's BYTE magazine.



HARD DISK CONTROLLER

New Shugart Model 1610 5 1/4" Hard Disk Controllers **EMULATES**

• XEBEC S1410 (1610-3) Full • DTC 510 (1610-1) 90 da • SCSI (1610-4) Guaran

90 day

Guarantee

WORKS WITH

- Micromint COM 180, SB180
- **Wavemat Builet**
- AMPRO All Boards
- Macintosh
- Apple He

Manual and Schematic

 ACS 1000 Only \$8 ISI 5160

COMPUTER SURPLUS STORE

226 Phelan Avenue San Jose, CA 95112

408-280-1740

Inquiry 82

Advertise your computer products through BYTE BITS (2" x 3" ads)

For more information call Dan Harper at 603-924-6830

BYTE 70 Main St. Peterborough, NH 03458

Inquiry 412





Inquiry 156





MULTIFUNCTION CARD



FOR IBM-PC & COMPATIBLES

\$149 W/ 384K INSTALLED **2 YEARS WARRANTY**

* PARALLEL PORT * SERIAL PORT CLOCK/CALENDAR 'GAME PORT RAM DISK/ PRINTER SPOOLER · CARLES & MANUALS

COMPUTER AGE, INC. 55 Fiehfry St., Hartford, Ct. 06120 203-724-5100

Terms: add \$3.00 for Handling Charges. Visa/MC accepted, no surcharges


Inquiry 85

8051

SIMULATORS - CROSS ASSEMBLERS -PROGRAMMERS - SIM51 and SIM48 Softire Simulators run on IBM-PC, CP/M-80, MS-DOS. Designed for validation & debugging application software. Simulation includes all on chip functions plus expansion chips. \$250, one year FREE updates. Formats: PC-DOS 2.x DSDD, CP/M-80 8" SSSD, many 51/4" formats. Cross Assemblers and EPROM pgmrs also available. Logical Systems Corp. 6184 Teall Station, Syr., NY 13217. (315) 478-0722.

<u>logical Systems</u>


Inquiry 191



NEW & IMPROVED

Fully Hayes Compatible 2 Year Warranty

- Tone & Pulse dialing . Built-in speaker
- Auto dial/auto answer
 8 status lights
 - Auto redial on busy



1200 bps Standalone Bell 103 and Bell 212A Compatible

BFPRIZM12 (4 lbs.) Retail \$299.00

CCITT V22, V22BIS, Bell 212A. and Bell 103 Compatible

BFPRIZM24(5 lbs.) Retail \$599.00

1200 bps Half Card for IBM PC & Compatibles w/Mirror Software

BFPRIZM12H (4 lbs) Retail \$299.00

NEW! zin Canal 10 and 21



 Automatic head unloading 2K Sector Buffer

10 Mbyre \$395 21 Mbyre \$595

25 PIN "D" CONN's



BFCNDDB25P Male D Connector **BFCNDDB253** Female D Connector BFCNDHB252\$ 2 piece shielded hood



Call For Lowest Prices On All Models


ORCHID Tiny Turbo 286



- Run your PC at AT speed
- Half slot size card
- 8 MHz 80286 processor

BFORC288N Retail \$695.00 \$599

EPSON



Call for Lowest Prices On All Models

OKIDATA



Call For Lowest Prices On All Models

YOUR SATISFACTION GUARANTEED

CALL FOR DETAILS

18241 Mc Durmott, Irvine, CA 92714 (714)660-1411

PRIORITY ONE ELECTRONICS

Inquiry 274 Mail Your Order To: 21622 Plummer St., Chatsworth, CA 91311-9970

SAN JOSE

542 W. Trimble Rd., San Jose, CA 95131

(408)435-7300

MINIMUM PREPAID ORDER \$25.00. Terms U.S. VISA, MC, BAC, Check, Money Order, U.S. Funds ONLY. CA residents add 6%, 6%%, or 7% Sales Tax, depending on your local rates. include MINIMUM SHIPPING & HANDLING of \$3.00 for the first 3 lbs., plus 50¢ for each

RETAIL: (818)709-5464 INDUSTRIAL: (818)709-5111 insurance. Orders over 70 lbs. sent freight collect. Just in case, include your phone number. Prices subject to change without notice. We will do our best to maintain prices through June 1986. Credit card orders will be charged appropriate freight. We are not responsible for

additional pound (256 if within Calif.) Plus 256 per \$100.00 value of your order for Supportance Support Suppo



ORDER TOLL FREE (800)423-5922 (NOW IN CALIF. TOO!!)

VERSIFIED

4732 Rosecrans, Hawthorne, California 90250

FREE SYSTEM PACKAGE WITH ALL DG-PC'S

....FREE

RETAIL VALUE \$186

FREE

System Package Includes:

- * 6 Ft Parallel Shielded Cable * Tilt and Swivel Monitor Stand
- * Twenty 51/4" Diskettes w/Lifetime Guarantee
- * Flip File Stores Seventy Diskettes * Parallel Port
- * Surge Protector Six Receptacles

* FREE FREE FREE *

Offer Expires May 15, 1966

DG-PC's

BASE UNIT System Unit 640K on Beard One 360K Drive m/Controller 150 Watt **Power Supply** \$69995

SYSTEM

System Unit 640K on Board Two 360K Drives 150 watt per sply Hi-Res Manitor w/Interface Card

SR4795

The DG PC

Our compoters offer the maximum after-natives in the PC XT compatible market. Alternatives which exceed current PC XT configurations. Standard textures on all DG PC Suries computers include: - Full compatibility with IBM PC XT^o machines.

machines 640K byles of parity checked memory, 8

Service Contract Available on All Products

31

AT

System Unit 80286 Microproces 512K Memory 1,2 Meg Floppy AT Type Kybd, Runs PC, XT & AT Sitwr. Par & Ser Ports

\$163895

XT System Unit 640K on Board One 360K Drive 19Meg Hard Disk lonechrama Man

Mone card \$119595

IBM PC \$1099

\$1199 One 380K Dr. 256K

IBM XT One 368K Drive & 20 Mag Drive \$223795 IBM AT

\$399595 **Falmecod**

\$339150

10 Meg One 360K Drive. enochrame Monitor schrome Care

SYSTEM

PC-XT with

\$242195

DISK DRIVES

MPI B-52

. Full Height 2 for \$137.00

51/4" DISK DRIVES

	QTY. 1	QTY. S
Tuckits to Stuight	\$ 86.55	\$ 99.05
IBM "Lago" Orices	119.65	109.95
Tambon TM180-2	99.95	99.95
MPI (Traden Competible)	79.95	79.95
AT 360K w/whiteless	119.96	-

DISK DRIVE CONTROLLERS

PRINTERS

LETTER QUALITY - DOT MATRIX

- 10		-	-	
- 6	K		81	•
- 10		157	ш	м

Call
Call
Coli

		LAUMONING	
α	1881		\$250.9
CK	1892		340.0

TOSHIBA P341 24 pin 136 col. P361 24 pin Per, & Ser. \$200.00 1909.00

> **EPSON** - Call for Avail

tile also carry Julii, Dynex, Teablin, Ster, Panasanic, NEC, Brother

MONITORS

AMDEV

AMUEN	
008 Composite Green	\$124.95
90A Composite Amber	134.95
10A Menechrome Amber	159.95

IMAMI	
820 (640 x 200)	\$301.95
636 (648 x 460)	446.00
848 (728 x 488)	549.95

PRINCETON GRAPHICS

HX12, 640x290 Ool Pilch .31	\$421.85
HX12E, 640x368 Det Fftch .28	\$17.85
8R12, 640x400 Det Pfich .31	573.95
8R12P, 640x486 Det Plich .26	717.95
HX-9, 640x350 Del Pitch .28	432.95
MAX12E, 728x350	168.95

MEMORY

64K SETS All Upgrades Carry a 2 Year Word Mine 4164, 198ns \$10.96

128K SETS 256K SETS \$39.96 9, 41256, 200ms \$34.96 \$32.96 no. 25 Sets \$12.96 no.

80287

SMRIZ for AT & Des \$160.05

8087-3

8087-2

SMHZ Math Co-Pi S142.85

Moto Co-Proto Co-Proto Ida I Ca-Pro

HARD DISK DRIVES

0TY. 1 0TY. 5 9648.05 \$349.95 489.95 469.95 728.00 714.00

zi, Chil, Radios, Segi

BERNOULLI BOX

10 Mag 20 Mag \$1779.95

TAPE BACK-UP BY IRWIN

\$446.00 \$436.00 589.00 579.00

DISK DRIVE CONTROLLERS

Western Digital Hard Clink Cont. Adapter: Hard Dish Cost.

VIDEO CARDS

DG GRAPHICS

w/Parallel Part 2 Yr. War. Imphics w/Par Port **EVEREX** 18M IBM Manachrome w/Parallel Port IBM Color Card w/Parallel Port **PARADISE**

EGA

SIGMA

HERCULES

08 Composite Green	\$124.95
OA Composite Amber	134.95
SA Menochrome Amber	159.90

\$301.9
446.0
549.9

HX12, 640:290 Ool PRch .31	\$421.85
HX125, 640x368 Det Fflch .28	517.95
8R12, 640z408 Det Plich .31	573.95
8R12P, 640x488 Det Ptich .26	787.95
HX-9, 640x350 Det Pftch .28	432.95
MAX12E, 729x350	100.95

IBM ACCESSORIES

A-B SWITCH BOXES

2 pes. \$49.95 Serial 2 pes.

DISKETTES Xidex Del/Del 5 Year Warranty 1 hex et 18 \$8.85

KEYTRONICS KEYBOARDS

5153 Touch Pad 5289.95 and \$100.95 5151 Delune

BELKIN CABLES

8 foot 5

\$184.00

EXPANSION CARDS

ART RISPAS & WITHAM 2 Ye Win \$261.05

AST Advantage wit.5 Megalyte of B Parallel & Social Ports

\$497.95

AST Rampage \$342.05

MODEMS Hayes

m/Scourtcum II \$362.95 \$362.66 2480 External \$595.95

DG \$156.95





the Surcharge on Double Cords

TERMS:

P.O.'s from Government Institutes, Universities, Fortune 1000 C.O.D.'s w/Guarantee. Visa, MC, MO, Cashier's Check, Cash. Pinese Call for Shipping: Min. \$4.50 We ship Fed. Express, USP, U.S. Mail

\$458.95

MAIL ORDERS: 8726 S. Sepulveda, Suite A132, Los Angeles, CA 90045 WAREHOUSE: 4732 Rosecrans, Hawthorne, CA 90250

TOLL FREE ORDER LINE (800) 523-1041

INSIDE CALIFORNIA (213) 675-0717

HOW CAN YOU REFUSE THIS OFFER, IF YOU ARE SHOPPING FOR IBM CLONE!

Special Sale for IBM PC/XT Compatible Computer System





OPTIONAL ADD ON:

- For 5151 100 keys keyboard add \$40.00 For 3way RGB color monitor 13" add \$285.00
- For 10 MGB internal hard disk with controller add \$499 00
- D. For 22 MGB internal hard disk with controller
- E. For Monochrome graphic adapter with printer port and TTL Monochrome 12" HFRES monitor

SHIPPING CHARGES: 5% for C.O.D., 2% for prepaid orders inside Continental U.S. No Personal Check inouiry 263

DEALERS INQUIRIES INVITED.

e IBM is registered trade mark of IBM Corp.



- Fully IBM PC/XT compatible
- 640K on board memories 8 IBM PC/XT standard I/O slots
- 8087 coprocessor ready socket Standard 4.77 MHz clock speed
- Flip-top type metal cabinet
- 83 key full function key board (enlarged return key and fed indicators)
- Color graphic adapter with composit out (RES, 640 x 320)
- One parallel port for printer One RS-232 serial port
- One game port for joystick Real time clock with calendar
- (5 years battery back up on board) 135 watts hard disk ready power supply
- 2 halfheight 360K floppy drives
- 12"monochrome monitor included
- Fully assembled and tested
- 6 months parts and labor warranty

SPECIAL OFFER: \$949

PINE COMPUTER INC.

1455 MONTEREY PASS RD., SUITE 103 MONTEREY PARK, CA 91754

PHONE: (213) 269-1103

STORE HOURS: Mon. - Set. S A.M. - 6 P.M.

IBM PERIPHERALS

- PC/XT 640K MOTHER BOARD. LOADED W/BIOS COLOR GRAPHIC CARD W/RGB & \$ 88.00 COMPOSIT VIDEO OUT PUT (640x 400 RES) MONOCHROME GRAPHIC CARD \$420.00 W/PRINTER PORT (720x348 RES) FLOPPY DISK CONTROLLER CARD W/CABLE \$ 49.00
- O/384K MULTIFUNCTION CARD W/PARALLEL PORT; SERIAL PORT; GAME PORT; CALANDER, CLOCK (BATTERY BACK UP) AND 384K RAM
- DISK I/O CARD W/PARALLEL PORTS SERIAL PORT: GAME PORT: CALANDER, CLOCK (BATTERY BACK
- UP) AND FLOPPY DISK CONTROL LER W/CARLES PARALLEL PRINTER CARD
- SERIAL PRINTER CARD (RS-232) DUAL SERIAL CARD (RS-232) \$ 75.00 (COM-1, COM-2) O/512K RAM EXPANSION CARD
- MOUSE SYSTEM (MICRO-SOFT COMPATIBLE) (3 BUTTONS) EXTERNAL MODEM 300/1200 BULD (HAYS COMPATIBLE) \$ 95.00
- \$250.00
- 135 WATT POWER SUPPLY 110/220V 1 95 00 SIDE SWITCH
- KEYBOARD: PC/XT LOOK ALIKE 84 \$ 78.00 KEY (5150) KEYBOARD - SELECTIC-ULOOK \$ 78.00
- ALIKE, LARGE RT KEY KEYBOARD: ADVANCE 100 KEY \$409.00
- MODEL 5454 KEYBOARD: AT LOOK ALIKE, LARGE 1 98.00
- PARALLEL PRINTER CABLE (6 FT.) \$ 14.00 14.00
- SERIAL PRINTER CABLE (6 FT.)
 JOY STICK (SELF CENTERING W/2 \$ 25.00
- FIRE BUTTON)
 360K HALF HEIGHT DISK DRIVE \$ 95,00 (PANASONIC OR TEAL)
- SURGE SUPRESSED POWER STRIP (6 OUTLETS)

\$ 18,00

\$119.00

\$435.00

\$ 25.00

back issues for sale

	1982	1983	1984	1985	1986
Jan.		\$3.70	\$4.25	\$4.25	\$4.25
Feb.	\$3.70	\$3.70	\$4.25	\$4.25	\$4.25
March	\$3.70	\$3.70	\$4.25	\$4.25	\$4.25
April	\$3.70	\$3.70	\$4.25	\$4.25	\$4.25
May	\$3.70	\$3.70	\$4.25	\$4.25	\$4.25
June	\$3.70	\$3.70	\$4.25	\$4.25	
July	\$3.70	\$4.25	\$4.25		
Aug.	\$3.70	\$4.25	\$4.25	\$4.25	
Sept.	\$3.70	\$4.25	\$4.25	\$4.25	
Oct.	\$3.70	\$4.25	\$4.25	\$4.25	
Nov.	\$3.70	\$4.25	\$4.25	\$4.25	
Dec.	\$3.70	\$4.25	\$4.25	\$4.25	

SPECIAL ISSUES and INDEX

BYTE '83-'84 INDEX	\$1.75
1984 Special Guide to IBM PC's (Vol. 9, No. 9)	\$4.75
1985 INSIDE THE IBM PCs (Vol. 10, No. 11)	\$4.75

Circle and send requests with payments to:

BYTE Back Issues P.O. Box 328 Hancock, NH 03449

Prices include postage in the US. Please add \$.50 per copy for Canada and Mexico; and \$2.00 per copy to foreign countries (surface delivery).

Payments from foreign countries must be made in US funds payable at a US bank.

☐ Check enclosed	VISA	MasterCard
Card #		
Ехр		
Signature		

Please allow 4 weeks for domestic delivery and 12 weeks for foreign delivery.

NAME	
ADDRESS	
CITY	
STATE	ZIP

How a software engineer got to captain the lunar landing module.

The Computer Museum is everything you'd expect, and a lot of things you wouldn't.

Of course, the museum contains a collection of the most significant accomplishments in the history of information processing. But it's not just a great place to see things, it's also a great place to do things.

There are over twenty interactive exhibits at The Computer Museum. You can design a car, create your own fractal landscape, or even captain the lunar landing



module on the Apollo flight simulator. So, the next time you're in Boston, stop by The Computer Museum. You'll discover

it's more than a lot of machines, it's also a lot of fun.

For more information, or to become a Museum Member, write The Computer Museum, or call (617) 423-6758.


The Computer Museum

There's something in it for everyone

300 Congress Street, Boston, MA 02210

Subscription Problems? We want to help!

If you have a problem with your BYTE subscription, write us with the details. We'll do our best to set it right. But we must have the name, address, and zip of the subscription (new and old address, if it's a change of address). If the problem involves a payment, be sure to include copies of the credit card statement, or front and back of cancelled checks. Include a "business hours" phone number if possible.



RUTE

Subscriber Service P.O. Box 328 Hancock, NH 03449



ORDER TOLL FREE: 821-9771

U.L. Rated • High Reliability • Full Technical Support



140W (Typ.) 150W(Max.) PC/XT \$129.00

- U.L. recognized, yellow card available File # E-101115(S)
- . Meet FCC class B, European safety spec.
- 115/230V AC convertible
- + Low noise DC fan
- . OVP, OCP, short circuit protection
- IBM® standard pin out or Faraday type pin out selectable
- . 100% 24 hrs. burn-in 100% pre-shipment test. One full year warranty

Your PC represents a substantial exercision. It does not make assess to stati occully down time due to bergain power expot, when the a live deliters more you can have the conditioned of PCFITECH CLIAL ITY.

Mild in a conjudered trademark of inter-



FC 5192 200W (max) PC/AT \$189.00

PROFITABLE DISCOUNT PRICES FOR SYSTEM INTEGRATORS & DEALERS - PLEASE CALL



\$99.00

FC 940 Real Time Clock



FC 550 (CT-6040) bnochrome/Graphic/ Printer



Controller

orn Digital)

Heart Digit Controller for XT = DTC 5150 BUT - W/D WX-2 (Western Digital Conto P.T.-2 (Western Digital)
F.D. & H.D. Controller for AT
DTC 5266

\$109.00 Hard Disk

FC 730 (CT-6050C) 384K Multifunctions



FC 230 Floppy Disk Controller

pm \$119.00

FC 740 Multi-1/O \$109.00 w/Floppy Controller



XT CPU Board

FC 150 (4.77 MHZ) \$149.00 FC 160 (8.00 MHZ) \$169.00



FC 1730

for PC AT

etion Card

\$189.00 Modems \$149.00





EM RS232 port (2nd c

\$99.00

SPECIAL 'CMI #6640 40 MS 31 MB (formatted)

Hard Disk Drive \$499.00 (listed \$899.00)

* PC 803 memory sup card 589.00)
\$125 memory sup card 590.00
\$76 0008
\$760 memory sup card 590.00
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76 000
\$76

Enhanced Graphic Adaptor IBM® Compatible



- w/printer port

EGA Monitor \$499.00

FORTRON 200

119V / 230V AC input of final current 2.5 amp = 300W continuous = 1/2 cycle (hydical) trans

\$59.00

\$259,00

FC 447 **PC/AT Keyboard**



FC 427 (5150 Type) \$79.00

FC 437 (5151 Type)



For PC XT
 Lingle return key
 Light on sum. but keye

\$29,00

CABINETS & EXPANSION CHASSIS

FC 630 A-2



To use FC 135-49 pe

279.00





\$139.00





divise . Come w/power supply, lan \$149.00

FC 640/5 Slots Expansion Chassis



ON power supply, to Griege Das 1516" it 12" it 6%." "Option of system intent

FC 650/8 Slots PC Expansion Chassis \$249.00



\$89.00

FCC 660 / 12 Slots PC Expansion Chassis \$289.00



gn of holding 2 half-l

\$140.00

MONITORS

- Monochrome Tolong MM 1222 A / G.
 Golden Star Green • Color Hi-Res (640 x 200)
- Enhanced Graphic (640 x 350)

DISK DRIVES

Teas 180

m & colde

Tape Back-Up (w / controller, cable & tape)

Printers



Admess DP-130 • 130 C.P.S. • 80 columns • 9 x 9 det mate

\$11.50 / 9 pc. \$33.00 / 9 pc. \$44.50 / 9 pc. (for PC AT) Terms:

RAM CHIPS

Min shipping & handling \$6.00
 CA res. add 6.5% tax
 Restocking charge 15% No rin, goods w/o a RMA no.
 Prices subject to change w/o notice.

WHY PAY MORE?

IBM Compatible Software only \$6 per disk

OVER 500 DISKS FULL OF PUBLIC DOMAIN AND USER SUPPORTED PROGRAMS



ALIGN 1.6 (#217) Disk alignment tool.

TOP LITILITIES (#273) All of the most re-

quested utilities on one disk. NUMZAP (#284) Removes line numbers from

BASIC programs. BASIC XREF (#358) Chose bags with this

BASIC cross-22 reference utility.
PC-INPUT (#363) Program for BASIC screen.

generation.

PATCHES (4376) make back up copies of some of the most popular commercial programs with this collection.

PRINTER UTILITIES

SP 3.4 (#186, 275) Printer buffer that parti-

tions your data so you can use your computer and print at the same time.

SIDEWAYS (#265, 411) Prints text sideways

SETPRIA (#79) Sets up Epson printer from

SLIDE (#244) produce medium resolution

slides and overhead transparencies.
PRINTER UTILITIES (#411) Sorgesboard of

utilities and tools.
EPSON PRINTER UTILITIES (#326) Spool.

BANNER (#386) make long banners with large letters. Includes MS-FORTRAN source

EDUCATION

PC-TOUCH (#249) A typing tutor. EQUATOR (#249) A teaching tool for math,

PC-TUTORIAL (#403) A first course in com-

puter usage covering various aspects of MS-DOS. Good!

PC-PROFESSOR (#105) Learn Basic the easy way. One of the best tutorials on

PC-DOS HELP (#254) type "help" for the

DOS command you forgot. FLASH CARDS (#367-370) 4-disk set. Vocabulary builder, spelling teacher.

GAMES

on an Epson printer

science and finance

Summary of Disks

People often sak "...how can you sell any really good programs for \$6? After all, everyone knows you have to spend \$300 on a good word processor, database manager,

or spread sheet program . . . don't you?"

The truth is many of our satisfied customers have discovered that our public domain and user supported programs are actualty some of the best and most sophisticted software you can buy, at any price!
The commercial retailers don't want you to snow about us or our programs, but why pay hundreds of dollars more for software that won't do anymore than our \$8.00 package. Here is a sample of our library by category.

WORD PROCESSORS

PC-Write 2.5 (#78) A full featured word proor that is faster than Wordstar. TSCRIPT (#422) word processor for PC-JR cal source code included. DICTIONARY (#378) Dictionary type spell-

IV-ED (#415) Word processor - editor. LETTERWRITER (#415) controls letter processing.

SCREEN EDITORS

FRED (#83) Screen editor similar to IBM's

RV-EDIT (#190) Full screen editor from Bob

FOIL EDIT (#347) Full screen editor. Top to bottom and left to right.

TEXT PROCESSING TOOLS

PC-READ (#194) Program to determine clarity of lext.

FOGFIND (#378) reverses writing complex-

ry using the "Fog Index".

ROFFA 1.61 (#416) make beautiful text for-mats with this processing tool.

QPARSER (#419) Public Domain version of

this famous system.
WORDSTAR AIDS (#379) collection of the
most useful utilities for the Wordstar user.

DATABASE PROGRAMS

PC FILE III (#5) most popular database program from Jim Button. U-MIND (#133) Fast hashing makes this a

dendy database. (Intelligent database) DATABASE OF STEEL 3.1 (#214, 215, 267, 268) Database spreadsheet and expert sys-tem from Potomic Engineering.

NEWBASE (#233) Menu driven database for the beginner.

PC-DBMS (#383) A relational database management system that provides on-line help and screen editing functions.

ELSIE EXPERT SYSTEM (#398) Artificial intelligence shall to build a custom

knowledge-base. PDS*BASE (#396) Complete hierarchical data base system master/detail or mother/

daughter type. CREATOR (#339) create, report, and sort makes this a super database management

system. INFOBASE (#340) Forms driven database management system similar to INFOSTAR.

DATABASES

BOBCAT (#247) Small business database.

MIFIND (#311) Database of over 2000 movies that can be searched in any category, or you can add your own.

SPREADSHEETS

PC-CALC (#199) Fabulous 123 work-a-like from the author of PC-File.
PC-PAD (#406) Spreadsheet and address book program written in basic.

SPREADSHEET TEMPLATES

LOTUS 1-2-3 TEMPLATES AND MACROS (#140, 141, 165, 257, 289, 301-304, 406, 414) Why spend hours of writing your macros when these are ready made? Modify them

SYMPHONY WORKSHEETS (#305, 306)

FINANCIAL PROGRAMS

PC-CHECK MANAGER (#275) Keeps mui-

tiple checkbooks in balance.
TAX FILE DBS (#295) Tax record keeping m that saves you money on April 15. SAGE TRADER (#242) Analyzes commo-

PORTSWORTH PACKAGE (#101) Evaluates

your ever changing stock portfolios. FINANCE (#184, 227) Determine present and compound values, interest rates, etc. HOME FINANCE (#406) Lotus 1-2-3 Macros

for real life applications. PC-GENERAL LEDGER 1.2 (#237) An exceptional accounting system. Used by some

TIME AND MONEY (#251) Financial record keeping and analist system.

LOAN AMORTIZATION (#399) For output

to screen or pinter. Lots of on-line help

COMMUNICATIONS

OMODEM (#310) The best and fastest com-

munications programs you can buy at any price, bar nonel
PC-TALK (#391) The classic "Freeware"

communication program. PC-VT (#286) VT-100 Emulation. SYSCOMM (#338) Menu driven system allow-

ing unattended file transfer.

RBBS 12.2 (#212) Become a SYSOP and itart a bulletin boa

FIDO NET (#333) Bulletin Board System. Perhaps the easiest to run.

MATH AND STATISTICS EPISTAT 3.1 (#88) Statistical analysis of small to medium-signed data samples. KLP 1.9 (#332) Kinetics linear programming

system. MATH PAK (#394) Programs to leach and accelerate some math functions. BASICA

LANGUAGES

CHASM 2.13 (#10) Cheep assembler with

tulonal. LADYBUG 1.0 (#94) Logo like program. XLISP 1.4 (#146) Lisp language interpreter. LAXON & PERRY FORTH (#263, 264) MYP-FORTH (#31, 32) Two disk set of Moun-

tain Valley Press Forth.
3 FORTHS (#352) To modify or expand your own forth language. MVPFORTH, FORTH-H and SEATTLE Computer's Forth.

PROLOG & UNIFORTH (#417) Complete with editor and documentation

SNOCREST BASIC (#409, 410) two disk set. Real basic interpreter with manual. Can be used with a multi-user system.

TBASIC (#381) Tiny basic. A limited subset of BASIC. Could be placed on a chip.

PASCAL SETS

PASCAL TOOLS (#130, 133) Volume 1, 2 and 3 with source code from the famous

TURBO PASCAL-TOOLS (#248, 279, 292, 298, 324, 351, 353, 364, 385, 388, 375, 392) 12 volumes of tools and utilities written espe-cially for turbo Pascal. The most extensive collection around

UTILITIES

DISKCAT 4.0 (#106) Catalog all your disk files in a hurry. GINACO (#66) 54 polished routines written

in basic for any beginner or experts. We love

ULTRA-UTILITIES 4.0 (#133, 245) Recover lost files, modify sectors, etc. Like Nortons. SYSMENU (#250) Build a menu driven menu system. Excellent for hard disks.

LOAD-US (#284) Allows Lotus and Symphony to be used on a hard disk.

CIRCLE DISK NUMBER DESIRED: 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 18 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 38 48

41 42 43 44 45 46 47 46 49 50 51 52 53 54 55 56 57 56 58 80

61 62 63 64 65 68 67 68 69 70 71 72 73 74 75 76 77 78 78 80

TOP GAMES (#274) The most requested arcade type games. ARCADE GAMES (#293) Another goodle bag of top Arcade games, EMON (#296, 297) Adventure game

TRIVIA GAMES (#327-329) Lots of files and documentation for hours of fun. Will not work on PC JR.

PC JR GAMES (#354) Games that will work only on PC JR. Combat, dungeons and dragons, Global Thermonuclear War. MISC. GAMES (#390) Good selection of

educational, edventure, and arcade games.

PC-MUSICIAN (#127) Compose music on your PC, save and play again. PIANO MAN (#279) Play your PC keyboard like a pisoo.

APPLICATIONS

GENEALOGY ON DISPLAY 3.0 (#90) GENEALOGY - FT 1.25 (#240) from Pine LABELMAKER (#146) Our levorite label file

and maker Menu driven. PC-FLY "Filleplan" 2 1 (#281) Pilols prepare

and file your flight plans RECIPE 83 (#281) Recipe index for use with

PC File III (#5)
FAMILY HISTORY (#361) Family history. ancestor and decendant charts. Sample pro-

FORM LETTERS (#388) LOTS of samples of the most commonly used business letters.

GRAPHICS

PG-KEY DRAW (#344-345) A small CAD system. Lots of demonstration files. PC-PICTURE GRAPHICS (#136) Drawing package allows you to zoom, color, and store pictures. PC-GRAPH (#418) Allows user to create graphics from PC-File report files.

ORDER FORM

LONE STAR SOFTWARE, INC.

2100 Hwy. 360, Suite 1204 Grand Prairie, Texas 75050

214/647-1010		81 82	83	84	65	86 B	7 88	89	90	91	92	90	94	95	96 9	7 96	90	100
		101 102	100	104	105	108 10	7 10	109	110	111	112 1	13 1	114	115 1	16 1	F 11	5 719	120
SHIP TO:		121 122	123	124	125	126 12	7 12	129	130	121	132 1	33) 1	134	135 1	36 13	17 13	§ 130	145
		141 142	143	144	145	148 14	7 14	149	150	151	152 1	53 1	154	156 1	56 15	F 15	1 150	186
		161 162	160	164	165	100 10	7 16	100	170	171	172 1	73 1	174	175 (FB 11	77 17	1 179	180
		161 182	183	184	185	186 16	7 10	109	190	191	192 1	93 1	194	195 1	96 11	17 1 9	190	200
TOTAL #	x \$6 *	201 202	203	204	205	200 20	7 20	209	210	211	212 2	13 2	214 2	115 2	18 2	7 21	1 219	330
DISK DIRECTORY (Explanation of all files & program	w) x \$6 =	721 722	553	224	275	726 77	7 22	229	230	231	232.2	33 1	234	236 2	36 23	17 23	1 230	2940
OTHER		241 242	243	244	246	248 24	7 24	248	250	251	252 2	53 2	254	155 2	:58 25	7 29	1 250	293
		261 262								-								
SUBTOTA		261 262	263	284	265	205 21	7 200	200	290	701	292 2	93 2	294 (195 2	96 25	17 29	i 290	300
TEXAS RESIDENTS ADD 64% TAX	R									-								
SHIPPING & HANDLING		321 322							_					-				-
(1 @ \$1 00 and 50 for each additional disk)		341 342		-														
TOTA	·	361 362																
□ MASTERCARD □ VISA		381 382														-		
		401 400							-								-	
CARD NO.		421 422														-		
EXPIRATION DATE		441 442																
		461 462	-	-		-					_							-
SIGNATURE		481 482	483	484	480 -	485 44	7 48	489	490	19.	192 4	W3 4	194 4	195.4	.96 45	17 49	1 499	500
DI EACE EUCL DES CHECK WITH	LOCOED																	





PRINTERS

STAR MICHARICS
NX-10, 136 cps, Trac. & Sheel Feed\$ 299
SG-10, 120 cps, 2K buffer, 1 yr war 219
SG-15, 120 cps, 2K buffer, ... 385
SD-10, 160 cps, 10° carriage ... 385
SD-15, 160 cps, Corr. Qual. 479
SR-10, 200 cps, 10° carriage ... 520
SR-15, 200 cps, w/Tractor ... 640

ML1935 18M, Grapnics Comp. ramers
ML1935, 160 cps with
ML84P, 200 cps or
ML84 IBM without
ML94S, 200 cps IBM
Okknate 20, 80/40 color Rom

EPSON
LX80, 120 cps 10" carriage ... Call
FX85, 160 cps 10" carriage ... Us
JX80, 160 cps Color ... First
RX100, 100 cps 15" carriage ... For
FX288, 200 cps 15" carriage ... Lowest
LQ800, 180/60 P&S 7K 10" Authorized
LQ1000, 180/60 P&S 7K 15" ... Epson
LQ1500, 200/64 15" ... Dealer
DX10, LQ Printer ... Pricing

 BROTHER

 HR-15XL, LO 20 cps P or S
 \$ 355

 HR-25, LO 23 cps P or S
 499

 HR-35, LO 36 cps P or S
 699

 2024L, 180 cps 24 wire
 794

 DH-45, LQ & Dot matrix 38/160
 821

1080, 100 cps 2 yr. war. Prop. Sp .\$ 219 1091 w/Tractor, 120 cps, 2 yr. war. 1092, 10" carriage, 180 cps 375

DATA PRODUCTS
8012, 180 cps 10*18M comp. \$299
8022, 180 cps 15*18M comp. 472
8050C, 200 cps w/color 1172
8070C, 400 cps w/color 1547

DX10, LO Printer.....

BROTHER

JUKI

TOSHIBA

PANASONIC

STAR MICRONICS

CALPAK IIBM

BASE SYSTEM ± CPU w/256K ± One 360K DS/DD Dr # HI-Res Gm Monitor # Int. Card w/Par. Port \$1099

BUSINESS SYS. ± CPU w/640K

±1 Para. & 1 Ser. Port * Cik Cal w/Bat Bit up * Hi-Res Cir Grph Crd * Taxan #620 Cir Mon + 2-360K DS/DD Drive * One 20 Meg Hd Disk

\$2150 \$2949



PRINTER **ACCESSORIES**

ORANGE MICRO TOSHIBA Bi-Directional Trac. 1351/351 . . \$ 149/155 MICROTEK SMT Par. Card & Cable wiFree word processing software ...\$ 69 CABLES

DISPLAY MONITORS

GUADRAM Amber chrome IBM competible\$ 169 AMDEK V300AV310A for IBM PC TAXAN PRINCETON GRAPHICS CAUSMAX
PX-4, RGB H-Res w/Gr. Text Mode\$ 410
DM-14 Monochrome for IBM 150

CCESSORIES

IBM PC	A
IBM	
IBM Dos 3.1	69
PARADISE	
	49
Module A	75
Module B 256K w/C & C 1	20
	75
	220
84K MEMORY UPGRADE	
64K (9 chips) 200ns & 150ns\$	13
HEXACE TECHNOLOGIES	
Hi-Res Color Card for PC, XT, AT, .\$	89
QUADRAM	
Quad Color 1 Board	79
Exp. Quedboard w/64K & Game Port	188
TECHMAR	
Graphics Master \$ 4	49
APPLE & FRAN	К

ACCESSORIES

MICROTEK 80 col. for II & II + MICROMAX Viewmax 128K extended 80 col. card for Apple IIE w/64K \$ 99 80 col. card for Apple II & II+.... 139

MICROTEK Monochrome Text Par. & Ser.....\$ 145 Color Graphics Card 2 yr. warr 125 SIGMA DEBIGNS
Color 400 L or H.....\$ 399 **(LIN ACCESSORIES** ADVANCED LOGIC SYSTEMS
Z Engine 2.2 \$ 120
80 Col./64K \$ 69 APPLE
Super Serial Card......\$ 139 64K, 80 col. Card 8 65 MICRO-BCI 64K, 80 Col. Card

ASI RESEARCH
SIXPak + w/84K & Sidekick ... \$ 215
SIXPak + w/384K & Sidekick ... 255
Game Port. ... 49
Preview MonoGraphics ... 225

AST RESEARCH

KEYTRONICS KB5151

HARD DISK DRIVES 10 Meg w/cont. formatted for IBM . . \$ 445

ALPHA OMEGA
10 Meg w/Controller Card \$ 475
10 Meg w/Controller Card
30 Meg w/Controller Card 699
33 Meg for AT 599
Shock Mounted 20 meg for Compag 699
SEAUATE
ST212, 1/2 HT 10 meg \$ 445
ST225, 1/2 HT 20 meg 545
DISK DRIVES
TANDON
TM100-2 for IBM PC \$ 110
TEAC
55B Double Sided 350K
Drives For Apple & Franklin CALL for current prices
DEDOCALE OVOTERS
PERSONAL SYSTEMS
APPLE Professional Sys. Inct: Apple IIE w/128K &
Professional Sys. Incl: Apple IIE w/128K &
Annie IIc i inhiweight Portable 789
Pro System w/Color
BM PC Bare
IBMPC 64K, 1 Drive 1250°
BM PC, 2 Drives w/256K 1299*
IBM XI, 10 Meg, 380K Dr. W/250K 2150*
Cell About All "AT" Systems
"Call for current IBM prices
SANYO
MBC 555-2 w/2, 320K Drives &
more software
Serial Port for Sanyo
COMPAG
256K, w/2-320K Drives \$ 1699
Desk Top Model 1
256K, W2-320K Drives
Desk Top Model 3
We have "286" Ports & D.P. in stock
WYRE
1100-1 incl. 258K w/two 360K Drives 1 par
& 2 ser. ports
1100-2 incl. 10 meg, 1 floppy, 256K, 1 Par.
& 2 ser. ports
WYSE 1100-1 incl. 258K w/two 360K Drives 1 par & 2 ser, porta 1389 1399 1100-2 incl. 10 meg. 1 lioppy, 258K, 1 Par. & 2 ser, porta 2599 "Wyse Monitors & Exp. Chasis Available CONTINUAR DE
SALIBBURE
LOTUS DEVELOPMENT CORP.
Lotus 1-2-3 New Version
ASHTON TATE
D Base II
D Base III +
D Base III
EXPONENT
Continuica Two Switch 2 59
Centronice Four Switch
Centronics Four Switch 83 Serial Two Switch 45 Serial Four Switch 69
Serial Four Switch
MODEMS
ANCHOR
Volksmodem XII, 5 yr war

Volksmodem XII, 5 yr war	\$ 185
Express 1200	. 250
HAYES MICRO	
300 Baud Smart Modem	.\$ 148
1200 Baud Smart Modem	37
1200 B for IBM PC w/SM II	
2400 Baud Modern	645

DISKETTES PC DISKETTES

Sgi./Dbl. (Box of 10)	13
D6I./Dbl. (Box of 10)	15
COMPUTER CONNECTION	
Dbl./Dbl. (Box of 10)	18
Sgl./Dbl. w/Disk Container(10)	15
Dol./Dbl. w/Disk Container	
Bulk 50 & Up - Obl./Obl 1.35 ea	ich
SMA	

PC Documete for: Dos 3.1, 1-2-3, Symphony, D Base III and much much more . . \$11.95



IF YOU SEE IT ADVERTISED FOR LESS, CALL COMPUTER CONNECTION FIRST FOR LOWEST QUOTE

MAIL ORDER:
17121 5. Centrel Avenue, Unit L
Cerson, California 90746

VISA

NO SURCHARGE FOR CREDIT CARDS

TO LUWEST GUOTE
We nearly VISA, Mestar-Card, COD
(wideposit), Certified Checks or
(wideposit), Certified Checks or
(wideposit), Certified Checks or
(wideposit), Certified Checks or
(cardonnia 90746

Who compared to the Compared Checks or card, Minimum Shipping
Charge \$4.00. Some literum subject
Charge \$4.00. Some literum subjec





ORDER LINE (800) 732-0304

[213] 635-2809 ta Californial ion. Fri. 7 s.m. to 8 p.m. sturdey 11 s.m. to 3 p.m.

CUSTOMER SERVICE: (213) 835-5085 Mon-Pri. 2 s.m. to 3 p.m

The Greatest buy on BASF Qualimetric Diskettes!

79 Caty. 50 5.25 SSOD

<u>Ea.</u> Oty. 50 .90 s.25"DSDD

Packaged in boxes of 10 with Tyvec sleeves, user ID labels and write-protect tabs.

LIFTEIME WARRANTY!

	Qly. 20-40:	Q1y. 50+:
5.25"SSDD(P/N3406)	.81	.79
5.25"DSDD(P/N3407)	.92	.90
5.25"SSDD-96TPI(P/N3404	.92	.90
5.25"DSDO-96TPI(P/N3405		1.01
5.25"DSDD-HD(P/N3403)	2.07	2.04
3.50"SSDD-135TPI(P/N340	(2) 1.85	1.82
3.50"DSDD-135TPI(P/N341	2) 2.41	2.37
FOR ORDERS ONLY:	INFORMA	TION
1-800-621-6827	& INQUI	AIES:
In Illinois 1.312-256-7140)	1-312-256	

HOURS 8AM 6PM Central Time, Monday-Friday Friday Fr

DISK WORLD!, Inc.

BASF Qualimetric Diskettes in Bulk.

Save a lot of money by buying BASF QUALIMETRIC disketles in bulk. Packed in cartons of 150 disketles with Tyvec steeves. User ID labels and write-protect tabs. LIFETIME WARRANTY!

150+: .72 .83 5.25"DSDD(P/No.
5.25"DSDD.96TPI
5.25"DSDD-96TPI
5.25"DSDD-96TPI
5.25"DSDD-96TPI
5.25"DSDD-135TPI(P/N3411)
3.50"DSDD-135TPI(P/N3413)
2.05"
Available in 250 piece cartons only
"Available in 250 piec 5.25"SSDD(P/N3406) 5.25"DSDD(P/N3409) 5.25"SSDD-96TPI

FOR ORDERS ONLY: 1-800-621-6827

1-890-621-6827 BINQUIRIES: (In Illinois: 1-312-256-7140) 1-312-255-7140 HOURS: 8AM -6PM Central Time, Monday-Friday WE WILL MEET ON BEAT ANY NATIONALLY ADVENTISED PRICE ON THE SAME PROQUEST AND QUARTITIES RUBBLECT TO THE

DISK WORLD!, Inc. 629 Green Bay Rd. • Wilmette, Minois 60091

DISK WORLD!

3M Bulk Diskettes Incredible Value!

Multiples of 50 only!

These are genuine 3M diskettes as supplied to software duplicator accounts. LIFETIME WARRANTY. Tyvec sleeves included! Limited supplies, so act now!(P/N10041)

FOR ORDERS ONLY: 1-800-621-6827 1-800-621-6827
(In Illinois: 1-312-256-7140)
1-312-256-7140)
HOURS: 8AM -6PM Central Time, Monday-Finday we will MEET ON BEAT ARY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUARTITIES SUBJECT TO THE

DISK WORLD!, Inc. 629 Green Bay Rd · Will

DISK WORLD!

Discover the future today!

92 Ea. Oty. 100 1.13 Ea. Oty. 100

Qty. Qty. 20-40; 50; 1.03 1.00 LIFETIME WARRANTY! 5.25"SSDD(P/N4201) 1.03 1.00
5.25"SSDD-96TPI N/A N/A
5.25"DSDD-4D(P/N4202) 2.35 2.31
3.50"SSDD-135TPI(P/N4206) 1.87 1.84
3.50"DSDD-135TPI(P/N4206) 1.87 1.84
3.50"DSDD-135TPI(P/N4207) 2.46 2.42
BULK 5.25"DISKETTESI
(Packaged in boxes of 100 with Tyvec sleeves, user ID labels and write-protect tabs.)
5.25"SSDD(P/N4203) .92
5.25DSDD(P/N4204) 1.13
FOR ORDERS ONLY: INFORMATION

1.13 - 1.

DISK WORLD!, Inc. 629 Green Bay Rd. • Wilmette, Illinois 60091

DISK WORLD!

DISK WORLD! Ordering & Shipping Instructions

FOR FASTEST SERVICE, USE NO -COST MCI MAIL

Our address is DISKORDER. It's a FREE ,MCI MAIL. Our address is DISKORDER. It's a FREE ,MCI MAIL. letter. No charge to you. (Situation permitting, we'll ship these orders in 24 hours or less.) SHIPPING: 5.25" & 3.50" DISKETTES-Add \$ 3.00 per each 100 or fewer diskettes. OTHER ITEMS: Add shipping charges as shown in addition to other shipping charges. PAYMENT: VISA, MASTERCARD and Prepaid orders accepted. COD GRDERS: Add \$ 5.00 special barding charge. ARD. ERO. AK. H.I. and Prepaid broats accepted. COD ONDERS: Add \$ 5.00 special handling charge. APO, FPO, AK, HI & PR ORDERS: Include shipping charges as shown and additional 5% of total order amount to cover PAL and insurance. We ship only to United States addresses, except as shown above. TAXES: Illinois residents add 7% sales tax.

MINIMUM ORDER: \$35.00

FOR ORDERS ONLY: INFORMATION 1-800-621-6827

INQUIRIES:
(In litimus: 1-312-256-7140)
1-312-256-7140)
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-7140
1-312-256-

DISK WORLD!, Inc.
629 Green Bay Rd · Wilmette, Illinois 60091

DISK WORLD!

ATHANA DISKETTES The great unknown!

.60 Ea. Oty. 50

LIFETIME WARRANTY!

DSDD

.69 Ea. Qtv. 50 Qtv. Oty. 50+:

5.25"SSDD(P/N3700) 5.26"DSDD(P/N3701) 5.25"SSD0-96TPI/P/N3702) 5.25"DSDD-96TPI/P/N3703) 5.25"DSDD-HD(P/N3704) 3.50"SSDD-135TPI(P/N3705) 3.50"SDD-135TPI(P/N3705) 1.79

3.50**USDU-1351**PI(P/N3/06)

7.0u've used these diskettes hundreds of times as copyprofected originals on some of the most popular
software packages. They're packed in polybags of 25
with Polymer-impregnated sleeves userID labels and
reinforced hubs, write-protect labs.
FOR ORDERS ONLY:

1.900-621-6827

[INFORMATION]

5.INQUIRIES:

1.312-256-7140)

(In Illinois: 1-312-256-7140) 1-312-256-7140 In Illinois: 1-312-200-7140)
HOURS 8AM -6PM Central Time, Monday-Fnday
We will meet on Beat any nationally advertised Proce
Of the Same Products and outstrike Subject to the
auer trains and conditions at the Cometitive ad.

E TERMS AND CONDITIONS AS THE COMPETITIVE AD.

DISK WORLD!, Inc.
629 Green Bay Rd • Wilmette, Illanois 60091

DISK ORLD!

at the lowest prices ever

EA. 4- 5.25"SSOD(P/N1000) City.50+ 5.25"DSDD(P/N1004)->

LIFETIME WARRANTY! Packed in boxes of 10 with User IO labels and write-protect labels.

Qty. 20-40: .81 | Carriage City. 50+: 78 1.10 1.53 1.93 2.24

DISK WORLD!

Printer Ribbons at extraordinary prices!

Brand new ribbons, manufactured to Original Equipment Manufacturer's specifications, in housings. (Not re-inked or speeds only.)

LIFETIME WARRANTY!

EPSON MX-70/80(P/N2500)

EPSON MX-70/80(P/N2500) \$ 2.70 ea. + .25 Shpng. EPSON MX-100(P/N2501) \$ 4.08 ea. + .25 Shpng. Okidata Micro83(P/N2505) \$ 1.37 ea. + .25 Shpng. Okidata Micro84(P/N2502) \$ 2.98 ea. + .25 Shpng.

FOR ORDERS ONLY: 1-800-621-6827 (In Illinois: 1-312-256-7140) A INQUIRIES: 1-312-256-7140 HOURS: 8AM -6PM Central Time, Monday-Friday WE WILL MEET OR BEAT ANY NATIONALLY ADVENTISED PRICE ON ILL MEET OR BEAT ANY NATIONALLY ADVENTISED PRICE SAME TERMS AND CONTIONS AS THE COMPETITIVE AD

PERMIS AND CONDITIONS AS THE COMPETITIVE AD DISK WORLD!, Inc. 629 Green Bay Rd. • Wilmette. Illinois 60091

DISK WORLD!

Diskette Storage Cases

AMARAY MEDIA-MATE 50:
A revolution in disk storage,
Every once in a while someone takes the simple and
makes it elegant. This unit holds 50 5.25" diskettes, has
grooves for stacking, inside nipples to keep diskettes, has
grooves for stacking, inside nipples to keep diskettes, has
grooves for stacking, inside nipples to keep diskettes, has
grooves for stacking, inside nipples to keep diskettes.
We like it
(P/N3013)
\$ 9.69 ea. + \$ 2.00 Shprig.
DISK MINDER II:
Low-priced, but effective storage for 75 5.25" diskettes.
Smoked plastic top, beige bottom with inside dividers.
(P/N200)
\$ 6.49 ea. + \$ 2.00 Shprig.
DISK CADDIES:
The original librup holder for 10 5.25" diskettes. Beige

The original flip-up holder for 10 5.25" diskettes. Beige (P/N2200) or Grey (P/N2201)

\$ 1.65 ea. + .20 Shpng. FOR ORDERS ONLY: 1-800-621-6827 (In Minois: 1-312-256-7140) INFORMATION & INQUIRIES: 1-312-256-7140 HOURS, BAM -6PM Central Time, Monday-Friday
WILL MEET ON SEAT ANY NATIONALLY ADVERTISED PRICE
ON THE SAME PRODUCTS AND QUANTITIES SUBJECT TO THE

RE SAME PRODUCTS AND QUANTITIES BUBLECT IE TERMS AND COMPITIONS AS THE COMPETITIVE DISK WORLD!, Inc. 629 Green Bay Rd. • Wilmette, Illinois

DISK WORLD!

SUPER STAR® DISKETTES:

The ultimate value in magnetic media.

No one told us how phenomenally successful Super Starte diskettes would become. The idea was simple. Very simple.

We would do the same thing that big companies like IBM® do in regard to creating a "brand name" diskette. That is we would go to major manufacturers, buy top-quelity diskettes in massive quantities, give them our own name and self them inexpensively.

A very simple idea ...that worked!

Now, tens of thousands of businesses, government agencies, schools and individuals have learned that you don't have to pay inflated "brand name" prices to get "brand name" quality.

Just buy Super Star® diskettes.

Quality ...without high price.

We strip almost a million Super Star® diskettes a month and get very few of them back.
Unlike others who offer a "house brand" or "generic"

distettes, Super Star® distettes are top-of-the-line quality, exceeding ANSI and IBM standards by 50% or

They are not cosmetically flawed, duplicator product (where a failure rate of 20% or more is expected) or what we in the diskette industry refer to as "floor eweepings", a term which speaks for itself.

A lifetime warranty.

If you sense pride in our description of Super Star® diskettes, you've got it right.

After all, wouldn't you be proud if you found a way to deliver top-quality diskettes at about half the price of "brend names"?

When every bit counts, it's Super Star®!

Nearly a million Super Star® diskettes a month are being sold to some of the largest and most recognizable names in the nation. They love 'em, because they save money...and they are dependable.

So now is the time for you to re-discover Super Star®

And we say "re-discover" for a reason.

You've already used Super Star!

Super Star® diskettes, as noted, are made by some of America's leading diskette manufacturers...and the odds are that you've already used them more than once as the copy-protected masters on some of the best known are programs around.

So, when you want the best...and the least expensive best...order Super Star®!

SUPER STAR SPECIAL! Your choice of storage at \$ 4.95!



Buy 50 Super Star® diskettes and get a storage case for only \$ 4.95 (shipping

These are durable plastic cases with

dividers and are very nice units.
The 5.25" unit holds 50 diskettes and the
3.50" unit holds 40 diskettes.
5.25" Storage Case(P/N3100)..\$ 4.95 ea.
3.50" Storage Case (P/N 3102).\$ 4.95 ea.

What the world needs now is a complete line of high quality, inexpensive diskettes with a LIFETIME WARRANTY!

And DISK WORLD! has them!

Super Star 5.25" Diskettes

5.25" SSDD (P/N 3800) .55 ea.

5.25" DSDD (P/N 3801) .64 ea.

5.25" SSDD-96TPI(P/N 3802) .80 ea.

5.25" DSDD-96TPI(P/N 3803) .84 ea.

5.25" DSDD-HD 1.72 ea. ORDER IN MULTIPLES OF 50 ONLY

All Super Star 5.25" Diskettes are poly-bagged in lots of 25 with sleeves, write-protect tabs and user ID lahels

QUANTITY DISCOUNTS: 350-500 diskettes, deduct 3%, 500-700 diskettes, deduct 6%. 750-1,000 diskettes, deduct 9%. 1,000+ diskettes, deduct 12%.

Super Star 3.50"

3.50" SSDD (P/N 3805)

\$ 1.52 ea.

3.50" DSDD(P/N 3806)

\$ 1.86 ea.

ORDER IN MULTIPLES OF 60 ONLY!

Super Star 3.50" diskettes are packaged in boxes of 50 with user ID labels. QUANTITY DISCOUNTS: 350-500 diskettes, deduct 1.5%. 500-700 diskettes, deduct 3%. 750-1,000 diskettes, deduct 4.5%, 1,000+ diskettes, deduct 6%,

The Super Star LIFETIME WARRANTY!

Diskettes Super Star Diskettes are unconditionally warranted against defects in original material so long as owned by the original purchaser. Returns are simple: just send the defective diskettes with proof of purchase, postage-paid by you, with a short explanation of the problem and we'll send you replacements.(Incidentally, coffee stained diskettes or diskettes with stapples driven through them or otherwise damaged doo'! Star them or otherwise damaged don't qualify as defective.)

> HOURS: 8AM-6PM Central Time Monday - Friday

WE WILL MEET OR BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES SUBJECT TO THE SAME TERMS AND CONDITIONS.

HOW TO ORDER:

ORDERS ONLY: 1-800-621-6827 (In Ulinois: 1-312-256-7140)

INQUIRIES: 1-312-256-7140

FOR FASTEST SERVICE, USE NO -COST MCI MAIL. Our address is DISKORDER. It's a FREE MCI MAIL letter. No charge to you. (Situation permitting, we'll ship these orders in 24 hours or less.)

we'll ship these orders in 24 hours or less.)
SHIPPING: 5.25° & 3.50° DISKETTES-Add \$ 3.00 per each 100 or fewer diskettes. OTHER ITEMS: Add shipping charges as shown in addition to other shipping charges. PAYMENT: VISA. MASTERCARD and Prepald orders accepted. COD ORDERS: Add \$ 5.00 special handling charge. APO, FPO, AK, HI & PR ORDERS: Include shipping charges as shown and additional 5% of total order amount to cover PAL and insurance. We ship only to United States addresses, except as shown above. TAXES: Illinois residents add 7% sales tax.

MINIMUM ORDER: \$ 35.00


DISK WORLD!, Inc.

629 Green Bay Road Wilmette, Illinois 60091

TOLL FREE 800-854-8230 CA Residents 714-558-8813 **OUR POLICY** ·Surcharge for VISA or Mastercard.

Surcharge for VISA or mastercard.
 Volume purchasing agreements available.
 Orders subject to availability. *Supply limited on certain items.
 Pricing subject to change without notice.
 ACP Retail Store pricing may vary. Not responsible for typos.

IBM Compatible W/20



Don't miss out on this unbeatable system manufactured by Toshiba for ACP. ACP has sold over 3,000 ADVANCED XT's to satisfied customers including "true blue" users like Rockwell, Hughes, and Kodak. Not only is the price affordable but the features and compatibility are unbeatable. For more details call one of our expert consultants. Don't hesitate this will be a sellout!

ACP BASE PRICE 00

PC Turbo 186 w/256K \$585.00

Color/Monocard \$105.0 Modular Graphics Card 274.0

Inquiry 9

Call for complete Monochrome or Color RGB system prices with 10 or 20 Mb hard disk drives or the NEW 20Mb Drivecard.

PARADISE

DEDEVET

	-
AST	
Sixpak Plus w/64K	\$235.00
Advantage 128K, ATAST 5251-11	575.00
AST 3780	.575.00
RAMpage up to 2 Mb	Cult
DCA	
Irma	
Irmaline	. 896.00
620 Serial LOPwas 1495 now	4940 00
620 API LOP	
620 036 (36cps)	449.00
Tractor was 395 now	\$99.00
F-21 Sheet Feeder was 896 now	
Cable for 620 (to IBM)	
Diablo S-11 100cps Serial	
Diablo P-31 Wide	
Diablo S-31 Wide	
Other Diablo Dot Matrix's available.	Call
EPSON	
FX85 160cps NLQ	
All Epson Models	
EVEREX	
Graphics Edge or Edge	\$259.00
HAYES	
Samrtmodem 1200	
Samrtmodern 1200 Smartmodern12008 Smartmodern 2400	
Smartmodern 2400	. 313.00

Irma .,,	
Irmaline	
DIABLO/XEROX	
620 Serial LOP was 1495 now \$348.00	
620 API LOP	
620 036 (36cps)	
Tractor	
F-21 Sheet Feederwas 896 now 248.00	
Cable for 620 (to IBM)	
Olablo P-11 100cps129.95	
Diablo S-11 100cps Serial 139.95	
Diablo P-31 Wide249.95	
Diablo S-31 Wide	
Other Diablo Dot Matrix's available Call	
EPSON	ı
FX85 160cps NLQ\$375.00	
FX185 160cps Wide488.68	ľ
All Epson ModelsLewest Price	
EVEREX	
Graphics Edge or Edge\$259.00	
HAYES	
Samrtmodem 1200 \$385.80	
Smartmodern12008	
Smartmodern 2400	
Smartcom II 2.1 Software 88.00	
Hayes Comp. 1200 (Int) w/SW.,169.95	
Hayes Comp. 1200 (Ext)189.85	
HERCULES	
Color Card	
Graphics Card w/Software 295.00	
INTEL	
Above Board PC or AT Lowest Price	
IRWIN	
310A 10 Mb Tape (Ext) \$849.00	
110D 10 Mb (Int)	
KEYTRONICS	
5151 Deluxe Keyboard	
5153 w/Touchpad	
PC Jr. Numeric Keypad	
MICROSOFT	
Mouse	
Mouse (Serial) 145.00	
ANGINETAIN COMMITTEE	
MOUNTAIN COMPUTER	
20Mb Hardcard	
MOUSE SYSTEMS	

	PU-8MHz Floppy Disk Orive sk Controller w/Floopy
AT Style	
- 192W P	wr Sup. • 8 Expan. Slots 3.1, BIOS
\$1	495.00
ADVA	NCED AT CARDS
ADV-320	Hard Disk Controller with
ATTIV EDOGAN	Floopy for AT\$228.00 Color/Graphics/Printer88.05
ADV-8050	2Mb Multifunction with
7.01 0000	RS-232, Game & Cable 169.95
ADV-8080	3Mb Memory Expansion128.85
ADV-8120	Printer/RS-232 and RS-232 (Opt.)
ADVAN	CED PC/XT CARDS
ADV-6040	Monochrome/Graphics/ Printer 239.95
ADV-6040-3	
ADV-6050A	Monochrome/Printer Adapter
ADV-6050C	384K Muhllunction Card RS-232, Printer, Game. Clock ½ Card
ADV-7060	Floppy Controller, 2 Floppys
ADV-EGA	EGA Short Card329.95
ADV-6120E	Printer, RS-232 x 278.85
ADV-8250A	Multifunction, RS-232,

Multifunction, RS-232, Printer, Game, V₂ Card. . 85.85

640K Memory Card, 0K.55.95 Mono/Color/Graphics, Printer 80/132 Columns179.95

* NEW * Advanced AT!

INTRODUCTORY PRICE

Mono Board w/Parallel\$150.00
Color Board
PRINCETON GRAPHICS HX-12 RGB (640x240)
MAX-12E Amber TTL
SR-12
PROMETHEUS ProModern 1200 w/Mite (Int)\$238.60
ProModern 12008 (Hayes Comp.)
QUADRAM Expanded Quadboard (OK)\$185.00
Gold Quadboard (OK)
Quadlink
Color 400 Card
SHARP 12" Med-res RGB Monitor \$260.95
Color Piotter w/Software 199.88 STAR MICRONICS
Gernini 10X reduced TO LOW TO PAINT Gernini 15X sale TO LOW TO PAINT
SG10, SR10, Radix etc Lowest Price Yell TAXAN
415 (\$40x260) RGBwas 699 now \$279.95 Mod. 640 (Ultra Hi-res)
TEMPLATES Lotus, dBase III, etc Lowest Price
TITAN
HIM
Accelerator PC w/256Kasie Call
Accelerator PC w/256K
Accelerator PC w/256Ksale Call TOSHIBA P321 "3 in 1" LO Printersale \$599.00 P341 24 Pin 136 Col
Accelerator PC w/256K
Accelerator PC w/256K
Accelerator PC w/256K

20 Mb \$449 20 Mb \$699 Package (1 Yr War) Plug-in 1 Yr War) SEAGATE FOR AT

(Linear Voice Coll Activator) 20 Mb for AT\$575.00 30Mb for AT.....\$695.00 40Mb for AT......\$815.00 (Inc. Cable & Mounting Rails)

PC UPGRADE SPECIAL

4495 SET OF (9) 64K RAMS *36⁹⁵SET OF (9) 256K RAMS \$7.95 4128 PIGGYBACK RAM \$120.00 8087-2 Coprocessor

1200 Baud Hayes" Comp. Modem Short Card by U.S. Robotics with Telpac I Software. ACP. \$149.95 List \$499 Buy (6)......\$139.95



•20Mb Hard Disk -20Mb Tape Back-up •New/Factory Box

 PC/XT/AT Comp. External Complete Reg. Retail \$3300

ACP Only \$999

Grid Compass MS-DOS Lap Computer Demo Sale Call for Details, 100's in Stock as Low as

EGA SPECIAL

New Advanced EGA Card for High-res IBM Graphics. Only \$28888 SPECIAL PRICEI

UNBELIEVABLE!


Micropro INFOSTAR SYSTEM! includes Datastar, Reportstar (PC DOS).....\$99.95 IBM brand Pascal Compiler.......99.95 IRM DOS 2.0..... Compag MS DOS/BASIC ver.2.....49.95

vancec

ADV-6290

ADV-6090

BORNA.



California Digital

17700 Figueroa Street • Carson, California 90248

IBM Compatible Computer



- 256K Expandable to 640K on Motherboard
- Floppy Controller Card
 Eight Expansion Slots
 135 Watt Power Supply Double Sided Double Density Disk Drive
 IBM Type Keyboard (with LED indicators)

The Eclipse 16 is an outstanding value in IBM Compatible Computers. After careful research and evaluation we found it to be the most reliable unit.

Our computer includes some of the newest features available, such as the 4.7MHz, multi-layer motherboard with 256K of RAM upgradable on board to 640K. A generous eight expansion slots and 135 Watt power supply give you ample room and power for add-on boards. The enclosure has an easy-access flip top lid making upgrades a breeze. And our floppy controller supports up to four drives, so as many as three additional drives can be used. Finally, each computer is configured and fully tested before sending it to you.

Satisfaction Guaranteed? We're really excited about this new unit, and so sure you will be too... that you may return the Eclipse 16 for a full credit towards an IBM PC if you are not completely satisfied.

20MB Hard Drive w/Controller\$495	
Additional Drive-Installed99	
Irwin 10 Meg. Tape Back up489	
Irwin 10 Meg. Tape Back up489 Upgrade from 256K to 640K RAM79	
8087 Math Co Processor119	
Color Graphics Card79	
Monochrome Graphics Card99	

P	TIONS
	RGB Color Monitor199
	TTL Monochrome Monitor139
	Microsoft Mouse139
	Upgrade from Floppy Controller to Disk I/O
	2 drive controller, clock/cal., software
	parallel, serial, and game ports79
	1200 David Internal Madem w/Dollyrom 120

NOW YOUR COMPUTER CAN READ!!

Omni Reader... the first optical character reader designed and priced for small computers.

- Copy Manuscripts
- Contracts
- Forms
- Invoices
- Purchase Orders

Applications

- Mailing Lists · Editing
- Data Base Management
- Transfering information between incompatible systems.



Uses a standard RS-232 serial port hookup to interface ealsily with your computer.

1200 BAUD MODEMS

SMARTEAM 1200



The Team 212A offers all the features of the Hayes Smart Modern 1200 for a fraction of the price. Now is your opportunity to purchase a 1200 baud modern at the price of a 300 baud modern.

SIGNALMAN MARK **300 BAUD**



The Anchor Automation Mark VI is a 300 paud direct The Anchor Automation Mark VI is a 300 paud direct connect modern that plugs into any stot of your IBM/PC. This modern supports auto answer and auto dial capabilities. Other features include telephone number storage, send / receive text files, single key-stroke dialing along with many other functions provided on disk. The Mark VI was originally priced at over \$300.



Eclipse 1200B Internal with software Hayes Smartmodern 2400 baud modern Fujirsu 2400/1200 baud auto everything Team 1200 Hayes Compatible, 300/1200 baud Ultral.ink 1200 data and votce on same line. CTS 212AH 1200 baud, auto dail Tarminal software for CTS 212AH Prometiseus 1200 super lestures Prometiseus 12008 internal PC Signaliman Mark VI, 300 baud internal PC Hayes Smart Modern 1200 baud, auto dial Hayes 1200B for use with the IBM/PC, 1200 b Hayes Smartmodern, 300 baud only, auto dial Hayes Chronograph, lime & dale

20 MEGABYTE WINCHESTER HARD DISK DRIVE

Five Inch Winchester Disk Orives

SEAGATE 225 20 Meg, ½ HI. 389 829
SEAGATE 4026 26 M. 35m5. 859 829
SEAGATE 4026 26 M. 35m5. 1095 1099
FIJJITSU 2242 55 M. 35m5. 1799 1729
FUJITSU 2242 56 M. 35m5. 2295 2219
RODIME RO-2026 27 Meg. 799 729
RODIME RO-2036 40 Meg. 995 929
RODIME RO-2036 40 Meg. 995 929
RODIME RO-2036 40 Meg. 995 929
RODIME RO-2046 53 Meg. 1259 1185
CONTROL DATA 94155-66 M.1822 1779
MAXTOR XT1140 148 Meg. 3379 3295
HONEYWELL 85M. 27 mS. 1795 1695
TOSHIBA MKSG 70 M. 30m5. 1789 1729
TANDOM 502 10 Meg. 419 379 TANDON 502 10 Meg.

 Winchester Centrollers for IBM/PC FALCON FT-HDC half card XEBEC 1220 with Bloppy contro NATIONAL COMPUTER 5004 ONT 5518 half card NATIONAL COMPUTER 5004 ONT 5518 half card NAPTEC 2010A software instructional Computer Statement of the ● SCSI/SASI Winchester Controllers ● XEBEC 1410A 5¼" foot print 239

Quantity Two

 Winchester Accessories
 Installation Kil with manual Winchester enclosure and supply Dual 20/34 cable set

TOLL FREE ORDER LINE (800) 421-5041 TECHNICAL & CALIFORNIA 3) 217-0500

California Digital

17700 Figueroa Street • Carson, California 90248

Letter Quality Printer F-10 DAISY WHEEL



The F-10 Daisy Wheel printer is the perfect reasonably priced 40 character per second word processing printer. This printer is "extremely" similar to C. Itoh's F-10-40 Starwriter printer, however we have been advised by legal counsel for the C. Itoh Company that we should refirm from referring to the F-10 printer as a Starwriter.

This printer auto installs with Wordstar and Perfect Writer, features extensive built-in word rocessing functions that allow easy adaptability and reduced software complexity. Industry standard Centronics Interface provides instant compatibility with all computers equipped with a parallel printer port. The F-10 ac cepts paper up to 15 inches in width.

These printers were originally priced to sell at over \$1400. Through a special arrangement California Digital has purchased these units from a major computer manu-facturer. We have a limited number of these popular printers left.... while they last we're offering a special Accessory Pak, including six Diablo daisy wheels and two ribbon cartridges, with every F-10 printer already priced at a fraction of their original cost.

Options available: sheetfeeder, tractor feed, buffered memory and an assortment of printer cables for a variety of computers

CP/M 2.2 **Operating System**



Complete with manual by Digital Research

Originally \$185.00 Now only \$14.95

(10+=9.95--100+ Call)

BAR CODE READER



The DataLogic bar code reader plugs directly between

the keyboard and the mainframe of your IBMPC.

Bar code is suitable for inventory control, freight and invoice records, personal records and other applications limit-

ed only by your imagination
Also available for the Apole II and RS-232 serial.



NEC RGB

Accessory Pak Includes 6 Daisy Wheels & 2 ribbon cartridges With F-10 Purchas





- 200 dats-per-inch resolution
- rogrammable baud rate
- Multiple protocols Programmable buttons
- Serial interface
- Runs on any surface
- Free of pads or grids

Microsoft TM compatible driver

Moving your cursor has never been so easy! This mouse combines the best features of optical and mechanical tech nology into one high performance mouse. The Tektronix mouse was private labeled by LogiTech for Tektronix The 200 dots-per-inch resolution requires less desk space and gives you precision control. This mouse is fast and pre cise in the most demanding environments. And it has a programmable baud rate so you can use it with almost any of

Quick-Link 300



The Quick-Link 300 gives you an instant link to any diatup data base. Such Dow Jones, Western Union or the Source. The Quick-Link has four u

SONY 53W Floppy Disk Drive 3 1/2" New IBM portable compatible



Your Choice 48 or 96 TPI drive QUME MODEL 142 • 48 TPI MITSUBISHI 4853 • 96 TPI



119 109 119 109 TEAC FD55FV 96 TPI, half ht. TEAC FD55GF for IBM AT 119 109 189 179 119 109 125 119 129 125 119 109 . 99 89 175 SHUGART SA455 Half Height SHUGART SA465 ½ Ht. 96TPI 105 TANDON 100-2 full height MITSUBISHI 4851 half height MITSUBISHI 4853 96/TPI½ Ht. MITSUBISHI 4854 8" elec. QUME 142 half height Switching power supply Installation Kit with manual 49 Dual enclosure for 5¼" drives 34 pin edge connectors Scotch head cleaning kit Flip & File Storage tubs



Eight Inch Single Sided Drives

QUME 841 single side SHUQART 801R SIEMENS FDD 100-8

Eight Inch Double Sided Drives

QUME 842 "QUME TRACK 8" SHUGART SA851R 189 179 495 485 189 179 OLIVETTI double sided 189 179 REMEX RFD-4000 179 169 MITSUBISHI M2896-63 ½ Ht. 459 449

Dual 8" enclosure with power and fan Switching power supply Installation kit with manual



DYNAMIC MEMORY

10

4164 150ns. 128 refresh 41256 150ns. 256K

ICM-4164150 ICM-41256150



Shipping: First five pounds \$3.00, each additional pound \$.50. Foreign orders: 10% shipping, excess will be refunded. California residents add 6%% sales tax. ● COD's discouraged. Open accounts extended to state supported educational institu-tions and companies with a strong "Dun & Bradstreet" rating.





74	00	PRICE	BR
Part No. Price	Part No. Price	CUSTO	
SN7400N	SN7485N55	for VIC-20, C-6	4 and
SN7402N	SN7486N35 SN7489N195	Pari No. Price	Pert No.
SN7405N		'6510CPU 49.95 9.95	*6526
	SN7493N	*6525TPI -20.06- 9.95 *Specs. Available 6 \$1.50 cs.	"6560" "6567"
SN7408N			
	SN74126N		6870
SN7416N	SN74150N1.29	U Inah	AC68701 significa
SN7430N	ON(4100M	family	of parts.
SN7432N 29 SN7438N 29	SN74173N	let I/O	, and a tr
CN1744961 45		MC	6870
SN7445N	SN74176N	MICROPRO	0-1-6
SN/440N	SN74193N	MICROPROCESSOR CHIPS	6500
SN7472N	CN74991NI BO	Part No. Price	Part N
SN7474N	SN74221N	D765AC 4.95 CDP1802CE 6.95 2661-3. 6.95	6843. 6845.
SN7475NL	SN74367N	2661-3 6.95	6850. 6852.
74	LS	280, 280A, 280B, SERIES	58000
74L500	74LS16579	Z80	6866
74LSU2	741 5166 69		8031.
741 805 25	741 0174 20	280A185	80C3 8035.
74LS06	74LS17539 74LS18939 74LS18949	ZBOA 1.85 ZBOA-CTC 1.89 ZBOA-DART 5.25	80738 8080
74LS08		7004 CION 525	8085
PROPERTY OF PROPERTY AND INCOME.	74LS221	Z8083.95 Z808-CTC4.95 Z808-P104.95	8086 8086
741 530 10	74LS240 69 74LS243 69	Z808-Pl04.95	8087 8087 8088
74LS32 25 74LS42 39	74LS244	6500/6800/68000 SER. 65022.75	8088. 8088-
	74LS259 1.19	6520	8116. 8155.
74L\$73	74LS27379 74LS27939 74LS27939	6522 4.95 6532 6.49	6155
74LS75 29 74LS76 29 74LS85 49	74LS365	6532 6.49 6551 6.95 6800 1.95	8156. 8202.
	74LS322	6802	8203. 8212
74LS90	74LS368	6821 1.95	8224.
74LS90	74LS374	6840 6.75	8228
741 0199 90	74LS393	Part No. Funci	ion
74LS13939 74LS1541.49 74LS15735	74LS6241.95 74LS6292.49	4116N-15 15.38 4129 131,0	4 x 1 72 x 1
74LS157	74LS629	4164N-150 65.53	6 x 1
741 5163	74L\$670	4164N-200 65,53 TMS4416-12 16,38	6 X 1
74LS164	/4LS0881.95	TMS4416-12 16,38 MM5280 4096 8118 16,38	x1 4x1
74S/P	ROMS*	41256-150 262,1 50464-15 65,53	44 x 1 6 x 4
74S00	74S188'		
74509	1 74551985 1.49	TMM2016-12 2048 2102 1024	x 1
74\$10	745240 1.49 745244 1.49	2102-2L 1024 2114N 1024	x 1
74585	74\$244	2114N-L 1024	x4
74S86	745288*	2114N-2L 1024	x 4
74S174	7453741.69 748472'3.49	21C14 1024 2149 1024	x 4
745175		5101 256 4	4
7401 000 26		HM6116LP-3 2048	x8
74ALS02	74415174 00	HM6264LP-12 8192	×8
74ALS08	74ALS175	HM6264P-15 8192 HM6264LP-15 8192	×8
74ALS27 39	74ALS2441.79	6514 1024	£4
74ALS30	74ALS245249 74ALS3731.95	1702A 256 x	8
74ALS32 39 74ALS74 55	74ALS3741.95 74ALS5731.95	TMS2516 2048 TMS2532 4096	×B
	aF	TMS2564 B192	×8
74F00		2708 1024 TMS2716 2048	×B
		2716 2048 2716-1 2048	×8
74F08. 59 74F10. 59 74F32. 65 74F74. 89	74F2402.49	27016 2040	w 10
74F74	74F2531.79	2732 4096 2732A-20 4096	×8
74F86	74F373295	2732A-25 4096 2732A-45 4096	×8
CD-	CMOS	27C32 4096 2758 1024	×8
CD4001 10	C04081	2764-20 8192	×8
CD4001	CD4082 25	2764-25 8192 2764A-26 8192	×8
CD4013	CD4093	27064 8192	8 ×
CD4017	CD4094 1.49 CD40103 2.95 CD4503 49	27128-25 16.38	14 x 8
CD4017	CD4510	27256-25 32,76	8 x 8
CD4027	CD4515139	27C256-25 32,76 68764 8192	8 x 8 x 8
CD4030	CD4518	68766 8192	x8
CD4049	CD4522	74\$387 256 x 74\$471 256 x	8
CD4030	CD4541	82S123 32 x 1 82S129 256 x	4
CD4053	CD4503. 49 CD4510. 59 CD4511. 69 CD4516. 139 CD4516. 79 CD4520. 79 CD4520. 79 CD4520. 79 CD4520. 39 CD4541. 59 CD4543. 99 CD4553. 495 CD4555. 89 CD4566. 1.95 CD4566. 1.95	LOW PROFILE (TIN) SO	CKETS
CD4060	CD45561.95		.12
CD4066	CD4583	14 pin LP	.13
THE SHARE STREET STREET STREET	1 00 1000	16 pin LP	.15

EAKTHROUGHI OMMODORE CHIPS

d C-128 Personal Computers

Part No.	Price	Pert No.	Price	Part No.	Price
*6510CPU 494 *6525TPI -204 *Specs. Available 6	9.95	*6560VIC-I 2	9.95 14.95	82S100PLA	97.95 19.95

1-Microcomputer with EPROM

1 is an 8-bit single chip microcomputer unit (MPU) carity enhances the capabilities of the MC8800 6. On-chip resources include 2048 bytes of EPROM RAM, Serial Communications interface (SCI), paral-three function Programmable Timer.

1.....\$24.95

SSOR COMPONENTS

MICHOPROCESSOR CHIPS Pert No. Price	8500/6800/88000 Cent. Part No. Price	8000 SERIES Cont. Part No. Price
D765AC4.95	68439.95	8237-5 6.95
CDP1802CE 6.95	6845	8243 2.49
2661-3	6850	8250A
Z80, Z80A, Z80B, SERIES	68524.75	8250B (For IBM) 7.25
280 1.75	58000LB 9.95	8251A 225
Z80-CTC1.79	68661	8253-5 2.25
280-DART 4.95	BOGO SERIES	8254 9.95
Z90-Pi0. 1.79	80316.95	8254-2 11.95
280A1.85	80C31BH 19.95	8255A-5 2.25
Z80A-CTC 1.89	8035 1.95	8257-5 2.49
280A-DART 5.25	8073N 29.95	8259-5, 2.49
Z80A-PI01.95	8080A3.95	8272 4.95
ZB0A-SI0/0525	8085A 2.75	8279-52.95
Z80B395	8086 8.95	8741 8.95
Z80B-CTC 4.95	8086-210.95	8748 7.95
Z80B-Pl04.95	B087 (5MHz) 129.95	8749 9.95
	8087-2(8MHz)159.95	8751
6500/6800/68000 SER.	80887.95	8755 14.95
6602	8088-29.95	DATA ACQUISITION
6520 2.95	8116 6.95	ADC08043.45
6522 4.95	8155	ADC0808
6532	8155-23.95	ADC08093.95
6551	8156 275	ADC0816 14.95
6800 1.95	82029.95	ADC06178.95
6802 4.95	820329.95	DAC0808 1.95
6810 1.95	8212 1.95	DAC10087.95
6821 1.95	8224225	AY-3-10150 4.95
6840 6.75	8228 3.49	AY-5-1013A 3.95

Part No.	Function	Price Price
4116N-15	16.364 x 1	(150ns)
4128	131,072 x 1	(200ns)
4164N-150	65.536 x 1	(150ns)
4164N-200	65.536 x 1	(200ns)
TMS4416-12	16.384 x 4	(120ns)
MM5280	4096 x 1	(200ns) 21071.95
8118	16.384 x 1	(120ns) (+5V Only Required)
41256-150	262.144 x 1	(150ns) 3.95
50464-15	65.536 x 4	(150ns) (4464) (41464)
		STATIC RAMS
TMM2016-12	2048 x 8	(120ns)
2102	1024 x 1	(350ns)
2102-2L	1024 x 1	(250ns) LP. (91L02)
2114N	1024 x 4	(450ns)
2114N-L	1024 x 4	(450ns) LP 1.09
2114N-2	1024 x 4	(200ns)
2114N-2L	1024 x 4	(200ns) L.P
21C14	1024 x 4	(200ns) (CMOS)
2149	1024 x 4	(45ns)
5101	256 x 4	(450ns) CMOS
HM6116P-3	2048 x 8	(150ns) CMOS
HM6116LP-3	2048 x 8	(150ns) LP CMOS 1.85
HM6264P-12	B192 x B	(120ns) CMOS
HM6264LP-12	8192 x 8	(120ns) LP CMOS
HM6264P-15	8192 x 8	(150ns) CMOS
HM8264LP-15	8192 × 8	(150ns) LP CMOS
6514	1024 x 4	(350ne) CMOS (LEPD444C) 4.45

0014	I LUG TO IL TO	(SOUR) CIVICS (UPD444C)
	- PRI	IMS/EPROMS
1702A	256 x 8	(148)
TMS2516	2048 x 8	(450ns) 25V
TMS2532	4096 x 8	(450ns) 25V
TMS2564	8192 x 8	(450ns) 25V
2708	1024 x 8	(450ns)
TMS2716	2048 x B	(450ns) 3 voltage
2716	2048 x 8	(450ns)
2716-1	2048 x 8	(350ns) 25V
27C16	2048 × 8	CMOS
2732	4096 x 8	(450ns)
2732A-20	4095 x 8	(200ns) 21V
2732A-25	4096 x 8	(250ns) 21V
2732A-45	4096 × 8	(450ns) 21V
27C32	4096 × 8	CMOS 795
2758	1024 × 8	CMOS
2764-20	8192 x 8	(200ns) 21V
2764-25	8182 x 8	(250ns) 21V
2784A-26	8192 x 8	(250ms) 12.5V
2764-45	6192 x 8	(450na) 21V
27064	8192 x 8	CMOS 21V
27128-25	16.384 x 8	(250ns) 126K 21V
27128A-25	16.384 x 8	(250ns) 12.5V
27256-25	32.768 x 8	(250ns) 256K (12.5V) 7.95
27C256-25	32.768 x 8	(250na) 256K (CMOS) (12.5V) 10.95
68764	8192 x 8	(450ns) 25V
68766	8192 x 8	(350ns) 25V
748387	256 x 4	PROM O.C
745471	256 x 8	PROM T.S
82S123	32 x 8	PROM T.S
825129	256 x 4	PROM TS

Part No. 1-9 10-89 100-up			WIRE WRAP SOCKETS (BOLD) LEVEL NS Part No. 1-9 10-99 100-90				
PBIS PIQ.	1-38	10-03	100-00		1-9	10-54	I CO-IIID
8 pin LP.	.13	.12	.17	8 pin WW.	.55	.49	.45
14 pin LP	.15	.13	.11	14 pin WW	.69	.65	59
16 pin LP	.17	.15	.13	16 pin WW	.75	.69	.65
24 pin LP	.31	.30	.29	24 pin WW	1.19	1.09	.99
28 pin LP	39	37	35	28 pin WW	1.39	1.29	1.19
40 pin LP	.49	.46	.43	40 pin WW	1.79	1.69	1.59
				IN HEADER PLUG SOCKE	TS ALS	D AVAIL	ABLE -

SATELLITE TV DESCRAMBLER

The MM5321 is a TV camera sync generator designed to supply the basic sync functions for either color or mono-chrome 525 line/60Hz interfaced and camera video recorder

BORS. COLOR BURST GATE & SYNC ALLOW STABLE COLOR OPERATION

MM5321.....\$9.95

DIGITALKER"

DT1050 — Applications: Teaching side, appliences, clocks, automotive, telecommunications, language branslations, etc. The DT1050 as standard DGITALKER intercoded with 137 separate and useful words, 2 tones, and 5 different silence durations. The words and lones have been assigned discrete addresses, making is possible to output single words or words concelenated into phrases or even sentences. The "voice" output of the DT1050 is a highly intelligible male voice. The DT1050 consists of a speech Processor Chip, MMS104381 and MMS2164582 (24-pin) along with a Master Word list and a recommended schematic diagram on the application sheet. Part No. Description

DT1050 Cligitaline* \$24.95 MM54104 Processor Chip . . . \$12.95

DT1057 "Expands the OT1050 vocabulary from 137 words to over 250 words, includes two (2) ROMs and specs. DT1057.....\$11.95

INTERSIL

Part No.		Part No.	
FE0202D	12.95	7207AEV/K8	8.49
FE0203D	12.95	7211(PL (TTL	7.95
7106CPL	8.95	7211MIPL (M	crot 8.49
7106EV/KR	46.95	7217UL	10.95
7107CPL	895	7217AIPL	8.95
7107EV/KIL	46.95	7224IPL	10.95
7207AIPD	5.95	7226AEV/KIL	99.95

4HC0239	74HC2211.95
4HC04	74HC2401.39
4HC0839	74HC244 1,49
4HC10	74HC2451.59
4HC1459	74HC253
4HC3039	74HC2591.19
4HC32	74HC273
4HC74 45	74HC3731.49
4HC75	74HC374 1.49
4HC76	74HC3931.19
4HC851.19	74HC595 1.95
4HC86	74HC6681.95
4HC1231.19	74HC4040 1.19
4HC125	74HC404979
4HC13279	74HC4050
4HC138	74HC40601.19
4HC139	74HC45111.95
4HC154 1.95	74HC4514 2.95
4HC163	74HC4538 1.95

846-	- CMUS
74000	9 74C174
74002	29 740175
74004	25 74C221
	5 74C240 1.59
	29 74C244
74C14	19 74C373
74032	
	9 740912
74C85 1.1	
	9 740920 9.95
	6 740921
74090	
74015425	
740179	00 74000E 40E

LINEAR

74G173.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	7409254.95
LINI	EAR
DS0026CN1.69	LM399H3.95
TL074CN	TL497ACN2.19
TL084CN 1.09	NE540H (C540H) 2.95
LM307CN	NE555V
LM309K	XR-L555
LM311CN	LM558N
LM317T	NE558N 1.19
LM318CN1.19	LM565N
LM319N 1.19	LM567V
LM320K-5 1.35	NE592N
LM320T-5	LM741CN 29
LM323K4.49	LM747N
LM324N	LM1458CN
LM338K	LM1488N
LM339N	LM1489N
LM340K-51.35	LM1496N
LM340K-12 1.35	LM1871N 195
LM340K-151.35	LM1872N249
LM340T-5	LM1896N 1.59
LM340T-12	ULN2003A 99
LM340T-15	XR22083.95
LF347N	XR2207 2.49
LM348N	XR22112.95
LF351N	LM2907N 1.95
LF353N 59	LM2917N (8 pin), 1.55
LF355N	LM3900N
LF356N	LM3905CN 1.19
LM358N	LM3909N 89
LM360N	LM3914N
LM361N 1.59	LM3916NL 1.95
LM380CN 1.09	NE5532
LM386N-3	NE5534
LM387N	75477 1,19
LM393N	76477 3.95

PARTIAL LISTING • OVER 4000 COMPONENTS AND ACCESSORIES IN STOCK! • CALL FOR QUANTITY DISCOUNTS

Worldwide • Since 1974

QUALITY COMPONENTS · COMPETITIVE PRICING



COMMODORE® COMPATIBLE ACCESSORIES



Now Compatible With C-128!

RS232 Adapter for VIC-20, C-64 and C-128

The JE232CM sillows connection of standard serial RS232 printers, moderns, etc. to your VIC-20, C-84 (accluding the St-64 Portable), and C-128. A 4-pole switch allows the inversion of the 4 control lines. Complete installation and operation instructions included.
Plugs into User Port - Provides Standard RS232 signal levels—Uses 6 signals (fransmit, Receive, Clear to Send, Requestio Send, Data Terminal Ready, Data Set Ready).

Voice Synthesizer VIC-20 & C-64 g-In - Talking in Minutesi JE520CM. \$99.95

300 Baud Auto Modem Mitey-Mo (For C-84). \$69.95

Parallel Printer Interface FREE 10K Buffer Included! MW350 (For VIC-20, C-64&C-128). \$69.95

TRS-80° COMPATIBLE ACCESSORIES

E-X-P-A-N-D TRS-80 MEMORY
All kits come complete with documentation

TRS-80 MODEL LIN

TRS-80 COLOR AND COLOR II TRS-80 MODEL 4, 4P

TRS-64K-2...\$11.95 Expands Model 4 from 16K-54K or Model 4P from 64K-126K

TRS-80 Model 100 · NEC · OLlivetti M1006K......\$29.85 ea. or 3 for \$79.95

OM106K......\$29.95 ea. or 3 for \$79.95 Othelit Model M10 Expansion

TANDY 200

UV-EPROM ERASER



Eraces all EPROMs. Eraces up to 8 chips within 21 minutes (1 chip in 15 minutes). Maintains constant exposure distance of 1. Special conductive toam liner diminutes static build-up. Built-in-astety lock to prevent LIV exposure. Compact -9.001. 43 70'W x 2.60'Ts. Complete with holding tray for 8 chips. DE-4 UV-EPROM Eraser. . . . \$74.95 UVS-11EL Replacement Bulb. . . . \$17.95

30003	National Linear Data Book (82) \$14.9
30009	Intersil Data Book (85)
30013	Zilog Data Book (85)\$14.9
30022	Met'l Logic Deta Book Set (84) \$24.9
210830	Intel Memory Handbook (63/84) \$19.9
230843	Intel Microsystem Hndbir. (63/84) \$19.9

Auffin/Sprite-Style Fans



MUP60 (SPVD-18-2482) \$9.95 Howard Industries (4.68" sq., 60 clm) SU2C7......\$9.95 EG&G Rotron (3.125" square, 20 ctm)

\$20 Minimum Order — U.S. Funds Only Shipping: Add 5% plus \$1.50 Insurance

APPLE® COMPATIBLE ACCESSORIES

All Apple Cards come complete with instructions. MADE IN THE USA!

16K RAM CARD (Language Card) For Apple II and II+*



Expand from 48K-64K, Runs AppleSoft, DOS, CP/M and Pascal (ARC-16K/MEM-1) JE860* . . \$39.95

A PROMPOHEIS

CONTROLLER CARD



Capable of handling up to two drives. Recommended drives: ADD-514 or ADD-12 (ACC-1) JE875 \$49.95

EXTENDED 80-COLUMN CARD



JE864 is an extended 80-column/64K RAM Card Ultra-high resolution capability JE864 \$69.95

128K RAM CARD

For Apple II, II+ and IIe*
Four key software programs are included:
Utilities, Diagnostics, Demos, and RAM
Disk Emulators for DOS 33, CP/M and
Apple Pascal, Expand-ARAM;

JE868**..... \$119.95

APPLESURANCE DIAGNOSTIC DISK CONTROLLER CARD For Apple II, II+ and IIe

PREVENTS CRASHES! est your RAM, ROM, CPU and Disk Drives RY-1/Applesurance II:

JE877. \$69.95

PARALLEL PRINTER CARD

For Apple II, II+ and IIe*
Fully compatible with Apple CP/M, Apple
Pascal (or FORTRAN), and most other operating systems and software packages.
Available for Apple II, II+ and IIe* PRT-1: JE880. \$59.95



THE PROPERTY AND IS



PARALLEL/SERIAL 64K **BUFFER CARD**

Using for Apple II, 11+ and Net Using III, 11+ and I JE883. \$79.95

*APPLE II, II+ and its are registered trademarks of Apple Computers.

"When using CPVM, the JEB60 and JEB65 will only function with Version 2.20 or earlier: PIASCAL (JEB68) Warsion 1.1 or americe.

ADDITIONAL APPLE* COMPATIBLE PRODUCTS

	Key: a=Accie II or II+ b=Accie Ne
APF-1	Cooling Fen with Surge Protection - Key: (a,b) \$ 39.95
KHP4007	Switching Power Supply · Key: (a,b)
JE614	Numeric/Aux. Keyped - 11 accessible functions · Key: (b) \$ 49.95
AMON	12" Green Monitor with Swivel Stand • Key: (a, b and ile) \$ 99.95
KB-EA1	Apple Keyboard and Case • Key: (a)
JE520AP	Voice Syntheolser - Plug-In, User Ready - Key: (a,b) \$119.95
ADD-12	5%" Half-Height Diek Drive - Key: (e,b) \$119.95
ADD-IIc	54" Helf-Height Diek Drive - Kity: (ills)
ADD-514	SW* Full Height Diek Orive . Key: (a,b)
PM1200A	Prometheus Internal Modern 2 Cersie · Key: (a,b) \$299.95
PM1200M	Prometheus Macintosh Ext. Modem - Key: (Mecintosh) \$349.95

GENERAL APPLICATION POWER SUPPLIES



Power/Mate Corp. REGULATED POWER SUPPLY
Input 105-125/210-250/AC @ 47-63Hz - Line regulation: *0.05% 3 mounting
surfaces *Overvoltage protection* Ut. recognized *CSA certiled
Part No. Output State (inches) Weight
PRICE 5V83A/6V82.5A 4%Lx4Wx2%H 2 lbs. 5V86A/6V85A 5%Lx4Wx2%H 4 lbs.



4-CHANNEL SWITCHING POWER SUPPLY

• Microprocessor, mini-computer terminal, medical equipment and process control applications - Input 90 - 1300 MC, 47 - 4401z - 0 ulput 4-5VDC @ 5A, — 5VDC @ 1A, - 12VDC @ 1A - Line regulation - 20 % - Ripple: 30mV p-p - Load regulation - 40 % - Overcurrent protection - Adjustment: 5V main output - 10% - 5 (28) 6-51 x 15-V x 4-15/16-17 + Neight 1-10 %

California Residents: Add 6% or 61/2% Sales Tax

IBM® COMPATIBLE ACCESSORIES

83-KEY KEYBOARD



Identical layout as original IBM PC Keyboard - Highly desirable case with palm rest - Complete with cable and data

NDOS.	• •				в	•	٠	4	٠	٠	4	\$49.95
VD02												CAD OF

IBM-64K 64K RAM Chips (18)..... \$ 24.98 KB-83 IBM-FCC IBM-Case 83-Key Keyboard......\$ 49 95 Hoppy Controller Card. . . \$ 54.95 Case. . . . \$ 49.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.95 | 19.9 IBM-MCC IBM-PS FD55B BM-MON IRM-MR rboard. \$199.95 Regular List \$789.58

IBM™-Special (Incl. 9 Items above) . . \$699.95

AGGINO	nai Auu-Uns Available!
IBM-KB	63-Key Keyboard \$ 79.95
IBM-ENH	Enhanced Keyboard \$ 99.95
IBM-ICB	Integrated Color Board \$109.95
IBM-E384K	Multifunction Card \$169.95
IBM-20MBK	20MB Hard Dish Drive \$499.95
IBM is a reg	istered trademark of IBM Computers

NEW! Universal NEW! 64K/256K **Printer Buffer**



The USUFFER Universal Printer Buffer is a hi-speed data buffer that accepts data at a high rate, and then outputs this data to your printer. You save valuable computer imm. The USUFFER can be connected to practically any computer or printer. There are four possible combinations: 1) Sarial to Scriet, 2) Serial to Paratile, 3) Paratile to Paratile, 4) Paratile to Serial. Manual included. Size: 9-1/31, x 4½ % x 1½-14

UBUFFER-64K . . . \$199.95 UBUFFER-256K . . \$229.95



FD55B Teac SN* D6 N-Height. \$119.95 SA455 Shugert SN* D6 N-Height. . . . \$139.95 TM100-2 Tendon 5%* DS Full-Height. . . . \$139.95

JMR 54" DISK DRIVE ENCLOSURES mplete with power supply switch, or cord, fuseholder and connectors

DDE-1FH......\$69.95 Houses 1 Full-Height 51/ Floppy Drive

HDDE-1FH.\$199.95 Houses 1 Hard Disk Drive

Spec. Sheets - 30¢ each

Send stamped, self-addressed envelope to receive a Quarterly Sales Fiyer - FREE! 6/86







Prices Subject to Change Send \$1.00 Postage for a FREF 1986 JAMECO CATALOG

C-1986 Jameco Electronics

1355 SHOREWAY ROAD, BELMONT, CA 94002 • PHONE ORDERS WELCOME 415-592-8097 Telex: 176043

Dealers: Call fo RLDWID quantity prices! DQUA

1200/300 baud auto answer kuto dial. Hayes (AT) compatible internal modern Demon dialer monor speaker tone/pulse dialing. (Mail phoni jacks, Call progress, tone detection. 2 year laws marks and Marks in USA. ZOOM 1200 Wattanly Made in USA

\$199 INCLUDING SOFTWARE 10MB

DRIVE ONLY Seagute, Miniscribe or Tokiko

\$249 ea.

Quantity 10 \$259 ea. qty 1-9

XT DRIVES

10MB SYSTEM With West Dig controller, drive, cables & Inst. proc.

\$349 ea.

20MB

DRIVE ONLY Seagate or Microscience

\$324 ea.

Quantity 10 \$334 ea. qty 1-9

SYSTEM With West Dig controller, drive cables & Inst. proc.

\$424 ea.

Quantity 10 \$434 ea. qty 1-9

20MB SEAGATE

4026 \$539 **...**

Quantity 10 \$549 ea. qty 1-9

40MB

SEAGATE 4051

\$729 ea. Quantity 10 \$749 ea. qty 1-9

44MB

MINISCRIBE 6053

\$995 ea. Quantity 1

GUARANTEED AVAILABILITY!

Any item you order will be shipped within two working days or you will be given a firm ship days when you order! It for any reason we cannot ship by the date you are given, we will issue you a credit equal to 5% of the price of the products

YOU LING IT, OR WE

If for any reason, you are not satisfied with any product you purchas you may return it within 10 days or

receipt for replacement, credit or refund.

WE'LL PAY YOU IF YOU FIND A LOWER PRICE!

If you buy any item from us at pricing in this ad and find a lower price from any source in this issue, that has the identical product in stock we'll not only source difference.

we'll not only a difference difference at the difference for you 20% of the difference for you trouble! If you find aware price in this issue before you buy. But that has the identical product to stock, we'll beat it!

TAKE IT BACK!

XT COMPATIBLE COMPUTERS CSA UL and FCC Class 8 By BMC

30MB SYSTEM Featuring Adepted's 2070 with Seagate's new 51238

\$579 ea.

Quantity 10 \$599 ea. qty 1-9

includes cables

& inst. proc.

SUPER VÁLUÉ!

BMC PC 640M motherboard (256k inst.). 1.360k ftoppy, 5150 keyboard. 1.8088 microprocessor (4.77MHz) \$588

including DOS 2.1

BMC TURBO PC 640k installed on motherboard. 1.360k (toppy: 5150 keyboard. 8088-2 microprocessor (4.77 MHz and 6.66MHz)

\$748 MAL DOS 2.1"

FREE FILM OFFER
BUY a box of 10 FUJI MO2D
diskettes and get a roll of
fUJI COLOR 400 film FREE

\$13.50 per box \$13.50 per box \$14.99 per box qly 1.99

FLOPPY DRIVES

PANASONIC 1/2 Ht. PC compatible \$99 \$94 \$98

40MB INTERNAL

5498 at.

LAZER PRINTERS

me brand, fully ISM and EPSQN frics compatible. Sppm. 16 type variations and serial/parallel

Quantity 10 With data cart and softs \$519 on qty 1-9

60MB INTERNAL 5775 ea.

TAPE BACK-UPS

BORLAND

60MB

EXTERNAL

\$795 az.

Now in Stock TRAVELING SIDEKICK **\$38**

\$1888

PC POWER SUPPLIES

KEYBOARDS (IBM XT Compatible)

BOARD PRODUCTS

AST Supek - compat multi board (see par game clinical esp to 384k. RAMDISK & PSPOOL) by MULTIFECH (Ok most) BRUITITECH STAR short card (Ok mst.)

ACCESSORIES

\$112

*WEST. DIG. 1002SWX2 XT hard disk cont
2 DRIVE floopy controlly

Mercules compatible monochrome graphics
card 1720X348) wipsa port & light per
card 1720X348 wipsa port & light per
card 1720X3

MODEMS

\$199

592

*ZOOM No 300 band Apple Internal *Sear TEAM 103/212A 1200/300 band

COMPONENTS 256K DRAMS set of 9-150ns . \$36 64K DRAMS set of 9-150ns . . . \$9

80287-3

80287-3 V20 5MHz . . .

V30 8MHz

V20 8MHz .

external Hayes (AT) compatible
AMCHOR EXPRESS: 1200 baud int. short
AMCHOR LIGHTNING 2400 baud external

MONITORS

TATUNG AMM 1222A amber 17L TATUNG CM 1366 HI Res RGB (640 X 200) PRINCETON HX-12E E G A RGB (640 X 350)

ORDER LINES OPEN 7AM to 6 PM P.S.T.

Outside California

> Inside California

1-800-826-3736

1-800-358-8881

THE FINE PRINT



Inquiry 379

EVERYBODY HATES US. BUT OUR CUSTOMERS!

MON-FRI

6311-L DeSoto Avenue • Woodland Hills, California • 91367 • Phone (818) 703 7996

OFFICE HOURS: 9AM to 5PM



IBM-PC compatibility mated to the new NEC V30 microprocessor gives you 6086 CPU power at speeds of 4.77 and 7.16 MHz. On board you'll find 640K RAM, Hercules compatible mono graphics, clock/calender and 5 full size option stots - all standard equipment! Add to this two 360K drives, an AT-type keyboard, TTL monitor and a one year warranty - well, you can see it makes sense to start building some EQUITY into your business.

The Epson EQUITY II... CALL

Monitors and Terminals

TATUNG CM-1360 640x200 FIGB, 13", G/A switch. \$395
TATUNG MM-1222 HiRes 12" TTL (IBM) 106
ZENITH ZVM-1240 Amber (IBM)
ZENITH ZVM-1220G or 1220A Flat Screen 95
LIBERTY Freedom Terminais CALL
LINK 125 Emulates WY-50 and others, HiRes 14" Grn/Amb
6 Scroll Rates, IBM Selectric K.B 419
LINK PC-TERM Emulates WY-50, TVI 925 & More, 132 Col.
IBM-AT KB, Ideal for Multi-user
LINK 220 DEC Compatible, Amber, 6 pgs Memory, RS-
423, 26 Lines, To 38.4K Baud, 38 Funct. Keys, More 459
Hand Disk and Tone Ochavatons

Hard Disk and Tape Subsystems

PC-INSIDER/OUTSIDER, AT-INSIDER, Hard Disk Series for ISM. Boots from Hard Disk, Formatted w/ Ctrl. & Chis., Hardware & P/S or PC Style Cabinet CALL NOW!

THIS MONTH'S SPECIAL 85MB Hard Disk w/25ms access 85MB Tape 8/U \$2795

TECMAR QIC-60 External Tape
TECMAR QIC-60 Host I/F Card
TECMAR 40200 - II Slot Expansion with 10MB, 1395
SMS OMTI 5510-7 Controller
WANGTEK PC-36 60MB Int. Tape w/ Ctrl., Cable, S/W919
MICROPOLIS 1325 85MB Drive / 25ms Access 1488
QUANTUM Q-540 40MB Drive. 1 Year Warranty 1095
DRIVE SYBSYSTEMS FOR COMPUPRO
with Disk 3, CABINET, FAN, P/S, CABLES, etc
-20MB Seagate
-40Mb Quantum Q-540
-72Mb 1325\$2159 60852459 XT-1085 2359
10MB TAPE Int. (Requires Concurrent DOS) 439
10MB TAPE Ext. (Requires Concurrent DOS) 549
the state of the s

PC and AT Extended Memory, etc.

We carry the best selection of Multifunction & Memory Cards for IBM-PC, XT, AT, portables and compatibles!

PC Scientific and Industrial Cards

	_	
INDUSTRIAL COMPUTER DESIGNS	ė	
1018-PC 96TTL I/O Lines		\$446
A/D 64-PC 64 Input448 D/A 64-PC 64 Outp	ut.	527
PC Prototyping Board		16

SCIENTIFIC SOLUTIONS: BASEBOARD (85 I/O Lines); DADIO (D to A Conv.) IEEE-488 Board; LABMASTER; MORE! Call Now for Lowest Price!

PC & AT Multi-user Cards

ALLOY PC-PLUS 512K to IBM		\$595
ALLOY PC-PLUS Package!	512K, Link	PC-TERM
Terminal, Cable	*********	1150
RTNX SOFTWARE For PC/XT's	(MSDOS 2.1) 119
ATNX SOFTWARE For AT's (N	ISDOS 3.1)	189

Modems

PROMETHEUS			
with Power Supp	ly and Softwa	ne	\$275
PROMODEM OF	TIONS		
Communication	ns Buffer		99
512K RAM for			
Alpha Numeric			
PROMETHEUS	200G without	Options	189
PROMETHEUS :			
PROMETHEUS	200A - Apple	II. II+. He can	w/ S/W265
PROMETHEUS :			
PROMETHEUS			
MULTITECH MT	224EH MNP E	rror Correctio	n 529
MULTITECH MT			
MULTITECH MT			
MULTITECH MT			
U.S. ROBOTICS			
U.S. ROBOTICS			
CTS 212AH	Hayes 12	00 Compa	tible 159

Software

Power Solution

PC/XT Power Supply Up to 4 Drives	\$89
TRIPPLITE BC-425-FC 425 Watts, 15-20 Minutes	398
COMPUTER ACCESSORIES U-800 12-35 Minutes	
SAFT SPS 400VA 400 Watt & Sine Wave	475
SAFT SPS 1000VA 1000 Watt & Sine Wave	999

Floppy Disk Drives

MITSUBISHI 2894 8"\$475	2896	1/2	ht 8"	 	\$435
MITSUBISHI MF501 48TPI				 	95
TEAC FD55GFV / IBM-AT 961	۲PI			 	. 125
TEAC FD55FV 96TPI\$115 FI	D5581	/ 48	TPI .	 	95
	-				

Printers and Buffers

BROTHER M-1509 180/45cps, P&S, Wide w/trac . CA	Ш
SROTHER HR-35 38cps Daisey, Wide Carriage \$7	721
BROTHER HR-15XL 17cps Daisey, S or P	161
BROTHER HR-10 12cps Daisey with Tractor 2	
CALL 1-800-528-3138 Today for the BEST PRICE of	
EPSON - OKIDATA - CITIZEN	
HANZON Buffer 64K-256K S-S.S-P.P-S.P-P	265

BUCK\$ BACK from XEROX!

Its Rebate time and XEROX is passing out the cash. Buy one of these printers and get up to \$500.00 beck! Also the first month of your 1 Year Warranty includes On Site Service! You have to love adversity to ignore this deal.



Call 1-800-528-3138 Now and Pul Your Money Sack to Work for You.

Networking

635

INTERCONTINENTAL	MICRO	SYS	LANS-100	 6359
LC.M. LAN-PC without	RAM -	Runs	NOVELL .	 . 349



ROM BIOS Compatible to the IBM-AT. The CORDATA ATD/ATP runs virtually all software designed for today's business environment.

Desktop Publishing



LP-300 DESKTOP PRINTSHOP

Create professional looking newsletters, ad copy, documents, etc. with LASER accuracy.

- 8 pages/min
 Autofeed
- 300x300 dots
- ulofeed 38 fonts
- Cable & Toner Included

Top your CORDATA systems off with the fastest CAD package on the market.

FASTDRAFT 480

640x480 Color Card • 80287-3 Co-Processor
 NEC Multisync ROB Monitor

BULLETINI Cordata Announces HUGE PRICE DROP

Call 1-800-528-3138 for HOT DEALS!

Computer Systems

IMB-PC COMPATIBLES

We carry a wide range of Desktop, Laptop & Portables	
designed to run the softwere that fuels today's business.	
ZENITH 148, 158, 171, 200AT CALL	
SPERRY IT CALL	
XEROX 6064 ATT 6300 Compatible CALL	

CompuPro

818/C2 w/80286, 512K RAM, SPUZ-256, 40MB HD, 10MB Tape, 5" 96TPI flpy, CDOS 816/288, NewWord & SuperCalc2.

CALL

SYSTEM 10 4 User, 6/16 bil, 40MB HD, 10MB Tape, CCP/M 816, 1MB M-Drive/H, NewWord, SuperCalc2, HyperTyper, Field Companion, Write, Friday!, etc... \$5149

Video / Graphics / CAD

TATUNG SUPER RES PACKAGE! CM-1380 RGB (EGA) Monitor (640x350) w/ Dual Scan Rate & EGA/Hercules compat. card w/ 256K1.. \$845

S-100 Boards & Accessories

If you bought before calling S-100 you paid too much! We stock COMPUPRO, CROMEMCO, DUAL, ICM, KONAN, MULLEN, PICKLES & TROUT, INDUSTRIAL COMPUTER DESIGNS, TARBELL, VECTOR.

DESIGNS, TARBELL, VECTOR

Just a few of THIS MONTH'S SPECIALS!

COMPUPRO RAM 16 64K Static. \$95

COMPUPRO RAM 22 256K Static. 448

COMPUPRO PC-Video Boerd & CDOS 4.1 719

COMPUPRO CPU 289-8MHz & CDOS 4.1 1039

COMPUPRO Interfacer-3....372 Interfacer-4 263

COMPUPRO Disk-1A.....372 Disk-3 447

COMPUPRO System Support 1 263

DUAL AIM-12 A/D Input 12 Bit/32 Channel 529

INTERCONTINENTAL MICROSYSTEMS Master & Slave

Boards 8 & 16 bit. IN STOCK CALL NOW

MACROTECH MISR-II 1MB DRAM 825

MACROTECH MSR-II 1MB DRAM 525

MACROTECH MSR-II 1MB DRAM 1059

All merchandise new. Advertised prices are cash prepaid only. AM. Express - add 5% MC, Visa & P O's from qualified firms - add 3% Wires, COD's (\$5 min. fee) with Cashiers Check MO & APO's accepted. Shipping minimum \$4 first 3 lbs. Tax: AZ RES ONLY add 61.% sales tax. All returns subject to 20% restocking fee or credit towards future purchases. All prices subject to change without notice.







10 Park Place ● Morristown, NJ 07960 (201) 267-3268 ● Visa, MC, Check or COD.

Inquiry 227



Inquiry 105



Programs the following 5 Volt 24 or 28 pin devices: 2716 series through 27512, 25xx series 68764 plus others. Please Specify Personality Modules only 415.00 as. Full 1 year warranty.

TO GROEF EAST 1 800 967-5800 GR WAITE

APROTEK

1071 A AVENIDA ACASO CAMARILI O CA 93010 54 00 Shipping USA Into 1805/1987 2454 VISA or MC Add 3 We Accept Govt School & Large Corp P O s



Inquiry 366





PC EXPANSIONS

AST SixpackPlus (384K)....\$279
Advantage (128K)....\$369
Advantage (1.5M)....\$529
Advantage (3M)...\$809

Advantage (3M) \$809
Rampage (2M) \$499
Rampage (2M) \$659
INTEL AboveAT (2M) \$659
INTEL AboveAT (2M) \$249
Gold Quadboard (384N) \$249
LibertyAT (2M) \$621
LibertyAT (2M) \$621
QuadportAT \$135
Tecmar Maestro (2.5M) \$629
HERCULES graphics board \$299
Color Card \$159
HAYES Smarlmodem 1200B \$349

VLM Computer Electronics

- ONE MASTER SWITCH AND FIVE POWER ILLUMINATING SWITCHES.
- CIRCUIT BREAKER.
- ADD \$16 FOR BUILT IN NOISE AND SPIKE FILTER.

\$110 retail value Postage Included Allow 4-5 weeks Delivery Washington residents add \$4.00

Send check or M/O to:

SCEENA Suite 5

Seattle, WA 98117

(206) 789-7446 TLX 215016

Inquiry 306



not only a printer buffer!

THIS IS THE MOST SOPHISTICATED

PRINTER BUFFER - MULTIPLEXOR - SWITCH


WHITH YOU DEPARTS HOUTH (SENIAL AND PARALLEL) AND THE SEPARATE SUTFUTS (SENIAL AND PARALLEL) AND THE SEPARATE SUTFUTS (SENIAL AND PARALLEL) CAN BE USED LIKE STANDARS SUFFER WITH ANY IMPUT TO ANY OUTFUT SUT ALSO YOU CAN CONNECT 3 COMPUTERS TO ANY OFFINITIES AND MORE = 1 COMPUTER TO 3 PRINTERS OR 1 COMPUTER TO 3 PRINTERS OR 1 COMPUTER TO 3 PRINTERS OR 1 COMPUTER TO 3 PRINTERS HIGH CAPACITY - SE KE TO SE AND MORE = 1 COMPUTER TO 3 PRINTERS HIGH CAPACITY - SE KE TO SE AND MORE SET TUNCTIONS SERVIAL PORTS WITH OR SE SITE WORD LEMOTH, 1 OR 1 STOP SET, PARITY, XONZAGOP, DTR. RTS

DOB-9-166K 8 996 (7) DOB-A-64K (R6 [*)

[4] Power supply and parallel cables are encluded

ALBO, WIE MAVE THE MOST COMPLETS DATA CONVENTER IT CONVERTS RESEN SERIAL TO CONTRONNES PARALLES, VICE VEREA, IUST SY MOVING JUMPESS BAUD RATE AND 070000 FULLY FROGRAMABLE FROM MO TO MODO BAUDS STUDIES OFF, RTI, XOM/XOFF PARITY &

1 40 129



serial()parallel bi-directional converter



INTECTRALINAL BUSINESS (4151067-8818 TLX 345546



ternati

The SANYO complete word processing system

The alternative for WANG, Xerox or any dedicated word processing system.

At Micro Supply Organization we offer the lowest prices on Sanvo computers and software. With prices like these you can afford the convenience of owning and operating more than one computer. We also offer the User Support Hotline for questions concerning your computer or about software availability. Whether you need one or a dozen computers. Micro Supply Organization is the place to get them!

The MBC 1160 Accounting Software We carry a complete line of ADS accounting business software. Buy G/L, A/R, A/P, Inventory and receive the Payroll module FREE. The current retail price is \$398, per module. Now from MSO you pay only \$99 per module. All five \$299.

20 meg internal hard drive sub-system for SANYO MBC 1150, 1160 & 1250. \$649

COMPAT Disk Utility now available.

USER SUPPORT

805/393-2247

All systems carry full 90 day warranty. **CASH PRICE ONLY**

Check in advance, Add 3% for VISA/MC. Shipping & handling charges will be added to each order.

For our catalog with complete details and prices, send \$ 2.00 to:

Micro Supply Organization, Inc. 4909 Stockdale Hwy. #180 Bakersfield, CA 93309 15% Restocking on Returned Orders





Get more for your money!



Including this FREE software:


- Wordstar Spellstar
- Mailmerge . Calcstar
- Infostar BASIC

8-Bit Integrated Computer with 640KB Formatted Mini Floppy Disk Capacity

- Z-80A CPU with no-wait mode and large 54KB RAM/4KB ROM memory capacity for fast execution
- CP/M operating system with editor. assembler and all standard utilities
- No-glare amber monitor display
- screen for easy viewing.

 80-character x 25-line display 256 characters in 8 x 12-dol matrix
- Two internal double-sided, double density, double-track 51/4" slim-type mini floppy disk drives with 640KB formatted capacity
- Interfaces for one Centronics printer and one RS-232C port
- Ontional interface for hard disk drive and for external 8" floppy





.EGEND 880 🗪 SANYO PR 5000

Dot Matrix Printer

- 80 chariline or dot-image graphics
 Centronics parallel Interlace
 Tractors or Friction feed
 Pica, elits, condensed or proportional
 Epson compatible

includes printer cable & full warranty

lists for \$3194.00

Letter quality Dalsy Wheel Printer

Letter-quality printer with 96-character daisy wheal printing element.

• Accepts paper up to 13 inches in width.

• 14 cps bdirectional printing.

• 10, 12 and 15 cpi printing pitches.

• Centronics parallel interface.

• Optional form tractor, includes printer cable & full warranty.

This complete package

Computer & Printer

1200 BAUD MODEM

Fully Hayes compatible, intelligent 1200 baud modems with features found on the expensive name brand modems. Also, a one year factory warranty from a reliable U.S. manufacturer. Choose either the internal Jade

1200 baud Smart-Card, including software for your IBM PC compatible: or our best selling Jade 1200 baud external modem for any computer with a serial RS-232C port. We guarantee your satisfaction.

INTERNAL OR **EXTERNAL**

\$168



JADE XPC or

- . 640K of RAM
- 4.77 MHz 8088
- 7 MHz turbo mode
- 135 watt power supply
- 360K disk drive
- · Floppy disk controller
- 5151-style keyboard
- . 8 expansion slots
- PC-style case
- 90 day warranty

\$788



XPC-AT

- 1 MB of RAM
- 6 MHz 80286
- 8 MHz turbo mode
- · 200 watt power supply
- . 1.2 MB disk drive
- · Floppy/hard disk controller
- AT-style keyboard
- · 8 expansion slots
- AT-style case
- . 90 day warranty

\$1988

OPTION #1

Two disk drives Mono graphics card Parallel printer port Arndek 310A monitor

20 MB hard disk

OPTION #2

Mono graphics card Parallel printer port PGS MAX-12E monitor

XPC-AT

XPC XPC-AT \$1188 \$2488 \$1588 \$2888

OPTION # 3

20 MB hard disk Color graphics card Parallel printer port Magnavox hi-res color monitor

XPC \$1788 XPC-AT

\$3088

MANNESMANN TALLY PIXY 3

3-PEN PLOTTER

\$198 LIST PRICE \$799

YOU SAVE OVER *600!

Limited Quantity

We're probably making a mistake selling this high speed plotter for only 1198. They are easily worth at least \$500 more. Compare the features to plotters costing 2000 or more.

High speed 8 IPS plotting

- · 3-pen auto select
- · 8 colors available Serial interface
- · Full graphics + built-in fonts
- 81/4 x 11 paper or transparencies


	——— LIST	SALE
8 extra water base pens	· •30	£1695
4 extra oil base pens	\$30	s 1695
100 sheets 81/4 x 11 paper	59	sque
50 sheets 81/2 x 11 transparencies	59	£4,95
Plotter software for IBM PC	¹ 195	s <u>599</u> 5

STAR GEMINI 10-X

\$1**79**⁹⁵

120 cps, friction and adjustable tractor feed with graphics


GEMINI 15X 15" wide carriage ___



Why pay \$1149 for a C. Itoh **STARWRITER F-10**

when our 40 cps letter quality daisywheel from the same manufacturer is only as

2 to 5-429



Bi-directional deluxe tractor __ *249 Automatic cut sheet leeder _____ \$449

"StarWriter is a Trademark of C. Itoh Digital Products, Inc.

HARD DISK SYSTEM



FOR YOUR IBM PC

Complete with controller card, data cable, and mounting hardware, totally PC/XT compatible.

10 MB Internal Kit **9990** 1399,95 20 MB Internal % High _____ \$1550 4489.95

POWER/SURGE STRIPS 699999



6 Socket, UL Listed, U.S. Made Power/Surge Strip \$1895 List Price 49

6 Button, Under-Monitor, Swivel Power/Surge Control Center

\$7995 List Price \$129_

360K DISK DRIVE Compatible TANDON 100-2, DS, DD .

20 MEGABYTE HARD- SEQU

- Uses only one slot
- 21.3 MB formatted capacity
- · Low power only 11 watts
- · Installs in just minutes
- · Works w/standard power supply

80 COLUMN PC PRINTER

CALL FOR DETAILS!

FREE Software W/MOUSE

JADE P139.15 Microsoft Mouse w/Paintbrush _ 199 \$139.85 PC Mouse w/PC Paint Plus _____195

High Speed APU Chips

8087-3 5149.85 80287 249.95 \$199.85 NEC Y-20 224,95 8087-2

AST Boards On Sale!

	LIST	JADE
AST Six Pak Plus 64K	*395	1249,15
AST Six Pak Plus 384K	945	1299,15
AST Rampage 256K	495	*379.15
AST Rampage 2 MB	\$1995	1679.15
AST Advantage-AT 128K	<u>*595</u>	1399.H
AST Advantage-AT 3 MB	4145	1999,15

ISO-BAR

These industrial quality ISO-BAR's contain surge suppression circuitry and built-in noise litters plus a 15 amp circuit breaker.

6 Socket, 1 Filter ISO-BAR	144,95
4 Socket, 2 Filter ISO-BAR169	159.25
8 Socket, 4 Filter ISO-BAR	269,25
200 Watt Standby Power Supply1359	1269.95
425 Watt Standby Power Supply539	1449.95

MICROFAZER Buffers

Expandable to 64K (Parallel model to 512K)

Parallel in/Parallel out_ P139.95 64K Parallel in/Parallel out .. 7225 1164.15 445 *269.F5 128K Parallel in/Parallel out _ \$499.85 512K Parallel in/Parallel out __ 4879

Your choice: serial in/serial out; parallel in/serial out; serial in/parallel out.

884___1199 *169.55 641(____1260 199.55

TALLTREE

JRAM-2		JRAM 3-AT	
0K	\$969es	OK	*259*
2 MB	-59945	2 MB	*699as
JRAM-3		Add-on Modules	
OK	F19905	S/P/C	*159#
2 MB		S/S/C	1159#

Printers

TEAC 55B, DS, DD

EPSON FX-85 OKIDATA **EPSON FX-286 TOSHIBA** CITIZEN **EPSON LQ-800 EPSON LQ-1000** C. ITOH DIABLO **EPSON LX-80**

PRICED TOO LOW TO PUBLISH! Call us for our best price.

New HAYES 2400B Internal

	LIST	TAUE
New 2400B Card w/Smartcom _	_4799	1579.15
HAYES Smartmodem 2400	_4899	·629.15
HAYES Smartmodem 1200	_4699	5389,15
HAYES 1200B w/o Smartcom II _	_4539	1339,15
HAYES 1200B for IBM PC	_4599	1359,15

Multifunction Card

Up to 384K, parallel printer port, RS-232 serial port, game port, clock/calendar, RAM disk/printer buffer software package.

	LIST	JADI
OK JADE 7 Pak Plus		1129.1
384K JADE 7 Dat Dies	\$64Q	51 QQ 1

135/150 Watt Power Supply

135	Watt	Power	Supply		189,95
150	Watt	Power	Supply	7249	199,15

Apple Accessories

	LIST	JADE
Ile % High Disk Drive	1279	1119.95
lle 1/3 High Disk Drive	239	2119.95
ile, II+ Disk Drive Full Ht	249	5139,95
lle 64K, 80 Column Card	159	179,95
Grappler Printer Card	175	189.95
II+ 16K RAM Card	s99	139.95
II+, Ile Printer Card & Cable _	109	49.85
II+, Ile Cooling Fan	\$99	159.85

INTEL Above Board

64K PC expands to 2MB	129915
2MB PC Above Board	159915
128K AT expands to 4MB	
4 MB AT Above Board	*129915

IBM Video Boards

	LIST	JADE
Hercules Color Graphics	_1245	1189.15
JADE Color Graphics	_5199	199,16
Hercules Monochrome Graphics	1499	1339,15
JADE Monochrome Graphics	_1299	F129,15
JADE EGA+ Card	_495	1389.15

IADE COMPLITER

4901 W. Rosecrans Ave. Box 5046 Hawthorne, CA 90251-5046

We accept cash, checks, credit cards or purchase orders from qualified firms and institutions. Minimum prepaid order \$15.06. California residents add 51/2% tax. Prices & availability subject to change without notice. Shipping & handling charges via UPS Ground 506/tb, UPS Air \$1,00/lb, Minimum charge \$3.00.



F1 19.55

F1 19.95





PLACE **ORDERS** TOLL FREE!

Continental U.S.A. (800)421-5500 Inside California (800)262-1710 Los Angeles Area (213)973-7707



Inquiry 168

If you paid more for Chips, you didn't buy them at: MicroTech

(206) 364-2209, 8 - 6 Mon.-Sat. P.O.Box 75673, Scattle, WA 98125

RAMS 256K 256K 150 ns 3.25 120 ns 150 ns 120 ns 1.35 62641 P-15 **EPROMS** 250 ns

2764 2764 200 ns 3.75 27064 250 ns 3.75 250 ns 27128 3.65

Shipping & handling: UPS ground \$2.00, Prices subject to change, Master Card/Visa add 3%, Wash, residents add 7.5% sales tax. Satisfaction (00% guaranteed)

inquiry 228

NEW EPROM PROGRAMMER EPROM-1\$495



- Programs all 28-Pin, 5-Volt EPROMs and EEPROMs.
- Perioct for engineering workstations, field service and small production runs.
- Simple keyboard and display for stand alone
- Interface to your computer via an RS232C port.
- PC control software included at no extra charge.

TO ORDER PHONE: 800-325-8028 Outside California 916-885-7262 Inside California Visa and MasterCard accepted



INTERNATIONAL 11554 C Avenue INCORPORATED Auburn, CA 95603

NEW -- ZIPCALC FOR TURBO PASCAL™

INSTANT TEXT DISPLAY - the Pascal "write" procedure takes several seconds to fill the screen with text. ZIPCALC does it in tess than 1/10 sec. Instant windowing capability is also included.

ULTRA FAST NUMBER DISPLAY -ZIPCALC removes the real number time barrier with a 32-bit Long Integer data type that converts

with a 32-bit Long integer data types that common to a string 7 times laster.

HIGH SPEED COMPUTATION - the Long integer is ideal for many financial and other applications with its dramatic increase in computation speed. ZIPCALC provides a full set comparation space. ZiPOALC provides a full last of procedures for Long Integer arithmetic, shifts, compares, conversions to other data types, and full string conversions. ZIPCALC has the power of a 32-bit processor in Pascal callable form.

of a 32-bit processor in Pascal calable form.

EASY TO LEARN - EASY TO USE ZPCALC consists of 35 highly optimized routines, most assembler coded, a tutorial User's Guide, programmed demos, and many examples. IBM PC & TRUE COMPATIBLES

45 includes N.Y. sales lax & shipping 🍱 🕒

YNAMUS 1045-B Gravel Road Webster, N.Y. 14580 (716) 671-5868 MICEO DATA SYSTEMS INC

Turbo Pascal Is a trademark of Borland Int. Inc.

Inquiry 122

TELECOMP

A Complete System, PC/XT Compatible, 640K \$685

ADD-ON & ACCESSORY

E1E1 Chile Verhand														PTE
5151 Style Keyboard	6	ä		8.	٩	0	ď	٠		8	•	۰	1	912
AT Style Keyboard	4	٠		4	÷	٠	4			h	+	4	. 3	\$75
384K Multifunction (0K)			+	46				+						\$95
Color/Graphic/Printer	,					6	,	٠		9		٠		\$63
135W PS	×		0"				*			86	46	ø	.;	\$69
Floppy Drive Controller	×		6	Ħ						a		4	. 3	\$39
Parallel Printer Cable		a	ę	a		4		a		a		4	. 3	\$15
XT Type Case	4	+	ě		+	÷	,					,	. 1	\$39
AT Type Case	ı			è						¥	a		. 1	\$75
Seagate 225+WD							a	6	4		4		\$	495
Taxan 620		÷			+								\$	395
PC/XT Turbo 4 Layers .				b						è		,	\$	155
Taxan 630			4		+	٠	B	+					\$	435
Turbo MB 640K/4 Layer								÷	6		*		\$	195
Samsung TTL	*				-	*		è					. 5	\$95
Special Price For Deale														
System Turbo 4 Layers/s	đ									p	a		\$	925
Mild in a continuous	4.	_	ria.					-						

nes Corporation

9282 Bolsa Ave. Westminster, CA 92683 Telex. 3719632-CHTRADE (714) 894-8954

Inquiry 345

20 Meg Hard Disk Kit-\$435°°

Includes Half Height 20MB Hard Disk with controller and cables, 1 year warranty.

Turbo Plus Motherboard w/8K-821500

5 or 8 MHz switchable without powerdown. runs 3 times faster than PC/XT in 8 MHz

PC/XT COMPATIBLE PARTS

JUMBO-640 (4.77 MHz) Motherboard w/8K \$125.00 T1 Meg Motherboard w/8K \$745.00 Mono/Graphic Card w/ Printer Port \$ 85.00 Color Card with Printer Port \$ 85.00 EGA Color Card RAMBANK Memory Expansion \$275,00 Card w/8K

\$215.00 Internal Modern (1200 baud) \$165.00 Mitsubishi 360K Floppy Disk Drive \$115.00 Irwin Tape Drive (10 Meg) \$395.00

LUCKY COMPUTERS [214] 680-6110

2011 Brandeis, Richardson, TX 75081

To be merely compatible isn't enough . . . Be the best!



Manufacturer directly offer: OEM, VAR, Dealer

- 5 VLSI chips set
- more reliable than IBM PC/AT
- 6/8, 6/10 MHz software switch
- 7 DMA channel
- Expandable to 1MB memory on board
- System clock/calendar with CMOS RAM
- buffer and battery backup Fully AT compatible

Wisetek International Co.

469 Valley Way Milpitas, CA 95035 Tel: (408) 263-1237

Inquiry 378

I.C.s and Peripherals

+ 64K / 128K / 256K D-RAMat the LOW PRICES H-P Vectre 128K Upgrade... V20-5 814.00 / V20-8 816.00 V30-8 816.00 / 8087 8115.00 8067-2 8155.00 / 80287-3 8180.00 TEAC FD55-BV DS/DD Disk Drives ne'l year factory warranty. MultiTech External Modern MultiMediem (100% Heyes compatible) 1200/300 hps. 2400/1200/300 bps. Memory Boards JRAM2-P/2-S w/2MB JRAM3-P/3-S w/2MB JRAM3-P/3-S w/2MB JRAM-AT3-P w/2MB. Par/Ser/Clock Module... 155W Power Supply for IBM/PC & XTB125.00 2732, 2764, 27125, 27256, 4464, 8116, 8264, str. are evaluated

WARRANTY All I C's are guaranteed for 180 days from the invoice date on defective items. We will replace them free of the

Advanced Technology Products, Corp. PO. Box 2205 / 11141 Georgia Ave., Silver Spring, MD 20902 301-933-3523

Prices are subject to change without Cell us for the latest prices

*** OEMS AND DEALERS ARE INVITED ****

Inquiry 11

Ramjet 256K **Print Buffer**



- FREES YOUR COMPUTER UP FAST
- FULL 256K BYTES OF BUFFER SPACE
- FAST DATA RATE UP TO 7000 CPS WILL PAUSE FOR INDIVIDUAL PAGES MUCH LESS EXPENSIVE THAN OTHERS
- ALL FOR ONLY \$269.00

The RAMJET 256K Print Buffer is available in either parallel or sensi versions. Dealer inquiries are very welcome. Custom programming for special applications is available. For more information or to order the RAMJET 256K Print Buffer;

CALL (206) 236-2983 Omnitronix, Inc. P.O. Box 43 - Mercer Island WA 98040

icro noducts nternational Telex: 887841 XORDATA HTBH Fax: 714/897-3363

714/898-0840

► 15392 Assembly Lane, Unit A • Huntington Beach, CA 92649

Our 1986 Catalog is HOT - off the press!

Dealers! Check our **Profitable** Discount

LOOK what's Inside! XAT THEED

AMP.

The XAT is out wost versable and powerful system Using Intel's 80256 processor the system runs at 6 and 5 MHz with a true 16-bit data bus. Comes standard with a 3 meg Add On board. 2 parathel à one serval port monter hapboard. DOS 3 1 two 'sheight DS DD 1.2 mag Roppies.



JAE!

This standard system is as compatible with IBM as it can be Featuring a 4-layer mother board. Bislot expansion up to 640K. usaro, el son espansion, up to 640K mempy on the mollebloard, and the 6.67 MHz PURBO mode. Also included DOS 3.1 keyboard. 135 wall power supply TLT 202 348 resolution video tard, green or ambien monitor serial à parallel ports. Real Timi. Clock and software.

5 Complete Systems



The perfect once for the system into po All needs the MM or impatch by but not in and attribute DC cast not 1 hts model features for just anytern assets likes up to 3 time par just general and from from model AC swips just general and from from model AC swips in the rear mount 13h will power supply. After middle and he is in Tipe Server year or multilaser in it pears as it.

HT jr. THE WOMEN STILL

The XTIr, is only junior in size! With up to 640K memory on the motherboard and four expension state, this stand-alone system is also gleat for works/stone in a networking environment. It can be uppraced to the TVRRO his operation of the arrangement of the second of t

KPC Compact

Pricing!



Tres is fully the all ordisple portable, and we build it by our specifications. Need a 20 meg hard tidsk and memory in your portable? No problem! The XPC Compact comes standard with a 8° omber TIL mondre 135 with PS 258k memory I we 360K drives. Read Time Clock Callendar w battery Back-up serial and paratile ports, and our TURBO Motherboard.

Amsterdam 020-45-26-50 2 MB Expansion Board

24 Add-On Cards

Hard Disk Controller



to 140 magabytes with minimum software configura-tion Festures DOS 2 1 & 3 1 compelibility, and ST-506

384K Multi-Function



Gurrin Port, Real Time Clock Celender with Battery Back-up Expand to 384K all Cables, PhiliSpecies and RAM Dak Software, and Manuals.

Germany



Connect your workstation to an existing 4 Megabyte IBM token eng system or build up your own IEEE 802 5 standard system. The forward possible cost for 100% industry standard computibility.

AT H.D. & Floppy

This board saidles the new approach suggested INTEL and Lotus 1-2-3. Also may be used on our YT-BBC TABLE hand for mamory baset at CK.



This new Western Osphal combo board with its it say VLSI technology will give you a data transfer rate 50 faster real the constitution to both AT Runs built 360k and 12 may flooply disk drives.

XT-SBC

4 77 5 8 MHz clock Senal & Parallel 4-layer POB design RTC Calendar

XPC-XT

Motherboards

Mono & Color Graphics



Whisper lan Hi output 150 with 4 DC connectors + 5V 15A - 5V 5A

7 PAK Multi-Function



Features Floppy Controller, Parallel Port, Serial Port, root onal 2rid Seriali, Game Port, Real Time, Clock Calendar with Battery Back-up, RAMdisk, Print, Spooter, all cables & manuals.

PROM Laser



Hi-speed algorithmes will burn 2718, 2732 2732A 2764 pn 52 sect, 27128, 27266 EPROMS under a ware control right in your PC Zero Force treation Sockets, Software, and Manual


Bombay 357172

england _

AT TURBO

Power Supplys

35 Components



The XTJr. coolnet is only 3" x 16.5" x 15 yet it will not a standard XT compatible morner pound includes a salitching power supply. Front panel but out for a half reight Bodpy or hard disk.



Our XPC-XT cabinet has an 8-stot back gainet with additional cut outs for two RS-2321 O ports Features mounting for up to four half height.



Add-on a floppy, tage-timely up or up to 33 milliard disk chall-height! Switching power supp

Keyboards

This Keyboard is standard equipment with an of our XAT systems, but the layout is so well liked we're offering I here.

Archive Irwin Maxtor Memtek Miniscribe **Panasonic**

Drives

Seagate TEAC Tulin

XPC TURBO

3 Sub-Systems

Standard 4 77 MMg
 up to 646K memor,
 8 skullespansion
 utandard 8086 CPU

135m switching

AT 200 watt XTC 135

Cassette Training Int/Ext Modems



Choose from single 'sheight duel 'sheight or 'sh with full height base. All Sub-systems include con-



3 Networks





PC Compatible CASH DRAWERS M-S CASH DRAWER

10711 Flower St., Stanton, CA 90680

(800) 544-1749

In California call:

714) 821-1133

Inquiry 232

51/4" FLOPPY MOTORS

Now Buehler OEM replacement spindle motors for all major 51/4-inch, full-height floppy disk drives are available for fast delivery. Built to exact OEM size, performance and quality standards. Pullevs included.

For details and prices, contact:

The ALL NEW

■ 8052AH BASIC V1.1 CPU

Prototyping area

Expansion connectors

iSBX* expansion connectors

Five 8 bit input/output ports PROM programmer

CALL TODAY 603/469-3232

Binary Technology, Inc.

MAIN ST. - P.O. SOX 67 - MERIDEN, 161 53776

nests of the Iniel Corp

Buehler Services, Inc. P.O. Box A, Hwy 70-E Kinston, NC 28501 Phone: 919/522-4300



OMPUTERIZED CONCEPTS

NEW!

4333 66th ST. N. ST. PETERSBURG FL 33709 USA

"INTERSOL"

Ever had a bad experience with Business software? Irritating isn't it? We thought so too, so we designed INTERSOL! Fully-Integrated 12 modules, very easy to use, you can buy it and have it CUSTOMIZED for your needs! FEATURES: A/R-A/P-G/L-PURCHS-INVOICE-SALES-REPORTS-FIN STS-TAXES-PAYROLL-DAILY REPORTS.

AMILABLE "WITH SOURCE CODES"! You customize it, or we will SAVE HUNDREDS OF DOLLARS! Get it ALL with "INTERSOL" the fully-integrated solution.

INTERSOL.....(12 modules).....\$97.00 INTERSOL...(SOURCE CODES) \$122.00 add \$3.00 S/H VISA-MC-CHECK (813) 545-1996

Inquiry 87

OTHER BRANDS AS LOW AS \$.54

BULK DISKETTES- QUANTITIES OF 500 with TYVEK SLEEVES

RIBBONS (All Brands) EPSON MX 70/80 \$4.20 Prices based on quantities of 48

C.O.D. 800-222-0490 C.O.D. 201-462-7628 in N. J.

EGRO 1 P.O. Box 710, Freehold, NJ 07728

Inquiry 213

<u>Rams</u> DYNAMIC 41256 41256 §6.85 100ns \$3.35 120ns 41256 150ns 2.75 4164 120ns 1.40 1.30 (**4164** 150ns 4464 150ns \$5.50

15358 Valley Blvd., City of Industry, CA 91746 Phone: 818-369-2688 (Mon-Fri • 8 5) ORDER TOLL FREE ORDER TOLL

CALL FOR CURRENT PRICES & VOLUME DISCOUNTS

ALL MERCHANDISE IS 100% GUARANTEED

CHANGING SYSTEMS?

What Happens to Your Data? Does JUST Media Conversion

Solve Incompatibilities?

everything is changing, including your software, hardware, operating systems and media? What happens to your surroudshoot data and formulas, database structures and/or word processing documents and codes?

What do you do, and what is the cost?

We Make Incompatible Data Compatible

The source can be mainframes, minis, micros, dedicated word processors or typesetters. ADAPSO member.

CompuData Translators, Inc. 213-462-6222 6565 Sunset BL, #301 Hollywood, CA 90028

Inquiry 74



Remains in place during keyboard use. Prevents damage from liquid spills, dust, ashes, etc. Fits like a second skin, excellent feel. Available for: IBM-PC, AT, Apple (all), Compaq, Model 100, NEC 8201, C64, Zenith 150, DEC, Kaypro, KB5151, AT&T 6300, WYSE 50 and many others, Send \$29.95, check, M.O., Visa & MC include exp. date. Specify computer type. Dealer inquiries invited. Free brochure avail.

Merritt Computer Products, Inc. 2925 LBJ Fwy. #180 / Dallas, Texas 75234 (214) 339-0753

Inquiry 215


COLOR VT220 \$150

'plus your PC, ir, XT, AT or compatible

ZSTEMpc-Y7220 Smart Terminal Emulator 2STEMpc-YT220 Smart Terminal Emulator 132-col by windowing - no addit hardware Double High Double Wide Characters Full YT100 line graphics. Smooth scrolling 2-way file transfers incl. XMCDEM and KERMIT Full teyboard soliteys/MACROS Data rates to 38 4KB. High Throughput Colorgraphics, monochrome & EGA support hatters in the End Support a DOS Acroses. International Font Support = 00S Access ISO and attribute mapped color 2STEMpo-VT220 \$150. 4010/4014 Option \$99 2STEMpo-VT100 — Choice of the U.S. Auforce 30 day money back guarantee MC/VISA

> KEA SYSTEMS LTD. #412 - 2150 W. Brostway couver, B.C. CANADA V6K 4L9 Support (604) 732-7411 TELEX 04-352848 VCR

Order Toll Free (800) 663-8702



\$190.00 \$125.00 \$198.00 \$ CALL \$ CALL \$ 30.00 250r 250r 250r 250r 200r 2764 2732A

(800) 892-8889 • (800) 882-8181

inquiry 405

\$295

Inquiry 160

Inquiry 410

THE LATEST IN PC ENHANCEMENT PRODUCTS

ENHANCED GRAPHICS ADAPTOR \$295.00

100% IBM COMPATIBLE—PASSES IBM EGA DIAGNOSTICS

- COMPATIBLE WITH IBM EGA, COLOR GRAPHICS ADAPTOR AND MONOCHROME ADAPTOR
- DISPLAYS 16 COLORS OUT OF 64 COLORS
- · COMES WITH 256K OF VIDEO RAM
- DUAL SCANNING FREQUENCIES—WORKS WITH STANDARD OR EGA TYPE RGB MONITORS
- * LIGHT PEN INTERFACE



EXTENDED MEMORY CARD \$199.95

UP TO 2 MEGABYTES OF LOTUS/INTEL COMPATIBLE MEMORY

- CONFORMS TO LOTUS/INTEL EXTENDED MEMORY SPECIFICATIONS (EMS)
- SHIPPED WITH ZERO K RAM, USER EXPANDABLE TO 2 MEGABYTES
- · USES 64K OR 256K DYNAMIC RAMS
- USE AS EXTENDED (EMS) OR CONVENTIONAL MEMORY, RAMDISK OR SPOOLER
- SOFTWARE INCLUDES EMS DEVICE DRIVERS, PRINT SPOOLER AND RAMDISK




AT MULTIFUNCTION CARD \$199.95

ADDS UP TO 3 MEGABYTES OF USER EXPANDABLE MEMORY

- SHIPPED WITH ZERO K RAM USER EXPANDABLE TO 1.5 MEGABYTES RAM ON BOARD, UP TO 3 MEGABYTES WITH OPTIONAL PIGGYBACK CARD
- · USES 64K OR 256K DYNAMIC RAMS
- PARALLEL PORT & GAME PORT
- . SERIAL PORT
- · OPTIONAL SECOND SERIAL PORT

PIGGYBACK MEMORY CARD (NO MEMORY INSTALLED) \$49.95



CLASSIC 286 SPEED PAK \$795.00

8 MHz 80286 ACCELERATOR BOARD FOR IBM PC/XT

- 8MHz 80286 RUNS 33% FASTER THAN A STANDARD AT
- RUNS AT PROGRAMS-COMPATIBLE WITH DOS 2.1, 3.0 & 3.1
- COMPATIBLE WITH ALL PC/XT HARDWARE & SOFTWARE WITH NO PATCHES OR MODIFICATIONS NEEDED
- 1 MEGABYTE MEMORY ON BOARD, EXPANDABLE TO 16MB
- · HIGH SPEED 16-BIT BIOS AND RAM
- OPTIONS INCLUDE 80287 MATH CO-PROCESSOR, MULTITASKING SUPPORT AND MULTIUSER SUPPORT



EPROM PROGRAMMER \$129.95

FOR IBM PC/XT/AT AND COMPATIBLES

- PROGRAMS 27xxx SERIES EPROMS UP TO 27512
- MENU DRIVEN SOFTWARE PROVIDED ON DISKETTE
 AUTOMATICALLY SETS PROGRAMMING VOLTAGE
- . LOADS AND SAVES EPROM BUFFER TO DISK
- · READ, WRITE, COPY, VERIFY OR CHECK BLANK
- DEBUG STYLE EDITOR FOR EASY MODIFICATION OF PROGRAM
- · SPLITS OR COMBINES EPROMS OF DIFFERING SIZES
- INTERNAL CARD WITH EXTERNAL ZIF SOCKET MODULE



PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERING TERMS: Minimum order \$10.00. For shipping and handling include \$2.50 for UPS Ground and \$3.50 for UPS Air. Orders over 1 lb. and foreign orders may require additional hipping charges—clease contact our sales department for the amount. CA.

VISIT OUR RETAIL STORE LOCATED AT 1256 SOUTH BASCOM AVENUE IN SAN JOSE HOURS: M-W-F, 9-5 TU-TH, 9-9

##JDR Wicrodevices

1224 S. Bascom Avenue, San Jose, CA 95128 <u>Toll Free 800-538-5000 ● (408) 995-5430</u>

FAX (408) 275-8415 • Telex 171-110

© COPYRIGHT 1986 JDR MICRODEVICES

THE JOR MICRODEVICES LOGO IS A REGISTERED TRADEMARK OF JOR MICRODEVICES. JOR INSTRUMENTS AND JOR MICRODEVICES ARE TRADEMARKS OF JOR MICRODEVICES.

19M IS A TRADEMARK OF INTERNATIONAL BUSINESS MACHINES. APPLE IS A TRADEMARK OF APPLE COMPUTER.

IUNE 1986 - BYTE 439

SAT. 10-3

D A COMPLETE 256K XT SYSTEM—\$7



BANTHIC DYMS

	DIMAM	IU RAMO	
4116-250	18384x1	(250ns)	A
4116-200	16384x1	(200na)	4
4116-160	16384x1	(150ma)	- 4
4116-120	16384x1	(120ma)	1.4
MK4332	32768×1	(200ns)	6.8
4164-200	65536x1	(200ns)(5v)	1.1
4164-150	65536x1	(150na)(5v)	1.2
4164-120	65536x1	(120rus)(5v)	1.9
MCM6665	65538x1	(200ma)(5v)	1.5
TMS4164	66536x1	(150ns)(5v)	1.9
4164-REFRESH	65538x1	(150mm)(5V)(REFRES	HI 2.9
TM54416	16384×4	(150ns)(5v)	4.9
41128-150	131072×1	(150ns)(5v)	5.9
TMS4464-15	65536x4	(150ns)(5v)	6.9
41256-200	262144×1	(200ns)(5v)	2.9
41256-150	262144x1	(150ns)(5v)	2.9
5v-Single 5 Vo	It Supply	REFRESH-Pin 1 R	

**** NEC V20 UPD70108 \$1485 REPLACES 8068 TO SPEED UP IBM PC 10-48%

- * HIGH-SPEED ADDRESS CALCULATION IN HARDWARE
- * PIN COMPATIBLE WITH 8088
- * SUPERSET OF 8088 INSTRUCTION SET * LOW POWER CMOS

8MHz V20 UPD70108-8 \$26.95 OMHZ V30 UPD70118-8 *****





EPROMS 2708 2716 2716-1 TM\$2532 2732A 2732A-2 2732A-2 2764-250 2764-250 MCM6876 1024×8 2048×8 2048×8 4096×8 4096×8 4096×8 4096×8 8192×8 8192×8 8192×8 8192×8 8192×8 MCM68760 27128 27C266 27266 8192×8 16384×8 32768×8 32768×8

SPECTRONICS **EPROM ERASERS** PE-14T

Model	Timer	Capacity Chip	Intensity (uW/Cm²)	Unit
PE-14	NO	9	8,000	183.00
PE-14T	YES	9	8.000	\$119.00
PE-24T	YES	12	9,600	\$175.00

80	nn `
8035 8039 8080 8085 8087-2 8087 8038-2 8155 8155-2 8748 8775 80288 80287	1.49 1.95 2.95 2.49 169.95 125.00 2.46 3.95 7.95 18.95 128.95 128.95
82	00
8203	29.95

82	00
8203	29.95
8205	3.29
8212	1.49
8216	1.49
8224	2.25
8237	4.95
8237-5 8250 8251 8251A 8253 8253-5	6.49 6.96 1.69 1.89 1.89
8255	1.69
8255-5	1.85
8259	1.95
8259-5	2.29
8272	4.95
8279	2.49
8279-5	2.95
8282	3.96
8284	2.96
8286	3.96
8286	4.96

280-CPU 2 5 N	#U 1.69	
4.0 MHz		
ZBOA-CPU	1.79	
ZBOA-CTC	1.89	
ZBOA-DART	6.95	
ZBOA-DMA	5.95	
ZEGA-PIO	1.89	
Z80A-SIO/0	5.95	
Z80A-SIO/1	5.95	
Z80A-SIQ/2	5.96	
8.0 MHz		
280B-CPU	3.75	
Z80B-CTC	4.25	
ZBOB-PIO	4.25	
Z80B-DART	14.95	
Z808-SIO/0	12.95	

Z-80

65	00
1.0	MHZ
502	2.7
5C02.0	MOS) 12.8
507	8.8
520	1.9
522	4.9
526	26.9
532	6.9

6526	26.94
6532	6.95
8545	6.98
6551 6561	5.95
6581	19.95 34.95
2.0	MNZ
6502A	2.98
6520A	2.95
6522A	5.96
6532A 6545A	11.95 7.95
6551A	6.98
444.00	
	MHz

68	00	
1.0 MHz		
6800	1.90	
6802 6803	4.96 9.98	
E200	5.58	
6808E 6810	5.95 1.95	
6820	2.95	
6820 6821	2.95 1.98	
6840 6843	6.95 19.95	
6844	12.9	
6845	4.91	
6847 6850	11.95	
4883	22.00	

6883	22.95
2.0 N	litz
68BG0	4.95
68802	5.95
6BB09E	6.98
68B09	6.45
68921	3.50
68B45	6.75
68850	3.98
68854	7.95

CLOCK	
CIRCUIT	
MM5369	1.95
MM5369-EST MM58167	1.95

G	lT.
CONTR	
6845	4.95
68845	8.95

6845	4.95
68845	8.96
6847	11.96
HO465058P	0.96
MC1372	2.95
8276	26.95
7220	19.95
CRT5027	12.96
CRT5037	9.95
TMS9918A	19.96
	_

DIS	K
CONTRO	LLERS
1771	4.95
1791	9.95
1793	9.95
1795	12.95
1797	12.96
2791	19.95
2793	19.95
2797	29.95
6843	19.95
8272	4.95
UPD765	4.95
MB8876	12.95
MB8877	12.95
1691	6.95
2143	6.95

BIT RA	TE
GENERAT	ORS
MC14411	9.95
BR1941	4.95
4702	9.95
COM8116	8.95
MM5307	4.95

UART	8
AY5-1013	3.95
AY3-1015	4.95
TR1602	3.95
2651	4.95
IM6402	8.95
IM6403	9.95
INS8250	6.95

SOUND	CHIPS
76477	3.95
76489	8.95
SSI-263	39.95
AY3-8910	12.95
AY3-8912	12.95
SP1000	39.00

CRYSTALS 32.768 KHz 1.0 MHz 1.8432 2.0 2.097152 2.4578

ı	2.0	1.95
ı	2.097152	1.95
ı	2.4576	1.95
ı	3.2768	1.95
ı	3.579545	1.95
ı	4.0	1.95
ı	4.032	1.95
ı	5.0	1.96
ш	5.0688	1.95
ı	6.0	1.95
ı	6.144	1.95
ı	6.5536	1.95
ı	8.0	1.95
ı	10.0	1.95
	10.738635	1.95
ı	12.0	1.95
	14.31618	1.95
L	16.0	1.95
п	16.0	1.95
п	17.430	1.95
ı	18.0	1.95
	18.432	1.95
п	20.0 22.1184	1.95
ı	24.0	1.95
н	32.0	1.95
п		
ı	CRYS	
ı	OSCILL	ATORS
ı	1.0MHz	5.95
	1 8432	E 95

	11000
1.0MHz	5.95
1.8432	5.95
2.0	5.95
2.4578	5.95
25	4.95
4.0	4.95
5.0688	4.95
6.0	4.95
6.144	4.95
8.0	4.95
10.0	4.95
12.0	4.95
12,480	4.95
15.0	4.95
18.0	4.95
18.432	4.95
20.0	4.95
24.0	4.95

MISC	
TMS99531	9.95
TMS99532	19.95
ULN2003	.79
3242	7.95
3341	4.95
MC3470	1.95
MC3480	8.95
MC3487	2.95
11C90	13.95
2513-001 UP	6.95
AY5-2376	11.95
AY5-3600 PRO	11.95

74L800					
74L500 74L501 74L502 74L503 74L504 74L505 74L506	.16 .13 .17 .18 .16	74L5165 74L5166 74L5169 74L5173 74L5174 74L5176	.65 .96 .96 .49 .39		
74L508 74L809 74L810 74L811 74L812 74L513 74L514	.18 .18 .16 22 22 25 .35	74L5191 74L5192 74L5193 74L5194 74L5195 74L5196 74L5197	.49 .69 .69 .69 .59 .59		
74L515 74L520 74L521 74L522 74L527 74L528 74L530	.17 .22 .23 .24 .17	74L5221 74L5240 74L5241 74L5242 74L5243 74L8244 74L8245	.69 .69 .69 .69		
74LS33 74LS33 74LS35 74LS35 74LS42 74LS47 74LS45 74LS51	.28 .25 .25 .39 .59	74L5251 74L5253 74L5255 74L5255 74L5258 74L5259 74L5260	.49 1.79 .39 .49 1.29 .48		
74L508 74L810 74L811 74L811 74L811 74L811 74L911 74L911 74L911 74L920 74L920 74L920 74L920 74L920 74L920 74L920 74L930 74	.29 .24 .29 .29 .49 .49	74L5273 74L5279 74L5280 74L5283 74L5290 74L5293 74L5299	.79 .39 1.98 .59 .89 .89		
74LS90 74LS92 74LS93 74LS95 74LS107 74LS108 74LS112	. 17 13 16 14 14 14 12 22 22 25 26 17 12 22 22 25 17 12 22 25 25 25 25 25 25 25 25 25 25 25 25	74LS169 74LS174 74LS175 74LS175 74LS192 74LS193 74LS193 74LS193 74LS196 74LS196 74LS196 74LS196 74LS196 74LS197 74LS240 74LS240 74LS240 74LS240 74LS240 74LS240 74LS250 74LS25			
74L5123 74L5123 74L5125 74L5125 74L5126 74L5132 74L5133	.48 2.76 .39 .39 .39 .49	74L5375 74L5375 74L5378 74L5390 74L5393 74L5541	.79 .79 1.18 1.19 .79 1.49		
74L8102 74L8112 74L8112 74L8123 74L8123 74L8126 74L8126 74L8132 74L8133 74L9138 74L9138 74L9138 74L9145 74L914	.39 .39 .99 .99 .39	74LS640 74LS645 74LS669 74LS670 74LS682 74LS683 74LS684	.99 .99 1.29 .89 3.20 3.20 3.20		
74LS154 74LS155 74LS156 74LS157 74LS158 74LS160 74LS161	1.49 .59 .48 .35 .29 .29	74L8688 74L8783 : 81L595 81L596 81L597 81L898 25L52521	2.40 22.95 1.49 1.49 1.49 1.49 2.80		
74LS162 74LS163 74LS164	.48 .39 .48	25LS2569 26LS31 26LS32	1.95 1.95		

HIGH SPEED CMOS

A new family of high speed CMOS logic feature the speed of low power Schotsky item typical ga propagation delay), combined with the advantages CMOS: very low power consumption, superior noi immunity, and improved output drive.

74HC00

74HC: Operate at CMOS is or new, all-CMOS designs.

		24110440	
74HC00	.59	74HC148	1.19
74HC02	.59	74HC151	.68
74HC04	.89	74HC154	2.49
74HC08	.58	74HC157	40
74HC10	.59	74HC158	.95
74HC14	.78	74HC163	1.15
74HC20	.50	74HC176	.98
	.59	74HC240	1.88
74HC27			
74HG30	.59	74HC244	1.88
74HC32	.09	74HC245	1.49
74HC51	.59	74HC257	.85
74HC74	.75	74HC259	1.39
74HC85	1.36	74HC273	1.89
74HC86	.69	74HC299	4.99
74HC93	1.19	74HC368	.99
74HC107	.78	74HC373	2.25
74HC109	.78	74HC374	2.29
	.73		
74HC112	.79	74HC390	1.39
74HC125	1.19	74HC393	1.39
74HC132	1.19	74HC4017	1.99
74HC133	.89	74HC4020	1.39
74HC138	.00	74HC4049	.89
74HC139	.99	74HC4050	.89

74HCT00

74HCT: 0 74HCT00 74HCT02 74HCT04 74HCT08

74HCT10	.60	74HCT240	2.19
74HCT11	.89	74HCT241	2.19
74HCTZ7	.69	74HCT244	2.19
74HCT30	.59	74HCT245	2,19
74HCT32	.79	74HCT257	.99
74HCT74	.65	74HCT259	1.59
74HCT75	.95	74HCT273	2.09
74HCT138	1.15	74HCT367	1.09
74HCT139	1.15	74HCT373	2.49
74HCT154	2.99	74HCT374	2.49
74HCT157	.99	74HCT383	1.59
74HCT158	.99	74HCT4017	2.19
74HCT161	1.29	74HCT4040	1.59
74HCT164	1.39	74HCT4060	1.49

74F00

74F00	.89	74F74 .79	74F251 1.69
74F02	.60	74588 .99	74F253 1.69
74F04	.78	74F138 1.65	74F257 1.89
74F08	.80	74F139 1.69	74F280 1.79
74F10	.69	74F157 1.68	74F283 3.95
74F32	.69	74F240 1.29	74F373 4.29
74F64	.89	747244 3.29	74F374 4.29

VISIT OUR RETAIL STORE LOCATED AT 1256 SOUTH BASCOM AVENUE IN SAN JOSE

Microdevices

1224 S. Bascom Avenue, San Jose, CA 95128 Toll Free 800-538-5000 • (408) 995-5430 FAX (408) 275-8415 • Telex 171-110

HOURS: M-W-F, 9-5 TU-TH, 9-9 SAT, 10-3 PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERING

© COPYRIGHT 1986 JDR MICRODEVICES

THE JOR MICRODEVICES LOGO IS A REGISTERED TRADEMARK OF JOR MICRODEVICES. JOR INSTRUMENTS AND JOR MICRODEVICES ARE TRADEMARKS OF JOR MICRODEVICES IBM IS A TRADEMARK OF INTERNATIONAL BUSINESS MACHINES APPLE IS A TRADEMARK OF APPLE COMPUTER

PARTIAL LISTING ONLY — CALL FOR A FREE CATALOG

	CN	108			7400	/8000	
4001	.18	14419	4,96	7400	.19	74147	2.49
4011	.19	14433 1	4.96	7402	.19	74148	1.20
4012	.25	4503	.49	7404	.18	74150	1.35
4013	.35	4511	.69	7406	.29	74151	.55
4015	.29	4616	.79	7407	.29	74163	.55
4016	.29	4616	.46	7408	.24	74154	1.49
4017	.49	4622	.79	7410	.19	74155	.75
4018	.63	4526	.79	7411	.25	74167	.55
4020	.59	4627	1.95	7414	.49	74169	1.65
4021	.69	4528	.79	7416	.25	74181	.69
4024	.48 .25	4529	2.96	7417	.25	74163	.69
4025	.39	4532	1.86	7420	.19	74164	.85
4028	.88	4538 4541	.96	7423	.29	74165	.85
4035	.63	4553	1.29 5.79	7430 7432	.19	74166	1.00
4040	.63	4585	.73	7432	.29	74175	.89
4041	.75		2.95	7442	49	74177	.76
4042	.50	74C00	.29	7445	.49	74178 74181	1.16
4043	AB	74C14	.59	7447	.00	74181	.75
4044	48	74074	.53	7470	.35	74184	2.00
4045	1.98	74C83	1.95	7473	.34	74191	1.15
4046	.69	74C86	1.49	7474	.33	74192	.79
4047	.69	74C95	.99	7476	.45	74194	.85
4049	.29	74C150	5.75	7476	35	74196	.79
4050	.29	74C151	2.25	74B3	.50	74197	.75
4051	.639	74C161	.99	7485	.59	74199	1.35
4052	.69	74C163	.99	7486	.35	74221	1.35
4053	.69	74C164	1.39	7489	2.15	74246	1.35
4056	2.19	74C192	1.49	7490	.39	74247	1.25
4060	.68	740193	1.49	7492	.50	74246	1.85
4066	.29	74C221	1.75	7493	.35	74249	1.95
4069	.10	74C240	1.89	7495	.55	74251	.75
4076	.59 .29	74C244	1.89	7497	2.76	74265	1.35
4077	29		1.99	74100	2.29	74273	1.95
4081	.79		0.95	74121	.29	74278	3.11
4086			3.95	74123	.48	74367	.85
4093	.89		2.95	74125	.48	74368	.65
4093	2.48		4.49	74141	.45	9368	3.95
14411	9.96		4.96	74143	5.95	9602	1.50
14412	8.26	80C97	7.96	74144	2.96	9637	2.95
19912	0.20	9009/	.96	74145	.60	96502	1.95

	74	800	
74500 74503 74503 74504 74505 74505 74510 74516 74536 74532 74538 74538 74538 74538 745112 745112 745112 745115 74515 74515 74515 74515 74515 74515	29 29 29 29 29 36 29 36 69 49 50 2,76 70 70 70 95	748182 748184 748174 748175 749182 749182 749187 749187 749187 749244 74924 7	1.29 3.95 .79 1.95 1.49 1.49 1.49 1.49 1.49 1.56 1.56 1.69 2.95 1.69 2.95 1.69 2.95
DATA	ACQ	INTERF	ACE

9.95 8.95 4.49 1.95 2.96 8.25 5.95

24 28 40

3.70 5.4

2.9

1.49 1.69

745288 745299 745373 745374 745471 745571	1.69 2.95 1.69 1.69 4.95 2.95	78 78
INTERF	ACE	8 14 16 18
6126 6128 6195 6196	1.29 1.29 .89	20 22 24 28
6T97 6T98 DM8131	.59 .89 2.95	40 64
DP8304 D88833 D58835 D58836	2.29 2.25 1.99 .99	14 16 18
D56837	1.65	20

VOLTAGE	LINEAR
REGULATORS	TL066 .99 LM733 .98
TO-220 CASE	TL071 .69 LM741 .29
	TL072 1.09 LN747 .69
	TL074 1.95 LM748 .59
7808T .49 7908T .59 7812T .49 7912T .58	TL081 .59 MC1330 1.69
7815T A9 7916T 59	TL062 .99 MC1350 1.19
	TL084 1.49 MC1372 6.95
TO-3 CASE	LM301 .34 LM1414 1.59
7805K 1.39 7905K 1.49	LM308K 1.25 LM1458 .49
7812K 1.39 7912K 1.49	LM311 .59 LM1488 .49
TO-93 CASE	LM311H .89 LM1489 .49 LM317K 3.49 LM1496 .85
78L05 .49 79L05 .69	LM317T .95 LM1812 8.25
78L12 .49 79L12 1.49	LM318 1.49 LM1889 1.95
OTHER VOLTAGE REGS	LM319 1.25 ULN2003 .79
LM323K 6V 3A TO-3 4.79	LM320 see7900 XR2206 3.76
LM328K Adi. 5A TO 3 3.95	LM322 1.65 XR2211 2.96
78H05K 6V 5A TO-3 7.95	LM323K 4.79 XR2240 1.95
78H12K 12V 5A TO-3 8.95	LM324 .49 MPQ2907 1.95
78POSK SV 10A TO-3 14.95	LM331 3.96 LM2917 1.95
A CONTRACTOR OF THE PARTY OF TH	LM334 1.19 CA3048 .89
	LM335 1.40 CA3081 .99
10 0000000	LM336 1.75 CA3082 .89
IC SOCKETS	LM337K 3.95 CA3086 .80
1-88 100+	LM338K 3.95 CA3089 1.95
B PIN ST .11 .10	LM339 .59 CA3130E .99
14 PIN ST .11 .09 16 PIN ST .12 10	LM340 mm7800 CA3146 1.29
	LM350T 4.60 CA3160 1.15
18 PIN ST .15 .13 20 PIN ST .18 .15	LF353 .59 MC3470 1.96 LF356 .99 MC3480 8.95
22 PIN ST .15 .12	
24 PIN ST .20 .15	LF357 .99 MC3487 2.95 LM358 .69 LM3900 .49
28 PIN ST .22 .16	LM380 .89 LM3909 .98
40 PIN ST .30 .22	LM383 1.95 LM3911 2.26
64 PIN ST 1.95 1.49	LM386 .89 LM3914 2.39
ST-SOLDERTAIL	LM393 .45 MC4024 3.49
8 PIN WW .59 .89	LM394H 4.60 MC4044 3.89
14 PIN WW .69 .52	TL494 4.20 RC4136 1.25
16 PIN WW .69 .58	TL497 3.25 RC4558 .69
18 PIN WW .95 .90	NEESS .29 LM13600 1.49
20 PIN WW 1.09 .98	NESSS .49 75107 1.49
22 PIN WW 1.39 1.28	NESSS 1.29 75110 1.95
24 PIN WW 1.49 1.35	NE564 1.56 75150 1.96
28 PIN WW 1.69 1.49	LM565 .95 75154 1.95
40 PIN WW 1.99 1.80	LM566 1.49 75188 1.25
WW-WIREWRAP	LM567 .79 75189 1.26
16 PIN 29F 4.95 CALL 24 PIN 29F 5.95 CALL	NE570 2.95 75451 .39
24 PIN ZIF 5.95 CALL 28 PIN ZIF 6.95 CALL	NE590 2.50 75452 .39
40 PIN ZIF 9.95 CALL	NE592 .98 75453 .39
ZIF-TEXTOOL	LM710 .75 75477 1.29 LM723 .49 75492 .79
(ZERO INSERTION FORCE)	LM723 .49 75492 .79 H=TO-5 CAN, K=TO-3, T=TO-220
(SECTION FORCE)	H-10-8 CAR, N#10-3, 1#10-220

FDRECARD CONNECTORS

100	PIN	ST	S-100	.125	3.95
100	PIN	WW	S-100	.126	4.96
62	PIN	ST	IBM PC	.100	1.96
50	PIN	ST	APPLE	.100	2.95
44	PIN	ST	STD	.156	1.95
44	PIN	ww	STD	.156	4.95

DESCRIPTION

ST IC SOCKETS GH RELIABILITY TOOLED WW IC SOCKETS

COMPONENT CARRIES (DIP HEADERS)

RIBBON CABLE

DIP PLUGS (IDC

GH REMARILITY TOOLED

38 PIN CENTRONICS

001	IN ATMINABLAS	
	MALE	
IDCEN36	RIBBON CABLE	6.95
CEN36	SOLDER CUP	4.95
	FEMALE	
IDCEN36/F	RIBBON CABLE	7.95
CEN36PC	RT ANGLE PC MOUNT	4.95

CONTACTS

HATURE BELOW

1.39 1.29

14 16 18 20 22

2.10 2.40

DIP CONNECTORS

.62 .79 .89 1.09

49 .59 .69 .99 .99 .99 .99 1.09 1.4

> .95 .95

INTER	SIL
CL7106	9.95
CL7107	12.95
CL7660	2.96
CL8038	4.95
CM7207A	5.95
	45 00

(0018	. 6	
oronological	in the	
THE T	<u>س</u> ۷	IOP14
2000	I Diet	Y X
	1. 4	
		- A A A A
	HRHWIDA	ANNA DATE OF THE PARTY OF THE P

DIODES/OPTO/TRANSISTORS

			diam'r.
1N751	.25	4N28	.65
1N758	.25	4N27	.69
1N414B	26/1.00	4N28	.68
1N4004	10/1.00	4N33	.88
1N5402	.25	4N37	1.19
KBP04	.65	MCT-2	.59
KBURA	.95	MCT-6	1.29
MDA990-2	.36	TIL-111	.99
N2222	.25	2N3906	.10
PN2222	.10	2N4401	.26
2N2905	.50	284402	.25
2N2907	.25	2N4403	.21
2N3055	.79	2N6045	1.76
2N3904	.10	TIP31	.48

D-SUBMINIATURE

ORDER BY

AUGATION

ICCs:

DESCRIPTION		ORDER BY	CONTACTS						
DESCRIPTION	ONDER ST	3	15	19	25	37	50		
COLDED CHO	MALE	DBxxP	.82	.90	1.25	1.25	1.80	3.4	
SOLDER CUP FEMA	FEMALE	DBxxS	.95	1.15	1.50	1.50	2.35	4.3	
RIGHT ANGLE	MALE	DBaxPR	1.20	1.49	***	1.95	2.65	***	
	FEMALE	DBxxSR	1.25	1.55	_	2.00	2.79	-	
MA MA	MALE	DBxxPWW	1.69	2.56	-	3.89	5.60		
WIRE WRAP	FEMALE	DBxxSWW	2.76	4.27	Appea	6.84	9.95	***	
IDC	MALE	ID8xxP	2.70	2.95	***	3.58	5.70	***	
RIBBON CABLE F	FEMALE	IDBxx5	2.92	3.20	_	4.33	6.76	-	
HOODS	METAL	MHOODER	1.25	1.25	1.30	1.30	-		
	GREY	HOODxx	.65	.65		.65	.75	.95	

ORDERING INSTRUCTIONS: INSERT THE NUMBER OF CONTACTS IN THE POSITION MARKED "xx" OF THE "ORDER BY" PART NUMBER LISTED **EXAMPLE: A 15 PIN RIGHT ANGLE MALE PC SOLDER WOULD BE DRISPR**


LED DISPLAYS

FND-357(359)	,	COM	CATH	DDE	362	1.25
FND-500(503)		COM	CATH	ODE	E"	1.49
FND-607(510)			ANDD			1.49
MAN-72			ANDD			.99
MAN-74			CATH			.99
MAN-8940	1	COM	CATH	ODE	B"	1.99
TIL-313	1	COM	CATH	ODE	.3"	.45
HP5082-7760		COM	CATH	ODE	43"	1.29
TIL-311	4×7	HEX	W/LO	MIC	.270	5.95
HP5082-7340	4×7	HEX	W/LO	GIC	.290"	7.95
DIEEHIGE	n I	EN				

DIFFUSED L	ED8	1-99	100-UP
JUMBO RED	T134	.10	.09
JUMBO GREEN	T1%	.14	.12
JUMBO YELLOW	T194	.14	.12
MOUNTING HOW	T134	.10	.09
MINI RED	T1	.10	.09

MOUNTING HARDWARE \$1.00

DESCRIPTION	ORDER BY			CONT	ACTS		
DESCRIPTION	UNDER OF	10	20	26	34	40	50
SOLDER HEADER	IDHxxS	.82	1.29	1.68	2.20	2.58	3.24
RIGHT ANGLE SOLDER HEADER	IDHxxSR	.85	1.35	1.76	2.31	2.72	3.3
WW HEADER	IDHxxW	1.86	2.98	3.84	4.50	5.28	6.6
RIGHT ANGLE WW HEADER	IDHxxWR	2.05	3.28	4.22	4.45	4.80	7.30
RIBBON HEADER SOCKET	IDSxx	.79	.99	1.39	1.59	1.99	2.2
RIBBON HEADER	1DMkk	444	5.50	6.25	7.00	7.50	8.50
RIBBON EDGE CARD	IDEXX	1.75	2.25	2.65	2.75	3.80	3.95



SWITCHES

SPST DPDT DPDT SPST	MINI-PUSHB	E ON-ON E ON-OFF-ON UTTON N.O.	1.25 1.50 1.75 .39
SPST SPST BCD OUTPI	TOGGLE ON IT 10 POSITI	UTTON N.C. OFF ON 6 PIN DIP	.39 .48 1.95
4 POSITION 5 POSITION 6 POSITION	.85 .90	7 POSITION 8 POSITION 10 POSITION	.95 .95 1.29

HARD TO FIND SNAPABLE" HEADERS

CAN BE SNAPPED APART TO MAKE ANY SIZE HEADER, ALL WITH .1" CENTERS

STRAIGHT LEAD RIGHT ANGLE STRAIGHT LEAD RIGHT ANGLE

SHORTING BLOCKS

GOLD CONTACTS SPACED AT.1" CENTERS 5/\$1.00

I have dealt with JDR for years now, but I was recently lured away by other companies promising better services and prices. None of these companies were able to equal your service and low prices. I'm happy to may that I'm back to stay!

I think that when a company is able to serve it's customers so well, it deserves to be congratulated. I look foeward to dealing with you in the future.

Yours truly, George Townsend

RIBBON CABLE

CONTACTS	SINGL	COLOR	COLOR CODED		
CONTRACTS	1.	10"	1'	10"	
10	.18	1.60	.30	2.75	
16	.28	2.50	.48	4.40	
20	.36	3.20	.60	5.50	
25	.45	4.00	.75	6.85	
26	.46	4.10	.78	7.15	
34	.61	5.40	1.07	9.35	
40	.72	6.40	1.20	11.00	
50	.89	7.50	1.50	13.25	

CALL FOR VOLUME QUOTES

© COPYRIGHT 1986 JDR MICRODEVICES

ORDER TOL L FREE 800-538-50

BARGAIN HUNTERS CORNER

DB25P

100/645 10/\$6.90 PN MALE D. SUB CONNECTOR

DB25S

100/\$52 10/\$7.90 SUB CONNECTOR

HOOD-25

100/\$31 10/\$6.90

IDE34

100/\$129 10/\$14.90 DECEMBETOR 34 PIN

AUGAT 16 WW 100/\$49 10/\$6.90

.1uf DISC 1000/\$29.50 100/\$3.95

SPECIALS END 6/30/86

PRECUT ASSORTMENT IN ASSORTED COLORS \$27.50

100es: 5.5", 6.0", 6.5", 7.0" 250es: 2.5", 4.5", 5.0" 500es: 3.0", 3.5", 4.0"

SPOOLS

100 feet \$4.30 250 feet \$7.25 500 feet \$13.25 1000 feet \$21.95

Please specify color: Blue, Black, Yellow or Red

EMI FILTER

- · MANUFACTURED BY CORCOM LOW COST
- FITS LC-HP BELOW

8 FOOT LINE CORDS

LC-2 2 CONDUCTOR LC-3 2 CONDUCTOR LC-HP 3 CONFMICTOR 3 CONDUCTOR W/5TD FEMALE SOCKET 1.49

MUFFIN FANS

WIRE WRAP PROTOTYPE CARDS FR-4 EPOXY GLASS LAMINATE WITH GOLD-PLATED EDGE-CARD FINGERS



IBM-PR2

IBM

BOTH CARDS HAVE SILK SCREENED LEGENDS AND INCLUDES MOUNTING BRACKET WITH -5V AND GROUND PLANE ... \$27.95 AS ABOVE WITH DECODING LAYOUT \$29.95

S-100

APPLE

SOCKET-WRAP I.D.™

SLIPS OVER WIRE WRAP PINS
 IDENTIFIES PIN NUMBERS ON WRAP SIDE OF BOARD
 CAN WRITE ON PLASTIC, SUCH AS IC

ON PLASTIC: SUCH AS IC PRICE 1.95 1.95 1.96 1.96 1.95 1.95 1.95 PARTY PCK. OF IDWRAP 08 10 IDWRAP 16 10 IDWRAP 16 10 IDWRAP 18 6 IDWRAP 20 6 IDWRAP 22 5 IDWRAP 25 5 10 10 10 6 6 5 5 5

IDWRAP 28 5
IDWRAP 40 5
IDWRAP 40 5
PLEASE GRDER BY NUMBER OF
PACKAGES (PCK. OF)

CAPACITORS

TANTALUM 15V .36 .47µ⁴ 15V .70 1.0 15V .80 2.2 15V 1.35 4.7 35V .40 10

DISC

MONOLITHIC

ELECTROLYTIC

.1µ1 .47µ1

470 1000 2200

.001 .0022 .005 .01 .02

.05 .05 .05 .05 .05 .05

50V .14 50V .15

.14 .15 .15 .15 .18

DIAL 25V 35V 60V 50V 35V 16V

35V 25V 16V 25V

50V 50V 50V 50V 50V 50V 12V

50V 50V 15V

.06 .05 .05 .07 .07 .07

SIP

SIP

DIP

DIP

DIP



ERASES 2 IN 10 MINUTES
 COMPACT-NO DRAWER
 THIN METAL SHUTTER
 PREVENTS UV LIGHT
 FROM ESCAPING

10 PIN 8 PIN

16 PIN 16 PIN 14 PIN

01 of CERAMIC DISC

.01 of MONOLITHIC A CERAMIC DISC M MONOLITHIC

FRAME STYLE **TRANSFORMERS**

12.6V AC CT 12.6V AC CT 12.6V AC CT 25.2V AC CT

25 PIN D-SUB BENDER **CHANGERS** \$7.95

1/4 WATT RESISTORS

5% CARBON FILM ALL STANDARD VALUES
FROM 1 OHM TO 10 MEG. OHM
10 PCS carrie value .05 1000 PCS carrie value .01
50 PCS carrie value .025 1000 PCS carrie value .01

RESISTOR NETWORKS

SPECIALS ON BYPASS CAPACITORS

9 RESISTOR 7 RESISTOR

8 RESISTOR

13 RESISTOR

7 RESISTOR



69

.59

1.09

1.09

.99

100/\$5.00

100/\$6.50 100/812.50

SWITCHING POWER SUPPLIES

PS-IBM

\$4.95

- FOR IBM PC-XT COMPATIBLE 135 WATTS
- 15V @ 15A, •12V @ 4.2A -5V @ .5A, •12V @ .5A ONE YEAR WARRANTY

P8-IBM-150 \$99.95

- FOR IBM PC-XT COMPATIBLE 150 WATTS
- ·12V @ 5.2A, ·5V @ 18A ·12V @ .5A, ·6V @ .5A ONE YEAR WARRANTY

PS-130 \$99.95

- · SWITCH ON REAR
- FOR USE IN OTHER IBM
- TYPE MACHINES

\$49.95

- USE TO POWER APPLE TYPE SYSTEMS
- -5V @ 4A, -12V @ 2.5A -5V @ .5A, -12V @ .5A · APPLE POWER CONNECTOR

PS-8PL200 \$49.95

- •5V @ 25A, •12V @ 3.5A -5V @ 1A, -12V @ 1A
- UL APPROVED
 ALUMINUM ENCLOSURE



BOOKS BY STEVE CIARCIA

CIRCUIT CELLAR VOL 1 CIRCUIT CELLAR VOL 2 CIRCUIT CELLAR VOL 3 CIRCUIT CELLAR VOL 4 CIRCUIT CELLAR VOL 5 \$17.95 \$18.95 \$18.95 \$18.95 \$19.95

MICROCOMPUTER HARDWARE HANDBOOK FROM ELCOMP \$14.95

OVER BOD PAGES OF DATA SHEETS ON THE MOST COMMONLY USED ICS. INCLUDES TTL. CMOS, 74L500, MEMORY, CPUS, MPU SUPPORT. AND MUCH MORE!

WISH SOI DER! ESS RREADROARDS

PART	DIMENSIONS	DISTRIBUTION STRIP(S)	TIE	TERMINAL STRIP(S)	TIE POINTS	BINDING POSTS	PRICE
WBU-D	.38 x 6.50"	1	100		m	***	2.95
WBU-T	1.38 x 6.50"		***	1	630		6.95
WBU-204-3	3.94 x 8.45"	1	100	2	1260	2	17.95
WBU-204	5.13 x 8.45"	4	400	2	1260	3	24.95
WBU-206	6.88 x 9.06"	5	500	3	1890	4	29.95
WBU-208	8.25 x 9.45"	7	700	4	2520	4	39.95



WBU-208

LITHIUM BATTERY

3 VOLT BATTERY

NEW EDITION!

1986 **IC MASTER** THE INDUSTRY STANDARD

\$129.95

VISIT OUR RETAIL STORE LOCATED AT 1256 SOUTH BASCOM AVENUE IN SAN JOSE

1224 S. Bascom Avenue, San Jose, CA 95128 Toll Free 800-538-5000 • (408) 995-5430 FAX (408) 275-8415 • Telex 171-110

HOURS: M-W-F, 9-5

TU-TH, 9-9

PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERING

TEHMS: Minimum order \$10.00. For shipping and handling include \$2.50 for UPS Ground and \$3.50 for UPS Air. Orders over 1 lb. and foreign orders may require additional shipping changes - please confact our sales department for the amount. Ca. residents must include applicable sales tas. All merchandae is warranted for 90 days unless otherwise stated. Prices are subject to change without notice. We are not responsible for typographical erriors. We reserve the right to limit quantities and to subshibituhe manufacturer. All merchandise subject to prior sale.

© COPYRIGHT 1986 JDR MICRODEVICES

SAT, 10-3

PARTIAL LISTING ONLY — CALL FOR A FREE CATALOG

DISK DRIVES FOR APPLE COMPUTERS

AP-150 \$99.95



100% APPLE COMPATIBLE SIX MONTH WARRANTY

BAL-500 \$129.95



- TEAC MECHANISM-DIRECT DRIVE
- 100% APPLE COMPATIBLE FULL ONE YEAR WARRANTY

AP-135 \$129.95



- FULL HT SHUGART MECHANISM DIRECT REPLACEMENT FOR APPLE DISK II SIX MONTH WARRANTY





- 3.5" ADD-ON DISK DRIVE 100% MACINTOSH COMPATABLE DOUBLE SIDED 800K BYTE STORAGE HIGH RELIABILITY DRIVE HAS AUTO-EJECT MECHANISM
- WARRANT

AD-3C \$139.95



- 100% APPLE IIC COMPATIBLE, READY TO PLUG IN, W/SHIELDED CABLE & MOLDED 19 PIN CONNECTOR
- FAST, RELIABLE SLIMLINE DIRECT DRIVE

DISK DRIVE ACCESSORIES

FDD CONTROLLER CARD \$49.95 IIIC ADAPTOR CABLE \$19.95
ADAPTS STANDARD APPLE DRIVES
FOR USE WITH APPLE IIG

KB-1000

\$79.95

CASE WITH KEYBOARD FOR APPLE TYPE MOTHERBOARD USER DEFINED FUNCTION KEYS

NUMERNC KEYPAD WITH CURSOR CONTROL



KEYBOARD-AP

\$49.95

- REPLACEMENT FOR APPLE II
- S LOCK KEY, AUTO-REPEAT ONE KEY ENTRY OF BASIC OR CP/M COMMANDS



EXTENDER CARDS

IBM-PC \$45.00 IBM-AT \$68.00 APPLE II \$45.00 APPLE IIe \$45.00 **MULTIBUS** \$86.00

APPLE COMPATIBLE INTERFACE CARDS

EPROM PROGRAMMER \$59.95

MODEL RP525



- DUPLICATE OR BURN ANY STANDARD 27xx SERIES EPROM
- STANDARD 27xx SERIES EPROM
 6ASY TO USE MENU-DRIVEN
 SOFTWARE IS INCLUDED
 MENU SELECTION FOR 2716,
 2732, 2732A, 2764 AND 27128
 HIGH SPEED WRITE ALGORITHM
 LED INDICATORS FOR ACTIVITY
 NO EXTERNAL POWER SUPPLY
 NEEDED
- · ONE YEAR WARRANTY

16K RAMCARD



- FULL TWO YEAR WARRANTY EXPAND YOUR 48K APPLE TO
- USE IN PLACE OF APPLE LANGUAGE CARD BARE PC CAND W/PASTRUCTIONS \$9.95

IC TEST CARD



- HSPLAYS PASS OR FAIL

• TESTS: 4000 SERIES CMOS. 74HC SERIES CMOS. 7400, 74LS, 74L, 74H & 74S

300B MODEM \$49.95 FOR APPLE OR IBM INCLUDES ASCILPRO-EZ SOFTWARE



- FCC APPROVED
 BELL SYSTEMS 103 COMPATIBLE
 INCLUDES AC ADAPTOR
 AUTO-DIAL
 DIRECT CONNECT

- CABLE FOR APPLE IIc \$14.95

JOYSTICK CR-401 \$7.95

FOR ATARI 400, 800, 2600, VIC 20/64 AND APPLE No.

DISKFILE

HOLDS 70 514" DISKETTES



3.5" DISKFILE HOLDS 40 \$905

POWER STRIP

15A CIRCUIT \$12.95 1000000

Bel 3-WAY SWITCH BOXES

- CONNECTS 3 PRINTERS TO ONE COMPUTER OR VICE VERSA
- HIGH QUALITY ROTARY SWITCH MOUNTED ON PCB
- GOLD CONTACTS STURDY METAL ENCLOSURE



\$99.85 SWITCH-3P CENTRONICS PARALLEL SWITCH-38 AS232 SERIAL

SOL PRINTER BUFFERS

\$00 05

- FREES COMPUTER FOR OTHER TASKS WHILE PRINTING LONG DOCUMENTS STAND-ALONE DESIGN: WORKS WITH ANY COMPUTER OR PRINTER
- ALL MODELS FEATURE PRINT PAUSE MEMORY CHECK, GRAPHICS CAPABILITY

8P120P PARALLEL \$139.95

- 64K UPGRADABLE TO 256K LED INDICATOR SHOWS VOLUME OF DATA IN BUFFER
- SP1208 RS232 SERIAL \$159.95

64K UPGRADABLE TO 256K 6 SELECTBALE BAUD RATES, FROM 800B-19,200B

PARALLEL \$249.95

- 84K UPGRADABLE TO 512K SPOOLS OUTPUT OF UP TO 3 COMPUTERS LED BARGRAPH DISPLAYS AMOUNT OF DATA IN BUFFER RESET FUNCTION CLEARS DATA IN BUFFER
- REPEAT FUNCTION CAN PRODUCE MULTIPLE COPIES OF A DOCUMENT





SP120

MASHUA DISKETTES DEALS

5W" SOFT SECTOR DS/DD WITH HUB RINGS

\$990 OK OF 10

69Cea 59Caa **BULK QTY 50** BULK QTY 250

MASHUA DISKETTES WERE JUDGED TO HAVE THE HIGHEST POLISH AND RECORDED AMPLITUDE OF ANY DISKETTES TESTED ACCORDING TO "COMPARING FLOPPY DISKS", BYTE 9/84

DISKETTES NASHUA 51/4"

99.90 934.95 949.95 NASHUA 6"

N-FD1 N-FD2D SS/DD SOFT DS/DD SOFT MASHUA 3.5"

222 F.M 3.5" \$\$/00 FOR MAC 937 95 **VERBATIM 544"**

V-MD1D \$\$/DD \$OFT V-MD2D 0\$/DD \$OFT V-MD110D \$\$/DD 10 \$ECTOR HARD

Sakata 120 CPS DOT MATRIX PRINTER



MODEL \$169.95 SP-1200

- EPSON/IBM COMPATIBLE
- 9-WIRE PRINTHEAD
- 120 CPS-BIDIRECTIONAL, 80 COL
- FRICTION AND TRACTOR FEED PROPORTIONAL SPACING
- **CENTRONICS PARALLEL INTERFACE**
- * 8 CHARACTER SETS AND GRAPHICS

10 05

\$11,95

S FOOT IBM PRINTER CARLE REPLACEMENT RIBBON CARTRIDGE

5¼" FLOPPY DISK DRIVES

TEAC FD-55B 1/2 HT DS/DD (FOR IBM)
TEAC FD-55F 1/2 HT DS/QUAD (FOR IBI TEAC FD-55GFV 1/3 HT DS/HD (FOR ISM A TANDON TM100-2 OS/DD (FOR ISM) TANDON TM50-2 1/3 HT DS/DD (FOR ISM) MP-852 OS/DD (FOR ISM) MPI-852 DS/DD (FOR BIM)
QUME QT-142 1/3 HT DS/DD (FOR BIM)

8" FLOPPY DISK DRIVES

FD 100-8 SS/00 (SA/801 EQUIV) FD 200-8 DS/00 (SA/851R EQUIV)

DISK DRIVE ACCESSORIES

TEAC SPECIFICATION MANUAL TEAC MAINTENANCE MANUAL 1/2 HT MOUNTING HARDWARE MOUNTING RAILS FOR IBM AT "Y" POWER CABLE FOR 514" FD FDD POWER CONNECTORS





TEAC FD-55

TANDON TM100-2

DISK DRIVE ENGLOSURES

CAB-APPLE \$24.05

CAB-1FHS \$89,95

CAB-25V5 \$49.95 SUPPLY SW" CABINET W/POWER CAB-28V9 \$900.05

CAB-2FHO \$219.95 HORIZINTAL CABINET W/P



\$54.95

TEST EQUIPMENT FROM JDR INSTRUMENTS

DIBITAL MULTIMETER PEN DPM-1000

AUTO RANGING, POLARITY AND DECIMAL!

LARGE 3.5 DIGIT DISPLAY DATA HOLD SWITCH FREEZES READING 177 22

OVERLOAD PROTEC-



20MHz DUAL TRACE OSCILLOSCOPE **MODEL 2000** \$389.00 35MHz DUAL TRACE OSCILLOSCOPE **MODEL 3500** \$549.00

FOR MORE INFORMATION ON THE OSCILLOSCOPES, SEE OUR AD ON PAGE 41.

CALL FOR VOLUME QUOTES © COPYRIGHT 1986 JDR MICRODEVICES

FAST, AUDIBLE CON-TINUITY TEST

LOW BATTERY INDICATOR

SEAGATE ST-225 20MB

INCLUDES HALF LENGTH HD CONTROLLER, CABLES, MOUNTING HARDWARE AND INSTRUCTIONS. ALL DRIVES ARE PRETESTED AND COME WITH A ONE YEAR WARRANTY.

XT COMPATIBLE MOTHERBOARD


159.0

- OK RAM INSTALLED, EXPANDABLE TO 640K ON-BOARD MEMORY ALL ICS SOCKETED-HIGHEST QUALITY PC BOARD

- ACCEPTS 2764 OR 27128 ROMS

PRO-BIOS

\$29.95



IBM COMPATIBLE INTERFACE CARDS

ALL WITH A ONE YEAR WARRANTY

MULTI I/O FLOPPY CARD

PERFECT FOR THE 640K MOTHERBOARD



- - 2 DRIVE FLOPPY DISK CONTROLLER 1 R\$232 SERIAL PORT; OPTIONAL 2nd

\$129.95

\$119.95

\$99.95

- 1 18232 SERIAL PORT; OPTIONAL:
 SERIAL PORT
 PARALLEL PRINTER PORT
 GAME PORT
 CLOCK/CALENDAR
 SOFTWARE: CLOCK UTILITIES,
 RAMDISK, SPOOLER
 OPTIONAL SERIAL PORT \$13.56

MULTIFUNCTION CARD



COLOR GRAPHICS ADAPTOR

FULLY COMPATIBLE WITH IBM COLOR CARD



- ** 16M CULON CARD

 4 VIDEO INTERFACES: RGB.
 COMPOSITE COLOR. HI-RES
 COMPOSITE MONOCHROME,
 CONNECTOR FOR RF MODULATOR

 COLOR GRAPHICS MODE. 320 x 200
 MONO GRAPHICS MODE. 340 x 200
 LIGHT PEN INTERFACE

MONOCHROME GRAPHICS CARD

\$119.95

FULLY COMPATIBLE WIIBM MONOCHROME ADAPTOR & HERCULES GRAPHICS



- E ALAPTON & REROLES GRAPHI

 LOTUS COMPATIBLE

 TEXT MODE: 80 × 25

 GRAPHICS MODE: 720 × 348

 PARALLEL PRINTER INTERFACE

 OPTIONAL SERIAL PORT

 \$19.95

MONOCHROME ADAPTOR

\$49.95

ANOTHER FANTASTIC VALUE FROM JORI
IBM COMPATIBLE TIL OUTPUT
1E: THIS GARD WILL NOT HUN LOTUS GRAPHICS AND DOES NOT INCLUDE A
PARALLEL PORT

FLOPPY DISK DRIVE ADAPTOR



- \$49.95

- INTERFACES UP TO 4 STANDARD FDDs TO IBM PC OR COMPATIBLES INCLUDES CABLE FOR TWO INTERNAL DRIVES STANDARD DEST FOR EXTERNAL DRIVES RUNS QUAD DENSITY DRIVES WHEN USED WITH JFORMAT

EASYDATA 1200 BAUD MODEM FOR IBM



\$169.95

CRT MONITORS FOR ALL APPLICATIONS



LUXOR HI-RES ROB MONITOR MODEL 190-9628

- DIGITAL RGB-IBM COMPATIBLE 14" SCREEN

- 14" SCREEM
 16 TRUE COLORS
 25 MHz BANDWIDTH
 RESOLUTION > 640 + 262
 31mm DOT PITCH
 CABLE FOR IBM PC INCLUDED

\$299.95

SAKATA COMPOSITE COLOR MODEL SC-100

- TOP RATED FOR APPLE
 13" COMPOSITE VIDEO
 RESOLUTION, 280H x 3
 INTERNAL AUDIO AMP
 ONE YEAR WARRANTY

\$169.95

\$99.95

BUILD YOUR OWN 256K XT COMPATIBLE SYSTEM

XT MOTHERBOARD \$159.95 PRO-BIOS 256K RAM \$29.95 \$26.55 130 WATT POWER SUPPLY \$89.95 FLIP-TOP CASE DKM-2000 KEYBOARD \$49.95 \$79.95 1/2 HEIGHT QUME DRIVE \$79.95 FLOPPY DISK CONTROLLER \$49.95 MONOCHROME ADAPTOR \$49.95 MONOCHROME MONITOR \$99.95

TOTAL: \$716.10



CENTER SYSTEMS MONOCHROME MODEL KLM-1211

- IBM COMPATIBLE TIL INPUT 12" NON GLARE SCREEN P39 GREEN PHOSPHORUS VERY HIGH RESOLUTION 25 MHz BANDWOTH 1100 UNES (CENTER)
- AMBER VERSION \$109.83

MONITOR STAND



ONLY \$12.95

IBM PRINTER CABLE



\$9.95

IBM STYLE **COMPUTER CASE**

AN ATTRACTIVE STEEL CASE WITH A HINGED LID FITS THE POPULAR PC/XT COMPATIBLE **MOTHERBOARDS**

- SWITCH CUT-OUT ON SIDE FOR PC XT STYLE POWER SUPPLY CUT-OUT FOR 8 EXPANSION SLOTS ALL HARDWARE INCLUDED

\$49.95



IBM COMPATIBLE KEYBOARDS \$99.95 IBM-5151 DKM-2000 \$79.95



- "5150" STYLE KEYBOARD FULLY IBM COMPATIBLE LED STATUS INDICATORS FOR CAPS &
- NUMBER LOCK 83 KEY SAME LAYOUT AS IBM PC XT KEYBOARD
- REPLACEMENT FOR KEYTRONICS K8-5151" SEPARATE CURSOR & NUMERIC

THE WILLIAM CONTROL OF

- KEYPAD CAPS LOCK & NUMBER LOCK INDICATORS IMPROVED KEYBOARD LAYOUT

POWER SUPPLY



NOW ONLY \$89.95

FOR IBM PC-XT COMPATIBLE 135 WATTS

+5V @ 15A, +12V @ 4.2A -5V @ .5A, -12V @ .5A

DISK DRIVES TANDON TM50-2

889

· 1/2 HT DS/DD

IBM COMPATIBLE

EXTREMELY QUIET! TEAC FD-558 08/DD TEAC FD-55F TEAC FD-558 DS/QUAD 08/ND 08/DD QUME QT-142

\$109.85 \$109.85 \$154.95 \$79.95 \$2.95 \$4.85

OUNTING HARDWARE \$99.95 **150 WATT MODEL** ST/RAILS

1224 S. Bascom Avenue, San Jose, CA 95128

Toll Free 800-538-5000 • (408) 995-5430 • FAX (408) 275-8415 • Telex 171-110

D·I·S·K·S A·N·D D·O·W·N·L·O·A·D·S

ORDERING DISKS OF BYTE LISTINGS

Listings that accompany BYTE articles are available on disk in a variety of formats. For each BYTE issue, beginning with December 1985, all the listings mentioned in that issue are on that month's disk. There's no need to request individual listings or to send additional fees; the cost per disk covers an entire month's listings. To order a disk of these listings for noncommercial purposes, indicate the issue and the kind of disk on the form below. Enclose a check or money order in the correct amount made out to BYTE Listings. We cannot accept credit card orders at this time. All prices include postage. Send requests to BYTE Listings. One Phoenix Mill Lane, Peterborough, NH 03458. Program Listings may also be downloaded via BYTEnet Listings at (617) 861-9764.

COMMON 51/4-INCH FORMATS [All cost \$5 per disk in North America, \$6 in Europe and South America, \$7 in Asia, Africa, and Australia.]
Apple II 5¼-inch DOS 3.3
☐ Apple II 5¼-inch ProDOS
☐ Hewlett-Packard 125
☐ IBM PC
☐ Kaypro 2 CP/M
☐ Texas Instruments Professional
☐ TRS-80 Model III
☐ TRS-80 Model 4
☐ Zenith Z-100

COMMON 31/2-INCH FORMATS

(All cost \$6 per disk in North America, \$7 in Europe and South America, \$8 in Asia, Africa, and Australia.)

☐ Apple Macintosh

☐ Atari 520ST

BYTE issue:

☐ Commodore Amiga

☐ Data General/One

☐ Hewlett-Packard 150

CP/M STANDARD 8-INCH FORMAT

(\$6 per disk in North America, \$7 in Europe and South America, \$8 in Asia, Africa, and Australia.)

☐ Single-sided single-density

OTHER FORMATS

Due to the diversity of requests and the custom work involved, there will be some delay in fulfilling these requests. (All cost \$6 per disk in North America, \$7 in Europe and South America, \$8 in Asia, Africa, and Australia.)

Size iviacijii	e
□ 8-inch	
□ 5¼-inch	
☐ 3½-inch	
SEND DISK TO:	
Name	
Street	
	State or Province
Postal Code	Country
Check or money ord	ler enclosed for \$

BULLETIN BOARDS IN CANADA

Listed below are some computer bulletin boards that carry program listings from BYTE. Programs are for noncommercial use in connection with BYTE articles only. Some BBSs may charge an annual maintenance fee, and you must pay your own telephone charges.

Western Canadian Distribution Center (3420 48th St., Edmonton, Alberta T6L 3R5) will be supplying listings to its member bulletin-board systems.

Edmonton, Alberta, (403) 454-6093

Meadowlark, Alberta, (403) 435-6579

Montreal, Quebec, PComm Systems, (514) 989-9450

Prince George, British Columbia, (604) 562-9519

Regina, Saskatchewan, (306) 586-5585

Toronto, Ontario. Epson Club of Toronto (EPCOT). 1416) 635-9600

Winnipeg, Manitoba, (204) 452-5529

In addition, arrangements for BYTEnet Listings have been made with one or more system operators in the following nations: Australia, Denmark, France, Hong Kong, Italy, Japan, Malaysia, The Netherlands, Nigeria, Norway, Saudi Arabia, Singapore, Sweden, Switzerland, United Kingdom, and West Germany. Contact us at (603) 924-9281 for an up-to-date list.

in a

BYTE'S ONGOING MONITOR BOX

ARTICLE#	PAGE	ARTICLE	AUTHOR(S)	ARTICLE#	PAGE	ARTICLE AUTHORIS
1	9	Microbytes	. staff	14	185	Musical Fractals
2	29	What's New		15	199	A MIDI Project Kubicky
3	50	Ask BYTE/Circuit Cellar Feedback	. Ciarcia	ló	211	MIDI Programming Swearingen
4	63	Book Reviews	Swearingen	17	233	The Atari 520ST
			Graves	18	243	Compaq Deskpro 286 Mlastkowski
			Czamik.	19	251	Tele-286 Rash
			Lent	20	257	Mix C Grehan
5	85	Product Description:		21	265	Four MID! Interfaces Powell.
		The Macintosh Plus	, . Robinson			Grehan
6	92	Programming Project: A Simple		22	273	ConcertWare+ and SongPainter Bernardo
		File-Indexing Scheme	. , Webster	23	279	The Kurzweil 250
7	107	Ciarcia's Circuit Cellar: Adding				Digital Synthesizer Morgan
		SCSI to the SB180 Computer.		24	295	Computing at Chaos Manor:
		Part 2: Bus Phases	Ciarcia			Color and CP/M Pournelle
8	117	Sorting ProDOS Directories	, . Silvestri	25	319	BYTE U.K.:
9	131	Decoding MacPaint on the IBM PC	C . Anacker			Modem Mysteries Revealed Pountain
10	137	Programming Insight:		26	329	Applications Only: Upgrade Fever . Shapiro
		Hilbert Curves Made Simple	. Ackerman	27	339	BYTE Japan:
31	145	The Challenge of Music Software	Powell			New Tools. New Challenges Raike
12	155	Digital Music Synthesis		28	347	According to Webster:
13	171	Digital Sampling on				Storage for the Masses
		the Apple Macintosh	. Yavelow	29	367	Best of BIX BIXen

QUANTITY AND QUALITY

This month we are revising the award system. Our present method, which is based on quantity of points earned by weighting each vote cast, will continue. Each excellent vote is weighted at 3 points. 2 for good. 1 for fair, and 0 for poor. In addition, we are instituting an award for highest average vote, which removes quantity as a factor in the voting. The author (not a staff member) with the highest average score will receive \$50.

The Product Preview of "The Atari 1040ST" by BYTE editors Phillip Robinson and Jon R. Edwards is the winner from the March BYTE. In second place. According to Webster, Bruce Webster discusses "68000"

Wars: Round 1." "Finding the Titanic" wins third, netting for its authors. Marti Spalding and Ben Dawson, the \$100 bonus. In fourth is Bruce Webster's Programming Project. "A Simple Windowing System, Part 1: Basic Principles." Steve Ciarcia's Circuit Cellar on "Real-Time Clocks: A View Toward the Future" came in fifth place. And winners of \$50 are Steve A. Hersee and Dan Knopoff for "An ANSI Standard for the C Language."

This month. Marti Spalding and Ben Dawson are the first recipients of the new \$50 award for quality Congratulations to all.

BYTE ADVERTISING SALES STAFF:

Dennis J. Riley, Advertising Sales Manager, One Phoenix Mill Lane, Peterborough, NH 03458, tel. (603) 924-9281

NEW ENGLAND ME, NH, VT, MA, RI, EASTERN CANADA Paul McPherson Ir. (617) 262-1160 McCraw-Hill Publications 575 Boylston Street Boston, MA 02116

ATLANTIC
NY, NYC, CT, NI (NORTH)
Leah G, Rabinowitz (212) 512-2096
McGraw-Hill Publications
1221 Avenue of the Americas—
39th Floor
New York, NY 10020

Dick McGurk (203) 968-7111 McGraw-Hill Publications Building A—3rd Floor 777 Long Ridge Road Stamford, CT 06902

PAIR CAN CT ON THE CONTROL OF CT OF

SOUTHEAST NC. SC. GA. FL. AL. TN Maggle M. Dorvec (404) 252-0626 McGraw-Hill Publications 4170 Ashford-Dunwoody Road— Sulte 420 Atlanta. GA 30319

MIDWEST
IL, MO, KS, IA, ND, SD, MN, WI, NB, IN
Bob Denmead (312) 751-3740
McGraw-Hill Publications
Stair Building
645 North Michigan Ave.
Chicago, IL 60611

GREAT LAKES, OHIO REGION MI, OH. PA (ALLEGHENY), KY ONTARIO, CANADA Reneé Navarro (313) 352-9760 McGraw-Hill Publications 4000 Town Centerr—Suite 770 Southfield, MI 48075

SOUTHWEST, ROCKY MOUNTAIN UT. CO. WY. OX. TX. AR. MS. LA Kevin Harold (214) 458-2400 McGraw-Hill Publications Prestorwood Tower—Suite 907 5151 Beltline Julias, TX 75240 SOUTH PACIFIC SOUTHERN CA AZ. NM. LAS VEGAS Jack Anderson (714) 557-6292 McGraw-Hill Publications 3001 Red Hill Ave Building #1—Suite 222 Costa Mesa, CA 92626

Karen Niles (213) 480-5243, 487-1160 McGraw-Hill Publications 3333 Wilshire Boulevard #407 Los Angeles, CA 90010

NORTH PACIFIC
HI. WA OR, ID. MT. NORTHERN CA
HV (except LAS VECAS), W. CANADA
Mike Kisseberth (415) 362-4600
McGraw-Hill Publications
425 Battery Street
San Francisco. CA 94111

Bill McAlee (415) 349-4100 McGraw-Hill Publications 951 Mariner's Island Blvd —3rd Floor San Mateo CA 94404 WEST COAST SURPLUS AND RETAIL ACCOUNTS Tom Harvey (805) 964-8577 3463 State Street—Suite 256 Santa Barbara, CA 93105

The Buyer's Mart Karen Burgess (603) 924-3754 BYTE Publications 70 Main Street Peterborough, NH 03458

BYTE BITS (2x3)
Dan Harper (603) 924-6830
BYTE Publications
70 Main Street
Peterborough, NH 03458

Post Card Mailings National Bradley Browne (603) 924-6166 BYTE Publications 70 Main Street Peterborough, NH 03458

International Advertising Sales Staff:

Mr. Hans Csokor Publimedia Reisnerstrasse 61 A-1037 Vienna, Austria 222 75 76 84

Mrs. Gurit Gepner McGraw-Hill Publishing Co. PO Box 2156 Bat Yam, 59121 Israel 3 866 561 321 39

Mr. Fritz Krusebecker McGraw-Hill Publishing Co. Liebigstrasse 19 D-6000 Frankfurt/Main 1 West Germany 69 72 01 81 Mrs. Maria Sarmiento Pedro Teltreira 8, Olf 320 Iberta Mart 1 Madrid 4, Spain 1 45 52 891

Mr. Andrew Karnig Andrew Karnig & Associates Finnbodavagen S-131 31 Nacka, Sweden 8-44 0005

Mr. Alain Faure McGraw-Hill Publishing Co. 128 Faubourg Saint Honore 75008 Paris France (1) 47-20-33-42 Mr. Arthur Scheffer McGraw-Hill Publishing Co. 34 Dover St. London WTX 3RA England OT 493 1451

Manuela Capuano McGraw-Hill Publishing Co. Via Flavio Baracchini I 20123 Milan. Italy 02 86 90 617

Senvex Ltd. 400 Orchard Road. #10-01 Singapore 0923 Republic of Singapore Tel: 734-9790 Telex: RS35539 SEAVEX Seavex Ltd. 503 Wilson House 19-27 Wyndham St. Central, Hong Kong Tel 5-260149 Telex: 60904 SEVEX HX

Hiro Morita McGraw-Hill Publishing Co. Overseas Corp. Room 1528 Kasumigaseki Bidg. 3-2-5 Kasumigaseki. Chiyoda-Ku Tokyo 100. Japan 3 581 9811 Mr. Ernest McCrary Empressi Internacional de Comunicacoes Ltda. Rua da Consolacao. 222 Conjunto 103 01302 Sao Paulo. S.P., Brasil Tel: (11) 259-3811 Telex. (100) 32122 EMBN

$R{\cdot}E{\cdot}A{\cdot}D{\cdot}E{\cdot}R \quad S{\cdot}E{\cdot}R{\cdot}V{\cdot}I{\cdot}C{\cdot}E$

Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No
393 AGT SYSTEMS INC	287	65 CLASSIC TECHN	OLOGY 72, 73	137 FOX SOFTWARE	INC 20	211 MCGRAWHILL	TRAINING SYS 163
2 AST RESEARCH	12, 13	66 CLASSIC TECHN	OLOGY , 72, 73	138 FUTURE MUSIC			TRAINING SYS 163
3 AST RESEARCH		67 CLEVELAND CO	DONICS INC 262	140 GENERAL COM	PUTER		436
	370	CODEX CORPOR			AMETRICS 248		APUTER TECH 373
 ACS IMPORTERS 			RATION 306		AS CORP		NZ OF NA 255
4 ADV DIGITAL CORP			RATION		. 400		P PRODUCTS 438
5 ADV DIGITAL CORP			400		EERING 99	216 METACOMCO	
6 ADV INTELLIGENCE			. 407		SYSTEMS		SES INC. 193
9 ADVANCED COMP			UTER CORP 152, 153		SYSTEMS410		ASE SYS 75
10 ADVANCE DEVLPM			DGE 379		402		INTL., 250
11 ADVANCED TECHNO			ANSLATORS INC 438		, 358		ACES CORP 376
12 AFTON COMPUTER			307				CTS INT L 437
13 AFTON COMPUTER		75 COMPUSAVE			MPUTERS., 373		433
14 ALF PRODUCTS IN			95		OMP PROD 87		COMP. INTL. 410
15 ALPHA MICRO			AIRS INC 97		FTWARE . 379		TER SYSTEMS 414
* ALPS AMERICA			INC. 414	152 HERCULES CON			IC
16 ALSYS LTD			RONICLES413		EMS CORP. 410		400
17 AMBER SYSTEMS .			NECTION INC., 421		CONSULTING 405		SORS UNLTD432
18 AMBER SYSTEMS .			TINUUM 432		R/BAUSCHGLOMB . 21		325
	232		L ORDER 316, 317		RP 414		ORP
21 AMER DESIGN COL		COMPOTER MU			VICES 263		ORP
384 AMERICAN COMP			TS MART 405		326, 327		ORP
 385 AMERICAN COMP. I AMERICAN SEMICO 			PLUS STORE . 414		438		JKP
		83 COMPUTER WAI 84 COMPUTER WAI			OFTWARE 408		139
23 AMERICAN SMALL 25 AMPRO COMPUTER		and the state of t			SEARCH CORP . 70		309
* ANTHRO CORP.		86 COMPUTERBAN 87 COMPUTERIZED			L MICROSYS. 436		Ε
			R THE BLIND 377		IL MICROSYS 436		TER
* APPLE COMPUTER I	. 432		TERNATIONAL 218		RES 270		TION 438
8 APPLIED SOFTWAR		90 COMPUTERS IN	372		ON SYSTEMS278		ORP 22!
* APROTEK			INOLOGY CO . 52		ON SYSTEMS		ORP 225
27 ARITY CORPORATIO		92 CONROY-LAPOR			ISES 436		. 39
28 ARTEK CORP		93 CONROYLAPOIN			OD 434, 435		39
30 ASHTON-TATE			TE 62		RONICS 428, 429		TRUMENTS . 120
* AT&T COMMUNICAT			380, 381		N SYSTEMS 305		MORY SYSTEMS . 68
* ATST INFORMATION			136		NTS41		
	182	99 CUESTA SYSTEM			ICES 439		ECTRUSA301
34 ATRONICS INT'L IN		102 D AND D DISCO			ICES 440, 441		TION SYS CII
35 B&B ELECTRONICS		104 DATA BLOCKS II			ICES 442, 443		OGY INC 194
* B&C MICROSYSTEM		105 DATA EXCHANG			ICES 444		100
BEC MICROSYSTEM		106 DATA SPEC			188		INC
36 BARRINGTON SYSTE		107 DATA SPEC			CS400		NOLOGY 151
39 BASE SYSTEMS		108 DATA TRANSLAT			CTS LTD 74		NOLOGY 151
40 BAY EXPRESS		109 DATACOM NORT			430		NOLOGY343
41 BAY TECHNICAL AS		110 DECISIONWARE			TIONS 258		NOLOGY 343
408 BELL & HOWELLO			INC 300		261		MENTS 362
409 BELL & HOWELLOI		112 DIGITALK. INC			261		RAW-HILL 223
* BEST WESTERN IN		113 DISKCO TECH .			TER SYSTEMS . 374	251 PC COMPUTER	BROKERS INC 410
405 BINARY TECH, INC.	438	114 DISKETTE CONF			MS 288	252 PC HORIZONS	INC 410
42 BITTNER ELECTRON			. 76	185 LATTICE, INC .	311	254 PACIFIC EXCHA	ANGES 400
450 BIX	336, 337	116 DISKWORLD!, IN	C 422, 423	186 LIFEBOAT ASSO	C 181	255 PANASONIC CI	OMPUTER DIV 147
44 BLAISE COMPUTING		117 DISPLAY TELECO	OMMNCTNS 54	187 LINTER COMP.	ACCESSORIES 402	256 PATHFINDER S	OFTWARE INC 400
45 BLAISE COMPUTING	G INC 195	118 DIVERSIFIED GR	OUP THE 416	188 LIONHEART PR	ESS 370	257 PC MART	160
46 BORLAND INTL	CII, I	119 DOBERMAN SO	FTWARE , 221	189 LOGICAL DEVICE	ES 314	258 PC NETWORK	
47 BORLAND INTL		120 DOKAY COMP P			ES 315		288 A-E
48 BORLAND INTL		121 DRESSELHAUS	COMP PROD 334		MS INC 414		208 A-E
49 BORLAND INT'L	31	122 DYNAMUS MICE		400 LOGICSOFT	272 AF		, 209
50 BORLAND INTL		147 EAST DIGITAL C			237		ARE SYS. INC 121
51 BORLAND INTL		123 ECOSOFT					
395 BORLAND INT'L		124 EDUCATIONAL N			FTWARE 420		X INC 357
396 BORLAND INTL		125 ELECTRONIC ME			TERS 436		ER INC
52 BP MICROSYSTEMS		126 ELEKTEK .			ER 369		
53 BROWN BAG SOFTY		127 ELEXOR INC			RE SYS79		TA PRODUCTS 414
88 BTE COMPUTERS.		129 EVEREX SYSTEM			RE 5YS 242		101
* BUEHLER SERVICES		130 EVEREX SYSTEM					RAPHIC/SIGMA 5
54 BUSINESS TOOLS IN		131 FLAGSTAFF ENC			TERNATIONAL 405		APHIC SYS . 226, 227
* BUYER'S MART SEC	TION . 391-397	132 FLAGSTAFF ENC	HNEERING . 256	204 MARK WILLIAN	AS CO		RAPHIC SYS357
 BYTE BACK ISSUES 		391 FORMAT SOFTW	ARE . 252		4S CO		RAPHIC SYS 359
412 BYTE BITS MESSAG	E ,414	392 FORMAT SOFTW		" MAXELL DATA	PRODUCTS7		RAPHIC SYS361
 BYTE SUB MESSAG 		133 FORTRON CORP			CTRONICS 15		RAPHIC SYS 363
* BYTE SUB SERVICE		134 FORTRON CORP			RESEARCH., 287		SSORIES DIRECT. 374
55 BYTE CONNECTION		135 FORTRON CORP			SOFTWARE 366		. 415
		136 FORTRON CORP	ORATION 419	210 MCGRAWHILL	SOFTWARE 320		ERNATIONAL 201
C WARE/DESMET C							ONES INC 402
CALIFORNIA DIGITA							R'S SHOP 297
56 CANON U.S.A	340, 341			n mandanta nelumia			MOTION , , Ide
58 CAPITAL EQUIPMEN	VI CORP 259			e products advertis			43
" CAPITAL MICRO				ind use TIPS (if you			PUTING 409
59 CAUZIN SYSTEMS.		or fill out the rea	der service card.	Either way full inst	ructions are pro-		ER SYSTEMS 170
61 CHALCEDONY SOF				index which is pro			326
62 CHALCEDONY SOF				o assumes no liab			C 407
63 CHORUS DATA SYST	EM3 268		presentation, 1911		0.1019 01		C 401
64 CITIZEN AMERICA .		Amirriana Aran	respond directly w	rith commons		THE CALL TOOM IN	C 40f

READER SERVICE

Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.
286 QUA TECH, INC	,408	318 SOFTWARE PROE	OUCTS INTL 69	346 THOMSON CONS	UMER PROD 186, 187	372 WESTERN TELES	MATIC 294
 QUAID SOFTWARE LTD 	150	319 SOFTWARE SOLU	TIONS INC, 299	347 THOMSON CONS	UMER PROD 186, 187	373 WHOLESALE OU	TLET THE 354
287 QUALITY PRINTERS	405	320 SOLUTION SYSTE		348 THREE M COMP	WNY 198	374 WILEY PRESS .	146
288 QUBIE"		321 SOLUTION SYSTE		349 TIGERTRONICS.	402	376 WINTEK CORP	5
289 QUBIE	249	322 SOURCE ELECTR	ONICS74	* TINNEY ROBERT	GRAPHICS399	377 WINTER CORP	,. , 402
290 QUELO, INC	370	323 SOURCE ELECTR	ONICS74	350 TLM SYSTEMS II	NC 213	378 WISETEK INTL	00 436
291 QUELO, INC	408	324 SOURCE ELECTR	ONICS 378	351 TLM SYSTEMS II	NC 215	379 WORLDWIDE AC	CESS 430
292 QUICKSOFT	58	325 SOURCE ELECTR	ONICS 378	352 TLM SYSTEMS II	NC 217	380 XEROX CORP .	60, 61
294 RADIO SHACK	av	326 SPECTRUM SOFT	WARE 179	353 TOMCAT COMPL	JTER INC 350	398 XEROX CORP	302, 303
295 RADIO SHACK	,11	327 SPSS		354 TOPAZ INC	230	381 YAMAHA/PROF	PROD DIV 104, 105
296 RATIONAL SYSTEMS	.,219	328 STAR GATE TECH	INOLOGIES. , , 408	355 TOPAZ, INC	230	382 ZEDCOR	
298 ROSE ELECTRONICS	402	329 STONY BROOK S	OFTWARE INC. 284	407 TOSHIBA AMERI	ICA INC 360	383 ZEDCOR .	349
299 ROYAL AMERICAN TECH	71	330 STSC INC.,		TRANSEC SYSTE	MS. INC 18		
300 S'NW ELECT & APPL	342	331 SUBLOGIC CORP		357 TRUE BASIC	285	* Correspond elirectly with	сотрону
301 S-100 DIV. 696 CORP	431	332 SUMMIT SOFTWA	RE TECHN INC 64	* US ROBOTICS	269	•	
302 S-100 DIV. 696 CORP	431	60 SUNNYVALE COM	MMUNICATIONS 333	358 UNICORN ELECT	TRONICS414		
304 SAFEWARE	400	333 SUNTRONICS CO	INC 398	* UNITED AIRLINE	ES 364		
411 SAMSUNG ELECTR DEV	ICES 338	334 SYNCTRONICS	334	149 UNITEX CO	. , 210		
305 SET CORPORATION	323	403 TSMICROTECH I	NC 22	359 UNIVERSAL CRO	XSS-ASSEMBLERS 407	INTERNATIONAL ADA	ERTISING SECTION
306 SCEENA INC	432	404 T.S.MICROTECH I	NC 22	360 VANTEX DATA S	YSTEMS90		
308 SHAPE MAGNETRONICS	286	336 TAXAN, CORP	89	361 VENTEL INC	23	500 ALGOL ENTERPI	RISE CO LTD 256D
309 SILICON SPECIALTIES	66	337 TAXAN, CORP	89	362 VICTOR TECHNO	DLOGIES 116	501 AMERICAN BUY	ING & EXPORT
310 SILICON SPECIALTIES	66	388 TOK ELECTRONK	S	363 VICTORY ENT. TI	ECHNOLOGY 166	SERVICES	. 256G
311 SOFTKLONE DISTRIBUTI	NG 103	338 TOT GROUP INC.	157	VLM COMPUTER	R ELECTR 432	502 ASHFORD INTIL	INC 256C
SOFTLINE CORP	65	339 TOT GROUP INC	164	364 VOTRAX, INC		* BYTE	256A
312 SOFTLOGIC SOLUTIONS	INC 240	340 TEAC		* WAREHOUSE DA	TA PRODUCTS . 173	. BYTE INT'L SER	VICES 256F
313 SOFTLOGIC SOLUTIONS	INC 241	341 TEAM TECH INC	267	366 WEDGE TECHNO		503 DATA ACCESS C	ORP 256H
314 SOFTRONICS	400	342 TECH PC	144	367 WELLS AMERIC	AN 47	504 GREY MATTER	256B
* SOFTWARE DEVELOPME	NT SYS. 324	343 TECH PC	144	369 WESTERN COM	PUTER 19	505 WINTECH DATA	
316 SOFTWARE LINK, THE .		344 TEKTRONIX INC.		370 WESTERN COM	PUTER		
317 SOFTWARE PRODUCTS		345 TELECOMP INC.			MATIC 294	No domestic financiales, plea	

TIPS	5	SUBSCRIBERS ONLY! * Use BYTE's Telephone Inquiry Processing System Using TIPS can bring product information as much as 10 days earlier.
SEND FOR YOUR SUBSCRIBER I.D. CA	1) RD	If you are a new subscriber or have lost your I.D. card, circle #1 on the Reader Service Card; attach mailer label. We will immediately send your personal TIPS subscriber card.
GET PREPARED	2)	Write your Subscriber Number, as printed on your Subscriber I.D. Card, in boxes in Step 5 below. (Do not add 0's to fill in blank boxes)
	3)	Write numbers for information desired in boxes in Step 7b below. (Do not add 0's to fill in blank boxes.)
CALL TIPS	4)	Now, on a Touch-Tone telephone dial: (413) 442-2668 and wait for voice commands.
ENTER YOUR SUBSCRIBER AND ISSUE NUMBERS	5)	When TIPS says: "Enter Subscriber Number" (Enter by pushing the numbers and symbols [# or * enclosed in the boxes] on telephone pad ignoring blank boxes) Enter \(\\ \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
	6)	When TIPS says "Enter magazine code & issue code" Enter [I] [I] [G] [G] [I] [I]
ENTER YOUR INQUIRIES	7a)	When TIPS says "Enter (next) Inquiry Number" Enter one inquiry selection from below (ignore blank boxes)
	b)	Repeat 7a as needed (maximum 17 inquiry numbers)
END SESSION	8) 9)	3.

If you are not a subscriber fill out the subscription card found in this issue or, call BYTE Circulation 800-258-5485. *Domestic and Canadian Subscribers Only!

For what you used to pay for a 9-pin printer

now, you can buy our fully-featured 24-pin printer.

Our new Pinwriter™ P6, P7 series dot matrix printers are the first 24-pin printers that list for as little as \$699. Or about what you would have paid for an ordinary 9-pin printer a year ago.

Now, that's progress. Especially when you consider our new printers have an advanced 24-pin printhead. And print data at 216 characters per second and crisp, dense letter-quality at up to 65 cps.

Actually these new Pinwriter dot matrix printers surpass every other printer in their price range. In their combination of speed, graphics resolution, the number of built-in fonts and low noise level.

None of which will surprise you if you know NEC printers. Because nobody does more with 24pin technology than NEC. In fact, we now have more 24-pin printer models than any other manufacturer.

So if you're looking for a printer that will do more and do it better, just progress to your NEC dealer and you'll get it for less than you imagined.

You can see the Pinwriter P6, P7 and our other 24-pin printers at your local dealer. For more information, call 1-800-343-4418 (in MA 617-264-8635). Or write: NEC Information Systems,



NEC PRINTERS. THEY ONLY STOP WHEN YOU WANT THEM TO.



Inquiry 241

Radio Shack brings over 600 software programs within easy reach.

1986 Radio Shack Software Reference and Tandy Computer Guide

Over 600 programs listed by category and available off the shelf or through our Express Order service. Plus, 24 pages devoted to the complete line of

Tandy computers and peripherals.

Radio Shack COMPUTER CENTERS

Now there's no more searching for the 'right' program. The 1986 Radio Shack Software Reference and Tandy® Computer Guide is all you need for one-stop shopping. In it you'll find hundreds of programs for all types of computerseverything from XENIX® and MS-DOS[®] lines to portables.

This catalog features the most comprehensive software selection available. Essential business programs such as accounting, database management, and business graphics are readily available as well as a variety of industry-specific programs for you to choose fromprograms for doctors, lawyers. farmers and other professionals

And of course, there are dozens of programs and utilities specifically for programmers. We have advanced language development systems like C Programming System and RM/COBOL, plus powerful languages from Microsoft, like Macro Assembler, XENIX Basic Interpreter and PASCAL Compiler. You'll also find GEM Desktop 1.2 and a multitude of operating sys tems. And you can add aditional capability to your portable computer with Bar Code Driver or Bar Code Writer

We offer you the software you need most—from personal productivity to a wide variety of training packages. And if it's not available in the store, we'll order it through our Express Order System.

So visit a Radio Shack Computer Center today—it's your one-stop software store.

The Technology Store

A DIVISION OF TANDY CORPORATION

MS-DOS, XENIX, Macro Assembler, XENIX Basic Assembler and PASCAL Compiler/Registered TM Microsoft. C Programming System/TM Mark Williams Company, RM/COBDL/TM Ryan-McFarland. Bar Code Writer and Bar Code Driver/TM Protable Computer Support Group, GEM Deskipp 1.2/TM Digital Research inc.