



List Price Schedule NH-121 Effective January 1, 2021 (Updated February 18, 2021) Supersedes Price Schedule NH-119

Possession of this price list shall not be construed as an offer to sell the products listed. Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company. ©1963-2021 Charlotte Pipe and Foundry Company

List Price Each

>> No-Hub (Hubless) Cast Iron Soil Pipe and Fittings

Please contact Customer Service or refer to Excel and HTML price sheets on www.charlottepipe.com for crate and half-crate quantities.

Weight



Weight	List Price Each

ASTM A 888 & CISPI 301

NSF	Part No. N No-Hub (\$	IH 1 Standard) Cou	pling
1½	00097	.2	NHC
2x1½	00099	.4	NHC
2	00098	.3	NHC
3x2	00101	.4	NHC
3	00100	.3	NHC
4x3	00103	.8	NHC
4	00102	.7	NHC
5	00104	.9	NHC
6	00105	1.0	NHC
8	00106	1.4	NHC
10	00107	1.7	NHC

5	•0	N/O
	.0	
	60	

Size

Part No. MDC 2 Heavy Duty (MD) Coupling

1½	13907	.4	MDC
2	13908	.4	MDC
3	13909	.6	MDC
4	13910	.7	MDC
5	13911	1.2	MDC
6	13912	1.4	MDC
8	13913	1.5	MDC
10	13914	1.9	MDC

NHC > Please see list price in No-Hub (Standard) Couplings price sheet.

MDC > Please see list price in Heavy Duty (MD) Couplings price sheet.

SDC > Please see list price in Heavy Duty (HD) Couplings price sheet.

See page 15 for pipe bundle quantities.

Charlotte Pipe® products are manufactured to the applicable ASTM standard. Charlotte Pipe and Foundry cannot accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

	Part No. SD Heavy Dut	IC 4 y (HD) Coup	ling
1½	11512	.5	SDC
2	11513	.6	SDC
3	11514	.7	SDC
4	11515	.9	SDC
5	11516	1.5	SDC
6	11517	1.7	SDC
8	11518	2.1	SDC
10	11519	2.5	SDC

*UPC# 611942-



Size

Part No. HD 1 **Heavy Duty Coupling**

12	09632	2.3	SDC
15	09633	2.7	SDC

Part No. NH 2 No-Hub Pipe

	PIPE® USH 3	ALHHRLUIIE	GPEO He Part Fre U
\$145.60	28.5	00128	1½"x10'
146.00	35.0	00129	2"x10'
201.90	54.0	00130	3"x10'
262.10	76.0	00131	4"x10'
376.90	97.6	00132	5"x10'
450.50	117.8	00133	6"x10'
700.50	170.9	00134	8"x10'
1,190.10	254.6	00135	10"x10'
1,728.90	318.0	09606	12"x10'
2,526.50	492.6	09607	15"x10'

Charlotte Pipe and Foundry Company strongly recommends that its cast iron pipe and fittings be joined with shielded hubless couplings manufactured in accordance with CISPI 310 or ASTM C 1540. Failures in installations using couplings not recommended by Charlotte Pipe® are not the responsibility of this Company.

You can't beat the system.®



Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
	Part No. N	NH 4			Part No. I	NH 8 B	
1 7 7 7	Quarter E	Bend				Bend with Ext	ended Low
				A STATE OF THE STA	Heel Inle	t	
1½	00136	1.7	\$19.80				
2	00137	2.9	21.50	3x2	12024	7.8	\$84.40 N
3	00141	3.4	30.10		Part No. I	NII O	
4	00146	6.0	44.50		Fifth Ben		
5	00148	9.3	100.20		i ii dii beli	u	
6	00149	15.0	111.00				
8	00150	23.1	302.10	2	12025	2.3	\$35.00 N
4x3 Reducing Increasing	00147	5.5	90.30	3	12026	3.7	49.60 N
				4	00165	5.7	77.70
	Part No. N				Part No. I	NH 1∩	
man and the	Long Qua	rter Bend			Sixth Ber		
					0.7411.201		
2x12	00138	5.4	\$60.60				
2x18	00139	8.8	93.20	2	00166	2.2	\$22.70
2x24	00140	10.7	122.60	3	00167	3.2	29.30
3x12	00142	7.6	102.90	4	00168	5.3	39.20
1x12	00144	11.2	152.50		Part No. I	43	
					Eighth Be		
	Part No. N			1 2	Ligittii Dt	Jiid	
	lapped U	uarter Bend					
				1½	00169	1.5	\$16.50
2X1½	00152	1.9	\$26.80	2	00170	1.9	18.60
11/4	00153	2.2	29.00	3	00173	2.9	24.90
1½	00154	1.8	24.90	4	00176	3.9	32.60
2	00155	2.9	36.60	5	00178	7.4	67.90
				6	00179	9.1	72.30
	Part No. N	NH 6 Bend with 2′′ S	Side Inlet	8 10	00180	14.9	208.10 395.60
	Quarter E	sena with 2	side iniet	12	09608	31.7	799.70
				15	09609	62.0	1,595.30
3	00156	5.1	\$60.80	2x6 Long	12104	2.4	58.60 N
4	00157	7.5	99.50	2x12 Long	00171	4.6	58.00
_				2X18 Long	00172	7.3	86.40
	Part No. N			3x12 Long	00174	7.4	91.70
	Quarter E	Bend with $\mathbf{2''}$ I	Heel Inlet	3x18 Long	00175	10.2	144.80
				4x12 Long	00177	9.7	143.90
3	00158	5.6	\$47.60				
4	00159	7.2	60.60		Part No. I		
				No. Mary	Sixteenth	n Bend	
	Part No. N						
	Double Q	uarter Bend		11/2	00182	1.2	\$17.40
				2	00183	1.4	19.00
2	00160	4.5	\$48.60	3	00184	2.1	22.10
3	00161	7.1	78.10	4	00185	3.4	29.20
4	00162	9.7	102.80	5	00186	5.1	64.50
-	00102	,.,		6	00187	6.7	78.10
						12.0	124.30



Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
	Part No.	NH 16			Part No.	NH 2N	
TOWNS A	Short Sw			I Man	Wye	20	
2	00189	3.1	\$30.00	$\frac{1\frac{1}{2}}{1}$	00207	2.5	\$28.10
3	00190	6.3	39.20	2	00208	3.3	27.50
4	00191	8.1	69.50	3x1½	00215	4.4	35.70
5	00192	13.1	121.70	3x2	00215	3.4	29.70
6	00193	18.0	127.90	3	00210	4.6	40.10
8	00194	28.8	331.10	4x2	00207	5.1	42.60
10	00195	53.4	603.90	4x3	00217	7.3	55.70
12	09621	61.3	1,886.00	4	00210	9.1	64.10
15	09622	105.6	2,470.40	5x2	00210	8.8	94.10
				5x3	00220	10.5	132.10
Л	Part No.			5x4	00221	13.1	135.90
	Extende	d Short Swee		5	00219	15.1	
							151.80
2x18	04448	8.0	\$126.30	6x2	00225	9.8	104.70
2x24	04444	11.0	139.10	6x3	00224	12.5	132.10
2x34	04449	13.9	234.80	6x4	00223	14.6	135.90
2X24	04449	13.9	254.00	6x5	00222	17.6	164.90
	Part No.	NH 1Q		6	00212	19.7	170.40
	Long Sw			8x3	00227	17.5	213.30
		•••		8x4	00228	22.0	233.70
				8x5	00229	23.9	283.20
1½	00198	4.4	\$50.30	8x6	00230	28.3	287.50
2	00199	5.8	47.10	8	00213	36.3	401.20
3	00201	9.4	56.90	10x4	00231	32.9	617.50
4	00203	12.3	90.50	10x6	00232	42.1	646.30
5	00204	18.6	163.80	10x8	00233	56.1	775.60
6	00205	23.3	200.10	10	00214	74.9	890.40
4x3 Reducing Increasing	00202	12.4	181.60	12	09619	97.0	1,753.70
				15	09620	189.5	4,079.10
					Part No. I Double W		
				2	00234	4.5	\$43.60
				3x2	00241	5.5	67.90

A WARNING

Testing with or use of compressed air or gas in Cast Iron pipe or fittings can result in explosive failures and cause severe injury or death.



- NEVER test with or transport/store compressed air or gas in Cast Iron pipe or fittings.
- NEVER test Cast Iron pipe or fittings with compressed air or gas.
- ONLY use Cast Iron pipe and fittings for drain, waste and vent or sanitary sewer applications.

	Double W	ye	
2	00234	4.5	\$43.60
3x2	00241	5.5	67.90
3	00235	7.9	80.40
4x2	00242	6.8	90.30
4x3	00243	8.8	102.00
4	00236	12.1	163.40
5x4	00244	15.7	216.80
6x4	00245	16.4	233.10
6	00237	27.4	288.50
8	00238	45.3	849.70
8x4	00246	23.0	411.50

00247

31.3

8x6

560.00



Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
o detail	Part No. N Upright W				Part No. I Double C	NH 24 ombination	

Sept.	Part No. I Upright V		
2	00248	4.8	\$48.20
3x2	00251	5.7	47.20
3	00249	9.5	65.90
4x2	00252	7.7	66.30
4x3	00253	10.1	88.20
4	00250	12.9	174.50
5x2	04428	11.0	286.60
5	04740	19.9	327.00

5	04740	19.9	327.00
	Part No. I Combina	NH 22 tion Wye and	Eighth Ben
1½	00260	3.1	\$29.90
2x1½	00267	3.4	33.30
2	00261	3.5	31.30
3x1½	00268	5.0	52.10
3x2	00269	5.7	39.20
3	00262	8.5	49.40
4x2	00271	6.6	51.10
4x3	00272	9.5	72.70
4	00263	13.7	95.30
5x2	00273	8.5	131.60
5x3	00274	12.3	162.30
5x4	00275	17.1	179.30
5	00264	19.7	194.50
6x2	00276	10.8	132.10
6x3	00277	14.7	160.20
6x4	00278	18.4	153.40
6x5	00279	23.4	209.40
6	00265	30.0	260.90
8x4	00280	25.1	318.10
0/	00001	25.4	475.70

2 3x1½ 3x2 3	00261 00268 00269 00262	3.5 5.0 5.7 8.5	31.30 52.10 39.20
3x2 3	00269 00262	5.7	
3	00262		39.20
		0.5	
4.42	00077	0.5	49.40
4x2	00271	6.6	51.10
4x3	00272	9.5	72.70
4	00263	13.7	95.30
5x2	00273	8.5	131.60
5x3	00274	12.3	162.30
5x4	00275	17.1	179.30
5	00264	19.7	194.50
6x2	00276	10.8	132.10
6x3	00277	14.7	160.20
6x4	00278	18.4	153.40
6x5	00279	23.4	209.40
6	00265	30.0	260.90
8x4	00280	25.1	318.10
8x6	00281	35.4	475.70
8	00266	49.3	610.40


Part No. EZS 15 **Extended Combination**

2x24	04453	12.0	\$162.10
2x36	04450	15.4	263.80

How To Determine Right Or Left Hand Inlets:

For All Branch Fittings.

Place the spigot near you with the branch facing upward.



8

	Boublo		
2	00284	6.6	\$74.60
3x2	00287	7.7	97.70
3	00285	11.8	114.90
4x2	00290	8.3	142.60
4x3	00291	13.7	149.60
4	00286	20.5	225.70
	Part No. I	NH 26	

	Tapped Wy		
2x1½	00295	3.4	\$64.10
2x2	04421	4.6	69.30
3x1½	00296	4.6	69.80
3x2	00297	5.3	78.90
4x1½	00298	6.0	78.10
4x2	00299	7.9	86.30

4	Part No. NH 27 Tapped Double Wye

2x1½	00300	5.6	\$127.40

	Part No. NH 28 Sanitary Tee		
1½	00301	2.9	\$27.70
2x1½	00308	3.4	30.00
2	00302	3.1	29.70
3x1½	00309	4.5	35.20
3x2	00310	4.7	32.50
3	00303	5.5	36.60
4x2	00312	5.3	46.60
4x3	00313	7.6	53.40
4	00304	8.5	69.40
5x2	00314	8.3	115.90
5x3	00315	10.2	121.70
5x4	00316	11.5	125.30
5	00305	12.5	162.00
6x2	00317	9.9	119.70
6x3	00318	11.5	121.70
6x4	00319	12.0	125.30
6x5	00320	15.6	203.00
6	00306	13.4	165.20
8x3	00321	17.9	344.10
8x4	00322	21.6	353.20
8x5	00323	24.0	411.50
8x6	00324	24.0	386.20

00307

30.8

669.80



*UPC# List Price *UPC# List Pric Size 611942- Weight Each Size 611942- Weight Each



Part No. EZS 16 Two-Way Sanitary Tee

\$109.50	7.8	04872	2x18
131.60	10.4	04451	2x24
155.80	13.7	14095	2x36



Part No. NH 30 Sanitary Cross

11/2	00326	3.6	\$41.90
2	00327	5.0	50.60
3x2	00332	6.2	69.70
3	00328	7.6	78.00
4x2	00334	7.3	99.40
4x3	00335	8.5	120.00
4	00329	11.0	147.70
5x4	00336	14.1	220.20
6x4	00338	14.8	213.30
6	00330	21.0	322.20
8x4	00339	22.0	516.20
8	00331	38.0	744.20



Illustration Shows Right Hand

Part No. NH 31 Sanitary Tee (New Orleans Code, with 2" 90° Sanitary Inlet Above Center)

\$126.00	6.7	00341	3x3 w/LH
126.00	6.7	00342	3x3 w/RH
176.50	8.7	00345	4x4 w/LH
176.50	8.7	00344	4x4 w/R H



Part No. NH 32 Sanitary Tee (with 2" Right and Left Side Inlets)

4x4 w/RH & LH	00358	10.9	\$223.70



Illustration Shows Left Hand

Part No. NH 32 B Sanitary Tee (New Orleans Code, with 2" 45° Sanitary Inlet Above Center)

3 w/2 LH	00362	8.2	\$193.90
3 w/2 RH	00363	8.2	193.90
3 w/2 RH & LH	00366	9.1	375.50
4 w/2 LH	00365	10.7	296.20
4 w/2 RH	00364	10.7	296.20



Part No. NH 33 A Sanitary Cross (New Orleans Code, with 2" 90° Sanitary Inlet Above Center)

4	00382	10.8	\$223.80
---	-------	------	----------



Part No. NH 33 C Sanitary Cross (New Orleans Code, with 2" 90° Sanitary Inlets Right and Left Above Center)

3 w/2RH & LH	00385	9.0	\$206.60
4 w/2 RH & I H	00386	11.9	259.80



Part No. NH 33 F
Sanitary Cross
(New Orleans Code, with Two 2" 45°
Sanitary Inlets Same Side)

Top View

\$273.30	9.8	00389	3
365.30	13.8	00390	4



Side View Part No. NH 33 G Sanitary Cross (with 3" Vent and Two 2" 45° Inlets)

Top View

4x3x4x2x2	00391	20.3	\$527.10
-----------	-------	------	----------



Part No. NH 34 Sanitary Tapped Tee

1½X1¼	00402	2.3	\$38.50
1½x1½	00403	2.5	36.60
2x1½	00404	2.8	36.60
2x1½	00405	3.1	32.50
2x2	00407	3.8	37.30
3x1 ¹ / ₄	00408	3.7	45.70
3x1½	00409	3.6	44.20
3x2	00412	4.9	51.80
3x3	00413	7.3	95.60
4x1½	00414	4.8	59.00
4x1½	00415	4.8	45.90
4x2	00417	5.8	52.10
4x3	00419	10.0	85.30
5x1½	00420	8.0	108.40
5x2	00421	9.3	125.70
6x1½	00422	8.4	123.60
6x2	00423	14.7	130.80




Size	*UPC# 611942-	Weight	List Price Each	Size		*UPC# 611942-	Weight	List Price Each
	Part No. E 2'' x 22 ⁷ / Sanitary	s'' Extended	[apped			Part No. I Double Vo Tee	NH 35 B ertical Sanitar	y Tapped
2x1½	04454	11.7	\$111.20	2x1½		00441	4.8	\$72.60
2x2	04455	11.1	111.20			Part No. I	IH 36 .ess Brass Plu	
	Part No. E Sanitary	EZS 27 Tapped Tee			IPS TAP	1001 100 <u>1</u>	<u></u>	
				2	2	00443	3.1	\$26.90
				3	3	00444	5.8	44.10
				4	4	00445	9.2	77.50
				5	5	00446	18.0	159.30
2x1½x31	04460	12.6	\$250.80	6	6	00447	21.8	169.40
2x2x31	04462	13.6	250.80	8	8	00448	37.1	432.50
				10	10	00449	59.7	807.80
		Tapped Cross					IH 36 S vith Southern ead Brass Plu	g Installed
1½x1½	00426	4.5	\$46.10		IPS TAP			
2x1 ¹ / ₄	00427	3.9	49.60	2	2	00473	3.3	\$50.00
2x1½ 2x2	00428	5.3	45.30 53.60	3	3	00474	6.3	83.70
3x1½	00429	4.6	61.20	4	4	00475	10.1	142.00
3x2	00432	6.1	69.30	5	5	00476	16.4	260.90
4x1½	00434	5.5	76.50	6	6	00477	23.9	381.50
4x2	00435	6.9	97.90	8	8	04158	40.6	727.90
	Part No. E	ZS 18				Part No. I	IH 40 r-Reducer	
	2'' x 22'/ Sanitary	s'' Extended 1 Cross	lapped	2)/2				\$37.00
				2x3		00491	3.4	\$57.00 63.40

2x1½	04456	13.4	\$121.70	
2x2	04457	11.9	131.40	



Part No. EZS 28 **Sanitary Tapped Cross**

2x1½x31	04464	14.2	\$250.80
2x2x31	04466	15.0	259.00



Test Tee with plugs installed can be ordered only as shown in the catalog. When ordering Test Tees with plugs other than Southern Code, please order the fitting less plug, then order the plug from the Plugs price sheet, page one.

Example:

Part No.	Q uantity	Description
NH 36	4	4" Test Tee
PLG 410	4	4" Ohio Plug

When Test Tees with plugs other than Southern Code are ordered, the plugs will be packed separately in a burlap bag inside shipping crate.



Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
	Part No. I Short Red			D	Part No. N P Trap wit	IH 42 B h ¹/₂'' Tap in	Heel
2x1½	00494	1.1	\$15.60				
3x1½	00495	1.8	25.10	6	13917	33.6	\$490.70 N
2	00496	1.8	15.40		Don't No. 1	42	
(2	00497	2.3	23.40	ing.	Part No. N	ın 43 h ½'' Tap in	امما
x3	00498	2.3	23.40		r iiap wid	ii /2 iapiii	neei
ix2	00499	3.3	42.80				
ix3	00500	3.8	43.60				
ix4	00501	3.2	45.30	2	00531	5.0	\$71.10
ox2	00502	4.0	64.50	3	00532	11.0	112.60
x3	00503	3.9	63.10	4	00533	17.8	197.60
x4	00504	4.1	63.10			70.0	
x5	00505	4.3	64.50		Part No. E		C:
x2	00506	7.0	99.90	(Dishallo)	•	n 1-/2 lapp	ed Side Inlet
x3	00507	7.3	92.40	(Right Har	na n)		
x4	00508	7.7	97.20	2 LH	04446	7.2	\$72.00
x5	00509	7.5	109.80	2 RH	04445	7.2	72.00
3x6	00510	8.0	108.20			·	
0x4	00511	14.1	191.10	(Satt	Part No. E		
0x6	00512	13.3	202.00			h 2'' No-Hub	Side Inlet
0x8	00512	14.9	236.80	(Right Ha	nd on)		
2x4	09610	19.1	395.40	2 LH	10883	6.4	\$82.80
2x6	09611	18.3	423.60	2 RH	10882		82.80
2x8	09612	17.3	435.60	Z KП	10002	6.4	02.00
2x10	09613	18.9	442.90		Part No. N	ш ии	
5x4	09614	32.4	854.00			n 144 h Tapped Inle	et
.5x6	09615	31.8	806.20		ap	тарроа	
.5x8	09616	32.2	927.80				
5x10	09617	32.2	961.40	1½X1½	00537	3.0	\$62.70 N
				2x1½	00538	4.5	64.90
5x12	09618	30.5	942.20	2x2	00540	5.4	71.80
	Part No. I P Trap	NH 42		U	Part No. N Deep Sea		
L ¹ / ₂	00514	3.4	\$33.30	2	00541	7.1	\$73.40
2	00515	4.7	31.30	3	00541	11.0	118.20
	00516	8.9	68.80	4	00542	18.6	187.90
	00517	17.0	121.70	4	00040	10.0	107.70
1	00518	33.6	295.30		Part No. N	IH 45	
2x12 Long	00519	6.1	83.90			rap with Ven	it
2x18 Long	00520	8.0	104.70		•		
V	Part No. I P Trap, Ro			4	00545	20.5	\$206.00
	12030	9.0	\$156.80 N				



Size	*UPC# 611942-	Weight	List Price Each	Size		*UPC# 611942-	Weight	List Price Each
U	Part No. N Running	NH 45 A Trap with Dou	ble Vent	shown in t plugs othe	the catalog er than Sou	. When orderi thern Code, p	d can be order ng Tapped Fer lease order the	rules with e fitting
4	00546	21.4	\$260.10		then order	the plug from	the Plugs prid	ce sheet.
			·	Example: Part No		uantity	Description	
	Part No. E			NH 52		4	4" Tapped Fe	rrule
	45 vente	d Tub Wye		PLG 4		4	3½" Ohio Plu	
				When Tani	ned Ferrul	e with nluas o	ther than Sout	<u> </u>
							ked separately	
2	04447	10.1	\$138.00	<u>bag inside</u>	the shippi	ng crate.		
Section and the section of the secti	Part No. E Vented Tu				P	Part No. Tapped F	NH 52 errule <u>Less Br</u>	ass Plug
2x15	04467	9.4	\$137.90			111		
x29½	04474	13.7	226.50		1½ 1½	00570	0.0	¢20.20
XL //2	04474	12.7		2	21/2	00570 00571	0.9 1.9	\$20.30 23.20
All Control	Part No. E	ZS 38 L		4	31/2	00571	2.5	25.80
	Vented Tu			5	4	00572	6.1	61.10
	(Left Hand)]		6	5	00574	8.9	57.70
2	04469	9.3	\$147.80	8	6	00575	11.7	139.10
	Vented Tu (Right Han	d)			IPS TAP		lead Brass Plu	
2	04468	9.3	\$147.80	2	1½	00597	1.1	\$43.60
Total Institute	Part No. N	III AQ		3	21/2	00598	2.3	55.60
	Tapped A			4	31/2	00599	3.2	76.40
	парроди			5	5	00600	7.1 9.4	120.00 159.60
½X1½	00554	1.3	\$23.90	<u>6</u> 8	6	00601	13.9	351.20
11/4	00555	1.0	33.00		0	00002	1././	JJ1.4V
(1½	00556	.9	24.70	ž		Part No.	NH 53	
2x2	00557	1.7	24.70				o-Way Cleano	ut
3x2	00560	1.2	24.50			-	-	
The state of the s	Part No. N	NH 50		4		00617	16.0	\$219.60
	Blind Plu					00017	10.0	φ£17.00
12.00				1 to		Part No.		
1½	00561	.6	\$10.70			Double T	wo-Way Clean	out
2	00562	.7	10.80					
3	00563	1.1	15.60	4		00618	15.0	\$201.10
4	00564	2.0	24.70			00010	13.0	Ψ=01.10
5	00565 00566	2.9 3.2	45.30 47.20			Part No.		
8	00567	6.5	125.50			Two-Way	Baffle Cleano	ut
10	00568	14.7	185.10					
12	09623	17.6	293.10	224		12022	14.0	¢200 / 0 N
15	09624	29.4	503.30	3x3x4		12032	14.2	\$288.60 N
-				4x4x4		12033	23.5	279.50

N = Non-stock item; Contact customer service for availability.



	*UPC#		List Price		*UPC#		List Price
Size	611942-	Weight	Each	Size	611942-	Weight	Each



Part No. NH 56 Notched and Slotted Closet Collar

	Connects To			
4x3x3½	3" Pipe	00620	3.4	\$44.30
4x3x8	3" Pipe	04777	6.1	97.10
4x4x4	4" Pipe	04762	4.9	51.80
4x4x8	4" Pipe	00621	7.3	124.70



Part No. NH 57 Horizontal Twin Tapped Tee

3x1½			\$127.10	
4x1½	00623	7.6	128.40	

Part No. NH 457





Vented Closet Tee with 2" Top Vent (Left Hand or Right Hand; Designed for use below the floor; Fitting does not require a baffle.)

Illustration Shows Left Hand

4x4x2x4 LH	00626	12.1	\$172.50
4x4x2x4 RH	00625	12.1	172.50



Shows Left Hand



Part No. NH 458 Vented Closet Tee with 2" Top Vent and 2" Side Inlet

(Left Hand or Right Hand; Designed for use below the floor; Fitting does not require a baffle.)

4x4x2x2x4 LH	00628	12.3	\$205.60
4x4x2x2x4 RH	00627	12.2	205.60





Part No. NH 463 **Vented Closet Cross with Top Vent** (Designed for use below the floor; Fitting has a baffle.)

Vented Closet Cross with 2" Top

Grav Area Indicates A Baffle

4x4x2x4x4	00631	15.0	\$242.50





Gray Area Indicates A Baffle

indicates A barrie			
4x4x2x2x4x4	00633	15.6	\$277.10

Fitting has a baffle.)

Vent and 2" Side Inlet (Designed for use below the floor;

Part No. NH 464



Part No. NH 502 No-Hub Prison Fitting with 2" Top Vent with or without 2" 45° Tap (Designed for use above the floor; Baffle helps prevent passage of contraband between cells; 12" Laying Length)

4	Less Tap	00639	20.3	\$626.40
4	With Tap	00640	22.2	656.00
4x3	Less Tap	11119	23.4	777.80
4x3	With Tap	11120	23.4	814.60

Part No. EZS 50*

10" Closet Fitting with 2" Inlet

(Double, Left Hand or Right Hand; Designed for use below the floor; Fitting does not have a baffle.)







4	EZS 50	D** 04484	13.5	\$312.10
4	EZS 50	L 04476	12.3	220.40
4	EZS 50	R 04477	12.3	220.40

Part No. EZS 51*

10" Closet Fitting with 2" Inlet and 2" Side Inlet (Double, Left Hand or Right Hand; Designed for use below the floor; Fitting does not have a baffle.)



Illustration Shows Hand



4	EZS 51D**	04424	13.9	\$355.00
4	EZS 51L	04425	12.8	263.50
4	EZS 51R	04473	12.8	263.50

^{*}When ordering please specify Double, Left or Right.

^{**}Double closet fitting does not have a baffle.



	*UPC#		List Price		*UPC#		List Price
Size	611942-	Weight	Each	Size	611942-	Weight	Each

For use with EZS50 thru 800 Series fittings. Specify Plain, Double, Left or Right

Note: Our crossovers are designed for use with EZS starter fittings, that is for the vent and stack centerline to be $6\frac{1}{2}$ "



Part No. EZS 7 2" Vent Cross-Over Plain (No Inlets)

2x18³/₈ 04429 8.1 **\$83.90**



Part No. EZS 7 D 2" Vent Cross-Over Double (2 Inlets)



2x18³/₈ 04430 8.0 **\$105.50**



Part No. EZS 7 L 2'' Vent Cross-Over Left Hand Inlet

2x18³/₈ 04431 8.4 **\$90.60**



Part No. EZS 7 R 2" Vent Cross-Over Right Hand Inlet

2x18³/₈ 04432 8.4 **\$90.60**

How To Determine Right Or Left Hand Fitting

With the vented end toward you, hold the fitting so that you are looking into its length with the curved side up. If the vent is on your left side, it is a Left hand fitting. If the vent is on your right side, it is a Right hand fitting.





Part No. EZS 1 Figure One

2x1½ 04761 5.3 **\$74.10**

N = Non-stock item; Contact customer service for availability.



Part No. NH 25 Figure Five Double Fixture Fitting

2	12027	6.0	\$72.00
3	10222	12.1	179.20
3x2x3x3 Reducing	12028	10.7	173.60 N
4	10223	22.5	291.60
4x2x4x4 Reducing	12029	18.5	277.80 N

	Part No.	Size	*UPC# 611942-	Weight	List Price Each
۱	I alt ito.	JIZC	011/42-	Weight	Lacii





Part No. EZS 6*
Figure Six
(Double, Left Hand or Right Hand;
Designed for use below the floor;
Double fitting has a baffle.)

EZS 6D	3x2	12086	13.0	\$320.70 N
EZS 6D	4x2	12089	23.1	336.40 N
EZS 6L	3x2	12084	11.4	169.30 N
EZS 6L	4x2	12087	18.0	192.70 N
EZS 6R	3x2	12085	11.4	169.30 N
EZS 6R	4x2	12088	18.0	192.70 N



Part No. EZS 8*
Figure Eight
(Double, Left Hand or Right Hand;
Designed for use below the floor;
Double fitting has a baffle.)

\$492.20 N	13.0	12092	3x2	EZS 8D
261.60 N	12.5	12090	3x2	EZS 8L
362.70 N	19.8	12093	4x2	EZS 8L
261.60 N	12.5	12091	3x2	EZS 8R
362.70 N	19.8	12094	4x2	EZS 8R



Part No. EZS 8 A
Figure Eight Double Fixture
Fitting, Extended

EZS 8A 4x2 12031 22.2 **\$492.20 N**

*When ordering please specify Double, Left or Right.

Side



Part No.	Size	M Inlet	B Inlet	*UPC# 611942-	Weight	List Price Each	Part No.	Size	M Inlet	B Inlet	*UPC# 611942-	Weight	List Price Each

Part No. EZS 100*
16" Closet Fitting with 2" Inlets
[Double, Left Hand or Right Hand; Designed for use below the floor.]

Illustration Shows Left Hand


EZS 100D	4x16	5	5	04505	25.0	\$303.80 N
EZS 100L	4x16	5	5	04497	21.7	257.80 N
EZS 100R	4x16	5	5	04489	21.7	257.80 N

Inlet

Inlet

N = Non-stock item; Contact customer service for availability.

Part No. EZS 400* 30" Closet Fitting with or without 2" Inlets [Double, Left Hand or Right Hand; Designed for use in the floor.]



^{*}When ordering please specify Double, Left or Right.




Part No.	Size	A Inlet	B Inlet	*UPC# 611942-	Weight	List Price Each	Part No.	Size	A Inlet	B Inlet	*UPC# 611942-	Weight	List Price Each
	OILC	IIIICC	IIIICC	011711	weight			OILC	111100	IIIICC	011711	· · · · · · · · · · · · · · · · · · ·	

Part No. EZS 700

Threaded Starter Fitting with or without 2" No-Hub Inlets (Double, Left Hand or Right Hand; Designed for use above the floor with back-outlet water closets; Double starter fittings have a baffle.)



Shows Left Hand Illustration Shows Double



		Inlet	Inlet			
EZS 700D‡	4x28	0	0	04948	40.0	\$615.80
EZS 700D‡	4x28	0	81/2	04936	42.0	615.80
EZS 700D‡	4x28	231/2	81/2	04738	42.0	764.30 N
EZS 700L	4x28	0	0	04941	34.6	515.80
EZS 700L	4x28	0	81/2	04937	35.7	515.80
EZS 700L	4x28	14	81/2	04734	36.3	714.30 N
EZS 700L	4x28	231/2	81/2	04731	36.2	532.60 N
EZS 700R	4x28	0	0	04939	46.6	515.80
EZS 700R	4x28	0	81/2	04938	34.0	515.80
EZS 700R	4x28	14	81/2	04727	35.3	714.30 N
EZS 700R	4x28	231/2	81/2	04730	35.1	532.60 N

Note: Trim package <u>not</u> included in price of fitting. See trim packages on page 14.


‡ Double starter fitting has a baffle.

N = Non-stock item; Contact customer service for availability.

Part No. EZS 800

Threaded Starter Fitting with or without 2" No-Hub Inlets (Double, Left Hand or Right Hand; Designed for use above the floor with back-outlet water closets; Double starter fittings have a baffle.)





	I	nlet	Inlet			
EZS 800D‡ 4:	x28	16	0	04746	37.4	\$615.80
EZS 800D‡ 4:	x28	16	81/2	04745	52.9	730.90
EZS 800L 4:	x28	16	0	04772	38.5	532.60
EZS 800L 4:	x28 :	16	81/2	04742	36.3	544.40
EZS 800R 4:	x28	16	0	04773	37.9	532.60
EZS 800R 4	x28	16	81/2	04744	45.7	544.40

Note: Trim package <u>not</u> included in price of fitting. See trim packages on page 14.


‡ Double starter fitting has a baffle.



Part No. Size	A B Inlet Inle	3 *UPC# let 611942-	List Weight Ea		Size	A Inlet	B Inlet	*UPC# 611942-	Weight	List Price Each
---------------	-------------------	------------------------	-------------------	--	------	------------	------------	------------------	--------	--------------------

Part No. EZS 710

No-Hub Starter Fitting with or without 2" No-Hub Inlets (Double, Left Hand or Right Hand; Designed for use above the floor with back-outlet water closets; Double starter fittings have a baffle.)



		A Inlet	B Inlet			
EZS 710D‡	4x28	0	0	11032	40.0	\$615.80
EZS 710D‡	4x28	0	81/2	11033	42.0	615.80
EZS 710D‡	4x28	231/2	81/2	11034	42.0	764.30 N
EZS 710L	4x28	0	0	11028	34.6	515.80
EZS 710L	4x28	0	81/2	11029	26.9	515.80
EZS 710L	4x28	14	81/2	11030	36.3	601.70 N
EZS 710L	4x28	231/2	81/2	11031	37.6	601.70 N
EZS 710R	4x28	0	0	11024	34.0	515.80
EZS 710R	4x28	0	81/2	11025	34.0	515.80
EZS 710R	4x28	14	81/2	11026	35.3	601.70 N
F7S 710R	4x28	231/2	81/2	11027	36.7	601.70 N

Note: Not designed for use with trim package.


‡ Double starter fitting has a baffle.

N = Non-stock item; Contact customer service for availability.

Part No. EZS 810

No-Hub Starter Fitting with or without 2" No-Hub Inlets (Double, Left Hand or Right Hand; Designed for use above the floor with back-outlet water closets; Double starter fittings have a baffle.)





		A Inlet	B Inlet			
EZS 810D‡	4x28	16	0	11022	42.0	\$615.80
EZS 810D‡	4x28	16	81/2	11023	44.0	730.90
EZS 810L	4x28	16	0	11020	35.4	532.60
EZS 810L	4x28	16	81/2	11021	36.3	544.40
EZS 810R	4x28	16	0	11018	36.6	532.60
EZS 810R	4x28	16	81/2	11019	35.3	544.40

Note: Not designed for use with trim package.

‡ Double starter fitting has a baffle.




*UPC#	List Price	*UPC#	List Price
611942-	Weight Each	611942- Weig	jht Each

Part No. EZS 22

Trim Package: Support Frame Assembly


(Weight capacity for the EZS 22 Support Frame is 500 pounds maximum.)



- 1-FRAME
- 1—LEFT LEG
- 1—RIGHT LEG
- 1—SUPPORT LEG (used for single only)
- 5—½" x 1¼" BOLTS
- 5—½" FLAT WASHERS

04757	24.0	\$274.20

Part No. EZS 23 Trim Package: Floor-Mounted Back-Outlet Assembly (Note: Not to be used with Part No. EZS 22 Support Frame Assembly)




- 1-4" PVC Sch. 80 NIPPLE with TEST CAP
- 1—BOWL GASKET
- 2-5/16" x 12" RODS
- 2—5/16" HEX NUTS
- 2—5/16" FLAT WASHERS
- 2—5/16" CAP NUTS

04759 2.8	\$114.20
-----------	----------

Part No. EZS 24


Trim Package: Wall-Hung Back-Outlet Assembly (To be used with Part No. EZS 22 Support Frame Assembly)



- 1-4" PVC Sch. 80 NIPPLE with TEST CAP
- 1—BOWL GASKET
- 4-5%" x 12" RODS
- 4-5%" CHROME CAP NUTS
- 8-5/4" JAM NUTS
- 4—5/8" FLAT WASHERS
- 4—5/8" FIBER WASHERS
- 3—3/8" x 11/2" BOLTS FOR FACEPLATE
- 3—3/8" FLAT WASHERS
- 4—5%" STAR WASHERS

04758	2.8	\$227.80

Exploded View of Support Assembly Hardware



EZS 22 and EZS 24 Assemblies Illustrated



Note: Dimensions and tolerances for No-Hub pipe and fittings are published in Charlotte Pipe's Cast Iron Dimensional Catalog and also Charlotte Pipe's Cast Iron Technical Manual.

TEN FOOT PIPE BUNDLES NO-HUB PIPE

Size	Pieces	Weight	Height
1½ x 10	72	2052	12"
2 x 10	54	1906	11"
3 x 10	36	1944	14"
4 x 10	27	2052	17"
5 x 10	24	2342	20"
6 x 10	18	2120	23"
8 x 10	8	1367	22"
10 x 10	6	1528	26"
12 x 10	6	1908	29"
15 x 10	2	985	19"

Weights are approximate and are for shipping purposes only.

All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.

CHARLOTTE® CAST IRON SOIL PIPE AND FITTINGS SPECIFICATIONS

This is to certify that products manufactured by Charlotte Pipe and Foundry, Cast Iron Division, are manufactured in the United States and conform to the following standards:

NO-HUB (HUBLESS) PIPE AND FITTINGS

All cast iron soil pipe and fittings shall be marked with the collective trademark of the Cast Iron Soil Pipe Institute (CISPI). CISPI Standard 301
ASTM A 888
Listed by NSF® International to the UP Code
ISO 9001:2015 Certified

NO-HUB (HUBLESS) COUPLINGS

Cast Iron Soil Pipe Institute Standard No. 310 ASTM C 1277 Certified by NSF® International

NO-HUB (HUBLESS) HEAVY DUTY COUPLINGS

ASTM C 1540 Factory Mutual 1680

Charlotte Pipe products are manufactured to the applicable ASTM standard. Charlotte Pipe and Foundry <u>cannot</u> accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

Terms of Sale

We are pleased to present our list price schedule for use in ordering Charlotte Pipe and Foundry Company® (Charlotte Pipe®) Products. To determine current prices, please refer to the prices shown in the list price schedule. You may seek further clarification from our local manufacturers' agent or the factory sales office. **All prices in list price schedules are subject to change without notice. Orders will be billed at the prevailing price at the time of shipment.** All quotations, sales, and agreements are subject to strikes, accidents, transportation failures or other causes beyond our control. Any tax, effective under present or future laws, shall be added as an extra to the price of the product and shall be paid by the purchaser. **Possession of product information or list price schedules shall not be construed as an offer to sell the product listed.**

ARBITRATION: CHARLOTTE PIPE AND CUSTOMER AGREE THAT ANY DISPUTE, CLAIM OR CONTROVERSY OF ANY NATURE, WHETHER BASED ON CONTRACT, TORT, STATUTE, OR ANY OTHER LEGAL OR EQUITABLE THEORY, ARISING OUT OF OR RELATED TO THE SALE OF PRODUCTS FROM CHARLOTTE PIPE TO CUSTOMER SHALL BE RESOLVED THROUGH BINDING ARBITRATION ADMINISTERED PURSUANT TO TITLE 9 OF THE U.S. CODE BY JAMS UNDER ITS COMPREHENSIVE ARBITRATION RULES AND PROCEDURES, AND JUDGMENT ON THE AWARD ENTERED BY THE ARBITRATOR(S) MAY BE ENTERED BY ANY COURT HAVING JURISDICTION THEREOF. EITHER PARTY MAY APPLY TO THE ARBITRATOR SEEKING INJUNCTIVE RELIEF UNTIL THE ARBITRATION AWARD IS ENTERED OR THE MATTER IS RESOLVED. EITHER PARTY ALSO MAY, WITHOUT WAIVING ANY REMEDY AVAILABLE TO IT, SEEK FROM ANY COURT OF COMPETENT JURISDICTION ANY PROVISIONAL OR INTERIM RELIEF THAT IS NECESSARY TO PROTECT ITS RIGHTS PENDING THE ARBITRATOR(S)' DETERMINATION OF THE MERITS OF THE DISPUTE, CLAIM OR CONTROVERSY.

CLASS ACTION WAIVER: CHARLOTTE PIPE AND CUSTOMER AGREE THAT THERE WILL BE NO RIGHT OR AUTHORITY FOR ANY CLAIM, DISPUTE AND/OR CONTROVERSY COVERED UNDER THE PARTIES' AGREEMENT TO ARBITRATE TO BE BROUGHT, HEARD, OR ARBITRATED AS A CLASS ACTION AND/OR COLLECTIVE ACTION AND/OR REPRESENTATIVE ACTION. NOR SHALL THE ARBITRATOR(S) HAVE ANY AUTHORITY TO HEAR OR ARBITRATE ANY SUCH CLASS AND/OR COLLECTIVE ACTION AND/OR REPRESENTATIVE ACTION. REGARDLESS OF ANYTHING ELSE IN THESE TERMS AND CONDITIONS OR BY VIRTUE OF ANY ARBITRATION RULES OR PROCEDURES OF THE AAA THAT NOW APPLY OR ANY AMENDMENTS AND/OR MODIFICATIONS TO THOSE RULES, THE ENFORCEABILITY AND VALIDITY OF THIS CLASS ACTION WAIVER MAY BE DETERMINED ONLY BY A COURT AND NOT BY AN ARBITRATOR. NOTWITHSTANDING ANY OTHER CLAUSE CONTAINED IN THESE TERMS AND CONDITIONS, THIS CLAUSE ENTITLED CLASS ACTION WAIVER SHALL NOT BE SEVERABLE FROM THESE TERMS AND CONDITIONS IN ANY CASE IN WHICH THE DISPUTE TO BE ARBITRATED IS BROUGHT AS A CLASS AND/OR COLLECTIVE ACTION. THIS CLASS ACTION WAIVER AND THE AGREEMENT TO ARBITRATE ANY CLAIM, DISPUTE OR CONTROVERSY PRECLUDES CUSTOMER FROM LITIGATING IN COURT OR ARBITRATING ANY CLAIMS AGAINST CHARLOTTE PIPE AS A REPRESENTATIVE OR MEMBER OF A CLASS OR IN A PRIVATE ATTORNEY GENERAL CAPACITY.

Charlotte Pipe and Charlotte are registered trademarks of Charlotte Pipe and Foundry Company.



LIMITED WARRANTY

Charlotte Pipe and Foundry Company® (Charlotte Pipe®) Products are warranted to be free from manufacturing defects and to conform to currently applicable ASTM standards for a period of five (5) years from date of delivery. Buyer's remedy for breach of this warranty is limited to replacement of, or credit for, the defective product. This warranty excludes any expense for removal or reinstallation of any defective product and any other incidental, consequential, or punitive damages. This limited warranty is the only warranty made by seller and is expressly in lieu of all other warranties, express and implied, including any warranties of merchantability and fitness for a particular purpose. No statement, conduct or description by Charlotte Pipe or its representative, in addition to or beyond this Limited Warranty, shall constitute a warranty. This Limited Warranty may only be modified in writing signed by an officer of Charlotte Pipe.

This Limited Warranty will not apply if:

- 1) The Products are used for purposes other than their intended purpose as defined by local plumbing and building codes, and the applicable ASTM standard.
- 2) The Products are not installed in good and workmanlike manner consistent with normal industry standards; installed in compliance with the latest instructions published by Charlotte Pipe and good plumbing practices; and installed in conformance with all applicable plumbing, fire and building code requirements.
- 3) This limited warranty does not apply when the products of Charlotte Pipe are used with the products of other manufacturers that do not meet the applicable ASTM or CISPI standards or that are not marked in a manner to indicate the entity that manufactured them.
- 4) In hubless cast iron installations, this warranty will not apply if products are joined with unshielded hubless couplings. Charlotte Pipe requires that its hubless cast iron pipe and fittings be joined only with shielded hubless couplings manufactured in accordance with CISPI 310, ASTM C 1277 and certified by NSF® International or with Heavy Duty Couplings meeting ASTM C 1540.
- 5) The Products fail due to defects or deficiencies in design, engineering, or installation of the piping system of which they are a part.
- 6) The Products have been the subject of modification; misuse; misapplication; improper maintenance or repair; damage caused by the fault or negligence of anyone other than Charlotte Pipe; or any other act or event beyond the control of Charlotte Pipe.

- 7) The Products fail due to the freezing of water in the Products.
- 8) The Products fail due to contact with chemical agents, fire stopping materials, thread sealant, plasticized vinyl products, or other aggressive chemical agents that are not compatible.
- 9) Pipe outlets, sound attenuation systems or other devices are permanently attached to the surface of Charlotte® PVC, ABS or CPVC products with solvent cement or adhesive glue.

Charlotte Pipe products are manufactured to the applicable ASTM or CISPI standard. Charlotte Pipe and Foundry **cannot** accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

Any Charlotte Pipe products alleged to be defective **must** be made available to Charlotte Pipe at the following address for verification, inspection and determination of cause:

Charlotte Pipe and Foundry Company Attention: Technical Services 2109 Randolph Road Charlotte, North Carolina 28207

Purchaser must obtain a return materials authorization

and instructions for return shipment to Charlotte Pipe of any product claimed defective or shipped in error.

Any Charlotte Pipe product **proved** to be defective in manufacture will be replaced F.O.B. point of original delivery, or credit will be issued, at the discretion of Charlotte Pipe.

4/24/15

A WARNING

Testing with or use of compressed air or gas in PVC / ABS / CPVC / Cast Iron pipe or fittings can result in explosive failures and cause severe injury or death.



- NEVER test with or transport/store compressed air or gas in PVC / ABS / CPVC / Cast Iron pipe or fittings.
- NEVER test PVC / ABS / CPVC / Cast Iron pipe or fittings with compressed air or gas, or air over water boosters.
- ONLY use PVC / ABS / CPVC / Cast Iron pipe or fittings for water or approved chemicals.
- Refer to warnings on PPFA's website and ASTM D 1785.

Charlotte, Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.

All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.

You can't beat the system.®