## DEPARTMENT OF HEALTH AND HUMAN SERVICES FOOD AND DRUG ADMINISTRATION DISTRICT OFFICE ADDRESS AND PHONE NUMBER DATE(S) OF INSPECTION **Detroit District Office** 5/22, 23, 24, 26/2017 300 River Place Suite 5900 Detroit, MI 48207 FEI NUMBER 313-393-8100 3007957196 Industry Information: www.fda.gov/oc/industry NAME AND TITLE OF INDIVIDUAL TO WHOM REPORT IS ISSUED TO: Gregory M. Killmeier, Pharmacist FIRM NAME STREET ADDRESS Nutrishare Inc 11020 Plantside Drive CITY, STATE AND ZIP CODE TYPE OF ESTABLISHMENT INSPECTED Louisville, KY 40299 Producer of Sterile Drug Products THIS DOCUMENT LISTS OBSERVATIONS MADE BY THE FDA REPRESENTATIVE(S) DURING THE INSPECTION OF YOUR FACILITY. THEY ARE INSPECTIONAL OBSERVATIONS; AND DO NOT REPRESENT A FINAL AGENCY DETERMINATION REGARDING YOUR COMPLIANCE. IF YOU HAVE AN OBJECTION REGARDING AN OBSERVATION, OR HAVE IMPLEMENTED, OR PLAN TO IMPLEMENT CORRECTIVE ACTION IN RESPONSE TO AN OBSERVATION, YOU MAY DISCUSS THE OBJECTION OR ACTION WITH THE FDA REPRESENTATIVE(S) DURING THE INSPECTION OR SUBMIT THIS INFORMATION TO FDA AT THE ADDRESS ABOVE. IF YOU HAVE ANY QUESTIONS, PLEASE CONTACT FDA AT THE PHONE NUMBER AND ADDRESS ABOVE. DURING AN INSPECTION OF YOUR FIRM (I) (WE) OBSERVED: Observation # 1: Personnel were observed increasing the risk of contamination in the ISO 5 area. Specifically, On 05/22 - 24/2017, it was observed that the technicians' head and upper torso entered the ISO 5 area during the processing of TPN bags thereby exposing skin to the ISO 5 environment. Observation # 2: Materials were observed increasing the risk of contamination in the ISO 5 area. Specifically, On 05/22 - 24/2017, the technicians were observed using non-sterile wipes in the ISO 5 area. Add Continuation Page DATE ISSUED EMPLOYEE(S) SIGNATURE EMPLOYEE(S) NAME AND TITLE (Print or Type) 05/26/2017 Lindsey M. Schwierjohann, Investigator Lindsey Schwierjohann - S