# HP Color LaserJet Pro MFP M479 series



# Lighten your workload, focus on your business

Winning in business means working smarter. The HP Color LaserJet Pro MFP M479 is designed to let you focus your time where it's most effective-growing your business and staying ahead of the competition.



HP Color LaserJet Pro M479dw

This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, • and refilled cartridges. More at: Learn more at: http://www.hp.com/learn/ds

# **Highlights**

- · 2 sided printing
- Dual-band Wi-Fi & wireless
- **Embedded Security features**
- HP Roam enabled
- Scan to Sharepoint, email, USB and network folders







USB drive

Mobile printing

#### HP Color LaserJet Pro M479fnw

# Built to keep you – and your business – moving forward

- Scan files directly to Microsoft® SharePoint®, email, USB, and network folders. <sup>1</sup>
- Help save time by automating all the steps in a complicated workflow and apply saved
- Print wirelessly with or without the network, stay connected with dual band Wi-Fi and Wi-Fi direct.3,4,
- Print effortlessly from any device, virtually anywhere, to any HP printer securely through the cloud.6

#### Best-in-class security – detect and stop attacks<sup>7</sup>

- A suite of embedded security features help protect your MFP from being an entry point for
- Help ensure security of confidential information with optional PIN/Pull printing to retrieve print jobs.8
- Optional HP JetAdvantage Security Manager lets you set configuration.
- Thwart potential attacks and take immediate action with instant notification of security

### Simply designed to uncomplicate your day

- Set up this MFP fast, and easily manage device settings to help increase overall printing efficiency.
- Tackle tasks quickly and easily with the simple 10.9 cm colour touchscreen.
- Print Microsoft® office formatted files in addition to PDFs right off your USB drive. 10
- Avoid interruptions with an HP LaserJet MFP designed to be streamlined for maximum productivity.

### Sustainability is smart business

- Avoid frustrating reprints, wasted supplies, and service calls using Original HP toner
- Help save paper right out of the box. The duplex print setting is set at default paper savings mode. 11
- Saves up to 18% energy over prior products. 12
- Help save energy with HP Auto-on/Auto-off technology. 13

# Product walkaround

# HP Color LaserJet Pro MFP M479fdw shown

- 1. 10.9 cm customisable colour touchscreen
- 2. Easy-access USB port
- 3. Front door release button
- 4. Front door (access to HP JetIntelligence toner cartridges)
- 5. Hi-Speed USB 2.0 port, USB port for job storage and PIN printing, 2 Gigabit Ethernet LAN port, Fax port
- $6.\,50$  sheet ADF with single-pass, two-sided scanning supports media sizes up to 216 x 356 mm
- 7. Flatbed scanner handles media sizes up to A4
- 8. 150 sheet output bin
- 9. Dual-band Wi-Fi with Bluetooth  $^{\rm 0}$  Low Energy for easy wireless printing and setup
- 10. 50 sheet multipurpose tray 1 supports media sizes up to 216 x 356 mm
- 11. Automatic two-sided printing
- 12. 250 sheet tray 2 supports media sizes up to 216 x 356 mm



# Series at a glance









Model	HP Color LaserJet Pro MFP M479dw	HP Color LaserJet Pro MFP M479fnw	HP Color LaserJet Pro MFP M479fdn	HP Color LaserJet Pro MFP M479fdw
Product number	W1A77A	W1A78A	W1A79A	W1A80A
Functions	Print, scan, copy		Print, scan, copy, fax	
Print speeds (black and colour)	Up to 27 pages per minute (ppm)			
Scan speeds	Simplex: 29/20 ppm (black/colour)	Simplex: 29/20 ppm (black/colour); Duplex: 46/35 ipm (black/ colour)	Simplex: 29/20 ppm (black/colour); Duplex: 46/35 images per minute (ipm) (black/colour)	Simplex: 29/20 ppm (black/colour); Duplex: 46/35 ipm (black/ colour)
Scanning	50 sheet ADF with simplex scanning	50-sheet ADF with single-pass, two-sided scanning	50 sheet ADF with single-pass, two-sided scanning	50-sheet ADF with single-pass, two-sided scanning
Two-sided printing	Automatic Manual Automatic			matic
50 sheet multipurpose tray 1, 250 sheet tray 2	Yes			
Optional 550 sheet tray	Add up to one			
Input capacity (standard/maximum)	Up to 300/850 sheets			
Control panel display	10.9 cm customisable colour touchscreen			
Recommended monthly page volume	Up to 4,000 pages			
Cartridge yields (A/X)	Black: ~2,400/7,500 pages; Colour: ~2,100/6,000 pages			
Dual-band Wi-Fi with Bluetooth® Low Energy	Yes Not available Yes		Yes	

# Accessories, Supplies and Support

Supplies	W2030A HP 415A Black Original LaserJet Toner Cartridge (2,400 pages)
	W2030X HP 415X High Yield Black Original LaserJet Toner Cartridge (7,500 pages)
	W2031A HP 415A Cyan Original LaserJet Toner Cartridge (2,100 pages)
	W2031X HP 415X High Yield Cyan Original LaserJet Toner Cartridge (6,000 pages)
	W2032A HP 415A Yellow Original LaserJet Toner Cartridge (2,100 pages)
	W2032X HP 415X High Yield Yellow Original LaserJet Toner Cartridge (6,000 pages)
	W2033A HP 415A Magenta Original LaserJet Toner Cartridge (2,100 pages)
	W2033X HP 415X High Yield Magenta Original LaserJet Toner Cartridge (6,000 pages)
	W2030XC HP 415X Black Contract LaserJet Toner Cartridge (7,500 pages) W2031XC HP 415X Cyan Contract LaserJet Toner Cartridge (6,000 pages) W2032XC HP 415X Yellow Contract LaserJet Toner Cartridge (6,000 pages) W2033XC HP 415X Magenta Contract LaserJet Toner Cartridge (6,000 pages)
Accessories	CF404A HP LaserJet 550-sheet Feeder Tray
Service and Support	UB9S6E HP 3 year Next Business Day Color LaserJet Pro MFP M479 Service UB9T5PE HP 1 year Post Warranty Next Business Day Color LaserJet Pro MFP M479 Service

# Technical specifications Model HP Color Lacar Let E

Model	HP Color LaserJet Pro MFP M479dw	HP Color LaserJet Pro MFP M479fnw	HP Color LaserJet Pro MFP M479fdn	HP Color LaserJet Pro MFP M479fdw	
Product number	W1A77A	W1A78A	W1A79A	W1A80A	
Functions	Print, copy, scan, email	Print, copy, scan, fax, email			
Control panel	10.92 cm (4.3 in) intuitive colour touchscreen	(CGD); 3 Buttons (Home, Help, Back)			
Print	•				
Print technology	Laser				
Print speed <sup>1</sup>	Black (A4, normal) Up to 27 ppm; Colour (A4, normal): Up to 27 ppm; Black (A4, duplex): Up to 24 ipm; Colour (A4, duplex): Up to 24 ipm; Colour (A4, duplex): Up to 24 ipm;				
First page out <sup>2</sup>	Black (A4, ready): As fast as 9.5 sec; Colour (A4, ready): As fast as 11.0 sec; Black (A4, sleep): As fast as 11.0 sec; Colour (A4, sleep): As fast as 12.1 sec;				
Print resolution	Black (best): 600 x 600 dpi, Up to 38,400 x 600 enhanced dpi; Colour (best): 600 x 600 dpi, Up to 38,400 x 600 enhanced dpi; Technology: HP ImageREt 3600, PANTONE® calibrated;				
Monthly duty cycle <sup>3</sup>	Up to 50,000 pages A4; Recommended mont	thly page volume <sup>4</sup> : 750 to 4,000			
Printer smart software features	for easy printing, HP ePrint, HP Auto-On/Auto	Scan/print from Cloud using business apps on	Apple AirPrint <sup>M</sup> , Mopria certified, Google Cloud Print 2.0, ROAM capable for easy printing, HP ePrint, HP Auto-On/Auto-Off Technology, Intuitive 10.92 cm touchscreen control panel, Scan/print from Cloud using business apps on the control panel, Job Storage with PIN printing, Print from USB, Nup printing, collation	Apple AirPrint™, Mopria certified, Google Cloud Print 2.0, Wi-Fi Direct Printing, ROAM enabled for easy printing, HP ePrint, HP Auto-On/Auto-Off Technology, Bluetooth® Low-Energy, Intuitive 10.92 cm touchscreen control panel, Scan/print from Cloud using business apps on the control panel, Job Storage with PIN printing, Print from USB, N-up printing, collation	
Standard print languages	HP PCL 6, HP PCL 5e, HP postscript level 3 em	nulation, PDF, URF, Native Office, PWG Raster	•	•	
Fonts and typefaces	84 scalable TrueType fonts				
Print area	Print margins Top: 4.23 mm, Bottom: 4.23 mm	m, Left: 4.23 mm, Right: 4.23 mm; Maximum pr	int area:		
Duplex printing	Automatic (default)	Manual (driver support provided)	Automatic (default)		
Сору					
Copy speed <sup>5</sup>	Black (A4): Up to 27 cpm; Colour (A4): Up to 27 cpm				
Copier specifications	ID Copy; Number of copies; Resize (including 2-Up); Lighter/Darker; Enhancements; Original Size; Binding Margin; Collation; Tray Selection; Two-Sided; Quality (Draft/Normal/Best); Save Current Settings; Restore Factory Defaults; Maximum number of copies: Up to 999 copies; Reduce/Enlarge: 25 to 400%;				
Scan					
Scan speed	Normal (A4): Up to 29 ppm (black and white), up to 20 ppm (colour);	Normal (A4): Up to 29 ppm/46 ipm (black and white), up to 20 ppm/35 ipm (colour); Duplex (A4): Up to 46 ipm (black and white), up to 34 ipm (colour)	and white), up to 20 ppm/34 ipm (colour);	Normal (A4): Up to 29 ppm/46 ipm (black and white), up to 20 ppm/35 ipm (colour); Duplex (A4): Up to 46 ipm (black and white), up to 34 ipm (colour)	
Scan file format	PDF: JPG: TIFF				

Model	HP Color LaserJet Pro MFP M479dw	HP Color LaserJet Pro MFP M479fnw	HP Color LaserJet Pro MFP M479fdn	HP Color LaserJet Pro MFP M479fdw	
Product number	W1A77A	W1A78A	W1A79A	W1A80A	
Scanner specifications	Scanner type: Flatbed, ADF; Scan technology: Contact Image Sensor (CIS); Scan input modes: Front-panel scan, copy, email, or file buttons, HP Scan software, and user application via TWAIN or WIA; Twain version: Version 2.3; Duplex ADF scanning: No; Scan size maximum (flatbed): 216 x 297 mm; Optical scan resolution: Up to 1200 x 1200 dpi	Scanner type: Flatbed, ADF; Scan technology: Contact Image Sensor (CIS); Scan input modes: Front-panel scan, copy, email, or file buttons, HP Scan software, and user application via TWAIN or WIA; Twain version: Version 2.3; Duplex ADF scanning: Yes; Scan size maximum (flatbed): 216 x 297 mm; Optical scan resolution: Up to 1200 x 1200 dpi			
Scanner advanced features	Scan to cloud (Google Drive and DropBox); Scan to email with LDAP email address lookup; Scan to network folder; Scan to USB; Scan to Microsoft SharePointe; Scan to computer with software; Quick Sets	Single-pass 2-sided scanning ADF; Scan to clo network folder; Scan to USB; Scan to Microsof email; Fax to computer; Enable/disable fax; Qu	oud (Google Drive and DropBox); Scan to email t SharePoint®; Scan to computer with software uick Sets	with LDAP email address lookup; Scan to ; Fax archive to network folder; Fax archive to	
Recommended monthly scan volume	750 to 4000				
Scannable area	Maximum media size (flatbed): 216 x 297 mm; Minimum media size (ADF): 102 x 152 mm Maximum media size (ADF): 216 x 356 mm				
Bit depth/ Grey scale levels	30-bit / 256				
Digital sending	Standard: Scan to email with LDAP email address lookup; Scan to network folder; Scan to USB; Scan to Microsoft SharePoint®; Scan to computer with software; Quick Sets	Standard: Scan to email with LDAP email address lookup; Scan to network folder; Scan to USB; Scan to Microsoft SharePoint®; Scan to computer with software; Fax archive to network folder; Fax archive to email; Fax to computer; Enable/disable fax; Quick Sets			
Fax					
Fax		Yes, 33.6 kbps			
Fax specifications		Fax memory: Up to 400 pages; Fax resolution halftone); Quick dialing: Up to 120 numbers	: Standard: 203 x 96 dpi; Fine: Up to 203 x 196	dpi; Superfine: Up to 300 x 300 dpi (no	
Fax smart software features		Permanent fax memory backup; Auto fax reduction; Auto redialing; Delayed sending; Fax forwarding; TAM interface; Junk barrier; Distinctive ring detection; Cover page; Block fax; Billing codes; Save and load; Fax activity reports; Dial prefix setting; Print fax log; HP Digital Fax			
Processor speed	1200 MHz				
Connectivity			<u></u>	T.	
Standard	1 Hi-Speed USB 2.0; 1 host USB at rear side; Gigabit Ethernet 10/100/1000BASE-T network; 802.3az(EEE); 802.11b/g/n/2.4/5 GHZ Wi-Fi radio	1 Hi-Speed USB 2.0; 1 host USB at rear side; Gigabit Ethernet 10/100/1000BASE-T network; 802.3az(EEE) 802.11b/g/n / 2.4 / 5 GHZ Wi-Fi radio	1 Hi-Speed USB 2.0; 1 host USB at rear side; Gigabit Ethernet 10/100/1000BASE-T network; 802.3az(EEE)	1 Hi-Speed USB 2.0; 1 host USB at rear side; Gigabit Ethernet 10/100/1000BASE-T network; 802.3az(EEE) 802.11b/g/n / 2.4 / 5 GHZ Wi-Fi radio	
Wireless	Yes, built-in dual-band Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wi-Fi Direct; Bluetooth Low-Energy			Yes, built-in dual-band Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wi-Fi Direct; Bluetooth Low-Energy	
Mobile printing capability <sup>6</sup>	Apple AirPrint™; Google Cloud Print™; HP ePrint; HP Smart App; Mobile Apps; Mopria™ Certified; Wi-Fi® Direct Printing; Roam capable for easy printing		Apple AirPrint™; Google Cloud Print™: HP ePrint; HP Smart App; Mobile Apps; Mopria™ Certified; Roam capable for easy printing	Apple AirPrint™; Google Cloud Print™; HP ePrint; HP Smart App; Mobile Apps; Mopria™ Certified; Wi-Fi® Direct Printing; Roam capable for easy printing	
Supported network protocols	Discovery: SLP, Bonjour, Web Services Discover	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, HP ePrint, Apple AirPrint™, Google Cloud Print 2.0, Mopria, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutolP, Manual), IPv6 (Stateless Link-Local and via Router, Stateful via DHCPv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog, FTP FW Download			
Network capabilities	Yes, via built-in 10/100/1000Base-Tx Etherne	t, Gigabit; Auto-crossover Ethernet; Authentica	tion via 802.1x		
Memory	Standard: 512 MB NAND Flash, 512 MB DRAM	Maximum: 512 MB NAND Flash, 512 MB DRAM			
Media handling	T				
Number of paper trays	Standard: 2 ; Maximum: 3				
Media types		o, plain, preprinted, prepunched, recycled, rough	n), postcards, labels, envelopes		
Media size	Custom (metric): Tray 1: 76 × 127 to 216 x 356 mm; Tray 2, optional Tray 3: 100 x 148 to 216 x 356 mm; Supported (metric): Tray 1, Tray 2: A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); Postcards (JIS single, JIS double); Envelopes (DL, C5, B5); Optional Tray 3: A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); Postcards (JIS single, JIS double); Automatic duplexer: A4; B5; 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); Oficio (216 x 340 mm); ADF: A4; Custom sizes 102 x 152 to 216 x 335 mm	Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2, optional Tray 3: 100 x 148 to 216 x 356 mm; Supported (metric): Tray 1, Tray 2: A4; A5; A6; B5 (IIS); B6 (IIS); 164 (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); Postcards (JIS single, JIS double); Envelopes (DL, C5, B5); Optional Tray 3: A4; A5; A6; B5 (IIS); B6 (IIS); 16K (195 x 270 mm, 194 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); Postcards (JIS single, JIS double); ADF: A4; Custom sizes 102 x 152 to 216 x 356 mm	ray 3: 100 x 148 acd (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2, optional Tray 3: 100 x 148 to 216 x 356 mm; Tray 2; optional Tray 3: 100 x 148 to 216 x 356 mm; Supported (metric): Tray 1, Tray 2: A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); Postcards (JIS single, JIS double); Envelopes (DL, CS, B5); Optional Tray 3: A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); Postcards (JIS single, JIS double); Automatic duplexer: A4; B5; 16K (195 x 270 mm, 184 x 260 mm; 197 x 273 mm); Oficio (216 x 340 mm); ADF: A4; Custom sizes 102 x 152 to 216 x 356 mm		

	HP Color LaserJet Pro MFP M479dw	HP Color LaserJet Pro MFP M479fnw	HP Color LaserJet Pro MFP M479fdn	HP Color LaserJet Pro MFP M479fdw	
Product number	W1A77A  Standard input: E0 sheet multipurpose tray 2	W1A78A 50 sheet input tray, 50 sheet Automatic Docum	W1A79A	W1A80A	
Media handling	Standard input: 30 sheet multipur pose (ray, 2 Standard output: 150 sheet output bin Optional input: 0ptional 550 sheet tray ADF: Standard, 50 sheets uncurled	50 sheet input tray, 50 sheet Automatic Docum	ient reedel (ADF)		
Media weight	Tray 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 163 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers); Optional Tray 3: 60 to 163 g/m² (up to 176 g/m² with postcards, up to 150 g/m² Glossy media); Automatic duplexer: 60 to 163 g/m²; ADF: 60 to 120 g/m²	Tray 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 163 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers); Optional Tray 3: 60 to 163 g/m² (up to 176 g/m² with postcards, up to 150 g/m² Glossy media); ADF: 60 to 120 g/m²	Tray 1: 60 to 176 g/m² (up to 200 g/m² with papers); Tray 2: 60 to 163 g/m² (up to 176 g, laser glossy photo papers); Optional Tray 3: 6 up to 150 g/m² Glossy media); Automatic du	/m² with postcards, up to 200 g/m² HP Color 50 to 163 g/m² (up to 176 g/m² with postcard	
Input capacity	Tray 1: Sheets: 50; Envelopes: 5 Tray 2: Sheets: 250; Envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 55 ADF: Standard, 50 sheets uncurled	io sheet tray)			
Output capacity	Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets				
Compatible operating systems	Windows Client OS (32/64-bit), Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macOS Sierra v10.12, Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCLG Printer Driver, for more information on the supported operating systems go to http://www.support.hp.com, enter your product name and search, click on User Guides and enter your product name and search for User Guide, search for your (Product Name) User Guide, search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, for more information on the supported operating systems see http://www.hp.com/go/upd				
Compatible network operating systems	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit, Windows Server 2016 R4-bit, Windows Server 2016 R2 64-bit, Windows Server 2016 R2 64-bit, Windows Server 2016 R2, Failover Cluster 2008 R2, Failover Cluster 2012 R2, Terminal server 2008 R2, Remote Desktop server 2012 R2, Citrix Server 6.5, Citrix xenApp & xenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - up to Citrix Server 7.18 for more information see http://www.citrixready.citrix.com, Linux - for more information see http://www.developers.hp.com/hp-linux-imaging-and-printing, Unix - for more information see http://www.hp.com/go/unixmodelscripts, UPD PCL6/PS Printer Drivers, Supported for Compatible Network Operating systems please see http://www.hp.com/go/upd				
Minimum system requirements	Windows: 2 GB available hard disk space, Internet of	rnet connection, USB port, Internet browser, for onnection or USB port, for additional OS hardw	additional OS hardware requirements see http	://www.microsoft.com;	
Software included	· · ·	only on http://www.hp.com, http://www.123.h			
Security management	Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2; IPP over TLS; Network: enable/disable network ports and features, unused protocol and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; LDAP authentication; LDAP authentication; LONP authentication, UPD Pln printing, Syslog, signed firmware, administrator settings, access control, 802.1x authentication (EAP-TLS, and PEAP), authentication via WEP, WPA/WPA2 Personal, WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, compatible with optional HP JetAdvantage Security Manager, IPPS	Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2; IPP over TLS; Network: enable/disable network ports and features, unused protocol and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; IPP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication: LDAP authentication, JPD Pln printing, Syslog, signed firmware, administrator settings, access control, 802.1x authentication (EAP-TLS, and PEAP), authentication via WEP, WPA/WPAZ Personal, WPAZ—enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, compatible with optional HP JetAdvantage Security Manager, IPPS	Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2, IPP over TLS; Network: enable/disable network ports and features, unused protocol and service disablement. SMMPv1, SNMPv2, and SMMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication: LDAP authentication and authorization: Firewall and ACL, control panel lock, certificates configuration, UPD PIN printing, Syslog, signed firmware, administrator settings, access control, 802.1x authentication (EAPTLS, and PEAP); Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, compatible with optional HP JetAdvantage Security Manager	Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protecter EWS, Secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2; IPP over TLS; Network: enable/disable network ports and features, unused protocol and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; LDAP authentication; LDAP authentication, UPD IPI printing, Syslog, signed firmware, administrator settings, access control, 802.1x authentication (EAP-TLS, and PEAP), authentication via WEP, WPA/WPA2 Personal, WPA2-enterprise; Encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print voptional Ipb Storage, compatible with optional HP JetAdvantage Security Manage IPPS	
Printer management	HP Printer Assistant; HP Utility (Mac); HP Devid	te Toolbox; HP Web JetAdmin Software; HP JetA		gent; HP WS Pro Proxy Agent; Printer	
Dimensions and weight	Administrator Resource Kit for HP Universal Pi	rint Driver (Driver Configuration Utility - Driver D	Deployment Utility - Managed Printing Administ	rator)	
Printer dimensions (W x D x H)	<b>Minimum</b> 416 x 472 x 400 mm; <b>Maximum</b> : 426 x 652 x 414 mm;	<b>Minimum</b> 416 x 461 x 400 mm; <b>Maximum</b> : 426 x 641 x 414 mm;	<b>Minimum</b> 416 × 472 × 400 mm; <b>Maximum</b> : 4	26 x 652 x 414 mm;	
Package dimensions (W x D x H)					
V P V I I	597 x 497 x 490 mm				
Printer weight	23.3 kg	22.6 kg	23.4 kg		
Printer weight Package weight	23.3 kg 26.8 kg	26.2 kg	23.4 kg 26.7 kg	26.8 kg	
Printer weight Package weight Operating environment	23.3 kg	26.2 kg		26.8 kg	
Printer weight Package weight Operating environment Storage conditions	23.3 kg 26.8 kg Temperature: 10 to 32.5°C; Humidity: 30 to 70 Temperature: -20 to 40°C; Acoustic power emissions: 6.2 B(A); Acoustic	26.2 kg	26.7 kg	26.8 kg	
Printer weight Package weight	23.3 kg 26.8 kg Temperature: 10 to 32.5°C; Humidity: 30 to 70 Temperature: -20 to 40°C;	26.2 kg % RH (non-condensing)	oressure emissions: 49 dB(A)  Requirements: 220-volt input voltage: 220 tr Consumption: 550 watts (Active Printing) (Auto-Off, MacCount) (Auto-Off, MacCount	o 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); watts (Ready), 0.7 watts (Sleep), 0.7 watts nual 0n), 0.06 watts (0ff) ngel: 1.084 kWh/Week; Energy Star 3.0: 0.35	
Printer weight Package weight Operating environment Storage conditions Acoustics <sup>7</sup> Power <sup>8</sup> Energy savings feature	23.3 kg 26.8 kg Temperature: 10 to 32.5°C; Humidity: 30 to 70 Temperature: -20 to 40°C; Acoustic power emissions: 6.2 B(A); Acoustic pressure emissions: 49 dB(A) Requirements: 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); Consumption: 550 watts (Active Printing), 20 watts (Ready), 0.7 watts (Sleep), 0.7 watts (Auto-Off/Auto-On), 0.06 watts (GHt); Typical Electricity Consumption (TEC) <sup>9</sup> : Blue Angel: 1.084 kWh/Week; Energy Star 3.0: 0.358 kWh/Week;	26.2 kg 9% RH (non-condensing)  Acoustic power emissions: 6.3 B(A); Acoustic p  Requirements: 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); Consumption: 550 watts (Active Printing), 20 watts (Ready), 0.7 watts (Sleep), 0.7 watts (Auto-Off/Auto-On), 0.06 watts (Auto- off/Manual On), 0.06 watts (Off); Power supply type: Internal (Built-in) power supply;	oressure emissions: 49 dB(A)  Requirements: 220-volt input voltage: 220 to Consumption: 550 watts (Active Printing), 20 (Auto-Off/Auto-On), 0.06 watts (Auto-Off/Ma Typical Electricity Consumption (TEC) <sup>9</sup> : Blue A kWh/Week	o 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); watts (Ready), 0.7 watts (Sleep), 0.7 watts nual On), 0.06 watts (Off); ngel: 1.084 kWh/Week; Energy Star 3.0: 0.35	
Printer weight Package weight Operating environment Storage conditions Acoustics <sup>7</sup> Power <sup>8</sup> Energy savings feature technology	23.3 kg 26.8 kg Temperature: 10 to 32.5°C; Humidity: 30 to 70 Temperature: -20 to 40°C; Acoustic power emissions: 6.2 B(A); Acoustic pressure emissions: 49 dB(A) Requirements: 220-volt input voltage: 220 to 240 VAC (+1 -10%). 50/60 Hz (+/ -3 Hz); Consumption: 550 watts (Active Printing), 20 watts (Ready), 0.7 watts (Sleep), 0.7 watts (Auto-0ff/Auto-On), 0.06 watts (Gluto-off/Manual On), 0.06 watts (Off); Typical Electricity Consumption (TEC)9: Blue Angel: 1.084 kWh/Week; Energy Star 3.0: 0.358 kWh/Week; Power supply type: Internal (Built-in) power supply;	26.2 kg 9% RH (non-condensing)  Acoustic power emissions: 6.3 B(A); Acoustic p  Requirements: 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); Consumption: 550 watts (Active Printing), 20 watts (Ready), 0.7 watts (Sleep), 0.7 watts (Auto-Off/Auto-On), 0.06 watts (Auto- off/Manual On), 0.06 watts (Off); Power supply type: Internal (Built-in) power supply;	oressure emissions: 49 dB(A)  Requirements: 220-volt input voltage: 220 to Consumption: 550 watts (Active Printing), 20 (Auto-Off/Auto-On), 0.06 watts (Auto-Off/Ma Typical Electricity Consumption (TEC) <sup>9</sup> : Blue A kWh/Week	240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); watts (Ready), 0.7 watts (Sleep), 0.7 watts nual On), 0.06 watts (Off); ungel: 1.084 kWh/Week; Energy Star 3.0: 0.35 upply;  CISPR 32:2012/EN 55032:2012 - Class B, CISPR 32:2015/EN 55032:2015 - Class B, CISPR 32:	
Printer weight Package weight Operating environment Storage conditions Acoustics <sup>7</sup> Power <sup>8</sup> Energy savings feature technology  Certifications <sup>10</sup>	23.3 kg 26.8 kg Temperature: 10 to 32.5°C; Humidity: 30 to 70 Temperature: -20 to 40°C; Acoustic power emissions: 6.2 B(A); Acoustic pressure emissions: 49 dB(A) Requirements: 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); Consumption: 550 watts (Active Printing), 20 watts (Ready), 0.7 watts (Sleep), 0.7 watts (Auto-Off/Auto-On), 0.06 watts (GHz) Typical Electricity Consumption (TEC)9: Blue Angel: 1.084 kWh/Week; Energy Star 3.0: 0.358 kWh/Week; Power supply type: Internal (Built-in) power supply;  HP Auto-On/Auto-Off Technology; Instant-on  CISPR 32:2012/EN 55032:2012 - Class B, CISPR 32:2015/EN 55032:2015 - Class B, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010+41:2015	26.2 kg  3% RH (non-condensing)  Acoustic power emissions: 6.3 B(A); Acoustic p  Requirements: 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); Consumption: 550 watts (Active Printing), 20 watts (Ready), 0.7 watts (Sleep), 0.7 watts (Sleep), 0.7 watts (Auto-off/Marudo In), 0.06 watts (GHz); Power supply type: Internal (Built-in) power supply;  Technology  CISPR 32:2012/EN 55032:2012 - Class B, CISPR 32:2015/EN 55032:2015 - Class B, CISPR 32:2014, EN 61000-3-3:2013, EN 55024:2010+A1:2015  CECP  Telecom compliance: Wireless: EU Radio Equipment Directive 2014/53/EU; EN301 489-1 V2.1.1[2 4 GHz); EN301 899-17 V3.1.1; IEC62311:2007; EN62311:2008; EN300 328  V2.1.1[2 4 GHz); EN301 893 V2.1.1(5 GHz); Fax Telecom: ETSI ES 203 021; Other Telecom approvals as required by individual countries.	Requirements: 220-volt input voltage: 220 to Consumption: 550 watts (Active Printing), 20 (Auto-OffAuto-On), 0.06 watts (Auto-OffMa Typical Electricity Consumption (TEO) <sup>9</sup> : Blue & kWh/Week; Power supply type: Internal (Built-in) power supply type: Int	0 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); watts (Ready), 0.7 watts (Sleep), 0.7 watts nual On), 0.06 watts (0ff); lngel: 1.084 kWh/Week; Energy Star 3.0: 0.35 upply;  CISPR 32:2012/EN 55032:2012 - Class B, E G1000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010+A1:2015 ECEP; ENERGY STAR® qualified; EPEAT® Silv Telecom compliance: Wireless: EU Radio Equipment Directive 2014/53/EU; EN301 489-1 V2.1.1; EN301 489-17 V3.1.1; IECG2311:2007; EN62311:2008; EN300 32 V2.1.1(2.4 GHz); EN301 893 V2.1.1(5 GHz) Fax Telecom: ETSI ES 203 021; Other	
Printer weight Package weight Operating environment Storage conditions Acoustics <sup>7</sup> Power <sup>8</sup> Energy savings feature technology	23.3 kg 26.8 kg Temperature: 10 to 32.5°C; Humidity: 30 to 70 Temperature: -20 to 40°C; Acoustic power emissions: 6.2 B(A); Acoustic pressure emissions: 49 dB(A) Requirements: 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); Consumption: 550 watts (Active Printing), 20 watts (Ready), 0.7 watts (Sleep), 0.7 watts (Auto-Off/Marual On), 0.06 watts (GH); Typical Electricity Consumption (TEC)9: Blue Angel: 1.084 kWh/Week; Energy Star 3.0: 0.358 kWh/Week; Power supply type: Internal (Built-in) power supply; HP Auto-On/Auto-Off Technology; Instant-on  CISPR 32:2012/EN 55032:2012 - Class B, CISPR 32:2015/EN 55032:2015 - Class B, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010+A1:2015 CECP; ENERGY STAR® qualified; EPEAT® Silver  Yes, Blue Angel DE-UZ 205—only ensured wh	26.2 kg  % RH (non-condensing)  Acoustic power emissions: 6.3 B(A); Acoustic p  Requirements: 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); Consumption: 550 watts (Active Printing), 20 watts (Ready), 0.7 watts (Sleep), 0.7 watts (Sleep), 0.7 watts (Auto-off/Auto-On), 0.06 watts (Auto-off/Marual On), 0.06 watts (Auto-off/Marual On), 0.06 watts (Gft); Power supply type: Internal (Built-in) power supply;  Technology  CISPR 32:2012/EN 55032:2012 - Class B, CISPR 32:2015/EN 55032:2015 - Class B, CISPR 32:2014, EN 61000-3-3:2013, EN 50024:2010+A1:2015  CECP Telecom compliance: Wireless: EU Radio Equipment Directive 2014/53/EU; EN301 489-1 V2.1.1; EN301 489-17 V3.1.1; IEC62311:2007; EN62311:2008; EN300 328 V2.1.1(2.4 GHz); EN301 893 V2.1.1(5 GHz); Fax Telecom: ETSI ES 203 021; Other Telecom approvals as required by individual countries.	Requirements: 220-volt input voltage: 220 to Consumption: 550 watts (Active Printing), 20 (Auto-Off/Auto-On), 0.06 watts (Auto-Off/Auto-Of	240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); watts (Ready), 0.7 watts (Sleep), 0.7 watts nual On), 0.06 watts (Off); longel: 1.084 kWh/Week; Energy Star 3.0: 0.35 supply;  CISPR 32:2012/EN 55032:2012 - Class B, G1000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010+A1:2015 CECP; ENERGY STAR® qualified; EPEAT® Silv Telecom compliance: Wireless: EU Radio Equipment Directive 2014/53/EU; EN301 489-1 V2.1.1; EN62311:2008; EN300 32 V2.1.1(2.4 GHz); EN301 893 V2.1.1(5 GHz) Fax Telecom: ETSI ES 203 021; 0ther Telecom approvals as required by individua countries.	
Printer weight Package weight Operating environment Storage conditions Acoustics <sup>7</sup> Power <sup>8</sup> Energy savings feature technology  Certifications <sup>10</sup> Blue Angel compliant	23.3 kg 26.8 kg Temperature: 10 to 32.5°C; Humidity: 30 to 70 Temperature: -20 to 40°C; Acoustic power emissions: 6.2 B(A); Acoustic pressure emissions: 49 dB(A) Requirements: 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); Consumption: 550 watts (Active Printing), 20 watts (Ready), 0.7 watts (Sleep), 0.7 watts (Auto-Off/Auto-On), 0.06 watts (Muto-Off/Auto-Off/Auto-On), 0.06 watts (Off); Typical Electricity Consumption (TECl <sup>9</sup> : Blue Angel: 1.084 kWh/Week; Energy Star 3.0: 0.358 kWh/Week; Power supply type: Internal (Built-in) power supply; HP Auto-On/Auto-Off Technology; Instant-on  CISPR 32:2012/EN 55032:2012 - Class B, CISPR 32:2015/EN 55032:2015 - Class B, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010+A1:2015 CECP; ENERGY STAR® qualified; EPEAT® Silver	26.2 kg  % RH (non-condensing)  Acoustic power emissions: 6.3 B(A); Acoustic p  Requirements: 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); Consumption: 550 watts (Active Printing), 20 watts (Ready), 0.7 watts (Sleep), 0.7 watts (Sleep), 0.7 watts (Auto-off/Auto-On), 0.06 watts (Auto-off/Marual On), 0.06 watts (Auto-off/Marual On), 0.06 watts (Gft); Power supply type: Internal (Built-in) power supply;  Technology  CISPR 32:2012/EN 55032:2012 - Class B, CISPR 32:2015/EN 55032:2015 - Class B, CISPR 32:2014, EN 61000-3-3:2013, EN 50024:2010+A1:2015  CECP Telecom compliance: Wireless: EU Radio Equipment Directive 2014/53/EU; EN301 489-1 V2.1.1; EN301 489-17 V3.1.1; IEC62311:2007; EN62311:2008; EN300 328 V2.1.1(2.4 GHz); EN301 893 V2.1.1(5 GHz); Fax Telecom: ETSI ES 203 021; Other Telecom approvals as required by individual countries.	cressure emissions: 49 dB(A)  Requirements: 220-volt input voltage: 220 tc Consumption: 550 watts (Active Printing), 20 (Auto-Off/Auto-On), 0.06 watts (Auto-Off/Ma Typical Electricity Consumption (TEC) <sup>9</sup> : Blue / kWh/Week;  Power supply type: Internal (Built-in) power services as a supply type: I	240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); watts (Ready), 0.7 watts (Sleep), 0.7 watts nual 0n), 0.06 watts (Off); ngel: 1.084 kWh/Week; Energy Star 3.0: 0.3! upply;  CISPR 32:2012/EN 55032:2012 - Class B, G1SPR 32:2015/EN 55032:2015 - Class B, G1000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010+A1:2015 CECP; ENERGY STAR® qualified; EPEAT® Sik Telecom compliance: Wireless: EL Radio Equipment Directive 2014/53/EU; EN301 489-1 V2.1.1; EN301 489-17V3.1.1; G1007: ENS01 489-17V3.1.1; E166231.1(2.4 GHz); EN301 830 V2.1.1(5 GHz) Fax Telecom: ETSI ES 203 021; Other Telecom approvals as required by individua countries.  HP Color Laser Jet Pro M479fdw; 4 preinstalled HP Laser Jet Toner cartridges (black: 2.400 pages, Introductory - cyan, magenta, yellow: 1,200 pages); In-box documentation (Getting Started Guide, Inst Poster); Warranty card (where required); Internet connection is required to set up th printer; HP printer software is available at	

#### Footnotes

- 1 Requires an Internet connection to the printer. Services may require registration, App availability varies by country, language, and agreements. For details, see http://www.hpconnected.com.
- <sup>2</sup> Connect printer/MFP to the network and complete customisation through the Embedded Web.
- <sup>3</sup> Wireless operations are compatible with 2.4 GHz and 5 GHz operations. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at http://www.hp.com/go/mobileprinting
- <sup>4</sup> Feature is only supported by the HP Color Laser Jet Pro MFP M479dw, M479fdw, and M477fnw. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN
- <sup>5</sup> Feature is supported on the HP LaserJet Pro M479dw/M479fnw/M479fdw only. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct—capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Learn more at http://www.hp.com/go/businessmobileprinting.
- <sup>6</sup> To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit http://www.hp.com/go/roam.
- <sup>7</sup> Based on HP review of 2019 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/qo/PrintersThatProtect. For more information: http://www.hp.com/qo/printersecurityclaims <sup>8</sup> Pin printing enabled via USB installed in rear of device.
- 9 Instant threat notifications can appear on the device control panel when a potential threat occurs from malicious intent or there is a bug or vulnerability in the firmware code of the device. If this error raises concern, please contact your company IT representative or, if unavailable, HP Support, who can investigate the cause through analysis of device syslog data using a standard SIEM tool from McAfee, Splunk, Arcsight or SIEMonster. The control
- panel error message may show an error code on a blue screen during code signature checks or memory write intrusions.

  10 Microsoft and PowerPoint are U.S. registered trademarks of the Microsoft group of companies. Feature works with Microsoft Word and PowerPoint 2003 and later. Only Latin language fonts are supported.
- 11 Dependent upon country setup specifications. All new product introductions beginning in Fall 2019 will include consistent worldwide default duplex settings (across bundles/drivers); Spring 2019 will include consistent worldwide default duplex settings for most products across the most common drivers.
- <sup>12</sup> Based on HP Internal testing using normalised TEC Value, 2019.
- <sup>13</sup> HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.

#### Technical specifications disclaimers

- 1 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and
- <sup>2</sup> Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- 3 Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

  4 HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended
- warranty period
- <sup>5</sup> First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application and document complexity.
- 6 Local printing requires mobile device and printer to be on the same network (usually Wi-Fi access points bridge wireless to wired connections) or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Remote printing requires an Internet connection to an HP web-connected printer. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. For more information visit http://www.hp.com/qo/mobileprinting. To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit http://www.hp.com/go/roam.
- Acoustic values are subject to change. For current information see http://www.hp.com/support. Configuration tested: base model, simplex printing, A4 paper at an average of 27 ppm.
- B Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device
- 9 Blue Angel TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.
- <sup>10</sup> EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
- 11 In box cartridges yield: 1,200 colour composite (C/Y/M) and 2,400 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see: http://www.hp.com/go/learnaboutsupplies. Pages may vary based on customer printing conditions















# http://www.hp.com/uk

© Copyright 2021 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein

