

Fujitsu recommends Windows® 7.

Data Sheet

Fujitsu LIFEBOOK S782

Preliminary Data sheet / For internal use only

Company confidential

Your Reliable Companion for Flexible Working

If you need a solid and reliable notebook for everyday business use, choose the Fujitsu LIFEBOOK S782. The 35.6 cm (14-inch) display and useful interfaces offer you enhanced convenience in the office. The modular bay for a second battery or hard disk drive to extend battery runtime or storage provides you with increased flexibility. Moreover, the solid magnesium display lid gives you enhanced stability.

Performance of a desktop in a notebook

Effective working even for the most demanding of users in all situations.

- 35.6 cm (14-inch) HD display with LED backlight, modular bay for an optional second hard disk drive, a second battery, DVD Super Multi, Blu-ray Disc™ Triple Writer or optical drive

Maximum connectivity

Be available wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby.

- Integrated DisplayPort, eSATA, USB 3.0, optional embedded 4G/UMTS, WLAN and Bluetooth®

Maximum security

Protect your company data against unauthorized third-party access.

- Advanced Theft Protection (Intel® Anti Theft & Computrace®), integrated SmartCard slot, optional fingerprint sensor, TPM module and OmniPass Security Software

Reliable companion

Secure and effective working even for the most demanding of users in all situations.

- High quality and lightweight magnesium lid, ShockSensor, optional anti-bacterial keyboard, optional 0-Watt AC Adapter guarantees that the notebook does not consume electricity when switched off and Anytime USB Charge to charge telephone and media devices when the notebook is switched off.

Great flexibility

The family concept offers same design and accessory components for LIFEBOOK E752 and E782 as well as for LIFEBOOK S752 and S782.

- Same industrial design, bit image, BIOS and accessories such as port replicator, power supply unit, keyboard and modular bay for optical drive, second battery and second hard disk drive



Components

| | |
|--------------------------------------|--|
| Processor | Intel® Core™ i7-3520M processor (2.9GHz, 4MB) Intel® Core™ i5-3360M processor (2.8GHz, 3MB) Intel® Core™ i5-3320M processor (2.6GHz, 3MB) Intel® Core™ i5-3210M processor (2.5GHz, 3MB)* Intel® Core™ i5-2450M processor (2.5GHz, 3MB)* Intel® Core™ i3-2370M processor (2.4GHz, 3MB)* |
| Memory | 2 GB (1 module) DDR3, 1600MHz, PC-12800, SO DIMM 4 GB (1 module) DDR3, 1600MHz, PC-12800, SO DIMM 8 GB (1 module) DDR3, 1600MHz, PC-12800, SO DIMM |
| Modular drive options | 2nd Battery 2nd Hard disk Blu-ray Disc™ triple writer DVD Super Multi drive Weight saver |
| Hard disk drives | SSD SATA III, 256GB, 2.5-inch SSD SATA III, 128GB, 2.5-inch SSD SATA, 128GB, 2.5-inch FDE SATA, 7200 rpm, 500GB, 2.5-inch, S.M.A.R.T SATA, 7200 rpm, 250GB, 2.5-inch, S.M.A.R.T SATA, 5400 rpm, 320GB, 2.5-inch, S.M.A.R.T SATA, 5400 rpm, 250GB, 2.5-inch, S.M.A.R.T SATA, 5400 rpm, 320GB, 2.5-inch, S.M.A.R.T, FDE M-SATA SSD Cache |
| Battery | Lithium-Ion 72 Wh battery Lithium-Ion 63 Wh battery |
| LCD Display | 35.6 cm (14.0-inch) LED backlight, (HD), anti-glare, Magnesium, 1366 x 768 pixel, 300:1, 200cd/m 35.6 cm (14.0-inch) LED backlight, (HD+), anti-glare, Magnesium, 1600 x 900 pixel, 300:1, 200cd/m |
| WLAN | Intel® Centrino® Wireless LAN module 6205 (802.11 a/b/g/n) Intel® Advanced-n® Wireless LAN module 2200N (802.11 b/g/n) |
| Bluetooth | Bluetooth module V4.0 |
| UMTS | Sierra Wireless Gobi 3000 (downlink speed up to 14.4 MBit/s, uplink speed up to 7.2 MBit/s) Sierra Wireless 7710 LTE module (downlink speed up to 100 MBit/s, uplink speed up to 50 MBit/s) |
| Multimedia modules | Dummy module 2x digital array microphone module 2x digital array microphone module & FHD Webcam (Lync(r) certified) |
| | *Processor only for retail, SMB, education and government |
| Operating systems | |
| Operating system | Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic (EM) 64-bit |
| Operating system compatible | Genuine Windows® XP 32-bit |
| Operating system notes | Limited Windows® XP support. Microsoft discontinued Windows® XP certification on system level, basic drivers via http://support.ts.fujitsu.com |
| Base unit memory | LIFEBOOK S782 14.0-inch |
| Supported capacity RAM (max.) | 16 GB |
| Memory slots total | 2 |
| Memory slot type | DIMM (DDR3) |
| Memory notes | DDR3 - 1600 MHz |

| | |
|--|---|
| Hard disk notes | ShockSensor for HDD shock protection One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 18 GB of HDD space is reserved for system recovery Internal HDD interface: S-ATA III (6GBit/s) |
| Wireless technologies | |
| Antennas | 2 dual band WLAN antennas, 2 UMTS antennas optional, 1 Bluetooth antenna optional |
| WLAN notes | Import and usage according to country-specific regulations. |
| | 2nd hard disk drive (S-ATA II) |
| Base unit | LIFEBOOK S782 14.0-inch |
| General system information | |
| Chipset | Intel® QM77 |
| Chipset notes | supports iAMT 8.0, Intel® vPro™ requires Core i5-33xx / i7 processor, Intel W-LAN 6205 & TPM module |
| BIOS features | BIOS based on Phoenix SecureCore |
| Graphics | |
| TFT resolution (DisplayPort) | up to 2560 x 1600 |
| TFT resolution (VGA) | up to 1920 x 1200 |
| TFT resolution (DVI on Port Replicator) | up to 1920 x 1200 |
| TFT resolution (DisplayPort on Port Replicator) | up to 2560 x 1600 |
| Graphics brand name | Intel® HD Graphics 4000 |
| Graphics features | 3 Display Support |
| Graphics notes | Shared memory depending on main memory size and operating system |
| Interfaces | |
| Memory card slots | 1 (SD (up to 2GB/SDHC up to 32GB/SDXC up to 64GB//MS/MSPro/MSPro Duo) |
| ExpressCard slots | 1 (34 / 54 mm supported) |
| SmartCard slot | 1 |
| SIM card slot | 1 (usable only with 3G/UMTS, 4G/LTE) |
| Modem (RJ-11) | 1 (optional) |
| eSATA & USB combo | 1 |
| USB 3.0 total | 2 |
| USB 2.0 total | 2 (1x with Anytime USB Charge functionality) |
| VGA | 1 |
| DisplayPort | 1 |
| Ethernet (RJ-45) | 1 |
| DC-in | 1 |
| Audio: line-in / microphone | 1 |
| Audio: line-out / headphone | 1 |
| Internal microphones | optional |
| Docking connector for Port Replicator | 1 |
| Kensington Lock support | 1 |
| Wired communication | |
| Modem type | Optional: 56 K V.92 modem |
| LAN | Built-in 10/100/1000 MBit/s Intel® 82579 LM |

Keyboard and pointing devices

Spill-resistant keyboard (new layout)
 Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm
 Multi gesture touchpad with two mouse buttons
 Optional: Fingerprint sensor
 Optional: TouchStick
 Application buttons

Multimedia

Audio type On board
Audio codec Realtek ALC269
Audio features Stereo speakers
Camera Optional: Built-in webcam, Full HD (Microsoft® Lync™)

Power supply

Runtime 1st battery up to 10 h (tbd)
Runtime 1st + 2nd battery up to 17 h (tbd)
Battery charging time ~120 min (63Wh) ~ 190 min (72 Wh)
Battery notes Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity slightly decreases with every charging cycle and over the lifetime.

Power consumption

Power consumption note See white paper Energy Consumption

Dimensions / Weight / Environmental

Dimensions (W x D x H) 340 x 245 x 35 mm
Weight 2.1 kg (tbd)
Weight notes Incl. weight saver. Weight may vary depending on actual configuration.
Operating ambient temperature 5 - 35°C
Operating relative humidity 20 - 80 %

Additional Software

Additional software (preinstalled) Adobe Acrobat Reader
 Application Panel
 Display Manager
 ShockSensor Utility
 Power Saving Utility
 Plugfree Network
 EasyGuide online user documentation
 Nero Essentials S (burning software)
 Norton Internet Security (incl. Firewall) 60 days version
 Fujitsu Recovery (Hard Disk Based Recovery)
 Microsoft® Office Starter: reduced-functionality Word and Excel® only, with advertising. No PowerPoint® or Outlook®.
 Buy Office 2010 to use the full-featured software.

Additional software (optional) Drivers & Utilities DVD (DUDVD)
 UMTS connection manager (optional with UMTS)

Manageability

Manageability technology DeskUpdate Driver management
 Intel® vPro™ technology
 iAMT 8.0 (depending on CPU)

Manageability software DeskView 10.x client management including:

Manageability

| | |
|----------------------------|--|
| DeskView components | BIOS Management DeskView Helpdesk Integration Detailed system inventory management and reports On/Offline remote client management Remote power management Security Remote Control System notifications WoL (Wake on LAN) |
| Supported standards | WMI PXE BootP (made4you) |
| Manageability link | http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html |

Security

| | |
|-------------------------------|---|
| System protection | Kensington Lock support |
| Audit proof protection | Advanced Theft Protection (Intel® Anti Theft & Computrace®) Optional: Trusted platform module (TPM 1.2) Norton Internet Security (incl. Firewall) 60 days version |
| Access protection | Hard disk password Integrated SmartCard slot User and supervisor BIOS password Optional: Integrated fingerprint sensor including Omnipass software |

Compliance

| | |
|-------------------------|---|
| Germany | GS (planned) |
| Europe | CE CB Nordic Swan in progress |
| Global | RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) WiFi certified ENERGY STAR® 5.0 EPEAT® Gold (dedicated regions) |
| Compliance notes | Above mentioned compliances are planned but not available at preliminary stage. |
| Compliance link | https://sp.ts.fujitsu.com/sites/certificates/default.aspx |

| | |
|---------------------------------|--|
| Standard Warranty | 2 years |
| Service level | Collect & Return Service / Bring-in Service (depending on country specific requirements) |
| Recommended Service | 5x9, response time: next business day, on-site-Service |
| Spare Parts availability | 5 years |
| Service Weblink | http://ts.fujitsu.com/Supportservice |

Recommended Accessories

More information

Fujitsu platform solutions

In addition to Fujitsu LIFEBOOK S782, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure-as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK S782, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/fts

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT.

Please find further information at <http://www.fujitsu.com/global/about/environment/>



Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see http://ts.fujitsu.com/terms_of_use.html

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

CONTACT

FUJITSU Technology Solutions
Website: <http://ts.fujitsu.com>
2012-03-12 CE-EN

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions