


# Miniature Feed-Through Terminal Blocks



Dimensions: mm [in]

- Screw connection terminal
- PE snap-on connection DIN rail
- UL E179129 (For copper wire only. One conductor in terminal only.)
- CE (EN 60947-7-1/ EN 60947-7-2)



See our website: [www.AutomationDirect.com](http://www.AutomationDirect.com) for complete engineering drawings

Ordering Information						
Color	Part Number	Qty	Price	Part Number	Qty	Price
Gray	KN-M12GRY	100	\$39.50	—	—	—
	KN-M12GRY-25	25	\$9.75	—	—	—
Blue	KN-M12BLU	100	\$39.50	—	—	—
	KN-M12BLU-25	25	\$9.75	—	—	—
Yellow/Green	—	—	—	KN-MG12	50	\$97.00
	—	—	—	KN-MG12-10	10	\$20.50

Technical Specifications						
Model	KN-M12			KN-MG12		
Width	5mm [0.20 in]			5mm [0.20 in]		
Stripping Length	10mm [0.39 in]			10mm [0.39 in]		
Tightening Torque	0.4 N·m [3.5 lb-in]			0.4 N·m [3.5 lb-in]		
Density	200/m [60 pcs/ft]			200/m [60 pcs/ft]		
UL/CSA Approval	300V	20A	26-12 AWG	—	—	26-12 AWG
CE Conformity	400V	24A	2.5 mm <sup>2</sup>	—	—	2.5 mm <sup>2</sup>
SCCR Rating	100kA			100kA per Table SB4.1, 2009, UL 508A.		
Operating Temperature	Ambient air temperature: -67°F to 185°F [-55°C to 85°C] Relative humidity: 50% max at 104°F [40°C] and 90% max at 68°F [20°C]					
Material	Current Bar: Copper Alloy / Housing: Polyamide 66 / Screws: Zinc Plated Steel					
DIN Rail Width	15mm					


Accessories							
End Covers (International colors)	Gray	KN-ECMGRY-10	10/pkg	\$4.00	—	—	—
		KN-ECMGRY	100/pkg	\$37.50	—	—	—
	Blue	KN-ECMBLU	10/pkg	\$4.00	—	—	—
		Green/Yellow	—	—	—	KN-ECMGRN	10/pkg
Jumpers	2-pole	KN-2JM12	25/pkg	\$7.25	—	—	—
	3-pole	KN-3JM12	20/pkg	\$8.25	—	—	—
	4-pole	KN-4JM12	15/pkg	\$8.25	—	—	—
	10-pole	KN-10JM12	5/pkg	\$9.25	—	—	—
Marking Tags	KN-L5 Series			KN-L5 Series			

To obtain the most current agency approval information, see the Agency Approval Checklist section on the specific part number's web page.

# Miniature Feed-Through Terminal Blocks



- Screw connection terminal
- PE snap-on connection DIN rail
- UL E179129 (For copper wire only. One conductor in terminal only.)
- CE (EN 60947-7-1)



See our website: [www.AutomationDirect.com](http://www.AutomationDirect.com) for complete engineering drawings

Ordering Information						
Color	Part Number	Qty	Price	Part Number	Qty	Price
Gray	<b>KN-M10GRY</b>	100	\$48.50	—	—	—
	<b>KN-M10GRY-25</b>	25	\$11.00	—	—	—
Blue	<b>KN-M10BLU</b>	100	\$48.50	—	—	—
	<b>KN-M10BLU-25</b>	25	\$11.00	—	—	—
Green/ Yellow	—	—	—	<b>KN-MG10</b>	50	\$75.00
	—	—	—	<b>KN-MG10-10</b>	10	\$22.50

Technical Specifications						
Model	<b>KN-M10</b>			<b>KN-MG10</b>		
<b>Width</b>	6mm [0.24 in]			6mm [0.24 in]		
<b>Stripping Length</b>	10mm [0.39 in]			10mm [0.39 in]		
<b>Tightening Torque</b>	0.5 N·m [4.4 lb-in]			0.5 N·m [4.4 lb-in]		
<b>Density</b>	166/m [50 pcs/ft]			166/m [50 pcs/ft]		
<b>UL/CSA Approval</b>	300V	30A	26-10 AWG	—	—	26-10 AWG
<b>CE Conformity</b>	400V	32A	4mm <sup>2</sup>	—	—	4mm <sup>2</sup>
<b>SCCR Rating</b>	100kA			10kA per Table SB4.1, 2009, UL 508A.		
<b>Operating Temperature</b>	Ambient air temperature: -67°F to 185°F [-55°C to 85°C] Relative humidity: 50% max at 104°F [40°C] and 90% max at 68°F [20°C]					
<b>Material</b>	Current Bar: Copper Alloy / Housing: Polyamide 66 / Screws: Zinc Plated Steel					
<b>DIN Rail Width</b>	15mm					

Accessories							
<b>End Covers</b>	Gray	<b>KN-ECMGRY-10</b>	10/pkg	\$4.00	—	—	—
		<b>KN-ECMGRY</b>	100/pkg	\$37.50	—	—	—
	Blue	<b>KN-ECMBLU</b>	10/pkg	\$4.00	—	—	—
		Green/ Yellow	—	—	—	<b>KN-ECMGRN</b>	10/pkg
<b>Jumpers</b>	<b>2-pole</b>	<b>KN-2JM10</b>	25/pkg	\$7.75	—	—	—
	<b>3-pole</b>	<b>KN-3JM10</b>	20/pkg	\$9.25	—	—	—
	<b>4-pole</b>	<b>KN-4JM10</b>	15/pkg	\$11.00	—	—	—
	<b>10-pole</b>	<b>KN-10JM10</b>	5/pkg	\$10.00	—	—	—
<b>Marking Tags</b>	<b>KN-L5 Series</b>			<b>KN-L5 Series</b>			

To obtain the most current agency approval information, see the Agency Approval Checklist section on the specific part number's web page.

# 100kA Terminal Block Short-Circuit Current Rating Data



Short-Circuit Current Rating Data										
Part Number	Suitable Copper Conductor Range (AWG)		Fuse Class Maximum Amperage						SCCR Rating	Volts Max
	Line	Load	Class J	Class T	Class RK1	Class RK5	Class G	Class CC		
<b>KN-T12</b> <sup>2</sup>	26-12	26-12	20	20	—	—	20	20	100 kA	600
<b>KN-T10</b> <sup>2</sup>	26-10	26-10	30	30	—	—	30	30	100 kA	600
<b>KN-T8</b> <sup>2</sup>	26-8	26-8	50	50	30	—	45	30	100 kA	600
<b>KN-T6</b> <sup>2</sup>	16-6	16-6	80	80	60	30	60	30	100 kA	600
<b>KN-T4</b> <sup>2</sup>	12-4	12-4	80	80	60	30	60	30	100 kA	600
<b>KN-T2</b> <sup>2</sup>	12-2	12-2	125	125	100	30	60	30	100 kA	600
<b>KN-T1/0</b> <sup>3</sup>	6-1/0	6-1/0	150	150	100	30	60	30	100 kA	600
<b>KN-T2/0</b> <sup>3</sup>	6-2/0	6-2/0	225	225	100	60	60	30	100 kA	600
<b>KN-D12</b> <sup>1 2</sup>	26-12	26-12	20	20	—	—	20	20	100 kA	600
<b>KN-D10</b> <sup>1 2</sup>	26-10	26-10	30	30	—	—	30	30	100 kA	600
<b>KN-TL14</b> <sup>2</sup>	24-12	24-12	30	30	—	—	30	30	100 kA	600
<b>KN-TG14</b> <sup>2</sup>	24-12	24-12	30	30	—	—	30	30	100 kA	600
<b>KN-M12</b> <sup>2</sup>	26-12	26-12	30	30	—	—	30	30	100 kA	600
<b>KN-M10</b> <sup>2</sup>	14-12	14-12	30	30	—	—	30	30	100 kA	600

Note: <sup>1</sup>KN-D12 and KN-D10 have optional short circuit rating evaluated for use with copper conductors only. Must be protected by the max ampere and Class of overcurrent protective device noted above.

<sup>2</sup>The terminal block short-circuit rating for KN-D12 and KN-D10 were determined based on testing in a minimum size enclosure measuring 4x4x6 inches. The suitability of smaller enclosures shall be determined in the end-use investigation.

<sup>3</sup>The terminal block short-circuit rating for KN-T1/0 and KN-T2/0 were determined based on testing in a minimum size enclosure measuring 12x12x6 inches. The suitability of smaller enclosures shall be determined in the end-use investigation.

# KONNECT-IT® Accessories







## Multi-Pole Jumper Bars

Multi-pole jumper bars provide terminal block connection flexibility. Screw-down connection jumpers feature all-metal construction and can be installed quickly just by tightening the screws. Screwless comb-style jumpers are also available. See next page for the larger J1/0 jumper installation instructions.



Multi-Pole Jumper Bars Ordering Information										
Type	Part Number	Price	Pcs/ Pkg	Number of Poles	Ratings	Dimensions - mm [in]			Fig.	Works With
						Height	Length	Width		
Screw-down connection	KN-2J12	\$8.25	25	2	750V 24A	15.8 [0.62]	10.1 [0.40]	4.4 [0.17]	1	KN-T12 KN-D12 KN-D12X KN-D12DR1 KN-D12LED
	KN-3J12	\$10.00	20	3	750V 24A		15.3 [0.60]			
	KN-4J12	\$12.00	15	4	750V 24A		20.4 [0.80]			
	KN-10J12	\$8.25	5	10	750V 24A		51.1 [2.01]			
	KN-2J10	\$11.50	25	2	750V 32A	15.5 [0.61]	10.8 [0.43]	6.0 [0.24]	1	KN-T10 KN-D10 KN-D10X KN-D10DR1 KN-D10LED
	KN-3J10	\$14.00	20	3	750V 32A		17.0 [0.67]			
	KN-4J10	\$14.00	15	4	750V 32A		23.0 [0.91]			
	KN-10J10	\$10.00	5	10	750V 32A		59.0 [2.32]			
	KN-2J8	\$12.00	25	2	630V 41A	15.5 [0.61]	14.3 [0.56]	6.0 [0.24]	1	KN-T8
	KN-3J8	\$15.00	20	3	630V 41A		22.3 [0.88]			
	KN-4J8	\$14.50	15	4	630V 41A		30.3 [1.19]			
	KN-10J8	\$11.50	5	10	630V 41A		78.3 [3.08]			
	KN-2J6	\$15.50	25	2	630V 57A	15.5 [0.61]	18.0 [0.71]	6.0 [0.24]	1	KN-T6
	KN-3J6	\$16.50	20	3	630V 57A		28.0 [1.10]			
	KN-4J6	\$16.50	15	4	630V 57A		38.0 [1.50]			
	KN-10J6	\$12.50	5	10	630V 57A		98.0 [3.86]			
	KN-2J4	\$24.00	25	2	750V 76A	23.0 [0.91]	21.0 [0.83]	6.0 [0.24]	1	KN-T4
	KN-3J4	\$25.50	20	3	750V 76A		33.0 [1.30]			
	KN-4J4	\$25.50	15	4	750V 76A		45.0 [1.77]			
	KN-10J4	\$20.50	5	10	750V 76A		117.0 [4.61]			
KN-2J2	\$24.50	25	2	750V 125A	21.0 [0.83]	29.0 [1.14]	8.0 [0.31]	1	KN-T2	
KN-3J2	\$27.00	20	3	750V 125A		45.0 [1.77]				
KN-4J2	\$27.00	15	4	750V 125A		61.0 [2.40]				
KN-10J2	\$20.50	5	10	750V 125A		157.0 [6.18]				
KN-2J1/0	\$7.75	5	2	1000V 150A	22.3 [0.88]	36.0 [1.42]	12.0 [0.47]	2	KN-T1/0	
KN-3J1/0	\$12.50	5	3	1000V 150A		56.0 [2.20]				
KN-4J1/0	\$16.50	5	4	1000V 150A		76.0 [2.99]				
KN-2JTL12	\$12.50	25	2	440V 24A	15.5 [0.61]	11.0 [0.43]	4.4 [0.17]	1	KN-DG12 KN-TG12 KN-TL14 KN-TL14S KN-TL14SLN KN-TL14SP	
KN-3JTL12	\$16.00	20	3	440V 24A		17.0 [0.67]				
KN-4JTL12	\$14.50	15	4	440V 24A		23.0 [0.91]				
KN-10JTL12	\$12.50	5	10	440V 24A		59.0 [2.32]				
KN-2JM10	\$7.75	25	2	750V 32A		9.5 [0.37]				23.2 [0.91]
KN-3JM10	\$9.25	20	3	750V 32A	15.5 [0.61]					
KN-4JM10	\$11.00	15	4	750V 32A	21.5 [0.85]					
KN-10JM10	\$10.00	5	10	750V 32A	57.5 [2.26]					
KN-2JM12	\$7.25	25	2	750V 24A	8.0 [0.31]	21.7 [0.85]	2.3 [0.09]	3	KN-M12 KN-T12SP4	
KN-3JM12	\$8.25	20	3	750V 24A	13.0 [0.51]					
KN-4JM12	\$8.25	15	4	750V 24A	18.0 [0.71]					
KN-10JM12	\$9.25	5	10	750V 24A	48.0 [1.89]					
KN-2JCC12	\$11.00	25	2	750V 24A	23.7 [0.93]					8.0 [0.31]
KN-2JCC10	\$21.50	25		750V 32A	24.7 [0.97]	9.5 [0.37]	KN-T10			
KN-2JCC8	\$22.50	25		630V 41A	25.6 [1.01]	13.5 [0.53]	KN-T8			
KN-2JCC6	\$24.50	25		630V 57A	26.7 [1.05]	16.0 [0.63]	3.9 [0.15]	KN-T6		



Please visit our website [www.AutomationDirect.com](http://www.AutomationDirect.com) for complete engineering drawings.

Note: Screwless Comb-Style jumpers are designed to be connected under the conductor clamp.


# KONNECT-IT® Accessories



## End Brackets

End brackets prevent terminal blocks and other DIN rail mount components and devices from moving laterally on the rail. They are constructed from polyamide 66 and available in configurations for 35mm and 15mm DIN rails.


### Dimensions mm [in]



End Brackets Ordering Information												
Gray End Brackets	<b>KN-EB3</b>	100/pkg	\$32.50	<b>KN-EB4</b>	100/pkg	\$34.00	<b>KN-EB5</b>	100/pkg	\$48.50	<b>KN-EB7</b>	50/pkg	\$34.00
	<b>KN-EB3-10</b>	10/pkg	\$4.00	<b>KN-EB4-10</b>	10/pkg	\$3.00	<b>KN-EB5-10</b>	10/pkg	\$5.50	<b>KN-EB7-10</b>	10/pkg	\$6.75
Technical Specifications												
<b>Description</b>	Screw-type end bracket			Screwless end bracket			Screwless end bracket			Screw-type end bracket		
<b>Bracket Width</b>	8 mm [0.31 in]			8 mm [0.31 in]			8 mm [0.31 in]			10 mm [0.39 in]		
<b>DIN Rail Width</b>	35 mm			35 mm			15 mm			35 mm		
<b>Material</b>	Housing: Polyamide 66 / Clamping Connector: Zinc Plated Steel											
End Bracket Accessories												
<b>Label Holder</b>	—	—	—	<b>KN-MA-1</b>	25/pkg	\$14.00	—	—	—	<b>KN-MA-2</b>	50/pkg	\$36.50
	—	—	—	<b>KN-MA-1-10</b>	10/pkg	\$6.75	—	—	—	<b>KN-MA-2-10</b>	10/pkg	\$8.25
<b>Marking Tags</b>	<b>KN-L5 Series or KN-L6P5 Series</b>											

## End Covers

End covers are used to cover the open side of sectional DIN rail mount terminal blocks. They should be used at the end of an assembly of identical terminal blocks or whenever there is a change in the physical size of the terminal block.  
Material: Polyamide 66



End Covers Ordering Information											
Part Number	Color	Dimensions HxLxW mm [in]	Suitable for	Pcs/Pkg	Price	Part Number	Color	Dimensions HxLxW mm [in]	Suitable for	Pcs/Pkg	Price
<b>KN-ECT6GRY</b>	gray	34.0x42.7x1.3 [1.34x1.68x0.05]	KN-T12 KN-T10 KN-T8 KN-T6	100	\$17.50	<b>KN-ECDORG</b>	orange	48.2x63.2x1.3 [1.90x2.49x0.05]	KN-D10 KN-D12	10	\$4.00
<b>KN-ECT6GRY-25</b>	gray			25	\$4.00	<b>KN-ECDRED</b>	red				
<b>KN-ECT6BLU</b>	blue					<b>KN-ECDYEL</b>	yellow				
<b>KN-ECT6BLK</b>	black					<b>KN-ECTL</b>	gray	54.7x87.1x1.3 [2.15x3.43x0.05]	KN-TL14	10	\$2.50
<b>KN-ECT6BRN</b>	brown					<b>KN-ECTLS</b>	gray	54.7x72.8x1.2 [2.15x2.87x0.05]	KN-TL14S	10	\$3.00
<b>KN-ECT6GRN</b>	green					<b>KN-ECDG12</b>	gray	48.0x71.4x1.2 [1.89x2.81x0.05]	KN-DG12	10	\$3.00
<b>KN-ECT6ORG</b>	orange					<b>KN-ECTG12</b>	gray	62.5x87.5x1.2 [2.46x3.44x0.05]	KN-TG12	10	\$3.00
<b>KN-ECT6RED</b>	red					<b>KN-ECMGRY</b>	gray	28.1x27.0x3.0 [1.11x1.06x0.12]	KN-M12 KN-M10	100	\$37.50
<b>KN-ECT6WHT</b>	white					<b>KN-ECMGRY-10</b>	gray			10	\$4.00
<b>KN-ECT6YEL</b>	yellow					<b>KN-ECMBLU</b>	blue			10	\$4.00
<b>KN-ECT4GRY</b>	gray	45.7x52.8x1.2 [1.80x2.08x0.05]	KN-T4	25	\$8.25	<b>KN-ECMGRN</b>	green/yellow	28.1x27.0x3.0 [1.11x1.06x0.12]	KN-MG12 KN-MG10	10	\$4.00
<b>KN-ECT4BLU</b>	blue			10	\$3.50	<b>KN-ECG12SP4</b>	green/yellow	39.7x57.1x1.2 [1.56x2.25x0.05]	KN-G12SP4	10	\$3.00
<b>KN-ECDGRY</b>	gray	48.2x63.2x1.3 [1.90x2.49x0.05]	KN-D10 KN-D12	25	\$8.75	<b>KN-ECT12SP4</b>	gray	39.7x57.1x1.2 [1.56x2.25x0.05]	KN-T12SP4	25	\$7.75
<b>KN-ECDBLU</b>	blue					<b>KN-ECF10</b>	gray	27.3x59.6x1.2 [1.07x2.35x0.05]	KN-F10	25	\$9.75
<b>KN-ECDBLK</b>	black					<b>KN-ECKBD</b>	gray	37.1x53.5x1.2 [1.46x2.11x0.05]	KN-KDB10	10	\$4.00
<b>KN-ECDGRN</b>	green										

# KONNECT-IT® Accessories



## Separators

Separators are used to segment banks of terminal blocks. Allows you to maintain a single row of terminal blocks, but have separate power source clusters.

Separators Ordering Information							
Part Number	Color	Works With	Dimensions - mm [in]			Pcs/Pkg	Price
			Height	Length	Thickness		
<b>KN-ST1GRY</b>	Gray	KN-T12 KN-T10 KN-T8 KN-T6	39.0 [1.54]	42.5 [1.67]	1.2 [0.05]	25	\$8.25
<b>KN-ST1BLU</b>	Blue						
<b>KN-ST1BLK</b>	Black						
<b>KN-ST1BRN</b>	Brown						
<b>KN-ST1GRN</b>	Green						
<b>KN-ST1ORG</b>	Orange						
<b>KN-ST1RED</b>	Red						
<b>KN-ST1WHT</b>	White						
<b>KN-ST1YEL</b>	Yellow						
<b>KN-ST2GRY</b>	Gray	KN-T4	52.5 [2.07]	50.5 [1.99]	1.5 [0.06]	25	\$11.00
<b>KN-ST2BLU</b>	Blue						
<b>KN-ST3GRY</b>	Gray	KN-T2	62.6 [2.46]	53.1 [2.09]	1.5 [0.06]	10	\$5.50
<b>KN-ST3BLU</b>	Blue						

**KN-ST1GRY**



## Top Covers and Label Holders

Top Covers and Label Holders Ordering Information							
Part Number	Description	Works With	Dimensions - mm [in]			Pcs/Pkg	Price
			Height	Length	Width		
<b>KN-TC-1</b>	Top cover for Konnect-It terminal block, blank, white	KN-T12 KN-T10 KN-T8 KN-T6	6.8 [0.27]	29.0 [1.14]	5.8 [0.23]	25	\$6.75
<b>KN-TC-1S</b>	Top cover for Konnect-It terminal block, printed electric symbol, white						
<b>KN-TC-2</b>	Top cover for Konnect-It terminal block, blank, white						
<b>KN-TC-2S</b>	Top cover for Konnect-It terminal block, printed electric symbol, white	KN-T4 KN-T2	7.3 [0.29]	35.8 [1.41]	9.0 [0.35]	25	\$17.00
<b>KN-TC-2S</b>	Top cover for Konnect-It terminal block, printed electric symbol, white						
<b>KN-MA-1</b>	Label holder for terminal block group. Label media not included. Adhesive label: Apply on top. Max label dimensions: 7 x 44 mm (0.28 x 1.73 in).	KN-EB4	46.2 [1.82]	46.0 [1.81]	11.4 [0.45]	25	\$14.00
<b>KN-MA-1-10</b>							
<b>KN-MA-2</b>	Label holder for terminal block group. Label media not included. Adhesive label: Apply on top. Max label dimensions: 7 x 44 mm (0.28 x 1.73 in).	KN-EB7	37.5 [1.48]	46.2 [1.82]	9.5 [0.37]	50	\$36.50
<b>KN-MA-2-10</b>							
<b>KN-MA-3</b>	Top mounting marking tag adapter for terminal block. Holds up to (4) L5x5 tags	KN-T4 KN-T2	9.3 [0.36]	36.0 [1.42]	9.0 [0.35]	25	\$9.25
<b>KN-MA-4</b>	Top mounting marking tag adapter for terminal block. Holds up to (4) L5x5 tags	KN-T12 KN-T10 KN-T8 KN-T6	9.0 [0.35]	29.0 [1.14]	5.7 [0.22]	25	\$8.25
<b>KN-MA-5</b>	Label holder for terminal block group. Label media included. Max label dimensions: 10 x 38mm (0.39 x 1.50 in). Thickness 0.30 mm (0.01 in)	Attaches to any 35mm DIN rail	46.4 [1.83]	44.5 [1.75]	10.0 [0.39]	50	\$29.50
<b>KN-MA-5-25</b>							

**KN-MA-1**



**KN-MA-2**



**KN-MA-5**



**KN-TC-1 / KN-TC-2**



**KN-TC-1S / KN-TC-2S**



**KN-MA-3**



**KN-MA-4**




# KONNECT-IT<sup>®</sup> Accessories



## Marking Tags 5 x 5mm

Use with any Konnect-It series terminal blocks



5 x 5mm Marking Tags Ordering Information											
250 Pieces per Package						500 Pieces per Package					
Part Number	Imprint	Price	Part Number	Imprint	Price	Part Number	Imprint	Price	Part Number	Imprint	Price
<b>KN-L5-BLANK-250</b>	Blank	\$7.75	<b>KN-L5-A-250</b>	A	\$7.75	<b>KN-L5-BLANK</b>	Blank	\$12.00	<b>KN-L5-A</b>	A	\$14.50
<b>KN-L5-0-250</b>	0	\$7.75	<b>KN-L5-B-250</b>	B	\$7.75	<b>KN-L5-0</b>	0	\$14.50	<b>KN-L5-B</b>	B	\$14.50
<b>KN-L5-1-250</b>	1	\$7.75	<b>KN-L5-C-250</b>	C	\$7.75	<b>KN-L5-1</b>	1	\$14.50	<b>KN-L5-C</b>	C	\$14.50
<b>KN-L5-2-250</b>	2	\$7.75	<b>KN-L5-D-250</b>	D	\$7.75	<b>KN-L5-2</b>	2	\$14.50	<b>KN-L5-D</b>	D	\$14.50
<b>KN-L5-3-250</b>	3	\$7.75	<b>KN-L5-E-250</b>	E	\$7.75	<b>KN-L5-3</b>	3	\$14.50	<b>KN-L5-E</b>	E	\$14.50
<b>KN-L5-4-250</b>	4	\$7.75	<b>KN-L5-F-250</b>	F	\$7.75	<b>KN-L5-4</b>	4	\$14.50	<b>KN-L5-F</b>	F	\$14.50
<b>KN-L5-5-250</b>	5	\$7.75	<b>KN-L5-G-250</b>	G	\$7.75	<b>KN-L5-5</b>	5	\$14.50	<b>KN-L5-G</b>	G	\$14.50
<b>KN-L5-6-250</b>	6	\$7.75	<b>KN-L5-H-250</b>	H	\$7.75	<b>KN-L5-6</b>	6	\$14.50	<b>KN-L5-H</b>	H	\$14.50
<b>KN-L5-7-250</b>	7	\$7.75	<b>KN-L5-I-250</b>	I	\$7.75	<b>KN-L5-7</b>	7	\$14.50	<b>KN-L5-I</b>	I	\$14.50
<b>KN-L5-8-250</b>	8	\$7.75	<b>KN-L5-J-250</b>	J	\$7.75	<b>KN-L5-8</b>	8	\$14.50	<b>KN-L5-J</b>	J	\$14.50
<b>KN-L5-9-250</b>	9	\$7.75	<b>KN-L5-K-250</b>	K	\$7.75	<b>KN-L5-9</b>	9	\$14.50	<b>KN-L5-K</b>	K	\$14.50
<b>KN-L5-10-250</b>	10	\$7.75	<b>KN-L5-L-250</b>	L	\$7.75	<b>KN-L5-10</b>	10	\$14.50	<b>KN-L5-L</b>	L	\$14.50
<b>KN-L5-1-10-250</b>	1-10	\$7.75	<b>KN-L5-M-250</b>	M	\$7.75	<b>KN-L5-1-10</b>	1-10	\$14.50	<b>KN-L5-M</b>	M	\$14.50
<b>KN-L5-11-20-250</b>	11-20	\$7.75	<b>KN-L5-N-250</b>	N	\$7.75	<b>KN-L5-11-20</b>	11-20	\$14.50	<b>KN-L5-N</b>	N	\$14.50
<b>KN-L5-21-30-250</b>	21-30	\$7.75	<b>KN-L5-O-250</b>	O	\$7.75	<b>KN-L5-21-30</b>	21-30	\$14.50	<b>KN-L5-O</b>	O	\$14.50
<b>KN-L5-31-40-250</b>	31-40	\$7.75	<b>KN-L5-P-250</b>	P	\$7.75	<b>KN-L5-31-40</b>	31-40	\$14.50	<b>KN-L5-P</b>	P	\$14.50
<b>KN-L5-41-50-250</b>	41-50	\$7.75	<b>KN-L5-Q-250</b>	Q	\$7.75	<b>KN-L5-41-50</b>	41-50	\$14.50	<b>KN-L5-Q</b>	Q	\$14.50
<b>KN-L5-1-50-250</b>	1-50	\$7.75	<b>KN-L5-R-250</b>	R	\$7.75	<b>KN-L5-1-50</b>	1-50	\$14.50	<b>KN-L5-R</b>	R	\$14.50
<b>KN-L5-51-100-250</b>	51-100	\$7.75	<b>KN-L5-S-250</b>	S	\$7.75	<b>KN-L5-51-100</b>	51-100	\$14.50	<b>KN-L5-S</b>	S	\$14.50
<b>KN-L5-101-150-250</b>	101-150	\$7.75	<b>KN-L5-T-250</b>	T	\$7.75	<b>KN-L5-101-150</b>	101-150	\$14.50	<b>KN-L5-T</b>	T	\$14.50
<b>KN-L5-151-200-250</b>	151-200	\$7.75	<b>KN-L5-U-250</b>	U	\$7.75	<b>KN-L5-151-200</b>	151-200	\$14.50	<b>KN-L5-U</b>	U	\$14.50
<b>KN-L5-201-250-250</b>	201-250	\$7.75	<b>KN-L5-V-250</b>	V	\$7.75	<b>KN-L5-201-250</b>	201-250	\$14.50	<b>KN-L5-V</b>	V	\$14.50
<b>KN-L5-251-300-250</b>	251-300	\$7.75	<b>KN-L5-W-250</b>	W	\$7.75	<b>KN-L5-251-300</b>	251-300	\$14.50	<b>KN-L5-W</b>	W	\$14.50
<b>KN-L5-301-350-250</b>	301-350	\$7.75	<b>KN-L5-X-250</b>	X	\$7.75	<b>KN-L5-301-350</b>	301-350	\$14.50	<b>KN-L5-X</b>	X	\$14.50
<b>KN-L5-351-400-250</b>	351-400	\$7.75	<b>KN-L5-Y-250</b>	Y	\$7.75	<b>KN-L5-351-400</b>	351-400	\$14.50	<b>KN-L5-Y</b>	Y	\$14.50
<b>KN-L5-401-450-250</b>	401-450	\$7.75	<b>KN-L5-Z-250</b>	Z	\$7.75	<b>KN-L5-401-450</b>	401-450	\$14.50	<b>KN-L5-Z</b>	Z	\$14.50
<b>KN-L5-451-500-250</b>	451-500	\$7.75	<b>KN-L5-POS-250</b>	+	\$7.75	<b>KN-L5-451-500</b>	451-500	\$14.50	<b>KN-L5-POS</b>	+	\$14.50
<b>KN-L5-L1-250</b>	L1	\$7.75	<b>KN-L5-NEG-250</b>	-	\$7.75	<b>KN-L5-L1</b>	L1	\$14.50	<b>KN-L5-NEG</b>	-	\$14.50
<b>KN-L5-L2-250</b>	L2	\$7.75	<b>KN-L5-GND-250</b>	GND	\$7.75	<b>KN-L5-L2</b>	L2	\$14.50	<b>KN-L5-GND</b>	GND	\$14.50
<b>KN-L5-L3-250</b>	L3	\$7.75				<b>KN-L5-L3</b>	L3	\$14.50			


# KONNECT-IT® Accessories



## Marking Tags 6.5 x 10mm

Use with any Konnect-It series terminal blocks 6.5mm or wider.


6.5 x 10mm Marking Tags Ordering Information			
Part Number	Description	Pcs/Pkg	Price
<b>KN-L6P5-BLNK-250</b>	Blank	250	\$20.50
<b>KN-L6P5-1-10-250</b>	Numbered 1-10	250	\$21.00
<b>KN-L6P5-11-20-250</b>	Numbered 11-20	250	\$21.00
<b>KN-L6P5-21-30-250</b>	Numbered 21-30	250	\$21.00
<b>KN-L6P5-31-40-250</b>	Numbered 31-40	250	\$21.00
<b>KN-L6P5-41-50-250</b>	Numbered 41-50	250	\$21.00
<b>KN-L6P5-51-60-250</b>	Numbered 51-60	250	\$21.00
<b>KN-L6P5-61-70-250</b>	Numbered 61-70	250	\$21.00
<b>KN-L6P5-71-80-250</b>	Numbered 71-80	250	\$21.00
<b>KN-L6P5-81-90-250</b>	Numbered 81-90	250	\$21.00
<b>KN-L6P5-91-100-250</b>	Numbered 91-100	250	\$21.00
<b>KN-L6P5-BLNK</b>	Blank	500	\$38.00
<b>KN-L6P5-1-10</b>	Numbered 1-10	500	\$38.00
<b>KN-L6P5-11-20</b>	Numbered 11-20	500	\$38.00
<b>KN-L6P5-21-30</b>	Numbered 21-30	500	\$38.00
<b>KN-L6P5-31-40</b>	Numbered 31-40	500	\$38.00
<b>KN-L6P5-41-50</b>	Numbered 41-50	500	\$38.00
<b>KN-L6P5-51-60</b>	Numbered 51-60	500	\$38.00
<b>KN-L6P5-61-70</b>	Numbered 61-70	500	\$38.00
<b>KN-L6P5-71-80</b>	Numbered 71-80	500	\$38.00
<b>KN-L6P5-81-90</b>	Numbered 81-90	500	\$38.00
<b>KN-L6P5-91-100</b>	Numbered 91-100	500	\$38.00



## Marking Tags 5 x 10mm, 6 x 10mm, 10 x 10mm

Marking Tags Ordering Information			
Part Number*	Description	Pcs/Pk	Price
<b>KN-L5X-BLNK-220</b>	Blank marking tag, 5x10mm, use with any Konnect-It terminal block series	220	\$7.25
<b>KN-L6X-BLNK-180</b>	Blank marking tag, 6x10mm, use with any Konnect-It terminal block 6mm or wider	180	\$6.75
<b>KN-L10X-BLNK-100</b>	Blank marking tag, 10x10mm, use with any Konnect-It terminal block 10mm or wider	100	\$9.75
<b>KN-L5X-BLNK</b>	Blank marking tag, 5x10mm, use with any Konnect-It terminal block series	440	\$13.50
<b>KN-L6X-BLNK</b>	Blank marking tag, 6x10mm, use with any Konnect-It terminal block 6mm or wider	360	\$12.50
<b>KN-L10X-BLNK</b>	Blank marking tag, 10x10mm, use with any Konnect-It terminal block 10mm or wider	200	\$17.50

\*Does not fit any KN-T1/0 or KN-G1/0 series block



# DINnectors<sup>®</sup> Accessories


## Steel DIN Rails Features

### 35mm wide

- Available in 1-meter lengths
- 7.5 mm-high rails primarily used to mount terminal blocks, relays, timers and small PLCs such as the DL05, DL06, DL105, DL205, CLICK, and Productivity3000
- 15mm-high rails for mounting larger and heavier components such as contactors and larger PLCs

### 15mm wide

- Available in 1-meter lengths
- DN-R15S1 exclusively for mounting mini terminal blocks such as the DN-M10-A



	Part Number	Pcs/Pkg	Price/Pkg	Part Number	Pcs/Pkg	Price/Pkg	Part Number	Pcs/Pkg	Price/Pkg
<b>DIN Rail</b>	<b>DN-R35S1</b>	10	\$32.50	<b>DN-R35HS1</b>	10	\$57.00	<b>DN-R15S1</b>	10	\$29.50
	<b>DN-R35S1-2</b>	2	\$10.00	<b>DN-R35HS1-2</b>	2	\$15.00	<b>DN-R15S1-2</b>	2	\$9.50
<b>Steel DIN Rails Specifications</b>									
<b>Description</b>	DINnector DIN rail, slotted, 35mm, 7.5mm height, 1m length, plated steel. Package of 10.			DINnector DIN rail, slotted, 35mm, 15mm height, 1m length, plated steel. Package of 10.			DINnector DIN rail, slotted, 15mm, 5.5mm height, 1m length, plated steel. Package of 2.		
<b>Plating</b>	Zinc-plated and chromated								
<b>International Standards</b>	EN 60715, RoHs								
<b>Suggested Mounting Screw Type</b>	M6			M6			M4		

## Aluminum DIN Rail Features

### 35mm wide

- Non-anodized finish
- Zinc plating and passivation (minimum thickness 6 microns)
- Lightweight, easy to cut and deburr
- Terminal blocks only
- Maximum mounting screw #10-32 or M5
- Available in 1-meter lengths

### 35mm wide raised

- Non-anodized finish
- Zinc plating and passivation (minimum thickness 6 microns)
- Enables users to raise terminal blocks 2¼" above the back panel
- Terminal blocks only
- Available in 1-meter lengths
- Bushing or grommet recommended for wire access hole (example Heyco UB-875 not sold by ADC)



	Part Number	Pcs/Pkg	Price/Pkg	Part Number	Pcs/Pkg	Price/Pkg
<b>DIN Rail</b>	<b>DN-R35SAL1</b>	10	\$43.75	<b>DN-R35SAL2-2</b>	2	\$28.50
	<b>DN-R35SAL1-2</b>	2	\$9.25			
<b>Aluminum DIN Rails Specifications</b>						
<b>Description</b>	DINnector DIN rail, slotted, 35mm, 10mm height, 1m length, aluminum. Package of 10.			DINnector DIN rail, slotted, 2in raised 35mm, 7.5mm height, 1m length, aluminum. Package of 2.		
<b>Plating</b>	Galvanic zinc plating, non-anodized finish					
<b>International Standards</b>	DIN 50960, RoHs					
<b>Suggested Mounting Screw Type</b>	#10-32 or M5					

# **DINnectors** Accessories

## DIN rail support brackets

- Angled support brackets raise and tilt mounting rails 30 degrees from mounting surface for easier wiring
- DN-ASB1 plated steel support bracket
- DN-ASB2-10 cold-rolled steel treated with galvanic zinc plating and passivation


## DIN rail mounting clips

- Snap small devices not made for mounting onto 35mm DIN rails
- Zinc plated steel


DIN Rail Support Brackets and Mounting Clips			
Part Number	Description	Pcs/Pkg	Price
<b>DN-ASB1</b>	30°angled DIN rail support bracket (M6-1.0 screws not included)	50	\$57.00
<b>DN-ASB2-10</b>	30°angled DIN rail support bracket (M6-1.0 screws included)	10	\$15.00
<b>DN-SSB25-10</b>	1" (25 mm) DIN rail support bracket (M6-1.0 screws included)	10	\$20.50
<b>DN-SSB50-10</b>	2" (50 mm) DIN rail support bracket (M6-1.0 screws included)	10	\$21.50
<b>DN-SSB70-10</b>	2.75" (70 mm) DIN rail support bracket (M6-1.0 screws included)	10	\$27.00
<b>DN-SSB90-10</b>	3.5" (90 mm) DIN rail support bracket (M6-1.0 screws included)	10	\$28.50
<b>DN-CLIP-FM4</b>	DIN rail mounting clip with M4 x 0.7 mm threaded hole (Screws not included)	40	\$56.00
<b>DN-CLIP-FM4-5</b>		5	\$8.00
<b>DN-CLIP-FM5</b>	DIN rail mounting clip with M5 x 0.8 mm threaded hole (Screws not included)	40	\$56.00
<b>DN-CLIP-FM5-5</b>		5	\$8.00



**DN-ASB1**



**DN-ASB2-10**



**DN-SSB25-10**



**DN-SSB50-10**



**DN-SSB70-10**



**DN-SSB90-10**



**DN-CLIP-FM4  
DN-CLIP-FM4-5**



**DN-CLIP-FM5  
DN-CLIP-FM5-5**

# KONNECT-IT® Cross Reference



## Allen-Bradley®

The following is a list of comparable products. To obtain our high-quality KONNECT-IT terminal blocks, simply find the corresponding part number of the unit you currently use. These are approximate replacements based on UL wire size, ampacity and voltage. Please consult the technical section for specifications to determine suitability for your application. Physical size varies from manufacturer to manufacturer.

Allen-Bradley	KONNECT-IT
1492-J3	KN-T12GRY
1492-J3-B	KN-T12BLU
1492-J3-BL	KN-T12BLK
1492-J3-BR	KN-T12BRN
1492-J3-G	KN-T12GRN
1492-J3-OR	KN-T12ORG
1492-J3-RE	KN-T12RED
1492-J3-W	KN-T12WHT
1492-J3-Y	KN-T12YEL
1492-J4	KN-T10GRY
1492-J4-B	KN-T10BLU
1492-J4-BL	KN-T10BLK
1492-J4-BR	KN-T10BRN
1492-J4-G	KN-T10GRN
1492-J4-OR	KN-T10ORG
1492-J4-RE	KN-T10RED
1492-J4-W	KN-T10WHT
1492-J4-Y	KN-T10YEL
1492-J6	KN-T8GRY
1492-J6-B	KN-T8BLU
1492-J6-BL	KN-T8BLK
1492-J6-BR	KN-T8BRN
1492-J6-G	KN-T8GRN
1492-J6-OR	KN-T8ORG
1492-J6-RE	KN-T8RED
1492-J6-W	KN-T8WHT
1492-J6-Y	KN-T8YEL
1492-J10	KN-T6GRY
1492-J10-B	KN-T6BLU
1492-J10-BL	KN-T6BLK
1492-J10-BR	KN-T6BRN
1492-J10-G	KN-T6GRN
1492-J10-OR	KN-T6ORG
1492-J10-RE	KN-T6RED
1492-J10-W	KN-T6WHT
1492-J10-Y	KN-T6YEL

Allen-Bradley	KONNECT-IT
1492-J16	KN-T4GRY
1492-J16-B	KN-T4BLU
1492-J35	KN-T2GRY
1492-J35-B	KN-T2BLU
1492-J50	KN-T1/0GRY
1492-J50-B	KN-T1/0BLU
1492-J70	KN-T2/0GRY
1492-J70-B	KN-T2/0BLU
1492-JD3	KN-D12GRY
1492-JD3-B	KN-D12BLU
1492-JD3C	KN-D12X
1492-JD3DR	KN-D12DR1
1492-JD4	KN-D10GRY
1492-JD4-B	KN-D10BLU
1492-JD4C	KN-D10X
1492-WTF3	KN-TL14
1492-WTS3	KN-TL14S
1492-JT3M	KN-TG12
1492-J2Q	KN-T12SP4
1492-WM3	KN-M12GRY
1492-WM3-B	KN-M12BLU
1492-WM4	KN-M10GRY
1492-WM4-B	KN-M10BLU
1492-JG3	KN-G10
1492-JG4	KN-G10
1492-JG6	KN-G8
1492-JG10	KN-G8
1492-JG16	KN-G4
1492-JG35	KN-G2
1492-JG50	KN-G1/0
1492-JG2Q	KN-G12SP4
1492-WMG3	KN-MG12
1492-WMG4	KN-MG10
1492-WFB4	KN-F10
1492-JD3FB	KN-F10SP

# KONNECT-IT® Cross Reference



## DINnectors®

The following is a list of comparable products. To obtain our high-quality KONNECT-IT terminal blocks, simply find the corresponding part number of the unit you currently use. These are approximate replacements based on UL wire size, ampacity and voltage. Please consult the technical section for specifications to determine suitability for your application. Physical size varies from manufacturer to manufacturer.

DINnectors	KONNECT-IT
DN-T12-A	KN-T12GRY
DN-T12B-A	KN-T12BLU
DN-T12BLK-A	KN-T12BLK
DN-T12BR-A	KN-T12BRN
DN-T12GRN-A	KN-T12GRN
DN-T12ORG-A	KN-T12ORG
DN-T12RED-A	KN-T12RED
DN-T12W-A	KN-T12WHT
DN-T12YEL-A	KN-T12YEL
DN-T10-A	KN-T10GRY
DN-T10B-A	KN-T10BLU
DN-T10BLK-A	KN-T10BLK
DN-T10BR-A	KN-T10BRN
DN-T10GRN-A	KN-T10GRN
DN-T10ORG-A	KN-T10ORG
DN-T10RED-A	KN-T10RED
DN-T10W-A	KN-T10WHT
DN-T10YEL-A	KN-T10YEL
DN-T8	KN-T8GRY
DN-T8B	KN-T8BLU
DN-T8BLK	KN-T8BLK
DN-T8BR	KN-T8BRN
DN-T8GRN	KN-T8GRN
DN-T8ORG	KN-T8ORG
DN-T8RED	KN-T8RED
DN-T8W	KN-T8WHT
DN-T8YEL	KN-T8YEL
DN-T6	KN-T6GRY
DN-T6B	KN-T6BLU
DN-T6BLK	KN-T6BLK
DN-T6BR	KN-T6BRN
DN-T6GRN	KN-T6GRN
DN-T6ORG	KN-T6ORG
DN-T6RED	KN-T6RED

DINnectors	KONNECT-IT
DN-T6W	KN-T6WHT
DN-T6YEL	KN-T6YEL
DN-T4	KN-T4GRY
DN-T4B	KN-T4BLU
DN-T1/0	KN-T1/0GRY
DN-T1/0B	KN-T1/0BLU
DN-D10-A	KN-D10GRY
DN-D10B	KN-D10BLU
DN-D10BLK	KN-D10BLK
DN-D10GRN	KN-D10GRN
DN-D10ORG	KN-D10ORG
DN-D10RED	KN-D10RED
DN-D10YEL	KN-D10YEL
DN-D10X-A	KN-D10X
DN-D10DR-A	KN-D10DR1
DN-D10LED1-A	KN-D10LED-24DC
DN-TL14-A	KN-TL14
DN-TL14S-A	KN-TL14S
DN-TL14SLN-A	KN-TL14SLN
DN-TL14SLP-A	KN-TL14SLP
DN-M10-A	KN-M10GRY
DN-M10B-A	KN-M10BLU
DN-G10	KN-G10
DN-G8	KN-G8
DN-G6	KN-G8
DN-G4	KN-G4
DN-G1/0	KN-G1/0
DN-MG10	KN-MG10
DN-F10	KN-F10
DN-F10L110	KN-F10L110AC or KN-F10L110DC
DN-F10L220	KN-F10L220AC or KN-F10L220DC
DN-F10L24	KN-F10L24AC or KN-F10L24DC
DN-DIS10	KN-F10-DCH
DN-KBD12	KN-KBD10

# KONNECT-IT® Cross Reference



## Entrelec®

The following is a list of comparable products. To obtain our high-quality KONNECT-IT terminal blocks, simply find the corresponding part number of the unit you currently use. These are approximate replacements based on UL wire size, ampacity and voltage. Please consult the technical section for specifications to determine suitability for your application. Physical size varies from manufacturer to manufacturer.

Entrelec	KONNECT-IT
115 486.03	KN-T12GRY
125 486.05	KN-T12BLU
115 116.07	KN-T10GRY
125 116.01	KN-T10BLU
115 118.11	KN-T8GRY
125 118.13	KN-T8BLU
115 120.17	KN-T6GRY
125 120.11	KN-T6BLU
115 129.14	KN-T4GRY
125 129.16	KN-T4BLU
115 124.07	KN-T2GRY
125 124.01	KN-T2BLU
115 216.13	KN-T2/0GRY
125 216.15	KN-T2/0BLU
115 490.13	KN-D12GRY
125 490.15	KN-D12BLU
115 271.22	KN-D10GRY
115.541.11	KN-TL14
115 542.12	KN-TL14S
115 643.27	KN-DG12
110 251.05	KN-M10GRY
120 251.07	KN-M10BLU
165 488.27	KN-G10
165 113.16	KN-G10
165 114.17	KN-G8
165 115.10	KN-G8
165 130.23	KN-G4
165 111.14	KN-G2
160 496.26	KN-MG10
115 657.25	KN-F10
115 604.21	KN-F10SP
115 986.00	KN-KBD10

# KONNECT-IT® Cross Reference



## Phoenix Contact®

The following is a list of comparable products. To obtain our high-quality KONNECT-IT terminal blocks, simply find the corresponding part number of the unit you currently use. These are approximate replacements based on UL wire size, ampacity and voltage. Please consult the technical section for specifications to determine suitability for your application. Physical size varies from manufacturer to manufacturer.

Phoenix Contact	KONNECT-IT
3003347	KN-T12GRY
3003350	KN-T12BLU
3004362	KN-T10GRY
3004388	KN-T10BLU
3004524	KN-T8GRY
3004977	KN-T8BLU
3005073	KN-T6GRY
3005086	KN-T6BLU
3006043	KN-T4GRY
3006056	KN-T4BLU
3074130	KN-T2GRY
3058350	KN-T2BLU
3213140	KN-T2/0GRY
3244601	KN-T2/0BLU
2771146	KN-D10GRY
3216053	KN-D10BLU
2715979	KN-TL14
2715966	KN-TL14S
0461018	KN-DG12
3011041	KN-TG12
2775375	KN-T12SP4
1413036	KN-M12GRY
1413078	KN-M12BLU
1402940	KN-M10GRY
1402982	KN-M10BLU
0441083	KN-G10
0441504	KN-G10
0442079	KN-G8
3003923	KN-G8
0443023	KN-G4
3074143	KN-G2
2775456	KN-G12SP4
1413117	KN-MG12
0452043	KN-MG10
3004100	KN-F10
3004126	KN-F10L24DC or KN-F10L24AC
3104013	KN-KBD10

# KONNECT-IT<sup>®</sup> Cross Reference



## Weidmuller<sup>®</sup>

The following is a list of comparable products. To obtain our high-quality KONNECT-IT terminal blocks, simply find the corresponding part number of the unit you currently use. These are approximate replacements based on UL wire size, ampacity and voltage. Please consult the technical section for specifications to determine suitability for your application. Physical size varies from manufacturer to manufacturer.

Weidmuller	KONNECT-IT
1020000000	KN-T12GRY
1020080000	KN-T12BLU
1020010000	KN-T12BLK
1037710000	KN-T12BRN
1020090000	KN-T12GRN
1020060000	KN-T12ORG
1020040000	KN-T12RED
1036800000	KN-T12WHT
1020020000	KN-T12YEL
1020100000	KN-T10GRY
1020180000	KN-T10BLU
1020110000	KN-T10BLK
1037810000	KN-T10BRN
1020160000	KN-T10GRN
1036760000	KN-T10ORG
1020140000	KN-T10RED
1036700000	KN-T10WHT
1020120000	KN-T10YEL
1020200000	KN-T8GRY
1020280000	KN-T8BLU
1020300000	KN-T6GRY
1020380000	KN-T6BLU
1020400000	KN-T4GRY
1020480000	KN-T4BLU
1020500000	KN-T2GRY

Weidmuller	KONNECT-IT
1020580000	KN-T2BLU
1021500000	KN-D12GRY
1021580000	KN-D12BLU
1041610000	KN-D12X
1041910000	KN-D10X
1784180000	KN-TL14
7917030000	KN-TG12
1031400000	KN-T12SP4
0697160000	KN-M12GRY
0697180000	KN-M12BLU
9537110000	KN-M10GRY
1038680000	KN-M10BLU
1010000000	KN-G10
1010100000	KN-G10
1010200000	KN-G8
1010300000	KN-G8
1010400000	KN-G4
1010500000	KN-G2
1016500000	KN-G12SP4
1303360000	KN-MG12
0380260000	KN-MG10
1011000000	KN-F10
1012300000	KN-F10L110AC
1012400000	KN-F10L220AC
1011300000	KN-F10L24DC
7910180000	KN-KBD10