

Diminazene / Phenazone Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.03.2020

 2.2
 10.10.2020
 4834920-00004
 Date of first issue: 10.09.2019

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Diminazene / Phenazone Formulation

Manufacturer or supplier's details

Company name of supplier : MSD

Address : 2000 Galloping Hill Road

Kenilworth - New Jersey - U.S.A. 07033

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin irritation : Category 2

Specific target organ toxicity

- single exposure (Oral)

Category 1 (Brain)

Specific target organ toxicity

- repeated exposure (Oral)

Category 1 (Brain)

GHS label elements

Hazard pictograms



Signal Word : Danger

Hazard Statements : H315 Causes skin irritation.

H370 Causes damage to organs (Brain) if swallowed.

H372 Causes damage to organs (Brain) through prolonged or

repeated exposure if swallowed.

Precautionary Statements : Prevention:

P260 Do not breathe mist or vapors.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water. P308 + P311 IF exposed or concerned: Call a POISON

CENTER/ doctor.

P332 + P313 If skin irritation occurs: Get medical advice/ atten-

on.

P362 + P364 Take off contaminated clothing and wash it before

reuse.



Diminazene / Phenazone Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.03.2020

 2.2
 10.10.2020
 4834920-00004
 Date of first issue: 10.09.2019

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	
Diminazene	536-71-0	>= 30 -< 50	
Phenazone	60-80-0	>= 5 -< 10	

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention.
Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do

so by medical personnel. Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms

S : Causes skin irritation.

and effects, both acute and

Causes damage to organs if swallowed.

delayed

Causes damage to organs through prolonged or repeated

exposure if swallowed.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray



Diminazene / Phenazone Formulation

Version **Revision Date:** SDS Number: Date of last issue: 23.03.2020 10.10.2020 4834920-00004 Date of first issue: 10.09.2019 2.2

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

Exposure to combustion products may be a hazard to health.

fighting Hazardous combustion prod-

ucts

Carbon oxides Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation Advice on safe handling Use only with adequate ventilation. Do not get on skin or clothing.

Do not breathe mist or vapors.



Diminazene / Phenazone Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.03.2020

 2.2
 10.10.2020
 4834920-00004
 Date of first issue: 10.09.2019

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents Organic peroxides

Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Diminazene	536-71-0	TWA	200 μg/m3 (OEB 2)	Internal

Engineering measures : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves



Diminazene / Phenazone Formulation

Version Revision Date: SDS Number: Date of last issue: 23.03.2020 2.2 10.10.2020 4834920-00004 Date of first issue: 10.09.2019

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : yellow-orange

Odor : No data available

Odor Threshold : No data available

pH : 5.0 - 7.0

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available



Diminazene / Phenazone Formulation

Version **Revision Date:** SDS Number: Date of last issue: 23.03.2020 10.10.2020 4834920-00004 Date of first issue: 10.09.2019 2.2

Viscosity

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle size Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Possibility of hazardous reac-Can react with strong oxidizing agents.

Conditions to avoid None known. Incompatible materials Oxidizing agents

Hazardous decomposition No hazardous decomposition products are known.

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute toxicity estimate: > 5,000 mg/kg Acute oral toxicity

Method: Calculation method

Components:

Diminazene:

Acute toxicity (other routes of:

LD50 (Rat): 663 mg/kg

Application Route: Subcutaneous administration)

> LD50 (Mouse): 258 mg/kg Application Route: Subcutaneous

LDLo (Dog): 20 mg/kg

Application Route: Intramuscular

Phenazone:

Acute oral toxicity LD50 (Cat): 1,250 mg/kg



Diminazene / Phenazone Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.03.2020

 2.2
 10.10.2020
 4834920-00004
 Date of first issue: 10.09.2019

Skin corrosion/irritation

Causes skin irritation.

Components:

Diminazene:

Species : Rabbit Result : Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:

Diminazene:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)

Test system: Salmonella typhimurium

Method: Mutagenicity (Salmonella typhimurium - reverse mu-

tation assay) Result: negative

Test Type: Micronucleus test

Test system: Mouse Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster cells

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Result: negative

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Phenazone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse



Diminazene / Phenazone Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 23.03.2020

 2.2
 10.10.2020
 4834920-00004
 Date of first issue: 10.09.2019

Application Route: Ingestion Method: OECD Test Guideline 474

Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Ingestion

Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

Diminazene:

Effects on fetal development : Test Type: reproductive and developmental toxicity study

Species: Rat

Application Route: Oral

General Toxicity Maternal: LOAEL: 800 mg/kg body weight Developmental Toxicity: LOAEL: 800 mg/kg body weight Symptoms: Skeletal malformations., Embryo-fetal toxicity.

Test Type: reproductive and developmental toxicity study

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL: 400 mg/kg body weight Developmental Toxicity: NOAEL: 400 mg/kg body weight

Reproductive toxicity - As-

sessment

Experiments have shown reproductive toxicity effects on

laboratory animals.

Phenazone:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

STOT-single exposure

Causes damage to organs (Brain) if swallowed.

Components:

Diminazene:

Routes of exposure : Oral Target Organs : Brain

Assessment : Shown to produce significant health effects in animals at con-

centrations of 1000 mg/kg bw or less.



Diminazene / Phenazone Formulation

Version Revision Date: SDS Number: Date of last issue: 23.03.2020 2.2 10.10.2020 4834920-00004 Date of first issue: 10.09.2019

STOT-repeated exposure

Causes damage to organs (Brain) through prolonged or repeated exposure if swallowed.

Components:

Diminazene:

Routes of exposure : Oral Target Organs : Brain

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Diminazene:

Species : Rat

NOAEL : 63 mg/kg

Application Route : Oral

Exposure time : 3 Months

Species : Rat
NOAEL : 300 mg/kg
Application Route : Oral
Exposure time : 9 Months

Species : Dog
LOAEL : 60 mg/kg
Application Route : Oral
Exposure time : 9 Months
Target Organs : Brain, Testis
Symptoms : Disorder

Phenazone:

Species : Dog
NOAEL : 63 mg/kg
Application Route : Ingestion
Exposure time : 6 Months

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Diminazene:

Ingestion : Target Organs: Stomach

Symptoms: Vomiting

Target Organs: Central nervous system

Symptoms: paralysis

Target Organs: Immune system

Symptoms: Fever



Diminazene / Phenazone Formulation

Version **Revision Date:** SDS Number: Date of last issue: 23.03.2020 10.10.2020 4834920-00004 Date of first issue: 10.09.2019 2.2

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Phenazone:

Toxicity to fish LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): >= 1,000 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Selenastrum capricornutum (green algae)): > 1,000

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Selenastrum capricornutum (green algae)): 10 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 100 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

EC50: 16,900 mg/l Toxicity to microorganisms

Exposure time: 48 h

Persistence and degradability

Components:

Phenazone:

Biodegradability Result: Not inherently biodegradable.

Biodegradation: 50 % Exposure time: 20 d

Bioaccumulative potential

Components:

Phenazone:

Partition coefficient: n-

octanol/water

log Pow: 0.38

Mobility in soil

No data available

Other adverse effects

No data available



Diminazene / Phenazone Formulation

Version Revision Date: SDS Number: Date of last issue: 23.03.2020 2.2 10.10.2020 4834920-00004 Date of first issue: 10.09.2019

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

Not applicable

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

NOM-002-SCT

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors,

essential chemical products and machinery for

producing capsules, tablets and pills.

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Full text of other abbreviations



Diminazene / Phenazone Formulation

Version Revision Date: SDS Number: Date of last issue: 23.03.2020 4834920-00004 Date of first issue: 10.09.2019 2.2 10.10.2020

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date 10.10.2020

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8