

## Bosch Garden Tools. 100% Quality, 100% Service.

### Tested and guaranteed

Extensive, continuous endurance-testing and production line sampling ensure that only the best quality products leave the Bosch factory. Our comprehensive 2 year warranty (or 3 years when you register through 'MyBosch'!) on all Bosch tools\* are proof of our confidence in our quality control procedures. More detailed information can be found in the warranty declaration at [www.bosch-garden.com](http://www.bosch-garden.com), or to read about our extended 3 year warranty visit [www.mybosch-tools.com](http://www.mybosch-tools.com).

\*Batteries and chargers come with a 1 year warranty and can not be extended.

### After Sales Service

Tel.: 0344 736 0109

E-Mail: [bosch.servicecentre@uk.bosch.com](mailto:bosch.servicecentre@uk.bosch.com)

### Find us on:



[bosch-garden.com](http://bosch-garden.com)

## BARCODE

Robert Bosch Ltd  
Broadwater Park  
North Orbital Road  
Denham  
Middlesex  
UB9 5HJ  
England

1619M00L8Y



**Bosch Garden  
Tools 2017**



# Home made by you.

## With Bosch garden tools





### Bosch technology delivers innovative solutions for the home and garden.

Bosch is a market leader in developing and manufacturing a comprehensive range of innovative and efficient powered garden products. Bosch tools and their accessories are of the highest quality and are designed with the user in mind, so whether mowing the lawn, cutting hedges or pressure washing the patio, Bosch garden tools make outdoor tasks both quicker and easier.

Bosch products are constantly improved and enhanced too, with innovations at the forefront of our thinking. These innovations, along with the fact that garden tools from Bosch are powerful, lightweight and easy to handle, mean that Bosch really is the perfect choice for all gardeners and retailers alike.



## Contents

	<b>Lawn Care</b>	
	Robotic lawnmowers	6-9
	Rotary lawnmowers	10-13
	Lawnraker and Verticutter	14-15
	Grass trimmers	16-19
	Range overview	20-23
	<b>Hedge Care</b>	
	Hedgecutters	26-29
	Grass and shrub shear	30-31
	Range overview	32-33
	<b>Tree Care</b>	
	Chainsaws	36-37
	Garden saw	38
	Shredders	39-40
	Range overview	41
	<b>Multi-tool</b>	
	Multi-tool	44-46
	Range overview	47
	<b>Outdoor Clearing</b>	
	Leaf blowers	50-51
	Garden vacuum	52
	Range overview	53
	<b>High-Pressure Washers</b>	
	EasyAquatak	56-57
	UniversalAquatak	58-59
	AdvancedAquatak	60-61
	Range overview	62-63
	Accessories for high-pressure washers	64-65
	<b>Accessories</b>	
	Accessories for all tools	68-73
	<b>Lithium-Ion Powered by Bosch</b>	
	Bosch syneon chip	76
	Bosch cordless systems	77
	The 12 Volt system	78-79
	The 18 Volt system	80-81
	The 36 Volt range	82-83
	<b>Additional Information</b>	
	Sound pressure levels and vibration values	84-85
	Leading technology from Bosch	86
	My Bosch	87
	Bosch service	91



## A beautiful lawn

And everything you need  
to maintain it.

The type of lawnmower you require depends on the size of your lawn and what you use it for. We've got all the tools to help you keep your lawn in tip-top condition.


# Lawn Care





# Indego 350 Indego 350 Connect Indego 400 Connect

The new Indego 350 offers an easy way to a luscious looking lawn. Due to its Logicut System it offers 2 times faster mowing than the nearest competitor.\* Small design – perfect fit for urban gardens.



\*Based on tests carried out using the EGMF performance standards for a 197m<sup>2</sup> lawn.

## Bosch auto calendar function

The new calendar function automatically calculates the ideal mowing cycle based on the actual lawn size. Manual calendar programming is no longer necessary.

Bosch Auto Calendar Function works in two ways:

### 1. Bosch Intelligent Calendar

After mapping the lawn, the mower will suggest to the user the Bosch Auto Calendar Function suited to the size of their lawn.

The user can then edit the number of full cuts per week and on which days.

### 2. Additional schedule / calendar

Alternatively the user can create their own calendar and the mower will inform them about the number of full cuts per week so they can easily adjust their calendar and still be fully flexible.



## Key product features



Quick Blade Stop



PIN Protection & Alarm



Automatic Charging



Bump Sensor



Ergonomic Height of Cut Button




Design Engineered Wheels






## Efficient in every way



\*Based on tests carried out using the EGMF performance standards for a 497 m<sup>2</sup> lawn.

### Mowing Time (average)

200m<sup>2</sup> in 2 hours  
 500m<sup>2</sup> in 6 hours  
 800m<sup>2</sup> in 9 hours  
 1000m<sup>2</sup> in 12 hours




## Efficiency comes in many shapes and sizes

So do the gardens.



**Simple Garden**  
 Simple and fast, the most efficient garden shape!




**Sloped Garden**  
 Some gardens come with an angle. Slopes of up to 35% are no problem for the Indego.



**Complex Garden**  
 The Indego is able to provide very complex gardens with the perfect cut.



**Irregular Garden**  
 Sprawling, irregular gardens are systematically and efficiently managed.



**Larger Garden**  
 Larger gardens up to 1,000 m<sup>2</sup> of lawn can be cut with ease too.

## Free Bosch gardening app

Download and experience in demo mode now.

The Bosch smart gardening app, available from the Google play store, Android and iOS App Store works with all Indego Connect robotic mowers.



**Control**  
 Start, pause and dock your Indego Connect wherever you are, whenever you want.



**Calendar**  
 Set up and edit your cutting schedules via your smart device



**Map**  
 See the layout of your lawn mapped by Indego



**Alerts**  
 Be informed should the Indego Connect require attention.




**FAQs**  
 Find solutions and suggestions for your questions including "How to" videos.



**Settings**  
 Edit user, mower and security settings as required

## Indego 350 Connect and Indego 400 Connect

With the Bosch Indego Connect 350 or 400 robotic lawnmowers you are able to manage your lawn with the touch of your fingertips. Just set the mower up on your lawn, install the free app and enjoy the time you save. The clever Indego app enables you to control your Indego from wherever you might be in the world, at the push of a button, so your lawn can always be in perfect condition.



Anytime



Anywhere

\*All app screens shown are for illustration purposes only and differ depending on Indego model and mobile device used.



**Connected technology**

GSM technology keeps you connected to your mower, wherever you are.



**Free connectivity**

No costs to pay for data received or sent by the mower. No contracts to sign.



**Remote software updates**

The latest Indego Connect software can be delivered to your machine remotely and automatically!



# Cordless power, superior finish

## Rotak 43 LI Ergoflex

If you find extension cords or petrol a hassle, our Rotak cordless mowers could be just the thing for you. They give you power, freedom and energy efficiency. Rotak's hardened precision blade enables cutting of all types of grass and extended grass combs mow close to the edge; thus making extra trimming a thing of the past. At the same time, the optimized airflow effectively collects up to 99% of all clippings to leave your lawn neat and tidy. With the "Powerdrive LI+" motor, a 36 V Lithium-Ion battery and integrated Syneon Chip, the cordless Rotak has a great deal of power for lawned areas as large as 600 m<sup>2</sup>.

**Central height-of-cut adjustment**  
For quick and easy change of cutting height

**Integrated handle & lightweight design**  
For easy transportation

**Cordless power**  
36 V / 4.0 Ah battery for long runtime (up to 600m<sup>2</sup>). No memory-effect, no self-discharge, always ready to use

**Powerdrive LI+ system**  
Ensures a reliable cut, even under difficult circumstances

**50 litre grassbox**  
For less time spent emptying

**Quick Click**  
For easy and fast assembly

**Rear roller**  
Creates perfect stripes

**Extended grass combs**  
Cut close to the edge of walls, flower beds and lawns

**Sharp steel blade**  
Rotary hardened steel blade with LeafCollect

**Rotak\* certified & recommended**  
Ergonomically designed and adjustable handles to improve body posture and reduce muscle strain while mowing

**AGR**  
Gesundheit für Heimer & Berufliche  
Forschen & Entwickeln  
Handwerk & Industrie  
Fürsten & Könige  
Besser Leben  
Bundesverband der deutschen Fleischermeister  
Verein Deutsche Obst- & Gemüseproduzenten  
Verein Deutsche Obst- & Gemüseproduzenten

**Part No. 0 600 8A4 572**  
**EAN code. 3165140.816724**

**Ideal up to 600 m<sup>2</sup>** **43 cm cutting width** **20-70 mm cutting height** **50 L grass box** **36 V / 4.0 Ah battery** **13.7 kg**

**36 V** **LI-ION+ Technology**



**Syneon Chip**  
The integrated Bosch Syneon Chip provides just the right amount of energy required for your project, delivering optimum power and maximum endurance.

**LeafCollect**  
The cutting blade equipped with the additional LeafCollect edges unique to Bosch allow you to collect autumn leaves from your lawn quickly and easily.

**Cutting edge precision**  
Hardened blade and grass combs combine to deliver clean, close-up cutting.

## Cordless Lawnmowers

### Rotak 32 LI Ergoflex

The perfect greenkeeper for urban lawns - utilising state of the art cordless technology

**Ideal up to 250 m<sup>2</sup>** **32 cm cutting width** **30-60 mm cutting height** **31 L grass box** **36 V / 2.0 Ah battery** **10.8 kg**

- 36 V / 2.0 Ah Lithium-Ion batteries
- 70 min charge time
- Rotary hardened and sharpened steel blade
- Grass combs
- 3 Cut settings
- Rear roller

Part No. 0 600 885 D73  
EAN code. 3165140.895880



### Rotak 37 LI Ergoflex

The perfect greenkeeper - utilising state of the art cordless technology

**Ideal up to 400 m<sup>2</sup>** **37 cm cutting width** **20-70 mm cutting height** **40 L grass box** **36 V / 2.0 Ah battery** **13.1 kg**

- 36 V / 2.0 Ah Lithium-Ion Batteries
- 70 min charge time
- Rotary hardened and sharpened steel blade
- Bosch Powerdrive LI+
- 6 Cut settings
- Rear roller

Part No. 0 600 8A4 473  
EAN code. 3165140.816687



\*Rotak Li 430/370/37/32 Ergoflex



# Grass cutting with a superior finish

## Rotak 43 Ergoflex

Strive for perfection in one go with the Rotak 43. The Powerdrive + system with its hardened precision blade enables cutting of all types of grass and extended grass combs mow close to the edge. At the same time the optimized airflow effectively collects up to 99% of all clippings to leave your lawn neat and tidy.



### “Ergoflex System”

Ergonomically designed and adjustable handles to improve body posture and reduce muscle strain while mowing

**Central height-of-cut adjustment**  
For quick and easy change of cutting height

**Integrated handle & lightweight design**  
For easy transportation

**Powerdrive+ system**  
For clean cut and up to 99% collection



**50 litre grassbox**  
For less time spent emptying

**Quick Click**  
For easy and fast assembly

**Extended grass combs**  
Cut close to the edge of walls, flower beds and lawns

**Sharp steel blade**  
For the perfect cut

**Rear roller**  
Creates perfect stripes

23 Nm torque   43 cm cutting width   20-70 mm cutting height   50 L grass box   1800 W motor power   12.7 kg

Part No. 0 600 8A4 374  
EAN code. 3165140.816656



**LeafCollect**  
The cutting blade equipped with the additional LeafCollect edges unique to Bosch allow you to collect autumn leaves from your lawn quickly and easily.



**“Ergoflex System”**  
Ergonomically designed and adjustable handles to improve body posture and reduce muscle strain while mowing.



**Cutting edge precision**  
Cut close to the edge of walls, flower beds and lawns.

## Corded Lawnmowers

### Rotak 32 R

The mower that cuts to the edge



13 Nm torque   32 cm cutting width   20-60 mm cutting height   31 L grass box   1200 W motor power   6.8 kg

- Bosch Powerdrive
- Grass combs
- Lightweight and compact
- 3 Cut settings
- Rear roller

Part No. 0 600 885 B70  
EAN code. 3165140.557450

### Rotak 34 R

The clever space saver



16 Nm torque   34 cm cutting width   20-70 mm cutting height   40 L grass box   1300 W motor power   11 kg

- “Ergoflex System”
- Bosch Powerdrive
- Rotary blade
- 5 Cut settings
- Rear roller

Part No. 0 600 8A6 172  
EAN code. 3165140.746472

### Rotak 37 Ergoflex

The ergonomic and compact mower



17 Nm torque   37 cm cutting width   20-70 mm cutting height   40 L grass box   1400 W motor power   12 kg

- “Ergoflex System”
- Bosch Powerdrive
- Rotary hardened and sharpened steel blade with LeafCollect
- Extended grass combs
- 6 Cut settings
- Rear roller

Part No. 0 600 8A4 173  
EAN code. 3165140.816618

### Rotak 40 Ergoflex

The perfect greenkeeper – utilising the state of the art PowerDrive+ system



22 Nm torque   40 cm cutting width   20-70 mm cutting height   50 L grass box   1700 W motor power   12.6 kg

- “Ergoflex System”
- Bosch Powerdrive +
- Rotary hardened and sharpened steel blade with LeafCollect
- Extended grass combs
- 6 Cut settings
- Rear roller

Part No. 0 600 8A4 274  
EAN code. 3165140.816632



\*Rotak Li 430/370/37/32 Ergoflex



# Deep cutting for moss removal and reseeding

## AVR 1100 Verticutter

Does your lawn look unhealthy and suffer from moss, weeds and thatch? Give your lawn a new lease of life with the AVR 1100 Verticutter. Saving you time and effort, the height adjustable boron steel blades effectively and efficiently remove both rooted and surface debris, resulting in a perfectly maintained lawn all year round.



1100 W motor power  
Rotating steel blades  
32 cm cutting width  
10/5mm working height  
50 L grass box  
10 kg

Part No. 0 600 88A 170  
EAN code. 3165140.512923



**Jet-Collect System**  
Innovative drum with boron steel blades and airflow inlets quickly and completely removes the layer of thatch consisting of plant debris, moss and weeds from the lawn.

**Efficient**  
The verticutter frees the turf from thatch, moss, weeds and dead grass. Scarifying the surface opens the soil to enable the exchange of water and gas, stimulating stronger healthy growth of the lawn.

**Powerdrive Motor**  
1100 W Powerdrive motor provides superior power and more torque for efficient moss removal

## Lawnraker

### ALR 900 Lawnraker

Efficient and intensive care for your lawn by removing moss and thatch with ease

900 W motor power  
Double steel tines  
32 cm cutting width  
5/10mm working height  
50 L grass box  
9.4 kg

- Compact storage
- Jet-Collect System
- Double carbon steel tines
- 4 height settings

Part No. 0 600 88A 070  
EAN code. 3165140.512916



## Hand Lawnmower

### AHM 38 G

Precise scissor-like cut

38 cm cutting width  
15-43 mm cutting height  
5 cylinder blades  
25 L grass box  
7.5 kg

- Easy-to-use bar for better ergonomics
- Cylinder cut system with 5 curved blades made from hardened steel
- "Click" locking mechanism for tool-free setting of the bottom blade
- Cutting height adjustment
- Rear roller

Part No. 0 600 886 103  
EAN: 3165140.578929





# No petrol. No cable. Full power.

## ART 30-36 LI

ART 30-36 LI is a well balanced and easy to use trimmer with a powerful 36 V Lithium-Ion battery which makes it a great solution for areas of tougher growth. Featuring an easy to operate two speed trigger switch, it delivers optimal power and control when cutting. An ergonomic and adjustable auxiliary handle ensure comfortable handling on overgrown areas.



30 cm cutting diameter
36 V / 2.6 Ah battery
4.2 kg


 Part No. 0 600 878 N70  
 EAN code: 3165140.721677



- Powerful**  
Powered by 36V/2.6 Ah Lithium-Ion battery, interchangeable with other Bosch 36V tools.
- Syneon Chip**  
The integrated Bosch Syneon Chip provides just the right amount of energy required for your project, delivering optimum power and maximum endurance.
- Ergonomic and well balanced**  
Soft-grip handling and low weight ensures ease of use.

## Cordless Grass Trimmers

### EasyGrassCut 12-230

Enjoy total freedom of movement without any cables to restrict your use

23 cm cutting diameter
12 V / 2.0 Ah battery
45 min charge time
1.9 kg

- 12 V / 2.0 Ah Lithium-Ion Battery
- Innovative Durablade cutting system

Part No. 0 600 8A8 172  
EAN code. 3165140.882309



### ART 23-18 LI

Innovative Durablade system delivers excellent cutting performance and lasts up to 12 times longer than its predecessor

23 cm cutting diameter
18 V / 2.5 Ah battery
60 min charge time
2.3 kg

- 18V / 2.5 Ah Lithium-Ion Battery
- Innovative Durablade cutting system
- Telescopic handle

Part No. 0 600 8A5 C72  
EAN code. 3165140.850414





# High performance cutting with hassle free automatic line feeding

## ART 30

The Bosch ART 30 grass trimmer comes with a 550 W motor which provides a quick, clean finish. The automatic line-feeding system minimises management of the line and with one click of a button you can quickly change from trimming to edging mode. The ergonomic handles make the tool easy to operate, whilst providing a well balanced distribution of weight.



550 W motor power  
30 cm cutting diameter  
1.6 mm x 6 m cutting line  
2.8 kg

Part No. 0 600 8A5 470  
EAN code. 3165140.689199



**Automatic twin line system**  
Hassle free system which minimises the need for the user to manage the line.

**Ergonomic**  
Fully adjustable handle, lightweight design and one click height adjustment ensures comfortable use in all positions.

**Convenient**  
With one click of the button you can go from trimming to edging whilst enjoying an effortless trimming experience with the soft grip handle.

## Corded Grass Trimmers

### ART 23 SL

Easy to operate, powerful trimmer



280 W motor power  
23 cm cutting diameter  
1.7 kg

- 1.6 mm x 4 m cutting line
- "Semi-Auto Feed" System that automatically releases the trimmer line when the tool is switched on

Part No. 0 600 8A5 070  
EAN code. 3165140.689038

### ART 24

High performance cutting with hassle free automatic line feeding



400 W motor power  
24 cm cutting diameter  
2.4 kg

- 1.6 mm x 6 m cutting line
- Automatic line feed system
- Height adjustable handle

Part No. 0 600 8A5 870  
EAN code. 3165140.837569

### ART 35

Ideal for cutting high and hard grass, meadows and wild corners of the garden



600 W motor power  
35 cm cutting diameter  
4.6 kg

- 1.6 mm x 8 m cutting line
- Reliable "Pro-Tap" spool which prevents the line getting tangled up when the spool is changed

Part No. 0 600 878 M70  
EAN code. 3165140.649599

### AFS 23-37

Suitable for any kind of trimming, from normal grass to stubborn growth and established weeds



950 W motor power  
23 cm blade cut diameter  
37 cm line cut diameter  
5.2 kg

- Combi-guard system for easy change of heads
- Combi-cutting system for easy change between line and blade

Part No. 0 600 8A9 070  
EAN code. 3165140.824347



# Robotic Lawnmowers



	Indego 350	Indego 350 Connect	Indego 400 Connect
Battery voltage/Capacity	18 V / 2.5 Ah	18 V / 2.5 Ah	18 V / 2.5 Ah
Charging function	Auto	Auto	Auto
Maximum area of operation	350 m <sup>2</sup>	350 m <sup>2</sup>	400 m <sup>2</sup>
Run time average	30 min	30 min	30 min
Charge time	45 min	45 min	45 min
Width-of-cut	19 cm	19 cm	19 cm
Cutting system	3 pivoting blades	3 pivoting blades	3 pivoting blades
Height-of-cut	30-50 mm	30-50 mm	30-50 mm
Height-of-cut settings	3	3	3
Weight	7.5 kg	7.5 kg	7.5 kg
Part No.	0 600 880 070	0 600 880 170	0 600 880 171
EAN code	3165140.828215	3165140.828277	3165140.828284
Accessories	Replacement blades (3 blades) Part No. F 16 800 321 Wire connectors (4 connectors) Part No. F 016 800 432 Perimeter wire Part No. F 016 800 373 Storage bag Part No. F 016 800 469 Screws + hex key Part No. F 016 800 468 Fixing pegs (20 pegs) Part No. F 016 800 485 Fixing pegs (100 pegs) Part No. F 016 800 484	Replacement blades (3 blades) Part No. F 16 800 321 Wire connectors (4 connectors) Part No. F 016 800 432 Perimeter wire Part No. F 016 800 373 Storage bag Part No. F 016 800 469 Screws + hex key Part No. F 016 800 468 Fixing pegs (20 pegs) Part No. F 016 800 485 Fixing pegs (100 pegs) Part No. F 016 800 484	Replacement blades (3 blades) Part No. F 16 800 321 Wire connectors (4 connectors) Part No. F 016 800 432 Perimeter wire Part No. F 016 800 373 Storage bag Part No. F 016 800 469 Screws + hex key Part No. F 016 800 468 Fixing pegs (20 pegs) Part No. F 016 800 485 Fixing pegs (100 pegs) Part No. F 016 800 484

# Lawnraker & Verticutter



	ALR 900	AVR 1100
Motor power	900 W	1100 W
Drum system	10 double carbon steel tines	14 rotating boron steel blades
"Jet-Collect System"	✓	✓
Working width	32 cm	32 cm
Working height	+10/+5 /0/-5 mm	+5/0/-5/-10 mm
Working height settings	4	4
Collection box capacity	50 L	50 L
Weight	9.4 kg	10 kg
Part no.	0 600 88A 070	0 600 88A 170
EAN code	3165140.512916	3165140.512923

# Hand Lawnmower



	AHM 38 G
Width of cut	30 cm
Cutting system	4 blade cylinder
Height-of-cut	12 - 40 mm
Height-of-cut settings	variable
Rear roller	✓
Weight	6.4 kg
Part no.	0 600 886 103
EAN code	3165140.578929

# Cordless Lawnmowers



	Rotak 32 LI Ergoflex	Rotak 37 LI Ergoflex	Rotak 43 LI Ergoflex
Battery voltage/Capacity	36 V / 2.0 Ah Lithium-Ion battery	36 V / 4.0 Ah Lithium-Ion battery	36 V / 4.0 Ah Lithium-Ion battery
Charge time	70 min	140 min	140 min
Bosch Powerdrive +	-	✓	✓
Syneon Chip	✓	✓	✓
"Efficient Energy Management"	✓	✓	✓
Recommended lawn area	Up to 250 m <sup>2</sup>	Up to 400 m <sup>2</sup>	Up to 600 m <sup>2</sup>
Width-of-cut	32 cm	37 cm	43 cm
Cutting system	Rotary hardened and sharpened steel blade	Rotary hardened and sharpened steel blade	Rotary hardened and sharpened steel blade with LeafCollect
Grass combs	✓	✓	✓
Extended grass combs	-	-	✓
LeafCollect	-	-	✓
Rear roller	✓	✓	✓
Grass box capacity	31 L	40 L	50 L
Height-of-cut	30-60 mm	20-70 mm	20-70 mm
Height-of-cut settings	3, central	6, central	6, central
Type of handle	"Ergoflex System"	"Ergoflex System"	"Ergoflex System"
Integrated carrying handle	✓	✓	✓
Charge level indicator	✓	✓	✓
Weight	10.8 kg	13.1 kg	13.7 kg
Part no. (1 x battery)	0 600 885 D73	0 600 8A4 473	0 600 8A4 572
EAN code(1 x battery)	3165140.895880	3165140.816687	3165140.816724
Part no. (2 x battery)	-	-	0 600 8A4 571
EAN code (2 x battery)	-	-	3165140.816717
Part no. (Baretool)	-	-	0 600 8A4 508
EAN code (Baretool)	-	-	3165140.770811
Accessories	Replacement 32cm blade Part No. F 016 800 332	Replacement 37cm blade Part No. F 016 800 277	Replacement 43cm blade with LeafCollect - Part No. F 016 800 369

# 36 V Batteries and Chargers

All 36 V batteries are compatible in all tools.



	36 V / 2.0 Ah Lithium-Ion Battery	36 V / 4.0 Ah Lithium-Ion Battery
Part no.	F 016 800 474	F 016 800 346

	36 V Charger AL 3640CV (1H)	36 V Charger AL 3620CV (3H)
Charging time*	2.0 Ah - 45 min 4.0 Ah - 95 min	2.0 Ah - 70 min 4.0 Ah - 140 min
Part no.	2 607 255 102	F 016 800 436

\* 80% charged in half the charging time



# Corded Lawnmowers



	Rotak 32 R	Rotak 34 R	Rotak 36 R	Rotak 37 Ergoflex	Rotak 40 Ergoflex	Rotak 43 Ergoflex
Motor power	1200 W	1300 W	1350 W	1400 W	1700 W	1800 W
Torque	13 Nm	16 Nm	20 Nm	21 Nm	22 Nm	23 Nm
Width-of-cut	32 cm	34 cm	37 cm	37 cm	40 cm	43 cm
Bosch Powerdrive +	-	-	-	-	✓	✓
Cutting system	Steel blade	Steel blade	Steel blade	Steel blade	Rotary hardened & sharpened steel blade with LeafCollect	Rotary hardened & sharpened steel blade with LeafCollect
Grass combs	✓	✓	✓	✓	✓	✓
Extended grass combs	-	-	-	-	-	-
LeafCollect	-	-	-	-	✓	✓
Rear roller	✓	✓	✓	✓	✓	✓
Grass box capacity	31 L	40 L	40 L	40 L	50 L	50 L
Height-of-cut	20-60 mm	20-70 mm	20-70 mm	20-70 mm	20-70 mm	20-70 mm
Height-of-cut settings	3 axle	5, central	6, central	6, central	6, central	6, central
Type of handle	Standard	"Ergoflex System"	"Ergoflex System"	"Ergoflex System"	"Ergoflex System"	"Ergoflex System"
Integrated carrying handle	✓	✓	✓	✓	✓	✓
Motor overload cut-out	✓	✓	✓	✓	✓	✓
Weight	6.8 kg	11 kg	12 kg	12 kg	12.6 kg	12.7 kg
Part no.	0 600 885 B70	0 600 8A6 172	0 600 8A6 273	0 600 8A4 173	0 600 8A4 274	0 600 8A4 374
EAN code	3165140.557450	3165140.746472	3165140.816595	3165140.816618	3165140.816632	3165140.816656
Accessories	Replacement 32cm blade Part No. F 016 800 340	Replacement 34cm blade Part No. F 016 800 377	Replacement 37cm blade Part No. F 016 800 378	Replacement 37cm blade Part No. F 016 800 272	Replacement 40cm blade with LeafCollect Part No. F 016 800 367	Replacement 43cm blade with LeafCollect Part No. F 016 800 368

# Cordless Grass Trimmers



	EasyGrassCut 12-230	ART 23-18 LI	ART 26-18 LI	ART 30-36 LI
Power source	Lithium-Ion	Lithium-Ion	Lithium-Ion	Lithium-Ion
Battery voltage/Capacity	12 V / 2.0 Ah	18 V / 2.5 Ah	18 V / 2.5 Ah	36 V / 2.0 Ah
Charge time	45 min	60 min	60 min	70 min
Cutting diameter	23 cm	23 cm	26 cm	30 cm
Syneon Chip	✓	✓	✓	✓
Telescopic handle	-	✓	✓	-
Height adjustment	-	✓	✓	-
Cutting system	Durablade	Durablade	Durablade	Automatic
90° rotating cutter head	-	✓	✓	✓
Plant protector	✓	✓	✓	✓
Weight	1.9 kg	2.3 kg	2.5 kg	4.2 kg
Part no.	0 600 8A8 172	0 600 8A5 C72	0 600 8A5 E72	0 600 8A8 172
EAN code	3165140.882309	3165140.850414	3165140.850452	3165140.882309
Accessories	Durablade (5 blades) Part No. F 016 800 371	Durablade (5 blades) Part No. F 016 800 371	Durablade (5 blades) Part No. F 016 800 372	Spool with line (6m) Part No. F 016 800 351 Replacement line (24m) Part No. F 016 800 462

# Corded Grass Trimmers



	ART 23 SL	ART 26 SL	ART 24	ART 27	ART 30	ART 35	AFS 23-37	
Motor power	280 W	280 W	400 W	450 W	550 W	600 W	950 W	
Cutting diameter	23 cm	26 cm	24 cm	27 cm	30 cm	35 cm	23 cm (Blade) 37 cm (Line)	
Telescopic handle	-	-	✓	✓	✓	-	-	
Height adjustment	-	-	80-115 cm	80-115 cm	80-115 cm	-	-	
Cutting system	Semi - Auto Single Line	Semi - Auto Single Line	Automatic	Automatic	Automatic	"Pro-tap" spool	Blade / Line	
Cutting line	1.6 mm x 4 m	1.6 mm x 4 m	1.6 mm x 6 m	1.6 mm x 6 m	1.6 mm x 6 m	1.6 mm x 8 m	3 x 3.5mm fixed lines 1 x 23cm blade	
90° rotating cutter head	-	-	✓	✓	✓	-	-	
Plant protector	-	-	✓	✓	✓	-	-	
Weight	1.7 kg	1.8 kg	2.6 kg	2.7 kg	2.8 kg	4.6 kg	5.2 kg	
Part no.	0 600 8A5 070	0 600 8A5 170	0 600 8A5 870	0 600 8A5 270	0 600 8A5 470	0 600 878 M70	0 600 8A9 070	
EAN code	3165140.689038	3165140.689076	3165140.837569	3165140.689106	3165140.689199	3165140.649599	3165140.824347	
Accessories	Spool with line (4m) Part No. F 016 800 385 Replacement line (24m) Part No. F 016 800 462	Spool with line (4m) Part No. F 016 800 385 Replacement line (24m) Part No. F 016 800 462	Spool with line (6m) Part No. F 016 800 351 Replacement line (24m) Part No. F 016 800 462	Spool with line (6m) Part No. F 016 800 351 Replacement line (24m) Part No. F 016 800 462	Spool with line (6m) Part No. F 016 800 351 Replacement line (24m) Part No. F 016 800 462	Spool with line (6m) Part No. F 016 800 351 Replacement line (24m) Part No. F 016 800 462	Spool with line (8m) Part No. F 016 800 345 Replacement line (24m) Part No. F 016 800 462	Replacement blade Part No. F 016 800 414 Replacement line Part No. F 016 800 431



## Perfectly shaped

The best tools for cutting.

Regular cutting is by far the most important way of looking after your shrubs and hedges, but it is essential that you choose the right tools to do it.



**BOSCH**

Invented for life

# Hedge Care



# Only one sweep to the perfect hedge

## AHS 55-20 LI

The AHS 55-20 LI hedgecutter provides cordless mobility with maximum power. The combination of 500 mm blade length, 20 mm tooth opening and the electronic "Anti-Blocking System" for continuous cutting ensures you've got the right garden tool to get the job done. Thanks to the intelligent Bosch Syneon Chip the battery delivers more runtime so that even complex projects are easy to handle. The innovative Quick-Cut Technology ensures that twigs and branches are cut first time round – enabling a quick and efficient hedge cutting.



55 cm blade length  
20 mm tooth opening  
18 V / 2.5 Ah battery  
45 min charge time  
200 m<sup>2</sup> per charge  
2.5 kg



Part No. 0 600 849 G70  
EAN code. 3165140.830416



**"Anti-Blocking System"**  
Puts an end to annoying jams and stalls so you can work without interruptions.

**Quick-Cut Technology.**  
Innovative Quick-Cut Technology ensures that hedgecutter blades stay open for longer, providing an extremely efficient cut - the perfect cut in one clean sweep.

**Cordless freedom**  
No more having to untangle the cable or risking cutting through it.

# Cordless Hedgecutters

## EasyHedgeCut 12-35

Lightweight hedgecutter for trimming small and young hedges.

35 cm blade length  
15 mm tooth opening  
12 V / 2.5 Ah battery  
65 min charge time  
110 m<sup>2</sup> per charge  
1.9 kg

- Anti-Blocking System.

Part No. 0 600 849 B72  
EAN code. 3165140.883955




## AHS 54-20 LI

Powerful hedgecutter for trimming larger hedges.

54 cm blade length  
20 mm tooth opening  
36 V / 1.3 Ah battery  
45 min charge time  
200 m<sup>2</sup> per charge  
3.5 kg

- Anti-Blocking System.
- Sawing function. Up to 25 mm cutting diameter
- Blade tip protector

Part No. 0 600 84A 170  
EAN code. 3165140.513913






# Lightweight and extremely powerful for the toughest jobs

## AHS 70-34

The AHS 70-34 is lightweight and extremely powerful. Nimble, yet effective, it lets you cut through thick branches easily and with minimal strain on your back and arms. It's up to 15% lighter than any of our previous models, and its multi-position handle and smaller dimensions allow you to work easily in different positions.



700 W motor power  
70 cm blade length  
34 mm tooth opening  
3.9 kg

Part No. 0 600 847 K70  
EAN code. 3165140.643672



**Optimum handling**  
Well-balanced design and low weight for less strain on your arms and back.

**Easy-to-use**  
See-through hand guard, softgrip handle and multiple switching positions ensure safer and more comfortable cutting.

**Maximum performance**  
700 W motor and a newly-designed blade with sawing function and 34 mm tooth opening.

## Corded Hedgecutters

### AHS 45-16

Ideal for trimming smaller hedges



420 W motor power  
45 cm blade length  
16 mm tooth opening  
2.6 kg

- Optimum balance and ergonomics
- High speed motor

Part No. 0 600 847 A70  
EAN code. 3165140.582636

### AHS 55-16

Ideal for trimming small to medium hedges



450 W motor power  
55 cm blade length  
16 mm tooth opening  
2.7 kg

- Optimum balance and ergonomics
- High speed motor

Part No. 0 600 847 C70  
EAN code. 3165140.582728

### AHS 55-26

Ideal for trimming medium hedges



600 W motor power  
55 cm blade length  
26 mm tooth opening  
3.6 kg

- Blade tip protector
- Sawing function

Part No. 0 600 847 G70  
EAN code. 3165140.643566

### AHS 60-26

Ideal for trimming larger hedges



600 W motor power  
60 cm blade length  
26 mm tooth opening  
3.7 kg

- Blade tip protector
- Sawing function

Part No. 0 600 847 H70  
EAN code. 3165140.643603

\*AHS 50-20 LI and AHS 70-34



# Compact yet powerful and versatile

## Isio grass and shrub shear

The multi-functional power unit can be used with a range of gardening attachments such as a grass shear, shrub shear, sprayer and a spreader and thanks to the innovative 'Multi-Click System' changing them could not be easier. The 3.6 V Lithium-Ion battery gives you up to 50 minutes run time on a single battery charge. The Isio can also be used with a telescopic handle – assisting you to cut lawn edges without having to bend down. The ergonomic design and its weight of only 0.55 kg makes the Isio even more versatile and convenient to use.



3.6 V / 1.5 Ah battery  
3.5 hr charge time  
8 mm tooth opening  
12 cm shrub blade (L)  
8 cm grass blade (W)  
0.55 kg



Set  
Part No. 0 600 833 172  
EAN code. 3165140.630757



### Compact and multi-functional

The Isio can be used with a range of attachments such as the shrub shear, grass shear, sprayer, spreader and the telescopic handle.

### 'Multi-Click System'

The innovative 'Multi-Click System' makes changing attachments easier than ever.

### Compact and lightweight

Only 0.55 kg and highly maneuverable, Isio helps you tidy your lawn to perfection with minimal effort.

## Grass & Shrub Shears

### Isio attachments

One tool, different tasks



Shrub shear blade 12 cm    Grass shear blade 8 cm    Telescopic handle with wheels    Sprayer 1 L    Spreader 1.5 L


### ASB 10.8 LI set

Our strongest ever grass and shrub shear for ultimate performance. Shaping, cutting and trimming. The 3-in-1 grass and shrub shear set

10.8 V / 1.5 Ah battery    3.5 hr charge time    8 mm tooth opening    12/20 cm shrub blade (L)    10 cm grass blade (W)    0.90 kg

- "Anti-Blocking System"
- Battery status indicator
- SDS system

Part No. 0 600 856 371  
EAN code. 3165140.560306







## Cordless Hedgecutters



	EasyHedgeCut 12-35	EasyHedgeCut 12-450	AHS 50-20 LI	AHS 55-20 LI	AHS 54-20 LI
Power source	Lithium - Ion	Lithium - Ion	Lithium - Ion	Lithium - Ion	Lithium - Ion
Battery voltage/Capacity	12 V / 2.5 Ah	12 V / 2.5 Ah	18 V / 2.5 Ah	18 V / 2.5 Ah	36 V / 1.3 Ah
Charge time	65 min	65 min	60 min	60 min	45 min
"Anti-Blocking System"	✓	✓	✓	✓	✓
Syneon Chip	✓	✓	✓	✓	✓
Max. sqm per battery charge	110 sqm	110 sqm	200 sqm	200 sqm	200 sqm
Quick-Cut Technology	-	-	✓	✓	✓
Tip protector	-	-	✓	✓	✓
Sawing function	-	-	✓	✓	✓
Tooth opening	15 mm	15 mm	20 mm	20 mm	20 mm
Blade length	35 cm	45 cm	50 cm	55 cm	54 cm
No-load stroke rate	2400 spm	2400 spm	2600 spm	2600 spm	2000 spm
Weight	1.9 kg	2 kg	2.5 kg	2.6 kg	3.5 kg
Part no.	0 600 849 B72	0 600 849 A73	0 600 849 F70	0 600 849 G70	0 600 84A 170
EAN code	3165140.883955	3165140.895514	3165140.830317	3165140.830416	3165140.513913

## Cordless Grass & Shrub Shears



	Isio shrub and grass shear set	ASB 10.8 LI	ASB 10.8 LI set
Power source	Lithium-Ion	Lithium-Ion	Lithium-Ion
Battery voltage/Capacity	3.6 V / 1.5 Ah	10.8 V / 1.5 Ah	10.8 V / 1.5 Ah
Charge time	3.5 h	3.5 h	3.5 h
"Anti-Blocking System"	✓	✓	✓
Tooth opening	8 mm	8 mm	8 mm
Shrub blade length	12 cm	20 cm	20 cm/12 cm
Grass blade width	8 cm	-	10 cm
Battery status indicator	✓	✓	✓
Weight	0.55 kg	0.90 kg	0.90 kg
Carrying case	Soft bag	Plastic carrying case	Plastic carrying case
Part no.	0 600 833 172	0 600 856 370	0 600 856 371
EAN code	3165140.630757	3165140.560290	3165140.560306

## Corded Hedgecutters



	AHS 45-16	AHS 50-16	AHS 55-16	AHS 60-16	AHS 50-26	AHS 55-26	AHS 60-26	AHS 65-34	AHS 70-34
Motor power	420 W	450 W	450 W	450 W	600 W	600 W	600 W	700 W	700 W
Tooth opening	16 mm	16 mm	16 mm	16 mm	26 mm	26 mm	26 mm	34 mm	34 mm
Blade length	45 cm	50 cm	55 cm	60 cm	50 cm	55 cm	60 cm	65 cm	70 cm
Slipping clutch torque	-	-	-	-	50 Nm	50 Nm	50 Nm	50 Nm	50 Nm
No-load stroke rate	3400 spm	3400 spm	3400 spm	3400 spm	3400 spm	3400 spm	3400 spm	3400 spm	3400 spm
Blade tip protector	-	-	-	-	✓	✓	✓	✓	✓
Sawing function	-	-	-	-	✓	✓	✓	✓	✓
Weight	2.6 kg	2.7 kg	2.7 kg	2.8 kg	3.6 kg	3.6 kg	3.7 kg	3.8 kg	3.9 kg
Part no.	0 600 847 A70	0 600 847 B70	0 600 847 C70	0 600 847 D70	0 600 847 F70	0 600 847 G70	0 600 847 H70	0 600 847 J70	0 600 847 K70
EAN code	3165140.582636	3165140.582681	3165140.582728	3165140.582766	3165140.643528	3165140.643566	3165140.643603	3165140.643641	3165140.643672

## Isio Attachments



	Shrub shear blade 12 cm	Grass shear blade 8 cm	Sprayer 1 L	Spreader 1.5 L	Telescopic handle with wheels
Part no.	F 016 800 327	F 016 800 326	F 016 800 330	F 016 800 331	F 016 800 329
Ean code	3165140.697187	3165140.697170	3165140.697217	3165140.697224	3165140.697200



## Neat and tidy

With Bosch garden tools  
for tree care.

For you to be able to enjoy a tidy garden,  
having the right saws and shredders is  
essential.



# Tree Care





# No Petrol. No Cable. Full Power.

## AKE 30 LI

Choosing the AKE 30 LI gives you one of the most efficient, powerful and easy-to-use cordless chainsaws on the market. There are no cables, no extension leads and none of the hassle of petrol start up. The AKE 30 LI is always ready to use and can handle any cutting task around your garden.



### Ergonomic handles

Softgrip and ergonomic shape for increased manoeuvrability

### Oil level indicator and automatic oiling

To avoid running the chainsaw dry

### Dual brake system

Rapid rundown brake for normal operation plus electronic kick back brake with audible warning for increased safety

### 36 V / 2.6 Ah High Power Lithium-Ion battery

Provides high performance for all garden tasks. No memory-effect, no self-discharge, always ready to use



Environmental label "Blauer Engel" awarded for low noise and low emission garden tools. RAL-UZ 129.

### Tool-less SDS system

For a quick and easy set-up and maintenance

### Compact design

With 30 cm bar length

36 V / 2.6 Ah battery	90 min charge time	30 cm blade length	8 m/sec chain speed	135 ml oil tank	5.2 kg
-----------------------	--------------------	--------------------	---------------------	-----------------	--------



Part No. 0 600 837 170  
EAN code. 3165140.559393



### Quick start

No untangling cables, no petrol start up hassle – always ready to use.



### Cordless freedom

Cordless Lithium-Ion power delivers over 100 cuts in 10 x 10 cm pine wood with one battery charge due to the integrated Bosch Syneon Chip.



### Powerful

Efficient high performance electric motor that copes with any task around your garden.

## Corded Chainsaws

### AKE 35 S

Perfect for light garden tasks



1800 W motor power	35 cm blade length	9 m/sec chain speed	1.1 mm drive link	4.0 kg
--------------------	--------------------	---------------------	-------------------	--------

- SDS system
- Automatic lubrication
- Quick Stop

Part No. 0 600 834 570  
EAN code. 3165140.465410

### AKE 35-19 S

Perfect for all garden tasks



1900 W motor power	35 cm blade length	12 m/sec chain speed	1.1 mm drive link	4.4 kg
--------------------	--------------------	----------------------	-------------------	--------

- SDS system
- Automatic lubrication
- Quick Stop

Part No. 0 600 836 E42  
EAN code. 3165140.467292

### AKE 40

Perfect for all types of wood



1800 W motor power	40 cm blade length	9 m/sec chain speed	1.1 mm drive link	4.1 kg
--------------------	--------------------	---------------------	-------------------	--------

- Automatic lubrication
- Quick Stop

Part No. 0 600 834 075  
EAN code. 3165140.473880

### AKE 40-19 S

Perfect for tough wood



1900 W motor power	40 cm blade length	13 m/sec chain speed	1.1 mm drive link	4.7 kg
--------------------	--------------------	----------------------	-------------------	--------

- SDS system
- Automatic lubrication
- Quick Stop

Part No. 0 600 836 F42  
EAN code. 3165140.467315



# Cuts effort as well as branches

## Keo cordless garden saw

The Keo garden saw offers effortless cutting for your garden tasks. The unique 'A-Grip' feature ensures that unsupported branches are held in place whilst the Swiss precision blade effortlessly cuts through at the push of a trigger, making pruning a single-handed and hassle-free task.



**Battery Status indicator**  
Practical 4-phase LED display showing battery status

**Ergonomic handle**  
Softgrip and ergonomic shape for increased manoeuvrability

**SDS blade replacement system**  
For an easy to change blade to use on a variety of garden materials

**10.8 V Lithium-Ion integrated battery**  
For a powerful performance. No memory-effect, no self-discharge, always ready to use

**Quick stop and hand guard**  
For increased safety

**Lightweight**  
Only 1.1 kg

**Swiss precision blade**  
For a clean cut of up to 80 mm\* diameter

**Detachable 'A-Grip'**  
For improved performance in unsupported branches

**Keo**  
Part No. 0 600 861 970  
EAN code. 3165140.602938

**Keo set**  
Part No. 0 600 861 971  
EAN code. 3165140.649216

**10.8 V / 1.5 Ah battery**   **3.5 hr charge time**   **80 mm cutting capacity**   **1.1 kg**

\* 60 mm with a "A-Grip" and 80 mm without

# Versatile, multi-purpose shredder

## AXT 25 TC

The Bosch AXT 25 TC quiet shredder uses a 'Turbine-Cut System' which provides extremely fast material throughput, easily shredding branches and shrubs of up to 45 mm thickness. You also get your work finished more quickly due to the automatic, fast feed hopper. This section is also removable, allowing for compact and practical storage.



**Automatic feed and low noise levels**  
For extremely convenient shredding

**Removable hopper**  
For easy and compact storage

**Cutting capacity of up to 45 mm**  
For powerful shredding

**'Turbine-Cut System'**  
Innovative cutting system with motor power of 2500 W

**Practical collection box**  
53 L capacity for easier collection of the shredded material

**Collection box safety function**  
The tool only works when the collection box is in position

**DER BLAUE ENGEL**  
Environmental label "Blauer Engel" awarded for low noise and low emission garden tools. RAL-UZ 129.

**2500 W motor power**   **45 mm cutting capacity**   **230 kg/h material throughput**   **41 rpm cutting speed**   **53 L collection box**   **30.5 kg**

Part No. 0 600 803 370  
EAN code. 3165140.465373



**Versatile**  
Five blades available as accessories for multiple DIY uses around the home and garden



**Effortless cutting**  
Versatile help around house and garden. Cuts branches up to 80 mm with the push of a trigger. Delivers up to 30 cuts of 60 mm diameter or up to 190 cuts of 15 mm diameter per battery charge.



**Hassle free**  
Detachable 'A-Grip' that holds the unsupported branches while cutting – no second hand required.



**Top performance**  
Up to 230 kg/h material throughput and up to 45 mm branch diameter cutting capacity.



**'Turbine-Cut System'**  
The 'Turbine-Cut System' guarantees extremely fast material throughput from greenery to hard wood whilst avoiding blockages.



**Convenient**  
Removable hopper is stored in the large collection box – only 67 cm in height when stored, ideal for compact storage.



# Shredders

## AXT 25 D

Ideal for wood, hedges and thorny shrubs

2500 W motor power	40 mm cutting capacity	175 kg/h material throughput	41 rpm cutting speed	53 L collection box	31.3 kg
--------------------	------------------------	------------------------------	----------------------	---------------------	---------

- "Bosch Powerdrive" motor with 650 Nm torque
- Automatic feed
- Collection box safety function
- Fast feed hopper

Part No. 0 600 803 170

EAN code. 3165140.465335



Environmental label "Blauer Engel" awarded for low noise and low emission garden tools. RALUZ 129.



## AXT Rapid 2200

Ideal for green, soft material

2200 W motor power	40 mm cutting capacity	90 kg/h material throughput	3.650 rpm cutting speed	12 kg
--------------------	------------------------	-----------------------------	-------------------------	-------

- "Bosch Powerdrive" motor with 14 Nm torque
- Swiss made laser-cut precision blades
- Fast feed hopper

Part No. 0 600 853 670

EAN code. 3165140.430579



# Cordless Garden Saw



	Keo	Keo set
Power source	Lithium-Ion	Lithium-Ion
Battery voltage/Capacity	10.8 V / 1.5 Ah	10.8 V / 1.5 Ah
Charge time	3.5 h	3.5 h
Cutting diameter	60 mm / 80 mm*	60 mm / 80 mm*
Cuts per battery charge (up to 15 mm)	190	190
Cuts per battery charge (up to 60 mm)	30	30
Cutting system	Reciprocating saw	Reciprocating saw
Weight without "A-Grip"	0.95 kg	0.95 kg
Weight with "A-Grip"	1.1 kg	1.1 kg
Blade replacement system compatible with other saws	✓	✓
Additional blades for fresh wood, metal and plaster	-	✓
Carry case	-	✓
Part no.	0 600 861 970	0 600 861 971
EAN code	3165140.602938	3165140.649216
Accessories	Replacement blades (3) Part No. F 016 800 303 Blade set (5 blades) Part No. F 016 800 307	Replacement blades (3) Part No. F 016 800 303 Blade set (5 blades) Part No. F 016 800 307

\* 60 mm with a "A-Grip" and 80 mm without

# Cordless Chainsaw



	AKE 30 LI
Power source	Lithium-Ion
Battery voltage/Capacity	36 V/2.6 Ah
Charge time	65 min (80%) 90 min (100%)
Oil tank	135 ml
Chain speed	8 m/s
Syneon Chip	✓
Quick chain tensioning	✓
Automatic oiling	✓
Weight (including chain, bar and battery)	5.2 kg
Part no.	0 600 837 170
EAN code	3165140.559393
Accessories	Saw chain 1.1mm/30cm Part No. F 016 800 256

# Corded Chainsaws



	AKE 40	AKE 35 S	AKE 35-19 S	AKE 40-19 S
Motor power	1800 W	1800 W	1900 W	1900 W
Bar length	40 cm	35 cm	35 cm	40 cm
Chain speed	9 m/s	9 m/s	12 m/s	13 m/s
Drive link thickness	1.1 mm	1.1 mm	1.1 mm	1.1 mm
Quick chain tensioning	✓	✓	✓	✓
Weight (inc. chain and bar)	4.1 kg	4.0 kg	4.4 kg	4.7 kg
Part no.	0 600 834 075	0 600 834 570	0 600 836 E42	0 600 836 F42
Weight without "A-Grip"	3165140.473880	3165140.465410	3165140.467292	3165140.467315
Accessories		Saw chain 1.1mm/35cm Part No. F 016 800 257	Saw chain 1.1mm/35cm Part No. F 016 800 257	Saw chain 1.1mm/40cm Part No. F 016 800 258

# Shredders



	AXT Rapid 2200	AXT 25 D	AXT 25 TC
Cutting system	Cutting blade	Drum Cutter	Turbine-Cut
Motor power*	2200 W	2500 W	2500 W
Cutting capacity	40 mm diameter	40 mm diameter	45 mm diameter
Material throughput rate	90 kg/h	175 kg/h	230 kg/h
Cutting speed	3.650 rpm	41 rpm	41 rpm
Torque	14 Nm	650 Nm	650 Nm
Automatic feed	✓	✓	✓
Collection box	-	53 L	53 L
Weight	12 kg	31.3 kg	30.5 kg
Part no.	0 600 853 670	0 600 803 170	0 600 803 370
EAN code	3165140.430579	3165140.465335	3165140.465373
Accessories	Replacement blade Part No. F 016 800 276		



## AMW Multi-tool

Less is more: The all purpose tool for the all purpose lifestyle.

The AMW Multi-tool system is your all-in-one device for a broad range of garden tasks. With a motorised unit and diverse attachments, it is ideal for hedgecutting, pruning, trimming and clearing - saving you the the hassle of having multiple tools.

 **BOSCH**  
Invented for life

# Multi-tool





# The all purpose tool for the all purpose lifestyle

## AMW Multi-tool

### Power Unit AMW 10

Every feature and design element of the Multi-tool system is constructed to deliver outstanding performance, user comfort and convenience.




**Quick attachment change**  
No tools are needed to switch between applications.

**Powerful**  
1000 W motor delivers outstanding cutting performance.


**Versatile**  
Tackle hedge cutting, pruning, trimming clearing and heavy-duty trimming for overgrown areas.

## Multi-tool Attachments


### AMW HS Hedgecutter



### AMW SG Pole Pruner



### AMW LB Leaf Blower





# Multi-tool Attachments


## AMW RT Trimmer



- 74.5 cm total length
- 36 cm cutting diameter
- 3.5 mm cutting stick
- 1.3 kg

Part No. 0 600 8A3 C00  
EAN code. 3165140.669870

## AMW TS Extension Pole



- 70 cm total length
- 0.60 kg

Part No. 0 600 8A3 D00  
EAN code. 3165140.711678

## AMW FS Brushcutter



- 75 cm total length
- 8000 rpm air volume
- 23 cm blade diameter
- 1.6 kg

Part No. 0 600 8A3 E00  
EAN code. 3165140.766180

# AMW Multi-tool



	AMW 10 Power Unit
Motor power	1000 W
Weight	4.2 kg
Total length	102 cm
Part no.	0 600 8A3 070
EAN code	3165140.649438

# AMW Multi-tool Combo Pack



	AMW 10 HS	AMW 10 SG
Weight	6.5 kg	5.8 kg
Total length	232 cm	213 cm
Power unit	✓	✓
Hedgecutter attachment	✓	-
Pole pruner attachment	-	✓
Part no.	0 600 8A3 170	0 600 8A3 270
EAN code	3165140.669887	3165140.669924

# AMW Multi-tool Attachments



	AMW HS Hedgecutter	AMW SG Pole Pruner	AMW RT Trimmer
No-load stroke rate	1800 spm		
Blade length	43 cm	Cutting length 26 cm	Cutting diameter 36 cm
Tooth opening	15 mm	Drive link thickness 1.3 mm	Cutting stick diameter 3.5 mm
Weight	2.3 kg	Chain speed 12 m/s	Weight 1.3 kg
Total length	134 cm	Chain Chrome	Total length 74.5 cm
Part no.	0 600 8A3 A00	Weight 1.6 kg	Part no. 0 600 8A3 C00
EAN code	3165140.649537	Total length 112 cm	EAN code 3165140.669870
		Part no. 0 600 8A3 B00	Accessories Cutting sticks (9 sticks) Part No. F 016 800 323
		EAN code 3165140.649544	
		Accessories Saw chain 1.3mm/26cm Part No. F 016 800 324	



	AMW TS Extension Pole	AMW LB Leaf Blower	AMW FS Brushcutter
Pole diameter	25.4 mm	Air speed 220 km/h	No-loads speed 8,000 rpm
Weight	0.60 kg	Air volume 320 m3/h	Blade type Three prong
Total length	70 cm	Weight 1.3 kg	Blade diameter 23 cm
Part no.	0 600 8A3 D00	Total length 60 cm	Weight 1.6 kg
EAN code	3165140.711678	Part no. 0 600 8A3 F00	Total length 75 cm
		EAN code 3165140.766197	Part no. 0 600 8A3 E00
			EAN code 3165140.766180
			Accessories Replacement blade Part No. F 016 800 414





**BOSCH**  
Invented for life

## Tidying made easy

Keeping your garden neat and tidy.

If you like everything in the garden to be kept clean and tidy, then there is nothing better than Bosch outdoor clearing tools. Bosch is proud to offer three high performance products in its outdoor clearing range: two leaf blowers and a garden vacuum. These tools are ideal for removing leaves and waste from your garden.

# Outdoor Clearing





# Tidy up wherever you want

## ALB 36 LI

Packed with 250 km/h of blowing power and an innovative speed control system, our ALB 36 LI garden blower is the ultimate garden clearing tool. Thanks to its ergonomic design and improved battery life, this 36 V cordless tool delivers the mobility and power you need to get the job done.



36 V / 2.6 Ah battery

95 min charge time

250 km/h blowing speed

2.8 kg



Part No. 0 600 8A0 470  
EAN code. 3165140.721745



**Effortless operation**  
The intuitive ergonomic and lightweight design enable comfortable working around the garden.

**Syneon Chip**  
The integrated Bosch Syneon Chip provides just the right amount of energy required for your project, delivering optimum power and maximum endurance.

**Optimal speed control**  
for efficient blowing and different debris gathering applications.

# Cordless freedom for enjoyable gardening

## ALB 18 LI

Cordless ALB 18 LI leaf blower gives you the freedom to clear and sweep leaves anywhere in the garden. And as the battery has no memory effect and doesn't self-discharge, it delivers long-lasting power and maximum runtime for totally efficient outdoor cleaning.



18 V / 2.5 Ah battery

90 min charge time

210 km/h blowing speed

1.8 kg



Part No. 0 600 8A0 571  
EAN code. 3165140.843249



**Easy storage**  
Detachable blower tube - ideal for compact storage

**Lightweight**  
Weight of only 1.8 kg for effortless cleaning with less strain on your arms while working.

**Powerful**  
Air speed of 210 km/h for easy removal of leaves on patios and garden areas.



# The only problem you'll have is running out of leaves

## ALS 2500

Our corded garden vacuum sucks up the most stubborn garden waste, allowing the shredder function to condense the amount of waste deposited for ideal compost material. This becomes the most effortless way to collect garden leaves.



**Lightweight**  
3.2 kg (blow) and 4.4 kg (vac) for effortless way to collect garden leaves

**Adjustable handle and padded shoulder strap**  
For comfortable use without pain in shoulders or arms

**Longer working time**  
Shredding ratio 10:1 – more compact leaves for better composting

**Easy to use 45 L collection bag**  
Second handle and zipper for easy emptying of the bag

**Blowing speed**  
Maximum blowing speed of 300 km/h for removing sticky, wet leaves

**Powerful performance**  
2500 W motor power and up to 800 m³/h volume flow rate

2500 W motor power	300 km/h blowing speed	45 L collection bag	3.2 kg leaf blower	4.4 kg garden vac
--------------------	------------------------	---------------------	--------------------	-------------------

Part No. 0 600 8A1 071  
EAN code. 3165140.732581



**Effortless control**  
Ergonomic handles, designed specifically for improved balance and comfort.

**Easy to use**  
45 L collection bag with second handle and zipper for easy emptying of the bag

**Longer working**  
10:1 shredding meaning fewer trips to the compost heap.

## Cordless Leaf Blowers & Garden Vacuum



	ALS 2500
Motor Power	2500 W
Blowing speed	180 - 300 km/h
Max. volume flow rate	800 m³/h
Shredding ratio	10:1
Bag capacity	45 l
Weight (blower mode)	3.2 kg
Weight (vacuum mode)	4.4 kg
Part No.	0 600 8A1 071
EAN code.	3165140.732581



	ALB 18 LI	ALB 36 LI
Power source	Lithium-Ion	Lithium-Ion
Battery voltage/Capacity	18 V / 2.5 Ah	36 V / 2.6 Ah
Charge time	60 min (80%)   90 min (100%)	65min (80%) / 95 min (100%)
Max. blowing speed	210 km/h	250 km/h
Syneon Chip	✓	✓
Weight	1.8 kg	2.8 kg
Part No.	0 600 8A0 571	0 600 8A0 470
EAN code.	3165140.843249	3165140.721745



## Effortless cleaning

Quick to connect, just add you.

The High-Pressure Washer range from Bosch provides the effortless solution for all of your outdoor cleaning needs. Ranging from models for smaller tasks to more powerful products for regular and high performance cleaning. All ready to use straight out of the box.



**BOSCH**  
Invented for life

# High-Pressure Washers





# Compact high-pressure washers for effortless cleaning performance



## Convenient

Compact and lightweight design makes it easy to move around and store at home.

## Easy to set up and use

Ready to use straight out of the box.



## Powerful

Choose from powerful 1300 W or 1500 W motor and ensure outstanding results every time.



## Faster and easier

Application of soap with the high-pressure foam nozzle.



# EasyAquatak

The **EasyAquatak** range with a new high-efficiency pump is the ideal solution for occasional outdoor cleaning tasks. The AQT 33-11 and the **EasyAquatak 120** come with a high-pressure foam nozzle, a fixed fan jet nozzle, a high-pressure hose, a clear water filter and a gun including lance. The **EasyAquatak 120** also comes with a useful roto nozzle for tougher cleaning tasks.

## EasyAquatak 120

1500 W motor power  
120 bar max. pressure  
350 l/h max. flow rate

Part No. 0 600 8A7 940  
EAN code. 3165140.882682



## AQT 33-11

1300 W motor power  
110 bar max. pressure  
330 l/h max. flow rate

Part number: 0 600 8A7 670  
EAN code: 3165140.805452





# Faster, quieter and easier for a range of outdoor cleaning Tasks



## Fast and flexible cleaning

The new improved 3-in-1 nozzle with a fan jet, roto nozzle, and now a powerful pencil jet enables flexible cleaning with a single and easy to adjust nozzle.

## Quality sound and reduced noise level

The revised 3-cylinder metal pump runs stronger at a lower motor speed, which also reduces unwelcome noise.



## For a range of cleaning tasks

All around your home.

## Quick set-up, easy to handle and store

Storing on a shelf is no longer a problem with the all new lifting handle and the larger wheels improve mobility when on the ground.



# UniversalAquatak

The **UniversalAquatak** range includes three compact models equipped with a new 3-in-1 nozzle for fast and flexible cleaning. They are now even easier to set up and manoeuvre and quieter to operate.



## UniversalAquatak 125

1500 W motor power	125 bar max. pressure	360 l/h max. flow rate
--------------------------	-----------------------------	------------------------------

Part No. 0 600 8A7 A70  
EAN code. 3165140.883641

## UniversalAquatak 130

1700 W motor power	130 bar max. pressure	380 l/h max. flow rate
--------------------------	-----------------------------	------------------------------

Part No. 0 600 8A7 B70  
EAN code. 3165140.883733

## UniversalAquatak 135

1900 W motor power	135 bar max. pressure	410 l/h max. flow rate
--------------------------	-----------------------------	------------------------------

Part No. 0 600 8A7 C70  
EAN code. 3165140.883825



# Powerful cleaning performance through quad pump technology



**Amazing cleaning power**  
At the heart of the new **AdvancedAquatak 150 and 160** models is a new and unique, four cylinder, Quad pump.

**Making tougher jobs easy to tackle**  
The extra cylinder gives the Quad pump outstanding cleaning power.



**Easy to move and store**  
The extending handle and large diameter wheels give great mobility around the home whilst the lower handle is useful for lifting when storing or transporting in a car.



**Built to last**  
The new Quad pump is also more durable. The accessories all feature high quality brass nozzles, again for durability and reliability. The **AdvancedAquatak 160** also features a high value steel armed hose for even greater puncture resistance.



# AdvancedAquatak

Featuring a powerful, new Quad pump, the **AdvancedAquatak 150 and 160** are designed for high performance cleaning around the home. Both are fully equipped with cleaning accessories designed for a wide range of tougher tasks including larger vehicles and dirty stonework. With storage for all accessories, both models are also compact and extremely practical with larger wheels and an extending handle for easy transportation and storage.

## AdvancedAquatak 160

2600 W motor power  
160 bar max. pressure  
570 l/h max. flow rate

Part No. 0 600 8A7 870  
EAN code. 3165140.852326



## AdvancedAquatak 150

2200 W motor power  
150 bar max. pressure  
480 l/h max. flow rate

Part No. 0 600 8A7 770  
EAN code. 3165140.852258





# High-Pressure Washers



	AQT 33-11	AQT 35-12	AQT 35-12+	AQT 37-13
Max. pressure	110 bar	120 bar	120 bar	130 bar
Max. flow rate	330 l/h	350 l/h	350 l/h	370 l/h
Motor power	1300 W	1500 W	1500 W	1700 W
Max. flow temperature	40°C	40°C	40°C	40°C
Weight	4.5 kg	5.53 kg	5.53 kg	6.53 kg
Hose length / material	3 m/PVC	5 m/PVC	5 m/PVC	6 m/PVC
Power cable length	5 m	5 m	5 m	5 m
Folding handle	-	✓	✓	✓
Fan jet nozzle or fan jet lance	✓/-	-/-	-/-	-/-
3-in-1 nozzle / 90° Nozzle	-/-	✓/-	✓/-	✓/-
Roto nozzle or roto lance	-	-	-	-
Patio cleaner	-	-	-	-
High pressure nozzle for detergent	✓	-	-	-
Hose storage	✓	✓	✓	✓
Pump type	3 cylinder metal	3 cylinder metal	3 cylinder metal	3 cylinder metal
Part No.	0 600 8A7 670	0 600 8A7 170	0 600 8A7 171	0 600 8A7 270
EAN code.	3165140.805452	3165140.743396	3165140.746809	3165140.743402



	AQT 37-13+	AQT 40-13	AQT 42-13	AQT 45-14 X
Max. pressure	130 bar	130 bar	130 bar	140 bar
Max. flow rate	370 l/h	400 l/h	420 l/h	450 l/h
Motor power	1700 W	1900 W	1900 W	2100 W
Max. flow temperature	40°C	40°C	40°C	40°C
Weight	6.53 kg	6.75 kg	11.4 kg	18.5 kg
Hose length / material	6 m/PVC	6 m/PVC	7 m/PVC	8 m/PVC
Power cable length	5 m	5 m	5 m	5 m
Folding handle	✓	✓	Telescopic	Telescopic
Fan jet nozzle or fan jet lance	-/-	Fixed	Fixed	Variable
3-in-1 nozzle / 90° Nozzle	✓/✓	-/✓	-/✓	-/✓
Roto nozzle or roto lance	-	✓	✓	✓
Patio cleaner	✓	✓	✓	✓
High pressure nozzle for detergent	-	✓	✓	✓
Hose storage	✓	✓	✓	Hose reel
Pump type	3 cylinder metal	3 cylinder metal	3 cylinder metal	3 cylinder metal
Part No.	0 600 8A7 271	0 600 8A7 570	0 600 8A7 370	0 600 8A7 470
EAN code.	3165140.746946	3165140.783590	3165140.781916	3165140.781985

# Aquatak High-Pressure Washers



## EasyAquatak

	EasyAquatak 120
Max. pressure	120 bar
Max. flow rate	350 l/h
Motor power	1500 W
Max. flow temperature	40°C
Weight	4.7 kg
Hose length / material	5 m/PVC
Power cable length	5 m
Folding handle	-
Fan jet nozzle or fan jet lance	✓/-
3-in-1 nozzle / 90° Nozzle	-/-
Roto nozzle or roto lance	✓
Patio cleaner	-
High pressure nozzle for detergent	✓
Hose storage	✓
Pump type	3 cylinder metal
Part No.	0 600 8A7 940
EAN code.	3165140.882682



## UniversalAquatak

	UniversalAquatak 125	UniversalAquatak 130	UniversalAquatak 135
Max. pressure	125 bar	130 bar	135 bar
Max. flow rate	360 l/h	380 l/h	410 l/h
Motor power	1500 W	1700 W	1900 W
Max. flow temperature	40°C	40°C	40°C
Weight	6.8 kg	7.8 kg	7.9 kg
Hose length / material	5 m/PVC	6 m/PVC	7 m/PVC
Power cable length	5 m	5 m	5 m
Folding handle	✓	✓	✓
Fan jet nozzle or fan jet lance	-	-	-
3-in-1 nozzle / 90° Nozzle	✓/-	✓/-	✓/-
Roto nozzle or roto lance	-	-	-
Patio cleaner	-	-	-
High pressure nozzle for detergent	✓	✓	✓
Hose storage	✓	✓	✓
Pump type	3 cylinder metal	3 cylinder metal	3 cylinder metal
Part No.	0 600 8A7 A70	0 600 8A7 B70	0 600 8A7 C70
EAN code.	3165140.883641	3165140.883733	3165140.883825

## AdvancedAquatak



	AdvancedAquatak 150	AdvancedAquatak 160
Max. pressure	150 bar	160 bar
Max. flow rate	480 l/h	570 l/h
Motor power	2200 W	2600 W
Max. flow temperature	40°C	40°C
Weight	21.1 kg	23.4 kg
Hose length / material	8 m/PU	8 m/Steel armed
Power cable length	5 m	5 m
Folding handle	Telescopic	Telescopic
Fan jet nozzle or fan jet lance	Fixed & Variable	Fixed & Variable
3-in-1 nozzle / 90° Nozzle	-/-	-/-
Roto nozzle or roto lance	✓	✓
Patio cleaner	-	-
High pressure nozzle for detergent	✓	✓
Hose storage	Hose reel	Hose reel
Pump type	4 cylinder metal	4 cylinder metal
Part No.	0 600 8A7 770	0 600 8A7 870
EAN code.	3165140.852258	3165140.852326



# Aquatak Range Accessories

## Aquatak Nozzles



Accessory	3-in-1 nozzle	Rotary nozzle	Vario fan jet nozzle	90° nozzle	Suction nozzle	High-pressure detergent nozzle (550ml)
Part No.	F 016 800 352	F 016 800 353	F 016 800 437	F 016 800 354	F 016 800 356	F 016 800 415
EAN code	3165140.761123	3165140.761130	3165140.816069	3165140.761147	3165140.761161	3165140.787413
Suitable for	AQT range (excluding 45-14 X) and NEW! 2017 Easy and Universal Aquatak models	AQT range (excluding 45-14 X) and NEW! 2017 Easy and Universal Aquatak models	AQT range (excluding 45-14 X) and NEW! 2017 Easy and Universal Aquatak models	AQT range and NEW! 2017 Easy and Universal Aquatak models	AQT range and NEW! 2017 Easy, Universal and Advanced Aquatak models	AQT range and NEW! 2017 Easy, Universal and Advanced Aquatak models



Accessory	150 Bar roto fan lance	150 Bar variable fan lance
Part No.	F 016 800 418	F 016 800 417
EAN code	3165140.787444	3165140.787437
Suitable for	AQT 45-14 X only	AQT 45-14 X only

## Aquatak Patio Cleaners / Brushes



Accessory	AquaSurf 250 patio cleaner	AquaSurf 280 patio cleaner	AquaSurf 280 multi surface cleaner	Wash brush
Part No.	F 016 800 486	F 016 800 466	F 016 800 467	F 016 800 359
EAN code	3165140.883153	3165140.823982	3165140.823999	3165140.761192
Suitable for	AQT range (excluding 42-13, 45-14 X and NEW! 2017 Easy and Advanced Aquatak models)	AQT Range (excluding 33-11 and NEW! 2017 Easy and Universal Aquatak models)	AQT Range (excluding 33-11) and NEW! Universal and Advanced Aquatak models	AQT range and NEW! 2017 Easy, Universal and Advanced Aquatak models

## Aquatak Hoses / Drain Cleaners



Accessory	High-pressure hose 6 m	Extension hose 6m (160 bar)	Drain cleaner 10m (160 bar)
Part No.	F 016 800 360	F 016 800 482	F 016 800 483
EAN code	3165140.761208	3165140.868570	3165140.883122
Suitable for	AQT range (excluding 45-14 X) and NEW! 2017 Easy and Universal Aquatak models	AQT range and NEW! 2017 Easy, Universal and Advanced Aquatak models	AQT range and NEW! 2017 Easy, Universal and Advanced Aquatak models

## Aquatak Filters / Adapters



Accessory	Water filter	Water filter, metal	Water filter, large	Adapter for Kärcher accessories	Adapter for Aquatak accessories	Adapter for low pressure Nilfisk accessories
Part No.	F 016 800 363	F 016 800 419	F 016 800 440	F 016 800 364	F 016 800 365	F 016 800 465
EAN code	3165140.761239	3165140.794954	3165140.794954	3165140.761246	3165140.761253	3165140.823975
Suitable for	AQT range (excluding 45-14X) and NEW! 2017 Easy and Universal Aquatak models.	AQT range and NEW! 2017 Easy, Universal and Advanced Aquatak models	AQT range and NEW! 2017 Easy, Universal and Advanced Aquatak models	AQT range and NEW! 2017 Easy, Universal and Advanced Aquatak models	AQT range and NEW! 2017 Easy, Universal and Advanced Aquatak models	AQT range and NEW! 2017 Easy, Universal and Advanced Aquatak models

## Aquatak Kits



Accessory	Self priming hose	Deluxe drainage kit	Car wash kit
Part No.	F 016 800 421	F 016 800 422	F 016 800 423
EAN code	3165140.794978	3165140.794985	3165140.794992
Suitable for	AQT range and NEW! 2017 Easy, Universal and Advanced Aquatak models	AQT range (excluding 45-14X) and NEW! 2017 Easy and Universal Aquatak models	AQT range (excluding 45-14X) and NEW! 2017 Easy and Universal Aquatak models



## Getting even more

from your Bosch garden tools.

Bosch garden tools have been built with durability and versatility in mind – and our engineers have developed a range of accessories to help you get the very most from them.

# Accessories





# Accessories

## Batteries and Chargers



Accessory	12V/2.5 Ah Lithium-Ion battery	10.8 V & 12 V AL 1115 CV LI charger	10.8 V & 12 V 1130 CV charger
Part No.	1 600 A00 H3D	1 600 Z00 03M	1 600 Z00 03R
EAN code	3165140.852623	3165140.724234	3165140.724265
Suitable for	All 10.8 V and 12 V tools	All 10.8 V and 12 V batteries	All 10.8 V and 12 V batteries



Accessory	18V/2.5 Ah Lithium-Ion battery	18V/2.0 Ah Lithium-Ion battery	AL 1830 CV	AL 1815 CV
Part No.	1 600 A00 5B0	1 600 A00 DD6	1 600 A00 5B4	1 600 A00 N78
EAN code	3165140.821629	3165140.843003	3165140.821667	3165140.875479
Suitable for	All 18 V tools	All 18 V tools	All 18 V batteries	All 18 V batteries



Accessory	36 V/4.0 Ah Lithium-Ion battery	36 V/2.0 Ah Lithium-Ion battery	36 V LI fast charger GAL 3680 CV	36 V LI standard charger AL 3620 CV
Part No.	F 016 800 346	F 016 800 474	2 607 225 902	F 016 800 436
EAN code	3165140.742085	3165140.824064	3165140.847445	3165140.797481
Suitable for	Rotak 32 LI Rotak 37 LI Rotak 43 LI AHS 54-20 LI ALB 36 LI ART 30-36 LI	Rotak 32 LI Rotak 37 LI Rotak 43 LI AKE 30 LI ALB 36 LI ART 30-36 LI	All 36 V batteries	All 36 V batteries

## Indego Robotic Lawnmowers

### General accessories



Accessory	Replacement blades (3 blades)	Perimeter wire (100 m)
Part No.	F 016 800 321	F 016 800 373
EAN code	3165140.668187	3165140.774635
Suitable for	All Indego models	All Indego models

Accessory	Fixing pegs (20 pegs)	Fixing pegs (100 pegs)	Wire connectors (4 connectors)
Part No.	F 016 800 485	F 016 800 484	F 016 800 432
EAN code	3165140.883146	3165140.883139	3165140.797443
Suitable for	All Indego models	All Indego models	All Indego models




Accessory	Screws + hex key	Storage bag
Part No.	F 016 800 468	F 016 800 469
EAN code	3165140.824002	3165140.824019
Suitable for	All Indego models	All Indego models

## Cordless Lawnmowers



Accessory	Replacement 32 cm blade	Replacement 37 cm blade	Replacement 43 cm blade with LeafCollect
Part No.	F 016 800 332	F 016 800 277	F 016 800 369
EAN code	3165140.709330	3165140.441520	3165140.769594
Suitable for	Rotak 32 LI	Rotak 37 LI	Rotak 43 LI

## Cordless and Corded Lawnmowers



Accessory	MultiMulch 34/37	MultiMulch 40/43
Part No.	F 016 800 304	F 016 800 305
EAN code	3165140.629959	3165140.629966
Suitable for	Rotak 37 LI	Rotak 40, Rotak 43



## Corded Lawnmowers



Accessory	Replacement 32 cm blade	Replacement 34cm blade
Part No.	F 016 800 340	F 016 800 377
EAN code	3165140.717755	3165140.775519
Suitable for	Rotak 32 R	Rotak 34 R



Accessory	Replacement 37 cm blade	Replacement 40 cm blade with LeafCollect	Replacement 43 cm blade with LeafCollect
Part No.	F 016 800 272	F 016 800 367	F 016 800 368
EAN code	3165140.399067	3165140.769570	3165140.769587
Suitable for	Rotak 37 Ergoflex	Rotak 40	Rotak 43

## Corded and Cordless Trimmers



Accessory	Durablade (5 blades)	Durablade 26 cm (5 blades)	Set of wheels
Part No.	F 016 800 371	F 016 800 372	F 016 800 386
EAN code	3165140.772846	3165140.772860	3165140.783446
Suitable for	ART 23-18 LI EasyGrassCut 12-230	ART 26-18 LI	ART 23-18 LI ART 24 ART 27 ART 30



Accessory	Spool with line (4 m)	Spool with line (6m)	Spool with line (8 m)	Replacement line (24 m)
Part No.	F 016 800 385	F 016 800 351	F016 800 345	F016 800 462
EAN code	3165140.776868	3165140.747059	3165140.735902	3165140.735896
Suitable for	ART 23 SL ART 26 SL	ART 24 ART 27 ART 30	ART 35	ART 23 SL ART 26 SL ART 24 ART 27 ART 30

## Brushcutter



Accessory	Replacement line	Replacement blade
Part No.	F 016 800 414	F 016 800 431
EAN code	3165140.787406	3165140.797436
Suitable for	AFS 23 - 37	AFS 23 - 37 AMW FS

## Cordless Grass and Shrub Shears



Accessory	Shrub shear blade 12 cm	Grass shear blade 8 cm	Sprayer 1 L	Spreader 1.5 L	Telescopic handle with wheels
Part No.	F 016 800 327	F 016 800 326	F 016 800 330	F 016 800 331	F 016 800 329
EAN code	3165140.697187	3165140.697170	3165140.697217	3165140.697224	3165140.697200
Suitable for	Isio*	Isio*	Isio*	Isio*	Isio*



Accessory	Grass shear blade 10 cm	Grass shear blade 8 cm	Shrub shear blade 20 cm	Shrub shear blade 12 cm	Telescopic pole cart
Part No.	2 609 003 867	2 609 003 884	2 609 003 868	2 609 003 885	2 609 003 869
EAN code	3165140.573535	3165140.573566	3165140.573542	3165140.573573	3165140.573559
Suitable for	ASB 10,8 LI Set	AGS 7,2 LI ASB 10,8 LI Set	ASB 10,8 LI Set	ASB 10,8 LI Set	ASB 10,8 LI Set AGS 7,2 LI

\*only compatible with 0 600 833 1\*\* variants of Isio



## Chainsaws




Accessory	Saw chain 1.1 mm/30 cm	Saw chain 1.1 mm/35 cm	Saw chain 1.1 mm/40 cm	Saw chain 1.3 mm/40 cm	Chainsaw oil
Part No.	F 016 800 256	F 016 800 257	F 016 800 258	F 016 800 240	2 607 000 181
EAN code	3165140.396455	3165140.396462	3165140.396479	3165140.357654	3165140.070867
Suitable for	AKE 30 S AKE 30 LI	AKE 35-19 S AKE 35 S	AKE 40-19 Pro	AKE 40-19 Pro	All AKE models

## Cordless Garden Saw



Accessory	Replacement blades (3 blades)	Blade set (5 blades)
Part No.	F 016 800 303	F 016 800 307
EAN code	3165140.603263	3165140.643504
Suitable for	Keo	Keo

## Shredders



Accessory	Replacement blade	Collection bag
Part No.	F 016 800 276	2 605 411 073
EAN code	3165140.427135	3165140.080514
Suitable for	AXT Rapid 2000	AXT Rapid 2000

## Multi-tool



Accessory	Cutting sticks (9 sticks)	Saw chain 1.3 mm/26 cm	Replacement blade
Part No.	F 016 800 323	F 016 800 324	F 016 800 414
EAN code	3165140.688406	3165140.688413	3165140.787406
Suitable for	AMW RT	AMW SG	AMW FS AFS 23-37

## General Accessories



Accessory	Gardening gloves (XL)	Gardening gloves (L)	Safety goggles
Part No.	F 016 800 314	F 016 800 292	F 016 800 178
EAN code	3165140.661126	3165140.521833	3165140.349390
Suitable for	Keo All AHS models All AXT models	Keo All AHS models All AXT models	Keo All AHS models All ART models All AXT models



Accessory	Lubricant spray	Pop-up garden bag 120 L
Part No.	1 609 200 399	F 016 800 315
EAN code	3165140.005029	3165140.661164
Suitable for	Keo Isio ASB 10,8 LI Set AGS 7,2 LI All AHS models	All products





**BOSCH**  
Invented for life

## Smart Lithium-Ion technology

Powered by Bosch.

Cordless tools from Bosch always draw the optimum amount of energy according to demand thanks to their intelligent electronic control system. The result: more power and greater endurance. The latest generation of Lithium-Ion technology from Bosch – developed with the experience of 10 years of Bosch battery research.

# Lithium-Ion





# Bosch Syneon Chip

Intelligently controlled energy for every project.

Bosch's innovative Syneon Chip technology forms part of a unique electronic control system that efficiently manages the co-ordination of battery, motor and gears within your tool. At the same time, it automatically ensures compliance with the current and voltage limits so that even on the most demanding tasks, overheating is prevented; prolonging the lifetime of your tool. This intelligent Syneon Chip delivers the perfect amount of energy required for your project and can be found in all Bosch cordless Lithium-Ion 12 V, 18 V and 36 V DIY products.



# Bosch Cordless Systems

Interchangeable batteries with Lithium-Ion technology.

Powerful 36 volts, robust 18 volts or compact 12 volts. Our cordless Lithium-Ion systems featuring our innovative Syneon Chip technology are the smartest way to stay charged when working on a variety of DIY tasks. All you need is a single battery within each voltage category, and one charging unit, and then you can power any battery-operated tool within that voltage group. And there's more: you can expand your toolbox at any time without having to buy new charging equipment – which ultimately saves you money.





# Compact, Flexible, Clever

## One 12 volt battery for all tools!

Now you can put an end once and for all to batteries and chargers that do not fit together, and only cost money and take up space unnecessarily. In the Power4All systems from Bosch, one battery and one charger can be used for all tools!



## 12 volts family for garden baretool range

### EasyGrassCut 12-230 Baretool

Part No. 0 600 8A8 106

EAN code. 3165140.882286





# Powerful, flexible, clever

## One 18 volt battery for all tools!

Now you can put an end once and for all to batteries and chargers that do not fit together, and only cost money and take up space unnecessarily. In the Power4All systems from Bosch, one battery and one charger can be used for all tools!



## 18 volts family for garden baretool range

### ART 23-18 LI Baretool

Part No. 0 600 8A5 C01  
EAN code. 3165140.689311



### ART 26-18 LI Baretool

Part No. 0 600 8A5 E01  
EAN code. 3165140.689380



### ALB 18 LI Baretool

Part No. 0 600 8A0 302  
EAN code. 3165140.619974



### AHS 55-20 LI Baretool

Part No. 0 600 849 G02  
EAN code. 3165140.830454






# 36 Volt

## For greater power

Delivering greater power with zero emissions, the 36 volt range provides a real battery alternative to petrol and electric garden tools. With longer run times between charges, no extension leads, fumes, petrol or pull cords to worry about, Bosch's 36 volt Lithium-Ion technology really delivers. Providing optimum power at all times without any gradual power loss, the range offers a level of performance not traditionally associated with products of a similar size and weight. These Lithium-Ion tools include Bosch Syneon Chip which provides just the right amount of energy required for your project, delivering optimum power and maximum endurance.



### Compatibility

	2.0 Ah	4.0Ah
Rotak	✓	✓
Chainsaw	-	✓
Hedgecutter	✓	-
Blower	✓	✓
Trimmer	✓	✓

## 36 volts family for garden baretool range

### Rotak 43 LI Baretool

Part No. 0 600 8A4 508  
EAN code. 3165140.770811



### ALB 36 LI Baretool

Part No. 0 600 8A0 401  
EAN code. 3165140.721752



### AHS 54-20 LI

Part No. 0 600 84A 102  
EAN code. 3165140.623490



### AKE 30 LI Baretool

Part No. 0 600 837 102  
EAN code. 3165140.597968



### ART 30-36 LI Baretool

Part No. 0 600 878 N04  
EAN code. 3165140.887779





# Sound pressure levels and vibration values

Product name	Applicable guideline	Sound pressure level (dB(A))	Sound power level (dB(A))	K-value (dB)	Guaranteed sound power level (dB(A))	Applicable guideline	Vibration value (ms-2)	K-value (ms-2)
<b>Indego 350</b>	EN 50636-2-107	na	61	2	63	na	na	na
<b>Indego 350 Connect</b>	EN 50636-2-107	na	61	2	63	na	na	na
<b>Indego 1000</b>	EN 50636-2-107	64	72	2.74	75	na	na	na
<b>Indego 1000 Connect</b>	EN 50636-2-107	64	72	2.74	75	na	na	na
<b>Rotak 32 LI</b>	EN 60335-2-77	74	86	0.5	87	EN 60335-2-77	2.5	1.5
<b>Rotak 370 LI</b>	EN 60335-2-77	75	89	1	89	EN 60335-2-77	2.5	1.5
<b>ROTAK 430 LI</b>	EN 60335-2-77	76	90	1	90	EN 60335-2-77	2.5	1.5
<b>ARM 32</b>	EN 60335	79	93	2	94	EN 60335	2.5	1.5
<b>ARM 34</b>	EN 60335-2-77	91	96	2	96	EN 60335-2-77	2.5	1.5
<b>ARM 37</b>	EN 60335-2-77	92	96	1	96	EN 60335-2-77	2.5	1.5
<b>Rotak 40</b>	EN 60335	85	94	2	96	EN 60335	2.5	1.5
<b>Rotak 43</b>	EN 60335	85	94	2	96	EN 60335	2.5	1.5
<b>ALR 900</b>	EN 50636-2-92	78	95	1	95	EN 50636-2-92	2.5	1.5
<b>AVR 1100</b>	EN 50636-2-92	76	93	1	94	EN 50636-2-92	2.5	1.5
<b>EasyGrassCut 12-230</b>	EN 50636-2-91	77	86	1.9	91	EN 50636-2-91	4.5	1.5
<b>ART 23-18 LI</b>	EN 50636-2-91	64	85	3	88	EN 60335-2-91	2.3	1.5
<b>AdvancedGrassCut 36</b>	EN 60335-2-91	83	89	2.4	91	EN 60335-2-91	2.3	1.9
<b>ART 23 SL</b>	EN 60335	84	91	2	96	EN 60335	<2.5	1.5
<b>ART 24</b>	EN 50636-2-91	73	93	1	94	EN 50636-2-91	4.5	1.5
<b>ART 30</b>	EN 50636-2-91	74	94	2	96	EN 50636-2-91	<6.5	2
<b>ART 35</b>	EN 60335	87	94	-1.5	97	EN 60335	5.5	-1.5
<b>AFS 23-37</b>	EN 50636-2-91	Line: 82.5 Blade: 82.6	Line: 93.5 Blade: 96.0	1.5	Line: 96 Blade: 98	EN 50636-2-91	Line:3.5 Blade: 1.5	1.5
<b>Isio with shrub shear</b>	EN 60335	58	79	3	82	EN 60745	< 2.5	1.5
<b>Isio with grass shear</b>	EN 50636	less than 70	na	na	na	EN 60335	< 2.5	1.5
<b>Isio with spreader</b>	EN 60745	62	82	3	85	EN 60745	< 2.5	1.5
<b>Isio with sprayer</b>	EN 60745	58	79	3	na	EN 60745	< 2.5	1.5
<b>AGS 7,2 LI</b>	EN 60335	less than 70	na	na	na	EN 60335	< 2.5	1.5
<b>ASB 10,8 LI Set</b>	EN 60745	66	76	1	77	EN 60745	< 2.5	1.5
<b>EasyHedgeCut 12-35</b>	EN 60745-2-15	67	87	3	90	EN 60745-2-15	< 2.5	1.5
<b>AHS 50-20 LI</b>	EN 60745-2-15	71	91	1	92	EN 60745-2-15	2.5	1.5
<b>AHS 54-20 LI</b>	EN 60745-2-15	67	87	3	90	EN 60745-2-15	2.5	1.5
<b>AHS 45-16</b>	EN 60745-2-15	74	95	2	97	EN 60745-2-15	< 2.5	1.5
<b>AHS 55-16</b>	EN 60745-2-15	74	95	2	97	EN 60745-2-15	< 2.5	1.5
<b>AHS 45-26</b>	EN 60745-2-15	76	96	1	97	EN 60745-2-15	2.5	1.5
<b>AHS 55-26</b>	EN 60745-2-15	76	96	1	97	EN 60745-2-15	2.5	1.5
<b>AHS 70-34</b>	EN 60745-2-15	77	97	1	98	EN 60745-2-15	4	1.5
<b>AHS 70-34</b>	EN 60745-2-15	77	97	1	98	EN 60745-2-15	4	1.5
<b>Keo</b>	EN 60745-2-11	72	can exceed 80	3	na	EN 60745-2-11	19 (cutting board) 20 (cutting wooden beam)	6 (cutting board) 3 (cutting wooden beam)

Product name	Applicable guideline	Sound pressure level (dB(A))	Sound power level (dB(A))	K-value (dB)	Guaranteed sound power level (dB(A))	Applicable guideline	Vibration value (ms-2)	K-value (ms-2)
<b>AKE 30 LI</b>	EN 60745-2-13	74	94	3	97	EN 60745-2-11	< 2.5	1.5
<b>AKE 30 S</b>	2000/14/EC	95	103	1.2	105	EN 60745	4	1.5
<b>AKE 35 S</b>	2000/14/EC	95	103	1.2	105	EN 60745	4	1.5
<b>AKE 35-19 S</b>	2000/14/EC	95	103	3	106	EN 60745	6	1.5
<b>AKE 40-19 PRO</b>	2000/14/EC	95	103	3	106	EN 60745	8	1.5
<b>AMW 10 with</b>								
- <b>AMW HS</b>	EN ISO 10517	80.5	100.5	2.5	103	EN 60335	2.5	1
- <b>AMW SG</b>	EN ISO 11680	84.5	104.5	2.5	107	EN 60335	4.5	1
- <b>AMW RT</b>	EN 60335, EN 786	85	94	2	96	EN 60335	3.5	1
- <b>AMW LB</b>	EN 50636-2-100	92	100	2	104	EN 60335	3.5	0.6
- <b>AMW FS</b>	EN 50636-2-91	88	99	1	100	EN 60335	3	1.8
<b>AXT Rapid 2000</b>	2000/14/EC	89	103	3	106	na	na	na
<b>AXT 22 D</b>	2000/14/EC	81	89	3	92	na	na	na
<b>AXT 25 TC</b>	2000/14/EC	82	90	2	92	na	na	na
<b>ALB 18 LI</b>	EN 60335	60	80	3	83	EN 60335	<2.5	1.5
<b>ALB 36 LI</b>	EN 60335	78	90	1	91	EN 60335	2.9	1.5
<b>ALS 25</b>	EN 60335	82	102	3	105	EN 60335	<2.5	1.5
<b>AQT 33-11</b>	EN 60335-2-79	85	94	3	98	EN 60335	4	1.5
<b>EasyAquatark 120</b>	2000/14/EG	81	91	2	93	EN 60335	1.7	0.6
<b>UniversalAquatark 125</b>	2000/14/EG	77	90	3	91	EN 60335	1.3	0.6
<b>UniversalAquatark 130</b>	2000/14/EG	73	86	3	87	EN 60335	1.5	0.6
<b>UniversalAquatark 135</b>	2000/14/EG	74	87	3	88	EN 60335	1.3	0.6
<b>AQT 42-13</b>	2000/14/EG	81	94	2	96	EN 60335	2	1.5
<b>AQT 45-14 X</b>	2000/14/EG	81	94	2	96	EN 60335	2	1.5
<b>AdvancedAquatark 150</b>	2000/14/EG	77	88	2	90	EN 60335	3.2	1
<b>AdvancedAquatark 160</b>	2000/14/EG	79	90	2	92	EN 60335	2.9	1



# Always be one step ahead with Bosch

Leading technology that supports your everyday gardening tasks

Bosch is always developing new products that are tailored to better meet the needs of gardeners. We make everyday gardening tasks easier and more convenient.

This is just a small selection of our leading technologies. If you'd like to see additional information, please visit [www.bosch-garden.com](http://www.bosch-garden.com).



### “Syneon Chip”

Syneon Chip intelligently controls the energy required by your tool for the task at hand. Therefore increasing efficiency of the battery and delivering optimum power and maximum endurance.



QUICK CUT

### “Quick-Cut”

Quick-Cut technology ensures that hedgecutter blades stay open for longer, providing an extremely efficient cut - the perfect cut in one clean sweep.



### “Logicut”

Using the intelligent “Logicut” navigation system the Indego robotic lawnmower calculates an efficient cutting route and mows in clean, parallel lines.



POWERDRIVE MOTOR

### “Powerdrive Motor”

The innovative reduction gear unit converts the high speed of the motor into enormous power. If it is slowed down by resistance, the torque automatically increases and the motor continues to work powerfully, even under difficult conditions and high load.



DURABLADE

### “Durablade System”

The innovative cutting system Durablade lasts up to 12 times longer than previous blades in all cutting conditions. For uninterrupted use and perfect results.



ANTI-BLOCKING-SYSTEM

### Electronic “Anti-Blocking System”

If a thick branch cannot be cut through immediately, the innovative micro-electronics detect this and instantly adjust the running direction of the blades to continue cutting powerfully through wood where other tools would stall.



### “Ergoflex System”

Most Rotak mowers benefit from the “Ergoflex System”, offering ergonomically designed and adjustable handles to improve body posture and reduce muscle strain whilst mowing the lawn.



GRASSCOMBS

### Grass Combs

Wider than the front wheels of the lawnmower, the grass combs enable cutting of grass growing close to the edge due to their special design.



### The AGR quality cachet

The “Ergoflex System” is approved by the renowned German institution AGR which promotes research into the prevention of spinal problems.



LEAF COLLECT

### LeafCollect


The cutting blade equipped with the additional LeafCollect edges unique to Bosch allow you to collect autumn leaves from your lawn quickly and easily.



JET-COLLECT SYSTEM

### “Jet-Collect System”

The innovative drum with stainless steel blades or spring steel tines and airflow inlets completely removes thatch, moss and weeds. The shredded waste is pressed into the collection box by a powerful airflow that prevents clogging.



TURBINE-CUT SYSTEM

### Effective “Turbine-Cut System”

This turbine cutting mechanism makes it possible to shred greenery and hard wood together. 8 rotating blades in conjunction with the hopper design enable optimum automatic feed and extremely fast material throughput of up to 230 kg/h.



### Compact, flexible, clever

It's one for all with Power4All. Be it 10.8 volt, 12 volt or 18 volt: A single battery works for all tools in its system and is changed in no time.



### Lithium – Ion Technology

Lithium – Ion Technology provides optimum power with maximum endurance where it is needed. It ensures no memory effect, no power drop, minimal self-discharge and quick charging.



MyBosch  
3 years warranty



## MyBosch

Welcome to ‘MyBosch’, a DIY portal designed to provide the best-in-class service and inspiration for your current and future DIY projects. Here you can find a vast range of exclusive benefits, services and information to fit your needs.



### Extended 3 Year Warranty

Claim an extended 3 year warranty simply by registering your Bosch home and garden tools online. Simply visit [www.MyBosch-Tools.com](http://www.MyBosch-Tools.com)



### My workshop

Create your own tool list, take advantage of inspirational workshops and benefit from exclusive additional services such as advice from Bosch experts.



### Service and Support

Register your Bosch tools and benefit from easy repair service handling.

Bosch  
5 day service

Tel: 0344 736 0109

For more information about MyBosch, visit [www.MyBosch-Tools.com](http://www.MyBosch-Tools.com)







