




Pennchlor S 10/10[®]

Chlortetracycline, Sulfamethazine
Type B Medicated Feed



PRODUCT DESCRIPTION

- Antibacterial combination premix for oral administration in feed to swine.
- Each pound of premix contains 10 grams of chlortetracycline activity and 10 grams (2.2%) of sulfamethazine.

FORMULATION

- Free-flowing meal feedstuff.
- Ingredients: Chlortetracycline calcium complex, sulfamethazine, calcium carbonate, magnesium-mica, roughage products, mineral oil.

FDA STATUS

- **CAUTION:** Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.
- Type B Medicated Feed for use in the manufacture of swine feeds.
- Category II drug; does not require a feedmill license (Type B).

SWINE INDICATIONS

- Reduction of the incidence of cervical abscesses.
- Treatment of bacterial swine enteritis (salmonellosis or necrotic enteritis caused by *Salmonella choleraesuis* and vibronic dysentery).
- Prevention of bacterial swine enteritis (salmonellosis or necrotic enteritis caused by *S. choleraesuis* and vibronic dysentery) during times of stress.
- Maintenance of weight gains in the presence of atrophic rhinitis.

WITHDRAWAL PERIOD

- 15 days.

PACKAGING

- 50-lb, fuchsia color-coded bags.

KEY FEATURES

- Combination of two potent antibacterial agents, providing broad-spectrum activity.
- Readily absorbed, providing effective blood and lung tissue concentrations.
- Cost-effective medication for effective control of enteritis.
- Helps prevent disease during times of stress.
- Appropriate for use in starter formulations.
- Type B feed, does not require a feedmill license.
- Free-flowing formulation promotes consistent mixing.
- Wide safety margin.
- Color-coded bag for easy identification.
- High-quality manufacturing at US Pharmgate facilities according to FDA requirements.

Pennchlor S 10/10[®]

Chlortetracycline, Sulfamethazine
Type B Medicated Feed

Active Drug Ingredients:	Chlortetracycline Calcium Complex equivalent to Chlortetracycline HCl	10g/lb.
	Sulfamethazine	2.2% (10g/lb.)
Ingredients:	Roughage Products, Magnesium-Mica, Chlortetracycline, Calcium Carbonate, Mineral Oil, Sulfamethazine	
Guaranteed Analysis:	Crude Protein, not less than	10%
	Crude Fat, not less than	0.1%
	Crude Fiber, not less than	60%
For Use in the Manufacture of Medicated Swine Feeds		
Indications	For reduction of the incidence of cervical abscesses; treatment of bacterial swine enteritis (salmonellosis or necrotic enteritis caused by <i>Salmonella choleraesuis</i> and vibriotic dysentery); prevention of bacterial swine enteritis (salmonellosis or necrotic enteritis caused by <i>Salmonella choleraesuis</i> and vibriotic dysentery) during times of stress; maintenance of weight gains in the presence of atropic rhinitis.	
Directions For Use		
Mix at the rate of 10 lbs (4.54 kg) per ton (907.2 kg) with part of the feed ingredients to make a preblend. Add the remainder of the ingredients to give a final concentration of 100 g chlortetracycline, and 100 g sulfamethazine per ton of Type C feed and mix thoroughly.		
WARNING: WITHDRAW 15 DAYS PRIOR TO SLAUGHTER		
NADA 138-934 Approved by FDA		



14040 Industrial Road
Omaha, NE 68144
800.832.8303 www.pharmgateAH.com
©2016 Pharmgate Animal Health Inc. 1272-1016

