
Large Diaphragm Microphones

#### www.BandH.com

### AKG<sup>®</sup> C414 XLS

Accurate, beautifully detailed pickup of any acoustic instrument. Nine pickup patterns. Controls can be disabled for trouble-free use in live-sound applications and permanent installations. Three switchable different bass cut filters and three pre-attenuation levels. Peak Hold LED displays even shortest overload peaks. Dynamic range of 152 dB. Includes case, pop filter, windscreen, and shockmount.





### **AKG** C214

Cost-effective alternative to the dual-diaphragm C414, delivers the pristine sound reproduction of the classic condenser mic, in a single-pattern cardioid design. Features low-cut filter switch, 20dB pad switch and dynamic range of 152 dB. Includes case, pop filter, windscreen, and shockmount.

#AKC214		399.00
#AKC214MP	(Matched Stereo Pair)	899.00



### AKG<sup>®</sup> C414 XLII

Unrivaled up-front sound is well-known for classic music recording or drum ambience miking. Nine pickup patterns enable the perfect setting for every application. Three switchable bass cut filters and three pre-attenuation levels. All controls can be easily disabled, Dynamic range of 152 dB. Includes case, pop filter, windscreen, and shockmount.

999.00		#AKC414XLII
2199.00	(Matched Stereo Pair)	#AKC414XLIIST



### AKG Perception Series

True condenser mics, they deliver clear sound with accurate sonic detail. Switchable 20dB and switchable bass cut filter. 135dB SPL handling. 220 and 420 include spider-type shock mount and metal case.

<b>Perception 120</b> (2/3") #AKP120 <b>99.00</b>
Perception 220 (1") #AKP220179.00
Perception 420 (1") and selectable cardioid, omni or
figure-8 polar patterns. #AKP420



### **AKG** C2000B

High quality recording mic with elegantly styled die-cast metal housing and silver-gray finish, the C2000B has an almost ruler-flat response that provides a crystal-clear, "up-front" sound.

- · Switchable bass roll-off filter and 10dB pad
- Built-in pop screen reduces unwanted noise
- 140dB SPL handling capability
- 30Hz to 20kHz frequency response #AKC2000B......**199.00**



### **AKG** c3000

Cost effective studio condenser mic, the C3000 is an ideal choice for both vocals and instruments with its wide frequency response, cardioid polar pattern and high SPL capability. -10dB pad switch maximizes headroom, and a 500Hz low frequency roll off switch minimizes low-frequency noise, proximity effect noise and more. Includes metal case and a shock mount.



Call or Log-on

#### audio technica. AT2020

Effectively isolates source signals while providing a fast transient response and high 144dB SPL handling capabilities. Low-mass diaphragm provides wide dynamic response for multiple recording applications. Open, acoustic design reduces resonance and handling noise. Includes pivoting stand mount and soft case.





### audio technica. AT2035

This condenser mic produces a smooth yet natural audio quality with low noise. Cardioid pattern for minimal feedback and off-axis noise. 80Hz high-pass filter switch eliminates low frequency hum; 10dB pad provides more headroom when capturing transient signals. Includes shockmount and case.

#AUAT2035 ...... 149.00



## △ audio technica AT2041SP

Mic package configured to suit any recording budget. It includes the AT2020 side address large diaphragm condenser for vocal capturing, and the AT2021 small diaphragm condenser mic to capture astruments in rich detail and minimal noise.

#AUAT2041SP......169.00





#### audio technica. AT2050

Multi-pattern (cardioid, omnidirectional, figure-8) condenser mic. Produces a smooth yet natural audio quality with low noise. 80Hz high-pass filter switch eliminates low frequency hum and a -10dB pad switch provides more headroom when capturing transient signals that may otherwise cause peak distortion. Includes shockmount and case.



#### audio-technica. AT4033/CL

High audio signal reproduction with low self-noise for a strong, up-front audio signal. Output stage with transformerless circuitry eliminates low-frequency distortion and maintains the integrity of transient audio signal. 10dB pad and 80Hz high-pass filter switches for added control. Includes shockmount, dust cover and protective case.

#AUAT4033CL......**399.00** 





#### audio technica. AT4040

All-purpose vocal and instrument cardiod mic. provides the transient response and high level handling capabilities for all-around source-capturing. Delivers full, detailed sound with enhanced presence for additional "sparkle" and "sheen". 80Hz high-pass filter and 10dB pad. Handles up to 155dB SPL. Includes shockmount, dust cover and protective case.

#AUAT4040 ...... 299.00





#### audio-technica. AT4047SV

For studio recording of vocals and instruments. Exceptional low self-noise and wide dynamic range. Handles up to 149db SPL. 20Hz-18kHz frequency response captures low end frequencies in great detail while maintaining the sonic presence of the mid and high frequency spectrum. Includes shockmount and protective case.



#### audio-technica AT4050

Multi-pattern (cardioid, omni, figure-8) condenser mic. Transformerless design and "extended life" dual-diaphragm capsule produces a warm detailed response with virtually no low-end distortion.

- Transparent upper and mid-range frequencies
- Switchable high-pass filter with 10dB pad
- 149dB SPL 20Hz-18kHz frequency response





B-1 • B-2 Pro

Cardioid capsule delivers a transparent 20Hz to 20kHz frequency response while handling up to SPL 138dB (148dB with pad). Low-frequency roll-off switch. Otherwise the same, B-2 Pro features switchable cardioid, omni and figure-8 patterns. Both include shockmount, windscreen and case

#BEB1 .....Call or Log-on

#BEB2PRO.....Call or Log-on





#### C-1 • C-3

The C-1 is a low-noise condenser mic featuring a cardioid pattern.

LED indicates phantom power operation. The C-3 has a shock-mounted dual diaphragm that allows cardioid or figure-8 style capturing. LED indicates phantom power. Includes swivel mount and case.

#BEC1 (C-1)		43.9
#BEC3 (C-3)	Call	or Log-o





#### BlueBird

Class-A discrete circuitry delivers excellent audio quality on a wide variety of sound sources. Brings out clarity and detail on vocals, guitars, drums, piano, horns, strings, etc. Includes BirdCage shock mount and BirdNest pop filter.

#BLBBMQ ...... 299.99

Baby Bottle Studio Mic (BLBBMSP) ........... 399.99





Unique mic designed to facilitate placement for stereo configurations, and challenging positioning. Capsule rotates up to 90°, and features selectable cardioid, omnidirectional and figure 8 polar patterns. The design allows for flexible placement in Mid-Side (M/S) and X/Y configurations.

#BLREACTOR ......Call or Log-on



### Large Diaphragm Microphones

#### 800-859-5252 | 212-444-5072



#### **Spark**

Solid-state cardioid condenser mic for project studio recording of vocals and general instruments. Two different modes: Normal (out position) provides increased low frequency sensitivity for recordings with great impact and definition. Focus mode features even greater clarity and detail. Comes with pop-filter and shockmount and stylish wood case for transport.







#### **GXL-2200 Studio Pack**

Convenient solution for project studio recording. Includes GXL-2200 cardioid condenser mic, GXL-1200 small diaphragm cardioid condenser mic and EPF-15A pop filter.

#CAGXL2200SP.....Call or Log-on M179 Side Address, Variable Pattern Studio Condenser Mic (CAM179)......Call or Log-on





#### **Equitek E100S**

1" nickel plated capsule provides a full, rich tone with an extended low frequency response. The mic features a supercardioid pickup pattern, 80Hz high pass filter and a -10dB pad. Runs on 48v phantom power, and includes a shock mount and vintage cherry woodgrain case.





### 

#### Cardinal

Stylish condenser mic for vocals and instruments in live sound and recording applications. Features Class A discrete ultra low noise circuitry and a cardioid polar pattern that minimizes off-axis audio. For convenience, the swivel mount enables ideal positioning.







Dual 1" capsule yields switchable cardioid, omnid and figure-8 polar patterns, making it a workhorse for any recording scenario. There is a -10dB pad switch and a switchable high-pass filter. Come in a wood box, enclosed in an aluminum road case with a swivel mount and shockmount. (MIC7).....899.00

CV4: Multi-pattern (nine selectable patterns) Tube Condenser Mic (MICV4) ......1399.00





Vintage modeled capsule design. Designed for recording applications where clarity, presence, and detail are deal breakers. Transformerless FET preamp, bass roll-off switch and 10dB pad, Includes high-isolation shockmount and 3-year warranty. 

#MXPPP (2003 Studio Mic and 603S Instrument Mic, shockmounts, cables, windscreens and case ... 249.99



## **V67i**

Two selectable 1" diaphragms. Front side has a warm, lush sound, the back side simulates some of the brighter more airy sounding vintage capsules of the 1960's. Gold-plated grille. Selectable pad and roll-off filter. Includes mic clip and wooden storage case. 30Hz-20kHz frequency response and 140dB SPL handling capability.

#MXV67I......119.00





Designed mainly for vocals, combines Class A FET circuitry and a transformer/coupled output for an open and pure sound. Gold-sputtered, 6 micron diaphragm and solid state preamp. Delivers killer vocals even in front of a busy mix. Gold-plated round grill and distinctive, vintage body. Comes with mic stand adapter and 3-year warranty.





V88 Cardioid Mic: includes an aluminum case and shockmount. (MXV88) ...... 113.80

MCA SP1 Cardioid Mic: metal body, high SPL capability (MXMCASP1)......45.50

770 Cardioid Mic FET output electronics ensure low noise and high output gain. (MX770) 71.96





#### TLM102 • TLM103

The TLM102 features an internally shock-mounted cardioid capsule that prevents unwanted noise from vibrations. Handles extremely high 144dB SPL levels. The mic has a linear response, with a slight boost in the 6kHz range to provide excellent vocal presence.

The TLM103 features a flat frequency response resulting in accurate sound reproduction. Internal shock mount reduces handling noise. Includes swivel mount and Wooden Jeweler's Box.

TLM102 In Matte Black (NETLM102MB) or Nickel (NETLM102N)..... TLM 49 Studio Condenser Microphone (NETLM49) ......... 1599.95

TLM103A Anniversary Model (NETLM103A)...... U87 Ai/SETZ (NEU87AISZ) .....



.3599.95



Complete solution featuring the NT1-A side-address condenser mic. Intended for general instrument and vocal recording, provides a wide frequency response and high S/N ratio. Includes studio-grade shock mount with integrated pop filter, 20' premium cable, dust cover and bonus DVD. #RONT1ACRS......229.00



#### RØDE NT2A

Dual-diaphragm multi-pattern (cardioid, omni, figure-8) condenser mic with ultra-low noise performance. Fixed variable pad, pattern and filter adjustments for flexibility and control. Solid cast metal housing and high-strength steel mesh head. Internal capsule shock mounting. Includes shockmount, pop filter and 10-year warranty. #RONT1000 (NT1000) .......329.00



#### RØDE **Broadcaster**

Cardioid condenser mic features a full-range response especially suited for voice-over use. 1" gold sputtered transducer vields 20Hz - 20kHz frequency response and 135dB SPL. Capsule is internally shock mounted further reducing noise and protecting the capsule from damage. Internal pop-filter 

699.95

### SAMSON COL

Cost effective, features a rugged all metal housing and grille. Large 19mm diaphragm results in high sensitivity and flat 40Hz -18kHz frequency response. Hyper-cardioid pattern greatly reduces ambient noise. Gold-plated XLR for added sensitivity response and greater S/N ratio.

#SAC01 <b>79.99</b>
#SAC01850 (with SR850 Headphones)99.99



### SHURE KSM32SL

Class-A circuitry and extended "sweet spot" delivers a smooth, detailed response. Use for recording piano to percussion or violin to vocals. Built-in pop filter, switchable low-frequency filter, and 15dB pad. #SHKSM44ASL (KSM44A Side-Address Mic).. 999.00

PG42 Cardioid Mic: Features 15dB Pad. Includes shockmount and case (SHPG42LC).....199.00



## SENNHEISER

1" true condenser capsule, optimized for project studio and home studio applications. Features 24-carat gold -plated diaphragm, internally shock-mounted capsule and full metal housing for low inherent self-noise and high maximum SPL. Frequency response is 20Hz - 20kHz. #SEMK4.....**299.95** 



# Studio Projects B1

Cardioid condenser with a 1" gold sputtered diaphragm. Great for miking amps with high SPLs voice overs and a variety music and broadcast recording applications. Selectable 75Hz & 150Hz filters, and selectable -10dB 

#STC1 (C1 Mic) ......249.99



#### www.BandH.com

### **AKG** C 1000 S

Can change between cardioid and hypercardioid when a more directional pickup is required. Attachable Presence Boost Adapter (PB1000) which creates an emphasis of the higher frequencies around 5 to 9 kHz by about 3 to 5 dB, improving transmission of sibilances. Powered by internal 9v battery or external phantom supply. Includes windscreen, stand adapter and Polar Pattern Converter.

Small Diaphragm Microphones



### AKG<sup>®</sup> Perception 170

- · Cardioid mic for capturing vocals, instruments and speaker cabinets in recording or live sound situations.
- 135dB SPL handling capability and 20Hz-20kHz frequency response. 20dB Pad switch maximizes headroom and minimizes distortion from transient (peak) audio. Includes stand adapter and 2-year warranty

#AKP170......99.00



### audio-technica.

#### AT2021

Use for general instrument capturing, vocals, amplifier cabinets, and more. Cardioid pattern, high SPL handling and extended frequency response makes it versatile in the studio or stage.



# audio-technica.

#AUAT4022 .....

#### AT4022

Features a low-profile design, omnidirectional polar pattern, wide frequency response and high SPL capability. There is also an 80Hz high-pass filter and a -10dB Pad switch.



#### audio technica, AT4053B

Fast response to transients contributes to the open, transparent reproduction of the most difficult-to-capture instruments. Hypercardioid pattern reduces pickup of sounds from the sides and rear, improving isolation of the sound source. Transformerless circuitry eliminates low-frequency distortion. Switchable 80Hz high-pass filter and 10dB pad. Includes mic clip, windscreen and case.



### audio technica.

#### **Pro 37**

Cardioid condenser mic for capturing, guitars, overheads, piano, group vocals and X/Y style stereo capturing when used in tandem. The low profile of the Pro 37 enables flexible placement and positioning.





The C-2 is a stereo pair of condenser mics designed for capturing vocals or

instruments. Matched in frequency and sensitivity, the mics feature a wide frequency response, low-cut filter and 10dB pad switch. Includes custom mic stand adapters, windscreeens, stereo-bar, and case.

#BEC4 (C4 Stereo Pair) ......Call or Log-on



#### **GXL-1200**

Cardioid mic with high SPL handling capability. Housed in a slim profile, rugged enclosure ideal for spot capturing vocals and instruments such as guitar, strings, wood winds, overheads, cymbals, percussion and more.

#CAGXL1200......Call or Log-on



#### **E70**

Versatile dual capsule mic that provides omni or cardioid pick up at the flick of a switch. Features a two-position PAD switch for -10 and -20dB attenuation and a flat frequency response for a rich, natural sound. A high-pass filter reduces low-frequency noise and hum. Ideal for both sound reinforcement and recording applications.

#CAE70 ...... Call or Log-on

550/551



### 603S

Stereo Set

Pair of 603 wide-cardioid condenser mics for stereo recording of instruments such as percussion and piano. Internally wired with Mogami cable for a low noise floor and pristine fidelity throughout. Includes two shock mounts and deluxe case. #MX603P...... 137.74



604 Condenser Instrument Mic

Small-diaphragm condenser with interchangeable omni and cardioid capsules providing versatility in capturing instruments and vocals.

Features the dynamic range necessary for accurate instrument capturing, -10dB switchable pad and a low frequency roll-off switch.

#MX604......**80.95** 



Condenser Mic Kit 550 large-diaphragm mic provides a high level of clarity, and is perfect for vocals; the 551 small-diaphragm mic ideal for a variety of acoustic and electric instruments. Internally wired with Mogami cable for low-noise floor and pristine fidelity throughout.

#MX550551R.....**81.74** Nady CM 90 Cardioid Condenser Mic (NACM90)...... 32.00



## RØDE

Low-noise, wide-response condenser mic features a heavy-duty metal body, low self-noise, battery status LED and a High Pass Filter. A three position Pad switch maximizes headroom up to -10dB and -20dB. Capable of either 24-48V phantom power or internal 9v alkaline battery.

#ROM3......149.00



### RØDE

Hypercardioid condenser mic ideal for live, location, or studio use. Its transformerless output and quality construction delivers open, pristine sound. 48v phantom powered with optional 9v battery operation for field work. Battery status indicator. 140dB SPL handling and 20Hz-20kHz frequency response. Includes a zipper pouch, windscreen and stand mount

#RONT3.....Call or Log-on



## RØDE

Cardioid condenser designed for general instrument recording and sound reinforcemen. Features 20Hz-20kHz frequency response and low-noise output circuitry. Use for drum over-head miking, stereo capturing of instruments, vocal capturing etc. 24v or 48v phantom powered. Includes windscreen, stand mount, custom carrying case 





#### **KM 184 MT**

Ideal for solo instruments, ensemble, and spot miking, the KM 184 MT

cardioid features high output gain with a very low noise floor and no coloration to the output signal. 20Hz to 20kHz frequency response. Handles SPL up to 138dB, allowing close miking of instruments. Has a nonreflective nickel finish.

#NEKM184MT..... 849.95





#### CMC641SET

A favorite in film and music production for its pristine sound quality and flexibility. Featuring transformerless electronics, the CMC6 preamp can utilize 20 different capsules for a variety of production situations. Low noise floor and 40Hz-20kHz frequency response. Includes MK41 Supercardioid Capsule, stand clamp, popscreen. (SCCMC641S)......1918.00

CUT1 (SCCUT1): Low-cut filter (60Hz at 24dB octave) .654.00 B5DG (SCB5DG): Hollow foam windscreen .................61.00



#### **MKH-30**

Produces an unusually wide and smooth frequency response. Particularly suited to soloists and small instrumental groups, the MKH-30 can also serve as an "S" or side microphone in MS stereo applications. #SEMKH30......1249.95

MKH-40 N	licrophone	(SEMKH40)	1199.95
MKH 50 M	icrophone	(SEMKH50)	1199.95



### **USB Microphones & Podcasting Solutions**

#### 800-859-5252 | 212-444-5072

## **AKG** Perception 120 USB

Cardioid, large-diaphragm condenser mic with low-frequency roll-off switch and -20dB Pad. Includes a table-top tripod stand, USB cable and



large gold-sputtered capsule and integrated headphone jack 



### audio-technica. ATR2100-USB

Allows direct USB connection to a Mac or PC for use with any recording software. Also provides XLR output and cable. Plug into a preamp or mixer, for live performances, general PA applications, etc. Has a 1/8" (3.5mm) output for latency-free headphone monitoring.

ATR2500-USB (AUATR2500USB)..... Call or Log-on



### **Spark Digital**

one mic. Works with GarageBand and other applications. Headphone jack for zero-latency real-time monitoring. Onboard control for volume, gain and instant mute. LED meter for visual feedback. Includes Blue's Cloud Production Rundle



#### MiC

Record vocals and instruments with confidence. Delivers fully digital audio to Mac, iPhone &

iPad. 1/8" headphone output with level control for monitoring. About the size of an iPhone its the perfect option for field and remote recording 

Audix USB12 Desktop USB Recording Mic (AUUSB12)......149.00



#### audio-technica. AT2020USB

USB cardioid condenser mic ideal for podcasting. and other computer recording applications, 20Hz-16kHz linear frequency response enables the mic to accurately reproduce signals from any source. High SPL handling and wide dynamic range. Includes a pivoting stand mount, 10' USB cable and soft case.

#AUAT2020USB......Call or Log-on



### Avid Vocal Studio Combines a USB

mic and Pro Tools SE software turning your computer into a recording studio. Large diaphragm captures the subtle nuances of vocal performances. Also use to record instruments and other audio sources. Included drivers allow for monitoring a performance in real-time.



#### **C-1U**

Affordable USB cardioid studio mic for plug-and-play style recording with a laptop or

desktop computer. Record using your favorite software without any interfaces or preamplifiers. Well suited for capturing vocals and instruments in today's digital recording environments.

#BEC1U ..... 54.99



Offers two sonic signatures in



APOGEE

#### **Snowflake**

Compact and portable USB mic deal for travel. Offers professionalquality results at an incredible pri

The mic capsule folds into the compact case, which also stores the included USB cable. When unfolded, the case acts as a desktop stand or laptop clip.



#### **Snowball**

Two separate capsules offers a choice between cardioid and omni patterns. Delivers outstanding clarity and detail. 10dB pad switch for more headroom. Includes a desktop stand and a USB cable.

In Aluminum (BLSBBAL), Black (BLSBGB), Ice (BLSBI) or White (BLSBTW).......67.47



### Tiki

Improves vocal clarity for

online communication and voice recognition software.

Brings your voice to the forefront using voice isolation and noise-cancelling technology. Eliminates computer fan noise by intelligently auto-muting. Recording mode optimized for podcasts and music recording.

#BLTIKIUSB ...... 59.99



THX-certified for the highest quality audio recording. Heavy metal

head. Four selectable patterns (stereo, cardioid mono, omni and Figure-8). Adjustable mic gain control and mute button, as well as a headphone amp with volume control for direct monitoring.

#BLYETIPRO (Yeti Pro USB & XLR) ...... 238.99

USB-24M

tracks or voice-overs on your computer or

sound with smooth response. Has a heavy

gauge mesh grill and durable construction, and an on/off switch for added control.

communication, it features clear, crisp

for online

with a USB connection.

Perfect for recording vocal

Quality handheld cardioid dynamic mic





36.63



#### **U37**

Large diaphragm, USB-bus powered studio cardioid condenser mic. Features a warm, extended frequency response for smooth vocal and instrument reproduction. Has a low-frequency roll-off and 10dB Pad switch. Includes 10' USB cable. (CAU37) .. Call or Log-on

#CAU1 (Handheld USB Dynamic Mic).....Call or Log-on #CAU9 (U9 USB Omnidirectional Mic).....Call or Log-on



#### **Podcaster**

Tailored-for-voice frequency response delivers rich, full results. Status LED lets you know that your mic is online. Onboard headphone output jack with volume control. Tight cardioid pattern for superior off-axis rejection. Powered from the USB port.

#ROPODCASTER.....



## **Tempo**

Featuring a stylish profile and equally attractive sound, Tempo is an ideal choice for recording vocals and podcasts to an iPad. Also features a headphone output for monitoring. Includes desktop tripod stand, USB cable and stand mount.

TempoKR in Black & Red (MXTEMPOKR)....... 59.99



# TempoSK in Black & Silver (MXTEMPOSK)...... 59.99

**SAMSON** Go Mic

Compact, plug-and-play mic with USB output and 1/8" headphone jack. Features cardioid and omnidirectional patterns, wide frequency response and 44.1kHz/16-bit resolution. Includes a USB cable, cable clip, mic stand adapter, carrying

pouch and Cakewalk Music Creator software. (SAGMS) ...... 39.99



Combines X2u XLR to USB Adapter and SM58 handheld mic. 1/8" headphone output provides latency-free monitoring and three rotary dials provide monitor, gain and output volume level control. The X2u delivers pristine audio fidelity with its 16-bit, 48kHz digital audio resolution. #SHSM58X2U......199.00



### **TECHNICAL PRO PM-21**

Complete podcasting kit with a compact mixer, MK-20 mic with XLR connector and a 10' cable which converts to a 1/4" plug, mic stand, and a pair of HP-20 headphones.



### Ribbon & Tube Mics • Dynamic Recording Mics

#### www.BandH.com

### beyerdynamic)))) M 160

M 160 is a hyper-cardioid dynamic ribbon mic that effectively suppresses lateral sound and noise. Ideal for studio and live applications, where focused pick up is necessary. Features a frequency response of 40Hz to 18kHz with a noise cancellation 25dB at 110 degrees. Use to record string instruments, pianos and over-heads on drum kits.

#BEM160......Call or Log-on



#### **Trion 7000**

Rugged metal housing and construction provide the durability for day-to-day demands of both live and studio applications, while delivering the sensitivity needed to capture vocals in great detail. Includes shock mount and heavy-duty aluminum carrying case. #CAT7000 ...... Call or Log-on



#### **Knuckle Head** 2.5 micron ribbon transducer is

situated symmetrically within the magnetic gap, making the Knuckle Head well suited as a mid-microphone in an M/S stereo setup. Neodymium magnets offer heightened sensitivity and the Lundahl Transformer output stage yields low noise floor, and transparent audio quality. Black Body/Nickel Grille (CAKHSRMBKNKL)....419.99



449.99



#### **Fat Head**

Handles any vocal or instrument recording, and live sound. Its

frequency and sensitivity response deliver pristine results, and the element's design is very useful when executing a mid-side or Blumlein recording.

In Brown/Gold (CAFHBGR)	175.00
In Black/Gold (CAFHBGS)	175.00
Brown/Gold Matched Pair (CAFHBPBGR)	349.00



#### **Coles 4038**

Known for its wide, flat frequency response and high sensitivity, the 4038 is a valuable tool in the

recording studio as well as broadcast applications. The smooth, rich sonic detail of the 4038 has the made the microphone a classic among some of the recording industries most celebrated engineers.



### 4104B Lip Microphone

Designed for commentary and speech capturing in noisy environments. A sensitive ribbon

transducer is combined with a directional polar pattern and flat, low-cut frequency response at 16Hz. The result is accurate signal reproduction without noise caused by ambiance or proximity effect. #CO4104B.....

Antique Copper Finish (CAKHSRMCPPRL) .......

699.00



## R144

With 1.8-micron aluminum ribbon and Figure-8 polar pattern, the R144 offers breathtaking sound for vocal and instrument recording. Performs brilliantly on acoustic instruments, strings, and horns. High 130dB SPL capability. Also use for broadcast applications. Distinctive body design with purple and chrome metal finish. Includes shockmount and carrying case. (MXR144)......89.95



## **V69M**

Tube Condenser Mic

Large diaphragm tube condenser mic designed for project and professional studio recording. Utilizes a 12AT7 type tube providing warmth and presence without noise. Includes an external power supply and is wired with Mogami cable.

#MXV69MEDT...... 226.77\*



Features a 2.5-micron ribbon element, figure-8 polar pattern and Royer's patented offset placement for maximum sensitivity within the prime magnetic field. Neodymium magnet maximizes sensitivity, and results in high SPL handling and analog warmth. Includes a shockmount and rug-

ged carrying / storage case. (ROR101) .......................799.00 



### **▼** Electro-Voice RE20

The industry standard, the rugged RE20 is a cardioid dynamic mic with reliable, low-noise performance and exceptional clarity and definition. Response is tailored especially for vocals with high SPL handling capability. Frequency response remains flat even at extremely close proximities. Internal blast and wind filter eliminates "pop" and wind noise at the closest proximity.

#ELRE20......Call or Log-on



#### ■ Electro-Voice RE27 N/D

Stepping up from the RE 20, the RE27 N/D features a Neodymium based magnet which greatly improves sensitivity, frequency response and SPL handling, resulting in higher gain (up to 6dB more output) while keeping the noise floor low. In addition, a highly effective hum-bucking coil is used to attenuate hum from lighting, bad grounds and other sources.

#ELRE27ND......Call or Log-on





RØDE

#### PR 40 Dynamic Super Cardioid Studio Mic

High-performance super cardioid for use as a vocal mic for talk show hosts and other voice over applications. Large dynamic element produces a smooth response with articulate and natural midrange. Achieves a wide dynamic range and capture high SPLs. Internal Sorbothane shock mount. (HEPR40) ...... 325.00

PR 30 Dynamic Super Cardioid Studio Mic (HEPR30) .......

**Procaster** 





#### BCD-1

Designed for radio broadcasts, voice overs, podcasts, announcers and more, the BCD-1 features a cardioid, dynamic element that features its own isolation to minimize noise. Includes a windscreen and features a high-pass filter switch to minimize low-frequency noise.





#### **BCM-705**

Hyper-cardioid mic designed for use in radio applications. Wide frequency response is tailored to compensate for

proximity effect, plosive sounds, etc. An integrated pop screen further minimizes noise caused by speech. Mic can be mounted onto most swivel arms.

#NEBCM705 .....



performance for capturing speech in broadcast radio, voice-over recording, podcasts, and more. Tight polar pattern and tailored-for-voice frequency response. Balanced, low impedance output. Internal pop-filter to reduce plosives. Internal shock mounting for low handling noise. 10-year warranty.

Rugged dynamic mic that offers no-compromise

#ROPROCASTER......229.00



### **SHURE** SM7B

Large diaphragm cardioid dynamic mic for professional voiceover applications. Flat frequency response enhances the mid-range and high frequencies that are associated with the human voice. Internal "air suspension" shock isolation and built-in pop filter. (SHSM7B)......349.00



#### **M81**

Dynamic Handheld Mic

Features a dynamic cardioid capsule with a linear frequency response and

slight attenuation at the high frequencies. Its rich sound, low noise, and high off-axis rejection make is a favorite for vocal capturing, instrument cabinets, and other signals on stage or in the studio.

#TEM81......249.00



#### **ELA M-80**

Built to deliver "condenser like" audio reproduction for the stage and studio. Well suited for vocals

and instruments with its low mass super thin capsule, wide frequency response, and high SPL capability. Includes a mic clip, wooden box, and additional black head grille.

#TEELAM80 ...... 249.00



**PRO AUDIO** 



Omni-directional instrument condenser mic. Smooth, extended response on- and off-axis provides maximum ambient pickup. Runs on battery or phantom power. Super low sensitivity to popping and overload make ideal for group vocals, strings, cymbal overheads, acoustic guitar, piano

and interviews

#ALIAT8010



#### audio-technica.

#### MB2K

Affordable instrument mic, the MB2K features a dynamic cardioid element designed to withstand high SPLs. Use for reproducing drums, percussion, guitar, brass, piano and more. Comes with a 15' XLR cable.

i5

capturing snare drum, percussion, guitar and bass

cabinets, horns and vocals. Cardioid polar pattern

reproduces signals at high sound pressure levels

(SPL). Features a zinc alloy body with a steel grille

#AUI5......99.00

with a linear frequency response accurately

and black e-coat finish for terrific durability.

Dynamic mic ideal for



### AUDIX

AKG

D 112

**D2** 

Cardioid mic with 168dB dynamic range

and high 73dB S/N ratio. High frequency

mix. Built-in windscreen, includes SA-60

response is tailored to keep both bass drum

and bass quitar clearly distinguishable in the

stage adapter. (AKD112)......199.00

Accentuates the tonal frequencies of rack-toms, congas, floor-toms, and

other percussion instruments rich in mid-bass response. Dynamic element reproduces signals with high transients (peaks). Hyper-cardioid polar pattern provides a "tight" pick up area at the front of the capsule. Low frequency roll-off at 44Hz. (AUD2)....

SENNHEISER e609 Dynamic, supercardioid mic for capturing

instruments. Excels when placed in front of

recording. Flat grill allows for easy placement.

The dynamic element is shock mounted and a

hum compensation coil controls low frequency

noise. Ruggedly constructed with attractive

quitar cabinets in sound reinforcement or

D4 Hyper-Cardioid Dynamic Drum/Instrument Mic (AUD4).. 169.00 

#### **AMT M40**

Cardioid condenser mic designed for capturing piano, the M40 is also ideal for boundary style layer capturing in stage performances. Unique design offers detailed, transparent signal reproduction seldom achieved with traditional piano miking techniques.

#AMM40......**453.00** 



#### **Encore 100i**

Dynamic instrument mic for both stage and professional recording applications. The capsule and transformer are optimized to capture guitars, amplifier cabinets, horns, percussion and other instruments with pristine fidelity and transparency. Rugged construction with reinforced grille and integrated guard ring. (BLE1001)....... Call or Log-on



#### SENNHEISER MD 421-II

ADX20I Cardioid Condenser Instrument Mic (AUADX20I)..... 149.00

Cardioid dynamic mic with a 5-position bass roll-off switch and frequency response of 30Hz-17kHz. Dynamic capsule allows even signal response even close-up. Also handles very high sound pressure levels, making it suitable for miking instruments high in transient (peak) response. #SEMD4212.....



.379.95

#SEE609....

### SENNHEISER e604

Rugged cardioid mic designed to handle the high SPLs of drums, percussion, and brass instruments without noise and peak distortion. Neodymium magnet yields high output gain with low noise and reliable performance, regardless of climate. An integral stand mount screws directly onto mic stands and the included clip attaches the mic to the rim of a drum. (SEE604) ...... 139.95

e604 Kit: 3 Mics, Drum Mounts, Pouches (SEE6043K) ...... 349.95

## SHURE

#### BETA 98H/C

Super-cardioid instrument clip-on condenser mic with in-line preamp designed to clearly capture the sounds of today's professional horn players. Gooseneck, ratcheting swivel joint, and gooseneck angle brace allow for optimum placement and fixed positioning. (SHBETA98HC).....209.00



silver finish.

Dynamic supercardioid instrument mic for capturing kick drum, acoustic bass, bass amplifiers and more. Tailored frequency response for capturing signal registering at low frequencies. Accurately captures the attacks that contribute to the "punch" of the signal. Built-in locking stand adapter with XLR simplifies installation. Steel mesh grille. (SHBETA52A).....

### SHURE PGDMK6

All the essentials for capturing a percussion rig. Includes three PG56 snare/tom mics, two PG81 overhead mics and PG52 kick drum mic. Includes a rugged travel case with foam inserts, mounting hardware and XLR cables. #SHPGDMK6XLR......399.00



#### SHURE DMK57-52

Includes three SM57 dynamic cardioid mics, Beta 52A kick drum mic and three rugged A56D universal drum mounts to effectively mount the SM57's to drum and percussion rims, hardware, etc.

#SHDMK5752.....399.00



#### SHURE PG57-LC

Dynamic mic with cardioid pattern for use with vocals or instruments. Metal body with steel mesh grille contains cartridge mounted on an internal shock mount with a neodymium magnet to provide high SPL capability. Power switch turns the mic on/off at a moment's notice. Includes mic clip, thread adapter and bag. (SHPG57LC)......54.00 



#### SHURE

#### **SM57**

The USA's presidential podium mic for over 30 years, the SM57 cardioid is an exceptional choice for instrument pickup or for vocals. Bright, clean sound and carefully contoured presence rise make it ideal for live sound reinforcement and recording. Excellent for recording drums, guitar, and woodwinds. #SHSM57LC.....99.00



### SHURE BETA 57A

Excellent for acoustic and electric instruments as well as for vocals, the Beta 57A is a dynamic mic that provides optimal warmth and presence. Maintains a true supercardioid pattern throughout its frequency range. Hardened steel mesh grill design lets you take better advantage of proximity effect. Packaged in an advanced pneumatic shock mount.

#SHBETA57A......139.00



### SHURE SM81-LC

Rugged high-quality small diaphragm, cardioid condenser mic. Flat, neutral frequency response, makes it well-suited for use on acoustic guitar, piano, cymbals and choirs. Low noise and high-output clipping level. Low distortion over a wide range of load impedances. Selectable low-frequency response: flat, 6 or 18dB/oct roll-off. 0dB/10dB lockable attenuator switch

#SHSM81LC......349.00



Handheld Performance Mics

#### www.BandH.com

#### AKG<sup>®</sup> D5

Rugged dynamic mic with supercardioid pattern cuts through loud stage performances. Laminated Varimotion Diaphragm accurately reproduces vocals during performances. Capsule features a dual shockmount for enhanced protection against handling noise. Includes mic adapter and case.

#AKD5	. 99.00
#AKD5S (with on/off switch)	129.00



### AKG<sup>®</sup>

#### D7

Supercardioid handheld mic for general speech and performance capturing on stage, lecterns, desktops. Varimotion technology provides a wide frequency response and excellent signal reproduction. Its rugged construction ensures years of solid operation. Includes a windscreen, stand adapter and protective case. 



#### audio-technica.

#### AT2010

Professional cardioid vocal mic with fixed-charge permanently-polarized condenser element for a pristine warm signal response during live performances, speech and more. Robust enclosure to handle the rigors of life on the road. Includes stand clamp and case. #AUAT2010......99.00





#### audio technica MB1K

Rugged cardioid dynamic mic. Sensitivity and frequency response is optimized for reproducing vocals in speech and performance applications. Includes stand adapter clamp, and 20' XLR mic cable. #AUMB1KC......**40.00** 





#### audio-technica. MB3K

Rugged cardioid dynamic mic designed for reproducing vocals in sound reinforcement and recording applications. Features extended frequency and sensitivity response. Has a power switch for added

#AUMB3K	44.52
#AUMB3KC (with 15' XLR cable)	56.78





### (A) audio technica. MB4K

Studio grade quality at a modest price point. Features a condenser element which enhances sensitivity, detail and output level while maintaining a low noise floor. Powered by 11-52v phantom or AA battery. Includes stand clamp and pouch.

#AUMB4K	98.36
#AUMB4KC (with 15' XLR cable)	79.99





### audio technica. PRO 41

Rugged cardioid mic optimized for vocals on stage or recording applications. Dynamic element with neodymium magnet provides high SPL capability. Frequency response is optimized for enhanced intelligibility of vocals. On/Off power switch. Includes stand clamp and soft case.





Cardioid dynamic mic for instrument or vocal capturing in recording or live sound. Neodymium magnet provides high output gain levels while maintaining a low noise floor. Tailored frequency response eliminates low-frequency noise. Twostage ball type head reduces "pop" sounds and 

ATR1205 Cardioid Dynamic Mic (AUATR1205) 17.99



#### audio-technica, AT8031

Cardioid condenser mic designed for professional recording and sound reinforcement applications. Utilizing the latest low-mass technology, frequency and transient response is improved, while distortion is reduced. Controls feedback and minimizes pickup of unwanted sounds. Enclosed in a rugged housing with a low-reflective matte finish.

#AUAT8031......169.99





#### **Dynamic Vocal Mics**

Audix microphones deliver rich, natural vocal sound with exceptional clarity and detail, superior off-axis rejection, and the ability to perform at high levels without feedback or distortion. CD11: Entry level dynamic vocal microphone with on/off switch (AUCD11) ..........Call or Log-on

OM2: Vocal & instrument mic, full, clear sound with slight bass proximity, for small to mid-size PA systems (AUOM2).... 99.00 OM5: Vocals, lead & backing, with very tight pattern control and tailored response to cut through the mix. (AUOM5) .... 159.00 OM6: Vocals, lead & backing, with very wide & flat frequency response for premium PA systems. (AUOM6)......219.00 OM7: For touring PA system. Low output gain stage provides maximum gain before feedback in monitors (AUOM7)..... 229.00 





#### **EXM-1800S** (3-Pack)

Supercardioid pattern plus a

linear frequency response, optimized for vocal reproduction. A power switch is provided for added user control. Includes a convenient storage case.

#BEXM1800S ...... 33.99





#### XM8500 **UltraVoice**

Dynamic vocal mic with smooth mid-frequency presence rise for excellent vocal projection. Features dardioid pattern, internal shock mount and ultra-low distortion for a super clean sound. Two-stage pop filter minimizes breath and pop noises. Includes mic stand adapter.

#BEXM8500......21.99



sources such as a kick drum or bass guitar. Equally impressive as vocal mic or for brass/windwood instruments. Has a -20dB integrated humbucking filter, and reinforced basket to withstand rough handling.

#BEM88TG......399.00





#### enCORE Series

Rugged cardioid mics for reproducing vocals and speech with clarity and detail, while maintaining a balanced high-frequency response. Heavy gauge-grille and reinforced ring and durable plated finish make them ideal for sound reinforcemen.

#BLE100 (enCORE 100 Dynamic mic)... Call or Log-on #BLE200 (enCORE 200 Dynamic mic) .. Call or Log-on #BLE300 (enCORE 300 Condenser mic)Call or Log-on





Handheld Mic Package Set of three handheld dynamic microphones, ideal for general speech, rehearsal and performance applications. Also includes three 13' XLR cables. microphone clips and a storage / carrying case made of ABS plastic.



### Electro-Voice N/D 267A

Cardioid pattern and extended frequency range with improved transient response presents clear lead and background vocals without the need for excessive EQ. VOB technology provides tailored bass response for controlled "proximity effect" and exceptional vocal clarity. Warm Grip<sup>™</sup> handle for comfortable feel. Includes stand clamp, case and 2-year warranty.



## EV Electro-Voice N/D 767A

Rugged supercardioid mic for live sound reinforcement and general recording. VOB (vocally optimized bass) technology reduces boominess, sibilance and P-popping associated with close proximity capturing. Switchable bass roll off filter, neodymium magnet, and multistage shock mount. Includes stand clamp, case and 2-year warranty.

#ELND767A ...... 129.00



#### Handheld Performance Mics



#### **Cardioid Dynamic Mics**

The SP-1 and SP-5 are great value mics featuring metal construction and linear full range response. The

SP-4C has a On/Off switch and includes XLR cable. The SP-9n has a dynamic, alnico element for high quality vocal reproduction without noise.

SP-1 (NASP1)Log-on	SP-5 (NASP5 Log-on
SP-4C (NASP4C)	Call or Log-or
SP-9 (NASP9)	18.9





#### **KMS105**

Supercardioid pattern, low self noise and colorless off-axis pickup complements in-ear monitor systems. Features

superior resolution of voice, with extended frequency response and accurate transient detail. Unique triple acoustic filter minimizes popping and wind noise, filters eliminates handling noise.

Black Finish (NEKMS105MT)	699.95
Nickel Finish (NEKMS105NI)	699.95





for vocalists, small studios and musicians. Includes the PVi100 dynamic handheld mic, adjustable tripod mic boom stand and portable gig bag. Also comes with a 20' mic cable, mic stand adapter and pouch. #PEMSP114 (XLR - 1/4" cable) .... 49.99 #PEMSP1XLR (XLR - XLR cable) ..49.99



### **SENNHEISER E815S**

Rugged and reliable cardioid mic. Neodynum ferrous magnet with boron - keeps mic stable regardless of climate. Rugged metal construction and internal damping isolates handling noise. Hum compensating coil reduces electrical interference.

#SEE815SC		59.95
-----------	--	-------

Three E815S Mics with MZQ800 Mic Clips and cases 





Cardioid pattern and 80Hz-12kHz requency response is suitable for general vocal and instrument miking and club PA. Silent on/off switch. Rugged metal construction and internal damping isolates handling noise. Hum compensating coil reduces electrical interference. Includes mic clip and pouch.



### SENNHEISER

#### E825S

Cardioid mic for general vocal and instrument miking and club PA. Rugged metal construction and internal damping isolates handling noise. Hum compensating coil reduces electrical interference. Shock-mounted capsule for low sensitivity to handling noise. Silent on/ off switch. Includes mic clip and pouch.



### **✓ SENNHEISER E835**

Vocal stage mic with uniform frequency pick-up that maintains signal quality when moving on and off axis during performance. Gentle presence boost ensures clarity and projection. Minimal proximity effect for clear bass and performance when singing closer to or further from capsule. Includes mic clip and case.

99.95	#SEE835
age of three)249.95	#SEE8353K (package
n/off switch)	#SEE835S (with on/of



### **SENNHEISER E845**

Extended high frequency response and supercardioid pattern. Smooth warm tonal response and full dynamic range, with presence lift for vocal clarity and projection. Consistent on/off axis and proximity response maintain audio quality while moving. Metal construction and shock-mounting minimize handling noise.

#SEE845			.139.95
#SEE845S (with	h on/off switch)		149.95
E865 Supercar	rdioid Condenser	Mic (SEE865)	269.95



### SENNHEISER

#### E935/E945

Dynamic mics featuring 40Hz-16kz frequency response tailored for vocals. Neodymium capsule withstands extreme sound pressure levels. Shock mounted capsule and rugged metal enclosure for durability in the studio or on the road. Hum compensation coil minimizes hum caused by electrical current, bad grounds etc.

E935 (SEE935)...169.95 E945 (SEE945)... 219.95



## **SHURE** Super 55

Dynamic vocal mic with unmistakable vintage look and equally impressive sound. Tailored frequency response is well suited for speech and vocal capturing. Features an integrated, self-tensioning swivel mount, chrome-plated die-cast casing and vibrant blue foam. Adds style and flair on stage, podiums, houses-of-worship, and more.





### SMURE BETA 58A

High-output supercardioid dynamic mic with high gain-before-feedback, maximum isolation, and minimum off-axis tone coloration. Shaped frequency response makes it a top choice of vocalists and touring professional. Rugged construction, humbucking coil, shock mount and hardened steel mesh arille.

#SHBETA58A......159.00



### **SHURE** BETA 87A

Premium quality, phantom powered supercardioid condenser vocal mic with exceptionally smooth frequency response and SPL capability. Used for sound reinforcement, broadcasting, and studio recording. Controlled low-frequency roll-off compensates for proximity effect. Characteristic Shure presence rise brightens the upper midrange.

#SHBETA87A.....



#### SHURE BETA 87C

Top choice of performers and audio technicians around the world. Superb accuracy and detail, rich vocal production. Delivers studio-grade performance and a smooth, extended high-end frequency response in a cardioid condenser design. Low-frequency roll-off for proximity effect. Three-stage pop filter minimizes breath pop and noise.

#SHBETA87C......249.00



#### **SHURE** PG58

Cardioid mic deal for lead and backup vocals. On/off switch for onstage control. Durable metal construction with hardened steel mesh ball grille that resists wear and abuse. Neodymium magnet for high output level. Integral "pop" filter reduces explosive breath sounds and wind noise.

#SHPG58LC <b>54</b>	.UU
#SHPG58XLR (with XLR cable)59	.00



#### **SHURE** SM48

Caridiod dynamic mic with a tailored frequency response ideal for vocals. A presence rise brightens mid-range performance, and low frequency roll-off controls proximity effect. Shock-mounted cartridge and "pop" filter reduce handling noise and explosive breath sounds.

#SHSM48LC	49	.U
#SHSM48SLC (with on/off switch)	54	.9



#### **SHURE** SM58

True audio legend. Frequency response tailored for vocals, with brightened midrange and bass roll-off. Cardioid pattern minimizes background noise while shock-mount system cuts down handling noise. Built-in spherical wind and pop filter. Includes break-resistant 180° rotatable stand adapter.

#SHSM58L0	``	99.00
#SHSM58CI	I (with cable)	109.00
#SHSM58S	(with on/off switch)	104.00



#### **SHURE** SM86

Phantom powered cardioid condenser used in sound-reinforcement and recording applications. Built-in 3-stage shock-mount minimizes handling noise and an internal windscreen reduces noise caused by wind and breath sounds. Rugged metal construction is made to withstand the rigors of touring and daily use.

#31 1311100					175.00
SV100-W	Dynamic	Cardioid	Mic (SHS	SV100W)	29.99



### **SHURE** KSM9

Professional handheld vocal mic that delivers studio level quality to live sound reinforcement applications. Choice of cardioid and supercardioid patterns are provided for flexible operation and noise suppression in any scenario. Wide frequency response enhances vocal character. Advanced internal shock suppression for minimal handling noise.

n	Charcoal Gray finish (SHKSM9CG)	699.00
n	Champaign finish (SHKSM9SL)	699.00



### **Mic Clips & Mounts**

AKG
<b>SA 61</b> Stand Adapter (AKSA61)
Audia Tashuisa
Audio-Technica
<b>AT8456a</b> Quiet-Flex Mic Stand Clamp (AUAT8456A)
AT8427 Snap-In Mic Clamp (AUAT8427)
<b>AT8407</b> Universal Mic Clamp (AUAT8407)
Audix
MC-MICRO Mic Clip with 5/8" Thread (AUCSA)
D-CLIP Microphone Clip (AUDCLIP)
MC-1 Microphone Stand Adapter (AUMC1)4.25
Electro-Voice
<b>311</b> Microphone Stand Clamp (3/4") ( <i>EL311</i> )
<b>320</b> Microphone Stand Clamp ( <i>EL320</i> )
3233 Suit Mildiophone Stand Glamp (EL3233)
Hosa Technology
Universal Microphone Holder (HOMHSC)2.95
25mm Microphone Holder (HOMH25)
K&M
Microphone Stand Adapter (KM850505)
85035 Microphone Clip <i>(KM850355)</i> <b>2.99</b>
Microphone Stand Adapter (KM85060)Call or Log-on
MIC-EZE
PIG-E-BAK Double mic clamp (MIPB)
Min-Eze Ddual perpendicular mic clamp/clip (MIMINEZE) 36.95
FE-5 Adjustable mic clamp with a 5" gooseneck (MIFE5) 24.95
M-4 Standard spring loaded mic clip (MIM4)
On Stage
MY100 Clip for tapered-styled dynamic mics (ONMY100) 7.95
MY110 For straight-style handheld wireless (ONMY110) 5.99
MY120 Rubber Condenser Mic Clip (ONMY120)8.95
MY200 Spring-loaded clip (ONMY200)
MY250 Clip for tapered-styled dynamic mics (ONMY250) 2.99
MY251 Elliptical-shaped clip for most mics (ONMY251) 1.85



QuikLok	
Small Mic Clip (QUMP892)	
Large Rubber Mic Clip (QUMP890)	
Plastic Spring-Loaded Mic Clip (QUMP850)	
Tapered Rubber Mic Clip (QUMP840)	2.95
D. J.	
Rode	44.00
Stand Mount for NT3 and NT4 (RORM3)	
RM5 Stand Mount for the NT5 (RORM5)	14.99
Sennheiser	
MZQ1 Microphone Clamp (SEMZQ1)	16.95
MZQ 800 Microphone Clamp (SEMZQ800)	
MZQ200 Stand Adapter (SEMZQ200)	
MZQ6 Shotqun Camera Mount (SEMZQ6)	
<b>MZQ100</b> Quick Release for MKH-416 (SEMZQ100)	
MEQ100 QUICK HOLOGO TO MINT 410 (DEMEQ100)	23.30
Shure	
A1K - Anti Roll Device for Handheld Mics (SHA1K)	4.97
WA371 Swivel Adapter (SHWA371)	7.36
A57F Microphone Clip (SHA57F)	7.95
A25D Mic Stand Adapter (SHA25DM)	
A25D Stand Adapter (SHA25D)	5.76
Ultimate Support	
JS-MC1 Clothes Pin Style Clip (ULJSMC1)	2.99
JS-MC6 Unbreakable Rubber Mic Clip (ULJSMC6)	5.99
JS-MC3 Slide-In Mic Clip (ULJSMC3)	3.99
JS-MC2 Slide-In Mic Clip (ULJSMC2)	3.99
•	
Shure	
A53M Shock Stopper isolation mount (SHA53M)	
<b>A55HM</b> Shock Stopper isolation mount (SHA55HM)	37.50
WindTech	
PG-95 Pistol-grip shotgun microphone clip (WIPG95)	6 95
Mic Stand Cable Clips (WICC6)	
Universal Spring Type Mic Clip (Black) (WISMC7)	
MC-3 Rubber Clip for Wireless Handheld Mics (WIMC	
MC4 Extra-Large Heavy-Duty Mic Clip (WIMC4)	,
MC5 Large Deluxe Mic Clip (WIMC5)	
Eargo Doluno Iviic Oilp (Iviivico)	1.30

### Studio Shock Mounts

AKG H 85 Universal Shock Mount (AKH85)
Audio-Technica AT8449 Shock Mount (AUAT8449SV) 76.19
Audio-Technica AT8458 Mic Shock Mount (AUAT8458) 56.92
Blue Ringer Shock Mount (BLRSM)
CAD GZM6 Mic Shock Mount (CAGZM6)
EV 309A Suspension Mic Shock Mount (EL309A)109.00
Heil Sound SM-2C Shock Mount (HESM2C)
Sabra-Som SSM-1 Universal Shock Mount (SASSM1) 49.99
. ,
MXL
Low Profile Shock Mount (MXUSM002)
MXL-90 Elastic Suspension Mic Shock Mount (MX90) 34.95
MXL-MT001 Universal Microphone Mount (MXMT001)
MXL 41-603 High-Isolation Mic Shock Mount (MX41603) 29.23
MXL-57 High-Isolation Mic Shock Mount (MX57)29.94
On-Stage
MY320 Shock-mount clip for condenser mics (ONMY320) <b>5.99</b>
MY325 Shock-mount clip for dynamic mics (ONMY325) <b>5.99</b>
MY330 Shock-mount mic clip for wireless (ONMY330)
MY410 Shock mount for large condenser mics (ONMY410) <b>15.79</b>
With the chock mount for large condenses mice (enwith the) 10.13
Rode
SM1 Elastic Band for SM1 Shock Mount (ROSM1BND) 7.99
SM2 Elastic Suspension Mic Shock Mount (ROSM2) 49.00
PSM1 Shock Mount for Rode Podcaster (ROPSM1)39.00

TM01 Microphone Table & Stand Clamp (ONTMO1).....14.95



Neumann
Nickel Shock Mount Repl. Band for EA-1 (NE079074) 11.95
Black Shock Mount Replacement Band (NE065419) 11.95
EA-1 Shock Mount (Nickel) (NEEA1)
Nickel Shock Mount Rep. Bands (NE065404)
Black Elastic Band for the EA-1 Mount (NE523779)
Rycote
INV-6 InVision Indoor Mic Suspension (RYINV6)
InVision Universal Mic Shock Mount (RYINVUSM)
INV-7 InVision Indoor Mic Suspension St (RYINV7)
Samson
Shock Mount for G Track Mic (SASPO4)
SP01 Shock Mount (SASP01)23.73
Shure
RK373 Elastic Bands for KSM32 (SHRK373)
A55M Isolation and Swivel Shock Stopper (SHA55M) 22.61
A27SM Elastic Suspension Mic Shock Mount (SHA27SM) 55.00
RPM642 Rubber Rings for KSM27 (4 Rings) (SHRPM642) <b>3.99</b>
WindTech

SM-1 Mic Suspension Shock Mount (Black) (WISM1) ...... 37.50

**PRO AUDIO** 

### **Desktop and Gooseneck Mic Stands**

AmpliVox S1075 Mic Stand (AMS1075)Astatic Portable Desk Base for Goosenecks (AS40118)	94.99
Bogen Communications DS3 Desktop Mic Stand (BODS	,
QuikLok Desktop Mic Stand with Tripod Base (QUA188)  Rode DS-1 Microphone Desk Stand (RODS1)	
Samson Desktop Microphone Stand (SAMD5)	
Shure S41E Microphone Desk Stand (SHS41E)	
Charle of the more priorite book charle (or to the)	
Audio-Technica	
Microphone Desk Stand (AUAT8601)	15.11
Quick Mount Desk Stand (AUAT8615)	52.44
AT8646QM Shock Mount Plate (AUAT8646QM)	38.40
Plug-In Mic Desk Stand (AUAT8615RS)	58.76
Atlas Sound	
Contemporary Mic Desk Stand (ATDS14)	
Square Base Mic Desk Stand (ATDS2)	32.90
Round Base Mic Desk Stand in Chrome (ATDS5)	17.32
Round Base Mic Desk Stand in Black (ATDS5E)	15.60
8-13" Adj. Round Base Desk Stand in Chrome (ATDS7)	21.99
8-13" Adj. Round Base Desk Stand in Black (ATDSTE)	21.99
GN-6E Gooseneck Extension (ATGN6E)	4.89
GN-13 Gooseneck Extension (ATGN13)	6.89
GN-13E Gooseneck Extension (ATGN13E)	8.95
GN-19 Gooseneck Extension (ATGN19E)	8.95



#### Konig & Meyer (K&M) distributed by AKG Miniature Tripod Mic Desk Stand (AKKM2311)......15.00

### Konig & Meyer (K&M)

14.9	(KM231	Stand	Tripod M	Tableto
Call or Log-o	(KM231	Stand	Tripod M	Tableto
32B)Call or Log-o	Stand (	ase Mic	Round E	Table T

#### On-Stage

UII-Staye	
QR Adjustable Desk Stand (ONDS7200QRB)	11.90
Posi-Lok Mini Boom Desktop Stand (ONDS300B)	Log-on
Desktop Tripod Mic Stand with Clip (ONDS7425)	9.99
Fixed-Height Desk Stand w/Chrome Shaft (ONDS7100C)	Log-on
Fixed-Height Desktop Stand w/Black Shaft (ONDS7100B)	Log-on
Adj. Round Base Desktop Mic Stand Chrome (ONDS7200C)	111.95
Adj. Round Base Desktop Mic Stand Black (ONDS7200B)	12.49
6" Adjustable Gooseneck (ONG6B)	Log-on
13" Adjustable Gooseneck (ONG13C)	6.99
19" Gooseneck (ONG19B)	8.99
13" Adjustable Gooseneck (ONG13B)	6.99

#### **Ultimate Support**

Table-Top Mic Stand (ULJSDIMSOU)	Gali or Log-oii
Table-Top Mic Stand/Gooseneck (ULJSDMS75)	16.99
Mini Tripod Tabletop Stand/Clip (ULJSMMS1)	14.99

#### Shure

G12 - 12" G00Seneck (SHG12)	14.54
Extension Tube (SHA26X)	7.99

#### **Clamps, Mounts and Brackets**

K&M

ATS Clamp Ball Head (ATUCAT)	17.95
Countryman Flute Clip (COI2FC)	
Hosa Technology MMH-346 Mic Holder (HOMH4)	23.86
Shure A56D Universal Mic Drum Mount (SHA56D)	37.99
AKG	
K&M 237 Microphone Clamp (AKKM237)	17.00
KM235/1 Stereo Microphone Bar (AKKM2351)	25.00
Atlas Sound	
CO-1B Clamp-On Mic Swivel (ATCO1B)	16.30
MAC-1 Mic Adapter Clamp (ATMAC1)	37.03
TM-1E Twin Mic Mount (Ebony) (ATTM1E)	19.11
LO-2BE Lock-On Accessory (ATLO2BE)	13.75
LO-2B Lock-On Accessory (ATLO2B)	12.99
Audio-Technica	44.00
Swivel-Mount Mic Clamp Adapter (AUAT8459)	41.28

#### 23550 Adjustable Mic Bar (KM23550)......19.99 MIC-EZE M3-E5 Vertical Locking Mic Clamp (MIM3E5)......19.95 M3 Horizontal Locking Mic Clip (MIM3) ......14.95 On-Stage MY570 Clamp-On Accessory Holder (ONMY570) .......10.95 Microphone Clip Rim Drum (ONDM01)......6.80 7" Boom with Clutch and Clamp (ONMSA9508) ..... Call or Log-on DM50 Drum Rim Microphone Clip (ONDM50)......11.95 Posi-Lok Clutch (ONMSA9501).....Call or Log-on MY700 Multiple Mic Mounting Bar (ONMY700)......17.90



## Sabra-Som ST-4 Quad Microphone Support (SAST4)......

49.99

ST-2 Double Microphone Support (SAST2)3	9.99
Sennheiser Lock-On Microphone Stand Adapter (SEMZA421)3	3.94
Ultimate Support	
Holder for 3 Microphones (ULJSMM3)1	4.99
Holder for 5 Microphones (ULJSMM5)1	9.99
WindToch	

### WindTech

MA-12 Spring Loaded Clamp (WIMA12)	11.25
Multi-Position "C" Type Clamp (WIMPC10)	17.99

#### Pop Filters & Shields

Audix PD-133 Pop Filter (AUPD133)	. 28.95
Blue The Pop - Pop Filter (BLTP)	Log-on
CAD Pop Filter and Gooseneck (CAEPF15A)	. 13.89
Cascade Mics Metal Hexagon Pop-Filter (CAMSHPF)	25.95
Middle-Atlantic PF-SS Split-Screen Pop Filter (MIPFSS)	. 29.95
Neumann 6" Pop Filter w/Gooseneck (NEPS30)	. 44.95
Raxxess 6" Pop Filter with Goose Neck (RAPOMT)	24.99
Samson Pop Filter (SAPS01)	. 19.99
Shure PS-6 Pop Filter (SHPS6)	29.00
On-Stage	
ASVS4-B Pop Blocker Windscreen (ONASVS4B)	9.89
ASVS6BL 6" Pop Blocker Windscreen (ONASVS6B)	. 17.99



#### **Popless Voice Screens**

3.5" Pop Filter for the HEIL PR40 and PR3 (POVACPR40)	59.95
3.5" Pop Filter for EV RE-20/RE-27 (POVACRE20)	53.00
6" Pop Filter (POVACB6)	59.95
Pop Filter windscreen (POVACS6)	59.95

#### **Pearstone**

Metal	Round	Pop	Filter	with	Gooseneck	(5.5")	(PEPFMR5)	24.95
lylon	Round	Pop	Filter	with	Gooseneck	(6.6")	(PEPFN6)	22.95

### MXL

PF-002 Universal Black	Metal Mesh	n Pop Filter	(MXPF002)	19.80
PF-003 Universal Metal	Mesh Pop-	Filter (MXPI	=003)	27.49
Jniversal Microphone P	op Filter (M.	XPF001)		13.99

#### sE Electronics

Metal Pop Filter (SEPS)	43.95
Project Studio Reflexion Filter (SEPSRF)	199.00
Dual Pop Screen (SEDPP)	79.00
Reflexion Filter PRO - Acoustic Absorber (SFRF)	299.00

Microphone Accessories

### **Podium Flange Mounts**

Astatic Flange Mount for Gooseneck Mics (ASFM2A)........... 16.00 Astatic Lectern/Podium Shock Isolation Mount (ASGSM1).... 60.52

#### **Atlas Sound**

AD-11B Surface Mount Mic Stand Flange (ATAD11B)	6.99
AD-11BE Desk Top Mounting Flange (ATAD11BE)	6.49
AD-12B Desk Top Mounting Flange (ATAD12B)	7 <b>.</b> 99
AD-12BE Desk Top Mounting Flange (ATAD12BE)	7 <b>.</b> 99

#### Audio-Technica

บท-อเล <del>ง</del> ธ	
TM02C Podium Flange Mount (ONTM02C)	3.99
TM08B Deluxe Podium Flange Mount (ONTM08B)	4.99
TM02B Podium Flange Mount (ONTM02B)	3.95
Shure	

A12 Mounting Flange (SHA12)	<b>8.4</b> 9
A12 Mounting Flange (SHA12B)	. 8.49
Recessed Shock Mount for Gooseneck Mics (SHA/00SM)	21.50

#### WindTech

### Adapters & Fittings

<b>AKG</b> 3/8"	Female	to 5/8	3" Male	Thread Adapter	(AKKM217)	6.00
<b>AKG</b> 3/8"	Male to	5/8"	Female	Thread Adapter	(AKKM216)	6.00
AKG 3/8"	Male to	5/8"	Female	Thread Adapter	(AKKM216B)	6.00

#### **Atlas Sound**

AD-8B Long Microphone Tube (ATAD8B)	5.95
AD-7B Long Microphone Tube (ATAD7B)	6.95
AD-5B Coupling 5/8"F to 5/8"F (ATAD5B)	4.95
AD-4B 3/4" Long, 5/8" 27 Coupling Adapter (ATAD4B)	4.95

#### **Audio-Technica**

AT8469 Camera Shoe Mount (AUAT8469)...... 10.83

### Beyerdynamic NR.217

Connect 3/8" and 5/8" Mic Threads (BENR217625) ...... 4.50

3/8" female to 1/2" male thread Adapter (KM219)	Log-on
1/2" female to 3/8" male thread adapter (KM218)	Log-on
1/2" and 3/8" to 5/8" 27 thread adapter (KM215)	Log-on
3/8" female and 5/8" male connection (KM217)	Log-on
3/8" male and 5/8" female connection (KM216)	3.99
0.01	

on olago	
3/8" Male to 5/8" Female Screw Adapter (ONMA100) 2.	.19
3/8" Female to 5/8" Male Screw Adapter (ONMA200) 1.	.99
3/8" Female to 5/8" Male with	
Knurled Outer Flange (2 Pack) (ONMA300)	.99
Camera and Recorder Mic Stand Adapter (ONCMO1)7.	.9

#### **Rvcote**

Mic Stand Adapter (RY47302)	9.95
Hot Shoe 3/8" Adaptor (RYHSA)	22.95
Hot Shoe Extension/Extender (20 cm) (RYHSEL)	59.95
Hot Shoe Extension (RYHSE)	27.95

#### Sennheiser

MZA-216 Thread Adapter (SEMZA216).....

WindTech	
U.S. to European Stud Adapter (Chrome) (WIM1C)	2.70
M4 Stand Top Lock Nut (Chrome) (WIM4Q)	2.70
5/8" Replacement Mic Stand Nut (Chrome) (WIM2C)	2.70
M5 Stand Top Lock Nut (Black) (WIM5Q)	2.70
Hot Shoe Adapter (Brass) (WICM57)	16.50

### www.BandH.com



#### **In-Line Accessories**

Audio-Technica AT8202 In-Line Attenuator (AUAT8202) ... 39.99 DJ-Tech XLR-2-USB - XLR to USB Cable (DJXLR2USB) ...... 45.00

#### **Hosa Technology**

XLR-F to XLR-M Polarity Cross Phase Rev. (HOPCRPXMXF)	4.95
In-Line Attenuator (HOATT448)	11.30
In-Line XLR Barrel Mic On/Off Switch (HOMOOS)	18.99
XLR-F to Female XLR-F Adapter (HOAXFXF)	8.25
XLR-M to XLR-M Adapter (HOAXMXM)	5.37
XLR-M to XLR-F Hum Stopper (HOAXMXF)	7.49
BAV/I	

#### MXL

MicMate - USB Adapter for Dynamic Mics (MXDMM)	57.50
MicMate USB Adapter for Line Level Signal (MXMMLL)	85.00

#### **Pro Co Sound**

In-Line Pad (PRMAX10)	. 29.95
ITX Isolation Tranformer for 600 Ohm Loads (PRITXMXF)	54.95

#### **PSC**

48V to 12T In-Line Barrel Adapter (PSA4812)	37.05
Line to Mic Level In-Line Barrel Adapter (PSALMP)2	28.98

#### Sennheiser

48V Phantom to 12T Power Adapter (SE12TP48)...... 59.95

#### Sescom

Line Out to Camera Mic In Headphone (SEL2MZH4N25D) ..... 35.95

#### Shure

A15RF In-Line XLR RF Attenuator (SHA15RF)	. 49.00
A15AS - In-Line Attenuator (SHA15AS)	. 39.99
X2u - XLR to USB Mic Signal Adapter (SHX2UXLRUSB)	. 99.00

### Whirlwind

lr	n-Line	XLR	Barrel	40 dB	Pad	(W	HIMPAD	40)	 14	.78
lr	n-Line	XLR	Barrel	20 dB	Pad	(W	HIMPAD.	20)	 17	.99
lr	n-Line	XLR	Barrel	Groun	d Lift	er i	WHL)		 11	.49

#### **Portable Phantom Power Supplies**

#### ART

PHANTOMIII Phantom Power Supply (ARPPS) ......Log-on PHANTOMII - Battery Operated Phantom Power (ARADPP). Log-on

#### Audio-Technica

AT8801 Single Phantom Power Supply (AUAT8801)...... 52.95

#### Behringer

#### Denecke

Portable Single Channel 48V Phantom Power (DEPS1A)...... 132.65 Portable Dual 48V Phantom Power Supply (DEPS2)...... 127.50

KOIIS	
PB224 - 2-Channel Portable Power Supply (ROPB224) 74.84	
PB223 Dual 48V Phantom Power Supply (ROPB223) 59.95	
PB23 Single Channel Phantom Power Supply (ROPB23) 36.95	

#### Samson

S-Phantom 2 Channel 48V Power (SASPHANTOM)......49.99

#### **Modular Microphone Accessories**

#### Sennheiser

K6P Powering Module (Phantom Power Uniy) (SEK6P)	249.95
ME62 Omni Mic Capsule (SEME62)	159.95
ME64 Cardioid Mic Capsule (SEME64)	169.95
ME66 Short Shotgun Mic Capsule (SEME66)	209.95
K6 Powering Module (Battery or Phantom) (SEK6)	249.95
ME67 Supercardioid Spot Shotgun Mic Capsule (SEME67).	299.95
Shure	

R184B Replacement Supercardioid Cartridge (SHR184B)	52.57
R183B Replacement Cartridge (SHR183B)	32.95

### **Pads & Annenuators**

#### **Pro Co Sound**

Short Stop - Passive Momentary Switch (PRCDSSM) ....... 78.95

#### Rolls

MicMute - In-Line Momentary Mic Mute Switch (ROMM11)... 44.45 Mic Switch - Latching or Momentary Mic (ROMS111).......... 50.95



**PRO AUDIO** 

## **Boom Arms**

**AKG** Table Mounted Scissor Stand with XLR Mic (AKKM2385).... 169.00

#### **Anchor-Audio**

Mic Stand with 33" Boom (ANMSB201)..... 63.00

#### **Atlas Sound**

2-Section Adjustable Boom (ATBEE)	
Adjustable Instrument Mic Stand (ATDMS10E)	. 37.50
8-13" Drum Miking Stand (ATDMS7E)	. 31.50
35 - 63" Adj. Mic Stand w/Round Base Chrome (ATMS10C)	31.77
35 - 63" Adj. Mic Stand w/Round Base Black (ATMS10CE)	. 31.50
Low Profile Round Base Mic Stand Chrome (ATMS12C)	. 34.50
Low Profile Round Base Mic Stand Black (ATMS12CE)	. 33.86
Heavy Duty Low Profile Round Base Mic Stand (ATMS20)	. 82.50
Short Adjustable Boom Arm (ATPB11XEB)	. 41.99
Adjustable Boom Arm (ATPB21XEB)	. 47.50
Pro Mic Stand with Boom Arm (ATSB36W)	280.50

#### **Beyerdynamic**

GST500 - Tripod Microphone Stand (BEGST500) ...... 97.90

#### **Hosa Technology**

MSB-382BLK Short Tripod Boom Stand (HOTBSSB)................. 18.96

Konig & Meyer (K&M) distributed by AK	G
Extra Tall Tripod (AKKM21021B)	120.00
Heavy Duty Tripod with Boom (AKKM2109B)	
Telescoping Boom Arm (AKKM2111B)	
Telescoping Boom Arm (AKKM2112B)	
Extra Low Profile Tripod (AKKM2595B)	
Low Profile Tripod Mic Stand w/Boom (AKKM2595B)	
Heavy Duty Stand w/Round Cast Iron Base (AKKM2601B).	
Tripod Mic Stand with Boom Arm (AKKM21070B)	
Tripod Mic Stand with Boom Arm (AKKM254B)	
Tripod Mic Stand with Boom (KM2102B)	74.99
Telescoping Tripod Mic Stand with Boom (KM2108B)	59.99
Tripod Mic Stand with Adjustable Boom (KM2109B)	69.95
Extra Low Mic Stand with Boom Arm (KM2591B)	69.99
Low Tripod Mic Stand with Boom Arm (KM259B)	62.96
Telescoping Mic Stand and Tripod Base (KM199)	67.00
Tripod Mic Stand in Black (KM201A2B)	44.49
Tripod Mic Stand with Adj. Boom (KM21021B)	. 120.00
Tripod Mic Stand with 32" Boom (KM21070)	
Telescoping Boom Arm (KM2111B)	33.00
31" Mic Stand Boom Arm (KM21130)	27.95
16.5-28" Mic Stand Boom Arm (KM21140)	29.00
QuikLok	
Tripod Mic Stand with Fixed Boom (QUA300BK)	
Tripod Mic Stand with Telescoping Boom (QUA341BK)	26.99
One Hand Clutch Round Base Mic Stand (QUA498BK)	25.26
One Hand Clutch Tripod Mic Stand (QUA497BK)	25.99
Tripod Chila Mia Ctand/Talassania Page (OUA 24CDI)	21 52

QUIKLOK	
Tripod Mic Stand with Fixed Boom (QUA300BK)	. 23.76
Tripod Mic Stand with Telescoping Boom (QUA341BK)	26.99
One Hand Clutch Round Base Mic Stand (QUA498BK)	25.26
One Hand Clutch Tripod Mic Stand (QUA497BK)	25.99
Tripod-Style Mic Stand/Telescopic Boom (QUA346BK)	. 21.53

#### Roland

ST-100MB Mic Boom Stand with Bag (ROST100MB) ....... 59.99

#### Shure

#### Samson

MK10 Lightweight Boom Mic Stand (SAMK10)	19.99
BL3 Ultra-Light Boom Stand (SABL3)	28.50
MB1 Mini Boom Stand (SAMB1)	29.95
BT4 Microphone Stand (SABT4)	34.99
SB100 Studio Mic Boom Stand (SASB100)	89 00



#### On-Stage

Round Base Mic Stand with QR Clutch (ONMS7201QRB)  10" Dome Base Mic Stand (ONMS7250)	
Tripod Boom Stand and Mic Kit (ONMS7515)	
Hex-Base 1/4 Turn Threadless Mic Stand (ONMS7625B) I	Log-on
Hex-Base Mic Stand with Pistol Grip (ONMS7625PG)	21.00
Euro-Style 36-63 Tripod Mic Stand (ONMS7700B)	14.29
Tripod Mic Stand with 19-33" Boom (ONMS7701TB)	29.99
Drum and Amp Mic Boom Stand (ONMS7411B)	Log-on
Adjustable Kick Drum Mic Stand with Boom (ONMS7920B) I	Log-on
16" Boom Arm for Mic Stand (ONMSA7040B)	Log-on
32" Boom Arm for Mic Stand (ONMSA7020B)	Log-on
19-32" Telescoping Boom Arm (ONMSA7040TB)	Log-on
32-48" Telescoping Boom Arm (ONMSA7020TB) I	Log-on
7" Mic Boom Kit with Posi-Lok Clutch (ONMSA9502) I	Log-on

13" Mic Boom with Posi-Lok Clutch (ONMSA9503)	Log-on
9-16" Mic Boom with Posi-Lok Clutch (ONMSA9505)	Log-on
7, 13 & 18" Mic Boom w/Posi-Lok Clutch (ONMSA9500)	Log-on
19-30" Telescoping Boom Arm (ONMSA9720TB)	Log-on
Heavy Duty Boom Stand w/ Tripod Base (ONSB9600)	Log-on
Heavy Duty Boom Stand with Rolling Base (ONSB96P)	Log-on
Hex-Base Telescoping Mic Boom Stand (ONSMS7650)	Log-on
34-60" Mic Stand with Round Chrome Base (ONMS7201C)	24.99
34-60" Mic Stand with Round Black Base (ONMS7201B)	17.94
36-63" Mic Stand w/30" Boom in Chrome (ONMS7701C)	29.20
36-63" Mic Stand w/30" Boom in Black (ONMS7701B)	18.61
34-60" Hex-Base Microphone Stand (ONMS7600B)	22.99
42-70" Hex-Base Mic Stand w/Boom (ONSMS7630B)	99.99
Lateral Boom and Clutch f/MS7515 Mic Kit (ONMSA8020)	17.20

#### **Ultimate Support**

89.99	Tripod Mic Stand with Telescopic Boom (ULPROTTK)
Log-on	31.5" Fixed Length Boom (ULJSFB100)
19.99	Tripod Mic Stand (ULJSMC100)
B50) Log-on	Low-Level Tripod Mic Stand w/Fixed Boom (ULJSMCFB50)
Log-on	Adj. Mic Stand with Round Base (ULJSMCRB100)
200) . <b>Log-on</b>	Tripod Mic Stand with Telescoping Boom (ULJSMCTB200)
) <b>29.99</b>	Low-Level Tripod Mic Stand with Boom (ULJSMCTB50)
Log-on	20.75 - 35.75" Telescoping Boom (ULJSTB100)
79.99	LIVE-SB Stackable Mic Stand (ULLIVESB)

PRO-SB Stackable Mic Stand ( <i>ULPROSB</i> )	Log-on
Tripod Mic Stand with Fixed Boom (ULJSMCFB100)	Log-on Log-on Log-on

### **Wired Microphone Cases**

Alfa Case Softi-Case, Small (AL30016SCBLK)	52.95
Alfa Case 10" Shotgun Mic Case (AL20010MTLB)	59.95
Audio-Technica AT-BG1 Mic Pouch (AUATBG1)	8.99
Gator Cases GX-33 Utility Case (GAGX33)	39.99
Gator Cases GM-4 4 Drop Mic Padded Bag (GAGM4)	Log-on
Rode ZP2 Zip Pouch (ROZP2)	12.99
Rode ZP1 Zip Pouch (ROZP1)	Log-on
Sennheiser K6C-SM Case (SEK6CSM)	39.95
Sennheiser CASELONGMKH Mic Case (SECLMKH)	29.95
Shure A32ZB Padded Bag (SHA32ZB)	19.99
SKB ATA 12 Compartment Mic Cas (SK1200)	139.95
WindTech B-1 Microphone Pouch (WIB1)	7.50

#### **Studio Mic Arms & Accessories**

ANG Table Mounted Scissor Stand (ANNINIZ383)	109.00	
Heil Sound PL2T Overhead Boom Mount (HEPL2T)	120.00	
<b>K&amp;M</b> 23850 Mic Desk Arm and Clamp (KM23850)	Log-on	
MXL BCD-Stand Desktop Mic Stand (MXBDCS)		
Rode PSA-1 Studio Boom Arm (ROPSA1)		
0.0 11/1-14-		
MXL BCD-Stand Desktop Mic Stand (MXBDCS)	69.00	

O.C. White	
Deluxe Extended Two-Joint Mic Arm (OC14192B)	125.00
Heavy Duty Clamp Mount (OC114401B)	25.95
ProBoom Elite Mic Arm System (OC61900BG)	199.95
ProBoom Elite Mic Arm System (OC14199BC)	129.99
Heavy Duty Wall Mount Base (OC11426B)	25.00
Deluxe Mic Arm and Riser System (OC51900B)	144.40

www.BandH.com



#### **Tube MP**

Tube Mic Preamp

- . High-quality 12AX7A tube adds warmth to source material.
- All-aluminum stackable chassis
- Phantom power,
- Precision LED metering
- Up to 70dB of clean musical gain
- Use as a direct box

#ARTUBEMP......39.95



# A R T

#### Tube MP Studio V3

 Steps up from the Tube MP with V3 technology which presets that allow you to select between preamp settings designed for guitars, keyboards, bass guitars, drums, vocals and more.





#### R T MP Project Series

Tube Mic Preamp

- High-quality 12AX7A tube
- · Phantom power
- Precision LED metering
- Variable input and output controls
- Up to 70dB of clean "musical" gain
- Fast FET limiter to prevent signal overload



#### **TPS II**

2-Channel Mic Preamp





#### **ProMPA II**

2-Channel Mic Preamp

Stereo or dualmono mode. 70dB of gain.





#### **Digital MPA II**

2-Channel Mic Preamp





Tube Mic Preamp



- 20dB pad, phase reverse, and 80Hz low cut filter
- 1/4" high-impedance DI inputs for instruments
- Gain and Drive controls; Vintage-style VU meter

#ALMICTS ...... Call or Log-on



Dual-Channel Tube Mic Preamp



- 20dB pad, phase reverse, and 80Hz low cut filter per channel
- 1/4" high-impedance DI inputs for instruments
- Gain and Drive controls; LED ladders per channel for metering
  #ALMICTD......Call or Log-on



#### MIC100 Tube UltraGain

Tube Mic Preamp and Direct Box

- Tube mic/line preamp with integrated limiter
- 12AX7 vacuum tube with UTC technology
- Phase reverse switch, 20dB pad
- +48v phantom power
- Wide-range input gain and output level adjustment. Balanced I/O on 1/4" TRS phone and XLR connectors.

#BEMIC100......Call or Log-on



#### **MIC200 Tube UltraGain**

behringer Tube Mic Preamp and Direct Box



# MIC800 MiniMIC Mic Modeling Preamp

Endow vocals, guitars, bass or synthesizers with low-noise tube-like warmth. Includes output limiter, dedicated low cut filter, phantom power, 20dB pad, and vintage-style VU meter.

#BEMIC800......Call or Log-on



### MIC2200 Ultragain Pro

2-Channel Tube Mic Pre/Line Driver



- High pass filter with a sweepable range from 15 to 320Hz
- Parametric EQ with adjustable center frequency, bandwidth and amplitude.
- Offers conversion from -10dBV home to pro +4 dBu levels.

  #BEMIC2200......Call or Log-on



#### **ISA ONE** Mic Preamp

 Independent gain control, output for routing to an amp, independent XLR output on the rear



- Four switchable input-impedance levels
- Independent DI Headphone output with volume control

#FOISAONE ......Call or Log-on



#### **OctoPre MkII**

8-Channel Mic Preamp



Use for Pro Tools system, DAW, analog or digital console, or a stand-alone hard disk recorder. 24-bit/96 kHz output. Two inputs feature XLR combi connectors to accept mic, line and Hi-Z inputs. Each channel features a direct analog out and a 10dB pad. Five LED input metering per channel (FOOPMKII)........Call or Log-on



## OctoPre MkII Dynamic

8-Channel Mic Preamp



Same as above, plus 8 VCA-based Red 3-derived compressors, and 24-bit/96kHz digital input/output. With just a single dial, users can quickly achieve the desired amount of compression for each channel, providing a natural but loud sound.

#FOOPMKIID......Call or Log-on



Mic Preamp with Ribbon Mic Mode

Single channel mic preamp with incredible bandwidth.



## M-AUDIO<sup>®</sup> Audio Buddy

2-Channel Mic Preamp

Ultra-quiet, 2-channel mic preamp that also doubles as a DI box. Front panel instrument inputs. Rear XLR mic inputs with phantom power for



## M-AUDIO® DMP3

Dual-Channel Mic Preamp/DI Box

- Classic VU meters
- 20Hz-100kHz frequency response ideal for 96kHz recording



Phantom power, phase inverse switch, high-pass filter and individual clip LEDs are provided on both channels.

\*\*TANALIS\*\*

\*\*TANA

#### 800-859-5252 | 212-444-5072

## PreSonus DigiMax D8

8-Channel Mic Preamp with ADAT Output



Each include a direct output (as well as digital output), a variable trim control, LED metering, 20dB pad and +48v phantom power. Two front panel 1/4" instrument inputs. Balanced 1/4" TRS outputs. Wordclock sync input for any DAW with ADAT optical input.

#PRDMD8......Call or Log-on

### PreSonus TubePRE

Single-Channel

#### Tube Mic

Drive potentiometer controls the amount of signal routed to the tube and therefore the amount of tube saturation.



XLR mic and 1/4" instrument inputs, phantom power, phase reverse, 20dB pad and 80Hz filter.

#PRTPMTMPA......Call or Log-in

## M PreSonus BLUETUBE DP

Two-Channel Dual Path Mic Preamp

Dual Path technology delivers offers a solid state preamp stage and a tube preamp



### MP13 Mini Mic Preamp

Simple and inexpensive solution, has both XLR and 1/4" inputs and outputs, and a single gain control with a clip indicator. Provides +36v phantom power. The 1/4" output is specially designed for use as either a mono unbalanced output, or a stereo headphone output.



.....u



VTB1 Single-Channel Tube Mic Preamp



#### **More Microphone Preamps**

Rolls DU30b Audio Ducker with Mic Preamp (R	ODU30B) <b>70.99</b>
Nady DMP-2 Compact Dual Channel Mic Pream	p (NADMP2). <b>54.51</b>
Nady PRA-8 8-Channel Mic Preamp (NAPRA8).	99.95
SM Pro Audio PR8E - Mic Preamp (SMPPR8E1)	179.99
SM Pro Audio Q-PRE - Mic Preamp (SMPQPRE)	1) <b>99.99</b>
SM Pro Audio TC01- Tube Mic Preamp (SMPT	CO11) <b>199.99</b>

#### **Universal Audio**

e <i>(UN4710D)</i> <b>1999.00</b>	4-710D - Tone Blending Twin-Finity Mic Pre
799.00	710 Twin-Finity - Mic/Line Preamp (UN710).
Call or Log-on	SOLO/610 Mic Preamp (UNS610)

### **ALESIS** 3630 Sound Max-X3

Dual Mono/Stereo Compressor/Limiter



- Two independent compressor/ limiters with noise gates
- Ratio, threshold, attack and decay controls
- RMS and Peak compression styles, plus Hard and Soft Knee dynamic curves. Two gates with threshold and rate controls

32 Dual Channel Compressor/Limiter/Gate (AL3632C) .......

#### **MDX1600 Autocom Pro-XL**

2-Channel Compressor/Limiter with Gating



- 2-channel expander/gate/compressor/peak limiter with integrated dynamic enhancer, de-esser and low contour filter.
- · Total dynamic control for recording, mixing or mastering
- Adjustable IDE dynamic enhancer provides subtle compensation for bass "boost" effect that can result from heavy compression.

   The provided and the provided subtle compensation of the provided subtle compensation.

   The provided subtle compensation of the provided subtle

#BEMDX1600......Call or Log-on



### **MDX4600 Multicom Pro**

4-Channel Compressor/Limiter



- Four channels of Interactive Knee Adaptation (IKA) compression/ limiting, with peak limiter on all channels.
- Each compressor features program dependent attack and release times with a switchable side-chain filter.
- CH-1/2 and 3/4 can be switched as pairs for stereo operation.

   #BEMDX4600......Call or Log-on

266xs • 166xs Compressors

- Dual channel with stereo or dual-mono operation
- Classic dbx "Auto" Mode
- Side Chain Insert
- · Separate LED displays

266xs - Compressor/Gate (DB266	XS)	149.95
166sx - Compressor/Limiter/Gate	(DB166XS)	239.95

A R T

T ART Pro-VLA II

Dual Channel Compressor/Limiter

Compressors • Channel Strips

Opto-electrical design provides smooth and



musical dynamic range control. Mastering-quality audio signal path and tube-based gain stage. Variable ratios from 2:1 to 20:1. Controls for adjustment of threshold and output level. Variable and separate attack and release speeds.

#ARPROVLAII......Call or Log-on



#### **MDX2600 Composer Pro-XL**

Dual Channel Compressor with Gating, De-Essing & Tube Emulation



XR4400 Mutligate Pro 4-Channel Gate (BEXR4400) ............ 142.99



Four Channel Compressor/Limiter



- Four channels of compression/peak limiting
- Classic dbx compression
- Switchable OverEasy or hard-knee compression
- True RMS level detection

#DB1046......**52** 

### ROULS CL151 GLC

Gate and Compressor/Limiter with Mic Preamp

Compact dynamics processor. Mic preamp with 12v phantom power. Features smooth, soft-knee compression and limiting and noise gating for quiet operation. Side Chain for detector circuit access. Gating includes threshold and gate time controls. Gain reduction is indicated via a five segment LED ladder.



# AVALON DESIGN VT-737SP Channel Strip



#### **Audio Metering**

American Audio dB-Display Rackmount Meter (AMDBD)	) <b>57.00</b>
Galaxy Audio CM-130 SPL Meter (GACM130)	59.99
Galaxy Audio CM-140 SPL Meter (GACM140)	129.99
Galaxy Audio CM-150 SPL Meter (GACM150)	249.99
Nady DSM-1 Digital SPL Meter (NADSM1)	99.99
Phonic PAA3 Handheld Audio Analyzer (PHPAA3)	499 99

# dbx <sub>286s</sub>

Microphone Preamp/Channel Strip



#### MPreSonus Studio Channel



Effects Processors • Equalizers & Analyzers

### ALESIS MidiVerb 4

Digital Reverb and Multi-Effects Processor



### KORG KP-3 KAOSS PAD

Effects Generator / Controller



### KORG Mini-KP KAOSS PAD

Portable Effects Processor

Operate via "touch-screen" pad. Control multiple parameters at the same time. Apply complex effects. Runs on batteries for use in the field. Or use in the studio with 100 effects all covering a wide range of musical styles. #KOMINIKP.....104.00



## exicon MX-200

Dual Channel Multi-Effects Processors



### t.c. electronic M350

Dual Engine Multi-effects & Reverb Processor



Reverb section contains classic TC hall, cathedral, ambience, room as well as plates and springs, while the comprehensive effects section includes essential compression, modulation and delay variations. 24-bit processing, MIDI I/O, MIDI clock tempo sync, pedal control of tap tempo and global bypass. (TCM350).. Log-on

# TC·HELICON VoiceTone Create XT

Vocal Effect Foot Pedal

- FOH quality reverb and delay
- HardTune for live, auto-tuned vocal effects. XLR mic input and XLR output in stereo or mono



Dual Channel 31-Band 1/3 Octave Graphic EQ



- Constant-Q filtering
   Selectable boost/cut range (6dB or 12dB)
- 20mm center detent sliders Variable input level control
- Variable high-pass and low-pass filters
   Clip level indicators
- Active balanced and unbalanced I/O

HQ231 Dual Channel 31-Band Equalizer (ARHQ231)Call or Log-on

# beholmen

#### **FBQ800 MINIFBQ**

Compact 9-Band Graphic EQ with Feedback Detection System

• FBQ feedback detection system

instantly reveals critical frequencies. Use as audio analyzer

6-digit LED input/output meters and level control; illuminated faders, potentiometers and switches

#BEFBQ800 ...... Call or Log-on



### FBQ6200 UltraGraph Pro

31-Band Stereo Graphic EQ



- Feedback detection Limiters with gain reduction meters



#### **DEQ2496 UltraCurve Pro**

24-Bit/96kHz EQ/RTA Mastering Processor



- High resolution processor for EQ, RTA and dynamic applications
- Flexible compressor/expander function with peak limiter per stereo channel as well as a stereo imager and stereo delay
- 61-band FFT analyzer with additional auto EQ functions
  #BEDEQ2496 ......326.99



### FBQ1502 UltraGraph Pro

Dual Channel 15-Band Graphic EQ



- FBQ feedback detection system; low cut filter
- Highly accurate 4-digit LED output metering and input gain control for easy level setting



### FBQ3102 UltraGraph Pro

31-Band Stereo Graphic EQ



- Feedback detection system Sweepable high and low cut filters
- Mono subwoofer output with adjustable crossover frequency
  - 12-digit LED input/output metering and input gain control
    #BEFBQ3102......Call or Log-on

www.BandH.com



Dual Channel 15-Band Graphic EQ



- 2/3-octave constant Q graphic EQ
- 20mm non-conductive sliders
- Switchable Boost/Cut range between ±6dB and ±12dB
- 12dB per octave, 3dB down at 50Hz low-cut filter #DR215S

2231 - Dual Channel 31-Band Graphic EQ (DB2231)...........Log-on



Dual Chanel 31-Band Equalizer

- Dual channel
   31-band
   1/3 octave
   graphic EQ
- Switchable Boost/Cut range between ±6dB and ±15dB
- 45mm center detent sliders
- Fixed high-pass filters; variable input level controls



Dual Channel, 31-Band EQ/Limiter

- 1/3 octave constant Q frequency bands
- Advanced

Feedback Suppression (AFS)

- dbx Type V noise reduction PeakStopPlus limiting
- Switchable boost/cut ranges of ±6dB or ±15dB

#DBIEQ31 ......Call or Log-on



- 4 audio inputs with a VFD display screen utilizing blue LED lights for easy visibility.
- Ideal for professionals and amateurs alike with its pro features and removable rack mount brackets.





- $\bullet$  31-band digital graphic EQ with variable bandwidth
- Compressor/limiter with full-function controls

frequencies from

- 12 filters configurable a FBX feedback or parametric filters



40Hz to 16kHz with either 6dB or 12dB of boost or cut

 Continuously variable high-pass filter with -12dB/octave slope and variable from 15Hz to 300Hz

### 800-859-5252 | 212-444-5072



Bidirectional Audio Converter

Accepts an AES/EBU digital audio input and outputs an analog audio signal, and vice versa. Each channel has three levels of attenuation for control. Also has the ability to sync to a video reference word



clock signal, providing two looping outputs. Miniature size allows for studio "in line" applications. (AJADA4) ......390.00



### **ADA8000 ULTRAGAIN PRO**

8-Channel A/D and D/A Converter



- · Use for virtually any digital recording/mixing environment
- · Eight mic preamps with phantom power
- All mic/line inputs are routed to the ADAT output
- · ADAT input can be routed to all line outputs



#### **GTV-AAUD-2-DIGAUD**

TV Analog to Digital Audio Adapter

- · Converts RCA, analog, L/R audio to S/ PDIF or TOSLink digital audio
- Operation of the unit simply requires connecting input and output devices then power cycling the equipment. #GEATVDA .....



Call or Log-on

#### **EXT-DDIGAUD-2-AAUD**

TV Digital Audio to Analog Adapter

- · Converts S/PDIF or TOSLink digital audio signals to analog L/R audio
- Samples at 32, 44.1, 48 and 96kHz
- 2-channel LPCM
- 24-bit S/PDIF incoming bitstream on left and right channels

#GECDAAA......Call or Log-on



#### GTV-DD-2-AA

TV Digital Audio Decoder

- . Converts S/PDIF or TOSLINK digital audio to L/R analog audio
- Supports up to 6 channels (5.1 Surround) of audio encoded in Dolby Digital
- Samples at 32, 44.1 and 48kHz
- · 24-bit incoming bitstream on left and right channels
- · Listen to digital audio sources on legacy analog sound systems

### **Symphony** I/O Chassis



Provides two I/O Module slots for a variety of digital audio conversion options. The front panel offers the visual feedback needed to monitor levels, sample rate and clock status, along with the controls required to adjust gain and output levels, PCI, USB and Ethernet connectivity, plus Wordclock I/O connectors and termination, LoopSynch I/O connectors, and a guiet digitally-controlled fan.

A80P Analog and Optical Digital Audio Module

8-channels of balanced analog I/O and up to 8-channels digital I/O available simultaneously. Ultra low latency A/D-D/A conversion. Software controlled A/D-D/A reference setting. Variable gain input for keyboards. Enhanced C777 clocking performance.



Reference quality, two-channel 24-bit/192kHz digital-to-analog audio converter with "preamp" functions including input selection and volume control. Features six stereo inputs -analog RCA, USB, TOSLink, three RCA coax and 4stereo analog outputs - balanced XLR, unbalanced RCA, and two reference-grade HPA2 highcurrent, " $0-\Omega$ ", high-output 1/4" headphone outputs. #BEDAC1PRES.....

1595.00\*

## **Entrance** DACport

Reference Quality USB Headphone DAC

Proprietary AdaptiWave 24-bit USB audio technology, JitterGuard clock management system. and an audiophile headphone amp deliver pristine-quality playback anywhere. Plug 'n play

operation in a cigar-sized, anodized aluminum tube.

#CEDACPORT......399.95

## 1T-AP-216 Audio Converter


- Converts an analog stereo audio (R/L) signal to simultaneously available S/PDIF optical and coaxial digital audio signals.
- Also allows for the introduction of a 150ms delay into the digital data stream.



#### **UAD-2 Satellite DUO • Quad**

FireWire DSP Accelerators

UNIVERSAL AUDIO Powered by two or four SHARC processors, the standalone FireWire 800 or 400 based DSP accelerator can run complex mixes without taxing the host computer. Included "Analog Classics" bundle includes LA-2A classic audio leveler, 1176LN and 1176SE compressor/limiter, Pultec EQP-1A EQ and the RealVerb Pro plug-ins. Additionally, offers easy FireWire access to the complete UAD Powered plug-in library. Use with Pro Tools, Cubase, Nuendo, Logic Pro, Digital Performer, or any other DAW software that supports the Audio Units, RTAS and VST formats.





#### Big Ben

192k Master Digital Clock with Real APOGEE Time Format Conversion





## **ULTRAMATCH PRO**

SRC2496 High-Resolution Sample Rate/Format Converter



High-quality 24-bit/96kHz A/D and D/A conversion, plus format conversion between AES/EBU and S/PDIF (coaxial or optical) with high-quality signal output at 16, 20, or 24-bit resolution. Universal sample rate synchronization is done via word-clock or digital input. RCA and optical outputs are simultaneously operational with separately selectable inputs, turning this unit into a digital patch bay. 

## HOSQ CDL-313

Coaxial S/PDIF to XLR AES/EBU Data Link

Allows simultaneous transfer of two channels of digital audio in either or both directions between AES/EBU on XLRs and S/PDIF on RCA coaxial connectors. Make transfers without leaving the digital realm. SCMS is disabled when transferring from S/PDIF to

AFS/FRII

## HOSQ ODL-312

Optical S/PDIF to XLR AES/EBU Data Link

Allows simultaneous transfer of two channels of digital audio in either or both directions between AES/EBU on XLR connectors and S/PDIF on TosLink optical. Make transfers without leaving the digital realm. SCMS is disabled when transferring from S/PDIF to AES/EBU.

TOSlink Optical F to Mini-TOSlink Male Adapter

(HOOATMP) .....

### M-AUDIO CO2

Optical and S/PDIF Bi-Directional Converter

Converts optical to S/PDIF and vice versa. It features optical to S/PDIF, and S/PDIF to optical modes as well as a Bidirectional mode which enables the CO2 to be used as a repeater when using long cables. The compact rugged design



for use in and out of studio environments. (MACO2)......49.99



## **CE-CTC012-S2**

Convert a S/PDIF signal from toslink optical to RCA coax digital audio signal, Moreover, the RCA output signal is RoHS compliant. Will work with any device with a toslink



#### www.BandH.com



102 USB 2-Way Audio Digitizing Adapter

VXI USB duplex (two-way) adapter that provides digital audio conversion. Use with computers with average quality soundcards or computers without soundcards.

# 11 ESIS

#### **GuitarLink Plus**

1/4" to USB Cable

- · Connect guitars, basses, keyboards or line-level audio source to USB for recording into a computer
- . 16-bit, 44.1 kHz digital audio output
- 16.5' length cable
- Includes Guitar Rig LE software

#ALGUITARLINP...... Call or Log-on



## **A**LESIS

#### **MicLink**

XLR to USB Cable

. Simplest way to directly record a mic signal into a computer. Perfect for podcasting or singing practice.



- Plug any dynamic mic into a Mac or Windows based computer.
- Cable has its own A/D converter with 6-bit/44.1kHz output. Any USB-compliant software will recognize LineLink as input source. #AI MICI INK......Call or Log-on

### *A*LESIS

#### LineLink Dual 1/4" to USB Cable

- · Elegant and simple solution for recording the stereo output of a mixer, keyboard, sampler, or drum machine into a computer.
- · Cable has its own A/D converter and delivers 16-bit/44.1kHz output.

#ALLINELINK ...... Call or Log-on



### ALESIS

iO2 Express 2x2 USB Audio Interface

- Record up to 24-bit, 48 kHz audio
- . Monitor sessions with balanced studio monitor and headphone outputs
- High-quality A/D and D/A converters. discrete-design preamps, 48V phantom power, tricolor stereo level meter
- Mic, line-level and instruments inputs MIDI I/O

#ALIO2E ......Call or Log-on



## ALESIS 104

4-in/4-out USB Digital Audio Interface

- Discrete-design preamps
- . Inputs for mics, line-level and instruments, including guitars
- · Balanced studio monitor and headphone outputs
- · 48V phantom power
- · Tricolor stereo level meter and lighted status indicators

Nanoface

. Dual analog XLR inputs with mic preamps

12-Channel USB Audio/MIDI Interface

# FIE I/O 4-in/4-out USB Audio Interface

- 16-bit/48kHz resolution
- Four XLR/TS combo jacks with phantom power and gain control
- Four nickel-plated 1/4" TRS outputs for two monitoring systems
- Four nickel-plated 1/4" TRS inserts for external processing
- Functions as a USB hub with 3 additional USB ports
- · Headphone out with switchable source and direct monitoring dial



### 4-in/4-out USB Audio Interface

- 24-bit resolution (supports 44.1, 48k, 88.2 and 96kHz)
- Four XLR/TS combo jacks with phantom power and gain control
- Four nickel-plated 1/4" TRS outputs for two monitoring systems

APOGEF Accessories

• Four nickel-plated 1/4" TRS inserts for external processing

**ONE** and Duet 2

• Functions as a USB hub with 3 additional USB ports







• Hi-Z instrument input &

• Analog RCA L/R stereo I/O

headphone output

USB 2.0/3.0 port



#ALNANOFACE......349.00



Pocket-sized USB Interface

Single channel input, stereo output interface for Mac with 24-bit converters. Built-in condenser mic, plus preamp input with 48v phantom power and +10dB to 63dB of gain. Unbalanced 1/4" high impedance

instrument input and line-level 1/8" stereo output. Multi-function encoder knob for input gain control and output level control.







#### 

**Duet Breakout** Breakout Box for Duet (DUBOB) ......85.00

#ARXCONNECT.......29.00

**XConnect** 



### Duet 2

APOGEE USB Audio Interface

- . Two mic preamps with up to 75dB of gain Two combo Line/Mic/Instrument inputs
- 24-bit/192kHz A/D and D/A conversion
- Selectable 48v phantom power, Soft Limit and phase invert.
- Two balanced line outputs with +20dBu maximum output level
- · Multi-function controller knob







Ensemble 18-in/18-out 192kHz Firewire Audio Interface



Designed for Mac, includes 8 channels of Apogee's A/D and D/A conversion and four transparent, digitally controlled 75dB mic preamps. Eight channels of ADAT I/O, two channels of S/PDIF coax and optical I/O and FireWire in/out. Includes Apogee "SoftLimit," "UV22HR" and "Intelliclock." Compatible with any Core Audio application, and complete integration and control with Logic Pro-



**USB Microphone Cable** 

- USB recording for any dynamic mic . High quality 16-bit, 44.1 or 48kHz digital
- audio interface
- · Shielded cable with XLR-F connector
- · LED indicator flashes during signal transmission






**USB Dual Pre** Digital Audio Interface with Dual Mic Preamps

· Preamp and computer

interface in a rugged case · Use for field work or



· Headphone jack for monitoring

· Rear level and monitor mix controls for latency-free recording.

filters. Has four 1/4" TRS and two unbalanced Alt line-level inputs

and six 1/4" TRS outputs. Also two 1/4" headphone outputs, ste-

#AVMBPP9 (Mbox Pro with Pro Tools 9) ......Call or Log-on

**Eleven Rack** 

Guitar Recording and Effects Processing System

Combines Pro Tools software with a DSP-accelerated high-

resolution interface. The rack utilizes a unique tone cloning

design for creating the various amp and speaker models, and a

FCA202 2-in/2-out 96kHz

Firewire Audio Interface

Compact enough for use with a laptop. Features front-panel power

and FireWire status LEDs, and port for Kensington security lock.

Low latency drivers for Mac and Windows provide stable opera-

Bundled with Ableton's Live Lite 4 BEHRINGER Edition.

behringer USB Audio Interface

over 150 virtual instruments and effect plug-ins.

Designed to transfer vinyl records and

tapes to and from a computer.

Has two RCA phono inputs

between a line source and

the phono preamp, and two RCA

that can be switched

tion. Separate headphone output with a dedicated volume control.

#BEFCA202......Call or Log-on

UFO202 2-in/-2-out Portable

.Call or Log-on

custom-designed True-Z input to re-create the experience of

### Computer Audio Interfaces

**Mbox Pro** 

8x8 FireWi

reo S/PDIF digital I/O, MIDI and Word Clock I/O.

interface with

four mic inputs,

mic preamps, 48V

phantom power, and high-pass

playing through a full guitar rig.

#AVERPT.....




2x2 USB Digital Audio Interface

Ultra-portable unit, features XLR/ TRS combo input with phantom power, two 1/4" instrument inputs and two 1/4" monitor outputs. Supports



Has 1/4" headphone jack, dedicated monitor volume knob. Mix control for low-latency monitoring.



Zero-latency monitoring, headphone out and monitor volume control. S/PDIF Digital I/O and MIDI I/O.

24-bit/48kHz.

#### KeyStudio Recording System

Includes 49-note. velocity-sensitive keyboard, Micro USB Interface and Pro Tools SE. Build compositions



using the included 3GB loop library. Choose from 100 instrument sounds, add effects, polish the tracks, and then share them. USB interface is also compatible with Pro Tools M-Powered software.



Pro Tools HD Series Audio Interfaces

Completely redesigned with high quality converters and premium input and



output circuitry. They provide maximum performance, dependability, and control of all inputs, outputs, and routing right from the Pro Tools software interface

3995.00	(AVHDI0888)	HD I/O 8x8x8 Analog	
Call or Log-on	(AVHDIO1616D).	HD I/O 16 x 16 Digital	
4995.00	(AVHDIO1616A)	HD I/O 16 x 16 Analog	



UCA202 2-in/-2-out Portable behringer USB Audio Interface

Ultra-compact, USB-powered audio interface for Mac or Windows. Has two analog inputs and outputs, as well as a S/PDIF optical output for direct digital conversion



and stereo headphone output with level control. Behringer's website offers a huge software package for recording and editing making it a complete audio solution.



#### **Podcastudio**

Podcasting Bundle (Firewire)

· dcastudio III

Includes:

• XENYX 802 8-channel mixer

- C-1 condenser microphone
- FCA202 firewire interface
- · HPS3000 headphones
- Ableton Live Lite 4 software



4-in/4-out USB Digital Audio Interface

and two 1/4" DI Inputs.





### Recording Studio

M-Audio Fast Track USB interface with a mic preamp and phantom power, along



with Pro Tools SE software provide all the necessary tools to begin building compositions. Pro Tools SE contains a wide array of music creation templates for creating hip-hop, electronic, pop, funk, jazz, and rock and blues tracks. Fast Track USB interface is also compatible with Pro Tools M-Powered software.



Interface for Pro Tools HD



1U rack-mountable chassis provides complete integration with Pro Tools HD. Features two digitally-controlled Mic/DI preamps, four line inputs and eight outputs, 8 channels ADAT I/O (S/MUX support) and 2 channels S/PDIF I/O. Overdub and Foley recording capabilities are available for post production, in addition to creating monitor mixes with up to 7.1 channels.

#AVHDOMNI......Call or Log-on



## UCA222 2-in/-2-out Portable

USB Audio Interface

Two RCA phono inputs for line-level devices, and two RCA phono outputs for connecting speakers or studio monitors. Also offers a stereo S/PDIF optical output. Headphone monitoring with volume

control. Bundled with audio editor, podcasting software and over 150 virtual instruments and effect plug-ins.

#BEUCA222 Call or Log-on



### **Podcastudio**

Podcasting Bundle (USB)

Includes:

- XENYX 502 mixer
- XM8500 ULTRAVOICE mic
- UCA200 USB interface
- HPM-1000 headphones
- · Kristal Audio Engine, Audacity, and Podifier software



### **Icicle**

USB Microphone Interface

. Easy way to connect a mic directly to a computer. Has a mic preamp and a USB interface, so it works with both dynamic and condenser microphones.

. The preamp has a fully balanced, low-noise front end, provides 48V phantom power, automatic analog gain control, and requires no drivers or external converters to operate.

#BLICICLE ...... Call or Log-on





phono outputs. Includes turntable grounding lug and headphone

monitoring. Bundled with audio editor, podcasting software and

#BEUF0202 Call or Log-on



# **Entrance** MicPort Pro

USB Mic Preamp

Compact mic preamp with 24-bit/96kHz performance, the MicPort Pro offers 48v phantom power, high quality A/D conversion and low-noise



circuitry. One XLR input and 1/8" stereo mini output for use with headphones. Ideal for interviews and broadcast, podcasting, vocal and field recording.

## **DJ-Tech** RCA-2-USB

Dual RCA to USB Cable

Connect any mixer or line level audio to a computer. USB cable outputs 16-bit/44.1kHz digital audio via A/D converter. Includes MAGIX Audio Cleaning Lab SE



(Windows) and Audacity for Mac/PC which helps import music into the computer, plus cleans and optimizes the sound quality.

#DJRCA2USB <b>29.0</b> 0	0
#DJMINI2USB (Mini-2-USB Cable)	9

## **DJ-Tech** Soundbox Pro

4-in/4-out USB Audio Interface

- RCA phono inputs (line/phono switch)
- RCA phono line outputs
- 1/4" mi input with volume control
- · Stereo mini headphones output with volume control
- LFD level indicators
- · Gold-plated connectors



#DJSOUNDBOXP ..... .93.75

### **E-MU 0204** USB 2.0 Interface

portable 2-in/4-out iinterface, it offers 24-bit/192kHz recording and




playback, direct monitoring, and a host of professional features. Features a mi preamp that doubles as a balanced line input, and a Hi-Z/line input. Also has a 1/8" mini jack. Two Class-A preamps can be run independently or in stereo. Includes Acoustica Mixcraft LE 4 software for Windows

### **E-MU** 1212M PCIe

12-in/12-out Digital Audio System

- Master grade 24-bit/192kHz converters
- Over 600 hardware accelerated plug-in effects-with no CPU overhead



#EM1212MP.....Call or Log-on



MIAMIDI 4-in/4-out Sound Card with S/PDIF and MIDI

Two balanced 1/4" TRS analog inputs and outputs and operates at both +4dBu and -10dBv levels. This combines with 24-bit/96kHz converters. S/PDIF and MIDI I/O jacks on a custom molded cable. "Virtual" outputs make it compatible with multi-track software 



#### AudioFire4

FireWire Audio Interface

Two universal inputs with mic preamps, phantom power. and trim knobs.



Two balanced TRS inputs and 4 outputs, headphone out, two FireWire ports, S/PDIF and MIDI I/O, and 6 channels of duplex 24-bit/96kHz with low latency monitoring. Includes Tracktion.



#### AudioFire12

12-in/12-out FireWire Audio Interface



Same as AudioFire8, but with 12 balanced analog inputs and outputs for 24-bit/192kHz recording/playback. 2 FireWire ports, MIDI I/O, word clock synchronization, and 12 channels of full duplex 24 bit 192kHz recording and playback. Includes Tracktion software.



#### **AudioFire Pre8**

16 x 16 FireWire Audio/MIDI Interface



Analog channels have combo XLR and 1/4" TRS balanced inputs. CH-1/2 have controls for phase, pad, DI, low pass filter, LoZ, and phantom power. Also channel inserts for them. Channels 3 - 8 have their own gain trim knob, and phantom power button. 8 channels of ADAT I/O. S/PDIF I/O (optical or coaxial connectors).



#### JULI@

4-in/4-out PCI Audio/MIDI Interface

Support for 24-bit/192kHz audio via two analog inputs and two analog outputs (RCA unbalanced I/O and 1/4" TRS balanced I/O). S/PDIF input clock detection, auto sync and individual real time monitoring support for analog and digital input signals. 24-bit/96kHz optical output, MIDI I/O and an E-WDM driver with DirectWIRE 3.0 functionality.





#### **MAYA44 USB**

USB Audio Interface

USB 1.1 interface with 4 analog inputs and 4 outputs (RCA) along with stereo digital/headphone output combination connector. Working with samples, as a DJ or with software

synthesizers is easy as the hardware works perfectly with all ASIO and CoreAudio compatible music and DJ applications such as Cubase, REAKTOR, Reason or Live, and many others.



#### Saffire 6 USB

Focusrite 2-in/4-out USB & MIDI Interface

Two award-winning Focusrite phantom powered mic preamps, multiple





outputs and MIDI I/O. The inputs can handle mic, line-level signals, and be switched to accept instrument

inputs. There are six audio outputs with a pair of balanced 1/4" TRS outputs for studio monitors, and four RCA jacks that can be used for patching multiple signals into a mixing board. Headphone output can be switched to monitor the different sets of outputs. 



#### Saffire 14

Focustite 8-in/6-out FireWire Interface

Two award-winning preamps, two more analog inputs, two Hi-Z instrument inputs, four analog outputs and S/PDIF and MIDI I/O. Two virtual loopback inputs

are available for routing digital audio between software. Includes DSP software mixer, Ableton Live Lite, Novation's Bass Station soft synthesizer and over 1GB of royalty-free samples

#FOSP14......Call or Log-on



#### Saffire PRO 24 • Saffire PRO 24 DSP

16 x 8 Audio & MIDI FireWire 96kHz Interfaces

FireWire audio and MIDI computer interfaces. Two high quality mic preamps with phantom power, a suite of recording software (with instruments, effects, and audio loops), and ample amount of I/O. Two FET-based preamps offer low noise, low distortion, and a very transparent sound free of coloration. Inputs can handle mic, line-level or instrument inputs. Six balanced 1/4" TRS outputs.

Otherwise the same, the Saffire PRO 24 DSP adds Focusrite EQ and Compression for tracking, as well as 'comfort' reverb to place across your monitor mixes. It also allows you to hear your mix in different environments, through different speakers and from different positions, just using headphones.

Sapphire PRO 24 (FOSP24)......Call or Log-on Sapphire PRO 24 DSP (FOSP24DSP) ...... Call or Log-on

# Focusrite

#### Saffire PRO 40 • Liquid Saffire 56

20-input/20-output Saffire PRO 40 features 8 Focusrite low noise preamps, along with digital inputs and outputs. Each channel features phantom power, 9dB pads on the first 2 channels providing additional headroom. Front panel 5-LED metering for each analog input. Two independent headphone buses each with its own level control. Main monitor dial with dim and mute switches.



all of which fully integrate with customizable software to cover every possible monitoring need, basic stereo to full 7.1 surround. Virtual "loopback" inputs allow for routing digital audio between software applications, using the Saffire PRO 40 Control. This zero-latency DSP software provides extensive output routing and monitoring, a clear mixing layout, and large on-screen metering for inputs, outputs and sub-mixes. Liquid Saffire 56 steps up with 28 inputs and 28 outputs.

Saffire PRO 40 (FOSP40): 19 x 1.8 x 10.4" (WHD) ...........Log-on

Liquid Saffire 56 (FOLS56): 19 x 3.6 x 9.3" (WHD) ...... Log-on



#### Scarlett 2i2

**PRO AUDIO** 

Focusrite Portable USB Audio Interface

- Easily fits in a laptop bag
- 24-bit/96kHz USB interface with two preamps,



- · Rugged anodized aluminum unibody chassis
- . Bus powered no need of an additional power supply
- · Gain knobs with surrounding halo indicators for each input
- · Direct monitor switch on the front panel
- . Includes Ableton Live Lite 8 and Scarlett plug-in suite #F0S2I2......Call or Log-on



#### Scarlett 18i6

18-in/6-out USB Interface

• 24-bit/96kHz USB interface with two preamps, 6 analog



inputs, and four analog outputs.

- Two Hi-Z instrument inputs; ADAT optical, S/PDIF and MIDI I/O
- Two virtual Loopback inputs for routing digital audio
- . 18 x 6 DSP software mixer
- . Includes a suite of EQ, compression, reverb and gating plug-ins, Ableton Live Lite, Novation Bass Station and 1GB of samples.

#### iKEY-AUDIO iConnex

Portable USB Sound Card

Pocket sized USB interface with line and phono (turntable) inputs. Line output with volume control. Digitize and play audio at 16-bit/48kHz. On-board grounding terminal for turntables. Ideal for archiving old vinyl and cassette recordings or for improving audio fidelity on a computer sound system.

XIDT U Record Portable USB Interface Designed to accept output of a turntable or cassette tape machine. Audio is archived to using the included USB cable and software (Mac/PC) and then

easily converted to MP3 format. Built-in preamp eliminates the need to attach the turntable to a stereo system for recording. Bundled software reduces clicks, pops, hiss and

other noises from worn recordings.

#IOURECORD......39.91

# exicon Alpha Studio

4-in/2-out Desktop Recording Studio

2x2x2 USB powered I/O mixer/interface with Cubase LE and Lexicon Pantheon VST reverb



plug-in. XLR mic preamp (no phantom power), 1/4" instrument and stereo line inputs. Mic and line inputs have level controls and peak meters. Two TRS and RCA line outputs and headphone amp. Mono/stereo monitoring and zero-latency.

direct/playback monitoring.	. (LEALPHA)	59.95
Lambda Studio 5-in/2-out	(LELAMBDA	) <b>119.95</b>

# exicon Omega Studio

8-in/4-out USB Interface

Includes 8x4x2 USB I/O mixer, Cubase I F and Lexicon Pantheon VST reverb plug-in. Mixer supports tracking/monitoring applications while requiring no additional hardware. Two inputs with mic preamps with 48v phantom power and 1/4" TRS insert points. Four 1/4" TRS active balanced line inputs, S/PDIF input and instrument input.



### M-AUDIO®

#### Delta 44

PCI Sound Card with Breakout Box

PCI audio card connected to an analog break-out box provides four analog 1/4" TRSinputs/outputs compatible with bal/unbal +4dB/-10dB signal levels. Software routing, monitoring, and mixing. 24-bit/96kHz recording, zero latency monitoring and controllable SCMS.

#MAD44 ...... 125.98



### M-AUDIO<sup>®</sup> Audiophile 2496

4-in/4-out PCI Audio / MIDI Interface

Analog in/out via RCA coax utilizing 24-bit, 96kHz conversion. S/PDIF and MIDI I/O. Coax digital outputs are Dolby Digital 5.1 surround sound capable. Includes digital mixer/router, and control over SCMS (Serial Copy Management System).

## M-AUDIO<sup>®</sup> Audiophile 192

4-in/4-out PCI Audio / MIDI Interface

192kHz sampling rate with digital and balanced analog I/O. Direct hardware input monitoring via separate balanced 1/4" TRS monitor



outputs. Also offers Zero-Latency monitoring, MIDI and S/PDIF I/O, and software-controlled 36-bit internal DSP digital mixing/routing.

#MAA192

## M-AUDIO® Audiophile Delta

1010LT 10-in/10-out PCI Sound Card

Same as the Delta 1010 on a half-size PCI card with two color-coded breakout cables. Multiple analog I/O, MIDI, S/PDIF and surround sound support are all here. Two inputs even have mic/line preamps on XLR connectors, saving the expense of outboard preamps.

#MAD1010LT..... Call or Log-on

#### M-AUDIO®

#### MobilePre MkII

2-Channel USB Interface

- 24-bit. 48 kHz • Two XLR/TS combo jacks and
- two line inputs
- · 48v phantom power • Four top-panel knobs to adjust I/O levels & headphone volume
- #MAPTMPMP (with M-Audio version of Pro Tools)......149.00

## M-AUDIO®

### **Fast Track**

2-in/2-out USB Audio Interface

XLR mic and 1/4" instrument input with gain control, 1/4" stereo headphone and RCA stereo speaker outputs. Includes Pro Tools SE Software with 3GB loop library, over 100 different instruments, and effects that include reverb, delay, EQ, compression, chorus, 

### M-AUDIO® Fast Track Pro

4x4 Mobile USB Audio/MIDI Interface

Two mic/instrument preamps with XLR/ TRS inputs, switchable phantom power and



individual -20dB pads. Also offers MIDI I/O. Rear panel has insert points for inputs 1/2, two balanced TRS analog outputs and four unbalanced RCA outputs, as well as S/PDIF I/O. Near-zero latency direct hardware and low-latency ASIO software monitoring.

## M-AUDIO Fast Track Ultra 8R

8 x 8 USB Audio/MIDI Interface



Eight preamps using M-Audio's Octane technology. Onboard converters deliver superior 24-bit/96kHz fidelity. On-board MX Core DSP mixer processes eight hardware inputs and 8 software returns to the 8 hardware outputs, expanding the total I/O to a 16 x 8 configuration. Two independent headphone outputs to create the right mix for any performers, complete with reverb and delay. 

### M-AUDIO®

#### **Fast Track C600**

6-in/8-out USB Recording Interface with DSP

Steps up from the C400 with four mic/line preamps, six balanced analog outputs with management for connecting up to three sets of monitors



(or two set of monitors and a subwoofer) and easily switching between them. Two headphone outputs with volume controls.

#MAFASTRKC600 (with Pro Tools SE software)	342.41
#MAPTMPFTC600 (with Pro Tools MP9 full version)	379.00

#### MACKIE. Blackjack • Blackbird



interface with two boutique-quality Onvx preamps and 24-bit/96kHz

conversion in a convenient tabletop housing. Blackbird is a 16 x 16 FireWire recording interface with eight Onyx preamps and 24-bit/96kHz conversion in a 1RU chassis.

Onyx Blackjack	(MAONYXBJ)	149.99
Onyx Blackbird	(MAONYXBB)	499.99

### MOTU 4pre

6-in/8-out FireWire/USB & MIDI Interface

- 24-bit/96kHz
- 4 mic preamps with phantom



- Four combo jacks (four XLR mic, two hi-Z 1/4" guitar, and stereo line-level (+4/-10) inputs
- . 8-Bus Digital Mixer
- Stereo 24-bit/96kHz S/PDIF digital I/O
- Time code support; standalone operation

#MA4PRF 449.00

### MOTU 828 mk3

Firewire/USB Audio Interface



10 channels of 192kHz analog recording and playback, combined with 16 channels of ADAT digital I/O and stereo S/PDIF. Equally suited for the studio and stage, the interface can function as a standalone mixer. Two mic preamps with phantom power, pad and trim. Mic /guitar instrument sends, input limiters, and digitally controlled analog trim on all analog inputs.

#MA828MK3H......Call or Log-on

#### M-AUDIO® Fast Track Ultra

8 x 8 USB Audio Interface w/Pro Tools MP

Four preamps with Octane technology. Analog and

digital I/O allows recording on all 8 channels simultaneously with pristine 24-bit/96kHz fidelity and rock-solid stability. On-board MX Core DSP mixer processes eight hardware inputs and eight software returns to the eight hardware outputs. Bundled with the M-Audio version of Pro Tools software.

#MAPTMPFTU ...... Call or Log-on

### M-AUDIO® ProFire 610

6-in/10-out Firewire Interface

Two high quality preamps featuring Octane technology, powerful DSP-



based monitor mixer, MIDI I/O, two discrete headphone outputs and assignable master volume control. Premium digital converters deliver 24-bit/192kHz audio throughout the signal path. Doubles as a standalone two-channel mic preamp and A/D-D/A converter.



**ULN-2 2d** 12-in/14-out FireWire Digital Audio Interface



- 2 independent channels of high gain (up to +72dB), low-noise mic-preamplification with switchable +48v phantom power
- · Selectable stereo AES/EBU or S/PDIF digital inputs and outputs
- . Up to 8-channels of ADAT Lightpipe input and output
- Wordclock I/O on BNC connectors
- · Sample rate conversion (SRC) on AES or S/PDIF digital I/O

### MOTU UltraLite mk3

FireWire/USB & MIDI Interface

· Half rack space mobile 24-bit/ 96kHz recording studio with 10 inputs and 14 outputs.



- Two mic/instrument inputs with preamps, 48v phantom power, 3-way pad switch and front panel trim knobs.
- . On-board SMPTE time code sync. Can also generate time code.
- Use built in 8-bus mixer to monitor all of the live inputs via the main outs, headphone jack or any other output

## **MOTU** 8pre

16-in/12-out FireWire Interface



Desktop or rack-mounted, turns a Mac or PC into a 24-bit/96kHz recording studio with eight mic inputs, 8-channel ADAT optical digital I/O and MIDI I/O. When not connected to a computer, functions as 8-channel A/D converter. Bundled with CueMix software.

- · Front panel controls and status LEDs
- · Rear panel connectors for efficient studio installation.

#MA8PRE......Call or Log-on

#### M-AUDIO Fast Track C400

4-in/6-out USB Recording Interface with DSP

- . Desktop styled USB audio
- 24-bit/96kHz audio
- Two mic/line combo preamps with 20dB pads
- MIDI & S/PDIF digital I/O
- Two front-panel 1/4" instrument inputs
- Phantom power for condenser microphones

#MAFASTRKC400 (with Pro Tools SE software)..... 224.98 

#### M-AUDIO® ProFire 2626

26 x 26 Firewire Interface



Eight M-Audio Octane mic preamps along with extensive digital conversion. 26 simultaneous inputs and outputs, each with an onboard DSP mixer sourced from up to 52 audio streams. Also function as a standalone preamp and digital converter. Connections include eight analog inputs, along with ADAT, S/PDIF, Wordclock and MIDI I/O. Jitter elimination ensures pristine audio quality and reliable synchronization up to 24-bit/192kHz resolution. 

MOTU MicroBook II

Pocket-sized, plug in your mic, guitar and keyboard and record up to 4 inputs simultaneously. Even has a connection for an iPod for rehearsing or sampling. Mix live inputs with live computer trackwith bundled CueMix FX software. Apply DSP-powered effects. Professional analog stereo output, digital output and stereo-mini output jacks for headphones and speakers. Edit and finalize recordings with

#MAMICROROOK2 249.00

### MOTU Audio Express

6-Channel Firewire/USB Audio Interface

Hybrid FireWire/ USB 2.0 connectivity and 6 x 8 physical

AudioDesk software.



input/output channels - all available simultaneously and operate independently. Features front panel controls, extensive metering, MIDI and S/PDIF I/O. Compatible with virtually any DAW, plus operates as standalone 8-bus digital mixer. Route inputs directly to any output pair, each with its own unique mix.

### MOTU Traveler mk3

28-in/30-out FireWire Interface



- · Eight channels of pristine 192kHz analog recording and playback, combined with all of the digital I/O you need: ADAT optical, AES/ EBU and S/PDIF (TOSLink and RCA).
- · Fits in a knapsack, briefcase, computer bag and under a laptop
- Four mic pre-amps with switchable 48v phantom power, frontpanel Digital Precision Trim controls and pre-amplified sends.

MATMK3......Call or Log-on

N NATIVE INSTRUMENTS

Ultra Compact DJ Audio Interface

Easily fits in your pocket, features 24-bit/

**TRAKTOR AUDIO 2** 

96kHz A/D and D/A converters for

high-gain stereo outputs. Included

TRAKTOR LE 2 software provides two

pristine audio quality, and two

**PRO AUDIO** 

# WXD USB MicMate

Mic Preamp and USB Interface Pocket-sized no-hassle solution for mobile recording, podcasting and garage bands. Preamp features a 16-bit A/D converter (44.1 and 48Hz) while also providing 48v phantom power from a computer's USB port. Fully balanced, low-noise analog front end, three-stage analog gain control.

#MXMM......39.99

# NATIVE INSTRUMENTS KOMPLETE

**AUDIO 6** 6-input/6-output USB 2.0 Audio Interface

Features two high-end mic preamps, four analog inputs and outputs, S/PDIF digital I/O, MIDI I/O and low-latency performance. Includes over 1,000 production-ready sounds and effects, instruments for all styles of music, TRAKTOR LE 2 DJ and Cubase LE 5 software.

# MXD USB MicMate Pro

Mic Preamp and USB Interface Converts the XLR output on pro mics to a USB output for direct connection to laptop or desktop. Sends +48v phantom power to condenser mics, has a mic input gain control, and offers a 1/8" (3.5mm) mini connector with level control for headphone monitoring. Compact size makes it perfect for bands, solo recording artists, podcasters, and more.

### Numark DJ/IO

USB Audio Interface for DJ Software

Designed for laptop DJs and producers on-the-go, features a set of RCA outputs for sending 24-bit digital audio to sound systems, recorders, mixers, powered speakers, etc. A 1/4" phone mic input allows for voice-overs in DJ sets, performances, etc. A 1/4" phone headphone output provides DJ style monitoring. #NUDJIO......Call or Log-on



# iTunes integration and iPod compatibility. (NATA2).....99.00

Numark

#### Stereo iO

USB Computer Audio DJ Interface

Inputs for line-level devices like a CD player and phono inputs for a vinyl turntable. There are also line-level RCA outputs. No software installation is required. The Stereo iO will simply plug in and play on both Mac and Windows computers.

playback decks to spin tracks directly from a hard drive with full

#NUSTERE010 ..... Call or Log-on

# USB "Direct Box"

"DI" box for connecting a computer audio output to a live sound system. Transformer-isolated XLR balanced stereo outputs help eliminate ground loops, often a problem when connecting computer audio to a sound system, especially if a projector is connected to the computer. Switch for stereo or mono output operation.

## M PreSonus AudioBox USB

2-in/2-out USB Interface

24-bit 44.1 or 48kHz converters two high-quality mic preamps with switchable 48v phantom power, balanced 1/4" TRS phone outputs, MIDI I/O and solid drivers. Bundled with Cubase LE 4 and over 2GB of plug-ins, drum loops 

## W PreSonus AudioBox 22VSL

2-in/2-out USB Interface

 Two combo mic/ instrument inputs with Class-A XMAX preamps. Over 50 Fat Channel DSP Presets.



Near-zero-latency monitoring. Includes Studio One Artist DAW software and 4GB of resources #DDADAANCI

#FNMDZZVJL	199.90
#PRAB44VSL (AudioBox 44VSL 4-in/4-out Interface)	299.95

## W PreSonus AudioBox 1818VSL

18-in/18-out USB Interface



- 2 Class-A XMAX mic/instrument and six mic/line preamps
- Individual input channel-trim controls with 0 to +35dBu microphone gain range
- Coaxial S/PDIF and ADAT optical I/O
- . Mix, adjust input and playback-returns levels, and add effects and signal processing from your laptop or other computer

## PreSonus FireStudio Mobile

Compact 10 x 6 FireWire Interface

Two transparent mic preamps with phantom power. 10 inputs include MIDI and S/PDIF, and 6 balanced line inputs. Studio One Artist

software lets you utilize every input and overdub an unlimited number of tracks. Includes virtual instruments and effects, as well as gigabytes of loops and samples.

## **PreSonus** FireStudio Project

FireWire Recording System



10-in/10-out interface with eight Class A preamps, stereo S/PDIF I/O, control software and Cubase LE 4 software. First two inputs can be used for instruments, and are fitted with dedicated sends and returns. FireControl Mixer/Router software can send up to five individual mixes to different musicians during recording, allowing each band member to have a custom headphone mix.

## propellerhead

#### **Balance with Reason Essentials**

Combines a 2-in, 2-out interface with a streamlined version of Reason 6. Interface features two XLR mic inputs with phantom power, two 1/4" guitar or bass inputs with PADs, two 1/4" TRS balanced main outputs, and four 1/4" balanced line-in jacks. Clip Safe technology lets you manage clipping and any latency problems can be eliminated by directly monitoring 

## Babyface

10-in/12-out USB Interface

Two mic preamps, Instrument DI, 192kHz sound quality, MIDI I/O, TotalMix FX (internal DSP mixer) and SteadyClock technology in a sleek "go anywhere" interface. Optical TOSLINK I/O functions either

as ADAT I/O with SMUX support, or S/PDIF I/O for all sessions up to 192kHz. Headphone output on the unit and the breakout cable.

Babyface Snow Edition (RMBFSNOWED)......749.00

## Fireface UC • UCX

USB Audio/MIDI Interfaces



- 2 balanced mic inputs with 48v phantom power, and Neutrik Combo connectors for XLR and TRS
- · Two balanced universal inputs for line and instrument signals
- ADAT, Word Clock and two MIDI I/Os —up to 192 kHz on all I/Os
- Eight analog inputs and outputs Integrated DSP mixer

Fireface UC (RMFFUC)... 1349.00 Fireface UCX (RMUCX).. 1649.00



USB and FireWire Audio Interface



- 60 channels of audio (30 inputs/30 outputs) —all can be used simultaneously
- Four digitally controlled high-end preamps, reference class converters and full 192kHz operation.
- 12 analog inputs/outputs TotalMix FX with Internal Effects
- MIDI I/O. AES/EBU. ADAT and Wordclock I/O

4-in/6-out USB /MIDI Interface

• D-Pre Class-A discrete mic preamps

with phantom power. Latency-free

REV-X and Sweet Spot Morphing Channel Strip

and Mute fed by a 3 x 3 monitoring matrix

Digitally controlled monitor level control with DIM, Mono,

• Includes Native VST 3 plug-ins of

DSP-powered monitoring

steinberg

UR28M

#RMFLIEX 2299.00

### Roland **UA-1010 OCTA-CAPTURE** 10-in/12-out USB Audio Interface

24-bit/192 kHz audio quality. 8 VS mic preamps.

Auto Sensing function sets recording level of each input to the best setting. A software compressor is available per channel, and a reverb processor can be accessed by individual channel sends. 

# TASCAM, Track Pack X2

coaxial I/O. Works with most recording, streaming, and

USB 2.0 Audio Interface & Mic Kit

#SOUSBPRE2 649.00

**SOUND** DEVICES

**USBPre2** 2-Channel Portable USB Interface

Complete computer



Interfaces studio mics

consumer electronics

with Mac or Windows-

based computers. S/PDIF

measurement software.

line-level sources,

instruments, and

- TM-78 condenser microphone
- . Mic cable and tabletop stand
- Cubase LE4 recording software (Mac & Windows)

.....149.99

### TASCAM, US-122MKII

USB 2.0 Audio/MIDI Interface

Two XLR mic preamps with phantom power. Pair of balanced line inputs and a guitar input. 96kHz/24-bit audio and zerolatency monitoring, MIDI I/O allow connection of synths and drum machines Connect to monitors through the line output or use headphones with the front-mounted stereo 1/4" jack. Comes with Cubase LE4 software. 

#STUR28M (with Cubase AI 6 music production software) ..... 399.99

### TASCAM, US-144MKII

USB 2.0 Audio/MIDI Interface

Otherwise the same as the US-122MKII, the US-144MKII adds S/PDIF stereo coaxial input and output for a total of four inputs and outputs at up to 96kHz/24-bit audio quality. It also offers individual line and headphone output level controls.

alone multi-channel mic preamp (6 mic

inputs with phantom

power). Six channels

feature a 2-segment

LED meter to help you



TASCAM. us-800

8-in/4-out USB /MIDI Interface


Record up to eight channels simultaneously or use as a stand-

avoid clipping. Coaxial S/PDIF digital I/O. Main analog outs are

RCA jacks. 1/4" and 1/8" headphone outputs on the front panel.

### TASCAM, US-100 USB 2.0 Interface

Plugged into a Mac/Win computer, the US-100 acts as the computer's soundcard and features inputs for a mic, guitar,



devices. Individual inputs for either XLR or 1/4" mics. Stereo RCA inputs can be switched between mic. line, and phono level. The phono setting lets you attach a vinyl turntable, so you can digitize records into your computer.

# TASCAM. US-1800

16-in /4-out USB 2.0 Interface

- 8 mic preamps with 48v phantom power and 60dB of gain
- · Six balanced line inputs, as well as stereo S/PDIF digital
- Up to 24-bit/96kHz audio resolution
- Four simultaneous outputs MIDI I/O
- Independent monitor and headphone outputs
- Includes Cubase LE 5 workstation software

#TAUS1800.....

## t.c. electronic **Desktop Konnekt 6**

2-in/2-out FireWire Interface

Mic and instrument/line input, or two instrument/line inputs. Highresolution meter and big volume knob provide visual feedback and tactile control. Balanced outputs and headphone output which allows for a different mix to be present at that output.



### **Universal Audio** UNIVERSAL AUDIO Apollo Duo and Quad Core

18 x 24 FireWire/Thunderbolt Audio Interfaces



To deliver the sound, feel and flow of analog recording, the interfaces combine 24-bit/192 kHz sound quality with onboard UAD processing. Allows music producers to track audio through a range of classic UAD analog emulation plug-ins in real-time.

TASCAM US-200 2-in/4-out USB /MIDI Interface

Housed in a lightweight, portable chassis, records audio with up to 24-bit/96kHz resolution. Features dual mic preamps with TRS/XLR Combi connectors with

phantom power, four rear-panel unbalanced RCA outputs, MIDI I/O and direct monitoring path. Bundled with Cubase LE.

### TASCAM, US-2000 16-in / 4-out USB 2.0 Interface \*\*\*\*\*\*\*\*

- 96kHz/24-bit resolution Stereo S/PDIF digital I/O
- . 8 XLR mic inputs with phantom power
- 6 TRS 1/4" balanced line inputs, 4 outputs
- 2 instrument inputs (channels 7/8 on front panel "combi" jacks)
- 100-LED meter bridge (5 segments for each input and output)
- 1/4" balanced stereo monitor output with its own volume control

### Additional USB Audio Interfaces

Califone AX-14 Digital Audio Converter (CAAX14) ...... 28.71

Echo Layla3G 24-Bit/96kHz PCI Interface (ECL3G).... 411.00

#### Hercules

DeeJay TRIM 4&6 4-Channel DJ Interface (HEDJT46) 249.99 DeeJay TRIM 4&6 Starter Kit (HEDJTS46)......299.00

RME Fireface 800

56-channel, 24-bit/192kHz FW interface (RMFF800)...... Call Steinberg CI1 - USB Recording Solution (STCI1)....... 99.99

**PRO AUDIO** 

# AKAI APC40

Ableton Performance Controller





16 backlit genuine MPC pads. USB-powered with lowprofile knobs. Large LCD screen lets you make tracks without having to look at your computer. Four touch-sensitive knobs provide

enhanced MPC software control. Less than 1" thin and fits easily 

Artist Control

Touch-Sensitive Fader Control Surface

**MPC Studio** 

Music Production Controller



### **MPC Renaissance**

Music Production Controller



Steps up from the MPC Studio with Vintage Mode, eight pad banks, two XLR-1/4" combo inputs and dedicated turntable input two MIDI inputs and four outputs, stereo 1/4" out, stereo assignable

mix 1/4" out & S/PDIF I/O. 4-channel USB 2.0 interface and built-



#### BCR2000 Total Recall USB/MIDI Controller Desk

Hands-on control surface with 24 endless rotary encoders for control of virtual synths. samplers, effects and processors. 4 virtual groups with 8 dual-mode, high resolution encoders with LED rings and additional push function.

16 + 4 illuminated buttons freely assignable to all types of MIDI functions. All panel elements freely assignable, either manually or via user-friendly learn mode.



Touch-Sensitive Fader Control

#### Surface

FLICON enabled control surface with 8 motorized, touch-sensitive, 100mm long throw faders, and 8 touch- and velocity-sensitive rotary encod-



ers. Provides fast access to a variety of software functions, from adjusting audio levels, plug-in parameters, panning, automation modes, and much more, with excellent visual feedback.

BFC2000 Total Recall USB/MIDI Controller Desk

Hands-on control surface with eight 100mm

mouse, MIDI I/O/Thru and includes 8

rotary encoders, each with a 15-element LED

indicator plus a push-to-set function. This allows

you to select, adjust, set and control a myriad of functions.

#BEBCF2000......Call or Log-on

motorized faders for the control of

virtual mixers, synths and samplers.

Groups can be created to facilitate

moves that can't be made with a



EUCON enabled touch-

screen control surface

displays top-level

information such as

track names/numbers

metering (from mono

### **፪፻ሀ፬/١0/**ΙΙΧ MC Transport

to 5.1 surround data), fader/pan values and automation modes.

mands, performing surround panning, and more.

Quick acces to plug-in and EQ parameters, triggering macro com-

Compact Media Controller

· Weighted, optically encoded iog wheel and shuttle ring

• 7 ergonomic transport/ navigation keys with multi-color status LFDs



· Control multiple applications and workstations via ethernet

• 250x faster and 8x the resolution of MIDI

· Supports HUI and Mackie Control protocols #EUMCTRANS......Call or Log-on



KORG nanoKONTROL 2

USB-MIDI Controller

The size of an Apple keyboard, yet provides a



huge amount of controller functions for DAW software or for programming virtual instruments. Marker and Track Buttons, iPad support, 8 faders, 8 knobs, 24 switches with programmable attack and release times, and a full transport control section.

#KONKC2B (In Black). 59.99 



## Zero SL MKII DAW

novation and Plug-In Control Surface

16 knobs, 8 faders and 32 assignable back-lit LED buttons support flexible DAW control and auto-mappable plug-in control. Fully assignable crossfader. "Soft-Feel" drum pads. Dedicated transport buttons. Automap software maps parameters to faders, buttons, encoders and pots and other controllers, Includes a host of royalty-free loops and samples, soft-synthesizer and Ableton Live 7 Lite. (NORZSLMK2) ......Call or Log-on

## PreSonus FaderPort

Motorized Fader & Transport Control for DAWs

Touch-sensitive motorized fader and comprehensive transport control section provides a real-time input option for DAWs, enhancing efficiency and providing tactile method for inputting volume and pan automation. Pan control, mute, solo and record enable. Single or group channel automation. Buttons for quick window selection (edit, mix and transport). Foot-switch jack 



### CMC-AI

USB Al Controller for Cubase and Nuendo

The Al Knob is a helpful "point and control" knob offering speed when editing parameters and adjusting settings. It complements the flexibility of a computer mouse, rather than trying to replace it.



#STCMCAI.... 149.99

# steinberg CMC-CH

USB Channel Controller for Cubase & Nuendo

Hardware equivalent of the Cubase channel section. 16 illuminated rubber buttons, one green-lit rotary encoder, and a high-resolution touch fader provide hands-on control over the major channel-related functions in Cubase and Nuendo, including record arm, solo/

mute, pan and volume. 

# steinberg CMC-CH

USB Fade Controller for Cubase and Nuendo

Four, high-precision touch faders include LED-based metering, solo/mute function and two operation modes, allowing it to speed up the mixing workflow. Ultra-high resolution of up to 1,024 steps allow for fine-tuning any volume level with precise accuracy. The unit can also func-

tion as a level meter.

#STCMCFD......199.99



**CMC-TP** USB Transport

Controller for Cubase & Nuendo

Aside from 17 buttons and user-definable functions, a high-precision touch-sensitive slider with six modes allows for jogging or shuttling through the project, to

tap in the tempo, to scroll, zoom and browse with the convenience of a slide. (STCMCQC)......149.99

CMC-QC - USB Quick Controller (STCMCQC) ......149.99

CD Recorders and Players • Digital Recorders and Players

www.BandH.com

## DENON DN-C615 CD-R/RW Player



- Vary pitch by up to ±12% of playback speed
- Single/continuous playback mode. CD text is supported
- Shock memory prevents skipping Instant start and Auto Cue
- Direct track access is provided through an 11-key keypad

#DEDNC615	. 329.00
RC-U620 IR Remote Control (DERCU620)	39.00

### DENON DN-C620

Professional Broadcast CD Player



Slim and 1RU high, the DN-C620 supports CD-R/RW as well as WAVE, CD-DA and MP3 CD formats. Has XLR balanced outputs, RCA phono (fixed and variable) unbalanced outputs, and AES/EBU and S/PDIF digital outputs. Includes IR remote, ±12% pitch control, user programmable replay and Cue to Music function. 

Professional CD and CD-R/RW Player

DENON DN-C635

Single 2RU rack-mount chassis offers CD-R/RW playback with MP3 decoding.  $\pm 12\%$  pitch control on long stroke sliding fader. CD text is supported along with a single/continuous playback mode. Balanced XLR and ubalanced RCA outputs. 10-second hockproof memory prevents skipping. (DEDNC635).....Log-on

TASCAM. CD-200i • CD-200iB

Rackmount CD Players with iPod Dock

Slot-Loading CD Player/Recorder



- . CD-Text which can be input and ID3 tags are show on the LCD.
- Level-dependent auto track incrementation, can play unfinalized discs, auto-cue, +16% pitch control, auto fade in/out, and program, shuffle, and continuous playback modes.

#MACDR633 ...... Call or Log-on

### TASCAM, CD-200

Rackmount CD Player w/Remote Control



- . Supports CD TEXT & ID3 tags
- · Continue, Random, Program and Repeat (Single/All) playback
- ±12% pitch control, available via the analog output.
- · Coaxial and optical S/PDIF outputs; 1/4" headphone jack #TACD200 ...... 239.00

## TASCAM. MD-CD1 MK3

which reveals an iPod dock. Sends audio through the system to

#TACD200IB (XLR and RCA outputs)......399.95

the appropriate outputs. Output video via S-Video connector.

Combination CD Player and MiniDisc Recorder



- Plays standard CDs, MP3 and WAV file CDs, CD-TEXT discs.
- MiniDisc will play or record in SP, Mono, LP2, and LP4.
- Dub a CD to a MiniDisc at 4x speed.

CD-200. plus a sliding

- Continuous playback for seamless long-term audio playback.
- RCA analog plus S/PDIF optical and coaxial digital outputs
- PS/2 and RS-232C ports for wired control

#### III CDR633



#### TASCAM. CD-500 TASCAM. CD-A750 Rackmount CD Player/Cassette Recorder

Single-Rackspace CD Player



- · Slim and lightweight 1RU chassis with slot-loading mechanism
- MP3 and WAV CD Support
- . Onboard LCD display shows important info, while a 10-key pad provides instant access to tracks.
- · Frame-accurate searching, plus index and directory search
- · Optical and coaxial digital outputs

#TACD500	474.99
#TACD500B (Balanced output)	579.99

TASCAM, CD-RW900SL

. Play and record CD-R/RW discs with MP3 files.

Slot-Loading CD Recorder

· Sample rate conversion, selectable disc reading speed, auto cue

#TACDRW900SL......Call or Log-on

and auto ready, pitch control of 0.1 to 1.0%, and more.

• Stereo RCA I/O as well as optical and coaxial digital I/O.

### TASCAM, CD-RW901SL

• Plays CD-DA, MP3, and WAV • CD-Text and ID3 support

• RCA and XLR I/O • Digital Coaxial output

• Parallel and RS-232 Control Ports

Slot-Loading CD Recorder



- Steps up from the CD-RW900SL with analog and digital XLR connectors, and parallel and RS-232C ports for wired control.
- · Digital fade in/out while recording, timed track and Skip mode
- Two units may be connected for continuous recording

### TASCAM. DV-RA1000HD

High-Def CD, DVD, and Hard Drive Recorder



- Record 192kHz/24-bit PCM or DSD format
- Record directly to the internal hard drive, or to DVD+RW, CD-R. or CD-RW media. Archive to DVD-R/RW, DVD+R /+RW discs
- XLR, RCA, AES/EBU, S/PDIF, and SDIF 3/DSD RAW

### □ **3055** BR-800

4-Track Portable Digital Audio Recorder

· 4-track recording, 8-track playback

Includes wirelss remote control

- · Touch sensor interface
- Built-in condenser mic
- Records to SD/SDHC cards
- Integrated Effects
- Drum Machine with Editor
- . USB audio interface and DAW control
- SONAR 8.5 LE software
- Runs on 6 AA batteries, USB bus power, or included AC adapter

### **13055** MICRO BR BR-80

8-Track Portable Digital Audio Recorder

- 3 Operating Modes
- · Records to SD/SDHC Cards
- · Built-In Stereo Microphone
- · 64 V-Tracks and 8 Playback Tracks
- · eBand Function
- · Built-in Backing and Rhythm
- . COSM Amps and Effects

#B0BR80.....

## DENON DN-F450R

Rackmount SD Digital Audio Recorder



- · Half-rack design with balanced and unbalanced inputs
- Supports WAV and MP3 formats, records to SD/SDHC cards
- Audible search, single/continuous, repeat, and random playback
- USB, RS-232 and foot pedal remote connectors

#DEDNF450R ......Call or Log-on 

### Digital Recorders and Players

cards or to USB drive via USB host interface.

TASCAM. HD-R1

**PRO AUDIO** 

Two-Channel Solid State Audio Recorder

# 381

### iKEY-AUDIO RM3

Rackmount Digital Audio Recorder



Record stereo or mono files to SD/SDHC cards or USB flash drives. Files can be stored as MP3 files at up to 320kbps or WAV at up to 16-bit/44.1kHz for CD-quality sound. XLR, RCA, and 1/4" inputs and outputs let you connect to any sound system or audio device. Has a 3-level input gain switch and an adjustable record level with a digital input VU meter.

**TASCAM** SS-R100 • SS-R200

Solid State Digital Audio Recorders

· Records audio as WAV or MP3 files and stores it on Compact

· Adjust the playback speed without changing the pitch

editing file names, transport control, and flash start

• Computer keyboard can be connected via PS/2 or USB for

Flash or SD/SDHC cards, or USB memory

#### III a Part Z PMD580

Rack-Mount CompactFlash Digital Audio Network Recorder



- Records stereo MP3 or WAV files up to 24-bit/48kHz
- · Ethernet connectivity for network control
- . Setup and control from any PC or Mac within the network
- . XLR and RCA connectors for analog and digital I/O #MAPMD580.......Call or Log-on

### RCA and Euroblock analog I/O connectors, S/PDIF coaxial I/O, RS-232. RJ45. and Parallel connectors for remote control

Rack mountable, records PCM or MP3 files to CompactFlash

· Balanced mic/line XLR I/O with 20dB pad and phantom power

## TASCAM.

SS-CDR200

Solid State and CD Digital Audio Recorder



Same as the SS-R200 plus solid state recoding to any available media (CF, SD/SDHC, USB Memory, and CD-R/CD-RW). Record in MP3, audio CD, or convert WAV files to audio CD.

### TASCAM DP-004

4-Track Digital Pocketstudio Recorder/Mixer

- · Ultra compact, runs on AA batteries or optional adapter.
- · Record up to 4 tracks at 16-bit/44.1kHz to SD flash cards. Simultaneously records 2 audio



• Integrated stereo mic, dual 1/4" mic/line inputs, stereo 3.5mm output, USB 2.0 connector, knobs for setting level and pan

#TADP004 ......Call or Log-on

### TASCAM, DP-008

SS-R200: balanced stereo analog XLR I/O (TASSR200).......599.99

Portable 8-Track Portastudio Recorder

- · Captures CD-quality audio, two tracks at a time to SD cards
- Built-in mics
- XLR and 1/4" inputs
- · Each track has its own row of knobs for level, pan and effects, and 2-band EQ.
- · Chromatic tuner and metronome
- . Export your mix, or even individual tracks, as a WAV file.

#TADP008 ......Call or Log-on

### TASCAM DP-003

8-Track Recorder with CD-Burning & Effects

Steps up from the DP-008 with built-in CD burner that allows you to burn your completed tracks directly to a CD without the need for additional equipment. You can also import a recording via CD In addition, 45mm faders and



dedicated pan knobs give you tactile control over your audio.

#TADP03 ...... Call or Log-on

### TASCAM DP-24

24-Track Digital Portastudio

- · Color LCD display and 12-encoder channel strip for easy operation
- 8 mic inputs on combo XLR-1/4" jacks with phantom power
- Up to 8-track simultaneous recording at 48kHz/24-bit resolution
- · Dedicated controls for EQ, pan and effect sends
- · Record to SD card, plus CD-RW drive for mixdown and backup

# TASCAM. X-48mkll

48-Track Hybrid Hard Disk Workstation

The ultimate multitrack solution for high-quality music, post and live recording applications. A completely integrated workstation, the X-48mkll goes beyond mere standalone recorders with a built-in, automated 48-channel digital mixer, powerful editing functions and DVD+RW backup drive. Plug in a VGA monitor, mouse and keyboard for editing, track naming and monitor mixing. 96kHz/24-bit recording across all 48 tracks. Fle compatibility and synchronization with native Broadcast WAVE audio file support and AAF export for compatibility with workstations like Pro Tools, Nuendo and Logic. Support for eSATA hard



drives and Gigabit Ethernet allows simple transfer between systems. Chassis can be mounted on a desk or in an equipment rack. 1TB internal hard drive offers up to 48 hours of continuous recording at 44.1kHz or 20 hours at 96kHz.

### TECHNICAL PRO U-REC5

Rackmount USB/SD Digital Audio Recorder



- · Record, play, and delete MP3 audio files from a single unit
- USB 2.0 and SD card ports
- Stereo RCA and 1/4" input and output; 1/4" headphone jack
- Repeat Track and Repeat All functions
- · Bass and treble controls let you adjust the tone of your audio

## **R8** 8-Track Digital

Recorder/Interface/Controller/Sampler

- 16 or 24-bit WAV files
- . XLR/TRS combo inputs with 48v Phantom power
- · Integrated stereo mics • Writes to SD Cards
- USB Interface
- Mixing and transport controls
- Runs on batteries/USB-power
- 8-voice pad sampler and sequencer
- Includes Cubase LE software and drum loops

**ZZZZ** R16 Multi-Track

Recorder/Mixer and Surface Controller

- · Dedicated transport controls and jog/shuttle for Final Cut Pro and other NLE programs.
- 8 mic preamps, guitar input, built-in condenser mic. 100 built-in effects.



Records to SD Cards	• USB port	• Runs on A	C or batteries
#ZOR16			399.99
Tourtek R16B Carry Cas	e for R16 ( <i>ZC</i>	)SATR16B)	26.00

**R24** Multi-Track Recorder/Mixer and Surface Controller

- 8 XLR/TRS combo inputs plus built-in condenser mic
- Full mixing and transport controls, with compatibility for Cubase, Logic, Sonar, and other software



- Pad sampler with 24 voices (8 pads x 3 banks)
- · Loop-based audio sequencer for creating music
- Supports SD cards up to 32GB

#### www.BandH.com

# 382

# XI□□ TAPE 2 PC

USB Cassette-to-MP3 Converter

- Convert your tapes to MP3 files
- · Can also be used as a standard cassette deck



Cassette Recorders/Players • Recording Accessories

. Both decks can be used for playback, and Deck B may also be used for recording.

#IOTAPE2PC......Call or Log-on

#### PT649D Rackmountable Dual Cassette Player PRO

- · Dub tapes at normal or high speed
- · Auto stop with a 3 digit tape counter
- · Automatic recording level setting plus a selector for chrome tapes.



## TASCAM. 202MK V

Rackmount Dual Cassette Recorder/Player

- Auto-Reverse
- RCA I/O
- · Mic input
- · Pitch Control
- A-B Repeat
- Normal and High-Speed Dubbing
- · Continuous or simultaneous recording

## TASCAM. CC-222SLMKII

Rackmount CD/Cassette Recorder

- Use as two individual recorders.
- · Record one source to both mediums



. Dubbing is also supported from CD to cassette and vice-versa • Analog RCA I/O, digital coaxial and optical I/O, RIAA phono input 

# #TACDA550 (CD-A550 CD Player/Cassette Recorder) ........... 369.99

### **Cassette Tape**

Maxell Communicator Series Normal Bias 90 #MACOM90 1.19	9
Maxell Communicator Series Normal Bias 120 #MACOM120 1.89	9
Maxell Normal Bias UR 90-Minutes #MANBUAT	8

#### **Hum Eliminators**

Allen-Avionics AGL-600-2 (ALAGL6002)255.00	
ART DTI: Dual Input Inline Transformer/Isolator (ARDTI)Log-on	
ART T8: 8-Channel Transformer / Isolator (ART8)	
Behringer MicroHD HD400 (BEHD400)Log-on	
Ebtech HE-2: 2-Channel Hum Eliminator (EBHE2)64.00	
Ebtech HE-2-XLR: Same as above w/XLRs (EBHE2XLR)84.00	
Ebtech Hum X: Plug-Style AC Hum Eliminator (EBHX)59.77	
<b>JK Audio Pureformer</b> : Stereo Isolation Transformer ( <i>JKPUR</i> ) $\bf 56.05$	
Pro Co Sound IT1: Isolation Transformer Box (PRIT1)103.62	
Rolls DB25: Passive Direct Box (RODB25)23.63	
Rolls HE18: Buzz Off (ROHE18)	
Whirlwind ISOXL: Line-Level Isolation Transformer (WHISOXL).39.95	
Sescom	

IL-19-PRS-GLS: Inline Audio Hum Eliminator (SEIL19PRSGLS) 69	.95
IL-19: Inline Audio Hum Eliminator (SEIL19)44	.95
<b>IL-19-2</b> : 2-Ch. Audio Hum Eliminator (SEIL192)84	.95

### **Cable Testers & Tone Generators**

Behringer CT-100: Cable Tester (BECT100)	21.99
Ebtech SWIZZ-CT: Cable Tester (EBSWIZZCT)	93.00
Pyle-Pro PCT-10: 8-in-1 Audio Cable Tester (PYPCT10)	20.00
Pyle-Pro PCT-40: 12-in-1 Audio Cable Tester (PYPCT40)	35.64
SM Pro Audio CT-3 Multi format Cable Tester (SMPCT31)	. 129.99
Whirlwind Audio Cable Tester (WHT)	69.99
Whirlwind DCT-9: Cable Tester (WHDCT9)	77.17
Whirlwind MCT7: Multi Connector Cable Tester (WHMCT7)	106.20
Whirlwind QBOX: Line, Cable and Tone Generator (WHQB).	Log-on

#### **Level Matching Transformers**

Level Matching Transformers
Aphex AP124A: Level Matching Interface (AP124A)249.00
ART CleanBox (ARSC)
Audix: T50K Impedance Matching Transformer (AUT50K) 24.95
Audio-Technica: Low to High Impedance Transf. (AUCP8201). 12.95
Canare: Digital Audio Impedance Transformer (CABCJXJTRB) 29.00
Canare: Digital Audio Impedance Transformer (CABCJXPTRB)29.00
DSAN LSP-1: Laptop SoundPort (DSLSP1)
Ebtech: 2-Ch. Line Level Shifter & Hum Elliminator (EBLLS2) 69.99
Ebtech: LLS-2-XLR (EBLLS2XLR)
Henry Engineering: The Matchbox HD (HEMBHD)215.00
Henry Engineering: Twin Match (HETMHD)243.75
Hosa Hi-Z to Low-Z Mic Transmformer (HOMIT129) 10.59
Hosa Low-Z XLR-F to Hi-Z 1/4" Male Transformer (HOMIT176) . 17.99
Hosa XLR-F Low-Z to 1/4" Phone-M Hi-Z Mic (HOMIT435) 12.99
MOTU ZBox Guitar Pickup Impedance Adapter (MAZBOX)Log-on
Pearstone: Low to High Impedance (PELMT100)
Pro Co Sound AV1: Audio/Video Interface (PRAV1A) 102.88
Pro Co Sound: iFace Audio Player Interface (PRIFACE)149.95
Rolls MB15b Promatch: 2-Way Stereo Converter (ROMB15B). 61.95
Sescom Inline XLR Line Matching Transformer (SESESXLRISO). 20.35
Shure A15LA: Line Adapter (SHA15LA)
Shure A85F: Impedance Mic Matching Transformer (SHA85F) 18.75
<b>Tascam</b> : LA-80mkll ( <i>TALA80MK2</i> ) <b>251.47</b>
Whirlwind LM2B: 2-Ch. Line Level Converter (WHLM2B) 140.00



Splitters & Combiners	
ART S8-3-Way Microphone Splitter (ARS83WAY)	219.99
ART SPLITCom Pro: Mic Splitter/Combiner (AR2MS)	Log-on
ART S8: 8-Channel Mic Signal Splitter (ARS8)	199.00
ART SPLITMix4: 4-Channel Passive Splitter/Mixer (ARSM4)	45.99
Audio Technica T8681: UniMix Mic Combiner (AUAT8681)	59.95
Galaxy Audio: Jack In The Box Signal Splitter (GAJIBS)	29.99
Pro Co Sound: 1 into 3 Mic Splitter Box (PRMS3)	99.95
Pro Co Sound: 1 into 2 Mic Splitter Box (PRMS2)	70.83
Whirlwind LBS: 1x2 Line Balancer and Splitter (WHLBS)	95.93
Whirlwind SP1X2: 1x2 Mic Splitter (WHSP1X2)	74.48
Whirlwind SP1X3: 1x3 Mic Splitter (WHSP1X3)	93.67
Whirlwind SPLIT6: 1x6 Line Splitter (WHSPLIT6)	56.63

#### **Notation & Utility Software**

## cakewalk pyro

**Audio Creator** 

- Edit Audio Burn and rip CDs Clean and convert Audio
- · Encode, tag and organize sound library
- · Back-Up Files
- Publish Music to Internet
- Works with Windows XP/Vista/7 #CAPAC.....

Call or Log-on



### IK MULTIMEDIA ARC

Room Correction System (Native)

makemusic Finale 2012 Professional Notation Software

Easy and cost effective way to tune the monitoring aspect of a studio. Includes omni-directional measurement mic and plug-in software that can be used in virtually any major DAW.



.....199.99

### makemusic

### Finale PrintMusic 2011

Music Notation and Composition Software

- · Manually enter notes, extract parts, arrange full ensembles
- Plays music with pro sounds and nuance
- Scan existing sheet music, import and export MP3 files • 128 Virtual Instruments

#MAPM2011 ..... Finale SongWriter 2010 (MAS2010)...... 35.96



#### Lets you compose, arrange, notate, and print engraver-quality sheet music. Entering notes can be achieved in multiple ways, from MIDI to mouse, from scanning to exclusive

MicNotator. Experiment freely and compose any imaginable music without constraints.





### **ROXIO**

(ROC2011MB)	60.00
Creator 2011 (Pro) Digital Media (ROC2011P)	
Toast 11 Titanium (ROT11T)	77.99



#### Sibelius 7 Music Notation Software

Write, play, print and publish. Input music by singing or playing an instrument, then hit a button to put the results into the score.

Sibelius 7 Academic (SIS7A)...... 246.96 Sibelius 7 Upgrade (SIS7UG)...... 105.00



# 383

V Collection 2.0
Virtual Synthesizer Anthology

Emulations of 7 legendary synthesizers (Minimoog V, Moog Modular V, CS-80V, ARP2600 V, Jupiter-8V, Prophet V and VS.) Each has over 400 carefully selected patches and provides photo realistic interfaces that perfectly match the original layouts on your computer screen. (ARVCOL2) ...... 499.00





rturio Spark Hardware Drum Machine Synthesizer

Combination hardware and software workstation for sequencing drum patterns and grooves in minutes. Powerful software engine incorporates analog, physical modeling, and sample-based drum kits that range from electronic, R&B, Hip-Hop, acoustic kits and more. (ARSPARK).....



#### **Quantum Leap Symphonic Orchestra**

Sampled orchestral collection originally captured in a "state of the art" concert hall. Recorded by eleven-time Grammy nominated classical recording engineer Prof. Keith O. Johnson, the virtual instrument features strings, brass, woodwinds and 





### **FXpansion BFD Eco**

Software Instrument for Acoustic Drums

Functions as a plug-in or standalone, and provides easy access to the some of the best sounds in the BFD2 library. There are 5 kicks, 6 snares, 12 toms, 3 hi-hats and 11 cymbals taken from the BFD2 library, as well as a selection of percussion from the BFD Percussion expansion pack. #FXBFDECO ......29.00



MOTU BPM 1.5 Advanced Urban Rhythm Virtual Instrument Unites drum machine-style operation with

advanced virtual instrument technology to provide a great rhythm programming experience. 19GB sound library, 64 virtual pads, per pad step sequencer, sampling and synthesis, graphic mixer and Waveform Editor. (MABPM)......Call or Log-on



MOTU Symphonic Virtual Orchestral Instrument Everything to create complete orchestral

recordings. From solo instruments and small ensembles, to full orchestral masterpieces, the 8GB library contains sounds from world class orchestras and musicians, recorded with pristine audio fidelity and careful attention to detail. #MASI .....



.Call or Log-on

### MOTU MachFive 3

Universal Virtual Sampler

From the configurable part list to the full-screen envelope editor, the software has been designed to enhance creativity while delivering state-of-the-art virtual instrument technology in a streamlined, efficient environment. (MAM53)....459.00 #MAUM53 (Competitive Upgrade)......259.00



### N NATIVE INSTRUMENTS

### **ALICIA'S KEYS**

Virtual Piano Software Instrument Almost 3,000 individual samples on 12 discrete velocity layers with and without pedal - equivalent to 17GB of uncompressed WAV files. Sampled from Alicia Keys' own playing, recorded in her studio with her own engineer. #NAAK......99.00





### STUDIO DRUMMER

Virtual Drum Instrument Everything needed to create realistic acoustic drum tracks. Includes three top-of-the-line drum kits, detailed mixing options, and a ready-to-go groove library packed with authentic beats of all colors and flavors. #NASD.....



149 00

#### **DAMAGE**

Cinematic Percussion Virtual Instrument

Delivers cinematic percussion with a tense, epic edge. Dark, aggressive, thrilling and threatening, this unique instrument combines orchestral percussion, sampled sounds, and edgy electronics.



NATIVE INSTRUMENTS

**KOMPLETE 8** Virtual Instruments and Effects Collection

Comprehensive collection of virtual instruments and effect plug-ins for musicians, producers and sound designers. 100GB of data spans 27 instruments and effects, and contains more than 10,000 production-ready sounds, suitable for all styles and genres. Includes KONTAKT 5 and GUITAR RIG 5 PRO.

REAKTOR 5.6, along with MASSIVE, ABSYNTH and FM8 deliver the ultimate synthesizer array. Instruments and effects include TRANSIENT MASTER, groove powerhouse STUDIO DRUMMER and much more.

KOMPLETE 8 Full Version (NAK8)......499.00 KOMPLETE 8 Ultimate (NAK8ULT)......999.00 



### SPECTRASONICS Trillian

Total Bass Virtual Instrument

34GB core library features highly-detailed Acoustic, Electric and Synth basses — as well as enhanced versions of classic Trilogy sounds. STEAM engine technology allows powerful integration with Omnisphere. #SP3TRL......275.00\*



Stylus RMX Xpanded- Realtime Groove Module (SP2XRMX) 369.00

# SoundSoap 2

Audio Cleaning Software Suite

Easily "clean" audio, whether involved with shooting videos, websites, presentations, or making music. Removes hiss, hum and buzzing, rumble and most other noise without harming the the main program audio.

#BISS2 ......Call/Log-on #BISSP2 (SoundSoap Pro 2).. Call/Log-on





## celemony\_ Melodyne Essential

Monophonic Pitch Shifting/Time Stretching

For use with monophonic material perfect for correcting intonation and timing via a macro or by hand. Transpose, move or erase notes and copy individual notes or entire passages to different locations



#CEMES......65.00

## SPECIRASONICS Omnisphere

Combines a wide variety of real-time synthesis techniques with 40GB core sound library. Process already interesting core samples with an intriguing set of synthesis and effects processor, thereby transforming the core material into truly inspiring sounds.



#SPOMNISPHERE......465.00\*

Synthogy Ivory II Grand Pianos (SYIVORY2GP)..... 319.00 



Modeling Software and Pedalboard Controller

All-in-one tool for guitar and bass, combining GUITAR RIG 5 PRO software with the RIG KONTROL pedal board controller. #NAGR5K.....



### Roland R-MIX

Audio Processing Software

See various components of a stereo mix as color-coded clouds. This method of interfacing with an audio file allows you to select individual components of a mix and freely edit them to create karaoke files, study



tools, remixes, and mash-ups. Old recordings can be cleaned up by applying noise reduction and effects.

#RORMIX......199.00

Music Production Software



#### **Live Intro**

**ableton** Music Production Software

- Real-time Audio/MIDI Production
- 64 audio tracks, unlimited MIDI tracks
- · Groove Engine
- 2 audio inputs/outputs
- 8 Scenes per project
- 7GB of loops, instruments and beats
- · Warping and real-time time-stretching

#ABLINT .......99.00



### Logic Express 9

Record up to 12 different files and Apple loops, or re-wire stand-alone

instruments, with 32-bit processing and 24-bit/96kHz quality. Supports 255 stereo tracks, 64 instrument tracks, 8 buses and 4 inserts. Includes EXSP24

sampler with library, 40 software instruments and 70 plug-ins. #APLE9......Call or Log-on



## bias Peak Studio

Edit and Restoration Software

Powerful bundle includes Peak Pro 7 audio editing, processing, and mastering application for Mac - plus SoundSoap and SoundSoap Pro restoration plug-ins, and the Master Perfection Suite. Also includes SoundSaver, LP/cassette restoration tool.



# #BIPSLE (Peak Studio LE) ......94.99

## cakewalk

#### Sonar X1 Essential

Music Production Software


- 64 audio and unlimited MIDI tracks
- Video Import/Export
   Screensets • Matrix View and Step Sequencer



Call or Log-on

### M-AUDIO® **Pro Tools MP9**

M-Audio's version of Pro Tools 9 for use with their interfaces. Features 48-track mono or stereo audio recording, editing. and mixing with up to 24-bit/96kHz fidelity. 70 plug-ins for sound shaping



## propellerhead Reason 6

Music Production Software

Infinitely expandable music workstation application. Wide variety of synthesizers, samplers, drum machines and effects perform just like their hardware counterparts. Pattern-based and piano scroll style sequencers. Build elaborate chains of instruments, effects, and sequencers saved as Combi patches. (PRSWR6)......385.00



## ACOUSTICA Mixcraft 5

Multi-Track Recording Studio Software

Record audio, arrange loops, remix tracks, compose with virtual instruments, score and edit video, and add effects. Track count and instrument and effects instances are only limited by the host CPU. Plug-in delay compensation, tempo detection, and pitch

#ACMIXCRAFT5......69.95



## Authorized Reseller Logic Studio

#### Music Production Suite

Write, record, edit, mix and perform music. Loaded with exacting models and samples of the best gear. Includes Logic Pro 9. MainStage 2. Soundtrack Pro 3, and the Studio Sound Library, a huge collection of loops, sampled instruments, and channel-strip settings. #APLS9 .....



Call or Log-on

## bias SoundSaver

Audio Cleaning Utility

Allows you to record LPs and tapes into a computer, and clean up the audio. Connect, record, clean and export the files directly to iTunes, as an MP3, or uncompressed WAV files for CD/DVD burning.

#BISS ...... 39.99



## cakewalk

#### Sonar X1 Producer

Music Production Software

All the features of the Studio version. plus surround capabilities and a host of virtual instruments. These include PX-64 Percussion Strip and VX-64 Vocal Strip multi-effects processors, Session Drummer 3 with bonus content. #CASX1P

Call or Log-on

## MOTU Digital Performer 7

Audio Workstation with MIDI Sequencing

Record, edit, arrange, mix, process and master audio and MIDI tracks side by side. Unlimited tracks, modeled amp/speaker emulator, guitar pedal emulations, surround sound support, track comping and comprehensive film scoring/post, Final Cut integration and direct audio CD burning. #MADP7.....Call or Log-on



### SONY

#### Sound Forge Audio Studio 10

Audio Editing and Production

Edit and master audio on a home computer. Record live instruments and vocals edit and restore audio, apply effects, convert files and create your own karaoke tracks with included vocal remover software.



#### www.BandH.com

# Adobe Audition CS5.5

Audio Production Software

Easily handles a wide range of audio tasks, including recording, mixing and sound restoration to make video and audio productions sound their best. Features 5.1-channel support, sweetening tools, batch processing, and plug-in delay compensation. #ADWACS554MD (for Macintosh)......339.95 #ADWACS554WD (for Windows) .....





### Pro Tools 10

Core Audio and ASIO compatible. provides up to 96 audio tracks, 160 auxiliary tracks and 256 busses. Features automatic delay compensation, multi-track beat detective, timecode ruler, EUCON integration and built-in OMF/AAF/MXF interchange support.



## celemony\_ Melodyne editor 2

Polyphonic Pitch Shifting/ Time Stretching

Direct Note Access technology, makes access to individual notes in polyphonic audio material possible. Correct wrong notes in a piano recording, change chords in a quitar accompaniment after recording, or refashion a sample lick.



#CEMED2..... 349.00



#### FL Studio 10

Fruity Edition

Everything you need to compose, arrange, record, edit, mix and master professional quality music. Choose preferred workflow; compose using the step-sequencer or piano roll. Huge collection of virtual instruments. 



## propellerhead ReCycle 2.1

Loop Manipulation Software

Make the most of your grooves. Alter the tempo, or replace sounds and process them individually. Edit sampled parts, chop up riffs, remix and do mash ups. You are in control and free to change the tempo or the pitch, without one affecting the other.



## SONY Sound Forge Pro 10

Professional Digital Audio Production Suite

Recording and mastering, sound design, audio restoration, editing, Red Book CD creation. Support for 24- and 32-bit 192kHz file, 40 studio effects and processes, noise reduction plug-ins, support for AVI, WMV, and MPEG-1/2. Also instrument file processing, audio conversion and time stretching. #SOSFP10......Call or Log-on



#### 800-859-5252 | 212-444-5072



Music Production System

Full-featured audio and MIDI recording and editing, virtual instruments and powerful audio mixing, with the added flexibility of loop- and pattern-based arranging and mixing.



# Steinberg Cubase Elements 6

Music Production Software An excellent entry point to the world of Cu-

base, offers a comprehensive set of tools for composing, recording, editing and mixing. Features a powerful collection of quality instruments and effects.


#STCUE6R ..... 99.99



# Steinberg WaveLab 7

#### Audio Editing and Mastering Suite

Sample-accurate stereo or multi-track audio editing, combined with impressive effects for sound design. CD Mastering, DVD-Audio Authoring, audio for video and audio restoration.





### **Additional Software plus Upgrades and Educational Versions**

	A	V	İ	d
٠.	101			

Avid	
iLok2 - USB Smart Key (AVILOK2)	
Pro Tools 10 for Educational Institution (AVPT10I)	
Pro Tools 10 for Students (AVPT10S)	
Pro Tools 10 iLok + Activation Card (AVPTILC)	•
Pro Tools 10 Upgrade from Pro Tools 9 (AVPT910)	-
Pro Tools 10 Upgrade from Pro Tools LE (AVPTLE10)	399.00
Cakewalk	
SONAR X1 Studio: Educational Discount (CASX1SES)	145.88
SONAR X1 Producer: Educational (CASX1PES)	284.31
Image-Line	400.00
FL Studio 10 Producer Educational (IMFLS10PE1U)	
FL Studio 10 Signature Educational (IMFLS10SBE1U)	169.00
моти	
Digital Performer 7 Educational (MADPA)	Log-on
Digital Performer 7: Competitive Upgrade (MADP7U)	Log-on
Native Instruments	
TRAKTOR SCRATCH DUO 2 Upgrade (NATSD2H)	240 00
TRAKTOR KONTROL S4 SCRATCH Upgrade (NATKS4UPG)	
THARTOT RONTHOL 34 SOLIATOH Opgrade (NATAS461 d)	123.00
Propellerhead Software	
Reason 6 Upgrade from Full Versions (PRSWR6UG)	159.99
Sony	100100
Sony CD Architect 5.2 CD Mastering Software (SOSCDR5200)	
CD Architect 5.2 CD Mastering Software (SOSCDR5200)	Log-on
-	Log-on

Steinberg

USB License Key (STSK)....

Loa-on.....

Sequel 3: Music Creation/Performance Software (STS3)......79.99

Cubase Artist 6: Music Production System (STCA6) .......249.99

Nuendo 5: Audio and Post Production Software (STN5).....1800.00

Vienna Symphonic Library

ViennaKey USB License Control Key (VIVK)......29.00

### ALESIS ControlPad

**USB/MIDI** Percussion Controller

- · Eight high-quality, velocitysensitive percussion pads
- · Pad sensitivity adjustment
- USB bus-powered
- Two trigger inputs
- · Two switch pedal inputs and up/down footswitch input
- . MIDI I/O; stores MIDI setups with program change capability
- Includes BFD Lite, a virtual drum module from FXpansion

### LPD8 USB-MIDI Pad Controller

· Perfect for a mobile setup using a laptop computer



- · 8 backlit, velocity-
- sensitive drum pads can send note or program changes.
- Q-Link knobs for controlling virtually any parameters in software
- · 4 programmable memory banks
- Includes editor software for Mac and PC
- . Small enough to fit in a backpack or laptop bag #AKLPD8 ......Call or Log-on

#### MPD26 USB/MIDI Pad Controller

- 16 velocity and pressure sensitive nads
- · 4 selectable pad banks for access to a total of 64 pads
- 6 assignable faders
- 6 assignable 360° continuously variable rotary encoders
- Transport controls
- . Includes Editor Librarian software and Ableton Live Lite

#AKMPD26Cal	Ιo	r Log-on
#AKMPD32 (MPD-32 USB/MIDI Pad Control Unit)Cal	Ιo	r Log-on

# KORG padKONTROL

USB MIDI Studio Controller

- 16 illuminated drum trigger pads
- · Control virtual synthesizers and effects, trigger loops and video clips, even acts as transport controls for DAWs
- Each pad can be assigned a note number and MIDI channel.
- · Eight different dynamic curves are available for each pad
- · Real-time control of both flam and roll timing and dynamics.

# MPC Fly Music Production

Controller for iPad 2

Multifunctional, double-hinged design houses a controller section with 16 genuine MPC pads and numerous control buttons, along with a fitted compartment for iPad 2 (not included). The case can sit upright, lie flat or be closed for transport, allowing for creating

Drum Pad and Wind Controllers

beats on the go that can be transferred to a Mac or PC for further mastering. Record four tracks using the built-in sound library of samples and drum kits. (AKMPCFLY)......299.00



## MPD18 Compact USB/MIDI Pad

- 16 velocity and pressure sensitive pads
- . 3 pad banks for a total of 48 sounds accessible from pads
- · Q-Link assignable fader control
- · MPC note repeat
- MIDI-over-USB interface MPC 16-level and full level
- 16 configurable presets USB powered, requires no AC adapter #AKMPD18......Call or Log-on

## KORG nanoPAD 2

USB-MIDI Pad Controller

• 16 solid. responsive and velocitysensitive




- trigger pads
- 4 banks provide a total of 64 pad assignments
- · Control multiple MIDI parameters via the X-Y Touchpad
- . "Touch Scale" function allows for playing phrases on the X-Y touchpad, with a choice of 16 different scales

In Black (KONP2B) ...... 59.99 In White (KONP2W)...... 59.99



- USB-powered MIDI pad controller
- 16 Rubber Pads
- · Each pad illuminates in green, orange or red depending on tap strength
- . Bank function provides 15 different MIDI note allocation maps



. Includes CMC-PD editor software and download version of Cubase Al



# EWI4000s • EWI USB

Electronic Wind Instrument Controllers

• EWI4000s has a built-in sound module that allows



• EWI USB incorporates the same expressive controls. Configuring it is simple with multiple fingering modes available including saxophone, traditional EWI, flute, oboe, and EVI (Brass).

#AKEWI4000S...... Log-on #AKEWIUSB..... Log-on

## YAMAHA wx5

MIDI Wind Controller

The WX5 is a full-featured MIDI wind controller with a sax-compatible, 16-key layout and high-resolution



wind and lip sensors. Addresses the musical details and requirements of the Wind-to-MIDI process with an astonishing array of expressive performance controls. Comes with two mouthpieces (Sax, with reed, and Recorder) and is fully GM, XG, and VL compatible.





#### MPK mini

professional 25-key Mini Keyboard

Ultra-portable software MIDI controller with 25-note, velocity-sensitive mini keyboard. 8 backlit, velocity-sensitive MPCstyle pads (2 banks), 8



assignable Q-Link knobs to adjust virtually any parameter. Built-in Arpeggiator with adjustable resolution, range and patterns. Tap-Tempo, Octave Up/Down and Sustain buttons. Powered via USB.

#AKMPKMINI ..... Call or Log-on

**LPK25** 25-key USB Laptop Performance Keyboard

Less than 13" across, and under a pound, the LPK25 easily fits into a lap-



top case, backpack or messenger bag. Features arpeggiator, sustain button, octave up and down, tap tempo controls, and four memory bank. Plug and play with Mac and Windows software. DJs can use it to trigger loops and samples in a live situation. #AKLPK25......Call or Log-on

#### **NEW 1** MPK61 • MPK88

61- and 88-key USB/MIDI Keyboards

Both offer 16 MPC pads with velocity and pressure sensitivity and 8 full-sized,



360° rotation pots. 72 assignable controls with assignable inputs that include expression pedal, footswitch, pitch bend and modulation wheel. Key Split, MPC Full and 16-Level, Tap Tempo, MPC Note repeat and swing, and arpeggiator.

#AKMPK61..... Log-on #AKMPK88 .....Log-on

AKAI SynthStation25 25-key Piano for iPhone and iPod Touch

Built-in dock for iPhone or iPod touch gives your device a two-octave set of piano keys and audio outputs. Includes pitch and modulation wheels, along with octave up and down and sound-bank buttons. Use with virtually any MIDI music software.



Trigger hardware via USB/MIDI output. #AKIPK25.....Call or Log-on

## AKAI MPK25 USB/MIDI

Performance Keyboard

25-key semi-weighted keyboard with aftertouch and full-sized kevs. 12 full-sized, 360° rotation pots, with 2 banks 12 genuine MPC pads with velocity and pressure sensitivity 30



switches, including transport controls MPC Note Repeat, MPC Swing, and arpeggiator.

#AKMPK25..... ......Call or Log-on

#### KAI MAX49

USB/MIDI/CV Keyboard Controller

Revolutionary MIDI and CV control at your fingertips. Intuitive layout and AkaiConnect automatic-mapping software, offers a



fully immersive experience with your music software and virtually all VST plugins. 49 semi-weighted keys, 12 real MPC pads, LED touch faders and vintage CV & Gate outputs.

#AKMAX49



## ALESIS Q25 • Q49 • Q61

25-, 49-,61-key USB/MIDI Keyboards

Velocity sensitive kevs. Pitch and modulation wheels for capturing musical expression.



Backlit octave up/down buttons. Assignable volume/data-entry slider enables control of most-used parameter. Sustain pedal input. Include Ableton Live Lite Alesis Edition.

#ALQ25......Call #ALQ49......Call #ALQ61 .... 149.95

### ALESIS QX25 • QX49 • QX61 25-, 49-,61-key USB/MIDI Keyboards

Portable, lightweight with 4 drum trigger pads, 8 knobs, 6 assignable buttons and a high-quality fader, Record notes into audio software, play software synths, hard-



ware synths, trigger drums, loops and more. Keys are velocity sensitive. Come with Ableton Live Lite Alesis Edition.

#ALQX25 .... **99.00** #ALQX49 ...... Call #ALQX61 .. 199.00

# behringer

#### UMX490 • UMX610

49- and 61-key USB/MIDI

Keyboard Controllers

Velocitysensitive keyboard with 100



virtual instruments and 50 VST effects plus an unlimited number of sound creations. 300MB sound library. 8 real-time rotary controls plus 10 assignable switches. Freely assign MIDI control changes to the modulation wheel, volume fader and pedal port.

#BEUMX490... Call or Log-on #BEUMX610...... 196.99

Keilh McMillen 12 Step Chromatic Keyboard Foot Controller

Sends MIDI notes via USB or the optional (required) KMI



MIDI Expander to control virtual synthesizers, MIDI Keyboards and MIDI sound modules. The controller is polyphonic capable and can play up to 5 notes per key. Each key is velocity and pressure sensitive and can use the tilt of the foot to control pitch bend, polyphonic aftertouch, or any other MIDI CC value.

#KEK705......259.00

#### www.BandH.com



AKAI SynthStation49 Controller with Drum Pads and iPad Dock

Direct in-app MIDI recording from the velocity-sensitive 49-keys, 9 MPC-style drum pads and transport controls. iOS CoreMIDI compatible, allowing it work with dozens of music apps in the App Store. An angle-adjustable



cradle helps position the iPod to a comfortable viewing angle.



#### MPK49 49-key USB/MIDI Performance Keyboard

Set of 12 tactile rubber MPC-type percussion pads (with MPC-series Note-repeat and Swing functions) and



an arpeggiator. Control surface has 8 assignable sliders. 8 fullrotation control knobs, MMC/MIDI Stop/Start transport buttons and a bright LCD. Assignable inputs include expression pedal, footswitch, pitch bend and modulation wheel. (AKMPK49)...... Call

### acorninstruments Masterkey 61

61-key Portable USB MIDI Controller



Compact design, fits perfectly on a computer desk while providing all the control needed for unfettered creativity. The keys have a dynamic and fast response ideal for programming bass lines, drums, or synthesizer lines. Includes PreSonus Studio One Artist software, but is compatible with any standard MIDI program.

## ALESIS Vortex

USB/MIDI Keytar Controller with Accelerometer

37 velocity keys and trigger pads. USB, MIDI ports. Powered via USB bus, AA batteries or



DC adapter. Accelerometer allows for motion triggered expression and control over sounds and visually expressive performances. Thumb controls for volume slider and pitch-bend wheel, buttons 



### Mobile Keys 25 • 49

Premium Keyboard Controllers

Compatible with iPad. iPhone. Mac and Windows computers, they allow users to play and create music within seconds.



There are pitch bend and modulation wheels for expressive playing, and connectors for sustain and expression pedals are features on the rear. USB powered and capable of moving freely from device to device.

#LIMOBILEK25......149.99 #LIMOBILEK49......Log-on

# 387

### **KORG** nanoKEY 2

25-key USB-MIDI Keyboard Controller

controller with 25 velocity-sen-



sitive kevs can respond with 4 distinct velocity curves. Perfect for a mobile setup using a laptop computer. Octave up/down buttons. Pitch and modulations buttons provide a preset amount of pitch change and modulation, but can also be programmed for faster or slower pitch bends, or in the case of the modulation button, the control change number, and the values that will be transmitted. 

### M-AUDIO Axiom Pro 25

25-key USB/MIDI Performance Keyboard

25 "TruTouch" semi-weighted keys, set of trigger pads and con-

trols, and custom "Hyper-Control" that automatically maps its hardware controls to Pro Tools and other DAW programs. Piano-style keyboard and 8 velocitysensitive pads: dedicated



DAW transport control with 6 illuminated buttons; Pitch Bend and 

## KORG microKEY

37-key USB-MIDI Keyboard Controller

37 velocitysensing mini keys use a "Natural



Touch" key-bed

Octave Shift and Key Transpose features access the full MIDI note range. Bend and Modulation wheels add expression to your performance. Dual USB ports for adding other USB devices to your setup. Includes 3 virtual instruments and LE edition of the M1 software synthesizer.

### M-AUDIO® Axiom Pro 49 • Axiom Pro 61

49- and 61-key USB/MIDI Keyboards

Stepping up from the Axiom Pro 49 and 61 feature 9



x 40mm faders with auto-mute. They also offer nine illuminated buttons underneath the faders that toggle between four functions. #MAAP49 ......449.95 #MAAP61 ......419.00

### M-AUDIO® Keystation Mini

32 - Ultra-Portable Keyboard Controller

Ideal for players on the go. Simply



plug it into your computer or iPad and perform two-hand parts with the velocity sensitive, low-profile mini keys. USB-powered, the keyboard features selectable velocity curves, including one specifically for drum programming. Four assignable controls add flexibility. Included Sibelius First software allows for easily playing and writing music.

#MAKS .......61.67

### M-AUDIO® Axiom 25 v2

25-key USB/MIDI Controller Keyboard

Velocity sensitive with semi-weighted action and assignable aftertouch 8 assignable

trigger pads, 8 assignable rotary encoder knobs, and 6 transport buttons. Assignable pitch bend and modulation wheels.



octave/transpose up/down buttons, and sustain and expression pedal jacks. Powered via USB or optional AC adapter. Includes 

### M-AUDIO®

#### Axiom 49 v2 • Axiom 61 v2

49- and 61-key USB/MIDI Keyboards

Stepping up from the Axiom 25 they add four independent



configurable keyboard zones, nine MIDI-assignable sliders, and a numeric keypad for speeding up the entry of any editable values.

#MAA49V2.....**271.81** #MAA61V2...... 299.99

M-AUDIO Oxygen 25

25-key USB/MIDI Controller

velocity settings; sustain pedal input, single assignable MIDI slid-

ers; 6 dedicated transport buttons; pitch bend and

modulation wheels; and dedicated track up/down buttons. #MAO25......**80.20** 

#### M-AUDIO®

#### **Keystation 61ES • Keystation 88ES**

61-and 88-key USB/MIDI Controller Keyboards



Semi-weighted, velocity-sensitive keyboards, the 11 lb. (61ES) and 22 lb. (88ES) feature 10 programming options with advanced function button; separate pitch bend and modulation wheels; volume slider doubles as assignable control slider.

#MAK61ES.....**129.99** #MAK88ES ......195.00

### M-AUDIO® Oxygen 49 • Oxygen 61

49- and 61-key USB/MIDI Controllers



35 MIDI-assignable knobs, sliders and buttons. Store 10 different setups. 9 MIDI-assignable sliders for software mixer volumes, or as drawbars on a virtual tone-wheel organ. Map knobs to any synthesizer parameters.

#MAO49N......130.98 #MA061N...... 158.54

### M-AUDIO®

KeyRig 49 49-Key USB/MIDI Controller



Ableton's Live Lite provides recording and editing functions, while M-Audio's Key Rig software (Windows) includes four virtual instrument modules. Features pitch and modulation wheels. assignable volume slider, octave ±buttons and sustain pedal

## M-AUDIO Oxygen 88

88-key USB MIDI Controller



Graded hammer-action keybed with 4 selectable velocity curves. 8 MIDI-assignable knobs, 9 MIDI-assignable 60mm faders, 9 MIDI-assignable buttons, 6 dedicated transport controls and 4 zones and dedicated zone buttons for layering and splitting sounds on the keyboard. Dedicated track and octave up/down buttons. 

8 assignable knobs, dedicated transport and track select but-

tons. Directl ink mode. automatically maps controls to common DAW functions. Sup-


port for virtual instruments.

4 velocity curves and 3 fixed

### 25 SL MkII • 49 SL MkII • 61 SL MkII

25-, 49- and 61-key Remote MIDI Controllers

Semi-weighted keyboards with full DAW and plug-in control surface. 144-character display, back lit LED buttons and LED ringed encoders show control status. Ultra-quick mapping of all knobs, faders and buttons. Come with loops and samples, soft-synth and Ableton Live 7 Lite.





61 SL MkII (61-keys) #NOR61SLMK2..... Log-on



Impulse 25 • 49 • 61

25-, 49- and 61-key USB/MIDI Controllers

Semi-weighted keys with assignable aftertouch. Eight rotary controls and 8 backlit drum pads, along with pitch and modulation wheels. Controls allow for hands on manipulation of DAW functions, virtual instruments and plug-ins. The included Automap control software takes the hassle out of assigning the controllers.



Impulse 25 (NOIMP25)	Call or Log-on
Impulse 49 (NOIMP49)Call or Log-on	Impulse 61 (NOIMP61) Call or Log-on

### CASIO SA-76 44-Key Portable Keyboard

Compact and battery operated. Play along to 10 song bank tunes and choose from 100 preset tones. There are 44 miniature size keys, five percussion pads (two with Indian



percussion sounds), built-in speakers and easy-to-read display LCD which shows tone, rhythm, song 

#### 76-Key Keyboard 76 touch-sensitive keys, 600 built-in tones, stereo piano sounds, mini input and USB

180 built-in rhythms and accompaniments that follow your chord changes. 5 song recorder, capable of layering up to 6 tracks. #CAWK225 Call or Log-on

#### CASIO CTK-2100 • CTK-3000

61-Key Portable Keyboards with Piano-Style Keys

Built-in step-by-step lessons teach how to play. 400 playable tones, 150 beats and rhythms, and 110 songs. 10 additional sound effects. Built-in sampler and multiple reverb effects. CTK-3000 steps up with a pitch



wheel for additional expression over sounds and a metronome.

CTK-3000 (CACTK3000) ....... Call or Log-on

### **CASIO. WK-6500** • **WK-7500** 76-Key Keyboard

The WK-6500 features a full arranger, 670 built-in tones, a 16 track sequencer, 32-channel mixer, accompaniment editing built-in stereo speakers, a mic input, internal effects engine. USB port and an SD-card slot. The WK-7500 steps-up with 800 built-in

**CASIO.** WK-225

port. Play along with

tones (including 50 drawbar organ tones) and pattern sequencer.

WK-7500 (# CAWK7500)........... Call or Log-on

### CASIO. CTK-4200 61-Key Portable Keyboard

Features 61 keys, up to 600 built-in tones, stereo piano sounds and more. Has a 3.5mm mini input for connecting external MP3 players, and a USB port. Play along with up to 180 built-in rhythms and accompaniments that fol-



low your chord changes. Has a 5 song and 6-track recorder for sequencing original parts and layering. #CACTK4200 ......Call or Log-on

## YAMAHA EZ-220 61-Key Light-Up Portable Keyboard

392 instrument sounds including strings, guitars, brass, saxophones, drums and of course, Yamaha's renowned piano sounds. 100 preset styles accompany your playing so you can spark up a jam session whenever you wish. Play along with the 100 preset songs - each with its own digital score. Also



offers wireless connectivity to Yamaha's remarkable (free) Page Turner iPad app. (YAEZ220)...... 159.99

### CASIO. CTK-6000 61-Key Portable Keyboard

61 piano-style keys with authentic feel and range 670 built-in tones for a full library of playable sounds. 16 track sequencer lets you record parts and edit notes for creating original songs. Edit vour own chord progressions using the preset accompaniments. Additional features include 32-channel mixer, built-in



stereo speakers, mic input, internal effects engine, USB port and an SD-card slot for storage.

## YAMAHA PSR-E423 61-Key Touch-Sensitive Keyboard

Up to 700 voices and a wide variety of arrangements and backing tracks. Create custom songs and save data to a PC. Real-time control for filtering the main melody tone, and changing the tempo of the arpeggio like an analog synthesizer. Pitch Bend wheel brings voices to life. Internal speakers provide full sound. #YAPSRF423



229.99

PSR-E333: 61-Key portable keyboard features a total of 497 quality voices (including sound effects kit), and up to 106 accompaniments to play along to. Also features 61 touch-sensitive keys, built-in 

### CASIO. LK-230 61-Key Keyboard with Lighted Keys

2 note polyphony, 100 tones, 50 rhythms. 100 songs. Audio input, built-in metronome, and the ability to sample up to 10 seconds of sound, and to play samples on trigger pads. Features 400 playable tones, 150 beats and rhythms, and 110 songs. Dual speakers, mic jack for sing along, MIDI and



auto-accompaniment system. Learn to play with 3-step lesson. #CAI K230

LK-165 61-Key Portable Keyboard (CALK165).....

### **CASIO.** LK-280

61-Key Keyboard with Lighted Keys

61 light-up keys, up to 600 built-in tones, stereo piano sounds and more. Mini input for connecting external players, and a USB port for MID operation. Play along with 180 built-in



rhythms and accompaniments that follow your chord changes. There is also a 5 song recorder, capable of layering up to 6 tracks and an SD slot for storage.

### YAMAHA YPG-235 • YPG535

76- and 88-Key Portable Keyboards

Full-sized touch-response keys, 489 on-board high-quality AWM sounds including a stereo-sampled Grand Piano, and built-in digital effects with reverbs, chorusing and harmony. Pitch wheel for real-time control, master 5-band EQ, and 6-track sequencer

for composing. Built-in speakers with 4.7" woofers, 1.2" tweeters and 12w amp. Includes headphones, foot switch and 3-year warranty.

Stepping up, the YPG-535 features a 88-key keyboard with





lightly weighted action. It has a Graded Soft Touch-response and a high-tech silver finish, and comes with a matching wooden keyboard stand. It also adds 160 Auto-accompaniment styles. Comes with Yamaha Survival Kit which includes AC adapter, foot switch, and 3-year warranty.

#YAYPG235......**249.99** 

**PRO AUDIO** 

### ALESIS Cadenza

88-Key Hammer-Action Digital Piano

Eght inspiring stereo sounds, reverb and chorus effects and adjustable bass and treble control. Adjustable touch sensitivity and split keyboard functionality allow you to assign a grand piano on one half of the keyboard while the other half might be a bass, making it possible to play two sounds at once. You can also layer two sounds



on top of each other to come up with lush, unique sounds all your own.

### CASIO. Privia PX-130

88-Key Portable Digital Piano

Tri-sensor scaled Hammer Action keys. 16 realistic instrument sounds. Elegant, white finish with matching stand and built-in pedal unit.



Built-in stereo speakers, record function, dual headphone jacks, metronome, transpose and tuning features. Layer and Split modes, effects and several different accompaniment rhythms. A built-in record function lets you save practice sessions or performances.

### KORG microPIANO 61-Key Digital Piano

Compact and stylish, provides a stylish baby grand profile, complete with opening lid. Features Korg's expressive 61-key Natural Touch mini-keyboard. 61 rich and vibrant sounds, ranging from organs, acoustic pianos, electric pianos and



more. Built-in speakers and battery power for "play anywhere" performance. #KOMICROPIANR

299.99

### KORG SP-250 88-Key Portable Digital Piano

Weighted hammer-action keys and 3 stages of selectable touch response. Pair of 4" dual-cone speakers and 22w stereo amp. 30 sampled preset sounds enhanced by reverb and



chorusing processors. Versatile tuning with Key Transpose, Fine Tuning, and Temperament options. Two-voice layering, half-damper pedaling supported for realistic performance. Dual headphone outputs. 

### **Roland** FP-7F 88-Key Digital Piano

SuperNATURAL Piano engine delivers over 300 stunningly realistic piano sounds for performing, rehearsing and practice. PHA III Ivory Feel-S Keyboard offers an authentic



feel. Mic input, harmony effects engine for singers, and support for audio playback. The FP-7F's Session Partner feature provides over 80 rhythm tracks (2 variations of each) for playing along or practice. There is also onboard sequencing for recoding your own performances.

#ROFP7FBK (includes music rest and DP-10 damper pedal). 1999.00

### YAMAHA\* DGX-640 88-Key Portable Grand Piano Keyboard

Graded Hammer Standard keyboard. Built-in arranger, sequencer recorder, DSP effects processor, music notation display and much more. 237 DSP, 35 reverb, 44 chorus and 5 preset master EQ types. Dual and split modes, 26



harmony/echo types, 165 preset styles and 30 preset songs. Record up to 5 songs. Built-in learning tools, plus play along with a song on the instrument's keyboard and produce a perfect performance every time. USB input and built-in amplified speakers.

### YAMAHA Piaggero NP-V60 • NP-V80

76 full-sized keys with Yamaha's Graded Soft Touch keyboard. Keys are unweighted for the sake of portability (sensitivity is adjusted though). They



feature 89 preset voices, built-in reverb and chorus effects, speakers, a full accompaniment engine and built-in songs for practicing. Otherwise the same, the NP-V80 steps-up with the Intelligent Arpeggiator.

NP-V80 (YANPV80)......399.99

## YAMAHA\* P95 88-Key Digital Stage Piano

88-Graded Hammer Standard weighted keys, built-in sneakers and lightweight, durable construction.



10 piano sounds cover acoustic pianos, electric pianos, strings, organ, harpsichord and more. AWM sampling system creates the realism of an acoustic instrument. 50 preset piano songs.

#### - MORE DIGITAL PIANOS -

Casio PX-130 Privia 88-Key Portable Digital Piano (CAPX130)	Call or Log-on
Casio PX-130 Privia 88-Key Digital Piano in Red (CAPX130RD)	499.99
Casio PX-330 88-Key Digital Piano (CAPX330)	Call or Log-on
Casio AP-220 Celviano 88-Key Digital Piano (CAAP220)	Call or Log-on
Casio AP-620 Celviano 88-Key Digital Piano (CAAP620)	Call or Log-on
Casio AP-420 88-Key Digital Piano in Brown (CAAP420BN)	Call or Log-on
Korg SP-170s 88-Key Digital Piano in Black (KOSP170B)	499.99
, , ,	

1299.00
1699.00
2699.00
159.99
279.99
229.99
999.99

### KORG Pa500 61-Key Professional Arranger

128 effects with a 3-band parametric EQ available on each track. 320 styles each with up to 8 parts. 4 variations. and 3 intros/count-ins/fills/breaks/ endings. Tailor performance with Tap



Tempo, Fade and Manual Bass. Touch-	
View interface, 4-way joystick, Guitar Mode and more. (KOPA500)	1099.00
Pa3X 61-Key Professional Arranger Workstation (KOPA3X61)	3699.00
Pa3X 76-Key Professional Arranger Workstation (KOPA3X76)	3999.00

## YAMAHA PSR-S710 61-Key Arranger Workstation Keyboard

Full musical accompaniment, 850 rich sounding voices, a 16 track sequencer, an audio recorder, and more. A built-in "Music Finder' allows you to quickly search for songs and call them up. Need more musical material? Connect to the Internet via LAN network port. Mic input with 3-part vocal harmony.



#YAPSRS710..... 1099.99 PSR-S650 61-Key Arranger Workstation (YAPSRS650).....

#### www.BandH.com

#### CASIO. CTK-7000 61-Key Keyboard/Organ Drawbar

The CTK-7000 features a full arranger, 800 built-in tones, 16 track sequencer, 250 preset rhythms, 32-channel mixer and a drawbar organ function—at an unheard of price. Plus, any piece of music



 keys, combined with realistic grand piano samples recreate the authenticity and realism often missed with digital pianos. There are 250

88 scaled hammer action



#### nord

#### Electro 3

61-Key Organ, Piano, and Mellotron Instrument

Tasteful and playable instruments, and simple and intuitive interface allows the musician to fully concentrate on making music, and nothing more. 9 digitally controlled drawbars on the Electro 3 that are just as easy to use as



mechanical drawbars. Save 17 of your own presets for each organ on the Electro 3.

IONE361 ......Call or Log-on

## nord Stage 2 HA88

CASIO. Privia PX-3S

88-Weighted Hammer Action Key Digital Piano, Organ and Synthesizers

State-of-the-art sample-based acoustic pianos, vintage electric pianos, and vintage keyboards sounds. Full polyphony tone-wheel organ for faithful simulations of the classic Farfisa. Vox



# Arturia

### MiniBrute

Analog Monophonic Synthesizer

Takes you back to the basics of analog synthesis. Its classic 100% analog audio signal path features a voltage controlled oscillator wave mixer. Supports Aftertouch and boasts 25 semi-weighted keys. Tone-shaping tools include a Steiner-Parker multimode filter, six waveforms and bi-polar modulation destinations, two ADSR envelope generators and a full function arpeggiator.



## CASIO. XW-P1 61-Key Performance Synthesizer

Monophonic lead instrument with a six oscillator design, which can be controlled in real time via four knobs and nine sliders. Presets offer everything from bright leads to ripping basses. Hundreds of waveforms, envelopes galore, and powerful tools, such as reverse key scaling on pitch. 13-track Step Sequencer, programmable



16-step Arpeggiator and 400 editable sounds. (CAXWP1)...

499.99

### CASIO, XW-G1 Groove Synthesizer

Monophonic lead instrument with a six oscillator design, which can be controlled in real time via four knobs and nine sliders. Two virtual analog oscillators, two PCM oscillators, and a noise oscillator are at your fingertips. Presets offer everything from bright leads to ripping basses. Hundreds of waveforms, envelopes galore, and



powerful tools, such as reverse key scaling on pitch. (CAXWG1) .....

500 00

## KORG microKORG

37-Key Synthesizer, MIDI Controller & Vocoder

Large selection of waveforms, including those from Korg's classic digital synths. Pitch and modulation wheels, along with the 5 parameter control knobs.

8-band vocoder with a full range of effects, and a flexible arpeggiator. Formant frequency shifting and freeze function for gender-bending and keyboard mapping. (KOMK)



.... Call or Log-on

## KORG Kronos Music Workstation

Powerful keyboard with an incredibly detailed palette of sounds, integrated editing features, detailed 8" TFT TouchView display, 16 track sequencer, 16 track audio



recording and powerful sampling engine. Kronos implements Korg's KARMA synthesis technology to produce 9 individual sound engines. Each sound engine is dedicated to authentically reproducing its respective instrument type, resulting in authentically detailed pianos, vintage keyboard sounds, tone-wheel organs, ethnic instruments, plucked instruments, analog synthesizers and more. Use up to 16 premium-quality effects at once; individual effects rival dedicated units.

Kronos' 16 track sequencer implements any combination of sound engines and imported samples for some of the most powerful and expressive arrangements heard in a keyboard instrument. The 8" TouchView display lets players easily program sounds, edit tracks, and more. Virtual Memory Technology (VMT), aided by a fast SSD (Solid State Disk) provides high polyphony and massive, ultra-long, and unlooped samples; offering unheard of performance from a hardware instrument. The 8" TouchView display lets players easily program sounds, edit tracks, and more.

Kronos 61 61-Key Music Workstation	(KOKRONOS61)	2999.00
Kronos 76 76-Key Music Workstation	1 (KOKRONOS73)	3499.00
Kronos 88 88-Key Music Workstation	(KOKRONOS88)	3799.00

### M-AUDIO Venom 12-Voice Virtual Analog Synthesizer

Delivers the warmth and tone of vintage analog synthesizers with software editing and control. Offers 49 full-size keys, 512 single-sound and 256 layered patches, Phrase Sequencer. Included Vyzex Venom software displays all keyboard parameters for endless sound design and configuration possibilities.





#### UltraNova

**novation** Analog Modelling Synthesizer



**PRO AUDIO** 

### Roland GAIA SH-01 Virtual Analog Synthesizer

37 velocity sensitive keys and huge sound with three virtual analog engines onboard, each with a dedicated oscillator, filter, amplifier, envelope, and LFO, Laver up to five simultaneous effects, including distortion, flanger, delay, reverb, low boost, and more, 64-voice polyphony for massive sounds without note drop-out. D Beam, arpeggiator, and Phrase Recorder. USB ports



for saving user patches and for audio/MIDI connection. Runs on AC or batteries.

### Roland JUNO-Di

61-Key Mobile Synthesizer with Song Player

Over 1000 great sounding presets. can run on 8 AA batteries, and has a built-in song player that enables you to trigger backing tracks right from the keyboard. Features a mic input with reverb effects, real-time sound control



knobs, front and rear panel USB ports, software editor, large LCD display and D-Beam Controller.

# YAMAHA MOTIF XF6 • XF7 • XF8

Synthesizer Workstation Keyboards

Effects, editing, digital mixing, intuitive display, and more, Yamaha's own AWM2 Expanded Articulation synthesis engine delivers 1664 voices and 97 drum kits. featuring authentic piano, keyboard, synth, orchestral, wind, string and drum sounds for all styles of music production.



The MOTIF's 16-track sampling sequencer delivers a flexible feature set for speedy recording whenever inspiration strikes. Up to 128MB of sampling RAM is included and direct-to-USB recording lets you bounce tracks to a computer as a WAV file.

XF6 61-Key (YAMXF6).. 2399.99 XF7 76-Key (YAMXF7) . 3099.99 XF8 88-Key (YAMXF8) . 3499.99

#### **Keyboard Amplifiers**

Behringer KT108 - Ultratone 2-Channel 15-watt Keyboard Amplifier (BEKT108)	.Call or Log-on
Behringer K450FX - Ultratone Keyboard/PA Amplifer (BEK450FX)	.Call or Log-on
Korg PaAS Optional Speaker System for Pa3X (KOPAAS)	499.00

#### **Roland KC-150**

65 Watt Keyboard Amplifier

Keyboard amplifier with a 4-channel mono mixer and 65w of power, built into a 2-way, full-range speaker cabinet with a 12" woofer and a 1" Piezo Tweeter. A 2-Band Master EQ section is included, and each mixer channel has a dedicated volume knob. A stereo auxiliary input is built into the mixer section. Also features a headphone output with a separate volume control. and a subwoofer output. Line output for connection to an external mixer allows use as a reliable stage monitoring solution, and to provide a submixer feed to a larger PA sound system. (ROKC150)...... Call or Log-on



#### **Keyboard Expansion Options**



Nord Nord Lead AC - Power Cable (NOACC) .. 16.00 Roland ARX-02 SuperNATURAL Electric Piano Expansion Board (ROARXO2)......79.99 Roland K-RD700GX1 - RD-700GX SuperNATURAL Piano Kit (RORD700GXK) ......Log-on Yamaha MLA100 Interface Box (YAMLA100).. 49.95 Yamaha Survival Kit 88B - Electronic Piano 

# **Keyboard Stands** Casio CS-67 Casio ARDX Double-X KS7365F. Yamaha Yamaha PKRS1 PKBZ1

O I ADDIV D. H. V. L. IV. HV. OTIV. HARV. L. L. L. VOLADNIA	
Casio ARDX: Double-X stand for LK, CTK and WK-series keyboards (CAARDX)	
Casio ARST: X-style stand for LK, CTK and WK-series keyboards (CAARST)	
Casio CS-67: Keyboard stand for PX-130 and PX-330 (CACS67)	
<b>K&amp;M 18850:</b> Spider Keyboard Stand in Silver (KM18850A)	
K&M 18860: Spider Pro Keyboard Stand in Black (KM18860B)	299.00
On-Stage KS7150: Platform-Style Keyboard Stand (ONKS7150)	53.40
On-Stage KS7190: Classic Single-X Keyboard Stand (ONKS7190)	19.99
On-Stage KS7191: Classic Double-X Keyboard Stand (ONKS7191)	34.99
On-Stage KS7350: Heavy Duty Folding-Z Keyboard Stand (ONKS7350)	55.20
On-Stage KS7365EJ: Heavy Duty Folding-Z Two-Tier Keyboard Stand (ONKS7365EJ)	84.99
On-Stage KS7903 - 3-Tier A-Frame Keyboard Stand (ONKS7903)	99.99
On-Stage KSA-7575 - Microphone Support Bar (ONKSA7575)	11.95
On-Stage KSA8000 Second Tier Attachment (ONKSA8000)	
On-Stage KS8190: Lok-Tight Classic Single-X Keyboard Stand (ONKS8190)	
On-Stage KS8191: Lok-Tight Classic Double-X Keyboard Stand (ONKS8191)	
On-Stage KS8291: Ergo-Lok Double-X Lok-Tight Keyboard Stand (ONKS8291XX)	
On-Stage KS8390: Ergo-Lok Double-X Lok-Tight Keyboard Stand (ONKS8390)	
On-Stage KSA7500: Universal Second Tier Add-on For Keyboard Stand (ONKSA7500)	21.99
QuikLok QL-642: X-Style Double Brace Two-Tier Heavy Duty Keyboard Stand (QUQL642)	94.99
QuikLok Z-716L: Single Tier "Z" Stand Extra-wide Keyboard Stand (QUZ716L)	71.99
QuikLok Z-726: Double Tier Height Adjustable Keyboard Stand (QUZ726)	105.00
QuikLok Z-727: Fully Adjustable Second Tier (QUZ727)	49.95
Roland KSC-44: Stand for FP-4 and FP-7 in Black (ROKSC44BK)	300.00
Roland KS-18Z: Keyboard stand for any keyboard up to 198 lbs. (ROKS18Z)	66.95
Roland KS-V7: V-Stand Keyboard Stand (ROKSV7)	199.00
Roland ST-AX: Keyboard Stand (ROSTAX)	44.99
Ultimate Support JS-500 X-Style Keyboard Stand (ULJS500)	Log-on
Ultimate Support IQ-2000 "X" Style Double Brace Keyboard Stan (ULIQ2000)	
Ultimate Support JS-502D Double-Braced X-Style Keyboard Stand (ULJS502D)	•
Ultimate Support APEX AX-48 Pro Column Keyboard Stand (ULAX48PB)	199.99
Ultimate Support JS-XS300 X-Style Keyboard Stand (ULJSXS300)	Log-on
Ultimate Support Apex Column Super Clamp (ULCMP485)	Log-on
Yamaha L85: Matching Stand for P85 / P95 Digital Piano in Black (YAL85)	99 99
Yamaha CP-REST: Detachable Music Rest for CP33 and CP300 (YACPREST)	
Yamaha L3C: Attachable Keyboard Stand for PSR293 and below (YAL3C)	
Yamaha LP3: Digital Piano Stand (YALP3)	
Yamaha LW16: Stand for DGX Keyboards (YALW16)	
Yamaha L-140 Keyboard Stand for P-140 or P-155 (YAL140)	
Yamaha PKBS1: X-Style Adjustable Keyboard Stand (YAPKBS1)	
Yamaha PKBZ1: Z-Style Height and Width Adjustable Keyboard Stand (YAPKBZ1)	
Yamaha YKA7500: Double X-Style Professional Keyboard Stand (YAYKA7500)	62.99

#### **Keyboard Benches & Stools** Yamaha PKBB1 - X-Style Fold Up Keyboard Bench (YAPKBB1).....24.99

### www.BandH.com

# 392

## **Keyboard Cases**

Keyboard & Digital Piano Accessories

Gator Cases	
Gig bag for micro Alesis, Edirol, Korg (GAGK2110)	32.00
Case with wheels for 61-key keyboards (GAGK61)	124.39
Case with wheels for 88-key keyboards (GAGK88)	159.00
Gig Bag for 49-key keyboards (GAGKB49)	54.16
Gig Bag for 61-key keyboards (GAGKB61)	68.20
Gig Bag for 76-key keyboards (GAGKB76)	76.75
GK-76 Keyboard Case (GAGK76)	144.00
Dust Cover for 61- or 76-note keyboards (GAGKC1540)	17.99
Dust Cover for most 88-note keyboards (GAGKC1648)	21.00
TSA ATA 61-note keyboard case (GAGKPE61TSA)	226.20
Slim 88-note case with wheels (GAGK88S)	148.25
Slim 88-key keyboard gig bag (GAGKB88S)	83.64
Economy 61-note keyboard bag (GAGKBE61)	29.99
On-Stage	
KSB6500 Keyboard Stand Bag (ONKSB6500)	27.95
61-Note Keyboard Cover in Black (ONKDA7061B)	7.30
88-Note Keyboard Cover in Grey (ONKDA7088G)	12.32
88-Note Keyboard Cover in Black (ONKDA7088B)	9.99
Roland	
Gig Bag for Juno Series 61-Note Keyboard (ROJUNOBAG).	69.95
Case for GAIA SH-01 or Lucina AX-09 (ROCB37SY)	. 119.00
Backpack-style Gig Bag for AX-Synth (ROAXSYNTHBAG	49.99
Backpack-Style Gig Bag for AX-09 (ROLUCINABAG)	59.99

# Novation Soft Carry Sleeve (NOLS).......Call or Log-on Pedals and Footswitches

Behringer	
Foot Controller with 2 Expression Pedals (BEFCB1010)Lo	g-on
Dual-Mode Foot Pedal (BEFCV100)2	29.99
Casio	
SP-32: Triple Pedal Option for PX-130/330 (CASP32) 4	18.99
SP-3R: Sustain Pedal for CTK/ WK/PX Series (CASP3R) 1	15.75
SP-20: Sustain Pedal (CASP20)	39.99
M-Audio	
EX-P: Universal Keyboard Expression Pedal (MAEXP) 2	29.00
SP-1: Switch-Style Keyboard Sustain Pedal (MASP1) 1	13.49
SP-2: Universal Keyboard Sustain Pedal (MASP2)1	9.94
Yamaha	
FC3: Dual Zone Piano Style Sustain Pedal (YAFC3) 3	31.17
FC4: Piano Style Sustain Foot Pedal (YAFC4)	22.05
FC5: Foot Switch Style Sustain Pedal (YAFC5)	13.85
YFC7: Volume Control Foot Pedal (YAFC7)	38.99
LP5A Three-Pedal Unit for P85 and P85S (YALP5A) 7	74.99
LP-7A: 3-Pedal Unit for YPG-635/DGX-640 (YALP7A)7	74.99
Boss: Footswitch - Unlatch (BOFS5U)	29.00
<b>Boss:</b> Dual Latch & Momentary Footswitch Pedal (BOFS6) <b>4</b>	
Boss FS-1: Single Footswitch (BOFS1)	
Korg DS1H: Piano Half Damper Switch (KODS1H)	
Roig Doing Fland Flan Damper Owiter (NODOTH)	11.02



# **Keyboard Power Supplies**

Akai AC Adapter for MPC500 or XR20 (AKMP121)	.19.00
Alesis AC/DC Power Adapter for Alesis (ALP3)	.16.99
Alesis P2 - Power Supply for Alesis (ALP2)	.19.95
Boss BRC-120 - Power supply (BOBRC120)	.39.50
Boss PSA-120S AC Adapter (BOPSA120S)	.19.99
Casio AC Adapter for CTK5000 (CAAD12ML)	24.95
Casio AC Adapter for Casio keyboards (CAAD5R)	.12.00
Casio AC Adapter for SA-76 (CAADE95100)	.14.99
Hosa ACD-477 Universal AC Adapter (HOACD477)	.12.95
Korg AC Adapter for KP-1, X5D, X5DR (KOAKP)	28.99
Korg AC Adapter for KP-2 and KP-3 (KOAKP2)	.19.99
Korg AC Adapter for Triton, Karma, or Radius (KOAT)	.34.95
Korg AC Adapter f/X50, MICRO-X, R3, MR1000 (KOKA310)	.33.50

Korg AC power cable for KA-310 (KOPCKA31	(O) <b>7.99</b>
Korg AC Adapter (KOA30950)	Log-on
M-Audio Power Supply (MAPSAP254961)	24.95
Roland AC Cable with Square Housing (RO2)	PAC1) <b>13.99</b>
Roland AC Adapter for RMP-12, F-90, FP-3	, BR-8, MC307, and
more (ROPSB1U)	29.95
Yamaha AC Adapter for PSR and EZ-Series	(YAPA130) 12.25
Yamaha AC Adapter for Keyboards and Drui	ns (YAPA150) <b>19.99</b>
Yamaha Repl. AC Adapter for PSR-1500/30	00 (YAPA300) <b>79.95</b>
Yamaha Survival Kit B2 - Accessory Packag	e (YASKB2)34.99
Yamaha Survival Kit D2 - Accessory Packag	e (YASKD2)34.99

# Gator Band & Orchestra Cases

Aluminum Vest Trio Carrier (GAGPXLCOT2)	249.99
Trumpet Case With Mute Storage (GAGLTRUMPETM)	99.99
Padded Gig Bag for Trombone (GAGBTROMBONE)	74.99
Deluxe Molded Case for Alto Saxophone (GAGCALTOSAX).	89.99
Deluxe Molded Case for Clarinets (GAGCLARINET)	49.99
Deluxe Molded Case for Coronet (GAGCCORNET)	69.99
Deluxe Molded Case for Flute (GAGCFLUTEBC)	34.99
Deluxe Molded Case for French Horn (GAGCFRENCH)	.119.99
Deluxe Molded Case for Tenor Sax (GAGCTENORSAX)	99.99
Deluxe Molded Case for Trombone (GAGCTROMBONE)	99.99
Deluxe Molded Case for Trumpet (GAGCTRUMPET)	49.99
Deluxe Molded Case for Trumpet (GAGCTRUMPET)	49.99

Deluxe Molded Case for Full-Size Violin (GAGCVIOLIN44)......69.99

# Rigid EPS Foam Lightweight Cases

nigiu Er	3 Fuaili Li
For Alto Sax	
(GAGLALTOSAXA)	84.99
For Oboe	
(GAGLOBOEA)	39.99
For Trombone	
(GAGLTROMBONE)	119.99
For French Horn (GAC	GLFRENCHHA).
For Tenor Sax (GAGL)	TENOSAXA)

For Clarinet (GAGLCLARPINK)..



# Sheet Music Stands

K&M 115/2 Sheet-Music Holder (KM1152) K&M 122E Classic Music Stand Light (KM12255)	
K&M 124 Expandable Tabletop Music Stand (KM124)	
Nord Extra-Wide Music Stand for C1 and C2 Organs and Stage 76/88 (NONOMSEW)	95.00
On-Stage SM7122BB Compact Sheet Music Stand with Bag (Black) (ONSM7122BB)	11.95
On-Stage SM7122B Compact Sheet Music Stand (Black) (ONSM7122B)	8.99
On-Stage Conductor Sheet Music Stand Travel (ONSM7211B)	29.95
QuikLok MS303 Clamp-on Sheet Music Stand (Black) (QUMS303)	18.00
QuikLok MS331 Sheet Music Stand (Black) (QUMS331)	29.99
Raxxess Attachable Music Stand (Large) (RAAMSL)	
sE Electronics RFMS Reflexion Filter Music Stand (SEMSRF)	59.00
Ultimate Support JS-MS200 Heavy-Duty Music Stand (ULJSMS200)	all or Log-on
Ultimate Support JS-CMS100 Compact Music Stand (ULJSCMS100)	all or Log-on
Ultimate Support JS-CMS50 Music Stand (ULJSCMS50)	all or Log-on



**PRO AUDIO** 

AKAI XR20 Beat Production Station

ever inspiration strikes. Over 700 sounds

ism and expression. Includes reverb, EQ,

and compression. Plug in a mic and mix vocals

with your beats. Runs on AC or battery power. Bright blue

pads light with the beat. (AKXR20)......Call or Log-on

by Chronic Music cover standard and

electronic drums, one-shot hits.

bass, and synth sounds. 99

preset and 99 User patterns. Drum Roll / Note Repeat for real-

Make hip-hop and R&B wherever and when-

# **ALESIS**

# **DM Dock**

Drum Module for iPad

Turn the iPad or iPad 2 into a fully featured drum module. It offers 13 1/4" TRS trigger inputs for connecting drum and cymbal pads and most any other type of electronic trigger. Access a limitless library of sounds from

most any iPad app. Mounts to most any stand or

rack using the optional Alesis Module Mount. (ALDMDOCK)..... 249.00

# DISOS DR-880 Dr. Rhythm

Drum Machine with Guitar/Bass Inputs

Hi-Z instrument input with complementary multi-effects and proprietary COSM amp modeling. Large library includes 1,000 patterns with fills, ghost notes and chord progressions. 440 drum and percussion sounds. Four



assignable footswitch and expression-

pedal inputs. Individual outputs, S/PDIF digital out, USB port. 

# **KORG** Monotron

Analog Ribbon Synthesizer

Battery operated, pocket sized, allanalog instrument, with miniature ribbon keyboard, built-in speaker, headphone jack and mini aux input. Play the keyboard with a swiping



finger motion across the ribbon. Same analog filter found in the Korg MS-10 and MS-20. Full-fledged, true analog synthesizer: VCO, VCF, LFO. Filter any external source using the audio input. LFO can modulate either pitch of filter cutoff.

# ALESIS SR-18

Portable Drum Machine

12 responsive pads, 32MB drum kits, electronic drums, hits, and other sounds allow you to create music in any genre. Integrated effects. Plug in a guitar, and play along. Play in bass parts using the



pads or connect a MIDI keyboard for fast, musical low end. Two footswitch jacks. Runs on AC power or six AA batteries.

#ALSR18......Call or Log-on #ALSR16 (SR-16 16-Bit Stereo Drum Machine)............Call or Log-on

# KETRON SD2 Orchestral Wizard

Arranger Sound Module

Ideal for laptop-based applications, the voice library includes a stereo grand piano, saxophones, brass, woodwinds, guitars, organ, accordions, and more. Also provides several drum and percussion loops in a variety of styles. MIDI in and thru connectors and stereo RCA output. Up to 32 MIDI channels can be controlled, along with DSP effects. Templates are provided for seamless use with popular software. (KESD2)......380.00

# **KORG** Monotribe

Analogue Ribbon Station

Incorporates analog synthesis, three-part discrete analog rhythm section (bass drum, snare, and hi-hat) and Electribe-style pattern sequencing in one batterypowered unit with built-in speaker.



Features advanced multi-function ribbon keyboard; Chromatic, Continuous, and Wide modes. Auto-tuning, selectable oscillator waveform, noise generator and versatile LFO.

# KORG

### **DELAY**

Analogue Ribbon Station

Pocket sized, all-analog synthesizer optimized for sound effects with a miniature ribbon keyboard, builtin speaker, headphone jack and 1/8" mini Aux input. In addition to



its analog oscillator, filter and LFO, it also provides an essential Space Delay for swooping, cosmic type sounds.

# **KORG** KO1 KAOSSILATOR

Dynamic Phrase Synthesizer Pocket sized instrument with 100 programs that can produce instant musical phrases by simply tapping or sliding a finger across the touchpad. Two-octave note/pitch range accessed via the horizontal axis. Vertical axis is assigned to parameters such as cutoff, feedback or modulation depth. Also features Scale function, Gate Arpeggiator and loop recording.

# KORG KAOSSILATOR PRO

Dynamic Phrase Synthesizer/Loop Recorder

200 sound programs. Electribe-inspired gate arpeggiator, and four loop recording banks. Rub, stroke, or tap the touchpad to instantly create gestures. Control pitch and tone parameters such as cutoff, feedback, or modulation depth. 20 one-shot sounds for kick, snare, and hi-hat etc., as well as 25 rhythm loop patterns. Mic in and 15 types of vocoder programs, USB port and SD card slot. #KOKOPRO......Call or Log-on

# KORG DUO

Dual Oscillator Ribbon Synthesizer

Compact and portable monophonic analog synthesizer with a ribbon keyboard and built-in speaker. Dual oscillators for creating a wide range of analog sounds and intervals. There is a filter input for



routing external audio devices through the monotron DUO's filter, as well as a headphone output for playing and programming sounds privately.

# NATIVE INSTRUMENTS

## MASCHINE

Computer Based Groove Production Studio

Hardware interface features USB 2.0 and MIDI I/O connections, 16 touchsensitive illuminated pads, endless rotary encoders, back-lit buttons and 2 large high-resolution displays. Delivers groove-box style sequencing, audio manipulation and production.



6GB library includes drum kits, synth sounds, loops and more. #NAMASCHINEQ.....

MASCHINE MIKRO Production Studio (NAMASCHINEM).......349.00

# nord Nord Drum

4-Ch. Analog Drum Synthesizer

With an amazingly vast sonic palette and astounding level of playability the Nord Drum will change your perception of what's possible with synthetic, sample-free percussion. Create classic retro-futuristic



percussion with analog waveforms or use the harmonically complex waveforms together with different colors of noise for results that both sound and respond stunningly organic.

# Roland SP-404SX

Linear Wave Sampler

Sample anytime, anywhere with the built-in mic and battery power. 29 DSP effects, including filter, delay, unique voice effects, subsonic, and looper. 3 control knobs, 12 trigger pads, and Sub Pad for rapid repeat triggering. Create patterns and loops with flexible pattern sequencer with shuffle feature. Import audio files, assign samples to pads. Uses SDHC cards. #ROSP404SX ..... Call or Log-on

# Roland spn-sx

Sampling Pad

Sample, capture, assign and play drum sounds and audio phrases on nine velocity sensitive drum pads. Each pad has a dedicated LED indicator that shows pad status and audio-level activity during performance. Equipped with 2GB of internal



memory and a selection of pre-loaded sounds, Two dual-trigger inputs and foot switch. Three onboard multi-effects units. 

### acorninstruments

## **Triple-D10 Digital Drum Kit**

- 5-piece kit Drum module with over 400 sounds
- 3 tom pads and two dual-zone cymbals
- Snare pad with rim shot zone
- . Compact aluminum stand
- Interchangeable kick drum pedal
- Built-in metronome
- · Reverb and chorus effects
- Aux In / Headphone Out / Stereo Line Out
- USB with MIDI I/O

#ACTRIPLED10.....



499 99

# ALESIS DM6 Session Kit

- 108 percussion sounds
- 15 programmable drum sets
- Low noise rubber plaving surfaces
- · Natural drum and cymbal feel
- · Play along with 40 music tracks, metronome, or songs on your iPod or CD player
- · Works with iPad via optional Apple USB Adaptor
- · Includes compact, preassembled rack, pedals, drumsticks and drum key

#ALDM6SKIT..... Call or Log-on





Built-in metronome and patterns

• USB out to trigger software MIDI notes

• 1/8" input for CD player or iPod

. One audio output for headphones, one for sound system or amp #ALDM6K ...... Call or Log-on

# ALESIS DM8 Pro Kit

- . 5-piece set features the DM8 drum module with 750 sounds, Alesis RealHead tension adjustable pads, and the durable yet stylish StageRack.
- · RealHead pads feature 8", 10" and 12" diameters, with adjustable tension to mimic the feel and action of actual acoustic drum heads.
- 12" dual-zone snare, 8", 10". and 12" toms, and 8" kick
- 12" DMPad hi-hat, 16" ride & 14" crash cymbals

#ALDM8PROKIT......Call or Log-on

# **ALESIS**

### **DM10 Studio Kit**

- 6-piece drum set with a 10" snare, four 8" tom drums, a hi-hat, ride, and two crash cymbals.
- DM10 module is loaded with 100 preset drum kits, 1047 preset sounds
- · Trigger software drum kits via USB
- · Record yourself with the sequencer; aux input to jam with a CD or MP3 player
- Includes 4-post StageRack

#ALDM10SK......Call or Log-on

# **ALESIS**

### DM10 X Kit

Six-piece, professional electronic drum set with full-size 10 and 12" drum pads paired with 12. 14 and 16" cymbals. Also included is the Alesis DM10 drum module with over 1.000 premium drum sounds, acoustic-like RealHead drum pads

and the heavy-duty XRack support system.

#ALDM10XKIT......Call or Log-on

# ALESIS Trigger|iO

Trigger-to-MIDI/USB Interface

· Allows your drum pads to trigger sounds on



- · Use your drum triggers to play soft synths on your computer or patches from hardware synths or drum modules.
- . Using either MIDI or USB, you can fine-tune the parameters of the triggered notes to your liking.
- Mount on any stand or rack using optional E-Percussion Module Mount and integrate it into your drum set or percussion setup.

#ALTIO ......Call or Log-on

## ALESIS PercPad

4-Pad Percussion Instrument


- · 4 durable, velocity sensitive rubber drum pads, and up to 25 tunable sounds.
- · Built-in sound library
- · Kick input for instant expansion
- MIDI output
- · Fits a snare stand, sits tabletop, or mounts on any stand or rack using the optional Module Mount
- Tune and edit sounds, and assign them to any of the four pads or the kick input

#ALPERCPAD ...... Call or Log-on

# ALESIS Performance Pad Pro

Multi-Pad Percussion Instrument

- 8 durable, velocity sensitive rubber drum pads, and over 500 top quality sounds.
- Trigger input allows you to connect a control pedal for triggering a kick drum sound.



- patterns.
- . MIDI output lets you trigger sounds from external MIDI instruments and software

#ALPERFPADPRO .......Call or Log-on

# ALESIS TransActive Drummer

### Electronic Drum Amplifier

- Single-box complete practice-amp wedge system for practicing and monitoring your drums.
- Full-range 50w amp with built-in iPod dock, stereo 1/4" phone and RCA Aux inputs, headphone output and built-in handles.
- 10" woofer and 1" tweeter make it ideal for keyboards and general music amplification as well.
- . Stereo Link lets you connect two units for double the power
- · Switchable power supply for worldwide operation

#ALTD......Call or Log-on

# ALESIS E-Practice Pad

Electronic Drum Practice Pad

- 65 drum sounds and training exercises to help you learn to play drums.
- Inputs for a kick drum pedal and a hi-hat pedal
- · Output into an amp or a sound system or use the headphone output to practice quietly.



- · Record your performance so you can hear your progress
- Mounts on a cymbal stand or a snare stand, so you can continue to use it as a part of your drum set.

#ALPPED ...... Call or Log-on

# **KORG** WAVEDRUM Mini

Portable Percussion Synthesizer

- · Compact design with built-in speaker
- · Battery powered and portable . Sensor clip turns objects to
- instruments · Plays two sounds at once
- 100 sounds, 100 rhythm patterns
- · On-board looper and overdub layering
- 10 preset audio effects

#KOWDM (WAVEDRUM Mini)......299.99 #KOWD (WAVEDRUM)......399.99





# **PRO AUDIO** Electronic Drums

YAMAHA

**DD-65** Electronic Drum Kit

· Over 250 stereo-sampled voices and

· Headphone jack and built-in stereo speakers

· Eight touch-sensitive pads

Aux-in and MIDI I/O

· Reverb and Master EQ

· Internal memory

can be assigned to any pad.

• Two assignable foot pedals

### Roland HD-3 V-Drums Lite

- . Compact, 5 piece electronic drum set
- 20 drum kits and patterns to play along with, plus a built-in metronome with selectable sounds and adjustable tempo to help improve your timing.
- Cloth-heads and beater-less kick deliver low acoustic noise so you can practice any time, day or night.
- . Snare, crash and ride cymbals feature dual-triggers allowing you to assign multiple sounds to each pad improving playability and promoting creativity.

practices and rehearsals.

Three-way triggering for ride (CY-13R)



PDX-8 Mesh-head snare and KD-9 cloth-head Kick Pad CY-8 Dual-trigger cymbal pad for crash and ride

TD-4K2 • TD-4KX2 Compact Series V-Drum Sets

centered around the TD-4 drum module. Feature Roland's new Kick Pad, V-Cymbals,

built-in coach feature, and record / playback functions help you get the most out of your

TD-4K2:

TD-9KX2 V-Tour Series V-Drum Set with PD-105 & PD-85 Heads (ROTD9KX2S) 2699.00

Roland

TD-30K • TD-30KV V-Drums V-Pro Electronic Drum Set

PDX-8, PDX-6 Mesh heads for snare and toms and KD-9 cloth-head Kick Pad

Natural swing motion and playing feel with CY-12C, CY-13R V-Cymbals

TD-4K2 V-Compact Series V-Drum Set (ROTD4K2S) .......999.00

TD-9K2 V-Tour Series V-Drum Set (ROTD9K2S).....

Over 1,000 drum sounds and special effects. Roland's SuperNATURAL

and Behavior Modeling technology makes for incredibly realistic drum

sounds and highlights even the smallest of drumming nuances. Dedicated

Ambience fader lets you add lush room ambience effects and overhead-

mic simulation. V-Pads for snare and tom drums feature Roland's dual-

triggering technology for accurate and even sensing between the head

and rim. The V-Kick trigger pad delivers fast, natural kick-drum triggering and offers double pedal support. V-Hi-Hat and V-Cymbals provide optimized weight-balance and sensitivity for accurate triggering and natural

swinging motion. The V-Cymbal Crash even includes choke control creat-





plus an endless supply of

Roland

positional sensing for the most authentic sound and feel.



# YAMAHA DTX500 Drum Trigger Module

sounds that handle both subtle Snare-work and dynamic, powerful drum strokes with ease and detail. 50 preset drum kits and 20 user banks



for storing your own. 12 1/4" inputs for pads and triggers, and an Aux line input. A sequencer features practice songs, metronome click and record / play capability. (YADTX500) ...... 259.99

DS-550 Lightweight Drum Throne (YADS550)	51.99
DS-750 Medium Weight (YADS750)	85.02
DS-840 Heavyweight (YADS840)96.75	
DS-950 Heavyweight Double-Braced Drum	Transfer Street

DS FP-7210A Single-Chain Drive Kick Drum Pedal (YAFP7210A) ...... 49.99 FPDS2A Foot Pedal and Drum Throne Package (YAFPDS2A)......96.83 DFP-9500D Chain Double-Bass Kick 





Pad designed for the DTXTREME III electronic drum kit. Features 3 triggering zones and ships with a stereo cable. (YAPCY135). 110.57 PCY155: Same as above except in 15"

TP100 3-Zone Electronic Tom Pad (YATP100)...... 129.00

# Roland PM-30

ing a most authentic drumming experience.

200W Drum Monitor Amplifier

Designed for electronic drums. features three Class-D power amplifiers, a 12" woofer with subwoofer mode, and two satellite speakers that can be mounted either on a drum stand or on the crossbar of the amp. Dedicated stereo input for the V-Drums module's head-



phone output. Multiple inputs and outputs, 3-band EQ and Punch feature. Side handles, top crossbar, 

KD-7 Kick Drum Trigger Pad and Beater Unit (ROKD7) ....... 97.99

# Roland cM-110 CUBE

2.1 Monitor System

3-channel speaker system designed to accommodate today's high powered musical instruments. Two high-performance 25W satellites and a 50W subwoofer with



protection circuits can handle a wide dynamic range and continuous high level input produced by V-Drums, synthesizers and stage pianos as well as audio players and home entertainment systems.

#ROCM110 (100-watts)	99.00
#ROCM220 (200-watts)69	99.00

# **Electronic Drum Accessories**

Alesis E-Percussion Module Mount (ALMM)
Alesis DMPhones (ALDMPHONES)Log-on
CAD DH100: Drummer Isolation Headphones (CADH100) Log-on
On-Stage DA-100: Drumstick Holder (ONDA100)9.65
On-Stage Wood Tip Maple Wood Drum Sticks (ONMW5A)2.01
On-Stage Wood Tip Maple Wood Drum Sticks (ONMW5B)2.01
On-Stage Nylon Tip Hickory Wood Drum Sticks (ONHW5A)2.01
On-Stage Hickory Drumsticks with Nylon Tips (ONAHN5A) 3.50
On-Stage HN5A Hickory Drum Sticks (ONHN5A)2.75
On-Stage MDT2: Double-Braced Drum Throne (ONDTMD)39.99
Roland PDS-10 Pad Stand for HPD/SPD Series (ROPDS10)119.99
Roland MH-8: 8" Mesh Replacement Head (ROMH8)35.95
Roland MH-10: 10" Mesh Replacement Head (ROMH10)39.99
Roland MH-12: 12" Mesh Replacement Head (ROMH12)43.37
Roland CYM-10 Cymbal Parts Set (ROCYM10)
Roland PM-03 Personal Drum Monitor (ROPM03)199.00
Roland PM-10 Personal Monitor Amplifier (ROPM10)216.00
Roland TDM-1 Drum Mat for HD-1 (ROTDM1)105.00
Roland TDM-10 Drum Mat (Medium) (ROTDM10)134.50
Roland TDM-20 Drum Mat (Large) (ROTDM20)





electronic drums and special effects.

The TD-30 offers advanced trigger response, dynamics and

Roland







TD-4KX2 V-Compact Series V-Drum Set (ROTD4KX2S) ..... 1499.00

......1799.00

## MIDI Interfaces • Guitar Accessories

# ALESIS AudioLink Series

6' MIDI-to-USB Cable

Makes it easy to connect any MIDI instrument to a Mac or PC via a USB port. Turn any device with MIDI output into a USB-MIDI controller. Control virtually any MIDI-compliant software. #ALCUM ......Call or Log-on





Compact cable form-factor. With its "plug and play" functionality, it can also serve as a standby interface. Multiple U2MIDI's can be used simultaneously.



29.95

# #CMU2MIDI....



V-Tone Bass

Effective EQ, Tube/Mic

emulation and a groundlift switch combat unwanted hum to offer greater control over a range of sounds --- from vintage to funk to modern overdrive — and all points between.

**DR400** 

Digital Reverb/Delay



#BEBDI21.....

# E-MU

### **Xmidi**

1x1 USB MIDI Interface

Ultra-fast MIDI input and output in a convenient cable style housing. Bus-powered. Provides status indicators for each MIDI input and output.



#EMXMIDI1X1

# LINE MIDI Mobilizer

MIDI Interface for iPhone

Provides a simple solution to quickly record and recall MIDI Data virtually anywhere. Record a Standard MIDI File (SMF) from a MIDI keyboard, or record MIDI settings (SYSEX) from any MIDI device and instantly recall that information.

#LIMIDIMOBILZ.....



# behringer Pedal 24-bit stereo effects with Real Sound Modeling (RSM) DSP technology for emulating different acoustic environments. Choose between 11 different 24-bit delay and reverb setting.

#BEDR400 ..... . Call or Log-on

# **MOTU** FastLane (USB)

2x2 USB MIDI Interface

Provides increased MIDI throughput, better timing accuracy, support for "hot-swapping" and plug-and-play expansion. Can also function when the host computer is switched off. (#MAFLUSB).....



MIDI Express 128 (MAME128)......Call or Log-on

# M-AUDIO MidiSport UNO

1x1 USB MIDI Interface

Powered by the USB port, the Midisport UNO is convenient and great for laptop use.

#MAUNO.....



#BEU0300 ...... Call or Log-on

**UO300 Ultra Octave** 

3-Mode Octaver

Effects Pedal


your guitar—1 and 2 octaves below the original

**FX600** Digital Multi-Effect

Guitar Pedal

tone. Volume controls for all 3 tones. Flexible

3-mode Range switch.



# M-AUDIO® MIDISport 2x2

2x2 USB MIDI Interface

MIDI 'Thru' pushbutton allows it to function even if the computer is off- no disconnecting cables. In this case Port A and Port B pass



#MAMS22		 	69.00
MIDISport 4x4	(MAMS44)	 	109.99

# M-AUDIO MIDISport 1x1

1x1 USB MIDI Interface

Portable and powered via USB bus. Small form factor makes it easy to connect a keyboard or controller to a computer quickly and easily and is perfect for use with a laptop.

#MAMS11 ......**39.99** 

YAMAHA UX16

1x1 USB MIDI Interface

interface. MIDI cables are engraved

with "In" and "Out" labels to avoid

indicators for I/O signal monitoring.


Features easy hot-swap connection.

#YAUX16.....

Compact, cable-style 1-in/1-out USB MIDI

confusion when connecting device. LED

MidAir Wireless MIDI System (MAMAQ)......



## **V-TONE ACOUS-TIC ADI21**

behringer Acoustic Amp Modeler/ Direct Recording Preamp/DI Box

Enhance performance with authentic tube/mic emulation. 3-band EQ with mid frequency sweep, ground-lift switch and dual DI mode.

**DD400** 

Digital Delay/Echo

#BEADI21....



# Roland UM-ONE

1x1 USB MIDI Interface

In-line cable form factor provides a single MIDI output and a single MIDI output connector on one side, and USB cable on the other. Data indicators for both MIDI input and output.

#ROUM1 ...... Call or Log-on

# YAMAHA I-MX1

MIDI Interface Cable

Plug and play ready; just connect any MIDI instrument to the i-MX1 and use the integrated 30-pin dock connector to attach to your iPad or iPhone. Once connected. choose from several iPad/iPhone



apps to play your MIDI instrument for practice, recording and adding effects.

### **Hosa MIDI Cables**

Standard Cable	Premium Cable
1' Black #HOMM1B4.79	3' #HOMM39.13
1' Blue #HOMM1BL5.85	5' #HOMM5 <b>4.39</b>
1' Red #HOMM1R4.50	10' #HOMM10 <b>13.00</b>
3' Black #HOMM3B 4.19	20'#H0MM20 <b>9.95</b>
5' Black #HOMM5B 5.43	25' #HOMM25 <b>16.20</b>
10' Black #HOMM10B6.95	
20' Black #HOMM20B 11.45	13' 2 MIDI to 2 MIDI (Dual)
25' Blue #HOMM25BL 9.95	#H02M2M13 <b>13.98</b>

Premium Cable	
9.13	3' #HOMM3
4.39	5' #HOMM5
13.00	10' #HOMM10.
9.95	20'#HOMM20
16.20	25' #HOMM25.
1IDI (Dual)	13' 2 MIDI to 2
13.98	#H02M2M13

49.99

behringer Pedal

Puts up to 1.3 seconds of delay at your command, at 24-bit resolution. Also offers stereo outputs that give your sound a 3-D effect.

## **BSY600**

#BEDD400 ...... Call or Log-on

Bass Synthesizer behringer Four waveforms in 11 modes.

Frequencies filtered and how long the filtering lasts can be dialed in. Pitch Hold lets you play over a sustained synth note. Expression pedal input allows for manual control.



### **DR600**

Digital Reverb Pedal

24-bit stereo reverb effects in six different modes: hall, plate, spring, modulate, room, and gated reverb. There are dedicated level, tone, and time knobs that enable you to dial in the perfect reverb setting for any situation.



#BEDR600 .....



Initiates recording as soon as you start playing.




# **HB01**

Hellbabe Wah-Wah Pedal

Optical control that has no moving parts reduces wear and tear. Boost function provides an overdriven signal boost so you can really "bring the funk." The Q control gives you precise control over the filter shape, yielding vocal-type effects.





### **UT300**

Tremolo Effects Pedal

modeled after vintage amps from the 1960's. Three dedicated Rate, Wave and Depth knobs allow you to easily shape and customize your sound. Blue LED indicator lets you know if the effect is on or off. (BEUT300)......23.99



Warm, classic tremolo effects



# DISCS DD-3 Digital Delay

- . Three delay time modes
- . Control for adjustment of exact delay time between 12.5ms - 800ms.
- · Create echos, doubled instrument sound, a reverb-type effect, and even sitar-like tones.

#BODD3 ......Call or Log-on



# DISCS DD-7 Digital Delay

- · Chorus, reverse, digital & analog delays
- 40-sec. on-sound looping
- · Control settings with expression pedal
- Tap tempo delay control
- · Stereo or dual amplifier outputs

#BODD7......169.00



# DISCUSSION DISTORTION

Stompbox Pedal

Classic Boss distortion for your quitar or keyboard. Custom tailor your sound whether soft or loud with controls for distortion, level or tone. Reproduces every nuance of your playing.

#BODS1......49.00



## 1055 RC-3

Loop Station

Up to 3 hours of stereo recording time, storage for 99 loops, a "real drums" rhythm guide, and USB 2.0 port to import/export WAV audio—all in a small BOSS stompbox. Auto Record feature initiates recording as soon as you start playing. #BORC3LS ......199.00



# 10 13055 MT-2

13055 SD-1

Metal Zone

Over-the-top Boss distortion for your guitar. The pedal has extreme mid and low level frequencies for an ultra-saturated sound. 3-band EQ has a semi-parametric mid control for a large range of textures with long sustain. (BOMT2).......74.99



# DBDS5 RC-30 Loop Station

Twin pedal multitrack looper with two synchronized stereo tracks with dedicated volume faders and track-select buttons and built-in loop effects. Rhythm guide with real drums, USB 2.0 port and multiple inputs.



#BORC30LS ...... 299.00

# **BOSS** GT-100

Guitar Effects Processor

COSM sound modeling engine provides extremely high quality audio. Parallel effects chain. Eight switches and one pedal. USB for audio and MIDI.



# DISOS RC-300 Loop Station

Large master expression pedal. 16 built-in effects. Onboard library with 83 rhythm tracks. XLR mic input with phantom power.



Play and record three tracks of loops. Store up to three hours of audio. WAV file Import/Export functionality. (BORC300) ..... 549.00

## OverDrive Preamp/250

DOD has resurrected the smooth, classic tones of the 70's with the Overdrive Preamp/250 pedal. This simple pedal has level and gain 



# **III Digitech** iStomp

Configurable stompbox which you can purchase and download different pedals into. The iStomp looks and performs just like a standard stompbox with control knobs, a footswitch, and a bypass/active LED indicator, but provides much more flexibility than any other pedal available.



#DIISTOMP......149.95

**IPB-10** Programmable

Pedalboard using the iPad

Drag and drop up to 10 different pedals, in any order, to each pedalboard. You can even add an amp and cabinet to



each setup. With 87 different pedals, 54 amps, and 26 cabinets to choose from, your options are virtually unlimited. Use iPad to rearrange pedals, turn them on/off, or to adjust their knobs.

# IK MULTIMEDIA iRig STOMP

Stompbox Guitar Interface

For use with the AmpliTube app or any other quitar processing app that uses the iOS mini-jack. Compatible with the iPad, iPad 2, iPhone 3G/3GS/4/4S and iPod touch. The stompbox enclosure is lightweight aluminum-cast and it's made to fit seamlessly into your guitar pedal rig setup.



16 effects models based on vintage units and classic delay effects techniques, all served up in discrete stereo with 24-bit resolution. Has large, accessible parameter control knobs, silent,



programmable channel switches with true bypass, and dedicated Tap Tempo control, laid out in the familiar stompbox style. Expression Pedal Input for real time control of all effect settings. #LISBDL4......Call or Log-on

# POD HD500

Multi-Effects Pedalboard

16 state-of-the-art Line 6 HD amplifier models, more than 100 modern and vintage-styled M-class effects, and a comprehensive set of digital and analog I/O. The HD modeling captures the genuine playability that quitarists demand.

Up to eight of the over 100 M-class effects can be used simultaneously. Mix and match amplifiers and pedals in multiple preset rigs, recallable at the stomp of a switch. Additionally, the POD HD500 functions as a fully featured looping, pitch shifting and harmonizing machine. Allows for "Dual Tone" operation, where the signal can be routed through two different chains of models

# ZZZZZ G1N Multi-Effects Pedal

Combines high-resolution signal processing with 21 amps and stomp boxes, and 54 effects (eight at one time) in a compact square floor unit. There's even an acoustic simulator. 24-bit/96 kHz signal path with 32-bit signal processing. Built-in chromatic tuner and a drum machine with 40 



# **PRO AUDIO**

Guitar Accessories



### BTR2000 Racktuner



Dual-input rackmount auto chromatic tuner with 11 different tuning modes including chromatic, banjo or open tunings. Individual "A" pitch calibration. Dial wheel for quick parameter adjustment. Built-in microphone for acoustic instruments. Built-in metronome. 



### TU300 Chromatic Tuner

• Guitar and bass tuner with a bright display

- · Seven operating modes including Regular, Flat, Double Flat, and Chromatic.
- · Reference tone is highly adjustable
- Ensures signal integrity while in bypass mode





## 1055 TU-3

Chromatic Tuner Pedal

Precise and quick tuning with 21-segment LED meter and note display. Accurate to  $\pm$  one cent. Change operational mode to handle flat tuning guitars, 6 string basses, and more.






# 10 13 10 SS TU-10

Clip-on Chromatic Tuner

tuning for guitars. Easy -to-read, True Color LCD with reflection-display functionality.





# DB-30

Dr. Beat Metronome with Rhythm Patterns

Supports time signatures of up to 17 beats per measure, and offers and rhythmic feel. Tap tempo, 2 LED lights as a visual tempo guide, and a 12-semitone set of internal tuning reference tones. Headphone output and volume control. #BODB30......34.64



### DBDS TU-80 Tuner/Metronome

Supports chromatic tuning, plus 7-string guitars and 6-string basses. Accu-Pitch sounds a tone when pitch is correct. Reference Tone Play makes it easy to verify tuning. Stores tuner settings.



Metronome has 7 rhythms, 10 beats and animated LCD display. #BOTU80 ..... Call or Log-on

# KORG CM-100L Contact Microphone

Connect the CM-100L to your tuner that has an audio input jack for accurate tunings of your acoustic instrument. This contact microphone can be positioned for sensitive reading and easy tuner reading. #KOCM100......Call or Log-on

# KORG OT-120

Chromatic Orchestral Tuner

- · Easy-to-see needle-type indicator and backlit LCD screen shows output level. calibration, key and note name.
- Runs for 100 hours on two AAA batteries (optional AC adapter)

# KORG AW2G

Clip-On Chromatic Tuner

- · Use internal mic or piezo sensor
- · Double joint for multi-angle positioning
- · Backlit display for easy viewing
- . Energy saving auto off and soft modes
- · Clips on to the headstock of your guitar

#KOAW2G.....



# KORG PC-1 Pitchclip

Clip-On Guitar & Bass Tuner

- Fast pitch detection and processing. ±1 cent accuracy and A0 to C8 detection range
- · Integrated battery provides a solid base
- High-contrast display Flexible mounting system

## KORG MA-1 Solo Metronome

- 8 Rhythm Types
- · Beat-Counting Display
- Tap Tempo Function
- Earphone Jack
- · Chromatic Tuner

#KOMA1BLU......19.99



### **KORG** microMetro MCM-1

Digital Metronome

- Compact Clip-on Metronome
- 39 Pendulum Settings
- 7 Time Signatures
- · LED Tempo Indicator and Click
- Variable Level Control

#KOMCM1RED......14.99



# KORG GA-1 Guitar and Bass Tuner

- · LCD needle-style display
- · Supports 7-string guitars
- Reference Tone
- · Quinta flat tuning mode lets you tune your instrument between 1-5 semitones flat

#KOGA1......Call or Log-on

# KORG CA-1 Chromatic Tuner

- LCD needle-style display
- · LED indicators and marks for major and minor thirds
- Calibration function
- Wide pitch range (C1 to C8)
- · Produces a reference tone from the built-in speaker



# **KORG** PX5D Pandora

Multi-Effect Processor with USB

180 effects, 744 rhythms, 80 econd phrase sampler, amp and cabinet modeling. Manage settings and presets; record to computer via USB. Practice with instant transpose and tempo change 



# t.c. electronic Polytune

Polyphonic Chromatic Guitar Tuner Automatically detects the strings that require tuning when strummed. Guitarists can tune their guitars and basses polyphonically; saving time during rehearsals, recording sessions and







# YAMAHA YT150

Guitar/Bass Auto Tuner

- Tunes any electric, acoustic, or bass guitar with four, five, or six strings
- · LED indicator lights for sharp, flat, and in-tune
- Built-in microphone; 1/4" input and output jacks

## YAMAHA OT1

Portable Quartz Metronome with Speaker

- . Miniature metronome with built-in chambered speaker and LED tempo indicator.
- Recessed, bottom-mounted controls
- 440Hz reference tone for general tuning
- Volume and tempo reference control with largo to presto range

#YAQT1 .....



## **AmpKit LiNK**

iPhone, iPod touch, iPad Interface

AmpKit Link is a powered device with circuitry that virtually eliminates feedback. A stereo mini output can be connected to headphones, powered speakers or a PA. The interface can be used with any recording, processing. or tuning application, including Agile Partners' GuitarToolkit. The unit is not compatible with the first generation 



### Waves iGTR

Personal Guitar Processor

iGTR packs enormous power into its small frame. Simply plug in your guitar and hook up your headphones, and you're ready to play to your heart's content without waking up the neighbors.

Has controls for amps, modulation

effects, and ambience effects. Use the switches to select warm, normal, or bright amp sounds. For modulation you can select wah, tremolo, or phaser. Ambience offers delay, chorus, and reverb. Each section also has a control knob to control the amount of amp drive, effect speed, and amount of ambience in the mix.



# **PRO AUDIO** Guitar Accessories

# 800-859-5252 | 212-444-5072

**CD Bass Trainer** 

. Slow down a song without affecting the pitch

TASCAM CD-BT2

- · User preset effects banks
- · Chromatic tuner and metronome built-in
- 1/4" bass and footswitch inputs; headphone and line out jacks #TACDBT2 ...... Call or Log-on



# TASCAM CD-VT2

CD Music and Voice Trainer

- · Great for woodwind, brass, and string players
- · Slow down a song without affecting the pitch
- · Chromatic tuner and metronome built-in
- · Vocal cancellation and selectable cancelling pan point #TACDVT2 ...... Call or Log-on

# TASCAM CD-GT2

CD Guitar

- . Slow down a song without affecting the pitch
- Built-in chromatic tuner. quitar and footswitch input jacks, and expanded effects banks.
- · Adjust the pitch of a song so you don't have to re-tune. #TACDGT2......Call or Log-on

# TASCAM GT-R1 Guitar/Bass Recorder

& Instrument Trainer

- Built-in stereo mics Records MP3 or WAV
- Up to 24-bit/48kHz recording
- 1/4" instrument and powered mic input
- . Amp Simulation & Effects
- Over 80 built-in rhythms
- SD Flash Memory USB 2.0 port





### TASCAM GB-10

USB Guitar/Bass Trainer/Recorder

- · Amp modeling, delay, reverb chorus
- · Loop playback
- 1/4" guitar/bass input
- · Records 16-bit WAV files, plays 16- or 24-bit WAV, MP3 files
- USB 2.0 SD/SDHC card slot

### TASCAM LR-10

USB Vocal & Instrument Trainer

- · Built-in stereo mic
- Internal speaker
- Overdub recording
- · Loop playback
- Variable speed audition
- · Records 16-bit WAV files, plays 16- or 24-bit WAV, MP3 files
- Tuner and Metronome SD/SDHC slot
- #TALR10.....Call or Log-on

# ALESIS AmpDock

Multi-Effects Guitar Processor for iPad

Durable pedalboard controller with program, effect, bypass, volume and continuous controls. Tons of inputs and outputs. Includes a kickstand for resting the processor on your amp. (ALAMPDOCK)..... 299 00



## **GUITAR LINK**

Guitar-to-USB Interface

- · Connect electric guitar or bass to Mac or PC
- 1/4" TS phone input and headphone output, that also doubles as monitor speaker source.
- · Variable-speed file playback function
- Includes Kristal 16-track and Audacity editing software


#BEUCG102.....

# □ **ISOS** eBand JS-8

Audio Player with Guitar Effects

- · Over 100 guitar effects
- · Microphone/Guitar input
- · Built-In Metronome & Tuner
- . 300 Backing Track & Beat Loops
- Use as a USB Audio Interface





# Pocket POD

Portable Amp and Effects Modeler

- · Over 300 available presets, including work from top artists
- 32 classic and modern amp models as well as 16 cabinet models so you can find the perfect tone
- 16 effects, including compressor, tremolo, reverb, multiple chorus and delay effects

123.44

# POD Studio UX2

Portable USB Interface

- Designed for recording voice, guitars and basses.
- · Mic and instrument inputs with phantom power
- Includes POD Farm Software

#I IPSUX2 



USB Interface for Recording Guitar

- USB bus powered
- Quiet 1/4" guitar input, 1/8" headphone/line output and a volume knob for instant, straightforward 24-bit/96kHz recording



Includes POD Farm Software

#LIPSGX......**87.00** 



behringer 15w 2-Channel Acoustic Amp

8" dual-cone speaker and Virtual Tube Circuitry lets your instrumen achieve the unique sound that comes from classical tube amps. Dedicated CD input, headphone output, and an additional mic input with separate volume control.



# Spider IV 15

Guitar Amplifier Combo

- · 4 realistic sounding amp models
- · 4 channels of user presets
- 6 built-in effects (run 2 at once)
- Tap tempo
- · Bass, mid and treble knobs


#LISIV15......**99.00** 



# Roland

### **Mobile Cube**

Pint-sized and battery powered, produces 5W of stereo sound combined with Roland's FX engine.



center cancel feature which essentially removes the vocals or 



# **Jangus** Wi AudioLink

Digital Wireless Audio System

- · Full function 2.4GHz digital wireless stereo audio solution for live performances, personal monitoring and studio recording environments.
- · Povides up to 100' of secure, un-compressed 16-bit, 48kHz CD quality wireless audio connectivity.
- · Weighing only 1 oz. offers intuitive function buttons and easy-to-read LEDs that display operation mode, power, and battery life status.

#WIWAL35......189.00

## **Additional Guitar Accessories**

Hosa: 10' 1/4" Phone Guitar Cable (HOGICTP10)	6.99
Hosa: Goby Labs Mic Sanitizer (GOGLS104)	8.50
Mogami: 10' Gold Instrument 1/4" Guitar Cable (MOGI10)	49.95
K&M 17541B Acoustic Raxe Guitar Stand (KM17541B)	34.95
K&M 17540B Electric Raxe Guitar Stand (KM17540B)	37.99
Korg: CM-100L Contact Microphone (KOCM100)	Log-on
QuikLok Short-A 16.3" Electric Guitar Stand (QUQL631)	12.95
QuikLok: Horizontal Wall-Mount Holder for Acoustic (QUGS	410)
or Electric Guitar (QUGS413)	22.22

## **Ultimate Support**

<b>Log-o</b> i	GS-100 Adjustable Genesis Guitar Stand (ULGS100)
Log-o	JS-AG100 A-Frame Guitar Stand (ULJSAG100)
01) . <b>Log-o</b> i	JS-TG101 JamStands - Tubular Guitar Stand (ULJSTG101)





















# Wireless Microphones





### WMS 40 Mini

Small, easy to set up UHF wireless system. The bodypack transmitter has a mini XLR output and runs 30 hours on a AA battery. The transmitter also features an On/Off and Mute switch. The SR 40 receiver features a miniature design and a 1/4" output. There are 3 LEDs indicating On/Off and RF status.

Instrument Set: eSR 40 mini receiver, PT 40 bodypack transmitter and MKG L instrument cable. In Handheld Set: SR 40 mini receiver and HT 40 handheld transmitter. In frequency A (AKWMS40V45A), 

**Perception:** Choose between one of the 8 available UHF frequencies. Each system includes the SR 45 receiver which provides XLR and 1/4" jack outputs. Audio level and squelch threshold are adjustable.

Presenter Set: Includes miniature PT45 Bodypack, CK99 Lavalier mic and SR 45 

Vocal Set: Includes HT45 handheld mic with 3-way on/off/mute switch, gain switch and SR 45 receiver (AKPWVSA).....Log-on

Instrument Set: Includes miniature PT45 bodypack transmitter and 

Sports Set: Includes PT45 bodypack transmitter and C 544 L headworn mic (AKPWSSA) ........ 299.00



WMS-450: Diversity reception, up to 12 preset channels per frequency band, (1200 selectable frequencies) and integrated frequency scanner. All systems include rugged SR450 diversity receiver with programmable back-lit LCD display and rehearal function for finding "dead spots".

Presenter Set: PT450 bodypack transmitter and C407L lavalier mic in Band 1 (AKWMS450P1) or Band 8 (AK-

Headworn Set: PT450 Bodypack Transmitter and C555L

Vocal Set: HT450C Handheld Transmitter with condenser (AKWMS450VC51) or dynamic element (AK-

New! WMS-470: Steps up from the WMS-450 with 16 preset channels per frequency and infrared sync between the transmitter and receiver which allows for remote channel syncing.

Instrument Set: SR470 diversity receiver, PT470 bodypack transmitter and MK/GL instrument/guitar cable in Band 1 (AKWMS470ISB1), Band 7 (AKWMS470ISB7), Band 8 (AKWMS470ISB8) or Band 9 (AK-WMS470ISB9)...

Presenter System: SR470 diversity receiver, PT470 bodypack, CK 99 L lavalier mic and C 555 L headworn mic in Band 1 (AKWMS470PSB1), Band 7 (AKWMS470PSB7), Band 8 (AKWMS470PSB8) or



### Freeway 200 Series Professional VHF Wireless Systems

Reliable performance, easy setup and clear, natural sound quality. Each system includes the ATW-R250 non-diversity, single-channel receiver and body-pack or handheld mic/ transmitter. The ATW-R250 also offers volume control along with AF Peak, RF and power indicator lights.

ATW-251 Lavalier System: Includes ATW-T201 bodypack transmitter with omnidirectional lavalier mic. Available in three frequencies: 169.505 MHz (AUATW251LT2), 170.245 MHz (AUATW251LT3) or 171.905 MHz (AUATW251LT8) ......



ATW-251 Headset System: Includes ATW-T201 bodypack transmitter with headset microphone. In 

ATW-252 Handheld System: Includes ATW-T202 Handheld Mic/Transmitter with switchable RF output to increase range when necessary. In 169.505 MHz (AUATW252T2), 170.245 MHz (AU-

# audio technica. Freeway 700 Series

Frequency-agile Diversity UHF Wireless Systems

Features and sound quality unheard of in its class. Has 8 selectable frequency-coordinated channels, diversity operation, automatic frequency scanning, Tone Lock™ squelch and more. Up to 8 ystems can be used together. Each includes the ATW-T701 surface mounted receiver with an LED Channel display plus Antenna, AF Peak indicators and balanced XLR and unbalanced 1/4" outputs.



ATW-701 Lavalier System: Includes ATW-T701 receiver and ATW-T701 bodypack transmitter with an omnidirectional lavalier microphone. (AUATW701L)..... .....Call or Log-on

ATW-702 Handheld System: Includes ATW-T701 receiver and ATW-T702 handheld mic/transmitter with switchable RF output for increasing range when necessary. (AUATW702)......Call or Log-on

ATW-701 Headset System: Includes ATW-T701 receiver & ATW-T701 bodypack transmitter with the PRO 8 HECW headset microphone for hands-free speech capturing. (AUATW701H).......Call or Log-on

ATW-701 Headset System: Includes ATW-T701 receiver and ATW-T701 bodypack transmitter with the Pro-92CW headworn microphone in Beige (AUATW701H92T).......Call or Log-on



## audio-technica.

### 2000 Series Frequency-Agile True Diversity UHF Wireless Systems

The metal half-rack ATW-R2100a receiver features 10 user selectable frequencies and automatic frequency scanning. It has a balanced XLR and unbalanced 1/4" output. Back-lit LCD shows channel, AF, RF and diversity status information.

- All 10 user-switchable channels can be used together
- Tone Lock tone squelch system fights interference
- Ground-lift switch eliminates hum
- Includes rack-mount kit and detachable UHF antennas



ATW-2110 System: Includes ATW-R2100a and ATW-T210a transmitter with a 4-pin Hirose connection compatible with Audio-Technica "CW" lavaliers, head worn mics and instrument cables. Transmitter runs 9 hours on two AA batteries. In Band I (AUATW2110AI) or D (AUATW2110AD)......299.00

ATW-2129 System: Includes ATW-R2100a, ATW-T210a UniPak and AT829CW lavalier cardioid mic. 

ATW-2192 System: Same as above, except includes the inconspicuous AT892CW beige headworn 

ATW-2120 System: ATW-R2100a and ATW-T220a Handheld Mic/Transmitter with PRO 41 capsule. 



# audio-technica.

# 3000 Series UHF Wireless Handheld System

Up to 1001 selectable UHF frequencies, clear sound, intuitive and reliable operation, and easy selection of usable frequencies. Illuminated transmitter screens for clear reads on dark stages. ATW-R3100 receiver features frequency adjustable UHF reception, balanced XLR and unbalanced 1/4" outputs, LCD display and a ground lift switch.



Lavalier System: Includes ATW-R3100 receiver and ATW-T310 UniPak Transmitter with AT831CW 

Handheld System: Includes ATW-R3100 receiver and ATW-T341D handheld transmitter with AE4100 cardioid dynamic element. In Band C (AUATW3141BC) or Band D (AUATW3141BD)......499.00

Joining plate for mounting two ATW-R310, 3000 series or 2000 series receivers in a single 19" rack

space (AUAT8630) ......

**PRO AUDIO** 

# **▼** Electro-Voice

**RE-2** UHF Wireless Microphone Systems

The RE-2 Series features diversity reception, Dual Compander technology, and rugged, road worthy design. Over 1,100 channels are user programmable in 25kHz steps over a 24MHz bandwidth. ClearScan feature automatically searches for clear group and channel settings allowing quick setup. "Guitar" setting optimizes a receiver / bodypack for use with a guitar. The rugged BPU-2 bodypack transmitter has a TA4F input. Input level is

R300-HD Handheld Wireless Mic System (ELRE300HDA)......



299.00

adjustable allowing input from mics and instruments. Unique "smart" battery makes it impossible to put the battery in the wrong way, enabling quick changes on stage.

RE-2 Bodypack System: Includes RE-2 Receiver, BPU-2 Beltpack Transmitter (ELRE2BPA) Log-on
RE-2 Lavalier Wireless System: Includes RE-2 Receiver, BPU-2 Beltpack Transmitter and ULM21 Omnidirectional Lavalier Microphone. (ELRE2L21A)Log-on
RE-2 Lavalier Wireless System: Includes RE-2 Receiver, BPU-2 Beltpack Transmitter and OLM10 Omnidirectional Lavalier Microphone. (ELRE2L10A)
<b>RE-2 Handheld Wireless System:</b> Includes RE-2 and HTU-2 handheld transmitter with N/D267 Mic, and a comfortable yet rugged design with an over-molded Warm-Grip handle. (ELRE2N2A)Log-on
<b>RE-2 Handheld Wireless System:</b> Includes RE-2 and HTU-2 handheld transmitter with N/D767A Mic, and a comfortable yet rugged design with an over-molded Warm-Grip handle. <i>(ELRE2N7A)</i> <b>Log-on</b>

## **Additional Wireless Mic Systems**

### Audio-Technica

714410 100111104
AEW-4314a Dual Transmitter UHF Wireless System (AUAEW4314AC)
Flectro-Voice

### Galavy Audio

dalaxy Addio
<b>ECD Dual</b> wireless mic system for karaoke, DJs, presentations, general speech and PA applications
with two handheld transmiters in Frequency D (GAECD2RHH38D) or L (GAECD2RHH38L)199.99
ECM System with MBP52 bodypack transmitter and head worn mic (GAECMRHS52L)199.99
ECM System with lav mic in Band D (GAECMRLV52D), Band L (GAECMRLV52L)219.99

UHF-116HL UHF Wireless Headworn & Lav Mic System (GEUHF116HL)9	9.95
VHF-1001HL VHF Wireless Headset & Lavalier Combo System: Includes single channel wireless	
receiver, bodypack transmitter and headset/lavalier combo-microphone in Channel 2 (GEVHF1001HL	2),
Channel 4 (GEVHF1001HL4), Channel 6 (GEVHF1001HL6) or Channel 8 (GEVHF1001HL8)4	9.95
VHF-2001HL Dual VHF Wireless Headset & Lavalier Mic (GEVHF2001HL2)6	9.95

Gemini

## **Jammin**

QuadProVHF 4-Channel VHF Wireless Microphone System (JAQPVHF)
Line C

## Line 6

XD-V30 Digital Wireless Handheld Microphone System (LIXDV30)	229.99
XD-V70 Digital Wireless Handheld Microphone System (LIXDV70)	449.99
XD-V70 Digital Wireless Lavalier Microphone System (LIXDV70L)	499.99

### Nady

401X Quad 4-Channel VHF Wireless Microphone System (NA401QHTABDN)	Call or Log-on
401X Quad 4-Channel VHF Wireless Microphone System (NA401QLTABDN)	339.99
401X Quad 4-Channel VHF Wireless Microphone System (NA401QLTEFHE)	339.99
DKW-Duo Dual Handheld Wireless Microphone System (NADKWDUOHTBD)	Call or Log-on
DKW-Duo Dual Handheld Wireless Microphone System (NADKWDUOHTPR)	Call or Log-on
Encore Duet Dual Wireless Lavalier System (NAEDUETLTOPR)	171.49

VocoPro	
UBP-4 UHF Wireless Bodypack Microphone Set (VOUBP4)	. Call or Log-on*
UHF-3200 UHF Dual Channel Wireless Mic System (VOUHF3200C)	. Call or Log-on*
UHF-3205 UHF Dual Channel Rechargeable Wireless (VOUHF3205C)	. Call or Log-on*
UHF-5800 PRO 4-Channel UHF Wireless Handheld Microphone System (VOUHF5800A)	) <b>409.00*</b>
UHF-5800 4-Channel UHF Wireless Handheld Microphone System (VOUHF5800B)	. Call or Log-on*
UHF-5805 4 Channel UHF Rechargeable Wireless Microphone System (VOUHF5805B).	. Call or Log-on*
VHF-3300 2 Channel VHF Rechargeable Wireless Microphone System (VOVHF3300)	. Call or Log-on*

# SENNHEISER

freePORT UHF Wireless Mic System freePORT offers quality, affordable wireless microphone

operation. The EM 1 UHF diversity receiver provides clear reception and features 4 user selectable UHF frequencies for finding clear operating channels in high traffic areas. Features robust metal housing, adjustable squelch for

undisturbed operation and dynamic processor for crystal-clear sound.


Vocal Set: EM 1 Receiver and SKM 3 Handheld Transmitter (SEFP35B)	249.95
Presentation Set: EM 1 Receiver, SK 2 Bodypack Transmitter ME 2-2 Mic (SEFP12B)	249.95
New! XSW 35 Handheld Wireless Mic System in Channel A (SEXSW35A) or B (SEXSW35B)	399.95



### evolution 100 G3 Series

True Diversity UHF Wireless Microphone Systems

At home in theaters, clubs, town halls, houses of worship, DJ applications and more. Featuring a rugged metal housing, the rackmount EM100 is a true-diversity receiver with 1,680 tunable UHF frequencies. One-touch sync enables it to communicate



Integrates a 5-band EQ, and has a large, backlit dot matrix display for menu options and information readouts, and transmitter battery strength. Soundcheck Mode lets you







EM100 Diversity Receiver

check the audio and RF signal at any time—even during the performance.

# All Systems include EM100 UHF Diversity Receiver:

<b>EW110:</b> Bodypack Transmitter and ME2 LE Omnidirectional Lavalier (SEEW110G3A2)	ó
EW112: SK100 Bodypack Transmitter and ME2 Omni Lavalier in Channel A (SEEW112G3A), Channel B (SEEW112G3B) or Channel G (SEEW112G3G)	5
EW114: Bodypack Transmitter and ME4 LE Cardioid Lavalier in Channel A (SEEW114G3A2) or	
Channel B (SEEW114G3B2)	)
EW115: SKM100 Handheld Transmitter with e815 Mic Capsule in Channel A (SEEW115G3A2) or	
Channel B (SEEW115G3B2)	j
EW122: SK100 Bodypack Transmitter and ME4 Cardioid Lavalier in Channel A (SEEW122G3A) or	
Channel B (SEEW122G3B)	ó
EW135: SKM100 Handheld Transmitter with e835 Mic Capsule in Channel A (SEEW135G3A),	
Channel B (SEEW135G3B) or Channel G (SEEW135G3G)	j
EW145: SKM100 Handheld Transmitter with e845 Mic Capsule in Channel A (SEEW145G3A),	
Channel B (SEEW145G3B) or Channel G (SEEW145G3G)	j
EW152: SK100 Bodypack Transmitter and ME3 Headset in Channel A (SEEW152G3A)649.95	j
SK100 Bodypack: In Channel A (SESK100G3A) B (SESK100G3B) or G (SESK100G3G)	j
SKM100-835 Handheld Transmitter: in Channel A (SESKM1835G3A) or B (SESKM1835G3B) 329.95	j
SKP100 G3 Plug-on Transmitter: in Channel A (SESKP100G3A) or G (SESKP100G3G)299.95	j
<b>Rackmount Kit</b> for G3 100/300/500 Series (SEGA3)	j



# SONY UWP-X7

Wireless Microphone System

The UTX-B2 bodypacktransmitter features a mic/line selectable input and 188 selectable UHF frequencies for optimum operation. It also allows selection between 5mW and 30mW power output. Space diversity reception further minimizes drop-out radio-frequency interference and noise. The URX-M2 tuner module features a modular design and easily installs into the UWP-X7 Tuner Base.

<b>UTX-B2 WITH OMNI LAVAILER WIC:</b> III Ch. 30/32 (S00/XB2V3032) of 42/44 (S00/XB2V4244)	324.95
UT-B2X with Unidirectional Lavalier and URX-M2 Tuner: In Ch. 30/32 (SOUWPX73032) or 42/44 (SOUWPX74244)	. 479.00
UTX-B2 Bodypack Transmitter In Ch. 30/32 (SOUTXB2X3032) or 42/44 (SOUTXB2X4244)	349.00
<b>UTX-H2 Handheld Transmitter:</b> In Ch. 30/32 (SOUTXH23032) or 42/44 (SOUTXH24244)	339.95
UTX-P1 Wireless Plug-in Transmitter- Channel 30/32 (SOUTXP13032)	339.95
URX-P2 Wireless Mic Receiver in Ch. 30/32 (SOURXP23032) or 42/44 (SOURXP24244)	349.00
MB-X6 Modular Rack (SOMBX6)	. 549.00

LITY Do with Owni Lovelies Miss In Ch. 20/20 (COUTYPOL/2020) or 40/44 (COUTYPOL/2044) 204.05

# SHURE

### **PG Series Wireless Mic Systems**

UHF wireless technology with up to 8 user selectable frequencies. The PG4 receiver is a table-top or rack-mounted unit with 1/4" phone and XLR outputs and diversity reception. Systems combine the PG1 body-pack or PG58 handheld transmitters and the PG4.



PG1 with PG185 lavalier mic and PG4 Receiver: In channel H7 (SHPG14PG185H), K7 (SHPG14PG185K) or M7 (SHPG14PG185M).....

299.00 PG1 with PG30 headworn mic and PG4 Receiver: In channel H7 (SHPG14PG30H7), K7 (SHPG14PG30K7), or M7 (SHPG14PG30M7)......299.00

PG58 with SM58 cardioid capsule and PG4 Receiver:

In channel H7 (SHPG24PG58H7), K7 (SHPG24PG58K7) or M7 (SHPG24PG58M7)......299.00

## **PG (Performance Gear) Wireless Systems**

PG Series features UHF wireless technology with up to 8 user selectable frequencies. At the heart of the systems is the PG88 dual receiver. Table-top or rack-mounted, it has two independent, internal receivers that enable two mic transmitters to operate simultaneously. Plus, it offers diversity reception to minimize RF drop-out and interference. 1/4" and XLR outputs. Systems also combine the PG2 handheld transmitter and the lightweight PG1 body-pack transmitter which runs 8 hours on a 9v battery.



PG1 with PG185 lavalier mic, PG2 with PG58 cardioid capsule and PG88 Dual Receiver: PG1 with PG30 headworn mic, PG2 with PG58 cardioid capsule and PG88 Dual Receiver:

Two PG1 bodypacks with two PG185 lavalier mics and PG88 Dual Receiver:

Two PG2 handheld transmitter with two PG58 cardioid capsulse and PG88 Dual Receiver:

## **PGX Series Wireless Mic Systems**

The PGX4 receiver operates over an 18MHz UHF bandwidth with up to 90 selectable frequencies. Features diversity reception and XLR and 1/4" phone outputs. An infrared port enables frequency information to sync with the transmitter remotely. The lightweight PGX1 bodypack has a 3-position input level switch to adjust mic and line level signals, as well as provide added headroom. The PGX2 handheld transmitter has a 2-position switch to adjust input level and



reduce noise due to signal overload. Transmitters operate for up to 8 hours on 2 AA batteries.

PGX1 with WL-185 Lavalier Mic and PG4X Receiver:	
In fraguency shapped LIG (CUDCV4.40ELIC), IG (CUDCV4.40ELIC), or LE (CUDCV4.40ELIC)	

III frequency chainter no ( <i>ShrGx1483no)</i> , Jo ( <i>ShrGx1483Jo</i> ) or L5 ( <i>ShrGx1483L5</i> )	UU
PGX1 with WL93 Lavalier Mic and PG4X Receiver:	
In frequency channel H6 (SHPGX1493H6), J6 (SHPGX1493J6) or L5 (SHPGX1493L5)419.	00
PGX1 with PG30TQG Headworn Mic and PG4X Receiver:	
In frequency channel H6 (SHPGX14PG30H) or L5 (SHPGX14PG30L)	00

PGX2 Handheld Transmitter with PG58 Cardioid Mic Head and PG4X Receiver: PGX2 Handheld Transmitter with SM58 Mic Head and PG4X Receiver:

PGX2 Handheld Transmitter with Beta 58 Mic Head and PG4X Receiver:

In channel H6 (SHPGX24B58H6), J6 (SHPGX24B58J6) or L5 (SHPGX24B58L5)......449.00 PGX-1 Body Pack Transmitter: In H6 (SHPGX1H6), J6 (SHPGX1J6) or L5 (SHPGX1L5) ......198.00 

### Shure PGX Digital Series with PGXD4 Wireless Receiver

PGX-2 Handheld: with SM58 in Channel H6 (SHPGX2SM58H6) or J6 (SHPGX2SM58J6) ......198.00

With PGXD1 Bodypack and WL185 Cardioid Lavalier Mic (SHPGXD1485)	499.00
With PGXD1 Bodypack and WL93 Omnidirectional Lavalier Mic (SHPGXD1493)	469.00
With PGXD1 Bodypack and PG30 Headset Mic (SHPGXD14PG30)	479.00
PGXD2 Handheld Transmitter and Beta 58 Capsule (SHPGXD24B58)	499.00
PGXD2 Handheld Transmitter and PG58 Capsule (SHPGXD24PG58)	429.00
PGXD2 Handheld Transmitter and SM58 Capsule (SHPGXD24SM58)	449.00

# SHURE

# **SLX Series Wireless Mic Systems**

The SLX UHF Series include the SLX1 bodypack and SLX2 handheld transmitters, and the rack or desktop mountable SLX4 diversity receiver which features XLR mic and 1/4" outputs. LCD display shows frequency, group and channel information, transmitter battery status, audio level and more. The SLX1 has an infrared sensor to remotely sync frequency settings with the receiver. An adjustable mic / OdB / -10dB switch allows input from guitars, instruments and mics. It runs 8 hours on 2 AA batteries. The SLX2 features a comprehensive display with timeout function.



SLX4 Diversity UHF Wireless Receiver Only:

In channel J3 (SHSLX4J3), L4 (SHSLX4L4), or H5 (SHSLX4H5)..... SLX1 Bodypack with WL-193 lavalier mic and SLX4 Receiver:

In channel J3 (SHSLX1493J3), L4 (SHSLX1493L4), or H5 (SHSLX1493H5) .....

SLX1 Bodypack with WL-185 lavalier mic and SLX4 Receiver: In frequency channel J3 (SHSLX1485J3) or H5 (SHSLX1485H5).... 659.00

SLX1 Bodypack with WH30 headset mic and SLX4 Receiver: In frequency channel H5 (SHSLX14WH30H) .....

SLX2 Handheld Transmitter with SM58 mic capsule and SLX4 Receiver: 

SLX1 Bodypack with WL-185 lavalier mic, SLX2 with SM58 mic head and SLX4 Receiver:

SLX-2 Handheld Transmitter with SM58 mic capsule:



## **ULX 'Standard' and 'Professional' Series**

The ULX Series are professional UHF wireless systems with 1400 user selectable frequencies for broadcast, conferences, houses of worship. schools, and business.

The ULXS4 diversity receiver features balanced XLR output switchable between mic and line levels well as an unbalanced 1/4" output. LCD shows group and channel information, transmitter



battery life, and more. Two 5-segment LED's provide audio and RF metering.

The ULXP4 receiver has as all the features of the ULXS4, plus it includes TV channel display, frequency and volume locks, SCAN indicator, squelch indicator and receiving antenna indicators. The ULX1 bodypack transmitter has an input attenuation switch allowing OdB and 20dB output. LCD

display on the ULX1 and the ULX-2 handheld transmitter shows group, channel information and more.

### ULX2 Handheld Transmitter with SM58 mic capsule and ULXS4 Receiver:

In channel G3 (SHULXS2458G3), J1 (SHULXS2458J1) or M1 (SHULXS2458M1)... ULX1 with WL185 lavalier mic, ULX2 with SM58 mic capsule and ULXS4 Receiver: 

ULX1 Bodypack Transmitter with WL185 lavalier mic and ULXP4 Receiver: 

ULX1 Bodypack Transmitter with WL51B subminiature lavalier mic and ULXP4 Receiver: 

ULX2 Handheld Transmitter with SM58 mic capsule and ULXP4 Receiver: 


ULX1 with WL185 lavalier mic, ULX2 with SM58 mic capsule and ULXP4 Receiver: 

Two ULX2 Handheld Transmitters with SM58 mic capsules and two ULXP4 Receivers: 

ULX-1 Bodypack Transmitter Only: In G3 (SHULX1G3), J1 (SHULX1J1) or M1 (SHULX1M1)......193.00 ULX-2 Handheld Transmitter with SM58 mic capsule:

Omni	Lavalier	Mics	for	Wirele	SS
	ith TA3 Mini-XL		,		
	<b>3</b> with 1/8" min			,,	
	4 <i>ZEX503)</i> <b>3</b> with 1/8" min				
	3 WILII 1/O 111111				
	ith TA5-F for L				
	Microphone (Re				
Rode PinMic V	Vearable Micro	phone <i>(RO</i>	PINMIC	9	. 249.00
	Cou	ıntryma	an		
	for Lectrosonic				. 199.95
	g 1/8" mini for S				
	COB3W5BSR)				. 182.00
	g 1/8" mini for S				206.05
	ng <i>(COB3W4BS</i> or Shure – optir				
	Shure — opur	-			
	/8" locking for S				
general speakii	ng <i>(COB3W4BS</i>	N)			. 199.95
	/8" locking for \$				
	ng <i>(COB3W4LS)</i>				
	for Lectrosonic		,		
,	g 1/8" mini for S			,	
	Frequency Res			-	
,	k Freguency Re				
	DMEMWPBSR)	•		Ü	
E6 Earset Mic	(Beige) with TA	4F for Shu	ıre – o	ptimized for	
general speakii	ng <i>(COE60W5L</i>	1SL)			. 368.50
	(Beige) with TA				
	COE60W6L1SL)				
	(Beige) with 1/8		-		
	(Beige) with TA 610W5L2SL)				0
<b>E6i</b> Earset Mic	(Beige) with T	A4F for Sh	nure –	optimized fo	r
strong vocals (	SHWCE6IT)				. 330.00
	Elec	ctrovoid	се		
RE-97TX Head	TA4F for Telex Adworn with TA4	-F (Beige)	for Te	ex / Electrov	oice/
	Lec	trosoni	cs		
<b>VI119</b> with TA5	5-F for Lectroso	nics <i>(LEM</i>	1195P)		. 100.00
M152 with TAS	5-F for Lectroso	onics <i>(LEM</i>	11525P,	)	. 147.00
M152 with mo	isture resistant	sleeve (LE	M152	SM5P)	. 158.00
		arstone			
	I/8" Mini Plug (	,			
	king 1/8" Mini t 3" (3.5mm) min				
	S	amson			
LM10BX (SALI	M10BX)				74.99
	son 3-pin conn (3.5mm) mini f			*	,
	;	Shure			
WL183 with TA	A4-F connector	(SHWL183	3)		92.95
<b>WL50B</b> Submi	niature with TA	4F connec	ctor <i>(SI</i>	HWL50B)	
<b>WL93</b> with 4' o	cable and TA-4	F connect	or <i>(SH</i> I	VL93)	69.25
	cable and TA-			,	

WL93-6 with 6' cable and TA-4F connector (SHWL936)....... 69.25
WL93-6T with 6' cable and TA-4F in Tan (SHWL936T)....... 89.95
E6 EarSet for Shure Transmitters in Tan (SHWCE6T)............. 330.02



# Sanken COS-11XPT with 1/8" mini for Sennheiser (SACOS11DPTEB). 379.00

COS-11D with TA5 connector (SACOS11DPTT5)	379.00
COS-11D in Beige (SACOS11DPT5T)	379.00
Sennheiser	
ME2 Lavalier Mic for EW Series (SEME2)	139.95
MKE-2 Gold with TA5-F for Lectrosonics (SEMKE2TA5FG)	399.00
MKE2 Gold with 1/8" mini for Sennheiser (SEMKE2EWG)	389.95
Sony	
ECM-V1BMP with Mini 1/8" (SOECMV1BMP)	129.00

## 

. 289.95

349.95

# Tram

ECM-77BPT without any connector (SOECM77BPT).....

ECM-88BC with 4-pin Hirose (SOECM88BC).....

INOU WILL	TTAS-PITI COTTIECTION (TRTRSUBIVILY)	203.00
TR50 with	TA5 and TR79 power supply (TRTR50BMLXLP)	384.95
<b>TR50</b> 1/8"	Mini for Sennheiser (TRTR50BSETP)	239.00
<b>TR50</b> 1/8"	Mini for Sennheiser in Gray (TRTR50GSETP)	219.95
<b>TR50</b> 1/8"	Mini and TR79 power supply (TRTR50BSETXL)	379.95
TR50 Mini	3-pin for Sony UWP (TRTR50BSETM)	229.95

### **Voice Technologies**

VT500 with 1/8" mini for Sennheiser (VOVT0015)......253.00

### **Headset Mics for Wireless**

AKG HS-9 Headset with omni-directional boom mic (AZHS9).	. 28.95
Samson SE10T Omni Micro Headset Mic (Beige) with	
locking 1/8" mini (SASWAS5CS)	. 99.00
Samson HS5 Headset Mic (Black) with 1/8" mini	
(SASWAS5HS5)	. 37.99
Shure PG30-TQG Cardioid Condenser Headset Mic	
(SHPG30TQG)	. 39.00
Shure E6 Omni EarSet Mic (SHWCE6LT)	326.70

# **Cardiod Lavalier Mics for Wireless**

AKG CK 99 L Miniature Lavalier (AKCK99L)	00
Anchor Audio LM-60 with Mini XLR (ANLM60)79.	00
Azden EX505U with 1/8" mini for 'Pro' Series (AZEX505U) 30.	00
Electro-Voice ULM-21 Cardioid Condenser (ELULM21) Log-	on
Sennheiser ME-4 for EW Series (SEME4)139.	95

### Sony

EGM-100BMP WITH 1/8 LOCKING MITH (SUECM 166BM)	9 119.00
ECM-X7BMP with 1/8" miniplug (SOECMX7BMP)	139.95
Shure WL185 with TA4-F connector (SHWL185)	105.00
Shure PG185-TQG with TA4-F connection (SHPG185)	TQG) <b>39.00</b>
Shure WL184 with TA4-F connector (SHWL184)	106.00

## **Headworn Mics for Wireless**

Anchor Audio HBM-60 Headband Mic (ANHBMTA4F)	82.00
Audio Technica PRO 8/HEXCW (AUPRO8HECW)	89.05
Audio Technica PRO 8/HEMW (AUPRO8HEMW)	89.95
Audio-Technica PRO 8-HEX (AUPRO8HEX)	69.99
Crown Audio CM311A Headworn Mic (CRCM311A)	349.00
DPA 4088 Headband Cardioid Headword Mic (DP4088F).	674.50
DPA 4066 Miniature Omni Headworn Mic (DP4066F)	Log-on
Sennheiser ME3-EW Supercardioid (SEME3EW)	139.95
Sony ECM-322BMP (SOECM322BMP)	126.00

### **Point Source Audio**

CO-3 Ear-Worn Omni for Audio Technica (POCO3ATBE)99	.00
CO-3 Ear-Worn Omni for Sennheiser (POCO3SEBE)99	.00
CO-3 Ear-Worn Omni for Shure (POCO3SHBE)99	.00

### Shure

WH20QTR with 1/4" connector (SHWH20QTR)	86.4
WH20TQG with TA4 connector (SHWH20TQG)	79.8
WH30TQG with TA4 connector (SHWH30TQG)	102.00
SM10A-CN - Dynamic Headworn Mic (SHSM10ACN)	119.9
WH20XLR Headworn Dynamic Mic (SHWH20XLR)	78.5
WH30 Headworn Condenser Vocal Mic (SHWH30XLR)	149.99

# Wireless Microphone Accessories

Wireless Mic Cables	
AKG Mini-XLR to Standard XLR Mic Cable (AKMPAVL)	69.00
Audio-Technica Instrument & Guitar Cable (AUATGCW)	15.49
Audio-Technica CP8306 Adapter Cable (AUCP8306)	
Audio-Technica XLRW Input Cable (AUXLRW)	
Azden MX-2 - Y Cable (AZMX2)	
Azden MX-1 Mini Stereo to XLR-M Cable (AZMX1)	
Pearstone Deluxe Receiver Output Cable (18") (PEROCLM2 Someon SAECEO Repl. Cable for SEECT (Reign) (CAECEOT	,
Samson SAEC50 Repl. Cable for SE50T (Beige) (SAEC50T) XLR-M to P3-F Cable (SAX3)	
NET IN 10 1 0 1 Gable (6 No)	2 1100
Comprehensive XLR-M to Mini XLR-F Cable 3-ft. (COXMMXF3)	15.99
Countryman E6 & E6i Snap-on Replacement 0	
1mm diameter cable for Sennheiser in Beige (COE6CL1SR)	
(COE6CT1SR)	
1mm diameter cable for Shure in Tan (COE6CT1SL) or Beign	
(COE6CL1SL)2 2mm diameter cable for Sennheiser in Beige (COE6CL2SR)	
2mm diameter cable for Shure in Tan <i>(COE6CT2SL)</i> or Beig	
(COE6CL2SL)	
DPA	
MicroDot to XLR Adapter (Belt Clip) (DPDAD6001BC)	98.95
MicroDot to Locking 1/8" Mini Connector (DPDAD6034)	
Miniature Series Microdot to TA4F Mic (DPDAD6010)	86.95
Lectrosonics	
TA5-F to Dual XLR Output Cable for SR Slot-In Receiver (LE	EMCSR-
5PXLR2)	
Right Angled TA3 and TA5-F Connector (LERATPAC)	36.18
MC41 37" XLR-F to TA5F 5-Pin Cable (LEMC41)	
XLR-F to TA5-Female Line Level Cable (LEMC35)	
MC-60 XLR-F to TA5-F Cable for (LEMC60)	
15" Stereo Mini to 2 RCA Cable for UCR100 (LEMC100RCA) Stereo Mini Receiver Output Cable (LEMC100TRS)	
MC55 Mono Mini Angled Male to XLR-M (LEMC55)	
Mini to XLR Output Cable for UCR100 (LEMC100XLR)	
CM40 - XLR-F to TA5-F Mic Level Adapter (LEMC40)	
QUE Audio	
Q-Compact to XLR-M Phantom Power Adapter (QUQAD3)	34.99
Remote Audio	
TA3-M (Mini XLR) Connector (RETA3MB)	2.99
TA3-F (Mini XLR) Connector (RETA3FB)	
TA4-M Connector (RETA4MB)	
TA4-F Connector (RETA4FB)	5.99
TA4-Male Connector (RETA4MB)	4.99
TA5-Male Connector (RETA5MB)	5.99
TA5-Female Connector (RETA5FB)	6.99
Rode	
MiCon-1 Adapter (ROMICON1)	18.00
MiCon-2 Adapter (ROMICON2)	18.00
MiCon-3 Adapter (ROMICON3)	
MiCon-5 Adapter (ROMICON5)	
MiCon 7 Connector for HS1 Microphones (ROMICON7)	23.00
MiCon 8 Connector for HS1 Microphones (ROMICON8)	
MiCon Cable (ROMICONC1.2)	32.00
MiCon Cable (ROMICONC3)	39.00
Sennheiser	
XLR Female Microphone Cable (SECM1)	59.95
Cl1 Mini-M to 1/4"-M (SECI1)	
CL-100 1/8"-M Mini to XLR-M (SECL100)	54.95
CL1 Mini to Mini Cable for EK100 (SECL1)	20.95

CL-2 Transmitter Line Cable 1/8"-M to XLR-F (SECL2) ......... 19.95

### **Wireless Mic Cables**

### Sescom

Line to Mic Attenuation Cable (SEL2MPCDM50)	26.95
3.5mm Mic to Mic with Audio Monitor (SEDSLRMICMON)	31.95
Line Out to Camera Mic In Headphone (SEL2MZMH4MON)	35.95
Canon 5D Mkll A/V Out Headphone Cable (SE5DMKIIHOCF)	22.45
Line to Mic Attenuation Cable (SEL2MZH4N)	26.95
Line Out to Camera Mic Level In Cable (SEL2MTDR100)	26.95
XLR to Right Angled Mini Mic Cable (SESTR153)	28.99
Line Out to Camera Mic Level In Cable (SEL2MZH4N2.5)	26.95
AGC-Disable Y-Splitter Cable (SEDSLRAGCY)	27.99
Line to Mic Attenuation Cable (SEL2MZH4N6)	32.95

### Shure

RPM654 Repl. Cable for the WCE6 (Tan) (SHRPM654)	53.50
C122 Replacement Cable (SHC122)	48.50
WA302 Intrument & Guitar Cable (SHWA302)	15.67
WA310 Adapter Cable (SHWA310)	18.00
WA360 In-Line Remote Mute Switch (SHWA360)	65.60
WA451 TA3-F to XLR-M Cable (SHWA451)	34.95
WA-460 VP3 to TRS Mini Cable (SHWA460)	23.95
WA461 TA3-F to Mini Cable (SHWA461)	23.95

### Sony

EC-15CF SMC/XLR Microphone Cable (SOEC15CF)	69.95
EC-0.8BM 3-pole Locking Mini to Mini (SOECO.8BM)	13.95
EC-0.46BX 3-pole Locking Mini to XLR-M (SOECO.46BX)	29.95
EC-1.5BX 3-pole Locking Mini to XLR-F Cable (SOEC1.5BX)	34.95

### Whirlwind

3.5 Line to Mic Attenuation Cable (WHH4NL3.5)	00
3.5 MON Line to Mic Attenuation Cable (WHH4NL3.5MON) 39.9	95

## **Antennas for Wireless Mic Systems**

**PSC UHF Log Periodic Antenna** Wireless receiver antenna for use in the field where long range use is often necessary. Coverage ranges from 450MHz to 900MHz with an average gain of 4.5dB over that of a dipole antenna. Features a standard BNC style connection, unobtrusive black finish and 3/8"-16 thread fitting for mounting on mic and tripod stands.

### Audio-Technica ATW-A49 UHF LPDA Antennas (Pair) (AUATWA49) ......259.36

Remote Audio	
Miracle Whip Antenna for Lectrosonics Receivers -	
BNC connector (REANBNC)	13.95
Miracle Whip Antenna for Lectrosonics Transmitters -	

BNC connector (REANBNC)	13.95
Miracle Whip Antenna for Lectrosonics Transmitters -	
SMA connector (REANSMA)	22.95
Miracle Whip Antenna for Lectrosonics Transmitters -	
SMA connector R/A (REANSMARA)	22.95

## Sennheiser

A1031U Omnidirectional UHF Antenna for Evolution Series	
(SEA1031U)	159.95
S72817 2-Section Telescoping Antenna (SES72817)	9.00
A182 Whip Antenna (EA182)	12.95
A181 Whip Antenna (SEA181)	12.95
A183 Whip Antenna (SEA183)	12.95
Shure	

UA820 1/2 Dipole Receiver Antenna (SHUA820G)	20.45
Antenna for P6R, P7R and PSM Series receiver (SHP6P7RA)	27.95
A870USTV Active Antenna (SHUA870USTV)	239.00
UA820H4 1/2 Dipole Receiver Antenna (SHUA820H4)	31.00
UA820D 1/2 Wave Dipole Receiver Antenna A820D)	30.95
UA820L3 1/2 Dipole Receiver Antenna (SHUA820L3)	. 24.99

### Sony

AN-820A/9L Active UHF Antenna (SOAN820A9L).....199.95

### **Wireless Antenna Accessories**

Audio-Technica AC12 BNC to BNC Antenna Cable (AUAC12) 1:	5.22
Lectrosonics Right Angle Adapter for SMA (LE21793)2	1.20
Sennheiser BNC to BNC Coaxial Cable (SEBB1)	6.95
Sennheiser BNC Antenna Cables (SEAM2)4	4.95

### Shure

UA505 Remote Antenna Bracket Mounting Kit (SHUA505)	22.09
UA440 Front Mount Antenna Rackmount Kit (SHUA440) 1	12.00
BNC Antenna Cable (SHUA806)	21.95
UA221 Passive Antenna Splitter / Combiner (SHUA221) 1	31.00
UA825 Antenna Extension Cable (SHUA825)	45.00
UA850 Antenna Extension Cable (SHUA850)	94.05
UA844WB Powered Distribution System (SHUA844SWB) 4	37.65

### **Power Accessories for Wireless**

Audio-Technica In-Line Powering Module (AUAT8531) 70.00
Audio-Technica AC Adapter for 3000 Series (AUATPA3000) 22.58
Audix APS910 Phantom Power Adapter (AUAPS910) 34.95
Azden 12v Adapter for Azden AC Receivers (AZBC27) 26.95
Azden BC-27H Power Supply for FMX-42 (AZBC27H)50.00
Pearstone 6-ft. 4-pin XLR Power Cable (PEC4PX6)
Pearstone 10-ft. 4-pin XLR Power Cable (PEC4PX10) DNLA
Samson AC-25 for Samson Receivers (SAAC250)16.15
Sennheiser BA 2015G2 Rechargeable Battery (SEBA2015G2)83.95
Sennheiser Charger for BA 2015G2 Batteries (SEL2015G2) 158.95
Sennheiser DC2 - DC Camera Power Converter (SEDC2) 64.89
<b>Sennheiser</b> MZA 900 P - In-Line Preamplifier <i>(SEMZA900P)</i> <b>159.95</b>
Shure 120V AC Adapter for Shure Wireless (SHPS41US) 18.13
<b>Shure</b> RPM626 - In-Line Mic Preamp (SHRPM626)
Sony BATC-2AA Battery Holder Case (SOBATC2AA)
Sony DC78 Battery Power Supply (SODC78)
<b>Tram</b> TR-79+ Power Supply ( <i>TRTR79SETP</i> )
<b>Tram</b> TR-79+ Power Supply ( <i>TRTR79MLP</i> )

# **Wireless Receiver Camera Mounts**

IDX A-WMR Receiver Mounting Bracket (IDAMWR)298.00
Jimmy Box Jimmybox Large - Receiver Holder (JIWRBL)184.95
K-Tek K-SPT Shoe Plate Mount (KTKSPT)35.10
Lectrosonics SRUNI Mounting Kit for Unislot (LESRUNI)129.00
Sennheiser CA2 Shoemount Adapter (SECA2) 20.95
Sonv Shoe Mount Adapter for URX-P2 Receiver (SOSMADP2), 17.95

### **Anton Bauer**

Universal BP Required for Certain Gold Mounts (ANUBP)	30.60
Wireless Receiver Side Mounting Plate (ANABWMKSI)	49.50
JVC-BP JVC Wireless Mounting Plate Kit (ANJVCBP)	34.95
VARICAM BP VariCam Back Plate (ANVARICAMBP)	29.95
WRB-185 Wireless Receiver Box (ANWRB185)	55.95
WRB-200 Wireless Receiver Box (ANWRB200)	65.80

Hot Shoe Adapter Kit for V/H Mounting (BEHSAKIT)	90
Side Plate for Gold Mount System (BEABSPU)44.	95
Horizontal Shoe Adapter for Wireless Boxes (BEHSAHORZ) 64.5	95
Mounting Box for Mounting UCR 100 (BE100)	95
AT-1820 Wireless Reciever (BEAT1820)	44

### Bracket1

Quick Plate - Receiver Mounting Plate (BRQP)	29.95
Attachment Clip for Sony UWP Receivers (BRSCLIP)	19.95
Attachment Clip for Sennheiser EW-Series (BREWCLIP)	14.95
Cold Shoe 1 - Optional Shoe Mount (BRCS1)	11.95
Accessory Rain Cover (BRARC)	34.95
Micro Multi-Cold-Shoe Bracket (BRB1MICRO)	59.00

### J-Rod

Super-Strong Twin Mic Mount (JRTMSS)	. 44.95
Twin Mount (JRTMO)	69.95
L Cuba Accessory Shop Adaptor & Mic Mount (IDIC)	70.05

# Wireless Microphone Accessories

### 800-859-5252 | 212-444-5072

### Wireless Mie Cases

wireless Mic Cases
Audio-Technica AT-BG2 Soft Protective Pouch (AUATBG2) . 12.56
Pearstone Plug-In Transmitter Holster Case (PEUPOH) 29.95
Petrol Deca Double Wireless Audio Pouch (PEPS604) 19.50
Sony Belt Clips for UTX-B2V, UTX-B2X and URX (SOBLCBP2) 18.00
Tram BCC Hard Case (TRBCC)
Gator Cases
GM-5W Deluxe Wireless 5 Microphone Bag (GAGM5W)Log-on
GM-1WEVA System Bag (GAGM1WEVAA)Log-on
GM-1WP Rugged Wireless Mobile Pack (GAGM1WP) Log-on
GM-2W Deluxe Wireless 2 Mic Bag (GAGM2W) Log-on

# G-WIRELESS-3-GO 3U Wireless Case (GAGWIRELESS3 .....Log-on NeoPax SM Ankle Belt for Lectrosonics SM Transmitters (NESM110N) 29.95

SM Thigh Belt for Lectrosonics SM Transmitters (NESM220N) 29.95

SM Waist Belt in Black (NESM330B) or White) (NESM330W)	25.00
Standard Ankle Belt for Wireless in Beige (NEST110N)	29.95
Standard Big-Boy Waist Belt (Black) (NEST660B)	34.95
Standard Big-Boy Waist Belt (Beige) (NEST660N)	34.95
Audio-Technica AT-BG2 Soft Protective Pouch (AUATBG2).	12.56
Pearstone Plug-In Transmitter Holster Case (PEUPOH)	29.95
Petrol Deca Double Wireless Audio Pouch (PEPS604)	19.50
Sony Belt Clips for UTX-B2V, UTX-B2X and URX (SOBLCBP2)	18.00

### **Porta Brace**

AH-2BM Audio Harness Belt Medium (POAH2BM)	23.95
AH-2BS Audio Harness Belt Small (POAH2BS)	27.95
AH-2L Padded Audio Harness with Belt (POAH2L)	77.25
AH-3H-MEML Audio Harness & Belt (POAH3MEML)	216.13
QS-A4 Audio Quick Slick (POQSA4)	79.95
RMB-TP01 Radio Mic Bouncer (PORMBTP01)	42.53
AH-2H Audio Harness Only (Blue) (POAH2H)	68.57
AH-2M Padded Audio Harness with Belt (POAH2M)	77.25
RM-Multi/E Extreme Wireless Mic Case (PORMMULTIE)	103.29
RMB-SK100 Radio Mic Bouncer (PORMBSK100)	42.53

# Remote Audio

Wireless Pouch Kit, Large (Tan) (REWLKIT400T)	28.00
Wireless Pouch Kit, Large (Black) (REWLKIT400B)	28.00

Sennheiser	
CC2 Carry Case (SECC2EW)	74.00
CC3 Carrying Case (SECC3)	59.95
Receiver/Transmitter Belt Clip (SE543660)	4.60
Zippered Pouch for HH Transmitter (SE86038)	13.21
Case with Lanyard Strap for the EW G3 (SEG3ENGCASE)	39.95
Handheld Transmitter Pouch (SEPOUCHEWSKM)	14.95

### Shure

WA555 Switch Cover for LX2 (SHWA555)	5.95
Multi-Colored Handheld Transmitter ID Rings (SHWA615M) 1	4.73
WA610 Carrying Case (SHWA610)	3.00
WA570A Belt Pouch (SHWA570A)	3.56
Belt Clip (SHUR1RBC)	0.90

### **Accessories for Headset Mics**

Audio-Technica AT8142 Foam Temple Pads (AUAT8142) 6.95
Countryman E2 Microphone Clip (COE2CLIPB2)
Countryman E6 Ear Clip for E6 and E6i -Left (COECLT) 56.10
Countryman E6 Ear Clip for E6 and E6i - Right (COECRT) 56.10
Samson WS5E Headset Microphone Windscreens (SAWS5E). 12.99
Sennheiser NB2 Adjustable Headset (SENB2)

WRB-201 Wireless Receiver Box

The WRB-201 is able to hold a variety of receivers; in conjunction with an ABWMK-KIT it wi car

will mount to the side or the back of the	
mera.	
RB-201 Wireless Receiver Box (ANWRB201)	55 95
TID ZOT WITOICCOTTOCOTTOT DOX (FIRWINDZOT)	

ABWM-KIT Universal Mounting Plate Kit (ANABWMKIT)......62.95

# Bracket 1 Bracket 1

Universal On-Camera Wireless Receiver Mount

Mounts to the your camcorder's tripod mounting plate without blocking controls

or impeding use.	
Universal Wireless Mount (BRB1A)84.95	
Mini Wireless Reciever Bracket (BRB1M)	99.95
EX On Camera Wireless Receiver Mount (BRB1EX)	119.95
HD Wireless Reciever Bracket (BRB1AHD)	. 109.95

# NeoPax Belts

Elastic belt and pouch secures wireless bodypack transmitters around different parts of the talent's body. Touch-fasteners for a snug, adjustable fit. Ideal for actors and musicians.

Ankle Belt for Lectrosonics Transmitters (NESM110B)	25.00
Waist Belt for Lectrosonics Transmitters (NESM330N)	29.95
Thigh Belt in Black (NEST220B or Beige (NEST220N)	29.95
Waist Belt in Black (NEST330B), Beige (NEST330N)	
or White (NEST330W)	25.00

# **GATOR** GM-1W

Wireless Mobile Pack

600 denier nylon case with interior foam padding designed to carry and protect a wireless system. Room for lavalier mics, cables and

accessories. Receiver is functional while in the bag- the front and back unzip for access. Carried by a removable, adjustable shoulder strap and padded carrying handles.

#GAGM1W ..... .Call or Log-on

the solution needed.

## **RM-MULTI**

Wireless Microphone Case

Can hold up to four receivers and transmitters. It can fasten to Porta Brace mixer and audio cases or use various Porta Brace shoulder straps, belts and harness arrangements to give audio crews exactly

#PORMMI II TI 85.93





### **Receiver Holders**

BEC receiver holders are manufactured using plate aluminum, formed and welded to the exact size of your receiver. Your receiver is protected by a felt lining that keeps it from the bangs and bumps of everyday use.



or Lectrosonics UCR Receivers (BE195) <b>74.95</b>	
For Lectrosonics UCR Receivers (BE201)74	1.95
For Sony UWP-V Series Receivers (BEURXP2)	9.95
For Sennheiser EW Receiver (BE500)	9.95



F

**BOX**.com Wireless Receiver Holder

Mounts under your camcorder allowing connection to tripods and shoulder braces. Soft touch fastener material pads the inside: protecting the receiver from bumps and jars. Handle offers a point of balance when sitting the camera down and stability in hand held



#JIWRB..... 169.95

## VERSA-FLEX HS1N v2

### Audio Harness

Heavy duty padded wide strap prevents shoulder fatigue while carrying audio equipment. Designed for use with audio mixer and recording cases. Features attachment rings





for securing cases, two carabineers, removable waist strap and a 

# PS608 Deca Wireless Bag

Lightweight

briefcase-style bag made of heavy duty water-resistant Cordura nylon with fully padded interior. Cold-molded laminate panels provide extra protection. Carried by padded carrying handle or a removable, adjustable shoulder strap with pad.

#PFPS608 64.95





### AH-2.5 Padded Audio Harness

Lightweight and durable, the harness is padded along the

shoulders, chest, spine, and lumbar for lasting comfort, even with heavy loads. Designed for boom operators and recordists, breathable mesh lining creates a cool airflow between the padding and your body. (POAH25).....



181.41

### **AH-3H-MEMM** borta

Audio Harness & Belt brace

Memory Foam padded shoulder straps "remember" your body shape for a contour fit that provides comfort, convenience, and viewing of your audio mixer; everything stays secure, even on-the-run. The harness belt clips onto "D" rings so it is easy to get on and off: clips fasten instantly to the rings. #POAH3MEMM.....



216.13



## MARATHON MA-WIRELESS

Flight Road Utility Case

Laminated 3/8" vinyl covered plywood case made to protect and transport wireless mics and other small sensitive equipment. High-density "Pick and Fit" diced foam on the bottom and convoluted foam in the lid. Meets ATA 300 specifications for transit. Has a removable lid, two locking latches, and a folding carry handle. (MAWIRELESS) .....



80.99

A R T AV Direct

Multi-Input Audio/Video Direct Box

Accepts virtually any input/output level and offers remote level control. Has stereo RCA, 1/8" and and 1/4" TRS line level inputs, as well as a 1/4" and bare wire pressure clip speaker level inputs.



#ARAVD......Call or Log-on



### **DI100 ULTRA-DI** Active Direct Box with Groundlift Switch

Buffers the input signal with an amplifier to ensure that the sound source reaches the mixer balanced and noise-free. Can also deal with a guitar amps speaker output, handling up to 3000w. #BEDI100......33.99



# **DI600P ULTRA-DI**

Passive Direct Injection Box

Connect amp outputs of up to 3,000-watts. It also converts any unbalanced signal to a balanced signal. Filter switch reduces annoying hiss and buzz



# COUNTRYMAN ASSOCIATES, INC. TYPE 85

FET Direct Box

High quality discrete components in a single ended class A circuit results in smooth, pristine audio fidelity with low noise floor. Ground lift switch and voltage gain selector. (CODB) ..... 153.00



# Radial ProAV2

Passive A/V Stereo Direct Box

Full two-channel stereo functionality. Includes 1/4" and RCA connectors. Transformer isolation eliminates ground loops that cause audio hum and buzz and video hum bars or snow.



#RAPROAV2......Call or Log-on

# whirlwind podDI

Personal Audio Interface

- · Stereo to mono direct box
- Single input passive DI · Ground lift switch
- 1/8" stereo mini TRS input
- WHPODDI.....





A R T dPDB

Dual Channel Passive Direct Injection Box

Connect instruments (or other sources) to balanced inputs. Also allows connection of a music source to an instrument amp while simultaneously patching it to a mixer. Switchable input attenuation, parallel link jack, and switchable ground lift. #ARDPDB......Call or Log-on





# **DI20 ULTRA-DI** Active

behringer 2-Channel DI Box/Splitter

Ideal for guitar and bass players, multiple modes allow for flexible usage. Can also be balance unbalanced sources. Three levels of switchable input attenuation allows input levels of up to +48dBu. #BEDI20 ...... 21.99



## **DI800 ULTRA-DI**

8-Channel Direct Injection Box



Use in the studio or live. Each channel features an attenuator switch, pad and ground lift switches and the ability to take the speaker output of an amplifier. A front panel LINK connector can function as an additional input, or direct output. (BEDI800)..108.99



# PDC21 • PDC22

**PRO** Single & Dual Channel Direct Boxes

1/4" phone line input, XLR and 1/4" outputs, parallel connection, and attenuation switch.

#PYPDC21 (Single-channel)......7.43 #PYPDC22 (Dual-channel) ...... 14.60



# Radial ProDI • ProD2

Passive Direct Boxes

Custom-made transformer handles high levels without saturation. Exceptionally linear 20Hz-18kHz frequency response, 15dB pad and ground lift switch.

#RAPRODI (Single-channel) .......99.99 #RAPROD2 (Dual-channel)Call or Log-on



# whirlwind Director

Converts unbalanced line, instrument or speaker level signal to low impedance balanced mic level. Features 1/4" parallel wired in/out jacks, 30dB pad switch, switchable high cut filter and a ground lift switch.



59 95

# whirlwind EDB1

Single Channel Direct Box

- 1/4" parallel wired in/out jacks
- · Three position pad switch
- Ground Lift switch

#WHEDB1......Call or Log-on

IMP 2: Direct Box for PA or Studio (WHIMP2).................. 39.95



Passive Direct Box

Connect instrument, line or speaker level signals to a mixer or other balanced input through a high performance audio isolation transformer.

Features a switchable low pass filter, ground lift switch, phase invert switch, Input attenuator and input link for additional routing. 



### **DI400P ULTRA-DI**

behanger Passive Direct Injection Box

Connect instruments to mixers without losing tone. Convert unbalanced signal to a balanced signal. Thru/Out jack can send the unbalanced signal to an onstage amplifier while the balanced signal is routed to a mixer. (#BEDI400P)......26.99





## GI100 ULTRA-G DI Box with Speaker Simulation for Guitars

Connect electric guitars to recording and live sound reinforcement consoles. Also emulates a 4 x 12" speaker cabinet so there is no need to mike an actual speaker.

#BEGI100......Call or Log-on



# Radial ProAV1

Passive Multi-Media Direct Box

Connections include 1/4" for instruments. RCA and 1/8" connectors and a +4dB XLR input. The front panel connectors can also be used as thru-puts to allow multiple patch points. (RAPROAV1).....



.....119.99

# ROLLS DB14 Director

Stereo Direct Box/Signal Separator

For applications where a stereo source signal can be separated, and then individual volume controls can be used for the level of each track. Use in situations like rehearsing a choir to the background music track. Stereo RCA inputs, RCA and XLR outputs. (RODB14B).... 47.25



# whirlwind Direct2

Two-Channel Passive Direct Box Each channel features a ground lift switch and a 20dB pad. Input and output grounds are isolated from each other, allowing use as if it were two separate DIs without worrying about ground loop interaction.



ART Xdirect Direct Box (ARXD)Call	or Log-on
Pro Co Sound CB-1 Direct Box (PRCB1)	53.95
Pro Co Sound DB-1 Direct Box (PRDB1)	79.95
Radial Engineering J48 Active Direct Box (RAJ48)	199.99
Radial Engineering JPC Direct Box (RAJPC)	199.99
Rolls DB24 - Stereo Direct Interface (RODB24)	64.95
SM Pro Audio Q-DI-Direct Box and Line Mixer (SMPQDI	1) 99.99



# ART

### **MacroMIX**

Four-Channel Personal Mixer

- · Active preamp and mixing circuitry
- Stereo RCA and 1/4" inputs with RCA output
- · Headphone jack for mix

#ARM4C.....



...... Call or Log-on

# A R T MyMonitor

Personal Headphone Monitor Mixer

- Set mic levels without effecting the level on output.
- · Although mic (XLR) and line level signal (1/4") are fed into the mixer, only the mic signal is sent via Mic Thru output.
- · Dual headphone outputs.



#ARPMM .....

70 00



### **DOD AC240**

Resistance Mixer

- · Passive, four-to-one resistance mixer with four 1/4" unbalanced inputs and one 1/4" unbalanced output. Each input has its own level control.
- . Housed in a cast alloy chassis and car be reversed for four outputs from one input.

# MX28 MiniMix VI

3-Channel Miniature Stereo Line Mixer

- Each channels has individual L/R 1/4" input and individual right and left 1/4" jacks.
- Each channel has a level and pan (balance) control.
- . Master Level controls and two headphone outputs.

#ROMX28 .....



# MX44s MiniMix IV

Four-Channel Stereo Mini Audio Mixer

- Mix up to four stereo line-level signals to a single stereo output.
- · Powered by 9v battery, it has four 1/4" and four 1/8" TRS inputs jacks.



#ROMX44S .....

# ROLLS MX124

Portable 4 Channel Stereo Mixer

- · Individual phantom power
- Balanced XLR connectors
- Individual level control
- · Low cut filter
- · Headphones or alternate stereo outputs.
- Runs on two 9v batteries #ROMX124......144.64



PowerMIX III

Four-Channel Personal Mixer

- Three sets of L/R unbalanced 1/4" inputs and a headphone output with level control.
- Individual level and pan control
- Mix mono or stereo signals down to stereo or identical L/R mono signals.



### MicroMix MX400

Four-Channel Low-Noise Mixer

- Four 1/4" line inputs and a single 1/4" phone output.
- · Features quiet level controls on each input.
- · Suitable keyboard mixer, or use to mix signal from CD and MP3 players.

#RFMX400



33.99

# MX310 MorMic

3-Channel Mic Mixer/Combiner

- 3 XLR Mic Inputs, one output
- Individual Level Controls
- Phantom Power
- 3.5mm I/O Low cut filters
- Includes bottom mounts and power supply

#ROMX310.....



# ROUS MX41b

Stereo Four-Channel Passive Mixer

- Four 1/4" TRS line level inputs and one output. Can also be used as a 1-in/4-out stereo splitter box when all controls are set to maximum
- · Requires no batteries or external nower



#ROMX41R

# **NOULS** MX51 MiniMix II

Four-Channel Stereo Mini Audio Mixer

- Two 1/4" inputs and six RCA inputs mixed to MONO.
- · Individual volume controls for each channel and a separate headphone/line output.



#ROMX51

# NOUS PM351

Personal Monitor Station

- XLR mic, 1/4" phone line and instrument inputs
- · Selectable stereo or mono line in
- Independent level control over mic, line and instrument signals.
- Mic Thru and line level output

#ROPM351 ......**74.25** 



Three-Channel Mic Mono Mixer

- Three low-impedance XLR mic inputs and one XLR and one 1/4" phones aux output.
- Each channel has phantom power, low-frequency cut switches

and level control

#ARPM3



∧ZDEN CAM-3

3-Channel Mic Mixer

- Add and mix sound from three wireless or hard wired mic sources simultaneously.
- 31/4 x 1/4 x 21/8", it weighs 3 ounces, uses no batteries, and attaches to a camcorder or the hand strap.





- 2-Channel Audio Line Mixer • 1/8" and RCA line-level signals
- . Mix a microphone and a CD player into a single input.
- Individual controls for each channel
- Two separate outputs, one stereo mini-plug the other stereo RCA. #ROMX22S .....



# ROLLS MX42

4-Channel Passive Mini Stereo Mixer

- . Mix four RCA-connected devices to a common output, with individual level control for each.
- · All signals are mixed via stereo 100K ohm potentiometers to ste-
- reo RCA output connectors. . Can be used as a 1-in/4-out box #ROMX42 .....



# MX56c MiniMix A/V

Four-Channel Stereo Mini Audio Mixer

- Stereo 1/8", mono 1/4", stereo RCA line input and XLR (phantom powered) mic input.
- · Each input channel has its own level control
- 1/4" phone, stereo RCA and 1/8"

stereo headphone outputs. #ROMX56C



# **SAMSON** S-Mix

Miniature 5-Channel Audio Mixer

- XLR mic and 4-line inputs comprised of two 1/4" phone and stereo RCA phono connections.
- · Each input channel has a rotary volume control
  - Outputs include stereo RCA phono connectors and 1/4" TRS phone headphone output.





Analog Recording Mixers www.BandH.com

## ALLEN&HEATH ZED12FX

12-Channel USB Mixer with Effects


 6-mono inputs with mic preamps and 3-band EQ and three -stereo channels with 2-band EQ. Pair of balanced XLRs on output section.




- · Delay and reverb effects.
- Inserts on all mono channels and stereo output

# ALESIS MultiMix 4 USB

4-Channel USB Mixer





- · Low-latency, 16-bit/44.1kHz multi-channel audio recording.
- . Channels 1/2 offer high and low-shelving EQ, and switchable high-pass filtering at 75Hz to eliminate handling and wind noise.

# ALESIS MultiMix 8 USB 2.0

Integrated USB 2.0 Audio Interface and Mixer

- 4 XLR mic preamps (up to 50dB gain)
- . 4 mono inputs; 2 stereo paired inputs,
- 24-bit multi-channel recording at 44.1 to 96kHz
- 100 effects algorithms, including reverbs, flangers, phaser.
- · 3-band EQ and post-fader aux send/effects send every channel.
- Includes Steinberg Cubase LE software.

ALESIS iMultiMix 9R

All-in-one solution for video and audio playback

ing station for full A/V playback capability.

9-Channel Mic/Line Mixer with iPod Dock

ALMM8USB2.....Call or Log-on

### More Allen&Heath Mixers

ZED22FX: 22-Channel Mixer with USB (ALZED22FX).......799.00 ZED420: 20-Input, 4-Buss Mixer with USB (ALZED420)....1599.00 ZED428: 28-Input, 4-Buss Mixer with USB (ALZED428)....1799.00

ZED436: 36-Input, 4-Buss Mixer with USB (ALZED436)....2199.00 ZED-R16: 16-Channel Recording Console (ALZEDR16).....2499.00 XB-14 Radio Broadcast USB Mixer: Specifically designed for broadcasting, features dedicated Telco inputs for incoming telephone callers, flexible USB computer connectivity, and a host of other broadcasting friendly capabilities (ALZEDXB14).......1199.00

# ALESIS MultiMix 8 USB FX

8-Channel Mixer with FX and USB Interface

- Mic, 1/4" line and guitar level inputs
- · XLR inputs have gain trim, high-pass filters, and 48v phantom power
- 3-band EQ with sweepable parametric mids on CH-1/2, 3-band on CH-3/4 Built-in DSP effects processor with
- footswitch bypass control

#ALMM8USBFX ..... Call or Log-on



MultiMix 8 Line 8-Ch, Stereo Line Mixer (ALMML8)Call or Log-on

powered XLR mic preamps, two stereo channels, and iPod dock-

### **XENYX 502 • XENYX 802**

5- and 8-Channel Audio Mixers

XLR mic with +48v phantom power, line channel with 2-band EQ, and two stereo line level channels. RCA line input and separate volume controls for the main and headphone outputs. XENYX 802 has 6 line inputs on 1/4" connectors and two XLR mic inputs.

XENYX 502 (BEX502).....39.99 XENYX 802 (BEX802).....49.99 



### XENYX 1002 • XENYX 1002FX • XENYX 1202 • XENYX 1202FX

9- channels

with 1/4" TRS

connectors,

5 phantom-

10- and 12-Channel Audio Mixers

The XENYX 1002 has 2 XLR mic inputs with user switchable +48v phantom power and 10 line level inputs. Inputs 3/4, 5/6, 7/8 and 9/10 are stereo paired. An additional stereo I/O is provided for connecting tape and CD devices. Otherwise the same, the 12-channel XENYX 1202 has 12 line inputs and 4 XLR mic inputs. Otherwise the same as the XENYX 1002 and 1202 (respectively), the XENYX 1002FX and 1202FX incorporate a 24-bit effects processor with 100 user selectable "real-world" presets that include, reverb, chorus and delay effects.

**1002** (BEX1002) ..... 

75.99 **1202** (BEX1202) .... . Call or Log-on



### **XENYX 1204USB • X1204USB**

behringer 12-Channel 2/2 Bus USB Mixers

- · 4 phantom-powered mic preamps
- · 4 compressors with "one-knob" functionality and control LED
- "British" 3-band EQs 2 aux sends per channel
- · Clip LEDs and mute/alt 3-4 function on all channels
- · 2 subgroups with separate outputs for added routing flexibility · Control room and headphone outputs with multi-input source
- matrix
- . Long-wearing 60mm faders and sealed rotary controls
- Includes audio recording, editing, and podcasting software plus 150 instrument and effect plug-ins and ultra-low latency driver
- . Otherwise the same, the X1204USB features an effects processor with 16 editable presets including reverb, chorus, flanger, delay, pitch shifter. multi-effects, tap function and storable user parameter settings.

#BE1204USB (1204USB)..... 



## **XENYX X1222USB**

Steps up from the 1204USB with six mono mic inputs. It also features channel inserts, stereo 7-band graphic EQ, and proprietary FBQ Feedback Detection System. Has full-sized faders (for MON and FX SENDs), XPQ 3D stereo surround effect (creates a broader, enhanced stereo image), and a Voice Canceller function.

#BEX1222USB..... . Call or Log-on



# behringer X1622USB • X1832USB

Premium 16- and 18-input 2/2-Bus Mixers

4 or 6 phantom-powered XENYX mic preamps. 4 or 6 compressors with easy "one-knob" functionality and control LED and "British" 3-band EQ. Effects processor with 16 presets, long-wearing 60mm faders and sealed rotary controls, and built-in USB audio interface.

#BEX1622USB (with energyXT2.5 Audio Software).... Call or Log-on #BEX1832USB (with energyXT2.5 Audio Software) .... Call or Log-on



## XENYX 2222USB • XENYX 2442USB

behringer 22-Input 2/2-Bus and 24-input 4/2-Bus Mixers

- Ultra low-noise, high headroom analog mixers with 8 or 10 (respectively) mic preamps and neo-classic "British" 3-band EQs with semi-parametric mid band.
- 24-bit stereo FX processor with 100 presets

. 8 compressors with easy "one-knob" functionality and control LED

- Channel inserts on each mono channel. Peak LEDs, mute, main mix and subgroup routing switches, solo and PFL functions on all channels. Multi-functional stereo aux returns with flexible routing.
- . Control room/phones outputs with multi-input source matrix; Tape inputs assignable to main mix or control room/phones outputs
- . Long-wearing 60mm logarithmic-taper faders and sealed rotary controls. They offer USB audio interface an come with energyXT2.5 music production software, and have a built-in drum machine. They also include rack mount brackets.

#BEX2222USB......Call or Log-on



**PRO AUDIO** 



### **MX882 ULTRALINK PRO**

8-Channel Splitter/Mixer



- Flexible enough for use in homes, theaters, conference rooms, houses of worship, PA, live sound reinforcement, and recording.
- Servo balanced inputs and outputs allow use as a DI-Box
- · Can be used as multi-channel line matching transformer
- 8-segment metering of input gain on each channel. 4-segment metering on Main In and Main Output Channels.

#BEMX882......Call or Log-on

 19" rack mountable audio mixer

12-Channel Mic/Line Mixer with FX

**RX-1202FX** 

mono and two stereo channels.

- · All channels feature a 2-band EQ with gain and level control.
- On-board effects processor

with eight

Stereo balanced XLR and 1/4" phone outputs

#BERX1202FX ...... Call or Log-on

### MACKIE. 402-VLZ3

4-Channel Mixer

- · Four channels with 2 mono line inputs, a stereo line input and two XDR2 mic preamps.
- Mono line inputs are switchable between instrument and line signal, making it guitar friendly.
- 2-band EQ on the mono channels
- . Comes with Tracktion 3 Software #MA402VLZ3.....

Call or Log-on

### MACKIE. 802-VLZ3

8-Channel Mixer

- Two mono line inputs, three stereo line inputs and three XDR2 mic preamps.
- · Mono line inputs are switchable between instrument and line. making it guitar friendly.
- All channels feature 3-band EQ
- . Balanced XLR Main output. ALT 3/4 bus assignment and stereo AUX send and return routing.

#MA802VLZ3......Call or Log-on

# MACKIE. 1202-VLZ3 • 1402-VLZ3 • 1604-VLZ3 • 1642-VLZ3

12-, 14- and 16-Channel Mixers

- The 1202 and 1402-VLZ3 have 12 or 14 balanced line inputs, four or 6 XDR2 mic preamps, four insert points. The 16-channel mixers offer 16 line inputs switchable
- Super guiet XDR2 (Extended Dynamic Range) mic preamps deliver studio-grade sound—over a 130dB dynamic range—
- All except the 1202-VLZ3 have 60mm tapered faders
- Aux sends, level, pan and PFL solo on each channel
- 3-Band Active EQ (80Hz, 2.5kHz, 12kHz)
- Control Room/Phones source matrix
- · Rack-mountable design using optional rack ears



• Includes Tracktion 3 Music Production Software for Mac or PC

#MA1202VLZ3	269.99	#MA1604VLZ3	Log-or
#MA1402VLZ3	399.99	#MA1642VLZ3	Log-or

### MACKIE.

## Onvx 820i • 1220i

8- and 12-Channel FireWire Mixers

Tap into the power of computer recording with their deep DAW integration. Fully compatible with Pro Tools M-Powered 8 software making them full-featured audio tools that can adapt to any situation. Ideal for use with Final Cut Pro. Dedicated talkback section with mic.



Onvx 820i (MAO8201) ...... 449.99 Onyx 1220i (MAO1220I).....

**MACKIE.** Onyx 1620i • 1640i 16-Channel FireWire Recording Mixers

8 or 16 mic inputs with 4-band dual sweep Perkins EQ and Onyx mic preamp. 4 or 6 aux sends for monitor mixes on stage, headphone cue mixes in the studio, and for effect sends. The Onyx 1640i also has a 4-bus architecture for flexible sub-grouping of channels.

# ROLLS RM82

8-Channel Mic and Line Mixer



- 8 XLR mic inputs and eight 1/4" phone line input
- · Line inputs can function as channel inserts or direct outputs
- Front panel features level tone, trim and master level controls
- . Inserts allow loop routing to external processing gear,
- . Microphone or line level output
- Pre-fade RCA phono input and output connections can be used as alternate I/O or for cascading multiple RM82 mixers.

# TASCAM, LM-8ST

Rackmount Line Mixer



- 8 pairs of balanced 1/4" TRS inputs witchable from +4 or -10dB
- · Pair of balanced XLR outputs (the second of which has pre or post-fader bussing)
- · Mic input on the front panel with independent level control
- Standard 1/4" and 3.5mm headphone iacks
- · Each channel has 2 level control knobs and is switchable to the pre-fader or post-fader output

#TAI M8ST 259.99

# PreSonus StudioLive 16.4.2

Recording & Live Sound Digital Mixer

Versatile 16-channel digital mixing console with integrated 22 x 18 FireWire audio interface. Capable of handling 22 simultaneous inputs, its compatible with Logic, Sonar, and any ASIO and Core Audio DAW software. 16 XLR inputs with XMAX mic preamps, inserts, and direct outputs, and every channel has a dedicated Fat Channel dynamics and EQ section, Bundled with Studio One Artist DAW software, 20 PreSonus Native Effects plug-ins and virtual instruments and third-party loops, software and instrument sounds. (PRSL1642)...



..... Call or Log-on

Mackie DL1608 Digital Live Sound Mixer (MADL1608)....... 999.99 PreSonus StudioLive 16.0.2 (PRSL1602) ...... Log-on Tascam DM-3200 32-Channel Digital Mixer (TADM3200).. Log-on

**Mixer Cases & Covers** 

Tascam DM-4800 Digital Mixing Console (TADM4800)..... Log-on Yamaha 01V96i Multitrack Digital Mixer (YA01V96I)......... 2399.00

# YAMAHA MG102 10-Channel Mixer

- All line inputs feature balanced 1/4" TRS phone line and XLR mic connections.
- 1-knob compression-adjust for compressing incoming vocals, instruments and other signal.
- . Inserts connections on the mono channels. #YAMG102C.....

MG166C-USB 16-Ch. Rackmount Mixer (YAMG166CUSB).....399.99



G-MIX-B 1013 Padded Bag (GAGMIXB1815) Gall of Log-of
G-MIX-B 1818 Padded Bag (GAGMIXB1818) Call or Log-or
G-MIX-B 2020 Padded Bag (GAGMIXB2020) Call or Log-or
G-MIX-20x25 ATA Mixer Case (GAGMIX20X25) Call or Log-oi
G-MIX-B 0909 Padded Nylon Mixer Bag (GAGMIXB0909) Log-oi
G-MIX-B 2118 Padded Nylon Mixer Bag (GAGMIXB2118) Log-oi
G-MIX-L-16X22 Lightweight Mixer Case (GAGMIXL1622) Log-oi

C MIV D 101E Daddad Dag (040MWD101E)

**Gator Cases** 

G-MIX-B 1212 Padded Bag (GAGMIXB1212) ....... Call or Log-on

G-MIX-B 1515 Padded Bag (GAGMIXB1515) ....... Call or Log-on

Mackie			
1202 VLZ D Padded Mixer Bag (MAB1202VLZ)	.39.99		
1402 VLZ D Padded Mixer Bag (MAB1402VLZ)	44.99		
1604 VLZ D Mixer Bag (MAB1604VLZP)			
1604 VLZ Pro Nylon Dust Cover (MADC1604VLZ)22.99			
Mixer Bag for DL1608 (MADL1608BAG)	79.99		
Mixer Cover for DL1608 (MADL1608CVR)	.22.99		
Mixer Bag for ProFX 8 (MAPROFX8BAG)	34.99		
Mixer Bag for ProFX 12 (MAPROFX12BAG).	.39.99		
Miyor Rag for ProEV 12			

# ALESIS RA150 150-Watt Stereo Power Amplifier

Constructed on heavy gauge steel chassis. the RA150 uses convection cooling with massive extruded aluminum heat-sinks for reliable operation. Features electronically-



balanced 1/4" balanced TRS and balanced RCA inputs, detented front panel input level controls and overload/protect indicators. Outputs are heavy-duty dual binding posts. Active circuitry continuously monitors the output stage for short circuits and thermal overload. Protection circuitry will disconnect the loudspeaker load. Runs on 120/230v AC.



### **SLA-1 • SLA-2**

100w- and 200w 2-Channel Power Amplifiers

Two-channel power amps with XIR and 1/4" inputs along with five-way binding



post outputs. They can operate in stereo or bridged mode, have a ground-lift switch and offer full protection against short circuits, overloads, and overheating. SmartFan system offers silent fan-assisted convection cooling to keep them running reliably.

SLA-1: 100w (ARSLA1).....Call or Log-on SLA-4: 4x 140w Power Amplifier (ARSLA4) .....




### EP2000 • EP4000

**Europower Amplifiers** 

"Built-like-a-tank" all-steel 2RU

chassis' the EP2000 and EP4000 feature high-current toroidal transformers and Toshiba/Fairchild power



#BEEP4000......Call or Log-on #BEEP2000...... Call or Log-on



600W Power Amplifier

behanger Inexpensive professional reference

power amp, the A500 features ultra-reliable Toshiba / Fairchild power transistors, bar graph level metering

with precise level meter and clip indicators, thermal overload protection,

230w of power output per side at 4 ohms, and fan-free convection cooling for minimal operating noise. Input connections on balanced XLR, 1/4" TRS and RCA connectors. Speaker outputs on professional "touch-proof" binding posts and 1/4" TS connectors.



# XLS Series DriveCore Stereo Power Amplifiers

DriveCore technology drives internal Class-D electronics to consistently provide great audio, regardless of power issues. Peakx limiter technology



achieves high SPL levels with minimal distortion. They feature XLR, 1/4", and RCA inputs, along with Speakon and binding post outputs. They can operate in stereo or bridged-mono mode. Individual level controls let you adjust each channel separately.

XLS 1000 215W/Channel (CRXLS1000......299.00 XLS 2000 375W/Channel (CRXLS2000).... 499.00 XLS 5000 1100W/Ch. (CRXLS5000D) ...... Log-on XLS 1500 300W/Channel (CRXLS1500) 399.00 XLS 2500 440W/Channel (CRXLS2500).. 599.00 XTi 4000 650W/Channel (CRXTI4000)....Log-on

# **○ PYLE** PTA1000 • PTA1400 • PTA3000

1000-, 1400- and 3000-Watt Power Amplifiers

Ideal for installations, they feature 1/4" and XLR inputs, Speakon and binding post outputs and can operate in stereo or bridged modes. They offer individual level control knobs and LEDs for power, signal, clipping, protection, and volume level. Also internal dual-speed



cooling fans, protection circuitry, ground-lift switch, and offer selectable voltage for worldwide use.

PTA1000 250W/Channel (PYPTA1000)......90.40 PTA1400 350W/Channel (PYPTA1400)....116.95 

# **MARATHON** DJ-2000 • DJ4000

Stereo Power Amplifiers

They can operate in stereo, parallel mono, or bridged mono modes. Feature XLR and 1/4" inputs, and

Speakon and binding post outputs. Each channel features

an input gain control and LED indicators for signal, overload, and fault. 2-speed cooling fans for smooth, reliable operation. Ground-lift switch prevents hum caused by ground loops. A voltage selector switch lets you choose between 110-120v and 220-240v operation for use anywhere in the world.

**DJ-2000** 250W/Channel (MADJ2000) ..... **149.44 DJ-4000** 500W/Channel (MADJ4000) .... **182.99** 

# **Rack Furniture**

Middle-Atlantic 8 Space Desktop Rail Rack (MIDR8)	47.95
QuikLok RS-10 10U Tabletop Rack Stand (QURS10AM)	34.95
Raxxess ER-04 Space Economy Rack (Black Oak) (RAER4)	85.00
Raxxess ER-08 Space Economy Rack (Black Oak) (RAER08)	92.50
Raxxess ER-12 Space Economy Rack (Black Oak) (RAER12)	99.50
Raxxess ER-20 Space Economy Rack (Black Oak) (RAER20)	109.95
Samson Steel Studio Rack Stand (SASRK16)	219.99
Samson Steel Studio Rack Stand (SASRK12)	179.99
Tripp Lite SmartRack 6U Wall Mount Rack (TRSRW6U)	154.95



## GX3 • GX5 300-watt and 500-watt Power Amplifiers

Easy to install, they feature balanced XLR and 1/4" phone, and unbalanced RCA phono inputs. Outputs have speaker binding posts and Speakon connections. Detented gain controls provide precise level settings. QSC's GuardRail protection delivers full peak power while preventing overloads. Built-in 180Hz crossover splits low



and mid frequency signal between the left and right channel, ideal for driving sub-woofers.

# **STATE OF THE RMX850** 200-watt Power Amplifier

A high output rack-mountable (2RU) 2-channel power amplifier with stereo/parallel/bridged mono modes. Features 200w per channel driven into 8 Ohms, high-current toroidal transformer, fully



selectable low-frequency filtering with a choice of 30 or 50Hz roll-off, independent, user-defeatable clip limiters, and front panel LED indicators for signal and clip. Offers full short circuit, open circuit, thermal, ultrasonic and RF protection. Equipped with barrier strip, XLR, and 1/4" balanced inputs; speakon and binding post outputs.

399.99		#QSRMX8
50) <b>749.99</b>	ower Amplifier	RMX 245

### **Rack Drawers**

Gator Cases GE-DRAWER-2U 2U Rack Drawer (GAGRD2U)	. Call or Log-on
Gator Cases GE-DRAWER-2US 2U 10" Deep Rack Drawer (GAD210)	. Call or Log-on
Gator Cases GE-DRAWER-3U 3U Rack Drawer (GAGRD3U)	. Call or Log-on
Gator Cases GE-DRAWER-4U 4U Rack Drawer (GAGRD4U)	. Call or Log-on
Middle-Atlantic 2-Space Rack Drawer (Black) (MIUD2)	99.95
Middle-Atlantic FI-2 2U Foam Drawer Insert (MIFI2)	27.50
Raxxess Sliding Rack Drawer, 2-Space (RASDR2)	94.95

### Rack Cables & Power Management

Gator Cases GE-CBLMNGWC-1U Cable Management Panel (GAGECM1UCMC)	12.00
Gator Cases GE-PDU-6-UL 6 Outlet Power Strip (GAPDU6UL)	
Gator Cases GE-PDU-12-UL 12 Outlet Power Strip (GAPDU12UL)	119.99
Gator Cases GE-PDU-18-UL 18 Outlet Power Strip (GAPDU18UL)	Log-on
Middle-Atlantic CLAW14 14" Wallmount Cable Hanger (MICLAW14)	13.95
Middle-Atlantic PD-2015R-NS Multi-Mount Rackmount Power (MIPD2015NS)	59.95
Middle-Atlantic CLAW Wallmount Cable Hanger (MICLAW)	13.95
Middle-Atlantic TW12 8" Cable Management Straps (12-Pack) (MITW12)	11.95
Middle-Atlantic Rack Fan (MIQFAN)	54.95
Middle-Atlantic CAB-COOL Cabinet Cooler (MICABCOOL)	79.95

# **Power Conditioners**

### **Rack Hardware**

800-859-5252 | 212-444-5072

Mid-Atlantic	
8' Rackspace Ruler (MIRULER)	14.49
Philips Truss-Head Screws & Washers 500 pc. (MIHP500)	81.95
Philips Truss-Head Screws & Washers 100 pc. (MIHP)	25.95
Star Post Screws & Washers 50 pc. (MIHTX)	13.50
CN1032-50 Cage Nuts (MICN103250)	34.50
Philips Truss-Head Screws & Washers 25 pc. (MIHPS)	4.95

### Raxxess

Philips Truss-Head Screws	& Washers 25 pc.	(RAPTSW25) <b>3.95</b>
Philips Truss-Head Screws	& Washers 50 pc.	(RAPTSW50) <b>7.50</b>
Philips Truss-Head Screws	& Washers 100 po	c.(BAPTSW100)12.50

### **Rack Lights & Accessories**

Allen & Heath 18" LED Lamp (ALLEDLAMPX)	109.00
Hosa LED Gooseneck Console Lamp-BNC (HOLTE503BNC)	19.49
Hosa LED Gooseneck Console Lamp-XLR (HOLTE503XLR)	21.99
Littlite O-Rings for High and Low Series Hoods (LIOKIT)	3.15
Littlite 1815 - 2.4 Watt Low Intensity Bulb (LI1815)	3.25
Littlite 1815 Incandescent Bulb (2-Pack) (LI18152)	5.75
Littlite Q5 - Tungsten Halogen Bulb (2-Pack) (LIQ52)	12.95
Littlite L-1 L-Series Lampset (12") (LIL12LED)	82.47
Littlite Q5 - Tungsten Halogen Bulb (LIQ5)	6.95
Mid-Atlantic LT-GN Gooseneck Light with USB (MILTGN)	14.50
Numark Pro Gooseneck Light (NUPDL)	14.99
Technical Pro RL-PBB Rack Mount Light (TERLPB8)	61.00
Technical Pro PL-PBB Rack Mount Light (TEPLPB8)	85.00

### **Rack Panels & Covers**

Gator Cases 1 Flat Panel (GAPNLSTFLT1)Log-on
Gator Cases 1U Vented Panel (GAPNLVNT1U)9.99
Gator Cases 1U Perforated Panel (GAPNLVNSTD1U)10.99
Middle-Atlantic PHBL-1 1U Flat Blank Panel (MIPHBL1)9.50
Middle-Atlantic Universal Connector Panel UNI-1-C (MIUNI1C)29.95
Middle-Atlantic PBL-2 2U Flanged Blank Panel (MIPBL2)8.95
Middle-Atlantic EVT1 1U Vent Panel (MIEVT1)12.95
Middle-Atlantic PBL-1 1U Flanged Blank Panel (MIPBL1)6.95
Middle-Atlantic VT1 1SP Vent Panel (MIVT1)9.95
Middle Atlantic 3-Space (5.25") Panel (MIRMLCDPNLK) 99.95
Middle Atlantic 3-Space (5.25") Panel (MIRMLCDPNLV) 49.95
Middle Atlantic 1-Space Security Cover (MIS1) 23.50
Raxxess Steel Flat Panel, Model SFT2 (RASFT2)
Raxxess Steel Flat Panel (RASFT1)5.95
Raxxess RKRL 14 Space Rack Rail (1-Pair) (RAKRL14SP)18.95
Raxxess Steel Rack Rail RKRL-3, 3 Spaces (Pair) (RAKRL3SP)5.95
Raxxess RKRL 10 Space Rack Rail (1-Pair) (RAKRL10SP)18.95

### **Rack Shelves**

Gator	Cases
uutui	ouses

GE-SHLF-UNIV-1U Shelf (GAGESUNIV1U)	29.99
2U Vented Rack Shelf - (GAGESEVH152U)	Log-on
1-space 10" Deep Utility Shelf (GAGES101U)	29.99
1U Vented Sliding Rack Shelf (GAGESSLD1U)	Log-on
2-space 15" Deep Utility Shelf (GAGES152U)	44.99

Middle-Atlantic	
3-Sp. Rackshelf (MIU3)	49.95
Steel Rack Shelf (MIU317)	59.50
Heavy Duty Sliding Shelf (MISS)	99.95
OCAP-3 3U Vented Clamping Rack Shelf (MIOCAP3)	26.77
OCAP-2 2U Vented Clamping Rack Shelf (MIOCAP2)	24.95
Rackshelf (half-rack component) (MIUTR1)	28.95
VSA-1626 Adjustable Telescoping Rack Shelf (MIVSA1626)	89.50
U1 - Single Space Rack Shelf (MIU1)	29.92
U2 - 2SP Rack Shelf (MIU2)	39.95
RC3 3-Space Clamping Rackshelf (MIRC3Q)	59.50
QuikLok	
RS-673 1U Universal Rack Shelf (QURS673)	22.99
Clamp-On Utility Tray (Black) (QUMS329)	18.99
RS-660 1U Rack Shelf (QURS660)	19.99
RS-663 2U Rack Shelf (QURS663)	27.99

Utility Shelf, Model UTS1 - 1-Space (1 Shelf) (RAUTS1) ......26.99 Raxxess Utility Shelf, Model UTS2 - 2-Spaces (RAUTS2).......35.99



## **PB 4x4 • PB 4x4 PRO**

"4x4" Power Distribution Systems



Four of the outputs are 1.25" apart. This lets you plug in wide power cables and multiple wall wart devices, and still have 8 outlets to choose from. Built in surge and spike protection, RFI and EMI filtering, and circuit breaker reset switch. 1800w capacity.

#ARPB4X4	49.00
#ARPB4X4PRO (with APF™ Advanced Power Filtering)	85.00

# **APC** AP7900

Switched 8-Outlet Rack PDU



Horizontal PDU (power distribution unit) remotely controls power to individual outlets and monitors the aggregate power consumption. Features individual outlet control, power on and off delays, current monitoring, alarm thresholds, and network management. Individual outlet control to turn outlets on, turn outlets off, or recycle power to equipment. Power delays allow users to determine the order in which equipment is powered up or down. Provides an aggregate current draw, which can be viewed remotely or locally, via its digital LCD display. Generates alarms based on user-defined thresholds. Users can access, configure, and control the rack through Web, SNMP, or Telnet Interfaces. (APAP7900) ...... 392.95

### APC

G5BLK AV 15A G Type Rack Power Filter (APG5BLK).	Log-on
J15 Power Conditioner & Battery Backup (APJ15BLK)	522.99

### Middle Atlantic

PD-915R Rackmount Power Strip	9-Outlet (MIPD915R)	79.95
PD-915RV-RN Rackmount Power	(MIPD915RVRN)	109.99

### Nady

### Raxxess

### **Technical Pro**

PL-PBB Rack Mount Light with Power Supply (TEPLPB8)...... 85.00

### PS 4x4 PRO

"4x4" Power Distribution System



Step-up features from PB 4x4 PRO include an LED meter that displays incoming voltage and current metering, and two slide-out, swiveling light fixtures that provide illumination for all your gear. There is a separate "Rack Lights" switch for the lamps, plus a dimmer control knob that regulates the lamps' brightness. 

## **APC** AP7930

Switched 24-Outlet Rack PDU

Vertical mount power distribution strip that can be programmed to remotely control power to individual outlets, and also monitors the aggregate power consumption. Vertical design allows it to be mounted to the back of a data center rack where it doesn't take up any rack mount space. Individual outlet control, power on and off delays, current monitoring, alarm thresholds, and network management. Individual outlet control to turn outlets on/off, or recycle power. Provides an aggregate current draw, which can be viewed remotely or locally, via its digital LCD display. Alarms can be generated based on user-defined thresholds to alert users of potential circuit overloads. Users can access, configure, and control rack through Web, SNMP, or Telnet Interfaces. #APAP7930..... 629.95

### **Auralex Acoustic Treatment**

2" Sonomatt-24- 12 Pieces (AUSM24)	169.00 359.00 .15.99 179.00 .34.49 .20.75 .99.00 3.95 .40.00
GRAMMA Sound Isolation Riser (AUG)	

## **Audio Rack Cases**

### **Gator Cases**

GR6S Shallow Rack Case (GAGR6S)	Call or Log-on
GRR-4L Roller Rack Case (GAGRR4L)	Call or Log-on
GRR-6L Roller Rack Case (GAGRR6L)	199.99
GR3S Shallow Rack Case (GAGR3S)	114.99
GRB-4U Rack Bag (GAGRB4U)	89.99
GR2L Standard Rack Case (GAGR2L)	
GR4L Standard Rack Case (GAGR4L)	Call or Log-on
GRB-2U Rack Bag (GAGRB2U)	69.99
GR10L Standard Rack Case (GAGR10L)	
GR4S Shallow Rack Case (GAGR4S)	Call or Log-on
GRR-10L Roller Rack Case (GAGRR10L)	249.99
GR6L Standard Rack Case (GAGR6L)	Call or Log-on
GR2S Shallow Rack Case (GAGR2S)	Call or Log-on
GRB-3U Rack Bag (GAGRB3U)	79.99
GR8L Standard Rack Case (GAGR8L)	Call or Log-on
GRR-8L Roller Rack Case (GAGRR8L)	Call or Log-on
Pop-Up Console Rack Case (GAGRC12X10PU)	-



### SKB

Call or Log-on	SKB-R8 Rack Cases (SKR8)
Call or Log-on	SKB-XRACK2 2U X-Rack Case (SKXRACK2)
176.99	194U 4-Space Standard Rack Case (SK194U)
Call or Log-on	SKB-RLX6 6U Rack Case (SKRLX6)
Call or Log-on	SKB-XRACK3 3U X-Rack Case (SKXRACK3)
Call or Log-on	SKB-R4 Rack Cases (SKR4)
169.99	193U 3-Space Standard Rack Case (SK193U)
Call or Log-on	SKB-XRACK4 4U X-Rack Case (SKXRACK4)
Call or Log-on	SKB-R6 Rack Cases (SKR6)
249.99	1SKB-R8W 8U Roto Rolling Rack (SKR8W)
Call or Log-on	SKR-R904U20 4U Shock Case (SKR904U20)

www.BandH.com



# ADAM A3X • A5X • A7X

2-Way Active Studio Monitors

• 4.5" (A3X), 5.5" (A5X) or 7" (A7X) carbon fiber/rohacell/glass fiber midwoofer and an X-ART tweeter deliver crisp, natural audio with a wide frequency response. Each driver is powered by its own 25W, 50W or 150W amplifier. Dual bass ports extend the bass response. XLR and RCA inputs.



<b>A3X</b> (ADA3X)	ea. <b>329.00</b>	<b>A5X</b> (ADA5X)	. ea. <b>499.00</b>
A7X (ADA7X)			ea. <b>699.00</b>

# AKAI RPM3

3" Production Monitors

Deliver crisp, natural audio with a wide frequency response, 2x2 USB audio interface allows you to connect the speakers to your computer for simultaneous recording and monitoring. The rear panel



of the right speaker offers stereo RCA, 1/4", and 3.5mm inputs. 



symmetrical speaker placement. #ALM1M2 ..... sold as a pair Call or Log-on

ALESIS M1Active 520

ALESIS Monitor One MKII

2-Way Passive 6.5" Studio Reference Monitors

# ALESIS M1Active 320/520 USB

USB 2-Way 3" and 5" Stereo Nearfield Monitors

Plug into the USB port on a Mac or PC and go. 3" or 5" polypropylene woofers and 1" silk dome tweeter provide a wide frequency response. They also act as an interface. allowing audio devices to be played through them or directed to the computer and recorded. They support 16-bit/48kHz for crystal clear sound.



#ALM1A320..... sold as a pair Call or Log-on #ALM1A520U ...... sold as a pair Call or Log-on

# ALESIS M1Active MKII

2-Way Active 6.5" Studio Reference Monitors

Internal active crossover and dual amps ensure consistent performance. 6.5" carbon fiber woofer offers high tensile strength and low weight for guick transient response. The 1" pure silk dome tweeter offers a natural response. Bass driver amps deliver 75w and the high frequency amps provide 25w. Monitors can be mounted in either a horizontal or vertical placement.

#ALM1AM2 ...... sold as a pair Call or Log-on





# #ALM1A520 ...... sold as a pair Call or Log-on

75W of bi-amplification powers a 5"

woofer and 1" tweeter, housed in a

cabinet, replete with a cleverly mounted

minimal-resonance, bass-ported

combination power switch and clip

light. Features a set of frequency

and dual-voltage power supply.

control switches for fine-tuning, Gain

control knob, XLR and 1/4" connectors,



MS16 2-Way Multimedia Monitor

behringer Ultra Compact

Two-Way 5.5" Passive Monitors

Each speaker has a 5.5" woofer and a 0.5" tweeter that provides a frequency response of 60Hz -23kHz. Offers auto overload protection and standard speaker wire clip connectors. Includes wall/ceiling mounting brackets.



#BE1CWH ...... sold as a pair Call or Log-on



# B1030A • B1031A 2-Wav

behringer Active 5.25" and 8" Monitors

5.25" or 8" long-throw Kevlar woofer and 1" dome tweeter. Advanced waveguide technology provides a wide sweet spot for great results no matter where the speaker is. XLR, RCA, and 1/4" inputs. Adjust volume and tone, and even compensate for the speaker's position within a room.







### B2030A • B2031A

tone controls, and two line inputs which allow for simultaneous

monitoring of different sources. Speakers connections via RCA.

#BEMS16......**75.99** 

behringer Active 2-Way 6.75' and 8.75" Studio Monitors

The B2030A (6.75") and B2031A (8.75") have a linear frequency response meant to increase the area of the elusive "sweet spot". They offer extensive control of speaker response to room acoustics. The 1" tweeter and woofer are housed in a sturdy, vibration-



resistant cabinet powered by a 75 and 150w amp respectively.

#BEB2030A ..... sold as a pair Call or Log-on #BEB2031A.....sold as a pair Call or Log-on

MS20 • MS40 20- and 40-watt 24/192kHz Digital Monitors

Built-in 20 and 40w amps power powerful woofers and high-resolution tweeters to provide ultra-linear frequency response. Optical and coaxial inputs. Volume controls for line inputs plus Bass and Treble EQ controls.



#BEMS20......sold as a pair 142.99 #BEMS40.....sold as a pair Call or Log-on



## **B2030P • B2031P** 2-Way Passive 6.75" and 8.75" Monitors

Studio monitors with a 6.75" (B2030P) or 8.75" (B2031P) woofer and a 0.75" ferro-fluid cooled tweeter in a damped, MDF designed enclosure. Expanded monitoring "Sweet Spot" with Behringer's wave guide technology. Flat, linear frequency response from 75Hz to 21kHz makes for a neutral listening experience.

#BEB2030P......sold as a pair **217.00** #BEB2031P......sold as a pair **251.91** 



## **eXo2** Active 2.1 Desktop Speaker Monitoring System



Reference-quality audio in a compact package. 8" subwoofer houses the amp and offers XLR/TRS combo inputs, stereo RCA input and highquality binding post outputs. A set of isolation feet decouple the sub from the floor to prevent vibrations and reflections. Satellite speakers have a 3" woofer with a neodymium motor structure and a 1" fabric neodymium tweeter. They can be placed anywhere, or mounted on a wall or ceiling. Desktop HUB remote controls system gain and subwoofer level. It also has a 3.5mm input as well as a standard 3.5mm headphone jack for private listening.



Active 2-Way Studio Monitor

7" woofer and 1" high-resolution soft dome tweeter each powered by 50W RMS amplifier. A high-pass filter switch and level control are provided as well as a set of analog room filters to create best results

#DYBM6A ..... sold as a pair 1698.00 BM6A MkII (DYBM6AMK2) .....sold as a pair 1178.00



### Studio Monitors



**CMS Series** Active FOCAL 2-Way Studio Monitors

800-859-5252 | 212-444-5072

Reinforced and damped die-cast aluminum cabinet houses a Polyglass woofer and an aluminum/magnesium inverted dome tweeter. Volume, sensitivity, parametric EQ, high-pass filter, and shelving controls allow you to customize their acoustic response.



CMS 40 4" with 25W Amp (FOCMS40)e	a. <b>395.00</b>
CMS 50 5" with 130W Amp (FOCMS50)e	a. <b>595.00</b>
CMS 65 6.5" with 160W Amp (FOCMS65)e	a. <b>795.00</b>



Twin6 Be 6.5" Active 3-Way FOCAL Nearfield Studio Monitor

Two 6.5" "W" composite sandwich midwoofers, one handles bass while the other handles mid-bass frequencies to preserve signal dynamics without masking midrange. 1"



Beryllium inverted dome tweeter for crisp treble. Each driver is powered by its own amp (400W total). #FOTWIN6BE...... 1695.00

## F05tex 6301D 10W 4" Powered Digital Speaker Compact, it features a 4" driver powered by a 10W amplifier for powerful sound. It offers an analog 1/4" TS connector and digital AES/EBU in and thru jacks so you can connect to

#F06301D..... .229.00 6301B 10W 4" Powered Analog Speaker (F06301BE)......179.00

# FOSTEX PM0.4n

5" Active Nearfield Studio Monitor Speaker

Speaker uses a 4" woofer and 0.75" soft dome tweeter to provide a wide frequency response. Biamplified design sends 36W of total power to the drivers to deliver tight. punchy sound. Features RCA



and 1/4" inputs, as well as a rotary volume control, and an on/off switch. The monitor can also be easily wall mounted if desired. 

## GENELEC® 6010A

Active Nearfield Monitors

Need superior sound but space is at a premium? The 6010A delivers clear. realistic sounds with solid bass response and low distortion via 3" low frequency driver and 0.75" tweeter. Dual internal amplifiers each produce 12W and use an active crossover for exceptional response throughout the frequency spectrum.

In Mystic Black (GE6010AMM), or White (GE6010AWM) ...... 323.00 7260A Active DSP Subwoofer (GE7260APM).......Call or Log-on

## GENELEC® 8020B

4" Active 2-Way Nearfield Monitor Ultra-compact, 4" woofer and a 0.75" tweeter provide a wide 66Hz to 20kHz frequency response. Power is supplied by a pair of 20W amplifiers. A Directivity Control Waveguide is incorporated for a smooth response both on and off-axis. The included Iso-Pod keeps the monitor stable on a

virtually any system. Selector switch for left,

right, or left/right. Made from cast aluminum,

it comes with a multi-voltage power supply.

## table or desk, and helps to reduce audio reflections and vibrations. Volume and tone controls and threads

## GENELEC® 8030A

Active Nearfield Monitors

Small, 2-way speakers with twin 40w amps and shielded 5" and .75" LF and HF drivers. Directivity Control Waveguide (DCW) and rear panel reflex port design for accurate and balanced wave dispersion. Balanced XLR I/O for daisy-chaining units or connection to subwoofer. Tone control DIP switches for adjustment to the room's acoustic environment.



#GE8030A .....

## GENELEC® 8040A

Active Nearfield Monitors Small, 2-way speakers with twin 90w amplifiers and shielded 6.5" and .75" LF and HF drivers. Housed in a sturdy die-cast aluminum enclosure. DCW and rear panel reflex port design for accurate and balanced wave dispersion. Balanced XLR I/O for daisy-chaining or connection to subwoofer. Tone control DIP switches

for adjustment to the room's acoustic environment. 

# IBL Control 2P

5.25" 2-Way Powered Speaker (Pair)

High-quality audio in a compact design. Each speaker has a 5.25" woofer and a 0.75" dome tweeter. An internal amp provides 35W per channel. Offers XLR, 1/4", and RCA inputs. Side-mounted control lets you adjust the volume of both speakers simultaneously. A stereo headphone jack is provided for private monitoring.



#JBC2PS.....

# JBL LSR2325P

90W 5" Active 2-Way Studio Monitor

5" long excursion woofer and 1" soft dome tweeter provide clear, wide frequency response with superb detail. XLR, TRS, and RCA input jacks. Volume control knob, and LF and HF trim switches to customize response. Has 4 standard M6 threaded mounting points. Neoprene rubber pad on the bottom minimizes audio reflections.



# JBL LSR2328P

165W 8" Active 2-Way Studio Monitor

Class A-B monolithic power amplifiers deliver 165W to the 8" long excursion woofer and 1" soft dome tweeter. XLR, TRS, and RCA inputs. Vlume control knob, along with LF/ HF trim switches. let you customize speaker response. Neoprene rubber pad on the bottom help minimize audio reflections.



LSR2310SP 10" 180w Powered Sub (JBLSR2310SP)....... 399.00

# KRK¶ B6

6" Two-Way Passive Nearfield Monitor

6" glass aramid composite cone woofer maximizes performance while minimizing distortion. 1" neodymium soft dome tweeter provides a more natural sound than metal-domed tweeters. Recessed high frequency waveguide focuses the sound away from the cabinet and provides optimal pattern control. #KRR6 ..



# KRKI VXT4 • VXT6 • VXT8

4-. 6- and 8" Active Monitors Low-resonance cabinet houses a rigid woven Kevlar woofer and a 1" silk dome tweeter. Sleek, curved design creates terrific imaging qualities and offers a wide sweet spot. XLR/TRS combo input. High and low frequency, level control, auto mute. clip indicator/limiter switches.



299.00
449.00
599.00

# KRK RoKit 5/6/8 G2

5-, 6- and 8" Two-Way Active Monitors

5-, 6- and 8" (respectively) glass aramid composite cone woofers maximize performance while minimizing distortion. 1" neodymium soft dome tweeters provide a natural sound. Bi-amp design provides 45, 68 and 90-watts of power to the speaker elements.



RoKit 5 (KRRP5G2)	.149.50	
RoKit 6 (KRRP6G2)	199.50	)
RoKit 8 (KRRP8G2)	249.50	)

# KRKI KRK10s

10" 225W Powered Subwoofer

Add powerful, punchy low range frequencies to your nearfield monitor setup. The compact KRK10s has curved edges and vellow glass-aramid composite woofer with a front firing port for accurate bass frequency reproduction.



#KRK10S.....**399.00** 

Studio Monitors

www.BandH.com

# iKEY-AUDIO M505 V2

5" 2-Way Active Nearfield Monitor

M-AUDIO SBX10

240W 10" Active Subwoofer

Red woven glass composite woofe and a 1" soft dome tweeter powered by 75w amplifiers. XLR, TRS, and RCA inputs.

Volume and HF adjustment knobs to match your acoustic space. Voltage selector switch for international use.

Ideal for the BX series, the SBX10

delivers a response all the way down to

20Hz. Continuously variable crossover

can be set from 50 to 200Hz, allowing

use with any full-range speaker. Has a

180° phase switch, and a bypass foot-

Steel-frame woofer and a waveguide-loaded

1" tweeter provide full frequency response.

Class A/B amplifiers provide a total of 85W

A precisely-molded minimum-diffraction

wide dispersion pattern. This provides a

wide sweet spot for accurate mixing.

baffle allows sound to travel smoothly in a

MR5 mk2: 5.25" woofer/85W (MAMR5MK2).....

MR8 mk2: 8" woofer/150W (MAMR8MK2).....249.99

or 150W of power

control, and voltage selector switch for worldwide use.

#MASBX10......Call or Log-on

MACKIE. MR5 mk2 • MR8 mk2

5.25- and 8" Active Two-Way Monitors

customization. Rear-panel volume

switch connector for further



#IKM505V2......95.00

# M-AUDIO Studiophile AV 30

Wooden cabinets feature a 3" composite woofer and a 0.75" silk dome tweeter each powered by 10w amp. The rear panel features a stereo RCA input and the front panel a 3.5mm aux input. Optlmage III wave guides



# MACKIE. HR624 MK2 • HR824 MK2

6.7- and 8.75" Active Two-Way Monitors

THX pm3-certified with low-distortion woofer and 1" titanium dome tweeter. Amps provide 140W or 250W of power. OmniMount ready for easy mounting on a wall or ceiling. XLR, TRS, RCA inputs and controls for LF and HF filters, along with acoustic space matching.



Genuine wood cabinets house a

4" woofer and 2" tweeter in a

bass-reflex enclosure. Analog

and digital inputs with support

for 24-bit/192kHz S/PDIF audio.



30-Watt Active 2-Way Desktop Monitors





# Roland MA-15D

4" 30W 2-Way Desktop Monitors

5.25" composite sandwich cone woofer

5.25" 2-Way Active Monitor

and a 1" titanium fabric dome tweeter to provide clear, natural audio with a wide frequency response. Large ports on the cabinet help to extend bass response, while an elliptical MMD waveguide on the tweeter provides a wide sweet spot.

**KH 120** 



..149.99

TANOY Reveal 501A • 601A

5 & 6.5" Active 2-Way Studio Monitors

Magnetically shielded, they feature Bass enhancer, frontpanel headphone jack and subwoofer output. 

# TANOY Reveal 601P

6.5" Passive 2-Way Studio Monitor

6.5" low-distortion low/mid driver and a 1" soft dome tweeter. Front firing bass-reflex port extends low frequency response as low as 63Hz. Rigid, sculpted front baffle minimizes diffraction and provide clear stereo imaging. Power handling capability of 50-100W. Standard wire terminal inputs. Rear-panel HF trim controls let you adjust the monitor's response to match environment. (#TAR601P)......125.00



### **MS101III**

4-inch driver is housed in a bass-reflex clarity. Independent high and low EQ controls #YAMS1013......**149.00** 



#TAR601A (Reveal 601A)......249.00

5 or 6.5" low-distortion low/mid driver

and a 1" soft dome tweeter. Front firing

bass-reflex port helps extends low

frequency response to 64Hz. Rigid,

sculpted front baffle minimizes diffrac-

tion and provides clear stereo imaging.

XLR and unbalanced 1/4" inputs Rearpanel volume and HF trim controls. #TAR501A (Reveal 501A)......179.00

a 5" Kevlar woofer and a 1" wavequide-loaded tweeter to provide full, detailed frequency response. The drivers are powered by two internal amplifiers, with a combined power of 70W for a strong per-

Rear-ported cabinet houses

formance. XLR and 1/4" input connectors and volume control knob.

M-AUDIO Studiophile BX5 D2

Deluxe 70W 5" Studio Reference Monitors

# M-AUDIO Studiophile BX8 D2

130W 8" Studio Reference Monitors

Rear-ported cabinet houses a 8" Kevlar woofer and a 1.25" waveguide-loaded tweeter to provide full, detailed frequency response. The drivers are powered by two internal amplifiers, with a combined power of 130W for a strong perfor-





mance. XLR and 1/4" input connectors and volume control knob. #MABX8D2 (sold as a pair)..... .Call or Log-on

# M-AUDIO Studiophile AV 40

40-Watt Active 2-Way Desktop Monitors

4" polypropylene-coated woofers, 3/4" silk dome tweeters and 40W of power for wide frequency response of 85Hz to 20kHz. RCA and 1/4" input connectors. An auxiliary 1/8" input and





an 1/8" headphone output on the front panel Bass boost switch provides extra low-end response

CSM-5 2-Way Passive

Studio Monitors Compact cabinet houses a

5.25" woofer and a 0.25" ferrofluid-cooled soft dome tweeter to provide accurate audio with a full frequency response. Speakers can be placed on a desk or table, or mounted to

a wall using the included brackets. 60W peak power handling capability and gold-plated binding post connectors.

#NASM120 (SM-120 6.5" 2-Way Passive Monitors) pair only.... 99.99

**SAMSON** MediaOne

2-Way Active Monitors

Rear-vented enclosures feature a custom woofer and a 1" silk dome tweeter to provide a full frequency response. Dual Class A/B internal





YAMAHA

10W 4" Powered Monitor

enclosure and offers a smooth frequency response of 75Hz to 18kHz. Internal EQ boosts bass response while maintaining for optimization within your listening space. RCA and 1/4" line inputs, as well as a 1/4" mic input and a 1/4" line output.



### 800-859-5252 | 212-444-5072

# YAMAHA MSP3 Powered Two-Way

Compact Monitor

Built-in 20-watt amp drives both the 4" woofer and the 7/8" tweeter. Magnetic shielded, can also be mounted on a mic stand with optional BMS10A stand adapter. Volume controls for the two line inputs plus high and low tone controls for tailoring the response of the monitors. Balanced XLR input, a balanced 1/4" TRS phone

jack and an unbalanced RCA coaxial input. (YAMSP3)...... 139.99

# YAMAHA MSP7

130W 6.5" Two-Way Nearfield Monitor

6.5" woofer and 1" dome tweeter are each powered by its own low-distortion amplifier. Rear panel of the cabinet features a balanced XLR input, along with a low cut switch, a volume level control, and high and low trim controls to match the monitor to your acoustic space. A front-panel LED indicates power status and signal clipping. #YAMSP7S......399.99



# YAMAHA HS50M • HS80M

5" and 8" Two-Way Active Monitors

HS50M features 70W of power, a 5" woofer and 0.75" dome tweeter, housed in a sturdy bass-reflex MDF cabinet. The HS80M offers 120 watts of power, an 8" woofer and 1" dome tweeter. Both offer rear panel level and room acoustics control switches. balanced XLR and bal/unbal 1/4" inputs.



HS50M (#YAHS50M) ...199.99

HS80M (#YAHS80M).. 349.99

# YAMAHA HS10W

8" 120W Active Studio Subwoofer

Extra-large magnets for greater dynamic range. Extensive controls include input level knob, 3-way High Cut and Low Cut filter switches. Phase switch and on/off switch for Low Cut Filter. Extra-high subwoofer feet isolate speaker from floor rumble. XLR and 1/4" connectors. #YAHS10W......399.99



### **More Studio Monitors**

n	eŀ	:		_	_
n	ш	IFI	п	u	н

<b>BEHRITONE C5A</b> 5.25" 30W Monitor ( <i>BEC5A</i> )	.99.99
BEHRITONE C50A 5.25" 30w Monitor (BEC50A)	119.99
KRK	
ROKIT Powered 10-3 3-Way Active Midfield (KRRP103)4	499.00

Numark

NPM5 Active Stereo Speaker System (Pair) (NUNPM5)......Log-on RCF

AYRA 5 Active 5" 2-Way Studio Monitor (RCAYRA5)......199.00

AYRA 6 Active 6" 2-Way Studio Monitor (RCAYRA6).......281.00 AYRA 8 Active 8" 2-Way Studio Monitor (RCAYRA8).......319.00

sE Electronics

sE Munro Egg 150 Monitoring System (SEMUNROEGG)....2499.00

**Technical Pro** 

MRS-4 4" 25W Nearfield Studio Monitors (Pair) (TEMRS4)....59.00

Yamaha

MSP5 5" Active 2-Way Nearfield Monitor (YAMSP5S)......274.99

## MACKIE. BIG KNOB

Studio Command System

Tabletop level control / monitor switcher and source selector and talkback box with built-in



talkback microphone. Big, convenient volume knob for precise level adjustments. Switch between 3 sets of studio monitors.

# t.c. electronic Level Pilot

Analog Stereo Volume Control

Gives you precise control over your levels without cluttering your desk. Constructed from aluminum, the Level Pilot



has a slip-free design and a tight grip rubberized bottom plate to keep it from sliding on your desk. Rquires no power supply, and employs quad-core cabling with XLR connectors. (TCLP)......69.99



PSPVC6 6-Channel High Power Speaker Selector

Add up to 6 pairs of stereo



speakers to your amp. Can handle 100w per channel from 1 of 2 amps. Each channel has an independent volume control and an amp selector for custom tailoring your sound scenario.

143.99	VC6 (6-Channel Selector)	#PYPSPVC6
112.00	VC4 (4-Channel Selector)	#PYPSPVC4



MON800 Stereo Monitor Matrix Mixer with Talkback Mic

Four selectable, mixable stereo inputs and three speaker outputs with their own level control



for precise monitoring. All I/Os offer both RCA and 1/4" connectors and there is a six-level, multicolor LED output level meter. Internal talkback mic offers mute, dim, and mono functions for 

# JBL MSC1

Monitor System Controller

The MSC1 from JBL is a versatile studio monitor system controller that allows you to calibrate and adjust any studio monitor system. The MSC1



features JBL's Room Mode Correction Technology, which makes it easy to adjust your system to the room.

Other features include a master volume control, A/B speaker selection, A/B/C input source selection, a subwoofer output with level control and selectable crossover, and adjustable LF and HF speaker EQ. A headphone jack with an independent volume control is provided, as well as a monitor mute control and an RMC on/bypass control. #JBMSC1.....299.00

### W PreSonus



# \*Auralex MOPAD

Monitor Isolation Pads

Provides sonic isolation between monitors and whatever they are resting

on-be it speaker stands or the meter bridge of a console, instantly improving the accuracy of the entire monitoring system. Made of proprietary, high density foam, "tightens" and increases sonic detail of studio reference monitors, particularly low frequencies. 

# **GUIK LOK** BS-300

Adjustable Speaker Stand

Features a stable, three-point triangle base, with adjustable leveling floor spikes, and five locking height adjustment positions from 32.7 to 45.3". The speaker shelf is 9" square. All-steel, arc-welded construction with a 125 lb. capacity. High-tech design incorporates cable management. (QUBS300)......35.99



# On Stage SMS6000-P

Adjustable Studio Monitor Stand

Height is adjustable in 4" increments, up to 61". for seated or standing monitoring, and locks into place with a security pin. 3 leveling spikes secure the 18" base for carpet and rug placement. Disassembles for storage or transport. 9.5" speaker mounting platform has a 1mm-thick polymer pad to prevent slipping. 



# ERSS-42

42" Economy Speaker Stand

Constructed of 3/4" furniture grade hardboard, and finished in a black oak laminate. The speaker platform and base are 12" square, and the bottom is easily removed to allow the 5" center post to be filled with bagged sand to absorb rumble, and other interior low end aberrations, through acoustical de-coupling. #RAERSS42 sold as a pair.....



### Additional Studio Monitor Accessories

Fostex PC-1EX Speaker Volume Controller (FOPC1EX) . 49.00 Hosa SLW-333 Passive Stereo Speaker (HOSLW333)... 71.49 Pyle-Pro PSS4 4 High Power Speaker Selector (PYPSS4).. 32.66 Radial Engineering MC3 Monitor Controller (RAMC3).. 199.99

### Genelec

Adj. Wall-Mount Bracket for 8000 Series (GEBWM8000) 99.95 Floor Speaker Stand for 8000 Series (GE8000408) ..... 175.00

## Samson

MS100 Adjustable Nearfield Monitor Stand (SAMS100).. 59.00 MS200 Adjustable Nearfield Monitor Stand (SAMS200). 67.40

### SM Pro Audio

M-PATCH 2 Controller/Switch Box (SMPMP2STD)...... 179.99 Nano Patch+ Passive Volume Controller (SMPNPP1)..... 59.99

### Ultimate Support

JS-MS70 Studio Monitor Speaker Stands (ULJSMS70) .. 79.99 MS-100 Column Studio Monitor Stands (ULMS100B).. Log-on MS-80 Desktop Studio Monitor Stand-Pair (ULMS80).. Log-on MS-90/45 Column Studio Monitor Stand (ULMS9045B)..249.99

# www.BandH.com

# Studio Headphones



### K141 MK II

- Semi-open supraural headphones · Varimotion speakers provide realistic sound
- · Self-adjusting headband with leatherette and velvet earpads. Single-sided straight and coiled detachable cables.

with a wide frequency response.

#AKK141MK2 ......149.00



# **K271 MKII**

- Closed-back studio headphones with Varimotion speakers
- · Self-adjusting headband with leatherette and velvet earpads
- · Auto-mute feature silences the headphones when you take them off

#AKK271MK2.....





and high-performance neodymium drivers.

· Genuine leather, adjustable headband and heavy-duty replaceable 3D cut earpads.

#AKK702





- · Circumaural closed-back with selfadjusting headband and leatherette ear pads for long-lasting comfort.
- · Detachable single-sided cable

audio technica.

· Circumaural closed-back dynamic head-

response and full low-frequency sound

phones with an extended high-frequency

ATH-M3X

reproduction.

ATH-M35

Extra-long 10-ft. cable

△A) audio technica.



# **K240 MK II**

- Semi-open dynamic headphones with Varimotion speakers.
- · Acoustic ventilation for uncolored sound
- · Self-adjusting headband with leatherette and velvet earpads. Single-sided straight and coiled detachable cables.

#AKK240MK2......**199.00** 





### K701

**K**99

Circumaural, open-back reference phones with extended HF to nearly 40kHz. Varimotion speakers and flat-wire voice coil technology, offer high sensitivity and clarity, with high definition of sonic detail and stereo imaging. Self-adjusting leather headband, soft cloth "3-D Form" ear cushions. (AKK701) .. 349.00



# K702

Reference-quality open-back circumaural headphones with

Varimotion speakers, flat-wire voice coils,

349.00



### K77

cushions for lasting comfort

**K171 MK II** 

· Self-adjusting headband with leatherette

and coiled detachable cables.

and velvet earpads. Single-sided straight

#AKK171MK2 ...... 149.00

K240 Studio

Self-adjusting headband with thick around-ear

sound and extended frequency response.

• Single-sided detachable straight cable

· Semi-open circumaural with

Varimotion speakers for uncolored

Varimotion speakers

- Excellent ambient noise reduction

#AKK77......**49.00** 





- Circumaural semi-open with self-adjusting headband and leatherette ear pads.
- · Large 40mm drivers provide a wide frequency response with deep bass and clear treble.



#AKK99.....

audio⋅technica. ATH-M20

· Closed-back dynamic headphones with a circumaural design and 40mm Neodymium

drivers. Good sound isolation, full bass

response, and extended high-end presence.

Coiled cable with detachable 1/4" and 1/8"

# audio-technica. ATH-M2X

- · Supra-aural open-back stereo headphones with a wide frequency response and welldefined dynamics; especially suited for use with portable digital listening devices.
- Extra-long 11.5' cable with 1/8" stereo miniplug (includes 1/4" TRS phono adapter)

#AUATHM2X......19.99



# (/\lambda) audio technica ATH-M30

- · Closed-back with exceptional sound reproduction for audio recording and monitoring situations.
- · Neodymium magnets and copper-clad aluminum wire voice coils
- Single-sided cable with stereo 1/4" and 1/8" mini connections

#AUATHM30..... Call or Log-on

• 40mm neodymium drivers with copper-

bass-enhanced frequency response

clad aluminum wire voice coils produce

· Swivel earcups with around-ear cushions.

• Single sided cable with stereo 1/4" plug

#AUATHD40......Call or Log-on



- · Closed-back with folding design with 40mm Neodymium drivers
- Padded, adjustable headband with around-ear cushions
- · Ultra-long single-sided cable

#AUATHM35......Call or Log-on

ATH-M50 audio technica. ATH-M50

· Lightweight and rugged with closed-back

design. Adjustable, padded headband with

swivel earcups and around-ear cushions.

#AUATHM50......159.00

· Large, 45mm neodymium drivers

Single-sided coiled cable



# audio technica. ATH-M40fs

#AUATHM20......25.85

- · Circumaural closed-back with extended frequency response; particularly well suited for mixing and monitoring.
- · Superb ambient noise isolation

stereo connectors

 Single sided cable with stereo 1/4" stereo and 1/8" mini connections

#AUATHM40...... Call or Log-on





- · Lightweight and rugged with closed-back design. Adjustable, padded headband with swivel earcups and around-ear cushions.
- · Large 45mm neodymium drivers
- · Single-sided straight cable

#AUATHM50S......Call or Log-on





Field-serviceable

### **HPS3000**

- 40mm cobalt cansules deliver full frequency response
- · Comfortable, padded headband and earcups built for durability.
- Single-sided cable with 1/4" adapter #BEHPS3000......**21.99**





### **HPS5000**

- · Studio headphone with a circumaural, closed-back design.
- 40mm cobalt capsules
- Padded headband and earcups with over-the-ear design. Single-sided cable.

#BEHPS5000......Call or Log-on



# beyerdynamic))) DT-440

- · Circumaural, open-back Hi-Fi stereo headphones with extended frequency range
- Unique, patented "breathable" ear pad design ensures long-term listening comfort
- · Customized neodymium magnets for natural dynamic range and frequency reproduction



# Studio Headphones

### beyerdynamic))) DT48E

- · Closed-back circumaural for broadcast, studio or field use
- · Foam-filled headband and earcup
- · Highly efficient transducers, high output, very low impedance
- 12 dB of ambient noise attenuation

#BEDT48E25......399.00



# beyerdynamic))) DT250 80

- · Closed-back circumaural dynamic headphones ideal for audio monitoring in broadcast and recording studios.
- · Neodymium magnet driver system
- Coiled cable
- 10Hz-30kHz frequency response

#BEDT25080......Call or Log-on



# beyerdynamic))) DT990 PRO

- . Open-back circumaural headphones with excellent sound reproduction and wide frequency response.
- · Single-sided coiled cable
- · Soft viscose ear pads
- 5Hz-35kHz frequency response

#BEDT990PR0 ......199.00



- extended frequency response up to 45 kHz.
- · Finished with an elastomer-coated cloth sheathing and elegant soft satin piano gloss. Includes a luxurious case.

#DEAHD7000 ...... 999.00



### FOSTEX T50RP

- Damped, semi-open design with adjustable earpiece rails and lockable cable
- · Cushioned earpieces for comfortable fit
- RP diaphragm provides resistance to high level input peaks of up to 3000 mW for improved transient handling.

#FOT50RP ...... Call or Log-on



# M-AUDIO Studiophile Q40

- · Closed-back, circumaural design
- · Large 40mm drivers
- · Adjustable, padded headband and cushioned around-ear earcups
- · Single-sided, detachable cable
- · Collapsible design, ideal for travel #MAQ40......119.88



# SENNHEISER HD 25-1 II

- · Lightweight, rugged design with padded headband and cushioned earcups
  - · Great for high-noise environments
  - · Neodymium drivers provide extra wide frequency response • Detachable steel cable
  - Rotatable capsule for single-ear monitoring

### beyerdynamic))) DT1350

- On-ear closed-back studio headphones
- · Drivers use Tesla technology to provide exceptional efficiency and low distortion
- Closed-back earcups and thick on-ear soft-skin cushions
- Earcups have 90° swivel mechanisms

#BEDT1350.....Call or Log-on



# beyerdynamic))) DT660

- . Closed-back circumaural with 16dB of ambient noise attenuation
- Extended high end reproduction
- · Distortion-free bass, fast transient response
- · Neodymium magnet, precision coil winding
- High-comfort, replaceable earpads

#BEDT660......199.00



## beyerdynamic))) DT770 PRO

- Extremely wide-range, closed-back circumaural headphones
- Excellent noise isolation

Open-back design

- · Very soft viscose earcups for comfort
- 5Hz-35kHz frequency response
- · Rugged with replaceable parts

#BEDT770PRO ......Call or Log-on

beyerdynamic))) DT990

Offers analytical, high-resolution audio

yet he lightest headphone in its class.

· Adjustable, padded headband and

swiveling, cushioned earcups

reproduction with strong bass and treble,



## beyerdynamic)))) DT770 M

- Wide-range closed-back circumaural headphones for low impedance operation without compromising quality.
- Excellent noise isolation
- Powerful bass reproduction
- · Very soft viscose earcups for comfort
- 5Hz-30kHz frequency response

#BEDT770M......Call or Log-on



# DENON AH-D5000

- Lightweight magnesium frame with adjustable headband and thick around-ear cushions for comfort and noise isolation.
- Microfiber diaphragms provide faithful reproduction of delicate sonic details
- · Acoustic optimizer adjusts sound pressure to balance low and mid frequencies.

#DEAHD5000 ...... 699.00



# DENON AH-D7000

- Large 50mm Microfiber diaphragms provide



# FOSTEX T20RP

- Circumaural semi-open studio headphone features smooth vocal reproduction along with punchy low and well balanced mid/ high frequencies.
- Head pad and leatherette padded ear cushions provide excellent sound isolation

#F0T20RP ...... **58.99** 



# FOSTEX T40RP

- · Circumaural closed-back stereo studio headphone
- Leatherette padded ear cushions
- · Head pad supplied for extra comfort
- . Lockable 10' headphone cord

#FOT40RP ..... Call or Log-on



# **KRK**

## **KNS 6400**

- · Closed-back design with 40mm neodymium
- · Adjustable, padded spring steel headband
- Thick around-ear cushions; swivel earcups #KRKNS6400 .....



# **KRK KNS 8400**

- · Closed-back design with 40mm neodymium
- · Adjustable, padded spring steel headband
- Thick around-ear cushions; swivel earcups #KRKNS8400 ......Call or Log-on



# **≫ REMOTE AUDIO HN-7506**

- · High noise isolating headphones with Sony MDR-7506 drivers and custom baffling, designed for use in high-noise field environments.
- 40dB of attenuation in the voice range



# Roland RH-5

- Closed-back design and thick around-ear cushions for comfort
- · Large 40mm drivers
- · Adjustable, padded headband
- 10' single-sided cable

#RORH5......39.95



# Roland BH-300

- · Circumaural stereo studio headphones
- 45mm driver with neodymium magnet. · High-tech appearance with aluminum

prolonged listening

housing plate. Soft earpad for comfortable





# **SENNHEISER HD 25-SPII**

- · Closed-back earcups and thick on-ear cushions block out unwanted ambient noise and provide lasting comfort
- Neodymium drivers and aluminum/copper voice coils provide detailed, natural audio with a wide frequency response and high SPL capability.

#SEHD25SP2 ...... 129.95



# **SENNHEISER HDA 200**

· Audiometric closed-back stereo headphones. they provide reference-quality audio ideal for testing and calibration applications.

· Dynamic drivers provide a wide frequency response, suitable for high frequency audiometry.

#SEHDA200 ...... 599.95



# SENNHEISER HD650

- · Audiophile playback headphones
- · Open-back design
- 10Hz-39.5 kHz frequency response
- · Comfortable, plush Velour-covered cushioned earpads for extended wear
- · Adjustable headband with interior padding



- 40mm neodymium drivers
- Adjustable, padded headband
- Includes hard travel case

299.99 #SHSRH940 .....



# • 40mm Neodymium Drivers · Open-Back Earcups · Around-Ear Velour Cushions

# **SENNHEISER HD 380 Pro**

· Large drivers provide a wide, accurate frequency response and a high SPL

SHURE SRH1440

Padded Steel Frame Headhand

- . E.A.R. technology and patented Duofol diaphragms
- · Closed-back design and around-ear cushions
- Padded, adjustable headband

#SEHD380P ...... 199.95



### SHURE SRH940

#SEHD280P ..... 99.95

· Around-the-ear, closed-back headphones

Collapsible design with swiveling earcups

• Use for critical monitoring applications

Thick, padded leatherette earcup;

adjustable padded headband

Professional Reference Headphones

**✓ SENNHEISER HD-280 Pro** 

- Closed-back earcups
- Around-ear velour cushions





#SHSRH1440..... 399.00 SRH1840 Open Back Headphones (SHSRH1840).....



## SONY MDR-7502

- Supra-aural closed-back stereo headphone designed for general sound monitoring in the studio or in the field.
- 30mm diameter drive
- Neodymium magnets
- OFC cable and gold plated Unimatch plug #SOMDR7502 ..... 49.95



# SONY MDR-7506

- Circumaural closed-back design helps eliminate "headphone bleed" when overdubbing in the studio.
- · 40mm diameter drive, Neodymium magnets for maximum energy and minimum size.
- Compact, foldable design

#SOMDR7506 .....



## **SONY** MDR-7510

- 50mm PET Diaphragms
- Neodymium magnets
- · Closed-back design
- Around-ear cushions
- Adjustable, padded headband

#SOMDR7510......**106.95** 



# SONY MDR-7520

- 50mm LCP diaphragms
- · Neodymium magnets
- · Closed-back design Swivel earcups
- · Around-ear cushions
- Adjustable, padded headband

#SOMDR7520 ......358.00



# SONY MDR-V6

- · Circumaural, closed back studio headphones with reversible earcups
- Neodymium magnet and copper-clad aluminum voice coil for extended 5Hz - 30kHz frequency reproduction
- 40mm aura-nomic designed drivers #SOMDRV6.....



# SONY MDR-V900HD

- · Circumaural closed-back headphone
- 50mm drive, Neodymium magnets for maximum energy, wide dynamic range
- · High-capacity 1000mW rated, 3000mW peak power capability
- Reversible ear cups for single-side monitoring #SOMDRV900HD.....



# TASCAM. LaunchPad

Headphone/Mic Starter Pack

Ideal for beginner musicians on a budget, the perfect starter kit to begin recording music at home. Consists of a pair of HP-VT1 studio headphones, MCVT-1XLR dynamic mic and XLR cable.

#TASP ...... 27.99



# **ULTRASONE PRO 750**

- · S-Logic Natural Surround Sound
- Titanium-plated drivers
- Speed-switch earpads
- Two detachable cables
- Includes hard case
- · Foldable design, includes hard case

#ULPR0750 ......226.17



# YAMAHA RH5Ma

- · Supra-aural semi-closed stereo headphone
- 40mm diameter drive units deliver deep bass with low distortion and wide dynamic range
- OFC cable provides both 1/8" mini and 1/4" TRS phono connectivity

#YARH5MA .....



Call or Log-on

# Wi Studio-M

Stereo Digital Wireless System

Wi®DIGITAL SYSTEMS Full function 2.4GHz digital wireless stereo solution provides

up to 100' of secure, uncompressed 16-bit/48kHz CD quality wireless audio connectivity. Operates without RF interference, signal loss, or crackle and is immune to AC hum.

- Digital, linear audio with 15Hz-20KHz performance with deep bass, crisp highs, and excellent midrange tones
- · Simple, elegant, ultra-lightweight design with comfortable wide padded headband for long-term usage.
- Oval ear-pads design for extra isolation and noise reduction #WIWSM01......199.00



- Slim 1RU Rackmount Chassis Individual Input/Mix Sections
- 3 headphone jacks on each channel



2-Output Headphone Tap

- Passive headphone monitoring solution with dual headphone outputs
- · Direct connection to stereo or mono headphone and monitor amplifiers; stereo/mono input selector switch

#ARHT......Call or Log-on



4-Channel Headphone Amp

· Compact and rugged metal chassis • Independent amplifier circuits

• Analog and S/PDIF inputs • 1/4" stereo outputs

#APHEADPOD4 199.00



# A R T HeadAmp4

Four-Channel Stereo Headphone Amplifier

- Up to two users per channel, for a total of eight users
- Both 1/4" and 1/8" connectors are available for all I/Os
- · Four front panel level control knobs



# Headphone Amplifiers & Accessories

### 800-859-5252 | 212-444-5072



### HeadAmp6

Rackmount 6-Channel Stereo Headphone Amp



- . Can drive up to 18 headphones simultaneously
- . Mix and balance controls for each channel
- Operating modes: Stereo, Mono Left, Mono Right, or Mono Both

inputs with accompanying mono/stereo monitoring switch.

and line level monitoring

• Accepts balanced and unbalanced 1/4"

· Allows for simultaneous independent mic

#BEMA400.....

**MA400 - MICROMON** 

Amp with Mic Input

Miniature Monitor Headphone



### HA-400 MicroAmp

**PRO AUDIO** 

4-Channel Miniature Headphone **Amplifier** 

- · Individual channel level controls
- 4 separate low-noise 4580 op-amps (operational amplifiers) for efficient, maximized output levels per channel



#BEHA400..... . Call or Log-on



# AMP800 MiniAMP Compact

4-Channel Headphone Amp



- 8 headphone outputs
- · Accepts balanced or unbalanced inputs
- Individual channel level control and input selection switching #BFAMP800 Call or Log-on



HA4700 4-Ch. Headphone Amp Distribution System



- · 4 amp sections offer 4 different mixes and individual output level control. Left and Right Mute switches
- Individual EQ, Balance, Muting, and Stereo/Mono monitoring. #BEHA4700......Call or Log-on



# HA8000 PowerPlay Pro-8

8-Channel Headphone Amp DA



 Individual direct ins, meters, volume controls, and two headphone jacks for each of the 8 headphone output channels.

#BFHA8000 Call or Log-on



## **VRM Box** Headphone CUSTITE Monitoring/Mixing Solution

Consists of a robust, pocket sized audio interface and the com-

pany's Virtual Reference Monitoring (VRM) software, allowing you to mix anytime, anywhere.

#FOVRMBOX Call or Log-on



# MPreSonus HP4

4-Channel Headphone Distribution Amplifier

· Four discrete outputs each with its own volume potentiometer and 150mW of amp per channel.

 Adjust control-room monitors with a separate volume control, monitor mute and mono switches

129.95



4-Output Stereo Headphone Amplifier

- · Four output level controls
- Small footprint
- · Extremely low noise

#ROHA43P ...... 48.00

**SAMSON**' S-amp



# ROULS PM50s

Personal Monitor Amplifier

- · Personal monitor amplifier with microphone pass-through
- · Seperate volume controls for monitor feed and microphone input
- · Pair of headphone outputs #ROPM50S .....



PM55 Personal Monitor Amp

- XLR mic input and thru connectors and a stereo/mono 1/4" monitor input
- · Individual mic and monitor controls
- 3.5mm and 1/4" headphone jacks
- · Ground-lift switch
- · Runs on battery or AC power



64 95

### Portable Miniature 4-channel Headphone Amp • Separate volume control knobs for each output · Supports wide variety of headphone impedances

• Standard 1/4" stereo input jack #SASAMP.....





### SM Pro Audio XPH4 4-Channel Stereo/Mono Headphone Amplifier

· Durable hardened steel chassis

- . Individual left and right RCA inputs to support mono or stereo audio signals, and a 3.5mm input
- · Set for stereo or mono operation
- · Each output channel has its own volume control



### **SM Pro Audio Q-AMP**

4-Channel Stereo Headphone Amplifier

 Durable extruded aluminum chassis



- 2 stereo inputs each with a pair of 1/4" connectors
- 1/4" and 3.5mm headphone lacks for each channel
- · Each output has input selector switch and volume control

#SMPOAMP1 QQ QQ



SOUND DEVICES HX-3

3-Channel Portable Headphone Amplifier

· Durable, high-strength, extruded aluminum chassis · High output, very low noise;



- frequency response from 10 Hz 50 kHZ · Three isolated headphone outputs with volume controls
- . 125dB dynamic range with flat frequency response
- Dual XLR line level plus 1/4" and 1/8" stereo input connectors

#SOHX3......315.00

# TASCAM MH-8

8-Channel Headphone Amplifier



- · Rackmount design for easy installation
- Direct stereo input on all 8 channels, plus 2 group stereo inputs
- · Each channel can select a direct source, group source, or combination of sources

## Nady HA-1X4 4-Channel Headphone Amp (NAHA1X4)......29.99 Nady HPA-4 4-Ch. Rackmount Headphone Amp (NAHPA4)... 89.06 Pyle Pro PHA25 300W Audio Amp (PYPHA25)......11.81 Pyle Pro PHA40 4-Channel Headphone Amp (PYPHA40) ..... 15.99 Rolls HA204 - 4 Output Stereo Headphone Amp (ROHA204). 33.75 Rolls HA43 - 4 Output Stereo Headphone Amp (ROHA43P) .. 48.00 Whirlwind PA-1 Personal Headphone Monitor (WHPA1) .... 217.25

### Studio 1 Productions AM-300

Headphone Monitor Amp for Boom Operators (STAM300).... 149.00

### Grace Design m903

Headphone Amp, DAC, and Monitor Controller (GRM903)... Log-on

### **Headphone Accessories**

Raxxess Headphone Hanger -Straight (RAHH1)
Raxxess Headphone Hanger - Angled (RAHH2)5.99
Sennheiser Headphone Cable for HD Series (SEH92885)13.26
Shure Replacement Earcup Pads (SHHPAEC840)14.25

# Sound Reinforcement Mixers

### ALESIS MultiMix 12R

12-input Recording/Sound Reinforcement Mixer



- Rack mountable enclosure
   Mono & dtereo channels
- Balanced mic inputs Channels 1-8 feature insert points

#ALMM12R ......Call or Log-on

# ALESIS MultiMix 16 USB 2.0

16-Channel Recording / Live Sound Mixer



· 100 preset effects

· Every channel features a 3-band EQ and 2 aux sends #ALMM16USB2 ......Call or Log-on

## ALLEN&HEATH ZED14

14-Channel Recording/Live Sound Mixer



channels and stereo output.

#ALZED14 (with Sonar LE software)Call or Log-on #ALZED24 (ZED24 24-Channel Recording/Live Mixer) ............ 699.00

# **ALLEN&HEATH** Mix Wizard 3 14:4

14 x 4 Sound Reinforcement Audio Mixer

14 balanced 1/4" TRS line and 10 XLR mic inputs. Every input channel features a direct output via 1/4" phone connectors. Six Aux sends and a pair of dedicated stereo inputs. Master output section includes dual XLR L/R stereo and single XLR mono connectors. Provides quality reverbs and delay 



MX622 6-Channel Rackmount Mixer



- Three balanced XLR mic/line inputs. 15v phantom power for mic channels.
- Three stereo RCA inputs with separate level controls. Balanced TRS 1/4" main output jacks with master level control.
- · Level control and clip indicators. Two-band master EQ.
- · Separate stereo record outputs. Effects loop with level control.



### **Eurodesk SX3242FX-PRO**

32-Channel Recording/Sound Reinforcement Mixer

24 mono and 4 stereo input channels. Built-in 24-bit effects. 4-bus output routing. 9-band stereo graphic EQ with FBQ, global



mute switching, and mono output for sub-woofers.

#BESX3242FX 652.99

behringer

## **Behringer PMP518M**

5-Channel Powered Audio Mixer

180-watt amp and 5-channel mixer with balanced XLR mic and 1/4" phone



inputs. connections. Each input has level control and 2-band EQ. 7-band graphic EQ for main output. Also features Behringer's FBQ feedback detection and has a built-in 24-bit effects processor with 100 presets including chorus, delay, reverb, phaser and more. 



PMP1000 12-Channel Powered Mixer with Effects

• Mixer and integrated 500w power amplifier with 24-bit effects processor.



 7-band graphic EQ and FBQ feedback detection 



### PMP2000 10-Channel Powered Mixer with Effects

- · Audio mixer and integrated 800w amplifier with built-in 24-bit effects processor.
- 9 channels balanced XLR mic and 1/4" phone line inputs
- · 3-band EQ, effects level control and send level.
- . Dual 9-band graphic EQ and FBQ feedback detection system

#BEPMP2000......Call or Log-on

## MACKIE. ProFX 8

8-Channel Desktop Mixer with USB

- USB I/O (Mac & Windows)
- 32-Bit "Gig Ready" Effects
- Built-In Instrument Inputs
- 3-Band Channel EQ
- Dual 7-Band Graphic EQ

ProFX8 (MAPROFX8) ..... 229.99 ProFX12 (MAPROFX12)......279.99 ProFX16 (MAPROFX16)...... Log-on ProFX22 (MAPROFX22)......649.99



# MACKIE. 2404-VLZ3

24-Channel 4-Bus Mixer with Effects and USB

- 20 XDR2 Mic Preamps
- Phantom Power
- 3-Band Active EQ
- Dual 32-bit RMFX+ Processors
- 4x2 24-bit USB Interface
- 4 Subgroups with compressors

# MACKIE. Onyx 24.4

24-Channel Live Sound Mixer

24 input channels with 1/4" phone line level connectors and Onyx mic preamps with 123dB dynamic range. Internal compressor / limiter and each channel features 4-band Perkins EQ for "British" EQ style signal contouring, 6 x 2 matrix provides sufficient monitor sends.



4-Channel 100-Watt Powered Mixer

4 mic and 6 line inputs with balanced XLR and unbalanced 1/4" line inputs on all



channels. On-board digital effects processor with a reverb knob on every channel. Each channel also has treble and bass controls. A stereo RCA input with a level control as well as RCA outputs. Amplifier outputs are 1/4".



### PV6 • PV8 • PV14

6, 8 & 14-Channel Live Sound Mixers

Ideal for small venue installation, schools, house-of-worship, 6, 8 or 14 input channels and RQ (Reference Quality) mic inputs, 3-band EQ on all channels. PV14 has built-in DSP effects processor.



PV14 (PEPV14).....



### PV6U • PV8U

6-, 8-Channel Live Sound Mixers

Same features as their PV6 and PV8 counterparts, except the PV6U and PV8U feature a USB port to digitize and playback audio using vour favorite recording software. They also have DSP effects processor.



PV6U (PEPV6U)......129.99

PV8U (PEPV8U)......169.99

# Sound Reinforcement • Live Sound Signal Processors

### 800-859-5252 | 212-444-5072

# PRO

PYLE PMX402M 400W 4-Channel Powered PA Mixer/Amplifier

- USB 2.0 input for MP3 & WMA playback with an LCD display
- Effects with
- level controls • 5-band graphic EQ
- · Tone control on every channel
- · Aux/tape/effect feedback input

# YAMAHA EMX-212S

12-Channel Stereo Powered Mixer

- 8 balanced XLR mic inputs, with 15V phantom power
- 200 Watts per channel
- Internal Effects
- · Effects engine
- Dual 7 Band Graphic EQs
- · Feedback channel locating
- · High, Mid and Low frequency adjustment dials on every channel
- · Stand-by switch mutes all channels

#YAFMX212S 369 99

# YAMAHA\* MG12/4 12 Channel 4-Bus

Rack-mountable Mixer

- 12 line inputs via 1/4" TRS balanced
- 4 Stereo Inputs
- 6 XLR mic inputs with phantom power
- 1/4" TRS phone connections on every mic input for flexible routing
- All mono channels feature a 3-band EQ with sweepable mid-range and high pass filter.
- 4 output buses

239.99 #YAMG124C .....

# Soundcraft / Spirit EPM 6

6 Mono + 2 Stereo Audio Console

- 6 mono mic and line input channels. 2 stereo inputs with L/R 1/4" phone connections.
- All mono inputs feature Soundcraft's GB30 mic preamps for quiet, clean large format FOH console quality.
- EQ section features a sweepable mid-range on all mono channels. Inserts on all mono channels and stereo output

# YAMAHA EMX-512SC

12-Channel Stereo Powered Mixer


- 12 line inputs (4 mono and 4 stereo).
- 8 balanced XLR mic inputs. capable of 15V phantom power.
- Effects engine
- . High, Mid and Low frequency adjustment dials are provided on every channel
- . Dual 7-band graphic EQs for stereo signal contouring on output.

# YAMAHA MG166CX 16-Channel 4-Bus

Rack-mountable Mixer

- 12 line inputs via 1/4" TRS balanced
- 10 XLR mic inputs with phantom
- distortion and more.





Additional Sound Reinforcement Mixers

APB DynaSonics ProDesk-4 24 Input FOH Mixing Console (APPD424)	5800.00
APB DynaSonics ProDesk-4 32 Input FOH Mixing Console (APPD432)	6900.00
Behringer PMP1680S 10-Channel Powered Mixer (BEPMP1680S)	Call or Log-on
Behringer PMP6000 20-Channel Powered Mixer (BEPMP6000)	Call or Log-on
Soundcraft / Spirit EPM 8: 8 Mono + 2 Stereo Channel Recording and Live Sound Audio Console (SOEPM8)	299.00
Soundcraft / Spirit EPM 12: 12 Mono + 2 Stereo Channel Recording and Live Sound Audio Console (SOEPM12)	399.00
Yamaha MG82 CX: 8-Channel Stereo Mixer with DSP Effects Engine and Compression (YAMG82CX)	159.99
Yamaha MG124 CX: 12 Channel 4-Bus Mixer with DSP Effects Engine and Compression (YAMG124CX)	289.99
Yamaha MG166C: 16-Channel 4-Bus Rack-mountable Mixer (YAMG166C)	379.99

# dbx DriveRack PX

Powered Speaker Optimizer



- · Stereo feedback elimination with twelve feedback notch filters
- Stereo 28-band graphic EQ Classic dbx compressor
- 120A sub-harmonic synthesizer
- Stereo PeakPlus limiters Pink noise generator
- Auto-EQ with 28-band RTA (Real Time Analyzer)
- JBL preset speaker combinations
- . Includes dbx M2 measurement mic and zippered pouch
- · Front panel RTA microphone XLR input with phantom power

#DBPX	399.95
#DBPAPLUS (DriveRack PA+)	499.95



EQ and Speaker Control System



- · Linkable 28-band graphic and 9-band parametric EQ
- · Component protection provided by DBX's PeakStopPlus limiters
- · Full bandpass, crossover, and routing configurations
- Feedback elimination Built-in sub-harmnonic synthesizer
- · Pink Noise Generator and fulltime RTA
- · 2.7 seconds of alignment and zone delay
- · Auto-EQ function; Auto Gain Control
- Custom templates for specific amp and speaker combinations

**BBE.** 882i Dual Mono Sonic Maximizer



The sound-improving benefits of a Maximizer signal processor in dual mono operation. For each channel there is a pair of Low Contour and Process knobs plus an LED input level meter. There is a bypass switch for comparison of processed to unprocessed signal. Balanced XLR and 1/4" inputs/outputs.

#BB8821 ...... Call or Log-on



### **CX2310 SUPER-X PRO**

2-Way Stereo/3-Way Mono Crossover



- Separate sub woofer section with independent frequency control
- Individual output level controls for all bands
- . Individual output mutes for easy band adjustment and individual phase reverse switches for instant phase correction



### **CX3400 SUPER-X PRO**

Stereo 2-Way/3-Way or Mono 4-Way Crossover with Limiters



- . Individual output level controls for all bands
- · Individual output mutes for easy band adjustment and individual phase reverse switches for instant phase correction
- CD horn equalization for constant directivity horn compensation



### **DSP1124P**

Dual Channel 24-Bit Feedback Suppressor/Parametric EQ



- Two digital processing engines provide independent or coupled functions on left and right channels
- · Automatically and "intelligently" searches out and destroys up to 12 frequencies per channel

#BEDSP1124P ..... SX3040 Enhancement Processor (BESX3040) 108 99



### FBQ2496

2-channel 24-bit/96 kHz Feedback Destroyer and Parametric EQ



- Automatically and "intelligently" locates and destroys up to 40 feedback frequencies
- Ultra-narrow FBQ filters "Set-and-forget" default setting #BEFBQ2496......Call or Log-on SHARK FBQ100 Automatic Feedback Destroyer (BEFBQ100) 89.99

dbx AFS 224

Two Channel Feedback Suppression Processor



- · dbx's Advanced Feedback Suppression (AFS) technology
- 24 programmable filters per channel
- Filter types include Speech and Music Low, Med and High
- Live and fixed filter modes with selectable filter lift times
- Input channel and 24 LED per channel filter metering

# **PRO AUDIO**

Live Sound Speakers



### **B212XL • B215XL**

behringer 2-Way Passive PA Speakers

- 12" (B121XL) or 15" (B215XL) woofer and 1.75" titanium driver
- 800w (B121XL) or 1000w (B215XL) peak power
- Two Speakon and 1/4" connector
- Mounts onto a speaker stand
- Overload-protection circuitry

• Ring-mode decoupling design

Constant-directivity 65° x 65°

• Just 32 lbs., is extremely portable

· Durable enclosure with integral

. 300-watts continuous with up to

1200-watts peak output power

handles and stand mount

high-frequency horn

Electro-Voice Sx300+E

12" 300-watt Portable Speaker System



# **Eurolive F1220A**

125-Watt Active Stage Monitor

- Adjustable feedback filter and integrated limiter
- · Mic/line input with volume control and peak LFD
- Dedicated 3-band EQ
- · High-resolution 1" HF driver and 12" long-excursion driver
- Integrated 35mm pole socket for stand mounting



15" Passive Two-Way Portable Speaker

- · Durable composite enclosure houses a 15" woofer and a 1" neodymium compression driver
- . 200-watts continuous with up to 800-watts peak output power
- Speakon/TRS combo I/O allows loop-thru; daisy-chain options
- Built-in handles; M10 suspension points; 36mm pole mount socket



# UBL EON 305

#JBEON305 ......**379.00** 



# UBL EON 315

• Polypropylene Enclosure

Asymmetrical Horn

• Dual Active Limiter

• 24-bit DSP

• 12" Woofer, 1" Compression Tweeter

• 400W digipro Class-D Biamplification

• Integrated Handles and Pole Socket

#DBOL402.....Call or Log-on

15" Powered Two-Way Portable Speaker

- Durable composite enclosure houses a 15" woofer and a 1" neodymium compression driver
- . 280-watts continuous with up to 560-watts peak output power
- . Line level and direct mic input: selectable EQ settings
- Built-in handles; M10 suspension points; 36mm pole mount socket



# #JBEON315......**549.00**

# **IBL** EON 510 • EON 515XT

Powered Two-Way Portable Speaker

#ELSX300E ...... Call or Log-on

- 10" (EON 510) or 15" (EON 515) woofer and 1" neodymium compression driver
- 280w (EON 510) or 450-watts (EON 515) continuous power
- · Efficient Crown Class-D amplifier
- · Built-in 3-channel mixer
- · Integrated M10 suspension points, 36mm pole mount socket

#JBEON510......**629.00** 

#JBEON515XT...... 699.00

# JBL JRX112M • JRX115 250W Two-Way Passive Speakers • 12" (JRX112M) or 15" (JRX115) woofers

- 250w continous and 1000-watts peak per
- SonicGuard circuit protection
- Dual-angle pole-mount socket allows 10° angle tilt for more uniform coverage as a main speaker
- Non-resonant steel handles and high-quality MDF

#JBJRX112M.....**289.00** #JBJRX115.....**299.00** 




# UBL JRX125

Dual 15" 2-Way Passive Speaker

- Dual 15" woofers, 90° x 50° waveguide horn and 500w power handling capacity
- · Quasi 3-way design offers extra bass with uncompromised midrange performance
- 2.5" edgewound ribbon voice coil for woofers, ferrofluid-cooled compression driver with titanium diaphragm Rugged MDF enclosure with 18-gauge
- perforated steel grille . Non-resonant all-steel carrying handles #JBJRX125 ...... 449.00

# IBL MRX515 15" 2-Way Speaker

- 15" woofer handles 400w of continuous power.
- Dual-angle pole mount allows placement in vertical position with a 10° angle tilt.
- · Dual-angle pole socket for situations where tripod mounting is optimal.
- steel grill and a Duraflex enclosure





# JBL PRX615M

15" 1000W 2-Way Powered Speaker

- 15" Differential Drive Woofer
- 1.5" Neodymium Compression Tweeter
- Dual 500W Class-D Crown amplifiers
- DSP input section with EQ
- XLR/TRS combo iput with XLR loop-thru
- Dual-purpose enclosure
- · Fly points and pole socket
- · Aluminum handle with rubber grip #JBPRX615M ...... 899.00





# IBL EON 518S 500W 18" Front-Firing Subwoofer

- · Portable bass-reflex cabinet with built-in rubber grip handles, integrated pole mount socket and acoustically transparent steel grille.
- · Polarity switch
- 18" front-firing driver with neodymium magnet for low distortion
- Stereo/mono XLR inputs, speaker level 1/4" input

# MACKIE. C300z

300W 2-Way Passive PA Speaker

- 1.75" HF compression driver and 12" LF transducer
- 750W peak power handling
- . Inputs and thruputs for parallel connection of up to 2 sets of speakers
- · Rugged impact-resistant enclosure with sturdy side handles, pole-mount, and integrated rigging points for "flying" the speakers.
- #MAC300Z......349.99



# MACKIE. SRM350v2

Powered Two-Way Portable Speakers

- Servo-controlled 10" neodymium woofer and 1" titanium tweeter
- . 165W low frequency amplifier
- XLR input and pass-thru
- · Active Electronic time alignment, phase correction, and EQ
- · Can be flown, pole-mounted, or placed on stage in a vertical or wedge position

#MASRM350V2.....



### MACKIE. SRM450v2

12" Powered Two-Way Portable Speaker

- Servo-controlled 12" neodymium woofer and 1.75" titanium tweeter
- . 300W low frequency amplifier
- · XLR input and pass-thru
- · Active Electronic time alignment, phase correction, and EQ
- · Can be flown, pole-mounted, or placed on stage in a vertical or wedge position





12" Active 2-Way Speaker









## MACKIE.

### TH12A • TH15A THUMP

12- and 15" Powered Speakers

- 12- or 15" high-precision woofer
- 1" compression driver
- 300W low frequency amplifier
- · Adjustable 3-band contour EQ with sweepable mid-frequency
- · Mic/line input
- · Pole-mountable and floor wedgeable

#MATH12A 12-inch ..... 299.99

#MATH15A 15-inch ..... 349.99



### PM-200A 5" Active Personal Stage Monitor Speaker

- Dual 5" drivers 150W RMS Amplifier
- · Volume control and 3-band EQ
- . XLR and TRS inputs: line and speaker outputs: 1/4" headphone output; daisy-chain capability
- · Integrated mounting socket

#NAPM200A ......183.99





## PR10 • PR12 • PR15

Passive Two-Way Portable Speaker

Capable of 800 watts of power, the PR10 (10"), PR12 (12") and PR15 (15" woofer) feature a 1.4" tweeter, heavy-duty crossover, heavy-duty metal grille, and lightweight molded polypropylene enclosure. Use them on the floor or on a speaker pole. Two 1/4" phone jacks run in parallel allowing daisy chaining.



#PEPR10	10-inch	159.99
#PEPR12	12-inch	189.99
#PEPR15	15-inch	229.99

# **□5□** K8 • K10 • K12

Powered Two-Way Portable Speaker

Packed with a powerful 1000w amplifier, tough yet professional looking exterior, and some really flexible input and output mixing capabilities. Use them as a stand-alone PA system, without need for external mixer. Easy to use switches let you accentuate a speaking voice, or add depth to the bass in music.



#QSK8 (8-inch) 699.99	-
#QSK10 (10-inch) <b>749.99</b>	
#QSK12 (12-inch)	849.99
#QSKSUB (KSub Dual 12" 1000w Active Subwoofer)	1129.99



### **ART310A • ART315A**

10- and 15" Active Speakers

Lightweight, polypropylene enclosures packed with high-quality neodymium woofers. 1.5" compression drivers. 350w amp and RCF low distortion. System processor controls crossover, transducers, phase alignment, limiter and protection functions. Monitor functions via four status LEDs. Built-in pole mount adapter and M10 flymounting points.



#RCART310A......545.00 #RCART315A......655.00

## **Additional Live Sound Speakers**

Behringer B815NEO: Powered Speaker and Integrated Mixer (BEB815NEO)	Call or Log-on
Ion BLOCK ROCKER: AM/FM All-in-One Portable Speaker System (IOBLOCKRKRFM)	166.00
Ion MOBILE DJ: Portable Active Speaker for iPod and iPhone (IOMOBILEDJ)	229.00
Ion TAILGATER: AM/FM Portable PA System with iPod Dock (IOTAILGATERF)	141.48
JBL MRX518S: 18" Bass Reflex Subwoofer (JBMRX518S)	Call or Log-on
Peavey PV12M: 12" 2-Way Stage Monitor Speaker (PEPV12M)	199.99
Yamaha MSR100: 8" Two-Way 100-watt Powered Speaker (YAMSR100)	299.99
Yamaha YAS115V: 15" Two-Way 500-Watt Passive Speaker (YAS115V)	379.99
Yamaha BR12M: 12" 2-Way 300-watt Floor Monitor (YABR12M)	259.99
Yamaha BR15: 15" 2-Way 400-watt Speaker (YABR15)	289.99

# **Speaker Cases & Covers**

Anchor-Audio CC-100 Carrying Bag (ANCC100)	40.00
Gator Cases GPA-SCVR450-515 Cover (GASCMS)	Log-on
Gator Cases GPA-450-515 Speaker Bag (GASBMS)	54.99
JBL EON15-BAG-1 Speaker Bag (JBEON15B)	74.99
JBL EON15-BAG-DLX Carry Bag (JBEON15BAGDX)	84.99
JBL EON15-BAG/W-1 Speaker Bag (JBEON15BW)	169.99
JBL Deluxe Padded Cover for PRX612 (JBPRX612MCVR).	Log-on
JBL Deluxe Padded Cover for PRX615 (JBPRX615MCVR).	Log-on

Mackie SRM350B Speaker Bag (MACSRM350) Call	or Log-on	
Mackie SRM450B Speaker Bag (MACSRM450) Call	or Log-on	
QSC Soft Tote Bag for K8 (QSK8TOTE)	69.99	
QSC Soft Tote Bag for K10 (QSK10TOTE)	74.99	
QSC Soft Tote Bag for K12 (QSK12TOTE)	84.99	
Yamaha		
Stagepas 300 Rolling Case (YACSP300)	119.99	
Stagepas 500 Rolling Case (YACSP500)Call	or Log-on	

## **Portable PA Systems**



# **AN-30**

Portable 30W Speaker

Powerful audio in a compact speaker that weighs just 2 lbs. 4.5" neodymium speaker and a 30W amp provide strong, clear audio up to 109dB for addressing crowds of 50 people or more.



Runs on 12-24V DC power and has an integrated mount for attaching a wall or ceiling bracket for easy installation. 1/4" and 3.5mm line inputs and a 3.5mm line output.

# to a pair of detachable 10"

pole-mountable speakers. Mixer

8-channel powered

mixer delivers 300w

Portable Sound System

has 4 mic/line channels, and 2 dedicated stereo channels. Also offers USB connection, internal effects, 7-band graphic EQ, LED peak metering and more.

AMERICAN AUDIO PPA-210

#AMPPA210.....

# AMPLIVOX'

# **Sound Systems S610A**

Half-Mile Hailer Megaphone

50w of power and an amp with separate tone and volume for line in. Has corded dynamic handheld mic, but you can use all three mic inputs simultaneously. There is also an auxiliary input jack. Watherproof for indoor and outdoor venues. 10 "D" batteries provided 200 hours of talk time.



# AMPUVOX S1232

Powered Wall-Mount Stereo Speakers

- 5" full-range speaker
- 1" dome tweeter
- 30W RMS
- Waterproof plastic enclosure
- RCA and spring terminal connectors
- . Treble and bass controls
- · Swiveling wall brackets

# AMPUVOX SW222

Wireless Audio Portable Buddy

50w amp with built-in wireless mic receiver powers Jensen speaker to reach 1000 people. Has three mic inputs and separate line inputs and includes a handheld mic transmitter. Hard-shell plastic enclosure, handle and shoulder strap for portability. Runs 200 hours on 10 D-Cell batteries. #AMSW222.....



459.85

# AMPUVOX SW720

Portable PA System

Fully portable enclosure weighing only 15 lbs, with handle for easy transport. Features full-range 8" speaker, 12v rechargeable battery, built-in DVD/ CD/MP3 player with video output, pitch, tone and echo controls, iPod

dock, USB connection, line and mic inputs, and integrated wireless mic system (includes wireless handheld mic). 



### www.BandH.com



AN-130 30-Watt Powered Wall-Mount Speaker

2-way, magnetically shielded speaker with 30w of amplification. Speaker features independent front panel bass and treble controls, along with



a volume knob. 1/4" mic and instrument inputs, and RCA stereo line level inputs. Universal power supply.

In White (ANAN130)	91.00
In Black (ANAN130BK)19	91.00

### Compact 2-way speaker features a 30w amplifier and weighs just 3.5 lbs. The rear panel features 1/4" phone and 1/8" (3.5mm) mini connections. A 1/8" mini daisy-

Wall-Mount Speaker

AN-135 30-Watt Powered

chain output is also provided. Additional features include a 4.5" neodymium woofer.



# **\_BOSE**\* L1

Portable Line Array PA System

Ideal for travelling musicians, presenters, mobile DJs, etc. 2-channel mixer amplifier also serves as the speaker's base. The mixer features an XLR mic input. RCA line input, 1/8" mini line input and 1/4" phone input can accept line or instrument signals. Six small drivers deliver nearly 180° of horizontal sound coverage. Tailor the system's sound coverage with extended (78.5") and collapsed (16.5") positioning,



# • 101dB SPL for undistorted sound • Integrated PS-VR VHF receiver

Portable 2-way, 20w self-powered

inputs, RCA line output

speaker with 1/4" mic and RCA line

∧ZDEN APS 25-VL1

Portable PA Speaker with Wireless Mic

- Dedicated volume and tone controls
- Includes 31LT bodypack transmitter, EX-503 lapel mic and removable wall-mount bracket

#AZAPS25VL1 ...... Call or Log-on APS 25 2-Way Powered Speaker System (AZAPS25) 169.00



**EPA150** Ultra-Compact 5-Channel 150-watt PA System

Briefcase format sets up in seconds. Integrated storage compartment. 2 mic preamps with phantom power, CH-1/2

feature line and mic inputs, CH-3 mic / inst. input and CH-4/5 stereo line. 24-bit FX processor with 100 presets. 7-band graphic EQ and Feedback Detection system. Comes with a mic. (BEEPA150).. Call or Log-on



### **EPA900**

Portable PA System

900w and 8-channel mixer with mic, line and instrument inputs. 4 mic preamps with switchable +48v phantom power.

Powerful 10" woofers and 1.35" aluminum-diaphragm compression drivers. 24-Bit effects processor, 2-band EQ per channel, 7-band

graphic EQ and voice-canceller function.

BEEPA900..... .699.99



## B208D • B210D • B212D **B215D** 2-Way Active Speakers

Class-D amplifiers provide 200 or 550w of

power to 8-, 10-, 12- or 15" long-excursion drivers 1.35" compression drivers. They feature XLR and 1/4" mic/line input with volume control and Clip LED. Additional line output to link additional speakers. Stand mount or tilt for use as a floor monitor. #BEB208DB (200w, 8" woofer)...... 184.99 #BEB210DB (200w, 10" woofer)...... 207.99 #BEB212DB (550w, 12" woofer) ...... Log-on 



# PA-300 Plus (CALIFONE

Powered Two-Way Speaker



Compact, self-contained 2-way, 30w amplified 10 lb. speaker, with balanced and unbalanced XLR and 1/4" mic inputs, and a 1/4" line level I/O. A stereo RCA

connection is also included. Bass and treble tone controls allow for adjustment to the acoustic environment. Daisy-chain up to 20 units for fuller coverage of larger spaces.

AN-1000X Powered 2-Way Portable P.A. Speaker

2-way, magnetically shielded speaker with 50w of amplification. Features independent front panel bass and treble controls, along with a volume knob. The rear panel has balanced XLR switchable Mic/ Line input 1/4" connectors for the speaker out and line in, and RCA line level I/O's.



ANAN1000X ..... ANAN1001X (companion speaker for use with AN-1000X)..... 122.00



### **B1 Bass Module**

Passive Low-Frequency Speaker for the L1

The B1 speaker enhances the lowfrequency response of the L1, adding depth and bass to musical instruments, DJ rigs and other sound reinforcement applications. Connects to the base of the L1 system, or use the optional A1 amplifier to provide added power to a pair of B1 speakers.

#B0B1BM..... 299.00





### **B205D** Active PA and Monitor Speaker System

150w active speaker with 5.25" full-range neodymium driver for vocal and

keyboard monitoring. Features three XLR / 1/4" combo inputs for mic (with +48v phantom power),

line level and instruments. XLR "through" connector with mic/line switch for linking more B205Ds. Integrated ultra-low noise 3-channel mixer with 3-band EQ. Can mount between a mic stand 



# **DJ-Tech**

### Cube 50

Portable PA Speaker with Wireless Mic

50-watt powered/integrated speaker, 3-channel mixer and wireless mic system (includes handheld wireless transmitter, bodypack transmitter. lavalier and head-worn mics). Runs 12 hours on internal battery.



# Tender Passport P-150 Pro

Portable Sound System

Collapses into a molded luggagestyle case. Pair of full range 5.25" woofers, mic and line inputs, 4-input mixer with EQ, panning and volume controls. Digital reverb may be assigned to either the mains or individual channels. Stand adapters are built in to each speaker cabinet. Runs on 12v DC power or via the internal 



Portable Sound System

300w amp, 8" speaker drivers and 6-channel mixer (4 inputs with balanced mic/line and 2 stereo inputs). LED indicators above each channel input.



Detachable speakers are pole mountable. Subwoofer out with 

# tender

# Passport 500 Pro

Portable Sound System

Steps up from the 300 Pro with 500w amp and two speaker cabinets with 10" woofer and 1.2" horn loaded tweeter. USB port lets you record with CD quality (.wav) straight to a USB flash drive. #FEPP500PSS......



... Call or Log-on

**PRO AUDIO** 

# Funder Passport Executive PA

State-of-the-art NXT flat-panel speaker technology results in a slim-profile no bigger than a briefcase. Its 100w amplifier is perfect for addressing small audiences, and a built-in wireless receiver, bodypack transmitter and



headworn mic allow for hands-free speech. Aslo has 1/8" mini 

# JBL EON 210P

300w Powered Speaker System

Features a pair of two-way speakers with 10" drivers, and an 8-channel powered mixer which stores into one of the speakers. Onboard effects processor features 4 reverb variations and a variable limiter control. 



# MACKIE. SRM150

5" Compact Active PA System

Built-in three-channel mixer has two combo XLR/line inputs with 48v phantom power, instrumentready input, a stereo channel for CD/MP3 and a 3-band active EQ. Built-in limiter for system



protection. Use as a floor monitor, stand-mounting, or mount in a 



### **Escort** Portable P.A. System with Stand

Self-contained system packed into a molded case with wheels and a handle Two speakers, mic and 5-channel powered mixer. 4 XLR mic inputs with phantom power, and 2 stereo line level inputs with bass, treble and reverb controls.

#PEESCORT ...... 649.99



Portable Battery-Powered PA/Amp

Heavy-duty 8" speaker provides fullrange audio. 2 input channels, each with a 1/4" input and individual level controls. 1/4" output. 2-band EQ. Runs on 8 "D" batteries or AC power.

#PESOLOPORTPA 119.99



## **PYLE** PCMX260MB Portable PA System

Delivers 400 watts of power to full-range speakers. Includes handheld mic, plus has USB and SD card slots for playing MP3 files. Mic/line input with volume control. Built-In 7 AH rechargeable battery, 35mm speaker stand mount and telescoping handle and caster wheels.

#PYPCMX260MB ...... 178.41




# PYLE PWMA230 • PWMA330

200W or 300W

VHF Wireless PA Systems

Integrated wireless receiver and handheld wireless VHF mic. Two mic inputs, plus guitar and line level 1/4" inputs. 8" speaker with echo, bass and treble controls. Runs up to 5 hours on internal rechargeable battery. Integrated handle and wheels plus 35mm socket for use with standard speaker mount.





# PYLE PWMA860I • PWMA930I

500W or 600W

VHF Wireless PA Systems with iPod Dock

Same as the PWMA230/330 (previous box), plus has built-in iPod dock (charges iPod nano or classic while docked) and 500w or 600w of peak power.

PYPWMA860I (500 watts) .......218.95 PYPWMA940BTI (600w w/wireless mic). 183.95



# **PYLE** PWMA1080i

Portable PA with Wireless Mic and iPod Dock

10" woofer, mid-driver and tweeter powered by 800W amp. Two mic inputs. guitar or 1/4" audio input or use the included wireless VHF mic or your iPod classic or nano. Battlery (up to 5 hours) or AC powered. Easy to transport with telescoping handle and casters.

PYPWMA1080I......**241.85** 

PYPWMA1050 (same as above without iPod dock) ...... 182.24





Portable PA with iPod Dock

Compact unit with 2-way full range speakers powered by 400W amp. Mic, line and instrment inputs, plus dock for iPod. Powered by 110 or 220v or by internal rechargeable battery for up to 12 hours. Easy to transport with its telescoping handle and sturdy caster wheels.





# Roland cм-30 cube

Active Monitor Speaker

2-way, 6.5" active speaker with 30w of built-in amplification. XLR mic or line input plus two Aux inputs. Stereo headphone output with level control, built-in 2-band FQ. Link up two units via Stereo Link function. Metal grill cover for speaker, metal corner protectors for enclosure. All-metal, recessed carrying handle. ROCM30.....



# Roland BA-330

Portable Stereo PA Amp and Speaker System

Four custom-designed 6.5" speakers and two tweeters for wide stereo projection. Two channels for mic/ instruments plus two stereo input channels. Stereo aux input with volume control. Built-in EQ, reverb, delay, and wide (on/off per channel). Advanced anti-feedback function. Built-in tilt-back stand, plus speaker-stand adapter.



#ROBA330..... 649.00

# YAMAHA STAGEPAS 300 • 500

STAGEPAS 300 consists of two two-way speakers 8" LF driver and 1" horn tweeter), and an 8-channel 300w powered stereo mixer which conveniently mounts in the rear panel



YASP300 ..... YASP500 (10" speakers, 500w powered 10-channel mixer).... 899.99


# **More Portable PA Systems**

	•
1998.00	Bose L1 Model I System Single Bass Package- L1 Model I and B1 Bass Module (BOL1MI)
2499.00	Bose L1 Model II Single Bass Package (BOL1MII)
369.00	<b>DJ-Tech</b> iBoost 101 Portable DJ PA System for iPod ( <i>DJIBOOST101</i> )
Call or Log-on	DJ-Tech iCube 90 Powered PA Speaker for iPod (DJICUBE90)
369.00	DJ-Tech iVisa 80 Light 80w System with built-in 5-Channel Mixer (DJIVISA80L)
369.00	DJ-Tech uCube 85 MKII Portable PA System with iPad Dock (DJUCUBE85MK2)
199.95	Gemini MS-POD Portable PA System with Integrated iPod Dock (GEMSPOD).
219.95	Gemini MS-USB Portable PA System with USB Input (GEMSUSB)
Call or Log-on	Nady WA-120 Portable Wireless PA System in Frequency D (NAWA120HTD) or Frequency F (NAWA120LTF)
183.95	Pyle Pro PWMA940BTI Portable PA System with Wireless Microphone (PYPWMA940BTI)

# PA Speaker Stands and Mounts

# **PA-Speaker Stands & Mounts**

PA-Speaker Stands & Mounts	
Anchor-Audio	
SB-1: Stand mounting bracket for AN-1000X (ANSB1BK)	61 00
SB-3: Wall-mounting U-bracket for AN-130 (ANSB3BK)	
SS-250: Speaker stand for the AN-130 (ANSS250)	
SS-550: Heavy-duty speaker stand for Explorer and Xtreme systems (ANSS550)	134.00
Pandan	
Fender  ST 275. Chapter stand lift (for two appellace) with sage for Decement systems (FECTOTE)	
<b>ST-275:</b> Speaker stand kit (for two speakers) with case for Passport systems ( <i>FEST275</i> ) <b>ST-280:</b> 2-speaker and 2-mic stand Combo Kit with case for Passport Series ( <i>FEST280</i> )	-
Speaker wall mount kit for Passport Series (for single speaker) (FESWMP)	
, , , , , , , , , , , , , , , , , , ,	
JBL	
SS2-BK: Tripod stand for EON, MPro, SR-X and SoundFactor (JBSS2BK)	
SS3-BK:- Speaker Pole for MPro and MRX Series Subw (JBSS3BK)	54.95
OmniMount	
30WB Wall Speaker Mount for up to 30 lb. (OM300WBIFKB)	47.95
30.0 ST-MP Bookshelf Speaker Mount for up to 30 lb. (OM300STMPIFB)	53.25
0 04	
On-Stage	10-0-
1%" Heavy-Duty Plastic Speaker Stand Adapter (ONEB9760B)	•
1½" Speaker Cabinet Insert (ONSSA1.5)	
1.375" to 1" Stand Adapter (ONSSA3)	
SS-7730: Steel Speaker Stand supports up to 200 lbs. (ONSS7730B)	Log-on
SS-7740: 42" Subwoofer/Speaker Attachment Pole (ONSS7740B)	-
SS-7745: Adjustable P.A. Subwoofer Speaker Attachment Shaft (ONSS7745)	•
SS-7761B: Lightweight Aluminum Reversible Shaft 150 lb. Speaker Stand (ONSS7761B)	-
SS7913B: Wall-Mount Speaker Brackets (Pair)-100 lb. capacity (ONSS7914B)	_
LS-SS7770: 120" Speaker Stand (ONLSSS7770)	
SS-7322B: Pair of Wall Speaker Brackets (Black) (ONSS7322B)	_
SS-7920: Dual Mount Speaker Bracket (ONSS7920)	15.99
SS-8800BP: Power Crank-Up Speaker Stand with 100 lb. capacity (ONSS8800BP)	-
SSP7850 Aluminum Speaker Stand Pak: Two aluminum height-adjustable (46- 74") sta	
two mounting brackets, and a stand bag (ONSSP7850)	
and reversible speaker with stand bag. (ONSSP7950)	Log-on
MIX-400: Autolocator/Mixer Stand (ONMIX400)	
<b>Lighting Stand with 10' Truss:</b> Consists of two 3 section stands with T-Bars that rise to a	
height of 10.5'. The center truss is comprised of two 5' wide sections. Supports up to 400 ll equipment. (ONLS9790)	
oquprioric (onesor ooy	Log on
QuikLok	
QL-400: Adjustable, Roll-Around Mixer/Remote Stand with Casters (QUQL400)	
RS-540: Heavy Duty Collapsible T-Shaped Stand (QUWS540)	71.99
Ultimate Support	
<b>JS-TS50:</b> Pair of Height Adjustable Speaker Stand with 110 lb. capacity each ( <i>ULJSTS502</i> )	Log-on
JS-KD50: Kick Drum/Amp Mic Stand (ULJSKD50)	_
LTB-48B: 48" Lighting Tree Crossbar for TS-88/TS-99 (ULLTB48B)	45.99
TS-100B: Air-Powered Lift-Assist Aluminum Tripod Speaker Stand (ULTS100B)	-
TS-70B: Economy Aluminum Speaker Stand (ULTS70B)	
TS-80B: Adjustable (44-79") Aluminum Speaker Stand with 150 lb. capacity ( <i>ULTS80B</i> )  TS-88B: Adjustable (62-110") Aluminum Speaker Stand with 150 lb. capacity ( <i>ULTS88B</i> )	_
<b>TS-90B:</b> Adjustable (44-79") Aluminum Speaker Stand with 150 lb. capacity ( <i>ULTS90B</i> )	
<b>TS-99B:</b> Adjustable (62-110") Aluminum Speaker Stand with 150 lb. capacity ( <i>ULTS99B</i> )	_
TS-99BL: Same as above with Leveling Leg (ULTS99BL)	_
TS-110B: Speaker Stand with Air-Lift (ULTS110B)	-
SP-80B: Subwoofer Mounted Satellite Speaker Pole (ULSP80B)	
SP-90B: Subwoofer Mounted Satellite Speaker Pole ( <i>ULSP90B</i> )	
LTV-24B: 24" Lighting Tree Vertical Extension (ULLTV24B)	_
JS-SRR100: Heavy-Duty Rolling Rack Stand (ULJSSRR100)	-



### Yamaha

ADP138: Stand Mount for Stagepas 300 & MSR100 Speakers (YAADP138)	9.99
BMS10A: Adapter to mount speakers up to 11 lbs to a mic stand (YABMS10A)	19.99
SS238B: Tripod Speaker Stand (Pair) support up to 70 lbs. each (YASS238B)	99.99
SWP138: Adjustable (31.5 to 52.5") Loudspeaker Mounting (Pair) Poles (YASWP138)	39.95

## **Speaker Cases & Covers**



## Fender

Protective Cover for Passport P-150 (FEPCP150)	17.99	
Gator		
GPA-50: Single Speaker Stand Bag (GASSB)	Call or Log-on	
GPA-88: Dual Speaker Stand Bag (GAGPA88)	Call or Log-on	
GX-33: Utility Case for 3 Mic Stands, 5 Mics and accessories (GAGX33)	39.99	
GPA-450-515: Single Speaker Bag (GASBMS)	54.99	
JBL		
JBL-SS2/SS4-BAG Deluxe Padded Carry Bag (JBSS2SS4BAG)	64.99	
On-Stage		
SSB6500: Heavy Duty Bag for 2 Speaker Stands or up to 6 Mic Stands (ONSSB6500)	Call or Log-on	
SKB X-Large ATA Stand Case with Wheels: Holds Audio and Lighting Stands up to 4	9½ x 20¼ x	
13½" (SKH5020W)	Call or Log-on	
SKB Freedom ATA Stand Transport Case with Wheels: For Audio or Lighting Stands	s up to 48 x	

# **MSB6500** Mic Stand Bag (ONMSB6500). 22.95 **Ultimate Support**

Bag-90: Heavy-Duty Padded Bag for TS-90, TS-80 or TS-70 Stand (ULBAG90)	Call or Log-on
Bag-99: Heavy-Duty Padded Bag for TS-99 or TS-88 Stand (ULBAG99)	Call or Log-on
Bag-90D: Same as above except for two TS-90, TS-80 or TS-70 Stands (ULBAG90D).	Call or Log-on
Ran-99D: Heaw-Duty Padded Ban for two TS-99 or TS-88 Stands (III BAG99D)	Call or Log-on

## 800-859-5252 | 212-444-5072

# AMPUVOX BeltBlaster

Waist-Worn PA System with Microphone

5W amp with mic input, adjustable volume control, and 44" adjustable belt. Includes headset and clip-on lapel mics. Runs on 6 AA batteries.

#AMS206 ...... 108.65



Fender Passport P-10 Personal Portable Sound System

Ideal for small crowd or audience. 27-watts of power and 5" speaker. Runs 8 hours on built-in rechargeable battery. 1/8" line input. Includes handheld dynamic cardioid mic with coiled mic and shoulder strap. (FEP10)......209.99



# Passport P10 Wireless UHF Kit

Battery powered (up to 8 hours), self-contained system with a wireless dynamic mic, battery charger and shoulder strap. 1/8" auxiliary input jack. #FEP10WAUHF ......Log-on



Passport P10 Wireless UHF Executive Kit (FEP10WAEUHF) ... Log-on

# AMPUVOX Pro BeltBlaster

PA System and Accessory Pack

Same as the BeltBlaster (above). plus includes AC adapter, six NiMH batteries, 12" band extension and sport pack. #AMS207 ......**108.99** 



**PYLE PWMA50** 

Waistband Portable PA System

Small super powerful voice amplifier for a projection range up to 1/2 mile. Built-in rechargeable battery. AUX input for MP3 player or iPod. Includes headset mic.



In Black (PYPWMA50B) or White (PYPWMA50W).....



### **ER-1000**

TOA Personal PA System

Lightweight amplifier speaker and elastic adjustable waistband with head-worn cardioid mic. Speaker features volume control, 6w (covers over 240') and 10w modes, 1/8" line



#TOER1000WR ...... 219.80

# Mity-Vox Portable Bat-

### tery Powered PA System

Built-in amp with mic and line input capable of addressing up to 150 people. Built-in wireless receiver. Includes handheld wireless mic. Runs on 8 D-cell rechargeable batteries. #AMSW212......**269.13** 



# AMPUVOX S601 Piezo Dynamic Megaphone • 900-yard range

Weatherproof

• Runs 18 hours on 8 AA batteries

#AMS601......96.99

SW610A Wireless Megaphone (AMSW610A).....



456.39

# MityMeg 15/Plus

Piezo Dynamic Megaphones

- 1760-yard range Weatherproof
- Run 40 hours on 8 "C" batteries
- Volume adjustment

• Coverage of up to 1000'

all-weather use

and siren

· Durable ABS construction for

(CALIFONE

MityMeg 15 (AMS602)......99.99 MityMeg Plus with detachable corded mic (AMS602M). 126.66

Built-In Siren



# Lite-BP MiniVox Lite Portable

PA System

Less than 3 lbs, 4.5" neodymium driver and a 30W amp provide clear audio for over 50 people. Dual mic inputs plus mini line I/O. Includes 10 rechargeable batteries and charger, shoulder strap and hand-held wired mic. #ANLITEBPB.....



.329.00



· Reach crowds of 50 people Runs 14 hours on a 'C' battery

PA20R steps up from the PA-15 with

detachable mic, 10-second message

record, Siren Mode and detachable

shoulder strap. The PA25R steps up

PMP30: 30w, 800-yard range

PMP35R: Adds siren recording

**PMP35:** 40w, 1000-yard range

(PYPMP30)......12.99

PA20R (CAPA20R). 54.50 PA25R (CAPA25R) .89.95

PRO PMP30 • PMP35
Megaphone/Bullhorn

(CALIFONE

with a 1250' range.

#ANI RH30

**PA20R • PA25R** 

Handheld Megaphones





## PYLE PMP10 PRO

Volume control slider for both voice

Mini Handheld Megaphone

PA15 15w Megaphone with

Lightweight megaphone runs on 3 AA batteries and has 10W of output power. Can be heard up to 700 feet away. Features adjustable volume control, battery light indicators and wrist strap. (PYPMP10).....

PYLE PMP50 Piezo Dynamic

Megaphone

and variable volume control. (PYPMP50) .....

50W megaphone with a powerful piezo

driver and large bell diameter for 1-mile

projection range. Has integrated siren plus

a handheld mic, modes for talk and siren,



# Europort EPA40 40W Hand-

held PA System

Sling this system over your shoulder and stay mobile while addressing up to 100 people, 5" fullrange speaker and 40w of power. Runs 8 hours on integrated battery. Includes





### PA-282AV • PA-285AV

Battery or DC-powered 2w (PA-282AV) or 5w (PA-285AV) personal speaker for up to 25 people with a belt clip and a headset mic. Volume and tone controls. PA-285AV adds recessed desktop tripod mount on bottom.







# **PA-10** Portable Wireless PA System

Wireless receiver/amp with built-in handle, belt pack transmitter and lavalier mic. Powered via internal battery or included AC adapter. Transmitter stores in hidden compartment. Also has a mini mic input.

CAPA10A (206.400MHz) .239.95 CAPA10B (210.250MHz)......159.99







PRO

# **ER-2215W** 23-Watt Shoulder Type

#PYPMP55R (adds 10-Second Audio Recording Memory)..... 54.99

### TOA Megaphone

- 1300' voice, 1600' whistle projection range
- · Detachable mic with volume control and anti-bacterial treatment





**ER1215** 23-Watt Grip

and handheld mic (PYPMP40)...... 24.95

- mouthpiece, mic and handle
- speaker performance 14-hours on 6 "C" batteries #TOER1215 ..... **63.95** #TOER1215S (Same, but in Red) .. **88.95**

Installed Sound – Microphones



# Array Microphone

Acoustic Magic's "listening beam" technology features 8 carefully placed elements to provide coverage throughout a large room.

Ideal for capturing speech during conferences, voice recognition software, and much more. (ACVTIAM).....229.00



# audio technica PRO-44

Hemi-Cardioid Condenser Boundary Mic

Hemi-cardioid (half-space cardioid) condenser boundary microphone with an integral power module (for non-permanent installations).



#AUPRO44..... 

# audio technica. PRO-49Q

Gooseneck Microphone

- Measures 13.07"
- · XLR base enables quick connection and release to any XLR mic input

#AUPR049Q......**89.95** #AUPR049QL (16.46")...**87.89** 



# audio technica. U857QL

Gooseneck Mic with Cardioid Capsule

ACOUSTIC MAGIC Voice Tracker II

10" long mic for long range recording. Features

audio-technica. UA851A

UniPoint Boundary Microphone

Cardioid pattern, plus the UA851's capsules

are interchangeable, omni-directional and

hyper-cardioid polar patterns are available.

motion for easy installation on flat surfaces.

The output connection features a pivot

Acoustic Magic's "listening beam" technology

plus AEC (Acoustic Echo Cancellation) and

automatic electronic steering of "listening

beam" to talker location.

#ACVTIIAM .....

Array Microphone

#AUU857QL ...... 179.95



331.00

(🗥) audio technica. U841A

Unipoint Boundary Condenser Microphone

Omnidirectional mic designed for highly intelligible sound reinforcement, professional recording, television and conferencing in surface-mount applications. Accurately reproduces audio at 360°.



www.BandH.com

# ∭audio·technica. UA851R

UniPoint Boundary Microphone

Features a frequency response curve, designed to enhance intelligibility of speech. Cardioid pattern and pivot motion for easy installation on flat surfaces.



#AUU851R.....



# Cardioid Condenser Quick-mount



UniGuard shielding rejects RF interference. UniSteep filtering reduces low frequency noise. Interchangeable hyper-cardioid and omnidirectional capsules are available as options.



# ∆) audio technica. U853R

UniPoint Series Cardioid

Condenser Hanging Mic

Same as the U853A except it can be powered by 11-52v phantom power or 1.5v AA battery. 





# ∆)audio technica. U859QL

UniPoint Series Cardioid Quick-Mount 18" Gooseneck Mic

XLR male output connector at the base, optimized frequency response, UniGuard shielding, UniSteep filter and interchangeable elements.



# audio technica. Pro 45

Cardioid Hanging Condenser Mic

Vinyl coated steel hanger allows inconspicuous it positioning over a choir, orchestra, stage, etc. 25' cable permanently attached between mic and XLRM-type connector.

#AUPRO45......**79.95** 



# audio technica. U853A

UniPoint Series Cardioid Condenser Hanging Mic

Flexible steel suspension hanger wraps around the ceiling suspended cable and capsule. Features interchangeable capsules, UniSteep Filter and RFI shielding. Phantom power only. (AUU853A)...... 199.00

# **BOGEN** SCU250

Low-Profile Cardioid Boundary Mic

Non-glare, heavy copper enclosure features mounting screws at the base for hanging. Has 26' XLR cable. Runs on 9-52v 



# BOGEN DDU250

Desktop Dynamic Gooseneck Mic

Features deskotp base, 16" flexible gooseneck, cardioid polar pattern and Push-to-Lock and Push-to-Talk function.

#BODDU250.......119.67



# U7 USB Boundary Condenser

Recording Mic

Omnidirectional polar pattern effectively captures audio at all angles. USB output for direct connection to Windows and Mac computers. #CAU7...... Call or Log-on





# **₩€ГОЩ**, **МВ3**

Surface-Mount Boundary Mic

Completely flush mounted and remains unobtrusive and low-profile. Half-super-cardioid polar pattern. Fequency response is devised to accentuate the range of the human voice. #CRMB3Q......179.00



# *™clomu*

PZM-6D

Small Pressure Zone Boundary Hemispherical pattern with low frequency roll-off. Wide frequency response features switchable contouring.

#CRPZM6D .....



# PZM-30D

Large Pressure Zone Boundary Hemispherical pattern with low frequency roll-off. Wide frequency response features switchable

contouring. Has screw mounting terminals. 



# **Р**ЕГО**ШП** Р**Z**М185

Herisphereical (Half Omni) Boundary

Condenser Mic Excellent clarity with consistent pickup anywhere around the mic. Output is balanced, low impedance, which allows long cable runs.



#CRPZM185......199.00

# **РСС-160**

Phase Coherent Cardioid Mic Industry standard stage mic with half

super-cardioid pattern.Frequency response of 50-18kHz provides accurate signal reproduction, "Bass Tilt" switch further reduces low frequency noise.

#CRPCC160 ...... Call or Log-on



349.00

# မြာ*င္းဝယ္*ကို <sub>PCC-170</sub>

Half-Supercardioid Boundary Mic

Wide frequency response of 50Hz-20kHz accentuates the midrange frequencies associated with the human voice while minimizing low frequency noise. A "Bass Tilt" switch further eliminates low frequency hum and noise.

# Installed Sound – Microphones • Mixers

### 800-859-5252 | 212-444-5072

# SHURE MX391/0

Omni-Directional Boundary Condenser Mic Flat frequency response across the

vocal range for uncolored sound. Balanced, transformerless output allows

long cable runs. Interchangeable polar pattern cartridges 146.50 #SHMX3910.....

# SHURE MX393/C

Cardioid Boundary Condenser Mic

Flat frequency response across the vocal range. Programmable membrane switch with LED indicator, built-in preamplifier, detachable XLR cable. Interchangeable pattern cartridges.



# SHURE MX391/C

Cardioid Boundary Condenser Mic

Flat frequency response across the vocal range for uncolored sound. Balanced, transformerless output allows long cable runs. Interchangeable polar pattern cartridges.



156.00		#SHMX391C
211.00	- Super-Cardioid)	#SHMX393S (M)

# SHURE MX393/0

Omni-Directional Boundary Condenser Mic

Flat frequency response across the vocal range. 360° pick up angle. Programmable membrane switch with LED, built-in preamp, detachable XLR cable. Interchangeable pattern cartridges. 



# SHURE MX202

Hanging Condenser Mic

Flexible 4" gooseneck with a 30' cable, captures wide dynamic range and frequency response for accurate sound reproduction. Cardioid with stand adapter in White (SHMX202WC) .. 159.00 Super Cardioid with stand adapter (SHMX202BS)...... 174.99 Cardioid with plate mount in White (SHMX202WPC) ... 159.99

# **SHURE** MX412 & MX418

Microflex Gooseneck Mics

Interchangeable cartridges. Snap-fit foam windscreen. Balanced, transformerless output allows long cable runs. Shock mount provides over 20dB isolation from surface vibration noise. Locking flange mount for permanently securing

mics to surfaces.	1
12" Cardioid (SHMX412C)186.00	
12" Cardioid with Switch (SHMX412SC) 194.73	
12" Super-Cardioid (SHMX412S)	
12" Desktop Mounted Cardioid (SHMX412DC)	229.95
12" Desktop Mounted Super-Cardioid (SHMX412DS)	229.95
18" Cardioid (SHMX418C)	176.82
18" Cardioid with mute switch (SHMX418SC)	193.99
18" Cardioid with flange mount (SHMX418SEC)	199.00
18" Super-Cardioid (SHMX418S)	182.43
18" Super-Cardioid with Switch (SHMX418SS)	208.99
18" Desktop Mounted Cardioid (SHMX418DC)	260.00
18" Desktop Mounted Super-Cardioid (SHMX418DS)	243.06

#### **More Installation Mics**

AKG C562cm: Ceiling Mountable Mic (AKC562CM)......299.00 AKG DST 99S: Cardioid Gooseneck Mic (AKDST99S).......149.00 Astatic 827A: 13" Miniature Gooseneck Mic (AS827A13) ..... 79.14 Astatic 827A: 17" Miniature Gooseneck Mic (AS827A17) ..... 89.99 Astatic 727-18: Dvnamic 18" Gooseneck Mic (AS72718) ..... 49.86 Audio Technica AT808G: Dynamic Sub-Cardioid Gooseneck Mic Audio-Technica Pro 45: Cardioid Condenser Hanging Mic.......

(ALIPRO45W) Call or Log-on

Beyerdynamic Classis OM 302 US: Ceiling Mounted Goosene	ck
(BEOM302US)	00
Electro-Voice RE-90H: Hanging Choir Mic (ELRE90H) Log-	on
MXL FR-401: Supercardioid Boundary Mic (MXFR401)779.	99
MXL FR-402: Wide Cardioid Boundary (MXFR402)82.	50
Nady CBM 40X: Boundary Mic (NACBM40X)55.	99
Revolabs: Omni Table Top Wireless Mic for Revolabs HD System	n
(REEHDTTOM)	00
Shure MX690: Wireless Boundary Mic (SHMX690H5)478.	00

# R T MX225 Zone Distribution Mixer

- Two stereo inputs routed to five zones
- Source 1/2 volume knob on each zone
- 5-segment LED meter on every zone
- Balanced XLR inputs/outputs
- . Sum to Mono buttons with LED indicator #ARMX225.....

149.00

# ROLLS RM64

4-Zone Mixer



- . Two mic inputs with individual volume controls, zone selector switches, and automatic ducking
- · 4 stereo RCA inputs with volume controls and zone selector
- Four output zones with XLRs, volume controls, 1/4" jacks

#### ROLLS RM74 MixMate 2

6-Channel Audio Mixer



- Two XLR mic inputs with individual phantom power, level. and tone controls. Parallel XLR jack for mic one.
- Four stereo RCA inputs with level, bass, and treble controls #RORM74 ...... Call or Log-on

# SHURE SCM268

4-Channel Microphone Mixer

- 4 XLR mic, 4 RCA line inputs
- XLR and AUX RCA
- 2000 phono outputs
- Six sealed rotary pots Supplies 12v phantom power #SHSCM268 ...... 259.99

#### SHURE SCM800 8-Channel Mic Mixer

# 000000000000000

- · All inputs are capable of line level or mic level signal. 48v phantom power for condenser microphones.
- 8 inserts to send signal to effects and signal processors.
- · Built-in limiter; low frequency roll-off and high pass shelving #SHSCM810 (SCM810 8-Channel 'Automatic Mixer') ...... 1235.52

# T MX821

8-Channel Audio Mixer



- 8 XLR mic and eight 1/4" phone line inputs
- · Level control on each channel
- +48v phantom power on each channel
- Balanced & unbalanced mono output
- Prefade output for linking mixers

# ROLLS RM67

6-Channel Mic/Source Mixer



- · Individual gain control
- Stereo 1/4" TRS or RCA outputs
- "Talk Over" feature; Music/program priority
- Remote volume control

# SHURE

# **SCM262**

Stereo Mic Mixer



- Two XLR mic 1/4" line and 3 RCA phono line level inputs. Stereo 1/4" phone and stereo RCA outputs.
- "Juke Box Mute"; "Page with Ducking"
- Can work as paging mixer

#SHSCM262 .....

# SHURE SCM410

4-Channel Automatic Mixer

• 4 XLR mic inputs, XLR output



- · Input level control
- · Provides 12v phantom power
- Shure Intellimix Technology MaxBus Channel Control



Behringer DCX2496 ULTRADRIVE PRO (BEDCX2496)	Log-on
Fostex RM2 1U Rackmount Monitor (FORM2)	Log-on
Marshall AR-AM11 Analog Audio Monitor (MAARAM1)	366.85
Remote Audio SPEAKEASY R1 (RESPKEZR1)	349.99
Whirlwind DA-2 Audio DA (WHDA2)	480.00



# Installed Sound – Mixers/Amplifiers

# **Paging and Security Microphones**



Astatic 878HL: Desktop Mic (AS878HL2)	94.99
Bogen Communications MBS1000A:	
Desktop Cardioid Paging Mic (BOMBS1000A)	137.00
Electro-Voice US602FL: Noise Cancelling (ELUS602FL)	Log-on
TOA PM660U: Paging Mic (TOPM660U)	102.00
Telex MCP-90-12: 12" Gooseneck Mic (TEMCP9012)	210.00

#### **Crown Audio**

PZM10: Miniature Security Mic (CRPZM10)149.00
PZM-11: Wall Plate Mountable Security Mic with Line-Level
Unterminated Pigtail Connection in White (CRPZM11LL)139.00
PZM-11LLWR: Weather Resistant Pressure Zone Line Level Mic
in White (CRPZM11LLWR)

#### Churc

Silure
<b>450 Series II</b> : Omni Desktop Paging Mic (SH4502) <b>101.74</b>
<b>514B</b> : Omnidirectional Push-To-Talk Mic (SH514B) <b>56.22</b>
<b>515SBG-18X</b> : Dynamic Cardioid Paging Mic with 18" Gooseneck
(SH515SBG18X) <b>75.74</b>
<b>515SBG-18XF</b> : Dynamic Cardioid Paging Mic with 18" Gooseneck
and A13HD Mounting Flange (SH515SBG18XF)75.74
<b>522</b> : Cardioid Base Station Dynamic Mic (SH522) <b>99.95</b>
<b>527B</b> : Cardioid Handheld Lo-Z Mic (SH527B) <b>69.00</b>
<b>561</b> : Omnidirectional Lo-Z Microphone (SH561) <b>74.95</b>
<b>562</b> : Cardioid Noise-Cancelling Lo-Z Communication Mic for
Gooseneck and Stand Mounting (SH562)
<b>577B</b> : Dynamic Handheld Cardioid Mic (SH577B) <b>111.00</b>
<b>596LB</b> : Omnidirectional Push-To-Talk Mic (SH596LB) <b>39.56</b>

# **Speech & Seminar Microphones**

#### **Audio Technica** ATR1100: Cardioid Handheld Dynamic Mic (AUATR1100) ......12.95

ATR1200: Cardioid Handheld Dynamic Mic (AUATR1200)	19.95		
ATR1300: Cardioid Handheld Dynamic Mic (AUATR1300)	21.44		
Pro 31: Cardioid Handheld Mic (AUPRO31)	34.00		
Shure			
PG58: Vocal Mic with XLR-1/4" Cable (SHPG58QTR)	59.00		
565SD-LC: Cardioid Dynamic Hi/Lo-Z Mic (SH565SDLC)	116.00		
PG48: Vocal Mic (SHPG48XLR)	39.00		
PG48: Vocal Mic with XLR-1/4" Cable (SHPG48QTR)	39.00		

#### Sony F-V100: Vocal Mic with 10' Cable (SOEV100)

- V 100.	VUCAI IVIIC VVILII IU	Cable (301 v 100)
F-V420:	Cardioid Handheld	Dynamic Vocal Mic (SOFV420) 24.99
FV-620:	Cardioid Handheld	Dynamic Vocal Mic (SOFV620)42.79

### **Install Sound Amplifiers**

Atlas Sound PA601: 60W Power Amp (ATPA601)	284.50
Atlas Sound PA702: 2-Ch. 70w Amplifier (ATPA702)	.267.50
Atlas Sound CP700: Power Amplifier (ATCP700)	.692.50
Pyle-Pro PT1100: 1000w Power Amp (PYPT1100)	89.99
Rolls RA170: 70v/70w Mono Power Amplifier (RORA170).	184.20
Rolls RA2100b: Amplifier (RORA2100B)	295.95

#### **Crown Audio**

280A: 2-Channel, 70v/160w Amplifier (CR280A) Log-on
CTs-600: Two-Channel 300w Power Amp (CRCTS600)1297.92
CDi 1000: 2-Channel, 70v/700w Amplifier (CRCDI1000)1063.65
XTi 1002: 275w Power Amplifier (CRXT/1002)499.00
XTi 2002: 475w Power Amplifier (CRXTI2002)



## **AA120**

120-Watt 6-Channel Mixer/Amp



- 5 mic/line phantom power inputs and 1 stereo AUX input.
- · Pre out/power amp in for patching of external processors.
- · Bridge in/out; extensive muting and output options

#ATAA120 ...... Call or Log-on AA120M: Same as above plus module input (ATAA120M)...503.50

**≅ € 100** 

8-input, 2 x 80W Mixer/Amplifier

 Designed for two-zone systems, offers 4 ohm, 70v, and



- 100v outputs. Sends any input to any output. · Independent bass and treble controls on each channel.
- 4 tone generator for bell, pre-announce chime, alert, evacuate
- Priority muting can be achieved by VOX or an external switch.

659.00		CR280MA	#
269.00	t, 60W Mixer/Amplifier)	CR160MA (160MA 4-Input,	#
429.00	t, 80W Mixer/Amplifier)	CR180MA (180MA 4-Input,	#



# PT110 • PT210

80- and 120w Amp/Mixers

Versatile, mixer amplifiers ideal for a variety of uses. They can be used with AC



or DC power, even in a car or truck. Inputs for two mics plus an auxiliary input. Multiple output options include series and parallel plus a headphone output for flexibility.

<b>PT110</b> ( <i>PYPT110</i> )6	8.95
PT210 (PYPT210)8	2.99



PT610 Five-Channel 600-Watt Mixer/Amplifier

• Four XLR/1/4" combo inputs two RCA line inputs, and a mic/line switchable RCA input.



• Suitable for amplifying music or vocal program material.

- Individual volume controls for each of the input sources
- PT710 Rackmount 3-Channel Mixer/Amp (PYPT710)....... 104.58

MA1705 5-Input Mixer/Amplifier



- 2 XLR mic inputs with phantom power and 3 stereo pairs of RCA jacks. Tone controls for each mic input.
- Provides 70 watts of power into a 70 volt speaker system.
- · Bass and treble controls, stereo pre-master record output, and spring-loaded outputs. Priority ducking for paging is provided.

#ROMA1/05	269.9
MA2152 5-Input Mixer/Amplifier (ROMA2152)	409.0



# Atlas Mixer/Amplifier AA35 35W Three-Channel

- Ideal for paging, background music, or music-on-hold applications.
- · Three mic/line inputs
- · Level controls for each of the three audio inputs as well as hass and treble tone controls
- DIP switches for assigning zone preferences, setting phantom power, mute preferences, and a low cut filter.

#ATAA35 Call or Log-on



P1001AT 1000W Hybrid Pre-Amp with AM/FM Tuner

· Dual mic input jacks for digital karaoke system



with separate treble, bass and echo controls

- · 3.5mm front panel input for portable media player
- Dedicated pre-amp and subwoofer output for expansion

<b>P1001AT</b> ( <i>PYP1001AT</i> )	.108.00
P1002AI Same as above with iPod Dock (PYP1001AI)	135.99
<b>P3001AT</b> ( <i>PYP3001AT</i> )	.140.00

# DYLE PCA1 • PCA2 • PCA3

Mini Stereo Power Amplifiers

- · Extremely compact
- · Stereo RCA input
- · Front-panel volume control
- Treble and bass controls
- · Front-panel volume and tone controls
- . Blue LED output level meters

PCA1: 30-watts (PYPCA1)	29.86
PCA2: 80-watts (PYPCA2)	
PCA3: 150-watts (PYPCA3)	52.50

1 Orth 00 Watto (17 Orth)	
PCA2: 80-watts (PYPCA2)	38.77
PCA3: 150-watts (PYPCA3)	
, ,	

#### **PTA1 • PTA3** Mini Stereo Power Amplifiers

- · Use for paging or musical applications
- Three switchable RCA stereo inputs plus RCA stereo out for recording.



· Feature music volume control, headphone output jack, bass and treble tone control, switchable mic pager and mixing mode.

PTA1: 30-watts	(PYPTA1)	39.99
PTA3: 150-watts	s (PYPTA3)	68.94



#### A-912MKII

8-Channel, 120-Watt Mixer/Amplifier



- · 25v and 70v operation with low self-noise, and wide frequency response. 8 input channels accept any combination of TOA's plua-in modules.
- · Accommodates external mute switchers for remote mute operation. Insert jacks for outboard signal processing.

# Installed Sound – Speakers

# 800-859-5252 | 212-444-5072



SM421 16W 70.77160 4" Two-Way Weather-Resistant

Surface-Mount Speakers

4" polypropylene woofer and 1" dome tweeter. TRX wave guide system provides wide dispersion of audio. Internal 16W, 70.7/100v transformer with power taps at 2, 4, 8, and 16 Ohms. Includes heavy-duty powder-coated C-bracket.



Black (ATSM42TB) or White (ATSM42TW) ...... sold as pair 113.00



FAP62T Strategy II
Coaxial Ceiling System Speakers

Complements modern architecture. Extended bass response. Full selection of tans as well as 16W and an 8ohm transformer bypass, 70,7V/100V internal transformers. 4-pole detachable phoenixstyle connector. Works with drop tile or sheetrock ceilings with the included C-ring/V-rail tile bridge and "dog leg" mounting system. #ATFAP62T......Call or Log-on



Rugged enclosure houses

a 5" woofer and a 0.75"

protection circuitry keeps

them running smoothly.

Spring-loaded speaker

SD72W Dual Cone Celling Speaker with Baffle (White) **SD72W** Dual Cone Ceiling

Dual cone, 25w 8" speaker with ceramic magnet and 1" diameter copper voice coil. Factory installed 25/70.7V line matching transformer with tap selections ranging from .25 to 5 watts. Factory installed CRS baffle with concealed loudspeaker mounting studs and screw mount hardware.



#ATSD72W	. Call or I	Log-on
#ATSD72WV (with volume control)		28.50

# IBL Control® Contractor

Premium Small Format Ceiling Speakers

High power handling, overload protection and exceptional sound level capability. Complete with integral backcan, front grille and tile bridge support hardware.



Control 24C: 4" woofer and 3/4" titanium-coated tweeter provide high-fidelity sound. (JBC24C) ...... sold as pair 208.00

Control 24CT Micro: Same as above, plus includes multi-tap transformers. (JBC24CTM) ...... sold as pair 144.00

Control 26: 6.5" woofer and 3/4" titanium-coated tweeter deliver maximum sound (JBC26C) ...... sold as pair 270.00

Control 26CT: Same as above, plus includes multi-tap transformers. (JBC26CT)...... sold as pair 312.00

In Black (JBC25TB) or White (JBC25TW) ...... sold as pair 304.00

60w multitap transformer for 70V/100V line distribution systems. The transformer may be bypassed allowing use as an 8 ohm impedance speaker. Includes stainless steel grille and MTC-PC2 panel cover included for additional weather resistance. In Black (JBC25AVB) or White (JBC25AVWH) ..... sold as pair 354.00

Control 28: 8" woofer and 1" titanium- coated tweeter provides vivid sound reproduction for large space applications.

In Black (JBC28B) or White (JBC28W).....sold as pair 480.00

Control 29AV-1: High fidelity performance, extended bandwidth and well-controlled defined coverage from a compact speaker.

Can be used in either vertical or horizontal orientation. Contains

10 inserts for suspending. (JBC29AV1B)......ea. 387.00

Control 25AV: Wide bandwidth, smooth response speaker.

# Electro-Voice EVID Series

Surface-Mount Speakers w/70v Transformers

Beautify not only the sound of a room, but also the looks. Great sonic characteristics and stunning high fidelity make them ideal for retail environments, boardrooms, restaurants, and bars. Durable ABS enclosure with a zinc-coated steel grille protects internal components.



EVID-4.2: 200w with Dual 4" Woofers and 1" Titanium Tweeter in Black (ELE42) or White (ELE42W). Call or Log-on

EVID-6.2: 300-Watt with Dual 6" Woofers and 1" Titanium 





terminals. Magnetically shielded, includes a ball and socket mounting bracket for easy installation and positioning flexibility.

Black (JBC1PROB) or White (JBC1PROW) .....sold as pair 164.00 Control 5 Compact 2-Way Speakers (JBC5B).....sold as pair 338.00

### In-Wall 2-Way Speaker Systems

PDIW55: 51/4" midbass speaker and directable 1/2" polymer dome tweeter. 150-watts. (PYPDIW55).....sold as pair 37.31

PDIW57: 51/4" long throw woofer and 1" titanium dome tweeter. 300-watts. (PYPDIW57).....sold as pair **49.95** 

PDIW87: 8" long throw woofer and 1" titanium dome tweeter. 400-watts. (PYPDIW87).....sold as pair **63.99** 



#### 2-Way Round Ceiling Speakers

PDIC51RD: 51/4" midbass speaker and directable 1/2" polymer dome tweeter. 150-watts. (PYPDIC51RD).....sold as pair 35.99

PDIC61RD: 61/2" midbass speaker and directable 1/2" polymer dome tweeter. 200-watts. (PYPDIC61RD) ......sold as pair 35.99

PDIC81RD: 8" midbass speaker and directable 1/2" polymer dome tweeter. 250-watts. (PYPDIC81RD).....sold as pair 39.79

#### **Indoor/Outdoor Waterproof Speakers:**

Completely waterproof, ideal for use on boats, decks, patios, outdoors and poolside. Heavy duty ASB construction. Quick connect/ disconnect speaker terminals. Unique spring loaded mounting system. Removable rustproof mesh grills.

PDWR30: 3.5" Cone Woofer and 1" Mylar Tweeter. Black (PYPDWR30B) or White (PYPDWR30W) ...... sold as pair 31.05

PDWR40: 5.25" Cone Woofer and 1" Mylar Tweeter. Black (PYPDWR40B) or White (PYPDWR40W) ...... sold as pair49.95

PDWR50: 6.5" Cone Woofer and 1" Mylar Tweeter. Black (PYPDWR50B) or White (PYPDWR50W) ...... sold as pair 55.23

# In-Ceiling 2-Way

Flush Mount Enclosure Speakers: PDPC82: 8" midbass speaker, directable 1" polymer dome tweeter, 250-watts (PYPDPC82) ...... sold as pair 64.95

### In-Ceiling Weather-Resistant Speakers with Installation Hardware:

PWRC52: 5.25" driver, dual 1/2" tweeter, 200w (PYPWRC52) 23.95 PWRC62: 6.5" driver, dual 1/2" tweeter, 300w (PYPWRC62) 26.99 PWRC82: 8" driver, dual 1/2" tweeter, 400w (PYPWRC82)... 38.95

#### **Install Sound Accessories**

## **Atlas Sound**

100W Wall Mount Attenuator Decora Finish (ATAT100D) Lo	g-on
8" Round Hole T-Bar Bridge (AT818R)Lo	g-on
AT35 35W Single Gang Stainless Steel 70.7v (ATAT35)	14.59

# **Bogen Communications**

Ceiling Grille for 8" Speakers - Semi-Gloss (BOPG8W)	7.95
Input/Line Transformer (BOWMT1A)	. 43.00
Voice Activated Relay for 70V Paging Systems (BOVAR1)	. 96.19

### Pyle-Pro

PVC1	Wall Mount Rotary Volume Control Knob (PYPVC1)	17.91
PVC2	Wall Mount Slide Volume Control (PYPVC2)	27.99
PVC3	High-Power Stereo Volume Control (PYPVC3)	22.89

dbx Rotary Volume Control for DriveRack (DBZC1)	64.95
RDL PS-24AS Switching Power Supply (RDPS24AS)	Log-on
Pyle Pro PT504 AM/ FM Digital Tuner (PYPT504)	55.99
Rolls RS80 AM/FM Tuner (RORS80)	252.00
Tascam TU-690 Stereo Tuner (TATU690)	189.00
Toa Electronics U03R - Unbalanced Line Filter (T0U03	8R) <b>55.50</b>

#### Coax Cable

Canare L-4E6S Star-Quad Mic Bulk Cable (656') (CAL4E6S656)......339.95

### Comprehensive

Premium 2-Conductor Flexible Plenum Bulk 



# UBL Control® Contractor Surface-Mounted Speakers Compact systems with rugged, molded high impact polystyrene shells designed for indoor and outdoor applications. They offer versatility, ease-of-installation and paintability. Invisiball® mounting technology revolutionizes installation with built-in hardware easily secured with a standard hex wrench from a front channel. Mounting bracket is included. Control 23: 3.5" woofer and horn-loaded titanium-coated tweeter. For mid/high operation in limited space environments. In Black (JBC23B) or White (JBC23W).....sold as pair 208.00 Control 25: 51/4" woofer with horn-loaded 1" titanium-coated tweeter. Excellent choice for moderately large venues. In Black (JBC25B) or White (JBC25W).....sold as pair 270.00 Control 25T: Same as above, plus includes a multitap transformer for line distribution systems.

www.BandH.com





Dual CD and MP3 Player

- Plays CD-R/RW and MP3-CDs
- CD Text and MP3 File Search
- 2 seamless loop
- points and 2 hot stutter starts. · Adjustable Pitch and Brake
- Analog RCA and digital S/PDIF outputs

#DEDND4500 ...... Call or Log-on




DENON DJ

- USB port
- . 5 selectable effects include flanger, echo, delay, filter and other mood enhancing tools
- Supports standard audio CDs, MP3 CDs, CD-R/RW, CD-ROM #DEDNS3700 ..... Call or Log-on



Compact Twin USB Player and Controller

Mix and manipulate MP3 files with internal effects, seamless looping, a large scratch wheel and variable pitch controls. Dual USB ports for connecting



# 

# gemini

#### **CDMP-1400**

CD/MP3/USB Player



- Plays MP3 and WAV files from USB storage device
- 1/4" mic iput; balanced XLR outputs
- Single & continuous play modes Seamless loop with reloop
- Rackmount chassis; includes remote control #GFCDMP1400 299.95

# Numark CDN-55

Rackmount Professional Dual CD Player

- Looping & Cue Points
- Pitch Adjustable by ±16%
- Jog wheels for pitch bend and locating points within the track



**DN-S3700** 

- · Anti-Shock buffered skip protection for nonstop playback
- Seamless looping for easy loop creation and integration
- Durable all-metal construction

#NUCDN55......Call or Log-on

# Numark CDN22 MK5

Rackmount Dual CD Player

- Jog wheels for fast search and nitch bend
- · Programmable CD/CD-R playback
- Beat match with ±12% pitch control

· Complete system

with CD/MP3/

universal iPOd dock.

- · Analog RCA and digital S/PDIF outputs
- · Fader Start starts playback when you move the crossfader
- Two-piece rack-mount design with single-cable connection

#NUCDN22MK5......Call or Log-on

Universal DJ System

Numark MIXDECK

# Numark

NDX400 Touch-Sensitive Scratch MP3/CD/USB Plaver

- · Scratch and search wheel
- · Text display for navigating folders
- · Auto BPM with tap override for instant BPM (tempo) analysis
- Start/stop-time adjustment for for vinyl-style braking
- Reverse mode for special effects
- Three hot cues for quick access to key points in the track
- Seamless looping with stutter start

# Numark

NDX900 Professional DJ CD Player and Controller

- CD/MP3/USB player with USB/MIDI interface
- Beat-synced DSP effects with wet-dry
- · 7-inch illuminated platter with touch-sensitivity adjustment
- Control MIDI software via USB
- Seamless looping Adjustable pitch or bend with pitch buttons



- fader: chop, echo, filter, flanger, pan, phaser

Pioneer DJ CDJ-200

Professional Portable CD Player

• Digital Jog Break, real time seamless loop and

reloop for real-time remix control.

minimizes distortion from vibration.

· Fader Start functionality, Relay

Play and CD Text display

and Master Tempo control

Oil Damper Float system

• 3.9-inch tempo slider

· Adjustable start and stop time for vinyl-like deck performance #NUNDX900 ...... Call or Log-on

#### USB decks, mixer, computer audio and MIDI interface, and

- Mixer with EQ/rotary kills, replaceable crossfader, and complete controls for iPod.
- · Record your set to iPod and listen later

#NUMD.......537.00

Pioneer Dj CDJ-350

Professional Portable Multimedia Player

Proneer DJ CDJ-2000

- Plays CDs & USB devices
- Beat display and Auto Beat loop function
- Auto BPM Lock
- · Large touch-sensitive platter
- MIDI compatible with other DJ software
- allowing use as an audio interface. • USB I/O and RCA analog outputs
- Includes RekordBox Music Management software

#PICDJ350......Call or Log-on



# Numark CDN77USB

Professional Dual USB & MP3 CD Player



Dual CD decks and dual USB inputs. Assign MP3 files to either deck, from either drive, and enjoy the flexibility of MP3 title display on the large LED displays. Additional

features include scratching, seamless looping and variable 4, 8, 16, 100% pitch control.

#NUCDN77USB ...



High Performance DJ Player

- Supports MP3, AAC, WAV & AIFF CD, CD-R/RW formats
- Includes Rekordbox Music Management Software
- USB Ports on rear & faceplate • Fully assignable USB MIDI functionality and advanced USB MIDI software control
- Large touch sensitive platter Advanced auto beat loop
- Pioneer Nightclub standard layout

#PICDJ850......Call or Log-on





#PICDJ200......Call or Log-on

. USB and SD card slots enabling playback of MP3, AAC, WAV and AIFF audio files.

- Slip Mode
- Advanced Auto Beat Loop
- MIDI Assignable Controllers
- Includes RekordBox Music Management software







Steps up from the CDJ-900 with:

 Needle search helps DJs instantaneously get to a specific part of a song with a simple touch of the Needle Search pad.



#PICDJ2000......Call or Log-on #PICDJ900......1111.95

# D.J. Audio Interfaces • D.J. Turntables

#### 800-859-5252 | 212-444-5072



# TRAKTOR SCRATCH DUO 2

Professional Digital Vinyl System

Includes the TRAKTOR AUDIO 6 interface. Timecode vinyl and control CDs, along with the next generation of TRAKTOR software. Plug and play hardware and software integration assists in rapid setup. With full iTunes integration, iPod compatibility and Crate Flick cover art browsing. (NATSD2).....



349 00



#### **TRAKTOR AUDIO 6 • AUDIO 10**

6- and 10-input USB Audio Interfaces

Professional DJ audio interfaces with studio-grade sound quality, they feature 6 inputs/6 outputs with two preamps (AUDIO 6) or 10 inputs/10 outputs (AUDIO 10) with four preamps to connect turntables #NATA6......**249.00** 



#NATA10

## **DJ Editing Software**

Ableton Live 8 Music Production Software (ABL8) . 499.00 Native Instruments Traktor Duo 2 (NATD2) .......... 99.00 Native Instruments Traktor Pro 2 (NATP2F)....... 186.67 Native Instruments Numark CUE Professional DJ Software (NUCUE) ... 229.00 Numark MIXTRACK 

# audio·technica. AT-LP120USB

Direct Drive Professional DJ Turntable with USB

- · Rugged cast aluminum construction with line and phono audio outputs.
- 33, 45 and 78RPM speeds, ±20% and 10% pitch control, reverse mode.
- USB interface
- · Includes Audacity software #AUATLP120USB.....



#### audio-technica. AT-LP240USB

Direct Drive Professional DJ Turntable with USB

- Direct drive high-torque multi-pole motor
- Selectable 33/45/78 RPM speeds
- Selectable internal stereo phono pre-amplifier
- Stroboscopic platter and speed accuracy indicator

#AUATLP240USB.....



349 00

# **DJ-Tech** SLBD-1000USB

Vinyl USB 10 Belt-Drive USB Turntable

Digitize vinyl using the included Audacity software. Features a belt drive motor, 33-1/3, 45 and 78RPM speeds, ±10% pitch control, and 2 brake buttons for conventional and battle-style positioning.



# Numark TTXUSB

High-Torque Turntable with USB and EZ Vinyl

- · Durable, vibration resistant construction, high torque direct-drive motor.
- Interchangeable S-shaped or straight tone arms.
- · Digital outputs, Key Lock and ±50% pitch control
- Included EZ Vinyl software simplifies transfer and archives audio files into iTunes. #NUTTXUSB ...... Call or Log-on



Turntable and iPod Mixer Package

Includes two TT1625 direct-drive turntables HF125 DJ headphones. M1 2-channel DJ mixer with iPod dock and accessories. DJs can mix audio from iPod, vinyl or



connect CD decks to the mixer. Record DJ sets directly to iPod and monitor / cue tracks with the included headphones.

# Numark iBattlePack



# Numark TT200

Direct-drive Hi-Torque Battle and Club Turntable

- · Steel chassis and rubberized base suppresses noise caused by excessive vibration and maximizes durability.
- User replaceable pitch control provides ±10% variation.
- · Dual electronic servo brake switches

#NUTT200 ..... Dust Cover for Numark Tutntables (NUDC).....29.00

# **PYLE PLTTB3U** Direct-Drive Turntable with USB Output

- Tailor made for anyone in need of a turntable for digitizing old vinyl, or basic home listening.
- 33 and 45RPM speeds, rugged platter, pitch adjustment, dust-cover, counterweight and more.
- · Includes Audacity recording software

#PYPLTTB3U......**80.77** 



· High-torque, direct-drive motor, S-shaped tone arm and 33, 45 and 78RPM speeds.

stanton T.92

#STT92USB....

# Technics SL-1200MK2

Professional DJ Turntable

- Direct-drive motor and precision quartz movement system delivers accurate pitch control and overall feel
- · Vibration-resistant construction
- · Adjustable tone arm weights, anti-skate control, pop-up target light, and a sliding pitch control

#TESL1200MK2...... 999.00 #TESL1200MK2P (in Black)999.95



1099.99

# Technics. SL-1210MK2

Professional Direct Drive DJ Turntable

Same as SL-1200MK2, plus has the ability to switch between 110 and 220 voltages. This makes it possible to use your decks in different European countries as well as in the United States. #TESL1210MK2.....



# Technics SL-1210MK5

Analog DJ Turntable

- · Die-cast aluminum platter, with selectable speeds of 33 1/3 and 45 RPM.
- · Quartz direct-drive and a brushless DC motor.
- Variable pitch range of ±8%, and has a no-click pitch control
- Electronic brake can be adjusted; users can set turntable to halt instantly, wind down slowly, or respond anywhere in between.



Professional Direct Drive DJ Turntable

- Digital pitch control, adjustable brake and improved tone arm for a rich quality sound.
- The perfect solution for any professional nightclub DJ booth, professional touring DJ, performance D.I and serious home D.Is alike



www.BandH.com

# ALLEN&HEATH XONE:1D

MIDI Controller for DJ Software Compatible with software such as Ableton Live and Traktor. Feature four faders, five endless rotary encoders with push switches, 8 analog encoders and 19 push-button switches and a jog/shuttle wheel with switches at





AMERICAN AUDIO VMS4.1

on/off switches and gain/treble/mid/bass EQs #AMVMS4.1 ..... VMS4T Traktor MIDI Controller/Soundcard (AMVMS4T).......599.99





#DEDNSC2000 ..... Call or Log-on

USB DJ Control Surface

DENON DJ DN-SC2000

### DENON DJ DN-HC5000 USB Hardware and Software Controller


- USB Controller for Serato ITCH
- · Built-in sound card with audio I/O
- Touch Sensitive Jog Discs
- · Soft Rubber Buttons, Switches & Knobs
- · Includes Serato ITCH software

DEDNHC5000	 	 	599.0

# DENON DJ DN-MC6000

# Digital Mixer Controller

- · 4-channel DJ mixer, DJ software controller and USB audio interface.
- Full gamut of fader, level, dial, and transport controls integrate with any DJ software title.



MC3000 Mixer Controller with Soundcand (DEDNMC3000). 565.00



• 2-deck/4-deck metal DJ controller

- · 2 jog wheels with touch detection
- · 2-deck for standard DJ mixes between 2 audio tracks
- · 4-deck mixing: double the controls when you mix 4 tracks • Includes Virtual DJ7 LE Software

with visable deck color change

Durable rubber button controls

· Optimized for Traktor Pro users and

4-Mx

high 14-bit resolution

supported by Virtual DJ

### **DJ Control MP3 e2**

pact USB DJ Control Surface



- Mix, scratch and manipulate your MP3 and WAVE files with 2 vinyl-style jog wheels, faders, rotary controls and back-lit buttons.
- Includes USB port and

VIRTUAL DJ 3 DJC software for Mac/Windows.

### DJ Console MK4 USB DJ Control Surface & Virtual DJ Software

. 2-deck controller for DJ software



- 2 jog wheels • 1 crossfader and 2 volume faders
- 2 pitch encoders (knobs) to adjust the speed of the music. 6 EQ potentiometers
- . Automatic loops on 1, 2, 4 or 8 beats; add effects to customize your music; record your mixes as audio files

#HEDJCMK4......199.99



# DJ Console RMX USB DJ

Control Surface & Virtual DJ Software

Console features dual, touch sensitive platters and two dedicated pitch sliders. Three level controllers and a crossfader are also provided. Additional control features include EQ

dials, numerical keypad, transport controls and more. Includes analog connections and

Virtual DJ 5 DJC Edition software

#HEDJCRMX......Call or Log-on

### M-AUDIO® X-Session Pro

MIDI/USB DJ Mixer Controller

- 27 tactile MIDI controllers feature 10 buttons four sliders 12 knobs and a MIDI crossfader for complete control over pitch level crossfade, EQ and virtual effects.
- . Class-compliant MIDI device

Looping DJ Controller

for use with Serato Scratch,

. Trigger samples, loops and cue

and other DJ software.

ate LED feedback

· Surface mounted control surface

- Included Torg LE software feature two virtual decks for cuing, beat-matching, and mixing digital audio files.
- . Eliminates the need for DJ mixers, CD decks and turntables

MAXSP......Call or Log-on

novation Dicer Cue Point &



 Includes MIDI configuration software.

NATKX1 .....



#### Traktor Kontrol X1

NATIVE INSTRUMENTS

- surface for Traktor and
- back-lit buttons and switches.



# novation' Nocturn

Hardware Controller for Plug-Ins

 Automap Universal 2.0 software provides automatic instant and intelligent control of all automatable plug-ins within every



- major sequencer, including Pro Tools. · Illuminated buttons and a smooth 45mm crossfader
- Eight touch-sensitive rotary encoders with bright, 11-LED rings

# NATIVE INSTRUMENTS Kontrol S-4

TRAKTOR Controller and Software

- 4-channel mixer with ergonomic layout
- · Touch-sensitive jog wheels
- Bundled TRAKTOR PRO S4 software features 4-deck mixing and effects, sample decks and a Loop Recorder
- MP3 management with iTunes integration and iPod compatibility

Traktor Kontrol S2 2.1 Channel DJ System (NATKS2)...........599.00

# novation Twitch

DJ Controller

. Includes Serato ITCH and overlays for use with Traktor. Its audio interface features a mic input, headphone output, and AUX inputs for routing signal through software effects. 2-channel mixer layout with features that



allow for creative slicing, looping, stuttering and real-time sample playing within Serato ITCH. (NOTWITCH) ............ 440.00

. Comes with re-usable "DJ Puttv" that will stick Dicer firmly to CDJs, laptops, mixers - or any hard surface. 

points. Up to 60 assignable MIDI controls from a pair of Dicers.

• Backlit, multi-color, soft touch "dice" buttons, provide immedi-

#### 800-859-5252 | 212-444-5072

# novation Launchpad

Ableton Live Controller

 Multi-color 64-button grid and dedicated scene launch buttons provide easy triggering and manipulation of clips.



- Switch to "mixer mode" and volume, pans, sends, track
- arming, soloing and muting can all be controlled via the grid.
- Jump to different levels across 8 channels at once
- Switch to "user mode 1" and the 64 buttons become drum pad triggers laid out for playing Ableton Live's Drum Racks

#NOLP......Call or Log-on

# Numark <sub>NSFX</sub>

Effects Controller for Serato ITCH Software



- Dedicated control surface designed for specifically controlling the effects processor within Serato ITCH DJ software.
- Chain multiple effects to a single source
- Light-up controls make it easy to keep tabs on effects status
- Made to compliment the Numark NS7 control surface, mounts on NS7's integrated laptop stand and fits it its case.

#NUNSFX......Call or Log-on

# Numark <sub>DJ2G0</sub>

Ultra Portable USB DJ Controller

Sized to fit directly in front of most laptops, provides full 2-deck control over included



Virtual DJ LE Lite software. The layout features tactile controls over all Virtual DJ LE's parameters. Includes two platters, a crossfader, pitch and level controls as well as Deck A, Deck B, Master and headphone gain controls.

#NUDJ2GO...... Call or Log-on

# Proneer DDJ-ERGO

DJ Controller & Virtual DJ LE Software

Audio interface includes balanced and unbalanced master outputs, mic input, auxiliary line input and headphone output.



The controller is USB pow-

ered and features MIDI control. Has

2 large platters and a 2-channel mixer section, yet can control up to 4 virtual decks. Integrated Pulse Control illuminates its platters and control section in ways that aid in mixing DJ sets
#PIDD.IFRGOV 599.00

 **★ Vestax** vci-100MKII

USB MIDI DJ Controller with Traktor LE

#VEVCI100MK2.....

- Two jog wheels with sensor
- · Curve generator
- 90 parameters are assignable
- LEDs provides clear visual
- Almost the same size as a standard laptop



# Numark NS6 USB DJ Controller

Integrating tightly with included Serato ITCH DJ software, the NS6 gives DJs the flexibility to perform with or without software at all. 4-channel mixer/controller may be used with or without a computer. Inputs for 4 line, 2 turntables, 2 mics. Built-in 24-bit interface with balanced XLR outputs. Touch sensitive illuminated wheels.

#NUNS6......Call or Log-on

# Numark <sub>NS7FX</sub>

Motorized DJ Controller for Serrato ITCH

- · Direct-drive motorized platters
- . Authentic 7" vinyl on top of slipmats
- Integrated mixer and USB interface
- Replaceable VCA crossfader and level faders. Strip-Search touch-strip on each deck.
- Includes Numark NSFX Effects Controller, NS7 DJ Controller and Serato ITCH software.

#NUNS7FX...... Call or Log-on

# Pioneer DDJ-S1

Serato ITCH DJ Software Controller

Full tactile control and integration over Serato ITCH DJ software. Features a plug-&-play USB port, 2 wheel control decks and an assortment of preassigned faders, knobs, buttons and switches. Designed to allow a laptop keyboard to slip underneath the control surface, exposing just the monitor and saving precious space.

# **★ Vestax** Typhoon

All-In-One DJ Controller & Software

- High resolution, touchsensitive jog wheels
- Integrated 2-channel mixer
- High quality sound for monitoring, master output and a separate mic input
- Software controls
- USB powered and includes Traktor LE DJ software

#VETYPHOON......Call or Log-on

# **★ Vestax** vci-300 MKII

DJ Controller/Audio Interface with Serato ITCH

- Control surface fully integrates with Serato ITCH software (included).
- 4-in/4-out USB interface.
- Control 90 parameters and functions of Serato
- Torque of each JOG wheel can be adjusted
- Fader curve control



#VEVCI300MK2
Call or Log-on

# Numark <sub>V7</sub>

Motorized DJ Turntable Software Controller

- Replaces the authentic feel of an actual turntable by implementing an adjustable torque platter, vinyl record and slipmat.
   Penture loop, and
- Features loop, cue, and track-access controls, Strip Search virtual needle-drop control, effects controls and more.

# Numark MIXTRACK PRO

DJ Software Controller

 Integrated DJ controller with 2 touch-sensitive platters, 2-channel DJ mixer and tactile controls for use with DJ software.



- Connect a laptop via USB
   and a PA system or powered speakers to the analog outputs.
- Software reads files in your iTunes playlists

#NUMT (Numark MIXTRACK DJ Software Controller).. Call or Log-on

# Proneer DDJ-T1

TRAKTOR DJ Software Controller

### **Additional DJ Controllers**

#### **American Audio**

# I-Mix Reload DJ Control Surface (DJIMRO)......203.00 Gemini

 CNTRL-7 USB MIDI DJ Controller (GECNTRL7)
 249.95

 FIRST MIX I/O (GEFMPRO)
 199.95

#### Hercules

DJ 4Set Controller & Audio Interface (HEDJ4SET)......249.00

DJ Control Air 2-Channel USB DJ Controller (HEDJAIR)......169.99

#### Numark

# Vestax

VCI-400 Professional MIDI & Audio Controller (VEVCI400)....999.99

# ALLEN&HEATH Xone:22

Digital DJ Mixer

- . Two channels with line and turntable inputs
- Effects loop I/O
- Balanced XLR and unbalanced RCA outputs
- · Fast accurate metering
- 3-band EQ with full-cut isolator EQ
- . XONE VCF filter with LPF and HPF select

#ALXONE22..... .....299.00



# ALLEN&HEATH

<b>X0NE2:464</b> DJ Mixer (ALXONE2464)	1799.00
XONE2:62 Six-Channel Club DJ Mixer (ALXONE262)	899.00
XONE:32 Six-Channel Club DJ Mixer (ALXONE32)	699.00
XONE:42 Four Channel DJ Mixer (ALXONE42)	899.00
XONE:92S Six-Channel DJ Mixer (ALXONE92FADE)	1499.00
XONE:92R Professional Six-Channel Club Install DJ	
(ALXONE92ROT)	1599.00
Xone:DB4 Digital DJ Mixer (ALXONEDB4)	2899.99
XONE:S2 Four-Channel Professional DJ Mixer	
(ALXONES2SFAD)	999.00

# **MCORTEX** dMIX 300

DJ Mixing Workstation for iPods/USB Devices

- · iPod Dock and USB Type-B connector
- · USB connector for portable drives
- . Jog shuttle and scratch wheels
- Intuitive Playlist Navigation
- Inputs for turntables and CD players

#CODMIX300 ......Call or Log-on

# DENON DN-X120

Two-Channel DJ Mixer

- Two channels with two dedicated line level inputs: two inputs are switchable between line and phono signal
- 3-band EQ with full kill on each channel
- · 45mm crossfader with contour control for smooth or abrupt cross-fades
- Split headphone cue; Fader Start On/Off



# Numurk M1 USB • M101USB

Two-Channel DJ Mixers

- · Replaceable crossfader
- . Two pairs of Phono/Line inputs, stereo line out
- · Level control, gain control and 2-band EQ on each channel
- 1/4-inch mic input
- USB port

#NUM1USB...

#NUM101USB.... Call or Log-on





## **DX-626**

Compact 3-Channel DJ Mixer

- . 3 channels with 2 dedicated line and 2 dedicated turntable inputs via RCA connectors
- . 3-band EQ with Hi, Mid and Low frequency adjustment per channel
- User replaceable VCA crossfader
- Beat counter

#BFDX626 Call or Log-on



### BCD-3000 DJ Mixer, Audio Interface and Control Surface

- 4-channel USB port for vinyl manipulation and control of Wave and MP3 audio files.
- Phono and CD inputs
- Mixer features smooth crossfader, 3-band kill EQ and PFL assignable headphone cue.
- Four user-assignable controls and buttons for an integrated FX section.



## MCORTEX® dMIX 600

DJ Mixing Workstation for iPods/USB Devices

- · iPod dock and two USB ports for drives with WAVE and MP3 files.
- Cue scratch and control the pitch of the
- audio just like vinyl. DSP effects include
- Flanger, Reverb, Filter and Scratch.
- Analog inputs for turntables and external CD players

# DENON DN-X500

Four-Channel Professional DJ Mixer

- 4-channels with two phono inputs and up to 10 line-level inputs
- Internal routing matrix
- 3-band EQ on every channel
- 60mm VCA channel level and fader
- External Send/Returns are assignable to any input channel
- XLR outputs and fader start support for MP3/CD players

# Numark cause

5-Channel 19" Rackmount DJ Mixer



- 10 line inputs and 3 (Dedicated) turntable inputs
- 5 channels with 3-band EQ on each channel
- Comprehensive LED metering


#NLIC3LISB Mixdeck Qual Controller DJ System (NUMIXDECKQD).......999.95

199.95

# behringer

#### **DJX-750**

Professional 5-Channel DJ Mixer



- · 24-bit effects processor with 33 presets
- 3-band kill EQ
- 3-way frequency kill switches and replaceable 45mm crossfader
- Two automatic BPM counters #BEDJX750.....



.... Call or Log-on



#### **DDM4000**

4-Channel Digital DJ Mixer

- Four independent effects engines
- · Digital sampling with beat-sync and digital crossfader
- Four line inputs that support phono (turntable) and line signal
- . Two mic inputs with Gain, EQ, Talk function and FX control
- MIDI I/O and S/PDIF out: headphone cue with bass/snare boost #BEDDM4000......319.99

# **DJ-Tech** iDance Zero

2-Channel iPod DJ Workstation

- Play music from iPod directly (while charging)
- · Scratch, sample, and add effects to iPod
- Multi-function jog-wheel
- · Adjustable Pitch Shifter
- . Crossfader with adjustable curve; 3-band EQ with Kill and gain
- . Mic input with tone and level control; headphone output
- USB 2.0 Audio output + USB iPod Sync port

# **Numark** iDJ Live

DJ Software Controller

- . Intuitive DJ control surface for iPad. iPhone or iPod Touch
- · 2 touch sensitive platters, and a 2-channel mixer.
- · Plug-and-play operation with iOS Core MIDI DJ software
- · Includes an iPad stand



# Numurk M6 USB

USB 4-Channel DJ Mixer

- · Four input channels, each with gain, 3-band EQ, and LED metering
- Playback MP3s
- 2 RCA turntable inputs
- 4 RCA line inputs
- Record your mix to your computer
- Dedicated XLR mic channel and additional mic input on CH-4
- Replaceable crossfader; assign any channel to either side of the crossfader #NUM6USB..... Log-on













# Numark imp

4-Channel Mixer with Built-in iPod Dock

- · Record DJ directly to iPod
- Beatkeeper BPM detection
- · Beat-synced effects
- · Replaceable crossfader with channel assign switches
- . XLR mic input with Gain & EQ
- Two phono line inputs, five RCA line inputs, balanced XLR outputs

4-channel VJ mixer mixes both audio

and video signals. Real time

achieved with dual crossfad-

#NUAVMO2.

control over video and audio is

ers. In linked mode, a single fader

is capable of mixing both audio and

video. A joystick control provides wipes

• Built-in effects • 3-channel EQ on each channel 

Video & Audio VJ Mixer with Effects



# Numark AVMO2

679.00

# Numark imp

#NUICDMIX3... Call or Log-on #NUICDMIX2 (ICD MIX-2) 244.99

4-Channel Mixer with Built-in iPod Dock

Numark icp MIX-3

Integrated iPod Dock

Play CD/CD-R and

Vinvl turntable and

· Looping, cue points,

and pitch control

MP3-CDs

mic inputs

Fader starts

DJ Mixer and Dual CD/MP3 Player with

- Record DJ directly to iPod
- Beatkeeper BPM detection
- Beat-synced effects
- Replaceable crossfader with channel assign switches
- . XLR mic input with Gain & EQ
- . Two phono line inputs, five RCA line inputs, balanced XLR outputs
- Built-in effects
   3-channel EQ on each channel

#NUIM9 ......Call or Log-on

# Numark iDEC Rack-Mounted

Playback and Recording Dock for the iPod


Plays iPod audio and video. making it a convenient solution

for commercial A/V systems, bands, DJs, dance studios, etc. Also records audio directly into the iPod at up to 16-bit, 44.1kHz. USB port connects and syncs iPods to computers. Comprehensive transport controls, RCA audio and video connections. #NUIDEC ...... Call or Log-on

# Proneer DJM-250

- · Dedicated sound color filter on each channel
- · Eight flexible inputs
- · 3-band Isolator per channel
- · Fader Start Play function

2-Channel Professional DJ Mixer



- · Coss Fader Curve Adjust function
- · Peak level meter

#PIDJM250K...

324.45

# Proneer DJM-350

and picture-in-picture control. An abundance of video effects

including mosaic, strobe, freeze and paint are provided.

2-Channel Professional DJ Mixer

- 2 line and 2 phono inputs with 3-hand isolator EQ, level faders and diustable crossfader.
- 24-bit A/D conversion
- Record mixes to a USB Type-A storage device without a computer or external digital recording device (audio is stored as a .WAV file).
- · 4 powerful digital effects for remixing audio

VacaPra DA-1000 Pro

Three-Microphone Karaoke Mixer

. Üp to three mics, three monitors and two A/V input sources.

• Delete/add guide vocals on Multiplex Karaoke Tapes and CDs

DA-3700 Pro Mixing Amplifier (VODA3700PRO)............. 209.00

• Digital Echo with separate Repeat and Delay controls

# Proneer DJM-900nexus 4-Channel Professional DJ Mixer



- Features Pioneer's Sound Color and Beat effects, and its X-Pad touch pad lets DJs manipulate and apply effects in real-time.
- · Wide variety of DSP effects

24-Bit / 96kHz audio.

Same audio input and output circuits as DJM-2000



## Proneer DJM-2000

4-Channel DJ Mixer with A/D-D/A Converters

• 5.8-inch color multi-touch I CD panel for adding audio effects.

- 24-Bit A/D and 32-Bit D/A converters
- · Switching 3-band EQs & 3-band Isolators
- · Live Sampler capability
- Instrument FX provides six additional audio effects
- · Evolved Beat Effects—effects with a turn of the knob #PIDJM2000 ......Call or Log-on

# VOCOPTO DVX-668K

Multi-Format USB, DVD, CD+G Karaoke Player



- Plays CD+G karaoke discs, DVDs, audio CDs, MP3s, and has a USB port for attaching thumb drives and hard drives
- 2 mic inputs and digital echo effects
- Digital audio outputs, component video, and 5.1 surround sound

# *√000770* DVG-777K

DVD and Karaoke CD Player with USB Port



- Supports DVD, CD, CD+G, MP3, HDCD and VCD formats.
- Read and play music files from hard drives, thumbdrives, etc.
- Two front mic inputs
- · Vocal enhancements include digital echo and key adjust control.

# **DJ Stands, Tables and Mounts**

Akai Laptop Stand (AKLS)	69.99
American Audio UNI LTS Accu Case (AMUNILTS)	48.99
Gator Cases G-Laptop Stand Aluminum Laptop Tray (GAGLAPTOPST)	99.99
On-Stage Laptop Computer Stand (ONLPT5000)	24.95
Roland SS-PC1 Support Stand for PC (ROSSPC1)	79.99
Marathon MA-LT Universal Laptop Stand (MAMALT)	39.99
Marathon Universal Laptop Stand with Shelf (MAMALTPAK)	49.95
Odyssey Innovative Designs DJ Worktable with Adj. Folding Legs (ODCTBC2060)	122.99
Odyssey Innovative Designs Laptop Stand in White (ODLSTANDWHT)	35.99
Odyssey Laptop Stand Clamps in Black (ODLSTANDCLAM) or White (ODLSTANDCLAW)	14.99
Odyssey Innovative Designs Laptop Stand with Interface Tray (ODLSTANDCOMB)	39.88
Odyssey Innovative Designs Stand-Alone Table-Top Laptop Stand (ODLSTANDS)	21.99
Stanton Uberstand Laptop Stand (STUBERSTABLK)	98.00
Ultimate Support JS-LPT200 Two-Tier Laptop Stand (ULJSLPT200)	39.99

### **DJ Mixer & Controller Cases**

M-Audio Torq Xponent Gig Bag (MAGBTX)	69.00
Marathon MA-10MIX 10" Flight Road DJ Mixer Case (MAMA10MIX)	99.99
Decksaver Cover for Pioneer DJM-900 (DEPCDJM900)	69.99
Decksaver Cover for Vestax VCI-300 D (DEPCVCI300)	59.95
Gator Cases G-Club Control 25" Bag (GAGCC25)	89.99
Gator Cases G-Club CDMX-10 Bag (GAGCCDMX10)	79.99
Gator Cases G-CLUB CDMX-10 EVA Bag (GAGCCDMX10EV)	99.99
Gator Cases G-CLUB CDMX-12 Bag (GAGCCDMX12)	89.99
Gator Cases G-CLUB CDMX-12 EVA Bag (GAGCCDMX12EV)	149.99
Gator Cases G-Club X1 Style Bag (GAGCX1SBAG)	39.99
Gator Cases G-Tour All Black Case For Pioneer CDJ-2000 (GAGTRCD2000B)	119.99
Native Instruments Traktor Kontrol S4 Flight Case (NAKS4FC)	169.00
Numark V7 Case (NUV7C)	
Odyssey Innovative Designs Flight Zone Case (ODFZGSTKS4)	

... Call or Log-on

. Call or Log-on

DJ Lighting • DJ Cartridges & Stylus



#### American-DJ

MB-8 Instant Mirror Ball Package (AMMB8)24	1.99
AR38 Spot w/Lamp (AMPAR38BL)19	9.99
38 LED Pro PAR Can in Black (AM38BLP)95	i.00
64 LED Pro PAR Can in Black (AM64BLP)183	3.99
CGS-9A Gel Sheets for PAR Cans (AMCGS9A)	3.99
24" Black Light Fixture/Bulb (AMB24BLB)18	3.18
48" Black Light Fixture/Bulb (AMB48BLB)34	1.99
ECO FOG Fog Juice 1-Quart (AMECOFOGQ))	3.99
ECO FOG Fog Juice - 1 Gallon (AMECOFOGG)17	.99
H20 LED Water-Flow Effect Light (AMH20LED)169	9.99
Jellyfish Effect LED Light (AMJELLYFISH)	i.75
USB LED Light (AMUSBLED)9	).99
S81 LED Mini Strobe (AMS81L)19	00.6
LED Dummy (AMLEDDUMMY)	
B6 LED Police Beacon-Blue (AMB6BLED)29	
Mega Bar 50 RGB RC Light Barn (AMMEGABAR50R)149	
Fusion FX Bar 5 (AMFUSNFXBAR5)	
Micro Galaxian Laser (AMMICROGALAX)99	
Galaxian 3D Red/Green Laser Effect (AMGALAXIAN3D)295	
Profile Panel RGB LED Panel (AMPROPANRGB)149	
S-Cable/60 Pro Lighting Safety Cable (AMSCA60)	
Big Shot Portable Strobe Light (AMBIGSHOT) Call or Log	
EZ Bubbles Bubble Machine (AMEZBUBBLES) Call or Log	
Mini Fog Portable Fog Machine (AMMINIFOG)39	
Fog Storm 1200HD Fog Machine (AMFS1200HD)149	
Fog Storm 1700HD Fog Machine (AMFS1700HD)299	
Mister Kool Low-Lying Fog Machine (AMMISTERKOOL)143	
Kool Fog Juice (AMKOOLFOG)	
LTS-1 12' Lighting Tripod Stand (AMLTS1)	
LTS-2 12' Aluminum Tripod (AMLTS2)	
LTS-50T Portable Trussing System (AMLTS50T)) Call or Log	
Accent Strip RGB (Black) (AMACCSTRPBRG)	
Color Burst 8 DMX Color Wash LED Light (AMC8DMX)129	
DJ Spot LED Light System (AMDJSPTLEDUS)1999	1.99
Galaxy Audio Life Saver Sand Bag (GALSR38) Call or Log	-on
Global Truss Lycra Video Screen (GLGLOBSCREEN)149	).95
Global Truss ST-132 Med-Duty Crank Stand (GLST132)257	
Global Truss Bag for ST-132 Crank Stand (GLST132BAG)36	i.00

#### **Phono Preamps**

Alesis PhonoLink Stereo RCA-to-USB Interface (ALPL)L	.og-on
ART DeeJayPre Turntable Phono Preamplifier (ARPPR2)	.39.95
Behringer PP400 Phono Preamplifier (BEPP400)	.19.99
Pyle-Pro PP999 Phono Preamplifier (PYPP999)	.15.00
Rolls VP29 Phono Preamp (ROVP29)	48.95
SM Pro Audio XP200 Phono Preamn (SMPXP2P1)	49.99

# **Computer DJ Accessories**

#### **Native Instruments**

Traktor Scratch Multicore Cable - Repl. (NAMCTS)	.29.00
Traktor Kontrol X1 Bag (NATKX1B)	.39.00
Traktor Scratch Control Vinyl MK2 Black (NATSPCVMK2BK)	.12.00
Traktor Scratch Control Vinyl MK2 White (MATSPCVMK2WH)	15.00



#### AT90CD

Bounded round shank stylus, compatible with P (Pin) or 1/2-inch (Headshell) mount turntables. #AUAT90CD. .19.88 



## **HDCN-15**

Headshell and cartridge with Audio-Technica stylus. Mounts to 4-pin tone arms of most turntables. (GEHDCN15)......36.99 #GECN15 (CN-15 Turntable Cartridge and Stylus)......24.95

### SHURE

SHURE

**M92E** 

#### M44-7

High track force and polished natural gem stone stylus, designed for preserving vinyl during intense scratching, spin-back and back-cuing. Compatible with N44-7, N44-7Q and N44-7Z replacement needles.

Polished gemstone stylus and tracking force is easy on vinyl, minimizing wear

while delivering superb sound. High

output voltage and tracking force for

#SHM447 .....

optimum results in nightclubs. Compatible with Shure N92E

# SHURE M44-7H Competition DJ turntable cartridge

52.32

## SHURE

 $x_{\square}$ 

iCT04RS

Replacement stylus for the iCT04

Numark cs-1

High output and sleek design

without skips.

enables scratch and back cuing

mounted on Technics headshell.

Features a high track force and

N44-7Q and N44-7Z replacement needles

#NUCS1....

#NUCC1 (CC-1).....

cartridge (which is the ideal cartridge

for use with ION's TTUSB, TTUSB10

and Profile series turntables. (IOICTO4RS)......Call or Log-on

#### **M97XE**

Dynamic stabilizer maintains a uniform distance between the cartridge and the record under difficult conditions. Side-Guard stylus protection.





#SHN97XE (stylus replacement for M97xE) .......49.95

polished natural gem stone stylus. Compatible with Shure N44-7,

# SHURE

## **White Label**

Integrated headshell and stylus delivers high traction, lower tone-arm resonance, and better skip resistance. Sonic character delivers solid drop bass, flat mid-range, and accented highs. #SHWHLB .....

89.99



# **SHURE** M44G

High track force and polished natural gem stone stylus preserves vinyl during intense scratching, spin-back and back-cuing. Compatible with the Shure N44G and N44GQ replacement needles. (SHM44G).....



# SHURE

# SC35C

High output and wide frequency response accentuates the punch and character of analog. The polished gemstone stylus and tracking force is easy on vinyl, minimizing wear while delivering superb sound quality. #SHSC35C.....

34.95

# **X Vestax** ∨R1SS

Replacement Stylus designed to mount the headshell on the Handy Trax portable turntable. The stylus is optimized for 33-1/3 & 45RPM vinyl



## **Additional Cartridges and Accessories**

American Audio TT-Headshell for mounting most cartridges (AMTTH)	7.99
Ion ICTO4: Replacement Stylus for TT USB DJ Turntable (IOICTO4)	18.99
Ortofon MF6: Elektro - OM Series Cartridge and Stylus (ORMF6S)	49.95
Shure N25C: Replacement Needle for M25C Phonograph Cartridge (SHN25C)	14.99
Shure WhiteLabel: Replacement Stylus for Shure WhiteLabel Cartridge (SHNWHLB)	29.00
Shure SHN447: Replacement stylus or Shure M447 turntable cartridge (SHN447)	29.00
Shure SFG-2: Stylus Tracking force gauge for turntable cartridges (SHSFG2)	
Shure MCC: Durable, plastic molded case with locking lid. Holds up to 4 turntable cartridges	(SHMCC )



Shure RPP644: Accessory pack for the M44G and M44-7cartridges. Includes mounting hardware, head-shell wires, screwdriver, cleaning

## DJ Headphones

**PRO AUDIO** 

### AKG<sup>®</sup> K 81 DJ

- · Lightweight stereo headphones for party and event DJ's
- · Closed-back, high-isolation design
- · 3D-Axis folding and swiveling mechanism for optimum placement of the earcups.






## DENON DN-HP500

- Stylish with a rugged design
- 40mm neodymium drivers
- · Closed-back earcup design and thick cushions provide natural noise reduction.
- 90° swivel mechanism for easy single-ear monitoring.



#DEDNHP500..... 65.00



## DENON DN-HP700

Adjustable, padded headband

**AKG**° K 181 DJ

- 40mm neodymium drivers
- Circumaural earcups with thick cushions for comfort and noise isolation
- Swivel earcups #DEDNHP700......Call or Log-on



# **HPX4000**

- · Padded, adjustable headband
- Cushioned swivel earcups
- · Highly-efficient Cobalt drivers
- Single-sided coiled cable

#BEHPX4000..... .29.00 #BEHPX2000 (HPX2000 DJ Headphones)... 19.59



# DENON DN-HP1000

- Rugged design with audiophile frequency reproduction of 5Hz to 33kHz.
- Reinforced swivel joints for single-ear use, 3500mW power handling, comfortable, replaceable earpads, and semi-coiled soft insulated cable

#DEDNHP1000 ...... Call or Log-on



# MUNSTER)

#### **Beats Pro**

- · Lightweight and durable aluminum frame
- Adjustable, padded headband
- Thick removable and washable cushions
- Flip-up ear cups Excellent noise isolation
- Patent-pending input/output feature

#MOBHPPHB .....



# Numark

#### **Electrowave**

Isolating DJ headphones they feature high-quality isolating ear cups, and a rugged adjustable headband.

. Detailed low and mid frequency response

#NUEW ...... 149.95



# **Numurk** PHX USB

- · Closed-back design
- 50mm Neodymium Drivers
- USB cable for digital connection
- · Interchangeable vinyl and velour earpads
- · Adjustable, padded headband

#NUPHXUSB ...... Call or Log-on

Proneer HDJ-1000

· Comfortable with high-isolation and high

output, stereo/mono monitoring.

positioning on either shoulder.

· Folding design allows for single ear

input level capability. High, distortion-free

#PIHDJ1000......Call or Log-on

#PIHDJ1000K (In Black)............ Call or Log-on



# Panasonic. RP-DJ600-K

- · Stylish design with wivel earcups for single-sided or freestyle monitoring
- · Comfortable adjustable headband and thick ear cushions
- . Neodymium drivers for great sound with strong bass

Proneer HDJ-2000

• 2" dome drivers provide extra-wide

frequency response and clear detail.



# **EFELCOP** RHP-10


Fully enclosed earpads

· Swivel single-ear monitoring

· Includes straight & coiled cables

Proneer HDJ-500

- Closed rotary and retractable construction
- · Noble rubberpaint finish
- · Compact, light ear cup chassis
- Exchangeable ear cups made of artificial leather: large cut-out for enclosing wear, small cut-out for incumbent wear.



# SENNHEISER

## **HD 25 Originals**

- High maximum sound pressure level
- · Nominal impedance for universal compatibility
- · Neodymium ferrous magnet and lightweight aluminum/copper voice
- Tough, detachable steel cable

#SEHD250......239.95



## SHURE SRH550DJ

- 90° swiveling earcups
- · Supra-aural design

· Mono/stereo switch

monitoring

· Adjustable headband and


thickly-cushioned earcups.

Swivel mechanism for single-ear

#PIHDJ2000......239.99

• 50mm dynamic drivers

· Enhanced bass response





# √ Skullcandy Skullcrushers

- Over-the-head style headphones with built-in vibrating subwoofer speakers.
- . In-line control provides a vibration on/off switch and vibration level adjustment.
- Swivel cushioned earcups

#SKSCHPB ......39.33



# stanton

### **DJ-PRO 300**

- · Comfortable single-sided design
- Detachable 1/4" cable
- · 40mm heavy-duty driver

#STDJPR0300......39.99



# Stanton DJ-P500MC MKII

- · Single-side, closed-back design
- · Heavy-duty driver and bass boost. • Low-Impedance Dynamic Mic
- · Ajustable metal headband with soft vinyl covered foam pad
- #STDJP500MCMK......**59.00**



# ULTRASONE DJ1 Pro

- Provides 3D music experience
- Up to 40% lower dB output while offering the same perceived loudness.
- Closed design helps block out noise #ULDJ1PRO ...... Call or Log-on DJ1 (ULDJ1)......109.00





# More DJ Headphones

Denon DN-HP500S (DEDNHP500SW)	89.00
Gemini DJX-05 DJ Headphones (GEDJX05)	26.49
Kicker HP541 DJ Style Headphones (KIHP541)	44.65
Numark HF 125 Circumaural Closed-Back (NUHF125)	11.00
Numark Redphone Single Sided DJ (NUREDPHONE)	69.95
Numark RED WAVE (NUREDWAVE)	69.00

Audio Cables

Mini to M	ini (3.5mm)	
Compre	hensive	
3' (COCMMMM3) <b>3.99</b>	10' (COCMMMM10)6.39	
6' (COCMMMM6) <b>4.79</b>	25' (COCMMMM25)8.79	
10' Mini Male to Mini Female (COCMM	MF10)	
Stereo Mini to Mi	ni (Male to Male)	
3' (COCSMMSMM3) <b>3.99</b>	6' (COCSMMSMM6) <b>4.79</b>	
10' (COCSMMSMM10) <b>6.39</b>	15' (COCSMMSMM15)7.19	
25' (COCSMMSMM25) <b>8.79</b>	35' (COCSMMSMM35)11.99	
50' (COCSMMSMM50)	15.99	
Stereo Mini to Min	i (Male to Female)	
6' (COCSMMSMF6	4.79	
10' (COCSMMSMF10) <b>6.39</b>		
Hosa Technology Stere	o Mini to Mini (Male to Male)	
3' (HOSMMSMM3) <b>4.95</b>	, ,	
15' <i>(HOSMMSMM15</i> )	8.50	

#### 3' Stereo Sub Mini (2.5mm) to Sub Mini Cable (HOSSMMSSMM3).........5.95 5' 3.5mm to 3.5mm Coiled (HOSMMSMMC5) ..... Stereo Mini to Mini (Male to Female) 5' (HOSMMSMF5)... 5.95 10' (HOSMMSMF10)......7.50 25' (HOSMMSMF25).... Stereo Mini Male to Stereo Mini Angled Male 3' (HOSMMSMMRA3)......**5.50** 5' (HOSMMSMMRA5) .. 5.95 10' (HOSMMSMMRA10)..... Stereo 3.5mm Right Angle to 3.5mm Right Angle Cables

# Mini to Phone (1/4") Comprehensive 1/4" to Stereo Mini Plug

5' (HOSMMRASMMR5) ...... 4.99

10' (HOSMMSPM10).....

3' (COCSMMXM3) ......9.59

10' (COCSMMXM10) ......11.99

10' (HOSMMRASMMR1) ...... 6.99

3' (COSSQPSM3BK)	17.95	10' (COSSQPSM10BK)	23.50
25' (COSSQPSM25BK)			32.50
Mini Male to RCA Male Cab	ole 3' ( <i>COCI</i>	ИМRM3)	3.99
6' (COCMMRM6)	4.79	10' (COCMMRM10)	6.39
Hosa Te	chnolog	y Mini to 1/4" Male	
3' (HOMMPM3)	4.95	5' (HOMMPM5)	5.50
10' (HOMMPM10)			6.50
Stereo Min	i Male to 1	/4" Mono Male Cable	
3' (HOSMMPM3)	4.95	5' (HOSMMPM5)	5.50
10' (HOSMMPM10)			6.50
Stereo Min	i Male to S	tereo 1/4" Male Cable	
OF ALOCAMACDMAN	E E0	E' (HOCMMCDME)	E 0E

# Mini to XLR Comprehensive Mini-F to XLR-M

3' (COCMFXM3) <b>7.99</b>	6' (COCMFXM6)8.79
10' (COCMFXM10)10.39	25' (COCMFXM25)15.19
3' Mini- F to XLR-F (COCMFXF3)	7.99
Mini-	M to XLR-F
3' (COCMMXF3) <b>7.99</b>	6' (COCMMXF6)8.79
10' (COCMMXF10) <b>10.39</b>	25' (COCMMXF25) 15.19
Mini-l	M to XLR-M
3' (COCMMXM3)	6' (COCMMXM6)8.79
10' (COCMMXM10) <b>10.39</b>	25' (COCMMXM25)15.19
EXF Stereo	Mini-M to XLR-F
1.5' (COCSMMXF1.5)	7.99
3' (COCSMMXF3) <b>9.59</b>	6' (COCSMMXF6)
10' (COCSMMXF10)11.99	25' (COCSMMXF25)15.19
18" EXF Stereo Mini-M to XLR-M (C	COCSMMXM18) <b>7.99</b>

6' (COCSMMXM6)......**10.39** 

25' (COCSMMXM25)..... 15.19

Hosa Technology	
5' Mono Mini Male to XLR-F (HOMMRAXF5)	.6.49
5' Mini Angled Male to XLR-M (HOMMRAXM5)	. 9.95
2' Stereo Mini Angled Male to XLR-F (HOSMMRAXF2Q)	. 9.95
5' (HOSMMRAXF5) <b>9.95</b> 15' (HOSMMRAXF15)	. 9.95
1' Angled 3.5mm to XLR -M (HOSMMRAXM1)	.7.99
2' Angled 3.5mm to XLR-M (HOSMMRAXM2)	.8.99
Stereo Mini Angled M to XLR-M Cable - 5' (HOSMMRAXM5)	. 9.99
10' (HOSMMRAXM10) <b>10.99</b> 15' (HOSMMRAXM15)	.7.99



#### **Audio Y & Insert Cables**

#### Bescor

6" 4-Pin XLR-M to 2 4-Pin XLR-F (BEYCXM2XF)26.95	6" 4-Pin XLR-F to 2 4-Pin XLR-M (BEYCXF2XM)26.95
Compre	hensive
6" Mini Male to 2 Phone Female Y-Cable (COYCMM2PF)3.99	6" 1/4" Male to Two RCA Female (COYCPM2RF)
6" Mini Male to Two Mini Female (COYCMM2MF)3.99	6" Stereo Phone Male to Two RCA-F (COYCSPM2RF)
6" Mini Male Stereo to 2 RCA-F (COYCSMM2RF)	6" 3.5mm Mini Male (Mono) to Two RCA-F (COYCMM2RF)3.29
6" RCA Male to Two RCA Male (COYCRM2RM)	1' XLR-M to Two XLR-F (COYCXM2XF)
6" RCA Male to Two RCA Female (COYCRM2RF)3.99	1' XLR-M to Two 3-Pin XLR-M (COYCXM2XM)
6" RCA Female to Two RCA Female (COYCRF2RF)	1' XLR-F to Two XLR-M (COYCXF2XM)
6" RCA Female to 2 RCA Male Y-Cable (COYCRF2RM)	3' Stereo Mini Male to 2 RCA Male (COYCSMM2RM)
Monste	r Cable
6" RCA Male to 2 RCA Female (MOIHPY2FMKII)	2.5' Stereo Mini-M to 2 RCA-M (MOIP400.75M)
6" RCA Female to Two RCA Male (MOIHPY1FMKII)	Mono 1/4" -M to 2 Mono 1/4" -F (MONCLM2FM)
6" Two RCA Female to RCA Male (MOILJRY2F)	XLR-F to 2 XLR-M Adapter (MOMCLFX2MX)
7' Stereo Mini Male to 2 RCA-M (MOIPMP32M)	6.5' Stereo Mini-M to two 1/4"-M (MOIP400M2M)
Stereo Mini-M to 2 Mono 1/4" -F (MOMCLMSTMINI)	XLR-M to 2 XLR-F-Adapter (MOMCLMX2FX)19.95
Pro Co	Sound
1' XLR-M to 2 XLR-F (PRYCXM2XF)	20' Stereo Mini-M to 2 Mono 1/4" Male (PRSCM2PM20) 39.95
1' XLR-Fto 2 XLR-M (PRYCXF2XM)	20' Stereo Mini-M to 2 RCA-M (PRSCM2R20) 29.99
Hosa Tec	chnology
6" Mono 1/4" Female to 2 RCA Male (HOYCPF2RM)	3' Stereo Mini Angled Male to 2 RCA-M (HOYCSMMR2RM3) 7.95
6" 1/4" Female to Dual 1/4" Male (HOYCPF2PM)	3' Stereo Mini-M to 2 Mono 1/4" Male (HOYCSMM2PM3) 3.99
, , , , , , , , , , , , , , , , , , , ,	

11030 160	illiology
6" Mono 1/4" Female to 2 RCA Male (HOYCPF2RM) 4.95	3' Stereo Mini Angled Male to 2 RCA-M (HOYCSMMR2RM3) 7.95
6" 1/4" Female to Dual 1/4" Male (HOYCPF2PM)	3' Stereo Mini-M to 2 Mono 1/4" Male (HOYCSMM2PM3) 3.99
6" Stereo 1/4" -F to 2 Stereo 1/4" Male (HOYCSPF2SPM) 5.95	3' Stereo Mini Male to 2 RCA Male (HOYCSMM2RM3) 3.49
6" Mono 1/4" Male to 2 RCA Female (HOYCPM2RF) 3.50	3.3' Mono 1/4" Phone Male to 2 RCA-M (HOYCPM2RM3) 6.50
6" Stereo Mini-F to 2 Mini Mono Angled (HOYCSMF2MMRA) 5.50	3.3' Stereo 1/4"-M to 2 Mono 1/4"-M (HOYCSPM2PM3) 6.50
6" XLR-F to 2 XLR-M (HOYCXF2XM)	3.3' Stereo 1/4" Male to 2 RCA Male (HOYCSPM2R3) 5.95
6" Stereo 1/4" Female to 2 RCA Male (HOYCSPF2RM) 5.50	5' Stereo Mini Angled Male to 2 XLR-F (HOYCSMMR2XF5) 19.95
6" XLR-M to 2 XLR-F (HOYCXM2XF)	6' Stereo Mini Male to 2 RCA Male (HOYCSMM2RM6) 4.69
6" Stereo Mini Female to 2 RCA-M (HOYCSMF2RM)2.99	6' Stereo Mini Angled-M to 2 RCA-M (HOYCSMMR2RM6) 9.95
6" RCA-M to 2 RCA Female (HOYCRM2RF)	6.5' Stereo 1/4" Male to 2 RCA-M (HOYCSPM2R6)
6" Stereo 1/4" Male to 2 1/4" Mono-F (HOYCSPM2PF) 5.95	6.5' Stereo 1/4"-M to 2 Mono 1/4"-M (HOYCSPM2PM6) 7.50
6" Stereo Mini-M Angled to 2 RCA-F (HOYCSMMRA2RF) 4.50	6.6' Mono 1/4" Phone Male to 2 RCA-M (HOYCPM2RM6) 7.95
6" Stereo 1/4" Male to 2 RCA-F (HOYCSPM2RF)	6.6' S tereo Mini-Phone-M to 2 XLR-M (HOYCSMM2XM6) 13.49
6" 1/4" Male to Two 1/4" Female Y-Cable (HOYCPM2PF) <b>5.95</b>	10' Stereo 1/4" Male to 2 RCA Male (HOYCSPM2R9)
6" Stereo Mini-F to 2 1/4" Mono Male (HOYCSMF2PM) 5.50	10' Stereo Mini-M to 2 Mono 1/4"-M (HOYCSMM2PM10) 5.99
6" RCA Female to 2 RCA Male (HOYCRF2RM)	10' Stereo Mini-Phone-M to 2 XLR-M (HOYCSMM2XM9)14.29
6" Stereo Mini-M to 2 Mono Mini-F (HOYCSMM2MF) 3.99	10' Stereo Mini Male to 2 RCA-M (HOYCSMM2RM10) 5.69
6" Stereo Mini-M to 2 1/4" Mono-F (HOYCSMM2PF)	10' Stereo Mini-F to 2 RCA Male (HOYCSMF2RM10) 9.50
6" Stereo Mini-M to 2 RCA-F (HOYCSMM2RF)	10' Stereo 1/4"-M to (2) Mono 1/4"-M (HOYCSPM2PM9) 8.50
6" Stereo 1/4"- F to 2 Mono 1/4"-M (HOYCSPF2PM)	10' Mono 1/4" Phone Male to 2 RCA-M (HOYCPM2RM9) 9.50
1' Stereo Mini Angled Male to 2 XLR-F (HOYCSMMR2XF1) 14.50	13' Stereo 1/4"-M to 2 Mono 1/4"-M (HOYCSPM2PM13) 9.95
2' Stereo Mini Angled Male to 2 XLR-F (HOYCSMMR2XF2) 15.95	13.2' Stereo 1/4" Male to 2 RCA Male (HOYCSPM2R13) 9.95
3' RCA Male to 2 RCA Male (HOYCRM2RM3)	15' 3.5mm to Dual RCA Male Stereo (HOYCSMM2RM15) 7.79
3' Mono 1/4" Phone Male to two 1/4" (HOYCPM2PM3) 6.50	25' 3.5mm to Dual RCA Male Stereo (HOYCSMM2RM25) 9.99

	Audio (	Connectors	
Atlas Sound		Neut	trik
Mic Outlet Floor Box (ATFB4XLRF)Log-on	3-Pin XLR-F Conn	ector (NENC3FXX) <b>3.55</b>	4-Pin XLR Connector (NENC4FX) 5.9
0	3-Pin XLR-M Conr	nector (NENC3MXX) <b>3.20</b>	4-Pin XLR-F Connector (NENC4FXB) 5.9
Comprehensive XLR-M Connector (COCX3M)	3-Pin XLR -F (NEN	C3FDL1B) <b>4.95</b>	5-Pin XLR-F Connector (NENC5FX) 6.9
Mini-F Chassis Mount (COMJCM) 0.71¢	3-Pin XLR (NENC3)	MXB) <b>3.99</b>	2-Pole 1/4" Male Phone (NENP2X) 3.1
Stereo 3.5mm F (COMJSCM) <b>1.99</b>	3-Pin XLR-M Conr	nector <i>(NENC3MX)</i> <b>2.99</b>	3 Pole Female (NENC3FXXBAG)3.9
9-Pin DE-9 Connector (CODB9M) 2.71	3-Pin XLR-F Conn	ector <i>(NENC3FXB)</i> <b>3.99</b>	4-Pole Chassis (NECANL4MP)2.7
1/4" Phone Plug (Mono) (COCP) <b>0.89¢</b>	3-Pin XLR-M Wall	Plate (NE203M) 10.99	4-Pole Speakon Connector (NENL4FX) 3.9
XLR-F Connector (COCX3F)	3-Pin XLR-M (NEN	C3MDLB1) <b>3.99</b>	Male Phone Connector (NENP2C) 3.5
2.16	3-Pin XLR-F Conn	ector (NENC3FX) <b>2.66</b>	Male Phone Connector (NENP3C) 5.6
Stereo 3.5mm Male (COMPS) 1.11	4-Pin XLR-M Conr	nect (NENC4MX) . <b>Log-on</b>	Male RCA Connector (NECANYS352) 1.4
Hosa Technology	Locking Power Co	nnector- Type A (NENAC3FCA	4)
XLR-Male Plug <i>(HOCXM)</i> 2.99	Locking Female St	ereo Phone Connector (NEN.	J3FP6CBAG) <b>5.</b> 5
1/4" Mono R/A (HOCPMRA) 3.50	Wallplate with Dua	al 3-Pin XLR-F Connectors (A	IE203F) <b>11.</b> 5
1/4" Stereo R/A (HOCSPMRA) 3.95	3.5mm Mini Plug	(NENYS231L)	3.0
			NP3XB) <b>4.</b> 9
Switchcraft		•	ENP3XBAG)4.9
5-Pin Mini-XLR-F <i>(SWTA5F)</i> <b>9.95</b>		,	(NENC3MXXB)3.9
Surface-Mount XLR-F (SWD3F) 3.29			ts (NENC3FXXB)3.9
XLR-F Connector (SWA3F)		' '	
1/4" Stereo (TRS) Phone (SW297) <b>3.95</b>	4-Pole Speakon C	onnector with Latch (NENL4F	<sup>-</sup> C) <b>4.</b> 7
XLR-M Connector (SWA3M)		-	
Comprehen		Neutrik Male 3-Pin XLR	
Comprehensive 3.5mm Female Cha Mini-F Chassis Mount	assis iviouni	Connector	Neutrik 4-Pole Speakon Connector
and a second	Comprehensive	tre	Neurin 44 de Speakil Colliectol
Neutrik 3.5mm Mini Plug	Mini-F to Mini-F	Monster Dual RCA-F to RCA-F	Monster Stereo Mini-M to 2 Mono 1/4"-F

# **Audio Adapters**

Comprehensive
Mini-F to RCA-M (COAMFRM)1.75
Mini-F to RCA-F (COAMFRF)1.75
Mini-M to RCA-F (COAMMRF)0.92
Mini-M to Phone-F (COAMMPF)1.43
Mini-M to 1/4" Female (COAMMPFS)1.43
Mini-F to Mini-F (COAMFMF)1.91
Mono Mini-F to Phone-M (COAMFPM)1.03
RCA-F to RCA-F (COARFRF)1.19
RCA-M to XLR-F (COARMXF)7.99
RCA-M to XLR-M (COARMXM)6.99
RCA-F to XLR-M (COARFXM)7.99
RCA-F to XLR-F (COARFXF)
Phone-M to RCA-F (COAPMRF)1.67
Phone-M to XLR-M (COAPMXM)7.32
Phone-F to Phone-F (COAPFPF)2.39
1/4" Phone-M to XLR-F <i>(COAPMXF)</i> <b>7.72</b>
XLR-F to XLR-F (COAXFXF) <b>8.79</b>
, ,
XLR-M to Phone-F (COAPFXM)6.99
XLR-F to Phone-F (COAPFXF)
XLR-M to XLR-M (COAXMXM) <b>7.99</b>
Pro Co Sound

Phone-M to 2 Phone-F <i>(PRYCPM2PF)</i>	3.95
1/4" Phone to 2 RCA-F (PRYCPM2RF)	2.95
RCA-M to 2 RCA-F (PRYCRM2RF)	2.95
RCA to XLR Adapter (HOAREXE)	9 50

### Hosa Technology

Phone to Dual Banana (HOABPF16B)14.99  1/4"-F to Dual Banana (HOABPF16R)16.99  Phone to Stereo Mini (HOASMFPM)1.99  Phone-F to Phone-F (HOASPFSPF)3.50  Phone-M to RCA-F (2) (HOAPMRF)1.99  Stereo Phone to XLR (HOASPMPF)7.99  TS Phone to TRS Stereo (HOASPMPF)2.95  Stereo Mini to 2 RCA-F (HOASMM2RF)1.99  Splitter/Combiner (HOASPM2RF)3.49  1/4" Phone to Speakon (HOAPFS16)15.95  Stereo Mini to 2 RCA-F (HOASMM2RF0)4.29  Right-Angle RCA (2) (HOARMRARF2)4.50	RCA-F to RCA-F (2) (HOARFRF2)
Stereo 1/4"-F to XLR-F (HOASPFXF) 10.99  Monster	· Cable
Right-Angle RCA Adapter (MORARCA)9.95  Dual RCA-F to RCA-F (MOMCLDFR)16.95  XLR-M to XLR-M (MOMCLMX)11.95  RCA-F to RCA-F (MOMCLFR)11.95  RCA-F to 1/4" TS Phone (MOMCLFRM) 10.99	XLR-F to XLR-F (MOMCLFX)

#### **Comprehensive Audio Adapter Kit**

This audio adapter kit provides a pair of virtually every audio adapter in current use. Includes a sturdy plastic storage case with 10 compartments created by a set of adjustable dividers.



# **Digital Audio Cables** Comprehensive

**PRO AUDIO** 

3' XHD Digital S/PDIF RCA to RCA 6.5' XHD Digital S/PDIF RCA to RC BNC-M to XLR-M Time Code Cable BNC-M to XLR-F Time Code Cable XLR-M to XLR -F AES/EBU Cable (	A (COCSPDIFXD16) e - 6' (COXLRPBP6B) - 6' (COXLRJBP6B) COCAES10)	19.99 13.59 13.59 22.29
XLR-M to XLR-F AES/EBU Cable (C XHD XD1 Digital To	,	10.49
3' (COCTTXD13) <b>15.99</b> 12' (COCTTXD112) <b>23.99</b>	6' (COCTTXD16)	
Hosa Tec	hnology	
S/PDIF RCA Male to R	CA Male Digital Cable	
3.3' (HOS3) <b>9.95</b>	6.5' (HOS6)	13.50
13' <i>(HOS13)</i> <b>19.50</b>	20' (HOS20)	19.95
Toslink Male to Toslink		
2' (H002) <b>8.50</b>	, ,	
6' <i>(H006)</i> <b>10.49</b>		
13' <i>(H0013)</i> <b>18.95</b>	16' (H0016)	19.95
Toslink to Mini-Toslink 3.5mm (HC	OOCTM10)	17.50
ADAT Toslink to Toslink Fiber Option	c Cable 3' (HOOCTT3)	14.95
ADAT Toslink to Toslink Fiber Opt	ic Cable 30' (HOOCTT30)	38.95
Monster 400DFO Advanced Performan 3.3' (MOMC400DF01M) . 26.99	nce Toslink to Toslink S/f	

# Stereo XLR & Special Mic Cables

13' (MOMC400DF04M)...**40.63** 20' (MOMC400DF020)...**50.99** 600DFO High Performance Toslink to Toslink Fiber 3.3' (MOMC600DF01M) . **40.99** 6.5' (MOMC600DF02M) . **58.99** 

#### Remote Audio

Starquad XLR-M 5-Pin to XLR-F 5-Pin (RECAX5QN25)	47.04
5-Pin Stereo XLR-F to Dual XLR-M Y-Cable (RECAXSTE25)	84.00
5-Pin Stereo XLR-F to Dual XLR-M Y-Cable (RECAXSTE)	44.80
10'Stereo Mini-M to Stereo Mini-F Cable (ROVC1)	10.99
Shure C98D Repl. Cable for Beta 91, Beta 98 (SHC98D)	19.95
Sony 5-Pin XI R-F to two 3-Pin XI R-M (SOCCXA53A)	29.95

### **Speaker Cables**

Anchor-Audio
Allullul -Auulu

AT-690 1/4" Male to 1/4" Male	Speaker Cable (14-Gauge)
(AUAT69015) <b>9.95</b>	(AUAT6906) <b>6.99</b>
(AUAT69025) <b>12.99</b>	(AUAT69010) <b>11.49</b>
(AUAT69050)	19.99
SC-50 1/4" Male Phone to 1/4" I	Male Phone (ANSC50) Log-on
AT-690 1/4" Male to Dual Banan	a (AUAT69050B) <b>21.63</b>
Hosa Technology	
Speakon to 1/4" Male Speaker (H	HOSKT403Q) <b>8.50</b>
Speakon to 1/4" Male Speaker (H	HOSKT425Q) 19.95
25' Speakon to Speakon Speaker	r (12 Gauge) (HOSKT225) <b>34.95</b>

### Monster Cable

1/4" TS Male Phone to 1/4" TS Male Phone (MOP500S3) 18.00	Ì
1/4" TS Male Phone to 1/4" TS Male Phone (MOP500S50) <b>39.99</b>	)

20' Speakon to Speakon Speaker (12 Gauge) (HOSKT220) ... 29.95

50' Speakon to Speakon Speaker (14 Gauge) (HOSKT450) ... 40.92 

### Pro Co Sound Lifelines PowerPlus

Speakon to Speakon	(12 Gauge) - 50' (PRPPSS1250)	. 68.00
Speakon to Speakon	(12 Gauge) - 100'PRPPSS12100)	104.50

#### Whirlwind

1/4" Phone to 1/4" Phone (14 Gauge) - 50' (WHSK150G14). 58.0
Speakon to Speakon (12 Gauge) - 25' (WHSK525G12) 54.9
Speakon to Speakon (12 Gauge) - 50' (WHSK550G12) 94.99
Speakon to Speakon (12 Gauge) - 100' (WHSK5100G12) 116.99
Speakon to 1/4" Phone (12 Gauge) 100' (WHSK2100G12) 169.0
5' 4-Conductor Speakon to Speakon (WHNL4005) 42.0

## **RCA to RCA Cables (Audio)**

Comprehensive 2 RCA	Male to 2 RCA Male Cable
6' (COC2R2R6) <b>4.89</b>	
25' (COC2R2R25) <b>8.79</b>	35' (COC2R2R35) 10.49
Hosa Technology 2 RCA	A Male to 2 RCA Male (Gold)
3.3' (HOG2R2R3) <b>5.50</b>	6.6' (HOG2R2R6) <b>6.95</b>
13.2' (HOG2R2R13)	5.99
6.5' Angled with Ground Strap (HO2	2R2RRAG6) <b>4.99</b>
Pearstone 2	RCA to 2 RCA
1.5' (PEC2R2R1.5) <b>3.50</b>	3' (PEC2R2R3)
6' (PEC2R2R6) <b>5.99</b>	10' (PEC2R2R10) 6.99
15' (PEC2R2R15) <b>7.99</b>	25' (PEC2R2R25)
50' (PEC2R2R50) <b>13.99</b>	100' (PEC2R2R100) 19.95
Gold Series: 2 RCA Male to 2 RCA -	3' (PEPC2R2R3) 14.95
6' (PEPC2R2R6) <b>17.95</b>	10' (PEPC2R2R10) 17.95
15 (PEPC2R2R15) <b>19.95</b>	25' (PEPC2R2R25)
50' (PEPC2R2R50)32.95	100' (PEPC2R2R100) <b>34.95</b>

### **Stereo Phone (TRS) to XLR Cables**

Comprel	nensive			
Stereo 1/4" Female to XLR-F - 3' (Co	OCPFXF3) <b>8.79</b>			
Stereo 1/4'	' to XLR-F			
3' (COCSPMXF3)10.39	6' (COCSPMXF6)11.19			
10' (COCSPMXF10) 12.79	25' (COCSPMXF25) 15.19			
Stereo 1/4"	to XLR-M			
3' (COCSPMXM3)10.39	6' (COCSPMXM6)11.19			
10' (COCSPMXM10) 12.79	25' (COCSPMXM25) 15.19			
Hosa Tec	hnology			
1/4" TRS Male to XLR-F 50' (HOPSPI	0,			
Stereo 1/4				
3' (HOSPMXF3) <b>7.50</b>				
,	, ,			
10' (HOSPMXF10)				
3' (HOSPMXM3) <b>6.95</b>				
10' (HOSPMXM10)	,			
Mog				
Stereo 1/4" Male to XLR-F 3' (MOTE				
6' (MOTRSXF6) <b>36.49</b>	, ,			
1/4" TRS Male to XLR Male Quad Pa				
10' (MOTRSXM10) <b>42.81</b>	15' (MOTRSXM15) <b>42.81</b>			
3' Gold 1/4" TRS Male to XLR-M Qua	ad Patch (MOTRSXM3) 31.17			

# Stereo Phone to Stereo Phone (TRS) Cables Comprehensive

1/4" Male TRS to 1/4" Male TRS Stere	eo - 1.5' (COCSPMSPM1.5) <b>7.19</b>
3' (COCSPMSPM3) <b>3.99</b>	6' (COCSPMSPM6) <b>4.79</b>
10' (COCSPMSPM10) <b>6.39</b>	25' (COCSPMSPM25) <b>9.59</b>

# Hosa Technology

	174 10 1	T IVILIO
,	(HOSPMSPMRA3) <b>5.95</b>	5' (HOSPMSPMRA5) <b>6.50</b>
	1/4" Male to 1/4"	Male Stereo Cable

3 (HUSPMSPM3) <b>5.50</b>	5 (HUSPINSPINS) <b>5.95</b>
10' (HOSPMSPM10)	15' (HOSPMSPM15) <b>8.50</b>
25' (HOSPMSPM25)	9.95
Stereo TRS Patchbay 1/4" Pho	one to 1/4" Phone (set of 8)
1' (HOPCSSPMSPM1) 22.29	1.5' (HOPCSSPMSPMQ) <b>26.50</b>
3' (HOPCSSPMSPM3)	
Stereo 1/4" Female Phone	to 1/4" Male Phone TRS
10' (HOSPMSPE10) 7.50	25' (HOSPMSPE25) 11.99

#### Mogami

SS-10 1/4" Male to TRS 1/4" Male	e - 10' <i>(MOPPTRSTRS10)</i> <b>35.9</b> 5
Gold Stereo 1/4" to Stereo 1/4"	Ext. (MOTRSMTRSF25) 99.95

### Monster Cable (DJ Series)

Stereo	1/4"	Male	Pair	to	1/4"	Male -	1m	(MOMSLST1)	19.95
Steren	1/4"	Male	Pair	to :	1/4"	Male -	4m	(MOMD ISTAM)	29 QF

٧,		1		
Comprehensive 2 RCA Male to 2 RCA Male		prehensive Phone Male to RCA Male	Pro Co 1/4" Phone Male to 1/4" Phone Male	
1	1	1	-	
Pearstone Gold Series 2 RCA Male to 2 RCA Male	Audio-Technica 1/4" Male to 1/4" Male	Mogami Gold 3-P. Male to RCA Male		*

# 1/4" to RCA Cables

# Comprehensive 1/4" Male to RCA-M 3' (COCPMRM3Q) 5.59 6' (COCPMRM6) 6.39 10' (COCPMRM10) 7.19 25' (COCPMRM25Q) 10.39

#### Hosa Technology

1/4" to RCA 3' (HOPMRM3). 4.50	5' (HOPMRM5) <b>5.95</b>
10' (HOPMRM10) <b>5.95</b>	15' (HOPMRM15) <b>8.95</b>
Two 1/4" to 2 RCA 3.3-ft. (HO2PM2)	RM3) <b>3.99</b>
6.6' (HO2PM2RM6) <b>6.95</b>	10' (HO2PM2RM9) <b>9.50</b>
13' (HO2PM2RM13) <b>5.99</b>	20' (HO2PM2RM20)
Two 1/4" Phone to 2 RCA - 5' (HOHP	PR005X2) <b>8.95</b>
20' (HOP2PM2RM20) 10.99	
CPR-400G Series: Two 1/4" Phone	M to 2 RCA Male (Gold-Plated)
5' (HOPG2PM2RM5) <b>9.99</b>	15' (HOPG2PM2RM15) <b>17.50</b>
20' (HOPG2PM2RM20)	19.95

### **Monster Cable**

3.3-ft. 1/4" Male Pair to RCA Male Pair (MOMDJCR1M)
6.6-ft. 1/4" Male Pair to RCA Male Pair (MOMDJCR2M)
3.3-ft. 2 RCA M to 2 1/4" M Dual Cable (MOMSLCR1P) 24.00
6.6-ft. 2 RCA M to 2 1/4" M Dual Cable (MOMSLCR2P)

#### **RCA to XLR Cables**

# Comprehensive EXF XLR-M to RCA-F 3' (COCRFXM3)....7.99 10' (COCRFXM10).10.39

EXF XLR-F to RCA-F	3' (COCRFXF3)7.9	9 6' (COCRMXF6) <b>7.79</b>	
EXF XLR-F to RCA-M	3' (COCRMXF3)6.4	9 10' (COCRMXF10). 10.39	
EXF XLR-F to RCA-M	25' (COCRMXF25)	15.19	
EXF XLR-M to RCA-M	3' (COCRMXM3) <b>7.9</b>	9 6' (COCRMXM6) <b>8.79</b>	
10' (COCRMXM10)	<b>10.39</b> 25'	(COCRMXM25)15.19	
Hosa Technology			
RCA-M to XLR-M	2' (HORMXM2)6.9	<b>5</b> 5' (HORMXM5) <b>7.50</b>	
10' (HORMXM10)	<b>8.95</b> 20'	(HORMXM20) <b>9.95</b>	
L	nx Studio Tech	nology	
-,	riix otuulo reeli	iiology	

# 1.5-ft. RCA Male to XLR-M *(LYCRMXMA18)*......**6.50 Mogami**

6' Gold XLR-M to RCA Male Patch Cable (MORXM6) ...... **54.95** 

# Phone to Phone (1/4") Cables

#### Audio-Technica

	.00
6' (AUAT83906) <b>8.99</b> 10' (AUAT839010) <b>8</b> .	.50
15' (AUAT839015) <b>9.49</b> 20' (AUAT839020) <b>8</b> .	.99
25' (AUAT839025) <b>13.49</b> 30' (AUAT839030) <b>10</b> .	.94

### Comprehensive

1/4" TS Male to 1/4" TS Male Mono	3' (COCPMPM3)	3.19
6' (COCPMPM6) <b>3.99</b>	10' (COCPMPM10)	5.59
25' (COCPMPM25) <b>7.19</b>	50' (COCPMPM50)	11.19
100' Studio Series Quad Audio (CC	DSSQPP100BK)	76.50
10' 1/4"-M to 1/4"-F (COCPMPF10	) <b>6.39</b>	
1.5' TS Male to TS Male Mono (Co	OCPMPM1.5)	5.59

### Hosa Technology

Two 1/4" Male to Two 1/4" Male - 3.	.3' (H02PM2PM3)	6.50
6.6' (HO2PM2PM6) <b>7.50</b>	9.9' (HO2PM2PM9)	9.95
10' with Molded Plugs (HOP2PM2PM1	10)	13.95
Patchbay 1/4" Male to 1/4" Male - 1'	(8) (HOPCSPMPM1)	9.99
Patchbay 1/4" Male to 1/4" Male - 1.	.5' (8) (HOPCSPMPM1.5)	10.99
Phone 1/4" Male to Phone 1/4" Male	: - 1' (HOPMPM1)	2.95
3' (HOPMPM3) <b>4.29</b>	5' (HOPMPM5)	5.50
10' (HOPMPM10) <b>6.50</b>	15' (HOPMPM15)	7.50

### Monster Cable

Studiolink 1/4" to 1/4" - 3' (MOMSLM1)	14.99	9
Standard 100 Series 1/4" to 1/4" 21' (MOS100I21)	19.9	ō
Standard 100 Series 1/4" Angled to 1/4" -21' (MOS100I21A)	19.9	5

#### Pro Co Sound

Excellines	1/4"	Male to	1/4	' Male	- 10'	(PREIPMPM10)	)	12.9
Excellines	1/4"	Male to	1/4"	Male	- 15'	(PREIPMPM15)		14.9

# Samson

3' 1/4" Male to 1/4" Right-Angle M	lale (SATIL3)
10' 1/4" Male to 1/4" Right-Angle	Male (SATIL10)14.99
3' 1/4" Male to 1/4" Male Instrume	nt Cable - 3' (SATI3)
10' (SATI10)	20' (SATI20)
25' (SATI25)	50' (SATI50) <b>59.95</b>

# Phone (1/4") to XLR Cables

### Audio-Technica

#### Comprehensive

Phone to	o XLR-F
3' (COCPMXF3)	6' (COCPMXF6)9.59
10' (COCPMXF10)11.19	25' (COCPMXF25)
Phone to	XLR-M
3' (COCPMXM3)	6' (COCPMXM6)9.59
10' (COCPMXM10)11.19	25' (COCPMXM25)

### Hosa Technology Mono 1/4" to XLR-F

o' (HOPMXF5)	7.95	15' (HOPMXM15)	9.95
XM-100 Series Mono 1/4"	to XLR-M	5' (HOPMXM5)	7.95
2XM-300 Series Mono 1/4"	' to XLR-M	15' (HOHSX015)	9.95

#### Lynx Studio Technology

1.5	1/4"	IK5	iviale	τo	XLK-F	(LYCSP	IVIXEAT	18)	 	6.50	
1.5'	1/4"	TRS	Male	to	XLR-M	(LYCSI	PMXMA	418)	 	6.50	

#### Monster Cable

1/4" Stereo Male to XLR Male Cable - 10' (MOMSLCMX3)......29

**PRO AUDIO** 

## YI P to YI P Cables

ΛL	R to XL	n Cau	103	
	Audio-To	echnica		
XLRF - XLRM Balanced	Mic. Cable -	25' <i>(AUAT8</i> 3	31325)	9.99
XLR Male to XLR Angle	d Female Cab	ole - 1.5 <i>(AL</i>	IAT83141.5R)	19.99
KLR Male to XLR Angle	d Female Cab	ole - 20' <i>(AL</i>	IAT831420R)	21.95
AT831	4 Premium I	Microphone	e Cable	
1.5' <i>(AUAT83141.5)</i>			83143)	. 14.95
6' <i>(AUAT83146)</i>			T831410)	
15' <i>(AUAT831415</i> )			T831420)	
25' <i>(AUAT831425</i> )			Г831430)	
50' <i>(AUAT831450</i> )			AT8314100)	
	nare- Star-	Ouad /L /E	60).	
CXLRP-XLRJ	iiai G- Stai-	,	03). (MXF1.5)	16 05
3' <i>(CAXMXF3</i> )	17.05		XF6)	
10' <i>(CAXMXF10</i> )			MXF15)	
25' <i>(CAXMXF25</i> )			MXF50)	
75' <i>(CAXMXF75</i> )			XMXF100)	
15-ft. 3-pin XLR-M t Blue (CAXMXF15BL)	•			
Green <i>(CAXINXF156L)</i> Green <i>(CAXINXF15GRN</i> )			 (MXF15GRY)	
Orange <i>(CAXMXF150RN)</i>			MXF15RD)	
Purple <i>(CAXMXF25PPL)</i>			4 <i>XMXF15YL)</i>	
White (CAXMXF15WT)			AXMXF15BRN)	
25-ft. XLR-M				
25-11. ALN-IVI Blue <i>(CAXMXF25BL)</i>				
Brown <i>(CAXMXF25BRN)</i>			4 <i>XMXF25GRN</i> )	
Gray <i>(CAXMXF25GRY)</i>			XMXF25HT)	
Orange (CAXMXF250RN)			AXMXF25PPL)	
Red (CAXMXF25RD)			AXMXF25YL)	
,	Compre		. ,	
Lo-Z Microphone Cable	-			27.00
2' <i>(HOXMXF2)</i> <b>5.99</b>	Hosa Tec XLR-F ("Cla 3' (HOXMXF	hnology mp" style X 3) <b>6.99</b>	(LR plugs) 5' (HOXMXF5)	
2' (HOXMXF2) <b>5.99</b> XLR-I	Hosa Tec 2 XLR-F ("Cla 3' (HOXMXF M to XLR-F (E	hnology mp" style X 3) <b>6.99</b> Black Conne	'LR plugs) 5' (HOXMXF5, ectors)	) <b>7.99</b>
2' (HOXMXF2) <b>5.99</b> XLR-I 5' (HOMCXMXFBC5)	Hosa Tec 2 XLR-F ("Cla 3' (HOXMXF M to XLR-F (E	hnology mp" style X 3) 6.99 Black Conne	(LR plugs) 5' (HOXMXF5) ectors)	) <b>7.99</b> <b>7.4</b> 9
2' (HOXMXF2) <b>5.99</b> XLR-I 5' (HOMCXMXFBC5) 10' (HOMCXMXFBC10)	Hosa Tec 2 XLR-F ("Cla 3' (HOXMXF M to XLR-F (E	hnology mp" style X 3) 6.99 Black Conne 	LR plugs) 5' (HOXMXF5, ectors)	) <b>7.99</b> <b>7.4</b> 9
2' (HOXMXF2) <b>5.99</b> XLR-I 5' (HOMCXMXFBC5) 10' (HOMCXMXFBC10)	Hosa Tec 2 XLR-F ("Cla 3' (HOXMXF M to XLR-F (E 	chnology mp" style X 3) 6.99 Black Conne 25' (HOM R-F (Budget	'LR plugs) 5' (HOXMXF5, ectors) ICXMXFBC25)	) <b>7.99</b> <b>7.49</b> <b>11.49</b>
2' (HOXMXF2) <b>5.99</b> XLR-15' (HOMCXMXFBC5) 10' (HOMCXMXFBC10) 3' (HOMCXMXF2C3)	Hosa Tec 2 XLR-F ("Cla 3' (HOXMXF M to XLR-F (E 8.49 XLR-M to XLI 5.99	chnology mp" style X 3) 6.99 Black Conne 25' (HOM R-F (Budget 5' (HOM)	LR plugs) 5' (HOXMXF5, ectors) ICXMXFBC25) c)	)7.99 7.49 11.49
2' (HOXMXF2) <b>5.99</b> XLR-i 5' (HOMCXMXFBC5) 10' (HOMCXMXFBC10)	HOSA TEC 2 XLR-F ("Cla 3' (HOXMXF M to XLR-F (E	chnology mp" style X 3) 6.99 Black Conne 25' (HOM 5' (HOMC 25' (HOMC	LR plugs) 5' (HOXMXF5, ectors) ICXMXFBC25) ) XXMXF2C5)	7.49 7.49 11.49 9.95
2' (HOXMXF2) <b>5.99</b> XLR-1 5' (HOMCXMXFBC5) 10' (HOMCXMXFBC10) 3' (HOMCXMXF2C3) 10' (HOMCXMXF2C10) 50' #HOMCXMXF2C50	HOSA TEC 2 XLR-F ("Cla 3' (HOXMXF M to XLR-F (E	chnology mp" style X 33) 6.99 Black Conne 25' (HOM 5' (HOM 25' (HOM 525' (HOM	LR plugs) 5' (HOXMXF5, ectors) ICXMXFBC25) CXMXF2C5) CXMXF2C5)	7.49 7.49 11.49 9.95
2' (HOXMXF2) <b>5.99</b> XLR-1 5' (HOMCXMXFBC5) 10' (HOMCXMXFBC10) 3' (HOMCXMXF2C3) 10' (HOMCXMXF2C10) 50' #HOMCXMXF2C50	Hosa Tec  2 XLR-F ("Cla 3' (HOXMXF M to XLR-F (E	chnology mp" style X 3) 6.99 Black Conne 25' (HOM R-F (Budget 5' (HOM 25' (HOM 25') (HOM 25') (HOM	LR plugs) 5' (HOXMXF5, ectors) ICXMXFBC25) CXMXF2C5) CXMXF2C5)	7.49 7.49 11.49 9.95 19.95
2' (HOXMXF2) <b>5.99</b> XLR-I 5' (HOMCXMXFBC5) 10' (HOMCXMXFBC10) 3' (HOMCXMXF2C3) 10' (HOMCXMXF2CT0) 50' #HOMCXMXF2C50  ) 10' (HOMCXMXF4C10)	Hosa Tec  2 XLR-F ("Cla 3' (HOXMXF M to XLR-F (E	#hnology mp" style X 33) 6.99   Black Conne	LR plugs) 5' (HOXMXF5 ectors) ICXMXFBC25) ICXMXF2C5) ICXMXF2C25) ICXMXF2C25) II	7.49 7.49 11.49 9.95 19.95
2' (HOXMXF2) <b>5.99</b> XLR-I 5' (HOMCXMXFBC5) 10' (HOMCXMXFBC10) 3' (HOMCXMXF2C3) 10' (HOMCXMXF2CT0) 50' #HOMCXMXF2C50  ) 10' (HOMCXMXF4C10)	Hosa Tec  b XLR-F ("Cla"  3' (HOXMXF  M to XLR-F (E	hnology mp" style X 33) 6.99 8lack Conne 25' (HOMC 25' (HOMC 25' (HOMC 25' (HOMC 25' (HOMC 25' (HOMC 25' (HOMC 25' (HOMC 8-F Premiul 25' (HOMC	LR plugs) 5' (HOXMXF5 ectors) ICXMXFBC25) ICXMXF2C5) ICXMXF2C25) ICXMXF2C25) II	7.99 7.49 11.49 9.95 19.95 34.50
2' (HOXMXF2) <b>5.99</b> XLR-I 5' (HOMCXMXFBC5) 10' (HOMCXMXFBC10) 3' (HOMCXMXF2C3) 10' (HOMCXMXF2C3) 50' #HOMCXMXF2C50  ) 10' (HOMCXMXF4C10)  XLF 15' (HOMCXMXF4C50) 30' (HOMCXMXF150)	Hosa Tec  b XLR-F ("Cla") 3' (HOMMXF M to XLR-F (E")8.49 XLR-M to XLI5.99 9.95 (HOMCXMXF (LR-M to XLF10.99 R Male to XLF19.9529.95	#hnology mp" style X (3) 6.99   ### Style X (3) 6.99   ### Style X (3) 6.99   ### Style X (4) (5) (HOMC	LR plugs) 5' (HOXMXF5, ectors) ICXMXFBC25) CXMXF2C5) TI CXMXF4C25) TI CXMXF4C25)	7.49 7.49 11.49 9.95 19.95 34.50 17.79
2' (HOXMXF2) <b>5.99</b> XLR-I 5' (HOMCXMXFBC5) 10' (HOMCXMXFBC5) 3' (HOMCXMXF2C3) 10' (HOMCXMXF2C3) 50' #HOMCXMXF2C50  ) 10' (HOMCXMXF4C10)  XLF 15' (HOMCXMXF4C10)  XLF 15' (HOMCNXMXF150)30' (HOMCNXMXF350)	Hosa Tec b XLR-F ("Cla 3" (HOXMXF M to XLR-F (E	#hnology mp" style X 33) 6.99 #Black Conne	LR plugs) 5' (HOXMXF5, ectors)  CXMXFBC25)  CXMXF2C5)  CXMXF2C25)  CXMXF4C25)	7.49 7.49 11.49 19.95 34.50 17.79 24.95 44.95
2' (HOXMXF2) <b>5.99</b> XLR-1 5' (HOMCXMXFBC5) 10' (HOMCXMXFBC10) 3' (HOMCXMXF2C3) 10' (HOMCXMXF2C3) 50' #HOMCXMXF2C50 ) 10' (HOMCXMXF4C10)  XLF 15' (HOMCXMXF150) 30' (HOMCNXMXF300) 75' (HOMCNXMXF300)	Hosa Tec b XLR-F ("Cla 3" (HOXMXF M to XLR-F (E	#hnology mp" style X 33) 6.99 #Black Conne	LR plugs) 5' (HOXMXF5, ectors)  CXMXFBC25)  CXMXF2C5)  CXMXF2C25)  CXMXF4C25)	7.49 7.49 11.49 19.95 34.50 17.79 24.95 44.95
2' (HOXMXF2) <b>5.99</b> XLR-I 5' (HOMCXMXFBC5) 10' (HOMCXMXFBC10) 3' (HOMCXMXF2C3) 10' (HOMCXMXF2C3) 50' #HOMCXMXF2C50  XLF 115' (HOMCXMXF4C10) XLF 115' (HOMCXMXF150) 30' (HOMCXMXF3C0) 75' (HOMCXMXF750) 50' XLR-M to XLR-F (3	Hosa Tec b XLR-F ("Cla 3" (HOXMXF M to XLR-F (E	#hnology mp" style X is) 6.99 ##Black Conne	LR plugs) 5' (HOXMXF5, ectors)  CXMXFBC25)  CXMXF2C5)  CXMXF2C25)  CXMXF4C25)  CXMXF4C25)  CXMXF4C25)  CXMXF4C25)  MCXMXF4C25)  CXMXF4C25)  MCXMXF500)  MCXMXF500)  MCXMXF1H0)	7.49 7.49 11.49 19.95 34.50 17.79 24.95 44.95
2' (HOXMXF2) 5.99  XLR-I 5' (HOMCXMXFBC5) 10' (HOMCXMXFBC10) 3' (HOMCXMXF2C3) 10' (HOMCXMXF2C50) 10' (HOMCXMXF2C10) 50' #HOMCXMXF4C10) XLF 15' (HOMCXMXF4C10) XLF 15' (HOMCXMXF150) 30' (HOMCXMXF150) 50' XLR-M to XLR-F (;	Hosa Tec D XLR-F ("Cla 3" (HOXMXF M to XLR-F (E 	chnology mp" style X i3) 6.99 Black Conne 25' (HOM FR-F (Budget 5' (HOM 25' (HOM 25' (HOM 8 Female (2' 20' (HOM 100' (HO HOMCNXMX Angled Ma.	LR plugs) 5' (HOXMXF5, ectors)	7.499
2' (HOXMXF2) 5.99  XLR-I 5' (HOMCXMXFBC5) 10' (HOMCXMXFBC10) 3' (HOMCXMXF2C3) 10' (HOMCXMXF2C50 50' #HOMCXMXF2C50 110' (HOMCXMXF4C10) XLF 15' (HOMCXMXF15Q) 30' (HOMCXMXF15Q) 75' (HOMCXMXF3C0) 75' (HOMCXMXF3C0) 75' (HOMCXMXF3C0) 75' (HOXMRAXF3	Hosa Tec  b XLR-F ("Cla 3" (HOXMXF  M to XLR-F (E  8.49  XLR-M to XL  5.99  9.95  (HOMCXMXI  (LR-M to XLR  10.99  8 Male to XLF  19.95  59.95  24 Gauge) (F  (KLR-F to XLR  6.49	chnology mp" style X i3) 6.99 Black Conne 25' (HOMC 25' (HOMC 25' (HOMC 25' (HOM 25' (HOM 25' (HOM 100' (HOM 100' (HOM Angled Mal	LR plugs) 5' (HOXMXF5, ectors) ICXMXFBC25) ICXMXF2C5) ICXMXF2C25) ICXMXF4C25) ICXMXF50Q) ICXMXF5QQ) ICXMXF1HQ) F5Q0	7.49 
2' (HOXMXF2) 5.99  XLR-I 5' (HOMCXMXFBC5) 10' (HOMCXMXFBC10) 3' (HOMCXMXF2C3) 10' (HOMCXMXF2C50) 10' (HOMCXMXF2C10) 50' #HOMCXMXF4C10) XLF 15' (HOMCXMXF4C10) XLF 15' (HOMCXMXF150) 30' (HOMCXMXF150) 50' XLR-M to XLR-F (;	Hosa Tec  b XLR-F ("Cla 3" (HOXMXF  M to XLR-F (E  8.49  XLR-M to XL  5.99  9.95  (HOMCXMXI  (LR-M to XLR  10.99  8 Male to XLF  19.95  59.95  24 Gauge) (F  (KLR-F to XLR  6.49	chnology mp" style X i3) 6.99 Black Conne 25' (HOMC 25' (HOMC 25' (HOMC 25' (HOM 25' (HOM 25' (HOM 100' (HOM 100' (HOM Angled Mal	LR plugs) 5' (HOXMXF5, ectors)	
2' (HOXMXF2) <b>5.99</b> XLR-I 5' (HOMCXMXFBC5) 10' (HOMCXMXFBC5) 10' (HOMCXMXF2C3) 10' (HOMCXMXF2C3) 10' (HOMCXMXF2C50  XLR-I 10' (HOMCXMXF4C10) XLF 15' (HOMCXMXF150) 30' (HOMCNXMXF150) 75' (HOMCNXMXF30) 75' (HOMCNXMXF350) 15' (HOXMRAXF1.5) 3' (HOXMRAXF1.5) 10' (HOXMRAXF10)	Hosa Tec  b XLR-F ("Cla" 3' (HOXMXF  M to XLR-F (E"  8.49  XLR-M to XL  5.99  9.95  (HOMCXMXF  (LR-M to XLR  10.99  8 Male to XL  12.99.5  59.95  24 Gauge) (F  (KLR-F to XLR  6.49  10.99  R-M to XLR	chnology mp" style X i3) 6.99 Black Conne 25' (HOME 25' (HOME 25' (HOME 25' (HOME 25' (HOME 20' (HOME 50' (HOME 100' (HO HOMENXMX Angled Mai	LR plugs) 5' (HOXMXF5, ectors)	
2' (HOXMXF2) <b>5.99</b> XLR-I 5' (HOMCXMXFBC5) 10' (HOMCXMXFBC5) 3' (HOMCXMXF2C3) 10' (HOMCXMXF2C3) 50' #HOMCXMXF2C50  XLF 15' (HOMCXMXF4C10) 30' (HOMCXMXF150) 30' (HOMCNXMXF150) 50' XLR-M to XLR-F (; ) 1.5' (HOXMRAXF1.5) 13' (HOXMRAXF1.5) 15' (HOXMRAXF1.5) XL	Hosa Tec  b XLR-F ("Cla" 3' (HOXMXF M to XLR-F (E"	chnology mp" style X iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	LR plugs) 5' (HOXMXF5, ectors) ICXMXFBC25)  ICXMXF2C5)  ICXMXF2C25)  ICXMXF4C25)  ICXMXF4C25)  ICXMXF4C25)  ICXMXF4C25)  ICXMXF4C25)  ICXMXF4C25)  ICXMXF4C25)  ICXMXF4C25)  ICXMXF1H0)	7.49 
2' (HOXMXF2) <b>5.99</b> XLR-I 5' (HOMCXMXFBC5) 10' (HOMCXMXFBC5) 3' (HOMCXMXF2C3) 10' (HOMCXMXF2C3) 10' (HOMCXMXF2C50) 10' (HOMCXMXF2C50) 10' (HOMCXMXF4C10) XLF 15' (HOMCNXMXF4C10) 75' (HOMCNXMXF3C0) 75' (HOMCNXMXF3C0) 75' (HOMCNXMXF3C0) 15' (HOXMRAXF1.5) 3' (HOXMRAXF1.5) 11' (HOXMRAXF1.5) XL 1.5' (HOXMRAXF1.5) 115' (HOXMXFRA1.5)	Hosa Tec  b XLR-F ("Cla" 3' (HOXMXF M to XLR-F (E"	chnology mp" style X i3) 6.99 Black Conne 25' (HOMC 25' (HOMC 25' (HOMC 25' (HOM 25' (HOM 10' (HOM 100' (HOM 100' (HOM 15' (HOM 15' (HOXM 15' (HOXM 15' (HOXM 15' (HOXM	LR plugs) 5' (HOXMXF5, ectors)	7.49 
2' (HOXMXF2) 5.99  XLR-I 5' (HOMCXMXFBC5) 10' (HOMCXMXFBC5) 3' (HOMCXMXF2C3) 10' (HOMCXMXF2C3) 50' #HOMCXMXF2C50  XLF-I 50' (HOMCXMXF4C10) XLF-I 5' (HOMCNXMXF4C10) 30' (HOMCNXMXF3C0) 75' (HOMCNXMXF3C0) 75' (HOMCNXMXF3C0) 15' (HOXMRAXF1.5) 3' (HOXMRAXF1.5) 11' (HOXMRAXF1.5) XL 1.5' (HOXMRAXF1.5) XL 1.5' (HOXMRAXF1.5) 110' (HOXMXFRA1.5) 110' (HOXMXFRA1.5) 2' XLR-F to RCA-M (HOR	Hosa Tec  b XLR-F ("Cla" 3' (HOXMXF M to XLR-F (E"	chnology mp" style X i3) 6.99 Black Conne 25' (HOMC 25' (HOMC 25' (HOMC 25' (HOM 100' (HOM 15' (HOM	CLR plugs) 5' (HOXMXF5, ectors)  CXMXFBC25)  CXMXF2C5)  CXMXF2C25)  CXMXF4C25)  CXMXF4C25)  CXMXF4C25)  CXMXF4C25)  CXMXF4C25)  CXMXF4C25)  CXMXF50Q)  CXMXXF1HQ)  CXMXXF50Q)  CXMXXF50Q)  CXMXXF50Q)  CXMXXF50Q)  CXMXXF50Q)  CXMXXF50Q)  CXMXXF50Q)  CXMXXF50Q	
2' (HOXMXF2) <b>5.99</b> XLR-I 5' (HOMCXMXFBC5) 10' (HOMCXMXFBC5) 3' (HOMCXMXF2C3) 10' (HOMCXMXF2C3) 10' (HOMCXMXF2C50) 10' (HOMCXMXF2C10) 10' (HOMCXMXF4C10) XLI 15' (HOMCNXMXF4C10) 75' (HOMCNXMXF3C0) 75' (HOMCNXMXF750) 50' XLR-M to XLR-F (; ) 1.5' (HOXMRAXF1.5) 10' (HOXMRAXF1.5) 110' (HOXMRAXF1.5) 110' (HOXMXFRA1.5) 110' (HOXMXFRA1.5) 110' (HOXMXFRA1.5) 2' XLR-F to RCA-M (HOR 5' (HORMXF5)	Hosa Tec  b XLR-F ("Cla" 3' (HOXMXF M to XLR-F (E"	chnology mp" style X i3) 6.99 Black Conne 25' (HOMC 25' (HOMC 25' (HOMC 25' (HOMC 25' (HOM 10' (HOMC) 10' (HOMC) 10' (HOMC) 15' (HOXM 15' (HOXM 15' (HOXM 15' (HOXM 15' (HOXM 15' (HOXM 15' (HOXM 15' (HOXM 15' (HOXM 15' (HOXM	LR plugs) 5' (HOXMXF5, ectors)	
2' (HOXMXF2) 5.99  XLR-I 5' (HOMCXMXFBC5) 10' (HOMCXMXFBC5) 3' (HOMCXMXF2C3) 10' (HOMCXMXF2C3) 50' #HOMCXMXF2C50  XLI 10' (HOMCXMXF4C10) XLI 15' (HOMCXMXF4C10) 30' (HOMCXMXF4C10) 75' (HOMCNXMXF3C0) 75' (HOMCNXMXF3C0) 75' (HOMCNXMXF3C0) 15' (HOXMRAXF1.5) 10' (HOXMRAXF1.5) 110' (HOXMRAXF1.5) 110' (HOXMXFRA1.5) 110' (HOXMXFRA1.5) 110' (HOXMXFRA1.5) 2' XLR-F to RCA-M (HOR 5' (HORMXF5)	Hosa Tec  b XLR-F ("Cla" 3' (HOXMXF M to XLR-F (E"	chnology mp" style X iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	LR plugs) 5' (HOXMXF5, ectors)	
2' (HOXMXF2) 5.99  XLR-1 5' (HOMCXMXFBC5) 10' (HOMCXMXFBC5) 10' (HOMCXMXFBC10) 3' (HOMCXMXF2C3) 10' (HOMCXMXF2C3) 10' (HOMCXMXF2C50  10' (HOMCXMXF4C10) XLF 15' (HOMCXMXF4C10) 30' (HOMCXMXF4C10) 75' (HOMCXMXF150) 50' XLR-M to XLR-F (2000) 1.5' (HOXMRAXF1.5) 3' (HOXMRAXF1.5) 10' (HOXMRAXF1.5) 11.5' (HOXMRAXF1.5) 11.5' (HOXMXFRA1.5)	HOSA Tec  2 XLR-F ("Cla 3" (HOXMXF  M to XLR-F (E	Phnology mp" style X mp" style	LR plugs) 5' (HOXMXF5, ectors)  CXMXFBC25)  CXMXF2C5)  TOXMXF2C25)  TOXMXF2C25)  TOXMXF4C25)  MCNXMXF200).  CONXMXF200).  MCNXMXF1H0)  F50)  RAXF5)  de  CRAXF5)  MRAXF15)  ale  XFRA5)  MXF10)	
2' (HOXMXF2) 5.99  XLR-I 5' (HOMCXMXFBC5) 10' (HOMCXMXFBC5) 3' (HOMCXMXF2C3) 10' (HOMCXMXF2C3) 50' #HOMCXMXF2C50  XLI 10' (HOMCXMXF4C10) XLI 15' (HOMCXMXF4C10) 30' (HOMCXMXF4C10) 75' (HOMCNXMXF3C0) 75' (HOMCNXMXF3C0) 75' (HOMCNXMXF3C0) 15' (HOXMRAXF1.5) 10' (HOXMRAXF1.5) 110' (HOXMRAXF1.5) 110' (HOXMXFRA1.5) 110' (HOXMXFRA1.5) 110' (HOXMXFRA1.5) 2' XLR-F to RCA-M (HOR 5' (HORMXF5)	Hosa Tec  b XLR-F ("Cla" 3' (HOXMXF M to XLR-F (E"	chnology mp" style X iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	LR plugs) 5' (HOXMXF5, ectors)  CXMXFBC25)  CXMXF2C5)  TOXMXF2C25)  TOXMXF2C25)  TOXMXF4C25)  MCNXMXF200).  CONXMXF200).  MCNXMXF1H0)  F50)  RAXF5)  de  CRAXF5)  MRAXF15)  ale  XFRA5)  MXF10)	
2' (HOXMXF2) <b>5.99</b> XLR-I 5' (HOMCXMXFBC5) 10' (HOMCXMXFBC5) 3' (HOMCXMXF2C3) 10' (HOMCXMXF2C3) 10' (HOMCXMXF2C10) 50' #HOMCXMXF2C10) 115' (HOMCXMXF4C10) XLI 15' (HOMCNXMXF15Q) 30' (HOMCNXMXF75Q) 50' XLR-M to XLR-F (i ) 1.5' (HOXMRAXF1.5) 3' (HOXMRAXF1.5) 10' (HOXMXFRA1.5) 110' (HOXMXFRA1.5) 110' (HOXMXFRA1.5) 110' (HOXMXFRA1.5) 110' (HOXMXFRA1.5) 111.5' (HOXMXFRA1.5) 111.5' (HOXMXFRA1.5) 111.5' (HOXMXFRA1.5) 111.5' (HOXMXFRA1.5) 11.5' (HOXMXFRA1.5) 11.5' (HOXMXFRA1.5) 11.5' RCA-M to XLR-F	Hosa Tec  b XLR-F ("Cla" 3' (HOXMXF M to XLR-F (E"	chnology mp" style X iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	LR plugs) 5' (HOXMXF5, ectors)	
2' (HOXMXF2) 5.99  XLR-1 5' (HOMCXMXFBC5) 10' (HOMCXMXFBC5) 10' (HOMCXMXFBC10) 3' (HOMCXMXF2C3) 10' (HOMCXMXF2C3) 10' (HOMCXMXF2C50  10' (HOMCXMXF4C10) XLH 15' (HOMCXMXF4C10) 30' (HOMCXMXF3C0) 75' (HOMCXMXF3C0) 75' (HOMCXMXF750) 50' XLR-M to XLR-F (2) 1.5' (HOXMRAXF1.5) 3' (HOXMRAXF1.5) 10' (HOXMRAXF1.5) 11.5' (HOXMRAXF1.5) 11.5' (HOXMRAXF1.5) 2' XLR-F to RCA-M (HOR 5' (HORMXF5) Ly1 1.5' RCA-M to XLR-F 1.5' RCA-M to XLR-P	Hosa Tec	Phnology mp" style X mp" style	LR plugs) 5' (HOXMXF5, ectors)  CXMXFBC25)  CXMXF2C5)  TOXMXF2C25)  TOXMXF2C25)  TOXMXF4C25)  MCXMXF2C90)  MCNXMXF100)  Ele  CRAXF5)  MRAXF15)  ale  XFRA5)  MXF10)  Dgy	
2' (HOXMXF2) 5.99  XLR-i 5' (HOMCXMXFBC5) 10' (HOMCXMXFBC5) 10' (HOMCXMXFBC5) 10' (HOMCXMXF2C3) 10' (HOMCXMXF2C50  10' (HOMCXMXF2C10) 10' (HOMCXMXF4C10)  XLI 15' (HOMCXMXF4C10)  XLI 15' (HOMCXMXF150) 30' (HOMCXMXF300) 75' (HOMCXMXF300) 75' (HOMCXMXF30) 15' (HOXMRAXF1.5) 10' (HOXMRAXF1.5) 10' (HOXMRAXF10)  XLI 1.5' (HOXMRAXF10)  XLI 1.5' (HOXMRAXF10)  LYI 1.5' (HOXMXFRA1.5) 10' (HOXMXFRA1.5) 110' (HOXMXFRA1.5) 115' (HOXMXFRA1.5) 115' (HOXMXFRA1.5)  LYI 1.5' RCA-M to XLR-M  Gold Studit 2' (MOS2)38.95	Hosa Tec  b XLR-F ("Cla"  3' (HOXMXF M to XLR-F (E"  8.49  XLR-M to XLI  5.99  9.95  (HOMCXMXF (LR-M to XLF  10.99  8 Male to XLF  19.95  29.95  24 Gauge) (t (LR-F to XLR  6.49  10.99	chnology mp" style X 3] 6.99 Black Conne 25' (HOM. R-F (Budget 5' (HOM. 25' (HOM. 25' (HOM. 25' (HOM. 25' (HOM. 10' (HO. 10' (HO. 10' (HO. 10' (HOXM. 11' (HOXM.	CLR plugs   5' (HOXMXF5   100   10	
2' (HOXMXF2) 5.99  XLR-1 5' (HOMCXMXFBC5) 10' (HOMCXMXFBC5) 10' (HOMCXMXFBC10) 3' (HOMCXMXF2C3) 10' (HOMCXMXF2C3) 10' (HOMCXMXF2C50  10' (HOMCXMXF4C10) XLH 15' (HOMCXMXF4C10) 30' (HOMCXMXF3C0) 75' (HOMCXMXF3C0) 75' (HOMCXMXF750) 50' XLR-M to XLR-F (2) 1.5' (HOXMRAXF1.5) 3' (HOXMRAXF1.5) 10' (HOXMRAXF1.5) 11.5' (HOXMRAXF1.5) 11.5' (HOXMRAXF1.5) 2' XLR-F to RCA-M (HOR 5' (HORMXF5) Ly1 1.5' RCA-M to XLR-F 1.5' RCA-M to XLR-P	Hosa Tec  b XLR-F ("Cla"  3' (HOXMXF  M to XLR-F (E"  8.49  XLR-M to XLI  5.99  9.95  (HOMCXMXF  (LR-M to XLF  10.99  8 Male to XLF  19.95  24 Gauge) ("  (LR-F to XLR  6.49  10.99  10.	thnology mp" style X (3) 6.99 (3) 6.99 (3) 6.99 (3) 6.99 (3) 6.99 (3) 6.99 (3) 6.99 (3) 6.99 (3) 6.99 (3) 6.99 (4) 6.	CLR plugs   5' (HOXMXF5   100   10	

20' (MOS20)......**64.00** 30' (MOS30).......**84.00** 6' Gold XLR-M to RCA Male Patch Cable (MORXM6) ...... 54.95



Canare Star-Quad (L-4E6S)













#### **Monster Cable** Standard 100 Series:

10' (MOS100M10) <b>16.95</b>	
20' (MOS100M20) <b>21.89</b>	30' (MOS100M30) <b>34.95</b>
50' (MOS100M50)	54.95
Performer 5	00 Series:
5' (MOP500M5) <b>24.95</b>	10' (MOP500M10) <b>34.95</b>
20' (MOP500M20) <b>34.48</b>	30' (MOP500M30)
50' (MOP500M50)	79.99
SL-X StudioL	ink Series:
1.5' (MOMSLX.5)	3' (MOMSLX1) <b>19.95</b>
6.5' (MOMSLX2) 19.99	10' (MOMSLX3) <b>22.00</b>
13' (MOMSLX4) 35.00	19.5' (MOMSLX6) <b>35.00</b>
Prolink DJ XLR-M F	Pair to XLR-F Pair
3' (MOMDJX1M) 16.95	6' (MOMDJX2M) <b>19.95</b>
13' (MOMDJX4M)	29.95
Pearstone XI	.R-M to XLR-F
1.5' (PECXMXF1.5)14.95	3' (PECXMXF3)
6' (PECXMXF6) 14.95	10' (PECXMXF10) <b>16.49</b>
15' (PECXMXF15) <b>15.99</b>	20' (PECXMXF20) 16.99
25' (PECXMXF25)18.95	30' (PECXMXF30) 17.99
50' (PECXMXF50) <b>19.99</b>	100' (PECXMXF100) <b>33.49</b>
3" XLR-M to Angled XLR-F Coiled (PE	
1.5' XLR-M to Angled XLR-F Coiled (A	
1.5' XLR-M to Angled XLR-F (PECXM)	
20' XLR-M to Angled XLR-F (PECXMX	F20RS) <b>21.95</b>

#### **Remote Audio**

18" Coiled XLR-M Angled to XLR-F Angle (RECAXJCOIL2R). Log-on
18" Right Angled Coiled XLR-M to XLR-F (RECAXJCOIL2)39.20
12" XLR-M Angled to XLR-F Angle (RECAXJ12RTMF)Log-on

# **Pro Co Sound**

	Ameri/	Aquad:			
	20' (PRAMXMXF20) <b>29.95</b>	30' (PRAMXMXF30)	36.95		
MasterMike:					
	XLR Male to XLR Female Cable - 5'	(PRMMXMXF5)	18.49		
	10' (PRMMXMXF10)28.48	25' (PRMMXMXF25)	16.99		
	30' (PRMMXMXF30)35.99	50' (PRMMXMXF50)	44.49		
	100' (PRMMXMXF100)		79.99		
	StageMASTER:				
	1' (PRSXMXF1) <b>4.72</b>	3' (PRSXMXF3)	6.39		
	5' (PRXMXFS5)6.99	10' (PRXMXFS10)	8.59		
	15' (PRXMXFS15)9.99	20' (PRXMXFS20)	10.49		
	25' (PRXMXFS25) 12.99	30' (PRXMXFS30)	13.74		
	50' (PRXMXFS50) <b>19.99</b>	100' (PRXMXFS100)	29.95		
Samson Tourtek Series					
	3' (SATM3) 14.95	36' (SATM6)	14.95		
	10' (SATM10) <b>10.99</b>	15' (SATM15)	19.95		
	50' (SATM50)		34.50		
Sescom					
3.5mm Stereo to Dual XLR-M Mono					
	3' (SESIXLRM03) <b>Log-on</b>	10' (SESIXLRM10)	32.95		
	Shure				
	Hi-Flex Microphone Cable				
		E01 -0110-01	40		

25' (SHC25J)......**12.84** 50' (SHC50J)......**18.57** 

100' (SHC100J).....**39.00** Whirlwind

Accusonic+2 XLR-M to XLR-F

6' (WHMK406) ...... 13.49 10' (WHMK410) ...... Log-on 15' (WHMK415)......**17.95** 25' (WHMK425).......**Log-on** 

# **Hosa 8-Channel Audio Snake Cables**

1/4" Phone (M) to 1/4" Phone (M) 3.3' (HO8PM8PM3)	17.95
1/4" Phone (M) to 1/4" Phone (M) 6.6' (HO8PM8PM6)	19.95
Stereo 1/4" Phone to 1/4" Phone 6.6' (HO8SPM8SPM6)	26.95
Stereo 1/4" Phone to 1/4" Phone 9.9' (HO8SPM8SPM9)	29.95
RCA (M) to 1/4" Phone 6.6' (HO8PM8RM6)	21.95
1/4" Phone to XLR-M 6.6' (HO8SPM8XM6)	
XLR-M to XLR-F 9.9' (HO8XM8XF9)	
XLR-M to XLR-F 23' (H08XM8XF23)	
Little Bro Stage Box Snake 30' (HOSFB6X2P30)	
Little Bro Stage Box Snake 50' (HOSFB6X2P50)	
Sub Snake Station with No Return 25' (HOSFB8X025)	
Sub Snake Station with No Return 50' (HOSFB8X050)	
SH Series Stage Box Snake 25' (HOSFB8X4P25Q)	
SH Series Stage Box Snake 50' (HOSFB8X4P50Q)	
Old Control Charge Edit Douglas Control with 40 LD Control and 4 TD	



ALN-IVI to ALN-F 9.9 (HUOANIOAF9)	
XLR-M to XLR-F 23' (H08XM8XF23)	16.4' DB-25 to 8 Stereo 1/4" Phone (HODB258SPM16)
Little Bro Stage Box Snake 30' (HOSFB6X2P30)	23' 8-Channel XLR-M to XLR-F (HO8XM8XF23)
Little Bro Stage Box Snake 50' (HOSFB6X2P50)	16.5' 8-Channel XLR-M to XLR-F (HO8XM8XF16)
Sub Snake Station with No Return 25' (HOSFB8X025)70.86	3.3' 8-Channel 1/4" Phone to 1/4" Phone (HO8SPM8SPM3)23.95
Sub Snake Station with No Return 50' (HOSFB8X050)79.99	10' DB-25 to 8-Channel XLR-M (HODB258XM9)
SH Series Stage Box Snake 25' (HOSFB8X4P25Q)	10' DB-25 to 8-Channel 1/4" Phone (HODB258SPM9) 34.50
SH Series Stage Box Snake 50' (HOSFB8X4P50Q)166.00	10' DB-25 to 8-Channel XLR-F (HODB258XF9)
SH Series Stage 50' Box Snake with 12 LR Send and 4 TRS Return Channels	(HOSFB12X4P5Q)