



ferti·lome®

## Over-The-Top II Grass Killer

- Systemic Selective Herbicide Kills Weedy Grasses Without Injuring Desirable Plants.
- Controls: Bermudagrass, Crabgrass, Foxtails, Quackgrass & Many Other Weedy Grasses.
- Concentrate Makes 8 Gallons of Spray Solution.

**KEEP OUT OF REACH  
OF CHILDREN  
WARNING**

See the attached booklet for complete precautionary statements, directions for use, first aid, conditions of sale and warranty, and state-specific crop and/or use site restrictions.

ACTIVE INGREDIENT:

Sethoxydim: 2-[1(ethoxyimino)butyl]-

5-[2-(ethylthio)propyl]-3-hydroxy-2-

cyclohexen-1-one\* ..... 18.0%

OTHER INGREDIENTS: ..... 82.0%

TOTAL: ..... 100.0%

\*Equivalent to 1.5 lbs. sethoxydim per gallon.

**NET CONTENTS (8 FL. OZ. / 236 ML)**

fertiome® Over the Top II Grass Killer

### FIRST AID

|                               |   |
|-------------------------------|---|
| <b>If in Eyes</b>             | <ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.</li><li>• Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes.</li><li>• Call a Poison Control Center or doctor for treatment advice.</li></ul>   |
| <b>If on Skin or Clothing</b> | <ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15 to 20 minutes.</li><li>• Call a Poison Control Center or doctor for treatment advice.</li></ul>  |
| <b>If Swallowed</b>           | <ul style="list-style-type: none"><li>• Call a Poison Control Center or doctor immediately for treatment advice.</li><li>• <b>DO NOT</b> give any liquid to the person.</li><li>• <b>DO NOT</b> induce vomiting unless told to do so by a Poison Control Center or doctor.</li><li>• <b>DO NOT</b> give anything by mouth to an unconscious person.</li></ul> |
| <b>If Inhaled</b>             | <ul style="list-style-type: none"><li>• Move person to fresh air.</li><li>• If person is not breathing, call 911 or an ambulance; then give artificial respiration, preferably by mouth to mouth, if possible.</li><li>• Call a poison control center or doctor for further treatment advice.</li></ul>   |

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

**In the event of a medical or chemical emergency, ChemTel<sup>INC.</sup> **  
contact North America 1-800-255-3924 or  
Worldwide Intl. + 01- 813-248-0585

**Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage. Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

Manufactured By:



230 FM 87 • BONHAM, TEXAS 75418

EPA Reg. No. 7969-58-7401 • EPA Est. No. 7401-TX-01 • NVA: 2014-04-025-0032  
Visit Us At: [www.fertiome.com](http://www.fertiome.com) • Product Questions? 855-270-4776

PEEL BACK BOOK HERE 

Intended for residential/homeowner use on and around:

Flowers

Trees

Ornamental-

Evergreens

Fruits\*

Groundcovers

Shrubs

Vegetables\*

Bedding Plants

\*See Table 2. **Fruits and Vegetables** for specific crops.

Manufactured For:



230 FM 87 • BONHAM, TX 75418

EPA Reg. No. 7969-58-7401

EPA Est. No. 7401-TX-01

NVA 2014-04-025-0032

Visit Us At: [www.fertilome.com](http://www.fertilome.com)

Product Questions? 855-270-4776

10434-0715-CL



## **PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**WARNING:** Causes substantial but temporary eye injury. Causes skin irritation. Harmful if absorbed through skin or swallowed. **DO NOT** get in eyes, on skin, or on clothing. Wear long-sleeved shirt, long pants, chemical-resistant gloves made of any water proof material, protective eyewear, shoes, and socks. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

## **RE-ENTRY STATEMENT**

**DO NOT** allow people or pets to come into contact with treated areas until spray has dried.

## **ENVIRONMENTAL HAZARDS**

This product is toxic to aquatic organisms. To protect the environment, **DO NOT** allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

## **ENDANGERED SPECIES CONCERNS**

The use of any pesticide in a manner that may kill or otherwise harm an endangered or threatened species or adversely modify their habitat is a violation of federal law.

## **PHYSICAL AND CHEMICAL HAZARDS**

**COMBUSTIBLE. DO NOT** use or store near heat or open flame.

## **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

### **READ ENTIRE LABEL FOR DIRECTIONS FOR USE AND PRECAUTIONARY STATEMENTS.**

This product is a selective systemic grass killer to eliminate existing weedy grasses growing in and around plant beds, landscapes, and individual shrubs, and trees. (See **Tolerant Plants.**) This product can be used through a hose-end sprayer according to the directions of the sprayer used or through a tank-type sprayer. This product can also be used around listed fruit and vegetable areas (see **Table 2**) wherever listed weedy grasses occur. Use only tank-type sprayers.

## **WEEDY GRASSES CONTROLLED**

This product kills most annual and hard-to-kill perennial grasses up to 1 foot high, including the examples listed below in one or two applications. Younger, actively growing seedling weeds are more easily killed than older, mature, well-established grassy weeds which may require a repeat application for control. Adding oil concentrate may help control grassy weeds.

## WEEDY GRASSES CONTROLLED (Continued)

|                        |                        |
|------------------------|------------------------|
| Barnyardgrass          | Junglerice             |
| Bermudagrass           | Lovegrass              |
| Broadleaf Signalgrass  | Orchardgrass, Seedling |
| Crabgrass, Large       | Quackgrass             |
| Crabgrass, Smooth      | Tall Fescue-Seedling   |
| Fall Panicum           | Texas Panicum          |
| Foxtail, Giant         | Shattercane/Wildcane   |
| Foxtail, Green         | Wild Proso Millet      |
| Foxtail, Yellow        | Wirestem Muhly         |
| Goosegrass             | Witchgrass             |
| Johnsongrass, Seedling | Woolly Cupgrass        |
| Johnsongrass, Rhizome  |                        |

**Note:** This product does not control sedge (including Nutsedge or Nutgrass), Annual Bluegrass, or broadleaf weeds. Red Fescue, Chewings Fescue, Hard Fescue, and Dichondra Turfs are also tolerant to this product.

## APPLICATION TIMING

Apply when grassy weeds are actively growing, not exceeding the minimum of days from application to harvest when used on vegetables and fruits. Warm sunny weather will accelerate systemic movement from leaves and stems down to the roots to give complete kill. **DO NOT** mow or cut off tops of weeds before spraying. **DO NOT** apply if rainfall is expected within one hour following application. Growth of treated grass stops soon after application. Grass turns yellow and dies within one to three weeks depending on the grass species, stage of growth and weather conditions. Cool weather, drought, and heat stress slow activity.

**TABLE 1. ferti•lome® Over The Top II Grass Killer and Oil Concentrate Dilution**

| Water<br>(gals) | ferti•lome®<br>Over The Top II |       | Oil Concentrate* |       | Coverage<br>(sq ft) |
|-----------------|--------------------------------|-------|------------------|-------|---------------------|
|                 | Fluid<br>Ounces                | Tbsp. | Fluid<br>Ounces  | Tbsp. |                     |
| 1               | 1                              | 2     | 1                | 2     | 1,800               |
| 3               | 3                              | 6     | 3                | 6     | 5,400               |
| 5               | 5                              | 10    | 5                | 10    | 9,000               |
| 8               | 8                              | 16    | 8                | 16    | 14,400              |

One gallon of spray will treat 1,800 square feet.

\*To prevent leaf burn of desirable plants, **DO NOT** use oil concentrate when comfort index (temperature °F + humidity) exceeds 150.

### HOSE-END SPRAYER APPLICATION

**Water Dilution/Premixing Not Needed.** Determine the area to treat in square feet. Pour 1 fluid ounce of this product and 1 fluid ounce of oil concentrate in the hose-end sprayer bottle for each 1,800 square feet to be treated. Apply 1 fluid ounce per gallon. After application, wash the sprayer with a diluted soap solution and rinse according to the sprayer instructions.

**Water Dilution/Premixing Needed.** Some hose-end applicators recommend premixing liquid products with water before pouring into the sprayer bottle. Read the hose-end sprayer instructions for making treatments at 1 fluid ounce per 1,800 square feet. Clean the sprayer after use according to the sprayer instructions.

## TANK SPRAYER APPLICATION

Mix 1 fluid ounce of this product plus 1 fluid ounce oil concentrate per 1 gallon water; spray to just wet the unwanted weedy grasses. One gallon of spray will treat 1,800 square feet. Wash sprayer by flushing soapy water through the sprayer; then flushing clean water through the sprayer.

### Important:

For spot treating grassy weeds near lawns and around sensitive plants, a tank-type sprayer is recommended. Spray carefully to avoid spray or drift contact with desirable plants. If drift occurs, wash off foliage immediately with water.

## FLOWERS, BEDDING PLANTS, EVERGREENS SHRUBS, TREES AND ORNAMENTAL GROUNDCOVERS

This product may be applied over the top of desirable plants infested by weedy grasses, or as a directed spray to weedy grasses at the labeled rate. **DO NOT** exceed dosage rate per gallon of spray. Most ornamental species tested have been found tolerant to this product (see **Tolerant Plants** list). However, use with caution around the following plants as they may be damaged if spray contacts foliage: Azaleas (var. Snow), Japanese Privet, Potentilla, Snow in Summer, Red Oak and White Oak and ornamental grass.

This product may also be used on the following nonbearing food plants. **DO NOT** apply within 1 year of harvest.

|          |              |        |        |
|----------|--------------|--------|--------|
| Avocados | Dates        | Figs   | Olives |
| Plums    | Pomegranates | Prunes |        |



**FRUITS AND VEGETABLES**  
(use only with tank-type sprayers)

Use this product on the fruits and vegetables listed in **Table 2. Fruits and Vegetables**. **DO NOT** apply on or around any fruits and vegetables not listed on this label, especially Sweet Corn. **Apply on and around tolerant fruits and vegetables with a tank-type sprayer only**. A second application may be made to all listed fruits and vegetables except Peanut, Root Vegetables, and Strawberry.

The quantities presented in **Table 1. ferti•lome® Over The Top II Grass Killer and Oil Concentrate Dilution** do not exceed the registered rates for the fruits and vegetables listed. **DO NOT** exceed the quantities presented.

**STORAGE AND DISPOSAL**

**PESTICIDE STORAGE**

**DO NOT** allow this product to freeze. **DO NOT** store below 32° F or above 100° F. Store unused product in original container only, out of reach of children and animals. **NEVER TRANSFER THIS PRODUCT TO ANOTHER CONTAINER FOR STORAGE.**

Pesticide Disposal and Container Handling

**Nonrefillable Container. DO NOT** reuse or refill this container.

**If empty:** Place in trash or offer for recycling, if available.

**If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**NOTE:** Buyer assumes all risks of use, storage, or handling of this product not in strict accordance with directions given herewith. Voluntary Purchasing Groups, Inc. warrants this product to conform to the chemical description on the label and for the purposes stated on the label.

The limit of any liability incurred shall be the purchase price paid by the User or Buyer.

**TABLE 2. FRUITS AND VEGETABLES**

| <b>CROP</b>                 | <b>MINIMUM TIME FROM<br/>LAST APPLICATION<br/>TO HARVEST (days)</b> |
|-----------------------------|---|
| Apple                       | 14  |
| Apricot                     | 25  |
| Artichoke (California only) | 7   |
| Asparagus                   | 1   |
| Beans (Green)               | 15  |
| Beans (Dry)                 | 30  |
| Beet (Garden)               | 60  |
| Blackberry                  | 45  |
| Blueberry <sup>1</sup>      | 30  |
| Broccoli                    | 30  |
| Cabbage                     | 30  |
| Cantaloupe                  | 14  |
| Carrots                     | 30  |
| Cauliflower                 | 30  |
| Celery                      | 30  |
| Cherries (Sweet and Sour)   | 25  |
| Citrus                      | 15  |
| Crabapple                   | 14  |
| Cranberries <sup>1</sup>    | 60  |

**TABLE 2. FRUITS AND VEGETABLES (continued)**

| <b>CROP</b>          | <b>MINIMUM TIME FROM<br/>LAST APPLICATION<br/>TO HARVEST (days)</b> |
|----------------------|---|
| Cucumber             | 14  |
| Dill <sup>1</sup>    | 14  |
| Eggplant             | 20  |
| Endive(Florida only) | 15  |
| Grape                | 50  |
| Horseradish          | 60  |
| Lentils <sup>1</sup> | 50  |
| Lettuce, head        | 30  |
| Lettuce, leaf        | 15  |
| Loganberry           | 45  |
| Mint                 | 20  |
| Muskmelon            | 14  |
| Nectarine            | 25  |
| Okra <sup>1</sup>    | 14  |
| Onion, Garlic        | 30  |
| Peach                | 25  |
| Peanut <sup>2</sup>  | 40  |
| Pear                 | 14  |
| Peas (Green)         | 15  |
| Peas (Dry)           | 30  |
| Pepper               | 20  |
| Potato               | 30  |
| Pumpkin              | 14  |

**TABLE 2. FRUITS AND VEGETABLES (continued)**

| <b>CROP</b>  | <b>MINIMUM TIME FROM<br/>LAST APPLICATION<br/>TO HARVEST (days)</b> |
|--|---|
| Quince   | 14  |
| Raspberry  | 45  |
| Root Vegetables <sup>1, 2</sup><br>(except sugar beet)<br>Black salsify<br>Celeriac<br>Chervil, turnip-rooted<br>Chicory<br>Edible burdock<br>Ginseng<br>Oriental radish<br>Parsley, turnip-rooted<br>Parsnip<br>Radish<br>Rutabaga<br>Salsify<br>Skirret<br>Spanish salsify<br>Turnip | 14  |
| Spinach  | 15  |
| Squash (all)   | 14  |
| Strawberry <sup>2</sup>  | 7   |
| Tomato   | 20  |
| Tree Nuts  | 15  |
| Watermelon   | 14  |

<sup>1</sup>Not for use in California

<sup>2</sup>Use no more than one application per season. Up to two applications per season may be made on all other plants.

## TOLERANT PLANTS

### Trees - Common Name (Scientific Name)

|  |  |  |
|--|--|--|
| Acacia, knife leaf<br>( <i>Acacia cultriformis</i> )                   | Birch, paper<br>( <i>Betula papyrifera</i> )               | Cherry, Carolina<br>( <i>Prunus caroliniana</i> )  |
| Arborvitae, Eastern<br>(var. Teehny) ( <i>Thuja occidentalis</i> )     | Birch, river, black<br>or red<br>( <i>Betula nigra</i> )   | Crabapple,<br>flowering<br>(var. Dalgo, Radiant,<br>Red splendor,<br>Royalty, Vanguard,<br>Sylvestris,<br>Domestic) ( <i>Malus sp.</i> ) |
| Arborvitae, Berk-<br>man's, Oriental<br>( <i>Thuja orientalis</i> )    | Black<br>locust<br>( <i>Robinia pseudo-<br/>acacia</i> )   | Cypress, false<br>( <i>Chamaecyparis<br/>pisifera</i> )  |
| ( <i>Platycladus<br/>orientalis</i> )                                  | Bottle-brush<br>( <i>Callistemon<br/>lanceolatus</i> )     | Cypress, Italian<br>( <i>Cupressus semper-<br/>virens</i> )  |
| Ash, green<br>( <i>Fraxinus pennsylvan-<br/>icum</i> )                 | ( <i>Callistemon<br/>citrinus</i> )                        | Cypress, leyland<br>( <i>Cupressocyparis<br/>leylandii</i> )   |
| Ash, mountain<br>( <i>Sorbus aucuparia</i> )                           | Bottle tree<br>( <i>Brachychiton<br/>populneus</i> )       | Dogwood, flowering<br>( <i>Cornus florida</i> )  |
| Ash, mountain<br>( <i>Sorbus americana<br/>decora</i> )                | Brisbane box tree<br>( <i>Tristania conferta</i> )         | Dogwood, pagoda<br>( <i>Cornus alternifolia</i> )  |
| Ash, white<br>( <i>Fraxinus americana</i> )                            | Cajeput tree<br>( <i>Melaleuca<br/>quinquenervia</i> )     | Dogwood, silky<br>( <i>Cornus amomum</i> )   |
| Basswood, American<br>( <i>Tilia americana</i> )                       | Carob tree<br>( <i>Ceratonia siliqua</i> )                 | Elm, Chinese<br>evergreen<br>( <i>Ulmus parvifolia</i> )   |
| Berkman's, Oriental<br>( <i>Thuja orientalis</i> )                     | Carrot wood<br>( <i>Cupaniopsis<br/>anacardioides</i> )    | Eucalyptus<br>( <i>Eucalyptus robusta</i> ,<br><i>E. lehmannii</i> , <i>E.<br/>nicholii</i> , <i>E. grandis</i> )                        |
| Birch<br>( <i>Betula sp.</i> )   | Catalpa, Southern<br>( <i>Catalpa bignoni-<br/>oides</i> ) |  |
| Birch, Asian white<br>(var. Japonica)<br>( <i>Betula platyphylla</i> ) | Cherry, black<br>( <i>Prunus serotina</i> )                |  |
| Birch, European white<br>( <i>Betula pendula</i> )                     |  |  |

## TOLERANT PLANTS

### Trees - Common Name (Scientific Name) *continued*

|  |  |   |
|--|--|---|
| Fir<br>( <i>Abies</i> sp.)                                   | Hemlock, Canadian<br>( <i>Tsuga canadensis</i> )   | Linden, littleleaf<br>( <i>Tilia cordata</i> )                        |
| Fir, Douglas<br>( <i>Pseudotsuga<br/>menziesii</i> )         | Holly, Chinese<br>(var. <i>Bufordii</i> ,<br>Rotunda) ( <i>Ilex<br/>cornuta</i> )                      | Locust, honey<br>( <i>Gleditsia triacan-<br/>thos inermis</i> )       |
| Fir, Frasier<br>( <i>Abies fraseri</i> )                     | Holly, hybrid<br>(var. <i>Nellie Stevens</i> )   | Loquat<br>( <i>Eriobotrya<br/>japonica</i> )                          |
| Fir, white<br>( <i>Abies concolor</i> )                      | ( <i>Ilex spares</i> )   | Magnolia, Southern<br>( <i>Magnolia<br/>grandiflora</i> )             |
| Goldenrain tree<br>( <i>Koelreuteria<br/>paniculata</i> )    | Holly, Japanese<br>(var. <i>convexa</i> ,<br><i>compacta</i> , <i>helleri</i> ,<br><i>hoogendorn</i> ) | Maple, Japanese<br>( <i>Acer palmatum</i> )                           |
| Guava<br>( <i>Psidium littorale</i> )                        | ( <i>Ilex crenata</i> )  | Maple, red<br>( <i>Acer rubrum</i> )                                  |
| Guava, pineapple<br>( <i>Feijoa sellowiana</i> )             | Holly, yaupon<br>( <i>Ilex vomitoria</i> )   | Maple, silver<br>( <i>Acer saccharinum</i> )                          |
| Gum, blue<br>( <i>Eucalyptus<br/>globulus</i> )              | Ironbark, red<br>( <i>Eucalyptus<br/>sideroxylon</i> )   | Mimosa tree<br>(silktree) ( <i>Albizia<br/>julibrissin</i> )          |
| Gum, lemon-<br>scented<br>( <i>Corymbia<br/>citriodora</i> ) | Jacaranda<br>( <i>Jacaranda<br/>mimosifolia</i> )  | Myoporum<br>( <i>Myoporum laetum</i> )                                |
| ( <i>Eucalyptus<br/>citriodora</i> )                         | Kentucky coffee tree<br>( <i>Gymnocladus<br/>dioicus</i> )   | New Zealand<br>Christmas tree<br>( <i>Metrosideros<br/>excelsus</i> ) |
| Gum, red box<br>( <i>Eucalyptus<br/>polyanthemos</i> )       | Larch, European<br>( <i>Larix europae</i> )  | Oak<br>( <i>Quercus</i> sp.)  |
| Hackberry,<br>common<br>( <i>Celtis occidentalis</i> )       | Laurel, Indian<br>( <i>Ficus microcarpa<br/>nitida</i> )   | Oak, water<br>( <i>Quercus nigra</i> )                                |
|  | Linden<br>( <i>Tilia americana</i> )   | Oak, willow<br>( <i>Quercus phellos</i> )                             |

## TOLERANT PLANTS

### Trees - Common Name (Scientific Name) *continued*

|   |  |  |
|---|--|--|
| Orchid tree, purple<br>(Bauhinia<br>variegata)          | Pepper, Brazilian<br>(Schinus terebin-<br>thifolius) | Pine, shore<br>(Pinus contra)                      |
| Osage orange<br>(Maclura pomifera)                      | Pine, Aleppo<br>(Pinus halepensis)                   | Pine, slash<br>(Pinus elliottii)                   |
| Palm, Mediter-<br>ranean fan<br>(Chamaerops<br>humilis) | Pine, Austrian<br>(Pinus nigra)                      | Pine, Southern<br>(Pinus palustris)                |
| Palm, pygmy date<br>(Phoenix<br>roebelenii)             | Pine, Canary Island<br>(Pinus canariensis)           | Pine, Virginia<br>(Pinus virginiana)               |
| Palm, queen<br>(Arecastrum<br>romanzoffianum)           | Pine, Caribbean<br>slash<br>(Pinus caribaea)         | Pine, Western<br>yellow<br>(Pinus ponderosa)       |
| Palm, sago<br>(Cycas revoluta)                          | Pine, Italian stone<br>(Pinus pinea)                 | Pine, white<br>(Pinus parviflora)                  |
| Palm, windmill<br>(Tracheocarpus<br>fortunei)           | Pine, jack<br>(Pinus banksiana)                      | Pine, white<br>(Pinus strobus)                     |
| Palo verde, green<br>(Parkinsonia<br>aculeata)          | Pine, Japanese<br>(Pinus parviflora)                 | Pine, yew<br>(Podocarpus<br>macrophyllus)          |
| Paulownia royal<br>(Paulownia<br>tomentosa)             | Pine, Japanese<br>black<br>(Pinus thunbergii)        | Plum, wild<br>(Prunus americana)                   |
| Pear, common<br>(Pyrus communis)                        | Pine, loblolly<br>(Pinus taeda)                      | Poplar, hybrid<br>(Populus alba)                   |
| Pear, evergreen<br>(Pyrus kawakamii)                    | Pine, Mugo<br>(Pinus mugo)                           | Popular, tuliptree<br>(Liriodendron<br>tulipifera) |
| Pear, Ussurian<br>(Pyrus ussuriensis)                   | Pine, ponderosa<br>(Pinus ponderosa)                 | Popular, yellow<br>(Liriodendron<br>tulipifera)    |
|   | Pine, red<br>(Pinus resinosa)                        | Purpleleaf, Bailey<br>acacia<br>(Acacia baileyana) |
|   | Pine, Scotch<br>(Pinus sylvestris)                   |  |

## TOLERANT PLANTS

### Trees - Common Name (Scientific Name) *continued*

|  |   |  |
|--|---|--|
| Redwood, coast<br>( <i>Sequoia sempervirens</i> )    | Strawberry tree<br>( <i>Arbutus unedo</i> )                         | Weeping fig, exotica<br>( <i>Ficus benjamina</i> )               |
| Sandcherry,<br>Western<br>( <i>Prunus besseyi</i> )  | Sumac, African<br>( <i>Rhus lancea</i> )                            | Willow<br>( <i>Salix matsudana</i> )                             |
| Sensitive plant<br>( <i>Mimosa pudica</i> )          | Sumac, standard<br>( <i>Rhus lancea</i> )                           | ( <i>Salix matsudana</i><br><i>tortuosa</i> )                    |
| Silktree<br>( <i>Albizia julibrissin</i> )           | Sweetgum<br>( <i>Liquidambar</i><br><i>stryaciflua</i> )            | Willow, Australian<br>( <i>Geijera parviflora</i> )              |
| Spruce, Black Hills<br>(var. <i>Densata</i> )        | Sycamore<br>( <i>Platanus oc-</i><br><i>cidentalis</i> )            | Willow, desert<br>( <i>Pittosporum</i><br><i>phillyreoides</i> ) |
| Spruce, Colorado<br>blue<br>( <i>Picea pungens</i> ) | Teatree, Australian<br>( <i>Leptospermum</i><br><i>laevigatum</i> ) | Willow, peppermint<br>( <i>Agonis flexuosa</i> )                 |
| Spruce, Norway<br>( <i>Picea abies</i> )             | Tipu tree<br>( <i>Tipuana tipu</i> )                                | Yate, bushy<br>( <i>Eucalyptus</i><br><i>lehmannii</i> )         |
| Spruce, white<br>( <i>Picea glauca</i> )             | Walnut, black<br>( <i>Juglans nigra</i> )                           | Yew, English<br>( <i>Taxus baccata</i> )                         |



## TOLERANT PLANTS

### Shrubs - Common Name (Scientific Name)

|  |   |   |
|--|---|---|
| Abelia, glossy<br>( <i>Abelia grandiflora</i> )                                    | Barberry, Japanese<br>( <i>Berberis thunbergii</i> )      | Camellia<br>( <i>Camellia japonica</i> ) ( <i>Camellia sasanqua</i> ) |
| Acacia, Bailey<br>( <i>Acacia baileyana</i> )                                      | Barberry, Korean<br>( <i>Berberis koreana</i> )           | Cedar<br>( <i>Juniperus virginiana</i> )                              |
| Acacia, knife leaf<br>( <i>Acacia cultriformis</i> )                               | Barberry, redleaf<br>( <i>Berberis virginiana</i> )       | Cedar, Eastern red<br>(var. <i>Pyramidiformis</i> , <i>canearl</i> )  |
| Acacia, prostrate<br>( <i>Acacia redolens</i> )                                    | Bird of paradise bush<br>( <i>Caesalpinia gilliesii</i> ) | Cherry, brush<br>( <i>Eugenia myrtifolia</i> )                        |
| Acacia, Sydney<br>golden wattle<br>( <i>Acacia longifolia</i> )                    | Bluebeard<br>( <i>Caryopteris clandonensis</i> )          | Cherry, Manchu<br>( <i>Prunus tomentosa</i> )                         |
| Andromeda<br>( <i>Pieris japonica</i> )  | Boxwood, African<br>( <i>Myrsine africana</i> )           | Cherry, Nanking<br>( <i>Prunus tomentosa</i> )                        |
| Arborvitae, Oriental<br>( <i>Platycladus orientalis</i> )                          | Boxwood, common<br>( <i>Buxus sempervirens</i> )          | Chokecherry sp.<br>( <i>Aronia meloelata</i> )                        |
| Arrowwood,<br>Southern<br>( <i>Viburnum dentatum</i> )                             | Boxwood, Japanese<br>(var. <i>Japonica</i> )              | Copper plant,<br>Caribbean<br>( <i>Euphorbia cotinifolia</i> )        |
| Azalea, mollis<br>hybrid<br>( <i>R. x kosterianum</i> )                            | ( <i>Buxus microphylla</i> )                              | Cotoneaster,<br>bearberry<br>( <i>Cotoneaster dammerii</i> )          |
| Azalea, Northern<br>lights hybrid<br>( <i>R. x kosterianum x R. prinophyllum</i> ) | Buckthorn, alder<br>( <i>Rhamnus frangula</i> )           | Cotoneaster,<br>cranberry<br>( <i>Cotoneaster apiculata</i> )         |
| Bamboo, heavenly<br>( <i>Nandina domestica</i> )                                   | Buckthorn, glossy<br>( <i>Rhamnus frangula</i> )          |   |

## TOLERANT PLANTS

### Shrubs - Common Name (Scientific Name) *continued*

|  |  |  |
|--|--|--|
| Cotoneaster,<br>'lowfast' Peking<br>( <i>Cotoneaster</i><br><i>acutifolius</i> ) | <i>Euonymus</i> ,<br>evergreen<br>(var. Golden, Silver<br>king)                                | <i>Hakea</i><br>( <i>Hakea proteacea</i> )                         |
| Coyote bush<br>( <i>Baccharis pilularis</i> )                                    | <i>Euonymus</i> , winged<br>( <i>Euonymus alata</i> )  | Hawthorn, Indian<br>( <i>Raphiolepis indica</i> )                  |
| Cranberry bush,<br>American<br>( <i>Viburnum</i><br><i>trilobum</i> )            | Fig, creeping<br>( <i>Ficus repens</i> )   | Hibiscus, blue<br>( <i>Alyogyne huegelli</i> )                     |
| Cranberry bush,<br>golden<br>( <i>Viburnum opulus</i><br><i>aureum</i> )         | Firethorn<br>( <i>Pyracantha</i><br><i>graberii</i> )  | Hibiscus, Chinese<br>( <i>Hibiscus rosa-</i><br><i>sinensis</i> )  |
| Crape myrtle<br>( <i>Lagerstromia</i><br><i>indica</i> )                         | Forsythia,<br>greenstem<br>( <i>Forsythia viridis-</i><br><i>sima bronxensis</i> )             | Holly, dwarf Burford<br>(var. <i>Burfordii</i> )                   |
| Currant, alpine<br>( <i>Ribes alpinum</i> )                                      | Flax, New Zealand<br>( <i>Phormium tenax</i> )   | Honeysuckle, bush<br>( <i>Diervilla lonicera</i> )                 |
| Dogwood, red osier<br>( <i>Cornus stolonifera</i> )                              | Fuchsia, Australian<br>( <i>Correa pulchella</i> )   | Honeysuckle, cape<br>( <i>Tecomaria</i><br><i>capensis</i> )       |
| Elaeagnus<br>( <i>Elaeagnus</i><br><i>umbellata</i> )                            | Gardenia<br>(var. <i>Mystery, Radi-</i><br><i>cans</i> ) ( <i>Gardenia</i><br><i>augusta</i> ) | Hydrangea<br>( <i>Hydrangea</i><br><i>macrophylla</i> )            |
| Escallonia<br>( <i>Escallonia fradesii</i> )                                     | ( <i>Gardenia jasm-</i><br><i>noides</i> )   | Jasmine, Asiatic<br>( <i>Trachelospermum</i><br><i>asiaticum</i> ) |
| Escallonia ( <i>rubia</i> )  | Gardenia, dwarf<br>(var. <i>Veitchii</i> ) ( <i>Gar-</i><br><i>denia jasminoides</i> )         | Jasmine, orange<br>( <i>Murraya</i><br><i>paniculata</i> )         |
| <i>Euonymus</i><br>( <i>Euonymus</i><br><i>japonica</i> )                        | Gold vine, Guinea<br>( <i>Hibbertia</i><br><i>scandens</i> )                                   | Jasmine, star<br>( <i>Trachelospermum</i><br><i>jasminoides</i> )  |



## TOLERANT PLANTS

### Shrubs - Common Name (Scientific Name) *continued*

|  |  |   |
|--|--|---|
| Ninebark<br>( <i>Physocarpus opulifolius</i> ) (var. Aureus) ( <i>Physocarpus opulifolius</i> var. <i>opulifolius</i> )<br>Oleander<br>( <i>Nerium oleander</i> )<br>Orchid, rockrose<br>( <i>Cistus purpureus</i> )<br>Oregon grape<br>( <i>Mahonia aquifolium</i> )<br>Osmanthus,<br>holly-leaf<br>( <i>Osmanthus heterophyllus</i> )<br>Osmanthus, sweet<br>olive<br>( <i>Osmanthus fragrans</i> )<br>Palm, natal<br>(var. Green carpet<br>tuttle) ( <i>Carissa grandiflora</i> )<br>Pampas grass<br>( <i>Cortaderia selloana</i> )<br>Photinia<br>( <i>Photinia</i> sp.) | Photinia, Fraser<br>( <i>Photinia fraser</i> )<br>Pinklady<br>( <i>Rhaphiolepis indica</i> )<br>Pink powder puff<br>( <i>Calliandra haematocephala</i> )<br>Pittosporum, variegated Japanese<br>( <i>Pittosporum tobira variegata</i> )<br>Plumbago, cape<br>( <i>Plumbago capensis</i> )<br>Podocarpus, yew<br>( <i>Podocarpus macrophyllus</i> )<br>Princess flower<br>( <i>Tibouchina urvilleana</i> )<br>Privet<br>( <i>Ligustrum indica</i> )<br>Privet, glossy<br>(var. Lake<br>Tresca) ( <i>Ligustrum lucidum</i> )<br>Privet, Japanese<br>( <i>Ligustrum japonicum</i> ) | Privet, Texas<br>( <i>Ligustrum texanum</i> )<br>Privet, waxleaf<br>( <i>Ligustrum japonicum</i> )<br>Purple hop bush<br>( <i>Dodonaea viscosa</i> )<br>Pyracantha<br>( <i>Pyracantha graberi</i> )<br>Rhododendron sp.<br>( <i>Rhododendron</i> -<br>Azalea)<br>(var. Hinocrimson,<br>Hershey red, Coral<br>blue, Hinodigiri,<br>Christmas cheer,<br>Pink ruffle,<br>Formosa flame,<br>Delaware Valley<br>white, New white)<br>Sandcherry,<br>purpleleaf<br>( <i>Prunus cistena</i> )<br>Serviceberry,<br>Allegheny<br>( <i>Amelanchier laevis</i> ) |
|--|--|---|

## TOLERANT PLANTS

### Shrubs - Common Name (Scientific Name) *continued*

|  |   |   |
|--|---|---|
| Serviceberry,<br>Saskatoon<br>(var. Regent)<br>(Amelanchier<br>alnifolia)<br>Silver king<br>(Euonymus<br>japonica)<br>Sky flower, Brazilian<br>(Duranta<br>stenostachya)<br>Snowball bush<br>(Viburnum opulus<br>sterilis)<br>Spindle tree<br>(Euonymus<br>kiautschovica)<br>Spiraea<br>(Spiraea vanhouttei)<br>(var. Anthony)<br>Waterer, Froebellii,<br>Goldflame) (Spiraea<br>bumalda) (var. Fairy<br>Queen) (Spiraea<br>trilobataioica)<br>(var. Snowbound)<br>(Spiraea<br>nipponicaioica)<br>Star plant, lavender<br>(Grewia<br>occidentalis) | Teatree, Australian<br>(Leptospermum<br>laevigatum)<br>Teatree, New<br>Zealand<br>(var. Red glow)<br>(Leptospermum<br>scoparium)<br>Texas ranger<br>(Leucophyllum<br>frutescens)<br>Toyon, California<br>holly<br>(Heteromeles<br>arbutifolia)<br>Trumpet vine, pink<br>(Pandorea rosea)<br>Veronica<br>(Hebe 'Coed')<br>Viburnum,<br>Japanese<br>(Viburnum<br>japonicum)<br>Viburnum,<br>Sandankwa<br>(Viburnum<br>suspensum)<br>Wayfaring tree<br>(Viburnum<br>lantanoides) | Weeping fig,<br>exotica<br>(Ficus benjamina)<br>Wheeler's dwarf,<br>Variegated<br>(var. Wheeler) (Pit-<br>tosporum tobira)<br>Yellow bells<br>(Tecoma stans)<br>Yesterday-today-<br>and-tomorrow<br>(Brunfelsia<br>calycina)<br>Yew<br>(Taxus cuspidata<br>vigatum) |
|--|---|---|

## TOLERANT PLANTS

### Ornamentals & Bedding Plants Common Name (Scientific Name)

|   |   |   |
|---|---|---|
| Alyssum<br>( <i>Alyssum</i> sp.)  | Black-eyed Susan<br>(var. Goldilocks)   | Cockscomb<br>( <i>Celosia argentea</i> )  |
| Asparagus, Myers<br>(var. Meyeri)   | ( <i>Rudbeckia hirta</i> )  | ( <i>Canna</i> )  |
| ( <i>Asparagus</i><br><i>densiflorus</i> )  | Bleeding heart<br>( <i>Dicentra spec-</i><br><i>tabilis</i> )                             | Coleus<br>( <i>Coleus blumei</i> )  |
| Asparagus,<br>Sprenger's<br>(var. <i>Sprengeri</i> )  | Butterfly weed<br>( <i>Asclepias</i><br><i>tuberosa</i> )                                 | Coneflower, purple<br>(var. <i>Gloriosa</i><br><i>Dairy</i> ) ( <i>Echinacea</i><br><i>purpurea</i> ) |
| ( <i>Asparagus</i><br><i>densiflorus</i> )  | Bower vine<br>( <i>Pandorea</i><br><i>jasminoides</i> )                                   | Coralbells<br>( <i>Heuchera</i><br><i>sanguinea</i> )   |
| Aster, New York<br>( <i>Aster novi-belgii</i> )   | Cactus, barrel<br>( <i>Echinocactus</i> sp.)  | Coreopsis<br>(var. <i>Sunray</i> ) ( <i>Core-</i><br><i>opsis lanceolata</i> )                        |
| Aster, Stokes<br>(var. Blue, White)   | Candytuft<br>( <i>Iberis semper-</i><br><i>virens</i> ) ( <i>Iberis</i><br><i>amara</i> ) | Cup of gold vine<br>( <i>Solandra maxima</i> )  |
| ( <i>Stokesia cyanae</i> )  | Canna<br>( <i>Canna</i> sp.)  | Daffodil<br>( <i>Narcissus</i> spp.)  |
| Baby's breath<br>(var. <i>Bristo fairy</i> )  | Cassia, feathery<br>( <i>Cassia artemisi-</i><br><i>oides</i> )                           | Dahlia<br>( <i>Dahlia pinnata</i> )   |
| ( <i>Gypsophila</i><br><i>paniculata</i> )  | Chrysanthemum,<br>Marguerite<br>( <i>Chrysanthemum</i><br><i>frutescens</i> )             | Daisy bush<br>( <i>Euryops</i><br><i>pectinatus</i> )   |
| Begonia<br>( <i>Begonia semper-</i><br><i>florens</i> )   | ( <i>Chrysanthemum</i><br><i>indicum</i> )  | Daisy bush, blue<br>( <i>Felicia amellioides</i> )  |
| Bellflower, Tussock<br>(var. <i>Canterbury</i><br><i>bells</i> ) ( <i>Campanula</i><br><i>carpatica</i> ) |   | Daisy, Shasta<br>(var. <i>Alaska</i> )<br>( <i>Chrysanthemum</i><br><i>maximum</i> )                  |
| Bittersweet,<br>American<br>( <i>Celastrus</i><br><i>scandens</i> )                                       |   |   |

## TOLERANT PLANTS *(continued)*

### Ornamentals & Bedding Plants

#### Common Name (Scientific Name) *continued*

|  |  |  |
|--|--|--|
| Daylily<br>( <i> Hemerocallis</i><br>hybrids)  | Geranium, Martha<br>Washington<br>( <i> Pelargonium</i><br><i> domesticum</i> )                  | Honeysuckle,<br>morrow<br>( <i> Lonicera mor-</i><br><i> rowii</i> )   |
| Dianthus<br>( <i> Dianthus</i><br><i> deltoides</i> )  | Gerbera daisy<br>( <i> Gerbera</i><br><i> jamesonii</i> )  | oneysuckle,<br>tatarian<br>(var. <i> Zabeli</i> )  |
| Dragonhead, false<br>( <i> Physostegia</i><br><i> virginiana</i> )                                 | Geum<br>(var. <i> Lady</i><br><i> Strathedon</i> , Mrs.)   | ( <i> Lonicera tatarica</i> )<br>Hopseed bush,<br>purple<br>(var. <i> Purpurea</i> )                                   |
| Dusty Miller<br>( <i> Centaurea</i><br><i> cineraria</i> )   | Bradshaw<br>Bradshaw   | ( <i> Dodonaea</i><br><i> viscosa</i> )  |
| Fern, Sprenger's<br>asparagus<br>( <i> Asparagus</i><br><i> densiflorus</i><br><i> sprengeri</i> ) | Improved) ( <i> Geum</i><br><i> quellyon</i> )   | <i> Impatiens</i><br>( <i> Impatiens</i> sp.)  |
| Fescue, blue<br>( <i> Festuca ovina</i> )  | Gladiolus<br>( <i> Gladiolus</i> sp.)  | <i> Iris</i><br>( <i> Iris</i> sp.)  |
| Flowering tobacco<br>( <i> Nicotiana</i> sp.)  | Heather, false<br>( <i> Cuphea hys-</i><br><i> sopifolia</i> )                                   | <i> Iris</i> , African<br>( <i> Dietes bicolor</i> )   |
| Fountaingrass,<br>red<br>( <i> Pennisetum</i><br><i> setaceum</i> )                                | Honeysuckle,<br>Amar<br>( <i> Lonicera maackii</i> )   | <i> Ivy</i> , grape<br>(var. <i> Ellen</i><br><i> Danica</i> ) ( <i> Cissus</i><br><i> rhombifolia</i> )               |
| Gazania<br>( <i> Gazania ringens</i><br><i> leucolaena</i> )                                       | Honeysuckle, fly<br>(var. <i> Emerald</i><br><i> Mound</i> , <i> Clavey's</i><br><i> Dwarf</i> ) | <i> Jack-in-the-pulpit</i><br>( <i> Arisaema</i><br><i> pusillum</i> ) (Mrs.<br><i> Bradshaw</i><br><i> Improved</i> ) |
| ( <i> Gazania</i> sp.)   | ( <i> Lonicera</i><br><i> xylostium</i> )  | <i> Jade plant</i><br>( <i> Crassula</i><br><i> argentea</i> )   |
| Geranium<br>( <i> Geranium</i> sp.)  | Honeysuckle,<br>Japanese<br>( <i> Lonicera japonica</i> )  |  |

**TOLERANT PLANTS (continued)****Ornamentals & Bedding Plants****Common Name (Scientific Name) continued**

|   |  |   |
|---|--|---|
| Jasmine,<br>Madagascar<br>( <i>Stephanotis<br/>floribunda</i> )<br>Lamb's ear<br>( <i>Stachys lanata</i> )<br>Lavender, English<br>( <i>Lavandula vera</i> )<br>Lavender, French<br>( <i>Lavandula<br/>dentata</i> )<br>Lavender, cotton<br>( <i>Santolina<br/>chamaecyparissus</i> )<br>Lilac, Chinese<br>( <i>Syringa<br/>chinensis</i> )<br>Lilac, common<br>purple<br>(var. Charles Joly,<br>Ludwig Spaeth,<br>Jay tree)<br>( <i>Syringa vulgaris<br/>purpurea</i> )<br>Lilac, Meyer<br>(var. Palibin)<br>( <i>Syringa sp.</i> )<br>Lilac, Korean<br>(var. Miss Kim)<br>( <i>Syringa patula</i> ) | Lilac, mountain<br>( <i>Ceanothus<br/>griseus</i> )<br>Lily-of-the-Nile,<br>Peter Pan<br>( <i>Agapanthus<br/>africanus</i> )<br>Lily-of-the-valley<br>( <i>Convallaria<br/>majalis</i> )<br>Lobelia<br>( <i>Lobelia erinus</i> )<br>Marigold<br>( <i>Tagetes sp.</i> )<br>Mirror plant<br>( <i>Coprosma<br/>baueri</i> )<br>Mirror plant,<br>variegated<br>( <i>Coprosma<br/>repens</i> )<br>Moneywort,<br>creeping Jenny<br>( <i>Lysimachia<br/>nummularia</i> )<br>Moss, rose<br>( <i>Portulaca<br/>grandiflora</i> )<br>Moss, sandwort<br>( <i>Arenaria verna</i> ) | Pansy, Johnny-<br>jump-up<br>( <i>Viola tricolor</i> )<br>Pepper, orna-<br>mental<br>( <i>Capsicum sp.</i> )<br>Periwinkle,<br>Madagascar<br>( <i>Catharanthus<br/>roseus</i> ) ( <i>Vinca<br/>minor</i> )<br>Petunia<br>( <i>Petunia sp.</i> )<br>Phlox, perennial<br>( <i>Phlox paniculata</i> )<br>Plantain lily<br>( <i>Hosta sp.</i> )<br>Purple loosestrife<br>(var. Morden's<br>Gleam) ( <i>Lythrum<br/>virgatum</i> )<br>Raspberry ice<br>( <i>Bougainvillea sp.</i> )<br>Sage<br>( <i>Salvia greggii</i> )<br>Sea pinks, thrift<br>( <i>Armeria<br/>maritima</i> ) |
|---|--|---|



**TOLERANT PLANTS (continued)****Ornamentals & Bedding Plants****Common Name (Scientific Name) continued**

|  |  |   |
|--|--|---|
| Sedum, stonecrop<br>( <i>Sedum x rubrotinctum</i> )<br>(Lavender cotton)<br>Shrimpplant<br>( <i>Justicia brandegeeana</i> )<br>Sky flower,<br>Brazilian<br>( <i>Duranta stenostachya</i> )<br>Snail vine<br>( <i>Vigna caracalla</i> )<br>Snapdragon<br>( <i>Antirrhinum majus</i> )<br>Speedwell, spike<br>( <i>Veronica spicata</i> )<br>Statice, perennial<br>( <i>Limonium perezii</i> )<br>Stock<br>( <i>Matthiola incana</i> ) | Sweetgrass<br>( <i>Acorus gramineus</i> )<br>Sweet William<br>( <i>Dianthus barbatus</i> )<br>Transvaal daisy<br>( <i>Gerbera jamesonii</i> )<br>Trumpet vine,<br>blood red<br>( <i>Distictis buccinatoria</i> )<br>Trumpet vine,<br>lavender<br>( <i>Clytostoma callistegoides</i> )<br>Trumpet vine, pink<br>( <i>Pandorea rosea</i> )<br>Tulip<br>( <i>Tulipa</i> spp.)<br>Verbena<br>( <i>Verbena</i> sp.) | Wandering Jew<br>( <i>Tradescantia</i> sp.)<br>Wisteria<br>( <i>Wisteria sinensis</i> )<br>Yarrow<br>(var. <i>Cerise Queen</i> ) ( <i>Achillea millefolium</i> )<br>Yarrow, debutante<br>( <i>Achillea taygetea</i> v.)<br>Yellow trumpet<br>( <i>Macfadyena unguis-cati</i> )<br>Zinnia<br>( <i>Zinnia elegans</i> ) |
|--|--|---|

## TOLERANT PLANTS *(continued)*

### Ground Covers - Common Name (Scientific Name)

|  |  |   |
|--|--|---|
| Aaron's beard<br>( <i>Hypericum calycinum</i> )                    | Daisy, white African<br>( <i>Osteospermum fruticosum</i> alba)     | ( <i>Myoporum parvifolium</i> )   |
| Aptenia<br>(var. Red apple)<br>( <i>Aptenia cordifolia</i> )       | Gazania, trailing<br>( <i>Gazania regens leucolaena</i> )          | Pachysandra<br>( <i>Pachysandra terminalis</i> )                          |
| Bergenia, winter-blooming<br>( <i>Bergenia crassifolia</i> )       | Green carpet<br>( <i>Herniaria glabra</i> )                        | Periwinkle<br>( <i>Vinca major</i> )                                      |
| Bugleweed<br>( <i>Ajuga reptans</i> )                              | Ivy, Algerian<br>( <i>Hedera canariensis</i> )                     | Plumbago, dwarf<br>( <i>Ceratostigma plumbaginoides</i> )                 |
| Capeweed<br>( <i>Arctotheca calendula</i> )                        | Ivy, Boston<br>( <i>Parthenocissus tricuspidata</i> )              | Pork and beans<br>( <i>Sedum rubrotinctum</i> )                           |
| Carpathian, harebell<br>( <i>Campanula carpatica</i> )             | Ivy, English<br>( <i>Hedera helix</i> ) (var. California)          | Rosea ice plant<br>( <i>Drosanthemum floribundum</i> )                    |
| Cinquefoil, spring<br>( <i>Potentilla tabernaemontani</i> )        | Ivy, grape<br>(var. Ellen Danica)<br>( <i>Cissus rhombifolia</i> ) | Rosemary, dwarf<br>(var. Prostratus)<br>( <i>Rosmarinus officinalis</i> ) |
| Coyotebrush<br>(var. Twin Peaks)<br>( <i>Baccharis pilularis</i> ) | Ivy, Hahn's<br>(var. Hahnii)<br>( <i>Hedera helix</i> )            | Rupture wort<br>( <i>Herniaria glabra</i> )                               |
| Crownvetch<br>( <i>Coronilla varia</i> )                           | Lantana, lavender<br>( <i>Lantana montevidensis</i> )              | St. Johnswort, creeping<br>( <i>Hypericum calycinum</i> )                 |
| Cushion bush<br>( <i>Calocephalus brownii</i> )                    | Lilyturf, big blue<br>( <i>Liriope muscari</i> )                   | Stonecrop, sedum<br>( <i>Sedum rubrotinctum</i> )                         |
| Daisy, Freeway<br>( <i>Osteospermum</i> )                          | Lippla<br>( <i>Phyla nodiflora</i> )                               | Verbena<br>( <i>Verbena officinalis</i> )                                 |
| Daisy, trailing<br>African<br>( <i>Osteospermum</i> )              | Mondo grass<br>( <i>Ophiopogon japonicus</i> )                     | Verbena, blue<br>( <i>Verbena peruviana</i> )                             |
|  | Myoporum<br>(var. Prostratum)                                      |   |

## CONDITIONS OF SALE AND WARRANTY

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result, because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of Voluntary Purchasing Groups, Inc. (VPG) or the seller. To the extent consistent with applicable law, all such risks shall be assumed by the buyer.

VPG warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, VPG MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND VPG'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, VPG AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. VPG and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of VPG.

Page left blank intentionally.

Page left blank intentionally.