



## Recommended ICY DOCK Storage Kits for Dell Precision 7910 Workstation

Choose the category to see product selections

### FOR EXTERNAL 5.25" DRIVE BAY



#### 2.5" SSD/HDD CAGES

Ideal for High IOPS Setup

- Fits up to 8x 2.5" SSD/HDD
- Uses only 1x 5.25" drive bay
- Selection from 3 bays to 8 bays

[VIEW ITEMS](#)

#### 3.5" HDD MOBILE RACK

Ideal for SMB Backup or Forensic

- Fits 1x 3.5" HDD
- Supports both SAS & SATA
- Available in tray & tray-less

[VIEW ITEMS](#)

#### 5.25" CONVERSION KITS

Ideal for Multimedia Applications

- Converts your external 5.25" drive bay into 2.5" or 3.5" slots
- Hot-swap version is available

[VIEW ITEMS](#)

### FOR EXTERNAL 3.5" DRIVE BAY / SLIM ODD BAY

#### 2.5" SSD MOBILE RACK

Ideal for Hybrid Storage Config

- Fits up to 3x 2.5" SSD/HDD
- Heavy duty full metal design
- Selection from 1 bay to 3 bays

[VIEW ITEMS](#)

#### 2.5" SSD MOBILE RACK

Ideal for SFF Systems

- Fits up to 1x 2.5" SSD/HDD
- Heavy duty full metal design
- Fits slim ODD or FDD bay

[VIEW ITEMS](#)

### FOR INTERNAL 3.5" HARD DRIVE BAY

#### 2.5" SSD/HDD MOUNTING KITS

Ideal for System Drive Upgrades

- Compatible with Dell HDD sled
- Fits up to 2x 2.5" SSD/HDD
- Tool-less drive installation
- Full metal version is available

[VIEW ITEMS](#)

#### 2.5" SSD/HDD CONVERTERS

Ideal for System Drive Upgrades

- Compatible with Dell HDD sled
- Fits 1x 2.5" SSD/HDD
- Tool-less drive installation
- RAID version is available

[VIEW ITEMS](#)

## Highest Storage Density



### ICY DOCK ToughArmor MB998SP-B

- Fits up to 8x 2.5" drive in 1x 5.25" bay
- Heavy duty full metal construction
- Fits 2.5" SATA SSD/HDD from 5 - 7mm height
- Dual 40mm cooling fans keep drives cool
- ICY DOCK 3-year limited warranty

5.25" Bay <b>x1</b>	2.5" <b>x8</b>	Cooling Efficiency	■ ■ ■ ■ ■
		Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>		

## Best Price-Performance Ratio



### ICY DOCK ToughArmor MB996SP-6SB

- Fits up to 6x 2.5" drive in 1x 5.25" bay
- Heavy duty full metal construction
- Fits 2.5" SATA SSD/HDD from 5 - 9.5mm height
- Fan speed control (high, low & auto)
- ICY DOCK 3-year limited warranty

5.25" Bay <b>x1</b>	2.5" <b>x6</b>	Cooling Efficiency	■ ■ ■ ■ ■
		Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>		

## Best Drive Compatibility



### ICY DOCK ToughArmor MB994SP-4S

- Fits up to 4x 2.5" drive in 1x 5.25" bay
- Heavy duty full metal construction
- Fits 2.5" SATA/SAS SSD/HDD from 5 - 15mm height
- Dual 40mm cooling fans keep drives cool
- UL listed & HP approved
- ICY DOCK 3-year limited warranty

5.25" Bay <b>x1</b>	2.5" <b>x4</b>	Cooling Efficiency	■ ■ ■ ■ ■
		Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>		

## Power Efficient Design



### ICY DOCK ToughArmor MB994SP-4SB-1

- Fits up to 4x 2.5" drive in 1x 5.25" bay
- Heavy duty full metal construction
- Fits 2.5" SATA/SAS SSD/HDD from 5 - 15mm height
- Fan On / Off control
- ICY DOCK 3-year limited warranty

5.25" Bay <b>x1</b>	2.5" <b>x4</b>	Cooling Efficiency	■ ■ ■ ■ ■
		Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>		

## Max Drive Security



### ICY DOCK ToughArmor MB994SK-1B

- Fits up to 4x 2.5" drive in 1x 5.25" bay
- Heavy duty full metal construction
- Fits 2.5" SATA/SAS SSD/HDD from 5 - 15mm height
- Dual 40mm cooling fans keep drives cool
- Key lock for each tray keeps drives secure
- ICY DOCK 3-year limited warranty

5.25" Bay <b>x1</b>	2.5" <b>x4</b>	Cooling Efficiency Drive Protection Accessibility Functionality Value
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>	

## Best for Multimedia Computing



### ICY DOCK ToughArmor MB994IPO-3SB

- Fits up to 2x 2.5" drive + 1 x12.7mm height slim ODD in 1 x 5.25" bay
- Heavy duty full metal construction
- Fits 2.5" SATA/SAS SSD/HDD from 5 - 15mm height
- UL listed & HP approved
- ICY DOCK 3-year limited warranty

5.25" Bay <b>x1</b>	2.5" <b>x2</b> ODD <b>x1</b>	Cooling Efficiency Drive Protection Accessibility Functionality Value
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>	

## Best Value



### ICY DOCK ExpressCage MB324SP-B

- Fits up to 4x 2.5" drive in 1x 5.25" bay
- Unique tool-less drive installation design
- Fits 2.5" SATA/SAS SSD/HDD from 5 - 12.5mm height
- Fan speed control (high, low & auto)
- ICY DOCK 3-year limited warranty

5.25" Bay <b>x1</b>	2.5" <b>x4</b>	Cooling Efficiency Drive Protection Accessibility Functionality Value
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>	

## Best Value with Density



### ICY DOCK ExpressCage MB326SP-B

- Fits up to 6x 2.5" drive in 1x 5.25" bay
- Unique tool-less drive installation design
- Fits 2.5" SATA/SAS SSD/HDD from 5 - 9.5mm height
- Fan speed control (high, low & auto)
- ICY DOCK 3-year limited warranty

5.25" Bay <b>x1</b>	2.5" <b>x6</b>	Cooling Efficiency Drive Protection Accessibility Functionality Value
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>	

### High Speed Data Storage



#### ICY DOCK ToughArmor MB699VP-B

- Fits 4x 2.5" NVMe U.2 SSD in 1x 5.25" bay
- Supports both SAS and SATA HDDs
- Hot swappable drive tray design
- Dual 40mm cooling fan w/ fan speed control
- ICY DOCK 3-year limited warranty

5.25" Bay <b>x1</b>	2.5" <b>x4</b>	Cooling Efficiency Drive Protection Accessibility Functionality Value	<div>■ ■ ■ ■ ■</div> <div>■ ■ ■ ■ ■</div> <div>■ ■ ■ ■ ■</div> <div>■ ■ ■ ■ ■</div> <div>■ ■ ■ ■ ■</div>
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>		

### Ideal For High IOPS System



#### ICY DOCK ToughArmor MB516SP-B

- Fits 16x 2.5" drive in 2x 5.25" bay
- Supports both SAS and SATA HDDs
- Hot swappable drive tray design
- Large 80mm cooling fan w/ fan speed control
- Full metal design with 3-year limited warranty

5.25" Bay <b>x2</b>	2.5" <b>x16</b>	Cooling Efficiency Drive Protection Accessibility Functionality Value	<div>■ ■ ■ ■ ■</div> <div>■ ■ ■ ■ ■</div> <div>■ ■ ■ ■ ■</div> <div>■ ■ ■ ■ ■</div> <div>■ ■ ■ ■ ■</div>
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>		

### Complete Tray-less Design



#### ICY DOCK flexiDOCK MB524SP-B

- Fits 4x 2.5" SSD/HDD from 5 - 9.5mm height
- Supports both SAS and SATA drives
- Door-less design for quick drive swapping
- Individual power & eject buttons
- ICY DOCK 3-year limited warranty

5.25" Bay <b>x1</b>	2.5" <b>x4</b>	Cooling Efficiency Drive Protection Accessibility Functionality Value	<div>■ ■ ■ ■ ■</div> <div>■ ■ ■ ■ ■</div> <div>■ ■ ■ ■ ■</div> <div>■ ■ ■ ■ ■</div> <div>■ ■ ■ ■ ■</div>
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>		

## Max Drive Stability



### ICY DOCK DataCage Basic MB876SK-B

- Fits 1x 3.5" drive in 1x 5.25" bay
- Supports both SAS and SATA HDDs
- Hot swappable drive tray design
- Interchangeable drive tray with FatCage series
- ICY DOCK 3-year limited warranty

5.25" Bay x1	3.5" x1	Cooling Efficiency	■ ■ ■ ■ ■
		Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>		

## Maximum Cooling



### ICY DOCK TurboSwap MB171SP-B

- Fits 1x 3.5" drive in 1x 5.25" bay
- Supports both SAS and SATA HDDs
- Tray-less drive installation, design for hot-swap
- Slim 80mm cooling fan w/ fan speed control
- Full metal design with 3-year limited warranty

5.25" Bay x1	3.5" x1	Cooling Efficiency	■ ■ ■ ■ ■
		Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>		

## Multi-Funtion 3.5" Bay & ODD



### ICY DOCK DuoSwap MB971SPO

- Fits 1x 3.5" drive and 1 x ODD in 1x 5.25" bay
- Supports SATA HDDs & Ultra Slim ODD
- Tray-less drive installation, design for hot-swap
- On/off slide switch & drive ejection button
- ICY DOCK 3-year limited warranty

5.25" Bay x1	3.5" x1 ODD x1	Cooling Efficiency	■ ■ ■ ■ ■
		Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>		

## Fits both 2.5" & 3.5" Drives



### ICY DOCK DuoSwap MB971SP-B

- Fits 1x 2.5" and 1x 3.5" drives in 1x 5.25" bay
- Supports both SAS and SATA HDDs
- Tray-less drive installation, design for hot-swap
- Individual drive power & drive ejection button
- ICY DOCK 3-year limited warranty

5.25" Bay x1	3.5" x1 2.5" x1	Cooling Efficiency	■ ■ ■ ■ ■
		Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>		



## 5.25" BAY CONVERSION KITS

↑ 3.5" MOBILE RACKS

### High Storage Density Design



#### ICY DOCK FLEX-FIT MB343SP

- Converts 5.25" bay to external 3.5" drive bay
- Fits 2x 2.5" SSD/HDD from 5 - 9.5mm height
- Fits 1x 3.5" hard drive or 1x 3.5" device

5.25" Bay <b>x1</b>	3.5" <b>x1</b> 2.5" <b>x2</b>	Cooling Efficiency Drive Protection Accessibility Functionality Value	<div><div></div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div><div></div></div>
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>		

### Made Easy for Drive Swapping



#### ICY DOCK ExpressCage MB322SP-B

- Converts 5.25" bay to external 3.5" drive bay
- Fits 2x 2.5" SSD/HDD from 5 - 9.5mm height
- Fits 1x 3.5" hard drive or 1x 3.5" device
- Hot-swappable 2.5" drive tray design

5.25" Bay <b>x1</b>	3.5" <b>x1</b> 2.5" <b>x2</b>	Cooling Efficiency Drive Protection Accessibility Functionality Value	<div><div></div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div><div></div></div>
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>		

### Cost Effective Bracket



#### ICY DOCK Quattro MB344SP

- Mounts up to 4x 2.5" drive in 1x 5.25" bay
- Unique tool-less drive installation design
- Fits 2.5" SSD/HDD from 7 - 9.5mm height
- Cost-effective solution for drive upgrades
- Can be used as stackable organizing storage rack

5.25" Bay <b>x1</b>	2.5" <b>x4</b>	Cooling Efficiency Drive Protection Accessibility Functionality Value	<div><div></div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div><div></div></div>
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>		

### Multifunctional Bracket



#### ICY DOCK Flex-Fit Trio MB343SPO

- Fits 1x 3.5" drive + Ultra Slim ODD in 1x 5.25" bay
- Fits 2.5" SSD/HDD from 7 - 9.5mm height
- Fits 1x 3.5" hard drive or 1x 3.5" device
- Cost-effective solution for drive upgrades

5.25" Bay <b>x1</b>	2.5" <b>x2</b> ODD <b>x1</b>	Cooling Efficiency Drive Protection Accessibility Functionality Value	<div><div></div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div><div></div></div> <div><div></div><div></div><div></div><div></div><div></div></div>
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>		



2.5" SSD MOBILE RACKS



BACK TO HOME

## Best Drive Compatibility



FLEX-FIT 5.25" to 3.5"  
Drive Bay Conversion Kit

### ICY DOCK ToughArmor MB991SK-B / MB991SK-B

- Fits 1x 2.5" drive from 5 - 15mm height
- Supports both SAS and SATA HDDs
- Supports SAS dual channel (MB991IK-B)
- Interchangeable drive tray with MB991 & MB994
- Full metal design with 3-year warranty

3.5" Bay <b>x1</b>	2.5" <b>x1</b>	Cooling Efficiency	■ ■ ■ ■ ■
		Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■
<b>MORE INFO</b>	<b>DATA SHEET</b>		

## Dual Drives



FLEX-FIT 5.25" to 3.5"  
Drive Bay Conversion Kit

### ICY DOCK ToughArmor MB992SK-B

- Fits 2x 2.5" drive from 5 - 9.5mm height
- Supports both SAS and SATA HDDs
- Hot swappable drive tray design
- Interchangeable drive tray with MB992 & MB996
- Full metal design with 3-year warranty

3.5" Bay <b>x1</b>	2.5" <b>x2</b>	Cooling Efficiency	■ ■ ■ ■ ■
		Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■
<b>MORE INFO</b>	<b>DATA SHEET</b>		

## Data Redundancy Ready



FLEX-FIT 5.25" to 3.5"  
Drive Bay Conversion Kit

### ICY DOCK ToughArmor MB992SKR-B

- Fits 2x 2.5" drive from 5 - 9.5mm height
- Built-in RAID 0, RAID 1, JBOD & BIG modes
- Rebuild status light with monitoring software
- Interchangeable drive tray with MB992 & MB996
- Full metal design with 3-year warranty

3.5" Bay <b>x1</b>	2.5" <b>x2</b>	Cooling Efficiency	■ ■ ■ ■ ■
		Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■
<b>MORE INFO</b>	<b>DATA SHEET</b>		

## Max Storage Density



FLEX-FIT 5.25" to 3.5"  
Drive Bay Conversion Kit

### ICY DOCK ToughArmor MB993SK-B

- Fits 3x 2.5" drive from 5 - 7mm
- Supports both SAS and SATA HDDs
- Hot swappable drive tray design
- Interchangeable drive tray with MB993
- Full metal design with 3-year warranty

3.5" Bay <b>x1</b>	2.5" <b>x3</b>	Cooling Efficiency	■ ■ ■ ■ ■
		Drive Protection	■ ■ ■ ■ ■
		Accessibility	■ ■ ■ ■ ■
		Functionality	■ ■ ■ ■ ■
		Value	■ ■ ■ ■ ■
<b>MORE INFO</b>	<b>DATA SHEET</b>		

## Dock for Quick Swap



### ICY DOCK FlexiDOCK MB521SP-B

- Fits 1x 2.5" SSD/HDD from 5 - 15mm height
- Supports both SAS and SATA drives
- Door-less design for quick drive swapping
- Flush in design for full drive protection
- ICY DOCK 3-year limited warranty

3.5" Bay <b>x1</b>	2.5" <b>x1</b>	Cooling Efficiency Drive Protection Accessibility Functionality Value	<div>■ ■ ■ ■ ■</div> <div>■ ■ ■ ■ ■</div> <div>■ ■ ■ ■ ■</div> <div>■ ■ ■ ■ ■</div>
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>		

## Dual Docking Design



### ICY DOCK FlexiDOCK MB522SP-B

- Fits 2x 2.5" SSD/HDD from 5 - 9.5mm height
- Supports both SAS and SATA drives
- Door-less design for quick drive swapping
- Flush in design for full drive protection
- ICY DOCK 3-year limited warranty

3.5" Bay <b>x1</b>	2.5" <b>x2</b>	Cooling Efficiency Drive Protection Accessibility Functionality Value	<div>■ ■ ■ ■ ■</div> <div>■ ■ ■ ■ ■</div> <div>■ ■ ■ ■ ■</div> <div>■ ■ ■ ■ ■</div>
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>		

## Thumb Screw Lock Design



### ICY DOCK ToughArmor EX MB491SKL-B

- Fits 1x 2.5" SSD/HDD from 5 - 15mm height
- Supports both SAS and SATA drives
- Dual lock design - metal key lock & thumb screw
- Heavy duty full metal construction
- ICY DOCK 3-year limited warranty

3.5" Bay <b>x1</b>	2.5" <b>x1</b>	Cooling Efficiency Drive Protection Accessibility Functionality Value	<div>■ ■ ■ ■ ■</div> <div>■ ■ ■ ■ ■</div> <div>■ ■ ■ ■ ■</div> <div>■ ■ ■ ■ ■</div>
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>		

## Thumb Screw Lock Design



### ICY DOCK ToughArmor EX MB492SKL-B

- Fits 2x 2.5" SSD/HDD from 5 - 9.5mm height
- Supports both SAS and SATA drives
- Dual lock design - metal key lock & thumb screw
- Heavy duty full metal construction
- ICY DOCK 3-year limited warranty

3.5" Bay <b>x1</b>	2.5" <b>x2</b>	Cooling Efficiency Drive Protection Accessibility Functionality Value	<div>■ ■ ■ ■ ■</div> <div>■ ■ ■ ■ ■</div> <div>■ ■ ■ ■ ■</div> <div>■ ■ ■ ■ ■</div>
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>		



## High Speed Compact Storage

**nvm**  
EXPRESS



ICY DOCK ToughArmor MB601VK-B

- Fits 1x 2.5" NVMe U.2 SSD from 5-15mm height
- Supports U.2 NVMe / SAS / SATA SSD
- Hot swappable drive tray design
- Extra drive protection - 2 segment key lock
- ICY DOCK 3-year limited warranty

3.5" Bay

x1

[MORE INFO](#)



2.5"

x1

[DATA SHEET](#)

Cooling Efficiency



Drive Protection



Accessibility



Functionality



Value



[MORE](#)



[BACK TO HOME](#)

## Perfect for SFF System




### ICY DOCK ToughArmor MB411SPO-B

- Fits up to 1x 2.5" SSD/HDD from 5 - 9.5mm height
- Fits Slim ODD or FDD bay
- Supports both SAS and SATA HDDs
- Hot swappable drive tray design
- Full metal design with 3-year warranty

Slim ODD Bay <b>x1</b>	<b>2.5"</b> <b>x1</b>	Cooling Efficiency Drive Protection Accessibility Functionality Value	<table border="1"> <tr><td>■</td><td>■</td><td>■</td><td>■</td><td>■</td></tr> <tr><td>■</td><td>■</td><td>■</td><td>■</td><td>■</td></tr> <tr><td>■</td><td>■</td><td>■</td><td>■</td><td>■</td></tr> <tr><td>■</td><td>■</td><td>■</td><td>■</td><td>■</td></tr> <tr><td>■</td><td>■</td><td>■</td><td>■</td><td>■</td></tr> </table>	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
■	■	■	■	■																								
■	■	■	■	■																								
■	■	■	■	■																								
■	■	■	■	■																								
■	■	■	■	■																								
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>																											

## Extra Security Protected



### ICY DOCK ToughArmor MB411SKO-B

- Fits up to 1x 2.5" SSD/HDD from 5 - 9.5mm height
- Fits Slim ODD or FDD bay
- Supports both SAS and SATA HDDs
- Hot swappable drive tray design
- Full metal design with 3-year warranty

Slim ODD Bay <b>x1</b>	<b>2.5"</b> <b>x1</b>	Cooling Efficiency Drive Protection Accessibility Functionality Value	<table border="1"> <tr><td>■</td><td>■</td><td>■</td><td>■</td><td>■</td></tr> <tr><td>■</td><td>■</td><td>■</td><td>■</td><td>■</td></tr> <tr><td>■</td><td>■</td><td>■</td><td>■</td><td>■</td></tr> <tr><td>■</td><td>■</td><td>■</td><td>■</td><td>■</td></tr> <tr><td>■</td><td>■</td><td>■</td><td>■</td><td>■</td></tr> </table>	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
■	■	■	■	■																								
■	■	■	■	■																								
■	■	■	■	■																								
■	■	■	■	■																								
■	■	■	■	■																								
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>																											

## Perfect for SFF System



### ICY DOCK ToughArmor MB411SPO-1B

- Fits up to 1x 2.5" SSD/HDD from 5 - 9.5mm height
- Fits Slim ODD bay
- Supports both SAS and SATA HDDs
- Hot swappable drive tray design
- Full metal design with 3-year warranty

Slim ODD Bay <b>x1</b>	<b>2.5"</b> <b>x1</b>	Cooling Efficiency Drive Protection Accessibility Functionality Value	<table border="1"> <tr><td>■</td><td>■</td><td>■</td><td>■</td><td>■</td></tr> <tr><td>■</td><td>■</td><td>■</td><td>■</td><td>■</td></tr> <tr><td>■</td><td>■</td><td>■</td><td>■</td><td>■</td></tr> <tr><td>■</td><td>■</td><td>■</td><td>■</td><td>■</td></tr> <tr><td>■</td><td>■</td><td>■</td><td>■</td><td>■</td></tr> </table>	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
■	■	■	■	■																								
■	■	■	■	■																								
■	■	■	■	■																								
■	■	■	■	■																								
■	■	■	■	■																								
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>																											

## Best Compatibility




### ICY DOCK EZConvert MB882SP-1S-3B

- Compatible with Dell 3.5" drive sled
- Fits 1x 2.5" SSD/HDD from 7 - 15mm height
- Supports both SAS and SATA drives
- Exact 3.5" SATA hard drive form factor
- Tool-less drive installation design

3.5" HDD Bay <b>x1</b>	2.5" <b>x1</b>	Cooling Efficiency Drive Protection Accessibility Functionality Value	<div>■ ■ ■ ■</div> <div>■ ■ ■ ■</div> <div>■ ■ ■ ■</div> <div>■ ■ ■ ■</div> <div>■ ■ ■ ■</div>
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>		

## Max Air Flow



### ICY DOCK EZConvert Air MB482SP-3B

- Compatible with Dell 3.5" drive sled
- Fits 1x 2.5" SSD/HDD from 5 - 15mm height
- Supports both SAS and SATA drives
- Exact 3.5" SATA hard drive form factor
- Heavy duty full metal construction

3.5" HDD Bay <b>x1</b>	2.5" <b>x2</b>	Cooling Efficiency Drive Protection Accessibility Functionality Value	<div>■ ■ ■ ■</div> <div>■ ■ ■ ■</div> <div>■ ■ ■ ■</div> <div>■ ■ ■ ■</div> <div>■ ■ ■ ■</div>
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>		

## SAS 3.0 Dual Channel



### ICY DOCK EZConvert Pro MB982IP-1S-1 / MB982SP-1S

- Compatible with Dell 3.5" drive sled
- Fits 1x 2.5" SSD/HDD from 7-15mm height
- Supports both SAS and SATA HDDs
- Supports SAS 3.0 Dual Channel(MB982IP-1S-1)
- Heavy duty full metal construction

3.5" HDD Bay <b>x1</b>	2.5" <b>x1</b>	Cooling Efficiency Drive Protection Accessibility Functionality Value	<div>■ ■ ■ ■</div> <div>■ ■ ■ ■</div> <div>■ ■ ■ ■</div> <div>■ ■ ■ ■</div> <div>■ ■ ■ ■</div>
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>		

## Data Redundancy Ready



**BUILT-IN  
BIG / JBOD  
RAID 0 / RAID 1  
MODES**

### ICY DOCK EZConvert Pro MB982SPR-2S R1

- Compatible with Dell 3.5" drive sled
- Fits 2x 2.5" SATA SSD/HDD from 7 - 9.5mm height
- Built-in RAID 0, RAID 1, JBOD and BIG modes
- Exact 3.5" SATA hard drive form factor
- Heavy duty full metal construction

3.5" HDD Bay <b>x1</b>	2.5" <b>x2</b>	Cooling Efficiency Drive Protection Accessibility Functionality Value	<div>■ ■ ■ ■</div> <div>■ ■ ■ ■</div> <div>■ ■ ■ ■</div> <div>■ ■ ■ ■</div> <div>■ ■ ■ ■</div>
<a href="#">MORE INFO</a>	<a href="#">DATA SHEET</a>		

## Cost Effective Dual Drives



### ICY DOCK EZ-Fit Lite MB290SP-B

- Compatible with Dell 3.5" drive sled
- Fits 2x 2.5" SSD/HDD from 7 - 9.5mm height
- Durable ABS with one-piece design
- Anti-Vibration design for improved reliability
- Tool-less drive installation design

3.5" HDD Bay <b>x1</b>	2.5" <b>x2</b>	Cooling Efficiency Drive Protection Accessibility Functionality Value	<div>■ ■ ■ ■</div> <div>■ ■ ■ ■</div> <div>■ ■ ■ ■</div> <div>■ ■ ■ ■</div> <div>■ ■ ■ ■</div>
<b>MORE INFO</b>	<b>DATA SHEET</b>		

## Dual Drive in Full Metal



### ICY DOCK EZ-Fit Pro MB082SP

- Compatible with Dell 3.5" drive sled
- Fits 2x 2.5" SSD/HDD from 7 - 9.5mm height
- Heavy duty full metal construction
- Anti-Vibration design for improved reliability
- Tool-less drive installation design

3.5" HDD Bay <b>x1</b>	2.5" <b>x2</b>	Cooling Efficiency Drive Protection Accessibility Functionality Value	<div>■ ■ ■ ■</div> <div>■ ■ ■ ■</div> <div>■ ■ ■ ■</div> <div>■ ■ ■ ■</div> <div>■ ■ ■ ■</div>
<b>MORE INFO</b>	<b>DATA SHEET</b>		

## Two Drives in One



### ICY DOCK EZ-Fit MB990SP-B

- Compatible with Dell 3.5" drive sled
- Fits 2x 2.5" SSD/HDD from 7 - 9.5mm height
- Lightweight & durable construction
- Anti-Vibration design for improved reliability
- Tool-less drive installation design

3.5" HDD Bay <b>x1</b>	2.5" <b>x2</b>	Cooling Efficiency Drive Protection Accessibility Functionality Value	<div>■ ■ ■ ■</div> <div>■ ■ ■ ■</div> <div>■ ■ ■ ■</div> <div>■ ■ ■ ■</div> <div>■ ■ ■ ■</div>
<b>MORE INFO</b>	<b>DATA SHEET</b>		