

[Notification]

R20TS0640EJ0100

Rev.1.00

Dec. 02, 2020

Development assistance tool for capacitive touch sensor,
 Renesas on-chip debugging emulators and flash programmers
 that support the RA2L1 group

Overview


We provide a development environment that provides total support (from introduction to mass production) for the new RA2L1 group of the RA family, which is a group of low-power MCUs that feature a new touch sensing unit.

We proudly announce that the RA2L1 group is now supported by our development assistance tool for capacitive touch sensor, on-chip debugging emulators, and flash programmers.

1. Development Environment that Provides Total Support, from Introduction to Mass Production

We provide a development environment that supports all the steps from introduction to development and mass production of applications based on the RA2L1 group of MCUs.

CONSISTENT SUPPORT FROM INTRODUCTION TO MASS PRODUCTION



2. Development assistance tool for capacitive touch sensor, Renesas on-chip debugging emulators and flash programmers that support the RA2L1 group

The following table shows a list of products that support the RA2L1 group of the RA family. For details on each product, refer to the corresponding URL.

On-chip debugging emulator	E2 Emulator	https://www.renesas.com/e2
	E2 Emulator Lite	https://www.renesas.com/e2_lite
Flash programmer	Renesas Flash Programmer, a software tool for programing flash memory	https://www.renesas.com/rfp
	PG-FP6, a flash memory programmer	https://www.renesas.com/pg-fp6
Development assistance tool for capacitive touch sensor	QE for Capacitive Touch[RA]	https://www.renesas.com/qe-capacitive-touch

The tool products listed above support the following part names in the RA2L1 group.

Group	Part name
RA2L1	R7FA2L1AB3CFP, R7FA2L1AB3CFN, R7FA2L1AB3CFM, R7FA2L1AB3CFL R7FA2L1AB3CNE (TBD), R7FA2L1AB2DFP, R7FA2L1AB2DFN R7FA2L1AB2DFM, R7FA2L1AB2DFL, R7FA2L1AB2DNE (TBD) R7FA2L1A93CFP, R7FA2L1A93CFN, R7FA2L1A93CFM, R7FA2L1A93CFL R7FA2L1A93CNE (TBD), R7FA2L1A92DFP, R7FA2L1A92DFN R7FA2L1A92DFM, R7FA2L1A92DFL, R7FA2L1A92DNE (TBD)

3. How to Update Your Copy

3.1 E2 Emulator and E2 Emulator Lite

FSP v2.2.0 can be downloaded from the web page at the following URL:

<https://github.com/renesas/fsp/releases>

3.2 Renesas Flash Programmer

Support for the RA2L1 group was added in V3.08.00.

Online updating of the Renesas Flash Programmer is possible.

In addition, the evaluation edition allows for evaluation of product performance and functionality prior to purchasing. Download the installer for the product from the following URL:

<https://www.renesas.com/software-tool/renesas-flash-programmer-programming-gui#documents>

3.3 Programming GUI "FP6 Terminal" for the PG-FP6 Flash Memory Programmer PG-FP6

Support for the RA2L1 group was added in V1.05.00. It can be downloaded from the following URL:

<https://www.renesas.com/software-tool/pg-fp6#documents>

3.4 QE for Capacitive Touch[RA]

Support for the RA2L1 group was added in V1.2.0.

Download the installer for QE for Capacitive Touch[RA] V1.2.0 from the following URL:

<https://www.renesas.com/qe-capacitive-touch>

4. How to Purchase the New Software

For product ordering, contact your local Renesas Electronics marketing office or distributor with the following information.

For product pricing, make inquiries in the same manner.

4.1 E2 Emulator and E2 Emulator Lite

Product name	Orderable part name
E2 emulator (Note 1)	RTE0T00020KCE00000R
E2 Emulator Lite (Note 2)	RTE0T0002LKCE00000R

Note 1: Includes a user-interface cable for E2 emulator (20-20 pin).

Note 2: Requires a user-interface cable (20-20 or 20-10 pin), sold separately.

For details about the user-interface cable, see its user's manual as below.

<https://www.renesas.com/document/man/rte0t00020kcac0000j-users-manual>

RTE0T00020KCAC0000J

User-interface cable for E2 emulator (20-20 pin)

<https://www.renesas.com/document/man/rte0t00020kcac1000j-users-manual>

RTE0T00020KCAC1000J

User-interface cable for E2 emulator (20-10 pin)

These can also be purchased online. See below for details.

Product name	Company name
	URL
E2 Emulator	Digi-Key Corporation https://www.digikey.com/product-detail/en/renesas-electronics-america/RTE0T00020KCE00000R/RTE0T00020KCE00000R-ND/9384711?_ga=2.64791404.252821098.1601539625-1132870633.1591680824
	RS Components https://americas.rsdelivers.com/product/renesas-electronics/rte0t0002lkce00000r/renesas-electronics-e2-emulator-lite-debugger/9031450?cm_mmc=aff2- -us- -octopart- -9031450
E2 Emulator Lite	Mouser https://www.mouser.com/ProductDetail/Renesas-Electronics/RTE0T0002LKCE00000R?qs=%2Fha2pyFadujNdydm0BNpi9TYEkmtm6z2wmskq2mMpwQS1eRw0MLuMI43%252B38HMT%252B5&utm_source=octopart&utm_medium=aggregator&utm_campaign=968-0T0002LKCE00000R&utm_content=Renesas+Electronics

4.2 Renesas Flash Programmer

Product name: Renesas Flash Programmer V3	
Number of licenses	Orderable part name
1	RTCZZZZZZFD0AWRJ
5	RTCZZZZZZFD0AWRJ#L5
10	RTCZZZZZZFD0AWRJ#LA
20	RTCZZZZZZFD0AWRJ#LT

Remarks: The license is a shrink-wrap contract, and one license is for use on one PC.

4.3 PG-FP6

Product name: PG-FP6	
Destination region	Orderable part name
Japan	RTE0T00001FWRJP000R
Europe and U.S.A.	RTE0T00001FWREA000R
China, Hong Kong, Taiwan, South Korea, and Singapore	RTE0T00001FWRAS000R

Future electronics

https://www.futureelectronics.com/p/9101813?utm_source=octopart.com&utm_medium=cpcbunow&utm_content=instock&utm_campaign=Octopart_Ext_Referrals

Verical

https://www.verical.com/pd/renesas-technology-in-circuit-programmer-emulator-debugger-RTE0T00001FWREA000R-5910004?utm_campaign=octopart_2020&utm_currency=JPY&utm_keyword=RTE0T00001FWREA000R&utm_medium=aggregator&utm_content=inv_listing&utm_source=octopart

Revision History

Rev.	Date	Description	
		Page	Summary
1.00	Dec.02.20	-	First edition issued

Renesas Electronics has used reasonable care in preparing the information included in this document, but Renesas Electronics does not warrant that such information is error free. Renesas Electronics assumes no liability whatsoever for any damages incurred by you resulting from errors in or omissions from the information included herein.

The past news contents have been based on information at the time of publication. Now changed or invalid information may be included.

The URL in the Tool News also may be subject to change or become invalid without prior notice.

Corporate Headquarters

TOYOSU FORESIA, 3- 2- 24 Toyosu,
Koto-ku, Tokyo 135- 0061, Japan

www.renesas.com

Contact information

For further information on a product, technology, the most up-to-date version of a document, or your nearest sales office, please visit:

www.renesas.com/contact/

Trademarks

Renesas and the Renesas logo are trademarks of Renesas Electronics Corporation. All trademarks and registered trademarks are the property of their respective owners.