

Bathroom


Bathing



THE BOLD LOOK
OF **KOHLER**®

Life without labor is guilt. Labor without art is brutality.

- John Ruskin



and closets that carry the Kohler mark are well designed and well made, to the last inner detail. If you use colored fixtures, Kohler colors are pure, uniform, harmonious. If you prefer white, Kohler white is as immaculate as freshly laundered linen. Kohler fixtures and handles and

Kohler Vortexe fixture, mirror bath and Wisconsin chrome closet lighting . . . bath with Orchestone fittings.

escutcheons are advanced in design—all the mechanical parts are sure, silent and safe. Those who work on Kohler products have the true tradition of craftsmanship. The beautiful village of Kohler is an inspiration to excellence. The men who do each intricate detail of manufacture work on rigid engineering requirements—and with the earnestness of high art.

An all-Kohler bathroom—at the same cost
Quality is not a matter of money—but of knowledge and vision. Even the small home must have the finest fixtures

plumbing contractor. Actual estimates will show you that an all-Kohler installation costs surprisingly little. Meanwhile, write for Booklet A-5, which has color schemes, floor plans and various vital facts on good plumbing. . . . Kohler Co. Founded 1875, Wisconsin. Branches in principal cities. Look for the Kohler mark on every fixture and fitting.

ELEVEN IMPORTANT POINTS

- 1 Kohler designs are decorative, purposeful, correct.
- 2 Bathtubs fitted with an circulating bond . . . smooth, glazing surface.
- 3 Fixtures show—surround with a smooth, lustre, lasting glass.
- 4 Kohler colors are soft, livable pastels. The white is a perfect white.
- 5 Metal fittings match the fixtures in style, character and quality.
- 6 Made of finest materials . . . show craftsmanship and care.
- 7 This year's Kohler products are most your's new ideas in plumbing.
- 8 Kohler quality extends to kitchen and laundry, many lines.
- 9 Kohler quality costs no more . . . and saves money later.
- 10 Handled and installed by qualified plumbers.
- 11 Backed by an entire community . . . beautiful Kohler Village.

KOHLER OF KOHLER

[illegible]

What John Michael Kohler saw in 1883 when he looked at a cast-iron horse trough was the bathtub that launched a global plumbing company. That pioneering spirit of ingenuity – the kind that sees a bathing revolution in a horse trough – has defined Kohler Co. from its earliest days. A visionary, John Michael Kohler understood the importance of innovative design and an uncompromising commitment to craft and quality. After four generations, we remain a family-owned company with diverse international businesses and over 26,000 products and 13,000 patents to our name. Still leading the industry in innovation and design. Bolder than ever.

Historical Highlights

Form and function. We've been combining the two, never sacrificing one for the other, since 1873.

1883

The first KOHLER® bath is made from a cast-iron horse trough and, as the story goes, sells for 1 cow and 14 chickens.



1927

Using new technology, Kohler is the only company to offer cast-iron and vitreous plumbing products in matching pastel colors.



1965

Bright, lively accent colors are added to the KOHLER color palette, another industry first.



1911

We design the first bath in the industry that features an apron, establishing Kohler as a leader in design and innovation.



1929

A design exhibit at the Metropolitan Museum of Art features KOHLER fixtures in Black.



1977

Kohler presents Environment, the world's first environmental enclosure able to simulate sun, gentle rain and warm breezes.



1987

The Tea-for-Two® bath and complementary Souris® sheetflow bath spout receive the Governor's New Product Award.

**2001**

Kohler launches the iconic sōk® overflowing bath, garnering a significant number of design awards.

**2010**

The Elevance® Rising Wall bath, part of our Aging in Place product line, offers bathers greater accessibility.

**2000**

The flagship Kohler Waters Spa opens its doors for business in the Village of Kohler.

**2008**

VibrAcoustic® sound vibration technology revolutionizes the way people think about bathing.

**2010**

The first KOHLER enameled cast iron BubbleMassage™ baths combine durable beauty with massaging bubbles.



Explore the latest in home spa bathing with Kohler, the only bathing manufacturer in the world to own and operate an award-winning water spa. Our expertise in hydrotherapy allows us to create truly unique experiences that help stimulate the senses and bring the mind and body into balance. Whether you love a deep soak, the feel of water rushing over your body, or the sensation of being immersed in color and sound, you'll find your experience of choice here. We invite you to take a look and discover your bathing style with Kohler.

Also, you'll find great design ideas for the bathroom at KOHLER.com/BathroomGallery.

Table of Contents

Why KOHLER®?

Experts in Spa Wellness 10

Design Awards & Innovations 18

KOHLER Enameled Cast Iron 24

A Leading Innovator in Hydrotherapy 30

Product Portfolio

VibrAcoustic® 48

Effervescence 50

BubbleMassage™ 52

Whirlpools 64

Baths 80

Finishing Touches 106

Indexes

Glossary of Terms 118

Bathroom Colors & Finishes 120

Bathing Product Summary 122

VibrAcoustic Index 124

Effervescence Index 126

BubbleMassage Index 128

Whirlpool Index 142

Bath Index 168



Why KOHLER®?

Since 1883, people have been choosing KOHLER bathing products for their homes. After so many years, we're pretty sure we know why. It comes down to how we approach each product. For us, every bath we design is a measure of the standards we set in innovation, performance and quality. Every bath we manufacture is evidence of our commitment to you. So year after year, we deliver incredible new designs and hydrotherapies.

Experts in Spa Wellness

While John Michael Kohler could not have known all the benefits of hydrotherapy when he introduced his first bath, he did recognize water's ability to refresh the body and spirit. We've taken this basic idea and applied the expertise of our human-factors specialists and hydro-massage therapists at Kohler Waters Spas in Kohler, Wisconsin, and St Andrews, Scotland, to create holistic, spa-based bathing experiences that soothe and stimulate, calm and energize your entire being.

Award-Winning Design from Concept to Product

We've been perfecting bath design inside and out for nearly 130 years. In order to bring you baths that look beautiful in your bathroom and, more important, feel wonderful to sink into, our designers, engineers and ergonomics specialists work together to get every angle just right. Our baths have to deliver timeless style, amazing comfort and lasting value to be inscribed with the name KOHLER.

KOHLER Enameled Cast Iron

Nothing makes an enduring statement of innovative design, lasting beauty and timeless craftsmanship in your home like KOHLER enameled cast iron. A thoroughly modern choice, it is made in part with recycled material. And while other trends come and go, few materials can match cast iron's strength, style and soul.

A Leading Innovator in Hydrotherapy

Every day, we study the movement of water, tailoring its effects on the body to bring you the most pleasurable and beneficial water treatments we can. Based on our research, we've created five distinct hydrotherapies that shape and move water and air, even sound, over and around your body. Customizable and truly unique, our hydrotherapies help you create your own personal home spa and enhance your sense of well-being.

Experts in Spa Wellness





KOHLER *Waters* SPA®

At The American Club® Resort – Wisconsin

At Burr Ridge – Illinois

At The Old Course Hotel – Scotland

KohlerWatersSpa.com

Kohler Waters Spa

Every day at Kohler, we have the luxury of seeing firsthand the healthful effects of water treatments. Kohler Waters Spa, a top-ranked spa with three locations, is our own unique resource for exploring the latest discoveries and trends in wellness and hydrotherapy. Our designers and engineers collaborate with Kohler Waters Spa experts in designing our bathing products so you can bring the benefits of hydrotherapy home.





“Focusing on one’s own wellness is the best gift you can give yourself and those around you. It is critical to a balanced and happy life.”

Director – Kohler Waters Spa

Hydrotherapy at Home

The collective knowledge and collaboration between our Kohler Waters Spa wellness specialists and our product designers allow us to pioneer unique water treatments for our spa guests and for you at home. We've been able to push the envelope on custom Vichy shower and soaking experiences in the spa because we design and build the products right here. Our designers then use those very innovations to bring you the best in home spa hydrotherapy.





Enhanced Well-Being



A person is relaxing in a white bathtub, partially covered by a white towel. The bathtub is set on a wooden deck. The background is a bright, minimalist interior with white walls and a large window. The text is positioned to the right of the bathtub.

Our five hydrotherapies harness water's natural ability to carry heat and sound vibration to the body for enhanced well-being. Depending on your choice of hydrotherapy, you may enjoy some of the following spa treatment benefits in the comfort of your home, so you feel centered and energized – your best self.

Renewed focus

Re-energized senses



Reduced muscle tension

Deep, meditative relaxation

Enhanced overall sense of well-being

Design Awards & Innovations

Research & Development



Concepts & Sketches

3-D Modeling & Prototyping

Research & Development

Research and development is where it all begins for us – understanding our customers' needs, studying wellness and design trends, drawing on technological advances in science and industry, and exploring new materials and technologies.


Concepts & Sketches

Armed with the latest research, our teams of international designers at design studios in Kohler, Paris and Shanghai begin sketching concepts for baths that deliver new levels of comfort and convenience and push the envelope on design.

3-D Modeling & Prototyping

Here's where our ergonomics engineers get involved. Having worked to understand the natural position of the body in its most relaxed state, Kohler engineers use computer models and mock-ups to help shape each bath to fit the 5'4" as well as the 6'2" bather.

We believe your bath should truly delight you at every turn, inside and out. To create baths that do just that, we take a holistic approach to bath design at Kohler, bringing together a team of our best industrial designers, engineers and human-factors experts. Together, they ensure that our baths deliver beautiful style, an incredibly comfortable fit and a water experience to suit your individual preference.



Performance Testing

Our domestic and international test labs perform hundreds of tests and measurements from cycle testing to stain-resistance testing. Third-party evaluations by IAPMO* help ensure that our labs are compliant with the ISO** Guide 17025 for calibration and testing laboratories.

*International Association of Plumbing and Mechanical Officials
**International Organization for Standardization

Design Review


At various stages in the process, each design is reviewed by our executive team to ensure that each product represents the KOHLER® brand and stays on the leading edge of design and innovation.

Manufacturing

We manufacture our fixtures and faucets in advanced facilities located in 16 countries. Kohler manages every step from concept to end product with the goal of creating award-winning products that bring beauty and comfort to life.

Innovative Design

A stylish alternative to institutional-looking options, the Elevance[®] Rising Wall bath lets you lounge comfortably and safely at a perfect soaking depth.



Elevance



KOHLER.com/Independence

Comfortable Fit

The Elevance® Rising Wall bath's soaking depth, together with the footwell and comfortable contoured back, allows you to lounge in a relaxing, deep soak instead of sitting upright. The extra-wide opening and chair-height seat let you enter and exit the bath safely and comfortably.

Smart Design

The rising wall lifts with just one hand – with less effort than lifting a half-gallon of milk. It locks into place easily, and two watertight seals inflate to prevent leaks. The bath drains in less than two minutes. Simply tap the drain with your toe and lightly touch a secondary drain on the rising wall.

Soothing Water

The unique waterfall fill eliminates the need for protruding spouts, while optional BubbleMassage™ technology creates a blissful experience with soft bubbles. Ensure your ideal temperature by testing the water in the footwell before you lift your legs into the bath.

Design Awards and Highlights

Recognized for innovation and design excellence, KOHLER® kitchen and bath products have received industry and media awards as well as celebrated design awards. We've designed thousands of products and registered thousands of patents, and we remain committed to bringing beautiful, purposeful design to life.





INTERNATIONAL DESIGN
EXCELLENCE AWARDS '09



iF award winners

Numi® Comfort Height® toilet with bidet functionality (K-3900)

WaterTile® Round 27-nozzle bodyspray (K-8013)

Askew® freestanding bath (K-1801)

Good Design award winner

Numi Comfort Height toilet with bidet functionality (K-3900)

Bronze IDEA award winner

Karbon® articulating deck-mount kitchen faucet (K-6227-C11)

Design highlights

Flipside® 02 multifunction handshower (K-17492)

Steward® waterless urinal (K-4918)



Strength. Style. Soul.

KOHLER® Enameled Cast Iron



Strength. Style. Soul.

The perfect house is hard to come by. And when you find it, there are a thousand things you'll change to make it the home you've always imagined – a home that holds up for generations. But these days, that's no small challenge. It's tough to find things that are made to last and don't go out of style. The options are too often designed to be temporary instead of timeless. With KOHLER® enameled cast iron, there is no trendy disposability. It's made in part with recycled material and is guaranteed for life.* Just strength, style and soul.





Crafted for Life

KOHLER® enameled cast iron is singular in character, creating one-of-a-kind pieces that will last for generations. It withstands whatever you and your family dish out, from kids' toys banging around in the bath to dropped shampoo bottles. And our Lifetime Limited Warranty guarantees* it will not chip, crack or flex – yet it's soft and reassuring to the touch.





*KOHLER enameled cast iron baths installed in North America carry a Lifetime Limited Warranty for as long as the original consumer purchaser owns his or her home. For complete warranty information, visit [KOHLER.com/Warranty](https://www.kohler.com/Warranty).

[KOHLER.com/CastIron](https://www.kohler.com/CastIron)

A Leading Innovator in Hydrotherapy





VibrAcoustic

Collaborating with a renowned sound therapist, we designed four distinct compositions, layering calming instrumental arrangements heard above the water with sweeping acoustic vibrations experienced within the water.



Solitude

Universal tones and rhythms evoke the constancy of tides and steady the breath.



Letting Go

Music rises and gently dissipates leading the body into a meditative repose.



Awakening

Upbeat soundscapes with an emphasis on melodic guitar stimulate the mind and body.



Transcendence

Cohesive yet deliberately random notes invite the mind to wander, to simply be.

VibrAcoustic® hydrotherapy adapts the science of sound therapy, helps to ease stress and enhance well-being, and creates an environment of harmony both invigorating and restful. Music and sound vibration completely surround you, permeating the core of your body. Your breathing and heart rate actually begin to synchronize with slow yoga-inspired rhythms. The effect is truly irresistible relaxation.



KOHLER.com/VibrAcoustic

What will I experience?

Designed to relax both the mind and body, VibrAcoustic hydrotherapy balances sound vibration that soothes the body at its very core with preset, original compositions that engage the mind. Using steady beats, the sound vibration and music encourage the breath and heart rate to synchronize with a slower rhythm. The body and mind are led to an oasis of calm repose.

How does it work?

VibrAcoustic panels broadcast sound waves that travel through the water and gently resound in the body. Strategically positioned throughout the bath to provide the most beneficial effects to the entire body, these panels are concealed under the shell of the bath for a smooth, uninterrupted bathing surface. Music and optional chromatherapy are choreographed to work in unison with the VibrAcoustic panels for a holistic approach to profound relaxation.


What else should I know?

An easy-to-use, conveniently located user interface controls all VibrAcoustic features and affords bathers the option of listening to the four compositions or their own music. Visit us at [KOHLER.com/VibrAcoustic](https://www.kohler.com/VibrAcoustic) to preview each of the four original compositions – Solitude, Letting Go, Awakening and Transcendence – created in collaboration with a renowned sound therapist.


Effervescence



Effervescence hydrotherapy caresses your body in a warm, slow-moving embrace. Water and air gently travel through unique ports designed to pamper your body with champagne-like bubbles that cling to your skin. Creating a serene and meditative environment, Effervescence envelops your body with sensory delight.



Chromatherapy Colors

[KOHLER.com/Effervescence](https://www.kohler.com/Effervescence)

What will I experience?

Small, soothing bubbles travel slowly along the body, surrounding the bather in a warm embrace. A heightened awareness of the senses occurs. The skin feels replenished. The result is a sensory retreat.

How does it work?

Unlike a standard whirlpool, Effervescence hydrotherapy features discreet ports that deliver gentle, caressing bubbles. These ports have been carefully positioned along the bath to achieve optimal coverage of the entire body.


What else should I know?

An in-line heater is included to help ensure a comfortable, consistent water temperature. Optional chromatherapy, a sequence of soothing colored lights, and a floating remote control allow bathers to easily and conveniently customize the experience.

BubbleMassage



BubbleMassage™ hydrotherapy is designed to deliver a holistic, full-body experience. Warm air is pushed through the 360-degree staggered airjet design, creating thousands of bubbles. Your entire body is thoroughly massaged, while the random motion of bubbles traveling along your body to the surface helps center and clear your mind. And, you can tailor the intensity of each bathing experience, from a soothing caress to a vigorous massage.



Chromatherapy Colors



Create rejuvenating bathing experiences at home with bath salts and oils from our online boutique at KohlerWatersSpa.com.

KOHLER.com/BubbleMassage

What will I experience?

Bubbles completely surround and massage the body at your preferred level of intensity, helping to center the mind and stimulate the release of muscle tension. Depending on the choice of airflow setting, the experience is anything from a gentle bubble action to an energizing massage.

How does it work?

The proprietary 360-degree airjet system fills the bath with thousands of bubbles. Staggered jets push bubbles into the center of the bath, creating a balanced, all-encompassing body massage. A variable speed blower provides a range of airflow settings to increase or decrease the intensity of the massage for a complete, comfortable and customizable experience.


What else should I know?

The Zones of Control™ feature, available on select baths, allows bathers to choose a complete body massage or one that focuses on the back, legs or feet. BubbleMassage technology delivers a constant level of intensity or, with the surge feature, creates a repeating sequence of increasing and decreasing intensity. Automatic or manual purge cycles ensure an exceptionally hygienic and easy-to-clean system. And, with BubbleMassage baths, bath oils and salts may be used.

Whirlpools



Whirlpools are engineered to maximize the unique benefits of targeted hydro-massage and, similar to a deep tissue massage, can potentially increase blood flow. Delivering powerful directed massage, our whirlpools offer real solutions for unwinding and revitalization. KOHLER® whirlpool jets rotate for precise positioning and adjust for intensity, customizing each bathing experience.



Chromatherapy Colors

[KOHLER.com/Whirlpools](https://www.kohler.com/Whirlpools)

What will I experience?

Enabling the individual to personalize the experience, KOHLER® whirlpool jets adjust for directional positioning and massage intensity. This allows bathers to massage individual stress points along the body, helping to release tension and soothe muscle soreness.

How does it work?

Optimally positioned whirlpool jets provide targeted hydrotherapy with an ideal mix of air and water. Each jet can be rotated for targeted, effective hydro-massage, while the outer ring gives the user complete control over water flow volume. Our variable-speed control, available on select models, allows bathers to choose between intensity settings for a customized bathing experience.

What else should I know?

Enhanced options are available on select models. An in-line heater maintains the water temperature and helps ease tense muscles. The Bodyssage backjet system targets pressure points along the spine and across the shoulders, encouraging deep breathing. Two adjustable neckjets cradle the neck and pulse alternately from left to right, helping to decrease tension. The optional floating remote control offers greater convenience.

Baths



Baths. Sometimes, a simple approach is the best. Uncomplicated and well-conceived. We engineer our baths so that nothing comes between you, your bathing preferences and all-encompassing comfort. Our baths are ergonomically crafted to gently support the natural curves and angles of the body. For the bathing purist in each of us, KOHLER® baths help keep life simple.



Essential Details

Here's a closer look at the technology systems that drive KOHLER® hydrotherapies. Each of these technologies has been developed by our own design and engineering teams to bring you the best in hydrotherapy options and experiences.



Whirlpool Jets



KOHLER whirlpool jets are individually adjustable to target specific areas of your body. Delivering the optimal mix of air and water, they fully adjust for water flow intensity and directional control.

Backjets

On select models, the Bodyssage backjet system, featuring ten KOHLER backjets, loosens tension throughout the back and shoulders and encourages deep breathing. Our backjets fire two by two, targeting the lower back first and moving all the way to the shoulders. In this way, our backjets simulate the natural progression of a hands-on massage.

Neckjets

Available on select models, a factory-installed pillow with two integral neckjets pulses alternately from left to right for a stimulating, stress-relieving massage at the back of the neck. Customize your experience by adjusting the pulse and water flow to your level of comfort.



Effervescence Technology

A series of ports, optimally located, distributes champagne-like bubbles that are comprised of the perfect combination of air and water, allowing them to cling to and caress your skin. The result is a sublime, all-encompassing experience.

Chromatherapy

A color experience designed to enhance bathing, this 8-color spectrum washes over the body in a repeating one-minute sequence or may be programmed to rest on any one of the colors, to help create a soothing or energizing ambience.

BubbleMassage™ Airjet Design

This proprietary design ensures comfortable and consistent bubbling action, making KOHLER® BubbleMassage the ultimate air bath experience. The 360-degree staggered airjet design, along with targeted foot and lumbar airjets, delivers a full-body massage.

Enhance Your Comfort

We offer various accessories to make your bathing experience even more relaxing and tailored to your preferences. A pillow and footstop provide added comfort and are available in the most popular KOHLER colors. Bath and whirlpool trim options, drains and under-mount installation accessories allow you even more flexibility for customization. To learn more about our bathing accessories, visit [KOHLER.com/Bathing](https://www.kohler.com/Bathing).



Removable Pillows


The optional pillow (K-1491) provides a comfortable addition to any KOHLER® bath, whirlpool or BubbleMassage™ bath. Suction cups hold the pillow firmly in place, yet allow it to be removed easily for cleaning. It is available in White, Almond, Biscuit and Black Black™ to coordinate with any KOHLER color.

Removable Footstops

An optional footstop (K-1601) can be placed at the base of the feet or under the thighs to comfortably adjust your bathing position in larger basins. Available in White, Almond, Biscuit and Black Black, it coordinates with any KOHLER bath, whirlpool or BubbleMassage bath.

Clearflo Slotted Overflows

Kohler offers you a wide array of features, including the Clearflo slotted overflow drain that affords up to an additional 1½ inches of water depth. Recommended overflow/drain combinations for each bath are listed in the feature charts on pages 124-181. To view our complete selection of drains, visit [KOHLER.com](https://www.kohler.com).



Electronic Controls

All hydrotherapy features may be independently controlled with ease. Some models include a lighted keypad and floating remote control to add further customization and convenience.

PureFlo™ Cable Drains

Completely modular, PureFlo rough drains let you choose from a basic rotary-handle trim kit or contemporary, traditional and Victorian designs with rotary and push handles. At any point in the life of the drain, the trim can be changed without accessing plumbing behind the bath or wall – perfect for remodeling. Rough drains and trim kits are sold separately.

Bask™ Heated Surface

Select baths are available with a heated back surface for additional spa-like comfort. Three adjustable temperature settings invite you to customize your bathing experience and immerse yourself in warmth and relaxation.

For bathers who prefer a deeply relaxing, gentle experience, we've designed two unique hydrotherapies. VibrAcoustic® hydrotherapy combines the ultimate in bathing comfort with sound-wave vibration to achieve relaxation that literally resonates deep within the entire body. Effervescence hydrotherapy delivers an utterly divine combination of water and air that envelops the body with sensory delight. To help you determine which is the right hydrotherapy for you, we've outlined the features and benefits of each on pages 32-35.

VibrAcoustic®
Underscore® 49

Effervescence
Consonance® 51
Memoirs® 51
Portrait® 51
Purist® 51
sōk® overflowing bath 51
Tea-for-Two® 51

VibrAcoustic®



Purist wall-mount bath faucet lever-handle trim (K-T14429-4-CP)

Purist wall-mount bath spout (K-14426-CP)

Underscore® 5.5' VibrAcoustic bath with chromatherapy and interface (K-1173-VBC-0, K-1190050-K-CP) Page 49

For complete VibrAcoustic listing, see pages 124-125.



Underscore®
Drop-in or under-mount
72" x 42" x 23" K-1174-VB/-VBC

Underscore
Drop-in or under-mount
66" x 32" x 22" K-1822-VB/-VBC

Underscore
Drop-in or under-mount
60" x 30" x 19" K-1167-VB/-VBC

Underscore
Drop-in or under-mount
72" x 36" x 23" K-1835-VB/-VBC

Underscore
Drop-in or under-mount
60" x 36" x 21" K-1849-VB/-VBC

Underscore
Three-wall alcove
60" x 30" x 19" K-1167-LVB/-LVBC

Underscore
Drop-in or under-mount
66" x 36" x 22" K-1173-VB/-VBC

Underscore
Drop-in or under-mount
60" x 32" x 21" K-1168-VB/-VBC

Underscore Cube
Drop-in or under-mount
48" x 48" x 34" K-1969-VB/-VBC

Effervescence



sök® overflowing bath for two with Effervescence and chromatherapy (K-1166-C1-0) Page 51

Purist® deck-mount bath faucet lever-handle trim (K-T14429-4-CP)

Floor-mount bath faucet (K-8359-CP)

For complete Effervescence listing, see pages 126-127.



sök[®] overflowing bath for two
Drop-in or under-mount
104" x 41" x 26" K-1166-RE/-C1

sök overflowing bath
Drop-in or under-mount
75" x 41" x 25" K-1189-RE/-C1

Purist[®]
Drop-in or under-mount
72" x 46" x 26" K-1110-CT/-AH/-V

Memoirs[®]
Drop-in
72" x 42" x 22" K-1418-CT/-AH/-V

Consonance[®]
Drop-in or under-mount
69¹/₄" x 69¹/₄" x 24" K-1111-VLN

Portrait[®]
Drop-in
67" x 42" x 22" K-1457-CT/-AH/-LV/-RV

Tea-for-Two[®]
Drop-in
66" x 36" x 24" K-856-CT/-AH/-V

Offering a comprehensive, whole-body experience, our BubbleMassage™ hydrotherapy delivers thousands of bubbles that massage the body. To help you determine if BubbleMassage offers the bathing experience you desire, we've highlighted its features and benefits on pages 36-37. For additional information, watch our hydrotherapy videos at KOHLE.com/Bathing.

BubbleMassage™

Drop-In & Under-Mount

- 6' Archer® 56
- 6' Memoirs® 56
- 6' Purist® 56
- 6' Sunward® 56
- 6' Underscore® 56
- 6' Windward® 56
- 5.5' Iron Works® 57
- 5.5' Portrait® 57
- 5.5' Rêve™ 57
- 5.5' Tea-for-Two® 57
- 5.5' Underscore 57, 58
- 5' Archer 59
- 5' Devonshire® 59
- 5' Serif® 58
- 5' Sunward 58
- 5' Tea-for-Two 58
- 5' Tercet® 59
- 5' Underscore 58, 59
- 5' Windward 58

4' Underscore Cube 59

Alcove with Apron

- 6' Archer 60
- 6' Mariposa® 60
- 6' Windward 60
- 5' Archer 61
- 5' Bancroft® 61
- 5' Devonshire 61
- 5' Elevance® Rising Wall 60
- 5' Memoirs 60
- 5' Tercet 61
- 5' Windward 60

Alcove with Tile Flange

- 6' Mariposa 62
- 6' Windward 62
- 5' Underscore 62
- 5' Windward 62





6' & 5.5' Drop-In/Under-Mount BubbleMassage™ Baths



Purist®
Drop-in or under-mount
72" x 46" x 23¹/₁₆" (shown)
With chromatherapy
K-1110-G
K-1110-GCR

Memoirs®
Drop-in
72" x 42" x 22" (shown)
With chromatherapy
K-1418-G
K-1418-GCR

Underscore®
Drop-in or under-mount
72" x 42" x 23" (shown)
With chromatherapy
K-1174-G
K-1174-GCR

Windward®
Drop-in
72" x 42" x 21"
K-1114-G

Sunward®
Drop-in or under-mount
72" x 42" x 21"
K-1164-G

Archer®
Drop-in
72" x 36" x 19"
K-1124-G



KOHLER® BubbleMassage baths are available in a wide array of colors. See pages 128-141 for details.



Portrait® Drop-in 67" x 42" x 22" (shown) With chromatherapy	K-1457-G K-1457-GCR	Tea-for-Two® Drop-in or under-mount 66" x 36" x 24" (shown) With chromatherapy	K-856-G0 K-856-GC0	Rêve™ Drop-in or under-mount 66 ¹⁵ / ₁₆ " x 36" x 19 ¹ / ₁₆ " (shown) With chromatherapy	K-899-G0 K-899-GC0
Underscore® Drop-in or under-mount 66" x 36" x 22" (shown) With chromatherapy	K-1173-G K-1173-GCR	Iron Works® Drop-in 66" x 36" x 19 ¹ / ₄ "	K-712-G0	Rêve Drop-in or under-mount 66 ¹⁵ / ₁₆ " x 31 ¹ / ₂ " x 19 ¹ / ₁₆ " (shown) With chromatherapy	K-820-G0 K-820-GC0

5.5', 5' & 4' Drop-In/Under-Mount BubbleMassage™ Baths



Underscore®
Drop-in or under-mount
66" x 32" x 22" (shown)
With chromatherapy
K-1822-G
K-1822-GCR

Windward®
Drop-in
60" x 42" x 21"
K-1112-G

Serif®
Drop-in
60" x 42¼" x 21"
K-1337-G

Sunward®
Drop-in or under-mount
60" x 42" x 21"
K-1162-G

Underscore
Drop-in or under-mount
60" x 36" x 21" (shown)
With chromatherapy
K-1849-G
K-1849-GCR

Tea-for-Two®
Drop-in or under-mount
60" x 32" x 18"
K-852-G0



KOHLER® BubbleMassage baths are available in a wide array of colors. See pages 128-141 for details.



Underscore® Drop-in or under-mount 60" x 32" x 21" (shown) With chromatherapy	K-1168-G K-1168-GCR	Archer® Drop-in 60" x 32" x 19"	K-1122-G	Devonshire® Drop-in 60" x 32" x 20"	K-1357-G
Underscore Drop-in or under-mount 60" x 30" x 19" (shown) With chromatherapy	K-1167-G K-1167-GCR	Tercet® Drop-in 60" x 60" x 21"	K-1160-G	Underscore Cube Drop-in or under-mount 48" x 48" x 34" (shown) With chromatherapy	K-1969-G K-1969-GCR

6' & 5' Integral Apron BubbleMassage™ Baths



Windward®
Three-wall alcove with apron
72" x 42" x 21" K-1114-GLA

Archer®
Three-wall alcove with apron
72" x 36" x 19" K-1124-GLA

Mariposa®
Three-wall alcove with apron
72" x 36" x 20" K-1257-GLA

Windward
Three-wall alcove with apron
60" x 42" x 21" K-1112-GLA

Elevance® Rising Wall
Three-wall alcove with apron
60" x 33½" x 38" K-1914-GLB

Memoirs®
Three-wall alcove with apron
60" x 33¾" x 17⅞" K-723-G0



KOHLER® BubbleMassage baths are available in a wide array of colors. See pages 128-141 for details.

To learn more about Elevance Rising Wall bath, visit KOHLER.com/Independence.



Bancroft® Three-wall alcove with apron 60" x 32" x 20" K-1151-GLA	Archer® Three-wall alcove with apron 60" x 32" x 19" K-1122-GLA	Devonshire® Three-wall alcove with apron 60" x 32" x 20" K-1357-GLA
Tercet® Corner alcove with apron 60½" x 60½" x 21" K-1160-GLA		

6' & 5' Integral Tile Flange BubbleMassage™ Baths



Windward®
Three-wall alcove
72" x 42" x 21" K-1114-GLF

Mariposa®
Three-wall alcove
72" x 36" x 20" K-1257-GLF

Windward
Three-wall alcove
60" x 42" x 21" K-1112-GLF

Underscore®
Three-wall alcove
60" x 30" x 19" (shown) K-1167-LFG
With chromatherapy K-1167-LGCR



KOHLER® BubbleMassage baths are available in a wide array of colors. See pages 128-141 for details.



KOHLER® whirlpools deliver powerful directed massage, providing real solutions for unwinding and revitalization, and encouraging a sense of increased well-being. To help you determine if a whirlpool is the right hydrotherapy for you, review the features and benefits listed on pages 38-39 and watch our hydrotherapy videos at KOHLER.com/Bathing.

Whirlpools

Drop-In & Under-Mount

6' 7236 ⁷⁰
6' 7242 ⁶⁹
6' Archer[®] ⁷⁰
6' Caribbean[®] ⁶⁹
6' Consonance[®] ⁶⁸
6' Mariposa[®] ⁷⁰
6' Memoirs[®] ⁶⁸
6' Purist[®] ⁶⁸
6' RiverBath[®] ⁶⁸
6' Sunward[®] ⁶⁹
6' Tea-for-Two[®] ⁷⁰
6' Underscore[®] ^{68, 70}
6' Vintage[®] ⁶⁹
6' Windward[®] ⁶⁹

5.5' Bancroft[®] ⁷¹
5.5' Iron Works[®] ⁷²
5.5' Kathryn[®] ⁷¹
5.5' Maestro[™] ⁷²
5.5' Mariposa ⁷²
5.5' Memoirs ⁷¹
5.5' Portrait[®] ⁷¹
5.5' RiverBath ⁷⁰
5.5' Tea-for-Two ⁷¹
5.5' Underscore ^{71, 72}

5' 6032 ⁷⁴
5' 6036 ⁷⁴
5' 6040 Oval ⁷³
5' 6042 ⁷³
5' Archer ⁷⁴
5' Devonshire[®] ⁷⁴
5' Hourglass[®] ∞ ⁷⁴

5' Mariposa ⁷⁴
5' Overture[®] ⁷²
5' Serif[®] ⁷³
5' Steeping[™] ⁷³
5' Sunward ⁷³
5' Tea-for-Two ⁷⁴
5' Tercet[®] ⁷⁵
5' Underscore ^{73, 74}
5' Windward ⁷²

4.5' 5454 ⁷⁵

4' Greek[®] ⁷⁵
4' Underscore Cube ⁷⁵

Alcove with Tile Flange

6' 7236 ⁷⁶
6' 7242 ⁷⁶
6' Mariposa ⁷⁶
6' Windward ⁷⁶

5.5' Kathryn ⁷⁶
5.5' Mariposa ⁷⁶
5.5' Tea-for-Two ⁷⁶

5' 5454 ⁷⁷
5' 6032 ⁷⁷
5' 6036 ⁷⁷
5' 6042 ⁷⁶
5' Hourglass ∞ ⁷⁷
5' Mariposa ⁷⁷
5' Tercet ⁷⁷
5' Underscore ⁷⁷
5' Windward ⁷⁶

Alcove with Apron

6' Archer ⁷⁸
6' Mariposa ⁷⁸
6' Windward ⁷⁸

5.5' Mariposa ⁷⁸

5' Archer ⁷⁹
5' Bancroft ⁷⁹
5' Devonshire ⁷⁹
5' Guardian[™] ⁷⁸
5' Hourglass ∞ ⁷⁹
5' Mariposa ⁷⁸
5' Memoirs ⁷⁸
5' Mendota[®] ⁷⁸
5' Tercet ⁷⁹
5' Windward ⁷⁸



Purist® whirlpool with spa/massage package (K-1110-V-0) Page 68

Purist deck-mount bath faucet lever-handle trim (K-T14429-4-CP)

Floor-mount bath faucet (K-8359-CP)



6' Drop-In/Under-Mount Whirlpools



RiverBath® Round
Drop-in

75" diameter x 25" K-1397-H2

RiverBath Quadrangle
Drop-in

75" x 45" x 25" K-1360-H2

Consonance®
Drop-in or under-mount

69¼" x 69¼" x 24" K-1111-H2

Purist®
Drop-in or under-mount

72" x 46" x 25½"
with spa package K-1110
with massage package (shown) K-1110-M
with spa/massage package K-1110-V

Memoirs®
Drop-in

72" x 42" x 22" (shown)
with spa package K-1418-H2
with massage package K-1418-AH
with spa/massage package K-1418-M
K-1418-V

Underscore®
Drop-in or under-mount

72" x 42" x 23" K-1174-H2



KOHLER® whirlpools are available in a wide array of colors. See pages 142-167 for details.



Windward® Drop-in 72" x 42" x 21" K-1114	7242 Drop-in or under-mount 72" x 42" x 20 ¹ / ₈ " K-1131	Vintage® Drop-in 72" x 42" x 21 ³ / ₁₆ " With neckjets (shown) K-702-H2 K-702-N1
Sunward® Drop-in or under-mount 72" x 42" x 21" K-1164	7242 Oval Drop-in 72" x 42 ¹ / ₈ " x 19 ³ / ₄ " K-1148	Caribbean® Drop-in or under-mount 72" x 36" x 18 ³ / ₄ " With neckjets (shown) K-812-H2 K-812-N1

6' & 5.5' Drop-In/Under-Mount Whirlpools



Tea-for-Two®
Drop-in or under-mount
71¾" x 36" x 20⅞"
With neckjets (shown)

K-865-H2
K-865-N1

Underscore®
Drop-in or under-mount
72" x 36" x 23"

K-1835-H2

Mariposa®
Drop-in
72" x 36" x 20"

K-1257

7236
Drop-in
72" x 36" x 20⅞"

K-1157

Archer®
Drop-in
72" x 36" x 19"

K-1124

RiverBath® Round
Drop-in
66" diameter x 25"

K-1394-H2



KOHLER® whirlpools are available in a wide array of colors. See pages 142-167 for details.



Portrait®
Drop-in
67" x 42" x 22" (shown)
with spa package
with massage package
with spa/massage package

K-1457-H2
K-1457-AH
K-1457-LM
K-1457-LV

Kathryn®
Drop-in or under-mount
66" x 36" x 24"

K-809-H2

Memoirs®
Drop-in
66" x 42" x 22"

K-1170-H2

Tea-for-Two®
Drop-in or under-mount
66" x 36" x 24" (shown)
with spa package
with massage package
with spa/massage package

K-856-H2
K-856-AH
K-856-M
K-856-V

Bancroft®
Drop-in
66" x 42" x 22"

K-1158-H2

Underscore®
Drop-in or under-mount
66" x 36" x 22"

K-1173-H2

5.5' & 5' Drop-In/Under-Mount Whirlpools



Mariposa®
Drop-in
66" x 35⁷/₈" x 20" K-1224

Iron Works®
Drop-in
66" x 36" x 19¹/₄" K-712-H2

Maestro™
Drop-in or under-mount
66" x 32" x 18¹/₄" K-845-H2/K-842-H2

Underscore®
Drop-in or under-mount
66" x 32" x 22" K-1822-H2

Overture®
Drop-in
60" x 42" x 20" K-1226

Windward®
Drop-in
60" x 42" x 21" K-1112



KOHLER® whirlpools are available in a wide array of colors. See pages 142-167 for details.



6042 Drop-in 60" x 42" x 18½"	K-1126	Serif® Drop-in 60" x 42¼" x 21"	K-1337	Sunward® Drop-in or under-mount 60" x 42" x 21"	K-1162
6040 Oval Drop-in 60" x 40" x 17⅝"	K-1146	Steeping™ Drop-in or under-mount 60" x 36" x 20⅝" With neckjets	K-792-H2 K-792-N1	Underscore® Drop-in or under-mount 60" x 36" x 21"	K-1849-H2

5', 4.5' & 4' Drop-In/Under-Mount Whirlpools



Mariposa®
Drop-in
60" x 36" x 20" K-1239

6036
Drop-in
60" x 36" x 18 1/8" K-1139

Tea-for-Two®
Drop-in or under-mount
60" x 32" x 18 1/4" K-852-H2

Underscore®
Drop-in or under-mount
60" x 32" x 21" K-1168-H2

Hourglass® 32
Drop-in
60" x 32" x 20" K-1209

Archer®
Drop-in
60" x 32" x 19" K-1122

6032
Drop-in
60" x 32" x 18 1/8" K-1106

Devonshire®
Drop-in
60" x 32" x 20" K-1357

Underscore
Drop-in or under-mount
60" x 30" x 19" K-1167-H2

For complete whirlpool listing, see pages 142-167.



Tercet® Drop-in 60" x 60" x 21" K-1160	5454 Drop-in 54" x 54" x 20½" K-1154	Underscore® Cube Drop-in or under-mount 48" x 48" x 34" K-1969-H2
Greek® Drop-in or under-mount 48" x 32" x 23⅝" K-1492-H2		

Integral Tile Flange Whirlpools



Windward®
Three-wall alcove
72" x 42" x 21"

K-1114-L

7242
Three-wall alcove
72" x 42" x 20½"

K-1131-F

Mariposa®
Three-wall alcove
72" x 36" x 20"

K-1257-L

7236
Three-wall alcove
72" x 36" x 20½"

K-1157-L

Kathryn®
Three-wall alcove
66" x 36" x 24"

K-809-LH

Tea-for-Two®
Three-wall alcove
66" x 36" x 24"

K-856-LH

Mariposa
Three-wall alcove
66" x 35½" x 20"

K-1224-L


Windward
Three-wall alcove
60" x 42" x 21"

K-1112-L

6042
Three-wall alcove
60" x 32" x 18½"

K-1126-L

For complete whirlpool listing, see pages 142-167.



Mariposa_® Three-wall alcove 60" x 36" x 20" K-1239-L	6036 Three-wall alcove 60" x 36" x 18½" K-1139-L	Hourglass_® 32 Three-wall alcove 60" x 32" x 20" K-1209-L
6032 Three-wall alcove 60" x 32" x 18½" K-1106-L	Underscore_® Three-wall alcove 60" x 30" x 19" K-1167-LH2	Tercet_® Corner alcove 60" x 60" x 21" K-1160-F
5454 Corner alcove 54" x 54" x 20½" K-1154-F		

Integral Apron Whirlpools



Windward.
Three-wall alcove with apron
72" x 42" x 21" K-1114-LA

Mariposa.
Three-wall alcove with apron
72" x 36" x 20" K-1257-LA

Archer.
Three-wall alcove with apron
72" x 36" x 19" K-1124-LA

Mariposa
Three-wall alcove with apron
66" x 35⁷/₈" x 20" K-1224-LA

Windward
Three-wall alcove with apron
60" x 42" x 21" K-1112-LA

Mariposa
Three-wall alcove with apron
60" x 36" x 20" K-1239-LA

Memoirs.
Three-wall alcove with apron
60" x 33³/₄" x 17⁷/₁₆" K-723-H2

Mendota.
Three-wall alcove with apron
60" x 32" x 16¹/₄" K-513-H2

Guardian™
Three-wall alcove with apron
60" x 32" x 16¹/₄" K-783-H2

For complete whirlpool listing, see pages 142-167.



Hourglass® 32 Three-wall alcove with apron 60" x 32" x 20" K-1209-LA	Bancroft® Three-wall alcove with apron 60" x 32" x 20" K-1151-LA	Archer® Three-wall alcove with apron 60" x 32" x 19" K-1122-LA
Devonshire® Three-wall alcove with apron 60" x 32" x 20" K-1357-LA	Tercet® Corner alcove with apron 60" x 60" x 21" K-1160-LA	

Just calm, quiet water and you. If a simple bath is the hydrotherapy for you, and you would like to learn more about the exceptional quality and comfort of KOHLER® baths, see pages 40-41.

Baths

Freestanding

Abrazo™ 86
Aliento® 85
Askew® 84
Birthday Bath® 92
Escale® 88
Iron Works® Historic™ 90
Iron Works Tellieur® 91
Rêve™ 87
Vintage® 89

Drop-In & Under-Mount

6' 7236 95
6' 7242 94
6' 7242 Oval 94
6' Archer® 95
6' Caribbean® 95
6' Escale 94
6' Mariposa® 95
6' Memoirs® 94
6' Purist® 94
6' Sunward® 94
6' Tea-for-Two® 94
6' Underscore® 94, 95
6' Windward® 94

5.5' Bancroft® 95
5.5' Biove® 96
5.5' Iron Works 96
5.5' Kathryn® 95
5.5' Maestro™ 96
5.5' Mariposa 96
5.5' Memoirs 95
5.5' Parity® 96
5.5' Portrait® 95
5.5' Rêve 96
5.5' Tea-for-Two 96
5.5' Underscore 96, 97

5' 6032 98
5' 6036 98

5' 6040 97
5' 6042 97
5' Archer 98
5' Devonshire® 98
5' Hourglass® ∞ 98
5' Mariposa 97
5' Serif® 97
5' Soissons® 98
5' Steeping™ 97
5' Sunward® 97
5' Tea-for-Two 98
5' Tercet® 99
5' Underscore 97, 98
5' Windward 97

4.5' 5454 99

4' Greek® 99
4' Underscore Cube 99

Alcove with Tile Flange

6' 7236 100
6' 7242 100
6' Mariposa 100
6' Windward 100

5.5' Kathryn 100
5.5' Mariposa 100
5.5' Tea-for-Two 100

5' 5454 101
5' 6032 101
5' 6036 101
5' 6042 100
5' Highbridge® 101
5' Hourglass ∞ 101
5' Mariposa 101
5' Tercet 101
5' Underscore 101
5' Windward 100

Alcove with Apron

6' Archer 102
6' Mariposa 102
6' Windward 102

5.5' Dynametric® 102
5.5' Mariposa 102

5' Archer 104
5' Bancroft 103
5' Bellwether® 103, 104
5' Devonshire 104
5' Dynametric 103
5' Elevance®
Rising Wall 102
5' Expanse® 103
5' Guardian™ 102
5' Hourglass ∞ 103
5' Mariposa 102
5' Memoirs 103
5' Mendota® 103
5' Tercet 104
5' Villager™ 103, 104
5' Windward 102

4.5' Seaforth™ 104

4' Mayflower® 104







Askew®
Freestanding

72 $\frac{3}{8}$ " x 34 $\frac{9}{16}$ " x 24 $\frac{9}{16}$ "

K-1801-HW1



KOHLER® baths are available in a wide array of colors. See pages 168-181 for details.



Aliento®
Freestanding
65¹³/₁₆" x 36" x 25³/₁₆"

K-1805-HW1



Abrazo™
Freestanding

66" x 31½" x 28½"

K-1800-HW1



KOHLER® baths are available in a wide array of colors. See pages 168-181 for details.



Rêve™
Freestanding
66¹⁵/₁₆" x 31¹/₂" x 22¹/₁₆" (shown) K-819-F62
66¹/₁₆" x 36" x 22¹/₁₆" K-894-F62

**Escale®**

Freestanding

72" x 36" x 24¹/₈"

K-14037

Drilled for Symbol® bath filler (shown) K-11344



KOHLER® baths are available in a wide array of colors. See pages 168-181 for details.



ENAMELED
CAST IRON

Vintage®
Freestanding
72" x 42" x 24"
Ceramic base (shown) K-700
Wood base K-709
K-705



Iron Works® Historic
Freestanding
66" x 36" x 24½"
Iron Works Historic™ claw feet

K-710
K-1103



KOHLER® baths are available in a wide array of colors. See pages 168-181 for details.



Iron Works Tellieur®
Freestanding with surround
66" x 36" x 24½"

K-727


Birthday Bath®

Freestanding

72" x 37½" x 27"

Antique ball and claw legs

K-100

K-102



KOHLER® baths are available in a wide array of colors. See pages 168-181 for details.



Vintage® enameled cast iron freestanding bath with ceramic base (K-700-NY/K-709-NY) Page 89
Antique floor-mount bath faucet with handshower (K-110-4-CP)

6' & 5.5' Drop-In/Under-Mount Baths



Purist.
Drop-in or under-mount

72" x 46" x 25 11/16"

K-1190

Memoirs.
Drop-in

72" x 42" x 22"

K-1417

Underscore.
Drop-in or under-mount

72" x 42" x 23"

K-1137

Windward.
Drop-in

72" x 42" x 21"

K-1115

7242
Drop-in

72" x 42" x 20 1/8"

K-1132

Sunward.
Drop-in or under-mount

72" x 42" x 20"

K-1165-S1

7242 Oval
Drop-in

72" x 42 1/8" x 19 3/4"

K-1149

Escale.
Drop-in

72" x 36" x 24 1/8"

K-11343

Tea-for-Two.
Drop-in or under-mount

71 3/4" x 36" x 20 7/8"

K-863

ENAMELED
CAST IRON

For complete bath listing, see pages 168-181.

**Caribbean®**

Drop-in or under-mount

72" x 36" x 18¼"

K-810

Underscore®

Drop-in or under-mount

72" x 36" x 23"

K-1834

7236

Drop-in

72" x 36" x 20½"

K-1159

Archer®

Drop-in

72" x 36" x 19"

K-1125

Mariposa®

Drop-in

72" x 36" x 20"

K-1259

Portrait®

Drop-in

67" x 42" x 22"

K-1454

Memoirs®

Drop-in

66" x 42" x 22"

K-1169

Bancroft®

Drop-in

65⅞" x 41¼" x 22"

K-1156

Kathryn®

Drop-in or under-mount

66" x 36" x 24"

K-804

5.5' & 5' Drop-In/Under-Mount Baths



Tea-for-Two®
Drop-in or under-mount

66" x 36" x 24"

K-855

Mariposa®
Drop-in

66" x 35½" x 20"

K-1229

Rêve
Drop-in or under-mount

66½" x 31½" x 19½"

K-817

Rêve™
Drop-in or under-mount

66½" x 36" x 19½"

K-892

Iron Works®
Drop-in

66" x 36" x 19¼"

K-711

Biove®
Drop-in

66½" x 29½" x 19½"

K-8277

Underscore®
Drop-in or under-mount

66" x 36" x 22"

K-1136

Parity®
Drop-in

65⅞" x 32⅝" x 18" (shown)
Under-mount

K-896
K-895

Maestro™
Drop-in or under-mount

66" x 32" x 18¼"

K-840

For complete bath listing, see pages 168-181.

**Underscore.**

Drop-in or under-mount

66" x 32" x 22"

K-1821

Windward.

Drop-in

60" x 42" x 21"

K-1113

6042

Drop-in

60" x 42" x 18½"

K-1127

Serif.

Drop-in

60" x 42¼" x 21"

K-1183

Sunward.

Drop-in or under-mount

60" x 42" x 21"

K-1163-S1

6040 Oval

Drop-in

60" x 40" x 17½"

K-1147

Steeping™

Drop-in or under-mount

60" x 36" x 20⅜"

K-790

Underscore

Drop-in or under-mount

60" x 36" x 21"

K-1848

Mariposa.

Drop-in

60" x 36" x 20"

K-1242

Soissons®
Drop-in
59" x 27½" x 16¾" K-941

For complete bath listing, see pages 168-181.



Tercet® Drop-in 60" x 60" x 21" Greek® Drop-in or under-mount 48" x 32" x 23½"	K-1161	5454 Drop-in 54" x 54" x 20½"	K-1155	Underscore® Cube Drop-in or under-mount 48" x 48" x 34"	K-1968
---	--------	--	--------	--	--------

Integral Tile Flange Baths



Windward®
Three-wall alcove
72" x 42" x 21" K-1115-L

7242
Three-wall alcove
72" x 42" x 20½" K-1132-F

7236
Three-wall alcove
72" x 36" x 20½" K-1159-L

Mariposa®
Three-wall alcove
72" x 36" x 20" K-1259-L

Kathryn®
Three-wall alcove
66" x 36" x 24" K-804-L


Tea-for-Two®
Three-wall alcove
66" x 36" x 24" K-855-L

Mariposa
Three-wall alcove
66" x 35⅞" x 20" K-1229-L

Windward
Three-wall alcove
60" x 42" x 21" K-1113-L

6042
Three-wall alcove
60" x 42" x 18⅞" K-1127-L

For complete bath listing, see pages 168-181.

**Mariposa®**

Three-wall alcove

60" x 36" x 20"

K-1242-L

6036

Three-wall alcove

60" x 36" x 18 $\frac{1}{8}$ "

K-1142-L

Highbridge®

Three-wall alcove

60" x 32" x 17 $\frac{1}{2}$ " (shown)
With enameled apronK-877
K-877-S**Hourglass® 32**

Three-wall alcove

60" x 32" x 20"

K-1219-L

6032

Three-wall alcove

60" x 32" x 18 $\frac{1}{8}$ "

K-1107-L

Underscore®

Three-wall alcove

60" x 30" x 19"

K-1121-L

Tercet®

Corner alcove

60" x 60" x 21"

K-1161-F

5454

Corner alcove

54" x 54" x 20 $\frac{1}{2}$ "

K-1155-F

6', 5.5' & 5' Integral Apron Baths



Windward.
Three-wall alcove with apron
72" x 42" x 21" K-1115-LA

Archer.
Three-wall alcove with apron
72" x 36" x 19" K-1125-LA

Mariposa.
Three-wall alcove with apron
72" x 36" x 20" K-1259-LA

Mariposa
Three-wall alcove with apron
66" x 36" x 20" K-1229-LA

Dynametric.
Three-wall alcove with apron
66" x 32" x 16¼" K-515

Windward
Three-wall alcove with apron
60" x 42" x 21" K-1113-LA

Mariposa
Three-wall alcove with apron
60" x 36" x 20" K-1242-LA

Elevance® Rising Wall
Three-wall alcove with apron
60¼" x 33½" x 38" K-1913-LB/L

Guardian™
Three-wall alcove with apron
60" x 32" x 16¼" K-785

For complete bath listing, see pages 168-181.

**Memoirs®**

Three-wall alcove with apron

60" x 33¾" x 17⅞"

K-721

Dynametric®

Three-wall alcove with apron

60" x 32" x 16¼"

K-519

Mendota®

Three-wall alcove with apron

60" x 32" x 16¼"

K-505

Expanse®

Three-wall alcove with apron

60" x 32" x 17"

K-1100-LA

Bellwether®

Three-wall alcove with apron

60" x 32" x 15½"

K-875

Hourglass® 32

Three-wall alcove with apron

60" x 32" x 20"

K-1219-LA

Villager™ with 4" ledge

Three-wall alcove with apron

60" x 34¼" x 14"

K-713

Expanse

Three-wall alcove with apron

60" x 30" x 17"

K-1118-LA

Bancroft®

Three-wall alcove with apron

60" x 32" x 20"

K-1150-LA

5' & Under Integral Apron Baths

For complete bath listing, see pages 168-181.



ADA



ADA



ADA

ENAMELED
CAST IRON



ADA

ENAMELED
CAST IRON



ENAMELED
CAST IRON



Archer.
Three-wall alcove with apron
60" x 32" x 19" K-1123-LA

Devonshire.
Three-wall alcove with apron
60" x 32" x 20" K-1184-LA

Bellwether.
Three-wall alcove with apron
60" x 30" x 14" K-837

Villager.
Three-wall alcove with apron
60" x 30¼" x 14" K-715

Tercet.
Corner alcove with apron
60" x 60" x 21" K-1161-LA

Seaforth.
Three-wall alcove with apron
54" x 30¼" x 14" K-745

Mayflower.
Corner alcove with apron
48" x 44" x 14" K-821



Expanse® three-wall alcove bath with apron (K-1100-RA-0) Page 103

Expanse curved shower rod (K-9351-BS)

Purist® Rite-Temp® pressure-balancing bath/shower trim set (K-T14420-4-BN)

KOHLER.com/Bathing

Whether you're refreshing an existing bathroom or building, Kohler helps you enhance your bathing space with a few finishing touches. Our designers and engineers study how people bathe – and how to make the experience more convenient and safe. We offer everything from decorative bath drains to designer shower rods and grab bars. Explore a range of finishing touches on the following pages, and find convenient solutions designed to complement your bathroom décor.

Finishing Touches

Deck-Mount Bath Faucets 110

Bath Faucets with Handshowers 112

PureFlo™ Bath Drain Trim 113

Grab Bars 114

Shower Rods 114

Storage 115

Seating 115





Deck-Mount Bath Faucets



Antique
Deck-mount bath faucet trim
K-T125-4-CP



Devonshire
Deck-mount bath faucet trim
K-T398-4-CP



Fairfax
Deck-mount bath faucet trim
K-T12885-4-CP



Finial Traditional
Deck-mount bath faucet trim
K-T314-4M-CP



Forté
Deck-mount bath faucet trim
Traditional (shown) K-T10278-4A-CP
Sculpted K-T10278-4-CP



IV Georges Brass
Deck-mount bath faucet trim
K-T6906-4-SN



Margaux
Deck-mount bath faucet trim
K-T16237-4-CP



Memoirs
Deck-mount bath faucet trim
K-T469-4S-CP



Pinstripe
Deck-mount bath faucet trim
Pinstripe (shown) K-T13140-4B-CP
Pinstripe Pure K-T13140-4A-CP



Revival
Deck-mount bath faucet trim
9 1/2" spout (shown) K-T16119-4A-CP
6 1/2" spout K-T16122-4A-CP



Alteo
Deck-mount bath faucet trim
K-T45115-4-CP




Bancroft
Deck-mount bath faucet trim
K-T10592-4-CP



KOHLER® faucets are available in a wide array of finishes. View finish swatches on page 121.

Bath faucets with a model number that begins with K-T are trim only and require a valve.

**Coralais®**

Deck-mount bath faucet trim

8" spout (shown)

K-T15290-4-CP

5½" spout

K-T15294-4-CP

Kelston®

Deck-mount bath faucet trim

K-T13494-4-CP

Taboret®

Deck-mount bath faucet trim

K-T8235-4-CP

Taboret

Deck-mount bath faucet trim

6" spout (shown)

K-T8238-4-CP

9½" spout

K-T8230-4-CP

Loure®

Deck-mount bath faucet

K-14675-4-CP

Oblo®

Deck-mount bath faucet trim

K-T10059-9-CP

Purist®

Deck-mount bath faucet trim

K-T14428-4-CP

Refinia®

Deck-mount bath faucet trim

K-T5323-4-CP

Stance®

Deck-mount bath faucet

K-14775-4-CP

Stillness®

Deck-mount bath faucet trim

K-T954-4-CP

Bath Faucets with Handshowers



Toobi®
Deck-mount bath faucet
with handshower
K-8973-7-CP



Symbol®
Deck-mount bath faucet
with handshower
K-18486-4-CP



Antique
Deck-mount bath faucet
with handshower
K-110-4-CP



Revival®
Deck-mount bath faucet
with handshower
K-16210-4A-CP



Finial® Traditional
Deck-mount bath faucet
with handshower
K-331-4M-CP



IV Georges Brass®
Deck-mount bath faucet
with handshower
K-6905-4-SN



Stillness®
Floor-mount bath faucet
with handshower
K-994-4-CP




Purist®
Floor-mount bath faucet
with handshower
K-10129-4-CP

PureFlo™ Bath Drain Trim



Contemporary Rotary PureFlo cable bath drain trim K-T37392-CP	Traditional Rotary PureFlo cable bath drain trim K-T37393-CP	Victorian Rotary PureFlo cable bath drain trim K-T37394-CP	Basic Rotary PureFlo cable bath drain trim K-T37391-CP
Contemporary Push PureFlo cable bath drain trim K-T37395-CP	Traditional Push PureFlo cable bath drain trim K-T37396-CP	Victorian Push PureFlo cable bath drain trim K-T37397-CP	

Grab Bars & Shower Rods



Margaux®

9"	K-11880	32"	K-11884
12"	K-11881	36"	K-11885
18"	K-11882	42"	K-11886
24"	K-11883	48"	K-11887*

Traditional decorative

9"	K-11870	32"	K-11874
12"	K-11871	36"	K-11875
18"	K-11872	42"	K-11876
24"	K-11873	48"	K-11877

Purist®

9"	K-11890	32"	K-11894
12"	K-11891	36"	K-11895
18"	K-11892	42"	K-11896
24"	K-11893	48"	K-11897

Traditional

12"	K-10540	36"	K-10544
18"	K-10541	42"	K-10545
24"	K-10542	48"	K-10546
32"	K-10543	54"	K-10547

Transitional

12"	K-11390	36"	K-11394
18"	K-11391	42"	K-11395
24"	K-11392	48"	K-11396
32"	K-11393	54"	K-11397

Contemporary

12"	K-14560	36"	K-14564
18"	K-14561	42"	K-14565
24"	K-14562	48"	K-14566
32"	K-14563	54"	K-14567

*All grab bars featured are ADA-compliant except K-11887.

Shower Rods



Expanse® curved shower rod
Adjustable to fit 5'-6' bath/showers
Available in three designs.

Traditional design
K-9349

Transitional design
K-9350

Contemporary design
K-9351

Bath/Shower Storage and Seating



Large
Corner shower basket
K-1897



Medium
Corner shower basket
K-1896



Small
Corner shower basket
K-1898



Pilaster®
Aluminum Shower Locker® unit
K-1840



Echelon®
Acrylic Shower Locker unit
K-1842



Echelon
Acrylic shower seat
K-1843



We encourage you to use the following charts and indexes to compare the full bathing product line and determine which product meets your needs.

It may be helpful to select your hydrotherapy first from pages 30-45, and then choose the style and size of your bath from the corresponding product portfolio pages. At that point, our charts will provide additional details as you make your final selection.

If you still have questions, we invite you to talk with your nearest showroom representative and visit us online for more information.

Indexes

Glossary of Terms 118

Bathroom Colors & Finishes 120

Bathing Product Summary 122

VibrAcoustic® Index 124

Effervescence Index 126

BubbleMassage™ Index 128

Whirlpool Index 142

Bath Index 168

Glossary of Terms

Acrylic

A strong material used in manufacturing KOHLER® baths. Acrylic can be pressed into a range of sizes and shapes and resists chipping and cracking.

ADA-Compliant

A product designation that indicates the product will comply with the Americans with Disabilities Act when installed per the requirements of the accessibility guidelines of the 2010 ADA Standards for Accessible Design for the appropriate product or component category.

Alcove

A bath, air bath or whirlpool designed to be installed within a two- or three-wall alcove. These baths and whirlpools feature integral flanges for tile-in installation and, often, an integral apron.

Bath Pillow

A small waterproof pillow designed to provide comfort and support for the head and neck while bathing.

Bodyssage Backjet System

A series of ten KOHLER backjets that massage two by two, targeting the lower back, shoulders and neck, and moving up and down in sequence.

BubbleMassage™ Hydrotherapy

An air bath technology patented by Kohler. A pump blows air through more than 100 airjets positioned 360 degrees around the interior of the bath. BubbleMassage hydrotherapy features a range of intensity settings.

Chromatherapy

A color experience designed to enhance bathing. Bathers may choose an 8-color spectrum that washes over the body in a repeating one-minute sequence or may choose to rest on any one of the colors of the sequence.

Drop-In

A bath, air bath or whirlpool with self-rimming edges designed to rest on top of the surrounding tile, stone, laminate or other surface.

Effervescence

A gentle whirlpool technology. A pump blows air through 8 to 10 specially designed ports that release champagne-like bubbles.

Floating Remote Control

A remote control that floats in the bath or whirlpool making it easy for reclining bathers to operate and adjust hydrotherapy features.

Footstop

A weighted pillow that can be positioned at the base of a bather's feet or under the thighs to ensure comfort in larger baths.

Freestanding

A bath that is mounted on the floor, remote from adjacent walls to allow access from multiple sides.

Integral Apron

A decorative panel that covers the exposed front of an alcove bath, air bath or whirlpool. Integral aprons are built into the design of one-piece baths, air baths and whirlpools.

KOHLER® Enameled Cast Iron

A material made in part with recycled iron that is poured into castings, cooled to a solid state and then reheated, covered with a powdered glass mixture and fired to a smooth, high-gloss enamel finish.

Lithocast® Material

A premium acrylic material that can be cast into unique bath designs. The texture looks like stone, but feels warm against the body.

Massage Whirlpool Package

A premium whirlpool package that includes whirlpool jets, Bodyssage backjets and neckjets.

Neckjet Pillow

A factory-installed pillow for a whirlpool with two integral jets that pulse alternately from left to right at the back of the neck.

Relax Whirlpool Package

A premium whirlpool package that includes Effervescence and chromatherapy.

Spa/Massage Whirlpool Package

A premium whirlpool package that includes whirlpool jets, Bodyssage backjets, neckjets, Effervescence and chromatherapy.

Spa Whirlpool Package

A premium whirlpool package that includes whirlpool jets and Effervescence.

Tile Flange

A flat, vertical rim along the edge(s) of a bath or whirlpool that attaches directly to the studs and is covered over by tile or a wall surround to help prevent water from seeping behind the bath, tile or surround.

Under-Mount Bath

A bath, air bath or whirlpool designed to be installed by mounting the deck of the bath or whirlpool to the bottom of your choice of deck material.








VibrAcoustic® Technology

A bathing experience that adapts the science of sound therapy using special speakers hidden behind the shell of the bath to emit sound vibrations that resound throughout the body. VibrAcoustic includes four preprogrammed musical compositions, an aux port for playing a smartphone, tablet or MP3 player and Bluetooth for streaming wirelessly.




Zones of Control™ Feature

A technology developed for BubbleMassage™ baths that allows bathers to alternate bubble action between three different areas for a concentrated massage on the back, legs or feet.


Bathroom Color Index

					
White (0)	Honed White (HW1)	Dune (NY)	Biscuit (96)	Innocent Blush™ (55)	Almond (47)
					
Ice™ Grey (95)	Sandbar (G9)	Mexican Sand™ (33)	Cashmere™ (K4)	Thunder™ Grey (58)	Black Black™ (7)

Dimensional Colors

	
Sea Salt™ (FF)	Cane Sugar™ (FD)
	
Frost (FE)	Basalt™ (FT)

Finish Index

					
Polished Chrome (CP)	Brushed Chrome (G)	Vibrant® Polished Nickel (SN)	Vibrant Brushed Nickel (BN)	Vibrant Hammered Nickel (RN)	Vibrant French Gold* (AF)
					
Vibrant Polished Brass (PB)	Vibrant Moderne Brushed Gold* (BGD)	Vibrant Brushed Bronze (BV)	Oil-Rubbed Bronze (2BZ)	Oil-Rubbed Bronze† (BRZ)	

*No gold content.
†All options displaying this symbol will be available until 12/31/12.

Bathing Product Summary

Name	VibrAcoustic	Effervescence	BubbleMassage	Whirlpool	Bath
Over 6'					
RiverBath 72" Round				K-1397	
RiverBath Quadrangle				K-1360	
søk overflowing bath		K-1166/K-1188/K-1189			
6'					
7236				K-1157	K-1159
7242 Decked Oval				K-1131	K-1132
7242 Oval				K-1148	K-1149
Archer			K-1124	K-1124	K-1125
Askew					K-1801
Birthday Bath					K-100
Caribbean				K-812	K-810
Escale				K-11343	K-11343
Escale Freestanding					K-11344
Mariposa			K-1257	K-1257	K-1259
Memoirs		K-1418	K-1418	K-1418	K-1417
Purist		K-1110	K-1110	K-1110	K-1190
Revival		K-1375	K-1375	K-1375	K-1377
Seadream				K-1221	
Sunward				K-1164	K-1165
Tea-for-Two			K-865	K-865	K-863
Underscore 72" x 36"	K-1835		K-1835	K-1835	K-1834
Underscore 72" x 42"	K-1174		K-1174	K-1174	K-1137
Vintage				K-702	K-700
Vintage Freestanding					K-700
Windward			K-1114	K-1114	K-1115
5.5'					
Abrazo					K-1800
Aliento					K-1805
Bancroft			K-1158	K-1158	K-1156
Biove					K-8277
Consonance				K-1111	
Dynametric					K-515/K-516
Iron Works			K-712	K-712	K-711
Iron Works Historic					K-710
Iron Works Tellieur					K-727
Kathryn			K-809	K-809	K-804
Maestro				K-842/K-845	K-839/K-840
Mariposa				K-1224	K-1229
Memoirs				K-1170	K-1169
Parity					K-895/K-896
Portrait		K-1457	K-1457	K-712	K-1454
RiverBath 66" Round				K-1394	
Rêve 32"			K-820		K-817/K-819
Rêve 36"			K-899		K-892/K-894
Tea-for-Two		K-856	K-856	K-856	K-855
Underscore 66" x 32"	K-1822		K-1822	K-1822	K-1821
Underscore 66" x 36"	K-1173		K-1173	K-1173	K-1136

Bathing Product Summary

Name	VibrAcoustic	Effervescence	BubbleMassage	Whirlpool	Bath
5'					
6032				K-1106	K-1107
6036				K-1139	K-1142
6040 Oval				K-1146	K-1147
6042 Decked Oval				K-1126	K-1127
Archer			K-1122	K-1122	K-1123
Bancroft			K-1151	K-1151	K-1150
Bellwether 60" x 30"					K-837/K-838
Bellwether 60" x 32"					K-875/K-876
Devonshire			K-1357	K-1357	K-1184
Dynametric					K-519/K-520
Elevance Rising Wall			K-1914		K-1913
Expanse					K-1100
Guardian				K-784	K-785/K-786
Highbridge					K-877/K-878
Hourglass ∞ 32				K-1209	K-1219
Infinity ∞ Bath				K-1487	K-1449
Mariposa				K-1239	K-1242
Memoirs			K-723/K-724	K-723/K-724	K-721/K-722
Mendota				K-513/K-514	K-505/K-506
Overture				K-1126	K-1127
Serif			K-1337	K-1337	K-1183
Steeping				K-792	K-790
Sunward			K-1162	K-1162	K-1163
Synchrony				K-1192	K-1193
Tea-for-Two			K-852	K-852	K-850
Tercet Corner			K-1160	K-1160	K-1161
Underscore 60" x 30"	K-1167		K-1167	K-1167	K-1121
Underscore 60" x 32"	K-1168		K-1168	K-1168	K-1130
Underscore 60" x 36"	K-1849		K-1849	K-1849	K-1848
Villager 60" x 30"					K-715/K-716
Villager 60" x 34"					K-713/K-714
Windward			K-1112	K-1112	K-1113
Less than 5'					
5454 Corner				K-1154	K-1155
Greek				K-1492	K-1490
Mayflower Corner					K-821/K-824
Seaforth					K-745/K-746
Soissons					K-941
Underscore Cube	K-1969		K-1969	K-1969	K-1968

VibrAcoustic® Features & Colors Index

Name	Page Number	Model Number	Material	Dimensions L x W x H	Chromatherapy Option	Installation Types			Electrical Requirements		Recommended Drain	Drain Locations				Number of People
						Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible Drain	Left	Right	Center	
VibrAcoustic — 6'																
Underscore	49	K-1174-VB	ACR	72" x 42" x 23"		•		•		•	K-7271 K-7272				•	2
	49	K-1174-VBC	ACR	72" x 42" x 23"	•	•		•		•	K-7271 K-7272				•	2
	49	K-1835-VB	ACR	72" x 36" x 23"		•		•		•	K-7271 K-7272				•	2
	49	K-1835-VBC	ACR	72" x 36" x 23"	•	•		•		•	K-7271 K-7272				•	2
VibrAcoustic — 5.5'																
Underscore	49	K-1173-VB	ACR	66" x 36" x 22"		•		•		•	K-7271 K-7272	•				1
	49	K-1173-VBC	ACR	66" x 36" x 22"	•	•		•		•	K-7271 K-7272	•				1
	49	K-1822-VB	ACR	66" x 32" x 22"		•		•		•	K-7271 K-7272	•				1
	49	K-1822-VBC	ACR	66" x 32" x 22"	•	•		•		•	K-7271 K-7272	•				1
VibrAcoustic — 5'																
Underscore	49	K-1167-VB	ACR	60" x 30" x 19"		•		•		•	K-7271 K-7272	•				1
	49	K-1167-VBC	ACR	60" x 30" x 19"	•	•		•		•	K-7271 K-7272	•				1
	49	K-1167-LVB	ACR	60" x 30" x 19"			IF			•	K-7271 K-7272		•			1
	49	K-1167-LVBC	ACR	60" x 30" x 19"	•		IF			•	K-7271 K-7272		•			1
	49	K-1167-RVB	ACR	60" x 30" x 19"			IF			•	K-7271 K-7272			•		1
	49	K-1167-RVBC	ACR	60" x 30" x 19"	•		IF			•	K-7271 K-7272			•		1
	49	K-1168-VB	ACR	60" x 32" x 21"		•		•		•	K-7271 K-7272	•				1
	49	K-1168-VBC	ACR	60" x 32" x 21"	•	•		•		•	K-7271 K-7272	•				1
	49	K-1849-VB	ACR	60" x 36" x 21"		•		•		•	K-7271 K-7272	•				1
	49	K-1849-VBC	ACR	60" x 36" x 21"	•	•		•		•	K-7271 K-7272	•				1
VibrAcoustic — Under 5'																
Underscore Cube	49	K-1969-VB	ACR	48" x 48" x 34"		•		•		•	K-8150 K-8134 required				•	2
	49	K-1969-VBC	ACR	48" x 48" x 34"	•	•		•		•	K-8150 K-8134 required				•	2

ACR = Acrylic, LITHO = Lithocast®, Cast Acrylic, KECI = KOHLER®, Enameled Cast Iron
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity																		Name
At Base	At Rim		To Overflow	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7	
VibrAcoustic — 6'																				
45¾" x 32"	66" x 36"	19"/139 gal	•		•		•			•			•						Underscore	
45¾" x 32"	66" x 36"	19"/139 gal	•		•		•			•			•							
45¾" x 25 ¹⁵ / ₁₆ "	65¾" x 29 ⁵ / ₁₆ "	19 ⁷ / ₁₆ "/82 gal	•		•		•			•			•							
45¾" x 25 ¹⁵ / ₁₆ "	65¾" x 29 ⁵ / ₁₆ "	19 ⁷ / ₁₆ "/82 gal	•		•		•			•			•							
VibrAcoustic — 5.5'																				
44½" x 26½"	60¼" x 30¼"	17¾"/102 gal	•		•		•			•			•						Underscore	
44½" x 26½"	60¼" x 30¼"	17¾"/102 gal	•		•		•			•			•							
44½" x 22 ⁵ / ₁₆ "	59½" x 25½"	18"/85½ gal	•		•		•			•			•							
44½" x 22 ⁵ / ₁₆ "	59½" x 25½"	18"/85½ gal	•		•		•			•			•							
VibrAcoustic — 5'																				
42¾" x 20"	54¾" x 24"	15"/60 gal	•		•		•			•			•						Underscore	
42¾" x 20"	54¾" x 24"	15"/60 gal	•		•		•			•			•							
42 ⁷ / ₁₆ " x 20"	54 ⁵ / ₁₆ " x 24"	15"/60 gal	•		•		•			•			•							
42 ⁷ / ₁₆ " x 20"	54 ⁵ / ₁₆ " x 24"	15"/60 gal	•		•		•			•			•							
42 ⁷ / ₁₆ " x 20"	54 ⁵ / ₁₆ " x 24"	15"/60 gal	•		•		•			•			•							
42 ⁷ / ₁₆ " x 20"	54 ⁵ / ₁₆ " x 24"	15"/60 gal	•		•		•			•			•							
42 ⁷ / ₁₆ " x 20"	54 ⁵ / ₁₆ " x 24"	15"/60 gal	•		•		•			•			•							
42" x 23½"	55½" x 27½"	17½"/81 gal	•		•		•			•			•							
42" x 23½"	55½" x 27½"	17½"/81 gal	•		•		•			•			•							
39 ⁹ / ₁₆ " x 24 ¹¹ / ₁₆ "	53¾" x 29½"	17½"/81 gal	•		•		•			•			•							
39 ⁹ / ₁₆ " x 24 ¹¹ / ₁₆ "	53¾" x 29½"	17½"/81 gal	•		•		•			•			•							
VibrAcoustic — Under 5'																				
39¾" x 39¾"	44¾" x 44¾"	27½"/171 gal	•				•											Underscore Cube		
39¾" x 39¾"	44¾" x 44¾"	27½"/171 gal	•				•													

Effervescence Features & Colors Index

Name	Page Number	Model Number	Material	Dimensions L x W x H	With Inline Heater	Chromatherapy	Installation Types		Electrical Requirements		Recommended Drain	Required Jet Trim	Drain Locations				Number of People	
							Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired			Reversible Drain	Left	Right	Center		
Effervescence — Over 6'																		
sōk overflowing bath	51	K-1166-C1	ACR	103¾" x 41" x 26½"	•	•	•		•	2•	K-7223 required						•	2
	51	K-1166-RE	ACR	103¾" x 41" x 26½"	•		•		•	2•	K-7223 required						•	2
	*	K-1188-C1	ACR	75" x 41" x 25"	•	•	•		•	2•	K-7193 required			•				1
	*	K-1188-RE	ACR	75" x 41" x 25"	•		•		•	2•	K-7193 required			•				1
	51	K-1189-C1	ACR	75" x 41" x 25"	•	•	•		•	2•	K-7193 required			•				1
	51	K-1189-RE	ACR	75" x 41" x 25"	•		•		•	2•	K-7193 required			•				1
Effervescence — 6'																		
Memoirs	51	K-1418-CT	ACR	72" x 42" x 22"	•	•	•			•	K-7265						•	2
	51	K-1418-AH	ACR	72" x 42" x 22"	•	•	•			•	K-7265						•	2
	51	K-1418-V	ACR	72" x 42" x 22"	•	•	•			•	K-7265						•	2
Purist	51	K-1110-CT	ACR	72" x 46" x 25 ¹¹ / ₁₆ "	•	•	•		•	•	K-7273 required			•				1
	51	K-1110-AH	ACR	72" x 46" x 25 ¹¹ / ₁₆ "	•	•	•		•	•	K-7273 required			•				1
	51	K-1110-V	ACR	72" x 46" x 25 ¹¹ / ₁₆ "	•	•	•		•	•	K-7273 required			•				1
Effervescence — 5.5'																		
Consonance	51	K-1111-VLN	ACR	69¼" x 69¼" x 24"	•	•	•		•	2•	K-7167	K-9696		•				2
Portrait	51	K-1457-CT	ACR	67" x 42" x 22"	•	•	•			•	K-7265						•	2
	51	K-1457-AH	ACR	67" x 42" x 22"	•	•	•			•	K-7265						•	2
	51	K-1457-LV	ACR	67" x 42" x 22"	•	•	•			•	K-7265						•	2
	51	K-1457-RV	ACR	67" x 42" x 22"	•	•	•			•	K-7265						•	2
Tea-for-Two	51	K-856-CT	KECI	66" x 36" x 24"	•	•	•		•	•	K-7147-AF			•				1
	51	K-856-AH	KECI	66" x 36" x 24"	•	•	•		•	•	K-7147-AF			•				1
	51	K-856-V	KECI	66" x 36" x 27"	•	•	•		•	•	K-7147-AF			•				1

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER Enameled Cast Iron
IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions			Water Capacity	Number of Ports	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7	Name	
At Base	At Rim	To Overflow																				
Effervescence — Over 6'																						
60" x 25½"	84" x 31½"	24⅝"/185 gal	13 Effervescence	•				•													sōk overflowing bath	
60" x 25½"	84" x 31½"	24⅝"/185 gal	13 Effervescence	•				•														
45" x 25½"	63" x 31½"	23½"/142 gal	11 Effervescence	•				•														
45" x 25½"	63" x 31½"	23½"/142 gal	11 Effervescence	•				•														
45" x 25½"	63" x 31½"	23½"/142 gal	11 Effervescence	•				•														
45" x 25½"	63" x 31½"	23½"/142 gal	11 Effervescence	•				•														
Effervescence — 6'																						
48" x 27"	60" x 30"	16"/94 gal	8 Effervescence	•			•		•		•	•	•		•	•	•		•	•	Memoirs	
48" x 27"	60" x 30"	16"/94 gal	8 Effervescence, 8 Flexjet	•			•		•		•	•	•		•	•	•		•	•		
48" x 27"	60" x 30"	16"/94 gal	10 backjets, 8 Effervescence, 6 Flexjet, 2 neckjets	•			•		•		•	•	•		•	•	•		•	•	Purist	
45" x 25½"	63" x 31½"	21"/115 gal	8 Effervescence	•			•		•		•	•	•		•	•	•		•	•		
45" x 25½"	63" x 31½"	21"/115 gal	8 Effervescence, 8 Flexjet	•			•		•		•	•	•		•	•	•		•	•		
45" x 25½"	63" x 31½"	21"/115 gal	10 backjets, 8 Effervescence, 6 Flexjet, 2 neckjets	•			•		•		•	•	•		•	•	•		•	•	Tea-for-Two	
Effervescence — 5.5'																						
45" x 43"	57" x 57"	19½"/170 gal	20 backjets, 8 Effervescence, 6 Flexjet	•			•		•			•										
50" x 29"	61" x 32"	16"/100 gal	8 Effervescence	•			•		•		•	•	•		•	•	•		•	•	Portrait	
50" x 29"	61" x 32"	16"/100 gal	8 Effervescence, 8 Flexjet	•			•		•		•	•	•		•	•	•		•	•		
50" x 29"	61" x 32"	16"/100 gal	10 backjets, 8 Effervescence, 6 Flexjet, 2 neckjets	•			•		•		•	•	•		•	•	•		•	•		
50" x 29"	61" x 32"	16"/100 gal	10 backjets, 8 Effervescence, 6 Flexjet, 2 neckjets	•			•		•		•	•	•		•	•	•		•	•		
46" x 25"	58" x 29"	19½"/105 gal	8 Effervescence	•			•	•	•	•	•	•	•		•	•	•	•	•	•	Tea-for-Two	
46" x 25"	58" x 29"	19½"/105 gal	8 Effervescence, 8 Flexjet	•			•	•	•	•	•	•	•		•	•	•	•	•	•		
42" x 25"	58" x 29"	18"/96 gal	8 Effervescence, 10 backjets, 6 Flexjet	•			•	•	•	•	•	•	•		•	•	•	•	•	•		

BubbleMassage™ Features & Colors Index

Name	Page Number	Material	Model Number	Dimensions L x W x H	Chromatherapy Option	Installation Types			Electrical Requirements		Recommended Drain	Drain Location				Number of People
						Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible Drain	Left	Right	Center	
BubbleMassage Baths — 6'																
Archer	56	ACR	K-1124-G	72" x 36" x 19"		•				•	K-7271 K-7272 required	•				1
	60	ACR	K-1124-GLA	72" x 36" x 19"			IA			•	K-7271 K-7272 required		•			1
	60	ACR	K-1124-GRA	72" x 36" x 19"			IA			•	K-7271 K-7272 required			•		1
Escale	*	ACR	K-11343-G	71½" x 35½" x 24½"		•			•		K-7219 K-37383				•	1
	*	ACR	K-11343-GCR	71½" x 35½" x 24½"	•	•			•		K-7219 K-37383				•	1
Mariposa	*	ACR	K-1257-G	72" x 36" x 20"		•				•	K-37380	•				1
	60	ACR	K-1257-GLA	72" x 36" x 20"			IA			•	K-37380		•			1
	62	ACR	K-1257-GLF	72" x 36" x 20"			IF			•	K-37380		•			1
	60	ACR	K-1257-GRA	72" x 36" x 20"			IA			•	K-37380			•		1
	62	ACR	K-1257-GRF	72" x 36" x 20"			IF			•	K-37380			•		1
Memoirs	56	ACR	K-1418-G	72" x 42" x 22"		•			•		K-37382				•	2
	56	ACR	K-1418-GCR	72" x 42" x 22"	•	•			•		K-37382				•	2
Portrait	57	ACR	K-1457-G	67" x 42" x 22"		•			•		K-7265				•	2
	57	ACR	K-1457-GCR	67" x 42" x 22"	•	•			•		K-7265				•	2
Purist	56	ACR	K-1110-G	72" x 46" x 25 ¹¹ / ₁₆ "		•		•	•		K-7273	•				1
	56	ACR	K-1110-GCR	72" x 46" x 25 ¹¹ / ₁₆ "	•	•		•	•		K-7273	•				1
Sunward	56	ACR	K-1164-G	72" x 42" x 21"		•		•		•	K-11677	•				2
Tea-for-Two	*	KECI	K-865-G0	71¾" x 36" x 20⅞"		•		•	•		K-7169-AF required	•				2
	*	KECI	K-865-G47	71¾" x 36" x 20⅞"		•		•	•		K-7169-AF required	•				2
	*	KECI	K-865-G96	71¾" x 36" x 20⅞"		•		•	•		K-7169-AF required	•				2
	*	KECI	K-865-GNY	71¾" x 36" x 20⅞"		•		•	•		K-7169-AF required	•				2
	*	KECI	K-865-GBN K-865-GCP K-865-GSN	71¾" x 36" x 20⅞"		•		•	•		K-7169-AF required	•				2
	*	KECI	K-865-GC0	71¾" x 36" x 20⅞"	•	•		•	•		K-7169-AF required	•				2
	*	KECI	K-865-GC47	71¾" x 36" x 20⅞"	•	•		•	•		K-7169-AF required	•				2
	*	KECI	K-865-GC96	71¾" x 36" x 20⅞"	•	•		•	•		K-7169-AF required	•				2

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER Enameled Cast Iron
IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

KOHLER.com/Bathing

BubbleMassage™ Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	Chromatherapy Option	Installation Types			Electrical Requirements		Recommended Drain	Drain Location				Number of People
						Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible Drain	Left	Right	Center	
BubbleMassage Baths — 6'																
Tea-for-Two	*	KECI	K-865-GCNY	71¾" x 36" x 20⅞"	•	•		•	•		K-7169-AF required	•				2
	*	KECI	K-865-GCBN K-865-GCCP K-865-GCSN	71¾" x 36" x 20⅞"	•	•		•	•		K-7169-AF required	•				2
Underscore	56	ACR	K-1174-G	72" x 42" x 23"		•		•	•		K-7271 K-7272 required				•	2
	56	ACR	K-1174-GCR	72" x 42" x 23"	•	•		•	•		K-7271 K-7272 required				•	2
	*	ACR	K-1835-G	72" x 36" x 23"		•		•	•		K-7271 K-7272 required				•	2
	*	ACR	K-1835-GCR	72" x 36" x 23"	•	•		•	•		K-7271 K-7272 required				•	2
Winward	60	ACR	K-1114-GLA	72" x 42" x 21"			IA			•	K-11677 K-37380		•			2
	62	ACR	K-1114-GLF	72" x 42" x 21"			IF			•	K-11677 K-37380		•			2
	60	ACR	K-1114-GRA	72" x 42" x 21"			IA			•	K-11677 K-37380			•		2
	62	ACR	K-1114-GRF	72" x 42" x 21"			IF			•	K-11677 K-37380			•		2
BubbleMassage Baths — 5.5'																
Bancroft	*	ACR	K-1158-G	65⅞" x 41¼" x 22"		•		•	•		K-37382	•				2
	*	ACR	K-1158-GCR	65⅞" x 41¼" x 22"	•	•		•	•		K-37382	•				2
Iron Works	57	KECI	K-712-G0	66" x 36" x 19¼"		•			•		K-7103 K-7259	•				1
	57	KECI	K-712-G47	66" x 36" x 19¼"		•			•		K-7103 K-7259	•				1
	57	KECI	K-712-G96	66" x 36" x 19¼"		•			•		K-7103 K-7259	•				1
	57	KECI	K-712-GNY	66" x 36" x 19¼"		•			•		K-7103 K-7259	•				1
	57	KECI	K-712-GBN K-712-GCP K-712-GSN	66" x 36" x 19¼"		•			•		K-7103 K-7259	•				1
Kathryn	*	KECI	K-809-G0	66" x 36" x 24"		•		•	•		K-7145 K-7265	•				1
	*	KECI	K-809-G47	66" x 36" x 24"		•		•	•		K-7145 K-7265	•				1
	*	KECI	K-809-G96	66" x 36" x 24"		•		•	•		K-7145 K-7265	•				1

*To learn more about KOHLER® baths not featured in this catalog, visit KOHLER.com/Bathing.

ACR = Acrylic, LITHO = Lithocast, Cast Acrylic, KECI = KOHLER Enameled Cast Iron
IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity																		
At Base	At Rim	To Overflow	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7	Name	
BubbleMassage Baths — 6'																				
49" x 22"	62" x 28"	17"/89 gal			•														Tea-for-Two	
49" x 22"	62" x 28"	17"/89 gal	•		•	•	•	•		•			•		•			•		
45¾" x 32"	66" x 36"	19"/139 gal	•		•		•			•			•						Underscore	
45¾" x 32"	66" x 36"	19"/139 gal	•		•		•			•			•							
45¾" x 23 ¹⁵ / ₁₆ "	65¾" x 29 ⁵ / ₁₆ "	19 ⁷ / ₁₆ "/82 gal	•		•		•			•			•							
45¾" x 23 ¹⁵ / ₁₆ "	65¾" x 29 ⁵ / ₁₆ "	19 ⁷ / ₁₆ "/82 gal	•		•		•			•			•							
55" x 23¼"	64" x 32"	15"/79 gal	•		•		•			•	•		•						Winward	
55" x 23¼"	64" x 32"	15"/79 gal	•		•		•			•	•		•							
55" x 23¼"	64" x 32"	15"/79 gal	•		•		•			•	•		•							
55" x 23¼"	64" x 32"	15"/79 gal	•		•		•			•	•		•							
BubbleMassage Baths — 5.5'																				
46" x 30"	57" x 34"	16"/95 gal	•		•		•		•	•	•		•	•	•		•	•	Bancroft	
46" x 30"	57" x 34"	16"/95 gal	•		•		•		•	•	•		•	•	•		•	•		
47½" x 25"	55" x 29"	12½"/64 gal	•			•													Iron Works	
47½" x 25"	55" x 29"	12½"/64 gal						•		•										
47½" x 25"	55" x 29"	12½"/64 gal					•													
47½" x 25"	55" x 29"	12½"/64 gal			•															
47½" x 25"	55" x 29"	12½"/64 gal	•		•	•	•	•		•			•		•			•		
45" x 25"	58" x 29"	17¼"/97 gal	•			•													Kathryn	
45" x 25"	58" x 29"	17¼"/97 gal						•		•										
45" x 25"	58" x 29"	17¼"/97 gal					•													

BubbleMassage™ Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	Chromatherapy Option	Installation Types			Electrical Requirements		Recommended Drain	Drain Location				Number of People
						Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible Drain	Left	Right	Center	
BubbleMassage Baths — 5.5'																
Kathryn	*	KECI	K-809-GNY	66" x 36" x 24"		•		•	•		K-7145 K-7265	•				1
	*	KECI	K-809-GBN K-809-GCP K-809-GSN	66" x 36" x 24"		•		•	•		K-7145 K-7265	•				1
Portrait	57	ACR	K-1457-G	67" x 42" x 22"		•			•		K-7265 K-37382				•	2
	57	ACR	K-1457-GCR	67" x 42" x 22"	•	•			•		K-7265 K-37382				•	2
Réve	57	KECI	K-820-G0	66 ¹⁵ / ₁₆ " x 31 ¹ / ₂ " x 19 ¹ / ₁₆ "		•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-820-G47	66 ¹⁵ / ₁₆ " x 31 ¹ / ₂ " x 19 ¹ / ₁₆ "		•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-820-G96	66 ¹⁵ / ₁₆ " x 31 ¹ / ₂ " x 19 ¹ / ₁₆ "		•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-820-GNY	66 ¹⁵ / ₁₆ " x 31 ¹ / ₂ " x 19 ¹ / ₁₆ "		•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-820-GBN K-820-GCP K-820-GSN	66 ¹⁵ / ₁₆ " x 31 ¹ / ₂ " x 19 ¹ / ₁₆ "		•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-820-GC0	66 ¹⁵ / ₁₆ " x 31 ¹ / ₂ " x 19 ¹ / ₁₆ "	•	•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-820-GC47	66 ¹⁵ / ₁₆ " x 31 ¹ / ₂ " x 19 ¹ / ₁₆ "	•	•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-820-GC96	66 ¹⁵ / ₁₆ " x 31 ¹ / ₂ " x 19 ¹ / ₁₆ "	•	•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-820-GCNY	66 ¹⁵ / ₁₆ " x 31 ¹ / ₂ " x 19 ¹ / ₁₆ "	•	•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-820-GCBN K-820-GCCP K-820-GCSN	66 ¹⁵ / ₁₆ " x 31 ¹ / ₂ " x 19 ¹ / ₁₆ "	•	•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-899-G0	66 ¹⁵ / ₁₆ " x 36" x 19 ¹ / ₁₆ "		•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-899-G47	66 ¹⁵ / ₁₆ " x 36" x 19 ¹ / ₁₆ "		•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-899-G96	66 ¹⁵ / ₁₆ " x 36" x 19 ¹ / ₁₆ "		•		•	•		K-7271 K-7272 required				•	1

*To learn more about KOHLER® baths not featured in this catalog, visit KOHLER.com/Bathing.

ACR = Acrylic, LITHO = Lithocast, Cast Acrylic, KECI = KOHLER Enameled Cast Iron
IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity																		
At Base	At Rim	To Overflow	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7	Name	
BubbleMassage Baths — 5.5'																				
45" x 25"	58" x 29"	17¾"/97 gal			•														Kathryn	
45" x 25"	58" x 29"	17¾"/97 gal	•		•	•	•	•		•			•		•			•		
50" x 29"	61" x 32"	16"/100 gal	•		•		•		•	•	•		•	•	•		•	•	Portrait	
50" x 29"	61" x 32"	16"/100 gal	•		•		•		•	•	•		•	•	•		•	•		
49" x 22"	62½" x 24¾"	19"/75 gal	•			•													Rêve	
49" x 22"	62½" x 24¾"	19"/75 gal						•		•										
49" x 22"	62½" x 24¾"	19"/75 gal					•													
49" x 22"	62½" x 24¾"	19"/75 gal			•															
49" x 22"	62½" x 24¾"	19"/75 gal	•		•		•	•		•	•		•		•		•	•		
49" x 22"	62½" x 24¾"	19"/75 gal	•			•														
49" x 22"	62½" x 24¾"	19"/75 gal						•		•										
49" x 22"	62½" x 24¾"	19"/75 gal			•															
49" x 22"	62½" x 24¾"	19"/75 gal	•		•		•	•		•	•		•		•		•	•		
49" x 26½"	62½" x 29¼"	19"/90 gal	•			•														
49" x 26½"	62½" x 29¼"	19"/90 gal						•		•										
49" x 26½"	62½" x 29¼"	19"/90 gal					•													

BubbleMassage™ Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	Chromatherapy Option	Installation Types			Electrical Requirements		Recommended Drain	Drain Location				Number of People
						Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible Drain	Left	Right	Center	
BubbleMassage Baths — 5.5'																
Réve	57	KECI	K-899-GNY	66 ¹⁵ / ₁₆ " x 36" x 19 ¹ / ₁₆ "		•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-899-GBN K-899-GCP K-899-GSN	66 ¹⁵ / ₁₆ " x 36" x 19 ¹ / ₁₆ "		•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-899-GC0	66 ¹⁵ / ₁₆ " x 36" x 19 ¹ / ₁₆ "	•	•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-899-GC47	66 ¹⁵ / ₁₆ " x 36" x 19 ¹ / ₁₆ "	•	•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-899-GC96	66 ¹⁵ / ₁₆ " x 36" x 19 ¹ / ₁₆ "	•	•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-899-GCNY	66 ¹⁵ / ₁₆ " x 36" x 19 ¹ / ₁₆ "	•	•		•	•		K-7271 K-7272 required				•	1
	57	KECI	K-899-GCBN K-899-GCCP K-899-GCSN	66 ¹⁵ / ₁₆ " x 36" x 19 ¹ / ₁₆ "	•	•		•	•		K-7271 K-7272 required				•	1
Tea-for-Two	57	KECI	K-856-G0	66" x 36" x 24"		•		•	•		K-7147-AF	•				2
	57	KECI	K-856-G47	66" x 36" x 24"		•		•	•		K-7147-AF	•				2
	57	KECI	K-856-G96	66" x 36" x 24"		•		•	•		K-7147-AF	•				2
	57	KECI	K-856-GNY	66" x 36" x 24"		•		•	•		K-7147-AF	•				2
	57	KECI	K-856-GBN K-856-GCP K-856-GSN	66" x 36" x 24"		•		•	•		K-7147-AF	•				2
	57	KECI	K-856-GC0	66" x 36" x 24"	•	•		•	•		K-7147-AF	•				2
	57	KECI	K-856-GC47	66" x 36" x 24"	•	•		•	•		K-7147-AF	•				2
	57	KECI	K-856-GC96	66" x 36" x 24"	•	•		•	•		K-7147-AF	•				2
	57	KECI	K-856-GCNY	66" x 36" x 24"	•	•		•	•		K-7147-AF	•				2
	57	KECI	K-856-GCBN K-856-GCCP K-856-GCSN	66" x 36" x 24"	•	•		•	•		K-7147-AF	•				2
Underscore	57	ACR	K-1173-G	66" x 36" x 22"		•		•	•		K-7271 K-7272 required	•				1
	57	ACR	K-1173-GCR	66" x 36" x 22"	•	•		•	•		K-7271 K-7272 required	•				1
	58	ACR	K-1822-G	66" x 32" x 22"		•		•	•		K-7271 K-7272 required	•				1
	58	ACR	K-1822-GCR	66" x 32" x 22"	•	•		•	•		K-7271 K-7272 required	•				1

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enameled Cast Iron
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
-------------------------	--	----------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

BubbleMassage™ Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	Chromatherapy Option	Installation Types			Electrical Requirements		Recommended Drain	Drain Location				Number of People	
						Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible Drain	Left	Right	Center		
BubbleMassage Baths — 5'																	
Archer	59	ACR	K-1122-G	60" x 32" x 19"		•					•	K-7271 K-7272 required	•				1
	61	ACR	K-1122-GLA	60" x 32" x 19"			IA				•	K-7271 K-7272 required		•			1
	61	ACR	K-1122-GRA	60" x 32" x 19"			IA				•	K-7271 K-7272 required			•		1
Bancroft	61	ACR	K-1151-GLA	60" x 32" x 20"			IA				•	K-11677		•			1
	61	ACR	K-1151-GRA	60" x 32" x 20"			IA				•	K-11677			•		1
Devonshire	59	ACR	K-1357-G	60" x 32" x 20"		•					•	K-37382 K-37383	•				1
	61	ACR	K-1357-GLA	60" x 32" x 20"			IA				•	K-37382 K-37383		•			1
	61	ACR	K-1357-GRA	60" x 32" x 20"			IA				•	K-37382 K-37383			•		1
Elevance Rising Wall	60	ACR	K-1914-GL	60¼" x 33½" x 38"			IA				•	K-7271 K-7272 required		•			1
	60	ACR	K-1914-GLB	60¼" x 33½" x 38"			IA				•	K-7271 K-7272 required		•			1
	60	ACR	K-1914-GR	60¼" x 33½" x 38"			IA				•	K-7271 K-7272 required			•		1
	60	ACR	K-1914-GRB	60¼" x 33½" x 38"			IA				•	K-7271 K-7272 required			•		1
Memoirs	60	KECI	K-723-G0	60" x 33¾" x 17⅞"			IA		•			K-7259 K-37382		•			1
	60	KECI	K-723-G47	60" x 33¾" x 17⅞"			IA		•			K-7259 K-37382		•			1
	60	KECI	K-723-G96	60" x 33¾" x 17⅞"			IA		•			K-7259 K-37382		•			1
	60	KECI	K-723-GNY	60" x 33¾" x 17⅞"			IA		•			K-7259 K-37382		•			1
	60	KECI	K-723-GBN K-723-GCP K-723-GSN	60" x 33¾" x 17⅞"			IA		•			K-7259 K-37382		•			1
	*	KECI	K-724-G0	60" x 33¾" x 17⅞"			IA		•			K-7259 K-37382			•		1
	*	KECI	K-724-G47	60" x 33¾" x 17⅞"			IA		•			K-7259 K-37382			•		1
	*	KECI	K-724-G96	60" x 33¾" x 17⅞"			IA		•			K-7259 K-37382			•		1

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER Enameled Cast Iron
IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

[illegible]

BubbleMassage™ Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	Chromatherapy Option	Installation Types			Electrical Requirements		Recommended Drain	Drain Location				Number of People
						Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible Drain	Left	Right	Center	
BubbleMassage Baths — 5'																
Memoirs	*	KECI	K-724-GNY	60" x 33¾" x 17⅞"			IA		•		K-7259 K-37382			•		1
	*	KECI	K-724-GBN K-724-GCP K-724-GSN	60" x 33¾" x 17⅞"			IA		•		K-7259 K-37382			•		1
Serif	58	ACR	K-1337-G	60" x 42¼" x 21"		•				•	K-7265	•				1
Sunward	58	ACR	K-1162-G	60" x 42" x 21"		•		•		•	K-11677 K-37383	•				1
Tea-for-Two	58	KECI	K-852-G0	60" x 32" x 18¼"		•		•	•		K-7169-AF required	•				1
	58	KECI	K-852-G47	60" x 32" x 18¼"		•		•	•		K-7169-AF required	•				1
	58	KECI	K-852-G96	60" x 32" x 18¼"		•		•	•		K-7169-AF required	•				1
	58	KECI	K-852-GNY	60" x 32" x 18¼"		•		•	•		K-7169-AF required	•				1
	58	KECI	K-852-GBN K-852-GCP K-852-GSN	60" x 32" x 18¼"		•		•	•		K-7169-AF required					1
Tercet	59	ACR	K-1160-G	60" x 60" x 21"		•				•	K-11677				•	2
	*	ACR	K-1160-GF	60" x 60" x 21"			IF			•	K-11677				•	2
	61	ACR	K-1160-GLA	60" x 60" x 21"			IA			•	K-11677				•	2
Underscore	59	ACR	K-1167-G	60" x 30" x 19"		•		•	•		K-7271 K-7272 required	•				1
	59	ACR	K-1167-GCR	60" x 30" x 19"	•	•		•	•		K-7271 K-7272 required	•				1
	62	ACR	K-1167-LFG	60" x 30" x 19"			IF		•		K-7271 K-7272 required		•			1
	62	ACR	K-1167-RFG	60" x 30" x 19"			IF		•		K-7271 K-7272 required			•		1
	62	ACR	K-1167-LGCR	60" x 30" x 19"	•		IF				K-7271 K-7272 required		•			1
	62	ACR	K-1167-RGCR	60" x 30" x 19"	•		IF				K-7271 K-7272 required			•		1
	59	ACR	K-1168-G	60" x 32" x 21"		•		•	•		K-7271 K-7272 required	•				1
	59	ACR	K-1168-GCR	60" x 32" x 21"	•	•		•	•		K-7271 K-7272 required	•				1

*To learn more about KOHLER® baths not featured in this catalog, visit KOHLER.com/Bathing.

ACR = Acrylic, LITHO = Lithocast, Cast Acrylic, KECI = KOHLER Enameled Cast Iron
IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity																	
At Base	At Rim	To Overflow	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7	Name
BubbleMassage Baths — 5'																			
45" x 23"	54" x 25"	11½"/52 gal			•														Memoirs
45" x 23"	54" x 25"	11½"/52 gal	•		•	•	•	•		•			•		•			•	
42" x 28"	55" x 40"	15½"/73 gal	•		•		•			•	•		•					•	Serif
43" x 24½"	53½" x 32½"	15"/57 gal	•		•		•			•	•		•						Sunward
40½" x 20"	52¾" x 24"	13¾"/60 gal	•			•													Tea-for-Two
40½" x 20"	52¾" x 24"	13¾"/60 gal						•		•									
40½" x 20"	52¾" x 24"	13¾"/60 gal					•												
40½" x 20"	52¾" x 24"	13¾"/60 gal			•														
40½" x 20"	52¾" x 24"	13¾"/60 gal	•		•	•	•	•		•			•		•			•	
52" x 38¾"	61" x 46¼"	15"/96 gal	•		•		•			•	•		•						Tercet
52" x 38¾"	61" x 46¼"	15"/96 gal	•		•		•			•	•		•						
52" x 38¾"	61" x 46¼"	15"/96 gal	•		•		•			•	•		•						
42¾" x 20"	54¾" x 24"	15"/60 gal	•		•		•			•			•						Underscore
42¾" x 20"	54¾" x 24"	15"/60 gal	•		•		•			•			•						
42¾" x 20"	54¾" x 24"	15"/60 gal	•		•		•			•			•						
42¾" x 20"	54¾" x 24"	15"/60 gal	•		•		•			•			•						
42¾" x 20"	54¾" x 24"	15"/60 gal	•		•		•			•			•						
42¾" x 20"	54¾" x 24"	15"/60 gal	•		•		•			•			•						
42" x 23½"	55½" x 27½"	17½"/81 gal	•		•		•			•			•						
42" x 23½"	55½" x 27½"	17½"/81 gal	•		•		•			•			•						

BubbleMassage™ Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	Chromatherapy Option	Installation Types			Electrical Requirements		Recommended Drain	Drain Location				Number of People
						Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible Drain	Left	Right	Center	
BubbleMassage Baths — 5'																
Underscore	58	ACR	K-1849-G	60" x 36" x 21"		•		•	•		K-7271 K-7272 required	•				1
	58	ACR	K-1849-GCR	60" x 36" x 21"	•	•		•	•		K-7271 K-7272 required	•				1
Windward	58	ACR	K-1112-G	60" x 42" x 21"		•				•	K-11677	•				1
	58	ACR	K-1112-GF	60" x 42" x 21"		•				•	K-11677	•				1
	60	ACR	K-1112-GLA	60" x 42" x 21"			IA			•	K-11677		•			1
	62	ACR	K-1112-GLF	60" x 42" x 21"			IF			•	K-11677		•			1
	60	ACR	K-1112-GRA	60" x 42" x 21"			IA			•	K-11677			•		1
	62	ACR	K-1112-GRF	60" x 42" x 21"			IF			•	K-11677			•		1
BubbleMassage Baths — Under 5'																
Underscore Cube	59	ACR	K-1969-G	48" x 48" x 34"		•		•	•		K-8150 K-8134 required				•	2
	59	ACR	K-1969-GCR	48" x 48" x 34"	•	•		•	•		K-8150 K-8134 required				•	2

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enameled Cast Iron
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity																	Name
At Base	At Rim	To Overflow	White 0	Honed White HW'1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7	
BubbleMassage Baths — 5'																			
39⅞" x 24⅙"	53⅝" x 29½"	17⅞"/81 gal	•		•		•			•			•						Underscore
39⅞" x 24⅙"	53⅝" x 29½"	17⅞"/81 gal	•		•		•			•			•						
43" x 24⅝"	53½" x 32⅙"	15"/57 gal	•		•		•			•	•		•						
43" x 24⅝"	53½" x 32⅙"	15"/57 gal	•		•		•			•	•		•						
43" x 24⅝"	53½" x 32⅙"	15"/57 gal	•		•		•			•	•		•						
43" x 24⅝"	53½" x 32⅙"	15"/57 gal	•		•		•			•	•		•						
43" x 24⅝"	53½" x 32⅙"	15"/57 gal	•		•		•			•	•		•						
43" x 24⅝"	53½" x 32⅙"	15"/57 gal	•		•		•			•	•		•						
43" x 24⅝"	53½" x 32⅙"	15"/57 gal	•		•		•			•	•		•						
BubbleMassage Baths — Under 5'																			
39⅞" x 39⅞"	44⅝" x 44⅝"	27½"/171 gal	•				•												Underscore Cube
39⅞" x 39⅞"	44⅝" x 44⅝"	27½"/171 gal	•				•												

Whirlpool Features & Colors Index

Name	Page Number	Material	Model Number	Dimensions L x W x H	With Inline Heater	Custom Pump Location	Installation Types			Electrical Requirements		Recommended Drain	Drain Locations				Number of People	Bathing Well Dimensions
							Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible	Left	Right	Center		At Base
Whirlpools — Over 6'																		
RiverBath Quadrangle	68	ACR	K-1360-H2	75" x 45" x 25"	•		•			2•		K-7167				•	2	46" x 34"
	68	ACR	K-1360-H3	75" x 45" x 25"	•		•			2•		K-7167				•	2	46" x 34"
	*	ACR	K-1365-F2	75" x 45" x 26¼"	•		•			2•		K-7167				•	2	46" x 34"
	*	ACR	K-1365-F3	75" x 45" x 26¼"	•		•			2•		K-7167				•	2	46" x 34"
	*	ACR	K-1365-H2	75" x 45" x 25"	•		•			2•		K-7167				•	2	46" x 34"
	*	ACR	K-1365-H3	75" x 45" x 25"	•		•			2•		K-7167				•	2	46" x 34"
RiverBath Round	68	ACR	K-1397-H2	75" diameter	•		•			2•		K-7167	•				2	61" x 46"
	68	ACR	K-1397-H3	75" diameter	•		•			2•		K-7167	•				2	61" x 46"
	68	ACR	K-1399-H2	75" diameter	•		•			2•		K-7167	•				2	61" x 46"
	68	ACR	K-1399-H3	75" diameter	•		•			2•		K-7167	•				2	61" x 46"
Whirlpools — 6'																		
7236	70	ACR	K-1157	72" x 36" x 20⅞"			•				•	K-7265 K-11677	•				1	55" x 21"
	70	ACR	K-1157-H	72" x 36" x 20⅞"	•		•				2•	K-7265 K-11677	•				1	55" x 21"
	70	ACR	K-1157-HN	72" x 36" x 20⅞"	•	•	•				2•	K-7265 K-11677	•				1	55" x 21"
	70	ACR	K-1157-CN	72" x 36" x 20⅞"		•	•				•	K-7265 K-11677	•				1	55" x 21"
	76	ACR	K-1157-L	72" x 36" x 20⅞"				IF			•	K-7265 K-11677		•			1	55" x 21"
	76	ACR	K-1157-LH	72" x 36" x 20⅞"	•			IF			2•	K-7265 K-11677		•			1	55" x 21"
	76	ACR	K-1157-R	72" x 36" x 20⅞"				IF			•	K-7265 K-11677			•		1	55" x 21"
	76	ACR	K-1157-RH	72" x 36" x 20⅞"	•			IF			2•	K-7265 K-11677			•		1	55" x 21"
7242	69	ACR	K-1131	72" x 42" x 20⅞"			•				•	K-7259 K-11677 K-37383				•	2	53" x 26"
	76	ACR	K-1131-F	72" x 42" x 20⅞"				IF			•	K-7259 K-11677 K-37383				•	2	53" x 26"
	69	ACR	K-1131-H	72" x 42" x 20⅞"	•		•				2•	K-7259 K-11677 K-37383				•	2	53" x 26"

*To learn more about KOHLER® baths not featured in this catalog, visit KOHLER.com/Bathing.

ACR = Acrylic, LITHO = Lithocast, Cast Acrylic, KECI = KOHLER Enameled Cast Iron
IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity		Jets																			Name
At Rim	To Overflow	Number of Jets	Required Jet Trim	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7				
Whirlpools — Over 6'																							
57" x 37"	20"/149 gal	8 Flexjet, 4 Riverjets	K-9398	•		•		•			•									RiverBath Quadrangle			
57" x 37"	20"/149 gal	8 Flexjet, 4 Riverjets	K-9398	•		•		•			•												
57" x 37"	20"/149 gal	8 Flexjet, 4 Riverjets	K-9398	•		•		•			•												
57" x 37"	20"/149 gal	8 Flexjet, 4 Riverjets	K-9398	•		•		•			•												
57" x 37"	20"/149 gal	8 Flexjet, 4 Riverjets	K-9398	•		•		•			•												
57" x 37"	20"/149 gal	8 Flexjet, 4 Riverjets	K-9398	•		•		•			•												
68" x 58"	20"/215 gal	8 Flexjet, 4 Riverjets	K-9398	•		•		•			•									RiverBath Round			
68" x 58"	20"/215 gal	8 Flexjet, 4 Riverjets	K-9398	•		•		•			•												
68" x 58"	20"/215 gal	8 Flexjet, 4 Riverjets	K-9398	•		•		•			•												
68" x 58"	20"/215 gal	8 Flexjet, 4 Riverjets	K-9398	•		•		•			•												
Whirlpools — 6'																							
65" x 26"	15"/72 gal	6 ProFlex	color-matched included	•				•			•									7236			
65" x 26"	15"/72 gal	6 ProFlex	color-matched included	•				•			•												
65" x 26"	15"/72 gal	6 ProFlex	color-matched included	•				•			•												
65" x 26"	15"/72 gal	6 ProFlex	color-matched included	•				•			•												
65" x 26"	15"/72 gal	6 ProFlex	color-matched included	•				•			•												
65" x 26"	15"/72 gal	6 ProFlex	color-matched included	•				•			•												
65" x 26"	15"/72 gal	6 ProFlex	color-matched included	•				•			•												
65" x 26"	15"/72 gal	6 ProFlex	color-matched included	•				•			•												
65" x 34"	15"/78 gal	6 ProFlex	color-matched included	•				•			•									7242			
65" x 34"	15"/78 gal	6 ProFlex	color-matched included	•				•			•												
65" x 34"	15"/78 gal	6 ProFlex	color-matched included	•				•			•												

Whirlpool Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	With Inline Heater	Custom Pump Location	Installation Types			Electrical Requirements		Recommended Drain	Drain Locations				Number of People	Bathing Well Dimensions
							Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible	Left	Right	Center		At Base
Whirlpools — 6'																		
7242	69	ACR	K-1131-HE	72" x 42" x 20⅞"	•	•	•				2•	K-7259 K-11677 K-37383				•	2	53" x 26"
	76	ACR	K-1131-FH	72" x 42" x 20⅞"	•			IF			2•	K-7259 K-11677 K-37383				•	2	53" x 26"
	69	ACR	K-1131-CE	72" x 42" x 20⅞"		•	•				•	K-7259 K-11677 K-37383				•	2	53" x 26"
7242 Oval	69	ACR	K-1148	72" x 42½" x 19¾"			•		•		•	K-7265 K-11677				•	2	53" x 26"
	69	ACR	K-1148-CD K-1148-CH	72" x 42½" x 19¾"		•	•		•		•	K-7265 K-11677				•	2	53" x 26"
	69	ACR	K-1148-H	72" x 42½" x 19¾"	•		•		•		2•	K-7265 K-11677				•	2	53" x 26"
	69	ACR	K-1148-HD K-1148-HH	72" x 42½" x 19¾"	•	•	•		•		2•	K-7265 K-11677				•	2	53" x 26"
Archer	70	ACR	K-1124	72" x 36" x 19"			•				•	K-7271 K-7272 required	•				1	51⅝" x 21"
	70	ACR	K-1124-H	72" x 36" x 19"	•		•				2•	K-7271 K-7272 required	•				1	51⅝" x 21"
	78	ACR	K-1124-HL	72" x 36" x 19"	•			IA			2•	K-7271 K-7272 required		•			1	51⅝" x 21"
	78	ACR	K-1124-HR	72" x 36" x 19"	•			IA			2•	K-7271 K-7272 required			•		1	51⅝" x 21"
	78	ACR	K-1124-LA	72" x 36" x 19"				IA			•	K-7271 K-7272 required		•			1	51⅝" x 21"
	78	ACR	K-1124-RA	72" x 36" x 19"				IA			•	K-7271 K-7272 required			•		1	51⅝" x 21"
Caribbean	69	KECI	K-812-H2	72" x 36" x 18¼"	•		•		•	•		K-7259 K-37383	•				1	47" x 24"
	69	KECI	K-812-N1	72" x 36" x 18¼"	•		•		•	•		K-7259 K-37383	•				1	47" x 24"
Consonance	51	ACR	K-1111-VLN	69¼" x 69¼" x 24"	•		•		•	2•		K-7167	•				2	45" x 43"
	68	ACR	K-1111-H2	69¼" x 69¼" x 24"	•		•		•	•		K-7167	•				2	45" x 43"
Mariposa	70	ACR	K-1257	72" x 36" x 20"			•				•	K-7259 K-37380 K-37383	•				1	50" x 24"
	70	ACR	K-1257-H	72" x 36" x 20"	•		•				2•	K-7259 K-37380 K-37383	•				1	50" x 24"

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enameled Cast Iron
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity		Jets																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
-------------------------	--	----------------	--	------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Whirlpool Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	With Inline Heater	Custom Pump Location	Installation Types			Electrical Requirements		Recommended Drain	Drain Locations				Number of People	Bathing Well Dimensions
							Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible	Left	Right	Center		At Base
Whirlpools — 6'																		
Mariposa	70	ACR	K-1257-HB	72" x 36" x 20"	•	•	•				2•	K-7259 K-37380 K-37383	•				1	50" x 24"
	70	ACR	K-1257-HL	72" x 36" x 20"	•			IA			2•	K-7259 K-37380 K-37383		•			1	50" x 24"
	78	ACR	K-1257-HR	72" x 36" x 20"	•			IA			2•	K-7259 K-37380 K-37383			•		1	50" x 24"
	76	ACR	K-1257-L	72" x 36" x 20"				IF			•	K-7259 K-37380 K-37383		•			1	50" x 24"
	78	ACR	K-1257-LA	72" x 36" x 20"				IA			•	K-7259 K-37380 K-37383		•			1	50" x 24"
	76	ACR	K-1257-LH	72" x 36" x 20"	•			IF			2•	K-7259 K-37380 K-37383		•			1	50" x 24"
	76	ACR	K-1257-R	72" x 36" x 20"				IF			•	K-7259 K-37380 K-37383			•		1	50" x 24"
	78	ACR	K-1257-RA	72" x 36" x 20"				IA			•	K-7259 K-37380 K-37383			•		1	50" x 24"
	70	ACR	K-1257-CB	72" x 36" x 20"		•	•				•	K-7259 K-37380 K-37383	•				1	50" x 24"
	76	ACR	K-1257-RH	72" x 36" x 20"	•			IF			2•	K-7259 K-37380 K-37383			•		1	50" x 24"
Memoirs	68	ACR	K-1418-H2	72" x 42" x 22"	•		•			•		K-7265				•	2	48" x 27"
	68	ACR	K-1418-HC K-1418-HE K-1418-HH K-1418-HN	72" x 42" x 22"	•	•	•			•		K-7265				•	2	48" x 27"
	68	ACR	K-1418-AH	72" x 42" x 22"	•		•			•		K-7265				•	2	48" x 27"
	68	ACR	K-1418-M	72" x 42" x 22"	•		•			•		K-7265				•	2	42" x 27"
	68	ACR	K-1418-V	72" x 42" x 22"	•		•			•		K-7265				•	2	42" x 27"
Purist	68	ACR	K-1110	72" x 46" x 25 ¹ / ₁₆ "	•		•		•	•		K-7273 required	•				1	45" x 25 ¹ / ₂ "
	68	ACR	K-1110-AH	72" x 46" x 25 ¹ / ₁₆ "	•		•		•	•		K-7273 required	•				1	45" x 25 ¹ / ₂ "

ACR = Acrylic, LITHO = Lithocast®, Cast Acrylic, KECI = KOHLER®, Enameled Cast Iron
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity		Jets																	Name
At Rim	To Overflow	Number of Jets	Required Jet Trim	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7		
Whirlpools — 6'																					
65" x 27"	14"/72 gal	6 ProFlex	color-matched included	•		•		•			•	•		•						Mariposa	
65" x 27"	14"/72 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							
65" x 27"	14"/72 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							
65" x 27"	14"/72 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							
65" x 27"	14"/72 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							
65" x 27"	14"/72 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							
65" x 27"	14"/72 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							
65" x 27"	14"/72 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							
65" x 27"	14"/72 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							
65" x 27"	14"/72 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							
60" x 30"	16"/94 gal	8 Flexjet	K-9698	•		•		•		•	•	•		•	•	•		•	•	Memoirs	
60" x 30"	16"/94 gal	8 Flexjet	K-9698	•		•		•		•	•	•		•	•	•		•	•		
60" x 30"	16"/94 gal	8 Effervescence, 8 Flexjet	K-9698	•		•		•		•	•	•		•	•	•		•	•		
60" x 30"	16"/86 gal	10 backjets, 6 Flexjet, 2 neckjets	K-9698	•		•		•		•	•	•		•	•	•		•	•		
60" x 30"	16"/86 gal	10 backjets, 8 Effervescence, 6 Flexjet, 2 neckjets,	K-9698	•		•		•		•	•	•		•	•	•		•	•		
63" x 31½"	21"/115 gal	8 Flexjet	K-9698	•				•		•	•	•		•	•	•		•	•	Purist	
63" x 31½"	21"/115 gal	8 Effervescence, 6 Flexjet	K-9698	•				•		•	•	•		•	•	•		•	•		

Whirlpool Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	With Inline Heater	Custom Pump Location	Installation Types			Electrical Requirements		Recommended Drain	Drain Locations				Number of People	Bathing Well Dimensions
							Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible	Left	Right	Center		At Base
Whirlpools — 6'																		
Purist	68	ACR	K-1110-M	72" x 46" x 23 ³ / ₁₆ "	•		•		•	•		K-7273 required	•				1	42" x 25 ¹ / ₂ "
	68	ACR	K-1110-V	72" x 46" x 23 ³ / ₁₆ "	•		•		•	•		K-7273 required	•				1	42" x 25 ¹ / ₂ "
Sunward	69	ACR	K-1164	72" x 42" x 21"			•		•		•	K-7259 K-11677	•				2	55 ¹ / ₄ " x 23 ¹ / ₂ "
	69	ACR	K-1164-CB	72" x 42" x 21"		•	•		•		•	K-7259 K-11677	•				2	55 ¹ / ₄ " x 23 ¹ / ₂ "
	69	ACR	K-1164-H	72" x 42" x 21"	•		•		•		2•	K-7259 K-11677	•				2	55 ¹ / ₄ " x 23 ¹ / ₂ "
	69	ACR	K-1164-HB	72" x 42" x 21"	•	•	•		•		2•	K-7259 K-11677	•				2	55 ¹ / ₄ " x 23 ¹ / ₂ "
Tea-for-Two	70	KECI	K-865-H2	71 ³ / ₄ " x 36" x 20 ⁷ / ₈ "	•		•		•	•		K-7169-AF required	•				2	49" x 22"
	70	KECI	K-865-N1	71 ³ / ₄ " x 36" x 20 ⁷ / ₈ "	•		•		•	•		K-7169-AF required	•				2	49" x 22"
	70	KECI	K-865-HD K-865-HB K-865-HM	71 ³ / ₄ " x 36" x 20 ⁷ / ₈ "	•	•	•		•	•		K-7169-AF required	•				2	49" x 22"
Underscore	68	ACR	K-1174-H2	72" x 42" x 23"	•		•		•	•		K-7271 K-7272				•	2	45 ³ / ₄ " x 32"
	70	ACR	K-1835-H2	72" x 36" x 23"	•		•		•	•		K-7271 K-7272				•	2	45 ³ / ₄ " x 25 ¹⁵ / ₁₆ "
Vintage	69	KECI	K-702-H2	72" x 42" x 21 ³ / ₁₆ "	•		•			•		K-7158 K-7265 K-37383				•	2	44" x 28"
	69	KECI	K-702-N1	72" x 42" x 21 ³ / ₁₆ "	•		•			•		K-7158 K-7265 K-37383				•	2	44" x 28"
Windward	69	ACR	K-1114	72" x 42" x 21"			•				•	K-7259 K-11677 K-37383	•				2	55" x 23 ¹ / ₄ "
	69	ACR	K-1114-CB	72" x 42" x 21"		•	•				•	K-7259 K-11677 K-37383	•				2	55" x 23 ¹ / ₄ "
	69	ACR	K-1114-H	72" x 42" x 21"	•		•				2•	K-7259 K-11677 K-37383	•				2	55" x 23 ¹ / ₄ "
	69	ACR	K-1114-HB	72" x 42" x 21"	•	•	•				2•	K-7259 K-11677 K-37383	•				2	55" x 23 ¹ / ₄ "
	78	ACR	K-1114-HL	72" x 42" x 21"	•			IA			2•	K-7259 K-11677 K-37383		•			2	55" x 23 ¹ / ₄ "

ACR = Acrylic, LITHO = Lithocast®, Cast Acrylic, KECI = KOHLER®, Enameled Cast Iron
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions	Water Capacity	Jets																				
At Rim	To Overflow	Number of Jets	Required Jet Trim	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7		Name	
Whirlpools — 6'																						
63" x 31½"	19¼"/96 gal	10 backjets, 6 Flexjet, 2 neckjets	K-9698	•				•		•	•	•		•	•	•		•	•		Purist	
63" x 31½"	19¼"/96 gal	10 backjets, 8 Effervescence, 6 Flexjet, 2 neckjets,	K-9698	•				•		•	•	•		•	•	•		•	•			
64½" x 32"	15"/75 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							Sunward	
64½" x 32"	15"/75 gal	6 ProFlex	color-matched included	•		•		•			•	•		•								
64½" x 32"	15"/75 gal	6 ProFlex	color-matched included	•		•		•			•	•		•								
64½" x 32"	15"/75 gal	6 ProFlex	color-matched included	•		•		•			•	•		•								
62" x 28"	17"/89 gal	6 Flexjet	K-9696	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Tea-for-Two	
62" x 28"	17"/89 gal	6 Flexjet, 2 neckjets	K-9696	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
62" x 28"	17"/89 gal	6 Flexjet	K-9696	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
66" x 36"	19"/139 gal	8 Flexjet	K-9698	•		•		•			•			•							Underscore	
65⅝" x 29⅝"	19⅞"/113 gal	8 Flexjet	K-9698	•		•		•			•			•								
60" x 32"	15"/82 gal	5 Flexjet	K-9695	•		•		•			•			•							Vintage	
60" x 32"	15"/82 gal	5 Flexjet, 2 neckjets	K-9695	•		•		•			•			•								
64" x 32"	15"/78½ gal	6 ProFlex	color-matched included	•		•		•			•	•		•							Windward	
64" x 32"	15"/78½ gal	6 ProFlex	color-matched included	•		•		•			•	•		•								
64" x 32"	15"/78½ gal	6 ProFlex	color-matched included	•		•		•			•	•		•								
64" x 32"	15"/78½ gal	6 ProFlex	color-matched included	•		•		•			•	•		•								
64" x 32"	15"/78½ gal	6 ProFlex	color-matched included	•		•		•			•	•		•								

Whirlpool Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	With Inline Heater	Custom Pump Location	Installation Types			Electrical Requirements		Recommended Drain	Drain Locations				Number of People At Base	Bathing Well Dimensions
							Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible	Left	Right	Center		
Whirlpools — 6'																		
Windward	78	ACR	K-1114-HR	72" x 42" x 21"	•			IA			2•	K-7259 K-11677 K-37383			•		2	55" x 23¼"
	76	ACR	K-1114-L	72" x 42" x 21"				IF			•	K-7259 K-11677 K-37383			•		2	55" x 23¼"
	78	ACR	K-1114-LA	72" x 42" x 21"				IA			•	K-7259 K-11677 K-37383			•		2	55" x 23¼"
	76	ACR	K-1114-LH	72" x 42" x 21"	•			IF			2•	K-7259 K-11677 K-37383			•		2	55" x 23¼"
	76	ACR	K-1114-R	72" x 42" x 21"				IF			•	K-7259 K-11677 K-37383				•	2	55" x 23¼"
	78	ACR	K-1114-RA	72" x 42" x 21"				IA			•	K-7259 K-11677 K-37383				•	2	55" x 23¼"
	76	ACR	K-1114-RH	72" x 42" x 21"	•		•	IF			2•	K-7259 K-11677 K-37383				•	2	55" x 23¼"
Whirlpools — 5.5'																		
Bancroft	71	ACR	K-1158-H2	65⅞" x 41¾" x 22"	•		•			•		K-7265 K-37382	•				2	46" x 30"
	71	ACR	K-1158-HB K-1158-HE K-1158-HJ	65⅞" x 41¾" x 22"	•	•	•			•		K-7265 K-37382	•				2	46" x 30"
Iron Works	72	KECI	K-712-H2	66" x 36" x 19¼"	•		•			•		K-7103 K-7259	•				1	47½" x 25"
Kathryn	71	KECI	K-809-H2	66" x 36" x 24"	•		•		•	•		K-7145 K-7265	•				1	45" x 25"
	71	KECI	K-809-HE K-809-HN	66" x 36" x 24"	•	•	•		•	•		K-7145 K-7265	•				1	45" x 25"
	76	KECI	K-809-LH	66" x 36" x 24"	•			IF		•		K-7145 K-7265		•			1	45" x 25"
	76	KECI	K-809-RH	66" x 36" x 24"	•			IF		•		K-7145 K-7265			•		1	45" x 25"
Maestro	72	KECI	K-842-H2	66" x 32" x 18¼"	•		•		•	•		K-37383	•				1	47" x 21"
	72	KECI	K-845-H2	66" x 32" x 18¼"	•		•		•	•		K-37383	•				1	47" x 21"
Mariposa	72	ACR	K-1224	66" x 35⅞" x 20"			•				•	K-7259 K-37382 K-37383	•				1	48" x 24"
	72	ACR	K-1224-CB	66" x 35⅞" x 20"		•	•				•	K-7259 K-37382 K-37383	•				1	48" x 24"
	72	ACR	K-1224-H	66" x 35⅞" x 20"	•		•				2•	K-7259 K-37382 K-37383	•				1	48" x 24"

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enameled Cast Iron
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions	Water Capacity	Jets																				
At Rim	To Overflow	Number of Jets	Required Jet Trim	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7		Name	
Whirlpools — 6'																						
64" x 32"	15"/78½ gal	6 ProFlex	color-matched included	•		•		•			•	•		•							Windward	
64" x 32"	15"/78½ gal	6 ProFlex	color-matched included	•		•		•			•	•		•								
64" x 32"	15"/78½ gal	6 ProFlex	color-matched included	•		•		•			•	•		•								
64" x 32"	15"/78½ gal	6 ProFlex	color-matched included	•		•		•			•	•		•								
64" x 32"	15"/78½ gal	6 ProFlex	color-matched included	•		•		•			•	•		•								
64" x 32"	15"/78½ gal	6 ProFlex	color-matched included	•		•		•			•	•		•								
64" x 32"	15"/78½ gal	6 ProFlex	color-matched included	•		•		•			•	•		•								
Whirlpools — 5.5'																						
57" x 34"	16"/95 gal	8 Flexjet	K-9698	•		•		•		•	•	•		•	•	•		•	•		Bancroft	
57" x 34"	16"/95 gal	8 Flexjet	K-9698	•		•		•		•	•	•		•	•	•		•	•			
55" x 29"	12⅝"/64 gal	6 Flexjet	K-9696	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Iron Works	
58" x 29"	17¾"/97 gal	8 Flexjet	K-9698	•			•	•	•				•				•		•		Kathryn	
58" x 29"	17¾"/97 gal	8 Flexjet	K-9698	•			•	•	•				•				•		•			
58" x 29"	17¾"/97 gal	8 Flexjet	K-9698	•			•	•	•				•				•		•			
58" x 29"	17¾"/97 gal	8 Flexjet	K-9698	•			•	•	•				•				•		•			
57" x 25"	13"/55 gal	5 Flexjet	K-9695	•		•		•			•	•		•							Maestro	
57" x 25"	13"/55 gal	5 Flexjet	K-9695	•		•		•			•	•		•								
59" x 30"	14"/67 gal	5 ProFlex	color-matched included	•		•		•			•	•		•							Mariposa	
59" x 30"	14"/67 gal	5 ProFlex	color-matched included	•		•		•			•	•		•								
59" x 30"	14"/67 gal	5 ProFlex	color-matched included	•		•		•			•	•		•								

Whirlpool Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	With Inline Heater	Custom Pump Location	Installation Types			Electrical Requirements		Recommended Drain	Drain Locations				Number of People At Base	Bathing Well Dimensions
							Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible	Left	Right	Center		
Whirlpools — 5.5'																		
Mariposa	72	ACR	K-1224-HB	66" x 35½" x 20"	•	•	•				2•	K-7259 K-37382 K-37383	•				1	48" x 24"
	78	ACR	K-1224-HL	66" x 35½" x 20"	•			IA			2•	K-7259 K-37382 K-37383		•			1	48" x 24"
	78	ACR	K-1224-HR	66" x 35½" x 20"	•			IA			2•	K-7259 K-37382 K-37383			•		1	48" x 24"
	76	ACR	K-1224-L	66" x 35½" x 20"				IF			•	K-7259 K-37382 K-37383		•			1	48" x 24"
	78	ACR	K-1224-LA	66" x 35½" x 20"				IA			•	K-7259 K-37382 K-37383		•			1	48" x 24"
	76	ACR	K-1224-LH	66" x 35½" x 20"				IF			2•	K-7259 K-37382 K-37383		•			1	48" x 24"
	76	ACR	K-1224-R	66" x 35½" x 20"				IF			•	K-7259 K-37382 K-37383			•		1	48" x 24"
	78	ACR	K-1224-RA	66" x 35½" x 20"				IA			•	K-7259 K-37382 K-37383			•		1	48" x 24"
	76	ACR	K-1224-RH	66" x 35½" x 20"	•			IF			2•	K-7259 K-37382 K-37383			•		1	48" x 24"
Memoirs	71	ACR	K-1170-H2	66" x 42" x 22"	•		•			•		K-7265				•	2	42" x 27"
	71	ACR	K-1170-HC K-1170-HE K-1170-HH K-1170-HN	66" x 42" x 22"	•	•	•			•		K-7265				•	2	42" x 27"
Portrait	71	ACR	K-1457-H2	67" x 42" x 22"	•		•			•		K-7265 K-37382				•	2	50" x 29"
	71	ACR	K-1457-HB K-1457-HF K-1457-HJ K-1457-HN	67" x 42" x 22"	•	•	•			•		K-7265 K-37382				•	2	50" x 29"
	71	ACR	K-1457-AH	67" x 42" x 22"	•		•			•		K-7265 K-37382				•	2	50" x 29"
	71	ACR	K-1457-LM K-1457-RM	67" x 42" x 22"	•		•			•		K-7265 K-37382				•	1	40" x 27"
Portrait	71	ACR	K-1457-LV K-1457-RV	67" x 42" x 22"	•		•			•		K-7265 K-37382				•	1	40" x 27"
RiverBath Round	70	ACR	K-1394-H2 K-1394-H3	66" diameter x 25"	•		•			2•		K-7167	•				2	54½" x 44"

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enameled Cast Iron
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity		Jets																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
-------------------------	--	----------------	--	------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Whirlpool Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	With Inline Heater	Custom Pump Location	Installation Types			Electrical Requirements		Recommended Drain	Drain Locations				Number of People At Base	Bathing Well Dimensions
							Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible	Left	Right	Center		
Whirlpools — 5.5'																		
Tea-for-Two	71	KECI	K-856-H2	66" x 36" x 24"	•		•		•	•		K-7147-AF required	•			2	45" x 25"	
	71	KECI	K-856-HE	66" x 36" x 24"	•	•	•		•	•		K-7147-AF required	•			2	45" x 25"	
	71	KECI	K-856-HN	66" x 36" x 24"	•	•	•		•	•		K-7147-AF required	•			2	45" x 25"	
	76	KECI	K-856-LH	66" x 36" x 24"	•			IF		•		K-7147-AF required		•		2	45" x 25"	
	76	KECI	K-856-RH	66" x 36" x 24"	•			IF		•		K-7147-AF required			•	2	45" x 25"	
	71	KECI	K-856-AH	66" x 36" x 24"	•		•		•	•		K-7147-AF required	•			2	45" x 25"	
	71	KECI	K-856-M	66" x 36" x 23"	•		•			•		K-7148-AF required	•			1	42" x 25"	
	71	KECI	K-856-V	66" x 36" x 23"	•		•			•		K-7148-AF required	•			1	42" x 25"	
Underscore	71	ACR	K-1173-H2	66" x 36" x 22"	•		•		•	•		K-7271 K-7272 required				•	1	44½" x 26½"
	72	ACR	K-1822-H2	66" x 32" x 22"	•		•		•	•		K-7271 K-7272 required				•	1	44½" x 22⅝"
Whirlpools — 5'																		
6032	74	ACR	K-1106	60" x 32" x 18⅞"			•				•	K-7259 K-11677 K-37383	•				1	46" x 20"
	74	ACR	K-1106-H	60" x 32" x 18⅞"	•		•				2•	K-7259 K-11677 K-37383	•				1	46" x 20"
	74	ACR	K-1106-HN	60" x 32" x 18⅞"	•	•	•				2•	K-7259 K-11677 K-37383	•				1	46" x 20"
	77	ACR	K-1106-L	60" x 32" x 18⅞"				IF			•	K-7259 K-11677 K-37383		•			1	46" x 20"
	77	ACR	K-1106-LH	60" x 32" x 18⅞"	•			IF			2•	K-7259 K-11677 K-37383		•			1	46" x 20"
	77	ACR	K-1106-R	60" x 32" x 18⅞"				IF			•	K-7259 K-11677 K-37383			•		1	46" x 20"
	77	ACR	K-1106-RH	60" x 32" x 18⅞"	•			IF			2•	K-7259 K-11677 K-37383			•		1	46" x 20"
	74	ACR	K-1106-CN	60" x 32" x 18⅞"		•	•				•	K-7259 K-11677 K-37383	•				1	46" x 20"

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enameled Cast Iron
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity	Jets																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
-------------------------	--	----------------	------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Whirlpool Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	With Inline Heater	Custom Pump Location	Installation Types			Electrical Requirements		Recommended Drain	Drain Locations				Number of People At Base	Bathing Well Dimensions
							Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible	Left	Right	Center		
Whirlpools — 5'																		
6036	74	ACR	K-1139	60" x 36" x 18½"			•				•		•				1	46" x 15"
	74	ACR	K-1139-H	60" x 36" x 18½"	•		•				2•	K-7259 K-11677	•				1	46" x 15"
	74	ACR	K-1139-L	60" x 36" x 18½"				IF			•	K-7259 K-11677		•			1	46" x 15"
	77	ACR	K-1139-R	60" x 36" x 18½"				IF			•	K-7259 K-11677			•		1	46" x 15"
	77	ACR	K-1139-LH	60" x 36" x 18½"	•			IF			2•	K-7259 K-11677		•			1	46" x 15"
	77	ACR	K-1139-RH	60" x 36" x 18½"	•			IF			2•	K-7259 K-11677			•		1	46" x 15"
	74	ACR	K-1139-CN	60" x 36" x 18½"		•	•				•	K-7259 K-11677	•				1	46" x 15"
	74	ACR	K-1139-HN	60" x 36" x 18½"	•	•	•				2•	K-7259 K-11677	•				1	46" x 15"
6040 Oval	73	ACR	K-1146	60" x 40" x 17½"			•		•		•	K-7259 K-11677 K-37383	•				1	46" x 19"
	73	ACR	K-1146-CK	60" x 40" x 17½"		•	•		•		•	K-7259 K-11677 K-37383	•				1	46" x 19"
	73	ACR	K-1146-CN	60" x 40" x 17½"		•	•		•		•	K-7259 K-11677 K-37383	•				1	46" x 19"
	73	ACR	K-1146-H	60" x 40" x 17½"	•		•		•		2•	K-7259 K-11677 K-37383	•				1	46" x 19"
	73	ACR	K-1146-HK K-1146-HN	60" x 40" x 17½"	•	•	•		•		2•	K-7259 K-11677 K-37383	•				1	46" x 19"
6042	73	ACR	K-1126	60" x 42" x 18½"			•				•	K-7259 K-11677 K-37383	•				1	46" x 21"
	73	ACR	K-1126-CN	60" x 42" x 18½"		•	•				•	K-7259 K-11677 K-37383	•				1	46" x 21"
	73	ACR	K-1126-H	60" x 42" x 18½"	•		•				2•	K-7259 K-11677 K-37383	•				1	46" x 21"
	73	ACR	K-1126-HN	60" x 42" x 18½"	•	•	•				2•	K-7259 K-11677 K-37383	•				1	46" x 21"
	76	ACR	K-1126-L	60" x 42" x 18½"				IF			•	K-7259 K-11677 K-37383		•			1	46" x 21"
	76	ACR	K-1126-LH	60" x 42" x 18½"	•			IF			2•	K-7259 K-11677 K-37383		•			1	46" x 21"

ACR = Acrylic, LITHO = Lithocast®, Cast Acrylic, KECI = KOHLER®, Enameled Cast Iron
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity	Jets																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
-------------------------	--	----------------	------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Whirlpool Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	With Inline Heater	Custom Pump Location	Installation Types			Electrical Requirements		Recommended Drain	Drain Locations				Number of People At Base	Bathing Well Dimensions
							Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible	Left	Right	Center		
Whirlpools — 5'																		
6042	76	ACR	K-1126-R	60" x 42" x 18½"				IF			•	K-7259 K-11677 K-37383			•		1	46" x 21"
	76	ACR	K-1126-RH	60" x 42" x 18½"	•			IF			2•	K-7259 K-11677 K-37383			•		1	46" x 21"
Archer	74	ACR	K-1122	60" x 32" x 19"			•				•	K-7271 K-7272 required	•				1	45½" x 19¹⁄₁₆"
	74	ACR	K-1122-H	60" x 32" x 19"	•		•				2•	K-7271 K-7272 required	•				1	45½" x 19¹⁄₁₆"
	79	ACR	K-1122-HL	60" x 32" x 19"	•			IA			2•	K-7271 K-7272 required		•			1	45½" x 19¹⁄₁₆"
	79	ACR	K-1122-HR	60" x 32" x 19"	•			IA			2•	K-7271 K-7272 required			•		1	45½" x 19¹⁄₁₆"
	79	ACR	K-1122-LA	60" x 32" x 19"				IA			•	K-7271 K-7272 required		•			1	45½" x 19¹⁄₁₆"
	79	ACR	K-1122-RA	60" x 32" x 19"				IA			•	K-7271 K-7272 required			•		1	45½" x 19¹⁄₁₆"
Bancroft	79	ACR	K-1151-LA	60" x 32" x 20"				IA			•	K-7259 K-11677		•			1	45" x 22"
	79	ACR	K-1151-RA	60" x 32" x 20"				IA			•	K-7259 K-11677			•		1	45" x 22"
	79	ACR	K-1151-HL	60" x 32" x 20"	•			IA			2•	K-7259 K-11677		•			1	45" x 22"
	79	ACR	K-1151-HR	60" x 32" x 20"	•			IA			2•	K-7259 K-11677			•		1	45" x 22"
Devonshire	74	ACR	K-1357	60" x 32" x 20"			•				•	K-7259 K-37382 K-37383	•				1	42" x 20"
	74	ACR	K-1357-H	60" x 32" x 20"	•		•				2•	K-7259 K-37382 K-37383	•				1	42" x 20"
	79	ACR	K-1357-HL	60" x 32" x 20"	•			IA			2•	K-7259 K-37382 K-37383		•			1	42" x 20"
	79	ACR	K-1357-HR	60" x 32" x 20"	•			IA			2•	K-7259 K-37382 K-37383			•		1	42" x 20"
	79	ACR	K-1357-LA	60" x 32" x 20"				IA			•	K-7259 K-37382 K-37383		•			1	42" x 20"
	79	ACR	K-1357-RA	60" x 32" x 20"				IA			•	K-7259 K-37382 K-37383			•		1	42" x 20"

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enameled Cast Iron
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions	Water Capacity	Jets																					
At Rim	To Overflow	Number of Jets	Required Jet Trim	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7				
Whirlpools — 5'																							Name
55" x 31"	14"/57 gal	6 ProFlex	color-matched included	•				•			•											6042	
55" x 31"	14"/57 gal	6 ProFlex	color-matched included	•				•			•												
52¾" x 25⅝"	15"/58 gal	8	color-matched included	•		•		•		•	•	•		•	•	•			•	•		Archer	
52¾" x 25⅝"	15"/58 gal	8	color-matched included	•		•		•		•	•	•		•	•	•			•	•			
52¾" x 25⅝"	15"/58 gal	8	color-matched included	•		•		•		•	•	•		•	•	•			•	•			
52¾" x 25⅝"	15"/58 gal	8	color-matched included	•		•		•		•	•	•		•	•	•			•	•			
52¾" x 25⅝"	15"/58 gal	8	color-matched included	•		•		•		•	•	•		•	•	•			•	•			
52¾" x 25⅝"	15"/58 gal	8	color-matched included	•		•		•		•	•	•		•	•	•			•	•			
54" x 25"	15"/60 gal	8	color-matched included	•		•		•		•	•	•		•	•	•			•	•		Bancroft	
54" x 25"	15"/60 gal	8	color-matched included	•		•		•		•	•	•		•	•	•			•	•			
54" x 25"	15"/60 gal	8	color-matched included	•		•		•		•	•	•		•	•	•			•	•			
54" x 25"	15"/60 gal	8	color-matched included	•		•		•		•	•	•		•	•	•			•	•			
51" x 24"	14"/60 gal	8	color-matched included	•		•		•		•	•	•		•	•				•	•		Devonshire	
51" x 24"	14"/60 gal	8	color-matched included	•		•		•		•	•	•		•	•				•	•			
51" x 24"	14"/60 gal	8	color-matched included	•		•		•		•	•	•		•	•				•	•			
51" x 24"	14"/60 gal	8	color-matched included	•		•		•		•	•	•		•	•				•	•			
51" x 24"	14"/60 gal	8	color-matched included	•		•		•		•	•	•		•	•				•	•			
51" x 24"	14"/60 gal	8	color-matched included	•		•		•		•	•	•		•	•				•	•			

Whirlpool Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	With Inline Heater	Custom Pump Location	Installation Types			Electrical Requirements		Recommended Drain	Drain Locations				Number of People At Base	Bathing Well Dimensions
							Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible	Left	Right	Center		
Whirlpools — 5'																		
Guardian	78	KECI	K-783-H2	60" x 32" x 16¼"	•			IA		•		K-7259		•			1	46" x 20"
	78	KECI	K-784-H2	60" x 32" x 16¼"	•			IA		•		K-7259			•		1	46" x 20"
Hourglass 32	74	ACR	K-1209	60" x 32" x 20"			•				•	K-7259 K-37383	•				1	47" x 20"
	74	ACR	K-1209-CB	60" x 32" x 20"		•	•				•	K-37383 K-7259	•					47" x 20"
	74	ACR	K-1209-H	60" x 32" x 20"	•		•				2•	K-37383 K-7259	•				1	47" x 20"
	74	ACR	K-1209-HB	60" x 32" x 20"	•	•	•				2•	K-37383 K-7259	•				1	47" x 20"
	79	ACR	K-1209-HL	60" x 32" x 20"	•			IA			2•	K-7213 K-7259		•			1	47" x 20"
	79	ACR	K-1209-HR	60" x 32" x 20"	•			IA			2•	K-7259 K-37383			•		1	47" x 20"
	77	ACR	K-1209-L	60" x 32" x 20"				IF			•	K-7259 K-37383		•			1	47" x 20"
	79	ACR	K-1209-LA	60" x 32" x 20"				IA			•	K-7259 K-37383		•			1	47" x 20"
	77	ACR	K-1209-LH	60" x 32" x 20"	•			IF			2•	K-7259 K-37383		•			1	47" x 20"
	77	ACR	K-1209-R	60" x 32" x 20"				IF			•	K-7259 K-37383			•		1	47" x 20"
	79	ACR	K-1209-RA	60" x 32" x 20"				IA			•	K-7259 K-37383			•		1	47" x 20"
	77	ACR	K-1209-RH	60" x 32" x 20"	•			IF			2•	K-7259 K-37383			•		1	47" x 20"
Mariposa	74	ACR	K-1239	60" x 36" x 20"			•				•	K-7259 K-37382	•				1	46" x 24"
	74	ACR	K-1239-CB	60" x 36" x 20"		•	•				•	K-7259 K-37382	•				1	46" x 24"
	74	ACR	K-1239-H	60" x 36" x 20"	•		•				2•	K-7259 K-37382	•				1	46" x 24"
	74	ACR	K-1239-HB	60" x 36" x 20"	•	•	•				2•	K-7259 K-37382	•				1	46" x 24"
	78	ACR	K-1239-HL	60" x 36" x 20"	•			IA			2•	K-7259 K-37382		•			1	46" x 24"
	78	ACR	K-1239-HR	60" x 36" x 20"	•			IA			2•	K-7259 K-37382			•		1	46" x 24"
	77	ACR	K-1239-L	60" x 36" x 20"				IF			•	K-7259 K-37382		•			1	46" x 24"
	78	ACR	K-1239-LA	60" x 36" x 20"				IA			•	K-7259 K-37382		•			1	46" x 24"
	77	ACR	K-1239-LH	60" x 36" x 20"	•			IF			2•	K-7259 K-37382		•			1	46" x 24"
	77	ACR	K-1239-R	60" x 36" x 20"				IF			•	K-7259 K-37382			•		1	46" x 24"

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enameled Cast Iron
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity		Jets																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												</
-------------------------	--	----------------	--	------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

Whirlpool Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	With Inline Heater	Custom Pump Location	Installation Types			Electrical Requirements		Recommended Drain	Drain Locations				Number of People At Base	Bathing Well Dimensions
							Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible	Left	Right	Center		
Whirlpools — 5'																		
Mariposa	78	ACR	K-1239-RA	60" x 36" x 20"				IA			•	K-7259 K-37382			•		1	46" x 24"
	77	ACR	K-1239-RH	60" x 36" x 20"	•			IF			2•	K-7259 K-37382			•		1	46" x 24"
Memoirs	78	KECI	K-723-H2	60" x 32" x 17 ⁷ / ₁₆ "	•			IA		•		K-7259 K-37382		•			1	45" x 23"
	78	KECI	K-724-H2	60" x 32" x 17 ⁷ / ₁₆ "	•			IA		•		K-7259 K-37382			•		1	45" x 23"
Mendota	78	KECI	K-513-H2	60" x 32" x 16 ¹ / ₄ "	•			IA		•		K-7259 K-37380		•			1	46" x 20"
	78	KECI	K-514-H2	60" x 32" x 16 ¹ / ₄ "	•			IA		•		K-7259 K-37380			•		1	46" x 20"
Overture	72	Vikrell	K-1226	60" x 42" x 20"			•				•	K-7259 K-37382 K-37383				•	1	37" x 26"
	72	Vikrell	K-1226-CD	60" x 42" x 20"		•	•				•	K-7259 K-37382 K-37383				•	1	37" x 26"
Serif	73	ACR	K-1337	60" x 42 ¹ / ₄ " x 21"			•				•	K-7259 K-37382 K-37383	•				1	42" x 28"
	73	ACR	K-1337-CN	60" x 42 ¹ / ₄ " x 21"		•	•				•	K-7259 K-37382 K-37383	•				1	42" x 28"
	73	ACR	K-1337-H	60" x 42 ¹ / ₄ " x 21"	•		•				2•	K-7259 K-37382 K-37383	•				1	42" x 28"
	73	ACR	K-1337-HN	60" x 42 ¹ / ₄ " x 21"	•	•	•				2•	K-7259 K-37382 K-37383	•				1	42" x 28"
Steeping	73	KECI	K-792-H2	60" x 36" x 20 ³ / ₈ "	•		•		•	•		K-7259	•				1	43" x 19"
	73	KECI	K-792-HB K-792-HE K-792-HJ	60" x 36" x 20 ³ / ₈ "	•	•	•		•	•		K-7259	•				1	43" x 19"
	73	KECI	K-792-N1	60" x 36" x 20 ³ / ₈ "	•		•		•	•		K-7259	•				1	43" x 19"
Sunward	73	ACR	K-1162	60" x 42" x 21"			•		•		•	K-7265 K-11677 K-37383	•				1	43" x 24 ⁵ / ₈ "
	73	ACR	K-1162-CB	60" x 42" x 21"		•	•		•		•	K-7265 K-11677 K-37383	•				1	43" x 24 ⁵ / ₈ "
	73	ACR	K-1162-H	60" x 42" x 21"	•		•		•		2•	K-7265 K-11677 K-37383	•				1	43" x 24 ⁵ / ₈ "
	73	ACR	K-1162-HB	60" x 42" x 21"	•	•	•		•		2•	K-7265 K-11677 K-37383	•				1	43" x 24 ⁵ / ₈ "

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enameled Cast Iron
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions	Water Capacity	Jets																				
At Rim	To Overflow	Number of Jets	Required Jet Trim	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7		Name	
Whirlpools — 5'																						
54" x 27"	14"/63 gal	5 ProFlex	color-matched included	•		•		•			•	•		•							Mariposa	
54" x 27"	14"/63 gal	5 ProFlex	color-matched included	•		•		•			•	•		•								
54" x 25"	11½"/52 gal	6 Flexjet	K-9696	•		•	•	•	•	•	•	•		•	•	•	•	•	•	•	Memoirs	
54" x 25"	11½"/52 gal	6 Flexjet	K-9696	•		•	•	•	•	•	•	•		•	•	•	•	•	•	•		
53¾" x 24"	10¾"/45 gal	4 Flexjet	K-9694	•		•		•		•	•	•		•	•	•		•	•		Mendota	
53¾" x 24"	10¾"/45 gal	4 Flexjet	K-9694	•		•		•		•	•	•		•	•	•		•	•			
54" x 37"	14¼"/69 gal	4 ProFlex	color-matched included	•				•			•										Overture	
54" x 37"	14¼"/69 gal	4 ProFlex	color-matched included	•				•			•											
55" x 40"	15½"/73 gal	4 ProFlex	color-matched included	•		•		•			•	•		•					•		Serif	
55" x 40"	15½"/73 gal	4 ProFlex	color-matched included	•		•		•			•	•		•					•			
55" x 40"	15½"/73 gal	4 ProFlex	color-matched included	•		•		•			•	•		•					•			
55" x 40"	15½"/73 gal	4 ProFlex	color-matched included	•		•		•			•	•		•					•			
54" x 30"	15"/62 gal	6 Flexjet	K-9696	•		•		•			•	•		•							Steeping	
54" x 30"	15"/62 gal	6 Flexjet	K-9696	•		•		•			•	•		•								
54" x 30"	15"/62 gal	6 Flexjet, 2 neckjets	K-9696	•		•		•			•	•		•								
53½" x 32½"	15"/57 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							Sunward	
53½" x 32½"	15"/57 gal	6 ProFlex	color-matched included	•		•		•			•	•		•								
53½" x 32½"	15"/57 gal	6 ProFlex	color-matched included	•		•		•			•	•		•								
53½" x 32½"	15"/57 gal	6 ProFlex	color-matched included	•		•		•			•	•		•								

Whirlpool Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	With Inline Heater	Custom Pump Location	Installation Types			Electrical Requirements		Recommended Drain	Drain Locations				Number of People	Bathing Well Dimensions
							Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible	Left	Right	Center		At Base
Whirlpools — 5'																		
Tea-for-Two	74	KECI	K-852-H2	60" x 32" x 18¼"	•		•		•	•		K-7169-AF required	•				1	40½" x 20"
	74	KECI	K-852-HB K-852-HE	60" x 32" x 18¼"	•	•	•		•	•		K-7169-AF required	•				1	40½" x 20"
Tercet	75	ACR	K-1160	60" x 60" x 21"			•				•	K-7259 K-11677				•	2	52" x 38¾"
	75	ACR	K-1160-CD	60" x 60" x 21"		•	•				•	K-7259 K-11677				•	2	52" x 38¾"
	77	ACR	K-1160-F	60" x 60" x 21"				IF			•	K-7259 K-11677				•	2	52" x 38¾"
	77	ACR	K-1160-FH	60" x 60" x 21"	•			IF			2•	K-7259 K-11677				•	2	52" x 38¾"
	75	ACR	K-1160-H	60" x 60" x 21"	•		•				2•	K-7259 K-11677				•	2	52" x 38¾"
	75	ACR	K-1160-HD	60" x 60" x 21"	•	•	•				2•	K-7259 K-11677				•	2	52" x 38¾"
	79	ACR	K-1160-HL	60" x 60" x 21"	•			IA			2•	K-7259 K-11677				•	2	52" x 38¾"
	79	ACR	K-1160-LA	60" x 60" x 21"				IA			•	K-7259 K-11677				•	2	52" x 38¾"
	Underscore	74	ACR	K-1167-H2	60" x 30" x 19"	•		•		•	•		K-7271 K-7272 required	•				1
77		ACR	K-1167-LH2	60" x 30" x 19"	•			IF		•		K-7271 K-7272 required		•			1	42¾" x 20"
77		ACR	K-1167-RH2	60" x 30" x 19"	•			IF		•		K-7271 K-7272 required			•		1	42¾" x 20"
74		ACR	K-1168-H2	60" x 32" x 21"	•		•		•	•		K-7271 K-7272 required	•				1	42" x 23½"
73		ACR	K-1849-H2	60" x 36" x 21"	•		•		•	•		K-7271 K-7272 required	•				1	39⅞" x 24⅞"
Windward	72	ACR	K-1112	60" x 42" x 21"			•				•	K-7265 K-11677 K-37383	•				1	43" x 24¾"
	72	ACR	K-1112-CB	60" x 42" x 21"		•	•				•	K-7265 K-11677 K-37383	•				1	43" x 24¾"
	72	ACR	K-1112-F	60" x 42" x 21"			•				•	K-7265 K-11677 K-37383	•				1	43" x 24¾"
	72	ACR	K-1112-FH	60" x 42" x 21"	•		•				2•	K-7265 K-11677 K-37383	•				1	43" x 24¾"

ACR = Acrylic, LITHO = Lithocast®, Cast Acrylic, KECI = KOHLER®, Enameled Cast Iron
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity		Jets																	Name
At Rim	To Overflow	Number of Jets	Required Jet Trim	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7		
Whirlpools — 5'																					
52¾" x 24"	13⅝"/60 gal	6 Flexjet	K-9696	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Tea-for-Two
52¾" x 24"	13⅝"/60 gal	6 Flexjet	K-9696	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
61" x 46¼"	15"/96 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							Tercet
61" x 46¼"	15"/96 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							
61" x 46¼"	15"/96 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							
61" x 46¼"	15"/96 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							
61" x 46¼"	15"/96 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							
61" x 46¼"	15"/96 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							
61" x 46¼"	15"/96 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							
61" x 46¼"	15"/96 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							
54⅝" x 24⅝"	15⅞"/60 gal	8 Flexjet	K-9698	•		•		•			•			•							Underscore
54⅝" x 24⅝"	15⅞"/60 gal	8 Flexjet	K-9698	•		•		•			•			•							
54⅝" x 24⅝"	15⅞"/60 gal	8 Flexjet	K-9698	•		•		•			•			•							
55⅝" x 27⅞"	17⅞"/81 gal	8 Flexjet	K-9698	•		•		•			•	•		•							
53⅝" x 29½"	17⅞"/81 gal	8 Flexjet	K-9698	•		•		•			•			•							
53½" x 32⅞"	15"/57 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							Windward
53½" x 32⅞"	15"/57 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							
53½" x 32⅞"	15"/57 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							
53½" x 32⅞"	15"/57 gal	6 ProFlex	color-matched included	•		•		•			•	•		•							

Whirlpool Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	With Inline Heater	Custom Pump Location	Installation Types			Electrical Requirements		Recommended Drain	Drain Locations				Number of People	Bathing Well Dimensions
							Drop-In	Three-Wall Alcove or Corner	Under-Mount	240-Volt Hardwired	120-Volt GFCI		Reversible	Left	Right	Center		At Base
Whirlpools — 5'																		
Windward	72	ACR	K-1112-H	60" x 42" x 21"	•		•				2•	K-7265 K-11677 K-37383	•				1	43" x 24½"
	72	ACR	K-1112-HB	60" x 42" x 21"	•	•	•				2•	K-7265 K-11677 K-37383	•				1	43" x 24½"
	76	ACR	K-1112-L	60" x 42" x 21"				IF			•	K-7265 K-11677 K-37383		•			1	43" x 24½"
	76	ACR	K-1112-LA	60" x 42" x 21"				IA			•	K-7265 K-11677 K-37383		•			1	43" x 24½"
	76	ACR	K-1112-LH	60" x 42" x 21"	•			IF			2•	K-7265 K-11677 K-37383		•			1	43" x 24½"
	76	ACR	K-1112-R	60" x 42" x 21"				IF			•	K-7265 K-11677 K-37383			•		1	43" x 24½"
	78	ACR	K-1112-RA	60" x 42" x 21"				IA			•	K-7265 K-11677 K-37383			•		1	43" x 24½"
	76	ACR	K-1112-RH	60" x 42" x 21"	•			IF			2•	K-7265 K-11677 K-37383			•		1	43" x 24½"
Whirlpools — Less than 5'																		
5454	75	ACR	K-1154	54" x 54" x 20½"			•				•	K-7265 K-11677 K-37383				•	2	44" x 36"
	75	ACR	K-1154-H	54" x 54" x 20½"	•		•				2•	K-7265 K-11677 K-37383				•	2	44" x 36"
	77	ACR	K-1154-F	54" x 54" x 20½"				IF			•	K-7265 K-11677 K-37383				•	2	44" x 36"
	77	ACR	K-1154-FH	54" x 54" x 20½"	•			IF			2•	K-7265 K-11677 K-37383				•	2	44" x 36"
	75	ACR	K-1154-CC	54" x 54" x 20½"		•	•				•	K-7265 K-11677 K-37383				•	2	44" x 36"
	75	ACR	K-1154-HC	54" x 54" x 20½"	•	•	•				2•	K-7265 K-11677 K-37383				•	2	44" x 36"
Greek	75	ACR	K-1492-H2	48" x 32" x 23¾"	•		•			•		K-7163 K-37383 K-7265	•				1	36" x 20½"
Underscore Cube	75	ACR	K-1969-H2	48" x 48" x 34"	•		•		•	•		K-8150 K-8134 required				•	2	39¾" x 39¾"

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enameled Cast Iron
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity	Jets		White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7	Name
At Rim	To Overflow	Number of Jets	Required Jet Trim																		
Whirlpools – 5'																					
53½" x 32⅞"	15"/57 gal	6 ProFlex	color-matched included	•		•		•				•	•		•						Windward
53½" x 32⅞"	15"/57 gal	6 ProFlex	color-matched included	•		•		•				•	•		•						
53½" x 32⅞"	15"/57 gal	6 ProFlex	color-matched included	•		•		•				•	•		•						
53½" x 32⅞"	15"/57 gal	6 ProFlex	color-matched included	•		•		•				•	•		•						
53½" x 32⅞"	15"/57 gal	6 ProFlex	color-matched included	•		•		•				•	•		•						
53½" x 32⅞"	15"/57 gal	6 ProFlex	color-matched included	•		•		•				•	•		•						
53½" x 32⅞"	15"/57 gal	6 ProFlex	color-matched included	•		•		•				•	•		•						
53½" x 32⅞"	15"/57 gal	6 ProFlex	color-matched included	•		•		•				•	•		•						
Whirlpools – 5'																					
56" x 43"	15"/76 gal	6 ProFlex	color-matched included	•				•				•									5454
56" x 43"	15"/76 gal	6 ProFlex	color-matched included	•				•				•									
56" x 43"	15"/76 gal	6 ProFlex	color-matched included	•				•				•									
56" x 43"	15"/76 gal	6 ProFlex	color-matched included	•				•				•									
56" x 43"	15"/76 gal	6 ProFlex	color-matched included	•				•				•									
56" x 43"	15"/76 gal	6 ProFlex	color-matched included	•				•				•									
42" x 26"	17½"/68 gal	4 Flexjet	K-9694	•		•		•				•	•		•						Greek
44⅝" x 44⅝"	27½"/171 gal	8 Flexjet	K-9698	•				•													Underscore Cube

Bath Features & Colors Index

Name	Page Number	Material	Model Number	Dimensions L x W x H	Bask Heated Surface	Drain Locations				Recommended Drain	Installation Types				Number of People
						Reversible	Center	Left	Right		Drop-In	Three-Wall Alcove or Corner	Freestanding	Under-Mount	
Baths — 6'															
7236	95	ACR	K-1159	72" x 36" x 20½"		•				K-7265 K-11677	•				1
	100	ACR	K-1159-L	72" x 36" x 20½"				•		K-7265 K-11677		IF			1
	100	ACR	K-1159-R	72" x 36" x 20½"					•	K-7265 K-11677		IF			1
7242	94	ACR	K-1132	72" x 42" x 20½"			•			K-11677	•				2
	100	ACR	K-1132-F	72" x 42" x 20½"			•			K-11677		IF			2
7242 Oval	94	ACR	K-1149	72" x 42½" x 19¾"			•			K-11677	•				2
Archer	95	ACR	K-1125	72" x 36" x 19"		•				K-7271 K-7272 required	•				1
	102	ACR	K-1125-LA	72" x 36" x 19"				•		K-7271 K-7272 required		IA			1
	102	ACR	K-1125-RA	72" x 36" x 19"					•	K-7271 K-7272 required		IA			1
Askew	84	LITHO	K-1801	72¾" x 34⅞" x 24⅞"			•			included			•		2
Birthday Bath	92	KECI	K-100	72" x 37½" x 27"		•				K-106			•		1
Caribbean	95	KECI	K-810	72" x 36" x 18¼"		•				K-37382	•			•	1
Escale	94	ACR	K-11343	72" x 36" x 24½"			•			K-7219 K-37382	•				1
	88	ACR	K-14037	72" x 36" x 24½"			•			K-7219			•		1
	88	ACR	K-11344	72" x 36" x 24½"			•			K-7219			•		1
Mariposa	95	ACR	K-1259	72" x 36" x 20"		•				K-37380	•				1
	100	ACR	K-1259-L	72" x 36" x 20"				•		K-37380		IF			1
	102	ACR	K-1259-LA	72" x 36" x 20"				•		K-37380		IA			1
	100	ACR	K-1259-R	72" x 36" x 20"					•	K-37380		IF			1
	102	ACR	K-1259-RA	72" x 36" x 20"					•	K-37380		IA			1
Memoirs	94	ACR	K-1417	72" x 42" x 22"			•			K-37382	•				2
Purist	94	ACR	K-1190	72" x 46" x 25⅞"		•				K-7273	•			•	1
Sunward	94	ACR	K-1165-S1	72" x 42" x 20"		•				K-37382 K-37383	•			•	2
Tea-for-Two	94	KECI	K-863	71¾" x 36" x 20½"		•				K-7169-AF	•			•	2
Underscore	94	ACR	K-1137	72" x 42" x 23"	•		•			K-7271 K-7272 required	•			•	2
	95	ACR	K-1834	72" x 36" x 23"	•		•			K-7271 K-7272 required	•			•	2
Vintage	89	KECI	K-700	72" x 42" x 24"			•			drop-in K-7158 free- standing K-7159	•		•		2

For larger color swatches, see page 120.

IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Vintage

Bath Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	Bask Heated Surface	Drain Locations				Recommended Drain	Installation Types				Number of People
						Reversible	Center	Left	Right		Drop-In	Three-Wall Alcove or Corner	Freestanding	Under-Mount	
Baths — 6'															
Windward	94	ACR	K-1115	72" x 42" x 21"		•				K-11677 K-37383	•				2
	100	ACR	K-1115-L	72" x 42" x 21"				•		K-11677 K-37383		IF			2
	102	ACR	K-1115-LA	72" x 42" x 21"				•		K-11677 K-37383		IA			2
	100	ACR	K-1115-R	72" x 42" x 21"					•	K-11677 K-37383		IF			2
	102	ACR	K-1115-RA	72" x 42" x 21"					•	K-11677 K-37383		IA			2
Baths — 5.5'															
Abrazo	86	LITHO	K-1800	66" x 31½" x 28½"			•			included			•		1
Aliento	85	LITHO	K-1805	65⅓⅙" x 36" x 25⅓⅙"			•			included			•		2
Bancroft	95	ACR	K-1156	65⅞" x 41¾" x 22"		•				K-7265 K-37382	•				1
Biove	96	KECI	K-8277	66⅓⅙" x 29⅓⅙" x 19⅓⅙"		•				K-37382	•				1
Dynametric	102	KECI	K-515	66" x 32" x 16¼"				•		K-7259 K-37383		IA			1
	102	KECI	K-516	66" x 32" x 16¼"					•	K-7259 K-37383		IA			1
Iron Works	96	KECI	K-711	66" x 36" x 19¼"		•				K-7103 K-7259	•				1
Iron Works Historic	90	KECI	K-710-A	66" x 36" x 24½"		•				K-7104 K-7178			•		1
	90	KECI	K-710-B	66" x 36" x 24½"		•				K-7104 K-7178			•		1
	90	KECI	K-710-S	66" x 36" x 24½"		•				K-7104 K-7178			•		1
	90	KECI	K-710-W	66" x 36" x 24½"		•				K-7104 K-7178			•		1
Iron Works Tellieur	91	KECI	K-727-2A	66" x 36" x 24½"		•				K-7104 K-7178			•		1
	91	KECI	K-727-2B	66" x 36" x 24½"		•				K-7104 K-7178			•		1
	91	KECI	K-727-2S	66" x 36" x 24½"		•				K-7104 K-7178			•		1
	91	KECI	K-727-2W	66" x 36" x 24½"		•				K-7104 K-7178			•		1
Kathryn	95	KECI	K-804	66" x 36" x 24"		•				K-7145 K-7265	•			•	1
	100	KECI	K-804-L	66" x 36" x 24"				•		K-7145 K-7265		IF			1
	100	KECI	K-804-R	66" x 36" x 24"					•	K-7145 K-7265		IF			1

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enameled Cast Iron
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	</
-------------------------	--	----------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

Bath Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	Bask Heated Surface	Drain Locations				Recommended Drain	Installation Types				Number of People
						Reversible	Center	Left	Right		Drop-In	Three-Wall Alcove or Corner	Freestanding	Under-Mount	
Baths — 5.5'															
Maestro	96	KECI	K-839	66" x 32" x 18¼"		•				K-7259 K-37383	•				1
	96	KECI	K-840	66" x 32" x 18¼"		•				K-7259 K-37383	•			•	1
Mariposa	96	ACR	K-1229	66" x 35⅞" x 20"		•				K-7259 K-37383	•				1
	100	ACR	K-1229-L	66" x 35⅞" x 20"				•		K-7259 K-37383		IF			1
	102	ACR	K-1229-LA	66" x 35⅞" x 20"				•		K-7259 K-37383		IA			1
	100	ACR	K-1229-R	66" x 35⅞" x 20"					•	K-7259 K-37383		IF			1
	102	ACR	K-1229-RA	66" x 35⅞" x 20"					•	K-7259 K-37383		IA			1
Memoirs	95	ACR	K-1169	66" x 42" x 22"			•			K-7265 K-37383	•				2
Parity	96	KECI	K-895	65⅞" x 32⅝" x 18"		•				K-7271 K-7272 required				•	1
	96	KECI	K-896	65⅞" x 32⅝" x 18"		•				K-7271 K-7272 required	•				1
Portrait	95	ACR	K-1454	67" x 42" x 22"			•			7161-AF	•				2
Rêve	96	KECI	K-817	66⅞" x 31½" x 19⅞"			•			K-7271 K-7272 required	•			•	1
	87	KECI	K-819-F62	66⅞" x 31½" x 22⅞"			•			K-7271 K-7272 required			•		1
	*	KECI	K-819-F63	66⅞" x 31½" x 22⅞"			•			K-7271 K-7272 required			•		1
	96	KECI	K-892	66⅞" x 36" x 19⅞"			•			K-7271 K-7272 required	•			•	1
	87	KECI	K-894-F62	66⅞" x 36" x 22⅞"			•			K-7271 K-7272 required			•		1
	*	KECI	K-894-F63	66⅞" x 36" x 22⅞"			•			K-7271 K-7272 required			•		1
Tea-for-Two	96	KECI	K-855	66" x 36" x 24"		•				K-7147	•			•	2
	100	KECI	K-855-L	66" x 36" x 24"				•		K-7147		IF			2
	100	KECI	K-855-R	66" x 36" x 24"					•	K-7147		IF			2

*To learn more about KOHLER® baths not featured in this catalog, visit KOHLER.com/Bathing.

ACR = Acrylic, LITHO = Lithocast, Cast Acrylic, KECI = KOHLER Enameled Cast Iron
IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions			Water Capacity																	Name
At Base	At Rim	To Overflow	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7		
Baths — 5.5'																				
47" x 21"	57" x 25"	13"/55 gal	•		•		•			•	•		•						Maestro	
47" x 21"	57" x 25"	13"/55 gal	•		•		•			•	•		•						Mariposa	
48" x 24"	59" x 30"	14"/67 gal	•		•		•			•	•		•							
48" x 24"	59" x 30"	14"/67 gal	•		•		•			•	•		•							
48" x 24"	59" x 30"	14"/67 gal	•		•		•			•	•		•							
48" x 24"	59" x 30"	14"/67 gal	•		•		•			•	•		•							
48" x 24"	59" x 30"	14"/67 gal	•		•		•			•	•		•						Memoirs	
42" x 27"	54" x 30"	16"/81 gal	•		•		•		•	•	•		•	•	•		•	•		
45¾" x 21⅝"	60⅞" x 30"	13⅞"/61 gal	•		•	•	•	•	•	•	•		•	•	•	•		•	Parity	
45¾" x 21⅝"	60⅞" x 30"	13⅞"/61 gal	•		•	•	•	•	•	•	•		•	•	•	•		•		
50" x 29"	61" x 32"	16"/98 gal	•		•		•		•	•	•		•	•	•		•	•	Portrait	
49" x 22"	62½" x 24¾"	15¼"/75 gal	•		•	•	•	•		•	•	•	•		•	•	•	•	Rêve	
49" x 22"	62½" x 24¾"	15¼"/75 gal	•																	
49" x 22"	62½" x 24¾"	15¼"/75 gal	•																	
49" x 26½"	62½" x 29¼"	15¼"/90 gal	•		•	•	•	•		•	•	•	•		•	•	•	•		
49" x 26½"	62½" x 29¼"	15¼"/90 gal	•																	
49" x 26½"	62½" x 29¼"	15¼"/90 gal	•																Tea-for-Two	
45" x 25"	58" x 29"	19½"/105 gal	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•		
45" x 25"	58" x 29"	19½"/105 gal	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•		
45" x 25"	58" x 29"	19½"/105 gal	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•		

Bath Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	Bask Heated Surface	Drain Locations				Recommended Drain	Installation Types				Number of People
						Reversible	Center	Left	Right		Drop-In	Three-Wall Alcove or Corner	Freestanding	Under-Mount	
Baths — 5.5'															
Underscore	96	ACR	K-1136	66" x 36" x 22"	•	•				K-7271 K-7272 required	•			•	1
	97	ACR	K-1821	66" x 32" x 22"	•	•				K-7271 K-7272 required	•			•	1
Baths — 5'															
6032	98	ACR	K-1107	60" x 32" x 18½"		•				K-7259 K-37383	•				1
	101	ACR	K-1107-L	60" x 32" x 18½"				•		K-7259 K-37383		IF			1
	101	ACR	K-1107-R	60" x 32" x 18½"					•	K-7259 K-37383		IF			1
6036	98	ACR	K-1142	60" x 36" x 18½"		•				K-7259 K-11677	•				1
	101	ACR	K-1142-L	60" x 36" x 18½"				•		K-7259 K-11677		IF			1
	101	ACR	K-1142-R	60" x 36" x 18½"					•	K-7259 K-11677		IF			1
6040 Oval	97	ACR	K-1147	60" x 40" x 17½"		•				K-7259 K-37383	•				1
6042	97	ACR	K-1127	60" x 42" x 18½"		•				K-7259 K-11677	•				
	100	ACR	K-1127-L	60" x 42" x 18½"				•		K-7259 K-11677		•			
	100	ACR	K-1127-R	60" x 42" x 18½"					•	K-7259 K-11677		•			
Archer	98	ACR	K-1123	60" x 32" x 19"		•				K-7271 K-7272 required	•				1
	104	ACR	K-1123-LA	60" x 32" x 19"				•		K-7271 K-7272 required		IA			1
	104	ACR	K-1123-RA	60" x 32" x 19"					•	K-7271 K-7272 required		IA			1
Bancroft	103	ACR	K-1150-LA	60" x 32" x 20"				•		K-7259 K-11677		IA			1
	103	ACR	K-1150-RA	60" x 32" x 20"					•	K-7259 K-11677		IA			1
Bellwether	104	KECI	K-837	60" x 30¼" x 14"				•		K-37383 K-7259		IA			1
	104	KECI	K-838	60" x 30¼" x 14"					•	K-37383 K-7259		IA			1
	103	KECI	K-875	60" x 32" x 15½"				•		K-7259		IA			1
	103	KECI	K-876	60" x 32" x 15½"					•	K-7259		IA			1
Devonshire	98	ACR	K-1184	60" x 32" x 20"		•				K-7259 K-37383	•				1

For larger color swatches, see page 120.

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enameled Cast Iron
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity																	
At Base	At Rim	To Overflow	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7	Name
Baths — 5.5'																			
44½" x 26½"	60¼" x 30¼"	17¾"/102 gal	•		•		•			•			•						Underscore
44½" x 22⅝"	59⅝" x 25½"	18"/85⅝ gal	•		•		•			•			•						
Baths — 5'																			
46" x 20"	55" x 22"	12½"/49 gal	•				•			•									6032
46" x 20"	55" x 22"	12½"/49 gal	•				•			•									
46" x 20"	55" x 22"	12½"/49 gal	•				•			•									
46" x 15"	55" x 25"	14"/57 gal	•				•			•									6036
46" x 15"	55" x 25"	14"/57 gal	•				•			•									
46" x 15"	55" x 25"	14"/57 gal	•				•			•									
46" x 19"	55" x 29"	14"/54 gal	•				•			•									6040 Oval
46" x 21"	55" x 31"	14"/57 gal	•				•			•									6042
46" x 21"	55" x 31"	14"/57 gal	•				•			•									
46" x 21"	55" x 31"	14"/57 gal	•				•			•									
45⅞" x 19⅙"	52¾" x 25⅙"	15"/58 gal	•		•		•		•	•	•		•	•	•		•	•	Archer
45⅞" x 19⅙"	52¾" x 25⅙"	15"/58 gal	•		•		•		•	•	•		•	•	•		•	•	
45⅞" x 19⅙"	52¾" x 25⅙"	15"/58 gal	•		•		•		•	•	•		•	•	•		•	•	
45" x 22"	54" x 25"	15"/60 gal	•		•		•		•	•	•		•	•	•		•	•	Bancroft
45" x 22"	54" x 25"	15"/60 gal	•		•		•		•	•	•		•	•	•		•	•	
48¾" x 19⅙"	54⅙" x 21⅙"	9"/32 gal	•		•	•	•	•	•	•	•		•	•	•	•		•	Bellwether
48¾" x 19⅙"	54⅙" x 21⅙"	9"/32 gal	•		•	•	•	•	•	•	•		•	•	•	•		•	
41¼" x 18⅞"	51¼" x 23⅞"	11⅙"/44 gal	•		•	•	•	•	•	•	•		•	•	•	•		•	
41¼" x 18⅞"	51¼" x 23⅞"	11⅙"/44 gal	•		•	•	•	•	•	•	•		•	•	•	•		•	
42" x 20"	51" x 24"	14"/60 gal	•		•		•		•	•	•		•	•			•	•	Devonshire

Bath Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	Bask Heated Surface	Drain Locations				Recommended Drain	Installation Types				Number of People
						Reversible	Center	Left	Right		Drop-In	Three-Wall Alcove or Corner	Freestanding	Under-Mount	
Baths — 5'															
Devonshire	104	ACR	K-1184-LA	60" x 32" x 20"				•		K-7259 K-37383		IA			1
	104	ACR	K-1184-RA	60" x 32" x 20"					•	K-7259 K-37383		IA			1
Dynametric	103	KECI	K-519	60" x 32" x 16¼"				•		K-7259 K-37383		IA			1
	103	KECI	K-520	60" x 32" x 16¼"					•	K-7259 K-37383		IA			1
Elevance Rising Wall	102	ACR	K-1913-L	60¼" x 33½" x 38"				•		K-7271 K-7272 required		IA			1
	102	ACR	K-1913-LB	60¼" x 33½" x 38"				•		K-7271 K-7272 required		IA			1
	102	ACR	K-1913-R	60¼" x 33½" x 38"					•	K-7271 K-7272 required		IA			1
	102	ACR	K-1913-RB	60¼" x 33½" x 38"					•	K-7271 K-7272 required		IA			1
Expanse	103	ACR	K-1100-LA	60" x 32" x 17"				•		K-7259 K-37383		IA			1
	103	ACR	K-1100-RA	60" x 32" x 17"					•	K-7259 K-37383		IA			1
	*	ACR	K-1118-LA	60" x 30" x 17"				•		K-7259 K-37383		IA			1
	*	ACR	K-1118-RA	60" x 30" x 17"					•	K-7259 K-37383		IA			1
Guardian	102	KECI	K-785	60" x 32" x 16¼"				•		K-7259 K-37383		IA			1
	102	KECI	K-786	59½" x 32" x 16¼"					•	K-7259 K-37383		IA			1
Highbridge	101	KECI	K-877	60" x 32" x 17½"				•		K-7259 K-37383		IF			1
	101	KECI	K-877-S	60" x 32" x 17½"				•		K-7259 K-37383		IF			1
	101	KECI	K-878	60" x 32" x 17½"					•	K-7259 K-37383		IF			1
	101	KECI	K-878-S	60" x 32" x 17½"		•			•	K-7259 K-37383		IF			1
Hourglass 32	98	ACR	K-1219	60" x 32" x 20"		•				K-7259 K-37383	•				1
	101	ACR	K-1219-L	60" x 32" x 20"				•		K-7259 K-37383		IF			1
	103	ACR	K-1219-LA	60" x 32" x 20"				•		K-7259 K-37383		IA			1

*To learn more about KOHLER® baths not featured in this catalog, visit KOHLER.com/Bathing.

ACR = Acrylic, LITHO = Lithocast, Cast Acrylic, KECI = KOHLER Enameled Cast Iron
IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity																Name	
At Base	At Rim	To Overflow	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7	
Baths — 5'																			
42" x 20"	51" x 24"	14"/60 gal	•		•		•		•	•	•		•	•			•	•	Devonshire
42" x 20"	51" x 24"	14"/60 gal	•		•		•		•	•	•		•	•			•	•	
41" x 22"	54" x 25"	8⅝"/35 gal	•		•		•		•	•	•		•	•	•				Dynametric
41" x 22"	54" x 25"	8⅝"/35 gal	•		•		•		•	•	•		•	•	•				
48¾" x 23⅜"	43" x 22½"	19¾"/72 gal	•		•		•			•									Elevance Rising Wall
48¾" x 23⅜"	43" x 22½"	19¾"/72 gal	•																
48¾" x 23⅜"	43" x 22½"	19¾"/72 gal	•		•		•			•									
48¾" x 23⅜"	43" x 22½"	19¾"/72 gal	•																
45⅞" x 27⅝"	54" x 31"	12⅝"/60 gal	•		•		•			•									Expanse
45⅞" x 27⅝"	54" x 31"	12⅝"/60 gal	•		•		•			•									
45⅝" x 25⅝" x 28⅞"	52⅝" x 28⅞"	12⅞"/55⅝ gal	•		•		•			•									
45⅝" x 25⅝" x 28⅞"	52⅝" x 28⅞"	12⅞"/55⅝ gal	•		•		•			•									
45" x 22"	55" x 25"	10¾"/45 gal	•				•			•	•		•						Guardian
46" x 20"	54" x 24"	10⅞"/45 gal	•				•			•	•		•						
43⅞" x 20⅞"	53⅞" x 23⅝"	12⅞"/49½ gal	•		•	•	•	•		•			•	•	•	•		•	Highbridge
43⅞" x 20⅞"	53⅞" x 23⅝"	12⅞"/49½ gal	•		•	•	•	•		•			•	•	•	•		•	
43⅞" x 20⅞"	53⅞" x 23⅝"	12⅞"/49½ gal	•		•	•	•	•		•			•	•	•	•		•	
43⅞" x 20⅞"	53⅞" x 23⅝"	12⅞"/49½ gal	•		•	•	•	•		•			•	•	•	•		•	
47" x 20"	53" x 23"	14½"/64 gal	•		•		•			•	•		•						Hourglass 32
47" x 20"	53" x 23"	14½"/64 gal	•		•		•			•	•		•						
47" x 20"	53" x 23"	14½"/64 gal	•		•		•			•	•		•						

Bath Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	Bask Heated Surface	Drain Locations				Recommended Drain	Installation Types				Number of People
						Reversible	Center	Left	Right		Drop-In	Three-Wall Alcove or Corner	Freestanding	Under-Mount	
Baths — 5'															
Hourglass 32	98	ACR	K-1219-R	60" x 32" x 20"					•	K-7259 K-37383		IF			1
	103	ACR	K-1219-RA	60" x 32" x 20"					•	K-7259 K-37383		IA			1
Mariposa	97	ACR	K-1242	60" x 36" x 20"		•				K-7259 K-37382	•				1
	101	ACR	K-1242-L	60" x 36" x 20"				•		K-7259 K-37382		IF			1
	102	ACR	K-1242-LA	60" x 36" x 20"				•		K-7259 K-37382		IA			1
	101	ACR	K-1242-R	60" x 36" x 20"					•	K-7259 K-37382		IF			1
	102	ACR	K-1242-RA	60" x 36" x 20"					•	K-7259 K-37382		IA			1
Memoirs	103	KECI	K-721	60" x 33¾" x 17⅞"					•	K-7259 K-37383		IA			1
	103	KECI	K-722	60" x 32" x 17⅞"					•	K-7259 K-37383		IA			1
Mendota	103	KECI	K-505	59½" x 32" x 16¼"					•	K-7259 K-37383		IA			1
	103	KECI	K-506	59½" x 32" x 16¼"					•	K-7259 K-37383		IA			1
Overture	*	Vikrell	K-1227	60" x 42" x 20"			•			K-7259 K-37383	•				1
Serif	97	ACR	K-1183	60" x 42¼" x 21"		•				K-7265 K-37383.	•				1
Steeping	97	KECI	K-790	60" x 36" x 20⅝"		•				K-7259 K-37383	•			•	1
Sunward	97	ExoC	K-1163-S1	60" x 42" x 20"		•				K-7265 K-37383	•			•	1
Tea-for-Two	98	KECI	K-850	60" x 32" x 18¼"		•				K-37382	•			•	1
Tercet	99	ACR	K-1161	60" x 60" x 21"			•			K-7259 K-7213 K-7214	•				2
	101	ACR	K-1161-F	60" x 60" x 21"			•			K-7259 K-37383		IF			2
	104	ACR	K-1161-LA	60" x 60" x 21"			•			K-7259 K-37383		IA			2
Underscore	98	ACR	K-1121	60" x 30" x 19"	•	•				K-7271 K-7272 required	•			•	1
	101	ACR	K-1121-L	60" x 30" x 19"	•			•		K-7271 K-7272 required		IF			1
	101	ACR	K-1121-R	60" x 30" x 19"	•				•	K-7271 K-7272 required		IF			1

*To learn more about KOHLER® baths not featured in this catalog, visit KOHLER.com/Bathing.

ACR = Acrylic, ExoC = ExoCrylic™, LITHO = Lithocast®, Cast Acrylic, KECI = KOHLER Enameled Cast Iron
IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions			Water Capacity																Name
At Base	At Rim	To Overflow	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7	
Baths — 5'																			
47" x 20"	53" x 23"	14½"/64 gal	•		•		•			•	•		•						Hourglass 32
47" x 20"	53" x 23"	14½"/64 gal	•		•		•			•	•		•						
46" x 24"	54" x 27"	14"/63 gal	•		•		•			•	•		•						Mariposa
46" x 24"	54" x 27"	14"/63 gal	•		•		•			•	•		•						
46" x 24"	54" x 27"	14"/63 gal	•		•		•			•	•		•						
46" x 24"	54" x 27"	14"/63 gal	•		•		•			•	•		•						
46" x 24"	54" x 27"	14"/63 gal	•		•		•			•	•		•						
46" x 24"	54" x 27"	14"/63 gal	•		•		•			•	•		•						
45" x 23"	54" x 25"	11⅝"/52 gal	•		•	•	•	•	•	•	•		•	•	•	•	•	•	Memoirs
45" x 23"	54" x 25"	11⅝"/52 gal	•		•	•	•	•	•	•	•		•	•	•	•	•	•	
43" x 20"	54" x 24"	10⅞"/45 gal	•		•		•		•	•	•		•	•	•		•	•	Mendota
43" x 20"	54" x 24"	10⅞"/45 gal	•		•		•		•	•	•		•	•	•		•	•	
37" x 26"	54" x 37"	14¼"/69 gal	•				•			•									Overture
42" x 28"	55" x 40"	15½"/73 gal	•		•		•			•	•		•					•	Serif
43" x 19"	54" x 30"	15"/62 gal	•		•		•			•	•		•						Steeping
43" x 21⅞"	53½" x 32⅞"	15"/57 gal	•		•		•			•	•		•						Sunward
40½" x 20"	52¾" x 24"	13⅝"/60 gal	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	Tea-for-Two
52" x 38¾"	61" x 46¼"	15"/96 gal	•		•		•			•	•		•						Tercet
52" x 38¾"	61" x 46¼"	15"/96 gal	•		•		•			•	•		•						
52" x 38¾"	61" x 46¼"	15"/96 gal	•		•		•			•	•		•						
52" x 38¾"	61" x 46¼"	15"/96 gal	•		•		•			•	•		•						
42⅝" x 20"	54⅝" x 24⅝"	15⅞"/59⅝ gal	•		•		•			•			•						Underscore
42⅝" x 20"	54⅝" x 24⅝"	15⅞"/59⅝ gal	•		•		•			•			•						
42⅝" x 20"	54⅝" x 24⅝"	15⅞"/59⅝ gal	•		•		•			•			•						

Bath Features & Colors Index Continued

Name	Page Number	Material	Model Number	Dimensions L x W x H	Bask Heated Surface	Drain Locations				Recommended Drain	Installation Types				Number of People
						Reversible	Center	Left	Right		Drop-In	Three-Wall Alcove or Corner	Freestanding	Under-Mount	
Baths — 5'															
Underscore	98	ACR	K-1130	60" x 32" x 21"	•	•				K-7271 K-7272 required	•			•	1
	97	ACR	K-1848	60" x 36" x 21"	•	•				K-7271 K-7272 required	•			•	1
Villager	103	KECI	K-713	60" x 34¼" x 14"				•		K-7259 K-37383		IA			1
	103	KECI	K-714	60" x 34¼" x 14"					•	K-7259 K-37383		IA			1
	104	KECI	K-715	60" x 30¼" x 14"				•		K-7259 K-37383		IA			1
	104	KECI	K-716	60" x 30¼" x 14"					•	K-7259 K-37383		IA			1
Windward	97	ACR	K-1113 K-1113-F	60" x 42" x 21"		•				K-7265 K-37383	•				1
	100	ACR	K-1113-L	60" x 42" x 21"				•		K-7265 K-37383		IF			1
	102	ACR	K-1113-LA	60" x 42" x 21"				•		K-7265 K-37383		IA			1
	100	ACR	K-1113-R	60" x 42" x 21"					•	K-7265 K-37383		IF			1
	102	ACR	K-1113-RA	60" x 42" x 21"					•	K-7265 K-37383		IA			1
Baths — Under 5'															
5454	99	ACR	K-1155	54" x 54" x 20½"			•			K-7259 K-37383	•				2
	101	ACR	K-1155-F	54" x 54" x 20½"			•			K-7213 K-7214		IF			2
Greek	99	ACR	K-1490-X	48" x 32" x 23⅞"		•				K-7265	•				1
Mayflower	104	KECI	K-821	48" x 44" x 14"				•		K-7259 K-37383		IA			1
	104	KECI	K-824	48" x 44" x 14"					•	K-7259 K-37383		IA			1
Seaforth	104	KECI	K-745	54" x 30¼" x 14"				•		K-7259 K-37383		IA			1
	104	KECI	K-746	54" x 30¼" x 14"					•	K-7259 K-37383		IA			1
Soissons	98	KECI	K-941	59" x 27½" x 16¾"		•				K-37382 K-37383	•				1
Underscore Cube	99	ACR	K-1968	48" x 48" x 34"	•		•			K-7259 K-37383	•			•	2

ACR = Acrylic, LITHO = Lithocast® Cast Acrylic, KECI = KOHLER® Enameled Cast Iron
 IA = Integral Apron and Three-Wall Flange, IF = Integral Three-Wall Flange

Bathing Well Dimensions		Water Capacity																	Name
At Base	At Rim	To Overflow	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7	
Baths — 5'																			
42" x 23½"	55½" x 27½"	17½"/81 gal	•		•		•			•			•						Underscore
39⅞" x 24⅞"	53⅝" x 29½"	17½"/81 gal	•		•		•			•			•						
45" x 22"	55" x 24"	8⅞"/33 gal	•		•		•		•	•	•		•	•	•				Villager
45" x 22"	55" x 24"	8⅞"/33 gal	•		•		•		•	•	•		•	•	•				
45" x 22"	55" x 24"	8⅞"/33 gal	•		•		•		•	•	•		•	•	•				
45" x 22"	55" x 24"	8⅞"/33 gal	•		•		•		•	•	•		•	•	•				
43" x 25⅝"	53½" x 32⅞"	15"/57 gal	•		•		•			•	•		•						Windward
43" x 25⅝"	53½" x 32⅞"	15"/57 gal	•		•		•			•	•		•						
43" x 25⅝"	53½" x 32⅞"	15"/57 gal	•		•		•			•	•		•						
43" x 25⅝"	53½" x 32⅞"	15"/57 gal	•		•		•			•	•		•						
43" x 25⅝"	53½" x 32⅞"	15"/57 gal	•		•		•			•	•		•						
Baths — Under 5'																			
44" x 36"	56" x 43"	15"/76 gal	•				•			•									5454
44" x 36"	56" x 43"	15"/76 gal	•				•			•									
36" x 21"	42" x 26"	17½"/68 gal	•		•		•			•			•				•		Greek
43" x 25"	48" x 30"	8⅞"/33 gal	•		•		•			•	•		•						Mayflower
43" x 25"	48" x 30"	8⅞"/33 gal	•		•		•			•	•		•						
37" x 22"	48" x 24"	8⅞"/30 gal	•		•		•			•	•		•						Seaforth
37" x 22"	48" x 24"	8⅞"/30 gal	•		•		•			•	•		•						
43⅞" x 17⅝"	51⅞" x 21⅝"	11⅞"/33⅞ gal	•				•			•									Soissons
39⅝" x 39⅝"	44⅝" x 44⅝"	27½"/171 gal	•				•												Underscore Cube

Thank you.

If you'd like to learn more about Kohler and our complete product offering, we invite you to take a look at our literature, visit us online or stop by a KOHLER® Showroom.

Literature

Concise and easy to use, our full-line category books inspire you to create beautiful spaces and guide you through choosing kitchen and bath products that are right for you and your home.

In addition, *bold* features ideas we're passionate about, the latest introductions to the KOHLER kitchen and bath lines, as well as a selection of our timeless, classic offerings.

View the full magazine at KOHLER.com/LiteratureStore. There you can download additional category books and brochures. KOHLER literature also can be ordered by calling 800-4-KOHLER.

us.KOHLER.com

For design inspiration and tips, help planning your space, and a comprehensive look at KOHLER kitchen and bath products, visit us at us.KOHLER.com.

Showrooms

To experience KOHLER kitchen and bath products firsthand and to talk with a KOHLER representative, visit KOHLER.com/WhereToBuy to find a showroom near you.

Kohler Invites You to Explore


Full-Line Category Books



bold

us.KOHLER.com

Showrooms



The Kohler Family of Businesses



We are pleased to offer you additional resources as you design and furnish your home. In each of our businesses – kitchen and bath, tile and furniture, and residential generators – we are committed to designing innovative products that bring beauty and comfort to life. Discover the entire family of businesses at KOHLER.com.



KOHLER®

KALLISTA®

ANN SACKS®

robern®

Baker®

M c G U I R E®


STERLING®
A KOHLER COMPANY

KOHLER®
POWER SYSTEMS

A KOHLER Experience®



Join us for an unforgettable stay at the Old Course Hotel in St Andrews, Scotland, or The American Club® Resort in Kohler, Wisconsin, where you'll enjoy classically elegant settings, sumptuous cuisine, exclusive spa and golf experiences, luxurious amenities and quietly confident service. Plan your experience at aKOHLERexperience.com.



A the
American
club®



INN ON
WOODLAKE

JIGGER INN



KOHLER
Waters
SPA®



Learn more about our unique
hydrotherapies and bathing products
at KOHLER.com/Bathing.