

**KOHLER®**

Commercial & Hospitality



THE BOLD LOOK  
OF **KOHLER®**

Life without labor is guilt. Labor without art is brutality.


- John Ruskin



and closets that carry the Kohler mark are well designed and well made, to the last inner detail. If you use colored fixtures, Kohler colors are pure, uniform, harmonious. If you prefer white, Kohler white is as immaculate as freshly laundered linen. Kohler faucets and handles and



plumbing contractor. Actual estimates will show you that an all-Kohler installation costs surprisingly little. Meanwhile, write for Booklet A-5, which has color schemes, floor plans and various vital facts on good plumbing. . . . Kohler Co. Founded 1875, Kohler, Wisconsin. Branches in principal cities. Look for the Kohler mark on every fixture and fitting.



Kohler Sycamore sink with chrome faucet, equipped with Durabrite.



Kohler Wainwright cast-iron mixing faucet with third water supply.

escutcheons are advanced in design—all the mechanical parts are sure, silent and safe. Those who work on Kohler products have the true tradition of craftsmanship. The beautiful village of Kohler is an inspiration to excellence. The men who do each intricate detail of manufacture work on rigid engineering requirements—and with the earnestness of high art.

*An all-Kohler bathroom—at the same cost*  
Quality is not a matter of money—but of knowledge and vision. Even the small home must have the finest fixtures

#### ELEVEN IMPORTANT POINTS

- 1 Kohler designs are decorative, purposeful, correct.
- 2 Bathtub fitted with an circulating bond . . . smooth, glazing surface.
- 3 Fixtures show—surround with a smooth, lustre, lasting glass.
- 4 Kohler colors are soft, livable pastels. The white is a perfect white.
- 5 Metal fittings match the fixtures in style, character and quality.
- 6 Made of finest materials . . . show craftsmanship and care.
- 7 This year's Kohler products are most your's new ideas in plumbing.
- 8 Kohler quality extends to kitchen and laundry, many lines.
- 9 Kohler quality costs no more . . . and saves money later.
- 10 Handled and installed by qualified plumbers.
- 11 Backed by an entire community . . . beautiful Kohler Village.

KOHLER OF KOHLER





Page 1 KOHLER OF KOHLER NEWS October 1940

**Kohler Ware Chosen for New Florida Hotel**

From time to time we have shown in the News, new hotels, apartment buildings and homes in which Kohler Enamelware has been installed. The picture on this page illustrates another magnificent hotel, the Miami Biltmore at Coral Gables, Florida, in which the architects have again specified Kohler Ware. In all there will be two hundred and ninety-eight of the popular Kohler "Viceroy" built-in both installed. The building will be completed about January 1 of next year.

The purpose of the drive was to establish a permanent fund, the income of which will take care of the dependents of the men who were disabled or who gave their lives when their country called. A part of the amount raised now will be used to support the rehabilitation camp, located at Tomahawk Lake, Wisconsin, where disabled veterans may build up their health and regain their self-confidence.

The American Legion is sponsoring a noble cause and it is gratifying to know that the Village of Kohler responded so generously.

What John Michael Kohler saw in 1883 when he looked at a cast-iron horse trough was the bathtub that launched a global plumbing company. That pioneering spirit of ingenuity – the kind that sees a bathing revolution in a horse trough – has defined Kohler Co. from its earliest days. A visionary, John Michael Kohler understood the importance of innovative design and an uncompromising commitment to craft and quality. After four generations, we remain a family-owned company with diverse international businesses and over 26,000 products and 13,000 patents to our name. Still leading the industry in innovation and design. **Bolder than ever.**

Balancing style and comfort with tough, hardworking designs, our commercial and hospitality products help today's designers and architects create some of the world's most innovative built environments. We create products that equip today's universities and hospitals for the future. We develop designs that inspire new ways of imagining our public and shared spaces, from luxury hotels to stadiums. With smart, water-saving features and advanced technologies, our products bring beautiful, efficient structures to life.

Explore design ideas and detailed specification information for commercial and hospitality products at [us.KOHLER.com](https://www.us.kohler.com).

## Table of Contents

### Why KOHLER®

Hybrid Energy System 8

Engineered Efficiency 10

Saving Without Sacrificing 14

Industry Solutions 16

### Things to Consider 26

#### Product Portfolio

Faucets 28

Sinks 44

Flushometers 54

Toilets & Seats 60

Urinals 70

Showering 76

Bathing 94

Finishing Touches 104

#### Indexes

Glossary of Terms 122

Colors & Finishes 124





## Why KOHLER®?

For more than a 135 years, people have been choosing KOHLER plumbing products for their homes, their businesses and their commercial ventures. After so many years, we're pretty sure we know why. It comes down to how we approach each product. For us, every product we design is a measure of the standards we set in performance, innovation and conservation. Every product we manufacture is evidence of our commitment to you. So year after year, we deliver not only the best plumbing products on the market, but those that offer the best options for your projects.

## Hybrid Energy System

Revolutionizing the commercial bathroom, the Hybrid energy system delivers 30 years of no-hassle power.\* Just one hybrid energy cell will power a flushometer or faucet for at least 875,000 cycles – no maintenance required. That's about once every 20 minutes, 24 hours a day, 365 days a year for 30 years.

## Engineered Efficiency

We push performance further than our competitors by designing and manufacturing our own paired performance solutions. Each commercial toilet and urinal is engineered not only to be the best of its kind but to achieve its peak efficiency when paired with a KOHLER flushometer. In addition, our AccuFlush™ toilets and urinals provide incredible performance across a range of gpf platforms, so you can pair the design of your choice with the gpf that best meets your building requirements.


## Saving Without Sacrificing

Kohler offers a wide range of WaterSense®-labeled products that can help buildings earn points toward LEED certification. Whether you're developing patient rooms that set new standards of care or designing the ultimate in luxe hotel suites, KOHLER water-saving products can help you achieve measurable cost savings without sacrificing performance or design. See the sample savings calculations on pages 14-15 to get a better sense of the actual cost-saving potential for your building.

## Industry Solutions

Our full offering of commercial and hospitality fixtures and faucets is designed and manufactured with industry needs in mind. We offer customized solutions to meet the specific demands of your next endeavor, from public buildings to educational institutions, resorts and hospitals. We help you choose the right combination of products to provide optimized performance as well as natural resource and cost savings.

\*Battery life calculations are based on an estimated product usage of 80 uses per day for 365 days per year. Actual battery life may vary depending on product settings, usage patterns and operating environments.



# HYBRID

energysystem



The Hybrid energy system operates hassle-free for 30 years.\* No moving parts. No need for sunlight. No maintenance. Period. Working with faucets and flushometers powered by Hybrid goes something like this: install, celebrate 30 birthdays, take 30 awesome annual vacations and start your retirement. Oh, and remind the new guy to swap out the hybrid energy cells in 2042.

### Powering Both Faucets and Flushometers

Now available with WAVE and Tripoint® flushometers as well as Insight™ faucets, the Hybrid energy system combines low-energy-draw sensors with excellent energy storage. So you get 30 years of innovative Touchless performance.

### Hassle-Free for 30 Years. Seriously.

Hybrid energy cells don't rely on turbines or photovoltaic cells to operate. Parts don't wear out. Low light isn't an issue. The Hybrid energy system works no matter if traffic is high or low. It's really that simple.



### Better for the Environment

Free of mercury and heavy metals, the hybrid energy cell helps reduce landfill numbers of alkaline and lithium batteries, which typically need to be replaced every few years. And in 30 years, Kohler will recycle your hybrid energy cell in-house.

\*Battery life calculations are based on an estimated product usage of 80 uses per day for 365 days per year. Actual battery life may vary depending on product settings, usage patterns and operating environments.

# Engineered Efficiency

## Research & Development



## Concepts & Sketches

## 3-D Modeling & Prototyping

### Research & Development

Research and development is where paired performance begins – understanding our customers' needs, studying design trends, drawing on technological advances in science and industry, and exploring new materials and technologies.

### Concepts & Sketches


Armed with the latest research, our teams of international designers begin to develop concepts that push the envelope on design. These teams are always in conversation, designing flushometers based on the toilet or urinal team's most recent innovations and vice versa.

### 3-D Modeling & Prototyping

Using computer models and prototypes to precision-engineer the inner workings of each component, our engineers map the velocity and force of water to optimize the efficiency of flushometers and fixtures individually and paired together.

## Paired Performance

Kohler is in the unique position of being able to design, engineer and manufacture our toilets and urinals in tandem with our flushometers – adjusting each to enhance their combined efficiency. Together, they create a commercial solution that's more effective and powerful than the sum of its parts.



### Performance Testing

Our domestic and international test labs perform hundreds of tests and measurements from cycle testing of single pieces to stain-resistance testing. Third-party evaluations by IAPMO\* help ensure that our labs are compliant with ISO\*\* Guide 17025 for calibration and testing laboratories.

\* International Association of Plumbing and Mechanical Officials  
\*\* International Organization for Standardization

### Design Review

At various stages in the process, each design is reviewed by our executive team to ensure that each product represents the KOHLER® brand and stays on the leading edge of design and innovation.

### Manufacturing

We manufacture our fixtures and faucets in advanced facilities located in 16 countries. Kohler manages every step from concept to end product with the goal of creating award-winning products that bring beauty and comfort to life.



AccuFlush™



Kingston™ elongated wall-hung toilet (K-4325-0) Page 65  
Stronghold® elongated toilet seat (K-4731-SC-0) Page 68  
Touchless 1.28 gpf flushometer with WAVE technology (K-10673-CP) Page 58  
36" contemporary grab bar (K-14564-S) Page 108  
42" contemporary grab bar (K-14565-S) Page 108  
18" contemporary grab bar (K-14561-S) Page 108

As a result of using a specialized dynamic flow profile to optimize water velocity and flushing power, we've been able to develop a selection of toilets and urinals that perform with powerful precision across a variety of gpf platforms. AccuFlush products afford versatility in matching style preferences with gpf requirements based on local plumbing codes and green building practices.

## AccuFlush™

To find specific toilets and urinals that accommodate multiple gpf options, look for the AccuFlush logo on pages 64-65 and 74.



# Saving Without Sacrificing

All calculations based on a combined water and sewer rate of \$7.50 per 1,000 gallons.



## Hotel Savings



Based on 150 rooms with an average of 1.5 guests per room and 70% occupancy

<b>Toilets</b>	<b>1.28 GPF (Replaces 3.5 GPF)</b>
Initial Investment (Material & Labor per Toilet)	\$150
Flushes per Day	3 (guests and housekeeping)
Water Savings	553,050 gallons
Annual Savings	\$4,148
<b>Faucets</b>	<b>1.5 GPM (Replaces 2.2 GPM)</b>
Initial Investment (Material & Labor per Faucet)	\$65
Faucet Use per Day	225 seconds (guests and housekeeping)
Water Savings	130,784 gallons
Annual Savings	\$981
<b>Showerheads</b>	<b>1.75 GPM (Replaces 2.5 GPM)</b>
Initial Investment (Material & Labor per Showerhead)	\$40
Shower Use per Day	13 minutes (guests and housekeeping)
Water Savings	517,388 gallons
Annual Savings	\$3,880
<b>Urinals</b>	
Initial Investment (Material & Labor per Urinal)	-
Flushes per Day	-
Water Savings	-
Annual Savings	-
<b>Totals</b>	
Material Investment	\$38,250
Annual Water Cost Savings	\$18,780
Savings (Based on Typical Maintenance & Repair Costs)	\$9,771
Payback Period	2 years



We've put together a few scenarios below to give you a sense of the significant impact water-saving products can have on your bottom line. We've used an average water and sewer rate to calculate savings; however, these rates may vary widely based on location and business. In addition, the details of each project are based on typical situations in the industry and may differ in scale from your own project.



 <b>Patient Room Savings</b> Based on 300 individual patient rooms with 70% occupancy	 <b>Office Building Savings</b> Based on 400 employees working 250 days per year
<b>1.28 GPF (Replaces 3.5 GPF)</b>	<b>1.28 GPF (Replaces 3.5 GPF)</b>
\$200	\$200
5 (patients and cleaning staff)	4 (employees)
850,815 gallons	444,000 gallons
\$6,381	\$3,330
<b>1.5 GPM (Replaces 2.2 GPM)</b>	<b>0.5 GPM (Replaces 1.5 GPM)</b>
\$65	\$65
60 seconds (patients and cleaning staff)	45 seconds (employees)
67,069 gallons	75,000 gallons
\$503	\$563
<b>1.75 GPM (Replaces 2.5 GPM)</b>	
\$50	-
2.5 minutes (patients and cleaning staff)	-
413,719 gallons	-
\$1,078	-
	<b>0.125 GPF (Replaces 1.0 GPF)</b>
-	\$200
-	2 (employees)
-	875,000 gallons
-	\$656
\$94,500	\$6,650
\$21,428	\$9,638
\$13,466	\$5,089
3.8 years	0.6 years

# Industry Solutions



We know that every commercial or hospitality project is different – different in scale, user needs and traffic patterns, not to mention design, material and budget considerations. So whether your primary concern is hygiene or conservation, luxurious comfort or affordability, our extensive and varied product portfolio offers custom solutions that fit the needs of your individual project.

We invite you to take a look at some of the smart, inviting spaces, both new and renovated, that architects and designers have created with KOHLER®.



## Healthcare

Where accessibility and cleanliness are the top priorities, KOHLER® commercial and institutional products deliver a range of ADA-compliant and hygienic solutions.

- Touchless faucets and flushometers reduce the spread of germs
- Wide selection of ADA-compliant products from toilets and showers to sinks and faucets provide comprehensive accessibility
- Commercial fixtures comply with strict load-bearing standards of 500 to 1,000 pounds, making them well suited to patient needs and hospital environments



## Education

From preschools to law schools, educational institutions can save operating and maintenance costs by using KOHLER commercial products.

- WAVE flushometers activate only when a hand is waved over them, eliminating random flushing that can frighten children
- Each waterless urinal can save up to 39,000 gallons of water annually
- Replacing a 3.5 gpf toilet with a 1.28 gpf toilet can save thousands of gallons of water annually
- The 1.28 gpf Primary™ toilet is sized for preschoolers and kindergarteners



## Public Spaces

Settings that see near constant foot traffic require products that feature exceptional quality and durability – the kind Kohler has been committed to since manufacturing its first bathtub over a century ago.

- KOHLER commercial faucets and flushometers are designed to be vandal-resistant
- Hybrid energy system eliminates battery maintenance for faucets and flushometers
- Constructed of durable forged brass bodies, our Touchless faucets deliver style that stands up to the demands of public spaces



## Hospitality

We recognize that luxury is communicated through details – attention to quality and design. Our hospitality products, no matter the price point, reflect meticulous precision and craft.

- Wide array of styles and price points provide the right look and feel without going over budget
- Spa-inspired products deliver customized showering and bathing experiences
- Variety of water-saving solutions make it easy to meet local requirements, including reduced-water-use codes, without sacrificing performance





## Education



## Marquette Law School, Wisconsin

Housing Marquette University Law School, Eckstein Hall is a bold addition to the Marquette campus and already an iconic structure in the Milwaukee landscape. As in any college environment, every component of Eckstein Hall needs to be virtually impervious to unrelenting traffic. Solid brass KOHLER® faucets and flushometers as well as our incredibly durable fixtures will stand up to constant use semester after semester. And, with faucets powered by nearly maintenance-free 30-year Hybrid energy systems, Eckstein Hall will be well on its way to outlasting its 86-year-old predecessor.

- [law.marquette.edu](http://law.marquette.edu)

## Product Portfolio



**Tripoint.**  
0.5 gpf Touchless urinal flushometer with Tripoint technology  
K-10958-CP



**Sculpted**  
Touchless bathroom sink faucet with Hybrid energy system and Insight™ technology  
K-7515-CP



**Bardon.**  
Urinal with top spud  
K-4960-ET-0



**Pennington.**  
Drop-in bathroom sink  
K-2196-1N-0





## Public Spaces







## Citi Field, New York

Home of the New York Mets and a state-of-the-art ballpark, Citi Field was designed to offer baseball fans a comfortable, amenity-rich game day experience. With 646 toilets and capacity for 41,800 fans, the stadium requires tough, efficient KOHLER® plumbing products, manufactured with premium materials and built to last in even the harshest environments while reducing water use. And just how much water can Citi Field save? Even if we conservatively estimate the water savings from our fixtures and faucets to 1 gallon per person per game, over the course of 81 home games with the stadium at three-fourths capacity, Citi Field would save over 2 million gallons of water. That's equal to a lifetime of drinking water for more than 50 people.

- [mets.com](http://mets.com)

## Product Portfolio



**Gooseneck**  
Touchless bathroom sink faucet with Insight™ technology  
K-13472-CP



**Steward**®  
Waterless urinal  
K-4918-0



**Hudson**™  
Wall-mount bathroom sink  
K-2805-0



**Caxton**™  
Under-mount bathroom sink  
K-2209-0





## Hospitality



## Proximity Hotel, North Carolina

Built for the express purpose of offering an intimate, luxurious experience in a truly sustainable environment, the Proximity Hotel has been recognized for its innovative approach to conserving natural resources. KOHLER® plumbing products made it possible for the hotel to achieve LEED Platinum status, the United States Green Building Council's highest rating, and at the same time provide guests with an exceptional level of comfort and pleasure.

- [proximityhotel.com](http://proximityhotel.com)

## Product Portfolio



**Bancroft.**  
Monoblock bathroom sink faucet with White ceramic lever handles  
K-10579-4P-CP



**Cimarron.**  
Comfort Height® elongated 1.28 gpf toilet and Brevia® toilet seat  
K-3828-0 / K-4774-0



**Farmington.**  
Drop-in bathroom sink  
K-2905-1-0




**Steward. S**  
Waterless urinal  
K-4917-0





KOHLER® products grace the interior of buildings throughout the world, from the incredible Burj Khalifa in Dubai to The Savoy in London. Our Corporate Accounts teams, located internationally, are eager to share their expertise to help build inspired spaces anywhere in the world. We offer solutions for every aesthetic, budget and experience from spa indulgence to high-rise chic. From public settings to guest rooms, Kohler will help transform your property from a place to visit to a place to indulge.





**Fairmont Pacific Rim** Vancouver, British Columbia

**Fairmont Banff Springs** Banff, Alberta

**Park Hyatt** Washington, D.C.

**The Cosmopolitan** Las Vegas, Nevada

**Wynn Encore** Las Vegas, Nevada

**The Ritz-Carlton** Dallas, Texas

**W Hotel** Austin, Texas

**St. Regis** Atlanta, Georgia

**The Roosevelt Hotel** New Orleans, Louisiana

**Hilton** Orlando, Florida

**The Ritz-Carlton** Charlotte, North Carolina

**Trump International** Chicago, Illinois

**JW Marriott** Indianapolis, Indiana

**Hôtel Plaza Athénée** New York, New York

**InterContinental** New York, New York

**St. Regis Bahia Beach** Rio Grande, Puerto Rico

**Westin Playa Bonita** Panama City, Panama

**W Hotel** Santiago, Chile

**Tambo del Inka** Urubamba, Peru

**Banyan Tree Cabo Marqués** Acapulco, Mexico

**St. Regis** Mexico City, Mexico

**Four Seasons** Punta Mita, Mexico

**Taj** Cape Town, South Africa

**Four Seasons** Marrakech, Morocco

**The Savoy** London, England

**Four Seasons** London, England

**Sheraton** Paris, France

**Sofitel Grand** Sopot, Poland

**Dom Hotel** Cologne, Germany

**Aramani Hotel** Milan, Italy

**Four Seasons** St. Petersburg, Russia

**Atlantis** Dubai, United Arab Emirates

**Burj Khalifa** Dubai, United Arab Emirates

**Seven Stars Resort** Providenciales,  
Turks & Caicos Islands

**Raffles Makkah Palace** Makkah, Saudi Arabia

**Sonesta** Sharm El Sheikh, Egypt

**Fairmont Towers Heliopolis** Cairo, Egypt

**Ciragan Palace Kempinski** Istanbul, Turkey

**Leela Kempinski** Delhi, India

**ITC Grand Chola** Chennai, India

**Westin Siray Bay** Phuket, Thailand

**Shangri-La Hotel** Mumbai, India

**Sofitel** Mumbai, India

**Fairmont Peace Hotel** Shanghai, China

**Peninsula** Shanghai, China

**Furama Hotel** Dalian, China





**The Ritz-Carlton** Sanya, China

**The Ritz-Carlton** Kowloon, Hong Kong

**Sheraton** Shenzhen, China

**The Ritz-Carlton** Beijing, China

# Things to consider before you get started:



## Faucets

Built to last a lifetime, KOHLER® faucets are tested well beyond what the industry requires for performance and durability, from 1 million on/off cycles – about 50 years' worth – to 24 hours in a saltwater solution. A result of our commitment to quality, our faucet finishes resist corrosion twice as well as industry standards. Faucets that feature Vibrant® PVD finishes and ceramic disc valves carry a Lifetime Limited Warranty.

- Touchless Page 32
- Hybrid Page 32
- Manual Page 36
- Hospitality Page 42

## Sinks

From artistic Vessels sinks to durable utility sinks, we bring you a broad selection of sink styles, shapes and sizes for commercial and hospitality projects. Designed to be beautiful as well as durable, KOHLER sinks stand up to the demands of high-traffic areas.

- Wall-Hung Page 48
- Institutional Page 50
- Hospitality Page 52

## Flushometers




Kohler offers a full spectrum of flushometers from innovative touchless options to workhorse manual flushometers. Each flushometer features accurate piston technology, solid-brass construction and chloramine-resistant materials to eliminate frequent maintenance. And each design is cycle-tested to twice the industry standard.

- Toilet Flushometers Page 58
- Urinal Flushometers Page 58

## Toilets & Seats

Incredible performance. Great design. With Kohler, you can count on both. Our toilets are serious performers that come in a wide array of attractive, water-saving designs. Designed to reach peak efficiency when paired with KOHLER flushometers, our toilets are available in a range of standard or water-saving gpf platforms.

- Floor-Mount Page 64
- Wall-Mount Page 64
- Assisted Flush Page 64
- Toilet Seats Page 68



## Urinals

With award-winning designs and a variety of flushing options, waterless to 1.0 gpf, KOHLER® urinals bring standout style and exceptional performance to commercial and hospitality venues. Engineered to endure the wear and tear of heavy traffic, our urinals are easy to clean and require minimal maintenance.

- [Wall-Mount](#) [Page 74](#)
- [Floor-Mount](#) [Page 74](#)
- [Waterless](#) [Page 74](#)

## Showering

Kohler manufactures everything you need to create customized showering spaces from luxurious spa showers to accessible ADA-compliant showers. Our showering products include bases, stalls, water delivery components and accessories.

- [Water Delivery](#) [Page 80](#)
- [Bases](#) [Page 90](#)
- [Stalls](#) [Page 92](#)

## Bathing

Our extensive catalog of bathing products features baths and whirlpools in a variety of shapes and sizes. We offer designs suited for a range of commercial and hospitality settings and budgets. Choose from simple, sleek styles, unique hydrotherapy experiences and smart conveniences.

- [Acrylic](#) [Page 96](#)
- [Enameled Cast Iron](#) [Page 96](#)

## Finishing Touches

We've given careful consideration to even the smallest details – grab bars, slidebars, drains and accessories – to help you design bathrooms that deliver convenience and safety.

- [Grab Bars](#) [Page 108](#)
- [Bath Drains](#) [Page 112](#)
- [Fittings](#) [Page 116](#)

KOHLER® Touchless and manual faucets deliver uncompromising performance you can depend on day in, day out. Tirelessly exploring new technologies and materials, we work to push the efficiency and quality of our products further. We take the extra time to precision-engineer each element of every faucet, from design to manufacture.



## Faucets

Touchless <sup>32</sup>

Coralais® <sup>36</sup>



Institutional <sup>38</sup>

Hospitality <sup>42</sup>

## Before You Choose a Commercial Faucet

To help you specify the best KOHLER® faucets for your commercial or hospitality enterprise, we've outlined some of the key features that you'll want to keep in mind as you browse our portfolio of products.







## Hybrid Energy System

Enjoy maintenance-free Touchless faucet power for 30 years.\* The Hybrid energy system is quick to install; doesn't require constant use, solar power or repeated maintenance to operate; and is free of mercury and heavy metals. That means no turbines, no photovoltaic cells, no nonsense.

## Insight™ Technology

Improved over traditional infrared sensors that rely on fixed settings and may misread environments, Insight technology features an adaptive infrared sensor that has the ability to analyze the surrounding area once installed. After recording these details, Insight is able to calibrate the sensor to filter false triggers and optimize the faucet's operation.



## Manual Configurations

In addition to Touchless faucets for commercial applications, we offer manual faucets in a variety of configurations, including wall-mount, widespread, centerset and single-handle, to accommodate any number of bathroom designs and functionality needs.

## Institutional Solutions

Kohler offers specialized institutional faucets that provide maximum durability in the most demanding environments. Like all of our faucets, they are manufactured with premium materials and faucet finishes that resist wear twice as well as industry standards.


\*Battery life calculations are based on an estimated product usage of 80 uses per day for 365 days per year. Actual battery life may vary depending on product settings, usage patterns and operating environments.

Touchless Faucets with Insight™ Technology



<b>Sculpted</b>		<b>Geometric</b>		<b>Gooseneck</b>		<b>Wall-mount valve and sensor kit</b>	
Hybrid energy cell-powered	K-7514	Hybrid energy cell-powered	K-7516	Hybrid energy cell-powered	K-7518	Hybrid energy cell-powered	
Hybrid energy cell-powered with mixer	K-7515	Hybrid energy cell-powered with mixer	K-7517	Hybrid energy cell-powered with mixer	K-7519	round	K-11830
DC-powered	K-13461	DC-powered	K-13467	DC-powered	K-13473	AC-powered round	K-11843
DC-powered with mixer	K-13460	DC-powered with mixer	K-13466	DC-powered with mixer	K-13472	Hybrid energy cell-powered square	K-11831
AC-powered	K-13463	AC-powered	K-13469	AC-powered	K-13475	AC-powered square	K-11842
AC-powered with mixer	K-13462	AC-powered with mixer	K-13468	AC-powered with mixer	K-13474		
<b>Memoirs®</b>		<b>Falling Water®</b>		<b>Purist®</b>		<b>Purist</b>	
Wall-mount faucet trim	K-T11838	Wall-mount faucet trim	K-T11836	9½" 90° spout (shown)	K-T11839	8⅛" 35° spout (shown)	K-T11837
				6½" 90° spout	K-T11841	6¼" 35° spout	K-T11840

Optional Escutcheon Plates





Name/Design	Model Number	Power			Spout Reach/Design	Flow Rate	With Temperature Mixer	Vandal-Resistant Aerator	Flexible Supplies	Required Valve/ Sensor Kit	ADA	Polished Chrome CP	Vibrant Stainless VS
		AC	DC	Hybrid									
Deck-Mount													
Geometric	K-7516			•	6¾"	0.5 gpm		•	•		•	•	•
	K-7517			•	6¾"		•	•	•		•	•	•
	K-13466		•		6¾"		•	•	•		•	•	•
	K-13467		•		6¾"			•	•		•	•	•
	K-13468	•			6¾"		•	•	•		•	•	•
	K-13469	•			6¾"			•	•		•	•	•
Gooseneck	K-7518			•	6⅞"			•	•		•	•	•
	K-7519			•	6⅞"		•	•	•		•	•	•
	K-13472		•		6⅞"		•	•	•		•	•	•
	K-13473		•		6⅞"			•	•		•	•	•
	K-13474	•			6⅞"		•	•	•		•	•	•
	K-13475	•			6⅞"			•	•		•	•	•
Sculpted	K-7514			•	5¾"			•	•		•	•	•
	K-7515			•	5¾"		•	•	•		•	•	•
	K-13460		•		5¾"		•	•	•		•	•	•
	K-13461		•		5¾"			•	•		•	•	•
	K-13462	•			5¾"		•	•	•		•	•	•
	K-13463	•			5¾"			•	•		•	•	•
Wall-Mount													
Falling Water	K-T11836			•	7⅞"	0.5 gpm			•	K-11830	•	•	•
	K-T11836	•			7⅞"				•	K-11843	•	•	•
Memoirs	K-T11838			•	8⅞"				•	K-11831	•	•	•
	K-T11838	•			8⅞"				•	K-11842	•	•	•
Purist	K-T11837			•	8⅞" 35°-angle				•	K-11830	•	•	•
	K-T11837	•			8⅞" 35°-angle				•	K-11843	•	•	•
	K-T11839			•	9½" 90°-angle				•	K-11830	•	•	•
	K-T11839	•			9½" 90°-angle				•	K-11843	•	•	•
	K-T11840			•	6¼" 35°-angle				•	K-11830	•	•	•
	K-T11840	•			6¼" 35°-angle				•	K-11843	•	•	•
	K-T11841			•	6½" 90°-angle				•	K-11830	•	•	•
	K-T11841	•			6½" 90°-angle				•	K-11843	•	•	•

If tempered or premixed water is desired, order thermostatic mixing valve K-13601. Up to 16 faucets can be installed per valve at 0.5 gpm. See Price Book for optional aerators available for faucets.

Triton® Commercial Faucets



**Centerset bathroom sink base faucet**  
K-7401 / K-7404

**Widespread bathroom sink base faucet**  
K-7307 / K-7437 / K-7443 / K-7471

**Centerset bathroom sink base faucet with gooseneck spout**  
K-7305 / K-7422

**Widespread bathroom sink base faucet with gooseneck spout**  
K-7313

**Widespread bathroom sink base faucet with high gooseneck spout**  
K-7303 / K-7304 / K-7435

**Widespread bathroom sink base faucet with gooseneck spout**  
K-7465

**Service sink faucet with gooseneck spout**  
K-7320

**Service sink faucet with gooseneck spout**  
K-7319

**Service sink faucet with low gooseneck spout**  
K-7308

**Shelf-back service sink base faucet with gooseneck spout**  
K-7302

**Shelf-back bathroom sink faucet**  
K-8040 / K-8046

Handle Styles



Model Number	Spout			Aerated Flow	Vandal-Resistant Aerator	Flow Rate (GPM)	Drilling	Drain		Handles	WaterSense	ADA	Polished Chrome CP
	Reach	Height	Wall to Spout Outlet					Pop-Up	Grid				
Centerset													
K-7305-5A	5¼"	7⅞"		•		1.5	4"			Wristblade lever	•	•	•
K-7305-K/-KE	5¼"	7⅞"		•	-KE	1.5	4"			Order separately	•	•	•
K-7401-2A	4"	1½"		•		1.5	4"	•		Standard	•		•
K-7401-5A	4"	1½"		•		1.5	4"	•		Wristblade lever	•	•	•
K-7401-K	4"	1½"		•		1.5	4"	•		Order separately	•	•	•
K-7404-2A	4"	1½"		•		1.5	4"			Standard	•	•	•
K-7404-5A	4"	1½"		•		1.5	4"			Wristblade lever	•	•	•
K-7404-K/-KE	4"	1½"		•	-KE	1.5	4"			Order separately	•	•	•
K-7422-K	5¼"	7⅞"		•		1.5	4"	•		Order separately	•	•	•
Widespread													
K-7303-K	5¼"	10½"		•		2.1	8"			Order separately		•	•
K-7303-KC	5¼"	10½"				2.0	8"			Order separately		•	•
K-7303-KE	5¼"	10½"		•	•	2.1	8"			Order separately		•	•
K-7304-5A	5¼"	12½"		•		2.1	8"-16"			Wristblade lever		•	•
K-7304-K	5¼"	12½"		•		0.35	8"-16"			Order separately		•	•
K-7304-KE	5¼"	12½"		•	•	0.35	8"-16"			Order separately		•	•
K-7307-K/-KE	5"	1¾"		•	-KE	2.0	8"			Order separately		•	•
K-7313-K	5¼"	10½"		•		2.0	12"			Order separately		•	•
K-7313-KE	5¼"	10½"		•	•	2.0	12"			Order separately		•	•
K-7435-K	5¼"	7⅞"		•		2.2	8"-16"	•		Order separately		•	•
K-7437-2A	5"	1¾"		•		2.0	8"-16"	•		Standard		•	•
K-7437-K	5"	1¾"		•		2.0	8"-16"	•		Order separately		•	•
K-7443-2A	5"	1¾"		•		2.0	8"-16"			Standard			•
K-7443-5A	5"	1¾"		•		2.0	8"-16"			Wristblade lever		•	•
K-7443-K/-KE	5"	1¾"		•	-KE	2.0	8"-16"			Order separately		•	•
K-7465-K	3¾"	6"		•		2.0	8"	•		Order separately		•	•
K-7471-K	5"	1¾"		•		2.0	8"	•		Order separately		•	•
Shelf-Back													
K-8040-2A	1¼"			•			5½"	•		Standard			•
K-8040-3A	1¼"			•			5½"	•		Cross		•	•
K-8040-4A	1¼"			•			5½"	•		Lever		•	•
K-8040-5A	1¼"			•			5½"	•		Wristblade lever		•	•
K-8046-2A	1¼"			•			5½"		•	Standard			•
K-8046-3A	1¼"			•			5½"		•	Cross		•	•
K-8046-4A	1¼"			•			5½"		•	Lever		•	•
K-8046-5A	1¼"			•			5½"		•	Wristblade lever		•	•
Utility and Service													
K-13624	7"		13"							Lever		•	•
K-13625	7"		11⅞"							Lever		•	•
K-7302-5A	3⅞"		3⅞"	•						Wristblade lever		•	•
K-7308-5A	3⅞"		7⅞"	•						Wristblade lever		•	•
K-7309-5A	9¾"		14¼"							Wristblade lever		•	•
K-7319-3	5⅜"		8⅝"			2.2				Cross		•	•
K-7319-4	5⅜"		8⅝"			2.2				Lever		•	•
K-7320-3	5⅜"		8⅝"	•		2.2				Cross		•	•
K-7320-4	5⅜"		8⅝"	•		2.2				Lever		•	•

Coralais® Commercial Faucets



Single-handle centerset bathroom sink faucet  
K-15198 / K-15199 / K-15592  
K-15593 / K-15597 / K-15598

Two-handle centerset bathroom sink faucet  
K-15240 / K-15243


Widespread bathroom sink faucet  
K-15265

Single-handle centerset bathroom sink faucet with pop-up drain  
K-15583

Two-handle centerset bathroom sink faucet with pop-up drain  
K-15241

Widespread bathroom sink faucet with pop-up drain  
K-15261

Handle Styles





Model Number	Spout		Aerated Flow	Flow Rate (GPM)	Drilling	Drain		Handles	Red & Blue Indexing	WaterSense	ADA	Polished Chrome CP	Brushed Chrome G
	Reach	Height				Pop-Up	Grid						
Single-Handle Centerset													
K-15198-F	4¼"	2¾"	•	1.5	4"		•	Lever	•	•	•	•	
K-15198-P	4¼"	2¾"	•	1.5	4"		•	Lever	•	•	•	•	
K-15199-F	4¼"	2¾"	•	1.5	4"			Lever	•	•	•	•	•
K-15199-P	4¼"	2¾"	•	1.5	4"			Lever	•	•	•	•	
K-15583-5P	4¼"	2¾"	•	1.5	4"	•		Vandal-resistant long lever	•	•	•	•	
K-15583-F	4¼"	2¾"	•	1.5	4"	•		Vandal-resistant lever	•	•	•	•	
K-15583-F5	4¼"	2¾"	•	1.5	4"	•		Vandal-resistant long lever	•	•	•	•	
K-15583-P	4¼"	2¾"	•	1.5	4"	•		Vandal-resistant lever	•	•	•	•	
K-15592-5P	4¼"	2¾"	•	1.5	4"			Vandal-resistant long lever	•	•	•	•	
K-15592-F	4¼"	2¾"	•	1.5	4"			Vandal-resistant lever	•	•	•	•	
K-15592-F5	4¼"	2¾"	•	1.5	4"			Vandal-resistant long lever	•	•	•	•	
K-15592-P	4¼"	2¾"	•	1.5	4"			Vandal-resistant lever	•	•	•	•	
K-15593-5P	4¼"	2¾"	•	0.5	4"			Vandal-resistant long lever	•		•	•	
K-15593-F	4¼"	2¾"	•	0.5	4"			Vandal-resistant lever	•		•	•	
K-15593-F5	4¼"	2¾"	•	0.5	4"			Vandal-resistant long lever	•		•	•	
K-15593-P	4¼"	2¾"	•	0.5	4"			Vandal-resistant lever	•		•	•	
K-15597-5P	4¼"	2¾"	•	0.5	4"		•	Vandal-resistant long lever	•		•	•	
K-15597-F	4¼"	2¾"	•	0.5	4"		•	Vandal-resistant lever	•		•	•	
K-15597-F5	4¼"	2¾"	•	0.5	4"		•	Vandal-resistant long lever	•		•	•	
K-15597-P	4¼"	2¾"	•	0.5	4"		•	Vandal-resistant lever	•		•	•	
K-15598-5P	4¼"	2¾"	•	1.5	4"		•	Vandal-resistant long lever	•	•	•	•	
K-15598-F	4¼"	2¾"	•	1.5	4"		•	Vandal-resistant lever	•	•	•	•	
K-15598-F5	4¼"	2¾"	•	1.5	4"		•	Vandal-resistant long lever	•	•	•	•	
K-15598-P	4¼"	2¾"	•	1.5	4"		•	Vandal-resistant lever	•	•	•	•	
Two-Handle Centerset													
K-15240-4	4¼"	2¾"	•	1.5	4"			Lever	•	•	•	•	
K-15241-4	4¼"	2¾"	•	1.5	4"	•		Lever	-CP	•	•	•	•
K-15243-4	4¼"	2¾"	•	1.5	4"		•	Lever	•	•	•	•	
K-15243-7	4¼"	2¾"	•	1.5	4"		•	Sculptured acrylic		•		•	
Widespread													
K-15261-4	4¼"	2¾"		1.5	8"-16"	•		Lever	-CP	•	•	•	•
K-15261-7	4¼"	2¾"		1.5	8"-16"	•		Sculptured acrylic		•		•	
K-15265-4	4¼"	2¾"		1.5	8"-16"			Lever	•	•	•	•	
K-15265-7	4¼"	2¾"		1.5	8"-16"			Sculptured acrylic		•		•	

Institutional Faucets



**Triton® service sink faucet**  
K-7319



**Triton service sink faucet**  
K-7320



**Clearwater® utility sink faucet**  
K-7853



**Knoxford™ service sink faucet**  
K-8924



**Knoxford service sink faucet**  
K-8905



**Knoxford service sink faucet**  
K-8906



**Triton service sink faucet**  
K-13624



**Triton service sink faucet**  
K-13625



**Triton® service sink faucet**  
K-7308



**Kinlock™ service sink faucet**  
K-8907



**Kinlock service sink faucet**  
K-8908



**Triton service sink faucet**  
K-7309



**Triton service sink faucet**  
K-7302



**Service sink faucet**  
K-8928




**Calder™ service sink faucet**  
K-8888



**Cannock™ service sink faucet**  
K-8892

Institutional Faucets



**Shelf-back bathroom sink faucet**  
K-7485

**Hewitt service sink faucet**  
K-7870-C

**Hewitt service sink faucet**  
K-7871-C

**Soap dish**  
K-8880

**Gooseneck spout**  
K-13770

**Gooseneck spout with rosespray**  
K-13774

**Gooseneck spout**  
K-13782

**Gooseneck spout with rosespray**  
K-13786

**Sentry self-closing faucet**  
K-7500

**Sentinel compression faucet**  
K-7510



**Signal self-closing faucet**  
K-7504

**Bubbler**  
K-7524



Name	Model Number	Spout		Aerated Flow	Threaded Spout	Rosespray	Drain with Non-Removable Stopper	Without Drain	Pail Hook	Wall Brace	Cold Water Only	Hot Water Only	Wall Thickness for Shelf-Back Installation	Handles	ADA	Polished Chrome CP	Rough Plate RP
		Reach	Wall to Spout Outlet														
Two-Handle Faucets																	
Calder	K-8888	4⅜"	4⅜"			•		•						Lever	•		•
Cannock	K-8892	4"	8⅜"			•		•						Lever	•		•
Clearwater	K-7853	8"	10¾"	•				•						Lever	•	•	
Kinlock	K-8907	4⅝"	7¼"		•			•	•	•				Lever	•	•	•
	K-8908	4⅝"	8⅝"		•			•	•	•				Lever	•	•	•
Knoxford	K-8905	2¼"	4⅞"		•			•	•					Lever	•	•	•
	K-8906	2¼"	6¼"		•			•	•					Lever	•	•	•
	K-8924	2"	4⅝"		•			•	•					Lever	•	•	•
KOHLER	K-7485	1¼"		•			•						1"	Indexed push-button		•	
	K-7485-C	1¼"		•			•						5"	Indexed push-button		•	
	K-7485-E	1¼"		•			•						8"	Indexed push-button		•	
	K-7485-J	1¼"		•			•						3"	Indexed push-button		•	
	K-8928	3"	7"		•			•						Lever	•	•	
Triton	K-7302-5A	3⅝"	5"	•				•						Wristblade lever	•	•	
	K-7308-5A	3⅝"	7⅝"	•				•						Wristblade lever	•	•	
	K-7309-5A	9¾"	14¼"					•	•	•				Wristblade lever	•	•	
	K-7319-3	5⅜"	8⅝"			•		•						Cross	•	•	
	K-7319-4	5⅜"	8⅝"			•		•						Lever	•	•	
	K-7320-3	5⅜"	8⅝"	•				•						Cross	•	•	
	K-7320-4	5⅜"	8⅝"	•				•						Lever	•	•	
	K-13624	7"	13⅝"		•			•						Lever	•	•	
	K-13625	7"	12¼"		•			•						Lever	•	•	
Single Spouts																	
Bubbler	K-7524	2⅛"						•						Push-button		•	
Gooseneck	K-13770	5"		•				•								•	
	K-13774	5"				•		•								•	
	K-13782	5"	6⅝"	•				•								•	
	K-13786	5"	6⅝"			•		•								•	
Hewitt	K-7870-C	4⅞"	4⅞"					•			•			Lever	•	•	
	K-7871-C	4⅞"	4⅞"		•			•			•			Lever	•	•	
Sentinel	K-7510-C/-H	3½"						•			-C	-H		Cross		•	
Sentry	K-7500-C/-H	3½"						•			-C	-H		Cross		•	
Signal	K-7504-C/-H	3½"						•			-C	-H		Push-button		•	

## Hospitality Faucets



**Toobi® single-handle bathroom sink faucet** K-8959

**Stance® Tall single-handle bathroom sink faucet** K-14761

**Symbol® single-handle bathroom sink faucet** K-19480

**Purist® single-handle bathroom sink faucet** K-14402

**Alteo® centerset bathroom sink faucet** K-45100-4

**Forté® centerset bathroom sink faucet** K-10270

**Archer® centerset bathroom sink faucet** K-11075

**Taboret® centerset bathroom sink faucet** K-8201

**Memoirs® Stately widespread bathroom sink faucet** K-454

**Loure® widespread bathroom sink faucet** K-14661

**Margaux® widespread bathroom sink faucet** K-16232

**Refinia® widespread bathroom sink faucet** K-5317

**Falling Water® wall-mount bathroom sink faucet** K-T196

**Oblo® wall-mount bathroom sink faucet** K-10087

**Stillness® wall-mount bathroom sink faucet** K-T944

**Revival® wall-mount bathroom sink faucet** K-T16106

Name	Model Number	Required Valve	WaterSense	ADA	Polished Chrome CP	Brushed Chrome G	Vibrant Polished Nickel SN	Vibrant Brushed Nickel BN	Vibrant French Gold* AF	Vibrant Polished Brass PB	Vibrant Moderne Brushed Gold* BGD	Vibrant Brushed Bronze BV	Oil-Rubbed Bronze 2BZ	Satin Black TB
<b>Centerset</b>														
Alteo	K-45100-4		•	•	•			•					•	
Archer	K-11075-4		•	•	•			•						
Forté	K-10270-4		•	•	•	•		•						
Taboret	K-8201-4		•	•	•									
<b>Single-Handle</b>														
Purist	K-14402-4A		•	•	•		•	•	•		•	•		
Stance	K-14761-4		•		•			•						
Symbol	K-19480-4		•	•	•			•						
Toobi	K-8959-7		•	•	•			•						
<b>Wall-Mount</b>														
Falling Water	K-T196	K-307-K	•	•	•			•				•		•
Oblo	K-10087-9		•		•			•						
Revival	K-T16106-4A	K-410-K	•	•	•			•		•		•		
Stillness	K-T944-4	K-410-K	•	•	•			•						
<b>Widespread</b>														
Loure	K-14661-4			•	•		•	•						
Margaux	K-16232-4		•	•	•		•	•	•			•		
Memoirs Stately	K-454-4V		•	•	•			•				•		
Refinia	K-5317-4		•	•	•			•						

\*No gold content

Outfitting your commercial and hospitality bathrooms with sinks that are practical yet inviting is a simple process with Kohler. Crafted from premium materials, our sinks are made to withstand even the most demanding environments year after year without losing their luster. Choose from stylish Vessels designs, basic wall-hung sinks and a variety of institutional sinks. For a complete catalog of hospitality sinks, visit [KOHLE.com/BathroomSinks](https://www.kohler.com/BathroomSinks).



## Sinks

Commercial <sup>48</sup>


Institutional <sup>50</sup>

Hospitality <sup>52</sup>


## Before You Choose a Commercial Sink

There's a lot to consider when specifying sinks for your commercial or hospitality project – material, accessibility, workspace. To help you choose the best option, we've outlined some of the key features you'll want to keep in mind.





## ENAMELED CAST IRON



### Vitreous China




Vitreous china sinks are comprised of ceramic materials fired at a high temperature to form a nonporous body. KOHLER Glaze protects the exposed surfaces of each nonporous china sink that Kohler creates. The result is a clean, sanitary product that maintains its polished shine.

### KOHLER® Enameled Cast Iron

KOHLER enameled cast iron products are built with lasting beauty and the strength to withstand the test of time, every time. Enameled cast iron products produced in Kohler, Wisconsin, are crafted from at least 80% recycled material and come with a Lifetime Limited Warranty.\*

### Sink Accessories

We offer durable accessories in styles and finishes that complement our faucets and fixtures. Soap/lotion dispensers, offset drains, shrouds and knee-control mixing valves are available to complete the look of KOHLER commercial sinks and help them work harder.



### ADA-Compliance

Bringing style and accessibility together, our portfolio of sinks features a variety of ADA-compliant wall-mount sinks with offset drains and concealed arm carrier drillings. Paired with KOHLER ADA-compliant faucets, these sinks are ideal for environments that require or benefit from universal design solutions.

### Institutional

In addition to standard wall-mount sinks, our product line includes institutional floor-mount and wall-mount service, surgeon, utility and wash sinks, many with integrated backsplashes. Kohler also manufactures several drinking fountains for use in commercial facilities.

### Hospitality

We've included a select offering of Vessels and under-mount sinks well suited for hospitality applications. Kohler designs and manufactures a wide range of bathroom sinks, including specialty Artist Editions® and Wading Pool® sinks. To view the complete catalog of styles, shapes, sizes and colors, visit [KOHLER.com/BathroomSinks](https://www.kohler.com/BathroomSinks).

\*For complete warranty information, visit [KOHLER.com/Warranty](https://www.kohler.com/Warranty).



Commercial Bathroom Sinks



<b>Brenham™</b> Wall-mount bathroom sink 4" drilling (shown) K-1997-4 8" drilling K-1997-8 Single drilling K-1997-1	<b>Brenham</b> Wall-mount bathroom sink with shroud 8" drilling (shown) K-1999-8 Single drilling K-1999-1	<b>Soho®</b> Wall-mount bathroom sink 4" drilling (shown) K-2054 8" drilling K-2053	<b>Chesapeake™</b> Wall-mount bathroom sink 4" drilling (shown) K-1728 8" drilling K-1724 Single drilling K-1722
<b>Greenwich™</b> Wall-mount bathroom sink 4" drilling K-2032 8" drilling (shown) K-2030 Single drilling K-2031 Single drilling with knee valve K-12643	<b>Kingston™</b> Wall-mount bathroom sink 4" drilling (shown) K-2005 8" drilling K-2006 Single drilling K-2007	<b>Hampton™</b> Wall-mount sink 5½" shelf-back drilling K-2705-EH With factory-installed faucet K-2705	<b>Trailer™</b> Wall-mount sink 5½" shelf-back drilling K-2753-EH With factory-installed faucet K-2753
<b>Taunton™</b> Wall-mount sink K-2485	<b>Morningside™</b> Wall-mount wheelchair-accessible sink 4" drilling K-12636 11½" drilling (shown) K-12634 Single drilling K-12638	<b>Chardon™</b> Wall-mounted sink K-2475	<b>Marston™</b> Wall-mount corner bathroom sink 5½" shelf-back drilling K-2766-EH With factory-installed faucet K-2766

Name	Model Number	Dimensions (L x W)	Faucet Hole Drilling					Other Drilling		Includes		ADA	White 0	Biscuit 96	Innocent Blush 55	Almond 47	Sandbar G9	Mexican Sand 33	Black Black 7
			Single	4" Centerset	5½" Shelf-Back	6½" Shelf-Back	8" Widespread	11½" Widespread	For Concealed Arm Carrier										
KOHLER Enameled Cast Iron																			
Hampton	K-2703	22" x 19"			•					Factory-installed faucet K-8040-2A		•							
	K-2703-EH	22" x 19"			•						•	•							
	K-2705	19" x 17"			•					Factory-installed faucet K-8040-2A		•		•	•	•	•		
	K-2705-EH	19" x 17"			•						•	•		•	•	•	•		
Hudson	K-2805	19" x 17"	•								•	•							
	K-2812	20" x 18"	•							Lugs for chair carrier	•	•							
	K-2861	19" x 17"		•							•	•							
	K-2863	19" x 17"					•				•	•							
	K-2867	20" x 18"		•						Lugs for chair carrier	•	•							
	K-2868	20" x 18"					•			Lugs for chair carrier	•	•							
Marston	K-2766	16" x 16"			•					Factory-installed faucet K-8040-2A		•		•	•	•	•		
	K-2766-EH	16" x 16"			•							•		•	•	•	•		
Taunton	K-2485	16" x 14"			•							•							
Trailer	K-2753	13" x 13"			•					Factory-installed faucet K-8046-2A		•							
	K-2753-EH	13" x 13"			•							•							
Vitreous China																			
Brenham	K-1997-1	21 <sup>15</sup> / <sub>16</sub> " x 19 <sup>3</sup> / <sub>4</sub> "	•						•			•	•	•		•	•	•	
	K-1997-4	21 <sup>15</sup> / <sub>16</sub> " x 19 <sup>3</sup> / <sub>4</sub> "		•					•			•	•	•		•	•	•	
	K-1997-8	21 <sup>15</sup> / <sub>16</sub> " x 19 <sup>3</sup> / <sub>4</sub> "					•		•			•	•	•		•	•	•	
	K-1999-1	21 <sup>15</sup> / <sub>16</sub> " x 19 <sup>3</sup> / <sub>4</sub> "	•						•	Shroud K-1998	•	•	•		•	•	•	•	
	K-1999-4	21 <sup>15</sup> / <sub>16</sub> " x 19 <sup>3</sup> / <sub>4</sub> "		•					•	Shroud K-1998	•	•	•		•	•	•	•	
	K-1999-8	21 <sup>15</sup> / <sub>16</sub> " x 19 <sup>3</sup> / <sub>4</sub> "					•		•	Shroud K-1998	•	•	•		•	•	•	•	
Chardon	K-2475	14" x 12"				•				Integral bubbler and soap dish		•							
Chesapeake	K-1721	20" x 18¼"	•						•		•	•	•		•	•	•		
	K-1722	19¼" x 17¼"	•						•		•	•	•		•	•	•		
	K-1723	20" x 18¼"					•		•		•	•	•		•	•	•		
	K-1724	19¼" x 17¼"					•		•		•	•	•		•	•	•		
	K-1728	19¼" x 17¼"		•					•		•	•	•		•	•	•		
	K-1729	20" x 18¼"		•					•		•	•	•		•	•	•		
Greenwich	K-12643	20¾" x 18¼"	•						•	•	•	•							
	K-2030	20¾" x 18¼"					•		•		•	•	•		•	•	•	•	
	K-2031	20¾" x 18¼"	•						•		•	•	•		•	•	•	•	
	K-2032	20¾" x 18¼"		•					•		•	•	•		•	•	•	•	
Kingston	K-2005	21¼" x 18½"		•					•		•	•	•		•	•	•	•	
	K-2006	21¼" x 18½"					•		•		•	•	•		•	•	•	•	
	K-2007	21¼" x 18½"	•						•		•	•		•					
Morningside	K-12634	20" x 27"						•	•		•	•	•		•	•	•		
	K-12636	20" x 27"		•					•		•	•	•		•	•	•		
	K-12638	20" x 27"	•						•		•	•	•		•	•	•		
Soho	K-2053	20" x 18"					•		•		•	•	•		•	•	•	•	
	K-2054	20" x 18"		•					•		•	•	•		•	•	•	•	
	K-2084	20" x 18"	•						•		•	•	•		•	•	•	•	

ADA-compliant products will comply with the Americans with Disabilities Act of 2004 when installed per the requirements of the accessibility guidelines Section 606 of the Act.

Institutional Sinks & Drinking Fountains



<b>Camerton™</b> Wall-mount service sink K-12867	<b>Sudbury™</b> Wall-mount service sink 8" drilling K-6650 No drilling K-6652	<b>Gilford™</b> Wall-mount service sink 8" drilling K-12787 Single drilling K-12781 / K-12784	<b>Hollister™</b> Wall-mount service sink 8" drilling K-12794 Single drilling K-12793
<b>Bannon™</b> Wall-mount service sink with rim guard 8" drilling K-6714 / K-6716 No drilling K-6718 / K-6719	<b>Brockway™</b> Wall-mount wash sink 2 faucet drillings K-3200 / K-3202 3 faucet drillings (shown) K-3203 / K-3204	<b>Whitby™</b> Floor-mount corner service sink K-6710	<b>Tyrrell™</b> Floor-mount service sink K-6676
<b>Brookhaven®</b> Sitz bath 27" x 32" K-12515 Pedestal K-12512 Bell supply K-13023	<b>Serra™</b> Wall-mount drinking fountain K-5250	<b>Millbrook™</b> Wall-mount drinking fountain K-5264	<b>Glenbrook™</b> Semi-recessed drinking fountain (shown) K-5293 <b>Glenguard™</b> Semi-recessed cuspidor K-5295



Name	Model Number	Dimensions (L x W)	Material	Faucet Hole Drilling				Includes	Recommended Accessories	White 0
				Single	Two-Hole	8" Widespread	No Drilling			
Floor-Mount										
Tyrrell	K-6676	21" x 27½"	Vitreous china				•	1½" top spud	Rim guard K-8935	•
Whitby	K-6710	28" x 28"	KOHLER enameled cast iron				•		Rim guard K-8940	•
Wall-Mount										
Bannon	K-6714	22¼" x 18¼"	KOHLER enameled cast iron		•			Rim guard		•
	K-6716	24" x 20¼"	KOHLER enameled cast iron		•			Rim guard		•
	K-6718	22¼" x 18¼"	KOHLER enameled cast iron				•	Rim guard		•
	K-6719	24" x 20¼"	KOHLER enameled cast iron				•	Rim guard		•
Brockway	K-3200	36" x 17½"	KOHLER enameled cast iron		(2)•			Drillings for two faucets and one soap dish	Two Cannock faucets K-8892, K-8880 soap dish	•
	K-3202	48" x 17½"	KOHLER enameled cast iron		(2)•			Drillings for two faucets and one soap dish	Two Cannock faucets K-8892, K-8880 soap dishes, adjustable pedestal K-3264-P/-PP or K-3265-P/-PP	•
	K-3203	60" x 17½"	KOHLER enameled cast iron		(3)•			Drillings for three faucets and two soap dishes	Three Cannock faucets K-8892, two K-8880 soap dishes, adjustable pedestal K-3264-P/-PP or K-3265-P/-PP	•
	K-3204	72" x 17½"	KOHLER enameled cast iron		(3)•			Drillings for three faucets and two soap dishes	Three Cannock faucets K-8892, two K-8880 soap dishes, adjustable pedestal K-3264-P/-PP or K-3265-P/-PP	•
Camerton	K-12867	21½" x 25"	Vitreous china				•	1½" top spud		•
Gilford	K-12781	30" x 22"	Vitreous china	•						•
	K-12784	24" x 22½"	Vitreous china	•						•
	K-12787	30" x 22"	Vitreous china		•					•
Hollister	K-12793	28" x 22"	Vitreous china	•						•
	K-12794	28" x 22"	Vitreous china			•				•
Sudbury	K-6650	22" x 20"	Vitreous china		•					•
	K-6652	22" x 20"	Vitreous china				•			•

Name	Model Number	Dimensions (L x W x H)	Material	White 0	Biscuit 96	Almond 47	Sandbar G9	Mexican Sand 33	Black Black 7
<b>Cuspidor</b>									
Glenguard	K-5295	14¼" x 11½" x 26% <sup>**</sup>	Vitreous china	•	•	•	•	•	•
<b>Drinking Fountain</b>									
Glenbrook	K-5293	14¼" x 11½" x 26% <sup>**</sup>	Vitreous china	•	•	•	•	•	•
Millbrook	K-5264	14" x 13" x 15¼"	Vitreous china	•	•	•	•	•	•
Serra	K-5250	19½" x 12% <sup>**</sup> x 7¼"	Vitreous china	•	•	•	•	•	•
<b>Sitz Bath</b>									
Brookhaven	K-12515	27" x 23" x 24"	Vitreous china	•					

<sup>\*\*</sup>Semi-recessed installation. Finished dimensions are 14¼" x 6%<sup>\*\*</sup> x 26%<sup>\*\*</sup>.

Hospitality Bathroom Sinks



- |   |   |  |  |
|---|---|--|--|
| <b>Caxton®</b><br>Vitreous china<br>K-2210                | <b>Ladena®</b><br>Vitreous china<br>K-2214  | <b>Verticyl® Rectangle</b><br>Vitreous china<br>K-2882               | <b>Canvas®</b><br>KOHLER® enameled cast iron<br>K-2874 |
| <b>Bachata®</b><br>Stainless steel<br>K-2609              | <b>Escale®</b><br>Vitreous china<br>K-19029 | <b>Tresham® Rectangle</b><br>Vitreous china<br>K-2991                | <b>Pennington®</b><br>Vitreous china<br>K-2196         |
| <b>Vox® Vessels Rectangle</b><br>Vitreous china<br>K-2660 | <b>Leaf™ Vessels</b><br>Fireclay<br>K-2530  | <b>Inscribe® Wading Pool®</b><br>KOHLER enameled cast iron<br>K-2388 | <b>Briolette™ Vessels</b><br>Glass<br>K-2373           |

FC = Fireclay, GL = Glass, KECI = KOHLER® Enameled Cast Iron,  
SS = Stainless Steel, VC = Vitreous China

Name	Model Number	Dimensions (L x W)	Material	Faucet Hole Drilling				ADA	Ice B11	Stainless Steel NA	White 0	Honed White HW1	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Vapour Pink KF	Vapour Orange KE	Vapour Green KG	Vapour Blue KC	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Ember RR	Thunder Grey 58	Black 'n Tan KA	Black Black 7	
				Single-Hole	4" Centerset	8" Widespread	No Faucet Holes																										
Above-Counter																																	
Briolette	K-2373	17½" diameter	GL				•	•	•																								
Inscribe	K-2388	16½" diameter	KECI				•	•			•		•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Leaf	K-2530	23⅝" x 15"	FC				•				•																						
Vox Rectangle	K-2660-1	23" x 18⅞"	VC	•							•																						
	K-2660-8	23" x 18⅞"	VC			•					•																						
Drop-In																																	
Bachata	K-2609	19⅞" x 16⅛"	SS				•	•		•																							
Escale	K-19029-1	23⅝" x 17½"	VC	•							•				•			•															
	K-19029-8	23⅝" x 17½"	VC			•					•				•			•															
Pennington	K-2196-1	20¼" x 17½"	VC	•				•			•		•		•			•	•													•	
	K-2196-4	20¼" x 17½"	VC		•			•			•		•		•			•	•													•	
	K-2196-8	20¼" x 17½"	VC			•		•			•		•		•			•	•													•	
Tresham Rectangle	K-2991-1	21⅜" x 16⅞"	VC	•				•			•		•		•			•	•						•	•	•				•	•	
	K-2991-4	21⅜" x 16⅞"	VC		•			•			•		•		•			•	•						•	•	•				•	•	
	K-2991-8	21⅜" x 16⅞"	VC			•		•			•		•		•			•	•						•	•	•				•	•	
Under-Mount																																	
Canvas	K-2874	19⅞" x 16⅛"	KECI				•	•			•		•	•	•	•		•	•	•					•	•	•	•	•	•	•	•	
Caxton	K-2210	19¼" x 16¼"	VC				•	•			•	•	•		•		•	•	•						•	•	•				•	•	
Ladena	K-2214	20⅞" x 14⅜"	VC				•	•			•	•	•		•		•	•	•						•	•	•				•	•	
Verticyl Rectangle	K-2882	19⅜" x 15⅞"	VC				•	•			•	•	•		•		•	•	•						•	•	•				•	•	

ADA-compliant products will comply with the Americans with Disabilities Act of 2004 when installed per the requirements of the accessibility guidelines, Section 606 of the Act.

Precision engineering, advanced technology, superior materials and design – these are the hallmarks of KOHLER®. Touchless and manual flushometers. Developed in tandem with our toilets and urinals to achieve maximum efficiency, KOHLER flushometers are easy to install and deliver consistently accurate flush volumes for years to come.



## Flushometers

Manual <sup>58</sup>




Tripoint<sup>®</sup> <sup>58</sup>

WAVE <sup>58</sup>

## Before You Choose a Flushometer

We offer a variety of flushometer technologies to ensure that you have the right tool for the job. The following definitions will help you determine which option is the best for your project.





## Hybrid




An innovative power source now available on WAVE and Tripoint® flushometers, the hybrid energy cell provides maintenance-free energy for 30 years.\* That means no turbines, no photovoltaic cells, no periodic battery replacement. It just works without hassle. Day after day, month after month, year after year.

## WAVE

Putting control back in the hands of the user, WAVE technology offers hygienic touchless operation on command. Activating only when a hand is waved directly over the flushometer, the sensor eliminates random flushing that can be frightening for children. And by removing false actuations, WAVE technology provides even greater water savings.

## Tripoint

Similar to an autofocus camera, Tripoint technology senses the true distance of an object and is not affected by changes in color, lighting, reflections or distant movement – circumstances that compromise traditional – infrared sensors. Tripoint delivers dependable, precise performance every time a user wishes to activate the toilet or urinal.



## Manual

Built to last with solid-brass construction, our manual flushometers feature chloramine-resistant materials to eliminate the need for frequent maintenance or repairs. The self-cleaning filter keeps debris from affecting flushing performance, and the non-hold-open lever is ADA-compliant.

## Piston

All KOHLER® flushometers feature a durable piston design. Delivering accurate flush volumes even when pressure varies, our flushometers are cycle-tested to 500,000 flushes, twice the industry standard.

## Paired Performance

Each commercial toilet and urinal is engineered not only to be the best of its kind, but to achieve peak efficiency when paired with a KOHLER flushometer. Because we manage every step from concept to manufacture, our teams ensure that any adjustments are accounted for in the design of both.

\*Battery life calculations are based on an estimated product usage of 80 uses per day for 365 days per year. Actual battery life may vary depending on product settings, usage patterns and operating environments.

Flushometers



Manual toilet flushometer

- |          |         |
|----------|---------|
| 1.6 gpf  | K-13516 |
| 1.28 gpf | K-13517 |



Tripoint® toilet flushometer

- |          |         |
|----------|---------|
| 1.6 gpf  | K-10957 |
| 1.28 gpf | K-10956 |



WAVE toilet flushometer

- |          |         |
|----------|---------|
| 1.6 gpf  | K-10674 |
| 1.28 gpf | K-10673 |

Manual urinal flushometer

- |                            |         |
|----------------------------|---------|
| 0.125 gpf washout          | K-13520 |
| 0.5 gpf washout            | K-13519 |
| 1.0 gpf washout/siphon-jet | K-13518 |
| 1.0 gpf blowout            | K-13522 |

Tripoint urinal flushometer

- |                    |         |
|--------------------|---------|
| 0.125 gpf washout  | K-10949 |
| 0.5 gpf washout    | K-10958 |
| 1.0 gpf blowout    | K-10959 |
| 1.0 gpf washout    | K-10960 |
| 1.0 gpf siphon-jet | K-10961 |

WAVE urinal flushometer

- |                            |         |
|----------------------------|---------|
| 0.125 gpf washout          | K-10668 |
| 0.5 gpf washout            | K-10675 |
| 1.0 gpf washout/siphon-jet | K-10676 |



Name	Model Number	Retrofit Design Model*	Gallons per Flush					Flush Type	Spud Coupling	WaterSense	ADA	Polished Chrome CP
			0.125	0.5	1.0	1.28	1.6					
Toilet Flushometers												
Manual	K-13516	K-13516-RF					•	Siphon-jet	1½"		•	•
	K-13517	K-13517-RF					•	Siphon-jet	1½"		•	•
Touchless with Tripoint Technology	K-10956	K-10669					•	Siphon-jet	1½"		•	•
	K-10957	K-10962					•	Siphon-jet	1½"		•	•
Touchless with WAVE Technology	K-10673	K-10666					•	Siphon-jet	1½"		•	•
	K-10674	K-10677					•	Siphon-jet	1½"		•	•
Urinal Flushometers												
Manual	K-13518	K-13518-RF			•			Washout/siphon-jet	¾"		•	•
	K-13519	K-13519-RF		•				Washout	¾"		•	•
	K-13520	K-13520-RF	•					Washout	¾"		•	•
	K-13522	K-13522-RF			•			Blowout	1¼"		•	•
Touchless with Tripoint Technology	K-10949		•					Washout	¾"	•	•	•
	K-10958	K-10963		•				Washout	¾"	•	•	•
	K-10959	K-10964			•			Blowout	1¼"		•	•
	K-10960	K-10965			•			Washout	¾"		•	•
	K-10961	K-10966			•			Siphon-jet	¾"		•	•
Touchless with WAVE Technology	K-10668		•					Washout	¾"	•	•	•
	K-10675	K-10678		•				Washout	¾"	•	•	•
	K-10676	K-10679			•			Washout/siphon-jet	¾"		•	•

\*Retrofit models require a control stop and vacuum breaker

Kohler is an industry leader in the design and manufacture of toilets and seats, pioneering water-efficient designs and integrating innovative technologies. Today, the advanced features and proven durability of our toilet and toilet seat offering are redefining ideas of personal comfort and cleanliness.

## Toilets & Toilet Seats

Toilets <sup>64</sup>


Toilet Seats <sup>68</sup>

## Before You Choose a Toilet or Toilet Seat

We design and test our toilets to provide you with all-around exceptional performance – that means great rinsing power and plug-resistant flushing. We've included a brief list of things to keep in mind as you make your selection.







## AccuFlush™




Our AccuFlush toilets provide incredible performance across a range of gpf platforms. Designed to be as powerful and efficient with 1.28 gpf or 1.6 gpf, AccuFlush toilets allow you to pair the design of your choice with the gpf that best meets your building requirements.

## Floor-Mount

Featuring several gpf options, 10" or 12" rough-in variations and close-coupled or flushometer styles, KOHLER® commercial-grade floor-mount toilets allow you to combine the right components for your commercial or hospitality bathroom.

## Wall-Mount

Wall-mount toilets are a smart option for high-traffic venues requiring near continuous cleaning. With the base of the toilet raised, cleaning is easier and more effective.



## Top & Rear Spud

To accommodate the unique configurations of individual commercial projects, we manufacture both top- and rear-spud toilets.

## Rear Outlet

Kohler offers rear-outlet toilets as well as standard floor-outlet toilets. In addition to wall-mount toilets, several of the close-coupled Pressure Lite® models, along with top-spud floor-mount toilet models, feature rear outlets.

## Bedpan Lugs

Designed specifically for hospital and institutional use, a number of our toilets are available with integral bedpan lugs to aid caregivers in their work.

## Commercial Toilets



**San Raphael® Comfort Height®**  
Elongated

1.0 gpf K-3597-NF

**Wellworth® Classic**  
Elongated

1.0 gpf (shown) K-3531  
1.6 gpf K-3505

**Cimarron® Comfort Height**  
Elongated

1.28 gpf (shown) K-3609  
1.6 gpf K-3589

**Highline® Classic Comfort Height**  
Elongated

1.0 gpf (shown) K-3519  
1.6 gpf K-3493

**Barrington™ Comfort Height**  
Elongated

1.0 gpf (shown) K-3578

**Barrington**  
Elongated

1.0 gpf (shown) K-3652  
1.6 gpm K-3554

**Anglesey™ Comfort Height**  
Elongated

1.28 or 1.6 gpf K-4352

**Anglesey**  
Elongated

1.6 gpf with top spud (shown) K-4386  
1.6 gpf with rear spud K-4396

**Suffield™**  
Elongated with integral seat

3.5 gpf K-4475

**Sifton™**  
Elongated

3.5 gpf K-4460

**Stratton™**  
Elongated

3.5 gpf K-4450

**Highcrest™**  
Elongated

1.6 gpf with top spud (shown) K-4302  
1.6 gpf with rear spud K-4301



<b>Primary™</b> Elongated child-size		<b>Wellworth®</b> Elongated		<b>Highline®</b> Elongated		<b>Wellcomme™</b> Elongated	
1.25 gpf	K-4384	1.28 or 1.6 gpf	K-4406	1.28 or 1.6 gpf	K-4405	1.6 gpf with top spud (shown) K-4350	
1.6 gpf (shown)	K-4321					1.6 gpf with rear spud K-4349	
<b>Highcliff™</b> Elongated		<b>Kingston™</b> Elongated					
1.6 gpf with top spud (shown) K-4368		1.28 or 1.6 gpf with top spud (shown) K-4325					
1.6 gpf with rear spud K-4367		1.28 or 1.6 gpf with rear spud K-4323					

## Commercial Toilets Features & Colors Index

Name	Model Number	Comfort Height	Dimensions (L x W x H)	Rough-In	Flushing Technology	Gallons per Flush	AccuFlush™	Top or Rear Spud
<b>Floor-Mount</b>								
Anglesey	K-4352	•	31½" x 14⅞" x 17"	4"	Siphon-jet	1.6 or 1.28	•	T
	K-4386		27½" x 14½" x 15"	4½"	Siphon-jet	1.6		T
	K-4396		27½" x 14½" x 15"	4½"	Siphon-jet	1.6		R
Barrington	K-3554/-RA		31½" x 21¼" x 29¼"	4"	Pressure Lite	1.6		
	K-3578/-RA	•	31" x 21¼" x 31¼"	4"	Pressure Lite	1.0		
	K-3652/-RA		31½" x 21¼" x 29¼"	4"	Pressure Lite	1.0		
Cimarron	K-3589/-RA	•	28¾" x 17⅞" x 30¾"	12"	Class Five	1.6		
	K-3609/-RA	•	28¾" x 17⅞" x 30¾"	12"	Class Five	1.28		
Highcliff	K-4367	•	26" x 14½" x 17½"	11"	Siphon-jet	1.6		R
	K-4368	•	26" x 14½" x 17½"	10" or 12"	Siphon-jet	1.6		T
Highcrest	K-4301	•	26" x 14½" x 16½"	11"	Siphon-jet	1.6		R
	K-4302	•	26" x 14½" x 16½"	10" or 12"	Siphon-jet	1.6		T
Highline	K-4405	•	28¼" x 14⅞" x 17⅞"	10"	Siphon-jet	1.6 or 1.28	•	T
Highline Classic	K-3493/-RA	•	30⅞" x 21¼" x 31¼"	12"	Pressure Lite	1.6		
	K-3519/-RA	•	30⅞" x 21¼" x 31¼"	12"	Pressure Lite	1.0		
Primary	K-4321		26⅞" x 12⅞" x 10¾"	10"	Siphon-jet	1.6		T
	K-4384		26⅞" x 12⅞" x 10¾"	10"	Siphon-jet	1.28		T
San Raphael	K-3597-NF	•	30" x 19½" x 21½"	12"	Pressure Lite	1.0		
Wellcomme	K-4349		26" x 14½" x 14¾"	11"	Siphon-jet	1.6		R
	K-4350		26" x 14½" x 14¾"	10" or 12"	Siphon-jet	1.6		T
Wellworth	K-4406		28¼" x 14⅞" x 15"	10" or 12"	Siphon-jet	1.6 or 1.28	•	T
Wellworth Classic	K-3505/-RA		30¼" x 21¼" x 29¼"	12"	Pressure Lite	1.6		
	K-3531/-RA		30⅞" x 21¼" x 29¼"	12"	Pressure Lite	1.0		
<b>Wall-Hung</b>								
Kingston	K-4323		26½" x 16½" x 16¾"		Siphon-jet	1.6 or 1.28	•	R
	K-4325		26½" x 16½" x 13¼"		Siphon-jet	1.6 or 1.28	•	T
Sifton	K-4460-C		21½" x 14" x 15¼"		Blowout	3.5		R
Stratton	K-4450-C		26" x 14" x 11¾"		Blowout	3.5		T
Suffield	K-4475-C		21½" x 14" x 15¼"		Blowout	3.5		R

Suffix "-RA" designates toilet with right-hand trip lever

\*See 2012 Price Book for ordering information

ADA-compliant products will comply with the Americans with Disabilities Act of 2004 when installed per the requirements of the accessibility guidelines Section 604 (toilets) of the Act.



Recommended Flushometer	Recommended Toilet Seat	With Tank Cover Locks*	With Bedpan Lugs*	With 4 Bolt Holes*	WaterSense	ADA	White 0	Honed White HW1	Dune NY	Biscuit 96	Almond 47	Ice Grey 95	Sandbar G9	Mexican Sand 33	Thunder Grey 58	Black Black 7	Yellow Y	Blue B	Red R	
Floor-Mount																				
1.28 gpf: Touchless K-10673/66, K-109566/69; manual K-13517/-RF 1.6 gpf: Touchless K-10674/77, K-10957/62; manual K-13516/-RF	K-4731-C/-SC, K-4654-A, K-4670-CA		•			•	•			•	•		•	•		•				
Touchless K-10674/77, K-10957/62; manual K-13516/-RF	K-4731-C/-SC, K-4671-C, K-4679-CA		•				•			•	•		•	•		•				
	K-4731-C/-SC, K-4671-C, K-4679-CA						•			•	•		•	•		•				
	K-4731-C/-SC, K-4636, K-4650, K-4679-CA						•			•	•		•	•		•				
	K-4731-C/-SC. K-4636, K-4650, K-4679-CA	•			•	•	•			•	•		•	•		•				
	K-4731-C/-SC, K-4636, K-4650, K-4679-CA	•			•		•			•	•		•	•		•				
	K-4636, K-4650	•			•	•	•	•	•	•	•	•	•			•				
	K-4636, K-4650	•			•	•	•	•	•	•	•	•	•			•				
	K-4654-A, K-4671-C		•			•	•			•	•		•	•		•				
Touchless K-10674/77, K-10957/62; manual K-13516/-RF	K-4654-A, K-4671-C		•	•		•	•			•	•		•	•		•				
	K-4731-C/-SC, K-4654-A, K-4671-C		•			•	•			•	•			•						
Touchless K-10674/77, K-10957/62; manual K-13516/-RF	K-4731-C/-SC, K-4654-A, K-4671-C		•			•	•			•	•			•						
1.28 gpf: Touchless K-10673/66, K-109566/69; manual K-13517/-RF 1.6 gpf: Touchless K-10674/77, K-10957/62; manual K-13516/-RF	K-4731-C/-SC, K-4654-A, K-4670-CA		•			•	•			•	•		•	•		•				
	K-4731-C/-SC, K-4636, K-4650	•	•			•	•			•	•		•	•		•				
	K-4731-C/-SC, K-4636, K-4650	•	•		•	•	•			•	•		•	•		•				
Touchless K-10674/77, K-10957/62; manual K-13516/-RF	Included					•	•										•	•	•	
Touchless K-10673/66, K-10956/669; manual K-13517/-RF	Included					•	•										•	•	•	
	Included				•	•	•			•	•	•	•		•	•				
	K-4731-C/-SC, K-4671-C		•				•			•	•		•	•		•				
Touchless K-10674/77, K-10957/62; manual K-13516/-RF	K-4731-C/-SC, K-4671-C		•	•			•			•	•		•	•		•				
1.28 gpf: Touchless K-10673/66, K-109566/69; manual K-13517/-RF 1.6 gpf: Touchless K-10674/77, K-10957/62; manual K-13516/-RF	K-4731-C/-SC, K-4654-A, K-4670-CA		•				•			•	•		•	•		•				
	K-4731-C/-SC, K-4636, K-4650	•	•				•			•	•		•	•		•				
	K-4731-C/-SC, K-4636, K-4650	•	•		•		•			•	•		•	•		•				
Wall-Hung																				
	K-4731-C/-GC/-SC		•			•	•			•	•		•	•		•				
1.28 gpf: Touchless K-10673/66, K-109566/69; manual K-13517/-RF 1.6 gpf: Touchless K-10674/77, K-10957/62; manual K-13516/-RF	K-4731-C/-GC/-SC		•			•	•			•	•		•	•		•				
	K-4731-C/-SC, K-4671-C					•	•			•	•		•	•		•				
	K-4731-C/-SC, K-4671-C					•	•			•	•	•	•	•		•				
	Integral					•	•													

Commercial Toilet Seats



**Stronghold®**  
Elongated  
Open-front with integrated handle      K-4731-C

**Lustra™**  
Open-front with check hinge  
Elongated (shown)      K-4670-C  
Round      K-4680-C

**Lustra**  
Round-front with seat cover  
Open-front (shown)      K-4660  
Closed-front with Q2™      K-4662

**Lustra**  
Elongated with seat cover  
Open-front      K-4650  
Closed-front with Q2      K-4652

**Lustra**  
Elongated with support arms with anti-microbial agent added to protect toilet seat\*  
Open-front (shown)      K-4654-A  
Closed-front      K-4655-A

\*Includes an anti-microbial agent that protects the toilet seat from odor- and stain-causing bacteria, mold and mildew. **Anti-microbial agent does not protect the user from disease-causing bacteria.**

Name	Model Number	Elongated	Round-Front	Open-Front	Includes/Features	Anti-Microbial Agent Added to Protect Toilet Seat*	White 0	Dune NY	Earthen White W2	Biscuit 96	Innocent Blush 55	Almond 47	Ice Grey 95	Sandbar G9	Mexican Sand 33	Cashmere K4	Thunder Grey 58	Black Black 7
<b>Check Hinges</b>																		
Lustra	K-4666-C	•		•	Extra-heavy construction		•											
Lustra	K-4666-CA	•		•	Extra-heavy construction	•	•											
Lustra	K-4667-C	•		•	Extra-heavy construction													•
Lustra	K-4670-C	•		•			•			•	•	•	•	•	•	•		
Lustra	K-4670-CA	•		•		•	•											
Lustra	K-4671-C	•		•														•
Lustra	K-4679-CA	•		•	2" lift	•	•											
Lustra	K-4680-C		•	•			•											
Lustra	K-4680-CA		•	•		•	•											
Lustra	K-4681-C		•	•														•
Stronghold	K-4731-C	•		•	Integrated handle		•			•	•	•	•	•	•	•		•
Stronghold	K-4731-CA	•		•	Integrated handle	•	•											
Stronghold	K-4731-GC	•		•	Integrated handle, Quiet-Close technology		•			•		•	•	•	•			•
<b>Plastic Hinges</b>																		
Lustra	K-4650	•		•	Cover		•	•		•	•	•	•	•	•	•	•	•
Lustra	K-4650-A	•		•		•	•											
Lustra	K-4652**	•			Cover, Quick-Attach hardware, Quick-Release functionality		•	•	•	•	•	•	•	•	•	•	•	•
Lustra	K-4652-A	•				•	•											
Lustra	K-4660		•	•	Cover		•			•	•	•	•		•			
Lustra	K-4662**		•		Cover, Quick-Attach hardware, Quick-Release functionality		•	•	•	•	•	•	•	•	•	•	•	•
Lustra	K-4662-A		•			•	•											
<b>Self-Sustaining Check Hinges</b>																		
Lustra	K-4666-SA	•		•	Extra-heavy construction	•	•											
Lustra	K-4666-SC	•		•	Extra-heavy construction		•											•
Lustra	K-4670-SA	•		•		•	•											
Lustra	K-4670-SC	•		•			•											
Lustra	K-4671-SC	•		•														•
Stronghold	K-4731-SA	•		•	Integrated handle	•	•											
Stronghold	K-4731-SC	•		•	Integrated handle		•	•		•		•	•	•	•			•
<b>Specialty Seats</b>																		
Lustra	K-4654-A	•		•	Cover, support arms	•	•											
Lustra	K-4655-A	•			Cover, support arms	•	•											
Lustra	K-4672	•		•	Self-raising hinge		•											
<b>With Q2/Q3</b>																		
Cachet Q2	K-4688	•			Cover, Quick-Attach hardware, Quick-Release functionality		•	•		•		•						
Grip-Tight Cachet Q3	K-4636	•			Cover, Grip-Tight bumpers, Quick-Attach hardware, Quick-Release functionality, Quiet-Close technology		•	•		•	•	•	•	•	•	•	•	•

\*Includes an anti-microbial agent that protects the toilet seat from odor- and stain-causing bacteria, mold and mildew. **Anti-microbial agent does not protect the user from disease-causing bacteria.**

\*\*Also available in Classic colors.

Whether the focus of your venture is great style, water conservation, durability or all three, KOHLER® urinals deliver. With a wide selection of Touchless and manual models featuring a range of gpf platforms, our urinal offering helps you imagine and create smart, hygienic bathroom spaces.



## Urinals

Waterless <sup>74</sup>

Washout <sup>74</sup>



Siphon-Jet <sup>74</sup>

Blowout <sup>74</sup>

## Before You Choose a Urinal


Kohler has developed a urinal offering that raises the bar on design and water conservation. Here are a few features of KOHLER® urinals to look for as you browse the product portfolio.





## Touchless

From the Bardon™ Touchless urinal featuring an integrated sensor to a wide selection of urinals that combine with KOHLER® Touchless flushometers, our Touchless solutions ensure dependable water savings and added hygiene.



## AccuFlush™

Our AccuFlush urinals can be paired with a range of gpf platforms. Delivering exceptional performance with a 0.125-, 0.5- or 1-gallon flush, AccuFlush urinals allow you to pair the design of your choice with the gpf that best meets your building requirements.



## Waterless

Kohler has redefined the paradigm for urinal design and functionality by offering waterless, virtually splash-free urinals. In a typical installation, these urinals can save 39,000 gallons of water per fixture per year and significantly reduce sewage and maintenance costs.

## Water Options

For projects that require flushing urinals, Kohler manufactures urinals in a range of gpf platforms, from water-saving 0.125 gpf to standard 1.0 gpf. We offer a number of flushing styles, including washout, blowout and siphon-jet systems.

Commercial Urinals



<b>Steward® S</b> Wall-mount waterless urinal K-4917	<b>Steward</b> Wall-mount waterless urinal K-4918	<b>Steward L</b> Wall-mount waterless urinal K-4919	<b>Bardon™ Touchless</b> Wall-mount washout urinal 0.5 gpf K-4915
<b>Bardon</b> Wall-mount washout urinal 0.125 gpf with rear spud (shown) K-4904-ER 0.125 gpf with top spud K-4904-ET	<b>Stanwell™</b> Wall-mount blowout urinal 1.0 gpf with rear spud (shown) K-4972-ER 1.0 gpf with top spud K-4972-ET	<b>Freshman™</b> Wall-mount siphon-jet urinal 1.0 gpf with rear spud (shown) K-4989-R 1.0 gpf with top spud K-4989-T	<b>Dexter™</b> Wall-mount siphon-jet urinal 0.5 gpf with rear spud (shown) K-5016-ER 0.5 gpf with top spud K-5016-ET
<b>Darfield™</b> Wall-mount washout urinal 0.5 gpf K-5024-T	<b>Jarves®</b> Wall-mount washout trough urinal 36" (shown) K-5055 48" K-5056 60" K-5057 72" K-5058	<b>Branham™</b> Floor-mount washout urinal* 1.0 gpf with rear spud (shown) K-4920-R 1.0 gpf with top spud K-4920-T	

Name	Model Number	Dimensions		Gallons per Flush	Spud		Flushometers	AccuFlush™	WaterSense*	ADA**	White 0	Biscuit 96	Innocent Blush 55	Almond 47	Ice Grey 95	Sandbar G9	Mexican Sand 33	Black Black 7
		Wall to Rim	Width x Height		Top	Rear												
Blowout																		
Stanwell	K-4972-ER	14½"	18¼" x 27⅞"	1.0		1¼"				•	•	•		•		•	•	•
	K-4972-ET	14½"	18¼" x 27⅞"	1.0	1¼"		Touchless K-10959/64; manual K-13522/-RF			•	•	•		•	•	•	•	•
Siphon-Jet																		
Dexter	K-5016-ER	14½"	13½" x 20⅝"	0.5 or 1.0		¾"		•	•	•	•	•		•		•	•	•
	K-5016-ET	14½"	13½" x 20⅝"	0.5 or 1.0	¾"		0.5 gpf: Touchless K-10675/78, K-10958/63; manual K-13519/-RF 1.0 gpf: Touchless K-10961/66	•	•	•	•	•		•		•	•	•
Freshman	K-4989-R	12½"	16¼" x 24"	1.0	¾"	¾"					•	•		•		•	•	•
	K-4989-T	12½"	16¼" x 24"	1.0			Touchless K-10961/66				•	•		•		•	•	•
Washout																		
Bardon	K-4904-ER	14⅞"	18" x 26⅞"	0.125, 0.5 or 1.0		¾"		•	•	•	•	•	•	•		•	•	•
	K-4904-ET	14⅞"	18" x 26⅞"	0.125, 0.5 or 1.0	¾"		0.125 gpf: Touchless K-10668, K-10949; manual K-13520/-RF 0.5 gpf: Touchless K-10675/78, K-10958/63; manual K-13519/-RF 1.0 gpf: Touchless K-10676/79, K-10960/65; manual K-13518/-RF	•	•	•	•	•	•	•		•	•	•
Bardon Touchless	K-4915	14¼"	18¼" x 32⅝"	0.5	½"	½"				•	•	•		•		•	•	•
Branham	K-4920-R	16⅞"	18¼" x 42½"	0.5 or 1.0		¾"				•	•	•		•		•	•	•
	K-4920-T	16⅞"	18¼" x 42½"	0.5 or 1.0	¾"		0.5 gpf: Touchless K-10675/78, K-10958/63; manual K-13519/-RF 1.0 gpf: Touchless K-10676/79, K-10960/65; manual K-13518/-RF			•	•	•		•		•	•	•
Darfield	K-5024-T	14½"	14" x 17½"	0.5 or 1.0	¾"		0.5 gpf: Touchless K-10675/78, K-10958/63; manual K-13519/-RF 1.0 gpf: Touchless K-10676/79, K-10960/65; manual K-13518/-RF			•	•	•		•		•	•	•
Jarves	K-5055	17½"	36" x 15⅝"	NA			Flush pipe K-9198				•							
	K-5056	17½"	48" x 15⅝"	NA			Flush pipe K-9199				•							
	K-5057	17½"	60" x 15⅝"	NA			Flush pipe K-9200				•							
	K-5058	17½"	72" x 15⅝"	NA			Flush pipe K-9213				•							
Waterless																		
Steward	K-4918	15⅝"	15" x 29⅞"	0						•	•	•		•			•	•
Steward L	K-4919	15⅞"	19⅞" x 31⅞"	0						•	•	•		•			•	•
Steward S	K-4917	14¾"	11" x 23¾"	0						•	•	•		•			•	•

\*WaterSense®-compliant when used with WaterSense-labeled or 0.5 or 0.125 gpf flushometer

\*\*ADA-compliant when rim is mounted no higher than 17" from the finished floor



Whether you're designing custom spa showers, building 300 or more patient rooms with showers, or simply upgrading showerheads, Kohler has a solution. With everything from digital shower systems and innovative spray experiences to barrier-free shower bases and fold-down seats, we can walk you through an easy upgrade or help you create a spa retreat. For a complete offering of showering products, visit [KOHLE.com/Showering](https://www.kohler.com/Showering).

## Showering

Showerheads & Handshowers <sup>80</sup>

Rainheads & Bodysprays <sup>82</sup>

Bath/Shower Trim Sets <sup>84</sup>

Showering Packages <sup>86</sup>

Institutional & Industrial Showers <sup>88</sup>

Shower Bases <sup>90</sup>



Shower Stalls <sup>92</sup>

## Before You Choose a Shower

Kohler is committed to helping you create safe, inviting shower environments. To that end, we design and manufacture all the components you'll need – water delivery, fixtures and fittings.









## Water Delivery

We've designed a wide range of water delivery solutions to accommodate commercial, institutional and hospitality showering and bathing spaces. Choose from single-function and multifunction showerheads and handshowers to customized digital shower systems.

## Shower Bases

KOHLER® shower bases are available in a variety of sizes and shapes. In addition, we offer both acrylic and KOHLER enameled cast iron shower bases, several featuring integral seats for added safety and comfort.



## Shower Stalls

Our one-piece shower stalls come in a range of standard sizes. Select ADA-compliant models feature molded-in textured floors and low thresholds that allow wheelchair access. Factory-installed grab bars enhance safety and accessibility.

## Material

### Acrylic

KOHLER high-gloss acrylic shower bases and stalls resist chipping and offer an easy-to-clean surface and rich color.

### KOHLER Enameled Cast Iron

Enameled cast iron products produced in Kohler, Wisconsin, are crafted from at least 80% recycled material and come with a Lifetime Limited Warranty.\*

\*KOHLER enameled cast iron products installed in North America carry a Lifetime Limited Warranty for as long as the original consumer/purchaser owns his or her home. For complete warranty information, visit [KOHLER.com/Warranty](https://www.kohler.com/Warranty).

Hospitality Showerheads & Handshowers



<b>Alteo®</b> Single-function showerhead with Katalyst® spray		<b>Purist®</b> Single-function showerhead with Classic spray		<b>Forté®</b> Multifunction showerhead with Classic spray		<b>Flipside® 01</b> Multifunction showerhead with Flipstream® spray	
2.0 gpm (shown)	K-5240	2.5 gpm	K-965	1.75 gpm (shown)	K-10240	2.0 gpm (shown)	K-45427
2.5 gpm	K-45123	Showerarm and flange	K-7397	2.5 gpm	K-10284	2.5 gpm	K-15996
Showerarm and flange	K-45129			Showerarm and flange	K-7397	Showerarm and flange	K-7397
<b>Stillness®/Purist</b> Multifunction handshower with Classic spray		<b>Flipside 01</b> Multifunction handshower with Flipstream spray		<b>MasterShower®</b> Multifunction handshower		<b>Shift™ Square</b> Multifunction handshower	
1.75 gpm (shown)	K-978	2.0 gpm (shown)	K-45425	Relaxing 2.0 gpm		2.0 gpm with	
2.5 gpm	K-973	2.5 gpm	K-17493	Eco (shown)	K-8543	black handle (shown)	K-45203
				Relaxing 2.5 gpm	K-8502	2.5 gpm black handle	K-14788
				Invigorating 2.5 gpm	K-8501	2.0 gpm grey handle	K-45203-GR
						2.5 gpm grey handle	K-14788-GR



Name	Model Number	WaterSense	Polished Chrome CP	Brushed Chrome G	Rough Plate RP	Vibrant Polished Nickel SN	Vibrant Brushed Nickel BN	Vibrant French Gold* AF	Vibrant Polished Brass PB	Vibrant Moderne Brushed Gold* BGD	Vibrant Brushed Bronze BV	Oil-Rubbed Bronze 2BZ
<b>Handshowers</b>												
Flipside 01	K-17493		•			•	•					
	K-45425	•	•			•	•					
MasterShower	K-8501		•	•		•	•	•	•		•	
	K-8502		•	•		•	•	•	•		•	
	K-8543	•	•									
Shift Square	K-14788		•			•	•					
	K-14788-GR		•			•	•					
	K-45203	•	•			•	•					
	K-45203-GR	•	•			•	•					
Stillness/Purist	K-973		•			•	•	•		•	•	
	K-978	•	•				•			•		
<b>Showerheads</b>												
Alteo	K-5240	•	•				•					
	K-45123		•				•					•
Flipside 01	K-15996		•			•	•					
	K-45427	•	•			•	•					
Forté	K-10240	•	•				•					
	K-10284		•	•			•	•	•		•	
Purist	K-965		•			•	•	•			•	

\*No gold content

Hospitality Rainheads & Bodysprays



**Contemporary Square**  
2.5 gpm rainhead with Katalyst® spray  
8" (shown) K-13695  
10" K-13696

**Contemporary Round**  
2.5 gpm rainhead with Katalyst spray  
8" K-13688  
10" (shown) K-13689  
12" K-13690  
14" K-13691

**Traditional Round**  
2.5 gpm rainhead with Katalyst spray  
8" K-13692  
10" (shown) K-13693  
12" K-13694

**WaterTile® Square**  
2.5 gpm bodyspray  
22-nozzle K-8003  
54-nozzle (shown) K-8002



**WaterTile Round**  
2.0 gpm bodyspray  
27-nozzle K-8013  
54-nozzle (shown) K-8014

**MasterShower®**  
Multifunction bodyspray  
2.5 gpm Invigorating spray (shown) K-8509  
1.5 gpm K-8510

Name	Model Number	Polished Chrome CP	Brushed Chrome G	Rough Plate RP	Vibrant Polished Nickel SN	Vibrant Brushed Nickel BN	Vibrant French Gold* AF	Vibrant Polished Brass PB	Vibrant Moderne Brushed Gold* BGD	Vibrant Brushed Bronze BV	Oil-Rubbed Bronze 2BZ
<b>Bodysprays</b>											
MasterShower	K-8509	•	•		•	•	•	•		•	
	K-8510	•	•		•	•	•	•		•	
WaterTile Round	K-8013	•	•		•	•	•		•	•	•
	K-8014	•	•		•	•	•		•	•	•
WaterTile Square	K-8002	•	•		•	•	•		•	•	•
	K-8003	•	•		•	•	•		•	•	•
<b>Rainheads</b>											
Contemporary Round	K-13688	•			•	•			•	•	
	K-13689	•			•	•			•	•	
	K-13690	•			•	•			•	•	
	K-13691	•			•	•			•	•	
Contemporary Square	K-13695	•			•	•			•	•	
	K-13696	•			•	•			•	•	
Traditional Round	K-13692	•			•	•	•			•	•
	K-13693	•			•	•	•			•	•
	K-13694	•			•	•	•			•	•

\*No gold content

Hospitality Bath/Shower Trim Sets



**Alteo®**  
Rite-Temp® pressure-balancing

Bath/shower trim set (shown)	K-T45104
Shower trim set	K-T45106
Shower trim set with diverter	K-T45108

**Forté®**  
Rite-Temp pressure-balancing

Bath/shower trim set	K-T10274
Shower trim set	K-T10276

**Stillness®**  
Rite-Temp pressure-balancing

Bath/shower trim set	K-T948
Shower trim set	K-T949

**Margaux®**  
Rite-Temp pressure-balancing

Bath/shower trim set	K-T16233
Shower trim set	K-T16234

**Stance®**  
Rite-Temp pressure-balancing

Bath/shower trim set	K-T14776
Shower trim set	K-T14778
Shower trim set with diverter	K-T14777

**Refinia®**  
Rite-Temp pressure-balancing

Bath/shower trim set	K-T5318
Shower trim set	K-T5320
Shower trim set with diverter	K-T5319

**Fairfax®**  
Rite-Temp pressure-balancing

Bath/shower trim set	K-T12007
Shower trim set	K-T12014

**Symbol®**  
Rite-Temp pressure-balancing

Bath/shower trim set	K-T18488
Shower trim set	K-T18489

Name	Model Number	Polished Chrome CP	Brushed Chrome G	Rough Plate RP	Vibrant Polished Nickel SN	Vibrant Brushed Nickel BN	Vibrant French Gold* AF	Vibrant Polished Brass PB	Vibrant Moderne Brushed Gold* BGD	Vibrant Brushed Bronze BV	Oil-Rubbed Bronze 2BZ
<b>Bath/Shower Trim Sets</b>											
Alteo	K-T45104-4	•				•					•
Fairfax	K-T12007-4	•				•					•
Forté	K-T10274-4	•	•			•					
Margaux	K-T16233-3	•			•	•	•			•	
Refinia	K-T5318-4	•				•					
Stance	K-T14776-4	•				•					
Stillness	K-T948-4	•				•					
Symbol	K-T18488-4	•				•					
<b>Shower Trim Sets</b>											
Alteo	K-T45106-4	•				•					•
Fairfax	K-T12014-4	•				•					•
Forté	K-T10276-4	•	•			•					
Margaux	K-T16234-3	•			•	•	•			•	
Refinia	K-T5319-4	•				•					
	K-T5320-4	•				•					
Stance	K-T14777-4	•				•					
	K-T14778-4	•				•					
Stillness	K-T949-4	•				•					
Symbol	K-T18489-4	•				•					

\*No gold content



# Hospitality Showering Packages



**Bancroft®**  
Essentials performance  
showering package  
K-10828



**Forté®**  
Essentials performance  
showering package  
K-10827



**Fairfax®**  
Essentials performance  
showering package  
K-10826



**Devonshire®**  
Essentials performance  
showering package  
K-10825



**Contemporary**  
Handshower kit  
K-9059



**MasterShower®**  
Relaxing handshower kit  
K-8520



**Shift™ Ellipse**  
Handshower kit  
K-8487



Name	Model Number	ADA	Polished Chrome CP	Brushed Chrome G	Rough Plate RP	Vibrant Polished Nickel SN	Vibrant Brushed Nickel BN	Vibrant French Gold* AF	Vibrant Polished Brass PB	Vibrant Moderne Brushed Gold* BGD	Vibrant Brushed Bronze BV	Oil-Rubbed Bronze 2BZ
<b>Handshower Kits</b>												
Contemporary	K-9059	•	•				•					
MasterShower	K-8520		•	•					•			
Shift Ellipse	K-8487		•	•			•					
<b>Showering Packages</b>												
Bancroft	K-10828-4		•				•					
Devonshire	K-10825-4		•				•					•
Fairfax	K-10826-4		•				•					•
Forté	K-10827-4		•				•					

\*No gold content

Institutional & Industrial Showering



**Triton®**  
Rite-Temp® pressure-balancing  
bath/shower trim set  
K-T6908



**Triton**  
Rite-Temp pressure-balancing  
shower trim set  
K-T6910



**Triton**  
Rite-Temp pressure-balancing  
valve trim  
K-T6913



**Triton**  
Wall-mount faucet handle trim  
K-T7744



**Triton**  
Wall-mount faucet handle trim with  
push-button diverter  
K-T7751



**K-7252**  
Industrial shower



**K-7254**  
Industrial shower



**K-7258**  
Industrial shower

Model Number	Polished Chrome CP	Brushed Chrome G	Rough Plate RP	Vibrant Polished Nickel SN	Vibrant Brushed Nickel BN	Vibrant French Gold* AF	Vibrant Polished Brass PB	Vibrant Moderne Brushed Gold* BGD	Vibrant Brushed Bronze BV	Oil-Rubbed Bronze 2BZ
Industrial Showers										
K-7252	•									
K-7254	•									
K-7258			•							
Showering Components										
K-T6908	•									
K-T6910	•									
K-T6913	•									
K-T7744	•									
K-T7751	•									

\*No gold content

Shower Bases



**Groove®**  
Alcove base with concealed drain  
60" x 36" K-9928  
Aluminum drain cover K-9333  
Teak drain cover K-9337

**Salient®**  
Alcove base  
60" x 36" K-9055

**Groove**  
Alcove base with concealed drain  
60" x 32" left-hand drain K-9949  
60" x 32" right-hand drain K-9948  
Aluminum drain cover K-9330  
Teak drain cover K-9334

**Salient**  
Alcove base  
60" x 30" left-hand drain K-9053  
60" x 30" right-hand drain K-9054

**Groove**  
Alcove base with concealed drain  
48" x 48" K-9998  
Aluminum drain cover K-9332  
Teak drain cover K-9336

**Groove**  
Alcove base with concealed drain  
48" x 36" K-9925  
Aluminum drain cover K-9332  
Teak drain cover K-9336

**Purist®**  
Alcove base  
48" x 36" K-9026

**Groove**  
Alcove base with concealed drain  
42" x 42" K-9997  
Aluminum drain cover K-9331  
Teak drain cover K-9335



Name	Model Number	Dimensions	Drain Location	Required Drain Cover	Pivot Shower Doors*	Sliding Shower Doors*	Steam Pivot Shower Doors*	White 0	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black 'n Tan KA	Black Black 7
<b>Acrylic</b>																							
Groove	K-9925	48" x 36" x 4 1/4"	Center back	K-9332 or K-9336	•	•	•	•	•		•			•	•		•	•	•				•
	K-9928	60" x 36" x 4 3/8"	Center back	K-9333 or K-9337	•	•	•	•	•		•			•	•		•	•	•				•
	K-9948	60" x 32" x 4 3/4"	Right	K-9330 or K-9334	•	•	•	•	•		•			•	•		•	•	•				•
	K-9949	60" x 32" x 4 3/4"	Left	K-9330 or K-9334	•	•	•	•	•		•			•	•		•	•	•				•
	K-9996	60" x 42" x 4 9/16"	Center back	K-9333 or K-9337	•	•	•	•	•		•			•	•		•	•	•				•
	K-9997	42" x 42" x 4 5/16"	Center back	K-9331 or K-9335	•	•	•	•	•		•			•	•		•	•	•				•
	K-9998	48" x 48" x 4 9/16"	Center back	K-9332 or K-9336	•	•	•	•	•		•			•	•		•	•	•				•
<b>KOHLER Enameled Cast Iron</b>																							
Purist	K-9026	48" x 36" x 5 1/4"	Center		•			•		•	•	•	•	•	•		•	•	•	•	•	•	•
Salient	K-9053	60" x 30" x 3 3/4"	Left		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	K-9054	60" x 30" x 3 3/4"	Right		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	K-9055	60" x 36" x 4"	Center		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

\*See Price Book for information about available shower doors

Shower Stalls



**Sonata®**  
One-piece shower stall  
with high-dome ceiling

60" x 36" x 90"	K-1688
Grab bar kit	K-9459

**Sonata**  
One-piece bath/shower stall

60" x 34<sup>13</sup>/<sub>16</sub>" x 90"

Left-hand drain	K-1681
Right-hand drain	K-1682
Grab bar kit	K-9459

**Sonata**  
One-piece shower stall  
with high-dome ceiling

48" x 36" x 90"	K-1687
Grab bar kit	K-9459

**Sonata**  
One-piece corner shower  
stall with high-dome ceiling

48" x 36" x 90"	K-1690
Grab bar kit	K-9459

**Sonata**  
One-piece shower stall  
with high-dome ceiling

36" x 36 <sup>1</sup> / <sub>2</sub> " x 90"	K-1689
Grab bar kit	K-9459

**Freewill®**  
One-piece barrier-free shower  
stall with folding seat

52" x 37<sup>1</sup>/<sub>2</sub>" x 84"

Left seat (shown)	K-12111-C
Right seat	K-12112-C

**Freewill**  
One-piece barrier-free shower  
stall with integral seat

52" x 37<sup>1</sup>/<sub>2</sub>" x 84"

Left seat (shown)	K-12109-C
Right seat	K-12110-C

**Freewill**  
One-piece barrier-free shower  
stall with folding seat

45" x 37<sup>1</sup>/<sub>4</sub>" x 84"

Right seat	K-12100-C
Left seat (shown)	K-12101-C

**Freewill**  
One-piece barrier-free shower stall  
with integral ledge

45" x 37<sup>1</sup>/<sub>4</sub>" x 84"

Ledge at left (shown)	K-12107-C
Ledge at right	K-12108-C

Name	Model Number	Dimensions	Seat	Grab Bars*	Dome Light	Steam Package**	Shower Doors**	ADA	White 0	Biscuit 96	Almond 47	Ice Grey 95	Sandbar G9
<b>Shower Stalls</b>													
Freewill	K-12100-C	45" x 37¼" x 84"	Included	Included (BS)	K-1665			•	•	•	•	•	•
	K-12100-P	45" x 37¼" x 84"	Included	Included (S)	K-1665			•	•	•	•	•	•
	K-12101-C	45" x 37¼" x 84"	Included	Included (BS)	K-1665			•	•	•	•	•	•
	K-12101-P	45" x 37¼" x 84"	Included	Included (S)	K-1665			•	•	•	•	•	•
	K-12107-C	45" x 37¼" x 84"		Included (BS)	K-1665		•		•	•	•	•	•
	K-12107-N	45" x 37¼" x 84"		Included (Nylon)	K-1665		•		•	•	•	•	•
	K-12107-P	45" x 37¼" x 84"		Included (S)	K-1665		•		•	•	•	•	•
	K-12108-C	45" x 37¼" x 84"		Included (BS)	K-1665		•		•	•	•	•	•
	K-12108-N	45" x 37¼" x 84"		Included (Nylon)	K-1665		•		•	•	•	•	•
	K-12108-P	45" x 37¼" x 84"		Included (S)	K-1665		•		•	•	•	•	•
	K-12109-C	52" x 37½" x 84"	Included	Included (BS)	K-1665				•	•	•	•	•
	K-12109-N	52" x 37½" x 84"	Included	Included (Nylon)	K-1665				•	•	•	•	•
	K-12109-P	52" x 37½" x 84"	Included	Included (S)	K-1665				•	•	•	•	•
	K-12110-C	52" x 37½" x 84"	Included	Included (BS)	K-1665				•	•	•	•	•
	K-12110-N	52" x 37½" x 84"	Included	Included (Nylon)	K-1665				•	•	•	•	•
	K-12110-P	52" x 37½" x 84"	Included	Included (S)	K-1665				•	•	•	•	•
	K-12111-C	52" x 37½" x 84"	Included	Included (BS)	K-1665				•	•	•	•	•
	K-12111-P	52" x 37½" x 84"	Included	Included (S)	K-1665				•	•	•	•	•
	K-12112-C	52" x 37½" x 84"	Included	Included (BS)	K-1665				•	•	•	•	•
	K-12112-P	52" x 37½" x 84"	Included	Included (S)	K-1665				•	•	•	•	•
Sonata	K-1681	60" x 34⅜" x 90"	K-9529	K-9459	K-1665	•			•	•	•	•	•
	K-1682	60" x 34⅜" x 90"	K-9529	K-9459	K-1665	•			•	•	•	•	•
	K-1687	48" x 36" x 90"	K-9499	K-9459	K-1665	•	•		•	•	•	•	•
	K-1688	60" x 36" x 90"	K-9499	K-9459	K-1665	•	•		•	•	•	•	•
	K-1689	36" x 36½" x 90"		K-9459	K-1665		•		•	•	•	•	•
	K-1690	48" x 36" x 90"		K-9459	K-1665	•			•	•	•	•	•

ADA-compliant products will comply with the Americans with Disabilities Act of 2004 when installed per the requirements of the accessibility guidelines of Section 608 (shower stalls) of the Act.

\*BS - Brushed stainless steel; S - Polished stainless steel; Nylon - Grey for Biscuit and White stalls, White for Almond, Ice™ Grey and Sandbar stalls

\*\*See Price Book for information about available steam packages and shower doors

Every day at Kohler, we have the luxury of seeing firsthand the healthful effects of water treatments. Our designers and engineers collaborate with Kohler Waters Spa, a top-ranked spa, to design our bathing products so you can share the latest wellness discoveries and trends with your clients. Available in a range of sizes and shapes, our baths and whirlpools also feature added convenience and safety options.

## Bathing

Baths <sup>98</sup>



Whirlpools <sup>99</sup>



## Before You Choose a Bath

We take a holistic approach to bath design at Kohler, bringing together a team of our best industrial designers, engineers and human-factors experts. Together, they ensure that our baths deliver beautiful style, an incredibly comfortable fit and water experiences to suit individual preferences.







## Elevance® Rising Wall

A stylish alternative to institutional-looking options, the Elevance Rising Wall bath lets bathers lounge comfortably and safely at a perfect soaking depth. ADA-compliant and Aging in Place products in the bathroom provide extra stability and ease of use without compromising attractive design.

## Accessible Design

Select KOHLER® baths and whirlpools feature integrated grab bars, low thresholds, ergonomic lumbar support and armrests – all designed to provide additional accessibility, safety and comfort in commercial and hospitality settings.



## Whirlpools

KOHLER whirlpools are engineered to maximize the unique benefits of targeted hydro-massage and, similar to a deep tissue massage, can potentially increase blood flow. Delivering powerful directed massage, our whirlpool jets rotate for precise positioning and adjust for intensity, customizing each bathing experience.

## KOHLER Enameled Cast Iron

Kohler has been designing and manufacturing enameled cast iron since its earliest days over 135 years ago. Durable and enduring, our enameled cast iron is made in part with recycled material, making it a thoroughly modern choice.

## Baths



### Bellwether®

Three-wall alcove bath with apron

60" x 30¼"

K-837

60" x 32"

K-875

### Dynametric®

Three-wall alcove bath with apron

60" x 32"

K-519

### Guardian™

Three-wall alcove bath with apron and grab bars

60" x 32"

K-785 / K-9620

### Mendota®

Three-wall alcove bath with apron

60" x 32"

K-505

### Expanse®

Three-wall alcove bath with apron

60" x 32"

K-1100

### Elevance® Rising Wall

Three-wall alcove bath with grab bar

60" x 32"

K-1913

### Villager™

Three-wall alcove bath with apron

60" x 34½"

K-713

### Mariposa®

Three-wall alcove bath with apron and tile flange

60" x 36"

K-1242-LA

### Tea-for-Two®

Drop-in bath

60" x 32"

K-850

### Hourglass®

Drop-in bath

60" x 32"

K-1219

### Mariposa

Drop-in bath

60" x 36"

K-1242

# Whirlpools



**Hourglass® 32**  
Three-wall alcove whirlpool with apron  
and tile flange  
60" x 32"                      K-1209-LA



**Mariposa®**  
Three-wall alcove whirlpool with apron  
and tile flange  
60" x 36"                      K-1239-LA



**Hourglass® 32**  
Drop-in whirlpool  
60" x 32"                      K-1209



**Mariposa**  
Drop-in whirlpool  
60" x 36"                      K-1239



## Bath Features & Colors Index

Name	Material	Model Number	Dimensions L x W x H	Installation Type				Recommended Drain	Drain Location				Number of People
				Drop-In	Three-Wall Alcove	Freestanding	Under-Mount		Reversible	Center	Left-Hand	Right-Hand	
Baths													
Bellwether	KECI	K-837	60" x 30" x 14"		IA			K-7259 or K-37383			•		1
	KECI	K-838	60" x 30" x 14"		IA			K-7259 or K-37383				•	1
	KECI	K-875	60" x 32" x 15½"		IA			K-7259 required			•		1
	KECI	K-876	60" x 32" x 15½"		IA			K-7259 required				•	1
Dynametric	KECI	K-519	60" x 32" x 16¼"		IA			K-7259 or K-37383			•		1
	KECI	K-520	60" x 32" x 16¼"		IA			K-7259 or K-37383				•	1
Elevance Rising Wall	ACR	K-1913-L	60¼" x 33½" x 38"		IA			K-7271 or K-7272 required			•		1
	ACR	K-1913-LB	60¼" x 33½" x 38"		IA			Included			•		1
	ACR	K-1913-R	60¼" x 33½" x 38"		IA			K-7271 or K-7272 required				•	1
	ACR	K-1913-RB	60¼" x 33½" x 38"		IA			Included				•	1
Expanse	ACR	K-1100-LA	60" x 38" x 17"		IA			K-7259 or K-37383			•		1
	ACR	K-1100-RA	60" x 38" x 17"		IA			K-7259 or K-37383				•	1
	ACR	K-1118-LA	60" x 34" x 17"		IA			K-7259 or K-37383			•		1
	ACR	K-1118-RA	60" x 34" x 17"		IA			K-7259 or K-37383				•	1
Guardian	KECI	K-785	60" x 32" x 16¼"		IA			K-7259 or K-37383			•		1
	KECI	K-786	60" x 32" x 16¼"		IA			K-7259 or K-37383				•	1
Hourglass 32	ACR	K-1219	60" x 32" x 20"	•				K-7259 or K-37383	•				1
	ACR	K-1219-L	60" x 32" x 20"		IF			K-7259 or K-37383			•		1
	ACR	K-1219-LA	60" x 32" x 20"		IA			K-7259 or K-37383			•		1
	ACR	K-1219-R	60" x 32" x 20"		IF			K-7259 or K-37383				•	1
	ACR	K-1219-RA	60" x 32" x 20"		IA			K-7259 or K-37383				•	1
Mariposa	ACR	K-1242	60" x 36" x 20"	•				K-7259 or K-37380 or K-37383	•				1
	ACR	K-1242-L	60" x 36" x 20"		IF			K-7259 or K-37380 or K-37383			•		1
	ACR	K-1242-LA	60" x 36" x 20"		IA			K-7259 or K-37380 or K-37383			•		1
	ACR	K-1242-R	60" x 36" x 20"		IF			K-7259 or K-37380 or K-37383				•	1
	ACR	K-1242-RA	60" x 36" x 20"		IA			K-7259 or K-37380 or K-37383				•	1
Mendota	KECI	K-505	60" x 32" x 16¼"		IA			K-7259 or K-37383			•		1
	KECI	K-506	60" x 32" x 16¼"		IA			K-7259 or K-37383				•	1
Tea-for-Two	KECI	K-850	60" x 32" x 18¼"	•			•	K-7169-AF required	•				1
Villager	KECI	K-713	60" x 34¼" x 14"		IA			K-7259 or K-37383			•		1
	KECI	K-714	60" x 34¼" x 14"		IA			K-7259 or K-37383				•	1
	KECI	K-715	60" x 30¼" x 14"		IA			K-7259 or K-37383			•		1
	KECI	K-716	60" x 30¼" x 14"		IA			K-7259 or K-37383				•	1

Elevance K-1913-L/-R models require grab bars K-1010; strainer drain K-8820 required for all Elevance models

Guardian K-785 and K-786 models require grab bars K-9620

ADA-compliant products will comply with the Americans with Disabilities Act of 2004 when installed per the requirements of the accessibility guidelines of Section 607 (baths) of the Act.



ACR = Acrylic, KECI = KOHLER® Enameled Cast Iron, IA = Integral Apron and Integral Three-Wall Flange, IF = Integral Three-Wall Flange, VC = Vitreous China

Bathing Well Dimensions		Water Capacity to Overflow	ADA	White 0	Dune NY	Sea Salt FF	Biscuit 96	Cane Sugar FD	Innocent Blush 55	Almond 47	Ice Grey 95	Frost FE	Sandbar G9	Mexican Sand 33	Cashmere K4	Basalt FT	Thunder Grey 58	Black Black 7	Name
At Base	At Rim																		Baths
48¾" x 19⅝"	54⅞" x 21⅜"	9"/32 gal	•	•	•	•	•	•	•	•	•		•	•	•	•		•	Bellwether
48¾" x 19⅝"	54⅞" x 21⅜"	9"/32 gal	•	•	•	•	•	•	•	•	•		•	•	•	•		•	
41¼" x 18⅜"	51¼" x 23⅝"	11⅞"/44 gal	•	•	•	•	•	•	•	•	•		•	•	•	•		•	
41¼" x 18⅜"	51¼" x 23⅝"	11⅞"/44 gal	•	•	•	•	•	•	•	•	•		•	•	•	•		•	
41" x 22"	54" x 25"	8⅝"/35 gal	•	•	•		•		•	•	•		•	•	•				Dynametric
41" x 22"	54" x 25"	8⅝"/35 gal	•	•	•		•		•	•	•		•	•	•				
48¾" x 23⅝"	43" x 22½"	19¾"/72 gal	•	•	•		•			•									Elevance
48¾" x 23⅝"	43" x 22½"	19¾"/72 gal	•	•															Rising Wall
48¾" x 23⅝"	43" x 22½"	19¾"/72 gal	•	•	•		•			•									
48¾" x 23⅝"	43" x 22½"	19¾"/72 gal	•	•															
45⅞" x 27⅝"	54" x 31"	12⅝"/60 gal		•	•		•			•									Expanse
45⅞" x 27⅝"	54" x 31"	12⅝"/60 gal		•	•		•			•									
45⅞" x 25⅞"	52⅞" x 28⅞"	12⅞"/60 gal		•	•		•			•									
45⅞" x 25⅞"	52⅞" x 28⅞"	12⅞"/60 gal		•	•		•			•									
46" x 20"	54" x 24"	10⅞"/43 gal	•	•	•		•			•	•		•						Guardian
46" x 20"	54" x 24"	10⅞"/43 gal	•	•	•		•			•	•		•						
47" x 20"	53" x 23"	14½"/64 gal		•	•		•			•	•		•						Hourglass 32
47" x 20"	53" x 23"	14½"/64 gal		•	•		•			•	•		•						
47" x 20"	53" x 23"	14½"/64 gal		•	•		•			•	•		•						
47" x 20"	53" x 23"	14½"/64 gal		•	•		•			•	•		•						
47" x 20"	53" x 23"	14½"/64 gal		•	•		•			•	•		•						
46" x 24"	54" x 27"	14"/63 gal		•	•		•			•	•		•						Mariposa
46" x 24"	54" x 27"	14"/63 gal		•	•		•			•	•		•						
46" x 24"	54" x 27"	14"/63 gal		•	•		•			•	•		•						
46" x 24"	54" x 27"	14"/63 gal		•	•		•			•	•		•						
46" x 24"	54" x 27"	14"/63 gal		•	•		•			•	•		•						
43" x 20"	54" x 24"	10⅞"/45 gal	•	•	•		•		•	•	•		•	•	•		•	•	Mendota
43" x 20"	54" x 24"	10⅞"/45 gal	•	•	•		•		•	•	•		•	•	•		•	•	
40½" x 20"	52¾" x 24"	13⅝"/60 gal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Tea-for-Two
47½" x 22"	55" x 24"	8⅝"/33 gal	•	•	•		•		•	•	•		•	•	•				Villager
47½" x 22"	55" x 24"	8⅝"/33 gal	•	•	•		•		•	•	•		•	•	•				
47½" x 22"	55" x 24"	8⅝"/33 gal	•	•	•		•		•	•	•		•	•	•				
47½" x 22"	55" x 24"	8⅝"/33 gal	•	•	•		•		•	•	•		•	•	•				

Whirlpool Features & Colors Index

Name	Material	Model Number	Dimensions L x W x H	With In-Line Heater	Custom Pump Location	Installation Type		120-Volt Hardwire	Recommended Drain	Drain Location				
						Drop-In	Three-Wall Alcove			Reversible	Center	Left	Right	
Whirlpools														
Hourglass 32	ACR	K-1209	60" x 32" x 20"			•		•	K-7259 or K-37382	•				
	ACR	K-1209-CB	60" x 32" x 20"		•	•		•		•				
	ACR	K-1209-H	60" x 32" x 20"	•		•		(2)•		•				
	ACR	K-1209-HB	60" x 32" x 20"	•	•	•		(2)•		•				
	ACR	K-1209-HL	60" x 32" x 20"	•			IA	(2)•				•		
	ACR	K-1209-HR	60" x 32" x 20"	•			IA	(2)•					•	
	ACR	K-1209-L	60" x 32" x 20"				IF	•				•		
	ACR	K-1209-LA	60" x 32" x 20"				IA	•				•		
	ACR	K-1209-LH	60" x 32" x 20"	•			IF	(2)•				•		
	ACR	K-1209-R	60" x 32" x 20"				IF	•					•	
	ACR	K-1209-RA	60" x 32" x 20"				IA	•					•	
	ACR	K-1209-RH	60" x 32" x 20"	•			IF	(2)•					•	
Mariposa	ACR	K-1239	60" x 36" x 20"			•		•		•				
	ACR	K-1239-CB	60" x 36" x 20"		•	•		•		•				
	ACR	K-1239-H	60" x 36" x 20"	•		•		(2)•		•				
	ACR	K-1239-HB	60" x 36" x 20"	•	•	•		(2)•		•				
	ACR	K-1239-HL	60" x 36" x 20"	•			IA	(2)•				•		
	ACR	K-1239-HR	60" x 36" x 20"	•			IA	(2)•					•	
	ACR	K-1239-L	60" x 36" x 20"				IF	•				•		
	ACR	K-1239-LA	60" x 36" x 20"				IA	•				•		
	ACR	K-1239-LH	60" x 36" x 20"	•			IF	(2)•				•		
	ACR	K-1239-R	60" x 36" x 20"				IF	•					•	
	ACR	K-1239-RA	60" x 36" x 20"				IA	•					•	
	ACR	K-1239-RH	60" x 36" x 20"	•			IF	(2)•					•	

ACR = Acrylic, IA = Integral Apron and Integral Three-Wall Flange, IF = Integral Three-Wall Flange

Number of People	Bathing Well Dimensions		Water Capacity to Overflow	Jets		White 0	Dune NY	Biscuit 96	Almond 47	Ice Grey 95	Sandbar G9	Name
	At Base	At Rim		Number of Jets	Jet Trim							
Whirlpools												
1	47" x 20"	53" x 23"	14½"/64 gal	4	Color-matched included	•	•	•	•	•	•	Hourglass 32
1	47" x 20"	53" x 23"	14½"/64 gal	4	Color-matched included	•	•	•	•	•	•	
1	47" x 20"	53" x 23"	14½"/64 gal	4	Color-matched included	•	•	•	•	•	•	
1	47" x 20"	53" x 23"	14½"/64 gal	4	Color-matched included	•	•	•	•	•	•	
1	47" x 20"	53" x 23"	14½"/64 gal	4	Color-matched included	•	•	•	•	•	•	
1	47" x 20"	53" x 23"	14½"/64 gal	4	Color-matched included	•	•	•	•	•	•	
1	47" x 20"	53" x 23"	14½"/64 gal	4	Color-matched included	•	•	•	•	•	•	
1	47" x 20"	53" x 23"	14½"/64 gal	4	Color-matched included	•	•	•	•	•	•	
1	47" x 20"	53" x 23"	14½"/64 gal	4	Color-matched included	•	•	•	•	•	•	
1	47" x 20"	53" x 23"	14½"/64 gal	4	Color-matched included	•	•	•	•	•	•	
1	47" x 20"	53" x 23"	14½"/64 gal	4	Color-matched included	•	•	•	•	•	•	
1	47" x 20"	53" x 23"	14½"/64 gal	4	Color-matched included	•	•	•	•	•	•	
1	46" x 24"	54" x 27"	14"/63 gal	5	Color-matched included	•	•	•	•	•	•	Mariposa
1	46" x 24"	54" x 27"	14"/63 gal	5	Color-matched included	•	•	•	•	•	•	
1	46" x 24"	54" x 27"	14"/63 gal	5	Color-matched included	•	•	•	•	•	•	
1	46" x 24"	54" x 27"	14"/63 gal	5	Color-matched included	•	•	•	•	•	•	
1	46" x 24"	54" x 27"	14"/63 gal	5	Color-matched included	•	•	•	•	•	•	
1	46" x 24"	54" x 27"	14"/63 gal	5	Color-matched included	•	•	•	•	•	•	
1	46" x 24"	54" x 27"	14"/63 gal	5	Color-matched included	•	•	•	•	•	•	
1	46" x 24"	54" x 27"	14"/63 gal	5	Color-matched included	•	•	•	•	•	•	
1	46" x 24"	54" x 27"	14"/63 gal	5	Color-matched included	•	•	•	•	•	•	
1	46" x 24"	54" x 27"	14"/63 gal	5	Color-matched included	•	•	•	•	•	•	
1	46" x 24"	54" x 27"	14"/63 gal	5	Color-matched included	•	•	•	•	•	•	
1	46" x 24"	54" x 27"	14"/63 gal	5	Color-matched included	•	•	•	•	•	•	

Our complete selection of accessories and fittings offers exceptional functionality and coordinated design. We offer everything from foot and knee controls for hands-free operation to grab bars that provide stability when entering and exiting the bath or shower.

## Finishing Touches

Grab Bars <sup>108</sup>

Shower Rods <sup>108</sup>

Shower Drains <sup>110</sup>

Bathroom Sink Drains <sup>110</sup>

Bath Drains <sup>112</sup>

Traps, Supplies & Stops <sup>116</sup>

Foot & Knee Controls <sup>118</sup>


Bedpan Washers <sup>118</sup>



## Additional Items to Consider

Explore the finishing touches on the following pages, and find solutions designed to enhance the safety and convenience of the bathroom.

Kingston™ elongated wall-hung toilet (K-4325-0) Page 65  
Stronghold® elongated toilet seat (K-4731-SC-0) Page 68  
Touchless 1.28 gpf toilet flushometer with WAVE technology (K-10673-CP) Page 58  
36" contemporary grab bar (K-14564-S) Page 108  
42" contemporary grab bar (K-14565-S) Page 108



## Grab Bars




KOHLER® ADA-compliant grab bars are available in an assortment of sizes, finishes and designs, and feature durable premium metal construction.

## Shower Rods

Available in traditional, transitional or contemporary design, the Expanse® curved shower rod adds an extra six inches to the showering space and complements a variety of commercial or hospitality bathrooms.

## Drains

We manufacture a wide variety of grid and pop-up sink drains, as well as universal and custom bath and shower drains. Built to last, KOHLER drains are constructed from premium materials.



## Fittings

Kohler provides a selection of fittings needed for sink, urinal, toilet and shower installations – everything from P-traps and angle supplies to supply elbows and showerarms.


## Foot & Knee Controls

For hands-free operation of faucets, Kohler offers a selection of foot and knee controls. Knee controls are available in a range of sizes to accommodate multiple configurations.

## Bedpan Washers

Choose from a KOHLER standard sprayhead bedpan washer or a foot-controlled washer with hose and angled sprayhead to complete your facility's bedpan washing stations.

Grab Bars & Shower Rods



**Margaux®**  
Grab bar

9"	K-11880	32"	K-1184
12"	K-11881	36"	K-1185
18"	K-11882	42"	K-1186
24"	K-11883	48"	K-1187

**Traditional**  
Grab bar

9"	K-11870	32"	K-11874
12"	K-11871	36"	K-11875
18"	K-11872	42"	K-11876
24"	K-11873	48"	K-11877

**Purist®**  
Grab bar

9"	K-11890	32"	K-11894
12"	K-11891	36"	K-11895
18"	K-11892	42"	K-11896
24"	K-11893	48"	K-11897

**Traditional**  
Grab bar

12"	K-10540	36"	K-10544
18"	K-10541	42"	K-10545
24"	K-10542	48"	K-10546
32"	K-10543	54"	K-10547

**Transitional**  
Grab bar

12"	K-11390	36"	K-11394
18"	K-11391	42"	K-11395
24"	K-11392	48"	K-11396
32"	K-11393	54"	K-11397

**Contemporary**  
Grab bar

12"	K-14560	36"	K-14564
18"	K-14561	42"	K-14565
24"	K-14562	48"	K-14566
32"	K-14563	54"	K-14567

**Expanse®**  
Traditional shower rod  
K-9349

**Expanse**  
Transitional shower rod  
K-9350

**Expanse®**  
Contemporary shower rod  
K-9351

Length									1 1/4" Diameter	ADA	Polished Stainless S	Brushed Stainless BS	Vibrant Polished Nickel SN	Vibrant Brushed Nickel BN	Vibrant French Gold* AF	Vibrant Brushed Bronze BV	Oil-Rubbed Bronze 2BZ
9"	12"	18"	24"	32"	36"	42"	48"	54"									
Grab Bars																	
Contemporary																	
	K-14560	K-14561	K-14562	K-14563	K-14564	K-14565			•	•	•	•	•	•		•	
							K-14566	K-14567	•	•	•	•					
Margaux																	
K-11880											•	•	•	•		•	
	K-11881	K-11882	K-11883		K-11885	K-11886				•	•	•	•	•	•	•	
				K-11884			K-11887			•	•	•	•	•		•	
Purist																	
K-11890									•		•	•		•		•	
	K-11891	K-11892	K-11893		K-11895	K-11896			•	•	•	•	•	•	•	•	
				K-11894			K-11897		•	•	•	•		•		•	
Traditional																	
	K-10540	K-10541	K-10542	K-10543	K-10544	K-10545			•	•	•	•	•	•	•	•	•
							K-10546	K-10547	•	•	•	•					
Traditional Decorative																	
K-11870				K-11874			K-11877		•		•	•		•		•	
	K-11871	K-11872	K-11873		K-11875	K-11876			•		•	•	•	•	•	•	
Transitional																	
	K-11390	K-11391	K-11392	K-11393	K-11394	K-11395			•	•	•	•		•	•	•	
							K-11396	K-11397	•	•	•	•					

\*No gold content

Name	Model Number	Length	Polished Stainless S	Brushed Stainless BS	Oil-Rubbed Bronze 2BZ*
<b>Expanse Shower Rods</b>					
Contemporary	K-9351	5' - 6'	•	•	
Traditional	K-9349	5' - 6'	•	•	•
Transitional	K-9350	5' - 6'	•	•	

\*2BZ finish is without highlights

Shower & Bathroom Sink Drains



**K-7129**  
Bathroom sink grid drain

**K-7131-A**  
Offset grid drain

**K-9132**  
Round shower drain

**K-9135**  
Round tile-in shower drain

**K-9136**  
Square tile-in shower drain

**K-7107**  
Decorative bathroom sink grid drain

**K-7108**  
Decorative bathroom sink grid drain

**K-7114**  
Bathroom sink pop-up drain

**K-7124**  
Touch-activated bathroom sink pop-up drain

**K-7126**  
Bathroom sink pop-up drain with lift rod

**K-7127**  
Bathroom sink drain with non-removable metal stopper

**K-7128-A**  
Bathroom sink drain with rubber stopper and chain



Model Number	For 2" and 3" PVC Connections	For 2" Caulk Connection	Through-the-Floor Tile-In Installation	1 1/4" Tailpiece	For Overflow Applications	For Non-Overflow Applications	Open Strainer	Polished Chrome CP	Brushed Chrome G	Vibrant Polished Nickel SN	Vibrant Brushed Nickel BN	Vibrant French Gold* AF	Vibrant Polished Brass PB	Vibrant Moderne Brushed Gold* BGD	Vibrant Brushed Bronze BV	Oil-Rubbed Bronze 2BZ
<b>Bathroom Sink Drains</b>																
K-7107				•		•		•	•	•	•	•		•	•	•
K-7108				•		•		•	•	•	•	•		•	•	•
K-7114				•		•		•	•	•	•	•	•		•	•
K-7114-A				•	•			•	•	•	•	•	•		•	•
K-7124				•		•		•	•	•	•	•	•	•	•	•
K-7124-A				•	•			•	•	•	•	•	•	•	•	•
K-7126				•	•			•								
K-7127				•		•		•	•	•	•	•	•	•	•	•
K-7127-A				•	•			•	•	•	•	•	•	•	•	•
K-7128-A				•	•			•								
K-7129				•		•		•	•	•	•	•	•	•	•	•
K-7129-A				•	•			•	•	•	•	•	•		•	•
K-7131-A				•			•	•								
<b>Shower Drains</b>																
K-9132		•						•	•	•	•	•	•	•	•	•
K-9135	•		•					•	•	•	•	•	•	•	•	•
K-9136	•		•					•	•	•	•	•	•	•	•	•

\*No gold content

Custom & Universal Bath Drains



**K-7271**  
Clearflo slotted overflow  
toe-tap drain

**K-7272**  
Clearflo slotted overflow  
toe-tap drain

**K-7147-AF / K-7169-AF**  
Clearflo pop-up drain

**K-7213**  
Clearflo cable drain

**K-7214**  
Clearflo cable drain

**K-7116**  
Clearflo closing cable drain

**K-7259 / K-7265**  
Clearflo toe-tap drain with  
corrugated copper neck

**K-7160-AF**  
Clearflo adjustable pop-up drain

**K-7160-TF**  
Clearflo adjustable pop-up drain

**K-7161-AF / K-7166-AF**  
Clearflo adjustable pop-up drain

**K-7167**  
Clearflo adjustable pop-up  
high-volume drain

**K-11660**  
Swiftflo™ adjustable trip-lever drain






























































Name	Model Number	Type	Installation		Polished Chrome CP	Brushed Chrome G	Vibrant Polished Nickel SN	Vibrant Brushed Nickel BN	Vibrant French Gold* AF	Vibrant Polished Brass PB	Vibrant Moderne Brushed Gold* BGD	Vibrant Brushed Bronze BV	Oil-Rubbed Bronze 2BZ	Brushed Black BKB
			Above-the-Floor	Through-the-Floor										
Custom Drains														
Clearflo	K-7147-AF	Pop-up with contoured overflow	•	•	•	•	•	•	•	•		•	•	
	K-7169-AF	Pop-up with contoured overflow	•	•	•	•	•	•	•	•		•	•	•
	K-7271	Toe-tap with slotted overflow	•	•	•	•	•	•	•	•		•	•	
	K-7272	Toe-tap with slotted overflow	•	•	•	•	•	•	•	•		•	•	
Universal Drains														
Clearflo	K-7116	Pop-up with closing overflow	•	•	•	•	•	•	•		•	•		
	K-7160-AF	Pop-up	•	•	•	•	•	•	•	•		•		•
	K-7160-TF	Pop-up		•	•	•	•	•	•	•		•		•
	K-7161-AF	Pop-up	•	•	•	•	•	•	•	•		•		•
	K-7166-AF	Pop-up	•	•	•	•	•	•	•	•		•		•
	K-7167	Pop-up high-volume	•	•	•	•	•	•	•	•		•		•
	K-7213	Cable	•	•	•	•	•	•	•	•		•	•	
	K-7214	Cable	•	•	•	•	•	•	•	•		•	•	
	K-7259	Toe-tap	•	•	•	•	•	•	•		•	•	•	
	K-7265	Toe-tap	•	•	•	•	•	•	•		•	•	•	
Swiftflo	K-11660	Trip-lever		•	•					•				
	K-11677	Trip-lever		•	•					•				

\*No gold content

PureFlo™ Bath Drains



<b>K-37383</b> Rough cable drain	<b>K-37385 / K-37386</b> Rough cable drain	<b>K-37380 / K-37382</b> Rough cable drain	<b>K-T37391</b> Basic rotary PureFlo drain handle trim kit
<b>K-T37392</b> Contemporary rotary PureFlo drain handle trim kit	<b>K-T37393</b> Traditional rotary PureFlo drain handle trim kit	<b>K-T37394</b> Victorian rotary PureFlo drain handle trim kit	<b>K-T37395</b> Contemporary push-turn PureFlo drain handle trim kit
<b>K-T37396</b> Traditional push-turn PureFlo drain handle trim kit	<b>K-T37397</b> Victorian push-turn PureFlo drain handle trim kit		

Name	Model Number	Type	Cable Length	Installation									NA
				Above-the-Floor	Through-the-Floor								
Drain Handle Trim Kits													
PureFlo	K-T37391	Basic rotary											
	K-T37392	Contemporary rotary											
	K-T37393	Traditional rotary											
	K-T37394	Victorian rotary											
	K-T37395	Contemporary push-turn											
	K-T37396	Traditional push-turn											
	K-T37397	Victorian push-turn											
Drains													
PureFlo	K-37380	Cable with brass pipe	30"										
	K-37382	Cable with brass pipe	45"										
	K-37383	Cable with PVC tubing	30"										
	K-37385	Cable without tubing	45"										
	K-37386	Cable without tubing	30"										

\*No gold content



Traps, Supplies & Stops



**K-8995**  
Adjustable P-trap with NPT outlet



**K-8998 / K-8999 / K-9000**  
Adjustable P-trap with tubing outlet



**K-9018**  
Adjustable P-trap with tubing outlet



**K-9033**  
Contemporary round bottle trap



**K-7605-P / K-7606-P**  
NPT angle supplies with stops, cross handles and annealed vertical tubes



**K-7607 / K-7608**  
NPT angle supplies with loose-key stops and annealed vertical tubes



**K-7637 / K-7638**  
NPT angle supply with stop, cross handle and annealed vertical tube



**K-7639**  
NPT angle supply with loose-key stop, cross handle and annealed vertical tube



**K-7653**  
Angle supply with stop, cross handle and rigid vertical tube



**K-7654**  
NPT angle supply with stop, cross handle and braided flexible hose



**K-7659**  
NPT angle stop with cross handle

Model Number	Product	Connection	OD Inlet	Slip-Fit Inlet	Outlet	Polished Chrome CP	Brushed Chrome G	Vibrant Polished Nickel SN	Vibrant Brushed Nickel BN	Vibrant French Gold* AF	Vibrant Polished Brass PB	Vibrant Moderne Brushed Gold* BGD	Vibrant Brushed Bronze BV	Oil-Rubbed Bronze 2BZ	Satin Black TB	Brushed Black BKB	White 0	Black Black 7
<b>Angle Supplies and Stops</b>																		
K-7605-P	Supplies (pair)	3/8" NPT				•	•	•	•	•	•		•		•	•		
K-7606-P	Supplies (pair)	1/2" NPT				•					•							
K-7607	Supplies (pair)	3/8" NPT				•												
K-7608	Supplies (pair)	1/2" NPT				•												
K-7637	Supply	3/8" NPT				•	•	•	•	•	•		•			•		
K-7638	Supply	1/2" NPT				•	•	•	•		•		•					
K-7639	Supply	3/8" NPT				•												
K-7653	Supply	1/2" NPT				•	•	•	•		•		•					
K-7654	Supply	1/2" NPT				•												
K-7659	Stop	3/8" NPT				•												
<b>Traps</b>																		
K-8995	P-trap		1 1/4"	•	1 1/2" NPT	•												
K-8998	P-trap		1 1/4"	•	1 1/4" OD	•												
K-8999	P-trap		1 1/4"	•	1 1/2" OD	•												
K-9000	P-trap		1 1/2"	•	1 1/2" OD	•												
K-9018	P-trap		1 1/4"	•	1 1/4" OD	•	•	•	•	•	•	•	•		•		•	•
K-9033	Bottle trap		1 1/4"	•	1 1/4" OD	•	•	•	•	•		•	•	•				

\*No gold content

Foot & Knee Controls & Bedpan Washers



**K-13808**  
Floor-mount double foot control

**K-13816**  
Wall-mount double foot control

**K-13710**  
Wall-mount knee-control fitting

**K-13715**  
Fixture-supported knee-control fitting

**K-13925**  
Bedpan washer with loose-key stop

**K-13931-2A**  
Triton® bedpan washer

**K-13960**  
Bedpan washer with double foot control

**K-13961**  
Bedpan washer with single foot control

**K-13056**  
Vacuum breaker

Model Number	Description	For Sink Size	Polished Chrome CP
<b>Bedpan Washers</b>			
K-13925	Wall-mount		•
K-13931-2A	Built-in bedpan washer		•
K-13960	Wall-mount		•
K-13961	Wall-mount		•
<b>Foot Controls</b>			
K-13808	Floor-mount		•
K-13816	Wall-mount		•
<b>Knee Control Fittings</b>			
K-13710-A	Wall-mount	13" x 13"	•
K-13710-B	Wall-mount	18" x 15"	•
K-13710-C	Wall-mount	24" x 18" 20" x 18" 19" x 17" 36" countertop	•
K-13710-D	Wall-mount	20" x 18"	•
K-13710-E	Wall-mount	22" x 20"	•
K-13710-F	Wall-mount	24" x 20" 20" x 18" 21" countertop	•
K-13710-G	Wall-mount	28" x 22"	•
K-13710-H	Wall-mount	30" x 22" 24" x 22"	•
K-13710-J	Wall-mount	32" x 21" 30" x 21" 24" x 21" 25" countertop	•
K-13710-K	Wall-mount	30" countertop	•
K-13715-A	Fixture-supported	20" x 18"	•
K-13715-B	Fixture-supported	24" x 20" 20" x 18"	•
K-13715-C	Fixture-supported	28" x 22"	•
K-13715-D	Fixture-supported	30" x 22" 24" x 22"	•
<b>Vacuum Breaker</b>			
K-13056	Wall-mount		•

We encourage you to use the following glossary of terms as well as the color and finish index to help you in your decision-making process.

If you have questions about specific products, you should find most information in the charts that follow each product category. And, in the event that you still have questions, we invite you to talk with your nearest showroom representative and visit us online at [us.KOHLER.com](http://us.KOHLER.com) for more information.



**Index**

**Glossary of Terms** 122

**Colors & Finishes** 124

Glossary of Terms

Barrier-Free

A feature that provides better accessibility in the bathroom.

Blowout Flushing

A non-siphoning trapway where water used for flushing flows through a jet.

Concealed Arm Carrier

Fixture mounting arm that provides substantial additional structural support.

Diaphragm

Flow-control mechanism for certain types of flushometers.

Enamel

A powder coating applied to an iron casting. When exposed to high temperatures, the coating melts and fuses to the casting, creating a glass-like surface. The thickness of KOHLER enamel provides outstanding protection against chipping and scratching while offering deep color integrity.

Glazed Trapway

Toilet trapway in which the internal surface is glazed and provides a smooth surface to help resist plugging.

HET

Either a single-flush toilet using 1.28 or fewer gallons of water or a dual-flush toilet using 1.6 / 1.1 or fewer gallons of water.

HEU

Urinal using 0.5 or fewer gallons of water.

Hybrid Energy System

A hybrid energy cell paired with a KOHLER® Touchless flushometer or faucet, which combines low-energy draw with high-energy storage for 30 years of power.\*

Infrared

Light waves outside of the visible spectrum frequently used in touch-free applications.

Insight™ Technology

Touchless technology featuring an adaptive infrared sensor that analyzes the surrounding area once installed. After recording these details, Insight is able to calibrate the sensor to filter false triggers and optimize the faucet's operation.

Manual Override

Manual actuation device on a flushometer that can be activated separately from the sensor actuation.

\*Battery life calculations are based on an estimated product usage of 80 uses per day for 365 days per year. Actual battery life may vary depending on product settings, usage patterns and operating environments.

**Piston**

Flow-control mechanism for certain types of flushometers.

**PVD**

Stands for Physical Vapor Deposition; PVD is a process that bonds the finish color to the faucet, helping it resist scratches, corrosion and tarnishing.

**Shroud**

Material that conceals the piping under a bathroom sink.

**Siphon-Jet**

Toilet and urinal category where the jet water flows to a siphoning-style trapway.

**Solenoid**

Electromagnetic device used to control the flow of water in electronic faucets and flushometers.

**Spud**

Plumbing fitting at either the top or rear of toilet or urinal which allows a watertight connection to the flushometer tailpiece.

**Tripoint® Technology**

Touchless technology that senses the true distance of an object and is not affected by changes in color, lighting, reflections or distant movement – circumstances that compromise traditional infrared standards.

**Urinal Balls**

Environmentally safe object comprised of materials to release enzymes and other materials to maintain free-flowing drain systems on waterless urinals.

**Vessels Bathroom Sink**

A freestanding basin emulating the appearance of a bowl sitting on a countertop; inspired by Chinese washbasins.

**Vitreous China**

A term applied to plumbing fixtures that are comprised of ceramic materials, fired at a high temperature to form a nonporous body with exposed surfaces, and coated with ceramic glaze fused to the body.

**Washout**

Type of urinal in which all water used for flushing exits at the rim level.


**WaterSense®**

A partnership program by the U.S. Environmental Protection Agency that seeks to protect the future of our nation's water supply by offering people a simple way to use less water with water-efficient products.


**WAVE Technology**

Touchless technology that activates only when a hand is waved directly over the flushometer.


Bathroom Color Index




White (0)




Honed White (HW1)



Dune (NY)




Earthen White (W2)



Biscuit (96)



Innocent Blush™ (55)



Almond (47)




Ice™ Grey (95)



Sandbar (G9)




Mexican Sand™ (33)



Cashmere™ (K4)




Thunder™ Grey (58)



Black Black™ (7)

Faucet & Accessory Finish Index



Polished Chrome (CP)

Brushed Chrome (G)

Polished Stainless (S)

Vibrant® Stainless (VS)

Brushed Stainless (BS)

Rough Plate (RP)



Vibrant Polished Nickel (SN)


Vibrant Brushed Nickel (BN)

Vibrant French Gold\* (AF)

Vibrant Polished Brass (PB)

Vibrant Moderne Brushed Gold\* (BGD)

Vibrant Brushed Bronze (BV)



Oil-Rubbed Bronze (2BZ)

White (0)

Brushed Black (BKB)

Satin Black (TB)

\*No gold content

**Thank you.**

If you'd like to learn more about Kohler and our complete product offering, we invite you to take a look at our literature, visit us online or stop by a KOHLER® Showroom.

### **Literature**

Concise and easy to use, our full-line category books inspire you to create beautiful spaces and guide you through choosing kitchen and bath products that are right for you and your home.

In addition, *bold* magazine features ideas we're passionate about, the latest introductions to the KOHLER kitchen and bath lines, as well as a selection of our timeless, classic offerings.

View the full magazine at [KOHLER.com/LiteratureStore](http://KOHLER.com/LiteratureStore). There you can download additional category books and brochures. KOHLER literature also can be ordered by calling 800-4-KOHLER.

### **us.KOHLER.com**

For design inspiration and tips, help planning your space, and a comprehensive look at KOHLER kitchen and bath products, visit us at [us.KOHLER.com](http://us.KOHLER.com).


### **Showrooms**

To experience KOHLER kitchen and bath products firsthand and talk with a KOHLER representative, visit [KOHLER.com/WhereToBuy](http://KOHLER.com/WhereToBuy) to find a showroom near you.



# Kohler Invites You to Explore



## Full-Line Category Books



***bold***

**us.KOHLER.com**

**Showrooms**



# The Kohler Family of Businesses

---



We are pleased to offer you additional resources as you design and furnish your home. In each of our businesses – kitchen and bath, tile and furniture, and residential generators – we are committed to designing innovative products that bring beauty and comfort to life. Discover the entire family of businesses at [KOHLER.com](http://KOHLER.com).





**KOHLER®**

KALLISTA®

ANN SACKS®

robern®

*Baker®*

M c G U I R E®

**STERLING®**  
A KOHLER COMPANY

**KOHLER®**  
POWER SYSTEMS

## A KOHLER Experience®

---



Join us for an unforgettable stay at the Old Course Hotel in St Andrews, Scotland, or The American Club® Resort in Kohler, Wisconsin, where you'll enjoy classically elegant settings, sumptuous cuisine, exclusive spa and golf experiences, luxurious amenities and quietly confident service. Plan your experience at [aKOHLEExperience.com](http://aKOHLEExperience.com).





At the  
American  
club®



OLD COURSE HOTEL  
ST ANDREWS  
GOLF RESORT & SPA

INN ON  
WOODLAKE

JIGGER INN



KOHLER  
Waters  
SPA®

AT THE OLD COURSE HOTEL  
& AT THE AMERICAN CLUB



Browse all KOHLER® commercial products  
at [KOHLER.com/Commercial](http://KOHLER.com/Commercial).