

Formulary File Information Format

```

01 FORMULARY-STATUS-DETL-RECORD.
05 FORMULARY-STAT-DTL-RECORD-TYPE PIC X(03) VALUE 'FDT'.
05 FILLER PIC X(01) VALUE '|'.
05 FDT-ADDITION-EXTRACT PIC X(01) VALUE 'A'.
05 FILLER PIC X(01) VALUE '|'.
05 FDT-NDC-CODE PIC X(11).
05 FILLER PIC X(01) VALUE '|'.
05 FDT-NATIONAL-DRUG-CODE PIC X(02) VALUE '03'.
05 FILLER PIC X(05) VALUE '|||||'.
05 FDT-CANCEL-REASON-CD PIC 9(01).
05 FDT-RECORD-DELIMITER PIC X(02) VALUE '\n'. \*ASCII (13)*

```

Copay List File:

```

01 COPAY-LIST-HEADER-RECORD.
05 COPAY-HEADER-RECORD-TYPE PIC X(03) VALUE 'CHD'.
05 FILLER PIC X(01) VALUE '|'.
05 CHD-COPAY-LIST-ID PIC X(10) VALUE 'CPLNYMCAID'.
05 FILLER PIC X(01) VALUE '|'.
05 CHD-DRUG-SPECIFIC PIC X(02) VALUE 'DS'.
05 FILLER PIC X(01) VALUE '|'.
05 CHD-FULL-REPLACE-EXT PIC X(01) VALUE 'F'.
05 FILLER PIC X(01) VALUE '|'.
05 CHD-EFFECTIVE-DATE PIC 9(08).
05 CHD-RECORD-DELIMITER PIC X(02) VALUE '\n'. \*ASCII (13)*

```

```

01 COPAY-LIST-DETAIL-RECORD.
05 COPAY-DETAIL-RECORD-TYPE PIC X(03) VALUE 'CRT'.
05 FILLER PIC X(01) VALUE '|'.
05 CRT-ADDITION-EXTRACT PIC X(01) VALUE 'A'.
05 FILLER PIC X(01) VALUE '|'.
05 CRT-COPAY-LIST-ID PIC X(10) VALUE 'CPLNYMCAID'.
05 FILLER PIC X(01) VALUE '|'.
05 CRT-NDC-CODE PIC X(11).
05 FILLER PIC X(01) VALUE '|'.
05 CRT-NATIONAL-DRUG-CODE PIC X(02) VALUE '03'.
05 FILLER PIC X(06) VALUE '||||||'.
05 CRT-COPAY-AMOUNT PIC X(04).
05 CRT-RECORD-DELIMITER PIC X(02) VALUE '\n'. \*ASCII (13)*

```

Gender Limit File:

```

01 GENDER-LIMIT-HEADER-RECORD.
05 GENDER-LIMIT-HEADER-REC-TYPE PIC X(03) VALUE 'GHD'.
05 FILLER PIC X(01) VALUE '|'.
05 GHD-COVERAGE-LIST-ID PIC X(08) VALUE 'CNYMCAID'.
05 FILLER PIC X(01) VALUE '|'.
05 GHD-LIMIT-TYPE PIC X(02) VALUE 'GL'.
05 FILLER PIC X(01) VALUE '|'.
05 GHD-FULL-REPLACE-EXT PIC X(01) VALUE 'F'.
05 FILLER PIC X(01) VALUE '|'.
05 GHD-EFFECTIVE-DATE PIC 9(08).
05 GHD-RECORD-DELIMITER PIC X(02) VALUE '\n'. \*ASCII (13)*

```

```

01 GENDER-LIMIT-DETAIL-RECORD.
05 GENDER-LIMIT-RECORD-TYPE PIC X(01) VALUE 'GDT'.
05 FILLER PIC X(01) VALUE '|'.
05 GDT-ADDITION-EXTRACT PIC X(01) VALUE 'A'.
05 FILLER PIC X(01) VALUE '|'.
05 GENDER-LIMIT-LIST-ID PIC X(08) VALUE 'CNYMCAID'.
05 FILLER PIC X(01) VALUE '|'.
05 GDT-NDC-CODE PIC X(11).
05 FILLER PIC X(01) VALUE '|'.
05 GDT-NATIONAL-DRUG-CODE PIC X(02) VALUE '03'.

```

Formulary File Information Format

```
05 FILLER PIC X(05) VALUE '|||||'.
05 GENDER-LIMIT-CODE PIC X(01).
05 GDT-RECORD-DELIMITER PIC X(02) VALUE '\n'. \*ASCII (13)*/
```

Quantity Limit File:

```
01 QUANTITY-LIMIT-HEADER-RECORD.
05 QUANTITY-LIMIT-HEADER-REC-TYPE PIC X(03) VALUE 'GHD'.
05 FILLER PIC X(01) VALUE '|'.
05 QL-COVERAGE-LIST-ID PIC X(08) VALUE 'CNYMCAID'.
05 FILLER PIC X(01) VALUE '|'.
05 QL-LIMIT-TYPE PIC X(02) VALUE 'QL'.
05 FILLER PIC X(01) VALUE '|'.
05 QL-FULL-REPLACE-EXT PIC X(01) VALUE 'F'.
05 FILLER PIC X(01) VALUE '|'.
05 QL-EFFECTIVE-DATE PIC 9(08).
05 QL-RECORD-DELIMITER PIC X(02) VALUE '\n'. \*ASCII (13)*/
```

The Quantity Limit Detail Record format is determined by the value of Maximum Days (PIR00400-MAX-DAYS-SUPPLY) on the input file. If Maximum Days equals '999' then the quantity supply is for a lifetime (LY), else the quantity supply is for a specific number of days (DY). Therefore, two different detail layouts are provided.

For a Specific Quantity (PIR00400-MAX-DAYS-SUPPLY not equal 999):

```
01 QUANTITY-LIMIT-DETAIL-RECORD.
05 QUANTITY-LIMIT-REC-TYPE PIC X(03) VALUE 'QDT'.
05 FILLER PIC X(01) VALUE '|'.
05 QDT-ADDITION-EXTRACT PIC X(01) VALUE 'A'.
05 FILLER PIC X(01) VALUE '|'.
05 QDT-QUANTITY-LIMIT-LIST-ID PIC X(08) VALUE 'CNYMCAID'.
05 FILLER PIC X(01) VALUE '|'.
05 QDT-NDC-CODE PIC X(11).
05 FILLER PIC X(01) VALUE '|'.
05 QDT-NATIONAL-DRUG-CODE PIC X(02) VALUE '03'.
05 FILLER PIC X(05) VALUE '|||||'.
05 QDT-MAXIMUM-QUANTITY PIC X(12). \*length can be 1 - 12 bytes*/
05 FILLER PIC X(01) VALUE '|'.
05 QDT-MAX-QUANTITY-QUALIFIER PIC X(02) VALUE 'QY'.
05 FILLER PIC X(01) VALUE '|'.
05 QDT-MAX-QUANTITY-DAYS PIC X(02) VALUE 'DY'.
05 FILLER PIC X(03) VALUE '|||'.
05 QDT-MAX-NUM-OF-DAYS PIC X(03).
05 QDT-RECORD-DELIMITER PIC X(02) VALUE '\n'. \*ASCII (13)*/
```

Formulary File Information Format

For a Lifetime Quantity (PlR00400-MAX-DAYS-SUPPLY = 999):

```
01 QUANTITY-LIMIT-DETAIL-RECORD.
05 QUANTITY-LIMIT-REC-TYPE      PIC X(03)  VALUE 'QDT'.
05 FILLER                       PIC X(01)  VALUE '|'.
05 QDT-ADDITION-EXTRACT        PIC X(01)  VALUE 'A'.
05 FILLER                       PIC X(01)  VALUE '|'.
05 QDT-QUANTITY-LIMIT-LIST-ID  PIC X(08)  VALUE 'CNYMCAID'.
05 FILLER                       PIC X(01)  VALUE '|'.
05 QDT-NDC-CODE                PIC X(11).
05 FILLER                       PIC X(01)  VALUE '|'.
05 QDT-NATIONAL-DRUG-CODE     PIC X(02)  VALUE '03'.
05 FILLER                       PIC X(05)  VALUE '|||||'.
05 QDT-MAXIMUM-QUANTITY       PIC X(12). \*length can be 1 - 12 bytes*/
05 FILLER                       PIC X(01)  VALUE '|'.
05 QDT-MAX-QUANTITY-QUALIFIER  PIC X(02)  VALUE 'QY'.
05 FILLER                       PIC X(01)  VALUE '|'.
05 QDT-MAX-QUANTITY-DAYS      PIC X(02)  VALUE 'LY'.
05 QDT-RECORD-DELIMITER       PIC X(01)  VALUE '\n'. \*ASCII (13)*/
```

Age Limit File:

```
01 AGE-LIMIT-HEADER-RECORD.
05 AGE-LIMIT-HEADER-REC-TYPE  PIC X(03)  VALUE 'GHD'.
05 FILLER                     PIC X(01)  VALUE '|'.
05 AL-COVERAGE-LIST-ID       PIC X(08)  VALUE 'CNYMCAID'.
05 FILLER                     PIC X(01)  VALUE '|'.
05 AL-LIMIT-TYPE            PIC X(02)  VALUE 'AL'.
05 FILLER                     PIC X(01)  VALUE '|'.
05 AL-FULL-REPLACE-EXT      PIC X(01)  VALUE 'F'.
05 FILLER                     PIC X(01)  VALUE '|'.
05 AL-EFFECTIVE-DATE        PIC 9(08).
05 AL-RECORD-DELIMITER      PIC X(02)  VALUE '\n'. \*ASCII (13)*/
```

The Age Limit Detail Record format is determined by the values of Maximum Age (PlR00400-MAX-AGE) and Minimum Age (PlR00400-MIN-AGE) on the input file. Therefore, four different detail layouts are provided.

If Minimum Age = '00' and Maximum Age = '99' :

```
01 AGE-LIMIT-DETAIL-RECORD.
05 GDA-AGE-LIMIT-RECORD-TYPE  PIC X(01)  VALUE 'GDA'.
05 FILLER                     PIC X(01)  VALUE '|'.
05 GDA-ADDITION-EXTRACT      PIC X(01)  VALUE 'A'.
05 FILLER                     PIC X(01)  VALUE '|'.
05 AGE-LIMIT-LIST-ID        PIC X(08)  VALUE 'CNYMCAID'.
05 FILLER                     PIC X(01)  VALUE '|'.
05 GDA-NDC-CODE             PIC X(11).
05 FILLER                     PIC X(01)  VALUE '|'.
05 GDA-NATIONAL-DRUG-CODE   PIC X(02)  VALUE '03'.
05 FILLER                     PIC X(05)  VALUE '|||||'.
05 FILLER                     PIC X(02)  VALUE '||'.
05 GDA-RECORD-DELIMITER     PIC X(02)  VALUE '\n'. \*ASCII (13)*/
```

If Minimum Age = '00' and Maximum Age not = '99' :

```
01 AGE-LIMIT-DETAIL-RECORD.
05 GDA-AGE-LIMIT-RECORD-TYPE  PIC X(01)  VALUE 'GDA'.
05 FILLER                     PIC X(01)  VALUE '|'.
05 GDA-ADDITION-EXTRACT      PIC X(01)  VALUE 'A'.
05 FILLER                     PIC X(01)  VALUE '|'.
05 AGE-LIMIT-LIST-ID        PIC X(08)  VALUE 'CNYMCAID'.
05 FILLER                     PIC X(01)  VALUE '|'.
05 GDA-NDC-CODE             PIC X(11).
05 FILLER                     PIC X(01)  VALUE '|'.
05 GDA-NATIONAL-DRUG-CODE   PIC X(02)  VALUE '03'.
05 FILLER                     PIC X(05)  VALUE '|||||'.
05 FILLER                     PIC X(02)  VALUE '||'.
05 GDA-MAX-AGE-LIMIT        PIC X(02).
05 FILLER                     PIC X(01)  VALUE '|'.
05 FILLER                     PIC X(01)  VALUE 'Y'.
05 GDA-RECORD-DELIMITER     PIC X(02)  VALUE '\n'. \*ASCII (13)*/
```

Formulary File Information Format

If Minimum Age not = '00' and Maximum Age = '99' :

```
01 AGE-LIMIT-DETAIL-RECORD.
05 GDA-AGE-LIMIT-RECORD-TYPE      PIC X(01)  VALUE 'GDA'.
05 FILLER                          PIC X(01)  VALUE '|'.
05 GDA-ADDITION-EXTRACT           PIC X(01)  VALUE 'A'.
05 FILLER                          PIC X(01)  VALUE '|'.
05 AGE-LIMIT-LIST-ID              PIC X(08)  VALUE 'CNYMCAID'.
05 FILLER                          PIC X(01)  VALUE '|'.
05 GDA-NDC-CODE                   PIC X(11).
05 FILLER                          PIC X(01)  VALUE '|'.
05 GDA-NATIONAL-DRUG-CODE         PIC X(02)  VALUE '03'.
05 FILLER                          PIC X(05)  VALUE '|||||'.
05 GDA-MIN-AGE-LIMIT              PIC X(02).
05 FILLER                          PIC X(01)  VALUE '|'.
05 FILLER                          PIC X(01)  VALUE 'Y'.
05 GDA-RECORD-DELIMITER           PIC X(02)  VALUE '\n'. \*ASCII (13)*//
```

If Minimum Age not = '00' and Maximum Age not = '99' :

```
01 AGE-LIMIT-DETAIL-RECORD.
05 GDA-AGE-LIMIT-RECORD-TYPE      PIC X(01)  VALUE 'GDA'.
05 FILLER                          PIC X(01)  VALUE '|'.
05 GDA-ADDITION-EXTRACT           PIC X(01)  VALUE 'A'.
05 FILLER                          PIC X(01)  VALUE '|'.
05 AGE-LIMIT-LIST-ID              PIC X(08)  VALUE 'CNYMCAID'.
05 FILLER                          PIC X(01)  VALUE '|'.
05 GDA-NDC-CODE                   PIC X(11).
05 FILLER                          PIC X(01)  VALUE '|'.
05 GDA-NATIONAL-DRUG-CODE         PIC X(02)  VALUE '03'.
05 FILLER                          PIC X(05)  VALUE '|||||'.
05 GDA-MIN-AGE-LIMIT              PIC X(02).
05 FILLER                          PIC X(01)  VALUE '|'.
05 FILLER                          PIC X(01)  VALUE 'Y'.
05 FILLER                          PIC X(01)  VALUE '|'.
05 GDA-MAX-AGE-LIMIT              PIC X(02).
05 FILLER                          PIC X(01)  VALUE '|'.
05 FILLER                          PIC X(01)  VALUE 'Y'.
05 GDA-RECORD-DELIMITER           PIC X(02)  VALUE '\n'. \*ASCII (13)*//
```

Prior Approval (Authorization) File:

```
01 PRIOR-APPROVAL-HEADER-RECORD.
05 PRIOR-APPROV-HEADER-REC-TYPE   PIC X(03)  VALUE 'GHD'.
05 FILLER                          PIC X(01)  VALUE '|'.
05 PA-COVERAGE-LIST-ID            PIC X(08)  VALUE 'CNYMCAID'.
05 FILLER                          PIC X(01)  VALUE '|'.
05 PA-LIMIT-TYPE                  PIC X(02)  VALUE 'PA'.
05 FILLER                          PIC X(01)  VALUE '|'.
05 PA-FULL-REPLACE-EXT           PIC X(01)  VALUE 'F'.
05 FILLER                          PIC X(01)  VALUE '|'.
05 PA-EFFECTIVE-DATE              PIC 9(08).
05 PA-RECORD-DELIMITER           PIC X(02)  VALUE '\n'. \*ASCII (13)*//

01 PRIOR-APPROVAL-DETAIL-RECORD.
05 PRIOR-APPROVAL-RECORD-TYPE     PIC X(01)  VALUE 'DDT'.
05 FILLER                          PIC X(01)  VALUE '|'.
05 DDT-ADDITION-EXTRACT           PIC X(01)  VALUE 'A'.
05 FILLER                          PIC X(01)  VALUE '|'.
05 PRIOR-AUTHORIZATION-LIST-ID    PIC X(08)  VALUE 'CNYMCAID'.
05 FILLER                          PIC X(01)  VALUE '|'.
05 DDT-NDC-CODE                   PIC X(11).
05 FILLER                          PIC X(01)  VALUE '|'.
05 DDT-NATIONAL-DRUG-CODE         PIC X(02)  VALUE '03'.
05 DDT-RECORD-DELIMITER           PIC X(02)  VALUE '\n'. \*ASCII (13)*//
```


Formulary File Information Format

Cross Reference File:

```
01 CROSS-REFERENCE-HEADER-RECORD.
   05 CROSS-REF-HEADER-REC-TYPE          PIC X(03)  VALUE 'XHD'.
   05 FILLER                             PIC X(01)  VALUE '|'.
   05 XHD-EFFECTIVE-DATE                 PIC 9(08).
   05 FILLER                             PIC X(01)  VALUE '|'.
   05 XHD-FULL-REPLACE-EXT              PIC X(01)  VALUE 'F'.
   05 XHD-RECORD-DELIMITER              PIC X(02)  VALUE '\n'. \*ASCII (13)*

01 CROSS-REFERENCE-DETAIL-RECORD.
   05 CROSS-REF-DETAIL-TYPE             PIC X(01)  VALUE 'XDT'.
   05 FILLER                             PIC X(01)  VALUE '|'.
   05 XDT-ADDITION-EXTRACT              PIC X(01)  VALUE 'A'.
   05 FILLER                             PIC X(01)  VALUE '|'.
   05 XDT-FORMULARY-PLAN-NAME           PIC X(07)  VALUE 'NYMCAID'.
   05 FILLER                             PIC X(01)  VALUE '|'.
   05 XDT-FORMULARY-STATUS-LIST-ID      PIC X(10)  VALUE 'FSLNYMCAID'.
   05 FILLER                             PIC X(02)  VALUE '||'.
   05 XDT-COVERAGE-LIST-ID              PIC X(08)  VALUE 'CNYMCAID'.
   05 FILLER                             PIC X(01)  VALUE '|'.
   05 XDT-COPAY-LIST-ID                 PIC X(08)  VALUE 'CPLNYMCAID'.
   05 FILLER                             PIC X(02)  VALUE '||'.
   05 XDT-RECORD-DELIMITER             PIC X(02)  VALUE '\n'. \*ASCII (13)*
```

Trailer Record Layout (used in all output files):

```
01 TRAILER-RECORD.
   05 TRAILER-RECORD-TYPE              PIC X(03).
   05 FILLER                             PIC X(01)  VALUE '|'.
   05 TRAILER-DETAIL-RECORD-COUNT      PIC 9(08).
```

Formulary Trailer Record Layout:

```
01 FORMULARY-TRAILER-RECORD.
   05 FORMULARY-TRAILER-REC-TYPE       PIC X(03)  VALUE 'TRL'.
   05 FILLER                             PIC X(01)  VALUE '|'.
   05 FORMULARY-TRAILER-REC-COUNT      PIC 9(08).
```