

WorkCentre®  
7232 / 7242  
Tabloid-size  
Color  
Multifunction Printer



Xerox WorkCentre®  
7232 / 7242  
Color Multifunction Printer  
True productivity meets  
truly affordable color



# WorkCentre® 7232 / 7242 Multifunction Printer

**Open the door to a new level of office possibilities.** Advanced scanning and faxing functions increase your office workflow options. And fast, low-cost black-and-white printing and copying give you the robust productivity you rely on every day. But why limit yourself to black-and-white? For those times you need high-impact, beautiful color, the Xerox WorkCentre 7232 / 7242 MFP delivers for a lot less than you might think.

## Speed and image quality

- **A black-and-white copy and print speed of up to 40 ppm** keeps up with your busy pace.
- **Color pages print at up to 10 ppm** — fast enough to give your documents added impact when you need it.
- **Exceptional print quality** thanks to 600 x 600 dpi x 4-bit print resolution. You get outstanding office graphics and crisp text for professional results, page after page.
- **Xerox exclusive EA-HG toner technology** — with particles engineered to have uniform size and shape — gives your work enhanced image quality and increased toner yield.
- **Print documents up to 11 x 17 in.** with automatic duplexing, useful finishing options and multiple paper tray configuration choices.



## The control you need

- **The internal Auditron feature** lets administrators set black-and-white and color limits for copy, fax and scan functions for greater cost control.
- **Xerox Standard Accounting** software makes it easy to analyze device usage, providing helpful reports printed at the device or downloaded over your network.
- **Secure Print and Secure Fax** safety measures ensure your sensitive information stays private.
- **The Data Security Kit** encrypts all data stored on the device's hard disk and can be configured to automatically overwrite specified job data.
- **Filters for IP addresses** and domains, as well as port blocking, protect your device from unauthorized network access.
- **Color authorization** via MS Active Directory™ provides greater cost control by allowing unlimited black-and-white output while limiting color printing and copying to select users.

## Fits your office, fits your budget

- **Copy, print, scan and fax.** You get a performance-packed device for a hard-to-beat price, with the low-cost black-and-white printing you expect plus attention-grabbing color when you really need to make a good impression.
- **SMart Kit™ technology** always monitors critical device components to predict and prevent downtime.
- **CentreWare® Internet Services** works seamlessly with your web browser to give you quick access to print jobs and online support without leaving your desk.
- Whether using the walk-up interface or controlling the device via the print driver, the WorkCentre 7232 / 7242 MFP is extremely **easy and intuitive to use**.
- **Additional paper tray options** let your workgroup produce huge volumes of work without reloading paper, and a choice of two finishing options provide more print job flexibility.

## WorkCentre® 7232 / 7242 Quick Facts

- Print / copy up to 32 / 40 ppm black-and-white, 10 ppm color
- 600 x 600 dpi x 4 bit print resolution
- 4,720-sheet maximum paper capacity
- Powerful scanning tools
- Cost control and security features
- Xerox Extensible Interface Platform™ (EIP)




Print / Copy / Scan / Fax / Email

11 x 17 in.

40  
10 ppm b&w  
color

### WxDxH:

25.2 x 25.7 x 43.8 in.  
640 x 654 x 1112 mm



## Powerful scanning solutions

- **Scan to Mailbox** lets you send electronic files to the device's hard drive for easy retrieval.
- **Scan to Home** sends files to pre-assigned "home" destinations for fast routing.
- Convert scanned documents to **text-searchable PDFs** for fast information retrieval.
- **Scan to Email** lets you route files to email recipients directly from the front panel.
- **Compression** technology creates smaller scan files for faster delivery and reduced network load.
- **Network scanning** uses convenient templates to send scans to pre-defined locations.
- **Job Flow Sheets** simplify everyday workflows by routing documents to predefined locations, including preset email addresses, fax destinations and FTP/SMB sites.
- Full compatibility with other Xerox office solutions, including **SMARTsend®** software for advanced document routing.



### Xerox Extensible Interface Platform™ (EIP)

1

EIP is a software platform inside the WorkCentre 7232 / 7242 that enables personalized solutions you can access right from the device touch screen. These applications can leverage your existing databases and meet your specific business challenges.

### Paper input

2

75-sheet Duplex Automatic Document Feeder

3

100-sheet Bypass Tray for specialty print jobs

4

Three 520-sheet trays (adjustable to 11 x 17 in.)

5

Optional 2,000-sheet feeder (8.5 x 11 in.)

### Two finishing options

6

Space-saving Integrated Office Finisher for 50-sheet single-position stapling.

7

Robust Office Finisher LX adds multiposition stapling plus optional booklet creation and hole punching.



## WorkCentre® 7232 / 7242 Configurations

### WorkCentre 7232

- 32 ppm b/w, 10 ppm color
- 4 Tray, 1,660-sheet capacity
- Duplex Automatic Document Feeder

### WorkCentre 7242

- 40 ppm b/w, 10 ppm color
- 4 Tray, 1,660-sheet capacity
- Duplex Automatic Document Feeder

# WorkCentre® 7232 / 7242

## Color Multifunction Printer



|                            |          | WorkCentre 7232                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | WorkCentre 7242                             |
|----------------------------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|
| <b>Speed</b>               |          | Up to 32 ppm black-and-white / 10 ppm color                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Up to 40 ppm black-and-white / 10 ppm color |
| <b>Duty Cycle</b>          |          | Up to 100,000 images / month                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Up to 125,000 images / month                |
| <b>Paper Handling</b>      |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                             |
| Paper input                | Standard | <b>Bypass Tray:</b> 100 sheets; Size: 3.5 x 3.9 in. to 11 x 17 in. / 89 x 98.4 mm to A3<br><b>Tray 1:</b> 520 sheets; Size: 5.5 x 7.2 in. to 11 x 17 in. / 139.7 x 182 mm to A3, auto paper size sensing                                                                                                                                                                                                                                                                                              |                                             |
|                            | Optional | <b>* Platen or Duplex Automatic Document Feeder (DADF):</b> 75 sheets; Size: 4.9 x 4.5 in. / 125 x 115 mm to 11.7 x 17 in. / 297 x 432 mm<br><b>Two Tray Module:</b> 520 sheets each; Size: 5.5 x 7.2 in. to 11 x 17 in. / 139.7 x 182 mm to A3, auto paper size sensing<br><b>High-Capacity Tandem Tray:</b> One 900-sheet tray, One 1,200-sheet tray; Size: 8.5 x 11 in., A4 (long-edge feed)<br><b>High-Capacity Feeder:</b> 2,000 sheets; Sizes: B5, Executive, 8.5 x 11 in., A4 (long-edge feed) |                                             |
| Paper capacity             |          | Maximum: 4,720 sheets; Weights: 64 – 216 gsm supported from all trays                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                             |
| Paper output               | Standard | Automatic two-sided, Two 250-sheet Center Catch Trays (Offsetting Upper Tray) + 100-sheet Side Tray                                                                                                                                                                                                                                                                                                                                                                                                   |                                             |
| Finishing                  | Optional | <b>Integrated Office Finisher:</b> 500-sheet stacker, 50 sheets stapled, single-position stapling<br><b>Office Finisher LX:</b> 2,000-sheet stacker, 50 sheets stapled, 3-position stapling, optional hole-punch, optional booklet maker (score, saddle-stitch)                                                                                                                                                                                                                                       |                                             |
| <b>Print</b>               |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                             |
| First-page-out-time        |          | As fast as 14 seconds black-and-white / 23 seconds color (warm up time: less than 30 seconds)                                                                                                                                                                                                                                                                                                                                                                                                         |                                             |
| Print resolution           |          | 600 x 600 x 4 dpi, up to 1200 dpi with resolution enhancement                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                             |
| Processor                  |          | 667 MHz Power PC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                             |
| Memory                     |          | 1.2 GB Memory plus 40 GB Hard Drive                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                             |
| Connectivity               |          | 10/100 BaseT Ethernet, USB 2.0, optional 802.11b/g (via 3rd party), optional Bluetooth (via 3rd party)                                                                                                                                                                                                                                                                                                                                                                                                |                                             |
| Page description languages |          | XPS®, PCL® 5c, PCL6 emulation, Optional Adobe® PostScript® 3™                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                             |
| Print features             |          | Automatic two-sided, Secure print, Delay print, Sample set, Booklet creation, Cover selection, Paper election by attribute, Multi-up, Watermark, Banner sheets, Fit to new paper size, Transparency interleave, Output tray selection, Store and recall driver settings, PDF Direct printing, Save driver settings by application                                                                                                                                                                     |                                             |
| <b>Copy</b>                |          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                             |
| First-copy-out-time        |          | As fast as 6 seconds black-and-white / 15 seconds color                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                             |
| Copy resolution            |          | 600 x 600 dpi                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                             |
| Copy features              |          | Automatic two-sided, Electronic pre-collation, Automatic Tray selection, Build Job, Negative/Mirror image, Booklet creation, Multi-up, Auto RE, Mixed-size originals, Auto registration, Covers, Sample set, Book copying, Store and recall job programming, Bates Stamping, Annotation, Auto color selection, Area designation, Poster, Watermark, ID Card copy                                                                                                                                      |                                             |
| <b>Fax</b> (optional)      |          | Walk-up Fax (one-line and *three-line), LAN fax, Internet fax, Server fax                                                                                                                                                                                                                                                                                                                                                                                                                             |                                             |
| Fax features               |          | Mailbox, Duplex Send and Receive, print on fax up to 11 x 17 / A3, Selectable Output Tray, Fax Build Job, Fax Bound Originals, Fax forward to email using Job Flow Sheets (Requires optional Scan Kit)                                                                                                                                                                                                                                                                                                |                                             |
| <b>Scan</b> (optional)     |          | Scan to Email, Scan to Mailbox, Network Scanning,<br>Optional: Scan to PC Desktop® Business Edition (5 seat license, Pro and SE versions), SMARTsend®                                                                                                                                                                                                                                                                                                                                                 |                                             |
| Scan features              |          | PDF, JPEG, TIFF, Multi-page TIFF, XPS, Mixed Size Originals, Scan Build Job, Auto Color, Templates, Programmable Job Flow Sheets, Optional: Text searchable PDF/XPS and MRC compression, Scan Speed: up to 50 dpm B/W, 45 dpm Color @ 200 dpi                                                                                                                                                                                                                                                         |                                             |
| <b>Security</b>            | Standard | Secure Print, Secure Fax, Network Authentication, IP Address Filtering, Domain Filtering, Port Blocking, IPv6, 802.1x, Common Criteria Certified (ISO Standard 15408)-full system                                                                                                                                                                                                                                                                                                                     |                                             |
|                            | Optional | Data Security Kit includes Hard Disk Overwrite and Data Encryption, Scan Kits include encrypted PDF and password-protected PDF                                                                                                                                                                                                                                                                                                                                                                        |                                             |
| <b>Accounting</b>          | Standard | Print, Copy, Fax, Scan (color and B/W) – Internal Auditron controls access and tracks usage, Xerox Standard Accounting, Active Directory (print, copy)                                                                                                                                                                                                                                                                                                                                                |                                             |
|                            | Optional | Network Accounting Kit and Xerox Business Partner Solutions                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                             |
| <b>Other options</b>       |          | * Stand Foreign Device Interface, Wireless LAN kit (3rd party), Bluetooth (via 3rd party), Xerox Secure Access Unified ID System™                                                                                                                                                                                                                                                                                                                                                                     |                                             |

\* not available in all markets



Call today. For more information, call **1-800-ASK-XEROX** or visit us at **www.xerox.com/office**

© 2008 Xerox Corporation. All rights reserved. Xerox®, WorkCentre® and the sphere of connectivity design are trademarks of Xerox Corporation in the U.S. and/or other countries. In support of Xerox environmental leadership goals, these models may contain some recycled components that are reconditioned. Adobe® and PostScript® 3™ are registered trademarks or trademarks of Adobe Systems Incorporated. XPS® is a registered trademark of Microsoft Corporation. PCL® is a registered trademark of Hewlett-Packard Company. ENERGY STAR® is a registered mark. As an ENERGY STAR Partner, Xerox Corporation has determined that these products meet the ENERGY STAR guidelines for energy efficiency. Product information and/or specifications are subject to change without notice. 11/08 610P729230C W42BR-011D

