

Cooling Solutions.

Edition 2016



www.bosch-home.co.nz



BOSCH

Invented for life

Contents.

French Door	03
Side-by-Side	04-05
Built-in	06
Bottom Mount	07
Reference Guide	08-09
Glossary	10
Quality Service	11

Innovation and refrigeration

Introducing the refrigeration range from Bosch. Contemporary design with maximum convenience to meet the demands of today's modern lifestyle.

Freshness systems

Bosch has developed a range of freshness systems and storage compartments that prolong freshness and provide the optimal conditions to retain flavours and vitamins in your food.



HydroFresh

HydroFresh compartments have higher humidity and lower temperatures than the rest of the fridge to prolong freshness, texture and taste. Exclusive to the Bosch French Door KFN91PJ10A.



ChillerBox

The recommended storage area for meat, fish, freshly prepared foodstuffs and beverages. The extra cold compartment is 3°C colder, the corrugated shelf surface ensures that food items do not touch the bottom completely, letting air circulate around the food.



CrisperBox

The manual humidity controls of the CrisperBox provide the flexibility to change humidity levels and provide ideal storage conditions for fruit and vegetables.

French Door.



KFN91PJ10A Stainless Steel French Door Fridge/Freezer



Capacity

- 762 L gross capacity

Energy

- 2 star MEPS 2010, 730 kWh per year

Efficiency

- FrostFree MultiAirflow cooling
- FreshSense cooling technology

Freshness & Storage

- SuperFreezing & SuperCooling with auto-switch off
- 2 HydroFresh compartments on telescopic rails
- ChillerBox for meat and fish storage on telescopic rails
- BigBox freezer drawer on telescopic rails
- Transparent freezer drawer on telescopic rails

Convenience

- Ice & water dispenser with crushed and cubed ice
- In-door stainless steel touch controls with LED display
- 5 safety-glass SpillSafe fridge shelves (3 height-adjustable)
- LED lighting
- Audible door alarm

Dimensions

- Height: 1780 mm
- Width: 910 mm
- Cabinet depth + rear spacer: 776 mm
- Total depth (incl. door, handle and rear spacer): 914 mm

With an enormous gross capacity of 762 litres, the Bosch French Door Fridge/Freezer reflects the need to provide practical and innovative food storage solutions within a stylish and sleek stainless steel finish.



Side-by-side.



KAD62V70AU
Stainless Steel Side-by-side Fridge/Freezer

655 litres, 2 Cooling Systems, FrostFree, SuperCooling, SuperFreezing, Separate Temperature Control, Audible Door Open Alarm, Intelligent Inverter Technology

Capacity
- 655 L gross capacity

Energy
- 2.5 star MEPS 2010, 657 kWh per year

Efficiency
- FrostFree MultiAirflow cooling
- FreshSense cooling technology

Freshness & Storage
- SuperFreezing & SuperCooling with auto-switch off
- 2 transparent fridge drawers on telescopic rails
- 2 transparent freezer drawers on telescopic rails
- EasyTilt freezer door compartments for easy access and storage
- HydroFresh crisper drawer

Convenience
- Ice & water dispenser with crushed and cubed ice
- 4 safety-glass SpillSafe fridge shelves (3 height-adjustable)
- 3 safety-glass SpillSafe freezer shelves (2 height-adjustable)
- Audible door alarm

Dimensions
- Height: 1756 mm
- Width: 910 mm
- Cabinet depth + rear spacer: 635 mm
- Total depth (incl. door, handle and rear spacer): 786 mm

KAD62V40AU
Platinum Finish Side-by-side Fridge/Freezer

655 litres, 2 Cooling Systems, FrostFree, SuperCooling, SuperFreezing, Separate Temperature Control, Audible Door Open Alarm, Intelligent Inverter Technology

Capacity
- 655 L gross capacity

Energy
- 2.5 star MEPS 2010, 657 kWh per year

Efficiency
- FrostFree MultiAirflow cooling
- FreshSense cooling technology

Freshness & Storage
- SuperFreezing & SuperCooling with auto-switch off
- 2 transparent fridge drawers on telescopic rails
- 2 transparent freezer drawers on telescopic rails
- EasyTilt freezer door compartments for easy access and storage
- HydroFresh crisper drawer

Convenience
- Ice & water dispenser with crushed and cubed ice
- 4 safety-glass SpillSafe fridge shelves (3 height-adjustable)
- 3 safety-glass SpillSafe freezer shelves (2 height-adjustable)
- Audible door alarm

Dimensions
- Height: 1756 mm
- Width: 910 mm
- Cabinet depth + rear spacer: 635 mm
- Total depth (incl. door, handle and rear spacer): 786 mm

Side-by-side.



KAN62V40AU Platinum Finish Side-by-Side Fridge/Freezer



Capacity

- 678 L gross capacity

Energy

- 2.5 star MEPS 2010, 608 kWh per year

Efficiency

- FrostFree MultiAirflow cooling
- FreshSense cooling technology

Freshness & Storage

- SuperFreezing & SuperCooling with auto-switch off
- 2 transparent fridge drawers on telescopic rails
- 2 transparent freezer drawers on telescopic rails
- EasyTilt freezer door compartments for easy access and storage

Convenience

- In-door electronic controls with LED display
- 4 safety-glass SpillSafe fridge shelves (3 height-adjustable)
- 4 safety-glass SpillSafe freezer shelves (2 height-adjustable)
- IceTwister easy ice dispenser
- Audible door alarm

Dimensions

- Height: 1756 mm
- Width: 910 mm
- Cabinet depth + rear spacer: 635 mm
- Total depth (incl. door, handle and rear spacer): 786 mm

KAN62V00AU White Side-by-Side Fridge/Freezer



Capacity

- 678 L gross capacity

Energy

- 2.5 star MEPS 2010, 608 kWh per year

Efficiency

- FrostFree MultiAirflow cooling
- FreshSense cooling technology

Freshness & Storage

- SuperFreezing & SuperCooling with auto-switch off
- 2 transparent fridge drawers on telescopic rails
- 2 transparent freezer drawers on telescopic rails
- EasyTilt freezer door compartments for easy access and storage

Convenience

- In-door electronic controls with LED display
- 4 safety-glass SpillSafe fridge shelves (3 height-adjustable)
- 4 safety-glass SpillSafe freezer shelves (2 height-adjustable)
- IceTwister easy ice dispenser
- Audible door alarm

Dimensions

- Height: 1756 mm
- Width: 910 mm
- Cabinet depth + rear spacer: 635 mm
- Total depth (incl. door, handle and rear spacer): 786 mm

Built-in.



KIN34P60AU Fully Integrated Bottom Mount Fridge/Freezer



Capacity

- 287 L gross capacity

Energy

- 3 star MEPS 2010, 330 kWh per year

Efficiency

- FrostFree MultiAirflow cooling
- FreshSense cooling technology

Freshness & Storage

- SuperFreezing & SuperCooling with auto-switch off
- 2 transparent fridge drawers on telescopic rails
- BigBox extra large storage in freezer

Convenience

- Digital temperature controls
- 4 safety-glass fridge shelves (3 height-adjustable)
- EasyLift door compartments and fridge shelf
- LED lighting
- Removable magnetic door seals for easy cleaning
- SoftClose door system with reversible door

Dimensions

- Height: 1772 mm
- Width: 556 mm
- Cabinet depth: 545 mm

Don't let your fridge ruin the aesthetic of your beautifully designed new kitchen. Our excellent Built-in Fridge/Freezer hides away, while offering the quality and convenience you expect from Bosch.



Bottom Mount.



KGN53AI30A – Stainless Steel Bottom Mount Fridge/Freezer

KGN53AW30A – White Bottom Mount Fridge/Freezer



Capacity

- 452 L gross capacity

Energy

- 3 star MEPS 2010, 430 kWh per year

Efficiency

- FrostFree MultiAirflow cooling
- FreshSense cooling technology

Freshness & Storage

- SuperFreezing & SuperCooling with auto-switch off
- ChillerBox for meat and fish storage on telescopic rails
- Humidity-controlled CrisperBox for fruit and vegetables on telescopic rails
- ChillerSafe storage box
- 2 freezer drawers

Convenience

- In-door electronic controls with LED display
- 4 safety-glass SpillSafe fridge shelves (2 height-adjustable)
- LED lighting
- Ice cube trays
- Bottle rack
- Audible door alarm
- Reversible door hinging

Dimensions

- Height: 1700 mm
- Width: 700 mm
- Cabinet depth + rear spacer: 750 mm
- Total depth (incl. door, handle and rear spacer): 790 mm

KGN53XI25A – Stainless Steel Bottom Mount Fridge/Freezer

KGN53XW25A – White Bottom Mount Fridge/Freezer



Capacity

- 452 L gross capacity

Energy

- 2.5 star MEPS 2010, 448 kWh per year

Efficiency

- FrostFree MultiAirflow cooling
- FreshSense cooling technology

Freshness & Storage

- SuperFreezing & SuperCooling with auto-switch off
- 2 fruit and vegetable compartments
- ChillerSafe storage box
- 2 freezer drawers

Convenience

- Electronic controls for freezer
- 4 safety-glass SpillSafe fridge shelves (2 height-adjustable)
- Bottle rack
- Reversible door hinging
- In-door ice pack storage

Dimensions

- Height: 1700 mm
- Width: 700 mm
- Cabinet depth + rear spacer: 750 mm
- Total depth (incl. door, handle and rear spacer): 790 mm

Quick Reference Guide.

Product overview	Features	French Door	Side-by-Side	
Model		KFN91PJ10A	KAD62V70AU	KAD62V40AU
Colour	Easy-Clean Stainless Steel	●	●	
	Platinum Finish			●
	White			
	Integrated			
Gross Capacity (litres)	Total	762	665	665
	Fridge	512	415	415
	Freezer	250	250	250
Consumption	Energy Star Rating (MEPS 2010)	2	2.5	2.5
	Annual Energy Consumption (kWh)	730	657	657
Convenience	In-door electronic controls	●	●	●
	LED lighting	●		
	Reversible door hinging			
	FrostFree MultiAirFlow cooling	●	●	●
	SuperCooling	●	●	●
	SuperFreezing	●	●	●
	Ice & water dispenser	●	●	●
Food Storage & Freshness Systems	HydroFresh crisper drawers	●	●	●
	Full width CrisperBox			
	Full width ChillerBox	●		
	Small ChillerSafe			
	Full width crisper drawers		2	2
	Half width crisper drawers			
Fridge Features	Total safety-glass shelves	5	4	4
	Height-adjustable safety-glass shelves	3	3	3
	SpillSafe shelves	●	●	●
	Door compartments	8	5	5
	Temperature control	Electronic	Electronic	Electronic
Freezer Features	Height-adjustable safety-glass shelves		2	2
	Freezer drawers	2	2	2
	BigBox drawer	●		
	EasyTilt freezer door compartments		●	●
	Door compartments		4	4
	IceTwister easy ice dispenser			
	Temperature control	Electronic	Electronic	Electronic
Safety	Child lock controls	●	●	●
	Audible 'door open' alarm	●	●	●
	Active warning system by temperature increase	●	●	●
Dimensions (mm)	Height	1780	1756	1756
	Width	910	910	910
	Cabinet depth			
	Cabinet depth + rear spacer	776	635	635
	Total depth (incl. door, handle and rear spacer)	914	786	786

		Built-in	Bottom Mount				
	KAN62V40AU	KAN62V00AU	KIN34P60AU	KGN53AI30A	KGN53AW30A	KGN53XI25A	KGN53XW25A
				●		●	
	●						
		●			●		●
			●				
	678	678	287	452	452	452	452
	415	415	196	332	332	332	332
	263	263	91	120	120	120	120
	2.5	2.5	3	3	3	2.5	2.5
	608	608	330	430	430	448	448
	●	●	●	●	●		
			●	●	●		
			●	●	●	●	●
	●	●	●	●	●	●	●
	●	●	●	●	●	●	●
	●	●	●	●	●	●	●
				●	●		
				●	●		
				●	●	●	●
	2	2	2				
						2	2
	4	4	4	4	4	4	4
	3	3	3	2	2	2	2
	●	●		●	●	●	●
	5	5	5	3	3	4	4
	Electronic	Electronic	Electronic	Electronic	Electronic	Manual	Manual
	2	2					
	2	2	2	2	2	2	2
			●				
	●	●					
	5	5					
	●	●					
	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic
	●	●					
	●	●	●	●	●		
	●	●	●	●	●		
	1756	1756	1772	1700	1700	1700	1700
	910	910	556	700	700	700	700
			545				
	635	635		750	750	750	750
	786	786		790	790	790	790

Glossary.



AirFresh Filter

The AirFresh filter neutralises odours in the fridge, ensuring the smells don't transfer between foods. Enjoy a fresh smelling fridge every time you open the door.



Audible Door Open Alarm

Audible warning alarms have been intelligently developed to trigger if one or both doors are kept open for over one minute. If either door remains open for longer periods, the alarm signal will act as a reminder every 60 seconds for 5 minutes.



BigBox

The BigBox offers an extra-large storage space, giving you plenty of room to accommodate and stack especially large or cumbersome frozen food items.



Bottle Rack

On selected models a bottle rack is provided for storage of up to 3 bottles.



ChillerSafe

The recommended storage area for meat and fish. The chiller compartment provides a lower temperature and reduced humidity environment.



EasyTilt freezer door compartments

The storage compartments have been specifically designed to tilt forward, enabling easy access as well as providing smarter storage solutions for bulkier items.



FreshSense

Internal sensors constantly monitor the temperature inside and outside the fridge and freezer compartments. The cooling circuit and compressor are continually adjusted to ensure a stable interior temperature and provide prolonged freshness.



FrostFree

The FrostFree system ensures a permanently cold and dry environment, there is no ice build up in the freezer or on your food. The use of electronics to monitor and control the system means the freezer only initiates the frost free cycle when needed.

Humidity control

The humidity control vent gives you the option to raise or lower the humidity in the vegetable/salad container, depending on the food you're storing.



IceTwister

An easy to use ice cube dispenser, simply twist to empty. Makes up to 30 ice cubes at one time. The dispenser can also be completely removed if more storage space is required in the freezer.

Ice & water dispenser

The in-door ice and chilled water dispenser gives you the choice of chilled, filtered water, crushed ice and ice cubes.

In-door ice pack storage

Selected bottom-mount fridge-freezers include a storage compartment in the door, which is ideal for small items.



Intelligent Inverter Technology

The Inverter Compressor helps to keep noise to a minimum and reduces energy consumption, all the while helping to maintain a constant set temperature on the inside regardless of the temperature on the outside.



LED lighting

LED lights keep the contents of your fridge in the spotlight. LED lights bring a completely new lighting concept to fridges, guaranteeing even, glare-free interior illumination. LED lights use less electricity than conventional fridge lights.



MultiAirflow cooling

Bosch's MultiAirflow system ensures that cold air is evenly distributed throughout each individual compartment so that stored food is completely enveloped in cold air. This increases the airflow in the refrigeration compartment and ensures a more uniform temperature throughout, keeping food fresher for longer.

Removable door compartments

The compartments within the door interior can be removed for easy cleaning. The dairy compartment also offers optimum storage conditions and minimises odour transfer within the fridge.



Safety-glass

The shelves within the refrigerator are made of safety-glass, offering extra strength and stability.



Separate Cooling Systems

Separate evaporators for the fridge and freezer sections not only prevent the transfer of flavours and odours between compartments, but also allows the fridge and freezer temperatures to be controlled separately and independently of one another.



SoftClose hinge

Provides smooth and effortless closure of door (model KIN34P60AU).

SpillSafe shelves

The SpillSafe shelves ensure that spills do not filter down onto the shelves below.



SuperCooling

SuperCooling cools the refrigerator compartment to the lowest temperature for approximately 6 hours. Then the temperature set before the SuperCooling mode was set is automatically restored.

This setting is recommended for rapidly cooling large quantities of food and drink.



SuperFreezing

Food should be frozen as quickly as possible to retain vitamins, nutritional values and food taste. To prevent temperature rises when placing large quantities of fresh food in the freezer compartment, switch on fast freeze several hours beforehand.



Telescopic Drawer

Drawers with telescopic rails are easier to load, and give a better view of stored food items.



Temperature Control

Accurate temperature control is essential to maximise the freshness of your food. Our FrostFree fridge-freezers have the added benefit of independent controls for the fridge and freezer sections, giving you the ultimate in temperature control.

Transparent drawers

Durable see-through drawers provide an at-a-glance view of the contents, which keeps the time the door is open to a minimum, saving energy consumption.

Quality Service.

Important notes

Model numbers and specifications are for reference only and subject to change without prior notice.

For additional information on products, please refer to your local Bosch retailer. Bosch is continuously seeking to improve specification, design and production of its appliances, and alterations may take place regularly.

All descriptions and technical diagrams are intended as a guide only. For additional technical information, full dimensional and installation details, please refer to the instruction and installation manuals supplied with the appliance.

The electrical and water connection should only be made in accordance with the regulations of the national authorities.

For model and accessory availability, please contact BSH Home Appliances Limited.

(See back cover for details)

Quality service for quality appliances

Quality of our after-sales service is just as important as the quality of our products. In the unlikely event that service is required on your appliance, our extensive network of authorised service agents throughout New Zealand will ensure you are provided with the full support to ensure your appliance is operating at optimal condition.

Warranty



All Bosch products are covered under a 2-year comprehensive parts and labour warranty.



BSH Home Appliances Ltd

Unit F2, 4 Orbit Drive
Mairangi Bay
Auckland 0632
PO Box 33-1033
Takapuna
Auckland 0740

Phone: (09) 477 0492
Fax: (09) 477 2647

Sales Support

Phone: 0800 807 723
Fax: 0800 256 535
Email: bshnz-cs@bshg.com

Customer Service (Technical Support)

Phone: 0800 245 700
Fax: 0800 245 700
Email: aftersales.nz@bshg.com

www.bosch-home.co.nz

Printed in New Zealand



Whilst every care has been taken in the preparation of this publication, BSH does not warrant the accuracy or completeness of the information in this publication and BSH reserves the right to alter specifications without notice. To the extent permitted by law, BSH excludes all liability, including negligence, for any loss incurred in reliance on the contents of this publication.

This document is printed on an environmentally responsible paper, produced using Elemental Chlorine Free (ECF), FSC Certified Mixed Source pulp sourced from Well Managed & Legally Harvested Forests, and manufactured under the strict ISO14001 Environmental Management System.