

AAAASF MEDICARE



ASC

***Health and Physical Environment
Standards and Checklist***

**AMERICAN ASSOCIATION FOR
ACCREDITATION OF
AMBULATORY SURGERY FACILITIES, INC.**



**Medicare Standards and Checklist for Accreditation of Ambulatory Surgery
Facilities** Version 7.1 • Published and Implement March 2020

Approved by CMS February 2020

© 2020 Publication

American Association for Accreditation of Ambulatory Surgery Facilities, Inc.

This page intentionally left blank

The Accreditation Program

The American Association for Accreditation of Ambulatory Surgery Facilities, Inc. (AAAASF) is an accreditation program certifying to the medical community and the lay community at large that a provider/supplier meets recognized standards. The accreditation program is operated by clinical professionals who set and evaluate the standards under the direction of a Board of Directors. AAAASF strives for the highest standards of excellence for its accredited provider/supplier by regularly revising the requirements for patient safety and quality of care.

Unannounced Survey

The provider/supplier is surveyed initially and every three years thereafter. The surveyor cites any non-compliant practices and reviews any deficiencies with the Director. The survey report is submitted to the AAAASF office. The provider/supplier must meet every standard for the program to achieve AAAASF Accreditation. All AAAASF Medicare surveys are unannounced.

Self-Survey

The provider/supplier is evaluated by the Director each year between surveys and the completed Self-Survey is sent to the AAAASF office. A provider/supplier's AAAASF accreditation remains valid if it continues to meet every standard for its program. Otherwise, the accreditation is revoked.

Denial or Loss of Accreditation

The AAAASF may deny or revoke accreditation of a provider/supplier if the provider/supplier fails to satisfy every standard. If any medical professional providing services at the provider/supplier:

- (A) Has had his/her privileges restricted or limited due to lack of clinical competence, ethical issues, refusal to take emergency call, or professional problems other than perceived or real economic competition.
- (B) Has been found to be in violation of the Code of Ethics of any professional society or association for which they are a member.
- (C) Has had his/her right to practice limited, suspended, terminated or otherwise affected by any state, province, or country or if he/she has been disciplined by any professional licensing authority
- (D) Non-reporting of any of the above to the AAAASF office.

Hearing

In case of a disputed finding/citation, the Accreditation Committee may order a re-survey of the provider/supplier or the provider/supplier Director may submit evidence that if provided adequate proof of compliance that surveyor did not accept, AAAASF may remove the citation through correspondence from the AAAASF Board of Directors.

Any provider/supplier whose accreditation has been revoked, denied or placed on emergency suspension or emergency probation by AAAASF, shall have the right to a hearing at which it may present such information as it deems advisable to show that it has satisfied the requirements for accreditation. The appeal process is described in the AAAASF bylaws available from the AAAASF office.

If revocation is upheld after hearing, the provider/supplier must re-apply for accreditation. AAAASF reserves the right to not accept an application.

Accreditation Review Prior to Revocation of Accreditation

AAAASF has the authority to investigate allegations that, if substantiated, would result in non-compliance with AAAASF standards, including Medicare Conditions where appropriate.

Allegations or findings that fall outside of the AAAASF scope of authority are referred to the appropriate federal, state, and/or local agency. When AAAASF is aware that an agency or other body is also conducting an investigation, AAAASF will coordinate with that office to reduce duplicative work and avoid compromising either or both investigations.

Important Notice

Maximal patient safety has always been AAAASF's guiding concern. We are proud that our Standards may be considered the strongest of any accreditation agency that accredits providers/suppliers and that many consider them to be the Gold Standard. We recognize, however, that they need to be part of a living document, and we continually re-evaluate and revise these standards in the light of medical advances and changing legislative guidelines. The AAAASF Accreditation Programs require 100% compliance with each standard to become and remain accredited. There are no exceptions. However, when a standard refers to "appropriate or proper or adequate", reasonable flexibility and room for individual consideration by the surveyor is permitted as long as patient and staff safety remain uncompromised.

Special Instructions for Medicare Accreditation

Please Note: Medicare applicants must meet all standards for the facility class they apply for (A, B, C-M, and C) and all additional Medicare Standards at the end of each section.

FOR THE APPLICANT

Please complete all required forms listed on the application and submit to the AAAASF office along with all required credentials for review. AAAASF requires an independent Fire Safety Specialist contracted by AAAASF to perform a Life Safety Code inspection in accordance with the NFPA 2012 Life Safety Codes and 2012 Health Care Facilities Codes, with a report submitted to AAAASF. A copy of the report will be provided to the ASC. The ASC must correct any deficiencies noted by the Fire Safety Specialist. The Fire Safety Specialist may review any corrections and make the final determination for compliance. The ASC is responsible for all costs related to the Life Safety Code inspection.

MEDICAL STAFF QUALIFICATIONS

All individuals using the facility must be Board Certified or Board eligible physicians in an American Board of Medical Specialties (ABMS) medical or surgical specialty, or may be podiatrists certified by the American Board of Foot and Ankle Surgery (ABFAS) or The American Board of Podiatric Medicine (ABPM).

ABMS certified or eligible medical specialists who perform procedures within the accredited facility may only perform those procedures delineated in their ABMS Board Certification and/or covered by AMA Core Principle #7. Podiatrists may only perform in an AAAASF accredited facility those procedures for which they hold valid and unrestricted hospital privileges (or Core Privileges) in their specialty at a duly accredited and/or licensed hospital, or which are delineated in their American Board of Foot and Ankle Surgery (ABFAS) Certification. If, however, the privilege-granting hospital does not possess equipment or technology similar to that available at the ambulatory facility, alternate evidence of appropriate training and competence must be provided. Individual consideration will also be given if the Physician can satisfactorily demonstrate that the loss of or inability to maintain such privileges was NOT related in any way to lack of clinical competence, ethical issues, refusal to take emergency call, or professional problems other than perceived or real economic competition.

If the physician or health care provider practices in a specialty that does not normally require hospital privileges, they may only perform in the AAAASF accredited facility those procedures generally accepted by the Board of their specialty and covered by their Board-approved scope of practice.

UNANNOUNCED MEDICARE SURVEY

The initial survey is performed by a team of inspectors after the ASC has performed 10-15 surgical procedures, which can be any combination of Medicare and non-Medicare procedures, in order for the survey team to review medical records and peer-review documentation, and perform a thorough survey.

The AAAASF accreditation committee awards the ASC a three-year term of accreditation when it has determined that the survey findings are accurate, the ASC has proven a commitment to provide high quality care and services, and concludes that the ASC is in compliance with all Medicare conditions for coverage, State and Federal regulations, and AAAASF standards.

SELF EVALUATION

The facility is evaluated by the facility director each year between inspections and the completed Medicare Standards and Checklist booklet is sent to the AAAASF Office. A facility's AAAASF Medicare accreditation remains valid if it continues to meet every standard for its Class (A, B, C-M, or C). Otherwise, Medicare accreditation is revoked.

Policy for Survey Medical Record Review

Medical record review is conducted as part of the Medicare survey process. The lead surveyor must ensure that a random sample of medical records is reviewed. The following criteria must be met when performing medical record review during a site survey:

The ASC is required to produce a log or other record of close cases for the previous six-month period and the lead surveyor will select a sample of medical records to review. A sample of both open and closed cases must be reviewed. An opened case is defined as a patient that is being treated the day of the survey. The case that was observed on the day of survey should be included in the medical record review.

The sample selected must represent a cross section of the cases performed at the ASC and include both Medicare beneficiaries and non-Medicare patients.

The minimum number of records selected for review is 20 for an ASC with a monthly case volume exceeding 50 and 10 for lower volume ASCs. The total number of records within the six-month case period must be noted on the review form. If deficient practices are noted during the records review, the survey team should request additional record samples to substantiate the findings documented from the initial sample.

A Medical Record Review Form is provided to the survey team by AAAASF. The review form must be completed for ALL records that are reviewed with findings noted. If the team reviews additional records, the team must copy the form and document every record that was included in the sample review. The total number of medical records reviewed must be documented on the form to ensure that the policy has been adhered to.

Policy for Survey Personnel Record Review

The ASC must produce a complete list of all employees. The lead surveyor must ensure that a random sample of personnel records is reviewed.

The minimum number of records selected for review is 50% of the total number of personnel records. If deficient practices are noted during the records review, the survey team should request additional record samples to substantiate the findings documented from the initial sample. If an egregious number of deficient practices are noted, the survey team must document whether the deficiencies constitute a condition level area of non-compliance.

Surveyor Instructions:

Citation

Include the facts and findings relevant to the deficient practice must answer the questions: who, what, where, when, and how. Illustrate the entity's noncompliance with the requirement. The deficiency citation must clearly and legibly explain how the entity fails to comply with the regulatory requirements, not how it fails to comply with any guidelines for the interpretation of those requirements. Wherever possible, supply a numerator and denominator to demonstrate how systemic a deficiency is, for example "4/6 Medical records failed to include an informed consent". Refer to the CMS Principles of Documentation for further instruction.

The citation must include a determination of whether the deficiency constitutes Standard or Condition Level Noncompliance. Condition level noncompliance is substantial noncompliance that requires additional surveys to ensure compliance before can be recommended or approved.

Official Forms

Surveyors may not submit custom surveyor materials as the surveyor report to the AAAASF office. The requirement for surveyor report submission is specific to the official AAAASF surveyor materials, which must be completed in full according to AAAASF surveyor guidelines and policies. Any custom materials are only considered to be in support of or as supplements to the official materials. All forms must be completed in ink.

When scoring, please use a clear check mark (✓) to indicate your scoring decision.

Record Review

The survey process requires the completion of two record review components, personnel record review and clinical record review. The AAAASF staff has gathered the appropriate information, such as the monthly case load and number of employees, from the facility to establish the facility specific requirements for both record review components. Please review, at a minimum, the number of record reviews indicated on the review form provided in this manual. You may ask for additional records to facilitate a determination of whether a deficient practice is a rare occurrence or a systemic problem.

Please make additional copies of forms as needed and document your findings.

When completing review worksheets simply fill in the circle corresponding to the appropriate answer to document your findings. Please refrain from using symbols and other notes. For any file component that is non-compliant for one or more files, the corresponding standard must be cited as deficient and a deficiency form must be completed.

When conducting the Personnel Record Review please also verify that the number of facility employees matches the number listed on the Personnel Record Review Form.

Error Corrections

The AAAASF Surveyor Manual is an official record as such all surveyor notations must be made in ink, corrections and revisions must also be made consistent with AAAASF procedures. Any errors or revisions to narrative or scoring must be corrected using a single horizontal strikethrough with the initials of the surveyor and date of the revision. Do not use liquid paper, scribble out, or "X" over errors or revisions.

Example: 100.010.065 ^{JD}
^{1/1/2014} ~~✓Compliant~~ ~~✓~~ Deficient

Extension Site Surveys (OPT Only)

When conducting a survey for an Extension Location, please fully complete the surveyor manual and all appropriate worksheets. If a standard pertains to a function or service not provided at the particular site being surveyed, mark the standard as "Compliant" in the Surveyor Manual for that location. For example, if the site does not employ an occupational therapist, all standards relating to the qualifications and duties of an occupational therapist must be marked "Compliant".

TABLE OF CONTENTS

ASC Standards and Checklist Version 7.1

| | Page # |
|--|---------------|
| 100 - Basic Mandates | 1 |
| 200 - Operating Room Policy, Environment and Procedures | 9 |
| 300 - Recovery Room Environment, Policy and Procedures | 29 |
| 400 - General Safety in the Facility | 36 |
| 500 - IV Fluids and Medications | 43 |
| 600 - Medical Records | 50 |
| 700 - Quality Assessment/Quality Improvement | 59 |
| 800 - Personnel | 72 |
| 900 - Anesthesia | 83 |
| 1000 - Governance | 89 |
| 1600 - Emergency Preparedness | 92 |
| 9998 - Florida Supplement | 99 |
| 9999 - Life Safety Code/Health Care Facility Codes | 103 |

This page intentionally left blank

100 BASIC MANDATES

100.010 Basic Mandates

100.010.005 ___Compliant _____Deficient B,C-M,C

There must be a written screening protocol for venous thromboembolism (VTE) risk placed in the medical record of each surgical patient. This protocol and assessment tool is to be placed in the facility manual for reference.

100.010.010 ___Compliant _____Deficient B,C-M,C

The facility should have a scheduling policy that includes only those procedures and/or combination of procedures of duration and degree that permit safe recovery and discharge from the facility.

100.010.011 ___Compliant _____Deficient B,C-M,C

A pre-operative surgical safety checklist should be used for each patient and noted in the patient record.

100.010.015 ___Compliant _____Deficient B,C-M,C

Patients receiving anesthetic agents other than topical or local anesthesia should be supervised in the immediate post discharge period by a responsible adult for at least 12-24 hours, depending on the procedure and anesthesia used.

100.010.020 ___Compliant _____Deficient A,B,C-M,C

Changes in facility ownership must be reported to the AAAASF office within 30 days of the change.

100.010.025 Compliant Deficient A,B,C-M,C

Any death occurring in an accredited facility or any death occurring within 30 days of a surgical procedure performed in an accredited facility must be reported to the AAAASF office within 5 business days after the facility is notified or otherwise becomes aware of that death. In addition to this notification, the death must be reported as an unanticipated operative sequela in the semiannual peer review report. In the event of a death occurring within 30 days of an operation done in an AAAASF-accredited facility, an unannounced survey will be done by a senior surveyor unless waived by the investigative committee.

100.010.030 Compliant Deficient A,B,C-M,C

All individuals using the facility must meet one of the following criteria (throughout this document the terms physician, medicine, and medical apply to MD, DO, and DPM degrees)

- A doctor of medicine certified or eligible for certification by one of the member boards of the American Board of Medical Specialties (ABMS)
- A doctor of osteopathy certified or eligible for certification by the American Osteopathic Association Bureau of Osteopathic Specialists (AOABOS)
- A podiatrist certified or eligible for certification by the American Board of Foot and Ankle Surgery (ABFAS) or The American Board of Podiatric Medicine (ABPM)
- An oral and maxillofacial surgeon certified or eligible for certification by the American Board of Oral and Maxillofacial Surgery (ABOMS)

100.010.032 Compliant Deficient A,B,C-M,C

The facility director is responsible for establishing and enforcing policies that protect patients. The director monitors all members of the medical and facility staff for compliance with this policy.

100.010.035 Compliant Deficient A,B,C-M,C

Every physician, podiatrist, and oral and maxillofacial surgeon operating in an AAAASF accredited facility must hold, or must demonstrate that they have held, unrestricted hospital privileges in their specialty at the nearest accredited and/or licensed acute care hospital in the area of the accredited facility for all operations that they perform within the facility. Only surgical procedures included in those hospital privileges may be performed within the AAAASF accredited facility. A physician must be present when anesthesia other than strictly local is being administered in Class B, Class C- M or Class C accredited.

100.010.040 Compliant Deficient A,B,C-M,C

Onsite AAAASF surveys typically involve the attention of the facility medical director, the anesthesia provider, and the facility staff working intently with the AAAASF surveyor(s). The survey process must remain focused, and therefore, AAAASF has directed that equipment representatives not be present during AAAASF's announced or unannounced surveys. Accreditation consultants may be present during the surveys; however, AAAASF asks that consultants remain silent during the survey process until it is completed. All AAAASF surveyor(s) have the authority to request that any participants leave the survey process if interference becomes a problem. AAAASF greatly appreciates all concerned parties' cooperation in complying with this directive.

100.010.045 Compliant Deficient A

Class A:

In a Class A facility, all surgical, endoscopic, and/or pain management procedures may be performed under the following anesthesia

Topical anesthesia

Local anesthesia

If oral medications are used, only minimal sedation levels are permitted in Class A facilities.

In a Class A facility, no more than 500cc's of aspirate should be removed when performing liposuction.

Class A facilities must meet all Class A standards.

Minimal sedation (anxiolysis)-a drug-induced state during which patients respond normally to verbal commands. Although cognitive function and coordination may be impaired, ventilator and cardiovascular functions are unaffected.

100.010.050 Compliant Deficient B

Class B:

In a Class B facility, all surgical, endoscopic, and/or pain management procedures may be performed under the following moderate anesthesia

1. Topical anesthesia
2. Local anesthesia
3. Parenteral sedation
4. Field and peripheral nerve blocks
5. Dissociative drugs (excluding propofol).

Agents 3 through 5 may be administered by a/an Physician

Certified registered nurse anesthetist (CRNA) under physician supervision if required by state or federal law, or by policy adopted by the facility

Anesthesia assistant (as certified by the National Commission for the Certification of Anesthesiologist Assistants (NCCAA)) under direct supervision of an anesthesiologist

Registered nurse, only under the supervision of a qualified physician

The use of propofol, spinal anesthesia, epidural anesthesia, endotracheal intubation anesthesia, laryngeal mask airway anesthesia, and/or inhalation general anesthesia (including nitrous oxide) is prohibited in a Class B facility.

In a Class B facility, no more than 5000 cc's of aspirate should be removed while performing liposuction, unless the patient is monitored overnight within the facility.

Class B facilities must meet all Class A and Class B standards.

Moderate Sedation - an induced state of sedation characterized by a minimally depressed consciousness such that the patient is able to continuously and independently maintain a patent airway, retain protective reflexes, and remain responsive to verbal commands and physical stimulation.

100.010.055

 Compliant Deficient

C-M

Class C-M:

In a Class C-M facility, all surgical, endoscopic, and/or pain management procedures may be performed under the following anesthesia

1. Topical anesthesia
2. Local anesthesia
3. Parenteral sedation
4. Field and peripheral nerve blocks
5. Dissociative drugs (including propofol)
6. Spinal anesthesia
7. Epidural anesthesia

Agents 3 through 5 may be administered by a/an

- Physician
- CRNA under physician supervision if required by state or federal law, or by policy adopted by the facility
- Anesthesia assistant (as certified by the NCCAA) under direct supervision of an anesthesiologist
- Registered nurse, only under the supervision of a qualified physician (excluding propofol)

Propofol, spinal anesthesia, and epidural anesthesia may be administered only by a/an

- CRNA (under physician supervision if required by state or federal law or by policy adopted by the facility)
- Anesthesia assistant (as certified by the NCCAA) under direct supervision of an anesthesiologist
- Anesthesiologist

The use of endotracheal intubation anesthesia, laryngeal mask airway anesthesia, and/or inhalation general anesthesia (including nitrous oxide) is prohibited in a Class C-M facility.

In a Class C-M facility, no more than 5000 cc's of aspirate should be removed while performing liposuction, unless the patient is monitored overnight within the facility.

Class C-M facilities must meet all Class A, Class B, and Class C-M standards.

Deep sedation-an induced state of sedation characterized by depressed consciousness such that the patient is unable to continuously and independently maintain a patent airway and experiences a partial loss of protective reflexes and ability to respond to verbal commands or physical stimulation.

100.010.060 Compliant Deficient C

Class C:

In a Class C facility, all surgical, endoscopic, and/or pain management procedures may be performed under the following anesthesia

1. Topical anesthesia
2. Local anesthesia
3. Parenteral sedation
4. Field and peripheral nerve blocks
5. Dissociative drugs (including propofol)
6. Epidural anesthesia
7. Spinal anesthesia
8. General anesthesia (with or without endotracheal intubation or
9. laryngeal mask airway anesthesia)

Agents 3 through 5 may be administered by a/an Physician

- CRNA under physician supervision if required by state or federal law, or by policy adopted by the facility
- Anesthesia assistant (as certified by the NCCAA) under direct supervision of an anesthesiologist
- Registered nurse, only under the supervision of a qualified physician (excluding propofol)

Propofol and agents 6 through 8 may be administered only by a/an

- CRNA (under physician supervision if required by state or federal law or by policy adopted by the facility)
- Anesthesia assistant (as certified by the NCCAA) under direct supervision of an anesthesiologist
- Anesthesiologist

In a Class C facility, no more than 5000 cc's of aspirate should be removed while performing liposuction, unless the patient is monitored overnight within the facility.

Class C facilities must meet all Class A, Class B, Class C-M, and Class C standards.

Deep sedation- an induced state of sedation characterized by depressed consciousness such that the patient is unable to continuously and independently maintain a patent airway and experiences a partial loss of protective reflexes and ability to respond to verbal commands or physical stimulation.

100.010.065 Compliant Deficient

A,B,C-M,C

ABMS certified or eligible medical specialists who perform surgical procedures within the accredited facility may perform only those surgical procedures delineated in their ABMS board certification and/or covered by American Medical Association (AMA) Core Principle #7. American Osteopathic Association (AOA) certified or eligible physicians who perform surgical procedures within the accredited facility may perform only those surgical procedures delineated in their AOA board certification and/or covered by AMA Core Principle #7. Podiatrists certified or eligible for certification who perform surgical procedures within an accredited facility may perform only those surgical procedures delineated in their ABFAS Board Certification and/or covered by AMA Core Principle #7.

The AMA Core Principle #7 (from AMA Resolution dated April 2003):

“AMA Core Principal #7 - Physicians performing office-based surgery must be currently board certified/qualified by one of the boards recognized by the American Board of Medical Specialties, American Osteopathic Association, or a board with equivalent standards approved by the state medical board. The surgery must be one that is generally recognized by that certifying board as falling within the scope of training and practice of the physician providing the care.”

The physician's hospital has the right to limit the type of procedures the physician may perform within the specified scope of practice. This limitation will apply to the AAAASF-certified facility as well.

Granting of hospital privileges outside the scope of training and practice recognized by the individual practitioner certifying board will not apply to the AAAASF-accredited facility.

100.010.070 Compliant Deficient

A,B,C-M,C

Practitioners of pain management are required to meet all of the following criteria

Have an MD or DO degree

Have appropriate fellowship training in pain management

Possess ABMS/AOABOS board certification or board eligibility in one of the following specialties anesthesiology, physical medicine and rehabilitation (PM&R), psychiatry/neurology

Possess a sub-specialty certification or eligibility from the American Board of Anesthesiology, the AOABOS, or specifically Pain Medicine sub-specialization in PM&R or Psychiatry/Neurology.

Have, or have held, hospital privileges from a hospital located within 30 minutes of the facility, concerning the applicable scope of practice for pain management

100.010.075 Compliant Deficient A,B,C-M,C

Practitioners of Interventional Radiology must meet all of the following criteria:

1. MD or DO
 2. Board certification or board eligibility by the American Board of Radiology (ABR) or the American Osteopathic Board of Radiology (AOBR)
 3. Fellowship training as approved by the ABR or AOBR
 4. Current certificate of added qualifications in interventional/vascular radiology
-

100.010.080 Compliant Deficient B,C-M,C

A licensed anesthesia provider supervising or providing care in the facility should participate in quality assurance and risk management in the facility.

100.010.085 Compliant Deficient B,C-M,C

The surgeon and the licensed or qualified anesthesia provider should concur on the appropriateness of surgical procedures performed at the facility. This is based on the medical status of the patients and qualifications of the providers and the facility resources.

100.010.090 Compliant Deficient A,B,C-M,C

A patient who by reason of pre-existing or other medical condition is at undue risk should be referred to alternative facilities that are more appropriate.

200**OPERATING ROOM POLICY,
ENVIRONMENT AND PROCEDURES****200.010****Policy****200.010.010**

___Compliant _____Deficient B,C-M,C

A “surgical pause” or a “time out” protocol is in place, practiced, and documented prior to every surgical procedure and is documented in the operative chart.

This protocol should include a pre-operative verification process including medical records, imaging studies, and any implants identified, and be reviewed by the operating room team. Missing information or discrepancies must be addressed in the chart at this time.

Marking the operative site-Surgical procedures calling for right/left distinction; multiple structures (breasts, eyes, fingers, toes, etc.) must be marked while the patient is awake and aware, if possible. The person performing the surgery should do the site marking. The site must be marked so that the mark will be visible after the patient has been prepped and draped. A procedure must be in place for patients who refuse site marking.

“Time Out”-Immediately before starting the surgical procedure, conduct a final verification by at least 2 members of the surgical team confirming the correct patient, surgery, site marking(s) and, as applicable, implants and special equipment or requirements. As a “fail-safe” measure, the surgical procedure is not started until any and all questions or concerns are resolved.

Procedures done in non–operating-room settings must include site marking for any procedures involving laterality, or multiple structures.

200.020 Environment

200.020.005 Compliant Deficient A,B,C-M,C

The facility displays a professional appearance that is in keeping with a medical facility designed to carry out surgical procedures. The facility should be neat, comfortable, clean and should include a waiting area, business office, and sanitary lavatory facilities. One or more dedicated exam rooms should be available that provide for privacy and treatment in a sanitary, orderly environment.

200.020.010 Compliant Deficient B,C-M,C

The operating suite is physically separate from the general office.

200.020.015 Compliant Deficient B,C-M,C

The operating suite includes operating room(s), a prep/scrub area, a clean area and/or dirty area, and a post-anesthesia care unit.

200.020.020 Compliant Deficient B,C-M,C

There is a room dedicated for use as an operating room.

200.020.025 Compliant Deficient A

An exam room may function as an operating room.

200.020.027 Compliant Deficient A,B,C-M,C

Each operating room must be designed and equipped so that the types of surgery conducted can be performed in a manner that protects the lives and assures the physical safety of all individuals in the area.

416.44.a.1 Standard

200.020.030 Compliant Deficient A,B,C-M,C

All major surgery is done in the separate and distinct operating room(s).

200.020.035 Compliant Deficient A,B,C-M,C

The operating room(s) is adequately ventilated and temperature controlled.

200.020.050 Compliant Deficient A,B,C-M,C

The operating room is properly cleaned, maintained and free of litter and clutter.

200.020.055 Compliant Deficient A,B,C-M,C

Each operating room is of a size adequate to allow for the presence of all equipment and personnel necessary for the performance of the surgical procedures, and must comply with applicable local, state, or federal requirements. Additionally, all facilities must have a minimum of 4 feet (48 inches) of clear space on each side of the operating table to accommodate emergency personnel and equipment in case of emergency, and permit the safe transfer of the patient to a gurney for transport, or facility personnel can physically demonstrate to the surveyor that the emergency criteria as stated above can be met in the operating room space available.

200.020.060 Compliant Deficient A,B,C-M,C

Each load in the autoclave is checked with indicator tape, chemical monitors, or other effective means both on the outside and inside of the pack.

200.020.065 Compliant Deficient A,B,C-M,C

Unauthorized individuals are deterred from entering the operating room suite either by locks, alarms, or facility personnel.

200.020.071 Compliant Deficient A,B,C-M,C

Sterilizers have appropriately maintained logs for all routine checks.

200.020.075 Compliant Deficient A,B,C-M,C

Sterile supplies are labeled to indicate sterility and are packaged and sealed to prevent accidental opening.

200.020.080 Compliant Deficient A,B,C-M,C

Each sterilized pack is marked with the date of sterilization and, when applicable, with the expiration date. When more than one autoclave is available, each pack must additionally be labeled to identify in which autoclave it was sterilized.

200.020.085 Compliant Deficient A,B,C-M,C

If one sink is used both for dirty instruments and to scrub for surgery, there is a written policy to clean and disinfect the sink prior to scrubbing hands.

200.020.090 Compliant Deficient B,C-M,C

If a pre-existing sink is present in the operating room, a written policy to prohibit the use of the sink during sterile surgical procedures must be in place. A sink is permissible in an operating room which is exclusively used for endoscopic or urological procedures in accordance with the standards of those professions. Requests for allowance by other specialties will be reviewed on a case-by-case basis.

200.020.095 Compliant Deficient A,B,C-M,C

Each operating room: Has appropriate lighting.

200.025 **Storage**

200.025.001 Compliant Deficient A,B,C-M,C

The O.R. storage space is: Properly cleaned, maintained and free of litter and clutter.

200.025.005 Compliant Deficient A,B,C-M,C

There is adequate operating room storage space to hold equipment, sterile supplies, and medications.
Storage space should be adequate to minimize the need to leave the operating room for frequently used supplies, equipment, and/or medication.

200.025.010 Compliant Deficient A,B,C-M,C

Storage space provides easy access for identification and inventory of supplies.

200.025.015 Compliant Deficient A,B,C-M,C

Sterile supplies are stored away from potential contamination in closed cabinets/drawers or, away from heavy traffic areas.

200.030 Procedures - Sterilization

200.030.010 Compliant Deficient A,B,C-M,C

The facility has at least one autoclave that uses high-pressure steam and heat.

200.030.015 Compliant Deficient A,B,C-M,C

Additional methods can be chemical autoclave (Chemclave ©) or gas (ethylene oxide) sterilizer.

200.030.025 Compliant Deficient A,B,C-M,C

Gas sterilizers must be vented.

200.35 High Level Disinfection of Endoscopes

200.035.028 Compliant Deficient A,B,C-M,C

High-level disinfection is used only for non-autoclavable endoscopic equipment, and in areas that are categorized as semi-critical where contact will be made with mucus membrane or other body surfaces that are not sterile. The manufacturer's recommendations for usage should be followed at all times.

200.035.029 Compliant Deficient A,B,C-M,C

Endoscopes are processed in accordance with protocol based on national standards. These standards address how scopes are cleaned, reprocessed, and stored and documents training for personnel who do the reprocessing.

200.040 **Instrument Processing**

200.040.010 Compliant Deficient A,B,C-M,C

Instrument handling and sterilizing areas are cleaned and maintained.

200.040.015 Compliant Deficient A,B,C-M,C

There is strict segregation of dirty surgical equipment and instruments that have been cleaned and are in the preparation and assembly area.

200.040.020 Compliant Deficient A,B,C-M,C

The instrument preparation and assembly area (clean utility area) is separated by walls or space from the instrument cleaning area (dirty utility area) or, there is a policy to clean and disinfect the dirty utility area before preparing and assembling packs for sterilization.

200.040.025 Compliant Deficient A,B,C-M,C

Between cases, the operating room(s) is cleaned with medical grade disinfectants.

200.040.030 Compliant Deficient A,B,C-M,C

Scrub suits, caps or hair covers, gloves, operative gowns, masks, and eye protection are used for all appropriate surgery.

416.51.a Standard

200.040.035 Compliant Deficient A,B,C-M,C

A sterile field is routinely used during all operations.

200.040.040 Compliant Deficient A,B,C-M,C

Surgical scrub soap and/or alcohol cleansers are provided for the surgery room staff consistent with current CDC guidelines for hand hygiene.

200.040.045 Compliant Deficient A,B,C-M,C

All instruments used in patient care are sterilized, where applicable.

200.040.050 Compliant Deficient A,B,C-M,C

Sterilizer logs/monitoring records are reviewed and stored for a minimum of three (3) years.

200.040.055 Compliant Deficient A,B,C-M,C

A weekly spore test, or its equivalent, is performed on each autoclave and the results filed and kept for 3 years.

200.040.060 Compliant Deficient A,B,C-M,C

There is a protocol for remedial action to correct the sterilization process if a spore test is positive.

200.050 Maintenance and Cleaning

200.050.005 Compliant Deficient A,B,C-M,C

The ASC must provide a functional and sanitary environment for the provision of surgical services by adhering to professionally acceptable standards of practice.

416.51.a Standard

200.050.010 Compliant Deficient A,B,C-M,C

The entire operating room suite is cleaned and disinfected according to an established schedule that is adequate to prevent cross-contamination.

416.51.a Standard

200.050.015 Compliant Deficient A,B,C-M,C

All blood and body fluid spills are cleaned using medical-grade germicides that are virucidal, bactericidal, tuberculocidal, and fungicidal.

200.050.020 Compliant Deficient A,B,C-M,C

A written protocol has been developed for use by housekeeping personnel for cleaning floors, tables, walls, ceilings, counters, furniture, and fixtures of the surgical suite.

200.050.025 Compliant Deficient A,B,C-M,C

All openings to outdoor air are effectively protected against the entrance of insects, animals, etc.

200.55 Infection Control

200.055.020 Compliant Deficient A,B,C-M,C

The Infection Control program is-
Under the direction of a designated and qualified professional who has training in infection control;

416.51.b.1 Standard

200.055.021 Compliant Deficient A,B,C-M,C

The Infection Control program is-
An integral part of the ASC's quality assessment and performance improvement program; and

416.51.b.2 Standard

200.055.023 Compliant Deficient A,B,C-M,C

The Infection Control program is--
Responsible for providing a plan of action for preventing, identifying, and managing infections and communicable diseases and for immediately implementing corrective and preventive measures that result in improvement. The infection control and prevention program must include documentation that the ASC has considered, selected, and implemented nationally recognized infection control guidelines.

416.51.b.3 Standard

200.055.030 Compliant Deficient A,B,C-M,C

416.51 Conditions for coverage - Infection control.

The ASC must maintain an infection control program that seeks to minimize infections and communicable diseases.

416.51 Condition

200.055.045 Compliant Deficient A,B,C-M,C

The ASC must maintain an ongoing program designed to prevent, control, and investigate infections and communicable diseases. In addition, the infection control and prevention program must include documentation that the ASC has considered, selected, and implemented nationally recognized infection control guidelines.

416.51.b Standard

200.055.050 Compliant Deficient A,B,C-M,C

Appropriate scrub facilities are provided for the O.R. staff consistent with current CDC guidelines for hand hygiene and surgical scrub.

200.060 **Surfaces**

200.060.010 Compliant Deficient B,C-M,C

The operating room ceiling surface or drop-in tiles are smooth, washable, and free of particulate matter that could contaminate the operating room.

200.060.015 Compliant Deficient A,B,C-M,C

The walls and counter tops are covered with smooth, and easy to clean material which is free from tears, breaks or cracks.

200.060.020 Compliant Deficient B,C-M,C

The floors are covered with smooth and easy-to-clean material that is free from breaks, or cracks. If the floors contain seams or individual tiles, they are sealed with an impermeable sealant other than silicone.

200.070 **Equipment**

200.070.010 Compliant Deficient A,B,C-M,C

A biomedical technician annually inspects all equipment (including emergency light and power supplies) and reports in writing that the equipment is safe and operating according to the manufacturer's specifications. Stickers may be placed on individual equipment; however, written records must be maintained for 3 years.

200.070.015 Compliant Deficient A,B,C-M,C

Only properly inspected equipment is used in the operating suite.

200.070.020 Compliant Deficient A,B,C-M,C

The manufacturer's specifications and requirements are kept in an organized file and followed for each piece of equipment.

200.070.035 Compliant Deficient A,B,C-M,C

There is an adequate operating room table or chair.

200.070.040 Compliant Deficient A,B,C-M,C

The operating room is provided with adequate general lighting in the ceiling.

200.070.045 Compliant Deficient A,B,C-M,C

Appropriately sized pediatric medical equipment is available if services are provided to infants/children.

200.070.050 Compliant Deficient B,C-M,C

Equipment and supplies for anesthesia include
A reliable source of oxygen, adequate for the length of the surgery (backup should consist of at least one full E cylinder).

200.070.055 Compliant Deficient A,B,C-M,C

Equipment and supplies for anesthesia include
If a central source of piped oxygen is used, the system must meet all applicable codes.

200.070.060 Compliant Deficient A,B,C-M,C

Equipment and supplies for anesthesia include
Sufficient space to accommodate the necessary personnel, equipment, and monitoring devices is available.

200.070.065 Compliant Deficient A,B,C-M,C

Equipment and supplies for anesthesia include an adequate and reliable source of suction.

200.070.070 Compliant Deficient C

Equipment and supplies for anesthesia include
An adequate and reliable anesthetic scavenging system, if inhalation anesthetics are used.

200.070.075 Compliant Deficient A,B,C-M,C

Equipment and supplies for anesthesia include
Self-inflating (Ambu©) bags, if used, are capable of delivering positive pressure ventilation with at least 90% oxygen concentration.

200.070.080 Compliant Deficient A,B,C-M,C

Equipment and supplies for anesthesia include
Adequate illumination for patients, machines, and monitoring equipment, which can include battery powered illuminating systems.

200.070.085 Compliant Deficient A,B,C-M,C

Equipment and supplies for anesthesia include
An emergency response cart containing standard ACLS equipment is available independent of procedure room equipment with defibrillator, necessary drugs, and other CPR equipment.

200.071 Operating Room Equipment List

200.071.010 Compliant Deficient B,C-M,C

An EKG monitor with pulse readout is present.

200.071.015 Compliant Deficient B,C-M,C

Pulse oximeters must be present in both the operating room and recovery room if both rooms are being used simultaneously.

200.071.020 Compliant Deficient A,B,C-M,C

Blood pressure monitoring equipment is present.

200.071.025 Compliant Deficient A,B,C-M,C

A standard defibrillator or an automated external defibrillator (AED) unit is present, which is checked at least weekly for operability, and the test results are kept for a minimum of 3 years.

200.071.030 Compliant Deficient B,C-M,C

Sequential compressive devices (SCD) are employed for surgical procedures of 1 hour or longer, except for procedures carried out under local anesthesia.

200.071.035 Compliant Deficient

Oral airways for each size of patient treated in the facility are present.

200.071.040 Compliant Deficient B,C-M,C

Nasopharyngeal airways and laryngeal mask airways for each size of patient treated in the facility are present.

200.071.045 Compliant Deficient B,C-M,C

Laryngoscopes with blades of various sizes for each size of patient are present.

200.071.050 Compliant Deficient B,C-M,C

Endotracheal tubes of various sizes for each patient are present.

200.071.055 Compliant Deficient B,C-M,C

Endotracheal stylet is present.

200.071.060 Compliant Deficient A,B,C-M,C

A positive pressure ventilation device (eg, Ambu® bag) is present.

200.071.065 Compliant Deficient A,B,C-M,C

A source of oxygen is present.

200.071.070 Compliant Deficient A,B,C-M,C

Source of suction is present.

200.071.075 Compliant Deficient C

If a mechanical ventilator is present, it should have a continuous use device which indicates a disconnect via an audible signal.

200.071.080 Compliant Deficient B,C-M,C

Electrocautery with a grounding plate or disposable pad is present

200.071.085 Compliant Deficient C

An anesthesia machine with a purge system to extract exhaled gaseous air to out-of-doors or to a neutralizing system is present. If inhalation anesthesia is used, a carbon-dioxide-neutralizing system is required when using an anesthesia machine.

An anesthesia machine is required if volatile agents or nitrous oxide are available in the facility. If total intravenous anesthesia (TIVA), spinal, or epidural anesthesia is used exclusively, and no inhalation agents (volatile or nitrous oxide) are available, an anesthesia machine is not required. If nitrous oxide alone is used, then an appropriate delivery system that prevents hypoxic mixture is employed.

200.071.090 Compliant Deficient C

An inspired gas oxygen monitor on the anesthesia machine is present if inhalational anesthesia is used.

200.071.095 Compliant Deficient B, C-M, C

A carbon dioxide monitor is present and used on all moderate sedation, deep sedation and general anesthesia cases.

200.080 **Emergency Power**

200.080.040 Compliant Deficient A,B,C-M,C

Emergency equipment. The ASC medical staff and governing body of the ASC coordinates, develops, and revises ASC policies and procedures to specify the types of emergency equipment required for use in the ASC's operating room.

Be immediately available for the use of emergency situations.

416.44.d Standard
416.44.d.1 Standard

200.080.045 Compliant Deficient A,B,C-M,C

Emergency equipment. The ASC medical staff and governing body of the ASC coordinates, develops, and revises ASC policies and procedures to specify the types of emergency equipment required for use in the ASC's operating room.

Be appropriate for the facility's patient population.

416.44.d.2 Standard

200.080.050 Compliant Deficient A,B,C-M,C

Emergency equipment. The ASC medical staff and governing body of the ASC coordinates, develops, and revises ASC policies and procedures to specify the types of emergency equipment required for use in the ASC's operating room.

Be maintained by appropriate personnel.

416.44.d.3 Standard

200.085 **General Environment**

200.085.005 Compliant Deficient A,B,C-M,C

The ambulatory surgery center is in compliance with all state laws including State licensure requirements. (Found in the Code of Federal Regulations, Part 416.40; Compliance with State Licensure Laws).

416.40 Condition

200.085.016 Compliant Deficient A,B,C-M,C

416.2 Definitions

Ambulatory surgical center or ASC means any distinct entity that operates exclusively for the purpose of providing surgical services to patients not requiring hospitalization and in which the expected duration of services would not exceed 24 hours following an admission. The entity must have an agreement with CMS to participate in Medicare as an ASC, and must meet the conditions set forth in subparts B and C of 416.2.

ASC services means, for the period before January 1, 2008, facility services that are furnished in an ASC, and beginning January 1, 2008, means the combined facility services and covered ancillary services that are furnished in an ASC in connection with covered surgical procedures.

Covered ancillary services means items and services that are integral to a covered surgical procedure performed in an ASC as provided in §416.164(b), for which payment may be made under §416.171 in addition to the payment for the facility services.

Covered surgical procedures means those surgical procedures furnished before January 1, 2008, that meet the criteria specified in §416.65 and those surgical procedures furnished on or after January 1, 2008, that meet the criteria specified in §416.166.

Facility services means for the period before January 1, 2008, services that are furnished in connection with covered surgical procedures performed in an ASC, and beginning January 1, 2008, means services that are furnished in connection with covered surgical procedures performed in an ASC as provided in §416.164(a) for which payment is included in the ASC payment established under §416.171 for the covered surgical procedure.

416.2 Condition

200.090 Medical Hazardous Waste

200.090.010 Compliant Deficient A,B,C-M,C

All medical hazardous wastes are stored in - Occupational Safety and Health Act (OSHA) acceptable containers and separated from general refuse for special collection and handling.

200.090.015 Compliant Deficient A,B,C-M,C

Used disposable sharp items are placed in secure puncture-resistant containers which are located as close to the use area as is practical.

200.090.020 Compliant Deficient A,B,C-M,C

There is a written policy for cleaning of spills, especially blood borne pathogens.

200.095 **Appearance and Layout**

200.095.010 Compliant Deficient A,B,C-M,C

The ASC must have a safe and sanitary environment, properly constructed, equipped, and maintained to protect the health and safety of patients.

416.44 Condition

200.095.015 Compliant Deficient A,B,C-M,C

The ASC must provide a functional and sanitary environment for the provision of surgical services.

416.44.a Standard

200.095.020 Compliant Deficient A,B,C-M,C

There is an adequate, separate waiting room.

416.44.a.2 Standard

300**RECOVERY ROOM ENVIRONMENT, POLICY
AND PROCEDURES****300.00****Post-Anesthetic Care Unit (PACU)****300.000.015** Compliant Deficient

B,C-M,C

The operating room may be used for patient recovery if only one surgical procedure is scheduled that same day, or if the recovering patient meets all discharge criteria prior to beginning the next surgical procedure, or if there is another operating room available for the next surgical procedure.

300.000.020 Compliant Deficient

B,C-M,C

Patients transferred to the PACU are accompanied by a member of the anesthesia team who is knowledgeable about the patient.

300.000.025 Compliant Deficient

B,C-M,C

Patients transferred to the PACU will be continually evaluated and monitored as needed during transport.

300.05 **Evaluation and Transfer of Care****300.005.005** ___Compliant _____Deficient A,B,C-M,C

The ASC must ensure each patient has the appropriate pre-surgical and post-surgical assessments completed and that all elements of the discharge requirements are completed.

416.52 Condition

300.005.006 ___Compliant _____Deficient A,B,C-M,C

Upon admission, each patient must have a pre-surgical assessment completed by a physician who will be performing the surgery or other qualified practitioner in accordance with applicable State health and safety laws, standards of practice, and ASC policy.

This assessment includes, at a minimum, the patient's medical history and physical examination (if any) and documentation of any allergies to drugs and biologicals. This assessment must be placed in the patient's medical record prior to the surgical procedure.

416.52.a.2; 416.52.a.3; 416.52.a.4 Standard

300.005.010 ___Compliant _____Deficient B,C-M,C

Evaluation in the PACU will include: Documentation of patient's time of arrival.

300.005.015 ___Compliant _____Deficient B,C-M,C

Evaluation in the PACU will include:
Assessment of the patient by the anesthesia recovery staff, as well as by a responsible physician.

300.005.020 ___Compliant _____Deficient B,C-M,C

Evaluation in the PACU will include
Transmission of a verbal report on the patient to the PACU team from a member of the anesthesia team who accompanies the patient.

300.005.025 ___Compliant _____Deficient B,C-M,C

Evaluation in the PACU will include
Transfer of information concerning the preoperative condition of the patient, the invasive procedure, related medication, and the anesthesia course.

300.005.030 ___Compliant _____Deficient B,C-M,C

Evaluation in the PACU will include
A member of the anesthesia team remains in the post-anesthesia area until the post-anesthesia care nurse accepts responsibility for the patient.

300.006 **Continued Evaluation**

300.006.010 Compliant Deficient B,C-M,C

Continued evaluation in the PACU will consist of
Observation and monitoring by methods appropriate to the patient's
condition (oxygen saturation, ventilation, circulation, and temperature).

300.006.015 Compliant Deficient B,C-M,C

Continued evaluation in the PACU will consist
of Continuous pulse oximetry.

300.006.025 Compliant Deficient B,C-M,C

Continued evaluation in the PACU will consist of
All recovering patients must be observed and supervised by trained medical
personnel in the recovery area. A physician, CRNA, PA, or RN currently licensed
and certified in advanced cardiac life support (ACLS) is immediately available
until the patient has met PACU discharge criteria for discharge from the surgical
facility. Local mandates and stricter standards may apply.

300.006.030 Compliant Deficient B,C-M,C

Continued evaluation in the PACU will consist of
There is a written policy that whenever parenteral sedation, dissociative drugs,
epidural, spinal, or general anesthesia is administered, a physician is
immediately available until the patient is discharged from the PACU.

300.10 **PACU Room(s)**

300.010.010 Compliant Deficient B,C-M,C

There is a separate and adequately sized PACU within the operating room suite.

416.44.a.2 Standard

300.010.013 Compliant Deficient B,C-M,C

The recovery area is maintained, clean and free of litter.

300.010.015 Compliant Deficient B,C-M,C

The room is equipped and readily accessible to handle emergencies

300.010.017 Compliant Deficient B,C-M,C

Family members may enter the recovery room upon approval from the physician.

300.010.025 Compliant Deficient B,C-M,C

A separate pulse oximeter is available for each patient in the PACU

300.010.030 Compliant Deficient B,C-M,C

There is a PACU record that includes vital signs, level of consciousness, medications and nurse's notes.

300.020 **Discharge**

300.020.005 Compliant Deficient A,B,C-M,C

The patient's post-surgical condition must be assessed and documented in the medical record by a physician, other qualified practitioner, or a registered nurse with, at a minimum, post-operative care experience in accordance with applicable State health and safety laws, standards of practice, and ASC policy.

416.52.b.1 Standard

300.020.015 Compliant Deficient B,C-M,C

Patients are required to meet criteria for physiological stability before discharge, including vital signs and level of consciousness.

300.020.020 Compliant Deficient B,C-M,C

Personnel assist with discharge from the recovery area.

300.020.025 Compliant Deficient B,C-M,C

Unless they are having local anesthesia only, patients are transported from the facility by wheelchair or gurney to a waiting vehicle or to another facility with a responsible adult.

300.020.035 Compliant Deficient A,B,C-M,C

Before discharge, a Physician or an anesthesiologist as defined at 42 CFR 410.69(b), in accordance with applicable State health and safety laws, standards of practice, and ASC policy, must evaluate each patient for proper anesthesia recovery. The physician's or anesthesiologist's name must be noted on the patient record.

416.42.a.2 Standard

300.020.045 Compliant Deficient B,C-M,C

Approved and standardized discharge criteria are used.

416.52.c Standard

300.020.075 Compliant Deficient A,B,C-M,C

Post-surgical needs must be addressed and included in the discharge notes.

416.52.b.2 Standard

300.020.080 Compliant Deficient A,B,C-M,C

Provide each patient with written discharge instructions and overnight supplies. When appropriate, make a follow up appointment with the physician, and ensure that all patients are informed, either in advance of their surgical procedures or prior to leaving the ASC, of their prescriptions, post-operative instructions and physician contact information for follow up care.

416.52.c.1 Standard

300.020.085 Compliant Deficient A,B,C-M,C

Ensure each patient has a discharge order, signed by the physician who performed the surgery or procedure in accordance with applicable State health and safety laws, standards of practice, and ASC policy.

416.52.c.2 Standard

300.020.090 Compliant Deficient A,B,C-M,C

Ensure all patients are discharged in the company of a responsible adult, except those patients exempted by the attending physician.

416.52.c.3 Standard

300.030 **Extended Stays**

300.030.010 Compliant Deficient B,C-M,C

If overnight stays are permitted, the facility is in compliance with all applicable local and state laws and regulations.

300.030.020 Compliant Deficient B,C-M,C

If 23 hour stays are permitted, the facility is in compliance with all pertinent local and state laws and regulations.

400**GENERAL SAFETY IN THE FACILITY**

400.000.000 AAAASF is committed to establishing minimum guidelines to provide safe and effective outpatient surgical care. The facility must comply with all applicable OSHA, National Fire Protection Association (NFPA), federal, state, and local codes and regulations. The facility must comply with the stricter regulation (whether it is the AAAASF standard or local, state, or federal law).

400.010 **General**

400.010.005 Compliant Deficient A,B,C-M,C

The governing body must assure that all outside services are provided in a safe and effective manner.

416.41.a Standard

400.010.010 Compliant Deficient A,B,C-M,C

There is a Facility Safety Manual.

400.010.015 Compliant Deficient A,B,C-M,C

The facility safety manual contains all applicable requirements of OSHA.

400.010.020 Compliant Deficient A,B,C-M,C

The facility safety manual is in accordance with other federal and state regulations.

400.010.025 Compliant Deficient A,B,C-M,C

The facility safety manual provides employees with information about hazardous chemicals used and methods to minimize hazards to personnel.

400.010.030 Compliant Deficient A,B,C-M,C

There is a written exposure control plan, which is reviewed and updated at least annually.

400.010.035 Compliant Deficient A,B,C-M,C

There is a written chemical hazard communication program, which is reviewed and updated annually.

400.010.040 Compliant Deficient A,B,C-M,C

If a laser is used, safety measures are taken to protect patients and staff from injury.

400.010.045 Compliant Deficient A,B,C-M ,C

Hazardous chemicals are labeled as such.

400.012 Laboratory, Pathology and X-Ray Services

400.012.001 Compliant Deficient A,B,C-M,C

Radiologic Services. (Found in the Code of Federal Regulations, part 416.49(b); Radiologic Services).

416.49 Condition

400.012.005 Compliant Deficient A,B,C-M,C

If X-Ray equipment is used, safety measures are taken to protect patients and staff from injury.

416.49.b.1 Standard

400.012.010 Compliant Deficient A,B,C-M,C

Warnings and signage exist to warn those whose health may be affected by x-rays.

416.49.b.1 Standard

400.012.015 Compliant Deficient A,B,C-M,C

Staff maintains dosimetry badges and records, if applicable, for at least 3 years.

416.49.b.1 Standard

400.012.020 Compliant Deficient A,B,C-M,C

Radiologic services may only be provided when integral to procedures offered by the ASC and must meet the requirements specified in 42CFR482.26(b), (c)(2), and (d)(2).

416.49.b.1 Standard

400.012.022 Compliant Deficient A,B,C-M,C

If radiologic services are utilized, the governing body must appoint an individual qualified in accordance with State law and ASC policies who is responsible for assuring all radiologic services are provided in accordance with the requirements of 42 CFR 416.49.

416.49.b.2 Standard

400.012.025 Compliant Deficient A,B,C-M,C

If the facility provides laboratory services, the laboratory must meet the requirements of part 493 of 42 CFR.

OR

If the facility does not provide laboratory services, any referral laboratory must be certified in the appropriate specialties and sub-specialties of service to perform the referred tests in accordance with the requirements of part 493 of 42 CFR. The referral laboratory must be certified in the appropriate specialties and subspecialties of service to perform the referred tests in accordance with the requirements of Part 493 of this chapter of the Code of Federal Regulations. (Found in the Code of Federal Regulations; Part 416 – Ambulatory Surgical Services; 416.49 Laboratory and radiologic services; Standard: (b) Radiologic Services).

416.49.a Standard

400.012.030 Compliant Deficient A,B,C-M,C

The ambulatory surgery facility's policies and procedures must list the kinds of laboratory services that are provided directly by the facility and services that are provided through a contractual agreement.

400.020 **Emergency Protocols**

400.020.010 Compliant Deficient A,B,C-M,C

There must be a written protocol for security emergencies, such as an intruder in the facility, an unruly patient or visitor, a threat to the staff or patients.

400.020.015 Compliant Deficient A,B,C-M,C

There must be a written protocol for fires and fire drills.

400.020.020 Compliant Deficient A,B,C-M,C

There must be a written protocol for returning patients to the operating room in the event of patient emergencies.

400.020.025 Compliant Deficient C

There must be a written protocol for malignant hyperthermia (MH).

400.020.030 Compliant Deficient A,B,C-M,C

There must be a written protocol for cardiopulmonary resuscitation (CPR).

400.020.035 Compliant Deficient A,B,C-M,C

There must be a written protocol for a situation in which the surgeon becomes incapacitated.

400.020.040 Compliant Deficient B,C-M,C

There must be a written protocol for a situation in which the anesthesiologist or CRNA becomes incapacitated.

400.020.045 Compliant Deficient A,B,C-M,C

There must be a written protocol for response to power failure emergencies.

400.020.050 Compliant Deficient A,B,C-M,C

There must be a written protocol for transferring patients to a hospital in an emergency.

400.020.055 Compliant Deficient A,B,C-M,C

There must be a written plan for emergency evacuation of the facility.

400.020.060 Compliant Deficient A,B,C-M,C

If requested, the facility's personnel can demonstrate the evacuation of a patient.

400.020.065 Compliant Deficient A,B,C-M,C

Personnel trained in the use of emergency equipment and in cardiopulmonary resuscitation must be available whenever a patient is in the ambulatory surgery facility.

416.44.e Standard

400.020.070 Compliant Deficient A,B,C-M,C

Anesthesia personnel should review and be familiar with the facility's emergency protocol for cardio-pulmonary emergencies and other internal and external disasters.

400.021 **Transfer Agreement**

400.021.010 Compliant Deficient A,B,C-M,C

This hospital must be a local, Medicare-participating hospital or a local, nonparticipating hospital that meets the requirements for payment for emergency services under 42 CFR 482.2.

416.41.b.2 Standard

400.021.025 Compliant Deficient A,B,C-M,C

The ASC must provide the local hospital with written notice of its operations and patient population served at least annually.

416.41.b.3 Standard

400.021.035 Compliant Deficient A,B,C-M,C

The ASC must have an effective procedure for the immediate transfer, to a hospital, of patients requiring emergency medical care beyond the capabilities of the ASC. (Found in the Code of Federal Regulation, part 416.41(b)(1); Hospitalization).

416.41.b Standard

416.41.b.1 Standard

500 IV FLUIDS AND MEDICATIONS

500.010 Blood & Substitutes

500.010.010 ___Compliant _____Deficient A,B,C-M,C

Intravenous fluids such as Lactated Ringer's solution and/or normal saline are available in the facility.

500.010.015 ___Compliant _____Deficient A,B,C-M,C

If blood were to be used, there is a protocol for it to be typed, cross-matched, checked, and verified.

500.010.020 ___Compliant _____Deficient A,B,C-M,C

Blood and blood products must be administered only by physicians or registered nurses.

416.48.a.2 Standard

500.020 Medications

500.020.010 Compliant Deficient A,B,C-M,C

Emergency Drug Box—all emergency medications as noted in the following standards must be available and in the facility at all times. Licensed personnel in the facility must know their location.

500.020.015 Compliant Deficient A,B,C-M,C

There is a dated controlled substance inventory and a control record which includes the use of controlled substances on individual patients. Such records must be kept in the form of a sequentially numbered, bound journal from which pages may not be removed, or in a tamper-proof, secured computer record consistent with state and federal law. A loose-leaf notebook or a spiral-bound notebook does not fulfill this regulation. This log must be kept in the facility.

500.020.020 Compliant Deficient A,B,C-M,C

The inventory of controlled substances is verified by 2 licensed members of the operating room team on any day that controlled substances are administered, and in compliance with state and federal regulations.

500.020.025 Compliant Deficient A,B,C-M,C

All narcotics and controlled substances are secured and locked under supervised access.

500.020.030 Compliant Deficient A,B,C-M,C

Outdated medications are removed.

500.020.045 Compliant Deficient A,B,C-M,C

IV Antihistamines (e.g. Diphenhydramine).

500.020.050 Compliant Deficient A,B,C-M,C

Short-acting beta-blocker (e.g. Esmolol or Labetalol).

500.020.055 Compliant Deficient C-M,C

Neuromuscular blocking agents including non-depolarizing agents such as rocuronium or depolarizing agents such as succinylcholine.

500.020.060 Compliant Deficient B,C-M,C

If Benzodiazepine is used in the facility, a reversing agent must be available.

500.020.070 Compliant Deficient A,B,C-M,C

There must be a record of receipt and disposition of all controlled drugs.

500.020.090 Compliant Deficient A,B,C-M,C

The ambulatory surgery facility must provide drugs and biologicals in a safe and effective manner, in accordance with accepted professional practice and under the direction of an individual designated responsible for pharmaceutical services.

416.48 Condition

500.020.095 Compliant Deficient A,B,C-M,C

Drugs must be prepared and administered according to established policies and acceptable standards of practice.

416.48.a Standard

500.020.100 Compliant Deficient A,B,C-M,C

If there is an adverse reaction, it must be immediately reported to the physician responsible for the patient and must be documented in the patient's record.

416.48.a.1 Standard

500.020.105 Compliant Deficient A,B,C-M,C

Orders given orally for drugs and biologicals must be followed by a written order and signed by the prescribing physician.

416.48.a.3 Standard

500.021 **ACLS Algorithm**

500.021.015 Compliant Deficient A,B,C-M,C

A transportable “crash” cart or kit is maintained independent of other operating room supplies such that emergency equipment is immediately available. It will contain “first response” essentials of ACLS care, such as suction, positive pressure ventilation, devices for maintaining an airway, intravenous access, and medications.

500.021.018 Compliant Deficient A,B,C-M,C

The following medication must be available in the facility at all times as required by current ACLS algorithms Seizure arresting medication (a benzodiazepine, e.g. Midazolam).

500.021.019 Compliant Deficient A,B,C-M,C

The following medication must be available in the facility at all times as required by current ACLS algorithms Adenosine

500.021.020 Compliant Deficient A,B,C-M,C

The following medication must be available in the facility at all times as required by current ACLS Algorithms: Epinephrine.

500.021.023 Compliant Deficient A,B,C-M,C

The following medication must be available in the facility at all times as required by current ACLS algorithms Anti-Hypertensives.

500.021.025 Compliant Deficient A,B,C-M,C

The following medication must be available in the facility at all times as required by current ACLS algorithms Lidocaine—plain.

500.021.026 Compliant Deficient A,B,C-M,C

The following medication must be available in the facility at all times as required by current ACLS algorithms Atropine.

500.021.027 Compliant Deficient A,B,C-M,C

The following medication must be available in the facility at all times as required by current ACLS algorithms nitroglycerine (paste or oral).

500.021.035 Compliant Deficient B,C-M,C

The following medication must be available in the facility at all times as required by current ACLS algorithms If narcotics are used in the facility, a narcotic antagonist (eg, Narcan) should be present.

500.021.040 Compliant Deficient B,C-M,C

The following medication must be available in the facility at all times as required by current ACLS algorithms Anticonvulsant medication.

500.021.045 Compliant Deficient A,B,C-M,C

The following medication must be available in the facility at all times as required by current ACLS algorithms Bronchospasm-arresting medication (inhaled beta-agonist, eg albuterol).

500.021.050 Compliant Deficient A,B,C-M,C

The following medication must be available in the facility at all times as required by current ACLS algorithms Intravenous corticosteroids (eg, dexamethasone).

500.023 **Malignant Hyperthermia**

This section applies if potential MH triggering agents such as the potent inhalation anesthetics halothane, enflurane, isoflurane, sevoflurane, and desflurane are ever used or are present in the facility.

500.023.005 Compliant Deficient C-M,C

If the depolarizing muscle relaxant succinylcholine is present only for use in emergency airway rescue, the facility must document a protocol to manage the possibility of malignant hyperthermia (MH) following its use.

500.023.010 Compliant Deficient C-M,C

There must be adequate screening for MH risk that includes but is not limited to a family history of unexpected death(s) following general anesthesia or exercise; a family or personal history of MH, a muscle or neuromuscular disorder, high temperature following exercise; a personal history of muscle spasm, dark or chocolate-colored urine, or unanticipated fever immediately following anesthesia or serious exercise.

500.023.015 Compliant Deficient C-M,C

The facility director and all operating surgeons and anesthesiology providers should be aware of genetic and/or caffeine-halothane contracture testing (CHCT) for MH and refer patients for appropriate testing if there is a suspicious history as above prior to permitting surgery to take place in the facility.

500.023.020 Compliant Deficient C-M,C

The medical director should be able to demonstrate that all operating surgeons and anesthesia providers have familiarity with the early recognition of impending MH crisis as defined by the Malignant Hyperthermia Association of the United States (MHAUS).

500.023.025 Compliant Deficient C-M,C

The medical director will ensure that all staff are trained and annual drills are conducted for MH crisis and management including actual dilution of at least one vial of actual Dantrolene (expired OK). Staff should be assigned roles prior to drills and a written protocol outlining those personnel and their roles is on file. Documentation of drills is required.

500.023.030 ___Compliant ___Deficient C

A supply of sterile water for injection USP (without a bacteriostatic agent) is available to mix with dantrolene before injection (ie. 60ml/vial for Dantrium® and Revonto®, 5ml/vial for Ryanodex®)

500.023.035 ___Compliant ___Deficient C

A minimum of 4 ampoules, 50cc's each, of sodium bicarbonate (NaHCO₃).

500.023.040 ___Compliant ___Deficient C

A minimum supply of dantrolene/ryanodex should be stocked to treat a patient of average weight (approximately 70kg) with an initial dose: Dantrium®/Revonto® - 12 vials (20 mg/vial)
Ryanodex® - 1 vial (250 mg/vial)

500.023.045 ___Compliant ___Deficient C

An additional* supply of dantrolene/ryanodex and diluents are stored in the facility, or the facility has a written agreement with another source that will provide additional* dantrolene/ryanodex and diluents on a STAT basis within 15 minutes for continued treatment and stabilization of a patient experiencing a MH episode.

**additional supply of dantrolene is defined as:

Dantrium®/Revonto® - 24 vials (20 mg/vial)

Ryanodex® - 2 vials (250 mg/vial)

500.023.050 ___Compliant ___Deficient C-M,C

The MHAUS malignant hyperthermia algorithms must be available on the emergency cart.

500.023.055 ___Compliant ___Deficient C-M,C

Flow sheets for any MH intervention, as well as forms to rapidly communicate progress of intervention with receiving facilities, are on the emergency cart and all facilities must document and report any "adverse metabolic or musculoskeletal reaction to anesthesia." This documentation must be transportable with the patient when transferred to a receiving facility.

500.023.060 ___Compliant ___Deficient C-M,C

Facilities should establish the best destination as a transfer standard, which means the facility director has pre-planned for MH transfer and established the capabilities of a facility within a reasonable distance (eg, a tertiary care center that is further away may be better than a community-type emergency room that is closer). The facility must make advanced arrangements with an emergency medical service (EMS) provider to accommodate the facility's MH transfer plan. The facility's medical director must also ensure the ability of the receiving transport team to continue the MHAUS protocol.

600 MEDICAL RECORDS

600.010 General

600.010.001 ___Compliant _____Deficient A,B,C-M,C

The facility must maintain separate, complete, comprehensive and accurate medical records to ensure adequate patient care.

416.47 Condition

600.010.002 ___Compliant _____Deficient A,B,C-M,C

The facility must develop and maintain a system for the proper collection, storage, and use of patient records.

416.47.a Standard

600.010.005 ___Compliant _____Deficient A,B,C-M,C

Electronic medical records (EMR) must comply with security and privacy obligations under current HIPPA regulations.

600.010.010 ___Compliant _____Deficient A,B,C-M,C

Medical records for each patient must be accurate, legible, and promptly completed.

416.47.b Standard

600.010.015 ___Compliant _____Deficient A,B,C-M,C

Medical records must be retained for the number of years required by state and/or federal law; or for a minimum of 3 years to comply with the AAAASF 3-year survey cycle.

600.010.020 Compliant Deficient A,B,C-M,C

Medical records are filed for easy accessibility and must be maintained in the facility regardless of the location of the operating surgeon's office.

600.010.023 Compliant Deficient A,B,C-M,C

Records contain appropriate patient identification.

416.47.b.1 Standard

600.010.025 Compliant Deficient A,B,C-M,C

Medical records must be kept secure and confidential, consistent with HIPAA regulations.

600.010.030 Compliant Deficient A,B,C-M,C

The ASC must develop and maintain a policy that identifies those patients who require a medical history and physical examination prior to surgery.

The policy must:

- Include the 30-day time frame for medical history and physical examination to be completed prior to surgery.
- Address, at minimum, the following factors: patient age, diagnosis, the type and number of procedures scheduled to be performed on the same surgery date, known comorbidities, and the planned anesthesia level.
- Be based on any applicable nationally recognized standards of practice and guidelines, and any applicable State and local health and safety laws.

416.52.a.1; 416.52.a.1.i; 416.52.a.1.ii; 416.52.a.1.iii Standard

600.010.035 Compliant Deficient A,B,C-M,C

Significant medical history and a physical examination covering the organs and systems commensurate with the procedure(s) are recorded on all patients and placed in the clinical record prior to the surgical procedure.

416.47.b.2 Standard

600.010.050 Compliant Deficient A,B,C-M,C

All medical records must include a discharge diagnosis.

416.47.b.8 Standard

600.011 Pre-operative Medical Record

"The medical record includes responses to the following questions:"

600.011.005 Compliant Deficient A, B,C-M,C

A pregnancy testing policy must be in place that requires a discussion and documentation of the issue with each patient.

600.011.010 Compliant Deficient A,B,C-M,C

The pre-operative medical record includes responses regarding any allergies and abnormal drug reactions.

416.47.b.5 Standard

600.011.015 Compliant Deficient A,B,C-M,C

The pre-operative medical record includes responses regarding current medications.

600.011.020 Compliant Deficient A,B,C-M,C

The pre-operative medical record includes responses regarding previous serious illness.

600.011.025 Compliant Deficient A,B,C-M,C

The pre-operative medical record includes responses regarding current and chronic illness.

600.011.030 Compliant Deficient A,B,C-M,C

The pre-operative medical record includes responses regarding previous surgeries.

600.011.035 Compliant Deficient A,B,C-M,C

The pre-operative medical record includes responses regarding perioperative bleeding risk including medical conditions and medication taken up to the day of the procedure.

600.011.040 Compliant Deficient A,B,C-M,C

Treating physicians or consultants are contacted in cases where warranted by the history and physical examination.

600.011.045 Compliant Deficient A,B,C-M,C

Appropriate laboratory procedures are performed where indicated.

600.011.050 Compliant Deficient A,B,C-M,C

The medical history includes pre-operative diagnostic studies (entered before surgery), if performed.

416.47.b.3 Standard

600.020 Informed Consent Forms

600.020.010 Compliant Deficient A,B,C-M,C

Properly executed informed consent forms are always obtained, which authorizes the surgeon by name to perform surgery and describes the operative procedure.

416.47.b.7 Standard

600.020.015 Compliant Deficient A,B,C-M,C

Expectations, alternatives, risks, and complications are discussed with the patient, and these are documented.

600.020.020 Compliant Deficient A,B,C-M,C

The informed consent provides consent for administration of anesthesia or sedatives under the direction of the surgeon, CRNA, or anesthesiologist.

600.020.025 Compliant Deficient A,B,C-M,C

Advance Directives. The ASC must comply with the following requirement:
Provide the patient or, as appropriate, the patient's representative with written information concerning its policies on advance directives, including a description of applicable State health and safety laws, and, if requested, official State advance directive forms.

416.50.c Standard

416.50.c.1 Standard

600.020.026 Compliant Deficient A,B,C-M,C

Advance Directives. The ASC must comply with the following requirement:
Inform the patient or, as appropriate, the patient's representative or surrogate of the patient's right to make informed decisions regarding the patient's care.

416.50.c.2 Standard

600.020.027 Compliant Deficient A,B,C-M,C

Advance Directives. The ASC must comply with the following requirement:
Document in a prominent part of the patient's current medical record, whether or not the individual has executed an advance directive.

416.50.c.3 Standard

600.030 **Laboratory, Pathology, X-Ray, Consultation and Treating Physician Reports**

600.030.010 Compliant Deficient A,B,C-M,C

Printed or written copies of these reports are kept in the medical record.

600.030.015 Compliant Deficient A,B,C-M,C

All laboratory results must be reviewed and initialed by the CRNA, anesthesiologist, registered nurse or surgeon.

600.030.016 Compliant Deficient A,B,C-M,C

All abnormal laboratory results must be reviewed and initialed by the surgeon within 1 week of receipt of results.

600.030.020 Compliant Deficient A,B,C-M,C

All other reports, such as pathology reports and medical clearance reports, must be reviewed and initialed by the surgeon.

600.030.030 Compliant Deficient A,B,C-M,C

The name of the pathologist must be on all pathology reports.

600.030.055 Compliant Deficient A,B,C-M,C

All surgical specimens must get submitted for pathological processing except those exempted by the governing body.

416.47(b)(4) Standard

600.040 Operating Room Records (Major Cases)

600.040.010 Compliant Deficient A,B,C-M,C

A separate surgical log of all cases is maintained, either in a tamper proof log with sequentially numbered pages, or in a secured computer log.

600.040.015 Compliant Deficient A,B,C-M,C

A surgical log must include a numerical listing of patients with either consecutive numbering from the first case carried out in the facility, or consecutive numbers starting each year.

600.040.020 Compliant Deficient A,B,C-M,C

A surgical log must include the date of surgery.

600.040.025 Compliant Deficient A,B,C-M,C

A Surgical Log must include:
Patient's name and/or identification number.

600.040.030 Compliant Deficient A,B,C-M,C

A surgical log must include:
Record of surgery(ies) and other invasive procedures to be conducted during the case.

600.040.035 Compliant Deficient A,B,C-M,C

A surgical log must include:
The surgeon's name.

600.040.040 Compliant Deficient A,B,C-M,C

A surgical log must include:
Record of the type of anesthesia
used.

416.47.b.6 Standard

600.040.045 Compliant Deficient B,C-M,C

A Surgical Log must include:
Name of person(s) administering
anesthesia.

416.47.b.6 Standard

600.040.050 Compliant Deficient B,C-M,C

A surgical log must include
the name of the person(s) assisting the surgeon (MD,
RN, scrub tech/circulating RN, PA).

600.040.060 Compliant Deficient B,C-M,C

A separate anesthesia record is maintained in which all medications given to
a patient are recorded, including date, time, amount, and route of
administration.

416.47.b.6 Standard

600.040.065 Compliant Deficient B,C-M,C

A separate anesthesia record is maintained in which all intravenous and
subcutaneous fluids given pre-operatively, intra-operatively, and post-
operatively are recorded.

416.47.b.6 Standard

600.040.070 Compliant Deficient B,C-M,C

A separate anesthesia record is maintained in which post-operative vital
signs are recorded until the patient is discharged from the facility.

416.47.b.6 Standard

416.52.b Standard

600.040.075 Compliant Deficient B,C-M,C

There is an operative report which includes operative technique and findings.

600.040.080 Compliant Deficient B,C-M,C

Post-operative progress notes are recorded.

600.040.085 Compliant Deficient B,C-M,C

A separate anesthesia record is maintained in which: Vital signs are recorded during surgery.

416.47.b.6 Standard

700**QUALITY ASSESSMENT/QUALITY IMPROVEMENT****700.010** **Quality Improvement**

700.010.005 Compliant Deficient A,B,C-M,C

The ASC must develop, implement and maintain an ongoing, data-driven quality assessment and performance improvement (QAPI) program.

416.43 Condition

700.010.015 Compliant Deficient A,B,C-M,C

The facility has a written quality improvement program implemented which includes surveys or projects that monitor and evaluate patient care

700.010.020 Compliant Deficient A,B,C-M,C

The facility has a written quality improvement program implemented which includes surveys or projects that evaluate methods to improve patient care

416.43.c Standard

700.010.025 Compliant Deficient A,B,C-M,C

The facility has a written quality improvement program implemented which includes surveys or projects that identify and correct deficiencies within the facility

700.010.030 Compliant Deficient A,B,C-M,C

The facility has a written quality improvement program implemented which includes surveys or projects that alert the medical director to identify and resolve problems

700.010.035 Compliant Deficient A,B,C-M,C

The facility has a written quality improvement program implemented which includes documentation of quarterly peer review meetings for the prior 3 years, which should be available for the surveyor

700.010.040 Compliant Deficient A,B,C-M,C

The program must include, but not be limited to, an ongoing program that demonstrates measurable improvement in patient health outcomes and improves patient safety by using quality indicators or performance measures associated with improved health outcomes and by the identification and reduction of medical errors.

416.43.a Standard
416.43.a.1 Standard

700.010.041 Compliant Deficient A,B,C-M,C

The ASC must measure, analyze, and track quality indicators, adverse patient events, infection control and other aspects of performance that includes care and services furnished in the ASC.

416.43.a.2 Standard

700.010.046 Compliant Deficient A,B,C-M,C

The ASC must set priorities for its performance improvement activities that focus on high risk, high volume, and problem-prone areas.

416.43.c.1 Standard
416.43.c.1.(i) Standard

700.010.047 Compliant Deficient A,B,C-M,C

The ASC must set priorities for its performance improvement activities that consider incidence, prevalence, and severity of problems in those areas.

416.43.c.1.(ii) Standard

700.010.048 ___Compliant _____Deficient A,B,C-M,C

The ASC must set priorities for its performance improvement activities that affect health outcomes, patient safety, and quality of care.

416.43.c.1.(iii) Standard

700.010.049 ___Compliant _____Deficient A,B,C-M,C

Performance improvement activities must track adverse patient events, examine their causes, implement improvements, and ensure that improvements are sustained over time.

416.43.c.2 Standard

700.010.050 ___Compliant _____Deficient A,B,C-M,C

The ASC must implement preventive strategies throughout the facility targeting adverse patient events and ensure that all staff are familiar with these strategies.

416.43.c.3 Standard

700.010.052 ___Compliant _____Deficient A,B,C-M,C

The number and scope of distinct improvement projects conducted annually must reflect the scope and complexity of the ASC's services and operations.

416.43.d Standard

416.43.d.1 Standard

700.010.053 ___Compliant _____Deficient A,B,C-M,C

The ASC must document the projects that are being conducted. The documentation, at a minimum, must include the reason(s) for implementing the project, and a description of the project's results.

416.43.d.2 Standard

700.010.055 Compliant Deficient A,B,C-M,C

The program must incorporate quality indicator data, including patient care and other relevant data regarding services furnished in the ASC.

416.43.b Standard
416.43.b.1 Standard

700.010.057 Compliant Deficient A,B,C-M,C

The ASC must use the data collected to monitor the effectiveness and safety of its services, and quality of its care.

416.43.b.2 Standard
416.43.b.2.(i) Standard

700.010.058 Compliant Deficient A,B,C-M,C

The ASC must use the data collected to identify opportunities that could lead to improvements and changes in its patient care.

416.43.b.2.(ii) Standard

700.010.061 Compliant Deficient A,B,C-M,C

The governing body must ensure that the QAPI program is defined, implemented, and maintained by the ASC.

416.43.e Standard
416.43.e.1 Standard

700.010.062 Compliant Deficient A,B,C-M,C

The governing body must ensure that the QAPI program addresses the ASC's priorities and that all improvements are evaluated for effectiveness.

416.43.e.2 Standard

700.010.063 Compliant Deficient A,B,C-M,C

The governing body must ensure that the QAPI program specifies data collection methods, frequency, and details.

416.43.e.3 Standard

700.010.064 Compliant Deficient A,B,C-M,C

The governing body must ensure that the QAPI program clearly establishes its expectations for safety.

416.43.e.4 Standard

700.010.065 Compliant Deficient A,B,C-M,C

The governing body must ensure that the QAPI program adequately allocates sufficient staff, time, information systems and training to implement the QAPI program.

416.43.e.5 Standard

700.020 **Peer Review**

700.020.000 Compliant Deficient A,B,C-M,C

Note: To be HIPAA compliant, a copy of the HIPPA Business Associate Agreement must be signed by each physician working outside the facility participating in peer review, and a copy must be retained on file in the facility. For an example of a confidentiality agreement, contact the AAAASF central office.

700.020.010 Compliant Deficient A,B,C-M,C

Peer review is performed and submitted to the online system or sent to the AAAASF office for upload at least every 6 months and includes reviews of both random cases and unanticipated operative sequelae using the AAAASF forms and reporting format. A random sample of the cases for each surgeon must include the first case done by each surgeon each month during the reporting period for a total of 6 cases. If a surgeon using the facility has done fewer than 6 cases during a reporting period, that must be reported to the AAAASF Central Office and all of that surgeon's cases during that period must be reviewed. The facility must maintain a record of its compliance onsite for a minimum of three years.

700.020.015 Compliant Deficient A,B,C-M,C

If peer review sources external to the facility are used to evaluate delivery of medical care, the HIPPA business agreement is so written as to waive confidentiality of the medical records.

700.020.020 Compliant Deficient A,B,C-M,C

Peer review may be done by a recognized peer review organization or a physician, podiatrist, or oral and maxillofacial surgeon other than the operating surgeon.

700.030 **Random Case Review**

700.030.010 Compliant Deficient A,B,C-M,C

A minimum of 6 cases for each surgeon operating in the facility are reviewed every 6 months, or all cases performed by surgeons who have fewer than 6 cases completed for the period.

700.030.015 Compliant Deficient A,B,C-M,C

Random case reviews must include, at a minimum, record of the adequacy and legibility of history and physical exam.

700.030.020 Compliant Deficient A,B,C-M,C

Random case reviews must include, at a minimum, record of the adequacy of surgical and anesthesia consent.

700.030.025 Compliant Deficient A,B,C-M,C

Random case reviews must include, at a minimum, record of the presence of appropriate laboratory, EKG, and radiographic reports.

700.030.030 Compliant Deficient A,B,C-M,C

Random case reviews must include, at a minimum, record of the presence of a written operative report.

700.030.035 Compliant Deficient B,C-M,C

Random case reviews must include, at a minimum, anesthesia and recovery record (with IV sedation or general anesthesia).

700.030.040 Compliant Deficient A,B,C-M,C

Random case reviews must include, at a minimum, record of the Presence of instructions for post-operative care.

700.030.045 Compliant Deficient A,B,C-M,C

Random case reviews must include, at a minimum, record of the documentation of any complications.

700.040 Unanticipated Operative Sequelae

All unanticipated operative sequelae which occur within 30 days of surgery are reviewed, including but not limited to:

700.040.010 Compliant Deficient A,B,C-M,C

Review record of any unplanned hospital admission.

700.040.015 Compliant Deficient A,B,C-M,C

Review record of any unscheduled return to the operating room for a complication of a previous surgery.

700.040.020 Compliant Deficient A,B,C-M,C

Review record of any complications such as infection, bleeding, wound dehiscence, or inadvertent injury to another body structure.

700.040.025 Compliant Deficient A,B,C-M,C

Review record of any cardiac or respiratory problems during the patient's stay at the facility or within 48 hours of discharge.

700.040.030 Compliant Deficient A,B,C-M,C

Review record of any allergic reactions.

700.040.035 Compliant Deficient A,B,C-M,C

Review record of any incorrect needle or sponge count.

700.040.040 Compliant Deficient A,B,C-M,C

Review record of any patient or family complaint.

700.040.045 Compliant Deficient A,B,C-M,C

Review record of any equipment malfunction leading to injury or potential injury to the patient.

700.040.050 Compliant Deficient A,B,C-M,C

Review record of any a death occurring within 30 days of a procedure done in an AAAASF-accredited facility must be reported to the AAAASF office within 5 days of notification of the death.

700.040.055 Compliant Deficient A,B,C-M,C

Each unanticipated operative sequelae chart review must include the following information, in addition to the operation performed, identification of the problem.

700.040.060 Compliant Deficient A,B,C-M,C

Each unanticipated operative sequela chart review must include the following information, in addition to the operation performed, immediate treatment or disposition of the case.

700.040.065 Compliant Deficient A,B,C-M,C

Each unanticipated operative sequela chart review must include the following information, in addition to the operation performed, outcome.

700.040.070 Compliant Deficient A,B,C-M,C

Each unanticipated operative sequela chart review must include the following information, in addition to the operation performed, reason for the problem.

700.040.075 Compliant Deficient A,B,C-M,C

Each unanticipated operative sequela chart review must include the following information, in addition to the operation performed, assessment of the efficacy of treatment.

700.050 **Patient's Bill of Rights****700.050.010** Compliant Deficient A,B,C-M,C

A copy of the AAAASF Patient's Rights is prominently displayed in a place or places likely to be noticed by patients waiting for treatment or by the patient's representative or surrogate if applicable and a copy is provided to each patient, patients representative or surrogate. Facility personnel must adhere to, protect, and promote the Patient's Rights.

416.50.a Condition

700.050.050 Compliant Deficient A,B,C-M,C

The ASC must provide the patient or the patient's representative with verbal and written notice of the patient's rights prior to the start of the surgical procedure in a language and manner that the patient or the patient's representative understands.

416.50.a Standard

700.050.051 Compliant Deficient A,B,C-M,C

The ASC's notice of rights must include the name, address, and telephone number of a representative in the State agency to whom patients can report complaints, as well as the Web site for the Office of the Medicare Beneficiary Ombudsman.

416.50.a Standard

700.050.052 Compliant Deficient A,B,C-M,C

The ASC must also disclose, where applicable, physician financial interests or ownership in the ASC facility, and where applicable, provide a list of physicians who have financial interest or ownership in the ASC facility in accordance with the intent of 42 CFR 420. Disclosure of information must be in writing and furnished to the patient in advance of the date of the procedure.

416.50.b Standard

700.60 **Competency, Grievances**

700.060.015 Compliant Deficient A,B,C-M,C

If a patient is adjudged incompetent under applicable State laws by a court of proper jurisdiction, the rights of the patient are exercised by the person appointed under State law to act on the patient's behalf.

416.50.e.2 Standard

700.060.016 Compliant Deficient A,B,C-M,C

If a State court has not adjudged a patient incompetent, any legal representative or surrogate designated by the patient in accordance with State law may exercise the patient's rights to the extent allowed by State law.

416.50.e.3 Standard

700.060.027 Compliant Deficient A,B,C-M,C

The patient has the right to: Be free from any act of discrimination or reprisal.

416.50.e Standard

416.50.e.1 Standard

416.50.e.1.(i) Standard

700.060.028 Compliant Deficient A,B,C-M,C

The patient has the right to: Voice grievances regarding treatment or care that is (or fails to be) provided.

416.50.e.1.(ii) Standard

700.060.029 Compliant Deficient A,B,C-M,C

The patient has the right to: Be fully informed about a treatment or procedure and the expected outcome before it is performed.

416.50.e.1.(iii) Standard

700.060.030 Compliant Deficient A,B,C-M,C

The ASC must comply with the Department of Health and Human Services' rules for the privacy and security of individually identifiable health information, as specified at 45 CFR parts 160 and 164.

416.50.g Standard

700.060.041 Compliant Deficient A,B,C-M,C

The ASC must establish a grievance procedure for documenting the existence, submission, investigation, and disposition of a patient's written or verbal grievance to the ASC.

416.50.d Standard

700.060.042 Compliant Deficient A,B,C-M,C

All alleged violations/grievances relating, but not limited to, mistreatment, neglect, verbal, mental, sexual, or physical abuse, must be fully documented.

416.50.d.1 Standard

700.060.043 Compliant Deficient A,B,C-M,C

All allegations must be immediately reported to a person in authority in the ASC.

416.50.d.2 Standard

700.060.044 Compliant Deficient A,B,C-M,C

Only substantiated allegations must be reported to the State authority or the local authority, or both.

416.50.d.3 Standard

700.060.045 ___Compliant _____Deficient A,B,C-M,C

The grievance process must specify timeframes for review of the grievance and the provisions of a response.

416.50.d.4 Standard

700.060.046 ___Compliant _____Deficient A,B,C-M,C

The ASC, in responding to the grievance, must investigate all grievances made by a patient, the patient's representative, or the patient's surrogate regarding treatment or care that is (or fails to be) furnished.

416.50.d.5 Standard

700.060.047 ___Compliant _____Deficient A,B,C-M,C

The ASC must document how the grievance was addressed, as well as provide the patient, the patient's representative, or the patient's surrogate with written notice of its decision. The decision must contain the name of an ASC contact person, the steps taken to investigate the grievance, the results of the grievance process, and the date the grievance process was completed.

416.50.d.6 Standard

700.060.051 ___Compliant _____Deficient A,B,C-M,C

The patient has a right to personal privacy.

416.50.f Standard

416.50.f.1 Standard

700.060.052 ___Compliant _____Deficient A,B,C-M,C

The patient has a right to receive care in a safe setting. 416.50.f.2 Standard

700.060.053 ___Compliant _____Deficient A,B,C-M,C

The patient has a right to be free from all forms of abuse or harassment.

416.50.f.3 Standard

800 PERSONNEL

800.005 Medical Director

800.005.000 ___Compliant _____Deficient A,B,C-M,C

The medical director must have an MD or DO degree.

800.005.010 ___Compliant _____Deficient A,B,C-M,C

The medical director must be a physician currently licensed by the state in which the facility is located.

800.005.015 ___Compliant _____Deficient A,B,C-M,C

The medical director must be a physician certified or eligible for certification by either an ABMS medical or surgical specialty certifying boards or by the AOABS.

800.005.020 ___Compliant _____Deficient A,B,C-M,C

The medical director must be actively involved in the direction and management of the facility.

800.010 Staff Physicians, Podiatrists, or Oral Surgeons**800.010.010** Compliant Deficient A,B,C-M,C

Each physician, podiatrist, or oral and maxillofacial surgeon using the facility is credentialed and qualified for the surgical procedures they perform.

800.010.015 Compliant Deficient A,B,C-M,C

Procedures must be performed in a safe manner by qualified physicians who have been granted clinical privileges by the governing body in accordance with approved policies and procedures of the facility.

416.42 Condition

800.010.020 Compliant Deficient A,B,C-M,C

Physicians, podiatrists, or oral and maxillofacial surgeons who operate in facilities accredited by AAAASF must hold or demonstrate that they have held valid, unrestricted hospital privileges in their specialty at an accredited and/or licensed hospital. Only surgical procedures included within those hospital privileges may be performed within the AAAASF-accredited facility. If the privilege-granting hospital does not possess equipment or technology to allow a physician, podiatrist, or oral and maxillofacial surgeon to be credentialed for a specific surgery, the physician, podiatrist, or oral and maxillofacial surgeon may provide alternative evidence of training and competence in that surgery. Individual consideration will be given if the physician, podiatrist, or oral and maxillofacial surgeon no longer possesses or cannot obtain such privileges and can demonstrate that loss of or inability to obtain such privileges was not related to lack of clinical competence, ethical issues, or problems other than economic competition.

800.010.025 Compliant Deficient A,B,C-M,C

If the physician, podiatrist, or oral and maxillofacial surgeon does not hold admitting privileges at a hospital within 30 minutes of the facility, there must be a signed and dated document from a person in the same specialty who has admitting privileges in a hospital within 30 minutes of the facility that indicates their willingness to admit the patient to the hospital.

800.010.035 Compliant Deficient A,B,C-M,C

Each physician, podiatrist, or oral and maxillofacial surgeon must currently be licensed by the state in which they practice. Copies of each physician's, podiatrist's, or oral and maxillofacial surgeon's current license must be maintained on file in the facility.

800.010.040 Compliant Deficient A,B,C-M,C

Any change in the physician, podiatrist, or oral and maxillofacial surgeon staff must be reported in writing to the AAAASF Central Office within 30 days of such changes. Including copies of the following credentials of any new staff Current medical license ABMS board certification, AOABS board certification, or other approved board certification, letter of eligibility to any of the listed boards, or equivalent documentation for podiatrists or oral and maxillofacial surgeons. Current documentation of hospital privileges or satisfactory explanation for the lack thereof, must also be sent to the AAAASF Central Office.

800.010.045 Compliant Deficient A,B,C-M,C

Any action affecting the current professional license of the facility director, a member of the medical staff, a member of the physician pain management staff, or other licensed facility staff must be reported in writing to the AAAASF Central Office within 10 days of the time the facility director becomes aware of such an action.

800.010.100 Compliant Deficient A,B,C-M,C

Members of the medical staff must be legally and professionally qualified for the positions to which they are appointed and for the performance of privileges granted. The ASC grants privileges in accordance with recommendations from qualified medical personnel.
416.45.a Standard

800.010.105 Compliant Deficient A,B,C-M,C

Medical staff privileges must be periodically reappraised by the ASC and the scope of procedures must be periodically reviewed and amended as appropriate.
416.45.b Standard

800.020 **Anesthesiologist/CRNA**

800.020.050 Compliant Deficient B,C-M,C

If anesthesiologists, anesthesia assistants (as certified by the NCCAA) under direct supervision of the anesthesiologist and/or CRNAs participate in patient care at the facility, they are qualified for the procedures they perform and their credentials have been verified.

800.020.055 Compliant Deficient B,C-M,C

All anesthesiologists and CRNAs must be licensed or accredited by the state in which they practice.

800.020.060 Compliant Deficient C-M,C

All anesthesiologists and CRNAs must be responsible for the administration of dissociative anesthesia with propofol, spinal or epidural blocks, or general anesthesia and monitoring of all life support systems.

800.020.070 Compliant Deficient C-M,C

An anesthesiologist/CRNA cannot function in any other capacity (eg, surgical assistant or circulating nurse) during the surgery.

800.025 **Nurse**

800.025.010 Compliant Deficient A,B,C-M,C

There must be a registered nurse available for emergency treatment whenever there is a patient in the ambulatory surgery facility.

416.46.a Standard

800.025.015 Compliant Deficient A,B,C-M,C

Patient care responsibilities must be delineated for all nursing service personnel.

416.46.a Standard

800.025.020 Compliant Deficient A,B,C-M,C

The nursing services of the ASC must be directed and staffed to assure that the nursing needs of all patients are met and must be provided in accordance with recognized standards of practice.

416.46.a Standard

416.46 Condition

800.025.025 Compliant Deficient A,B,C-M,C

If the ASC assigns patient care responsibilities to practitioners other than physicians, it must have established policies and procedures, approved by the governing body, for overseeing and evaluating their clinical activities.

416.45.c Standard

800.030 **Operating Room Personnel**

800.030.010 Compliant Deficient B,C-M,C

All operating suite personnel are under the immediate supervision of a registered nurse, a physician other than the operating physician, or physician's assistant.

800.030.015 Compliant Deficient B,C-M,C

All operating suite personnel must meet acceptable standards as defined by their professional governing bodies, where applicable.

800.030.020 Compliant Deficient B,C-M,C

When a patient is present in the facility to undergo a procedure under a higher level of anesthesia than meets the AAAASF definition of Class A, there is a regularly employed and licensed registered nurse, physician other than the operating surgeon, or physician's assistant designated as the person responsible for patient care in all areas of the facility (ie, operating room and patient care areas), in accordance with state law.

800.030.030 Compliant Deficient A,B,C-M,C

No nurse provides coverage in the ASC and in an adjacent clinic (or hospital) at the same time.

800.040 **Personnel Records**

800.040.000 Compliant Deficient A,B,C-M,C

IMPORTANT: Employee information such as previous employment, health information (except state required immunization and test) disabilities, employment and performance reviews are protected and of no interest to the AAAASF surveyor. However, the surveyor does need to confirm that an adequate file is kept on each employee related to the items listed below. Please have only this data available for each employee, separate from the employee files.

800.040.010 Compliant Deficient A,B,C-M,C

There is a manual outlining personnel policies.

800.040.015 Compliant Deficient A,B,C-M,C

The manual contains personnel policies and records which are maintained according to OSHA and HIPAA guidelines.

IMPORTANT: Employee information must remain strictly confidential.

800.041 **Records and Experience**

800.041.005 Compliant Deficient A,B,C-M,C

Personnel records contain

Any health problems of the individual which may be hazardous to the employee, other employees or patients, and a plan of action or special precautions delineated as needed.

800.041.010 Compliant Deficient A,B,C-M,C

Personnel records contain Resume of training and experience

800.041.015 Compliant Deficient A,B,C-M,C

Personnel records contain

Current certification or license if required by the state

800.041.020 Compliant Deficient A,B,C-M,C .

Personnel records contain Date of employment

800.041.025 Compliant Deficient A,B,C-M,C

Personnel records contain Description of duties

800.041.030 Compliant Deficient A,B,C-M,C

Personnel records contain Record of continuing education

800.041.035 Compliant Deficient A,B,C-M,C

Personnel records contain
Inoculations or refusals

800.042 **Personnel Records: Safety Training**

800.042.010 Compliant Deficient A,B,C-M,C

Personnel records contain training documentation relative to hazard safety training.

800.042.015 Compliant Deficient A,B,C-M,C

Personnel records contain training documentation relative to blood-borne pathogens.

800.042.020 Compliant Deficient A,B,C-M,C

Personnel records contain training documentation relative to universal precautions.

800.042.025 Compliant Deficient A,B,C-M,C

Personnel records contain training documentation relative to other safety training, such as operation of a fire extinguisher.

800.042.030 Compliant Deficient A,B,C-M,C

Personnel records contain training documentation relative to at least basic cardiopulmonary life support (BCLS) certification for each operating room and recovery room team member, and ACLS certification for one team member, is required.

800.050 **Knowledge, Skill & CME Training**

800.050.010 Compliant Deficient A,B,C-M,C

The operating room personnel have knowledge of MH, cardiopulmonary, and anaphylactic emergencies. At least one member of the operating room team, preferably the surgeon or the anesthesia care giver, holds current ACLS certification.

800.050.015 Compliant Deficient A,B,C-M,C

The operating room personnel are familiar with equipment and procedures utilized in the treatment of the above emergencies.

800.050.020 Compliant Deficient A,B,C-M,C

If a gas sterilizer is used, personnel are thoroughly familiar with the operating instructions.

800.060 **Personnel Safety**

800.060.010 Compliant Deficient A,B,C-M,C

If an ethylene oxide gas sterilizer is used, appropriate personnel are badge-tested to ensure that there is no significant exposure.

800.060.015 Compliant Deficient C

Personnel are properly trained in the control procedures and work practices that have been demonstrated to reduce occupational exposures to anesthetic gases.

800.060.020 Compliant Deficient A,B,C-M,C

There is a written policy for what is considered to be personal protective equipment for specific tasks in the facility (eg, instrument cleaning, disposal of biological waste, surgery, radiology protection, etc.).

900 ANESTHESIA

900.000.000 The following anesthesia standards apply to all patients who receive anesthesia or sedation/analgesia. In extreme emergencies or life-threatening circumstances, these standards may be modified; all such circumstances should be documented in the patient's record.

900.005 Delivery of Anesthesia

900.005.006 Compliant Deficient A,B,C-M,C

An ASC may be exempted from the requirement for physician supervision of CRNAs as described in AAAASF Standard 900.005.015, if the State in which the ASC is located submits a letter to CMS signed by the Governor, following consultation with the State's Boards of Medicine and Nursing, requesting exemption from physician supervision of CRNAs. The letter from the Governor must attest that he or she has consulted with the State Boards of Medicine and Nursing about issues related to access to and the quality of anesthesia services in the State and has concluded that it is in the best interests of the State's citizens to opt-out of the current physician supervision requirement, and that the opt out is consistent with State law. (Found in 42 CFR 416.42)

416.42.c Standard

416.42.c.1 Standard

900.005.007 Compliant Deficient A,B,C-M,C

The request for exemption and recognition of State laws and the withdrawal of the request may be submitted at any time and are effective upon submission.

416.42.c.2 Standard

900.005.015 Compliant Deficient A,B,C-M,C

All anesthetics other than topical or local anesthetic agents are delivered by either an anesthesiologist, or by a CRNA (under physician supervision if required by state or federal law or by a policy adopted by the facility), or by an anesthesiology assistant certified by the NCCAA (under direct supervision of an anesthesiologist). Parenteral sedation, other than propofol, may be administered by a registered nurse under the supervision of a qualified physician.

416.42.b.1 Standard

416.42.b.2 Standard

900.005.020 Compliant Deficient A,B,C-M,C

The physician responsible for supervising the administration of anesthesia must have knowledge of anesthetics and resuscitative techniques. Podiatrists and oral and maxillofacial surgeons must use an anesthesiologist or a supervising physician to administer anesthesia.

416.42.b Standard

900.010 Pre-Anesthesia Care

900.010.000 Compliant Deficient A,B,C-M,C

If children are operated upon in the facility, there should be a written policy defining the unique perioperative care of pediatric patients. This is based upon considerations of age, risk categories, surgery, facility equipment, and capability.

900.010.010 Compliant Deficient A,B,C-M,C

A physician must examine the patient immediately before surgery to evaluate the risk of the procedure to be performed.
416.42.a.1 Standard
416.42.a.1.i Standard

900.010.011 Compliant Deficient A,B,C-M,C

A physician or anesthesiologist as defined at 42 CFR 410.69(b) of this chapter must examine the patient immediately before surgery to evaluate the risk of anesthesia.
416.42.a.1 Standard
416.42.a.1.i Standard

900.010.012 Compliant Deficient C-M,C

A physician or anesthesia provider must verify that all anesthesia equipment is in proper working order.

900.010.015 Compliant Deficient A,B,C-M,C

A physician must verify that an anesthesia care plan has been developed and documented.

900.010.020 Compliant Deficient A,B,C-M,C

A physician must verify that the patient or a responsible adult has been informed about the anesthesia care plan.

900.010.030 Compliant Deficient A,B,C-M,C

The anesthesia care plan is based on a review of the medical record.

900.010.035 Compliant Deficient A,B,C-M,C

The anesthetic care plan is based on: Medical history.

900.010.040 Compliant Deficient A,B,C-M,C

The anesthetic care plan is based on: Prior anesthetic experiences.

900.010.045 Compliant Deficient A,B,C-M,C

The anesthetic care plan is based on: Drug therapies.

900.010.050 Compliant Deficient A,B,C-M,C

The anesthesia care plan is based on medical examination and assessment of any conditions that might affect the preoperative risk.

900.010.055 Compliant Deficient A,B,C-M,C

The anesthesia care plan is based on a review of the medical tests and consultations.

900.010.060 Compliant Deficient A,B,C-M,C

The anesthesia care plan is based on a determination of preoperative medications needed for anesthesia.

900.010.065 Compliant Deficient A,B,C-M,C

The anesthesia care plan is based on providing preoperative instructions.

900.010.070 Compliant Deficient A,B,C-M,C

The operating surgeon concurs with the anesthesia plan developed by the anesthesia professional and documents agreement in the medical record.

900.020 Anesthetic Monitoring

900.020.000 Compliant Deficient A,B,C-M,C

Continual is defined as “repeated regularly and frequently in steady, rapid succession,” whereas continuous means “prolonged without interruption at any time.”

900.020.005 Compliant Deficient A,B,C-M,C

If responsible for supervising anesthesia or providing anesthesia, the qualified physician must be present in the operating suite throughout the administration of anesthesia.

900.021 Oxygenation

900.021.010 Compliant Deficient C

Patient monitoring during anesthesia consists of assessment by oxygen analyzer if an anesthesia machine is used during general anesthesia. The anesthesia machine has an alarm for low oxygen concentration.

900.021.015 Compliant Deficient B,C-M,C

Patient monitoring during anesthesia consists of pulse oximetry.

900.021.016 Compliant Deficient B, C-M,C

Patient monitoring during anesthesia consists of end tidal carbon dioxide sampling on all moderate sedation, deep sedation or general anesthetics.

-Continual monitoring for the presence of expired carbon dioxide shall be performed unless invalidated by the nature of the patient, procedure, or equipment. Quantitative monitoring of the volume of expired gas is strongly encouraged.

-Continual end-tidal carbon dioxide analysis, in use from the time of endotracheal tube/laryngeal mask placement until extubation/removal or initiating transfer to a postoperative care location, shall be performed using a quantitative method such as capnography, capnometry, or mass spectroscopy. When capnography or capnometry is utilized, the end tidal carbon dioxide alarm shall be audible to the anesthesiologist or the anesthesia care team personnel.

900.022 **Circulation Monitoring**

900.022.010 Compliant Deficient B,C-M,C

Circulation may be monitored by one or several of the following:

- Continuous EKG during procedure
- Blood pressure
- Heart rate every 5 minutes (minimum)
- Pulse oximetry
- Heart auscultation
- Intra-arterial pressure
- Ultrasound peripheral pulse monitor, pulse plethysmography, or oximetry

900.022.050 Compliant Deficient C-M,C

Temperature should be monitored when clinically significant changes in body temperature are expected.

900.022.055 Compliant Deficient C-M,C

“Forced air warmers,” blanket warmers, or other devices are used to maintain the patient’s temperature.

900.023 Ventilation

900.023.005 Compliant Deficient C

Every patient receiving general anesthesia shall have the adequacy of ventilation continually evaluated. Qualitative clinical signs such as chest excursion, observation of the reservoir breathing bag, and auscultation of breath sounds are useful.

900.023.010 Compliant Deficient C

When an endotracheal tube or laryngeal mask is inserted, its correct positioning must be verified by clinical assessment and by identification of carbon dioxide in the expired gas.

900.023.015 Compliant Deficient C

When ventilation is controlled by a mechanical ventilator, there shall be in continuous use a device that is capable of detecting the disconnection of any of the breathing system's components. The device must give an audible signal when its alarm threshold is exceeded.

| | |
|-------------|-------------------|
| 1000 | GOVERNANCE |
|-------------|-------------------|

| | |
|-----------------|------------------------------|
| 1000.010 | <u>Governing Body</u> |
|-----------------|------------------------------|

| | | | |
|---------------------|----------------------|-------------------------|-----------|
| 1000.010.010 | <u> </u> Compliant | <u> </u> Deficient | A,B,C-M,C |
|---------------------|----------------------|-------------------------|-----------|

The ASC has a governing body with full legal responsibility for determining, implementing, and monitoring policies governing ASC's total operation. The governing body has oversight and accountability for the quality assessment and performance improvement program, ensures that the facility policies and programs are administered so as to provide quality health care in a safe environment, and develops and maintains a disaster preparedness plan.

416.41 Condition

| | | | |
|---------------------|----------------------|-------------------------|-----------|
| 1000.010.050 | <u> </u> Compliant | <u> </u> Deficient | A,B,C-M,C |
|---------------------|----------------------|-------------------------|-----------|

The minutes of each official "Governance" meeting are recorded and filed with the original governing rules and regulations.

1000.021 **Mission and Structure**

1000.021.010 Compliant Deficient A,B,C-M,C

The governing body is responsible for the operation and performance of the ASC including: Determining the mission and goals of the ASC, including the types of services provided and for determining, implementing, and monitoring policies governing the ASC's total operation.

1000.021.011 Compliant Deficient A,B,C-M,C

The governing body is responsible for the operation and performance of the ASC including: Determining the organizational structure.

1000.021.012 Compliant Deficient A,B,C-M,C

The governing body is responsible for the operation and performance of the ASC including: Adopting policies and procedures for the orderly conduct of the ASC and for insuring procedures are provided in a safe and effective manner.

1000.021.015 Compliant Deficient A,B,C-M,C

The governing body is responsible for the operation and performance of the ASC including: Ensuring financial responsibility.

1000.021.019 Compliant Deficient A,B,C-M,C

The governing body is responsible for the operation and performance of the ASC including: Approving all arrangements for ancillary medical care delivered in the ASC, including laboratory, radiological, pathologic and anesthesia services.

416.49.b Standard

1000.021.020 Compliant Deficient A,B,C-M,C

The medical staff of the ASC must be accountable to the governing body. 416.45 Condition

1000.030 **Personnel**

1000.030.010 Compliant Deficient A,B,C-M,C

The appointment of administrative personnel is documented.

1000.050 **Facility Use**

1000.050.020 Compliant Deficient A,B,C-M,C

The governing body has defined the scope and intended use of the facility, as well as the appropriate ancillary support needed for the intended surgical procedures.

1600 Emergency Preparedness

1600.010 Emergency Preparedness Program

1600.010.001 Compliant Deficient A,B,C-M,C

The Provider/Supplier must comply with all applicable Federal, State, and local emergency preparedness requirements. The Provider/Supplier must establish and maintain an emergency preparedness program that meets the requirements of this section. The emergency preparedness program must include, but not be limited to, the following elements:

416.54 Condition

1600.010.002 Compliant Deficient A,B,C-M,C

Emergency plan. The Provider/Supplier must develop and maintain an emergency preparedness plan that must be reviewed, and updated at least every two (2) years.

416.54.a Standard

1600.010.003 Compliant Deficient A,B,C-M,C

The plan must be based on and include a documented, facility-based and community-based risk assessment, utilizing an all-hazards approach.

416.54.a.1 Standard

1600.010.004 Compliant Deficient A,B,C-M,C

The plan must include strategies for addressing emergency events identified by the risk assessment.

416.54.a.2 Standard

1600.010.005 Compliant Deficient A,B,C-M,C

The plan must address patient population, including, but not limited to, the type of services the Provider/Supplier has the ability to provide in an emergency; and continuity of operations, including delegations of authority and succession plans.

416.54.a.3 Standard

1600.010.007 Compliant Deficient A,B,C-M,C

The plan must include a process for cooperation and collaboration with local, tribal, regional, State, and Federal emergency preparedness officials' efforts to maintain an integrated response during a disaster or emergency situation.

416.54.a.4 Standard

1600.010.009 Compliant Deficient A,B,C-M,C

Policies and procedures. The Provider/Supplier must develop and implement emergency preparedness policies and procedures, based on the emergency plan set forth in standard 1600.010.002 of this section, risk assessment in standard 1600.010.003 of this section, and the communication plan in standard 1600.010.023 of this section. The policies and procedures must be reviewed and updated at least every two (2) years.

416.54.b Standard

- 1600.010.010** Compliant Deficient A,B,C-M,C
- At a minimum, the policies and procedures must address a system to track the location of on-duty staff and sheltered patients in the Provider/Supplier care during an emergency. If on-duty staff or sheltered patients are relocated during the emergency, the ASC must document the specific name and location of the receiving facility or other location.
- 416.54.b.1 Standard
-
- 1600.010.011** Compliant Deficient A,B,C-M,C
- At a minimum, the policies and procedures must address safe evacuation from the Provider/Supplier.
- 416.54.b.2 Standard
-
- 1600.010.012** Compliant Deficient A,B,C-M,C
- Safe evacuation from the Provider/Supplier, which includes consideration of care and treatment needs of evacuees.
- 416.54.b.2.i Standard
-
- 1600.010.013** Compliant Deficient A,B,C-M,C
- Safe evacuation from the Provider/Supplier, which includes staff responsibilities 416.54.b.2.ii Standard
-
- 1600.010.014** Compliant Deficient A,B,C-M,C
- Safe evacuation from the Provider/Supplier, which includes Transportation 416.54.b.2.iii Standard
-
- 1600.010.015** Compliant Deficient A,B,C-M,C
- Safe evacuation from the Provider/Supplier, which includes identification of evacuation locations, such as appropriate placement of exit signs
- 416.54.b.2.iv Standard
-
- 1600.010.016** Compliant Deficient A,B,C-M,C
- Safe evacuation from the Provider/Supplier, which includes primary and alternate means of communication with external sources of assistance.
- 416.54.b.2.v Standard
-
- 1600.010.017** Compliant Deficient A,B,C-M,C
- A means to shelter in place for patients, staff, and volunteers who remain in the Provider/Supplier.
- 416.54.b.3 Standard

| | | |
|--|--------------------------------|-----------|
| 1600.010.018 | ___Compliant _____Deficient | A,B,C-M,C |
| A system of medical documentation that preserves patient information 416.54.b.4.i Standard | | |
| <hr/> | | |
| 1600.010.019 | ___Compliant _____Deficient | A,B,C-M,C |
| A system of medical documentation that protects confidentiality of patient information 416.54.b.4.ii Standard | | |
| <hr/> | | |
| 1600.010.020 | ___Compliant _____Deficient | A,B,C-M,C |
| A system of medical documentation that secures and maintains the availability of records 416.54.b.4.iii Standard | | |
| <hr/> | | |
| 1600.010.021 | ___Compliant _____Deficient | A,B,C-M,C |
| The use of volunteers in an emergency and other staffing strategies, including the process and role for integration of State and Federally designated health care professionals to address surge needs during an emergency. 416.54.b.5 Standard | | |
| <hr/> | | |
| 1600.010.022 | ___Compliant _____Deficient | A,B,C-M,C |
| The role of the Provider/Supplier under a waiver declared by the Secretary, in accordance with section 1135 of the Act, in the provision of care and treatment at an alternate care site identified by emergency management officials. 416.54.b.6 Standard | | |
| <hr/> | | |
| 1600.010.023 | ___Compliant _____Deficient | A,B,C-M,C |
| Communication plan. The Provider/Supplier must develop and maintain an emergency preparedness communication plan that complies with Federal, State, and local laws and must be reviewed and updated at least every two (2) years. 416.54.c Standard | | |
| <hr/> | | |
| 1600.010.024 | ___Compliant _____Deficient | A,B,C-M,C |
| The communication plan must include names and contact information for the following: (i) Staff (ii) Entities providing services under arrangement (iii) Patients' physicians (iv) Volunteers (v) Other Provider/Suppliers within the same Medicare type 416.54.c.1 Standard | | |
| <hr/> | | |
| 1600.010.025 | ___Compliant _____Deficient | A,B,C-M,C |
| The communication plan must include contact information for the following: (i) Federal, state, tribal, regional, and local emergency preparedness staff (ii) Other sources of assistance 416.54.c.2 Standard | | |

- 1600.010.026** Compliant Deficient A,B,C-M,C
- The communication plan must include primary and alternate means for communicating with the following: (i) Provider/Supplier's staff (ii) Federal, State, tribal, regional, and local emergency management agencies.
- 416.54.c.3 Standard
-
- 1600.010.027** Compliant Deficient A,B,C-M,C
- The communication plan must include a method for sharing information and medical documentation for patients under the Provider/Supplier's care, as necessary, with other health care providers to maintain the continuity of care.
- 416.54.c.4 Standard
-
- 1600.010.028** Compliant Deficient A,B,C-M,C
- The communication plan must include a means, in the event of an evacuation, to release patient information as permitted under 45 CFR 164.510(b)(1)(ii)
- 416.54.c.5 Standard
-
- 1600.010.029** Compliant Deficient A,B,C-M,C
- The communication plan must include a means of providing information about the general condition and location of patients under the facility's care as permitted under 45 CFR 164.510(b)(4).
- 416.54.c.6 Standard
-
- 1600.010.030** Compliant Deficient A,B,C-M,C
- The communication plan must include a means of providing information about the Provider/Supplier's needs, and its ability to provide assistance, to the authority having jurisdiction or the Incident Command Center, or designee.
- 416.54.c.7 Standard
-
- 1600.010.031** Compliant Deficient A,B,C-M,C
- Training and testing. The Provider/Supplier must develop and maintain an emergency preparedness training and testing program that is based on the emergency plan set forth in standard 1600.010.002 of this section, risk assessment in standard 1600.010.003 of this section, policies and procedures in standard 1600.010.009 of this section, and the communication plan in standard 1600.010.023 of this section. The training and testing program must be reviewed and updated at least every two (2) years.
- 416.54.d Standard
-
- 1600.010.032** Compliant Deficient A,B,C-M,C
- The training program must consist of initial training in emergency preparedness policies and procedures to all new and existing staff, individuals providing on-site services under arrangement, and volunteers, consistent with their expected roles.
- 416.54.d.1.i Standard

1600.010.033 Compliant Deficient A,B,C-M,C

The training program must provide emergency preparedness training at least every two (2) years.
416.54.d.1.ii Standard

1600.010.034 Compliant Deficient A,B,C-M,C

The training program must maintain documentation of all emergency preparedness training.
416.54.d.1.iii Standard

1600.010.035 Compliant Deficient A,B,C-M,C

The training program must demonstrate staff knowledge of emergency procedures.
416.54.d.1.iv Standard

1600.010.036 Compliant Deficient A,B,C-M,C

If the emergency preparedness policies and procedures are significantly updated, the Provider/
Supplier must conduct training on the updated policies and procedures.
416.54.d.1.v Standard

1600.010.037 Compliant Deficient A,B,C-M,C

Testing. The Provider/Supplier must conduct exercises to test the emergency plan at least annually.
416.54.d.2 Standard

1600.010.038 Compliant Deficient A,B,C-M,C

The Provider/Supplier must participate in a full-scale exercise that is community-based every two (2) years; or
When a community based exercise is not accessible, conduct a facility-based functional exercise every two (2) years; or
If the Provider/Supplier experiences an actual natural or man-made emergency that requires activation of the emergency plan, the Provider/Supplier is exempt from engaging in its next required community-based or individual, facility-based functional exercise following the onset of the emergency event.
416.54.d.2.i; 416.54.d.2.i.A; 416.54.d.2.i.B Standard

1600.010.039 Compliant Deficient A,B,C-M,C

The Provider/Supplier must conduct an additional exercise at least every two (2) years, opposite the year the full-scale or functional exercise (standard 1600.010.038) is conducted, that may include, but is not limited to the following:
A) A second full-scale exercise that is community-based, or an individual, facility-based functional exercise; or
B) A mock disaster drill; or
C) A tabletop exercise or workshop that is led by a facilitator and includes a group discussion using a narrated, clinically relevant emergency scenario, and a set of problem statements, directed messages, or prepared questions designed to challenge an emergency plan.
416.54.d.2.ii; 416.54d.2.ii.A; 416.54.d.2.ii.B; 416.54.d.2.ii.C Standard

1600.010.040 Compliant Deficient A,B,C-M,C

The Provider/Supplier must analyze the Provider/Supplier's response to and maintain documentation of all drills, tabletop exercises, and emergency events, and revise the Provider/Supplier's emergency plan, as needed.
416.54.d.2.iii Standard

1600.020 **Integrated Healthcare Systems**

This section only applies to those providers/suppliers participating in Integrated Health Systems.

1600.020.001 ___Compliant _____Deficient A,B,C-M,C

If a Provider/Supplier is part of a healthcare system consisting of multiple separately certified healthcare facilities that elects to have a unified and integrated emergency preparedness program, the Provider/Supplier may choose to participate in the healthcare system's coordinated emergency preparedness program.

416.54.e Standard

1600.020.002 ___Compliant _____Deficient A,B,C-M,C

If elected, the unified and integrated emergency preparedness program must demonstrate that each separately certified facility within the system actively participated in the development of the unified and integrated emergency preparedness program.

416.54.e.1 Standard

1600.020.003 ___Compliant _____Deficient A,B,C-M,C

If elected, the unified and integrated emergency preparedness program must be developed and maintained in a manner that takes into account each separately certified facility's unique circumstances, patient populations, and services offered.

416.54.e.2 Standard

1600.020.004 ___Compliant _____Deficient A,B,C-M,C

If elected, the unified and integrated emergency preparedness program must demonstrate that each separately certified facility is capable of actively using the unified and integrated emergency preparedness program and is in compliance with the program.

416.54.e.3 Standard

1600.020.005 ___Compliant _____Deficient A,B,C-M,C

If elected, the unified and integrated emergency preparedness program must include a unified and integrated emergency plan that meets the requirements of standards 1600.010.004, 1600.010.005, and 1600.010.007.

416.54.e.4 Standard

1600.020.006 ___Compliant _____Deficient A,B,C-M,C

If elected, the unified and integrated emergency plan must also be based on and include a documented community-based risk assessment, utilizing an all-hazards approach.

416.54.e.4.i Standard

1600.020.007 ___Compliant _____Deficient A,B,C-M,C

If elected, the unified and integrated emergency plan must also be based on and include a documented individual facility-based risk assessment for each separately certified facility within the health system, utilizing an all-hazards approach.

416.54.e.4.ii Standard

1600.020.008 ___Compliant _____Deficient A,B,C-M,C

If elected, the unified and integrated emergency preparedness program must include integrated policies and procedures that meet the requirements set forth in 1600.010.009 of this section, a coordinated communication plan, and training and testing programs that meet the requirements in standards 1600.010.023 and 1600.010.031 of this section, respectively.

416.54.e.5 Standard

Only for ASC's in the State of Florida

9998 Florida Supplement**9998.010**

9998.010.005 Compliant Deficient A,B,C-M,C

The facility has processes that report and investigate safety incidents, complaints, adverse events and near misses for patients and staff on a defined basis. The results of these investigations of adverse events are reported in the Quality Improvement/Quality Assessment meetings.

9998.010.010 Compliant Deficient C

Anesthetic safety regulations shall be developed, posted and enforced. Such regulations shall include at least the following requirements: Electrical equipment in anesthetizing areas shall be on an audiovisual line isolation monitor, with the exception of radiologic equipment and fixed lighting more than 5 feet above the floor.

9998.010.015 Compliant Deficient C

Anesthetic safety regulations shall be developed, posted and enforced. Such regulations shall include at least the following requirements: Each anesthetic gas machine shall have pin-index system or equivalent safety system and a minimum oxygen flow safety device.

9998.010.020 Compliant Deficient A,B,C-M,C

The process for entry or admission to the facility for a procedure must be coordinated and defined in a policy.

9998.010.025 Compliant Deficient A,B,C-M,C

The facility has a written quality improvement program implemented which should include surveys of projects that include documentation of quarterly infection control and risk management meetings for the prior 3 years, which should be available for the surveyor.

Only for ASC's in the State of Florida

9998.010.030 Compliant Deficient A,B,C-M,C

Smoking Regulations Smoking regulations shall be adopted and shall include not less than the following provisions:
 (1) Smoking shall be prohibited in any room, ward, or compartment where flammable liquids, combustible gases, or oxygen is used or stored and in any other hazardous location, and such area shall be posted with signs that read NO SMOKING or shall be posted with the international symbol for no smoking.
 (2) In health care occupancies where smoking is prohibited and signs are prominently placed at all major entrances, secondary signs with language that prohibits smoking shall not be required.

9998.010.035 Compliant Deficient A,B,C-M,C

As part of an ongoing risk management program, the facility must conduct a risk assessment of its operational activities at least annually. The assessment should study the risks presented to patients and staff by medication management, fall hazards, infection control, equipment safety, patient risk resulting from long term conditions, and nutrition if any food or beverage services are available to patients. The results of the Risk Assessment should be prioritized for risk mitigation, risk management, and QA/PI projects.

9998.010.040 Compliant Deficient A,B,C-M,C

The facility must develop and maintain a program of risk management, appropriate to the organization. This may be carried out in conjunction with the Quality Assessment/Quality Improvement program.

9998.010.045 Compliant Deficient A,B,C-M,C

All staff must be educated in risk management activities on commencement of employment and annually thereafter, and when there is an identified need.

9998.010.050 Compliant Deficient A,B,C-M,C

The governing body of the organization is responsible for overseeing the program of risk management.

Only for ASC's in the State of Florida

9998.010.055 Compliant Deficient A,B,C-M,C

The facility will designate a person or committee responsible for implementation and ongoing management of the risk management program.

9998.010.060 Compliant Deficient A,B,C-M,C

The individual responsible for the risk management program shall have free access to all medical records of the licensed facility.

9998.010.065 Compliant Deficient A,B,C-M,C

The internal risk manager of each licensed facility shall:
Notify the family or guardian of the victim, if a minor, that an allegation of sexual misconduct has been made and that an investigation is being conducted.

9998.010.070 Compliant Deficient A,B,C-M,C

The internal risk manager of each licensed facility shall:
Report to the Department of Health every allegation of sexual misconduct, as defined by state law, and the respective practice act, by a licensed health care practitioner that involves a patient.

9998.010.075 Compliant Deficient A,B,C-M,C

Any witness who witnessed or who possesses actual knowledge of the act that is the basis of an allegation of sexual abuse shall: Notify the local police.

Only for ASC's in the State of Florida

9998.010.080 Compliant Deficient A,B,C-M,C

The risk manager shall be responsible for the regular and systematic reviewing of all incident reports for the purpose of identifying trends or patterns as to time, place or persons. Upon emergence of any trend or pattern in incident occurrence, the risk manager shall develop recommendations for corrective actions and risk management prevention education and training. Summary data shall be maintained for 3 years.

9998.010.085 Compliant Deficient A,B,C-M,C

Adverse events must be tracked and trended on a defined basis.

9998.010.090 Compliant Deficient A,B,C-M,C

State agencies and AAAASF shall have access to all facility records necessary to carry out the provisions of this manual. Evidence of the incidents reporting and analysis system and copies of summary reports, incident reports filed within the facility, and evidence of recommended and accomplished corrective actions shall be made available for review to any authorized representative of the state or AAAASF upon request during normal working hours.

9998.010.095 Compliant Deficient A,B,C-M,C

The facility's policies and services are developed with the advice of a group of professional personnel that includes one or more physicians / dentists, one or more physician assistants / nurse practitioners / mid-level clinical personnel, and at least one community member that is not a member of the clinic staff.

9999 LIFE SAFETY CODE/ HEALTH CARE FACILITY CODES

9999.005 Fire Safety

9999.005.005 Compliant Deficient B,C-M,C

The operating room and recovery room have an emergency power source—such as a generator or battery-powered inverter—with capacity to operate adequate monitoring, anesthesia, surgical equipment, cautery, and lighting for a minimum of 2 hours. If 2 or more operation and recovery rooms are used simultaneously, an adequate emergency power source must be available for each room.).

9999.005.025 Compliant Deficient A,B,C-M,C

Sufficient electrical outlets are available, labeled and grounded to suit the location (e.g. wet locations, cystoscopy-arthroscopy) and connected to emergency power supplies where appropriate.

9999.005.050 Compliant Deficient A,B,C-M,C

All flammable and combustible materials and supplies are stored and handled in a safe manner with appropriate ventilation according to the most stringent requirement from among the LSC and HCFC requirements, State or local authorities.

9999.005.060 Compliant Deficient A,B,C-M,C

Except as otherwise provided in section 42 CFR 416.44, the ASC must meet the provisions applicable to Ambulatory Health Care Occupancies, regardless of the number of patients served, and must proceed in accordance with the Life Safety Code (NFPA 101 and Tentative Interim Amendments TIA 12-1, TIA 12-2, TIA 12-3, and TIA 12-4).

416.44.b.1 Standard

9999.005.065 Compliant Deficient A,B,C-M,C

In consideration of a recommendation by the State survey agency, CMS may waive, for periods deemed appropriate, specific provisions of the Life Safety Code which, if rigidly applied, would result in unreasonable hardship upon an ASC, but only if the waiver will not adversely affect the health and safety of the patients.

416.44.b.2 Standard

9999.005.070 Compliant Deficient A,B,C-M,C

The provisions of the Life Safety Code do not apply in a State if CMS finds that a fire and safety code imposed by State law adequately protects patients in an ASC.
416.44.b.3 Standard

9999.005.075 Compliant Deficient A,B,C-M,C

When a sprinkler system is shut down for more than 10 hours, the ASC must:

- i) Evacuate the building or portion of the building affected by the system outage until the system is back in service, or
- ii) Establish a fire watch until the system is back in service.

416.44.b.5 Standard
416.44.b.5.i Standard
416.44.b.5.ii Standard

9999.005.080 Compliant Deficient A,B,C-M,C

An ASC may place alcohol-based hand rub dispensers in its facility if the dispensers are installed in a manner that adequately protects against inappropriate access.

416.44.b.4 Standard

9999.005.085 Compliant Deficient A,B,C-M,C

Beginning July 5, 2017, an ASC must be in compliance with Chapter 21.3.2.1, Doors to hazardous areas.

416.44.b.6 Standard

9999.005.090 ___Compliant _____Deficient A,B,C-M,C

Except as otherwise provided in section 42 CFR 416.44, the ASC must meet the applicable provisions and must proceed in accordance with the 2012 edition of the Health Care Facilities Code (NFPA 99, and Tentative Interim Amendments TIA 12-2, TIA 12-3, TIA 12-4, TIA 12-5 and TIA 12-6).

416.44.c Standard

9999.005.095 ___Compliant _____Deficient A,B,C-M,C

Chapters 7, 8, 12, and 13 of the adopted Health Care Facilities Code do not apply to an ASC.

416.44.c.1 Standard

9999.005.100 ___Compliant _____Deficient A,B,C-M,C

If application of the Health Care Facilities Code required under paragraph (c) of this section would result in unreasonable hardship for the ASC, CMS may waive specific provisions of the Health Care Facilities Code, but only if the waiver does not adversely affect the health and safety of patients.

416.44.c.2 Standard

9999.010 **Reference Section****9999.010.010** A,B,C-M,C

The standards incorporated by reference in this section are approved for incorporation by reference by the Director of the Office of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. You may inspect a copy at the CMS Information Resource Center, 7500 Security Boulevard, Baltimore, MD or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/federal_register/code_of_federal_regulations/ibr_locations.html. If any changes in this edition of the Code are incorporated by reference, CMS will publish a document in the Federal Register to announce the changes.

(1) National Fire Protection Association, 1 Batterymarch Park, Quincy, MA 02169, www.nfpa.org, 1.617.770.3000.

(i) NFPA 99, Standards for Health Care Facilities Code of the National Fire Protection Association 99, 2012 edition, issued August 11, 2011.

(ii) TIA 12-2 to NFPA 99, issued August 11, 2011.

(iii) TIA 12-3 to NFPA 99, issued August 9, 2012.

(iv) TIA 12-4 to NFPA 99, issued March 7, 2013. (v) TIA 12-5 to NFPA 99, issued August 1, 2013.

(vi) TIA 12-6 to NFPA 99, issued March 3, 2014.

(vii) NFPA 101, Life Safety Code, 2012 edition, issued August 11, 2011;

(viii) TIA 12-1 to NFPA 101, issued August 11, 2011.

(ix) TIA 12-2 to NFPA 101, issued October 30, 2012. (x) TIA 12-3 to NFPA 101, issued October 22, 2013.

(xi) TIA 12-4 to NFPA 101, issued October 22, 2013.

416.44.f Standard

Please fill out the attached score sheets as part of your 2nd Year or 3rd Year Self Survey. Once completed, fill in the Facility ID and Facility name. Also, have the Director fill in his/her name, sign, and date. Note that you will be responsible for any updates to the Standards during your 2nd and 3rd Year Self Surveys.

Facility ID _____

Medical Director (print) _____

Medical Director (signature) _____ **Date _____**

100.10 Basic Mandates

| | | | |
|-------------|-------------------------------------|---|-----------|
| 100.010.005 | <input type="checkbox"/> _Compliant | - | Deficient |
| 100.010.010 | <input type="checkbox"/> _Compliant | - | Deficient |
| 100.010.011 | <input type="checkbox"/> _Compliant | - | Deficient |
| 100.010.015 | <input type="checkbox"/> _Compliant | - | Deficient |
| 100.010.020 | <input type="checkbox"/> _Compliant | - | Deficient |
| 100.010.025 | <input type="checkbox"/> _Compliant | - | Deficient |
| 100.010.030 | <input type="checkbox"/> _Compliant | - | Deficient |
| 100.010.032 | <input type="checkbox"/> _Compliant | - | Deficient |
| 100.010.035 | <input type="checkbox"/> _Compliant | - | Deficient |
| 100.010.040 | <input type="checkbox"/> _Compliant | - | Deficient |
| 100.010.045 | <input type="checkbox"/> _Compliant | - | Deficient |
| 100.010.050 | <input type="checkbox"/> _Compliant | - | Deficient |
| 100.010.055 | <input type="checkbox"/> _Compliant | - | Deficient |
| 100.010.060 | <input type="checkbox"/> _Compliant | - | Deficient |
| 100.010.065 | <input type="checkbox"/> _Compliant | - | Deficient |
| 100.010.070 | <input type="checkbox"/> _Compliant | - | Deficient |
| 100.010.075 | <input type="checkbox"/> _Compliant | - | Deficient |
| 100.010.080 | <input type="checkbox"/> _Compliant | - | Deficient |
| 100.010.085 | <input type="checkbox"/> _Compliant | - | Deficient |
| 100.010.090 | <input type="checkbox"/> _Compliant | - | Deficient |

200.10 Policy

| | | |
|-------------|-------------------------------------|-------------------------------------|
| 200.010.010 | <input type="checkbox"/> _Compliant | <input type="checkbox"/> _Deficient |
|-------------|-------------------------------------|-------------------------------------|

200.20 Environment

| | | |
|-------------|-------------------------------------|-------------------------------------|
| 200.020.005 | <input type="checkbox"/> _Compliant | <input type="checkbox"/> _Deficient |
| 200.020.010 | <input type="checkbox"/> _Compliant | <input type="checkbox"/> _Deficient |
| 200.020.015 | <input type="checkbox"/> _Compliant | <input type="checkbox"/> _Deficient |
| 200.020.020 | <input type="checkbox"/> _Compliant | <input type="checkbox"/> _Deficient |
| 200.020.025 | <input type="checkbox"/> _Compliant | <input type="checkbox"/> _Deficient |
| 200.020.027 | <input type="checkbox"/> _Compliant | <input type="checkbox"/> _Deficient |
| 200.020.030 | <input type="checkbox"/> _Compliant | <input type="checkbox"/> _Deficient |
| 200.020.035 | <input type="checkbox"/> _Compliant | <input type="checkbox"/> _Deficient |
| 200.020.050 | <input type="checkbox"/> _Compliant | <input type="checkbox"/> _Deficient |
| 200.020.055 | <input type="checkbox"/> _Compliant | <input type="checkbox"/> _Deficient |
| 200.020.060 | <input type="checkbox"/> _Compliant | <input type="checkbox"/> _Deficient |
| 200.020.065 | <input type="checkbox"/> _Compliant | <input type="checkbox"/> _Deficient |
| 200.020.071 | <input type="checkbox"/> _Compliant | <input type="checkbox"/> _Deficient |
| 200.020.075 | <input type="checkbox"/> _Compliant | <input type="checkbox"/> _Deficient |
| 200.020.080 | <input type="checkbox"/> _Compliant | <input type="checkbox"/> _Deficient |
| 200.020.085 | <input type="checkbox"/> _Compliant | <input type="checkbox"/> _Deficient |
| 200.020.090 | <input type="checkbox"/> _Compliant | <input type="checkbox"/> _Deficient |
| 200.020.095 | <input type="checkbox"/> _Compliant | <input type="checkbox"/> _Deficient |

200.25 Storage

| | | |
|-------------|-------------------------------------|-------------------------------------|
| 200.025.001 | <input type="checkbox"/> _Compliant | <input type="checkbox"/> _Deficient |
| 200.025.005 | <input type="checkbox"/> _Compliant | <input type="checkbox"/> _Deficient |
| 200.025.010 | <input type="checkbox"/> _Compliant | <input type="checkbox"/> _Deficient |
| 200.025.015 | <input type="checkbox"/> _Compliant | <input type="checkbox"/> _Deficient |

200.30 Procedures - Sterilization

200.030.010 ___Compliant ___Deficient

200.030.015 ___Compliant ___Deficient

200.030.025 ___Compliant ___Deficient

200.35 High Level Disinfection

200.35.28 ___Compliant ___Deficient

200.35.29 ___Compliant ___Deficient

200.40 Instrument Processing

200.040.010 ___Compliant ___Deficient

200.040.015 ___Compliant ___Deficient

200.040.020 ___Compliant ___Deficient

200.040.025 ___Compliant ___Deficient

200.040.030 ___Compliant ___Deficient

200.040.035 ___Compliant ___Deficient

200.040.040 ___Compliant ___Deficient

200.040.045 ___Compliant ___Deficient

200.040.050 ___Compliant ___Deficient

200.040.055 ___Compliant ___Deficient

200.040.060 ___Compliant ___Deficient

200.50 Maintenance and Cleaning

200.050.005 ___Compliant ___Deficient

200.050.010 ___Compliant ___Deficient

200.050.015 ___Compliant ___Deficient

200.050.020 ___Compliant ___Deficient

200.050.025 ___Compliant ___Deficient

200.55 Infection Control

200.055.020 ___Compliant ___Deficient

200.055.021 ___Compliant ___Deficient

200.055.023 ___Compliant ___Deficient

200.055.030 ___Compliant ___Deficient

200.055.045 ___Compliant ___Deficient

200.055.050 ___Compliant ___Deficient

200.60 Surfaces

200.060.010 ___Compliant ___Deficient

200.060.015 ___Compliant ___Deficient

200.060.020 ___Compliant ___Deficient

200.70 Equipment

200.070.010 ___Compliant ___Deficient

200.070.015 ___Compliant ___Deficient

200.070.020 ___Compliant ___Deficient

200.070.035 ___Compliant ___Deficient

200.070.040 ___Compliant ___Deficient

200.070.045 ___Compliant ___Deficient

200.070.050 ___Compliant ___Deficient

200.070.055 ___Compliant ___Deficient

200.070.060 ___Compliant ___Deficient

200.070.065 ___Compliant ___Deficient

200.070.070 ___Compliant ___Deficient

200.070.075 ___Compliant ___Deficient

200.070.080 ___Compliant ___Deficient

200.070.085 ___Compliant ___Deficient

200.71 Operating Room Equipment List

200.071.010 ___ Compliant ___ Deficient
 200.071.015 ___ Compliant ___ Deficient
 200.071.020 ___ Compliant ___ Deficient
 200.071.025 ___ Compliant ___ Deficient
 200.071.030 ___ Compliant ___ Deficient
 200.071.035 ___ Compliant ___ Deficient
 200.071.040 ___ Compliant ___ Deficient
 200.071.045 ___ Compliant ___ Deficient
 200.071.050 ___ Compliant ___ Deficient
 200.071.055 ___ Compliant ___ Deficient
 200.071.060 ___ Compliant ___ Deficient
 200.071.065 ___ Compliant ___ Deficient
 200.071.070 ___ Compliant ___ Deficient
 200.071.075 ___ Compliant ___ Deficient
 200.071.080 ___ Compliant ___ Deficient
 200.071.085 ___ Compliant ___ Deficient
 200.071.090 ___ Compliant ___ Deficient
 200.071.095 ___ Compliant ___ Deficient

200.80 Emergency Power

200.080.040 ___ Compliant ___ Deficient
 200.080.045 ___ Compliant ___ Deficient
 200.080.050 ___ Compliant ___ Deficient

200.85 General Environment

200.085.005 ___ Compliant ___ Deficient
 200.085.016 ___ Compliant ___ Deficient

200.90 Medical Hazardous Waste

200.090.010 ___ Compliant ___ Deficient
 200.090.015 ___ Compliant ___ Deficient
 200.090.020 ___ Compliant ___ Deficient

200.95 Appearance and Layout

200.095.010 ___ Compliant ___ Deficient
 200.095.015 ___ Compliant ___ Deficient
 200.095.020 ___ Compliant ___ Deficient

300.00 Post-Anesthetic Care Unit (PACU)

- 300.000.015 ___Compliant ___Deficient
- 300.000.020 ___Compliant ___Deficient
- 300.000.025 ___Compliant ___Deficient

300.05 Evaluation and Transfer of Care

- 300.005.005 ___Compliant ___Deficient
- 300.005.006 ___Compliant ___Deficient
- 300.005.010 ___Compliant ___Deficient
- 300.005.015 ___Compliant ___Deficient
- 300.005.020 ___Compliant ___Deficient
- 300.005.025 ___Compliant ___Deficient
- 300.005.030 ___Compliant ___Deficient

300.06 Continued Evaluation

- 300.060.010 ___Compliant ___Deficient
- 300.006.015 ___Compliant ___Deficient
- 300.006.025 ___Compliant ___Deficient
- 300.006.030 ___Compliant ___Deficient

300.10 PACU Room (s)

- 300.010.010 ___Compliant ___Deficient
- 300.010.013 ___Compliant ___Deficient
- 300.010.015 ___Compliant ___Deficient
- 300.010.017 ___Compliant ___Deficient
- 300.010.025 ___Compliant ___Deficient
- 300.010.030 ___Compliant ___Deficient

300.20 Discharge

- 300.020.005 ___Compliant ___Deficient
- 300.020.015 ___Compliant ___Deficient
- 300.020.020 ___Compliant ___Deficient
- 300.020.025 ___Compliant ___Deficient
- 300.020.035 ___Compliant ___Deficient
- 300.020.045 ___Compliant ___Deficient
- 300.020.075 ___Compliant ___Deficient
- 300.020.080 ___Compliant ___Deficient
- 300.020.085 ___Compliant ___Deficient
- 300.020.090 ___Compliant ___Deficient

300.30 Extended Stays

- 300.030.010 ___Compliant ___Deficient
- 300.030.020 ___Compliant ___Deficient

400 General Safety In The Facility

- 400.000.000 ___Compliant ___Deficient

400.10 General

- 400.010.005 ___Compliant___Deficient
- 400.010.010 ___Compliant___Deficient
- 400.010.015 ___Compliant___Deficient
- 400.010.020 ___Compliant___Deficient
- 400.010.025 ___Compliant___Deficient
- 400.010.030 ___Compliant___Deficient
- 400.010.035 ___Compliant___Deficient
- 400.010.040 ___Compliant___Deficient
- 400.010.045 ___Compliant___Deficient

400.012 Laboratory, Pathology and X-Ray Services

- 400.012.001 ___Compliant___Deficient
- 400.012.005 ___Compliant___Deficient
- 400.012.010 ___Compliant___Deficient
- 400.012.015 ___Compliant___Deficient
- 400.012.020 ___Compliant___Deficient
- 400.012.022 ___Compliant___Deficient
- 400.012.025 ___Compliant___Deficient
- 400.012.030 ___Compliant___Deficient

400.20 Emergency Protocols

- 400.020.010 ___Compliant___Deficient
- 400.020.015 ___Compliant___Deficient
- 400.020.020 ___Compliant___Deficient
- 400.020.025 ___Compliant___Deficient
- 400.020.030 ___Compliant___Deficient
- 400.020.035 ___Compliant___Deficient
- 400.020.040 ___Compliant___Deficient
- 400.020.045 ___Compliant___Deficient
- 400.020.050 ___Compliant___Deficient
- 400.020.055 ___Compliant___Deficient
- 400.020.060 ___Compliant___Deficient
- 400.020.065 ___Compliant___Deficient
- 400.020.070 ___Compliant___Deficient

400.021 Transfer Agreement

- 400.021.010 ___Compliant___Deficient
- 400.021.025 ___Compliant___Deficient
- 400.021.035 ___Compliant___Deficient

500.10 Blood & Substitutes

- 500.010.010 ___Compliant___Deficient
- 500.010.015 ___Compliant___Deficient
- 500.010.020 ___Compliant___Deficient

500.20 Medications

- 500.020.010 ___Compliant___Deficient
- 500.020.015 ___Compliant___Deficient
- 500.020.020 ___Compliant___Deficient
- 500.020.025 ___Compliant___Deficient
- 500.020.030 ___Compliant___Deficient
- 500.020.045 ___Compliant___Deficient
- 500.020.050 ___Compliant___Deficient
- 500.020.055 ___Compliant___Deficient
- 500.020.060 ___Compliant___Deficient
- 500.020.070 ___Compliant___Deficient
- 500.020.090 ___Compliant___Deficient
- 500.020.095 ___Compliant___Deficient
- 500.020.100 ___Compliant___Deficient
- 500.020.105 ___Compliant___Deficient

500.21 ACLS Algorithm

500.021.015 ___Compliant ___Deficient
500.021.018 ___Compliant ___Deficient
500.021.019 ___Compliant ___Deficient
500.021.020 ___Compliant ___Deficient
500.021.023 ___Compliant ___Deficient
500.021.025 ___Compliant ___Deficient
500.021.026 ___Compliant ___Deficient

500.021.027 ___Compliant ___Deficient
500.021.035 ___Compliant ___Deficient
500.021.040 ___Compliant ___Deficient
500.021.045 ___Compliant ___Deficient
500.021.050 ___Compliant ___Deficient

500.23 Malignant Hyperthermia

500.023.005 ___Compliant ___Deficient
500.023.010 ___Compliant ___Deficient
500.023.015 ___Compliant ___Deficient
500.023.020 ___Compliant ___Deficient
500.023.025 ___Compliant ___Deficient
500.023.030 ___Compliant ___Deficient
500.023.035 ___Compliant ___Deficient

500.023.040 ___Compliant ___Deficient
500.023.045 ___Compliant ___Deficient
500.023.050 ___Compliant ___Deficient
500.023.055 ___Compliant ___Deficient
500.023.060 ___Compliant ___Deficient

600.10 General

600.010.001 ___Compliant ___Deficient
600.010.002 ___Compliant ___Deficient
600.010.005 ___Compliant ___Deficient
600.010.010 ___Compliant ___Deficient
600.010.015 ___Compliant ___Deficient
600.010.020 ___Compliant ___Deficient
600.010.023 ___Compliant ___Deficient
600.010.025 ___Compliant ___Deficient
600.010.030 ___Compliant ___Deficient
600.010.035 ___Compliant ___Deficient
600.010.050 ___Compliant ___Deficient

**600.11 Pre-operative
Medical Record**

600.011.005 ___Compliant ___Deficient
600.011.010 ___Compliant ___Deficient
600.011.015 ___Compliant ___Deficient
600.011.020 ___Compliant ___Deficient
600.011.025 ___Compliant ___Deficient
600.011.030 ___Compliant ___Deficient
600.011.035 ___Compliant ___Deficient
600.011.040 ___Compliant ___Deficient
600.011.045 ___Compliant ___Deficient
600.011.050 ___Compliant ___Deficient

600.20 Informed Consent Forms

600.020.010 ___Compliant ___Deficient
600.020.015 ___Compliant ___Deficient
600.020.020 ___Compliant ___Deficient
600.020.025 ___Compliant ___Deficient
600.020.026 ___Compliant ___Deficient
600.020.027 ___Compliant ___Deficient

**600.30 Laboratory, Pathology, X-Ray,
Consultation and Treating Physician
Reports**

600.030.010 ___Compliant ___Deficient
600.030.015 ___Compliant ___Deficient
600.030.016 ___Compliant ___Deficient
600.030.020 ___Compliant ___Deficient
600.030.030 ___Compliant ___Deficient
600.030.055 ___Compliant ___Deficient

600.40 **O.R. Records - Major Cases**

600.040.010 ___ Compliant ___ Deficient

600.040.015 ___ Compliant ___ Deficient

600.040.020 ___ Compliant ___ Deficient

600.040.025 ___ Compliant ___ Deficient

600.040.030 ___ Compliant ___ Deficient

600.040.035 ___ Compliant ___ Deficient

600.040.040 ___ Compliant ___ Deficient

600.040.045 ___ Compliant ___ Deficient

600.040.050 ___ Compliant ___ Deficient

600.040.060 ___ Compliant ___ Deficient

600.040.065 ___ Compliant ___ Deficient

600.040.070 ___ Compliant ___ Deficient

600.040.075 ___ Compliant ___ Deficient

600.040.080 ___ Compliant ___ Deficient

600.040.085 ___ Compliant ___ Deficient

700.10 **Quality Improvement**

700.010.005 ___ Compliant ___ Deficient

700.010.015 ___ Compliant ___ Deficient

700.010.020 ___ Compliant ___ Deficient

700.010.025 ___ Compliant ___ Deficient

700.010.030 ___ Compliant ___ Deficient

700.010.035 ___ Compliant ___ Deficient

700.010.040 ___ Compliant ___ Deficient

700.010.041 ___ Compliant ___ Deficient

700.010.046 ___ Compliant ___ Deficient

700.010.047 ___ Compliant ___ Deficient

700.010.048 ___ Compliant ___ Deficient

700.010.049 ___ Compliant ___ Deficient

700.010.050 ___ Compliant ___ Deficient

700.010.052 ___ Compliant ___ Deficient

700.010.053 ___ Compliant ___ Deficient

700.010.055 ___ Compliant ___ Deficient

700.010.057 ___ Compliant ___ Deficient

700.010.058 ___ Compliant ___ Deficient

700.010.061 ___ Compliant ___ Deficient

700.010.062 ___ Compliant ___ Deficient

700.010.063 ___ Compliant ___ Deficient

700.010.064 ___ Compliant ___ Deficient

700.010.065 ___ Compliant ___ Deficient

700.20 **Peer Review**

700.020.000 ___ Compliant ___ Deficient

700.020.010 ___ Compliant ___ Deficient

700.020.015 ___ Compliant ___ Deficient

700.020.020 ___ Compliant ___ Deficient

700.30 Random Case Review

700.030.010 ___Compliant ___Deficient

700.030.015 ___Compliant ___Deficient

700.030.020 ___Compliant ___Deficient

700.030.025 ___Compliant ___Deficient

700.030.030 ___Compliant ___Deficient

700.030.035 ___Compliant ___Deficient

700.030.040 ___Compliant ___Deficient

700.030.045 ___Compliant ___Deficient

700.40 Unanticipated Operative Sequelae

700.040.010 ___Compliant ___Deficient

700.040.015 ___Compliant ___Deficient

700.040.020 ___Compliant ___Deficient

700.040.025 ___Compliant ___Deficient

700.040.030 ___Compliant ___Deficient

700.040.035 ___Compliant ___Deficient

700.040.040 ___Compliant ___Deficient

700.040.045 ___Compliant ___Deficient

700.040.050 ___Compliant ___Deficient

700.040.055 ___Compliant ___Deficient

700.040.060 ___Compliant ___Deficient

700.040.065 ___Compliant ___Deficient

700.040.070 ___Compliant ___Deficient

700.040.075 ___Compliant ___Deficient

700.50 Patient's Bill of Rights

700.050.010 ___Compliant ___Deficient

700.050.050 ___Compliant ___Deficient

700.050.051 ___Compliant ___Deficient

700.050.052 ___Compliant ___Deficient

700.60 Competency, Grievances

700.060.015 ___Compliant ___Deficient

700.060.016 ___Compliant ___Deficient

700.060.027 ___Compliant ___Deficient

700.060.028 ___Compliant ___Deficient

700.060.029 ___Compliant ___Deficient

700.060.030 ___Compliant ___Deficient

700.060.041 ___Compliant ___Deficient

700.060.042 ___Compliant ___Deficient

700.060.043 ___Compliant ___Deficient

700.060.044 ___Compliant ___Deficient

700.060.045 ___Compliant ___Deficient

700.060.046 ___Compliant ___Deficient

700.060.047 ___Compliant ___Deficient

700.060.051 ___Compliant ___Deficient

700.060.052 ___Compliant ___Deficient

700.060.053 ___Compliant ___Deficient

800.05 Medical Director

800.005.000 ___ Compliant ___ Deficient
 800.005.010 ___ Compliant ___ Deficient
 800.005.015 ___ Compliant ___ Deficient
 800.005.020 ___ Compliant ___ Deficient

**800.10 Staff Physicians, Podiatrists,
or Oral Surgeons**

800.010.010 ___ Compliant ___ Deficient
 800.010.015 ___ Compliant ___ Deficient
 800.010.020 ___ Compliant ___ Deficient
 800.010.025 ___ Compliant ___ Deficient
 800.010.035 ___ Compliant ___ Deficient
 800.010.040 ___ Compliant ___ Deficient
 800.010.045 ___ Compliant ___ Deficient
 800.010.100 ___ Compliant ___ Deficient
 800.010.105 ___ Compliant ___ Deficient

800.20 Anesthesiologist/CRNA

800.020.050 ___ Compliant ___ Deficient
 800.020.055 ___ Compliant ___ Deficient
 800.020.060 ___ Compliant ___ Deficient
 800.020.070 ___ Compliant ___ Deficient

800.025 Nurse

800.025.010 ___ Compliant ___ Deficient
 800.025.015 ___ Compliant ___ Deficient
 800.025.020 ___ Compliant ___ Deficient
 800.025.025 ___ Compliant ___ Deficient

800.30 O.R. Personnel

800.030.010 ___ Compliant ___ Deficient
 800.030.015 ___ Compliant ___ Deficient
 800.030.020 ___ Compliant ___ Deficient
 800.030.030 ___ Compliant ___ Deficient

**800.40 Personnel
Records**

800.040.000 ___ Compliant ___ Deficient
 800.040.010 ___ Compliant ___ Deficient
 800.040.015 ___ Compliant ___ Deficient

**800.41 Records and
Experience**

800.041.005 ___ Compliant ___ Deficient
 800.041.010 ___ Compliant ___ Deficient
 800.041.015 ___ Compliant ___ Deficient
 800.041.020 ___ Compliant ___ Deficient
 800.041.025 ___ Compliant ___ Deficient
 800.041.030 ___ Compliant ___ Deficient
 800.041.035 ___ Compliant ___ Deficient

800.42 Safety Training

800.042.010 ___ Compliant ___ Deficient
 800.042.015 ___ Compliant ___ Deficient
 800.042.020 ___ Compliant ___ Deficient
 800.042.025 ___ Compliant ___ Deficient
 800.042.030 ___ Compliant ___ Deficient

800.50 Knowledge, Skill & CME Training

800.050.010 ___Compliant ___Deficient

800.050.015 ___Compliant ___Deficient

800.050.020 ___Compliant ___Deficient

800.60 Personnel Safety

800.060.010 ___Compliant ___Deficient

800.060.015 ___Compliant ___Deficient

800.060.020 ___Compliant ___Deficient

900.05 Delivery of Anesthesia

900.005.006 ___Compliant ___Deficient

900.005.007 ___Compliant ___Deficient

900.005.015 ___Compliant ___Deficient

900.005.020 ___Compliant ___Deficient

**900.10 Pre-Anesthesia
Care**

900.010.000 ___Compliant ___Deficient

900.010.010 ___Compliant ___Deficient

900.010.011 ___Compliant ___Deficient

900.010.012 ___Compliant ___Deficient

900.010.015 ___Compliant ___Deficient

900.010.020 ___Compliant ___Deficient

900.010.030 ___Compliant ___Deficient

900.010.035 ___Compliant ___Deficient

900.010.040 ___Compliant ___Deficient

900.010.045 ___Compliant ___Deficient

900.010.050 ___Compliant ___Deficient

900.010.055 ___Compliant ___Deficient

900.010.060 ___Compliant ___Deficient

900.010.065 ___Compliant ___Deficient

900.010.070 ___Compliant ___Deficient

900.20 Anesthetic Monitoring

900.020.000 ___Compliant ___Deficient

900.020.005 ___Compliant ___Deficient

900.21 Oxygenation

900.021.010 ___Compliant ___Deficient

900.021.015 ___Compliant ___Deficient

900.021.016 ___Compliant ___Deficient

**900.22 Circulation
Monitoring**

900.022.010 ___Compliant ___Deficient

900.022.050 ___Compliant ___Deficient

900.022.055 ___Compliant ___Deficient

900.23 Ventilation

900.023.005 ___Compliant ___Deficient

900.023.010 ___Compliant ___Deficient

900.023.015 ___Compliant ___Deficient

1000.10 Governing Body

1000.010.010 ___Compliant ___Deficient

1000.010.050 ___Compliant ___Deficient

1000.21 Mission and Structure

1000.021.010 ___Compliant ___Deficient

1000.021.011 ___Compliant ___Deficient

1000.021.012 ___Compliant ___Deficient

1000.021.015 ___Compliant ___Deficient

1000.021.019 ___Compliant ___Deficient

1000.021.020 ___Compliant ___Deficient

1000.30 Personnel

1000.030.010 ___Compliant ___Deficient

1000.50 Facility Use

1000.050.020 ___Compliant ___Deficient

1600.10 Emergency Preparedness

1600.010.001 ___Compliant ___Deficient

1600.010.002 ___Compliant ___Deficient

1600.010.003 ___Compliant ___Deficient

1600.010.004 ___Compliant ___Deficient

1600.010.005 ___Compliant ___Deficient

1600.010.007 ___Compliant ___Deficient

1600.010.009 ___Compliant ___Deficient

1600.010.010 ___Compliant ___Deficient

1600.010.011 ___Compliant ___Deficient

1600.010.012 ___Compliant ___Deficient

1600.010.013 ___Compliant ___Deficient

1600.010.014 ___Compliant ___Deficient

1600.010.015 ___Compliant ___Deficient

1600.010.016 ___Compliant ___Deficient

1600.010.017 ___Compliant ___Deficient

1600.010.018 ___Compliant ___Deficient

1600.010.019 ___Compliant ___Deficient

1600.010.020 ___Compliant ___Deficient

1600.010.021 ___Compliant ___Deficient

1600.010.022 ___Compliant ___Deficient

1600.010.023 ___Compliant ___Deficient

1600.010.024 ___Compliant ___Deficient

1600.010.025 ___Compliant ___Deficient

1600.010.026 ___Compliant ___Deficient

1600.010.027 ___Compliant ___Deficient

1600.010.028 ___Compliant ___Deficient
1600.010.029 ___Compliant ___Deficient
1600.010.030 ___Compliant ___Deficient
1600.010.031 ___Compliant ___Deficient
1600.010.032 ___Compliant ___Deficient
1600.010.033 ___Compliant ___Deficient
1600.010.034 ___Compliant ___Deficient
1600.010.035 ___Compliant ___Deficient
1600.010.036 ___Compliant ___Deficient
1600.010.037 ___Compliant ___Deficient
1600.010.038 ___Compliant ___Deficient
1600.010.039 ___Compliant ___Deficient
1600.010.040 ___Compliant ___Deficient

1600.20 Integrated Health System Participants

1600.020.001 ___Compliant ___Deficient
1600.020.002 ___Compliant ___Deficient
1600.020.003 ___Compliant ___Deficient
1600.020.004 ___Compliant ___Deficient
1600.020.005 ___Compliant ___Deficient
1600.020.006 ___Compliant ___Deficient
1600.020.007 ___Compliant ___Deficient
1600.020.008 ___Compliant ___Deficient

99999 Fire Safety

9999.005.005 ___Compliant ___Deficient

9999.005.025 ___Compliant ___Deficient

9999.005.050 ___Compliant ___Deficient

9999.005.060 ___Compliant ___Deficient

9999.005.065 ___Compliant ___Deficient

9999.005.070 ___Compliant ___Deficient

9999.005.075 ___Compliant ___Deficient

9999.005.080 ___Compliant ___Deficient

9999.005.085 ___Compliant ___Deficient

9999.005.090 ___Compliant ___Deficient

9999.005.095 ___Compliant ___Deficient

9999.005.100 ___Compliant ___Deficient

9998.10 Florida Supplement

| | | | | | |
|---------------------|------------------------------------|------------------------------------|---------------------|------------------------------------|------------------------------------|
| 9998.010.005 | <input type="checkbox"/> Compliant | <input type="checkbox"/> Deficient | 9998.010.080 | <input type="checkbox"/> Compliant | <input type="checkbox"/> Deficient |
| 9998.010.010 | <input type="checkbox"/> Compliant | <input type="checkbox"/> Deficient | 9998.010.085 | <input type="checkbox"/> Compliant | <input type="checkbox"/> Deficient |
| 9998.010.015 | <input type="checkbox"/> Compliant | <input type="checkbox"/> Deficient | 9998.010.090 | <input type="checkbox"/> Compliant | <input type="checkbox"/> Deficient |
| 9998.010.020 | <input type="checkbox"/> Compliant | <input type="checkbox"/> Deficient | 9998.010.095 | <input type="checkbox"/> Compliant | <input type="checkbox"/> Deficient |
| 9998.010.025 | <input type="checkbox"/> Compliant | <input type="checkbox"/> Deficient | | | |
| 9998.010.030 | <input type="checkbox"/> Compliant | <input type="checkbox"/> Deficient | | | |
| 9998.010.035 | <input type="checkbox"/> Compliant | <input type="checkbox"/> Deficient | | | |
| 9998.010.040 | <input type="checkbox"/> Compliant | <input type="checkbox"/> Deficient | | | |
| 9998.010.045 | <input type="checkbox"/> Compliant | <input type="checkbox"/> Deficient | | | |
| 9998.010.050 | <input type="checkbox"/> Compliant | <input type="checkbox"/> Deficient | | | |
| 9998.010.055 | <input type="checkbox"/> Compliant | <input type="checkbox"/> Deficient | | | |
| 9998.010.060 | <input type="checkbox"/> Compliant | <input type="checkbox"/> Deficient | | | |
| 9998.010.065 | <input type="checkbox"/> Compliant | <input type="checkbox"/> Deficient | | | |
| 9998.010.070 | <input type="checkbox"/> Compliant | <input type="checkbox"/> Deficient | | | |
| 9998.010.075 | <input type="checkbox"/> Compliant | <input type="checkbox"/> Deficient | | | |

AAAASF OFFICE
7500 Grand Avenue, Suite 200
Gurnee, IL 60031
Toll Free: 1-888-545-5222
Phone: 847-775-1970
Fax: 847-775-1985
E-mail: info@aaaasf.org
Website: www.aaaasf.org



**AMERICAN ASSOCIATION FOR ACCREDITATION OF
AMBULATORY SURGERY FACILITIES, INC.**