

TECHNICAL NOTE

MD8470A

Signalling Tester

W-CDMA Technology

ANRITSU CORPORATION

Copyright © 2005 by ANRITSU CORPORATION

The contents of this manual shall not be disclosed in any way or reproduced in any media without the express written permission of Anritsu Corporation.

Overview of W-CDMA Physical Channels (L1) and Protocol (L2, L3) Introduction

Discover What's Possible™
MD8470A-E-E-4

Slide 1

Anritsu

Contents

Part 1: Layer1

Part 2: Layer2 & Layer3

**Part 3: How to connect between MS
and BTS**


Part 4: EProtocol Sequence Examples

Discover What's Possible™
MD8470A-E-E-4

Slide 2

Anritsu


Configuration of Layers



Part 1: Layer1

Layer 1 functions are modulation and demodulation

Configuration of Physical Layer (L1)



Discover What's Possible™
MD8470A-E-E-4

Slide 5


Anritsu

Appendix: CDMA characteristics

CDMA (Code Division Multiple Access)

Many terminals can use the same frequency at the same time because a different spreading code is established for every terminal

- superior concealment
- strong against interference waves and interruption waves
- enables up to 1.5 times as many subscribers as TDMA (because of variable speed coding, control voice interlock output)
- not interrupted at handover
- strong for multi-path phasing




Discover What's Possible™
MD8470A-E-E-4

Slide 6

Anritsu

Appendix: SF



SF=256, 128, 64, 32, 16

Discover What's Possible™
 MD8470A-E-E-4


Slide 7

Anritsu

Appendix: Time frames

Physical channel structure

System frame number SFN mod0 ~ SFN mod 4095




Discover What's Possible™
 MD8470A-E-E-4

Slide 8

Anritsu

Appendix: Time frames of SCH and P-CCPCH



W-CDMA

- **Downlink Channel**
 - P-CPICH, P-SCH, S-SCH, P-CCPCH, S-CCPCH
 - S-CPICH
 - AICH
 - PICH
 - PDSCH (not supported)
 - DPCCH, DPDCH
 - various rates and services

W-CDMA

- **Uplink Channel**
 - **PRACH**
 - **PCPCH (not supported now)**
 - **DPCCH, DPDCH**
 - **various rate and services**


Part 2: Layer2 and Layer3

Layer 2 functions are

- **converting between L1 format and L3 format, and**
- **retransmitting**

Layer3 functions are sending and receiving messages


Configuration of Layers



Slide 13

Anritsu

Configuration of Retransmit



Slide 14

Anritsu

Part 3: How to connect between MS and BTS

How to connect between MS and BTS

- 1. MS receives P-SCH and synchronizes slot timing of BS**
 - Sync Codes of P-SCH are known
- 2. MS receives S-SCH and synchronizes frame timing of BS**
 - Search the 64 kinds of S-SCH Sync Codes (refer to S-SCH.doc)
 - Based on S-SCH Sync Codes, MS can get Scrambling Code
- 3. MS receives P-CPICH and matches the absolute phase**
- 4. MS receives P-CCPCH for Receiving BCH**

Appendix: Sync Codes

3G TS 25.213 version 3.2.0

23

3G TS 25.213 V3.2.0(DRAFT) (2000-03)

Table 4: Allocation of SSCs for secondary SCH.

Scrambling Code Group	#0	#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12	#13	#14
Group 0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Group 1	1	5	10	7	3	14	16	3	10	5	12	14	13	10	15
Group 2	1	2	1	15	5	12	16	6	11	2	16	11	15	12	1
Group 3	1	2	3	1	5	6	2	5	8	4	4	5	3	7	1
Group 4	1	2	16	6	6	11	16	5	12	1	15	12	16	11	2
Group 5	1	3	4	7	4	1	5	5	3	6	2	8	7	6	5
Group 6	1	4	11	3	4	10	9	2	11	2	10	12	12	9	3
Group 7	1	5	6	6	14	17	10	2	13	9	2	5	14	7	13
Group 8	1	6	10	10	4	11	13	16	11	13	6	4	11	10	10
Group 9	1	6	13	2	14	2	6	5	5	13	10	9	14	10	10
Group 10	1	7	8	6	7	2	4	3	8	3	2	6	6	4	5
Group 11	1	7	10	9	16	2	9	16	1	8	16	9	15	2	2
Group 12	1	8	12	8	9	4	13	16	5	1	13	5	12	4	8
Group 13	1	8	14	10	14	15	15	8	5	11	4	13	5	4	1
Group 14	1	9	2	15	15	16	10	7	8	1	10	6	2	16	9
Group 15	1	9	10	6	16	2	13	14	10	11	7	4	5	12	3
Group 16	1	10	9	11	16	7	16	4	16	3	2	12	13	14	14
Group 17	1	11	14	4	15	2	9	10	12	16	8	5	15	15	6
Group 18	1	12	12	13	14	7	2	8	14	2	1	13	11	6	11
Group 19	1	12	12	2	4	14	13	16	7	6	9	2	10	11	13
Group 20	1	15	4	3	7	6	10	13	12	5	14	16	8	2	11
Group 21	1	16	3	12	11	9	13	5	8	2	14	7	4	10	15
Group 22	2	5	10	16	11	3	10	11	6	5	13	3	12	9	8
Group 23	2	2	12	3	15	5	8	3	5	14	12	9	8	9	14
Group 24	2	3	6	16	12	16	3	13	13	6	7	9	2	12	7
Group 25	2	3	6	2	10	14	3	14	9	5	5	15	4	12	1
Group 26	2	4	7	9	5	4	9	11	2	14	5	14	11	10	16
Group 27	2	4	12	12	7	16	10	5	2	12	2	12	1	14	4
Group 28	2	5	9	8	3	14	15	14	15	12	14	5	15	1	16
Group 29	2	5	11	7	2	11	9	4	16	7	16	9	14	14	4
Group 30	2	6	2	13	3	3	12	6	7	16	5	16	13	12	1
Group 31	2	6	9	7	7	16	13	3	12	2	13	12	9	16	8
Group 32	2	7	12	15	2	12	4	10	13	15	13	4	5	5	10
Group 33	2	7	14	16	5	5	2	9	16	11	11	5	7	14	14
Group 34	2	8	5	12	3	2	14	14	8	15	3	9	12	15	9
Group 35	2	9	13	4	1	13	8	16	4	6	8	15	16	11	1
Group 36	2	10	3	2	13	16	8	10	6	13	11	11	16	16	5
Group 37	2	11	16	3	13	6	14	10	15	10	6	7	1	14	3
Group 38	2	16	4	2	10	14	11	4	11	12	2	4	1	1	2
Group 39	3	3	4	6	11	12	13	6	12	14	4	5	13	5	14
Group 40	3	3	6	6	16	9	15	5	9	10	6	4	15	6	10
Group 41	3	4	5	14	4	6	12	13	5	6	11	11	12	14	1
Group 42	3	4	9	16	10	4	16	15	3	5	10	5	15	6	6
Group 43	3	4	10	10	5	10	4	9	9	16	16	6	5	2	15
Group 44	3	5	12	11	14	5	11	13	3	8	14	13	1	4	4
Group 45	3	6	4	10	6	5	9	15	4	15	5	16	16	9	10
Group 46	3	7	8	16	11	12	4	15	11	4	16	2	16	16	15
Group 47	3	7	16	11	4	15	13	15	11	12	12	4	7	5	16
Group 48	3	8	7	15	4	9	15	12	3	16	4	16	12	11	11
Group 49	3	8	15	4	10	4	6	7	3	15	12	11	2	16	16

3GPP

3G TS 25.213 version 3.2.0

24

3G TS 25.213 V3.2.0(DRAFT) (2000-03)

Scrambling Code Group	#0	#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12	#13	#14
Group 50	3	10	10	15	16	5	4	6	16	4	3	15	9	6	9
Group 51	3	13	15	5	4	12	4	11	6	6	5	3	14	13	12
Group 52	3	14	7	9	14	10	13	8	7	6	10	4	4	13	9
Group 53	5	5	8	14	16	13	6	14	13	7	8	15	6	15	7
Group 54	5	6	11	7	10	8	5	8	7	12	12	10	6	9	11
Group 55	5	6	13	8	13	5	7	7	6	16	14	15	8	16	15
Group 56	5	7	9	10	7	11	6	12	9	12	11	8	8	6	10
Group 57	5	9	6	8	10	9	8	12	5	11	10	11	12	7	7
Group 58	5	10	10	12	8	11	9	7	8	9	5	12	6	7	6
Group 59	5	10	12	6	5	12	6	9	7	6	7	8	11	11	9
Group 60	5	13	15	15	14	8	6	7	16	8	7	13	14	5	16
Group 61	9	10	13	10	11	15	15	9	16	12	14	13	16	14	11
Group 62	9	11	12	15	12	9	13	13	11	14	10	16	15	14	16
Group 63	9	12	10	16	13	14	9	14	16	11	11	13	12	16	10

5.3 Modulation

Discover What's Possible™

MD8470A-E-E-4

Slide 17

Anritsu

How to connect between MS and BTS

- MS reaches state 4, and then starts registration, Termination, etc.

- 5: UE sends PRACH
- 6: UE receives S-CCPCH
- 7: UE sends DPDCH and receives DPDCH



5. Please answer (PRACH)

6. Dedicated CH Info. (S-CCPCH)

7. Wireless Protocol negotiation

7. Communication(Voice, etc.)

7. Disconnection



Discover What's Possible™

MD8470A-E-E-4

Slide 18

Anritsu


Part 4: Protocol Sequence Examples

Discover What's Possible™
MD8470A-E-E-4

Slide 19

Anritsu

Protocol Sequence Overview



Discover What's Possible™
MD8470A-E-E-4

Slide 20

Anritsu

W-CDMA (Protocol Sequence)

Sample Sequence of Registration 1

```

/*****
/* Registration arrow diagram in this Scenario */
/* MS MD8480 */
/* |----- RRC Connection Request ----->| */
/* | (TR-Mode PRACH-RACH-CCCH) | */
/* |<----- RRC Connection Setup ----->| */
/* | (UM-Mode S-CCPCH-FACH-CCCH) | */
/* |----- RRC Connection Setup Complete ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- MM Location Updating Request ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- GMM Attach Request ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<----- MM Authentication Request ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- MM Authentication Response ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<----- Security Mode Command ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- Security Mode Complete ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<----- MM Identity Request ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- MM Identity Response ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<----- MM Location Updating Accept ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- MM TMSI Reallocation complete ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* */
/*****/

```

Discover What's Possible™
MD8470A-E-E-4

Slide 21

Anritsu

W-CDMA (Protocol Sequence)

Sample Sequence of Registration 1

```

/*****
/* Registration arrow diagram in this Scenario */
/* MS MD8480 */
/* |<----- GMM AuthenticAndCiphering Req. ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- GMM AuthenticAndCiphering Resp.----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<----- Security Mode Command ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- Security Mode Complete ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<----- GMM Identity Request ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- GMM Identity Response ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<----- GMM Attach Accept ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- GMM Attach Complete ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<----- RRC Connection Release ----->| */
/* | (UM-Mode DPCH-DCH-DCCH) | */
/* |----- RRC Connection Release complete----->| */
/* | (UM-Mode DPCH-DCH-DCCH) | */
/* */
/* End Of Sequence */
/*****/

```

Discover What's Possible™
MD8470A-E-E-4

Slide 22

Anritsu

W-CDMA (Protocol Sequence)

Sample Sequence of Registration 2

```

/*****
/* Registration arrow diagram in this Scenario */
/* MS MD8480 */
/* |----- RRC Connection Request ----->| */
/* | (TR-Mode PRACH-RACH-CCCH) | */
/* |<----- RRC Connection Setup -----| */
/* | (UM-Mode S-CCPCH-FACH-CCCH) | */
/* |----- RRC Connection Setup Complete ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- MM Location Updating Request ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<----- MM Authentication Request -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- MM Authentication Response ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<----- Security Mode Command -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- Security Mode Complete ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<----- MM Identity Request -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- MM Identity Response ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<----- MM Location Updating Accept -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- MM TMSI Reallocation complete ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<----- RRC Connection Release -----| */
/* | (UM-Mode DPCH-DCH-DCCH) | */
/* |----- RRC Connection Release complete----->| */
/* | (UM-Mode DPCH-DCH-DCCH) | */
*****/

```

Discover What's Possible™
MD8470A-E-E-4

Slide 23

Anritsu

W-CDMA (Protocol Sequence)

Sample Sequence of Registration 2

```

/*****
/* Registration arrow diagram in this Scenario */
/* MS MD8480 */
/* |----- RRC Connection Request ----->| */
/* | (TR-Mode PRACH-RACH-CCCH) | */
/* |<----- RRC Connection Setup -----| */
/* | (UM-Mode S-CCPCH-FACH-CCCH) | */
/* |----- RRC Connection Setup Complete ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- GMM Attach Request ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<----- GMM AuthenticAndCiphering Req. -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- GMM AuthenticAndCiphering Resp.----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<----- Security Mode Command -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- Security Mode Complete ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<----- GMM Identity Request -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- GMM Identity Response ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<----- GMM Attach Accept -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- GMM Attach Complete ----->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<----- RRC Connection Release -----| */
/* | (UM-Mode DPCH-DCH-DCCH) | */
/* |----- RRC Connection Release complete----->| */
/* | (UM-Mode DPCH-DCH-DCCH) | */
/* End Of Sequence */
*****/

```

Discover What's Possible™
MD8470A-E-E-4

Slide 24

Anritsu

W-CDMA (Protocol Sequence)

**Sample Sequence
of Registration &
PDP activation
(H3G case)**

```

/*****
/* Registration arrow diagram in this Scenario */
/* MS MD8480 */
/* |----- RRC Connection Request -----| */
/* | (TR-Mode PRACH-RACH-CCCH) | */
/* |<---- RRC Connection Setup -----| */
/* | (UM-Mode S-CCPCH-FACH-CCCH) | */
/* |----- RRC Connection Setup Complete -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- MM Location Updating Request -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- GMM Attach Request -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- MM Authentication Request -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- MM Authentication Response -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- Security Mode Command -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- Security Mode Complete -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- MM Identity Request -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- MM Identity Response -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- MM Location Updating Accept -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- MM TMSI Reallocation complete -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/*
/*****

```

Discover What's Possible™
MD8470A-E-E-4

Slide 25

Anritsu

W-CDMA (Protocol Sequence)

**Sample Sequence
of Registration &
PDP activation
(H3G UE case)**

```

/*****
/* Registration arrow diagram in this Scenario */
/* MS MD8480 */
/* |<---- GMM AuthenticAndCiphering Req. -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- GMM AuthenticAndCiphering Resp.-----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- Security Mode Command -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- Security Mode Complete -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- GMM Identity Request -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- GMM Identity Response -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- GMM Attach Accept -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- GMM Attach Complete -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- SM PDP Context Request -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- Radio Bearer Setup -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- Radio Bearer Setup Complete -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- SM PDP Context Accept -----| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/*
/* End Of Sequence
/*****

```

Discover What's Possible™
MD8470A-E-E-4

Slide 26

Anritsu

W-CDMA

Sample Sequence of Voice & Video Origination

```

/*****
/* Origination arrow diagram in this Scenario */
/* MS MD8480 */
/* |----- RRC Connection Request ---->| */
/* | (TR-Mode PRACH-RACH-CCCH) | */
/* |<---- RRC Connection Setup ---->| */
/* | (UM-Mode S-CCPCH-FACH-CCCH) | */
/* |----- RRC Connection Setup Complete ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- MM CM Service Request ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- MM Authentic Request ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- MM Authentic Response ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- Security Mode Command ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- Security Mode Complete ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- MM CM Service Accept ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- CC Setup ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- CC Call Proceeding ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- Radio Bearer Setup ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- Radio Bearer Setup Complete ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- CC Alerting ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- CC Connect ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- CC Connect Acknowledge ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* End Of Sequence */
*****/

```

Discover What's Possible™
MD8470A-E-E-4

Slide 27

Anritsu

W-CDMA

Sample Sequence of Voice & Video Termination

```

/*****
/* Termination arrow diagram in this Scenario */
/* MS MD8480 */
/* |<---- Paging Type 1 ---->| */
/* | (TR-Mode S-CCPCH-PCH-PCCH) | */
/* |----- RRC Connection Request ---->| */
/* | (TR-Mode PRACH-RACH-CCCH) | */
/* |<---- RRC Connection Setup ---->| */
/* | (UM-Mode S-CCPCH-FACH-CCCH) | */
/* |----- RRC Connection Setup Complete ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- Paging Response ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- MM Authentic Request ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- MM Authentic Response ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- Security Mode Command ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- Security Mode Complete ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- CC Setup ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- CC Call Confirmed ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- Radio Bearer Setup ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- Radio Bearer Setup Complete ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- CC Alerting ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- CC Connect ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- CC Connect Acknowledge ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* End Of Sequence */
*****/

```

Discover What's Possible™
MD8470A-E-E-4

Slide 28

Anritsu

W-CDMA

Sample Sequence of Packet Origination

```
/* ***** */
/* Origination arrow diagram in this Scenario */
/* MS MD8480 */
/* |----- RRC Connection Request ---->| */
/* | (TR-Mode PRACH-RACH-CCCH) | */
/* |<---- RRC Connection Setup ---->| */
/* | (UM-Mode S-CCPCH-FACH-CCCH) | */
/* |----- RRC Connection Setup Complete ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- MM CM Service Request ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- GMM AuthenticAndCiphering Req. ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- GMM AuthenticAndCiphering Resp. ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- Security Mode Command ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- Security Mode Complete ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- MM CM Service Accept ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- SM Active PDP Context Request ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- Radio Bearer Setup ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |----- Radio Bearer Setup Complete ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* |<---- SM Active PDP Context Accept ---->| */
/* | (AM-Mode DPCH-DCH-DCCH) | */
/* */
/* End Of Sequence */
/* ***** */
```

Discover What's Possible™
MD8470A-E-E-4

Slide 29

Anritsu

W-CDMA

Sample Sequence of Making a call from MS

```
/* Receive Message: RRC Connction Request */
{
  for(;;){
    RcvMessage( &BtsNo, &Frame, &Lo_Ch, &Lo_No, RcvData, NO_TIMEOUT );
    if ( (Frame == RLC_TR_DATA_IND) &&
        (RcvData[0] == RRC_CONNECTION_REQUEST) ) {
      break;
    };
  };
};

/* CCCH RLC Re-Establish */
CrlcConfig(UNIT_BTS1, CRLC_UM_ESTABLISH, CCCH, 0, &CrlcConfigCCCH, RRC, NO_TIMEOUT);

/* Send Message: RRC Connection Setup */
{
  UCHAR SndData[] = {
    RRC_CONNECTION_SETUP, /* Message Type */
    /* UE Information Elements */
    0x00, /* Initial UE identity */
    0x00, /* Activation time */
    0x00, /* New U-RNTI */
    0x00, /* New C-RNTI */
    0x00, /* UTRAN DRX cycle length coefficient */
    0x00, /* Re-establishment timer */
    0x00, /* Capability update requirement */
    0x00, /* Downlink information common for all radio links */
    0x00, /* Downlink information per radio link list */
    0x00, /* Downlink information for each radio link */
  };

  SndMessage(UNIT_BTS1, RLC_UM_DATA_REQ, D_CCCH, 0, SndData, sizeof(SndData));
};
```


Discover What's Possible™
MD8470A-E-E-4

Slide 30

Anritsu

Anritsu







Specifications are subject to change without notice.

ANRITSU CORPORATION

1800 Onna, Atsugi-shi, Kanagawa, 243-8555 Japan
 Phone: +81-46-223-1111
 Fax: +81-46-296-1264

● **U.S.A.****ANRITSU COMPANY
TX OFFICE SALES AND SERVICE**

1155 East Collins Blvd., Richardson, TX 75081, U.S.A.
 Toll Free: 1-800-ANRITSU (267-4878)
 Phone: +1-972-644-1777
 Fax: +1-972-644-3416

● **Canada****ANRITSU ELECTRONICS LTD.**

700 Silver Seven Road, Suite 120, Kanata,
 ON K2V 1C3, Canada
 Phone: +1-613-591-2003
 Fax: +1-613-591-1006

● **Brasil****ANRITSU ELETRÔNICA LTDA.**

Praca Amadeu Amaral, 27 - 1 andar
 01327-010 - Paraiso, Sao Paulo, Brazil
 Phone: +55-11-3283-2511
 Fax: +55-11-3886940

● **U.K.****ANRITSU LTD.**

200 Capability Green, Luton, Bedfordshire LU1 3LU, U.K.
 Phone: +44-1582-433280
 Fax: +44-1582-731303

● **Germany****ANRITSU GmbH**

Grafenberger Allee 54-56, 40237 Düsseldorf, Germany
 Phone: +49-211-96855-0
 Fax: +49-211-96855-55

● **France****ANRITSU S.A.**

9, Avenue du Québec Z.A. de Courtabœuf 91951 Les
 Ulis Cedex, France
 Phone: +33-1-60-92-15-50
 Fax: +33-1-64-46-10-65

● **Italy****ANRITSU S.p.A.**

Via Elio Vittorini, 129, 00144 Roma EUR, Italy
 Phone: +39-06-509-9711
 Fax: +39-06-502-2425

● **Sweden****ANRITSU AB**

Borgafjordsgatan 13 164 40 Kista, Sweden
 Phone: +46-853470700
 Fax: +46-853470730

● **Finland****ANRITSU AB**

Teknobulevardi 3-5, FI-01530 Vantaa, Finland
 Phone: +358-9-4355-220
 Fax: +358-9-4355-2250

● **Denmark****Anritsu AB Danmark**

Korskildelund 6 DK - 2670 Greve, Denmark
 Phone: +45-36915035
 Fax: +45-43909371

● **Singapore****ANRITSU PTE LTD.**

10, Hoe Chiang Road #07-01/02, Keppel Towers,
 Singapore 089315
 Phone: +65-6282-2400
 Fax: +65-6282-2533

● **Hong Kong****ANRITSU COMPANY LTD.**

Suite 923, 9/F., Chinachem Golden Plaza, 77 Mody
 Road, Tsimshatsui East, Kowloon, Hong Kong, China
 Phone: +852-2301-4980
 Fax: +852-2301-3545

● **P. R. China****ANRITSU COMPANY LTD.****Beijing Representative Office**

Room 1515, Beijing Fortune Building, No. 5 North
 Road, the East 3rd Ring Road, Chao-Yang District
 Beijing 100004, P.R. China
 Phone: +86-10-6590-9230

● **Korea****ANRITSU CORPORATION**

8F Hyun Juk Bldg. 832-41, Yeoksam-dong,
 Kangnam-ku, Seoul, 135-080, Korea
 Phone: +82-2-553-6603
 Fax: +82-2-553-6604

● **Australia****ANRITSU PTY LTD.**

Unit 3/170 Forster Road Mt. Waverley, Victoria, 3149,
 Australia
 Phone: +61-3-9558-8177
 Fax: +61-3-9558-8255

● **Taiwan****ANRITSU COMPANY INC.**

7F, No. 316, Sec. 1, NeiHu Rd., Taipei, Taiwan
 Phone: +886-2-8751-1816
 Fax: +886-2-8751-1817

050203



Printed on 100%
 Recycled Paper

No.MD8470A-E-E-4-(1.00)



Printed in Japan 2005-8 AKD